

Haley Griffith (adpce.ad)

From: Ciara Childers Beavers <ciara.childers.beavers@jettenviro.com>
Sent: Tuesday, January 2, 2024 8:16 AM
To: gwreports
Cc: Reynolds, Jodi; Steve Jett; Travis Doll
Subject: Second Half 2023 Groundwater Monitoring Report, Eco-Vista Class 1 Landfill, Solid Waste Permit No. 0290-S1-R4

On behalf of Eco-Vista, LLC, Jett Environmental Consulting is submitting the Second Half 2023 Groundwater Monitoring Report for the Class 1 Landfill. Please access the link below to download the report.

https://drive.google.com/file/d/1oGW1xLfHMdLX40vgVtVn_BeZ0KmDslhs/view?usp=sharing

If you have any questions or comments regarding this submittal, please do not hesitate to contact us.

Sincerely,
Ciara Childers Beavers
Project Geologist
Jett Environmental Consulting
18 Lexington Oaks Court
Foristell, MO 63348
513-267-4568
ciara.childers.beavers@jettenviro.com
www.jettenviro.com

AFIN: 72-00144
PMT#: 0290-S1-R4
Received <i>By Haley Griffith at 9:25 am, Jan 2, 2024</i>
DOC ID#: 84982
TO: BS>FILE <HG



January 2, 2024

Submitted via Electronic Mail

Mr. Aaron Baggett, Geologist
Arkansas Department of Energy and Environment
Division of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118

**Re: Second Half 2023 Groundwater Monitoring Report
Eco-Vista, LLC, Class 1 Landfill
AFIN: 72-00144, Permit No.: 0290-S1-R4**

Dear Mr. Baggett:

Jett Environmental Consulting is pleased to submit the Second Half 2023 Groundwater Monitoring Report. In addition, on behalf of Eco-Vista, LLC, Jett Environmental Consulting is submitting this letter to satisfy the notification requirements of Arkansas Pollution Control and Ecology Commission Regulation No. 22.1204(c)(1). This notice has been placed in the facility operating record and as identified and discussed in the enclosed Report, summarizes the confirmed statistically significant increases on **Table A**. The Report also identified the following confirmed statistically significant levels above a groundwater protection standard: cadmium at MW-3N, MW-8N, and LGW-9; and cobalt at LGW-5, LGW-6, LGW-10, and MW-21.

Professional Geologist Certification

I certify that I am a qualified groundwater scientist who has received a baccalaureate or post-graduate degree in the natural sciences and am registered in the State of Arkansas. I have sufficient training and experience in geology, geohydrology, and groundwater hydrology that enable me to make sound professional judgments regarding groundwater monitoring, contaminant fate and transport, and corrective action.

I further certify that this summary report was prepared by me or by a subordinate working under my direction. Sampling was conducted by Promus Engineering, LLC, laboratory analytical testing was performed by Pace Analytical National, and statistical analyses were completed by Otter Creek Environmental Services, LLC.

If you have any questions or comments, please contact me at steve.jett@jettenviro.com or 314-496-4654.

Sincerely,



Steve Jett, P.G. No. 1826
Owner

Ciara Childers Beavers

Ciara Childers Beavers
Project Geologist

Attachments: *Second Half 2023 Groundwater Monitoring Report*

cc: *Jodi Reynolds – WM (PDF via Email)*
Robyn Reed – Boston Mountain Solid Waste District (PDF via Email)

Table A – Summary of Confirmed Statistically Significant Increases

Well	Parameter
LGW-2	TOC
LGW-4	Manganese
	TDS
	TOC
	Zinc
LGW-5	Barium
	Cobalt
	Iron
	Manganese
	Nickel
	TDS
	TOC
	Zinc
LGW-6	Barium
	Cadmium
	Cobalt
	Iron
	Manganese
	Nickel
	TDS
	Zinc
LGW-7	TDS
LGW-8R	Barium
	Cadmium
	Manganese
	Nickel
	TDS
	Zinc
LGW-9	TDS
LGW-10	1,4-dichlorobenzene
LGW-14R	TDS
	Zinc
MW-2N	Barium
	TDS
	Zinc
MW-3N	Sulfate
MW-7N	Sulfate
	TOC
MW-8N	TOC
MW-15	Sulfate
	TOC
MW-17	Sulfate
MW-21	Cadmium

TDS: Total Dissolved Solids

TOC: Total Organic Carbon

**SECOND HALF 2023
GROUNDWATER MONITORING REPORT**

**Eco-Vista Landfill
Eco-Vista, LLC
2210 Waste Management Drive
Springdale, Arkansas 72762**

**Permit Number: 0290-S1-R4
AFIN: 72-00144**

January 2024

Prepared by:



**18 Lexington Oaks Court
Foristell, MO 63348**

**314-496-4654
www.jettenviro.com**

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	SITE LOCATION	1
3.0	SITE BACKGROUND AND MONITORING NETWORK.....	1
4.0	SECOND HALF 2023 SAMPLING EVENTS	2
4.1	Groundwater Elevation, Flow Direction, & Flow Rate.....	2
4.2	Groundwater Results.....	3
4.3	Surface Water Results.....	4
5.0	STATISTICAL EVALUATION.....	4
5.1	Detection Monitoring Statistical Evaluation Results	4
5.2	Assessment Monitoring Statistical Evaluation Results	5
6.0	CORRECTIVE ACTION MONITORING.....	5
6.1	Corrective Action Monitoring History.....	5
6.2	Corrective Action Monitoring Results	7
7.0	CONCLUSIONS.....	7

TABLES

Table 1	Groundwater Monitoring Program
Table 2	Field Measurements, Third Quarter 2023 Event
Table 3	Field Measurements, Fourth Quarter 2023 Event
Table 4	Volatile Organic Compound Detections, Third Quarter 2023 Event
Table 5	Volatile Organic Compound Detections, Fourth Quarter 2023 Event
Table 6	Inorganic Groundwater Quality Results, Third Quarter 2023 Event
Table 7	Inorganic Groundwater Quality Results, Fourth Quarter 2023 Event
Table 8	Groundwater Protection Standards (GWPS)

APPENDICES

Appendix A	Figures
Appendix B	Laboratory Analytical Results & Field Forms, Third Quarter 2023 Event
Appendix C	Laboratory Analytical Results & Field Forms, Fourth Quarter 2023 Event
Appendix D	Historical Groundwater Quality Results
Appendix E	Statistical Evaluation
Appendix F	Graphs of Detected Parameters for Wildcat Creek

1.0 INTRODUCTION

Eco-Vista, LLC operates the Eco-Vista Class 1 Municipal Solid Waste Landfill under Solid Waste Permit Number 290-S1-R4 (Permit) issued July 31, 2023. This report was prepared in accordance with the Permit and the Arkansas Department of Energy and Environment, Division of Environmental Quality (DEQ) approved Groundwater Sampling and Analysis Plan (GWSAP, Document 70560, dated November 2016).

The Eco-Vista Landfill is currently in a groundwater assessment/corrective action monitoring program pursuant to DEQ Regulation 22.1205. All procedures detailed in this document are designed to provide an accurate representation of groundwater quality at groundwater wells installed at the site and to be protective of human health and the environment.

This report covers the results of the two Second Half 2023 groundwater sampling events, which were conducted in third quarter (July 2023) and fourth quarter (October 2023). This report includes all field measurements, analytical data, statistical evaluation, and the associated potentiometric surface maps for the Second Half 2023. Sampling was conducted by Promus Engineering, LLC (Promus), laboratory analytical testing was performed by Pace Analytical National (Pace), and statistical analyses were completed by Otter Creek Environmental Services, LLC (Otter Creek).

2.0 SITE LOCATION

The facility is located at 2210 Waste Management Drive, approximately 2.5 miles south of Tontitown, primarily within Section 23, Township 17 North, Range 31 West, Washington County, Arkansas. **Figure 1** (See **Appendix A**) presents the location of the Eco-Vista Landfill.

3.0 SITE BACKGROUND AND MONITORING NETWORK

The current groundwater monitoring system consists of twenty-three wells designated as MW-1N, MW-2N, MW-3N, MW-7N, MW-8N, MW-10N, MW-11N, MW-15, MW-16, MW-17, MW-19, MW-20, MW-21, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-9, LGW-10, and LGW-14R (See **Figures 2** and **3** in **Appendix A**). The original seven “N” wells were installed in September 1997 by Anderson Engineering Consultants, Inc. (AECI) and Flippin Brothers, Inc., under the supervision of Genesis Environmental Consulting, Inc. (GEC). Ten LGW wells were installed by AECI under the supervision of Terracon Consultants, Inc. (Terracon) in September 2005. Monitoring wells LGW-8R and LGW-14R were installed in August 2008 by AECI and supervised by Terracon as replacement wells for LGW-8 and LGW-14. LGW-3 was damaged during site construction activities and was replaced with LGW-3R in June 2015 by AECI under the supervision of Chimney Rock Consulting (CRC). Monitoring wells MW-15, MW-16, MW-17, MW-19, MW-20, and MW-21 were installed in May 2015 by AECI and supervised by CRC in accordance with the site’s Permit.

During the Third Quarter 2019 event, wells NE-10 and NE-11 were not able to be sampled. Well NE-10 was dry, while well NE-11 was damaged. Well NE-11 was repaired in August 2019 with DEQ approval (Document 76629) and redeveloped prior to sampling in Fourth Quarter 2019. NE-10 was abandoned with DEQ approval (Document 76443) and replacement well NE-10D was installed in July 2019. Well NE-10D was first sampled in the Fourth Quarter 2019.

In addition, several Nature and Extent wells (NE-suffix) have been installed over the years ranging from September 2001 through July 2019. The Nature and Extent wells and Corrective Action Monitoring Program (CAMP) are discussed in detail in **Section 6.0**.

4.0 SECOND HALF 2023 SAMPLING EVENTS

According to Promus, the groundwater monitoring system was sampled in accordance with the Landfill Permit and the DEQ-approved GWSAP (Document 70560).

The Second Half 2023 sampling events were conducted in third quarter (July 2023) and fourth quarter (October 2023). The procedures for obtaining groundwater samples, parameters analyzed, and sample preservation and handling are discussed in the DEQ-approved GWSAP. Field measurements were recorded on Field Information Forms and are presented in **Appendices B** and **C**. A summary of the field measurements for the Second Half 2023 sampling events is presented on **Tables 2** and **3**. QA/QC samples were collected and submitted along with the groundwater samples to Pace. Laboratory analytical results and copies of the Chain-of-Custody forms are included in **Appendices B** and **C**.

During the Third Quarter 2023 event, the wells on **Table 1** were sampled for the full Assessment Monitoring Constituent (AMC) list. During the Fourth Quarter 2023 event, only the wells with Groundwater Protection Standard (GWPS) exceedances from the Third Quarter 2023 event were sampled for the AMC list. In addition, any well-parameter pairs with unverified statistical exceedances during the Third Quarter 2023 event were resampled in Fourth Quarter 2023. The results of the Third Quarter 2023 and Fourth Quarter 2023 sampling events are discussed in **Section 4.2**.

During the Third Quarter 2023 sampling event, wells MW-20 and NE-13 were dry and not able to be sampled. Also, during the Third Quarter 2023 and Fourth Quarter 2023 sampling events, well NE-15S was dry and not able to be sampled.

4.1 Groundwater Elevation, Flow Direction, & Flow Rate

Figures 2 and **3** in **Appendix A** present the groundwater potentiometric surface maps based on depth to water data measured in Third Quarter 2023 and Fourth Quarter 2023. **Tables 2** and **3** include the groundwater elevation data for the groundwater monitoring wells. During the Third Quarter 2023 and Fourth Quarter 2023 events, groundwater flow direction was generally to the southeast, consistent with past events.

To assist in calculating the average linear groundwater velocity, the hydraulic gradient of the bedrock system was measured from the figures. The groundwater velocities are then calculated from the following equation:

$$v = Ki/n$$

where:

v = groundwater flow velocity (feet/year)

K = hydraulic conductivity (feet/second)

i = hydraulic gradient (feet/feet)

n = effective porosity (dimensionless)

[with 31,536,000 feet/second to feet/year conversion factor]

Based on Chimney Rock Consulting's October 2013 "Hydrogeologic and Geotechnical Investigation Report, Major Permit Modification, Lateral Expansion Area, Eco-Vista Landfill" (Document 63689), slug tests were performed on the overburden, overburden/bedrock contact, and competent bedrock. Table 4.7 of the above document summarized the calculated hydraulic conductivities from the slug tests of the overburden/epikarst and the bedrock. For the overburden/epikarst, hydraulic conductivities ranged from 1.925×10^{-7} ft/sec to 8.927×10^{-5} ft/sec. For the competent bedrock, hydraulic conductivities ranged from 6.675×10^{-9} ft/sec to 3.037×10^{-5} ft/sec. Effective porosities were estimated as 20% for the overburden and overburden/bedrock contact and 3% for the competent bedrock.

Due to the wide range of hydraulic conductivities determined from the aquifer slug tests, a geometric mean calculation would be more representative for calculation of the groundwater flow rate. The geometric mean of the hydraulic conductivity was 7.57276×10^{-6} ft/sec for the overburden/epikarst and 2.31578×10^{-7} ft/sec for the bedrock. A hydraulic gradient of 0.017 feet/feet was calculated across the site for the Fourth Quarter 2023 event (see **Figure 3**). Therefore, the geometric mean of the groundwater flow rates would be approximately 20 ft/year for the overburden/epikarst and 4 ft/year for the bedrock.

The groundwater flow rates fall within the range consistent with past events. Groundwater at the site as a whole generally exists in a dual-porosity system and the flow rates provided above are estimates. The higher hydraulic conductivities and pore space in the epikarst would result in groundwater moving more laterally along the overburden/weathered bedrock interface rather than downward into the competent bedrock. In various discrete zones or preferential pathways, larger than average volumes of groundwater are possible in localized areas, as documented in previous site investigations.

4.2 Groundwater Results

During the Third Quarter 2023 event, the wells on **Table 1** were sampled for the full AMC list, with the exception of MW-20, NE-13, and NE-15S that were dry. During the Fourth Quarter 2023 event, the wells with GWPS exceedances from the Third Quarter 2023 event were sampled for the AMC list. In addition, well-parameter pairs with initial statistical exceedances identified during the Third Quarter 2023 event were resampled in Fourth Quarter 2023. As shown on **Tables 4** through **7**, the following results exceeded a GWPS during the Third Quarter 2023 event, and therefore; these wells were sampled for the AMC list in Fourth Quarter 2023: cadmium at MW-3N, MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-5, LGW-6, LGW-10, MW-21, NE-5, NE-5E, and NE-5W. DEQ requested that the GWPS for cobalt be changed from 0.011 mg/L to 0.006 mg/L in a letter dated November 21, 2019 (Document 77318).

The full DEQ Regulation 22 Appendix 2 list is sampled annually (typically in third quarter) at the wells with GWPS exceedances during the previous calendar year. The site is required to sample each well on a triennial basis (i.e., 2024, 2027, 2030, etc.) for the full ADEQ Regulation 22 Appendix 2 list. Each well will be sampled for the full ADEQ Regulation 22 Appendix 2 list during the Third Quarter 2024 event, with the exception of the Nature & Extent wells, which are sampled for the AMC list.

The data presented in **Appendix D** represents the historical groundwater analytical results compiled since the monitoring system was first sampled at the site in October 1997. Attachment B within **Appendix E** provides the historical organic groundwater detections since October 1997. A comparison to applicable GWPSs and a summarization of the groundwater quality at all monitoring points for the Second Half 2023 sampling events are presented on **Tables 4** through **7**.

As shown on **Tables 4** through **7**, the following results exceeded a GWPS during the Fourth Quarter 2023 event: cadmium at MW-3N, MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E. Results were generally consistent with past events.

During the Third Quarter 2023 and Fourth Quarter 2023 events, one volatile organic compound (VOC) was detected above the laboratory practical quantitation limit (PQL) at a quantified concentration at LGW-10 (1,4-dichlorobenzene) (see **Table 4** and **5**). The VOC detection at LGW-10 was consistent with previous events. None of the Third Quarter 2023 or Fourth Quarter 2023 VOC detections exceeded a GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

The analytical results for monitoring wells and their corresponding field duplicate sample at LGW-6/DUP-1 and NE-12/DUP-2 were consistent for the Third Quarter 2023 event, with the exception of selenium in the DUP-1 duplicate sample. However, the duplicate result for selenium was consistent with historical results at LGW-6. The analytical results for monitoring wells and their corresponding field duplicate sample at NE-10D/DUP and NE-14D/DUP-2 were consistent for the Fourth Quarter 2023 events. Laboratory QA/QC analytical results and copies of the Chain-of-Custody forms are included in **Appendices B and C**.

4.3 Surface Water Results

In accordance with Permit Condition 40 of the Class 1 Permit, sampling must be conducted at the Wildcat Creek location just north of the intersection of County Road 31 (Harmon Road) and County Road 863 (Clear Water Road). Wildcat Creek must be sampled semi-annually for iron, manganese, total organic carbon (TOC), hardness, and the AMC list, while the site is in Assessment Monitoring. Per the Permit, the sampling results for the Wildcat Creek sampling are not subject to the groundwater monitoring regulations within Chapter 12 of Rule 22 and will not be statistically evaluated; however, graphs of detected parameters are to be included in the semi-annual reports.

Wildcat Creek was sampled during the Third Quarter 2023 event. Laboratory analytical results are included in **Appendix B**. Graphs of detected parameters are included in **Appendix F**.

5.0 STATISTICAL EVALUATION

The statistical evaluation was generated with the statistical analysis program DUMPStat™ and performed by Otter Creek. The statistical program was used to identify outliers, statistically significant trends; and to determine if statistically significant increases (or decreases in the case of pH) in parameter concentrations have occurred above background. The statistical evaluation was also utilized to determine whether parameter concentrations statistically exceed established GWPSs. A detailed explanation of the statistical methods applied, and results are summarized within **Appendix E** for the Second Half 2023.

5.1 Detection Monitoring Statistical Evaluation Results

Statistically derived intra-well statistical limits were calculated for each Assessment Monitoring well to determine if statistically significant increases have occurred above background.

Chloride and ammonia are not statistically evaluated during the quarterly events, but rather addressed in the Monthly Reports that are submitted per Permit 0290-S1-R4, Condition 42.

The Detection Monitoring statistical evaluation on all well-parameter pairs are provided in **Appendix E**. Multiple verified exceedances were identified based on the Third Quarter 2023 data. Verification sampling of the eleven initial exceedances noted in Third Quarter 2023 was completed in Fourth Quarter 2023. Statistical evaluation of the Fourth Quarter 2023 resampling results indicated six of the eleven initial exceedances exhibited verified exceedances: cadmium at LGW-8R; nickel at LGW-8R; TOC at LGW-2, LGW-4 and MW-7N; and zinc at LGW-8R.

As stated in **Section 4.2**, during the Third Quarter 2023 and Fourth Quarter 2023 events, a VOC was detected above the laboratory PQL at quantified concentrations at LGW-10 (1,4-dichlorobenzene) (see **Tables 4 and 5**). The VOC detections at LGW-10 were consistent with previous events. None of the Third Quarter 2023 or Fourth Quarter 2023 VOC detections exceeded a GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

5.2 Assessment Monitoring Statistical Evaluation Results

Well-parameter pairs with verified statistical exceedances, verified GWPS exceedances, or verified VOC detections were evaluated against the GWPSs using confidence limits (**Appendix E**). The 95% lower confidence limit (LCL) for the mean of the data was used to evaluate whether the regulated unit was in compliance with the DEQ-approved GWPSs (e.g., whether the verified constituent is detected at a statistically significant level above the GWPS). An exceedance is verified if the LCL is above the GWPS.

The calculated LCLs for historically detected VOCs were below the respective GWPS for the Third Quarter 2023 event.

For the Third Quarter 2023 event, the LCL exceeded the GWPS for cobalt at LGW-5, LGW-6, LGW-10, and MW-21; and cadmium at LGW-9, MW-3N, and MW-8N. The cobalt and cadmium exceedances were consistent with recent events. Review of the cadmium and cobalt data for the above-mentioned GWPS exceedances indicates concentrations have been reported at either stable concentrations or decreasing during recent events at each well. It should be noted, cobalt at LGW-5 was reported as non-detect during the Fourth Quarter 2023 event.

The site is currently undergoing a corrective action program for cadmium and cobalt, as discussed in **Section 6.0** below.

Regarding cobalt, as reported in the USGS 2013 Document "*Geochemical and Mineralogical Data for Soils of the Conterminous United States*", Appendix 4a, cobalt was detected in native Arkansas soils ranging from 1.8 to 20.2 mg/kg in "C" (deeper) horizon from more than 60 samples collected. According to the Agency for Toxic Substances and Disease Registry (ATSDR) *Public Health Statement for Cobalt* (dated April 2004), cobalt is a naturally-occurring element with small amounts found naturally in most rocks, soil, water, plants, and animals. For most people, food is the largest source for the intake of cobalt (the non-radioactive isotope form). A biochemically important cobalt compound is vitamin B12, which is essential for good health in animals and humans. Metals in soil and bedrock can easily leach into the groundwater, especially if the groundwater is acidic (pH < 7.0 SU). Cobalt is considered somewhat mobile in acidic soils but less mobile as pH reaches neutrality. The pH of a majority of the groundwater samples from the site during the Third Quarter 2023 event were below 7.0 SU, and the pH of the samples from LGW-10 and NE-5, which had the highest cobalt concentrations, were 6.36 and 5.91 SU, respectively. The occurrence and levels of cobalt at the site has no indication of being related to a release from the waste unit.

6.0 CORRECTIVE ACTION MONITORING

On November 27, 2000, the site notified the DEQ that the Third Quarter 2000 sampling results from the Eco-Vista (formerly Tontitown) Landfill groundwater monitoring system had exceeded the approved GWPS for vinyl chloride (MW-1N and MW-7N) and cadmium (MW-7N and MW-8N).

The site implemented a corrective measures program under Reg.22.1208. This program was implemented in an effort to improve groundwater quality prior to the water leaving the site boundaries. This program included the installation of in-refuse and out-of-refuse gas extraction wells. The operation of this active source removal system (initiated in April 2001) included the extraction and treatment of gases and the collection of data needed to optimize future gas extraction system components.

6.1 Corrective Action Monitoring History

The site has been monitoring the effectiveness of the corrective action utilizing monitoring wells NE-1, NE-4, and NE-5 as monitoring points since 2001. In August 2011, the site submitted a

“Status of Groundwater Corrective Action” (Document 60765) to DEQ. In March 2014, DEQ provided comments on the “Status of Groundwater Corrective Action” and requested a work plan for the installation of additional wells and information regarding the site’s gas extraction system (Document 65639).

Three of the Nature and Extent wells (NE-1, NE-4, and NE-5) are monitored in accordance with the Corrective Action Monitoring Program (CAMP) for the site, which was approved by the DEQ in a letter dated December 16, 2004 (Document 25189). Well NE-3 is damaged and monitored for water elevation purposes only.

On June 12, 2014, a letter detailing the ongoing gas extraction efforts at the facility was submitted to DEQ (Document 66045). Document 69516 “Approval of Plan for Modification to the Gas Extraction System at the Eco-Vista Landfill” was received on May 5, 2016.

DEQ approved the final nature and extent work plan (Documents 70569 and 70585) and well installation began in December 2016. The installation of the eight new nature and extent wells (NE-6 through NE-13) at the site was completed in December 2016 and a field activity report was submitted to DEQ (Document 71488). Quarterly monitoring was conducted in 2017 and a report that discussed the findings of the nature and extent investigation was submitted to DEQ on January 19, 2018 (Document 73049). As stated in the January 2018 report, current corrective action at the site is based on impacts to groundwater from landfill gas. Beginning with the First Quarter 2019 event, wells NE-6 through NE-13 have been sampled semi-annually (per Document 74217).

In correspondence dated July 18, 2018, DEQ issued comments (Document 74217) on the Nature and Extent Report (Document 73049). In correspondence dated September 12, 2018, FTN Associates, Ltd. (FTN) issued a response (Document 74554) to the DEQ comments. In correspondence dated September 28, 2018, DEQ issued a response (Document 74635) to FTN’s comments. The site submitted a Nature and Extent Investigation (NEI) Phase 3 Work Plan (Document 75678) in February 2019 to address the DEQ comments. The Work Plan was approved by DEQ in a letter dated July 3, 2019 (Document 76443). NEI Phase 3 field activities were conducted in January 2021 in accordance with the conditionally approved NEI work plan and addendum to the work plan (Documents 75678, 76443, 76636, and 76645). Monitoring wells NE-5E, NE-5W, NE-6D, NE-10D, NE-14D, NE-14S, NE-15D, and NE-15S were completed by Walker-Hill Environmental, Inc and supervised by FTN. Monitoring well NE-10 was abandoned during these field activities per the NEI work plan and DEQ approval (Documents 75678 and 76443). The new monitoring wells were developed in August 2019. A groundwater monitoring well installation and abandonment report was submitted to DEQ on October 11, 2019 (Document 77170).

During the Third Quarter 2019 event, wells NE-10 and NE-11 were not able to be sampled. Well NE-10 was dry, while well NE-11 was damaged. Well NE-11 was repaired in August 2019 with DEQ approval (Document 76629) and redeveloped prior to sampling in Fourth Quarter 2019. NE-10 was abandoned with DEQ approval (Document 76443) and replacement well NE-10D was installed in July 2019. Well NE-10D was first sampled in the Fourth Quarter 2019.

The new monitoring wells, along with existing passive gas extraction wells EW-15 and EW-16, were initially sampled in Fourth Quarter 2019 and were sampled quarterly thereafter for a period of one year (Fourth Quarter 2019, First Quarter 2020, Second Quarter 2020, and Third Quarter 2020). Samples were analyzed for the landfill’s AMC list. Data from these events were submitted directly to DEQ from the laboratory and were presented in the landfill’s semi-annual groundwater monitoring reports.

On May 18, 2022, a Groundwater Corrective Action Status Update was submitted to DEQ. On November 28, 2023, an updated Groundwater Corrective Action Plan was submitted to DEQ.

6.2 Corrective Action Monitoring Results

During the Third Quarter 2023 event, GWPSs were exceeded for cadmium at NE-5E and NE-9; and cobalt at NE-5, NE-5E, and NE-5W. During the Fourth Quarter 2023 event, GWPSs were exceeded for cadmium at NE-5E and NE-9; and cobalt at NE-5 and NE-5E. The cadmium and cobalt concentrations at these wells have been reported at relatively stable levels over the last couple of years.

7.0 CONCLUSIONS

The following conclusions are based on the results of the Second Half 2023 groundwater sampling events and analytical testing:

- The water level data for the Third Quarter 2023 and Fourth Quarter 2023 sampling events indicated that the groundwater flow direction within the uppermost aquifer was generally to the southeast across the site, consistent with past events. Due to the wide range of hydraulic conductivities determined from past aquifer slug tests, a geometric mean calculation would be more representative for calculation of the groundwater flow rate. A hydraulic gradient of 0.017 feet/foot was calculated across the site for the Fourth Quarter 2023 event. The geometric mean of the groundwater flow rates were calculated to be approximately 20 ft/year for the overburden/epikarst and 4 ft/year for the bedrock.
- The groundwater flow rates fall within the range consistent with past events. Groundwater at the site as a whole generally exists in a dual-porosity system and the flow rates provided above are estimates. The higher hydraulic conductivities and pore space in the epikarst would result in groundwater moving more laterally along the overburden/weathered bedrock interface rather than downward into the competent bedrock. In various discrete zones or preferential pathways, larger than average volumes of groundwater are possible in localized areas, as documented in previous site investigations.
- The following inorganic results exceeded a GWPS during the Third Quarter 2023 event: cadmium at MW-3N, MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-5, LGW-6, LGW-10, MW-21, NE-5, NE-5E, and NE-5W. The following results exceeded a GWPS during the Fourth Quarter 2023 event: cadmium at MW-3N, MW-8N, LGW-9, NE-5E, and NE-9; and cobalt at LGW-6, LGW-10, MW-21, NE-5, and NE-5E.
- During the Third Quarter 2023 and Fourth Quarter 2023 events, a VOC was detected above the laboratory PQL at quantified concentrations at LGW-10 (1,4-dichlorobenzene). The VOC detections at LGW-10 were consistent with previous events. None of the Third Quarter 2023 or Fourth Quarter 2023 VOC detections exceeded a GWPS. It is noted, LGW-10 (an interior point of compliance well) is installed immediately adjacent to the unlined pre-Subtitle D waste cells identified in historical documentation as Site 4.

Statistical Evaluation

- The Detection Monitoring statistical evaluation on all well-parameter pairs are provided in **Appendix E**. The trace metals and inorganic indicator data were statistically compared to background using control charts/prediction limits. Multiple verified exceedances were identified based on the Third Quarter 2023 data. Verification sampling of the eleven initial exceedances noted in Third Quarter 2023 was completed in Fourth Quarter 2023. Statistical evaluation of the Fourth Quarter 2023 resampling results indicated six of the ten initial exceedances exhibited verified exceedances: cadmium at LGW-8R; nickel at LGW-8R; TOC at LGW-2, LGW-4, and MW-7N; and zinc at LGW-8R.

- Due to verified statistical limit exceedances, GWPS exceedances, or confirmed VOCs, select wells and parameters were evaluated using assessment statistics. The calculated LCLs for historically detected VOCs were below the respective GWPS for the Third Quarter 2023 event. For the Third Quarter 2023 event, the LCL exceeded the GWPS for cobalt at LGW-5, LGW-6, LGW-10, and MW-21; and cadmium at LGW-9, MW-3N, and MW-8N. It should be noted, cobalt at LGW-5 was reported as non-detect during the Fourth Quarter 2023 event.
- Review of the cadmium and cobalt data for the above GWPS exceedances indicates concentrations have been reported at either stable concentrations or decreasing during recent events at each well.

Corrective Action

- A summary of the statistical evaluation for corrective action is found in **Appendix E**.
- Corrective action is currently on-going at the site. The site is closely monitoring the carbon dioxide levels and adjustments to the entire gas extraction system are routinely made to optimize the removal of carbon dioxide.
- A report discussing the findings of the most recent nature and extent investigation was submitted to DEQ on September 9, 2021 (Document 80807). As stated in the September 2021 report, current corrective action at the site is based on impacts to groundwater from landfill gas.
- On May 18, 2022, a Groundwater Corrective Action Status Update was submitted to DEQ.
- On November 28, 2023, a Groundwater Corrective Action Monitoring Plan was submitted to DEQ.

Monthly Indicator Monitoring

- In accordance with the Eco-Vista Landfill Permit Number 0290-S1-R4 Conditions 31 and 38, the Landfill is required to conduct monthly sampling for the indicator parameters pH, specific conductance, ammonia, and chloride.
- The monthly indicator monitoring program during the second half of 2023 determined no “significant finding” with regard to groundwater quality data. As such, no further actions were required by the landfill and routine monthly monitoring and reporting will continue for this program.
- In accordance with the Permit, the Landfill began recording daily volume and rate data from the leak detection system (LDS) and leachate collection system (LCS) since construction of the first cell in the lateral expansion area was completed. In addition, in accordance with the site’s Action Leakage Rate Contingency Plan (Document 18104, dated August 22, 2002), a table of daily volume and rate data is included in each monthly report that is submitted to DEQ.

Upcoming Monitoring

The next quarterly monitoring event (first quarter) is scheduled to be conducted in January 2024.

TABLES

**TABLE 1
GROUNDWATER MONITORING PROGRAM
ECO-VISTA LANDFILL**

Well #	Well Type	Constituents		
		¹ AMC List	² Ammonia, Chloride, pH, Conductance	³ Appendix 2 List
MW-1N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-2N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-3N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-7N	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-8N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-10N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-11N	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-15	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-16	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-17	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-19	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
MW-20	Detection	Semi-Annually/Quarterly*		Triennially/Annually
MW-21	Detection	Semi-Annually/Quarterly*		Triennially/Annually
LGW-2	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-3R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-4	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-5	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-6	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-7	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-8R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-9	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-10	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
LGW-14R	Detection, Indicator	Semi-Annually/Quarterly*	Monthly	Triennially/Annually
NE-1	Corrective Action	Quarterly ⁴		
NE-2	Corrective Action	Quarterly ⁴		
NE-3	Corrective Action	Water Level Only (Damaged, Not Required To Be Sampled)		
NE-4	Corrective Action	Quarterly ⁴		
NE-5	Corrective Action	Quarterly ⁴		
NE-5E	Nature & Extent Investigation	Quarterly ⁴		
NE-5W	Nature & Extent Investigation	Quarterly ⁴		
NE-6	Corrective Action	Semi-Annually ⁵		
NE-6D	Nature & Extent Investigation	Quarterly ⁴		
NE-7	Corrective Action	Semi-Annually ⁵		
NE-8	Corrective Action	Semi-Annually ⁵		
NE-9	Corrective Action	Semi-Annually ⁵		
NE-10D	Nature & Extent Investigation	Quarterly ⁴		
NE-11	Corrective Action	Semi-Annually ⁵		
NE-12	Corrective Action	Semi-Annually ⁵		
NE-13	Corrective Action	Semi-Annually ⁵		
NE-14D	Nature & Extent Investigation	Quarterly ⁴		
NE-14S	Nature & Extent Investigation	Quarterly ⁴		
NE-15D	Nature & Extent Investigation	Quarterly ⁴		
NE-15S	Nature & Extent Investigation	Quarterly ⁴		
	<i>Per Permit Condition 38(b), semi-annual sampling for the AMC list during the 1st and 3rd Quarter and any * well/parameter that exceeds a GWPS during the prior quarter is sampled during the 2nd and 4th Quarter, respectively.</i>			
Notes: 1	AMC – Parameter list consists of Regulation 22 Appendix 1 parameters, Regulation 22.1204(d) parameters, and those parameters detected from the full Appendix 2 Sampling Event that are not already on the Appendix 1 parameter list (none to date).			
2	Ammonia, chloride, pH, and specific conductance required per Permit 0290-S1-R3 Condition 38(a).			
3	Per Permit Condition 38(c), full Appendix 2 sampling at all the wells will be completed on a Triennial basis beginning in 2015 (e.g., 2015, 2018, 2021, etc.). The full list of Appendix 2 parameters will also be sampled annually at the wells with parameters which had an exceedance of the GWPS the previous calendar year. Typically in July.			
4	Quarterly sampling of the AMC list at NE-1, NE-2, NE-4, and NE-5 governed by the GWSAP and CAMP, with the remaining NE-wells governed by the Phase 3 NEI Work Plan.			
5	Semi-annual sampling during the 1 st and 3 rd Quarter per the Phase 3 NEI Work Plan.			

**TABLE 2
FIELD MEASUREMENTS
THIRD QUARTER 2023 EVENT
ECO-VISTA LANDFILL**

Well	Date	Dissolved Oxygen (mg/L)	pH (SU)	Redox Potential (millivolts)	Specific Conductance (umhos/cm)	Temperature (Degrees C)	Turbidity (NTU)
MW-1N	07/08/23	1.9	6.40	168.9	409	20.7	5.0
MW-2N	07/08/23	2.9	6.29	175.4	530	21.1	5.3
MW-3N	07/07/23	0.9	6.08	166.3	632	21.1	5.4
MW-7N	07/07/23	4.4	6.22	165.9	624	18.5	3.8
MW-8N	07/07/23	0.5	5.74	182.7	532	17.2	3.5
MW-10N	07/07/23	0.3	6.76	141.1	514	16.5	4.4
MW-11N	07/08/23	6.5	6.18	166.3	366	18.0	5.0
MW-15	07/10/23	5.6	6.23	178.1	581	17.5	4.2
MW-16	07/10/23	6.6	7.04	148.6	380	19.3	4.0
MW-17	07/08/23	7.4	5.63	181.0	282	19.6	11.6
MW-19	07/10/23	6.7	7.64	141.1	293	20.8	3.0
MW-20				Dry			
MW-21	07/07/23	0.3	5.38	185.7	307	18.8	10.1
LGW-2	07/10/23	5.8	7.24	157.6	632	19.7	4.5
LGW-3R	07/10/23	5.9	4.66	244.9	102	16.7	11.0
LGW-4	07/10/23	2.5	6.16	183.7	759	17.1	9.8
LGW-5	07/10/23	1.1	6.14	192.5	798	20.5	3.8
LGW-6	07/10/23	0.4	6.27	179.4	749	19.4	4.2
LGW-7	07/10/23	1.8	6.40	179.2	669	19.0	3.8
LGW-8R	07/10/23	0.2	6.42	172.2	779	16.9	3.7
LGW-9	07/10/23	0.4	6.17	181.0	834	18.1	3.9
LGW-10	07/10/23	0.3	6.36	171.6	929	19.0	5.4
LGW-14R	07/10/23	4.6	6.82	158.6	597	19.3	4.4
NE-1	07/05/23	4.7	6.29	182.7	489	16.6	5.1
NE-2	07/05/23	2.6	5.42	193.7	537	16.7	3.8
NE-4	07/05/23	7.8	5.83	199.7	481	18.8	6.1
NE-5	07/06/23	0.6	5.91	196.0	627	16.5	9.8
NE-5E	07/06/23	0.9	5.96	199.8	689	18.2	10.5
NE-5W	07/06/23	0.7	5.95	199.6	704	17.1	10.7
NE-6	07/06/23	2.5	6.11	185.9	636	16.0	9.5
NE-6D	07/06/23	0.8	6.06	191.0	662	16.9	3.9
NE-7	07/06/23	3.4	5.38	216.2	408	16.0	10.2
NE-8	07/05/23	0.4	5.56	197.8	757	17.1	11.4
NE-9	07/05/23	0.2	5.22	206.7	671	16.0	2.4
NE-10D	07/08/23	8.1	5.78	161.5	238	17.9	9.1
NE-11	07/06/23	2.5	5.77	203.8	551	16.9	3.8
NE-12	07/05/23	6.6	6.01	182.7	436	16.4	3.5
NE-13				Dry			
NE-14D	07/05/23	1.1	5.75	185.1	633	17.2	2.6
NE-14S	07/05/23	3.1	5.62	187.1	545	17.2	3.4
NE-15D	07/06/23	0.9	6.13	193.1	607	17.5	3.8
NE-15S				Dry			

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

**TABLE 3
FIELD MEASUREMENTS
FOURTH QUARTER 2023 EVENT
ECO-VISTA LANDFILL**

Well	Date	Dissolved Oxygen (mg/L)	pH (SU)	Redox Potential (millivolts)	Specific Conductance (umhos/cm)	Temperature (Degrees C)	Turbidity (NTU)
MW-1N	NM	NM	NM	NM	NM	NM	NM
MW-2N	NM	NM	NM	NM	NM	NM	NM
MW-3N	10/06/23	0.5	6.62	110.5	788	15.2	3.2
MW-7N	10/04/23	3.8	6.67	139.9	690	16.9	2.3
MW-8N	10/05/23	0.3	6.41	91.8	642	17.8	3.7
MW-10N	NM	NM	NM	NM	NM	NM	NM
MW-11N	NM	NM	NM	NM	NM	NM	NM
MW-15	10/04/23	5.6	6.42	151.8	702	16.4	2.0
MW-16	10/04/23	6.7	7.2	129.2	449	17.2	2.0
MW-17	10/03/23	7.7	6.56	53.6	315	18.3	18.5
MW-19	10/03/23	7.9	7.07	135.6	513	18.8	2.1
MW-20	NM	NM	NM	NM	NM	NM	NM
MW-21	10/06/23	0.3	5.93	26.9	580	16.1	8.1
LGW-2	10/04/23	7.0	6.73	159	708	19.2	3.1
LGW-3R	10/04/23	5.5	5.09	194.4	115	17.2	3.9
LGW-4	10/04/23	1.8	6.47	162	924	17.4	4.1
LGW-5	10/05/23	1.0	6.32	-112.1	1049	18.2	8.0
LGW-6	10/05/23	0.8	6.34	-9.3	868	18.8	3.1
LGW-7	10/05/23	1.9	6.69	91	744	18.2	2.6
LGW-8R	10/05/23	0.4	6.64	95.9	873	17.3	2.5
LGW-9	10/05/23	0.4	6.41	79.7	930	17.2	2.8
LGW-10	10/05/23	0.3	6.47	-37	1048	17.5	3.4
LGW-14R	10/05/23	3.8	6.86	64.3	750	19.7	2.9
NE-1	10/05/23	4.7	7.11	-16.8	656	15.5	8.2
NE-2	10/04/23	3.3	6.26	134.1	471	15.9	3.0
NE-4	10/04/23	8.6	7.21	127.6	579	17.7	4.9
NE-5	10/04/23	0.8	6.60	-75.3	758	15.7	5.7
NE-5E	10/04/23	2.1	6.61	10.8	808	16.8	21.1
NE-5W	10/04/23	1.6	6.59	49.3	806	16.7	10.4
NE-6	NM	NM	NM	NM	NM	NM	NM
NE-6D	10/04/23	0.5	6.68	137	776	16.3	2.2
NE-7	NM	NM	NM	NM	NM	NM	NM
NE-8	NM	NM	NM	NM	NM	NM	NM
NE-9	10/06/23	0.3	6.32	108	851	16.2	2.8
NE-10D	10/03/23	8.3	6.81	97.5	262	17.1	8.1
NE-11	NM	NM	NM	NM	NM	NM	NM
NE-12	NM	NM	NM	NM	NM	NM	NM
NE-13	NM	NM	NM	NM	NM	NM	NM
NE-14D	10/04/23	1.4	6.70	145.8	724	15.7	1.9
NE-14S	10/04/23	3.4	6.51	129.1	544	16.4	6.1
NE-15D	10/06/23	1.0	6.91	52.7	746	14.7	2.8
NE-15S	Dry						

NM: Not Measured, not required this event.

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

The following wells were sampled in 4Q23 for the October Monthly parameters (See Table 1, Note 2: ammonia, chloride, field pH, and field specific conductance): MW-7N, MW-15, MW-16, MW-17, MW-19, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-10, and LGW-14R.

TABLE 4
VOLATILE ORGANIC COMPOUND (VOC) DETECTIONS
THIRD QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL

Well	Date	1,4-Dichlorobenzene (ug/L)
GWPS		75
MW-1N	07/08/23	<1
MW-2N	07/08/23	<1
MW-3N	07/07/23	<1
MW-7N	07/07/23	<1
MW-8N	07/07/23	<1
MW-10N	07/07/23	<1
MW-11N	07/08/23	<1
MW-15	07/10/23	<1
MW-16	07/10/23	<1
MW-17	07/08/23	<1
MW-19	07/10/23	<1
MW-20		Dry
MW-21	07/07/23	<1
LGW-2	07/10/23	<1
LGW-3R	07/10/23	<1
LGW-4	07/10/23	<1
LGW-5	07/10/23	<1
LGW-6	07/10/23	<1
LGW-7	07/10/23	<1
LGW-8R	07/10/23	<1
LGW-9	07/10/23	<1
LGW-10	07/10/23	1.57
LGW-14R	07/10/23	<1
NE-1	07/05/23	<1
NE-2	07/05/23	<1
NE-4	07/05/23	<1
NE-5	07/06/23	<1
NE-5E	07/06/23	<1
NE-5W	07/06/23	<1
NE-6	07/06/23	<1
NE-6D	07/06/23	<1
NE-7	07/06/23	<1
NE-8	07/05/23	<1
NE-9	07/05/23	<1
NE-10D	07/08/23	<1
NE-11	07/06/23	<1
NE-12	07/05/23	<1
NE-13		Dry
NE-14D	07/05/23	<1
NE-14S	07/05/23	<1
NE-15D	07/06/23	<1
NE-15S		Dry
Trip Blank (1)	07/06/23	<1
Trip Blank (2)	07/07/23	<1
Duplicate at LGW-6 (DUP-1)	07/10/23	<1
Duplicate at NE-12 (DUP-2)	07/05/23	<1
Field Blank	07/05/23	<1
Method Blanks	3Q23	<1

Only the VOCs reported above a PQL in one or more wells this event are summarized on the table.

Denotes a GWPS exceedance:

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-8, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

Toluene and total xylenes reported above the PQL in the Field Blank sample.

**TABLE 5
VOLATILE ORGANIC COMPOUND (VOC) DETECTIONS
FOURTH QUARTER 2023 SAMPLING EVENT
ECO-VISTA LANDFILL**

Well	Date	1,4-Dichlorobenzene (ug/L)
GWPS		75
MW-1N	NM	NM
MW-2N	NM	NM
MW-3N	10/06/23	<1
MW-7N	NM	NM
MW-8N	10/05/23	<1
MW-10N	NM	NM
MW-11N	NM	NM
MW-15	NM	NM
MW-16	NM	NM
MW-17	NM	NM
MW-19	NM	NM
MW-20	NM	NM
MW-21	10/06/23	<1
LGW-2	NM	NM
LGW-3R	NM	NM
LGW-4	NM	NM
LGW-5	10/05/23	<1
LGW-6	10/05/23	<1
LGW-7	NM	NM
LGW-8R	NM	NM
LGW-9	10/05/23	<1
LGW-10	10/05/23	1.88
LGW-14R	NM	NM
NE-1	10/05/23	<1
NE-2	10/04/23	<1
NE-4	10/04/23	<1
NE-5	10/04/23	<1
NE-5E	10/04/23	<1
NE-5W	10/04/23	<1
NE-6	NM	NM
NE-6D	10/04/23	<1
NE-7	NM	NM
NE-8	NM	NM
NE-9	10/06/23	<1
NE-10D	10/03/23	<1
NE-11	NM	NM
NE-12	NM	NM
NE-13	NM	NM
NE-14D	10/04/23	<1
NE-14S	10/04/23	<1
NE-15D	10/06/23	<1
NE-15S	Dry	
Trip Blank	10/09/23	<1
Trip Blank	10/11/23	<1
Duplicate at NE-10D (DUP)	10/08/23	<1
Duplicate at NE-14D (DUP-2)	10/08/23	<1
Field Blank	10/03/23	<1
Method Blanks	4Q23	<1

NM: Not Measured, not required this event.

Only the VOCs reported above a PQL in one or more wells this event are summarized on the table.

Denotes a GWPS exceedance:

Wells NE-1, NE-2, NE-4, and NE-5 are sampled quarterly as part of the Corrective Action Monitoring Program.

Wells NE-5E, NE-5W, NE-6D, NE-10D, NE-14S, NE-14D, NE-15S, and NE-15D are sampled quarterly as part of the Phase 3 NEI.

Toluene reported above the PQL in the Field Blank sample.

**TABLE 8
GROUNDWATER PROTECTION STANDARDS
ECO-VISTA LANDFILL**

COMPOUND	GWPS (ug/L)
Antimony	6
Arsenic	10
Barium	2000
Beryllium	4
Cadmium	5
Chromium	100
Cobalt	6
Copper	1300
Lead	15
Nickel	300
Selenium	50
Thallium	2
Vanadium	63
Zinc	4700
1,1-Dichloroethane	2.4
1,2-Dichloroethane	5
1,2-Dichloropropane	5
1,4-Dichlorobenzene	75
Acetone	12000
Benzene	5
Bis(2-ethylexyl)phthalate	6
Carbon Disulfide	720
Chlorobenzene	100
Chloroethane (Ethyl Chloride)	21000
Chloroform	80
cis-1,2-Dichloroethene (-ethylene)	70
Dichlorodifluoromethane	190
Ethyl benzene	700
Methylene Chloride	5
Methyl Ethyl Ketone	4900
Tetrachloroethene (-ethylene)	5
Toluene	1000
Trichloroethene (-ethylene)	5
Trichlorofluoromethane	1100
Vinyl Chloride	2
Xylenes (Total)	10000

Note: Groundwater Protection Standards (GWPSs) proposed by the site in Document 65838 and approved by ADEQ in Document 65893.

APPENDIX A


Figures

- NOTES:
 1. Topography Maps are 7.5-Minute Series of the
 2. Springdale, Fayetteville, Robinson, & Wheeler, AR Quadrangles

LEGEND

 Property Boundary
 (Approximate)

0 500 2000
 Scale in Feet



18 Lexington Oaks Court
 Foristell, MO 63248
 314-496-4654
 www.jettenviro.com

Eco-Vista Landfill
 Springdale, Arkansas

Figure 1
 Site Location Map




Figure 2
Potentiometric Surface Map, Third Quarter 2023 Event
Eco-Vista Landfill, Springdale, Arkansas




Figure 3
Potentiometric Surface Map, Fourth Quarter 2023 Event
Eco-Vista Landfill, Springdale, Arkansas

**Groundwater Elevation Summary Table
Eco-Vista Landfill**

Well	Top of PVC Casing Elevation (fmsl) ¹	Depth to Water (ft) ²	Groundwater Elevation (fmsl)
Groundwater Monitoring System Wells			
MW-1N	1298.59	80.30	1218.29
MW-2N	1289.53	68.95	1220.58
MW-3N	1222.04	44.60	1177.44
MW-7N	1250.84	87.10	1163.74
MW-8N	1191.76	29.87	1161.89
MW-10N	1193.60	30.23	1163.37
MW-11N	1284.52	58.30	1226.22
MW-15	1291.46	58.58	1232.88
MW-16	1289.70	73.29	1216.41
MW-17	1288.93	60.30	1228.63
MW-19	1293.90	68.11	1225.79
MW-20	1289.48	NM	NM
MW-21	1188.83	23.50	1165.33
LGW-2	1302.14	72.15	1229.99
LGW-3R	1289.20	55.18	1234.02
LGW-4	1267.79	60.41	1207.38
LGW-5	1271.91	70.92	1200.99
LGW-6	1244.79	50.40	1194.39
LGW-7	1220.60	43.15	1177.45
LGW-8R	1186.24	10.75	1175.49
LGW-9	1237.47	54.43	1183.04
LGW-10	1240.61	59.52	1181.09
LGW-14R	1250.93	56.14	1194.79
Nature and Extent Investigation Wells			
NE-1	1201.43	46.92	1154.51
NE-2	1176.55	21.88	1154.67
NE-3	1231.53	72.10	1159.43
NE-4	1293.06	NM	NM
NE-5	1227.03	69.52	1157.51
NE-5E	1224.32	66.88	1157.44
NE-5W	1228.62	70.92	1157.70
NE-6	1192.28	30.10	1162.18
NE-6D	1192.90	32.80	1160.10
NE-7	1217.89	60.71	1157.18
NE-8	1174.45	12.82	1161.63
NE-9	1181.97	9.52	1172.45
NE-10D	1261.10	101.25	1159.85
NE-11	1204.03	49.46	1154.57
NE-12	1213.88	59.24	1154.64
NE-13	1220.17	NM	NM
NE-14D	1198.76	17.15	1181.61
NE-14S	1199.25	19.62	1179.63
NE-15D	1215.73	47.31	1168.42
NE-15S	1215.29	DRY	DRY

Note 1: Top of PVC Casing Elevations from Second Half 2017 Event Groundwater Monitoring Report by SCS Engineers dated January 8, 2018; with the exception of NE-6 through NE-7, which were provided on January 9, 2017 and NE-5E, NE-5W, NE-6D, NE-10D, NE-11 (resurveyed), and NE-14D through NE-15S, which were provided on August 9, 2019 by Mason Surveying & Consulting, Inc.

Note 2: Depth to water collected by Promus Engineering on July 4, 2023.

Note 3: Depth to water was Not Measured (NM) due to being below the top of the dedicated bladder pump.

**Groundwater Elevation Summary Table
Eco-Vista Landfill**

Well	Top of PVC Casing Elevation (fmsl)¹	Depth to Water (ft)²	Groundwater Elevation (fmsl)
Groundwater Monitoring System Wells			
MW-1N	1298.59	80.05	1218.54
MW-2N	1289.53	68.96	1220.57
MW-3N	1222.04	43.88	1178.16
MW-7N	1250.84	87.91	1162.93
MW-8N	1191.76	29.97	1161.79
MW-10N	1193.60	30.33	1163.27
MW-11N	1284.52	58.41	1226.11
MW-15	1291.46	58.80	1232.66
MW-16	1289.70	73.84	1215.86
MW-17	1288.93	60.40	1228.53
MW-19	1293.90	68.15	1225.75
MW-20	1289.48	NM	NM
MW-21	1188.83	23.79	1165.04
LGW-2	1302.14	72.78	1229.36
LGW-3R	1289.20	56.68	1232.52
LGW-4	1267.79	60.96	1206.83
LGW-5	1271.91	71.95	1199.96
LGW-6	1244.79	51.10	1193.69
LGW-7	1220.60	43.65	1176.95
LGW-8R	1186.24	10.90	1175.34
LGW-9	1237.47	54.24	1183.23
LGW-10	1240.61	59.58	1181.03
LGW-14R	1250.93	56.60	1194.33
Nature and Extent Investigation Wells			
NE-1	1201.43	46.40	1155.03
NE-2	1176.55	21.61	1154.94
NE-3	1231.53	71.55	1159.98
NE-4	1293.06	NM	NM
NE-5	1227.03	70.45	1156.58
NE-5E	1224.32	67.71	1156.61
NE-5W	1228.62	71.85	1156.77
NE-6	1192.28	29.72	1162.56
NE-6D	1192.90	32.79	1160.11
NE-7	1217.89	60.72	1157.17
NE-8	1174.45	12.18	1162.27
NE-9	1181.97	9.65	1172.32
NE-10D	1261.10	101.85	1159.25
NE-11	1204.03	49.57	1154.46
NE-12	1213.88	59.31	1154.57
NE-13	1220.17	NM	NM
NE-14D	1198.76	17.41	1181.35
NE-14S	1199.25	19.71	1179.54
NE-15D	1215.73	47.64	1168.09
NE-15S	1215.29	DRY	DRY

Note 1: Top of PVC Casing Elevations from Second Half 2017 Event Groundwater Monitoring Report by SCS Engineers dated January 8, 2018; with the exception of NE-6 through NE-7, which were provided on January 9, 2017 and NE-5E, NE-5W, NE-6D, NE-10D, NE-11 (resurveyed), and NE-14D through NE-15S, which were provided on August 9, 2019 by Mason Surveying & Consulting, Inc.

Note 2: Depth to water collected by Promus Engineering on October 3, 2023.

Note 3: Depth to water was Not Measured (NM) due to being below the top of the dedicated bladder pump.

APPENDIX B

**Laboratory Analytical Results & Field
Forms Third Quarter 2023 Event**

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1633566
Samples Received: 07/08/2023
Project Number: 200
Description: Eco-Vista - GW-July
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:




Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
MW-3N L1633566-01	6
MW-7N L1633566-02	9
MW-8N L1633566-03	12
MW-10N L1633566-04	15
MW-21 L1633566-05	18
TRIPBLANK L1633566-06	21
Qc: Quality Control Summary	22
Gravimetric Analysis by Method 2540 C-2011	22
Wet Chemistry by Method 2320 B-2011	23
Wet Chemistry by Method 350.1	25
Wet Chemistry by Method 353.2	26
Wet Chemistry by Method 9056A	28
Wet Chemistry by Method 9060A	30
Metals (ICP) by Method 6010B	31
Metals (ICPMS) by Method 6020	33
Volatile Organic Compounds (GC/MS) by Method 8260B	35
Gl: Glossary of Terms	38
Al: Accreditations & Locations	39
Sc: Sample Chain of Custody	40



SAMPLE SUMMARY

MW-3N L1633566-01 GW

Collected by
Chris Fincher
Collected date/time
07/07/23 11:10
Received date/time
07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093202	1	07/12/23 11:21	07/12/23 11:21	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091558	1	07/12/23 16:06	07/12/23 16:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092694	1	07/11/23 19:35	07/11/23 19:35	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096273	1	07/18/23 06:32	07/18/23 06:32	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 19:19	07/21/23 19:19	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092145	1	07/11/23 11:22	07/18/23 17:21	SPL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091636	1	07/10/23 11:18	07/13/23 15:31	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 00:05	07/12/23 00:05	JAH	Mt. Juliet, TN

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-7N L1633566-02 GW

Collected by
Chris Fincher
Collected date/time
07/07/23 09:50
Received date/time
07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093202	1	07/12/23 11:47	07/12/23 11:47	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091558	1	07/12/23 16:08	07/12/23 16:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092694	5	07/11/23 19:39	07/11/23 19:39	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096273	1	07/18/23 06:44	07/18/23 06:44	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 19:34	07/21/23 19:34	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092145	1	07/11/23 11:22	07/18/23 17:24	SPL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091636	1	07/10/23 11:18	07/13/23 15:35	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 00:24	07/12/23 00:24	JAH	Mt. Juliet, TN

MW-8N L1633566-03 GW

Collected by
Chris Fincher
Collected date/time
07/07/23 08:55
Received date/time
07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093202	1	07/12/23 11:50	07/12/23 11:50	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091558	1	07/12/23 16:09	07/12/23 16:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092694	2	07/11/23 19:40	07/11/23 19:40	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096273	1	07/18/23 06:57	07/18/23 06:57	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 20:23	07/21/23 20:23	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092145	1	07/11/23 11:22	07/18/23 17:27	SPL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091636	1	07/10/23 11:18	07/13/23 15:38	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 00:43	07/12/23 00:43	JAH	Mt. Juliet, TN

MW-10N L1633566-04 GW

Collected by
Chris Fincher
Collected date/time
07/07/23 10:35
Received date/time
07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093202	1	07/12/23 11:54	07/12/23 11:54	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091558	1	07/12/23 16:11	07/12/23 16:11	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:00	07/11/23 20:00	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096273	1	07/18/23 07:09	07/18/23 07:09	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 20:38	07/21/23 20:38	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092145	1	07/11/23 11:22	07/18/23 17:29	SPL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091636	1	07/10/23 11:18	07/13/23 15:41	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 01:01	07/12/23 01:01	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

MW-21 L1633566-05 GW

Collected by: Chris Fincher
 Collected date/time: 07/07/23 12:50
 Received date/time: 07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093202	1	07/12/23 11:58	07/12/23 11:58	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091558	1	07/12/23 16:12	07/12/23 16:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:01	07/11/23 20:01	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096273	1	07/18/23 07:22	07/18/23 07:22	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 20:52	07/21/23 20:52	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092145	1	07/11/23 11:22	07/18/23 17:38	SPL	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091636	1	07/10/23 11:18	07/13/23 15:45	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 01:20	07/12/23 01:20	JAH	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

TRIPBLANK L1633566-06 GW

Collected by: Chris Fincher
 Collected date/time: 07/07/23 00:00
 Received date/time: 07/08/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/11/23 23:47	07/11/23 23:47	JAH	Mt. Juliet, TN

7 Gl

8 Al


9 Sc

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2093348	(DUP) R3948623-4	Dissolved Solids

Metals (ICP) by Method 6010B

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2092145	(MSD) R3949977-5	Sodium, Total Recoverable

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.08	su
Specific Conductance (on site)	632	umhos/cm
Temperature (on-site)	21.1	Deg. C
Turbidity (on-site)	5.4	NTU
Dissolved Oxygen (on-site)	0.9	mg/l
eH/ORP (On Site)	166.3	mV
Depth to water (DTW) (FROM TOC)	44.61	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	327		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	270		10.0	1	07/12/2023 11:21	WG2093202
Alkalinity,Bicarbonate	270		10.0	1	07/12/2023 11:21	WG2093202
Alkalinity,Carbonate	ND		10.0	1	07/12/2023 11:21	WG2093202

Sample Narrative:

L1633566-01 WG2093202: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 16:06	WG2091558

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.761		0.100	1	07/11/2023 19:35	WG2092694

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.83		3.00	1	07/18/2023 06:32	WG2096273
Sulfate	21.6		5.00	1	07/18/2023 06:32	WG2096273

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.06		1.00	1	07/21/2023 19:19	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/18/2023 17:21	WG2092145
Barium,Total Recoverable	0.0724		0.00500	1	07/18/2023 17:21	WG2092145
Calcium, Total Recoverable	111		0.200	1	07/18/2023 17:21	WG2092145
Iron, Total Recoverable	ND		0.0600	1	07/18/2023 17:21	WG2092145
Potassium, Total Recoverable	ND		3.00	1	07/18/2023 17:21	WG2092145

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.63		0.200	1	07/18/2023 17:21	WG2092145
Manganese, Total Recoverable	0.142		0.00300	1	07/18/2023 17:21	WG2092145
Sodium, Total Recoverable	ND		5.00	1	07/18/2023 17:21	WG2092145
Lead, Total Recoverable	ND		0.00500	1	07/18/2023 17:21	WG2092145
Selenium, Total Recoverable	ND		0.0100	1	07/18/2023 17:21	WG2092145



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 15:31	WG2091636
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 15:31	WG2091636
Cadmium, Total Recoverable	0.00698		0.00100	1	07/13/2023 15:31	WG2091636
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 15:31	WG2091636
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 15:31	WG2091636
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 15:31	WG2091636
Nickel, Total Recoverable	0.00955		0.00400	1	07/13/2023 15:31	WG2091636
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 15:31	WG2091636
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 15:31	WG2091636
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 15:31	WG2091636
Zinc, Total Recoverable	0.0526		0.00500	1	07/13/2023 15:31	WG2091636

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 00:05	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 00:05	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 00:05	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 00:05	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 00:05	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 00:05	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 00:05	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 00:05	WG2093044
Acetone	ND		10.0	1	07/12/2023 00:05	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 00:05	WG2093044
Benzene	ND		1.00	1	07/12/2023 00:05	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Bromoform	ND		1.00	1	07/12/2023 00:05	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 00:05	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 00:05	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 00:05	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Chloroform	ND		1.00	1	07/12/2023 00:05	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 00:05	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 00:05	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 00:05	WG2093044
Styrene	ND		1.00	1	07/12/2023 00:05	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 00:05	WG2093044
Toluene	ND		1.00	1	07/12/2023 00:05	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 00:05	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 00:05	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 00:05	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 00:05	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 00:05	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:05	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:05	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:05	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:05	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 00:05	WG2093044
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/12/2023 00:05	WG2093044
(S) 4-Bromofluorobenzene	96.1			77.0-126	07/12/2023 00:05	WG2093044
(S) Toluene-d8	104			80.0-120	07/12/2023 00:05	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.22	su
Specific Conductance (on site)	624	umhos/cm
Temperature (on-site)	18.5	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	4.4	mg/l
eH/ORP (On Site)	165.9	mV
Depth to water (DTW) (FROM TOC)	87.1	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	321		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	192		10.0	1	07/12/2023 11:47	WG2093202
Alkalinity,Bicarbonate	192		10.0	1	07/12/2023 11:47	WG2093202
Alkalinity,Carbonate	ND		10.0	1	07/12/2023 11:47	WG2093202

Sample Narrative:

L1633566-02 WG2093202: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 16:08	WG2091558

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	6.65		0.100	5	07/11/2023 19:39	WG2092694

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	31.6		3.00	1	07/18/2023 06:44	WG2096273
Sulfate	20.6		5.00	1	07/18/2023 06:44	WG2096273

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.62		1.00	1	07/21/2023 19:34	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/18/2023 17:24	WG2092145
Barium, Total Recoverable	0.134		0.00500	1	07/18/2023 17:24	WG2092145
Calcium, Total Recoverable	74.2		0.200	1	07/18/2023 17:24	WG2092145
Iron, Total Recoverable	ND		0.0600	1	07/18/2023 17:24	WG2092145
Potassium, Total Recoverable	ND		3.00	1	07/18/2023 17:24	WG2092145

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.48		0.200	1	07/18/2023 17:24	WG2092145
Manganese, Total Recoverable	0.00909	J	0.00300	1	07/18/2023 17:24	WG2092145
Sodium, Total Recoverable	33.3		5.00	1	07/18/2023 17:24	WG2092145
Lead, Total Recoverable	ND		0.00500	1	07/18/2023 17:24	WG2092145
Selenium, Total Recoverable	ND		0.0100	1	07/18/2023 17:24	WG2092145



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 15:35	WG2091636
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 15:35	WG2091636
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 15:35	WG2091636
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 15:35	WG2091636
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 15:35	WG2091636
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 15:35	WG2091636
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 15:35	WG2091636
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 15:35	WG2091636
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 15:35	WG2091636
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 15:35	WG2091636
Zinc, Total Recoverable	0.00948	J	0.00500	1	07/13/2023 15:35	WG2091636

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 00:24	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 00:24	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 00:24	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 00:24	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 00:24	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 00:24	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 00:24	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 00:24	WG2093044
Acetone	ND		10.0	1	07/12/2023 00:24	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 00:24	WG2093044
Benzene	ND		1.00	1	07/12/2023 00:24	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Bromoform	ND		1.00	1	07/12/2023 00:24	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 00:24	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 00:24	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 00:24	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Chloroform	ND		1.00	1	07/12/2023 00:24	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 00:24	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 00:24	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 00:24	WG2093044
Styrene	ND		1.00	1	07/12/2023 00:24	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 00:24	WG2093044
Toluene	ND		1.00	1	07/12/2023 00:24	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 00:24	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 00:24	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 00:24	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 00:24	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 00:24	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:24	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:24	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:24	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:24	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 00:24	WG2093044
(S) 1,2-Dichloroethane-d4	102			70.0-130	07/12/2023 00:24	WG2093044
(S) 4-Bromofluorobenzene	97.8			77.0-126	07/12/2023 00:24	WG2093044
(S) Toluene-d8	106			80.0-120	07/12/2023 00:24	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.74	su
Specific Conductance (on site)	532	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	3.5	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	182.7	mV
Depth to water (DTW) (FROM TOC)	29.89	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	261		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	169		10.0	1	07/12/2023 11:50	WG2093202
Alkalinity,Bicarbonate	169		10.0	1	07/12/2023 11:50	WG2093202
Alkalinity,Carbonate	ND		10.0	1	07/12/2023 11:50	WG2093202

Sample Narrative:

L1633566-03 WG2093202: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 16:09	WG2091558

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.86		0.100	2	07/11/2023 19:40	WG2092694

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	29.6		3.00	1	07/18/2023 06:57	WG2096273
Sulfate	19.7		5.00	1	07/18/2023 06:57	WG2096273

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.50		1.00	1	07/21/2023 20:23	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/18/2023 17:27	WG2092145
Barium, Total Recoverable	0.141		0.00500	1	07/18/2023 17:27	WG2092145
Calcium, Total Recoverable	52.8		0.200	1	07/18/2023 17:27	WG2092145
Iron, Total Recoverable	ND		0.0600	1	07/18/2023 17:27	WG2092145
Potassium, Total Recoverable	3.85		3.00	1	07/18/2023 17:27	WG2092145

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	8.35		0.200	1	07/18/2023 17:27	WG2092145
Manganese, Total Recoverable	2.66		0.00300	1	07/18/2023 17:27	WG2092145
Sodium, Total Recoverable	27.0		5.00	1	07/18/2023 17:27	WG2092145
Lead, Total Recoverable	ND		0.00500	1	07/18/2023 17:27	WG2092145
Selenium, Total Recoverable	ND		0.0100	1	07/18/2023 17:27	WG2092145



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 15:38	WG2091636
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 15:38	WG2091636
Cadmium, Total Recoverable	0.00758		0.00100	1	07/13/2023 15:38	WG2091636
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 15:38	WG2091636
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 15:38	WG2091636
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 15:38	WG2091636
Nickel, Total Recoverable	0.0203		0.00400	1	07/13/2023 15:38	WG2091636
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 15:38	WG2091636
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 15:38	WG2091636
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 15:38	WG2091636
Zinc, Total Recoverable	0.0147	J	0.00500	1	07/13/2023 15:38	WG2091636

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 00:43	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 00:43	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 00:43	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 00:43	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 00:43	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 00:43	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 00:43	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 00:43	WG2093044
Acetone	ND		10.0	1	07/12/2023 00:43	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 00:43	WG2093044
Benzene	ND		1.00	1	07/12/2023 00:43	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Bromoform	ND		1.00	1	07/12/2023 00:43	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 00:43	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 00:43	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 00:43	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Chloroform	ND		1.00	1	07/12/2023 00:43	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 00:43	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 00:43	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 00:43	WG2093044
Styrene	ND		1.00	1	07/12/2023 00:43	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 00:43	WG2093044
Toluene	ND		1.00	1	07/12/2023 00:43	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 00:43	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 00:43	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 00:43	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 00:43	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 00:43	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:43	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:43	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 00:43	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 00:43	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 00:43	WG2093044
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/12/2023 00:43	WG2093044
(S) 4-Bromofluorobenzene	96.3			77.0-126	07/12/2023 00:43	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 00:43	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.76	su
Specific Conductance (on site)	514	umhos/cm
Temperature (on-site)	16.5	Deg. C
Turbidity (on-site)	4.4	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	141.1	mV
Depth to water (DTW) (FROM TOC)	30.25	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	249		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	241		10.0	1	07/12/2023 11:54	WG2093202
Alkalinity,Bicarbonate	241		10.0	1	07/12/2023 11:54	WG2093202
Alkalinity,Carbonate	ND		10.0	1	07/12/2023 11:54	WG2093202

Sample Narrative:

L1633566-04 WG2093202: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.125		0.100	1	07/12/2023 16:11	WG2091558

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 20:00	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.98		3.00	1	07/18/2023 07:09	WG2096273
Sulfate	ND		5.00	1	07/18/2023 07:09	WG2096273

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	5.01		1.00	1	07/21/2023 20:38	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/18/2023 17:29	WG2092145
Barium,Total Recoverable	0.0252		0.00500	1	07/18/2023 17:29	WG2092145
Calcium, Total Recoverable	32.1		0.200	1	07/18/2023 17:29	WG2092145
Iron, Total Recoverable	1.14		0.0600	1	07/18/2023 17:29	WG2092145
Potassium, Total Recoverable	ND		3.00	1	07/18/2023 17:29	WG2092145

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	11.3		0.200	1	07/18/2023 17:29	WG2092145
Manganese, Total Recoverable	0.0373		0.00300	1	07/18/2023 17:29	WG2092145
Sodium, Total Recoverable	52.3		5.00	1	07/18/2023 17:29	WG2092145
Lead, Total Recoverable	ND		0.00500	1	07/18/2023 17:29	WG2092145
Selenium, Total Recoverable	ND		0.0100	1	07/18/2023 17:29	WG2092145



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 15:41	WG2091636
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 15:41	WG2091636
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 15:41	WG2091636
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 15:41	WG2091636
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 15:41	WG2091636
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 15:41	WG2091636
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 15:41	WG2091636
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 15:41	WG2091636
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 15:41	WG2091636
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 15:41	WG2091636
Zinc, Total Recoverable	ND		0.00500	1	07/13/2023 15:41	WG2091636

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 01:01	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 01:01	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 01:01	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 01:01	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 01:01	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 01:01	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 01:01	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 01:01	WG2093044
Acetone	ND		10.0	1	07/12/2023 01:01	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 01:01	WG2093044
Benzene	ND		1.00	1	07/12/2023 01:01	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Bromoform	ND		1.00	1	07/12/2023 01:01	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 01:01	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 01:01	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 01:01	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Chloroform	ND		1.00	1	07/12/2023 01:01	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 01:01	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 01:01	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 01:01	WG2093044
Styrene	ND		1.00	1	07/12/2023 01:01	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 01:01	WG2093044
Toluene	ND		1.00	1	07/12/2023 01:01	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 01:01	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 01:01	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 01:01	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 01:01	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 01:01	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:01	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:01	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:01	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:01	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 01:01	WG2093044
(S) 1,2-Dichloroethane-d4	107			70.0-130	07/12/2023 01:01	WG2093044
(S) 4-Bromofluorobenzene	96.3			77.0-126	07/12/2023 01:01	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 01:01	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.38	su
Specific Conductance (on site)	307	umhos/cm
Temperature (on-site)	18.8	Deg. C
Turbidity (on-site)	10.1	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	185.7	mV
Depth to water (DTW) (FROM TOC)	23.51	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	160		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	83.1		10.0	1	07/12/2023 11:58	WG2093202
Alkalinity,Bicarbonate	83.1		10.0	1	07/12/2023 11:58	WG2093202
Alkalinity,Carbonate	ND		10.0	1	07/12/2023 11:58	WG2093202

Sample Narrative:

L1633566-05 WG2093202: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 16:12	WG2091558

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.28		0.100	1	07/11/2023 20:01	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.4		3.00	1	07/18/2023 07:22	WG2096273
Sulfate	9.96		5.00	1	07/18/2023 07:22	WG2096273

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.90		1.00	1	07/21/2023 20:52	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/18/2023 17:38	WG2092145
Barium,Total Recoverable	0.180		0.00500	1	07/18/2023 17:38	WG2092145
Calcium, Total Recoverable	23.7		0.200	1	07/18/2023 17:38	WG2092145
Iron, Total Recoverable	1.19		0.0600	1	07/18/2023 17:38	WG2092145
Potassium, Total Recoverable	ND		3.00	1	07/18/2023 17:38	WG2092145

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	5.99		0.200	1	07/18/2023 17:38	WG2092145
Manganese, Total Recoverable	8.58		0.00300	1	07/18/2023 17:38	WG2092145
Sodium, Total Recoverable	10.0		5.00	1	07/18/2023 17:38	WG2092145
Lead, Total Recoverable	ND		0.00500	1	07/18/2023 17:38	WG2092145
Selenium, Total Recoverable	ND		0.0100	1	07/18/2023 17:38	WG2092145



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 15:45	WG2091636
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 15:45	WG2091636
Cadmium, Total Recoverable	0.00367		0.00100	1	07/13/2023 15:45	WG2091636
Cobalt, Total Recoverable	0.0132		0.00300	1	07/13/2023 15:45	WG2091636
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 15:45	WG2091636
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 15:45	WG2091636
Nickel, Total Recoverable	0.0388		0.00400	1	07/13/2023 15:45	WG2091636
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 15:45	WG2091636
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 15:45	WG2091636
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 15:45	WG2091636
Zinc, Total Recoverable	0.0721		0.00500	1	07/13/2023 15:45	WG2091636

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 01:20	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 01:20	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 01:20	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 01:20	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 01:20	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 01:20	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 01:20	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 01:20	WG2093044
Acetone	ND		10.0	1	07/12/2023 01:20	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 01:20	WG2093044
Benzene	ND		1.00	1	07/12/2023 01:20	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Bromoform	ND		1.00	1	07/12/2023 01:20	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 01:20	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 01:20	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 01:20	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Chloroform	ND		1.00	1	07/12/2023 01:20	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 01:20	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 01:20	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 01:20	WG2093044
Styrene	ND		1.00	1	07/12/2023 01:20	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 01:20	WG2093044
Toluene	ND		1.00	1	07/12/2023 01:20	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 01:20	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 01:20	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 01:20	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 01:20	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 01:20	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:20	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:20	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:20	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:20	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 01:20	WG2093044
(S) 1,2-Dichloroethane-d4	106			70.0-130	07/12/2023 01:20	WG2093044
(S) 4-Bromofluorobenzene	95.3			77.0-126	07/12/2023 01:20	WG2093044
(S) Toluene-d8	101			80.0-120	07/12/2023 01:20	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/11/2023 23:47	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/11/2023 23:47	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/11/2023 23:47	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/11/2023 23:47	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/11/2023 23:47	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/11/2023 23:47	WG2093044
2-Hexanone	ND		5.00	1	07/11/2023 23:47	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/11/2023 23:47	WG2093044
Acetone	ND		10.0	1	07/11/2023 23:47	WG2093044
Acrylonitrile	ND		20.0	1	07/11/2023 23:47	WG2093044
Benzene	ND		1.00	1	07/11/2023 23:47	WG2093044
Bromochloromethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Bromodichloromethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Bromoform	ND		1.00	1	07/11/2023 23:47	WG2093044
Bromomethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Carbon disulfide	ND		1.00	1	07/11/2023 23:47	WG2093044
Carbon tetrachloride	ND		1.00	1	07/11/2023 23:47	WG2093044
Chlorobenzene	ND		1.00	1	07/11/2023 23:47	WG2093044
Chloroethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Chloroform	ND		1.00	1	07/11/2023 23:47	WG2093044
Chloromethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Dibromochloromethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Dibromomethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Ethylbenzene	ND		1.00	1	07/11/2023 23:47	WG2093044
Iodomethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Methylene Chloride	ND		1.07	1	07/11/2023 23:47	WG2093044
Styrene	ND		1.00	1	07/11/2023 23:47	WG2093044
Tetrachloroethene	ND		1.00	1	07/11/2023 23:47	WG2093044
Toluene	ND		1.00	1	07/11/2023 23:47	WG2093044
Trichloroethene	ND		1.00	1	07/11/2023 23:47	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/11/2023 23:47	WG2093044
Vinyl acetate	ND		5.00	1	07/11/2023 23:47	WG2093044
Vinyl chloride	ND		1.00	1	07/11/2023 23:47	WG2093044
Xylenes, Total	ND		1.00	1	07/11/2023 23:47	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/11/2023 23:47	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/11/2023 23:47	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/11/2023 23:47	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/11/2023 23:47	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/11/2023 23:47	WG2093044
(S) 1,2-Dichloroethane-d4	99.4			70.0-130	07/11/2023 23:47	WG2093044
(S) 4-Bromofluorobenzene	93.3			77.0-126	07/11/2023 23:47	WG2093044
(S) Toluene-d8	107			80.0-120	07/11/2023 23:47	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3948623-1 07/12/23 14:00

Analyte	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1633385-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1633385-04 07/12/23 14:00 • (DUP) R3948623-3 07/12/23 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Dissolved Solids	1200	1190	1	1.51		5

4 Cn

5 Sr

6 Qc

L1633529-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633529-01 07/12/23 14:00 • (DUP) R3948623-4 07/12/23 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Dissolved Solids	302	325	1	7.34	J3	5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948623-2 07/12/23 14:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Dissolved Solids	8800	8540	97.0	77.3-123	

Method Blank (MB)

(MB) R3948253-1 07/12/23 10:31

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Alkalinity	3.59		2.71	20.0
Alkalinity,Bicarbonate	3.59		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1633566-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633566-01 07/12/23 11:21 • (DUP) R3948253-3 07/12/23 11:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	270	270	1	0.194		20
Alkalinity,Bicarbonate	270	270	1	0.194		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1633566-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1633566-05 07/12/23 11:58 • (DUP) R3948253-4 07/12/23 12:01

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	83.1	85.8	1	3.24		20
Alkalinity,Bicarbonate	83.1	85.8	1	3.24		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3948253-2 07/12/23 10:47

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	100	100	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947890-1 07/12/23 15:39

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633382-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633382-02 07/12/23 15:47 • (DUP) R3947890-5 07/12/23 15:48

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1633586-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633586-01 07/12/23 16:26 • (DUP) R3947890-7 07/12/23 16:27

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3947890-2 07/12/23 15:41

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.69	102	90.0-110	

L1633382-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633382-01 07/12/23 15:42 • (MS) R3947890-3 07/12/23 15:44 • (MSD) R3947890-4 07/12/23 15:45

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	5.23	5.19	105	104	1	90.0-110			0.672	10

L1633582-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633582-01 07/12/23 16:23 • (MS) R3947890-6 07/12/23 16:24

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	5.30	106	1	90.0-110	

Method Blank (MB)

(MB) R3947326-1 07/11/23 18:58

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	ND		0.0197	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633162-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633162-02 07/11/23 19:08 • (DUP) R3947326-3 07/11/23 19:13

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

L1633566-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633566-01 07/11/23 19:35 • (DUP) R3947326-6 07/11/23 19:36

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	0.761	0.759	1	0.263		20

Laboratory Control Sample (LCS)

(LCS) R3947326-2 07/11/23 18:59

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.49	99.6	90.0-110	

L1633162-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633162-02 07/11/23 19:08 • (MS) R3947326-4 07/11/23 19:14 • (MSD) R3947326-5 07/11/23 19:16

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	ND	2.69	2.69	108	108	1	90.0-110			0.000	20

L1633566-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633566-01 07/11/23 19:35 • (MS) R3947326-7 07/11/23 19:37

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	0.761	3.39	105	1	90.0-110	

Method Blank (MB)

(MB) R3947356-1 07/11/23 19:57

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	ND		0.0197	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633570-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633570-01 07/11/23 20:02 • (DUP) R3947356-3 07/11/23 20:03

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

L1633864-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-08 07/11/23 20:23 • (DUP) R3947356-5 07/11/23 20:24

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3947356-2 07/11/23 19:58

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.50	100	90.0-110	

L1633570-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633570-01 07/11/23 20:02 • (MS) R3947356-4 07/11/23 20:05

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	ND	2.72	109	1	90.0-110	

L1633864-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-08 07/11/23 20:23 • (MS) R3947356-6 07/11/23 20:29 • (MSD) R3947356-7 07/11/23 20:30

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	ND	2.73	2.65	109	106	1	90.0-110			2.97	20

Method Blank (MB)

(MB) R3949871-1 07/18/23 03:10

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	mg/l		mg/l	mg/l
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

L1633529-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633529-01 07/18/23 04:00 • (DUP) R3949871-3 07/18/23 04:13

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%			%
Chloride	ND	ND	1	0.0467		15

L1633579-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633579-02 07/18/23 09:15 • (DUP) R3949871-6 07/18/23 09:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%			%
Chloride	ND	ND	1	1.12		15
Sulfate	9.15	9.08	1	0.737		15

Laboratory Control Sample (LCS)

(LCS) R3949871-2 07/18/23 03:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	mg/l	mg/l	%	%	
Chloride	40.0	40.0	100	80.0-120	
Sulfate	40.0	39.7	99.3	80.0-120	

L1633529-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633529-01 07/18/23 04:00 • (MS) R3949871-4 07/18/23 04:26 • (MSD) R3949871-5 07/18/23 04:38

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Chloride	50.0	ND	50.7	51.6	98.0	99.7	1	80.0-120			1.68	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633579-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633579-02 07/18/23 09:15 • (MS) R3949871-7 07/18/23 09:40

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	ND	49.6	97.2	1	80.0-120	
Sulfate	50.0	9.15	57.2	96.2	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3951482-2 07/21/23 13:03

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	ND		0.102	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633321-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1633321-03 07/21/23 15:39 • (DUP) R3951482-5 07/21/23 15:53

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	2.42	2.44	1	0.659		20

L1633379-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633379-01 07/21/23 18:24 • (DUP) R3951482-8 07/21/23 18:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	4.48	4.86	1	8.11		20

Laboratory Control Sample (LCS)

(LCS) R3951482-1 07/21/23 12:51

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.8	99.3	85.0-115	

L1633321-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633321-02 07/21/23 14:48 • (MS) R3951482-3 07/21/23 15:07 • (MSD) R3951482-4 07/21/23 15:24

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	3.15	27.4	27.5	97.1	97.2	1	80.0-120			0.0729	20

L1633326-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633326-04 07/21/23 17:35 • (MS) R3951482-6 07/21/23 17:52 • (MSD) R3951482-7 07/21/23 18:10

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	1.87	25.9	27.3	96.2	102	1	80.0-120			5.30	20

Method Blank (MB)

(MB) R3949977-1 07/18/23 17:05

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver, Total Recoverable	ND		0.00280	0.00500
Barium, Total Recoverable	ND		0.00170	0.00500
Calcium, Total Recoverable	0.0841	UL	0.0463	1.00
Iron, Total Recoverable	0.0190	UL	0.0141	0.100
Potassium, Total Recoverable	ND		0.102	1.00
Magnesium, Total Recoverable	0.0484		0.0111	1.00
Manganese, Total Recoverable	ND		0.00120	0.0100
Sodium, Total Recoverable	0.105		0.0111	1.00
Lead, Total Recoverable	ND		0.00190	0.00500
Selenium, Total Recoverable	ND		0.00740	0.0100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3949977-2 07/18/23 17:07

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver, Total Recoverable	0.200	0.200	100	80.0-120	
Barium, Total Recoverable	1.00	1.05	105	80.0-120	
Calcium, Total Recoverable	10.0	9.93	99.3	80.0-120	
Iron, Total Recoverable	10.0	10.0	100	80.0-120	
Potassium, Total Recoverable	10.0	9.71	97.1	80.0-120	
Magnesium, Total Recoverable	10.0	9.66	96.6	80.0-120	
Manganese, Total Recoverable	1.00	1.01	101	80.0-120	
Sodium, Total Recoverable	10.0	10.1	101	80.0-120	
Lead, Total Recoverable	1.00	0.989	98.9	80.0-120	
Selenium, Total Recoverable	1.00	0.990	99.0	80.0-120	

L1633584-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633584-04 07/18/23 17:10 • (MS) R3949977-4 07/18/23 17:16 • (MSD) R3949977-5 07/18/23 17:18

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver, Total Recoverable	0.200	ND	0.203	0.205	101	103	1	75.0-125			1.21	20
Barium, Total Recoverable	1.00	0.0282	1.05	1.06	103	104	1	75.0-125			0.846	20
Calcium, Total Recoverable	10.0	91.0	98.6	98.6	75.6	75.8	1	75.0-125			0.0183	20
Iron, Total Recoverable	10.0	1.25	11.1	11.1	98.2	98.9	1	75.0-125			0.618	20
Potassium, Total Recoverable	10.0	12.1	21.6	21.7	95.1	95.5	1	75.0-125			0.167	20
Magnesium, Total Recoverable	10.0	9.69	19.2	19.1	94.9	94.3	1	75.0-125			0.300	20
Manganese, Total Recoverable	1.00	0.0310	1.01	1.02	98.0	99.2	1	75.0-125			1.21	20

L1633584-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633584-04 07/18/23 17:10 • (MS) R3949977-4 07/18/23 17:16 • (MSD) R3949977-5 07/18/23 17:18

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium, Total Recoverable	10.0	109	117	116	75.7	71.9	1	75.0-125		<u>V</u>	0.328	20
Lead, Total Recoverable	1.00	ND	0.994	0.999	99.4	99.9	1	75.0-125			0.430	20
Selenium, Total Recoverable	1.00	ND	1.02	1.04	102	104	1	75.0-125			2.21	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3948369-1 07/13/23 13:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic, Total Recoverable	ND	↓	0.000250	0.00200
Beryllium, Total Recoverable	0.000193	↓	0.000120	0.00200
Cadmium, Total Recoverable	0.000179	↓	0.000160	0.00100
Cobalt, Total Recoverable	ND	↓	0.000260	0.00200
Chromium, Total Recoverable	ND		0.000540	0.00200
Copper, Total Recoverable	ND		0.000520	0.00500
Nickel, Total Recoverable	0.000380		0.000350	0.00200
Antimony, Total Recoverable	ND		0.000754	0.00200
Thallium, Total Recoverable	0.000298	↓	0.000190	0.00200
Vanadium, Total Recoverable	0.000281		0.000180	0.00500
Zinc, Total Recoverable	0.00362	↓	0.00256	0.0250

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3948369-2 07/13/23 13:14

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic, Total Recoverable	0.0500	0.0487	97.5	80.0-120	
Beryllium, Total Recoverable	0.0500	0.0474	94.8	80.0-120	
Cadmium, Total Recoverable	0.0500	0.0525	105	80.0-120	
Cobalt, Total Recoverable	0.0500	0.0508	102	80.0-120	
Chromium, Total Recoverable	0.0500	0.0495	99.0	80.0-120	
Copper, Total Recoverable	0.0500	0.0478	95.5	80.0-120	
Nickel, Total Recoverable	0.0500	0.0504	101	80.0-120	
Antimony, Total Recoverable	0.0500	0.0470	93.9	80.0-120	
Thallium, Total Recoverable	0.0500	0.0529	106	80.0-120	
Vanadium, Total Recoverable	0.0500	0.0502	100	80.0-120	
Zinc, Total Recoverable	0.0500	0.0533	107	80.0-120	

L1633331-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633331-02 07/13/23 13:17 • (MS) R3948369-5 07/13/23 13:27 • (MSD) R3948369-6 07/13/23 13:31

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic, Total Recoverable	0.0500	ND	0.0481	0.0526	96.3	105	20	75.0-125			8.86	20
Beryllium, Total Recoverable	0.0500	ND	0.0464	0.0476	92.8	95.2	20	75.0-125			2.54	20
Cadmium, Total Recoverable	0.0500	ND	0.0461	0.0509	92.1	102	20	75.0-125			10.0	20
Cobalt, Total Recoverable	0.0500	ND	0.0446	0.0475	89.2	95.0	20	75.0-125			6.32	20
Chromium, Total Recoverable	0.0500	ND	0.0473	0.0490	94.6	98.0	20	75.0-125			3.58	20

L1633331-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633331-02 07/13/23 13:17 • (MS) R3948369-5 07/13/23 13:27 • (MSD) R3948369-6 07/13/23 13:31

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper, Total Recoverable	0.0500	0.101	0.139	0.152	76.1	102	20	75.0-125			8.90	20
Nickel, Total Recoverable	0.0500	ND	0.0452	0.0474	90.3	94.8	20	75.0-125			4.87	20
Antimony, Total Recoverable	0.0500	ND	0.0537	0.0526	107	105	20	75.0-125			2.03	20
Thallium, Total Recoverable	0.0500	ND	0.0449	0.0482	89.8	96.5	20	75.0-125			7.14	20
Vanadium, Total Recoverable	0.0500	0.00391	0.0486	0.0540	97.3	108	20	75.0-125			10.4	20
Zinc, Total Recoverable	0.0500	ND	0.0621	0.0622	124	124	20	75.0-125			0.286	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3947814-2 07/11/23 20:32

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947814-2 07/11/23 20:32

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	94.4			70.0-130
(S) 4-Bromofluorobenzene	95.7			77.0-126
(S) Toluene-d8	108			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3947814-1 07/11/23 19:18

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,1,1,2-Tetrachloroethane	5.00	4.13	82.6	75.0-125	
1,1,1-Trichloroethane	5.00	4.06	81.2	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.94	98.8	65.0-130	
1,1,2-Trichloroethane	5.00	4.30	86.0	80.0-120	
1,1-Dichloroethane	5.00	4.23	84.6	70.0-126	
1,1-Dichloroethene	5.00	4.25	85.0	71.0-124	
1,2,3-Trichloropropane	5.00	4.99	99.8	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	3.88	77.6	58.0-134	
1,2-Dibromoethane	5.00	4.58	91.6	80.0-122	
1,2-Dichlorobenzene	5.00	4.46	89.2	79.0-121	
1,2-Dichloroethane	5.00	4.89	97.8	70.0-128	
1,2-Dichloropropane	5.00	4.19	83.8	77.0-125	
1,4-Dichlorobenzene	5.00	4.70	94.0	79.0-120	
2-Butanone (MEK)	25.0	21.4	85.6	44.0-160	
2-Hexanone	25.0	23.7	94.8	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	24.0	96.0	68.0-142	
Acetone	25.0	18.8	75.2	19.0-160	
Acrylonitrile	25.0	21.5	86.0	55.0-149	
Benzene	5.00	4.47	89.4	70.0-123	
Bromochloromethane	5.00	4.44	88.8	76.0-122	
Bromodichloromethane	5.00	4.12	82.4	75.0-120	
Bromoform	5.00	4.16	83.2	68.0-132	
Bromomethane	5.00	4.03	80.6	10.0-160	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3947814-1 07/11/23 19:18

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Carbon disulfide	5.00	3.65	73.0	61.0-128	
Carbon tetrachloride	5.00	4.29	85.8	68.0-126	
Chlorobenzene	5.00	4.26	85.2	80.0-121	
Chloroethane	5.00	4.22	84.4	47.0-150	
Chloroform	5.00	4.12	82.4	73.0-120	
Chloromethane	5.00	4.18	83.6	41.0-142	
Dibromochloromethane	5.00	4.40	88.0	77.0-125	
Dibromomethane	5.00	4.18	83.6	80.0-120	
Ethylbenzene	5.00	4.40	88.0	79.0-123	
Iodomethane	25.0	21.3	85.2	33.0-147	
Methylene Chloride	5.00	4.35	87.0	67.0-120	
Styrene	5.00	4.33	86.6	73.0-130	
Tetrachloroethene	5.00	4.84	96.8	72.0-132	
Toluene	5.00	4.51	90.2	79.0-120	
Trichloroethene	5.00	4.47	89.4	78.0-124	
Trichlorofluoromethane	5.00	4.51	90.2	59.0-147	
Vinyl acetate	25.0	25.1	100	11.0-160	
Vinyl chloride	5.00	4.44	88.8	67.0-131	
Xylenes, Total	15.0	12.9	86.0	79.0-123	
cis-1,2-Dichloroethene	5.00	4.00	80.0	73.0-120	
cis-1,3-Dichloropropene	5.00	4.36	87.2	80.0-123	
trans-1,2-Dichloroethene	5.00	4.16	83.2	73.0-120	
trans-1,3-Dichloropropene	5.00	4.73	94.6	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	4.67	93.4	33.0-144	
(S) 1,2-Dichloroethane-d4			103	70.0-130	
(S) 4-Bromofluorobenzene			96.4	77.0-126	
(S) Toluene-d8			105	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 1



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
https://info.pacelabs.com/hubs/pas-standard-terms.pdf

SDG # 163356
H041

Acctnum: WMECOVISAR
Template: T211193
Prelogin: P1006574
PM: 616 - Stacy Kennedy
PB:

Shipped Via: FedEX Ground

Remarks Sample # (lab only)

Report to:
Jodi Reynolds

Email To:
ciara.childers.beavers@jettenviro.com; jeffholm

Project Description:
Eco-Vista - GW-July

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: 501-993-8966

Client Project #
200

Lab Project #
WMECOVISAR-00019

Collected by (print):
Chris Finley

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
Chris Finley

Rush? (Lab MUST Be Notified)
Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Quote #

Date Results Needed

No.
of
Cntrs

Sample ID Comp/Grab Matrix * Depth Date Time

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
NE-15S		GW				8
MW-1N		GW				8
MW-2N		GW				8
MW-3N	Grab	GW	44.85	7.7.23	1110	8
MW-7N		GW	87.35		0950	8
MW-8N		GW	30.25		0855	8
MW-10N		GW	35.15		1035	8
MW-12N		GW	23.60		1250	8
MW-15		GW				8
MW-16		GW				8

ALK, CHLORIDE, SULFA 250mlHDPE-NoPres

CHLORIDE 125mlHDPE-NoPres

Metals 250mlHDPE-HNO3

NH3 250mlHDPE-H2SO4

NH3,NO2NO3 250mlHDPE-H2SO4

TDS 1L-HDPE NoPres

TOC 250mlHDPE-HCl

V8260LL 40mlAmb-HCl

V8260LL TB 40mlAmb-HCl-Bik

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
UPS FedEx Courier

Tracking #

6525 5570 6067

pH Temp

Flow Other

Sample Receipt Checklist

COC Seal Present/Intact: NP N

COC Signed/Accurate: N

Bottles arrive intact: N

Correct bottles used: N

Sufficient volume sent: N

If Applicable

VOA Zero Headspace: N

Preservation Correct/Checked: N

RAD Screen <0.5 mR/hr: N

Relinquished by: (Signature)
Chris Finley

Date: 7.7.23
Time: 1500

Received by: (Signature)
[Signature]

Trip Blank Received: Yes/No
HCL / MeOH
TBR
3

Relinquished by: (Signature)

Date: Time:

Received by: (Signature)

Temp: °C Bottles Received:
9BAL 4.940 = 4.9

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date: Time:

Received for lab by: (Signature)
[Signature]

Date: 7/18/23
Time: 9:00

Hold: Condition:
NCF / OK

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-3N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/ Lab ID:
L1633566

PURGE INFO: 070723 | 10:45 | | | |
 PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLS PURGED
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGING AND SAMPLING EQUIPMENT ... Dedicated: or
 Purging Device: C | A-Submersible Pump | D-Bailer | Filter Device: Y or | 0.45 μ or μ (circle or fill in)
 Sampling Device: C | B-Peristaltic Pump | E-Piston Pump | Filter Type: | A-In-line Disposable | C-Vacuum
 X-Other: | C-QED Bladder Pump | F-Dipper/Bottle | Sample Tube Type: D | B-Pressure | X-Other:
 A-Teflon | C-PVC | X-Other:
 B-Stainless Steel | D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 44.61 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:50	200 1 st	6.16	670	20.4	87	20	149.6	44.85
10:55	200 2 nd	6.15	642	19.9	63	1.2	163.5	44.85
11:00	200 3 rd	6.08	631	20.7	54	0.9	166.5	44.85
11:05	200 4 th	6.06	629	21.2	51	0.9	166.4	44.85
11:10	200	6.08	632	21.1	54	0.9	166.3	44.85

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 | Conductance: +/- 3% | Temp: - | Turbidity: - | D.O.: +/- 10% | eH/ORP: +/- 25 mV | DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 070723 | pH (std) 6.08 | CONDUCTANCE (μ mhos/cm @ 25°C) 632 | TEMP. (°C) 21.1 | TURBIDITY (ntu) 54 | DO (mg/L-ppm) 0.9 | eH/ORP (mV) 166.3 | Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.7.23 | C. Fisher | Chris | Pratt
 Date | Name | Signature | Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-7N
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: L1635566

PURGE INFO
 PURGE DATE: 070723 (MM DD YY)
 PURGE TIME: 09:20 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: 0 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 871 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		09:25	200	6.67	618	18.4	37	8.2	1157.9
	09:30	200	6.47	623	18.5	39	7.3	1156.6	87.35
	09:35	200	6.33	625	18.5	39	5.5	1160.4	87.35
	09:40	200	6.23	623	18.6	38	4.6	1163.9	87.35
	09:45	200	6.21	625	18.5	38	4.5	1165.0	87.35
	09:50	200	6.22	624	18.5	38	4.4	1165.9	87.35
								7.6	

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2 +/- 3% - - +/- 10% +/- 25 mV Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070723 pH (std): 6.22 CONDUCTANCE (umhos/cm @ 25°C): 624 TEMP. (°C): 18.5 TURBIDITY (ntu): 38 DO (mg/L - ppm): 4.4 eH/ORP (mV): 1165.9 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.7.23 C. Fincher [Signature] Proimus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-8N
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1633566

PURGE INFO
 PURGE DATE (MM DD YY): 07 07 23
 PURGE TIME (2400 Hr Clock): 08:30
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 A-Teflon C-PVC X-Other:
 X-Other: Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 29.89 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:35	250 1 st	6.34	535	17.5	3.6	0.9	174.5	30.25
08:40	250 2 nd	5.85	534	17.5	3.7	0.5	179.7	30.25
08:45	250 3 rd	5.76	535	17.4	3.6	0.5	181.4	30.25
08:50	250 4 th	5.79	533	17.1	3.6	0.5	182.2	30.25
08:55	250	5.74	532	17.2	3.5	0.5	182.7	30.25

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07 07 23
 pH (std): 5.74
 CONDUCTANCE (umhos/cm @ 25°C): 532
 TEMP. (°C): 17.2
 TURBIDITY (ntu): 3.5
 DO (mg/L-ppm): 0.5
 eH/ORP (mV): 182.7
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Sunny Direction/Speed: calm Outlook: mostly clear, 80s Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.7.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-10M
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only Lab ID: L1635966

PURGE INFO
 PURGE DATE: 070723 (MM DD YY)
 PURGE TIME: 10:00 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 3025 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>10:15</u>	<u>200</u>	<u>7.38</u>	<u>524</u>	<u>16.9</u>	<u>59</u>	<u>1.3</u>	<u>154.0</u>
	<u>10:20</u>	<u>200</u>	<u>7.16</u>	<u>513</u>	<u>16.4</u>	<u>51</u>	<u>0.6</u>	<u>148.5</u>	<u>33.15</u>
	<u>10:25</u>	<u>200</u>	<u>6.80</u>	<u>515</u>	<u>16.4</u>	<u>4.4</u>	<u>0.4</u>	<u>143.3</u>	<u>34.75</u>
	<u>10:30</u>	<u>200</u>	<u>6.78</u>	<u>514</u>	<u>16.5</u>	<u>4.3</u>	<u>0.3</u>	<u>141.7</u>	<u>34.95</u>
	<u>10:35</u>	<u>200</u>	<u>6.76</u>	<u>514</u>	<u>16.5</u>	<u>4.4</u>	<u>0.3</u>	<u>141.1</u>	<u>35.15</u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2 +/- 3% -- -- +/- 10% +/- 25 mV Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070723 pH (std): 6.76 CONDUCTANCE (umhos/cm @ 25°C): 514 TEMP. (°C): 16.5 TURBIDITY (ntu): 4.4 DO (mg/L-ppm): 0.3 eH/ORP (mV): 141.1 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.7.23 C. Finler
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-21
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: L1633566

PURGE INFO
 PURGE DATE: 07/07/23 PURGE TIME: 12:25 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/msl)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 23.51 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:30	200 1 st	6.55	320	19.5	5.11	0.9	1816	23.6
12:35	200 2 nd	5.90	319	19.2	3.29	0.4	1850	23.6
12:40	200 3 rd	5.47	310	18.7	2.55	0.3	1859	23.6
12:45	200 4 th	5.41	308	18.8	1.28	0.3	1858	23.6
12:50	200	5.38	307	18.8	1.01	0.3	1857	23.6

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 07/07/23 pH: 5.38 CONDUCTANCE: 307 TEMP.: 18.8 TURBIDITY: 1.01 DO: 0.3 eH/ORP: 1857 Other:
(MM DD YY) (std) (umhos/cm @ 25°C) (°C) (ntu) (mg/L-ppm) (mV) Units
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: light Rain Precipitation: or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.7.23 C. Finckel [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1633864
Samples Received: 07/11/2023
Project Number: 200
Description: Eco-Vista - GW-July
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:




Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	7
Sr: Sample Results	9
LGW-7 L1633864-01	9
MW-19 L1633864-02	12
MW-16 L1633864-03	15
MW-15 L1633864-04	18
LGW-2 L1633864-05	21
LGW-3R L1633864-06	24
LGW-4 L1633864-07	27
LGW-5 L1633864-08	30
LGW-6 L1633864-09	33
LGW-8R L1633864-10	36
LGW-9 L1633864-11	39
LGW-10 L1633864-12	42
LGW-14R L1633864-13	45
DUP-1 L1633864-14	48
Qc: Quality Control Summary	51
Gravimetric Analysis by Method 2540 C-2011	51
Wet Chemistry by Method 2320 B-2011	55
Wet Chemistry by Method 350.1	59
Wet Chemistry by Method 353.2	60
Wet Chemistry by Method 9056A	61
Wet Chemistry by Method 9060A	65
Metals (ICP) by Method 6010B	69
Metals (ICPMS) by Method 6020	71
Volatile Organic Compounds (GC/MS) by Method 8260B	73
Gl: Glossary of Terms	79
Al: Accreditations & Locations	80
Sc: Sample Chain of Custody	81




SAMPLE SUMMARY

LGW-7 L1633864-01 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 10:35
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094125	1	07/13/23 14:37	07/13/23 16:08	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 13:30	07/13/23 13:30	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 12:57	07/12/23 12:57	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:14	07/11/23 20:14	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 13:10	07/18/23 13:10	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098147	1	07/21/23 22:16	07/21/23 22:16	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:18	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/13/23 23:13	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 01:38	07/12/23 01:38	JAH	Mt. Juliet, TN



MW-19 L1633864-02 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 17:05
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094878	1	07/14/23 11:34	07/14/23 12:58	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 11:56	07/13/23 11:56	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 12:58	07/12/23 12:58	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	5	07/11/23 20:15	07/11/23 20:15	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 13:20	07/18/23 13:20	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098123	1	07/20/23 22:20	07/20/23 22:20	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:21	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/13/23 23:16	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 01:57	07/12/23 01:57	JAH	Mt. Juliet, TN

MW-16 L1633864-03 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 16:30
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094878	1	07/14/23 11:34	07/14/23 12:58	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 12:01	07/13/23 12:01	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:03	07/12/23 13:03	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:16	07/11/23 20:16	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 13:30	07/18/23 13:30	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098123	1	07/20/23 22:33	07/20/23 22:33	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:24	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/13/23 23:19	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 02:16	07/12/23 02:16	JAH	Mt. Juliet, TN

MW-15 L1633864-04 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 15:55
 Received date/time: 07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094878	1	07/14/23 11:34	07/14/23 12:58	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 13:23	07/13/23 13:23	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:10	07/12/23 13:10	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:17	07/11/23 20:17	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 13:40	07/18/23 13:40	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098277	1	07/20/23 08:44	07/20/23 08:44	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:26	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/13/23 23:23	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 02:34	07/12/23 02:34	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-2 L1633864-05 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 15:25
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094125	1	07/13/23 14:37	07/13/23 16:08	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 13:33	07/13/23 13:33	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:12	07/12/23 13:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:19	07/11/23 20:19	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 14:11	07/18/23 14:11	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2098277	1	07/20/23 09:34	07/20/23 09:34	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:29	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:24	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 02:53	07/12/23 02:53	JAH	Mt. Juliet, TN



LGW-3R L1633864-06 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 08:30
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2093629	1	07/13/23 13:40	07/13/23 13:40	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:13	07/12/23 13:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:20	07/11/23 20:20	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 14:20	07/18/23 14:20	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 18:46	07/21/23 18:46	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:32	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:28	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 03:11	07/12/23 03:11	JAH	Mt. Juliet, TN

LGW-4 L1633864-07 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 09:10
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 10:51	07/17/23 10:51	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:15	07/12/23 13:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:21	07/11/23 20:21	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 14:30	07/18/23 14:30	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 19:41	07/21/23 19:41	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:35	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:31	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 03:30	07/12/23 03:30	JAH	Mt. Juliet, TN

LGW-5 L1633864-08 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 09:45
 Received date/time: 07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094125	1	07/13/23 14:37	07/13/23 16:08	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 10:55	07/17/23 10:55	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:16	07/12/23 13:16	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:23	07/11/23 20:23	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 14:40	07/18/23 14:40	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 20:07	07/21/23 20:07	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:37	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:35	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 03:48	07/12/23 03:48	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-6 L1633864-09 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 12:35
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094125	1	07/13/23 14:37	07/13/23 16:08	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 10:59	07/17/23 10:59	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:18	07/12/23 13:18	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:32	07/11/23 20:32	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 14:50	07/18/23 14:50	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 20:20	07/21/23 20:20	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:40	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	5	07/12/23 01:19	07/13/23 18:44	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:38	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 04:07	07/12/23 04:07	JAH	Mt. Juliet, TN



LGW-8R L1633864-10 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 11:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094232	1	07/13/23 12:18	07/13/23 13:00	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:33	07/17/23 11:33	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:19	07/12/23 13:19	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:33	07/11/23 20:33	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 15:00	07/18/23 15:00	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 20:33	07/21/23 20:33	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:43	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:41	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 04:25	07/12/23 04:25	JAH	Mt. Juliet, TN

LGW-9 L1633864-11 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 13:55
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094232	1	07/13/23 12:18	07/13/23 13:00	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:37	07/17/23 11:37	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:21	07/12/23 13:21	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:34	07/11/23 20:34	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096705	1	07/18/23 15:10	07/18/23 15:10	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 20:46	07/21/23 20:46	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:51	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:45	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 04:44	07/12/23 04:44	JAH	Mt. Juliet, TN

LGW-10 L1633864-12 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 14:30
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094232	1	07/13/23 12:18	07/13/23 13:00	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:40	07/17/23 11:40	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:22	07/12/23 13:22	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:35	07/11/23 20:35	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 12:20	07/18/23 12:20	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 21:33	07/21/23 21:33	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:54	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:48	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 06:46	07/12/23 06:46	JAH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-14R L1633864-13 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 13:20
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2094232	1	07/13/23 12:18	07/13/23 13:00	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:44	07/17/23 11:44	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:30	07/12/23 13:30	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:37	07/11/23 20:37	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 13:28	07/18/23 13:28	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 21:45	07/21/23 21:45	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:57	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:51	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093044	1	07/12/23 07:04	07/12/23 07:04	JAH	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

DUP-1 L1633864-14 GW

Collected by: Chris Fincher
 Collected date/time: 07/10/23 07:00
 Received date/time: 07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:48	07/17/23 11:48	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:33	07/12/23 13:33	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092816	1	07/11/23 20:38	07/11/23 20:38	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 14:19	07/18/23 14:19	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 21:58	07/21/23 21:58	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	1	07/12/23 01:19	07/12/23 19:59	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092916	5	07/12/23 01:19	07/13/23 18:47	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092924	1	07/11/23 20:40	07/14/23 15:55	JPD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 16:12	07/12/23 16:12	DWR	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2094125	(DUP) R3949273-4	Dissolved Solids
WG2094232	(DUP) R3949810-4	Dissolved Solids
WG2094878	(DUP) R3949943-4, L1633864-02	Dissolved Solids

Wet Chemistry by Method 350.1

RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Batch	Lab Sample ID	Analytes
WG2092799	(DUP) R3947829-7, L1633864-13	Ammonia Nitrogen

Wet Chemistry by Method 9056A

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG2096705	(MSD) R3949944-5	Chloride

Metals (ICP) by Method 6010B

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2092916	(MS) R3948019-4, (MSD) R3948019-5	Calcium, Total Recoverable and Sodium, Total Recoverable

CASE NARRATIVE

Metals (ICPMS) by Method 6020

The same analyte is found in the associated blank.

Batch	Analyte	Lab Sample ID
WG2092924	Zinc, Total Recoverable	L1633864-01, 02, 03, 04, 05, 06, 07, 08, 10, 12, 13

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2092924	(MS) R3948842-4, (MSD) R3948842-5	Zinc, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2093479	(LCS) R3948671-1, L1633864-14	Vinyl acetate

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.4	su
Specific Conductance (on site)	669	umhos/cm
Temperature (on-site)	19	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	1.8	mg/l
eH/ORP (On Site)	179.2	mV
Depth to water (DTW) (FROM TOC)	43.17	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	353		10.0	1	07/13/2023 16:08	WG2094125

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	299		10.0	1	07/13/2023 13:30	WG2093629
Alkalinity,Bicarbonate	299		10.0	1	07/13/2023 13:30	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 13:30	WG2093629

Sample Narrative:

L1633864-01 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 12:57	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.70		0.100	1	07/11/2023 20:14	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.3		3.00	1	07/18/2023 13:10	WG2096705
Sulfate	ND		5.00	1	07/18/2023 13:10	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.73		1.00	1	07/21/2023 22:16	WG2098147

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:18	WG2092916
Barium,Total Recoverable	0.0636		0.00500	1	07/12/2023 19:18	WG2092916
Calcium, Total Recoverable	122		0.200	1	07/12/2023 19:18	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:18	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:18	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.67		0.200	1	07/12/2023 19:18	WG2092916
Manganese, Total Recoverable	0.127		0.00300	1	07/12/2023 19:18	WG2092916
Sodium, Total Recoverable	7.98		5.00	1	07/12/2023 19:18	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:18	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:18	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 23:13	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 23:13	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 23:13	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 23:13	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 23:13	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 23:13	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 23:13	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 23:13	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 23:13	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 23:13	WG2092924
Zinc, Total Recoverable	0.0445	<u>B</u>	0.00500	1	07/13/2023 23:13	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 01:38	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 01:38	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 01:38	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 01:38	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 01:38	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 01:38	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 01:38	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 01:38	WG2093044
Acetone	ND		10.0	1	07/12/2023 01:38	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 01:38	WG2093044
Benzene	ND		1.00	1	07/12/2023 01:38	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Bromoform	ND		1.00	1	07/12/2023 01:38	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 01:38	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 01:38	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 01:38	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Chloroform	ND		1.00	1	07/12/2023 01:38	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 01:38	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 01:38	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 01:38	WG2093044
Styrene	ND		1.00	1	07/12/2023 01:38	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 01:38	WG2093044
Toluene	ND		1.00	1	07/12/2023 01:38	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 01:38	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 01:38	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 01:38	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 01:38	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 01:38	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:38	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:38	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:38	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:38	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 01:38	WG2093044
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 01:38	WG2093044
(S) 4-Bromofluorobenzene	98.5			77.0-126	07/12/2023 01:38	WG2093044
(S) Toluene-d8	104			80.0-120	07/12/2023 01:38	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.64	su
Specific Conductance (on site)	293	umhos/cm
Temperature (on-site)	20.8	Deg. C
Turbidity (on-site)	3	NTU
Dissolved Oxygen (on-site)	6.7	mg/l
eH/ORP (On Site)	141.1	mV
Depth to water (DTW) (FROM TOC)	68.15	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	184	<u>J3</u>	10.0	1	07/14/2023 12:58	WG2094878

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	92.4		10.0	1	07/13/2023 11:56	WG2093629
Alkalinity,Bicarbonate	92.4		10.0	1	07/13/2023 11:56	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 11:56	WG2093629

Sample Narrative:

L1633864-02 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 12:58	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	5.20		0.100	5	07/11/2023 20:15	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	7.75		3.00	1	07/18/2023 13:20	WG2096705
Sulfate	5.47		5.00	1	07/18/2023 13:20	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/20/2023 22:20	WG2098123

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:21	WG2092916
Barium,Total Recoverable	0.0221		0.00500	1	07/12/2023 19:21	WG2092916
Calcium, Total Recoverable	41.0		0.200	1	07/12/2023 19:21	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:21	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:21	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.54		0.200	1	07/12/2023 19:21	WG2092916
Manganese, Total Recoverable	ND		0.00300	1	07/12/2023 19:21	WG2092916
Sodium, Total Recoverable	6.60		5.00	1	07/12/2023 19:21	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:21	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:21	WG2092916

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 23:16	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 23:16	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 23:16	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 23:16	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 23:16	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 23:16	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 23:16	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 23:16	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 23:16	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 23:16	WG2092924
Zinc, Total Recoverable	0.00588	<u>B J</u>	0.00500	1	07/13/2023 23:16	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 01:57	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 01:57	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 01:57	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 01:57	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 01:57	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 01:57	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 01:57	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 01:57	WG2093044
Acetone	ND		10.0	1	07/12/2023 01:57	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 01:57	WG2093044
Benzene	ND		1.00	1	07/12/2023 01:57	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Bromoform	ND		1.00	1	07/12/2023 01:57	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 01:57	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 01:57	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 01:57	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Chloroform	ND		1.00	1	07/12/2023 01:57	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 01:57	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 01:57	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 01:57	WG2093044
Styrene	ND		1.00	1	07/12/2023 01:57	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 01:57	WG2093044
Toluene	ND		1.00	1	07/12/2023 01:57	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 01:57	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 01:57	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 01:57	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 01:57	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 01:57	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:57	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:57	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 01:57	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 01:57	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 01:57	WG2093044
(S) 1,2-Dichloroethane-d4	101			70.0-130	07/12/2023 01:57	WG2093044
(S) 4-Bromofluorobenzene	92.3			77.0-126	07/12/2023 01:57	WG2093044
(S) Toluene-d8	106			80.0-120	07/12/2023 01:57	WG2093044

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.04	su
Specific Conductance (on site)	380	umhos/cm
Temperature (on-site)	19.3	Deg. C
Turbidity (on-site)	4	NTU
Dissolved Oxygen (on-site)	6.6	mg/l
eH/ORP (On Site)	148.6	mV
Depth to water (DTW) (FROM TOC)	73.34	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	215		10.0	1	07/14/2023 12:58	WG2094878

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	170		10.0	1	07/13/2023 12:01	WG2093629
Alkalinity,Bicarbonate	170		10.0	1	07/13/2023 12:01	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 12:01	WG2093629

Sample Narrative:

L1633864-03 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:03	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.210		0.100	1	07/11/2023 20:16	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.08		3.00	1	07/18/2023 13:30	WG2096705
Sulfate	ND		5.00	1	07/18/2023 13:30	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/20/2023 22:33	WG2098123

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:24	WG2092916
Barium, Total Recoverable	0.0327		0.00500	1	07/12/2023 19:24	WG2092916
Calcium, Total Recoverable	65.9		0.200	1	07/12/2023 19:24	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:24	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:24	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.23		0.200	1	07/12/2023 19:24	WG2092916
Manganese, Total Recoverable	ND		0.00300	1	07/12/2023 19:24	WG2092916
Sodium, Total Recoverable	ND		5.00	1	07/12/2023 19:24	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:24	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:24	WG2092916

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 23:19	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 23:19	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 23:19	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 23:19	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 23:19	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 23:19	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 23:19	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 23:19	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 23:19	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 23:19	WG2092924
Zinc, Total Recoverable	0.00831	<u>B J</u>	0.00500	1	07/13/2023 23:19	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 02:16	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 02:16	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 02:16	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 02:16	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 02:16	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 02:16	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 02:16	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 02:16	WG2093044
Acetone	ND		10.0	1	07/12/2023 02:16	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 02:16	WG2093044
Benzene	ND		1.00	1	07/12/2023 02:16	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Bromoform	ND		1.00	1	07/12/2023 02:16	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 02:16	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 02:16	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 02:16	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Chloroform	ND		1.00	1	07/12/2023 02:16	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 02:16	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 02:16	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 02:16	WG2093044
Styrene	ND		1.00	1	07/12/2023 02:16	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 02:16	WG2093044
Toluene	ND		1.00	1	07/12/2023 02:16	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 02:16	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 02:16	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 02:16	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 02:16	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 02:16	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:16	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:16	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:16	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:16	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 02:16	WG2093044
(S) 1,2-Dichloroethane-d4	103			70.0-130	07/12/2023 02:16	WG2093044
(S) 4-Bromofluorobenzene	97.6			77.0-126	07/12/2023 02:16	WG2093044
(S) Toluene-d8	104			80.0-120	07/12/2023 02:16	WG2093044

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.23	su
Specific Conductance (on site)	581	umhos/cm
Temperature (on-site)	17.5	Deg. C
Turbidity (on-site)	4.2	NTU
Dissolved Oxygen (on-site)	5.6	mg/l
eH/ORP (On Site)	178.1	mV
Depth to water (DTW) (FROM TOC)	58.58	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	310		10.0	1	07/14/2023 12:58	WG2094878

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	194		10.0	1	07/13/2023 13:23	WG2093629
Alkalinity,Bicarbonate	194		10.0	1	07/13/2023 13:23	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 13:23	WG2093629

Sample Narrative:

L1633864-04 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:10	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.81		0.100	1	07/11/2023 20:17	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	35.7		3.00	1	07/18/2023 13:40	WG2096705
Sulfate	11.3		5.00	1	07/18/2023 13:40	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	3.84		1.00	1	07/20/2023 08:44	WG2098277

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:26	WG2092916
Barium,Total Recoverable	0.0242		0.00500	1	07/12/2023 19:26	WG2092916
Calcium, Total Recoverable	74.3		0.200	1	07/12/2023 19:26	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:26	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:26	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.33		0.200	1	07/12/2023 19:26	WG2092916
Manganese, Total Recoverable	0.00354	J	0.00300	1	07/12/2023 19:26	WG2092916
Sodium, Total Recoverable	29.7		5.00	1	07/12/2023 19:26	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:26	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:26	WG2092916

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/13/2023 23:23	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/13/2023 23:23	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/13/2023 23:23	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/13/2023 23:23	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/13/2023 23:23	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/13/2023 23:23	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/13/2023 23:23	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/13/2023 23:23	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/13/2023 23:23	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/13/2023 23:23	WG2092924
Zinc, Total Recoverable	0.00643	B J	0.00500	1	07/13/2023 23:23	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 02:34	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 02:34	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 02:34	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 02:34	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 02:34	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 02:34	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 02:34	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 02:34	WG2093044
Acetone	ND		10.0	1	07/12/2023 02:34	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 02:34	WG2093044
Benzene	ND		1.00	1	07/12/2023 02:34	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Bromoform	ND		1.00	1	07/12/2023 02:34	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 02:34	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 02:34	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 02:34	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Chloroform	ND		1.00	1	07/12/2023 02:34	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 02:34	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 02:34	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 02:34	WG2093044
Styrene	ND		1.00	1	07/12/2023 02:34	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 02:34	WG2093044
Toluene	ND		1.00	1	07/12/2023 02:34	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 02:34	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 02:34	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 02:34	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 02:34	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 02:34	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:34	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:34	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:34	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:34	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 02:34	WG2093044
(S) 1,2-Dichloroethane-d4	106			70.0-130	07/12/2023 02:34	WG2093044
(S) 4-Bromofluorobenzene	98.3			77.0-126	07/12/2023 02:34	WG2093044
(S) Toluene-d8	102			80.0-120	07/12/2023 02:34	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.24	su
Specific Conductance (on site)	632	umhos/cm
Temperature (on-site)	19.7	Deg. C
Turbidity (on-site)	4.5	NTU
Dissolved Oxygen (on-site)	5.8	mg/l
eH/ORP (On Site)	157.6	mV
Depth to water (DTW) (FROM TOC)	72.17	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	322		10.0	1	07/13/2023 16:08	WG2094125

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	286		10.0	1	07/13/2023 13:33	WG2093629
Alkalinity,Bicarbonate	286		10.0	1	07/13/2023 13:33	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 13:33	WG2093629

Sample Narrative:

L1633864-05 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:12	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.23		0.100	1	07/11/2023 20:19	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	10.2		3.00	1	07/18/2023 14:11	WG2096705
Sulfate	ND		5.00	1	07/18/2023 14:11	WG2096705

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.54		1.00	1	07/20/2023 09:34	WG2098277

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:29	WG2092916
Barium,Total Recoverable	0.0741		0.00500	1	07/12/2023 19:29	WG2092916
Calcium, Total Recoverable	114		0.200	1	07/12/2023 19:29	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:29	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:29	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.01		0.200	1	07/12/2023 19:29	WG2092916
Manganese, Total Recoverable	ND		0.00300	1	07/12/2023 19:29	WG2092916
Sodium, Total Recoverable	11.1		5.00	1	07/12/2023 19:29	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:29	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:29	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:24	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:24	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:24	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:24	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:24	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:24	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/14/2023 15:24	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:24	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:24	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:24	WG2092924
Zinc, Total Recoverable	0.00697	<u>B J</u>	0.00500	1	07/14/2023 15:24	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 02:53	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 02:53	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 02:53	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 02:53	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 02:53	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 02:53	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 02:53	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 02:53	WG2093044
Acetone	ND		10.0	1	07/12/2023 02:53	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 02:53	WG2093044
Benzene	ND		1.00	1	07/12/2023 02:53	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Bromoform	ND		1.00	1	07/12/2023 02:53	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 02:53	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 02:53	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 02:53	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Chloroform	ND		1.00	1	07/12/2023 02:53	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 02:53	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 02:53	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 02:53	WG2093044
Styrene	ND		1.00	1	07/12/2023 02:53	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 02:53	WG2093044
Toluene	ND		1.00	1	07/12/2023 02:53	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 02:53	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 02:53	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 02:53	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 02:53	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 02:53	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:53	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:53	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 02:53	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 02:53	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 02:53	WG2093044
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 02:53	WG2093044
(S) 4-Bromofluorobenzene	96.6			77.0-126	07/12/2023 02:53	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 02:53	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	4.66	su
Specific Conductance (on site)	102	umhos/cm
Temperature (on-site)	16.7	Deg. C
Turbidity (on-site)	11	NTU
Dissolved Oxygen (on-site)	5.9	mg/l
eH/ORP (On Site)	244.9	mV
Depth to water (DTW) (FROM TOC)	55.19	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	57.0		10.0	1	07/13/2023 10:05	WG2093592

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	24.8		10.0	1	07/13/2023 13:40	WG2093629
Alkalinity,Bicarbonate	24.8		10.0	1	07/13/2023 13:40	WG2093629
Alkalinity,Carbonate	ND		10.0	1	07/13/2023 13:40	WG2093629

Sample Narrative:

L1633864-06 WG2093629: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:13	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.70		0.100	1	07/11/2023 20:20	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.33		3.00	1	07/18/2023 14:20	WG2096705
Sulfate	ND		5.00	1	07/18/2023 14:20	WG2096705

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/21/2023 18:46	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:32	WG2092916
Barium,Total Recoverable	0.0535		0.00500	1	07/12/2023 19:32	WG2092916
Calcium, Total Recoverable	10.1		0.200	1	07/12/2023 19:32	WG2092916
Iron, Total Recoverable	0.159		0.0600	1	07/12/2023 19:32	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:32	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	0.945	J	0.200	1	07/12/2023 19:32	WG2092916
Manganese, Total Recoverable	0.0219		0.00300	1	07/12/2023 19:32	WG2092916
Sodium, Total Recoverable	ND		5.00	1	07/12/2023 19:32	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:32	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:32	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:28	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:28	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:28	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:28	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:28	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:28	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/14/2023 15:28	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:28	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:28	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:28	WG2092924
Zinc, Total Recoverable	0.00752	B J	0.00500	1	07/14/2023 15:28	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 03:11	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 03:11	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 03:11	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 03:11	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 03:11	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 03:11	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 03:11	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 03:11	WG2093044
Acetone	ND		10.0	1	07/12/2023 03:11	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 03:11	WG2093044
Benzene	ND		1.00	1	07/12/2023 03:11	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Bromoform	ND		1.00	1	07/12/2023 03:11	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 03:11	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 03:11	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 03:11	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Chloroform	ND		1.00	1	07/12/2023 03:11	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 03:11	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 03:11	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 03:11	WG2093044
Styrene	ND		1.00	1	07/12/2023 03:11	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 03:11	WG2093044
Toluene	ND		1.00	1	07/12/2023 03:11	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 03:11	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 03:11	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 03:11	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 03:11	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 03:11	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:11	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:11	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:11	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:11	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 03:11	WG2093044
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/12/2023 03:11	WG2093044
(S) 4-Bromofluorobenzene	97.0			77.0-126	07/12/2023 03:11	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 03:11	WG2093044

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.16	su
Specific Conductance (on site)	759	umhos/cm
Temperature (on-site)	17.1	Deg. C
Turbidity (on-site)	9.8	NTU
Dissolved Oxygen (on-site)	2.5	mg/l
eH/ORP (On Site)	183.7	mV
Depth to water (DTW) (FROM TOC)	60.44	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	393		10.0	1	07/13/2023 10:05	WG2093592

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	340		10.0	1	07/17/2023 10:51	WG2095978
Alkalinity,Bicarbonate	340		10.0	1	07/17/2023 10:51	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:51	WG2095978

Sample Narrative:

L1633864-07 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:15	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.55		0.100	1	07/11/2023 20:21	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.6		3.00	1	07/18/2023 14:30	WG2096705
Sulfate	ND		5.00	1	07/18/2023 14:30	WG2096705

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.49		1.00	1	07/21/2023 19:41	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:35	WG2092916
Barium, Total Recoverable	0.0645		0.00500	1	07/12/2023 19:35	WG2092916
Calcium, Total Recoverable	138		0.200	1	07/12/2023 19:35	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:35	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:35	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.17		0.200	1	07/12/2023 19:35	WG2092916
Manganese, Total Recoverable	0.135		0.00300	1	07/12/2023 19:35	WG2092916
Sodium, Total Recoverable	10.3		5.00	1	07/12/2023 19:35	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:35	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:35	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:31	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:31	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:31	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:31	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:31	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:31	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/14/2023 15:31	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:31	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:31	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:31	WG2092924
Zinc, Total Recoverable	0.0187	<u>BJ</u>	0.00500	1	07/14/2023 15:31	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 03:30	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 03:30	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 03:30	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 03:30	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 03:30	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 03:30	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 03:30	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 03:30	WG2093044
Acetone	ND		10.0	1	07/12/2023 03:30	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 03:30	WG2093044
Benzene	ND		1.00	1	07/12/2023 03:30	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Bromoform	ND		1.00	1	07/12/2023 03:30	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 03:30	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 03:30	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 03:30	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Chloroform	ND		1.00	1	07/12/2023 03:30	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 03:30	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 03:30	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 03:30	WG2093044
Styrene	ND		1.00	1	07/12/2023 03:30	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 03:30	WG2093044
Toluene	ND		1.00	1	07/12/2023 03:30	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 03:30	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 03:30	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 03:30	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 03:30	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 03:30	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:30	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:30	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:30	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:30	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 03:30	WG2093044
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/12/2023 03:30	WG2093044
(S) 4-Bromofluorobenzene	93.6			77.0-126	07/12/2023 03:30	WG2093044
(S) Toluene-d8	105			80.0-120	07/12/2023 03:30	WG2093044

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.14	su
Specific Conductance (on site)	798	umhos/cm
Temperature (on-site)	20.5	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	1.1	mg/l
eH/ORP (On Site)	192.5	mV
Depth to water (DTW) (FROM TOC)	70.92	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	417		10.0	1	07/13/2023 16:08	WG2094125

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	321		10.0	1	07/17/2023 10:55	WG2095978
Alkalinity,Bicarbonate	321		10.0	1	07/17/2023 10:55	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:55	WG2095978

Sample Narrative:

L1633864-08 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.182		0.100	1	07/12/2023 13:16	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 20:23	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	31.9		3.00	1	07/18/2023 14:40	WG2096705
Sulfate	5.18		5.00	1	07/18/2023 14:40	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.20		1.00	1	07/21/2023 20:07	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:37	WG2092916
Barium, Total Recoverable	0.120		0.00500	1	07/12/2023 19:37	WG2092916
Calcium, Total Recoverable	117		0.200	1	07/12/2023 19:37	WG2092916
Iron, Total Recoverable	1.48		0.0600	1	07/12/2023 19:37	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:37	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.19		0.200	1	07/12/2023 19:37	WG2092916
Manganese, Total Recoverable	14.7		0.00300	1	07/12/2023 19:37	WG2092916
Sodium, Total Recoverable	19.6		5.00	1	07/12/2023 19:37	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:37	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:37	WG2092916

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:35	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:35	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:35	WG2092924
Cobalt, Total Recoverable	0.00986		0.00300	1	07/14/2023 15:35	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:35	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:35	WG2092924
Nickel, Total Recoverable	0.0893		0.00400	1	07/14/2023 15:35	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:35	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:35	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:35	WG2092924
Zinc, Total Recoverable	0.0209	<u>B J</u>	0.00500	1	07/14/2023 15:35	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 03:48	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 03:48	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 03:48	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 03:48	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 03:48	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 03:48	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 03:48	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 03:48	WG2093044
Acetone	ND		10.0	1	07/12/2023 03:48	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 03:48	WG2093044
Benzene	ND		1.00	1	07/12/2023 03:48	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Bromoform	ND		1.00	1	07/12/2023 03:48	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 03:48	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 03:48	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 03:48	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Chloroform	ND		1.00	1	07/12/2023 03:48	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 03:48	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 03:48	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 03:48	WG2093044
Styrene	ND		1.00	1	07/12/2023 03:48	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 03:48	WG2093044
Toluene	ND		1.00	1	07/12/2023 03:48	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 03:48	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 03:48	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 03:48	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 03:48	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 03:48	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:48	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:48	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 03:48	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 03:48	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 03:48	WG2093044
(S) 1,2-Dichloroethane-d4	103			70.0-130	07/12/2023 03:48	WG2093044
(S) 4-Bromofluorobenzene	97.3			77.0-126	07/12/2023 03:48	WG2093044
(S) Toluene-d8	104			80.0-120	07/12/2023 03:48	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.27	su
Specific Conductance (on site)	749	umhos/cm
Temperature (on-site)	19.4	Deg. C
Turbidity (on-site)	4.2	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	179.4	mV
Depth to water (DTW) (FROM TOC)	50.4	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	405		10.0	1	07/13/2023 16:08	WG2094125

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	347		10.0	1	07/17/2023 10:59	WG2095978
Alkalinity,Bicarbonate	347		10.0	1	07/17/2023 10:59	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:59	WG2095978

Sample Narrative:

L1633864-09 WG2095978: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:18	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 20:32	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	15.0		3.00	1	07/18/2023 14:50	WG2096705
Sulfate	ND		5.00	1	07/18/2023 14:50	WG2096705

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.26		1.00	1	07/21/2023 20:20	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:40	WG2092916
Barium,Total Recoverable	0.208		0.00500	1	07/12/2023 19:40	WG2092916
Calcium, Total Recoverable	109		0.200	1	07/12/2023 19:40	WG2092916
Iron, Total Recoverable	1.20		0.0600	1	07/12/2023 19:40	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:40	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.46		0.200	1	07/12/2023 19:40	WG2092916
Manganese, Total Recoverable	37.4		0.00600	5	07/13/2023 18:44	WG2092916
Sodium, Total Recoverable	9.90		5.00	1	07/12/2023 19:40	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:40	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:40	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:38	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:38	WG2092924
Cadmium, Total Recoverable	0.00188		0.00100	1	07/14/2023 15:38	WG2092924
Cobalt, Total Recoverable	0.0245		0.00300	1	07/14/2023 15:38	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:38	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:38	WG2092924
Nickel, Total Recoverable	0.167		0.00400	1	07/14/2023 15:38	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:38	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:38	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:38	WG2092924
Zinc, Total Recoverable	0.156		0.00500	1	07/14/2023 15:38	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 04:07	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 04:07	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 04:07	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 04:07	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 04:07	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 04:07	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 04:07	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 04:07	WG2093044
Acetone	ND		10.0	1	07/12/2023 04:07	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 04:07	WG2093044
Benzene	ND		1.00	1	07/12/2023 04:07	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Bromoform	ND		1.00	1	07/12/2023 04:07	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 04:07	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 04:07	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 04:07	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Chloroform	ND		1.00	1	07/12/2023 04:07	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 04:07	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 04:07	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 04:07	WG2093044
Styrene	ND		1.00	1	07/12/2023 04:07	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 04:07	WG2093044
Toluene	ND		1.00	1	07/12/2023 04:07	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 04:07	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 04:07	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 04:07	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 04:07	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 04:07	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:07	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:07	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:07	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:07	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 04:07	WG2093044
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/12/2023 04:07	WG2093044
(S) 4-Bromofluorobenzene	95.4			77.0-126	07/12/2023 04:07	WG2093044
(S) Toluene-d8	101			80.0-120	07/12/2023 04:07	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.42	su
Specific Conductance (on site)	779	umhos/cm
Temperature (on-site)	16.9	Deg. C
Turbidity (on-site)	3.7	NTU
Dissolved Oxygen (on-site)	0.2	mg/l
eH/ORP (On Site)	172.2	mV
Depth to water (DTW) (FROM TOC)	10.78	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	394		10.0	1	07/13/2023 13:00	WG2094232

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	346		10.0	1	07/17/2023 11:33	WG2095978
Alkalinity,Bicarbonate	346		10.0	1	07/17/2023 11:33	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:33	WG2095978

Sample Narrative:

L1633864-10 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:19	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.692		0.100	1	07/11/2023 20:33	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	18.0		3.00	1	07/18/2023 15:00	WG2096705
Sulfate	ND		5.00	1	07/18/2023 15:00	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.41		1.00	1	07/21/2023 20:33	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:43	WG2092916
Barium, Total Recoverable	0.0870		0.00500	1	07/12/2023 19:43	WG2092916
Calcium, Total Recoverable	139		0.200	1	07/12/2023 19:43	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:43	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:43	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.30		0.200	1	07/12/2023 19:43	WG2092916
Manganese, Total Recoverable	0.117		0.00300	1	07/12/2023 19:43	WG2092916
Sodium, Total Recoverable	9.96		5.00	1	07/12/2023 19:43	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:43	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:43	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:41	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:41	WG2092924
Cadmium, Total Recoverable	0.00154		0.00100	1	07/14/2023 15:41	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:41	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:41	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:41	WG2092924
Nickel, Total Recoverable	0.00980		0.00400	1	07/14/2023 15:41	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:41	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:41	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:41	WG2092924
Zinc, Total Recoverable	0.0387	<u>B</u>	0.00500	1	07/14/2023 15:41	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 04:25	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 04:25	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 04:25	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 04:25	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 04:25	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 04:25	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 04:25	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 04:25	WG2093044
Acetone	ND		10.0	1	07/12/2023 04:25	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 04:25	WG2093044
Benzene	ND		1.00	1	07/12/2023 04:25	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Bromoform	ND		1.00	1	07/12/2023 04:25	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 04:25	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 04:25	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 04:25	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Chloroform	ND		1.00	1	07/12/2023 04:25	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 04:25	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 04:25	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 04:25	WG2093044
Styrene	ND		1.00	1	07/12/2023 04:25	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 04:25	WG2093044
Toluene	ND		1.00	1	07/12/2023 04:25	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 04:25	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 04:25	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 04:25	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 04:25	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 04:25	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:25	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:25	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:25	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:25	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 04:25	WG2093044
(S) 1,2-Dichloroethane-d4	103			70.0-130	07/12/2023 04:25	WG2093044
(S) 4-Bromofluorobenzene	97.8			77.0-126	07/12/2023 04:25	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 04:25	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.17	su
Specific Conductance (on site)	834	umhos/cm
Temperature (on-site)	18.1	Deg. C
Turbidity (on-site)	3.9	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	181	mV
Depth to water (DTW) (FROM TOC)	54.44	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	437		10.0	1	07/13/2023 13:00	WG2094232

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	341		10.0	1	07/17/2023 11:37	WG2095978
Alkalinity,Bicarbonate	341		10.0	1	07/17/2023 11:37	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:37	WG2095978

Sample Narrative:

L1633864-11 WG2095978: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:21	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.505		0.100	1	07/11/2023 20:34	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	35.1		3.00	1	07/18/2023 15:10	WG2096705
Sulfate	5.14		5.00	1	07/18/2023 15:10	WG2096705

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.22		1.00	1	07/21/2023 20:46	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:51	WG2092916
Barium, Total Recoverable	0.164		0.00500	1	07/12/2023 19:51	WG2092916
Calcium, Total Recoverable	127		0.200	1	07/12/2023 19:51	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:51	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:51	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	8.25		0.200	1	07/12/2023 19:51	WG2092916
Manganese, Total Recoverable	4.22		0.00300	1	07/12/2023 19:51	WG2092916
Sodium, Total Recoverable	23.3		5.00	1	07/12/2023 19:51	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:51	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:51	WG2092916

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:45	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:45	WG2092924
Cadmium, Total Recoverable	0.0137		0.00100	1	07/14/2023 15:45	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:45	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:45	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:45	WG2092924
Nickel, Total Recoverable	0.0259		0.00400	1	07/14/2023 15:45	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:45	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:45	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:45	WG2092924
Zinc, Total Recoverable	0.0739		0.00500	1	07/14/2023 15:45	WG2092924

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 04:44	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 04:44	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 04:44	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 04:44	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 04:44	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 04:44	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 04:44	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 04:44	WG2093044
Acetone	ND		10.0	1	07/12/2023 04:44	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 04:44	WG2093044
Benzene	ND		1.00	1	07/12/2023 04:44	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Bromoform	ND		1.00	1	07/12/2023 04:44	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 04:44	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 04:44	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 04:44	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Chloroform	ND		1.00	1	07/12/2023 04:44	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 04:44	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 04:44	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 04:44	WG2093044
Styrene	ND		1.00	1	07/12/2023 04:44	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 04:44	WG2093044
Toluene	ND		1.00	1	07/12/2023 04:44	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 04:44	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 04:44	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 04:44	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 04:44	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 04:44	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:44	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:44	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 04:44	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 04:44	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 04:44	WG2093044
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 04:44	WG2093044
(S) 4-Bromofluorobenzene	98.0			77.0-126	07/12/2023 04:44	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 04:44	WG2093044

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.36	su
Specific Conductance (on site)	929	umhos/cm
Temperature (on-site)	19	Deg. C
Turbidity (on-site)	5.4	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	171.6	mV
Depth to water (DTW) (FROM TOC)	59.55	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	483		10.0	1	07/13/2023 13:00	WG2094232

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	429		10.0	1	07/17/2023 11:40	WG2095978
Alkalinity,Bicarbonate	429		10.0	1	07/17/2023 11:40	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:40	WG2095978

Sample Narrative:

L1633864-12 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:22	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 20:35	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.5		3.00	1	07/18/2023 12:20	WG2096724
Sulfate	ND		5.00	1	07/18/2023 12:20	WG2096724

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.76		1.00	1	07/21/2023 21:33	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:54	WG2092916
Barium, Total Recoverable	0.0727		0.00500	1	07/12/2023 19:54	WG2092916
Calcium, Total Recoverable	172		0.200	1	07/12/2023 19:54	WG2092916
Iron, Total Recoverable	2.37		0.0600	1	07/12/2023 19:54	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:54	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.66		0.200	1	07/12/2023 19:54	WG2092916
Manganese, Total Recoverable	2.73		0.00300	1	07/12/2023 19:54	WG2092916
Sodium, Total Recoverable	10.2		5.00	1	07/12/2023 19:54	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:54	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:54	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:48	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:48	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:48	WG2092924
Cobalt, Total Recoverable	0.0273		0.00300	1	07/14/2023 15:48	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:48	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:48	WG2092924
Nickel, Total Recoverable	0.0701		0.00400	1	07/14/2023 15:48	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:48	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:48	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:48	WG2092924
Zinc, Total Recoverable	0.0580	<u>B</u>	0.00500	1	07/14/2023 15:48	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 06:46	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 06:46	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 06:46	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 06:46	WG2093044
1,4-Dichlorobenzene	1.57		1.00	1	07/12/2023 06:46	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 06:46	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 06:46	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 06:46	WG2093044
Acetone	ND		10.0	1	07/12/2023 06:46	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 06:46	WG2093044
Benzene	ND		1.00	1	07/12/2023 06:46	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Bromoform	ND		1.00	1	07/12/2023 06:46	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 06:46	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 06:46	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 06:46	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Chloroform	ND		1.00	1	07/12/2023 06:46	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 06:46	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 06:46	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 06:46	WG2093044
Styrene	ND		1.00	1	07/12/2023 06:46	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 06:46	WG2093044
Toluene	ND		1.00	1	07/12/2023 06:46	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 06:46	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 06:46	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 06:46	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 06:46	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 06:46	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 06:46	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 06:46	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 06:46	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 06:46	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 06:46	WG2093044
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 06:46	WG2093044
(S) 4-Bromofluorobenzene	98.8			77.0-126	07/12/2023 06:46	WG2093044
(S) Toluene-d8	104			80.0-120	07/12/2023 06:46	WG2093044

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.82	su
Specific Conductance (on site)	597	umhos/cm
Temperature (on-site)	19.3	Deg. C
Turbidity (on-site)	4.4	NTU
Dissolved Oxygen (on-site)	4.6	mg/l
eH/ORP (On Site)	158.6	mV
Depth to water (DTW) (FROM TOC)	56.15	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	305		10.0	1	07/13/2023 13:00	WG2094232

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	272		10.0	1	07/17/2023 11:44	WG2095978
Alkalinity,Bicarbonate	272		10.0	1	07/17/2023 11:44	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:44	WG2095978

Sample Narrative:

L1633864-13 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.161	P1	0.100	1	07/12/2023 13:30	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.70		0.100	1	07/11/2023 20:37	WG2092816

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.15		3.00	1	07/18/2023 13:28	WG2096724
Sulfate	ND		5.00	1	07/18/2023 13:28	WG2096724

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/21/2023 21:45	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:57	WG2092916
Barium, Total Recoverable	0.0471		0.00500	1	07/12/2023 19:57	WG2092916
Calcium, Total Recoverable	110		0.200	1	07/12/2023 19:57	WG2092916
Iron, Total Recoverable	ND		0.0600	1	07/12/2023 19:57	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:57	WG2092916

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.39		0.200	1	07/12/2023 19:57	WG2092916
Manganese, Total Recoverable	ND		0.00300	1	07/12/2023 19:57	WG2092916
Sodium, Total Recoverable	5.75		5.00	1	07/12/2023 19:57	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:57	WG2092916
Selenium, Total Recoverable	ND		0.0100	1	07/12/2023 19:57	WG2092916



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:51	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:51	WG2092924
Cadmium, Total Recoverable	ND		0.00100	1	07/14/2023 15:51	WG2092924
Cobalt, Total Recoverable	ND		0.00300	1	07/14/2023 15:51	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:51	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:51	WG2092924
Nickel, Total Recoverable	ND		0.00400	1	07/14/2023 15:51	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:51	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:51	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:51	WG2092924
Zinc, Total Recoverable	0.0105	<u>BJ</u>	0.00500	1	07/14/2023 15:51	WG2092924

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,1-Dichloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,1-Dichloroethene	ND		1.00	1	07/12/2023 07:04	WG2093044
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 07:04	WG2093044
1,2-Dibromoethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 07:04	WG2093044
1,2-Dichloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,2-Dichloropropane	ND		1.00	1	07/12/2023 07:04	WG2093044
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 07:04	WG2093044
2-Butanone (MEK)	ND		5.00	1	07/12/2023 07:04	WG2093044
2-Hexanone	ND		5.00	1	07/12/2023 07:04	WG2093044
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 07:04	WG2093044
Acetone	ND		10.0	1	07/12/2023 07:04	WG2093044
Acrylonitrile	ND		20.0	1	07/12/2023 07:04	WG2093044
Benzene	ND		1.00	1	07/12/2023 07:04	WG2093044
Bromochloromethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Bromodichloromethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Bromoform	ND		1.00	1	07/12/2023 07:04	WG2093044
Bromomethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Carbon disulfide	ND		1.00	1	07/12/2023 07:04	WG2093044
Carbon tetrachloride	ND		1.00	1	07/12/2023 07:04	WG2093044
Chlorobenzene	ND		1.00	1	07/12/2023 07:04	WG2093044
Chloroethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Chloroform	ND		1.00	1	07/12/2023 07:04	WG2093044
Chloromethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Dibromochloromethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Dibromomethane	ND		1.00	1	07/12/2023 07:04	WG2093044

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 07:04	WG2093044
Iodomethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Methylene Chloride	ND		1.07	1	07/12/2023 07:04	WG2093044
Styrene	ND		1.00	1	07/12/2023 07:04	WG2093044
Tetrachloroethene	ND		1.00	1	07/12/2023 07:04	WG2093044
Toluene	ND		1.00	1	07/12/2023 07:04	WG2093044
Trichloroethene	ND		1.00	1	07/12/2023 07:04	WG2093044
Trichlorofluoromethane	ND		1.00	1	07/12/2023 07:04	WG2093044
Vinyl acetate	ND		5.00	1	07/12/2023 07:04	WG2093044
Vinyl chloride	ND		1.00	1	07/12/2023 07:04	WG2093044
Xylenes, Total	ND		1.00	1	07/12/2023 07:04	WG2093044
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 07:04	WG2093044
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 07:04	WG2093044
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 07:04	WG2093044
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 07:04	WG2093044
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 07:04	WG2093044
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 07:04	WG2093044
(S) 4-Bromofluorobenzene	97.2			77.0-126	07/12/2023 07:04	WG2093044
(S) Toluene-d8	103			80.0-120	07/12/2023 07:04	WG2093044

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	400		10.0	1	07/13/2023 10:05	WG2093592

1 Cp

2 Tc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	352		10.0	1	07/17/2023 11:48	WG2095978
Alkalinity,Bicarbonate	352		10.0	1	07/17/2023 11:48	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:48	WG2095978

3 Ss

4 Cn

5 Sr

Sample Narrative:

L1633864-14 WG2095978: Endpoint pH 4.5 Headspace

6 Qc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:33	WG2092799

7 Gl

8 Al

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 20:38	WG2092816

9 Sc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	15.0		3.00	1	07/18/2023 14:19	WG2096724
Sulfate	ND		5.00	1	07/18/2023 14:19	WG2096724

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.50		1.00	1	07/21/2023 21:58	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	07/12/2023 19:59	WG2092916
Barium,Total Recoverable	0.206		0.00500	1	07/12/2023 19:59	WG2092916
Calcium, Total Recoverable	109		0.200	1	07/12/2023 19:59	WG2092916
Iron, Total Recoverable	1.20		0.0600	1	07/12/2023 19:59	WG2092916
Potassium, Total Recoverable	ND		3.00	1	07/12/2023 19:59	WG2092916
Magnesium, Total Recoverable	4.44		0.200	1	07/12/2023 19:59	WG2092916
Manganese,Total Recoverable	40.1		0.00600	5	07/13/2023 18:47	WG2092916
Sodium,Total Recoverable	9.87		5.00	1	07/12/2023 19:59	WG2092916
Lead, Total Recoverable	ND		0.00500	1	07/12/2023 19:59	WG2092916
Selenium, Total Recoverable	0.0221		0.0100	1	07/12/2023 19:59	WG2092916

Metals (ICPMS) by Method 6020

Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	07/14/2023 15:55	WG2092924
Beryllium, Total Recoverable	ND		0.00100	1	07/14/2023 15:55	WG2092924
Cadmium, Total Recoverable	0.00195		0.00100	1	07/14/2023 15:55	WG2092924
Cobalt, Total Recoverable	0.0248		0.00300	1	07/14/2023 15:55	WG2092924
Chromium, Total Recoverable	ND		0.00300	1	07/14/2023 15:55	WG2092924
Copper, Total Recoverable	ND		0.00400	1	07/14/2023 15:55	WG2092924
Nickel, Total Recoverable	0.166		0.00400	1	07/14/2023 15:55	WG2092924
Antimony, Total Recoverable	ND		0.00200	1	07/14/2023 15:55	WG2092924
Thallium, Total Recoverable	ND		0.00100	1	07/14/2023 15:55	WG2092924
Vanadium, Total Recoverable	ND		0.00300	1	07/14/2023 15:55	WG2092924
Zinc, Total Recoverable	0.156		0.00500	1	07/14/2023 15:55	WG2092924

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 16:12	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 16:12	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 16:12	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 16:12	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 16:12	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 16:12	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 16:12	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 16:12	WG2093479
Acetone	ND		10.0	1	07/12/2023 16:12	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 16:12	WG2093479
Benzene	ND		1.00	1	07/12/2023 16:12	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Bromoform	ND		1.00	1	07/12/2023 16:12	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 16:12	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 16:12	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 16:12	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Chloroform	ND		1.00	1	07/12/2023 16:12	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Ethylbenzene	ND		1.00	1	07/12/2023 16:12	WG2093479
Iodomethane	2.32	J	1.00	1	07/12/2023 16:12	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 16:12	WG2093479
Styrene	ND		1.00	1	07/12/2023 16:12	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 16:12	WG2093479
Toluene	ND		1.00	1	07/12/2023 16:12	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 16:12	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 16:12	WG2093479
Vinyl acetate	ND	J4	5.00	1	07/12/2023 16:12	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 16:12	WG2093479

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	ND		1.00	1	07/12/2023 16:12	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:12	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:12	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:12	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:12	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 16:12	WG2093479
(S) 1,2-Dichloroethane-d4	109			70.0-130	07/12/2023 16:12	WG2093479
(S) 4-Bromofluorobenzene	88.7			77.0-126	07/12/2023 16:12	WG2093479
(S) Toluene-d8	94.6			80.0-120	07/12/2023 16:12	WG2093479

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3948766-1 07/13/23 10:05

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1633581-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633581-01 07/13/23 10:05 • (DUP) R3948766-3 07/13/23 10:05

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	369	377	1	2.14		5

4 Cn

5 Sr

L1633864-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-07 07/13/23 10:05 • (DUP) R3948766-4 07/13/23 10:05

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	393	398	1	1.26		5

6 Qc

7 Gl

8 Al

Laboratory Control Sample (LCS)

(LCS) R3948766-2 07/13/23 10:05

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8480	96.4	77.3-123	

9 Sc

Method Blank (MB)

(MB) R3949273-1 07/13/23 16:08

Analyte	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1634046-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1634046-05 07/13/23 16:08 • (DUP) R3949273-4 07/13/23 16:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Dissolved Solids	2250	2560	1	12.9	<u>J3</u>	5

4 Cn

5 Sr

Laboratory Control Sample (LCS)

(LCS) R3949273-2 07/13/23 16:08

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Dissolved Solids	8800	7660	87.0	77.3-123	

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3949810-1 07/13/23 13:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633460-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1633460-05 07/13/23 13:00 • (DUP) R3949810-3 07/13/23 13:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	271	270	1	0.370		5

L1633650-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633650-01 07/13/23 13:00 • (DUP) R3949810-4 07/13/23 13:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	332	364	1	9.20	<u>J3</u>	5

Laboratory Control Sample (LCS)

(LCS) R3949810-2 07/13/23 13:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8590	97.6	77.3-123	

Method Blank (MB)

(MB) R3949943-1 07/14/23 12:58

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1633768-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633768-01 07/14/23 12:58 • (DUP) R3949943-3 07/14/23 12:58

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	558	544	1	2.54		5

4 Cn

5 Sr

L1633864-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-02 07/14/23 12:58 • (DUP) R3949943-4 07/14/23 12:58

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	184	166	1	10.3	J3	5

6 Qc

7 Gl

8 Al

Laboratory Control Sample (LCS)

(LCS) R3949943-2 07/14/23 12:58

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	9000	102	77.3-123	

9 Sc

Method Blank (MB)

(MB) R3948256-2 07/13/23 09:57

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1633503-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1633503-08 07/13/23 10:20 • (DUP) R3948256-3 07/13/23 10:23

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	83.2	83.0	1	0.270		20
Alkalinity,Bicarbonate	83.2	83.0	1	0.270		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1633864-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-04 07/13/23 13:23 • (DUP) R3948256-4 07/13/23 13:27

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Alkalinity	194	192	1	0.839		20
Alkalinity,Bicarbonate	194	192	1	0.839		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3948256-1 07/13/23 09:52

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	107	107	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3949298-2 07/17/23 10:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1633770-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633770-01 07/17/23 10:43 • (DUP) R3949298-3 07/17/23 10:47

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	164	164	1	0.316		20
Alkalinity,Bicarbonate	164	164	1	0.316		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1634156-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634156-01 07/17/23 12:36 • (DUP) R3949298-4 07/17/23 12:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	894	905	1	1.28		20
Alkalinity,Bicarbonate	707	716	1	1.23		20
Alkalinity,Carbonate	186	189	1	1.45		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3949298-1 07/17/23 10:01

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	98.3	98.3	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947829-1 07/12/23 12:51

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633864-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-13 07/12/23 13:30 • (DUP) R3947829-7 07/12/23 13:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	0.161	0.102	1	200	P1	10

L1633864-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-03 07/12/23 13:03 • (DUP) R3947829-5 07/12/23 13:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3947829-2 07/12/23 12:52

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.71	103	90.0-110	

L1633864-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-02 07/12/23 12:58 • (MS) R3947829-3 07/12/23 13:00 • (MSD) R3947829-4 07/12/23 13:01

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	5.07	5.25	101	105	1	90.0-110			3.49	10

L1633864-12 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633864-12 07/12/23 13:22 • (MS) R3947829-6 07/12/23 13:24

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	5.12	102	1	90.0-110	

Method Blank (MB)

(MB) R3947356-1 07/11/23 19:57

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	ND		0.0197	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633570-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633570-01 07/11/23 20:02 • (DUP) R3947356-3 07/11/23 20:03

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

L1633864-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-08 07/11/23 20:23 • (DUP) R3947356-5 07/11/23 20:24

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3947356-2 07/11/23 19:58

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.50	100	90.0-110	

L1633570-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633570-01 07/11/23 20:02 • (MS) R3947356-4 07/11/23 20:05

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	ND	2.72	109	1	90.0-110	

L1633864-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-08 07/11/23 20:23 • (MS) R3947356-6 07/11/23 20:29 • (MSD) R3947356-7 07/11/23 20:30

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	ND	2.73	2.65	109	106	1	90.0-110			2.97	20

Method Blank (MB)

(MB) R3949944-1 07/18/23 09:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	mg/l		mg/l	mg/l
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633673-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633673-01 07/18/23 10:40 • (DUP) R3949944-3 07/18/23 10:49

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	143	137	1	3.87		15
Sulfate	69.2	67.1	1	3.03		15

L1634239-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634239-01 07/18/23 15:20 • (DUP) R3949944-6 07/18/23 15:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	6.32	6.26	1	0.903		15
Sulfate	12.7	12.7	1	0.210		15

Laboratory Control Sample (LCS)

(LCS) R3949944-2 07/18/23 09:34

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	mg/l	mg/l	%	%	
Chloride	40.0	39.0	97.6	80.0-120	
Sulfate	40.0	40.8	102	80.0-120	

L1633673-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633673-01 07/18/23 10:40 • (MS) R3949944-4 07/18/23 10:59 • (MSD) R3949944-5 07/18/23 11:09

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Chloride	50.0	143	184	182	83.2	77.9	1	80.0-120		J6	1.44	15
Sulfate	50.0	69.2	117	117	95.4	95.7	1	80.0-120			0.147	15

L1634239-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1634239-01 07/18/23 15:20 • (MS) R3949944-7 07/18/23 15:40

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	6.32	53.6	94.7	1	80.0-120	
Sulfate	50.0	12.7	60.8	96.3	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3950404-1 07/18/23 09:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	mg/l		mg/l	mg/l
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

L1633864-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-12 07/18/23 12:20 • (DUP) R3950404-5 07/18/23 13:11

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	21.5	21.4	1	0.174		15
Sulfate	ND	ND	1	0.000		15

L1635301-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1635301-02 07/18/23 19:06 • (DUP) R3950404-6 07/18/23 19:23

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	4.37	4.38	1	0.288		15
Sulfate	30.1	28.5	1	5.33		15

Laboratory Control Sample (LCS)

(LCS) R3950404-2 07/18/23 09:53

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	mg/l	mg/l	%	%	
Chloride	40.0	40.1	100	80.0-120	
Sulfate	40.0	39.5	98.9	80.0-120	

L1633864-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-12 07/18/23 12:20 • (MS) R3950404-3 07/18/23 12:37 • (MSD) R3950404-4 07/18/23 12:54

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Chloride	50.0	21.5	70.4	70.4	97.9	98.0	1	80.0-120			0.0987	15
Sulfate	50.0	ND	48.8	49.2	97.7	98.3	1	80.0-120			0.658	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1635301-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1635301-02 07/18/23 19:06 • (MS) R3950404-7 07/18/23 19:40

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	4.37	53.5	98.2	1	80.0-120	
Sulfate	50.0	30.1	78.4	96.6	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3951117-2 07/20/23 13:27

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	ND		0.102	1.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633268-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633268-01 07/20/23 21:41 • (DUP) R3951117-5 07/20/23 21:56

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	6.63	6.56	1	1.03		20

L1633161-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633161-02 07/21/23 09:47 • (DUP) R3951117-8 07/21/23 10:06

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	8.04	6.78	1	17.0		20

Laboratory Control Sample (LCS)

(LCS) R3951117-1 07/20/23 13:15

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.8	99.3	85.0-115	

L1633145-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633145-01 07/20/23 14:02 • (MS) R3951117-3 07/20/23 14:21 • (MSD) R3951117-4 07/20/23 14:41

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	17.7	42.8	43.2	101	102	1	80.0-120			0.837	20

L1633148-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633148-04 07/20/23 15:40 • (MS) R3951117-6 07/21/23 00:23 • (MSD) R3951117-7 07/21/23 00:41

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	5.19	30.6	29.9	102	98.7	1	80.0-120			2.45	20

Method Blank (MB)

(MB) R3951482-2 07/21/23 13:03

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	ND		0.102	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633321-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1633321-03 07/21/23 15:39 • (DUP) R3951482-5 07/21/23 15:53

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	2.42	2.44	1	0.659		20

L1633379-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633379-01 07/21/23 18:24 • (DUP) R3951482-8 07/21/23 18:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	4.48	4.86	1	8.11		20

Laboratory Control Sample (LCS)

(LCS) R3951482-1 07/21/23 12:51

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.8	99.3	85.0-115	

L1633321-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633321-02 07/21/23 14:48 • (MS) R3951482-3 07/21/23 15:07 • (MSD) R3951482-4 07/21/23 15:24

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	3.15	27.4	27.5	97.1	97.2	1	80.0-120			0.0729	20

L1633326-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633326-04 07/21/23 17:35 • (MS) R3951482-6 07/21/23 17:52 • (MSD) R3951482-7 07/21/23 18:10

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	1.87	25.9	27.3	96.2	102	1	80.0-120			5.30	20

Method Blank (MB)

(MB) R3950627-2 07/20/23 03:21

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	ND		0.102	1.00

1 Cp

2 Tc

3 Ss

L1633864-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-05 07/20/23 09:34 • (DUP) R3950627-5 07/20/23 09:48

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	2.54	2.21	1	14.2		20

4 Cn

5 Sr

6 Qc

Laboratory Control Sample (LCS)

(LCS) R3950627-1 07/20/23 03:09

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.8	99.0	85.0-115	

7 Gl

8 Al

9 Sc

L1633864-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-04 07/20/23 08:44 • (MS) R3950627-3 07/20/23 09:02 • (MSD) R3950627-4 07/20/23 09:20

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	3.84	26.3	25.6	90.0	87.2	1	80.0-120			2.69	20

Method Blank (MB)

(MB) R3951638-2 07/21/23 17:08

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	0.334	↓	0.102	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633864-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-07 07/21/23 19:41 • (DUP) R3951638-5 07/21/23 19:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.49	1.35	1	9.78		20

L1633891-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-02 07/21/23 23:12 • (DUP) R3951638-6 07/21/23 23:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.06	ND	1	16.1		20

Laboratory Control Sample (LCS)

(LCS) R3951638-1 07/21/23 16:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.6	98.4	85.0-115	

L1633864-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-06 07/21/23 18:46 • (MS) R3951638-3 07/21/23 19:07 • (MSD) R3951638-4 07/21/23 19:28

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	ND	24.6	24.6	96.2	96.4	1	80.0-120			0.244	20

L1633891-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-01 07/22/23 19:28 • (MS) R3951638-9 07/22/23 19:50 • (MSD) R3951638-10 07/22/23 20:11

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	ND	25.7	25.3	100	98.7	1	80.0-120			1.41	20

Method Blank (MB)

(MB) R3948019-1 07/12/23 18:45

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver, Total Recoverable	ND		0.00280	0.00500
Barium, Total Recoverable	ND		0.00170	0.00500
Calcium, Total Recoverable	ND		0.0463	1.00
Iron, Total Recoverable	ND		0.0141	0.100
Potassium, Total Recoverable	ND		0.102	1.00
Magnesium, Total Recoverable	ND		0.0111	1.00
Manganese, Total Recoverable	ND		0.00120	0.0100
Sodium, Total Recoverable	0.141		0.0111	1.00
Lead, Total Recoverable	ND		0.00190	0.00500
Selenium, Total Recoverable	ND		0.00740	0.0100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

Laboratory Control Sample (LCS)

(LCS) R3948019-2 07/12/23 18:47

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver, Total Recoverable	0.200	0.190	95.2	80.0-120	
Barium, Total Recoverable	1.00	1.02	102	80.0-120	
Calcium, Total Recoverable	10.0	9.78	97.8	80.0-120	
Iron, Total Recoverable	10.0	9.76	97.6	80.0-120	
Potassium, Total Recoverable	10.0	9.33	93.3	80.0-120	
Magnesium, Total Recoverable	10.0	9.43	94.3	80.0-120	
Manganese, Total Recoverable	1.00	0.998	99.8	80.0-120	
Sodium, Total Recoverable	10.0	10.2	102	80.0-120	
Lead, Total Recoverable	1.00	0.953	95.3	80.0-120	
Selenium, Total Recoverable	1.00	1.01	101	80.0-120	

7 Gl

8 Al

9 Sc

L1633802-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633802-01 07/12/23 18:50 • (MS) R3948019-4 07/12/23 18:56 • (MSD) R3948019-5 07/12/23 18:59

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver, Total Recoverable	0.200	ND	0.203	0.207	102	103	1	75.0-125			1.56	20
Barium, Total Recoverable	1.00	0.150	1.14	1.16	99.4	101	1	75.0-125			1.65	20
Calcium, Total Recoverable	10.0	400	397	398	0.000	0.000	1	75.0-125	V	V	0.256	20
Iron, Total Recoverable	10.0	1.78	11.2	11.3	94.1	95.5	1	75.0-125			1.22	20
Potassium, Total Recoverable	10.0	72.8	81.7	81.0	89.2	81.8	1	75.0-125			0.909	20
Magnesium, Total Recoverable	10.0	37.6	45.8	45.8	81.8	81.7	1	75.0-125			0.00918	20
Manganese, Total Recoverable	1.00	0.518	1.51	1.52	98.8	101	1	75.0-125			1.17	20

L1633802-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633802-01 07/12/23 18:50 • (MS) R3948019-4 07/12/23 18:56 • (MSD) R3948019-5 07/12/23 18:59

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium, Total Recoverable	10.0	582	575	576	0.000	0.000	1	75.0-125	√	√	0.204	20
Lead, Total Recoverable	1.00	0.00879	0.962	0.985	95.3	97.7	1	75.0-125			2.38	20
Selenium, Total Recoverable	1.00	ND	1.16	1.16	115	115	1	75.0-125			0.226	20

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Method Blank (MB)

(MB) R3948842-1 07/13/23 22:53

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic, Total Recoverable	ND		0.000250	0.00200
Beryllium, Total Recoverable	ND		0.000120	0.00200
Cadmium, Total Recoverable	ND		0.000160	0.00100
Cobalt, Total Recoverable	ND		0.000260	0.00200
Chromium, Total Recoverable	ND		0.000540	0.00200
Copper, Total Recoverable	ND		0.000520	0.00500
Nickel, Total Recoverable	ND		0.000350	0.00200
Antimony, Total Recoverable	ND		0.000754	0.00200
Thallium, Total Recoverable	ND		0.000190	0.00200
Vanadium, Total Recoverable	ND		0.000180	0.00500
Zinc, Total Recoverable	0.00690	↓	0.00256	0.0250

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3948842-2 07/13/23 22:56

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic, Total Recoverable	0.0500	0.0499	99.9	80.0-120	
Beryllium, Total Recoverable	0.0500	0.0537	107	80.0-120	
Cadmium, Total Recoverable	0.0500	0.0513	103	80.0-120	
Cobalt, Total Recoverable	0.0500	0.0497	99.5	80.0-120	
Chromium, Total Recoverable	0.0500	0.0490	98.1	80.0-120	
Copper, Total Recoverable	0.0500	0.0504	101	80.0-120	
Nickel, Total Recoverable	0.0500	0.0501	100	80.0-120	
Antimony, Total Recoverable	0.0500	0.0497	99.4	80.0-120	
Thallium, Total Recoverable	0.0500	0.0489	97.9	80.0-120	
Vanadium, Total Recoverable	0.0500	0.0495	99.0	80.0-120	
Zinc, Total Recoverable	0.0500	0.0487	97.3	80.0-120	

L1633768-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633768-01 07/13/23 22:59 • (MS) R3948842-4 07/13/23 23:06 • (MSD) R3948842-5 07/13/23 23:09

Analyte	Spike Amount mg/l	Original Result	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic, Total Recoverable	0.0500		0.0482	0.0470	94.8	92.4	1	75.0-125			2.54	20
Beryllium, Total Recoverable	0.0500		0.0531	0.0521	106	104	1	75.0-125			2.03	20
Cadmium, Total Recoverable	0.0500	ND	0.0500	0.0491	100	98.2	1	75.0-125			1.81	20
Cobalt, Total Recoverable	0.0500		0.0460	0.0453	91.8	90.4	1	75.0-125			1.58	20
Chromium, Total Recoverable	0.0500		0.0454	0.0445	90.8	89.1	1	75.0-125			1.87	20

L1633768-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633768-01 07/13/23 22:59 • (MS) R3948842-4 07/13/23 23:06 • (MSD) R3948842-5 07/13/23 23:09

Analyte	Spike Amount mg/l	Original Result	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper, Total Recoverable	0.0500		0.0557	0.0560	88.2	88.8	1	75.0-125			0.522	20
Nickel, Total Recoverable	0.0500		0.0453	0.0458	90.5	91.6	1	75.0-125			1.18	20
Antimony, Total Recoverable	0.0500		0.0485	0.0490	97.1	98.0	1	75.0-125			0.937	20
Thallium, Total Recoverable	0.0500		0.0488	0.0490	97.2	97.6	1	75.0-125			0.408	20
Vanadium, Total Recoverable	0.0500		0.0470	0.0462	93.9	92.4	1	75.0-125			1.63	20
Zinc, Total Recoverable	0.0500		2.21	2.20	9.82	0.000	1	75.0-125	∇	∇	0.512	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3947814-2 07/11/23 20:32

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947814-2 07/11/23 20:32

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	94.4			70.0-130
(S) 4-Bromofluorobenzene	95.7			77.0-126
(S) Toluene-d8	108			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3947814-1 07/11/23 19:18

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
1,1,1,2-Tetrachloroethane	5.00	4.13	82.6	75.0-125	
1,1,1-Trichloroethane	5.00	4.06	81.2	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.94	98.8	65.0-130	
1,1,2-Trichloroethane	5.00	4.30	86.0	80.0-120	
1,1-Dichloroethane	5.00	4.23	84.6	70.0-126	
1,1-Dichloroethene	5.00	4.25	85.0	71.0-124	
1,2,3-Trichloropropane	5.00	4.99	99.8	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	3.88	77.6	58.0-134	
1,2-Dibromoethane	5.00	4.58	91.6	80.0-122	
1,2-Dichlorobenzene	5.00	4.46	89.2	79.0-121	
1,2-Dichloroethane	5.00	4.89	97.8	70.0-128	
1,2-Dichloropropane	5.00	4.19	83.8	77.0-125	
1,4-Dichlorobenzene	5.00	4.70	94.0	79.0-120	
2-Butanone (MEK)	25.0	21.4	85.6	44.0-160	
2-Hexanone	25.0	23.7	94.8	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	24.0	96.0	68.0-142	
Acetone	25.0	18.8	75.2	19.0-160	
Acrylonitrile	25.0	21.5	86.0	55.0-149	
Benzene	5.00	4.47	89.4	70.0-123	
Bromochloromethane	5.00	4.44	88.8	76.0-122	
Bromodichloromethane	5.00	4.12	82.4	75.0-120	
Bromoform	5.00	4.16	83.2	68.0-132	
Bromomethane	5.00	4.03	80.6	10.0-160	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3947814-1 07/11/23 19:18

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Carbon disulfide	5.00	3.65	73.0	61.0-128	
Carbon tetrachloride	5.00	4.29	85.8	68.0-126	
Chlorobenzene	5.00	4.26	85.2	80.0-121	
Chloroethane	5.00	4.22	84.4	47.0-150	
Chloroform	5.00	4.12	82.4	73.0-120	
Chloromethane	5.00	4.18	83.6	41.0-142	
Dibromochloromethane	5.00	4.40	88.0	77.0-125	
Dibromomethane	5.00	4.18	83.6	80.0-120	
Ethylbenzene	5.00	4.40	88.0	79.0-123	
Iodomethane	25.0	21.3	85.2	33.0-147	
Methylene Chloride	5.00	4.35	87.0	67.0-120	
Styrene	5.00	4.33	86.6	73.0-130	
Tetrachloroethene	5.00	4.84	96.8	72.0-132	
Toluene	5.00	4.51	90.2	79.0-120	
Trichloroethene	5.00	4.47	89.4	78.0-124	
Trichlorofluoromethane	5.00	4.51	90.2	59.0-147	
Vinyl acetate	25.0	25.1	100	11.0-160	
Vinyl chloride	5.00	4.44	88.8	67.0-131	
Xylenes, Total	15.0	12.9	86.0	79.0-123	
cis-1,2-Dichloroethene	5.00	4.00	80.0	73.0-120	
cis-1,3-Dichloropropene	5.00	4.36	87.2	80.0-123	
trans-1,2-Dichloroethene	5.00	4.16	83.2	73.0-120	
trans-1,3-Dichloropropene	5.00	4.73	94.6	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	4.67	93.4	33.0-144	
(S) 1,2-Dichloroethane-d4			103	70.0-130	
(S) 4-Bromofluorobenzene			96.4	77.0-126	
(S) Toluene-d8			105	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3948671-2 07/12/23 09:42

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3948671-2 07/12/23 09:42

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	93.6			70.0-130
(S) 4-Bromofluorobenzene	90.3			77.0-126
(S) Toluene-d8	98.6			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3948671-1 07/12/23 08:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,1,1,2-Tetrachloroethane	5.00	5.18	104	75.0-125	
1,1,1-Trichloroethane	5.00	5.14	103	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	5.34	107	65.0-130	
1,1,2-Trichloroethane	5.00	5.04	101	80.0-120	
1,1-Dichloroethane	5.00	5.37	107	70.0-126	
1,1-Dichloroethene	5.00	5.07	101	71.0-124	
1,2,3-Trichloropropane	5.00	5.50	110	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	4.39	87.8	58.0-134	
1,2-Dibromoethane	5.00	5.06	101	80.0-122	
1,2-Dichlorobenzene	5.00	5.03	101	79.0-121	
1,2-Dichloroethane	5.00	5.15	103	70.0-128	
1,2-Dichloropropane	5.00	5.39	108	77.0-125	
1,4-Dichlorobenzene	5.00	5.40	108	79.0-120	
2-Butanone (MEK)	25.0	31.5	126	44.0-160	
2-Hexanone	25.0	28.3	113	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	28.0	112	68.0-142	
Acetone	25.0	27.8	111	19.0-160	
Acrylonitrile	25.0	35.7	143	55.0-149	
Benzene	5.00	4.83	96.6	70.0-123	
Bromochloromethane	5.00	5.46	109	76.0-122	
Bromodichloromethane	5.00	5.14	103	75.0-120	
Bromoform	5.00	4.76	95.2	68.0-132	
Bromomethane	5.00	1.77	35.4	10.0-160	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948671-1 07/12/23 08:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Carbon disulfide	5.00	4.25	85.0	61.0-128	
Carbon tetrachloride	5.00	5.53	111	68.0-126	
Chlorobenzene	5.00	4.84	96.8	80.0-121	
Chloroethane	5.00	6.27	125	47.0-150	
Chloroform	5.00	5.19	104	73.0-120	
Chloromethane	5.00	3.38	67.6	41.0-142	
Dibromochloromethane	5.00	5.38	108	77.0-125	
Dibromomethane	5.00	5.96	119	80.0-120	
Ethylbenzene	5.00	5.31	106	79.0-123	
Iodomethane	25.0	14.2	56.8	33.0-147	
Methylene Chloride	5.00	5.50	110	67.0-120	
Styrene	5.00	4.34	86.8	73.0-130	
Tetrachloroethene	5.00	5.08	102	72.0-132	
Toluene	5.00	4.84	96.8	79.0-120	
Trichloroethene	5.00	4.70	94.0	78.0-124	
Trichlorofluoromethane	5.00	4.90	98.0	59.0-147	
Vinyl acetate	25.0	51.0	204	11.0-160	J4
Vinyl chloride	5.00	5.19	104	67.0-131	
Xylenes, Total	15.0	15.3	102	79.0-123	
cis-1,2-Dichloroethene	5.00	5.45	109	73.0-120	
cis-1,3-Dichloropropene	5.00	4.89	97.8	80.0-123	
trans-1,2-Dichloroethene	5.00	5.11	102	73.0-120	
trans-1,3-Dichloropropene	5.00	4.56	91.2	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	3.95	79.0	33.0-144	
(S) 1,2-Dichloroethane-d4			102	70.0-130	
(S) 4-Bromofluorobenzene			98.3	77.0-126	
(S) Toluene-d8			96.9	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:
Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # U1033864
B218

Table #
Acctnum: **WMECOVISAR**

Template: **T211193**

Prelogin: **P1006574**

PM: **616 - Stacy Kennedy**

PB:

Shipped Via: **FedEX Ground**

Remarks Sample # (lab only)

Report to:
Jodi Reynolds

Email To:
ciara.childrens.beavers@jettenviro.com; jeffholm

Project Description:
Eco-Vista - GW-July

City/State

Collected:

Please Circle:
PT MT CT ET

Phone: **501-993-8966**

Client Project #
200

Lab Project #
WMECOVISAR-00019

Collected by (print):
Chris Fincher

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

No.
of
Cnts

Sample ID Comp/Grab Matrix * Depth Date Time

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts	ALK, CHLORIDE, SULFA 250mlHDPE-NoPres	CHLORIDE 125mlHDPE-NoPres	Metals 250mlHDPE-HNO3	NH3 250mlHDPE-H2SO4	NH3,NO2NO3 250mlHDPE-H2SO4	TDS 1L-HDPE NoPres	TOC 250mlHDPE-HCl	V8260LL 40mlAmb-HCl	V8260LL TB 40mlAmb-HCl-Bik	Remarks	Sample # (lab only)
MW-17 LGW-7	Grab	GW	43.85	7.10.23	1035	8	X		X		X	X	X	X			
MW-19		GW	68.80		1705	8	X		X		X	X	X	X			-01
MW-20 MW-16		GW	76.10		1630	8	X		X		X	X	X	X			-02
MW-21 MW-15		GW	58.70		1555	8	X		X		X	X	X	X			-03
LGW-2		GW	74.50		1525	8	X		X		X	X	X	X			-04
LGW-3R		GW	55.70		0830	8	X		X		X	X	X	X			-05
LGW-4		GW	60.75		0910	8	X		X		X	X	X	X			-06
LGW-5		GW	71.00		0945	8	X		X		X	X	X	X			-07
LGW-6		GW	50.45		1235	8	X		X		X	X	X	X			-08
LGW-7		GW				8	X		X		X	X	X	X			-09

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature) *[Signature]*

Date:

7.10.23

Time:

1800

Received by: (Signature)

Trip Blank Received: Yes/ No

3

(HCl) / MeOH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: °C Bottles Received:

112

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

7.11.23

Time:

9:00

Hold:

Condition:
NCF / OK

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to:
Jodi Reynolds
 Project Description:
 Eco-Vista - GW-July

Email To:
 ciara.childrens.beavers@jettenviro.com; jeffholm

City/State Collected:
 Please Circle:
 PT MT CT ET

Phone: 501-993-8966
 Client Project # 200
 Lab Project # WMECOVISAR-00019
 Collected by (print): *Chris Fincher*
 Site/Facility ID # AR03
 P.O. #
 Collected by (signature): *[Signature]*
 Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day
 Date Results Needed
 No. of Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	
LGW-8R	Grab	GW	11.00	7.10.23	1115	8	
LGW-9	↓	GW	55.80	↓	1355	8	
LGW-10		GW	60.25		1430	8	
LGW-14R		GW	59.50		1320	8	
LEACHATE-COMPOSITE		GW			2.11.23	8	
DUP 1		GW	77.77		7.10.23	0700	8
DUP 2		GW				8	
LCS 1		GW				2	
LCS 2	GW			2			
LCS 3	GW			2			

Analysis / Container / Preservative	Pres Chk
ALK, CHLORIDE, SULFA 250mIHDP-E-NoPres	
CHLORIDE 125mIHDP-E-NoPres	
Metals 250mIHDP-E-HNO3	
NH3 250mIHDP-E-H2SO4	
NH3, NO2NO3 250mIHDP-E-H2SO4	
TDS 1L-HDPE NoPres	
TOC 250mIHDP-E-HCI	
V8260LL 40mIAmb-HCI	
V8260LL TB 40mIAmb-HCI-Bik	

Pace
 PEOPLE ADVANCING SCIENCE
 MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # *L16335664*
 Table #
 Acctnum: WMECOVISAR
 Template: T211193
 Prelogin: P1006574
 PM: 616 - Stacy Kennedy
 PB: *6/23/23*
 Shipped Via: **FedEX Ground**

Remarks	Sample # (lab only)
	-10
	-11
	-12
	-13
	-14

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:
 pH _____ Temp _____
 Flow _____ Other _____
 Samples returned via:
 UPS FedEx Courier _____ Tracking # _____

Sample Receipt Checklist

COC Seal Present/Intact:	NP	<input checked="" type="checkbox"/>	N
COC Signed/Accurate:		<input checked="" type="checkbox"/>	N
Bottles arrive intact:		<input checked="" type="checkbox"/>	N
Correct bottles used:		<input checked="" type="checkbox"/>	N
Sufficient volume sent:		<input checked="" type="checkbox"/>	N
If Applicable			
VOA Zero Headspace:		<input checked="" type="checkbox"/>	N
Preservation Correct/Checked:		<input checked="" type="checkbox"/>	N
RAD Screen <0.5 mR/hr:		<input checked="" type="checkbox"/>	N

Relinquished by: (Signature) <i>[Signature]</i>	Date: 7.10.23	Time: 1800	Received by: (Signature)	Trip Blank Received: Yes / No	HCL / MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C	Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>g 10</i>	Date: 7.11.23	Time: 2:00

Hold:
 Condition:
 NCF OK

FIELD INFORMATION FORM



Site Name: EVLF Low-7
 Site No.:
 Sample Point: MW 17
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
U1633864

PURGE INFO
 PURGE DATE: 07/10/23 PURGE TIME: 10:00 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/msl)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 43.17 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:05	250 1 st	8.00	564	19.5	5.0	6.8	155.8	43.85
10:10	250 2 nd	7.30	520	19.4	4.2	4.1	155.2	43.85
10:15	250 3 rd	6.90	555	19.1	4.4	3.4	159.2	43.85
10:20	250 4 th	6.67	605	19.1	3.8	2.7	167.5	43.85
10:25	250	6.46	658	19.1	3.7	2.0	176.8	43.85
10:30	250	6.41	667	19.1	3.8	1.9	178.3	43.85
10:35	250	6.40	669	19.0	3.8	1.8	179.2	43.85

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/10/23 pH (std): 6.40 CONDUCTANCE (umhos/cm @ 25°C): 669 TEMP. (°C): 19.0 TURBIDITY (ntu): 3.8 DO (mg/L-ppm): 1.8 eH/ORP (mV): 179.2 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Sunny Direction/Speed: SE 5 mph Outlook: Clear 90° Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.10.23 C. Ender
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: nw-19
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
41633564

PURGE INFO
 PURGE DATE (MM DD YY): 071023 PURGE TIME (2400 Hr Clock): 16:40 ELAPSED HRS (hrs:min): WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOL PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other:
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 68.15 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>16:45</u>	<u>200</u> 1 st	<u>7.69</u> 1 st	<u>301</u>	<u>21.1</u>	<u>5.1</u>	<u>7.2</u>	<u>151.7</u>
	<u>16:50</u>	<u>225</u> 2 nd	<u>7.54</u> 2 nd	<u>303</u>	<u>21.0</u>	<u>4.3</u>	<u>6.4</u>	<u>147.4</u>	<u>68.75</u>
	<u>16:55</u>	<u>225</u> 3 rd	<u>7.59</u> 3 rd	<u>299</u>	<u>20.9</u>	<u>4.0</u>	<u>6.5</u>	<u>143.2</u>	<u>68.75</u>
	<u>17:00</u>	<u>225</u> 4 th	<u>7.62</u> 4 th	<u>296</u>	<u>20.9</u>	<u>3.9</u>	<u>6.6</u>	<u>142.1</u>	<u>68.8</u>
	<u>17:05</u>	<u>225</u>	<u>7.64</u>	<u>293</u>	<u>20.8</u>	<u>3.0</u>	<u>6.7</u>	<u>141.1</u>	<u>68.8</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 071023 pH (std): 7.64 CONDUCTANCE (μ mhos/cm @ 25°C): 293 TEMP. (°C): 20.8 TURBIDITY (ntu): 3.0 DO (mg/L-ppm): 6.7 eH/ORP (mV): 141.1 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Fincher [Signature] Prattus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-116
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11633604

PURGE INFO
 PURGE DATE (MM DD YY): 071023 PURGE TIME (2400 Hr Clock): 16:05 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOL PURGED (ft/msl):
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 Sampling Device: C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other:
 X-Other: Sample Tube Type: 0 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 7334 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:10	200 1 st	6.97	400	19.3	4.3	7.5	1525	74.0
16:15	200 2 nd	6.95	386	19.6	4.4	6.4	1499	75.0
16:20	200 3 rd	6.99	384	19.5	4.0	6.5	1488	75.25
16:25	200 4 th	7.01	381	19.4	4.1	6.6	1487	75.95
16:30	200	7.04	380	19.3	4.0	6.6	1486	76.10
:								
:								
:								
:								
:								
:								

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 071023 pH (std): 7.04 CONDUCTANCE (umhos/cm @ 25°C): 380 TEMP. (°C): 19.3 TURBIDITY (ntu): 4.0 DO (mg/L-ppm): 6.6 eH/ORP (mV): 1486 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.10.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-15
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11633864

PURGE INFO
 PURGE DATE: 07/02/23 PURGE TIME: 15:30 ELAPSED HRS:
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 B-Pressure X-Other
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 58.58 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>15:35</u>	<u>250</u> 1 st	<u>7.33</u> 1 st	<u>585</u>	<u>18.1</u>	<u>4.0</u>	<u>6.7</u>	<u>1.66.9</u>
	<u>15:40</u>	<u>250</u> 2 nd	<u>6.59</u> 2 nd	<u>586</u>	<u>17.8</u>	<u>4.0</u>	<u>5.9</u>	<u>1.73.6</u>	<u>58.7</u>
	<u>15:45</u>	<u>250</u> 3 rd	<u>6.31</u> 3 rd	<u>580</u>	<u>17.5</u>	<u>4.0</u>	<u>5.6</u>	<u>1.76.9</u>	<u>58.7</u>
	<u>15:50</u>	<u>250</u> 4 th	<u>6.26</u> 4 th	<u>581</u>	<u>17.5</u>	<u>3.9</u>	<u>5.6</u>	<u>1.77.7</u>	<u>58.7</u>
	<u>15:55</u>	<u>250</u>	<u>6.23</u>	<u>581</u>	<u>17.5</u>	<u>4.2</u>	<u>5.6</u>	<u>1.78.1</u>	<u>58.7</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/State. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/02/23 pH (std): 6.23 CONDUCTANCE (umhos/cm @ 25°C): 581 TEMP. (°C): 17.5 TURBIDITY (ntu): 4.2 DO (mg/L-ppm): 5.6 eH/ORP (mV): 1.78.1 Other:
 Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/State).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LCW-2
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
41638604

PURGE INFO
 PURGE DATE (MM DD YY): 07/10/23 PURGE TIME (2400 Hr Clock): 14:50 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOL PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 Sampling Device: C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other:
 X-Other: Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 72.17 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:55	200 1 st	10.41	682	28.7	89	6.9	149.2	72.6
15:00	200 2 nd	10.51	653	24.0	4.7	7.8	142.7	73.4
15:05	200 3 rd	9.28	660	22.5	4.8	6.8	148.6	73.75
15:10	200 4 th	7.70	653	20.7	4.7	6.1	155.1	73.95
15:15	200	7.30	635	20.0	4.4	6.0	156.8	74.15
15:20	200	7.27	633	19.9	4.8	5.9	157.2	74.35
15:25	200	7.24	632	19.7	4.5	5.8	157.6	74.50

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/10/23 pH (std): 7.24 CONDUCTANCE (umhos/cm @ 25°C): 632 TEMP. (°C): 19.7 TURBIDITY (ntu): 4.5 DO (mg/L-ppm): 5.8 eH/ORP (mV): 157.6 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Fincher
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: 26W-3R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11635814

PURGE INFO
 PURGE DATE: 07/10/23 PURGE TIME: 08:00 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOL PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/ml)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Filter Type:
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 55.19 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: Pvc
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:05	250 1 st	6.06	113	16.8	8.7	7.3	199.1	55.45
08:10	250 2 nd	5.02	104	16.6	11.8	6.2	233.4	55.50
08:15	250 3 rd	4.81	103	16.7	11.0	6.0	259.4	55.55
08:20	250 4 th	4.72	102	16.5	11.0	6.0	242.8	55.60
08:25	250	4.68	102	16.6	11.0	5.9	249.2	55.65
08:30	250	4.66	102	16.7	11.0	5.9	244.9	55.7

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (μ mhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
07/10/23	4.66	102	16.7	11.0	5.9	244.9	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Fincher [Signature] Provus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
U16338604

Site No.: Sample Point: LGW-4
 Sample ID

PURGE INFO
 PURGE DATE: 071023 PURGE TIME: 0845 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOL PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other:
 Filter Device: Y or X [0.45 μ] or [] μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: 0 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 60.44 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		08:50	275 1"	5.40 1"	625	17.4	5.3	8.4	203.6
	08:55	275 2"	6.07 2"	760	17.1	7.1	4.3	187.3	60.60
	09:00	275 3"	6.12 3"	758	17.1	9.7	2.8	184.4	60.65
	09:05	275 4"	6.14 4"	757	17.1	10.3	2.7	184.1	60.7
	09:10	275	6.16	759	17.1	9.8	2.5	183.7	60.75

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

FIELD DATA
 SAMPLE DATE (MM DD YY): 071023 pH (std): 6.16 CONDUCTANCE (umhos/cm @ 25°C): 759 TEMP. (°C): 17.1 TURBIDITY (ntu): 9.8 DO (mg/L-ppm): 2.5 eH/ORP (mV): 183.7 Other:
 Units:

FIELD COMMENTS
 Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7,10,23 C. Finkler [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
U1633864

Site No.:
 Sample Point: LGW-5
 Sample ID

PURGE INFO
 PURGE DATE (MM DD YY): 071023
 PURGE TIME (2400 Hr Clock): 09:20
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 70.92 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		09:25	250 1 st	6.11	749	20.7	57	3.3	179.2
	09:30	250 2 nd	6.16	768	20.3	36	3.5	192.2	71.0
	09:35	250 3 rd	6.14	793	20.4	37	1.5	192.8	71.0
	09:40	250 4 th	6.14	796	20.5	39	1.3	192.7	71.0
	09:45	250	6.14	798	20.5	38	1.1	192.5	71.0

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 071023
 pH (std): 6.14
 CONDUCTANCE (umhos/cm @ 25°C): 798
 TEMP. (°C): 20.5
 TURBIDITY (ntu): 38
 DO (mg/L-ppm): 1.1
 eH/ORP (mV): 192.5
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.10.23 C. Fincher [Signature] Proems
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-6
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
U633864

PURGE INFO
 PURGE DATE: 07/10/23 PURGE TIME: 12:00 ELAPSED HRS:
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 50.40 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: Pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:05	250 1 st	9.96	650	20.2	4.8	5.6	164.9	50.45
12:10	250 2 nd	7.53	706	19.7	4.3	1.9	179.0	50.45
12:15	250 3 rd	6.89	720	19.5	4.3	1.3	179.7	50.45
12:20	250 4 th	6.49	730	19.3	4.3	1.0	180.4	50.45
12:25	250	6.30	741	19.4	4.2	0.5	179.7	50.45
12:30	250	6.28	744	19.5	4.3	0.5	179.6	50.45
12:35	250	6.27	749	19.4	4.2	0.4	179.4	50.45
;								
;								
;								

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/10/23 pH (std): 6.27 CONDUCTANCE (umhos/cm @ 25°C): 749 TEMP. (°C): 19.4 TURBIDITY (ntu): 4.2 DO (mg/L-ppm): 0.4 eH/ORP (mV): 179.4 Other:
 Units:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Dup 1 @ 0700 + 77.77'

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Ender [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-8R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
410338604

PURGE INFO
 PURGE DATE: 071023 PURGE TIME: 1050 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:

Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Sample Tube Type: D
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 10.78 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:55	225 1"	7.12 1"	776	17.1	4.0	0.8	173.4	110.95
11:00	225 2nd	6.60 2nd	780	16.8	3.7	0.3	172.5	110.95
11:05	225 3rd	6.45 3rd	781	16.8	3.8	0.2	172.2	111.00
11:10	225 4th	6.44 4th	782	16.9	3.8	0.2	172.1	111.00
11:15	225	6.42	779	16.9	3.7	0.2	172.2	111.00

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
071023	6.42	779	16.9	3.7	0.2	172.2	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 C. Finley [Signature] Proimus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-9
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1633864

PURGE INFO
 PURGE DATE: 07/10/23 PURGE TIME: 13:30 ELAPSED HRS: WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
 (MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 54.44 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: Pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>13:35</u>	<u>250</u> 1 st	<u>7.00</u> 1 st	<u>790</u>	<u>18.5</u>	<u>6.4</u>	<u>4.6</u>	<u>172.4</u>
	<u>13:40</u>	<u>250</u> 2 nd	<u>6.48</u> 2 nd	<u>825</u>	<u>18.0</u>	<u>4.1</u>	<u>0.9</u>	<u>180.4</u>	<u>55.75</u>
	<u>13:45</u>	<u>250</u> 3 rd	<u>6.20</u> 3 rd	<u>831</u>	<u>18.1</u>	<u>3.9</u>	<u>0.5</u>	<u>180.8</u>	<u>55.8</u>
	<u>13:50</u>	<u>250</u> 4 th	<u>6.18</u> 4 th	<u>833</u>	<u>18.1</u>	<u>4.1</u>	<u>0.4</u>	<u>180.9</u>	<u>55.8</u>
	<u>13:55</u>	<u>250</u>	<u>6.17</u>	<u>834</u>	<u>18.1</u>	<u>3.9</u>	<u>0.4</u>	<u>181.0</u>	<u>55.8</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/10/23 pH (std): 6.17 CONDUCTANCE (umhos/cm @ 25°C): 834 TEMP. (°C): 18.1 TURBIDITY (ntu): 3.9 DO (mg/L - ppm): 0.4 eH/ORP (mV): 181.0 Other:
 Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.10.23 C. Finckh [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: CCW-10
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11633864

PURGE INFO
 PURGE DATE: 071023 PURGE TIME: 14:05 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:

Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 Filter Type:
 X-Other: Sample Tube Type: D
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 A-Teflon C-PVC X-Other
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 59.55 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: Pvc
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:10	200 1 st	6.85 1 st	922	20.2	10.8	5.3	155.9	60.15
14:15	200 2 nd	6.52 2 nd	940	19.1	8.2	1.2	171.8	60.20
14:20	200 3 rd	6.38 3 rd	931	19.0	5.8	10.4	171.7	60.25
14:25	200 4 th	6.36 4 th	929	19.1	5.3	10.4	171.7	60.25
14:30	200	6.36	929	19.0	5.4	10.3	171.6	60.25

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

FIELD DATA
 SAMPLE DATE (MM DD YY): 071023 pH (std): 6.36 CONDUCTANCE (umhos/cm @ 25 °C): 929 TEMP. (°C): 19.0 TURBIDITY (ntu): 5.4 DO (mg/L-ppm): 0.3 eH/ORP (mV): 171.6 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 10, 23 I. Funder [Signature] Pronus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LCW14R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1633864

PURGE INFO: 07/10/23 | 11:24:5 | | | |
 PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLS PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment ... Dedicated: Y or N | Filter Device: Y or X | 0.45 μ or μ (circle or fill in)
 Purging Device: C | A-Submersible Pump | D-Bailer | Filter Type: | A-In-line Disposable | C-Vacuum
 Sampling Device: C | B-Peristaltic Pump | E-Piston Pump | B-Pressure | X-Other:
 X-Other: | Sample Tube Type: D | A-Teflon | C-PVC | X-Other:
 B-Stainless Steel | D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 5615 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:50	225 1 st	7.42	5777	19.5	43	6.0	150.0	57.75
12:55	225 2 nd	7.18	599	19.3	42	5.1	154.3	58.85
13:00	225 3 rd	6.95	599	19.2	43	4.9	155.8	59.15
13:05	225 4 th	6.89	599.8	19.2	44	4.7	156.9	59.25
13:10	225	6.80	599.9	19.3	43	4.5	157.9	59.35
13:15	225	6.81	598	19.2	43	4.5	158.2	59.45
13:20	225	6.82	597	19.3	44	4.6	158.8	59.5

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2 | Conductance +/- 3% | Temp. - | Turbidity - | D.O. +/- 10% | eH/ORP +/- 25 mV | DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 07/10/23 | pH (std) 6.82 | CONDUCTANCE (umhos/cm @ 25°C) 597 | TEMP. (°C) 19.3 | TURBIDITY (ntu) 44 | DO (mg/L-ppm) 4.6 | eH/ORP (mV) 158.8 | Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/10/23 | C. Finckel | [Signature] | PRMMS
 Date | Name | Signature | Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

U163386A

<u>Tracking Numbers</u>	<u>Temperature</u>
6525 5570 5921	GBA6 5.470 = 5.4
6525 5570 5895	GBA6 2.610 = 2.6
6525 5570 5932	GBA6 2.770 = 2.7
6525 5570 5873	GBA6 1.220 = 1.2
6525 5570 5910	GBA6 5.470 = 5.4
6525 5570 5900	GBA6 3.510 = 3.5

Eco-Vista (Tontitown)LF

Sample Delivery Group: L1632964
Samples Received: 07/07/2023
Project Number: 200
Description: Eco-Vista - GW-July
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:




Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	8
Sr: Sample Results	10
TRIP BLANK L1632964-01	10
FB L1632964-02	11
NE-1 L1632964-03	14
NE-2 L1632964-04	17
NE-4 L1632964-05	20
NE-5 L1632964-06	23
NE-5E L1632964-07	26
NE-5W L1632964-08	29
NE-6 L1632964-09	32
NE-6D L1632964-10	35
NE-7 L1632964-11	38
NE-8 L1632964-12	41
NE-9 L1632964-13	44
WILDCAT CREEK SW L1632964-14	47
NE-11 L1632964-15	50
NE-12 L1632964-16	53
DUP 2 L1632964-17	56
NE-14D L1632964-18	59
NE-14S L1632964-19	62
NE-15D L1632964-20	65
Qc: Quality Control Summary	68
Gravimetric Analysis by Method 2540 C-2011	68
Wet Chemistry by Method 2320 B-2011	74
Wet Chemistry by Method 350.1	78
Wet Chemistry by Method 353.2	80
Wet Chemistry by Method 9056A	81
Wet Chemistry by Method 9060A	85
Metals (ICP) by Method 6010B	87
Metals (ICPMS) by Method 6020	89
Volatile Organic Compounds (GC/MS) by Method 8260B	91
Gl: Glossary of Terms	99
Al: Accreditations & Locations	100
Sc: Sample Chain of Custody	101



SAMPLE SUMMARY

TRIP BLANK L1632964-01 GW

Collected by: Chris F
 Collected date/time: 07/06/23 00:00
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/09/23 19:36	07/09/23 19:36	ACG	Mt. Juliet, TN

FB L1632964-02 GW

Collected by: Chris F
 Collected date/time: 07/05/23 08:30
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:17	07/11/23 11:17	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091446	1	07/08/23 23:36	07/08/23 23:36	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 11:49	07/10/23 11:49	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095717	1	07/17/23 18:48	07/17/23 18:48	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2096740	1	07/19/23 09:40	07/19/23 09:40	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:27	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 21:47	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/09/23 20:20	07/09/23 20:20	ACG	Mt. Juliet, TN

NE-1 L1632964-03 GW

Collected by: Chris F
 Collected date/time: 07/05/23 09:40
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:19	07/11/23 11:19	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091446	1	07/08/23 23:38	07/08/23 23:38	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 11:52	07/10/23 11:52	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095717	1	07/17/23 19:05	07/17/23 19:05	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2096740	1	07/19/23 09:52	07/19/23 09:52	SJF	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:16	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:03	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/09/23 23:55	07/09/23 23:55	ACG	Mt. Juliet, TN

NE-2 L1632964-04 GW


Collected by: Chris F
 Collected date/time: 07/05/23 11:30
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092031	1	07/10/23 13:34	07/10/23 16:20	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:23	07/11/23 11:23	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091446	1	07/08/23 23:39	07/08/23 23:39	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	5	07/10/23 11:55	07/10/23 11:55	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 12:50	07/17/23 12:50	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 16:25	07/19/23 16:25	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:29	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:06	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 00:16	07/10/23 00:16	ACG	Mt. Juliet, TN

NE-4 L1632964-05 GW

Collected by: Chris F
 Collected date/time: 07/05/23 08:35
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092031	1	07/10/23 13:34	07/10/23 16:20	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:27	07/11/23 11:27	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091446	1	07/08/23 23:41	07/08/23 23:41	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	10	07/10/23 11:56	07/10/23 11:56	BMD	Mt. Juliet, TN



SAMPLE SUMMARY

NE-4 L1632964-05 GW

Collected by: Chris F
 Collected date/time: 07/05/23 08:35
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 13:30	07/17/23 13:30	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 17:23	07/19/23 17:23	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:32	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:10	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 00:38	07/10/23 00:38	ACG	Mt. Juliet, TN



NE-5 L1632964-06 GW

Collected by: Chris F
 Collected date/time: 07/06/23 09:20
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092845	1	07/11/23 15:53	07/11/23 23:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:39	07/11/23 11:39	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 11:49	07/09/23 11:49	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:01	07/10/23 12:01	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 13:40	07/17/23 13:40	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 17:48	07/19/23 17:48	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:35	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:21	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 00:59	07/10/23 00:59	ACG	Mt. Juliet, TN



NE-5E L1632964-07 GW

Collected by: Chris F
 Collected date/time: 07/06/23 10:20
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092790	1	07/11/23 15:19	07/11/23 22:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092169	1	07/11/23 11:43	07/11/23 11:43	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 11:53	07/09/23 11:53	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:03	07/10/23 12:03	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 13:50	07/17/23 13:50	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 18:01	07/19/23 18:01	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:43	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:24	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 01:21	07/10/23 01:21	ACG	Mt. Juliet, TN

NE-5W L1632964-08 GW

Collected by: Chris F
 Collected date/time: 07/06/23 08:35
 Received date/time: 07/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092790	1	07/11/23 15:19	07/11/23 22:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:05	07/11/23 14:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 11:56	07/09/23 11:56	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:04	07/10/23 12:04	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 14:21	07/17/23 14:21	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 18:14	07/19/23 18:14	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:45	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:28	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 01:42	07/10/23 01:42	ACG	Mt. Juliet, TN

SAMPLE SUMMARY

NE-6 L1632964-09 GW

Collected by: Chris F
 Collected date/time: 07/06/23 12:00
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092845	1	07/11/23 15:53	07/11/23 23:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:14	07/11/23 14:14	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 11:58	07/09/23 11:58	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:05	07/10/23 12:05	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 14:31	07/17/23 14:31	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 18:27	07/19/23 18:27	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:48	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:31	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091714	1	07/10/23 02:04	07/10/23 02:04	ACG	Mt. Juliet, TN



NE-6D L1632964-10 GW

Collected by: Chris F
 Collected date/time: 07/06/23 11:10
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092679	1	07/11/23 14:19	07/12/23 10:44	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:18	07/11/23 14:18	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 11:59	07/09/23 11:59	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:06	07/10/23 12:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 14:41	07/17/23 14:41	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 19:16	07/19/23 19:16	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:51	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:34	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 00:29	07/10/23 00:29	DWR	Mt. Juliet, TN

NE-7 L1632964-11 GW

Collected by: Chris F
 Collected date/time: 07/06/23 13:00
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093314	1	07/12/23 13:25	07/13/23 09:01	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:22	07/11/23 14:22	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:06	07/09/23 12:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:08	07/10/23 12:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 14:51	07/17/23 14:51	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 20:12	07/19/23 20:12	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:53	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:37	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 00:48	07/10/23 00:48	DWR	Mt. Juliet, TN

NE-8 L1632964-12 GW

Collected by: Chris F
 Collected date/time: 07/05/23 16:25
 Received date/time: 07/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:34	07/11/23 14:34	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:07	07/09/23 12:07	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:10	07/10/23 12:10	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:01	07/17/23 15:01	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 20:38	07/19/23 20:38	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:56	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:41	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 01:08	07/10/23 01:08	DWR	Mt. Juliet, TN

SAMPLE SUMMARY

NE-9 L1632964-13 GW

Collected by: Chris F
 Collected date/time: 07/05/23 10:50
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:38	07/11/23 14:38	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:09	07/09/23 12:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:13	07/10/23 12:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:11	07/17/23 15:11	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 20:51	07/19/23 20:51	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 17:59	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:44	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 01:28	07/10/23 01:28	DWR	Mt. Juliet, TN



WILDCAT CREEK SW L1632964-14 GW

Collected by: Chris F
 Collected date/time: 07/06/23 15:30
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092845	1	07/11/23 15:53	07/11/23 23:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:42	07/11/23 14:42	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:10	07/09/23 12:10	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	5	07/10/23 12:18	07/10/23 12:18	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:21	07/17/23 15:21	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 21:04	07/19/23 21:04	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:02	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:47	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 01:47	07/10/23 01:47	DWR	Mt. Juliet, TN

NE-11 L1632964-15 GW

Collected by: Chris F
 Collected date/time: 07/06/23 13:45
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092845	1	07/11/23 15:53	07/11/23 23:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:48	07/11/23 14:48	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:12	07/09/23 12:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:19	07/10/23 12:19	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:31	07/17/23 15:31	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 21:21	07/19/23 21:21	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:04	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 22:51	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 02:07	07/10/23 02:07	DWR	Mt. Juliet, TN

NE-12 L1632964-16 GW

Collected by: Chris F
 Collected date/time: 07/05/23 14:30
 Received date/time: 07/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:54	07/11/23 14:54	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:13	07/09/23 12:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:20	07/10/23 12:20	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:41	07/17/23 15:41	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 22:08	07/19/23 22:08	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:07	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 23:00	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 02:26	07/10/23 02:26	DWR	Mt. Juliet, TN

SAMPLE SUMMARY

DUP 2 L1632964-17 GW

Collected by: Chris F
 Collected date/time: 07/05/23 07:00
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 14:59	07/11/23 14:59	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:15	07/09/23 12:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:22	07/10/23 12:22	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 15:51	07/17/23 15:51	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 22:20	07/19/23 22:20	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:15	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 23:04	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 02:46	07/10/23 02:46	DWR	Mt. Juliet, TN



NE-14D L1632964-18 GW

Collected by: Chris F
 Collected date/time: 07/05/23 12:25
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2091908	1	07/10/23 11:15	07/10/23 15:39	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 15:05	07/11/23 15:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:16	07/09/23 12:16	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	2	07/10/23 12:23	07/10/23 12:23	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 16:20	07/17/23 16:20	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 22:32	07/19/23 22:32	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:18	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 23:07	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 03:06	07/10/23 03:06	DWR	Mt. Juliet, TN

NE-14S L1632964-19 GW

Collected by: Chris F
 Collected date/time: 07/05/23 12:50
 Received date/time: 07/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092031	1	07/10/23 13:34	07/10/23 16:20	MMF	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 15:12	07/11/23 15:12	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:18	07/09/23 12:18	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:24	07/10/23 12:24	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 16:30	07/17/23 16:30	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 22:45	07/19/23 22:45	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:20	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 23:11	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 03:26	07/10/23 03:26	DWR	Mt. Juliet, TN

NE-15D L1632964-20 GW

Collected by: Chris F
 Collected date/time: 07/06/23 14:30
 Received date/time: 07/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2092790	1	07/11/23 15:19	07/11/23 22:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2092179	1	07/11/23 15:34	07/11/23 15:34	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2091549	1	07/09/23 12:25	07/09/23 12:25	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2091044	1	07/10/23 12:26	07/10/23 12:26	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2095721	1	07/17/23 16:40	07/17/23 16:40	JD	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2097397	1	07/19/23 22:57	07/19/23 22:57	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2091021	1	07/10/23 11:07	07/17/23 18:23	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2091027	1	07/10/23 11:10	07/11/23 23:14	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2091743	1	07/10/23 03:45	07/10/23 03:45	DWR	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Sample Delivery Group (SDG) Narrative

The laboratory analysis was performed from an unpreserved, insufficiently or inadequately preserved sample.

Batch	Method	Lab Sample ID
WG2097397	9060A	L1632964-20

Wet Chemistry by Method 9060A

RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Batch	Lab Sample ID	Analytes
WG2097397	(DUP) R3950509-5, L1632964-05	TOC

Metals (ICP) by Method 6010B

The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.

Batch	Lab Sample ID	Analytes
WG2091021	L1632964-03	Calcium, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2091714	(LCS) R3947881-2, L1632964-01, 02, 03, 04, 05, 06, 07, 08, 09	2-Hexanone
WG2091743	(LCS) R3946635-1, L1632964-10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	1,1,2-Trichloroethane and Dibromomethane

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2091743	(LCSD) R3946635-2, L1632964-10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20	Vinyl acetate

CASE NARRATIVE

Volatile Organic Compounds (GC/MS) by Method 8260B

The sample matrix interfered with the ability to make any accurate determination; spike value is high.

Batch	Lab Sample ID	Analytes
WG2091743	(MS) R3946635-4, (MSD) R3946635-5	Bromomethane

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/09/2023 19:36	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/09/2023 19:36	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/09/2023 19:36	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/09/2023 19:36	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/09/2023 19:36	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/09/2023 19:36	WG2091714
2-Hexanone	ND	J4	5.00	1	07/09/2023 19:36	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/09/2023 19:36	WG2091714
Acetone	ND		10.0	1	07/09/2023 19:36	WG2091714
Acrylonitrile	ND		20.0	1	07/09/2023 19:36	WG2091714
Benzene	ND		1.00	1	07/09/2023 19:36	WG2091714
Bromochloromethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Bromodichloromethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Bromoform	ND		1.00	1	07/09/2023 19:36	WG2091714
Bromomethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Carbon disulfide	ND		1.00	1	07/09/2023 19:36	WG2091714
Carbon tetrachloride	ND		1.00	1	07/09/2023 19:36	WG2091714
Chlorobenzene	ND		1.00	1	07/09/2023 19:36	WG2091714
Chloroethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Chloroform	ND		1.00	1	07/09/2023 19:36	WG2091714
Chloromethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Dibromochloromethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Dibromomethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Ethylbenzene	ND		1.00	1	07/09/2023 19:36	WG2091714
Iodomethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Methylene Chloride	ND		1.07	1	07/09/2023 19:36	WG2091714
Styrene	ND		1.00	1	07/09/2023 19:36	WG2091714
Tetrachloroethene	ND		1.00	1	07/09/2023 19:36	WG2091714
Toluene	ND		1.00	1	07/09/2023 19:36	WG2091714
Trichloroethene	ND		1.00	1	07/09/2023 19:36	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/09/2023 19:36	WG2091714
Vinyl acetate	ND		5.00	1	07/09/2023 19:36	WG2091714
Vinyl chloride	ND		1.00	1	07/09/2023 19:36	WG2091714
Xylenes, Total	ND		1.00	1	07/09/2023 19:36	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/09/2023 19:36	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/09/2023 19:36	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/09/2023 19:36	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/09/2023 19:36	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/09/2023 19:36	WG2091714
(S) 1,2-Dichloroethane-d4	111			70.0-130	07/09/2023 19:36	WG2091714
(S) 4-Bromofluorobenzene	97.7			77.0-126	07/09/2023 19:36	WG2091714
(S) Toluene-d8	111			80.0-120	07/09/2023 19:36	WG2091714

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	mg/l		mg/l		date / time	
	ND		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	mg/l		mg/l		date / time	
Alkalinity,Bicarbonate	ND		10.0	1	07/11/2023 11:17	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:17	WG2092169

Sample Narrative:

L1632964-02 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	mg/l		mg/l		date / time	
	ND		0.100	1	07/08/2023 23:36	WG2091446

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	mg/l		mg/l		date / time	
	ND		0.100	1	07/10/2023 11:49	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	mg/l		mg/l		date / time	
	ND		3.00	1	07/17/2023 18:48	WG2095717
Sulfate	ND		5.00	1	07/17/2023 18:48	WG2095717

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	mg/l		mg/l		date / time	
	ND		1.00	1	07/19/2023 09:40	WG2096740

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0500	1	07/17/2023 17:27	WG2091021
Barium,Total Recoverable	ND		0.00500	1	07/17/2023 17:27	WG2091021
Calcium, Total Recoverable	ND		0.200	1	07/17/2023 17:27	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:27	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:27	WG2091021
Magnesium, Total Recoverable	ND		0.200	1	07/17/2023 17:27	WG2091021
Manganese,Total Recoverable	ND		0.00300	1	07/17/2023 17:27	WG2091021
Sodium,Total Recoverable	ND		5.00	1	07/17/2023 17:27	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:27	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:27	WG2091021



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 21:47	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 21:47	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 21:47	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 21:47	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 21:47	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 21:47	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 21:47	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 21:47	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 21:47	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 21:47	WG2091027
Zinc, Total Recoverable	ND		0.00500	1	07/11/2023 21:47	WG2091027

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/09/2023 20:20	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/09/2023 20:20	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/09/2023 20:20	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/09/2023 20:20	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/09/2023 20:20	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/09/2023 20:20	WG2091714
2-Hexanone	ND	J4	5.00	1	07/09/2023 20:20	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/09/2023 20:20	WG2091714
Acetone	ND		10.0	1	07/09/2023 20:20	WG2091714
Acrylonitrile	ND		20.0	1	07/09/2023 20:20	WG2091714
Benzene	ND		1.00	1	07/09/2023 20:20	WG2091714
Bromochloromethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Bromodichloromethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Bromoform	ND		1.00	1	07/09/2023 20:20	WG2091714
Bromomethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Carbon disulfide	ND		1.00	1	07/09/2023 20:20	WG2091714
Carbon tetrachloride	ND		1.00	1	07/09/2023 20:20	WG2091714
Chlorobenzene	ND		1.00	1	07/09/2023 20:20	WG2091714
Chloroethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Chloroform	ND		1.00	1	07/09/2023 20:20	WG2091714
Chloromethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Dibromochloromethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Dibromomethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Ethylbenzene	ND		1.00	1	07/09/2023 20:20	WG2091714
Iodomethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Methylene Chloride	ND		1.07	1	07/09/2023 20:20	WG2091714
Styrene	ND		1.00	1	07/09/2023 20:20	WG2091714
Tetrachloroethene	ND		1.00	1	07/09/2023 20:20	WG2091714
Toluene	5.26		1.00	1	07/09/2023 20:20	WG2091714
Trichloroethene	ND		1.00	1	07/09/2023 20:20	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/09/2023 20:20	WG2091714
Vinyl acetate	ND		5.00	1	07/09/2023 20:20	WG2091714
Vinyl chloride	ND		1.00	1	07/09/2023 20:20	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	2.86		1.00	1	07/09/2023 20:20	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/09/2023 20:20	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/09/2023 20:20	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/09/2023 20:20	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/09/2023 20:20	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/09/2023 20:20	WG2091714
(S) 1,2-Dichloroethane-d4	109			70.0-130	07/09/2023 20:20	WG2091714
(S) 4-Bromofluorobenzene	101			77.0-126	07/09/2023 20:20	WG2091714
(S) Toluene-d8	117			80.0-120	07/09/2023 20:20	WG2091714

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.29	su
Specific Conductance (on site)	489	umhos/cm
Temperature (on-site)	16.6	Deg. C
Turbidity (on-site)	5.1	NTU
Dissolved Oxygen (on-site)	4.7	mg/l
eH/ORP (On Site)	182.7	mV
Depth to water (DTW) (FROM TOC)	46.92	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	429		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	187		10.0	1	07/11/2023 11:19	WG2092169
Alkalinity,Bicarbonate	187		10.0	1	07/11/2023 11:19	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:19	WG2092169

Sample Narrative:

L1632964-03 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/08/2023 23:38	WG2091446

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.932		0.100	1	07/10/2023 11:52	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	20.4		3.00	1	07/17/2023 19:05	WG2095717
Sulfate	16.6		5.00	1	07/17/2023 19:05	WG2095717

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.91		1.00	1	07/19/2023 09:52	WG2096740

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:16	WG2091021
Barium,Total Recoverable	0.0201		0.00500	1	07/17/2023 17:16	WG2091021
Calcium, Total Recoverable	62.2	O1	0.200	1	07/17/2023 17:16	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:16	WG2091021
Potassium, Total Recoverable	3.99		3.00	1	07/17/2023 17:16	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.81		0.200	1	07/17/2023 17:16	WG2091021
Manganese, Total Recoverable	0.0307		0.00300	1	07/17/2023 17:16	WG2091021
Sodium, Total Recoverable	21.7		5.00	1	07/17/2023 17:16	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:16	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:16	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:03	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:03	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:03	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:03	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:03	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:03	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 22:03	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:03	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:03	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:03	WG2091027
Zinc, Total Recoverable	ND		0.00500	1	07/11/2023 22:03	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/09/2023 23:55	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/09/2023 23:55	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/09/2023 23:55	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/09/2023 23:55	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/09/2023 23:55	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/09/2023 23:55	WG2091714
2-Hexanone	ND	J4	5.00	1	07/09/2023 23:55	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/09/2023 23:55	WG2091714
Acetone	ND		10.0	1	07/09/2023 23:55	WG2091714
Acrylonitrile	ND		20.0	1	07/09/2023 23:55	WG2091714
Benzene	ND		1.00	1	07/09/2023 23:55	WG2091714
Bromochloromethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Bromodichloromethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Bromoform	ND		1.00	1	07/09/2023 23:55	WG2091714
Bromomethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Carbon disulfide	ND		1.00	1	07/09/2023 23:55	WG2091714
Carbon tetrachloride	ND		1.00	1	07/09/2023 23:55	WG2091714
Chlorobenzene	ND		1.00	1	07/09/2023 23:55	WG2091714
Chloroethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Chloroform	ND		1.00	1	07/09/2023 23:55	WG2091714
Chloromethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Dibromochloromethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Dibromomethane	ND		1.00	1	07/09/2023 23:55	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/09/2023 23:55	WG2091714
Iodomethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Methylene Chloride	ND		1.07	1	07/09/2023 23:55	WG2091714
Styrene	ND		1.00	1	07/09/2023 23:55	WG2091714
Tetrachloroethene	ND		1.00	1	07/09/2023 23:55	WG2091714
Toluene	ND		1.00	1	07/09/2023 23:55	WG2091714
Trichloroethene	ND		1.00	1	07/09/2023 23:55	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/09/2023 23:55	WG2091714
Vinyl acetate	ND		5.00	1	07/09/2023 23:55	WG2091714
Vinyl chloride	ND		1.00	1	07/09/2023 23:55	WG2091714
Xylenes, Total	ND		1.00	1	07/09/2023 23:55	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/09/2023 23:55	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/09/2023 23:55	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/09/2023 23:55	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/09/2023 23:55	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/09/2023 23:55	WG2091714
(S) 1,2-Dichloroethane-d4	113			70.0-130	07/09/2023 23:55	WG2091714
(S) 4-Bromofluorobenzene	93.2			77.0-126	07/09/2023 23:55	WG2091714
(S) Toluene-d8	110			80.0-120	07/09/2023 23:55	WG2091714

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.42	su
Specific Conductance (on site)	537	umhos/cm
Temperature (on-site)	16.7	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	2.6	mg/l
eH/ORP (On Site)	193.7	mV
Depth to water (DTW) (FROM TOC)	21.88	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	294		10.0	1	07/10/2023 16:20	WG2092031

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	170		10.0	1	07/11/2023 11:23	WG2092169
Alkalinity,Bicarbonate	170		10.0	1	07/11/2023 11:23	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:23	WG2092169

Sample Narrative:

L1632964-04 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/08/2023 23:39	WG2091446

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	7.00		0.100	5	07/10/2023 11:55	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	27.1		3.00	1	07/17/2023 12:50	WG2095721
Sulfate	9.45		5.00	1	07/17/2023 12:50	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.84		1.00	1	07/19/2023 16:25	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:29	WG2091021
Barium,Total Recoverable	0.119		0.00500	1	07/17/2023 17:29	WG2091021
Calcium, Total Recoverable	63.7		0.200	1	07/17/2023 17:29	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:29	WG2091021
Potassium, Total Recoverable	6.37		3.00	1	07/17/2023 17:29	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	4.91		0.200	1	07/17/2023 17:29	WG2091021
Manganese, Total Recoverable	0.0233		0.00300	1	07/17/2023 17:29	WG2091021
Sodium, Total Recoverable	24.1		5.00	1	07/17/2023 17:29	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:29	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:29	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:06	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:06	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:06	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:06	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:06	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:06	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 22:06	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:06	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:06	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:06	WG2091027
Zinc, Total Recoverable	ND		0.00500	1	07/11/2023 22:06	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 00:16	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 00:16	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 00:16	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 00:16	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 00:16	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 00:16	WG2091714
2-Hexanone	ND	<u>J4</u>	5.00	1	07/10/2023 00:16	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 00:16	WG2091714
Acetone	ND		10.0	1	07/10/2023 00:16	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 00:16	WG2091714
Benzene	ND		1.00	1	07/10/2023 00:16	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Bromoform	ND		1.00	1	07/10/2023 00:16	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 00:16	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 00:16	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 00:16	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Chloroform	ND		1.00	1	07/10/2023 00:16	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 00:16	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 00:16	WG2091714
Iodomethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Methylene Chloride	ND		1.07	1	07/10/2023 00:16	WG2091714
Styrene	ND		1.00	1	07/10/2023 00:16	WG2091714
Tetrachloroethene	ND		1.00	1	07/10/2023 00:16	WG2091714
Toluene	ND		1.00	1	07/10/2023 00:16	WG2091714
Trichloroethene	ND		1.00	1	07/10/2023 00:16	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/10/2023 00:16	WG2091714
Vinyl acetate	ND		5.00	1	07/10/2023 00:16	WG2091714
Vinyl chloride	ND		1.00	1	07/10/2023 00:16	WG2091714
Xylenes, Total	ND		1.00	1	07/10/2023 00:16	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:16	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:16	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:16	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:16	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 00:16	WG2091714
(S) 1,2-Dichloroethane-d4	115			70.0-130	07/10/2023 00:16	WG2091714
(S) 4-Bromofluorobenzene	98.1			77.0-126	07/10/2023 00:16	WG2091714
(S) Toluene-d8	111			80.0-120	07/10/2023 00:16	WG2091714

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.83	su
Specific Conductance (on site)	481	umhos/cm
Temperature (on-site)	18.8	Deg. C
Turbidity (on-site)	6.1	NTU
Dissolved Oxygen (on-site)	7.8	mg/l
eH/ORP (On Site)	199.7	mV
Depth to water (DTW) (FROM TOC)	64.75	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	34.0		10.0	1	07/10/2023 16:20	WG2092031

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	239		10.0	1	07/11/2023 11:27	WG2092169
Alkalinity,Bicarbonate	239		10.0	1	07/11/2023 11:27	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:27	WG2092169

Sample Narrative:

L1632964-05 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/08/2023 23:41	WG2091446

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	10.6		0.197	10	07/10/2023 11:56	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	4.79		3.00	1	07/17/2023 13:30	WG2095721
Sulfate	5.86		5.00	1	07/17/2023 13:30	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.01	P1	1.00	1	07/19/2023 17:23	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:32	WG2091021
Barium, Total Recoverable	0.0369		0.00500	1	07/17/2023 17:32	WG2091021
Calcium, Total Recoverable	81.3		0.200	1	07/17/2023 17:32	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:32	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:32	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.72		0.200	1	07/17/2023 17:32	WG2091021
Manganese, Total Recoverable	0.00596	J	0.00300	1	07/17/2023 17:32	WG2091021
Sodium, Total Recoverable	20.5		5.00	1	07/17/2023 17:32	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:32	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:32	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:10	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:10	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:10	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:10	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:10	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:10	WG2091027
Nickel, Total Recoverable	0.0117		0.00400	1	07/11/2023 22:10	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:10	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:10	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:10	WG2091027
Zinc, Total Recoverable	0.00771	J	0.00500	1	07/11/2023 22:10	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 00:38	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 00:38	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 00:38	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 00:38	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 00:38	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 00:38	WG2091714
2-Hexanone	ND	J4	5.00	1	07/10/2023 00:38	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 00:38	WG2091714
Acetone	ND		10.0	1	07/10/2023 00:38	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 00:38	WG2091714
Benzene	ND		1.00	1	07/10/2023 00:38	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Bromoform	ND		1.00	1	07/10/2023 00:38	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 00:38	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 00:38	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 00:38	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Chloroform	ND		1.00	1	07/10/2023 00:38	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 00:38	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 00:38	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 00:38	WG2091714	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 00:38	WG2091714	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 00:38	WG2091714	
Styrene	ND		1.00	1	07/10/2023 00:38	WG2091714	³ Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 00:38	WG2091714	
Toluene	ND		1.00	1	07/10/2023 00:38	WG2091714	⁴ Cn
Trichloroethene	ND		1.00	1	07/10/2023 00:38	WG2091714	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 00:38	WG2091714	
Vinyl acetate	ND		5.00	1	07/10/2023 00:38	WG2091714	⁵ Sr
Vinyl chloride	ND		1.00	1	07/10/2023 00:38	WG2091714	
Xylenes, Total	ND		1.00	1	07/10/2023 00:38	WG2091714	⁶ Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:38	WG2091714	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:38	WG2091714	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:38	WG2091714	⁷ Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:38	WG2091714	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 00:38	WG2091714	⁸ Al
(S) 1,2-Dichloroethane-d4	115			70.0-130	07/10/2023 00:38	WG2091714	
(S) 4-Bromofluorobenzene	98.1			77.0-126	07/10/2023 00:38	WG2091714	
(S) Toluene-d8	113			80.0-120	07/10/2023 00:38	WG2091714	⁹ Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.91	su
Specific Conductance (on site)	627	umhos/cm
Temperature (on-site)	16.5	Deg. C
Turbidity (on-site)	9.8	NTU
Dissolved Oxygen (on-site)	0.6	mg/l
eH/ORP (On Site)	196	mV
Depth to water (DTW) (FROM TOC)	69.53	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	347		10.0	1	07/11/2023 23:00	WG2092845

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	310		10.0	1	07/11/2023 11:39	WG2092169
Alkalinity,Bicarbonate	310		10.0	1	07/11/2023 11:39	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:39	WG2092169

Sample Narrative:

L1632964-06 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 11:49	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/10/2023 12:01	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	8.43		3.00	1	07/17/2023 13:40	WG2095721
Sulfate	ND		5.00	1	07/17/2023 13:40	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.16		1.00	1	07/19/2023 17:48	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:35	WG2091021
Barium, Total Recoverable	0.0405		0.00500	1	07/17/2023 17:35	WG2091021
Calcium, Total Recoverable	115		0.200	1	07/17/2023 17:35	WG2091021
Iron, Total Recoverable	7.34		0.0600	1	07/17/2023 17:35	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:35	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.40		0.200	1	07/17/2023 17:35	WG2091021
Manganese, Total Recoverable	1.40		0.00300	1	07/17/2023 17:35	WG2091021
Sodium, Total Recoverable	9.66		5.00	1	07/17/2023 17:35	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:35	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:35	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:21	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:21	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:21	WG2091027
Cobalt, Total Recoverable	0.0276		0.00300	1	07/11/2023 22:21	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:21	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:21	WG2091027
Nickel, Total Recoverable	0.0803		0.00400	1	07/11/2023 22:21	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:21	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:21	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:21	WG2091027
Zinc, Total Recoverable	0.0465		0.00500	1	07/11/2023 22:21	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 00:59	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 00:59	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 00:59	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 00:59	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 00:59	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 00:59	WG2091714
2-Hexanone	ND	J4	5.00	1	07/10/2023 00:59	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 00:59	WG2091714
Acetone	ND		10.0	1	07/10/2023 00:59	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 00:59	WG2091714
Benzene	ND		1.00	1	07/10/2023 00:59	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Bromoform	ND		1.00	1	07/10/2023 00:59	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 00:59	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 00:59	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 00:59	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Chloroform	ND		1.00	1	07/10/2023 00:59	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 00:59	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 00:59	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 00:59	WG2091714	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 00:59	WG2091714	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 00:59	WG2091714	³ Ss
Styrene	ND		1.00	1	07/10/2023 00:59	WG2091714	⁴ Cn
Tetrachloroethene	ND		1.00	1	07/10/2023 00:59	WG2091714	⁵ Sr
Toluene	ND		1.00	1	07/10/2023 00:59	WG2091714	⁶ Qc
Trichloroethene	ND		1.00	1	07/10/2023 00:59	WG2091714	⁷ Gl
Trichlorofluoromethane	ND		1.00	1	07/10/2023 00:59	WG2091714	⁸ Al
Vinyl acetate	ND		5.00	1	07/10/2023 00:59	WG2091714	⁹ Sc
Vinyl chloride	ND		1.00	1	07/10/2023 00:59	WG2091714	
Xylenes, Total	ND		1.00	1	07/10/2023 00:59	WG2091714	
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:59	WG2091714	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:59	WG2091714	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:59	WG2091714	
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:59	WG2091714	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 00:59	WG2091714	
(S) 1,2-Dichloroethane-d4	109			70.0-130	07/10/2023 00:59	WG2091714	
(S) 4-Bromofluorobenzene	99.4			77.0-126	07/10/2023 00:59	WG2091714	
(S) Toluene-d8	116			80.0-120	07/10/2023 00:59	WG2091714	

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.96	su
Specific Conductance (on site)	689	umhos/cm
Temperature (on-site)	18.2	Deg. C
Turbidity (on-site)	10.5	NTU
Dissolved Oxygen (on-site)	0.9	mg/l
eH/ORP (On Site)	199.8	mV
Depth to water (DTW) (FROM TOC)	66.88	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	390		10.0	1	07/11/2023 22:00	WG2092790

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	317		10.0	1	07/11/2023 11:43	WG2092169
Alkalinity,Bicarbonate	317		10.0	1	07/11/2023 11:43	WG2092169
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 11:43	WG2092169

Sample Narrative:

L1632964-07 WG2092169: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 11:53	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.323		0.100	1	07/10/2023 12:03	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	19.3		3.00	1	07/17/2023 13:50	WG2095721
Sulfate	5.72		5.00	1	07/17/2023 13:50	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.60		1.00	1	07/19/2023 18:01	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:43	WG2091021
Barium,Total Recoverable	0.0451		0.00500	1	07/17/2023 17:43	WG2091021
Calcium, Total Recoverable	118		0.200	1	07/17/2023 17:43	WG2091021
Iron, Total Recoverable	3.90		0.0600	1	07/17/2023 17:43	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:43	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.91		0.200	1	07/17/2023 17:43	WG2091021
Manganese, Total Recoverable	0.224		0.00300	1	07/17/2023 17:43	WG2091021
Sodium, Total Recoverable	15.8		5.00	1	07/17/2023 17:43	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:43	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:43	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:24	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:24	WG2091027
Cadmium, Total Recoverable	0.0171		0.00100	1	07/11/2023 22:24	WG2091027
Cobalt, Total Recoverable	0.0240		0.00300	1	07/11/2023 22:24	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:24	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:24	WG2091027
Nickel, Total Recoverable	0.0350		0.00400	1	07/11/2023 22:24	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:24	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:24	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:24	WG2091027
Zinc, Total Recoverable	0.0305		0.00500	1	07/11/2023 22:24	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 01:21	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 01:21	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 01:21	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 01:21	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 01:21	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 01:21	WG2091714
2-Hexanone	ND	<u>J4</u>	5.00	1	07/10/2023 01:21	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 01:21	WG2091714
Acetone	ND		10.0	1	07/10/2023 01:21	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 01:21	WG2091714
Benzene	ND		1.00	1	07/10/2023 01:21	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Bromoform	ND		1.00	1	07/10/2023 01:21	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 01:21	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 01:21	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 01:21	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Chloroform	ND		1.00	1	07/10/2023 01:21	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 01:21	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 01:21	WG2091714
Iodomethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Methylene Chloride	ND		1.07	1	07/10/2023 01:21	WG2091714
Styrene	ND		1.00	1	07/10/2023 01:21	WG2091714
Tetrachloroethene	ND		1.00	1	07/10/2023 01:21	WG2091714
Toluene	ND		1.00	1	07/10/2023 01:21	WG2091714
Trichloroethene	ND		1.00	1	07/10/2023 01:21	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/10/2023 01:21	WG2091714
Vinyl acetate	ND		5.00	1	07/10/2023 01:21	WG2091714
Vinyl chloride	ND		1.00	1	07/10/2023 01:21	WG2091714
Xylenes, Total	ND		1.00	1	07/10/2023 01:21	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:21	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:21	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:21	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:21	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 01:21	WG2091714
(S) 1,2-Dichloroethane-d4	110			70.0-130	07/10/2023 01:21	WG2091714
(S) 4-Bromofluorobenzene	95.8			77.0-126	07/10/2023 01:21	WG2091714
(S) Toluene-d8	113			80.0-120	07/10/2023 01:21	WG2091714

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.95	su
Specific Conductance (on site)	704	umhos/cm
Temperature (on-site)	17.1	Deg. C
Turbidity (on-site)	10.7	NTU
Dissolved Oxygen (on-site)	0.7	mg/l
eH/ORP (On Site)	199.6	mV
Depth to water (DTW) (FROM TOC)	70.92	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	383		10.0	1	07/11/2023 22:00	WG2092790

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	354		10.0	1	07/11/2023 14:05	WG2092179
Alkalinity,Bicarbonate	354		10.0	1	07/11/2023 14:05	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:05	WG2092179

Sample Narrative:

L1632964-08 WG2092179: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 11:56	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/10/2023 12:04	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	11.9		3.00	1	07/17/2023 14:21	WG2095721
Sulfate	ND		5.00	1	07/17/2023 14:21	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.37		1.00	1	07/19/2023 18:14	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:45	WG2091021
Barium,Total Recoverable	0.0442		0.00500	1	07/17/2023 17:45	WG2091021
Calcium, Total Recoverable	131		0.200	1	07/17/2023 17:45	WG2091021
Iron, Total Recoverable	3.10		0.0600	1	07/17/2023 17:45	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:45	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.84		0.200	1	07/17/2023 17:45	WG2091021
Manganese, Total Recoverable	0.373		0.00300	1	07/17/2023 17:45	WG2091021
Sodium, Total Recoverable	8.78		5.00	1	07/17/2023 17:45	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:45	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:45	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:28	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:28	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:28	WG2091027
Cobalt, Total Recoverable	0.0204		0.00300	1	07/11/2023 22:28	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:28	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:28	WG2091027
Nickel, Total Recoverable	0.0538		0.00400	1	07/11/2023 22:28	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:28	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:28	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:28	WG2091027
Zinc, Total Recoverable	0.0458		0.00500	1	07/11/2023 22:28	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 01:42	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 01:42	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 01:42	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 01:42	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 01:42	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 01:42	WG2091714
2-Hexanone	ND	<u>J4</u>	5.00	1	07/10/2023 01:42	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 01:42	WG2091714
Acetone	ND		10.0	1	07/10/2023 01:42	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 01:42	WG2091714
Benzene	ND		1.00	1	07/10/2023 01:42	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Bromoform	ND		1.00	1	07/10/2023 01:42	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 01:42	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 01:42	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 01:42	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Chloroform	ND		1.00	1	07/10/2023 01:42	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 01:42	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 01:42	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 01:42	WG2091714	1 Cp
Iodomethane	ND		1.00	1	07/10/2023 01:42	WG2091714	2 Tc
Methylene Chloride	ND		1.07	1	07/10/2023 01:42	WG2091714	
Styrene	ND		1.00	1	07/10/2023 01:42	WG2091714	3 Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 01:42	WG2091714	
Toluene	ND		1.00	1	07/10/2023 01:42	WG2091714	4 Cn
Trichloroethene	ND		1.00	1	07/10/2023 01:42	WG2091714	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 01:42	WG2091714	
Vinyl acetate	ND		5.00	1	07/10/2023 01:42	WG2091714	5 Sr
Vinyl chloride	ND		1.00	1	07/10/2023 01:42	WG2091714	
Xylenes, Total	ND		1.00	1	07/10/2023 01:42	WG2091714	6 Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:42	WG2091714	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:42	WG2091714	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:42	WG2091714	7 Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:42	WG2091714	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 01:42	WG2091714	8 Al
(S) 1,2-Dichloroethane-d4	113			70.0-130	07/10/2023 01:42	WG2091714	
(S) 4-Bromofluorobenzene	100			77.0-126	07/10/2023 01:42	WG2091714	
(S) Toluene-d8	111			80.0-120	07/10/2023 01:42	WG2091714	9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.11	su
Specific Conductance (on site)	636	umhos/cm
Temperature (on-site)	16	Deg. C
Turbidity (on-site)	9.5	NTU
Dissolved Oxygen (on-site)	2.5	mg/l
eH/ORP (On Site)	185.9	mV
Depth to water (DTW) (FROM TOC)	30.1	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	358		10.0	1	07/11/2023 23:00	WG2092845

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	289		10.0	1	07/11/2023 14:14	WG2092179
Alkalinity,Bicarbonate	289		10.0	1	07/11/2023 14:14	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:14	WG2092179

Sample Narrative:

L1632964-09 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 11:58	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/10/2023 12:05	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	21.7		3.00	1	07/17/2023 14:31	WG2095721
Sulfate	16.4		5.00	1	07/17/2023 14:31	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.62		1.00	1	07/19/2023 18:27	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:48	WG2091021
Barium,Total Recoverable	0.0860		0.00500	1	07/17/2023 17:48	WG2091021
Calcium, Total Recoverable	111		0.200	1	07/17/2023 17:48	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:48	WG2091021
Potassium, Total Recoverable	3.53		3.00	1	07/17/2023 17:48	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.20		0.200	1	07/17/2023 17:48	WG2091021
Manganese, Total Recoverable	0.217		0.00300	1	07/17/2023 17:48	WG2091021
Sodium, Total Recoverable	10.8		5.00	1	07/17/2023 17:48	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:48	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:48	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:31	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:31	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:31	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:31	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:31	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:31	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 22:31	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:31	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:31	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:31	WG2091027
Zinc, Total Recoverable	0.00919	J	0.00500	1	07/11/2023 22:31	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,1,2-Trichloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,1-Dichloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,1-Dichloroethene	ND		1.00	1	07/10/2023 02:04	WG2091714
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 02:04	WG2091714
1,2-Dibromoethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 02:04	WG2091714
1,2-Dichloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,2-Dichloropropane	ND		1.00	1	07/10/2023 02:04	WG2091714
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 02:04	WG2091714
2-Butanone (MEK)	ND		5.00	1	07/10/2023 02:04	WG2091714
2-Hexanone	ND	J4	5.00	1	07/10/2023 02:04	WG2091714
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 02:04	WG2091714
Acetone	ND		10.0	1	07/10/2023 02:04	WG2091714
Acrylonitrile	ND		20.0	1	07/10/2023 02:04	WG2091714
Benzene	ND		1.00	1	07/10/2023 02:04	WG2091714
Bromochloromethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Bromodichloromethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Bromoform	ND		1.00	1	07/10/2023 02:04	WG2091714
Bromomethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Carbon disulfide	ND		1.00	1	07/10/2023 02:04	WG2091714
Carbon tetrachloride	ND		1.00	1	07/10/2023 02:04	WG2091714
Chlorobenzene	ND		1.00	1	07/10/2023 02:04	WG2091714
Chloroethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Chloroform	ND		1.00	1	07/10/2023 02:04	WG2091714
Chloromethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Dibromochloromethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Dibromomethane	ND		1.00	1	07/10/2023 02:04	WG2091714

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 02:04	WG2091714
Iodomethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Methylene Chloride	ND		1.07	1	07/10/2023 02:04	WG2091714
Styrene	ND		1.00	1	07/10/2023 02:04	WG2091714
Tetrachloroethene	ND		1.00	1	07/10/2023 02:04	WG2091714
Toluene	ND		1.00	1	07/10/2023 02:04	WG2091714
Trichloroethene	ND		1.00	1	07/10/2023 02:04	WG2091714
Trichlorofluoromethane	ND		1.00	1	07/10/2023 02:04	WG2091714
Vinyl acetate	ND		5.00	1	07/10/2023 02:04	WG2091714
Vinyl chloride	ND		1.00	1	07/10/2023 02:04	WG2091714
Xylenes, Total	ND		1.00	1	07/10/2023 02:04	WG2091714
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:04	WG2091714
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:04	WG2091714
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:04	WG2091714
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:04	WG2091714
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 02:04	WG2091714
(S) 1,2-Dichloroethane-d4	114			70.0-130	07/10/2023 02:04	WG2091714
(S) 4-Bromofluorobenzene	98.6			77.0-126	07/10/2023 02:04	WG2091714
(S) Toluene-d8	114			80.0-120	07/10/2023 02:04	WG2091714

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.06	su
Specific Conductance (on site)	662	umhos/cm
Temperature (on-site)	16.9	Deg. C
Turbidity (on-site)	3.9	NTU
Dissolved Oxygen (on-site)	0.8	mg/l
eH/ORP (On Site)	191	mV
Depth to water (DTW) (FROM TOC)	32.8	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	347		10.0	1	07/12/2023 10:44	WG2092679

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	267		10.0	1	07/11/2023 14:18	WG2092179
Alkalinity,Bicarbonate	267		10.0	1	07/11/2023 14:18	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:18	WG2092179

Sample Narrative:

L1632964-10 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 11:59	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.82		0.100	1	07/10/2023 12:06	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	29.0		3.00	1	07/17/2023 14:41	WG2095721
Sulfate	17.1		5.00	1	07/17/2023 14:41	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.06		1.00	1	07/19/2023 19:16	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:51	WG2091021
Barium, Total Recoverable	0.140		0.00500	1	07/17/2023 17:51	WG2091021
Calcium, Total Recoverable	84.7		0.200	1	07/17/2023 17:51	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:51	WG2091021
Potassium, Total Recoverable	3.90		3.00	1	07/17/2023 17:51	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	8.11		0.200	1	07/17/2023 17:51	WG2091021
Manganese, Total Recoverable	2.31		0.00300	1	07/17/2023 17:51	WG2091021
Sodium, Total Recoverable	27.4		5.00	1	07/17/2023 17:51	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:51	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:51	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:34	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:34	WG2091027
Cadmium, Total Recoverable	0.00458		0.00100	1	07/11/2023 22:34	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:34	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:34	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:34	WG2091027
Nickel, Total Recoverable	0.0158		0.00400	1	07/11/2023 22:34	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:34	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:34	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:34	WG2091027
Zinc, Total Recoverable	0.0181	J	0.00500	1	07/11/2023 22:34	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 00:29	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 00:29	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 00:29	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 00:29	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 00:29	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 00:29	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 00:29	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 00:29	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 00:29	WG2091743
Acetone	ND		10.0	1	07/10/2023 00:29	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 00:29	WG2091743
Benzene	ND		1.00	1	07/10/2023 00:29	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Bromoform	ND		1.00	1	07/10/2023 00:29	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 00:29	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 00:29	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 00:29	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Chloroform	ND		1.00	1	07/10/2023 00:29	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 00:29	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 00:29	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 00:29	WG2091743	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 00:29	WG2091743	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 00:29	WG2091743	
Styrene	ND		1.00	1	07/10/2023 00:29	WG2091743	³ Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 00:29	WG2091743	
Toluene	ND		1.00	1	07/10/2023 00:29	WG2091743	⁴ Cn
Trichloroethene	ND		1.00	1	07/10/2023 00:29	WG2091743	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 00:29	WG2091743	
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 00:29	WG2091743	⁵ Sr
Vinyl chloride	ND		1.00	1	07/10/2023 00:29	WG2091743	
Xylenes, Total	ND		1.00	1	07/10/2023 00:29	WG2091743	⁶ Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:29	WG2091743	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:29	WG2091743	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:29	WG2091743	⁷ Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:29	WG2091743	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 00:29	WG2091743	⁸ Al
(S) 1,2-Dichloroethane-d4	97.7			70.0-130	07/10/2023 00:29	WG2091743	
(S) 4-Bromofluorobenzene	88.1			77.0-126	07/10/2023 00:29	WG2091743	
(S) Toluene-d8	94.6			80.0-120	07/10/2023 00:29	WG2091743	⁹ Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.38	su
Specific Conductance (on site)	408	umhos/cm
Temperature (on-site)	16	Deg. C
Turbidity (on-site)	10.2	NTU
Dissolved Oxygen (on-site)	3.4	mg/l
eH/ORP (On Site)	216.2	mV
Depth to water (DTW) (FROM TOC)	60.72	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	216		10.0	1	07/13/2023 09:01	WG2093314

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	149		10.0	1	07/11/2023 14:22	WG2092179
Alkalinity,Bicarbonate	149		10.0	1	07/11/2023 14:22	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:22	WG2092179

Sample Narrative:

L1632964-11 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:06	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.27		0.100	1	07/10/2023 12:08	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	22.9		3.00	1	07/17/2023 14:51	WG2095721
Sulfate	7.90		5.00	1	07/17/2023 14:51	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.19		1.00	1	07/19/2023 20:12	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:53	WG2091021
Barium, Total Recoverable	0.101		0.00500	1	07/17/2023 17:53	WG2091021
Calcium, Total Recoverable	55.2		0.200	1	07/17/2023 17:53	WG2091021
Iron, Total Recoverable	0.160		0.0600	1	07/17/2023 17:53	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:53	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.37		0.200	1	07/17/2023 17:53	WG2091021
Manganese, Total Recoverable	0.0420		0.00300	1	07/17/2023 17:53	WG2091021
Sodium, Total Recoverable	14.3		5.00	1	07/17/2023 17:53	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:53	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:53	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:37	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:37	WG2091027
Cadmium, Total Recoverable	0.00133		0.00100	1	07/11/2023 22:37	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:37	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:37	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:37	WG2091027
Nickel, Total Recoverable	0.00404		0.00400	1	07/11/2023 22:37	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:37	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:37	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:37	WG2091027
Zinc, Total Recoverable	0.00571	J	0.00500	1	07/11/2023 22:37	WG2091027

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 00:48	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 00:48	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 00:48	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 00:48	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 00:48	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 00:48	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 00:48	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 00:48	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 00:48	WG2091743
Acetone	ND		10.0	1	07/10/2023 00:48	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 00:48	WG2091743
Benzene	ND		1.00	1	07/10/2023 00:48	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Bromoform	ND		1.00	1	07/10/2023 00:48	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 00:48	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 00:48	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 00:48	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Chloroform	ND		1.00	1	07/10/2023 00:48	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 00:48	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 00:48	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 00:48	WG2091743	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 00:48	WG2091743	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 00:48	WG2091743	
Styrene	ND		1.00	1	07/10/2023 00:48	WG2091743	³ Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 00:48	WG2091743	
Toluene	ND		1.00	1	07/10/2023 00:48	WG2091743	⁴ Cn
Trichloroethene	ND		1.00	1	07/10/2023 00:48	WG2091743	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 00:48	WG2091743	
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 00:48	WG2091743	⁵ Sr
Vinyl chloride	ND		1.00	1	07/10/2023 00:48	WG2091743	
Xylenes, Total	ND		1.00	1	07/10/2023 00:48	WG2091743	⁶ Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:48	WG2091743	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:48	WG2091743	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 00:48	WG2091743	⁷ Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 00:48	WG2091743	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 00:48	WG2091743	⁸ Al
(S) 1,2-Dichloroethane-d4	103			70.0-130	07/10/2023 00:48	WG2091743	
(S) 4-Bromofluorobenzene	90.2			77.0-126	07/10/2023 00:48	WG2091743	
(S) Toluene-d8	93.6			80.0-120	07/10/2023 00:48	WG2091743	⁹ Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.56	su
Specific Conductance (on site)	757	umhos/cm
Temperature (on-site)	17.1	Deg. C
Turbidity (on-site)	11.4	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	197.8	mV
Depth to water (DTW) (FROM TOC)	12.82	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	453		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	363		10.0	1	07/11/2023 14:34	WG2092179
Alkalinity,Bicarbonate	363		10.0	1	07/11/2023 14:34	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:34	WG2092179

Sample Narrative:

L1632964-12 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:07	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.438		0.100	1	07/10/2023 12:10	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	24.1		3.00	1	07/17/2023 15:01	WG2095721
Sulfate	14.9		5.00	1	07/17/2023 15:01	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.55		1.00	1	07/19/2023 20:38	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:56	WG2091021
Barium, Total Recoverable	0.0852		0.00500	1	07/17/2023 17:56	WG2091021
Calcium, Total Recoverable	131		0.200	1	07/17/2023 17:56	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:56	WG2091021
Potassium, Total Recoverable	3.45		3.00	1	07/17/2023 17:56	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	5.90		0.200	1	07/17/2023 17:56	WG2091021
Manganese, Total Recoverable	3.57		0.00300	1	07/17/2023 17:56	WG2091021
Sodium, Total Recoverable	16.4		5.00	1	07/17/2023 17:56	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:56	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:56	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:41	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:41	WG2091027
Cadmium, Total Recoverable	0.00421		0.00100	1	07/11/2023 22:41	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:41	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:41	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:41	WG2091027
Nickel, Total Recoverable	0.0714		0.00400	1	07/11/2023 22:41	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:41	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:41	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:41	WG2091027
Zinc, Total Recoverable	0.162		0.00500	1	07/11/2023 22:41	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 01:08	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 01:08	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 01:08	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 01:08	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 01:08	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 01:08	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 01:08	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 01:08	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 01:08	WG2091743
Acetone	ND		10.0	1	07/10/2023 01:08	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 01:08	WG2091743
Benzene	ND		1.00	1	07/10/2023 01:08	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Bromoform	ND		1.00	1	07/10/2023 01:08	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 01:08	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 01:08	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 01:08	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Chloroform	ND		1.00	1	07/10/2023 01:08	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 01:08	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 01:08	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 01:08	WG2091743	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 01:08	WG2091743	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 01:08	WG2091743	
Styrene	ND		1.00	1	07/10/2023 01:08	WG2091743	³ Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 01:08	WG2091743	
Toluene	ND		1.00	1	07/10/2023 01:08	WG2091743	⁴ Cn
Trichloroethene	ND		1.00	1	07/10/2023 01:08	WG2091743	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 01:08	WG2091743	
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 01:08	WG2091743	⁵ Sr
Vinyl chloride	ND		1.00	1	07/10/2023 01:08	WG2091743	
Xylenes, Total	ND		1.00	1	07/10/2023 01:08	WG2091743	⁶ Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:08	WG2091743	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:08	WG2091743	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:08	WG2091743	⁷ Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:08	WG2091743	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 01:08	WG2091743	⁸ Al
(S) 1,2-Dichloroethane-d4	98.5			70.0-130	07/10/2023 01:08	WG2091743	
(S) 4-Bromofluorobenzene	89.1			77.0-126	07/10/2023 01:08	WG2091743	
(S) Toluene-d8	97.8			80.0-120	07/10/2023 01:08	WG2091743	⁹ Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.22	su
Specific Conductance (on site)	671	umhos/cm
Temperature (on-site)	16	Deg. C
Turbidity (on-site)	2.4	NTU
Dissolved Oxygen (on-site)	0.2	mg/l
eH/ORP (On Site)	206.7	mV
Depth to water (DTW) (FROM TOC)	9.52	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	374		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	318		10.0	1	07/11/2023 14:38	WG2092179
Alkalinity,Bicarbonate	318		10.0	1	07/11/2023 14:38	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:38	WG2092179

Sample Narrative:

L1632964-13 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:09	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.326		0.100	1	07/10/2023 12:13	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	25.6		3.00	1	07/17/2023 15:11	WG2095721
Sulfate	ND		5.00	1	07/17/2023 15:11	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.52		1.00	1	07/19/2023 20:51	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 17:59	WG2091021
Barium,Total Recoverable	0.0934		0.00500	1	07/17/2023 17:59	WG2091021
Calcium, Total Recoverable	115		0.200	1	07/17/2023 17:59	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 17:59	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 17:59	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.92		0.200	1	07/17/2023 17:59	WG2091021
Manganese, Total Recoverable	2.87		0.00300	1	07/17/2023 17:59	WG2091021
Sodium, Total Recoverable	11.0		5.00	1	07/17/2023 17:59	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 17:59	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 17:59	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:44	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:44	WG2091027
Cadmium, Total Recoverable	0.0126		0.00100	1	07/11/2023 22:44	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:44	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:44	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:44	WG2091027
Nickel, Total Recoverable	0.0480		0.00400	1	07/11/2023 22:44	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:44	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:44	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:44	WG2091027
Zinc, Total Recoverable	0.0802		0.00500	1	07/11/2023 22:44	WG2091027

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 01:28	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 01:28	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 01:28	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 01:28	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 01:28	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 01:28	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 01:28	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 01:28	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 01:28	WG2091743
Acetone	ND		10.0	1	07/10/2023 01:28	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 01:28	WG2091743
Benzene	ND		1.00	1	07/10/2023 01:28	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Bromoform	ND		1.00	1	07/10/2023 01:28	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 01:28	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 01:28	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 01:28	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Chloroform	ND		1.00	1	07/10/2023 01:28	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 01:28	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 01:28	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 01:28	WG2091743
Styrene	ND		1.00	1	07/10/2023 01:28	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 01:28	WG2091743
Toluene	ND		1.00	1	07/10/2023 01:28	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 01:28	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 01:28	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 01:28	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 01:28	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 01:28	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:28	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:28	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:28	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:28	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 01:28	WG2091743
(S) 1,2-Dichloroethane-d4	97.6			70.0-130	07/10/2023 01:28	WG2091743
(S) 4-Bromofluorobenzene	86.4			77.0-126	07/10/2023 01:28	WG2091743
(S) Toluene-d8	94.1			80.0-120	07/10/2023 01:28	WG2091743

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

WILDCAT CREEK SW


Collected date/time: 07/06/23 15:30

SAMPLE RESULTS - 14

L1632964

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.92	su
Specific Conductance (on site)	348.6	umhos/cm
Temperature (on-site)	15.3	Deg. C
Turbidity (on-site)	0.13	NTU
Dissolved Oxygen (on-site)	7.22	mg/l
eH/ORP (On Site)	180.6	mV



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	193		10.0	1	07/11/2023 23:00	WG2092845

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	132		10.0	1	07/11/2023 14:42	WG2092179
Alkalinity,Bicarbonate	132		10.0	1	07/11/2023 14:42	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:42	WG2092179

Sample Narrative:

L1632964-14 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:10	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	5.80		0.100	5	07/10/2023 12:18	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	9.08		3.00	1	07/17/2023 15:21	WG2095721
Sulfate	ND		5.00	1	07/17/2023 15:21	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/19/2023 21:04	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:02	WG2091021
Barium, Total Recoverable	0.0533		0.00500	1	07/17/2023 18:02	WG2091021
Calcium, Total Recoverable	50.5		0.200	1	07/17/2023 18:02	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:02	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:02	WG2091021
Magnesium, Total Recoverable	1.51		0.200	1	07/17/2023 18:02	WG2091021

WILDCAT CREEK SW

Collected date/time: 07/06/23 15:30

SAMPLE RESULTS - 14

L1632964

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Manganese, Total Recoverable	ND		0.00300	1	07/17/2023 18:02	WG2091021
Sodium, Total Recoverable	10.8		5.00	1	07/17/2023 18:02	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:02	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:02	WG2091021

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:47	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:47	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:47	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:47	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:47	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:47	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 22:47	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:47	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:47	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:47	WG2091027
Zinc, Total Recoverable	ND		0.00500	1	07/11/2023 22:47	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 01:47	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 01:47	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 01:47	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 01:47	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 01:47	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 01:47	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 01:47	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 01:47	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 01:47	WG2091743
Acetone	ND		10.0	1	07/10/2023 01:47	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 01:47	WG2091743
Benzene	ND		1.00	1	07/10/2023 01:47	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Bromoform	ND		1.00	1	07/10/2023 01:47	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 01:47	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 01:47	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 01:47	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Chloroform	ND		1.00	1	07/10/2023 01:47	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 01:47	WG2091743
Ethylbenzene	ND		1.00	1	07/10/2023 01:47	WG2091743

WILDCAT CREEK SW

SAMPLE RESULTS - 14

Collected date/time: 07/06/23 15:30

L1632964

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Iodomethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 01:47	WG2091743
Styrene	ND		1.00	1	07/10/2023 01:47	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 01:47	WG2091743
Toluene	ND		1.00	1	07/10/2023 01:47	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 01:47	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 01:47	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 01:47	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 01:47	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 01:47	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:47	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:47	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 01:47	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 01:47	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 01:47	WG2091743
(S) 1,2-Dichloroethane-d4	100			70.0-130	07/10/2023 01:47	WG2091743
(S) 4-Bromofluorobenzene	91.2			77.0-126	07/10/2023 01:47	WG2091743
(S) Toluene-d8	94.5			80.0-120	07/10/2023 01:47	WG2091743

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.77	su
Specific Conductance (on site)	551	umhos/cm
Temperature (on-site)	16.9	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	2.5	mg/l
eH/ORP (On Site)	203.8	mV
Depth to water (DTW) (FROM TOC)	49.46	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	291		10.0	1	07/11/2023 23:00	WG2092845

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	239		10.0	1	07/11/2023 14:48	WG2092179
Alkalinity,Bicarbonate	239		10.0	1	07/11/2023 14:48	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:48	WG2092179

Sample Narrative:

L1632964-15 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:12	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.12		0.100	1	07/10/2023 12:19	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	22.8		3.00	1	07/17/2023 15:31	WG2095721
Sulfate	ND		5.00	1	07/17/2023 15:31	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.29		1.00	1	07/19/2023 21:21	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:04	WG2091021
Barium,Total Recoverable	0.0623		0.00500	1	07/17/2023 18:04	WG2091021
Calcium, Total Recoverable	91.0		0.200	1	07/17/2023 18:04	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:04	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:04	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.89		0.200	1	07/17/2023 18:04	WG2091021
Manganese, Total Recoverable	0.0703		0.00300	1	07/17/2023 18:04	WG2091021
Sodium, Total Recoverable	9.55		5.00	1	07/17/2023 18:04	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:04	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:04	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 22:51	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 22:51	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 22:51	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 22:51	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 22:51	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 22:51	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 22:51	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 22:51	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 22:51	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 22:51	WG2091027
Zinc, Total Recoverable	0.00811	J	0.00500	1	07/11/2023 22:51	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 02:07	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 02:07	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 02:07	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 02:07	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 02:07	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 02:07	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 02:07	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 02:07	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 02:07	WG2091743
Acetone	ND		10.0	1	07/10/2023 02:07	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 02:07	WG2091743
Benzene	ND		1.00	1	07/10/2023 02:07	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Bromoform	ND		1.00	1	07/10/2023 02:07	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 02:07	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 02:07	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 02:07	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Chloroform	ND		1.00	1	07/10/2023 02:07	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 02:07	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 02:07	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 02:07	WG2091743
Styrene	ND		1.00	1	07/10/2023 02:07	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 02:07	WG2091743
Toluene	ND		1.00	1	07/10/2023 02:07	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 02:07	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 02:07	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 02:07	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 02:07	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 02:07	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:07	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:07	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:07	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:07	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 02:07	WG2091743
(S) 1,2-Dichloroethane-d4	102			70.0-130	07/10/2023 02:07	WG2091743
(S) 4-Bromofluorobenzene	90.1			77.0-126	07/10/2023 02:07	WG2091743
(S) Toluene-d8	93.0			80.0-120	07/10/2023 02:07	WG2091743

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.01	su
Specific Conductance (on site)	436	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	3.5	NTU
Dissolved Oxygen (on-site)	6.6	mg/l
eH/ORP (On Site)	182.7	mV
Depth to water (DTW) (FROM TOC)	59.24	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	235		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	213		10.0	1	07/11/2023 14:54	WG2092179
Alkalinity,Bicarbonate	213		10.0	1	07/11/2023 14:54	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:54	WG2092179

Sample Narrative:

L1632964-16 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:13	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.969		0.100	1	07/10/2023 12:20	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.05		3.00	1	07/17/2023 15:41	WG2095721
Sulfate	ND		5.00	1	07/17/2023 15:41	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/19/2023 22:08	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:07	WG2091021
Barium,Total Recoverable	0.0235		0.00500	1	07/17/2023 18:07	WG2091021
Calcium, Total Recoverable	80.9		0.200	1	07/17/2023 18:07	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:07	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:07	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.13		0.200	1	07/17/2023 18:07	WG2091021
Manganese, Total Recoverable	ND		0.00300	1	07/17/2023 18:07	WG2091021
Sodium, Total Recoverable	ND		5.00	1	07/17/2023 18:07	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:07	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:07	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 23:00	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 23:00	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 23:00	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 23:00	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 23:00	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 23:00	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 23:00	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 23:00	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 23:00	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 23:00	WG2091027
Zinc, Total Recoverable	0.00607	J	0.00500	1	07/11/2023 23:00	WG2091027

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 02:26	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 02:26	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 02:26	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 02:26	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 02:26	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 02:26	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 02:26	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 02:26	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 02:26	WG2091743
Acetone	ND		10.0	1	07/10/2023 02:26	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 02:26	WG2091743
Benzene	ND		1.00	1	07/10/2023 02:26	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Bromoform	ND		1.00	1	07/10/2023 02:26	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 02:26	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 02:26	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 02:26	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Chloroform	ND		1.00	1	07/10/2023 02:26	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 02:26	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 02:26	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 02:26	WG2091743
Styrene	ND		1.00	1	07/10/2023 02:26	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 02:26	WG2091743
Toluene	ND		1.00	1	07/10/2023 02:26	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 02:26	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 02:26	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 02:26	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 02:26	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 02:26	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:26	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:26	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:26	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:26	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 02:26	WG2091743
(S) 1,2-Dichloroethane-d4	102			70.0-130	07/10/2023 02:26	WG2091743
(S) 4-Bromofluorobenzene	90.8			77.0-126	07/10/2023 02:26	WG2091743
(S) Toluene-d8	93.7			80.0-120	07/10/2023 02:26	WG2091743

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	225		10.0	1	07/10/2023 15:39	WG2091908

1 Cp

2 Tc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Alkalinity	217		10.0	1	07/11/2023 14:59	WG2092179
Alkalinity,Bicarbonate	217		10.0	1	07/11/2023 14:59	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 14:59	WG2092179

3 Ss

4 Cn

5 Sr

Sample Narrative:

L1632964-17 WG2092179: Endpoint pH 4.5 Headspace

6 Qc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:15	WG2091549

7 Gl

8 Al

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Nitrate-Nitrite	1.02		0.100	1	07/10/2023 12:22	WG2091044

9 Sc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	4.72		3.00	1	07/17/2023 15:51	WG2095721
Sulfate	ND		5.00	1	07/17/2023 15:51	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	07/19/2023 22:20	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:15	WG2091021
Barium,Total Recoverable	0.0217		0.00500	1	07/17/2023 18:15	WG2091021
Calcium, Total Recoverable	80.9		0.200	1	07/17/2023 18:15	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:15	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:15	WG2091021
Magnesium, Total Recoverable	1.15		0.200	1	07/17/2023 18:15	WG2091021
Manganese,Total Recoverable	ND		0.00300	1	07/17/2023 18:15	WG2091021
Sodium,Total Recoverable	ND		5.00	1	07/17/2023 18:15	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:15	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:15	WG2091021

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 23:04	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 23:04	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 23:04	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 23:04	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 23:04	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 23:04	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 23:04	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 23:04	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 23:04	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 23:04	WG2091027
Zinc, Total Recoverable	ND		0.00500	1	07/11/2023 23:04	WG2091027

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 02:46	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 02:46	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 02:46	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 02:46	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 02:46	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 02:46	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 02:46	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 02:46	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 02:46	WG2091743
Acetone	ND		10.0	1	07/10/2023 02:46	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 02:46	WG2091743
Benzene	ND		1.00	1	07/10/2023 02:46	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Bromoform	ND		1.00	1	07/10/2023 02:46	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 02:46	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 02:46	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 02:46	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Chloroform	ND		1.00	1	07/10/2023 02:46	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 02:46	WG2091743
Ethylbenzene	ND		1.00	1	07/10/2023 02:46	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 02:46	WG2091743
Styrene	ND		1.00	1	07/10/2023 02:46	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 02:46	WG2091743
Toluene	ND		1.00	1	07/10/2023 02:46	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 02:46	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 02:46	WG2091743
Vinyl acetate	ND	J3	5.00	1	07/10/2023 02:46	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 02:46	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Xylenes, Total	ND		1.00	1	07/10/2023 02:46	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:46	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:46	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 02:46	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 02:46	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 02:46	WG2091743
(S) 1,2-Dichloroethane-d4	102			70.0-130	07/10/2023 02:46	WG2091743
(S) 4-Bromofluorobenzene	93.4			77.0-126	07/10/2023 02:46	WG2091743
(S) Toluene-d8	96.5			80.0-120	07/10/2023 02:46	WG2091743

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.75	su
Specific Conductance (on site)	633	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	2.6	NTU
Dissolved Oxygen (on-site)	1.1	mg/l
eH/ORP (On Site)	185.1	mV
Depth to water (DTW) (FROM TOC)	17.15	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	351		10.0	1	07/10/2023 15:39	WG2091908

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	316		10.0	1	07/11/2023 15:05	WG2092179
Alkalinity,Bicarbonate	316		10.0	1	07/11/2023 15:05	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 15:05	WG2092179

Sample Narrative:

L1632964-18 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:16	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.26		0.100	2	07/10/2023 12:23	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.5		3.00	1	07/17/2023 16:20	WG2095721
Sulfate	ND		5.00	1	07/17/2023 16:20	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.14		1.00	1	07/19/2023 22:32	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:18	WG2091021
Barium,Total Recoverable	0.0680		0.00500	1	07/17/2023 18:18	WG2091021
Calcium, Total Recoverable	117		0.200	1	07/17/2023 18:18	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:18	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:18	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.05		0.200	1	07/17/2023 18:18	WG2091021
Manganese, Total Recoverable	ND		0.00300	1	07/17/2023 18:18	WG2091021
Sodium, Total Recoverable	8.69		5.00	1	07/17/2023 18:18	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:18	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:18	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 23:07	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 23:07	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 23:07	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 23:07	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 23:07	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 23:07	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 23:07	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 23:07	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 23:07	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 23:07	WG2091027
Zinc, Total Recoverable	0.0330		0.00500	1	07/11/2023 23:07	WG2091027

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 03:06	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 03:06	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 03:06	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 03:06	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 03:06	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 03:06	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 03:06	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 03:06	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 03:06	WG2091743
Acetone	ND		10.0	1	07/10/2023 03:06	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 03:06	WG2091743
Benzene	ND		1.00	1	07/10/2023 03:06	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Bromoform	ND		1.00	1	07/10/2023 03:06	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 03:06	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 03:06	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 03:06	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Chloroform	ND		1.00	1	07/10/2023 03:06	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 03:06	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 03:06	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 03:06	WG2091743
Styrene	ND		1.00	1	07/10/2023 03:06	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 03:06	WG2091743
Toluene	ND		1.00	1	07/10/2023 03:06	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 03:06	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 03:06	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 03:06	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 03:06	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 03:06	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:06	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:06	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:06	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:06	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 03:06	WG2091743
(S) 1,2-Dichloroethane-d4	101			70.0-130	07/10/2023 03:06	WG2091743
(S) 4-Bromofluorobenzene	89.4			77.0-126	07/10/2023 03:06	WG2091743
(S) Toluene-d8	93.4			80.0-120	07/10/2023 03:06	WG2091743

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.62	su
Specific Conductance (on site)	545	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	3.4	NTU
Dissolved Oxygen (on-site)	3.1	mg/l
eH/ORP (On Site)	187.1	mV
Depth to water (DTW) (FROM TOC)	19.62	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	286		10.0	1	07/10/2023 16:20	WG2092031

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	265		10.0	1	07/11/2023 15:12	WG2092179
Alkalinity,Bicarbonate	265		10.0	1	07/11/2023 15:12	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 15:12	WG2092179

Sample Narrative:

L1632964-19 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:18	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.28		0.100	1	07/10/2023 12:24	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	7.87		3.00	1	07/17/2023 16:30	WG2095721
Sulfate	ND		5.00	1	07/17/2023 16:30	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/19/2023 22:45	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:20	WG2091021
Barium,Total Recoverable	0.0712		0.00500	1	07/17/2023 18:20	WG2091021
Calcium, Total Recoverable	97.3		0.200	1	07/17/2023 18:20	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:20	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:20	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.86		0.200	1	07/17/2023 18:20	WG2091021
Manganese, Total Recoverable	ND		0.00300	1	07/17/2023 18:20	WG2091021
Sodium, Total Recoverable	5.02		5.00	1	07/17/2023 18:20	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:20	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:20	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 23:11	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 23:11	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 23:11	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 23:11	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 23:11	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 23:11	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 23:11	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 23:11	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 23:11	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 23:11	WG2091027
Zinc, Total Recoverable	0.0115	J	0.00500	1	07/11/2023 23:11	WG2091027

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 03:26	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 03:26	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 03:26	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 03:26	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 03:26	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 03:26	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 03:26	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 03:26	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 03:26	WG2091743
Acetone	ND		10.0	1	07/10/2023 03:26	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 03:26	WG2091743
Benzene	ND		1.00	1	07/10/2023 03:26	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Bromoform	ND		1.00	1	07/10/2023 03:26	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 03:26	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 03:26	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 03:26	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Chloroform	ND		1.00	1	07/10/2023 03:26	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 03:26	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/10/2023 03:26	WG2091743
Iodomethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Methylene Chloride	ND		1.07	1	07/10/2023 03:26	WG2091743
Styrene	ND		1.00	1	07/10/2023 03:26	WG2091743
Tetrachloroethene	ND		1.00	1	07/10/2023 03:26	WG2091743
Toluene	ND		1.00	1	07/10/2023 03:26	WG2091743
Trichloroethene	ND		1.00	1	07/10/2023 03:26	WG2091743
Trichlorofluoromethane	ND		1.00	1	07/10/2023 03:26	WG2091743
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 03:26	WG2091743
Vinyl chloride	ND		1.00	1	07/10/2023 03:26	WG2091743
Xylenes, Total	ND		1.00	1	07/10/2023 03:26	WG2091743
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:26	WG2091743
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:26	WG2091743
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:26	WG2091743
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:26	WG2091743
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 03:26	WG2091743
(S) 1,2-Dichloroethane-d4	104			70.0-130	07/10/2023 03:26	WG2091743
(S) 4-Bromofluorobenzene	89.6			77.0-126	07/10/2023 03:26	WG2091743
(S) Toluene-d8	91.3			80.0-120	07/10/2023 03:26	WG2091743

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.13	su
Specific Conductance (on site)	607	umhos/cm
Temperature (on-site)	17.5	Deg. C
Turbidity (on-site)	3.8	NTU
Dissolved Oxygen (on-site)	0.9	mg/l
eH/ORP (On Site)	193.1	mV
Depth to water (DTW) (FROM TOC)	47.32	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	350		10.0	1	07/11/2023 22:00	WG2092790

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	302		10.0	1	07/11/2023 15:34	WG2092179
Alkalinity,Bicarbonate	302		10.0	1	07/11/2023 15:34	WG2092179
Alkalinity,Carbonate	ND		10.0	1	07/11/2023 15:34	WG2092179

Sample Narrative:

L1632964-20 WG2092179: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/09/2023 12:25	WG2091549

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.41		0.100	1	07/10/2023 12:26	WG2091044

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	13.1		3.00	1	07/17/2023 16:40	WG2095721
Sulfate	ND		5.00	1	07/17/2023 16:40	WG2095721

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/19/2023 22:57	WG2097397

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/17/2023 18:23	WG2091021
Barium,Total Recoverable	0.0572		0.00500	1	07/17/2023 18:23	WG2091021
Calcium, Total Recoverable	114		0.200	1	07/17/2023 18:23	WG2091021
Iron, Total Recoverable	ND		0.0600	1	07/17/2023 18:23	WG2091021
Potassium, Total Recoverable	ND		3.00	1	07/17/2023 18:23	WG2091021

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.97		0.200	1	07/17/2023 18:23	WG2091021
Manganese, Total Recoverable	ND		0.00300	1	07/17/2023 18:23	WG2091021
Sodium, Total Recoverable	6.61		5.00	1	07/17/2023 18:23	WG2091021
Lead, Total Recoverable	ND		0.00500	1	07/17/2023 18:23	WG2091021
Selenium, Total Recoverable	ND		0.0100	1	07/17/2023 18:23	WG2091021

1 Cp

2 Tc

3 Ss

4 Cn

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/11/2023 23:14	WG2091027
Beryllium, Total Recoverable	ND		0.00100	1	07/11/2023 23:14	WG2091027
Cadmium, Total Recoverable	ND		0.00100	1	07/11/2023 23:14	WG2091027
Cobalt, Total Recoverable	ND		0.00300	1	07/11/2023 23:14	WG2091027
Chromium, Total Recoverable	ND		0.00300	1	07/11/2023 23:14	WG2091027
Copper, Total Recoverable	ND		0.00400	1	07/11/2023 23:14	WG2091027
Nickel, Total Recoverable	ND		0.00400	1	07/11/2023 23:14	WG2091027
Antimony, Total Recoverable	ND		0.00200	1	07/11/2023 23:14	WG2091027
Thallium, Total Recoverable	ND		0.00100	1	07/11/2023 23:14	WG2091027
Vanadium, Total Recoverable	ND		0.00300	1	07/11/2023 23:14	WG2091027
Zinc, Total Recoverable	0.00957	J	0.00500	1	07/11/2023 23:14	WG2091027

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,1,1-Trichloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,1,2-Trichloroethane	ND	J4	1.00	1	07/10/2023 03:45	WG2091743
1,1-Dichloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,1-Dichloroethene	ND		1.00	1	07/10/2023 03:45	WG2091743
1,2,3-Trichloropropane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/10/2023 03:45	WG2091743
1,2-Dibromoethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,2-Dichlorobenzene	ND		1.00	1	07/10/2023 03:45	WG2091743
1,2-Dichloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,2-Dichloropropane	ND		1.00	1	07/10/2023 03:45	WG2091743
1,4-Dichlorobenzene	ND		1.00	1	07/10/2023 03:45	WG2091743
2-Butanone (MEK)	ND		5.00	1	07/10/2023 03:45	WG2091743
2-Hexanone	ND		5.00	1	07/10/2023 03:45	WG2091743
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/10/2023 03:45	WG2091743
Acetone	ND		10.0	1	07/10/2023 03:45	WG2091743
Acrylonitrile	ND		20.0	1	07/10/2023 03:45	WG2091743
Benzene	ND		1.00	1	07/10/2023 03:45	WG2091743
Bromochloromethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Bromodichloromethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Bromoform	ND		1.00	1	07/10/2023 03:45	WG2091743
Bromomethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Carbon disulfide	ND		1.00	1	07/10/2023 03:45	WG2091743
Carbon tetrachloride	ND		1.00	1	07/10/2023 03:45	WG2091743
Chlorobenzene	ND		1.00	1	07/10/2023 03:45	WG2091743
Chloroethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Chloroform	ND		1.00	1	07/10/2023 03:45	WG2091743
Chloromethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Dibromochloromethane	ND		1.00	1	07/10/2023 03:45	WG2091743
Dibromomethane	ND	J4	1.00	1	07/10/2023 03:45	WG2091743

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch	
	ug/l		ug/l		date / time		
Ethylbenzene	ND		1.00	1	07/10/2023 03:45	WG2091743	¹ Cp
Iodomethane	ND		1.00	1	07/10/2023 03:45	WG2091743	² Tc
Methylene Chloride	ND		1.07	1	07/10/2023 03:45	WG2091743	
Styrene	ND		1.00	1	07/10/2023 03:45	WG2091743	³ Ss
Tetrachloroethene	ND		1.00	1	07/10/2023 03:45	WG2091743	
Toluene	ND		1.00	1	07/10/2023 03:45	WG2091743	⁴ Cn
Trichloroethene	ND		1.00	1	07/10/2023 03:45	WG2091743	
Trichlorofluoromethane	ND		1.00	1	07/10/2023 03:45	WG2091743	
Vinyl acetate	ND	<u>J3</u>	5.00	1	07/10/2023 03:45	WG2091743	⁵ Sr
Vinyl chloride	ND		1.00	1	07/10/2023 03:45	WG2091743	
Xylenes, Total	ND		1.00	1	07/10/2023 03:45	WG2091743	⁶ Qc
cis-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:45	WG2091743	
cis-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:45	WG2091743	
trans-1,2-Dichloroethene	ND		1.00	1	07/10/2023 03:45	WG2091743	⁷ Gl
trans-1,3-Dichloropropene	ND		1.00	1	07/10/2023 03:45	WG2091743	
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/10/2023 03:45	WG2091743	⁸ Al
(S) 1,2-Dichloroethane-d4	101			70.0-130	07/10/2023 03:45	WG2091743	
(S) 4-Bromofluorobenzene	89.5			77.0-126	07/10/2023 03:45	WG2091743	
(S) Toluene-d8	96.1			80.0-120	07/10/2023 03:45	WG2091743	⁹ Sc

Method Blank (MB)

(MB) R3948184-1 07/10/23 15:39

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

¹Cp

²Tc

³Ss

L1632936-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1632936-04 07/10/23 15:39 • (DUP) R3948184-3 07/10/23 15:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	455	458	1	0.657		5

⁴Cn

⁵Sr

L1632936-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1632936-05 07/10/23 15:39 • (DUP) R3948184-4 07/10/23 15:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	562	577	1	2.63		5

⁶Qc

⁷Gl

⁸Al

Laboratory Control Sample (LCS)

(LCS) R3948184-2 07/10/23 15:39

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8540	97.0	77.3-123	

⁹Sc

Method Blank (MB)

(MB) R3948400-1 07/10/23 16:20

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1632964-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-04 07/10/23 16:20 • (DUP) R3948400-3 07/10/23 16:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	294	300	1	2.02		5

4 Cn

5 Sr

6 Qc

L1632964-19 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-19 07/10/23 16:20 • (DUP) R3948400-4 07/10/23 16:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	286	286	1	0.000		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948400-2 07/10/23 16:20

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8530	96.9	77.3-123	

Method Blank (MB)

(MB) R3948715-1 07/12/23 10:44

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632357-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632357-01 07/12/23 10:44 • (DUP) R3948715-3 07/12/23 10:44

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	833	848	1	1.75		5

L1632465-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1632465-06 07/12/23 10:44 • (DUP) R3948715-4 07/12/23 10:44

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	450	446	1	0.893		5

Laboratory Control Sample (LCS)

(LCS) R3948715-2 07/12/23 10:44

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8470	96.3	77.3-123	

Method Blank (MB)

(MB) R3948638-1 07/11/23 22:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632954-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1632954-05 07/11/23 22:00 • (DUP) R3948638-3 07/11/23 22:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	506	524	1	3.50		5

L1632954-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1632954-06 07/11/23 22:00 • (DUP) R3948638-4 07/11/23 22:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	420	424	1	0.948		5

Laboratory Control Sample (LCS)

(LCS) R3948638-2 07/11/23 22:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8520	96.8	77.3-123	

Method Blank (MB)

(MB) R3948630-1 07/11/23 23:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1632954-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1632954-07 07/11/23 23:00 • (DUP) R3948630-3 07/11/23 23:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	795	765	1	3.76		5

4 Cn

5 Sr

L1632964-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-09 07/11/23 23:00 • (DUP) R3948630-4 07/11/23 23:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	358	363	1	1.39		5

6 Qc

7 Gl

8 Al

Laboratory Control Sample (LCS)

(LCS) R3948630-2 07/11/23 23:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8440	95.9	77.3-123	

9 Sc

Method Blank (MB)

(MB) R3948775-1 07/13/23 09:01

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

¹Cp

²Tc

³Ss

L1632814-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632814-01 07/13/23 09:01 • (DUP) R3948775-3 07/13/23 09:01

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	324	339	1	4.52		5

⁴Cn

⁵Sr

L1632815-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632815-01 07/13/23 09:01 • (DUP) R3948775-4 07/13/23 09:01

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	1680	1770	1	4.93		5

⁶Qc

⁷Gl

⁸Al

Laboratory Control Sample (LCS)

(LCS) R3948775-2 07/13/23 09:01

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8510	96.7	77.3-123	

⁹Sc

Method Blank (MB)

(MB) R3947200-2 07/11/23 09:23

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1632936-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632936-01 07/11/23 09:56 • (DUP) R3947200-3 07/11/23 10:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	230	229	1	0.306		20
Alkalinity,Bicarbonate	230	229	1	0.306		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1632964-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-07 07/11/23 11:43 • (DUP) R3947200-4 07/11/23 11:46

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	317	316	1	0.300		20
Alkalinity,Bicarbonate	317	316	1	0.300		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3947200-1 07/11/23 09:20

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	93.0	93.0	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947407-2 07/11/23 13:35

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1632964-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-08 07/11/23 14:05 • (DUP) R3947407-3 07/11/23 14:09

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	354	363	1	2.34		20
Alkalinity,Bicarbonate	354	363	1	2.34		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5

DUP: Endpoint pH 4.5

L1632964-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-20 07/11/23 15:34 • (DUP) R3947407-4 07/11/23 15:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Alkalinity	302	298	1	1.38		20
Alkalinity,Bicarbonate	302	298	1	1.38		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3947407-1 07/11/23 13:31

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	101	101	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3946329-1 07/08/23 22:56

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

L1632954-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1632954-04 07/08/23 23:09 • (DUP) R3946329-3 07/08/23 23:15

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1632964-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-05 07/08/23 23:41 • (DUP) R3946329-6 07/08/23 23:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3946329-2 07/08/23 22:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.20	96.0	90.0-110	

L1632954-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632954-04 07/08/23 23:09 • (MS) R3946329-4 07/08/23 23:17 • (MSD) R3946329-5 07/08/23 23:18

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	4.98	4.92	99.5	98.4	1	90.0-110			1.09	10

L1632964-05 Original Sample (OS) • Matrix Spike (MS)

(OS) L1632964-05 07/08/23 23:41 • (MS) R3946329-7 07/08/23 23:44

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.95	99.0	1	90.0-110	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3946397-1 07/09/23 11:40

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	0.0380		0.0317	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

L1632964-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-07 07/09/23 11:53 • (DUP) R3946397-5 07/09/23 11:55

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1632964-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-20 07/09/23 12:25 • (DUP) R3946397-7 07/09/23 12:27

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3946397-2 07/09/23 11:42

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.55	101	90.0-110	

L1632964-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-06 07/09/23 11:49 • (MS) R3946397-3 07/09/23 11:50 • (MSD) R3946397-4 07/09/23 11:52

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	5.08	5.18	102	104	1	90.0-110			2.07	10

L1632964-19 Original Sample (OS) • Matrix Spike (MS)

(OS) L1632964-19 07/09/23 12:18 • (MS) R3946397-6 07/09/23 12:19

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.84	96.8	1	90.0-110	

Method Blank (MB)

(MB) R3946598-1 07/10/23 11:46

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	ND		0.0197	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632964-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-03 07/10/23 11:52 • (DUP) R3946598-5 07/10/23 11:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	0.932	0.849	1	9.32		20

L1632964-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-12 07/10/23 12:10 • (DUP) R3946598-7 07/10/23 12:11

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	0.438	0.435	1	0.687		20

Laboratory Control Sample (LCS)

(LCS) R3946598-2 07/10/23 11:47

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.46	98.4	90.0-110	

L1632964-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-02 07/10/23 11:49 • (MS) R3946598-3 07/10/23 11:50 • (MSD) R3946598-4 07/10/23 11:51

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	ND	2.54	2.51	102	100	1	90.0-110			1.19	20

L1632964-11 Original Sample (OS) • Matrix Spike (MS)

(OS) L1632964-11 07/10/23 12:08 • (MS) R3946598-6 07/10/23 12:09

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	1.27	3.74	98.8	1	90.0-110	

Method Blank (MB)

(MB) R3949814-1 07/17/23 10:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	0.562	↓	0.0519	1.00
Sulfate	ND		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632951-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1632951-13 07/17/23 11:12 • (DUP) R3949814-3 07/17/23 11:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	185	185	1	0.00216		15
Sulfate	196	196	1	0.0202		15

L1632964-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-03 07/17/23 19:05 • (DUP) R3949814-6 07/17/23 19:22

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	20.4	20.4	1	0.00687		15
Sulfate	16.6	16.6	1	0.228		15

Laboratory Control Sample (LCS)

(LCS) R3949814-2 07/17/23 10:17

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	39.4	98.5	80.0-120	
Sulfate	40.0	39.2	97.9	80.0-120	

L1632951-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632951-13 07/17/23 11:12 • (MS) R3949814-4 07/17/23 11:45 • (MSD) R3949814-5 07/17/23 12:02

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50.0	185	227	227	84.7	83.3	1	80.0-120	E	E	0.315	15
Sulfate	50.0	196	239	237	85.3	81.5	1	80.0-120	E	E	0.802	15

L1632964-03 Original Sample (OS) • Matrix Spike (MS)

(OS) L1632964-03 07/17/23 19:05 • (MS) R3949814-7 07/17/23 19:39

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	20.4	70.5	100	1	80.0-120	
Sulfate	50.0	16.6	67.1	101	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3949695-1 07/17/23 09:46

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632964-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-04 07/17/23 12:50 • (DUP) R3949695-3 07/17/23 13:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	27.1	27.2	1	0.378		15
Sulfate	9.45	9.54	1	0.938		15

L1633035-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633035-02 07/17/23 17:00 • (DUP) R3949695-6 07/17/23 17:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	111	114	1	2.24		15
Sulfate	95.6	98.6	1	3.10		15

Laboratory Control Sample (LCS)

(LCS) R3949695-2 07/17/23 09:56

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	39.7	99.2	80.0-120	
Sulfate	40.0	41.0	103	80.0-120	

L1632964-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-04 07/17/23 12:50 • (MS) R3949695-4 07/17/23 13:10 • (MSD) R3949695-5 07/17/23 13:20

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50.0	27.1	75.0	74.7	95.8	95.0	1	80.0-120			0.519	15
Sulfate	50.0	9.45	58.5	58.4	98.1	97.9	1	80.0-120			0.146	15

L1633035-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633035-02 07/17/23 17:00 • (MS) R3949695-7 07/17/23 17:20

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	111	158	93.0	1	80.0-120	
Sulfate	50.0	95.6	146	101	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3950125-2 07/18/23 22:52

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	0.430	↓	0.102	1.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632954-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1632954-10 07/19/23 09:15 • (DUP) R3950125-7 07/19/23 09:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	ND	ND	1	0.000		20

L1632964-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-03 07/19/23 09:52 • (DUP) R3950125-8 07/19/23 10:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.91	1.78	1	7.16		20

Laboratory Control Sample (LCS)

(LCS) R3950125-1 07/18/23 22:40

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.4	97.7	85.0-115	

L1632487-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632487-01 07/19/23 02:14 • (MS) R3950125-3 07/19/23 02:35 • (MSD) R3950125-4 07/19/23 02:57

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	16.6	41.5	42.6	99.7	104	1	80.0-120			2.57	20

L1632902-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632902-07 07/19/23 05:04 • (MS) R3950125-5 07/19/23 05:22 • (MSD) R3950125-6 07/19/23 05:39

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	1.42	25.9	26.5	97.8	100	1	80.0-120			2.25	20

Method Blank (MB)

(MB) R3950509-2 07/19/23 14:17

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	0.444	↓	0.102	1.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632964-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-05 07/19/23 17:23 • (DUP) R3950509-5 07/19/23 17:35

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.01	ND	1	22.0	P1	20

L1632964-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1632964-11 07/19/23 20:12 • (DUP) R3950509-8 07/19/23 20:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.19	1.10	1	8.20		20

Laboratory Control Sample (LCS)

(LCS) R3950509-1 07/19/23 14:05

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.5	97.9	85.0-115	

L1632964-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-04 07/19/23 16:25 • (MS) R3950509-3 07/19/23 16:48 • (MSD) R3950509-4 07/19/23 17:10

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	1.84	25.8	25.7	95.6	95.3	1	80.0-120			0.350	20

L1632964-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-10 07/19/23 19:16 • (MS) R3950509-6 07/19/23 19:37 • (MSD) R3950509-7 07/19/23 19:59

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	2.06	26.0	26.0	95.7	95.8	1	80.0-120			0.154	20

Method Blank (MB)

(MB) R3949566-1 07/17/23 17:11

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver, Total Recoverable	ND		0.00280	0.00500
Barium, Total Recoverable	ND	J	0.00170	0.00500
Calcium, Total Recoverable	0.0499		0.0463	1.00
Iron, Total Recoverable	ND		0.0141	0.100
Potassium, Total Recoverable	ND		0.102	1.00
Magnesium, Total Recoverable	ND		0.0111	1.00
Manganese, Total Recoverable	ND		0.00120	0.0100
Sodium, Total Recoverable	0.120		0.0111	1.00
Lead, Total Recoverable	0.00204		0.00190	0.00500
Selenium, Total Recoverable	ND		0.00740	0.0100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3949566-2 07/17/23 17:13

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver, Total Recoverable	0.200	0.205	103	80.0-120	
Barium, Total Recoverable	1.00	1.02	102	80.0-120	
Calcium, Total Recoverable	10.0	9.65	96.5	80.0-120	
Iron, Total Recoverable	10.0	9.60	96.0	80.0-120	
Potassium, Total Recoverable	10.0	9.37	93.7	80.0-120	
Magnesium, Total Recoverable	10.0	9.43	94.3	80.0-120	
Manganese, Total Recoverable	1.00	0.988	98.8	80.0-120	
Sodium, Total Recoverable	10.0	10.1	101	80.0-120	
Lead, Total Recoverable	1.00	0.952	95.2	80.0-120	
Selenium, Total Recoverable	1.00	1.01	101	80.0-120	

L1632964-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-03 07/17/23 17:16 • (MS) R3949566-4 07/17/23 17:21 • (MSD) R3949566-5 07/17/23 17:24

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver, Total Recoverable	0.200	ND	0.205	0.202	102	101	1	75.0-125			1.41	20
Barium, Total Recoverable	1.00	0.0201	1.03	1.02	101	99.7	1	75.0-125			1.38	20
Calcium, Total Recoverable	10.0	62.2	70.5	70.2	82.6	79.2	1	75.0-125			0.484	20
Iron, Total Recoverable	10.0	ND	9.50	9.40	95.0	94.0	1	75.0-125			1.07	20
Potassium, Total Recoverable	10.0	3.99	13.4	13.3	93.6	93.0	1	75.0-125			0.413	20
Magnesium, Total Recoverable	10.0	4.81	14.0	14.0	91.7	91.6	1	75.0-125			0.111	20
Manganese, Total Recoverable	1.00	0.0307	1.02	1.01	98.8	97.7	1	75.0-125			1.06	20

L1632964-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-03 07/17/23 17:16 • (MS) R3949566-4 07/17/23 17:21 • (MSD) R3949566-5 07/17/23 17:24

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium, Total Recoverable	10.0	21.7	30.3	30.3	86.0	86.2	1	75.0-125			0.0521	20
Lead, Total Recoverable	1.00	ND	0.949	0.941	94.4	93.6	1	75.0-125			0.869	20
Selenium, Total Recoverable	1.00	ND	1.04	1.01	104	101	1	75.0-125			2.75	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3947361-1 07/11/23 21:40

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic, Total Recoverable	ND		0.000250	0.00200
Beryllium, Total Recoverable	ND		0.000120	0.00200
Cadmium, Total Recoverable	ND		0.000160	0.00100
Cobalt, Total Recoverable	ND		0.000260	0.00200
Chromium, Total Recoverable	0.000709		0.000540	0.00200
Copper, Total Recoverable	ND		0.000520	0.00500
Nickel, Total Recoverable	ND		0.000350	0.00200
Antimony, Total Recoverable	ND		0.000754	0.00200
Thallium, Total Recoverable	ND		0.000190	0.00200
Vanadium, Total Recoverable	ND		0.000180	0.00500
Zinc, Total Recoverable	ND		0.00256	0.0250

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3947361-2 07/11/23 21:43

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic, Total Recoverable	0.0500	0.0540	108	80.0-120	
Beryllium, Total Recoverable	0.0500	0.0523	105	80.0-120	
Cadmium, Total Recoverable	0.0500	0.0512	102	80.0-120	
Cobalt, Total Recoverable	0.0500	0.0532	106	80.0-120	
Chromium, Total Recoverable	0.0500	0.0530	106	80.0-120	
Copper, Total Recoverable	0.0500	0.0532	106	80.0-120	
Nickel, Total Recoverable	0.0500	0.0519	104	80.0-120	
Antimony, Total Recoverable	0.0500	0.0507	101	80.0-120	
Thallium, Total Recoverable	0.0500	0.0507	101	80.0-120	
Vanadium, Total Recoverable	0.0500	0.0529	106	80.0-120	
Zinc, Total Recoverable	0.0500	0.0519	104	80.0-120	

L1632964-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-02 07/11/23 21:47 • (MS) R3947361-4 07/11/23 21:53 • (MSD) R3947361-5 07/11/23 21:57

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic, Total Recoverable	0.0500	ND	0.0527	0.0535	105	107	1	75.0-125			1.51	20
Beryllium, Total Recoverable	0.0500	ND	0.0506	0.0507	101	101	1	75.0-125			0.0960	20
Cadmium, Total Recoverable	0.0500	ND	0.0521	0.0517	104	103	1	75.0-125			0.693	20
Cobalt, Total Recoverable	0.0500	ND	0.0523	0.0529	105	106	1	75.0-125			1.13	20
Chromium, Total Recoverable	0.0500	ND	0.0519	0.0530	104	106	1	75.0-125			2.04	20

L1632964-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632964-02 07/11/23 21:47 • (MS) R3947361-4 07/11/23 21:53 • (MSD) R3947361-5 07/11/23 21:57

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper, Total Recoverable	0.0500	ND	0.0509	0.0514	102	103	1	75.0-125			0.984	20
Nickel, Total Recoverable	0.0500	ND	0.0515	0.0521	103	104	1	75.0-125			1.20	20
Antimony, Total Recoverable	0.0500	ND	0.0505	0.0500	101	100	1	75.0-125			1.00	20
Thallium, Total Recoverable	0.0500	ND	0.0487	0.0491	96.6	97.5	1	75.0-125			0.951	20
Vanadium, Total Recoverable	0.0500	ND	0.0516	0.0524	103	105	1	75.0-125			1.43	20
Zinc, Total Recoverable	0.0500	ND	0.0520	0.0523	104	105	1	75.0-125			0.555	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3947881-1 07/09/23 17:14

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	0.116	U	0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3947881-1 07/09/23 17:14

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	112			70.0-130
(S) 4-Bromofluorobenzene	101			77.0-126
(S) Toluene-d8	114			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3947881-2 07/09/23 17:56

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
1,1,1,2-Tetrachloroethane	5.00	5.26	105	75.0-125	
1,1,1-Trichloroethane	5.00	4.37	87.4	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	4.63	92.6	65.0-130	
1,1,2-Trichloroethane	5.00	5.69	114	80.0-120	
1,1-Dichloroethane	5.00	5.58	112	70.0-126	
1,1-Dichloroethene	5.00	5.42	108	71.0-124	
1,2,3-Trichloropropane	5.00	4.80	96.0	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	3.24	64.8	58.0-134	
1,2-Dibromoethane	5.00	5.50	110	80.0-122	
1,2-Dichlorobenzene	5.00	4.91	98.2	79.0-121	
1,2-Dichloroethane	5.00	5.30	106	70.0-128	
1,2-Dichloropropane	5.00	5.55	111	77.0-125	
1,4-Dichlorobenzene	5.00	5.15	103	79.0-120	
2-Butanone (MEK)	25.0	27.7	111	44.0-160	
2-Hexanone	25.0	37.7	151	67.0-149	J4
4-Methyl-2-pentanone (MIBK)	25.0	30.1	120	68.0-142	
Acetone	25.0	15.2	60.8	19.0-160	
Acrylonitrile	25.0	28.2	113	55.0-149	
Benzene	5.00	4.71	94.2	70.0-123	
Bromochloromethane	5.00	5.30	106	76.0-122	
Bromodichloromethane	5.00	4.47	89.4	75.0-120	
Bromoform	5.00	5.33	107	68.0-132	
Bromomethane	5.00	4.12	82.4	10.0-160	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3947881-2 07/09/23 17:56

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Carbon disulfide	5.00	4.02	80.4	61.0-128	
Carbon tetrachloride	5.00	4.22	84.4	68.0-126	
Chlorobenzene	5.00	5.42	108	80.0-121	
Chloroethane	5.00	5.03	101	47.0-150	
Chloroform	5.00	4.60	92.0	73.0-120	
Chloromethane	5.00	5.59	112	41.0-142	
Dibromochloromethane	5.00	5.48	110	77.0-125	
Dibromomethane	5.00	4.75	95.0	80.0-120	
Ethylbenzene	5.00	5.49	110	79.0-123	
Iodomethane	25.0	22.2	88.8	33.0-147	
Methylene Chloride	5.00	4.44	88.8	67.0-120	
Styrene	5.00	5.05	101	73.0-130	
Tetrachloroethene	5.00	6.19	124	72.0-132	
Toluene	5.00	5.27	105	79.0-120	
Trichloroethene	5.00	5.47	109	78.0-124	
Trichlorofluoromethane	5.00	4.05	81.0	59.0-147	
Vinyl acetate	25.0	27.7	111	11.0-160	
Vinyl chloride	5.00	5.00	100	67.0-131	
Xylenes, Total	15.0	15.7	105	79.0-123	
cis-1,2-Dichloroethene	5.00	4.45	89.0	73.0-120	
cis-1,3-Dichloropropene	5.00	5.16	103	80.0-123	
trans-1,2-Dichloroethene	5.00	4.59	91.8	73.0-120	
trans-1,3-Dichloropropene	5.00	5.54	111	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	4.70	94.0	33.0-144	
(S) 1,2-Dichloroethane-d4			113	70.0-130	
(S) 4-Bromofluorobenzene			97.8	77.0-126	
(S) Toluene-d8			114	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3946635-3 07/09/23 22:37

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3946635-3 07/09/23 22:37

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	96.8			70.0-130
(S) 4-Bromofluorobenzene	92.8			77.0-126
(S) Toluene-d8	96.8			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3946635-1 07/09/23 21:38 • (LCSD) R3946635-2 07/09/23 21:57

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
1,1,1,2-Tetrachloroethane	5.00	5.69	4.99	114	99.8	75.0-125			13.1	20
1,1,1-Trichloroethane	5.00	5.87	5.33	117	107	73.0-124			9.64	20
1,1,2,2-Tetrachloroethane	5.00	6.41	5.58	128	112	65.0-130			13.8	20
1,1,2-Trichloroethane	5.00	6.26	5.49	125	110	80.0-120	J4		13.1	20
1,1-Dichloroethane	5.00	5.53	5.12	111	102	70.0-126			7.70	20
1,1-Dichloroethene	5.00	5.62	5.14	112	103	71.0-124			8.92	20
1,2,3-Trichloropropane	5.00	5.96	5.52	119	110	73.0-130			7.67	20
1,2-Dibromo-3-Chloropropane	5.00	4.64	4.43	92.8	88.6	58.0-134			4.63	20
1,2-Dibromoethane	5.00	6.00	5.29	120	106	80.0-122			12.6	20
1,2-Dichlorobenzene	5.00	5.95	5.55	119	111	79.0-121			6.96	20
1,2-Dichloroethane	5.00	5.61	5.03	112	101	70.0-128			10.9	20
1,2-Dichloropropane	5.00	5.97	5.34	119	107	77.0-125			11.1	20
1,4-Dichlorobenzene	5.00	5.94	5.31	119	106	79.0-120			11.2	20
2-Butanone (MEK)	25.0	25.4	23.2	102	92.8	44.0-160			9.05	20
2-Hexanone	25.0	35.5	29.9	142	120	67.0-149			17.1	20
4-Methyl-2-pentanone (MIBK)	25.0	27.0	24.0	108	96.0	68.0-142			11.8	20
Acetone	25.0	24.3	21.0	97.2	84.0	19.0-160			14.6	27
Acrylonitrile	25.0	26.9	24.9	108	99.6	55.0-149			7.72	20
Benzene	5.00	5.49	4.99	110	99.8	70.0-123			9.54	20
Bromochloromethane	5.00	5.49	4.84	110	96.8	76.0-122			12.6	20
Bromodichloromethane	5.00	5.65	5.33	113	107	75.0-120			5.83	20
Bromoform	5.00	5.07	4.70	101	94.0	68.0-132			7.57	20
Bromomethane	5.00	7.68	7.70	154	154	10.0-160			0.260	25

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3946635-1 07/09/23 21:38 • (LCSD) R3946635-2 07/09/23 21:57

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Carbon disulfide	5.00	4.75	4.72	95.0	94.4	61.0-128			0.634	20
Carbon tetrachloride	5.00	5.69	5.32	114	106	68.0-126			6.72	20
Chlorobenzene	5.00	6.02	5.48	120	110	80.0-121			9.39	20
Chloroethane	5.00	5.55	6.14	111	123	47.0-150			10.1	20
Chloroform	5.00	5.21	4.80	104	96.0	73.0-120			8.19	20
Chloromethane	5.00	3.90	3.72	78.0	74.4	41.0-142			4.72	20
Dibromochloromethane	5.00	5.93	5.05	119	101	77.0-125			16.0	20
Dibromomethane	5.00	6.17	5.34	123	107	80.0-120	J4		14.4	20
Ethylbenzene	5.00	5.74	5.15	115	103	79.0-123			10.8	20
Iodomethane	25.0	27.0	25.5	108	102	33.0-147			5.71	26
Methylene Chloride	5.00	5.09	4.75	102	95.0	67.0-120			6.91	20
Styrene	5.00	4.87	4.37	97.4	87.4	73.0-130			10.8	20
Tetrachloroethene	5.00	5.25	5.00	105	100	72.0-132			4.88	20
Toluene	5.00	5.53	5.04	111	101	79.0-120			9.27	20
Trichloroethene	5.00	5.09	4.55	102	91.0	78.0-124			11.2	20
Trichlorofluoromethane	5.00	4.85	4.37	97.0	87.4	59.0-147			10.4	20
Vinyl acetate	25.0	27.5	21.7	110	86.8	11.0-160		J3	23.6	20
Vinyl chloride	5.00	5.65	5.24	113	105	67.0-131			7.53	20
Xylenes, Total	15.0	17.3	15.3	115	102	79.0-123			12.3	20
cis-1,2-Dichloroethene	5.00	5.48	4.99	110	99.8	73.0-120			9.36	20
cis-1,3-Dichloropropene	5.00	5.15	4.69	103	93.8	80.0-123			9.35	20
trans-1,2-Dichloroethene	5.00	5.29	5.06	106	101	73.0-120			4.44	20
trans-1,3-Dichloropropene	5.00	6.19	5.50	124	110	78.0-124			11.8	20
trans-1,4-Dichloro-2-butene	5.00	3.26	3.07	65.2	61.4	33.0-144			6.00	20
(S) 1,2-Dichloroethane-d4				95.2	91.3	70.0-130				
(S) 4-Bromofluorobenzene				99.9	96.9	77.0-126				
(S) Toluene-d8				95.5	95.1	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633148-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633148-04 07/10/23 06:03 • (MS) R3946635-4 07/10/23 06:23 • (MSD) R3946635-5 07/10/23 06:42

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5000	ND	5380	4960	108	99.2	1000	36.0-151			8.12	29
1,1,1-Trichloroethane	5000	ND	6190	5240	124	105	1000	23.0-160			16.6	28
1,1,2,2-Tetrachloroethane	5000	ND	7450	7010	149	140	1000	33.0-150			6.09	28
1,1,2-Trichloroethane	5000	ND	6300	6320	126	126	1000	35.0-147			0.317	27
1,1-Dichloroethane	5000	ND	5690	5150	114	103	1000	25.0-158			9.96	27
1,1-Dichloroethene	5000	ND	5970	5240	119	105	1000	11.0-160			13.0	29

L1633148-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633148-04 07/10/23 06:03 • (MS) R3946635-4 07/10/23 06:23 • (MSD) R3946635-5 07/10/23 06:42

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,2,3-Trichloropropane	5000	ND	6660	6030	133	121	1000	34.0-151			9.93	29
1,2-Dibromo-3-Chloropropane	5000	ND	5360	5170	107	103	1000	22.0-151			3.61	34
1,2-Dibromoethane	5000	ND	5980	5850	120	117	1000	34.0-147			2.20	27
1,2-Dichlorobenzene	5000	ND	6150	5730	123	115	1000	34.0-149			7.07	28
1,2-Dichloroethane	5000	ND	6250	5840	125	117	1000	29.0-151			6.78	27
1,2-Dichloropropane	5000	ND	6290	5930	126	119	1000	30.0-156			5.89	27
1,4-Dichlorobenzene	5000	ND	5850	5380	117	108	1000	35.0-142			8.37	27
2-Butanone (MEK)	25000	ND	27700	28700	111	115	1000	10.0-160			3.55	32
2-Hexanone	25000	ND	34800	37000	139	148	1000	21.0-160			6.13	29
4-Methyl-2-pentanone (MIBK)	25000	ND	28500	28800	114	115	1000	29.0-160			1.05	29
Acetone	25000	ND	26200	25000	105	100	1000	10.0-160			4.69	35
Acrylonitrile	25000	ND	30900	29600	124	118	1000	21.0-160			4.30	32
Benzene	5000	ND	5730	5200	115	104	1000	17.0-158			9.70	27
Bromochloromethane	5000	ND	5470	4910	109	98.2	1000	38.0-142			10.8	26
Bromodichloromethane	5000	ND	6350	6080	127	122	1000	31.0-150			4.34	27
Bromoform	5000	ND	5090	5120	102	102	1000	29.0-150			0.588	29
Bromomethane	5000	ND	8980	8050	180	161	1000	10.0-160	J5	J5	10.9	38
Carbon disulfide	5000	ND	4670	3890	93.4	77.8	1000	10.0-156			18.2	28
Carbon tetrachloride	5000	ND	6200	5200	124	104	1000	23.0-159			17.5	28
Chlorobenzene	5000	ND	5970	5470	119	109	1000	33.0-152			8.74	27
Chloroethane	5000	ND	6460	6100	129	122	1000	10.0-160			5.73	30
Chloroform	5000	ND	5500	4940	110	98.8	1000	29.0-154			10.7	28
Chloromethane	5000	ND	6630	5630	133	113	1000	10.0-160			16.3	29
Dibromochloromethane	5000	ND	5780	5710	116	114	1000	37.0-149			1.22	27
Dibromomethane	5000	ND	6850	6440	137	129	1000	30.0-151			6.17	27
Ethylbenzene	5000	ND	5570	5050	111	101	1000	30.0-155			9.79	27
Iodomethane	25000	ND	26000	22900	104	91.6	1000	10.0-160			12.7	40
Methylene Chloride	5000	ND	5070	4730	101	94.6	1000	23.0-144			6.94	28
Styrene	5000	ND	4650	4450	93.0	89.0	1000	33.0-155			4.40	28
Tetrachloroethene	5000	ND	4750	4270	95.0	85.4	1000	10.0-160			10.6	27
Toluene	5000	ND	5500	5070	110	101	1000	26.0-154			8.14	28
Trichloroethene	5000	8370	13500	12400	103	80.6	1000	10.0-160			8.49	25
Trichlorofluoromethane	5000	ND	4980	4360	99.6	87.2	1000	17.0-160			13.3	31
Vinyl acetate	25000	ND	35600	35000	142	140	1000	12.0-160			1.70	31
Vinyl chloride	5000	1830	8530	7270	134	109	1000	10.0-160			15.9	27
Xylenes, Total	15000	ND	16500	14900	110	99.3	1000	29.0-154			10.2	28
cis-1,2-Dichloroethene	5000	12600	18700	17900	122	106	1000	10.0-160			4.37	27
cis-1,3-Dichloropropene	5000	ND	5600	5300	112	106	1000	34.0-149			5.50	28
trans-1,2-Dichloroethene	5000	ND	5340	4540	107	90.8	1000	17.0-153			16.2	27
trans-1,3-Dichloropropene	5000	ND	6360	6240	127	125	1000	32.0-149			1.90	28

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633148-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633148-04 07/10/23 06:03 • (MS) R3946635-4 07/10/23 06:23 • (MSD) R3946635-5 07/10/23 06:42

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
trans-1,4-Dichloro-2-butene	5000	ND	3680	3620	73.6	72.4	1000	10.0-157			1.64	37
(S) 1,2-Dichloroethane-d4					100	102		70.0-130				
(S) 4-Bromofluorobenzene					94.4	95.1		77.0-126				
(S) Toluene-d8					93.4	91.3		80.0-120				

Sample Narrative:

OS: Target compounds too high to run at a lower dilution.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
O1	The analyte failed the method required serial dilution test and/or subsequent post-spike criteria. These failures indicate matrix interference.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Company Name/Address:

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Report to:
Jodi Reynolds

Project Description:
Eco-Vista - GW-July

Phone: 501-993-8966

Client Project #
200

Lab Project #
WMECOVISAR-00019

Collected by (print):
Chris Fincher

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

No. of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

TRIP BLANK		GW				3
FB	Grab	GW	N/A	7.5.23	0830	8
NE-1		GW	49.90	7.5.23	0940	8
NE-2		GW	21.95	7.5.23	1130	8
NE-4		GW	64.85	7.5.23	0835	8
NE-5		GW	72.20	7.6.23	0920	8
NE-5E		GW	68.75	7.6.23	1020	8
NE-5W		GW	74.30	7.6.23	0835	3
NE-6		GW	39.35	7.6.23	1200	8
NE-6D		GW	34.55	7.6.23	1110	8

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking #

Relinquished by: (Signature)

Date: 7.6.23
Time: 1700

Received by: (Signature)

Trip Blank Received: Yes/No
3 HCL MeOH
TBR

Relinquished by: (Signature)

Date:
Time:
Temp: °C

Received by: (Signature)

Bottles Received: 152

Relinquished by: (Signature)

Date:
Time:
Received for lab by: (Signature)

Received for lab by: (Signature)

Date: 7/7/23
Time: 900

If preservation required by Login: Date/Time

Hold:

Condition:
NCP /

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative

ALK, CHLORIDE, SULFA 250mlHDPE-NoPres

CHLORIDE 125mlHDPE-NoPres

Metals 250mlHDPE-HNO3

NH3 250mlHDPE-H2SO4

NH3,NO2NO3 250mlHDPE-H2SO4

TDS 1L-HDPE NoPres

TOC 250mlHDPE-HCl

V8260LL 40mlAmb-HCl

V8260LL TB 40mlAmb-HCl-Bik

PH-10BDH4321 TRC-2142-141
CR6-2022 1V

Chain of Custody Page 1 of 2



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # L1632964
D230

Acctnum: WMECOVISAR

Template: T211193

Prelogin: P1006574

PM: 616 - Stacy Kennedy

PB:

Shipped Via: FedEX Ground

Remarks | Sample # (lab only)

-01
-02
-03
-04
-05
-06
-07
-08
-09
-10

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Company Name/Address:
Eco-Vista (Tontitown)LF
 88 Joyce Lane
 Russellville, AR 72801

Billing Information:
 jreyno10@wm.com
 P.O. Box 4745
 WM A/P DEPARTMENT
 Portland, OR 97208-4745

Report to:
Jodi Reynolds

Email To:
 ciara.childrens.beavers@jettenviro.com;jeffholm

Project Description:
Eco-Vista - GW-July

City/State Collected:

Please Circle:
 PT MT CT ET

Phone: **501-993-8966**

Client Project #
200

Lab Project #
WMCOVISAR-00019

Collected by (print):
Chris Finlar

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]
 Immediately
 Packed on Ice N Y X

Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day

Quote #
 Date Results Needed

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

NE-7	Grab	GW	61.45	7.6.23	1300	8
NE-8		GW	13.85	7.5.23	1625	8
NE-9		GW	11.95	7.5.23	1050	8
NE-10D <i>Wildcat Creek SW</i>		GW	N/A	7.6.23	1530	8
NE-11		GW	49.55	7.6.23	1345	8
NE-12		GW	59.40	7.5.23	1430	8
NE-13 <i>Dup 2</i>		GW	77.77	7.5.23	0700	8
NE-14D		GW	17.75	7.5.23	1225	8
NE-14S		GW	19.65	7.5.23	1250	8
NE-15D		GW	48.00	7.6.23	1430	8

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:
 pH _____ Temp _____
 Flow _____ Other _____
 Samples returned via:
 ___ UPS ___ FedEx ___ Courier _____ Tracking # _____

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <u> </u> Y <u> </u> N <u> </u>
COC Signed/Accurate:	Y <u> </u> N <u> </u>
Bottles arrive intact:	Y <u> </u> N <u> </u>
Correct bottles used:	Y <u> </u> N <u> </u>
Sufficient volume sent:	Y <u> </u> N <u> </u>
If Applicable	
VOA Zero Headspace:	Y <u> </u> N <u> </u>
Preservation Correct/Checked:	Y <u> </u> N <u> </u>
RAD Screen <0.5 mR/hr:	Y <u> </u> N <u> </u>

Relinquished by: (Signature) <i>[Signature]</i>	Date: 7.6.23	Time: 1700	Received by: (Signature) <i>[Signature]</i>	Trip Blank Received: Yes <u> </u> No <u> </u> 3 (HCL) MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received: 152
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>Kayal J</i>	Date: 7/7/23 Time: 900

Analysis / Container / Preservative	ALK, CHLORIDE, SULFA 250mlHDPE-NoPres	CHLORIDE 125mlHDPE-NoPres	Metals 250mlHDPE-HNO3	NH3 250mlHDPE-H2SO4	NH3,NO2NO3 250mlHDPE-H2SO4	TDS 1L-HDPE NoPres	TOC 250mlHDPE-HCl	V8260LL 40mlAmb-HCl	V8260LL TB 40mlAmb-HCl-Bik
Pres Chk									



MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **L1632964**
 Table #
 Acctnum: **WMCOVISAR**
 Template: **T211193**
 Prelogin: **P1006574**
 PM: **616 - Stacy Kennedy**
 PB:
 Shipped Via: **FedEX Ground**

Remarks	Sample # (lab only)
	-11
	-12
	-13
	-14
	-15
	-16
	-17
	-18
	-19
	-20

Condition:
 NCF OK

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: ME-1
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1637964

PURGE INFO
 PURGE DATE: 07/05/23 PURGE TIME: 09:10 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 µ or µ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 4692 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:15	250 1 st	7.49	540	16.6	4.0	2.4	184.5	49.25
09:20	250 2 nd	6.85	483	16.6	3.7	3.5	183.5	49.50
09:25	250 3 rd	6.46	467	16.7	7.5	6.0	181.9	49.75
09:30	250 4 th	6.39	472	16.6	6.8	5.8	181.7	49.80
09:35	250	6.33	480	16.6	5.9	5.1	182.1	49.85
09:40	250	6.29	489	16.6	5.1	4.7	182.7	49.90

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
07/05/23	6.29	489	16.6	5.1	4.7	182.7	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 5, 23 C. Fincher
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: ME-2
 Sample Point: ME-2
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11632964

PURGE INFO
 PURGE DATE: 070523 (MM DD YY)
 PURGE TIME: 11:10 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: B A- Submersible Pump D-Bailer
 Sampling Device: B B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 21.88 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PRC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>11:15</u>	<u>225</u> 1 st	<u>5.52</u> 1 st	<u>549</u>	<u>18.8</u>	<u>4.0</u>	<u>2.5</u>	<u>194.3</u>
	<u>11:20</u>	<u>225</u> 2 nd	<u>5.46</u> 2 nd	<u>558</u>	<u>16.9</u>	<u>5.1</u>	<u>2.3</u>	<u>193.4</u>	<u>21.95</u>
	<u>11:25</u>	<u>225</u> 3 rd	<u>5.41</u> 3 rd	<u>541</u>	<u>17.0</u>	<u>3.9</u>	<u>2.5</u>	<u>193.2</u>	<u>21.95</u>
	<u>11:30</u>	<u>225</u> 4 th	<u>5.42</u> 4 th	<u>537</u>	<u>16.7</u>	<u>3.8</u>	<u>2.6</u>	<u>193.7</u>	<u>21.95</u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA	SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
	<u>070523</u>	<u>5.42</u>	<u>537</u>	<u>16.7</u>	<u>3.8</u>	<u>2.6</u>	<u>193.7</u>	<u> </u>

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.5.23 C. Fincher [Signature] Perms
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-4
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO: 070523 | 0805 | | | |
 PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLs PURGED
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGING AND SAMPLING EQUIPMENT: Purging and Sampling Equipment ... Dedicated: or N | Filter Device: Y or N | 0.45 μ or μ (circle or fill in)
 Purging Device: C | A- Submersible Pump | D-Bailer | Filter Type: | A-In-line Disposable | C-Vacuum
 Sampling Device: C | B-Peristaltic Pump | E-Piston Pump | B-Pressure | X-Other:
 X-Other: | Sample Tube Type: D | A-Teflon | C-PVC | X-Other:
 B-Stainless Steel | D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 6475 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ hos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:10	225 1 st	7.30	555	18.2	9.0	9.8	195.1	64.85
08:15	225 2 nd	6.15	372	18.1	7.5	7.6	191.6	64.85
08:20	225 3 rd	5.93	383	18.2	5.1	8.4	195.1	64.85
08:25	225 4 th	5.87	425	18.4	6.7	8.1	197.2	64.85
08:30	225	5.83	455	18.7	6.0	7.9	198.6	64.85
08:35	225	5.83	481	18.8	6.1	7.8	199.7	64.85

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2 | Conductance +/- 3% | Temp. - | Turbidity - | D.O. +/- 10% | eH/ORP +/- 25 mV | DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 07 23 | pH (std) | CONDUCTANCE (μ hos/cm @ 25°C) | TEMP. (°C) | TURBIDITY (ntu) | DO (mg/L-ppm) | eH/ORP (mV) | Other: Units
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): Cloudy | Direction/Speed: S @ 5-10 mph | Outlook: 80s | Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS: 64.85' = Approx. Top of Pump.
FB @ 0830

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 5, 23 | C. Fincher | [Signature] | Proamus
 Date | Name | Signature | Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-5
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE (MM DD YY): 07/06/23
 PURGE TIME (2400 Hr Clock): 08:55
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 69.53 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: Pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:00	200 1 st	6.49	444	16.7	151	8.0	186.0	70.85
09:05	200 2 nd	6.11	620	16.6	133	2.9	195.4	71.30
09:10	200 3 rd	5.98	627	16.6	88.7	0.8	195.0	71.95
09:15	200 4 th	5.94	625	16.5	37.5	0.6	195.4	72.10
09:20	200	5.91	627	16.5	19.8	0.6	196.0	72.20

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/06/23 pH (std): 5.91 CONDUCTANCE (umhos/cm @ 25°C): 627 TEMP. (°C): 16.5 TURBIDITY (ntu): 9.8 DO (mg/L-ppm): 0.6 eH/ORP (mV): 196.0 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Cloudy Direction/Speed: Caln Outlook: Rain, 80s Precipitation: or N
 Specific Comments (including purge/well volume calculations if required): light rain

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 6, 23 C. Fincher [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-SF
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE: 07/06/23 PURGE TIME: 09:35 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N, 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 6688 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:40	200	5.95	573	19.0	67.8	4.8	186.6	67.50
09:45	225	6.12	620	18.4	36.89	4.9	190.8	67.95
09:50	250	6.12	684	18.2	29.91	4.0	194.9	68.45
09:55	250	5.98	682	18.5	14.25	2.1	199.0	68.55
10:00	250	5.96	681	18.2	9.31	1.2	199.7	68.65
10:05	250	6.02	678	18.2	7.16	1.0	197.9	68.75
10:10	250	5.97	681	18.0	5.05	0.9	200.3	68.75
10:15	250	5.93	687	18.6	2.33	0.9	199.9	68.75
10:20	250	5.96	689	18.2	1.05	0.9	199.8	68.75

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 07/06/23 pH (std): 5.96 CONDUCTANCE (umhos/cm @ 25°C): 689 TEMP. (°C): 18.2 TURBIDITY (ntu): 1.05 DO (mg/L-ppm): 0.9 eH/ORP (mV): 199.8 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).
 Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Orange Flakes during Purge

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.6.23 C. Fisher [Signature] [Signature]
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-5W
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11632964

PURGE INFO
 PURGE DATE (MM DD YY): 070623
 PURGE TIME (2400 Hr Clock): 08:00
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ "Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged". Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 7092 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:05	275 1 st	6.14 1 st	555	17.6	318.7	16.7	210.1	72.30
08:10	275 2 nd	5.90 2 nd	704	17.4	149.6	3.3	204.7	72.95
08:15	275 3 rd	5.84 3 rd	706	17.3	105.7	1.2	203.3	73.15
08:20	275 4 th	5.88 4 th	701	17.4	54.4	1.0	199.9	73.65
08:25	275	5.88	703	17.5	33.7	0.8	199.9	74.00
08:30	275	5.93	705	17.2	25.6	0.8	199.7	74.15
08:35	275	5.95	704	17.1	10.7	0.7	199.6	74.30

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize
Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623
 pH (std): 5.95
 CONDUCTANCE (umhos/cm @ 25°C): 704
 TEMP. (°C): 17.1
 TURBIDITY (ntu): 10.7
 DO (mg/L-ppm): 0.7
 eH/ORP (mV): 199.6
 Other: Units:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Cloudy Direction/Speed: Calm Outlook: Rainy Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
* Orange flakes during initial purge...

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 6, 23 C. Fisher [Signature] Provus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-6
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE (MM DD YY): 070623 PURGE TIME (2400 Hr Clock): 11:20 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 3010 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
11:25	200 1 st	5.85	691	15.9	35	0.6	185.1	32.10
11:30	225 2 nd	5.95	690	15.9	38	0.4	186.0	34.75
11:35	225 3 rd	5.99	671	15.8	36	0.5	184.6	36.10
11:40	225 4 th	5.99	651	15.8	43	0.6	185.3	37.55
11:45	225	6.12	624	15.8	58	2.8	183.3	38.75
11:50	225	6.11	626	16.0	6.7	2.9	183.6	38.95
11:55	225	6.13	627	16.0	7.6	2.9	184.0	39.25
12:00	225	6.11	636	16.0	9.5	2.5	185.9	39.35

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623 pH (std): 6.11 CONDUCTANCE (umhos/cm @ 25°C): 636 TEMP. (°C): 16.0 TURBIDITY (ntu): 9.5 DO (mg/L-ppm): 2.5 eH/ORP (mV): 185.9 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: NONE Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.6.23 C. Finley [Signature] Proams
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: WE-6D
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
21632964

PURGE INFO
 PURGE DATE: 070623 (MM DD YY)
 PURGE TIME: 10:40 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or K 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 3280 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
6:045	200 1 st	6.54 1 st	679	17.8	10.6	4.5	189.7	33.75
10:50	200 2 nd	6.26 2 nd	662	17.1	4.8	1.8	189.9	34.00
10:55	200 3 rd	6.13 3 rd	661	17.0	8.8	1.3	190.6	34.35
11:00	200 4 th	6.10 4 th	662	17.0	4.7	1.0	190.9	34.45
11:05	200	6.09	663	16.9	4.3	0.9	190.9	34.55
11:10	200	6.06	662	16.9	3.9	0.8	191.0	34.55

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623
 pH (std): 6.06
 CONDUCTANCE (umhos/cm @ 25°C): 662
 TEMP. (°C): 16.9
 TURBIDITY (ntu): 3.9
 DO (mg/L-ppm): 0.8
 eH/ORP (mV): 191.0
 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: none Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: X or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.6.23 C. Fincher
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-7
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE (MM DD YY): 070623
 PURGE TIME (2400 Hr Clock): 1220
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 6072 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: pre
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:25	200 1 st	6.09	400	16.1	11.9	5.3	186.2	61.45
12:30	200 2 nd	5.57	416	16.0	5.23	3.6	210.8	61.45
12:35	200 3 rd	5.51	415	16.0	6.47	3.6	212.3	61.45
12:40	200 4 th	5.44	411	15.9	4.81	3.5	211.44	61.45
12:45	200	5.38	410	16.0	3.60	3.5	215.9	61.45
12:50	200	5.39	409	15.9	2.19	3.5	215.9	61.45
12:55	200	5.40	410.8	16.0	1.74	3.5	216.1	61.45
13:00	200	5.38	408	16.0	1.02	3.4	216.2	61.45

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623 pH (std): 5.38 CONDUCTANCE (umhos/cm @ 25°C): 408 TEMP. (°C): 16.0 TURBIDITY (ntu): 1.02 DO (mg/L-ppm): 3.4 eH/ORP (mV): 216.2 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 6, 23 C. Fincher [Signature] Promus
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NF 8
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE (MM DD YY): 070523
 PURGE TIME (2400 Hr Clock): 15:45
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or X
 Purging Device: B A- Submersible Pump D-Bailer
 Sampling Device: B B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene
 Sample Tube Type: D

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 1282 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 7 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
15:50	200 1 st	7.98	726	18.5	187.8	2.2	197.4	13.8
15:55	200 2 nd	6.03	747	17.7	96.4	0.9	197.4	13.8
16:00	200 3 rd	5.77	756	17.8	71.5	0.6	197.4	13.85
16:05	200 4 th	5.77	761	17.4	64.0	0.5	197.5	13.85
16:10	200	5.66	763	17.3	47.1	0.4	197.7	13.85
16:15	200	5.62	761	17.3	30.4	0.4	197.5	13.85
16:20	200	5.58	758	17.1	24.1	0.4	197.7	13.85
16:25	200	5.56	757	17.1	11.4	0.4	197.8	13.85

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070523
 pH (std): 5.56
 CONDUCTANCE (umhos/cm @ 25°C): 757
 TEMP. (°C): 17.1
 TURBIDITY (ntu): 11.4
 DO (mg/L-ppm): 0.4
 eH/ORP (mV): 197.8
 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.5.23 C. Fisher [Signature] [Signature]
 Date Name Signature Company

FIELD INFORMATION FORM



EVLF

This Waste Management Field Information Form is Required

This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers; (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

21632964

Site No.:
 Sample Point: ME-9
 Sample ID

PURGE INFO

070523 | 10:20 | | | | | | | |

PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLS PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT

Purging and Sampling Equipment ... Dedicated: Y or N | Filter Device: Y or X | 0.45 μ or μ (circle or fill in) | Purging Device: C | A-Submersible Pump | D-Bailer | Filter Type: | A-In-line Disposable | C-Vacuum | Sampling Device: C | B-Peristaltic Pump | E-Piston Pump | B-Pressure | X-Other | X-Other: | Sample Tube Type: D | A-Teflon | C-PVC | X-Other: | B-Stainless Steel | D-Polypropylene

WELL DATA

Well Elevation (at TOC) | Depth to Water (DTW) (from TOC) 952 (ft) | Groundwater Elevation (site datum, from TOC) | Total Well Depth (from TOC) | Stick Up (from ground elevation) | Casing ID 2 (in) | Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
10:30	250 1st	6.19	672	16.1	2.9	0.4	201.5	113.5
10:35	250 2nd	5.70	673	16.0	2.6	0.3	203.8	116.5
10:40	250 3rd	5.38	673	16.0	2.5	0.3	204.9	118.5
10:45	250 4th	5.29	672	16.1	2.5	0.3	205.8	119.5
10:50	250	5.22	671	16.0	2.4	0.2	206.7	119.5

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
070523	5.22	671	16.0	2.4	0.2	206.7	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

FIELD COMMENTS

Sample Appearance: Clear | Odor: None | Color: Clear | Other: | Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
 Date: 7.5.23 | Name: C. Funder | Signature: [Signature] | Company: [Signature]

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLF

Sample I.D. Willcat Creek SW

Laboratory Use Only / Lab I.D.:
L1632964

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/06/2023</u>	<u>1530</u>	<u>7.92</u>	<u>348.6</u>	<u>15.3</u>	<u>0.13</u>	<u>7.22</u>	<u>180.6</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: none Color: clear Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change): cloudy, 80s

Direction/Speed: calm Precipitation: Y or N

Specific Comments: _____

7/6/23 C. Fincher [Signature] Promus

Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-11
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11632964

PURGE INFO
 PURGE DATE (MM DD YY): 070623
 PURGE TIME (2400 Hr Clock): 13:15
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 4946 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
13:20	200 1 st	6.03	461	17.1	3.9	8.9	192.4	49.55
13:25	200 2 nd	5.98	524	17.0	3.4	6.4	196.4	49.55
13:30	200 3 rd	5.82	570	17.0	3.5	3.3	201.2	49.55
13:35	200 4 th	5.80	566	17.0	3.4	3.0	202.5	49.55
13:40	200	5.78	560	16.9	3.7	2.7	203.1	49.55
13:45	200	5.77	551	16.9	3.8	2.5	203.8	49.55

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623 pH (std): 5.77 CONDUCTANCE (umhos/cm @ 25°C): 551 TEMP. (°C): 16.9 TURBIDITY (ntu): 3.8 DO (mg/L-ppm): 2.5 eH/ORP (mV): 203.8 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear * Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.6.23 C. Finelan [Signature] Provus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVUF
 Site No.:
 Sample Point: NE-12
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11632964

PURGE INFO
 PURGE DATE (MM DD YY): 070523
 PURGE TIME (2400 Hr Clock): 14:00
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or Y 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: A Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 5924 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		14:05	200	9.21	390	19.4	52	7.3	177.9
	14:10	200	6.84	447	16.6	12.6	6.6	173.9	59.4
	14:15	200	6.11	441	16.4	3.9	6.4	179.0	59.4
	14:20	200	6.05	439	16.4	2.9	6.6	180.9	59.4
	14:25	200	6.02	437	16.4	3.2	6.6	182.0	59.4
	14:30	200	6.01	436	16.4	3.5	6.6	182.7	59.4

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070523
 pH (std): 6.01
 CONDUCTANCE (umhos/cm @ 25°C): 436
 TEMP. (°C): 16.4
 TURBIDITY (ntu): 3.5
 DO (mg/L-ppm): 6.6
 eH/ORP (mV): 182.7
 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
* Dup 2 @ 0700 + 77.77'

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 5, 23 C. Finley [Signature] Praxis
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EWLF
 Site No.:
 Sample Point: NE-140
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO
 PURGE DATE: 070523 PURGE TIME: 12:00 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 17.15 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
12:05	350 1 st	6.20	634	16.8	1.8	1.2	180.3	17.70
12:10	350 2 nd	6.01	635	16.8	1.8	1.1	181.2	17.75
12:15	350 3 rd	5.83	635	16.9	2.0	1.0	182.6	17.75
12:20	350 4 th	5.78	634	16.9	2.3	1.1	183.5	17.75
12:25	350	5.75	633	17.2	2.6	1.1	185.1	17.75

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 676523 pH (std): 5.75 CONDUCTANCE (μ mhos/cm @ 25°C): 633 TEMP. (°C): 17.2 TURBIDITY (ntu): 2.6 DO (mg/L-ppm): 1.1 eH/ORP (mV): 185.1 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.5.23 C. Fincher [Signature] [Signature]
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-145
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1632964

PURGE INFO: 070523 | 1230 | | | |
 PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLS PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGES/SAMPLE EQUIPMENT: Purging and Sampling Equipment... Dedicated: or N | Filter Device: Y or X | 0.45 μ or μ (circle or fill in)
 Purging Device: C | A- Submersible Pump | D-Bailer | Filter Type: | A-In-line Disposable | C-Vacuum
 Sampling Device: C | B-Peristaltic Pump | E-Piston Pump | B-Pressure | X-Other:
 X-Other: | Sample Tube Type: D | A-Teflon | C-PVC | X-Other:
 B-Stainless Steel | D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 1962 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>12:35</u>	<u>200</u> 1 st	<u>5.86</u> 1 st	<u>564</u> 1 st	<u>17.8</u>	<u>11.7</u>	<u>3.1</u>	<u>182.9</u>
	<u>12:40</u>	<u>200</u> 2 nd	<u>5.72</u> 2 nd	<u>555</u> 2 nd	<u>17.5</u>	<u>4.0</u>	<u>3.2</u>	<u>184.9</u>	<u>19.65</u>
	<u>12:45</u>	<u>200</u> 3 rd	<u>5.67</u> 3 rd	<u>551</u> 3 rd	<u>17.3</u>	<u>2.8</u>	<u>3.1</u>	<u>186.2</u>	<u>19.65</u>
	<u>12:50</u>	<u>200</u> 4 th	<u>5.62</u> 4 th	<u>545</u> 4 th	<u>17.2</u>	<u>3.4</u>	<u>3.1</u>	<u>187.1</u>	<u>19.65</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2 | Conductance +/- 3% | Temp. -- | Turbidity -- | D.O. +/- 10% | eH/ORP +/- 25 mV | Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 070523 | pH (std) 5.62 | CONDUCTANCE (umhos/cm @ 25°C) 545 | TEMP. (°C) 17.2 | TURBIDITY (ntu) 3.4 | DO (mg/L-ppm) 3.1 | eH/ORP (mV) 187.1 | Other: Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.5.23 | C. Fischer | |
 Date | Name | Signature | Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-15D
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
21632964

PURGE INFO
 PURGE DATE (MM DD YY): 070623
 PURGE TIME (2400 Hr Clock): 14:00
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer
 Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 B-Pressure X-Other:
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Sample Tube Type: 0 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 47.32 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>14:05</u>	<u>200</u>	<u>6.44</u>	<u>475</u>	<u>18.5</u>	<u>3.6</u>	<u>6.9</u>	<u>188.2</u>
	<u>14:10</u>	<u>200</u>	<u>6.53</u>	<u>565</u>	<u>17.7</u>	<u>3.6</u>	<u>5.3</u>	<u>188.4</u>	<u>48.00</u>
	<u>14:15</u>	<u>200</u>	<u>6.32</u>	<u>598</u>	<u>17.5</u>	<u>3.3</u>	<u>2.7</u>	<u>190.4</u>	<u>48.00</u>
	<u>14:20</u>	<u>200</u>	<u>6.16</u>	<u>610</u>	<u>17.4</u>	<u>3.2</u>	<u>1.1</u>	<u>192.4</u>	<u>48.0</u>
	<u>14:25</u>	<u>200</u>	<u>6.15</u>	<u>608</u>	<u>17.5</u>	<u>3.1</u>	<u>1.0</u>	<u>192.7</u>	<u>48.0</u>
	<u>14:30</u>	<u>200</u>	<u>6.13</u>	<u>607</u>	<u>17.5</u>	<u>3.8</u>	<u>0.9</u>	<u>193.1</u>	<u>48.0</u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070623
 pH (std): 6.13
 CONDUCTANCE (umhos/cm @ 25°C): 607
 TEMP. (°C): 17.5
 TURBIDITY (ntu): 3.8
 DO (mg/L - ppm): 0.9
 eH/ORP (mV): 193.1
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.6.23 C. Fincher
 Date Name Signature Company

L1632964

<u>Tracking Numbers</u>		<u>Temperature</u>
6525 5570 5840		GBAG $3.9+0=3.9$
6525 5570 5830		GBAG $4.8+0=4.8$
6525 5570 5851		GBAG $1.1+0=1.1$
6525 5570 5862		GBAG $2.6+0=2.6$

Time estimate: oh

Time spent: oh

Members



Deanna Ramsey (responsible)



Stacy Kennedy

- Parameter(s) past holding time
- Temperature not in range
- Improper container type
- pH not in range
- Insufficient sample volume
- Sample is biphasic
- Vials received with headspace
- Broken container
- Sufficient sample remains
- If broken container: Insufficient packing material around container
- If broken container: Insufficient packing material inside cooler
- If broken container: Improper handling by carrier: _____
- If broken container: Sample was frozen
- If broken container: Container lid not intact
- Client informed by Call
- Client informed by Email
- Client informed by Voicemail
- Date/Time: _____
- PM initials: _____
- Client Contact: _____

Comments

- Deanna Ramsey* *7 July 2023 1:53 PM*
 1 Tripblank was received with Headspace
- Stacy Kennedy* *7 July 2023 3:49 PM*
 Noted. Please use other trip blank vials received without headspace.
- Deanna Ramsey* *7 July 2023 4:20 PM*
 done



ANALYTICAL REPORT

August 25, 2023

Revised Report

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc


Eco-Vista (Tontitown)LF

Sample Delivery Group: L1633891
 Samples Received: 07/11/2023
 Project Number: 200
 Description: Eco-Vista - GW-July
 Site: AR03
 Report To: Jodi Reynolds
 88 Joyce Lane
 Russellville, AR 72801

Entire Report Reviewed By:

Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.




Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	1	Cp
Tc: Table of Contents	2	2	Tc
Ss: Sample Summary	4	3	Ss
Cn: Case Narrative	10	4	Cn
Sr: Sample Results	12	5	Sr
NE-10D L1633891-01	12		
MW-17 L1633891-02	15		
MW-2N L1633891-03	18		
MW-1N L1633891-04	21		
MW-11N L1633891-05	24		
LCS-1 L1633891-06	27		
LCS-2 L1633891-07	28		
LCS-3 L1633891-08	29		
LCS-4 L1633891-09	30		
LCS-5 L1633891-10	31		
LCS-6 L1633891-11	32		
LCS-7 L1633891-12	33		
LCS-8 L1633891-13	34		
LCS-9 L1633891-14	35		
LCS-10 L1633891-15	36		
LCS-11 L1633891-16	37		
LCS-12 L1633891-17	38		
LDS-1 L1633891-18	39		
LDS-2 L1633891-19	40		
LDS-3 L1633891-20	41		
LDS-4 L1633891-21	42		
LDS-5 L1633891-22	43		
LDS-6 L1633891-23	44		
LDS-7 L1633891-24	45		
LDS-8 L1633891-25	46		
LDS-9 L1633891-26	47		
LDS-10 L1633891-27	48		
LDS-12 L1633891-28	49		
Qc: Quality Control Summary	50		
Gravimetric Analysis by Method 2540 C-2011	50		
Wet Chemistry by Method 2320 B-2011	52		
Wet Chemistry by Method 350.1	56		
Wet Chemistry by Method 353.2	61		
Wet Chemistry by Method 9056A	62		
Wet Chemistry by Method 9060A	68		

Metals (ICP) by Method 6010B	69
Metals (ICPMS) by Method 6020	72
Volatile Organic Compounds (GC/MS) by Method 8260B	74
GI: Glossary of Terms	77
AI: Accreditations & Locations	78
Sc: Sample Chain of Custody	79




SAMPLE SUMMARY

NE-10D L1633891-01 GW

Collected by: Chris Fincher
 Collected date/time: 07/08/23 14:00
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:52	07/17/23 11:52	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:34	07/12/23 13:34	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:05	07/11/23 21:05	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 14:35	07/18/23 14:35	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/22/23 19:28	07/22/23 19:28	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:41	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092923	1	07/12/23 08:55	07/12/23 14:11	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 16:34	07/12/23 16:34	DWR	Mt. Juliet, TN



MW-17 L1633891-02 GW

Collected by: Chris Fincher
 Collected date/time: 07/08/23 15:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 11:56	07/17/23 11:56	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:36	07/12/23 13:36	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:14	07/11/23 21:14	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 14:52	07/18/23 14:52	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 23:12	07/21/23 23:12	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:31	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2115485	1	08/17/23 07:53	08/17/23 14:54	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092923	1	07/12/23 08:55	07/12/23 14:46	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 16:56	07/12/23 16:56	DWR	Mt. Juliet, TN

MW-2N L1633891-03 GW

Collected by: Chris Fincher
 Collected date/time: 07/08/23 16:35
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 12:02	07/17/23 12:02	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:37	07/12/23 13:37	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	2	07/11/23 21:15	07/11/23 21:15	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 15:09	07/18/23 15:09	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/21/23 23:37	07/21/23 23:37	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:44	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2115485	1	08/17/23 07:53	08/17/23 14:43	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092923	1	07/12/23 08:55	07/12/23 14:49	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 17:18	07/12/23 17:18	DWR	Mt. Juliet, TN

MW-1N L1633891-04 GW

Collected by: Chris Fincher
 Collected date/time: 07/08/23 17:35
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093592	1	07/13/23 09:06	07/13/23 10:05	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 12:06	07/17/23 12:06	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092799	1	07/12/23 13:39	07/12/23 13:39	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:16	07/11/23 21:16	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 15:26	07/18/23 15:26	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/22/23 00:29	07/22/23 00:29	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:47	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2115485	1	08/17/23 07:53	08/17/23 14:57	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092923	1	07/12/23 08:55	07/12/23 14:53	LD	Mt. Juliet, TN

SAMPLE SUMMARY

MW-1N L1633891-04 GW

Collected by Chris Fincher Collected date/time 07/08/23 17:35 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 17:39	07/12/23 17:39	DWR	Mt. Juliet, TN

MW-11N L1633891-05 GW

Collected by Chris Fincher Collected date/time 07/08/23 18:35 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2093348	1	07/12/23 12:57	07/12/23 14:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 12:22	07/17/23 12:22	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	1	07/12/23 14:06	07/12/23 14:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:17	07/11/23 21:17	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	1	07/18/23 15:43	07/18/23 15:43	KMC	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2099016	1	07/22/23 00:41	07/22/23 00:41	AW	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:49	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2115485	1	08/17/23 07:53	08/17/23 15:00	CCE	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2092923	1	07/12/23 08:55	07/12/23 14:56	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2093479	1	07/12/23 18:01	07/12/23 18:01	DWR	Mt. Juliet, TN

LCS-1 L1633891-06 GW

Collected by Chris Fincher Collected date/time 07/09/23 08:00 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:09	07/12/23 14:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	100	07/18/23 16:00	07/18/23 16:00	KMC	Mt. Juliet, TN

LCS-2 L1633891-07 GW

Collected by Chris Fincher Collected date/time 07/09/23 08:30 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:10	07/12/23 14:10	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	10	07/18/23 16:17	07/18/23 16:17	KMC	Mt. Juliet, TN

LCS-3 L1633891-08 GW


Collected by Chris Fincher Collected date/time 07/09/23 09:00 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:12	07/12/23 14:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	10	07/18/23 16:34	07/18/23 16:34	KMC	Mt. Juliet, TN

LCS-4 L1633891-09 GW

Collected by Chris Fincher Collected date/time 07/09/23 09:30 Received date/time 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:13	07/12/23 14:13	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	10	07/18/23 16:51	07/18/23 16:51	KMC	Mt. Juliet, TN



SAMPLE SUMMARY

LCS-5 L1633891-10 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 10:00

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:15	07/12/23 14:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	100	07/18/23 17:41	07/18/23 17:41	KMC	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

LCS-6 L1633891-11 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 10:30

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:16	07/12/23 14:16	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	10	07/18/23 17:58	07/18/23 17:58	KMC	Mt. Juliet, TN

4 Cn

5 Sr

6 Qc

LCS-7 L1633891-12 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 11:00

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	5000	07/12/23 14:22	07/12/23 14:22	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	50	07/18/23 18:15	07/18/23 18:15	KMC	Mt. Juliet, TN

7 Gl

8 Al

9 Sc

LCS-8 L1633891-13 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 11:30

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	100	07/12/23 14:24	07/12/23 14:24	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2096724	10	07/18/23 18:49	07/18/23 18:49	KMC	Mt. Juliet, TN

LCS-9 L1633891-14 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 13:00

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	200	07/12/23 14:27	07/12/23 14:27	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	100	07/19/23 00:49	07/19/23 00:49	GEB	Mt. Juliet, TN

LCS-10 L1633891-15 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 13:30

Received date/time
07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	5000	07/12/23 14:28	07/12/23 14:28	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	100	07/19/23 01:05	07/19/23 01:05	GEB	Mt. Juliet, TN

LCS-11 L1633891-16 GW

Collected by
Chris Fincher

Collected date/time
07/09/23 14:00

Received date/time
07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	5000	07/12/23 14:30	07/12/23 14:30	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	100	07/19/23 01:22	07/19/23 01:22	GEB	Mt. Juliet, TN

SAMPLE SUMMARY

LCS-12 L1633891-17 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 14:30
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:31	07/12/23 14:31	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	100	07/19/23 01:38	07/19/23 01:38	GEB	Mt. Juliet, TN



LDS-1 L1633891-18 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 08:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 12:27	07/17/23 12:27	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	5	07/12/23 14:33	07/12/23 14:33	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:19	07/11/23 21:19	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	1	07/19/23 02:29	07/19/23 02:29	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	5	07/19/23 03:02	07/19/23 03:02	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 11:58	ZSA	Mt. Juliet, TN

LDS-2 L1633891-19 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 08:45
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095978	1	07/17/23 12:32	07/17/23 12:32	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	1	07/12/23 14:34	07/12/23 14:34	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:20	07/11/23 21:20	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	1	07/19/23 03:18	07/19/23 03:18	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	5	07/19/23 03:35	07/19/23 03:35	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:01	ZSA	Mt. Juliet, TN

LDS-3 L1633891-20 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 09:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:18	07/17/23 10:18	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	100	07/12/23 15:06	07/12/23 15:06	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	10	07/11/23 21:21	07/11/23 21:21	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	20	07/19/23 03:51	07/19/23 03:51	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:03	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:19	CCE	Mt. Juliet, TN

LDS-4 L1633891-21 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 09:45
 Received date/time: 07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:26	07/17/23 10:26	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	5000	07/12/23 14:46	07/12/23 14:46	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	10	07/11/23 21:22	07/11/23 21:22	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	20	07/19/23 04:07	07/19/23 04:07	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:06	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:21	CCE	Mt. Juliet, TN

SAMPLE SUMMARY

LDS-5 L1633891-22 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 10:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:33	07/17/23 10:33	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	500	07/12/23 14:48	07/12/23 14:48	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	10	07/11/23 21:24	07/11/23 21:24	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	20	07/19/23 04:23	07/19/23 04:23	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:09	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:24	CCE	Mt. Juliet, TN



LDS-6 L1633891-23 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 10:45
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:41	07/17/23 10:41	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:49	07/12/23 14:49	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:29	07/11/23 21:29	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	20	07/19/23 04:40	07/19/23 04:40	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:12	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:27	CCE	Mt. Juliet, TN

LDS-7 L1633891-24 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 11:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:48	07/17/23 10:48	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2092801	1000	07/12/23 14:51	07/12/23 14:51	BMD	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:30	07/11/23 21:30	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	10	07/19/23 04:56	07/19/23 04:56	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:14	ZSA	Mt. Juliet, TN

LDS-8 L1633891-25 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 11:45
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 10:53	07/17/23 10:53	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2094632	10	07/13/23 23:49	07/13/23 23:49	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:31	07/11/23 21:31	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	5	07/19/23 05:45	07/19/23 05:45	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:17	ZSA	Mt. Juliet, TN

LDS-9 L1633891-26 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 13:15
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 11:00	07/17/23 11:00	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2094642	20	07/16/23 00:16	07/16/23 00:16	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	1	07/11/23 21:33	07/11/23 21:33	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	1	07/19/23 06:02	07/19/23 06:02	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:20	ZSA	Mt. Juliet, TN

SAMPLE SUMMARY

LDS-10 L1633891-27 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 13:45
 Received date/time: 07/11/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 11:26	07/17/23 11:26	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2094637	5000	07/14/23 22:41	07/14/23 22:41	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	10	07/11/23 21:37	07/11/23 21:37	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097280	20	07/19/23 06:18	07/19/23 06:18	GEB	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 12:23	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:30	CCE	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

LDS-12 L1633891-28 GW

Collected by: Chris Fincher
 Collected date/time: 07/09/23 14:45
 Received date/time: 07/11/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 2320 B-2011	WG2095980	1	07/17/23 11:34	07/17/23 11:34	ARD	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2094637	100	07/14/23 23:26	07/14/23 23:26	AEC	Mt. Juliet, TN
Wet Chemistry by Method 353.2	WG2092818	10	07/11/23 21:38	07/11/23 21:38	AEC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2097563	100	07/19/23 12:07	07/19/23 12:07	KMC	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	1	07/11/23 20:07	07/19/23 10:44	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2092917	5	07/11/23 20:07	07/21/23 02:16	CCE	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Report Revision History

Level II Report - Version 1: 07/26/23 12:42

Project Comments

Customer requested review of selenium method 200.7. -02, -03, -04, -05 selenium were reanalyzed after data review request. The results in this report have been updated to reflect the reanalysis results. SK 8/25/23

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Sample Delivery Group (SDG) Narrative

The laboratory analysis was performed from an unpreserved, insufficiently or inadequately preserved sample.

Batch	Method	Lab Sample ID
WG2092801	350.1	L1633891-06, 07, 08, 09, 10, 11, 12, 14, 15, 16, 17, 20, 21, 22, 23
WG2092818	353.2	L1633891-20, 21, 22, 23, 27, 28
WG2094637	350.1	L1633891-27, 28

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2093348	(DUP) R3948623-4	Dissolved Solids

Wet Chemistry by Method 350.1

RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Batch	Lab Sample ID	Analytes
WG2092799	(DUP) R3947829-7	Ammonia Nitrogen

CASE NARRATIVE

Wet Chemistry by Method 9056A

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2097280	(MS) R3950233-4, L1633891-18	Chloride
WG2097563	(MS) R3950797-3, (MSD) R3950797-4	Sulfate

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2093479	(LCS) R3948671-1, L1633891-01, 02, 03, 04, 05	Vinyl acetate

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.78	su
Specific Conductance (on site)	238	umhos/cm
Temperature (on-site)	17.9	Deg. C
Turbidity (on-site)	9.1	NTU
Dissolved Oxygen (on-site)	8.1	mg/l
eH/ORP (On Site)	161.5	mV
Depth to water (DTW) (FROM TOC)	101.28	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	121		10.0	1	07/13/2023 10:05	WG2093592

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	102		10.0	1	07/17/2023 11:52	WG2095978
Alkalinity,Bicarbonate	102		10.0	1	07/17/2023 11:52	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:52	WG2095978

Sample Narrative:

L1633891-01 WG2095978: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:34	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.803		0.100	1	07/11/2023 21:05	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	3.50		3.00	1	07/18/2023 14:35	WG2096724
Sulfate	ND		5.00	1	07/18/2023 14:35	WG2096724

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/22/2023 19:28	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/19/2023 11:41	WG2092917
Barium,Total Recoverable	0.0206		0.00500	1	07/19/2023 11:41	WG2092917
Calcium, Total Recoverable	39.8		0.200	1	07/19/2023 11:41	WG2092917
Iron, Total Recoverable	ND		0.0600	1	07/19/2023 11:41	WG2092917
Potassium, Total Recoverable	ND		3.00	1	07/19/2023 11:41	WG2092917

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.08		0.200	1	07/19/2023 11:41	WG2092917
Manganese, Total Recoverable	0.00956	J	0.00300	1	07/19/2023 11:41	WG2092917
Sodium, Total Recoverable	ND		5.00	1	07/19/2023 11:41	WG2092917
Lead, Total Recoverable	ND		0.00500	1	07/19/2023 11:41	WG2092917
Selenium, Total Recoverable	ND		0.0100	1	07/19/2023 11:41	WG2092917



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/12/2023 14:11	WG2092923
Beryllium, Total Recoverable	ND		0.00100	1	07/12/2023 14:11	WG2092923
Cadmium, Total Recoverable	ND		0.00100	1	07/12/2023 14:11	WG2092923
Cobalt, Total Recoverable	ND		0.00300	1	07/12/2023 14:11	WG2092923
Chromium, Total Recoverable	ND		0.00300	1	07/12/2023 14:11	WG2092923
Copper, Total Recoverable	ND		0.00400	1	07/12/2023 14:11	WG2092923
Nickel, Total Recoverable	ND		0.00400	1	07/12/2023 14:11	WG2092923
Antimony, Total Recoverable	ND		0.00200	1	07/12/2023 14:11	WG2092923
Thallium, Total Recoverable	ND		0.00100	1	07/12/2023 14:11	WG2092923
Vanadium, Total Recoverable	ND		0.00300	1	07/12/2023 14:11	WG2092923
Zinc, Total Recoverable	0.00548	J	0.00500	1	07/12/2023 14:11	WG2092923

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 16:34	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 16:34	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 16:34	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 16:34	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 16:34	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 16:34	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 16:34	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 16:34	WG2093479
Acetone	ND		10.0	1	07/12/2023 16:34	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 16:34	WG2093479
Benzene	ND		1.00	1	07/12/2023 16:34	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Bromoform	ND		1.00	1	07/12/2023 16:34	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 16:34	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 16:34	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 16:34	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Chloroform	ND		1.00	1	07/12/2023 16:34	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 16:34	WG2093479

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 16:34	WG2093479
Iodomethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 16:34	WG2093479
Styrene	ND		1.00	1	07/12/2023 16:34	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 16:34	WG2093479
Toluene	ND		1.00	1	07/12/2023 16:34	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 16:34	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 16:34	WG2093479
Vinyl acetate	ND	<u>J4</u>	5.00	1	07/12/2023 16:34	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 16:34	WG2093479
Xylenes, Total	ND		1.00	1	07/12/2023 16:34	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:34	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:34	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:34	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:34	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 16:34	WG2093479
(S) 1,2-Dichloroethane-d4	105			70.0-130	07/12/2023 16:34	WG2093479
(S) 4-Bromofluorobenzene	90.8			77.0-126	07/12/2023 16:34	WG2093479
(S) Toluene-d8	94.2			80.0-120	07/12/2023 16:34	WG2093479

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.63	su
Specific Conductance (on site)	282	umhos/cm
Temperature (on-site)	19.6	Deg. C
Turbidity (on-site)	11.6	NTU
Dissolved Oxygen (on-site)	7.4	mg/l
eH/ORP (On Site)	181	mV
Depth to water (DTW) (FROM TOC)	60.3	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	154		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	102		10.0	1	07/17/2023 11:56	WG2095978
Alkalinity,Bicarbonate	102		10.0	1	07/17/2023 11:56	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:56	WG2095978

Sample Narrative:

L1633891-02 WG2095978: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:36	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	1.45		0.100	1	07/11/2023 21:14	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	6.95		3.00	1	07/18/2023 14:52	WG2096724
Sulfate	13.5		5.00	1	07/18/2023 14:52	WG2096724

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.06		1.00	1	07/21/2023 23:12	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/19/2023 11:31	WG2092917
Barium,Total Recoverable	0.0338		0.00500	1	07/19/2023 11:31	WG2092917
Calcium, Total Recoverable	36.1		0.200	1	07/19/2023 11:31	WG2092917
Iron, Total Recoverable	ND		0.0600	1	07/19/2023 11:31	WG2092917
Potassium, Total Recoverable	ND		3.00	1	07/19/2023 11:31	WG2092917

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	2.64		0.200	1	07/19/2023 11:31	WG2092917
Manganese, Total Recoverable	0.0108		0.00300	1	07/19/2023 11:31	WG2092917
Sodium, Total Recoverable	10.8		5.00	1	07/19/2023 11:31	WG2092917
Lead, Total Recoverable	ND		0.00500	1	07/19/2023 11:31	WG2092917
Selenium, Total Recoverable	ND		0.0100	1	08/17/2023 14:54	WG2115485



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/12/2023 14:46	WG2092923
Beryllium, Total Recoverable	ND		0.00100	1	07/12/2023 14:46	WG2092923
Cadmium, Total Recoverable	ND		0.00100	1	07/12/2023 14:46	WG2092923
Cobalt, Total Recoverable	ND		0.00300	1	07/12/2023 14:46	WG2092923
Chromium, Total Recoverable	ND		0.00300	1	07/12/2023 14:46	WG2092923
Copper, Total Recoverable	ND		0.00400	1	07/12/2023 14:46	WG2092923
Nickel, Total Recoverable	ND		0.00400	1	07/12/2023 14:46	WG2092923
Antimony, Total Recoverable	ND		0.00200	1	07/12/2023 14:46	WG2092923
Thallium, Total Recoverable	ND		0.00100	1	07/12/2023 14:46	WG2092923
Vanadium, Total Recoverable	ND		0.00300	1	07/12/2023 14:46	WG2092923
Zinc, Total Recoverable	ND		0.00500	1	07/12/2023 14:46	WG2092923

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 16:56	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 16:56	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 16:56	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 16:56	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 16:56	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 16:56	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 16:56	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 16:56	WG2093479
Acetone	ND		10.0	1	07/12/2023 16:56	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 16:56	WG2093479
Benzene	ND		1.00	1	07/12/2023 16:56	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Bromoform	ND		1.00	1	07/12/2023 16:56	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 16:56	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 16:56	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 16:56	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Chloroform	ND		1.00	1	07/12/2023 16:56	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 16:56	WG2093479

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 16:56	WG2093479
Iodomethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 16:56	WG2093479
Styrene	ND		1.00	1	07/12/2023 16:56	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 16:56	WG2093479
Toluene	ND		1.00	1	07/12/2023 16:56	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 16:56	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 16:56	WG2093479
Vinyl acetate	ND	<u>J4</u>	5.00	1	07/12/2023 16:56	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 16:56	WG2093479
Xylenes, Total	ND		1.00	1	07/12/2023 16:56	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:56	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:56	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 16:56	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 16:56	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 16:56	WG2093479
(S) 1,2-Dichloroethane-d4	112			70.0-130	07/12/2023 16:56	WG2093479
(S) 4-Bromofluorobenzene	95.8			77.0-126	07/12/2023 16:56	WG2093479
(S) Toluene-d8	100			80.0-120	07/12/2023 16:56	WG2093479

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.29	su
Specific Conductance (on site)	530	umhos/cm
Temperature (on-site)	21.1	Deg. C
Turbidity (on-site)	5.3	NTU
Dissolved Oxygen (on-site)	2.9	mg/l
eH/ORP (On Site)	175.4	mV
Depth to water (DTW) (FROM TOC)	68.95	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	282		10.0	1	07/13/2023 10:05	WG2093592

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	240		10.0	1	07/17/2023 12:02	WG2095978
Alkalinity,Bicarbonate	240		10.0	1	07/17/2023 12:02	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 12:02	WG2095978

Sample Narrative:

L1633891-03 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:37	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	2.78		0.100	2	07/11/2023 21:15	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	7.02		3.00	1	07/18/2023 15:09	WG2096724
Sulfate	ND		5.00	1	07/18/2023 15:09	WG2096724

Wet Chemistry by Method 9060A


Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/21/2023 23:37	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/19/2023 11:44	WG2092917
Barium,Total Recoverable	0.0859		0.00500	1	07/19/2023 11:44	WG2092917
Calcium, Total Recoverable	91.7		0.200	1	07/19/2023 11:44	WG2092917
Iron, Total Recoverable	ND		0.0600	1	07/19/2023 11:44	WG2092917
Potassium, Total Recoverable	ND		3.00	1	07/19/2023 11:44	WG2092917

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	1.49		0.200	1	07/19/2023 11:44	WG2092917
Manganese, Total Recoverable	ND		0.00300	1	07/19/2023 11:44	WG2092917
Sodium, Total Recoverable	12.2		5.00	1	07/19/2023 11:44	WG2092917
Lead, Total Recoverable	ND		0.00500	1	07/19/2023 11:44	WG2092917
Selenium, Total Recoverable	ND		0.0100	1	08/17/2023 14:43	WG2115485



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/12/2023 14:49	WG2092923
Beryllium, Total Recoverable	ND		0.00100	1	07/12/2023 14:49	WG2092923
Cadmium, Total Recoverable	ND		0.00100	1	07/12/2023 14:49	WG2092923
Cobalt, Total Recoverable	ND		0.00300	1	07/12/2023 14:49	WG2092923
Chromium, Total Recoverable	ND		0.00300	1	07/12/2023 14:49	WG2092923
Copper, Total Recoverable	ND		0.00400	1	07/12/2023 14:49	WG2092923
Nickel, Total Recoverable	ND		0.00400	1	07/12/2023 14:49	WG2092923
Antimony, Total Recoverable	ND		0.00200	1	07/12/2023 14:49	WG2092923
Thallium, Total Recoverable	ND		0.00100	1	07/12/2023 14:49	WG2092923
Vanadium, Total Recoverable	ND		0.00300	1	07/12/2023 14:49	WG2092923
Zinc, Total Recoverable	0.0245	J	0.00500	1	07/12/2023 14:49	WG2092923

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 17:18	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 17:18	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 17:18	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 17:18	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 17:18	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 17:18	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 17:18	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 17:18	WG2093479
Acetone	ND		10.0	1	07/12/2023 17:18	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 17:18	WG2093479
Benzene	ND		1.00	1	07/12/2023 17:18	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Bromoform	ND		1.00	1	07/12/2023 17:18	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 17:18	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 17:18	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 17:18	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Chloroform	ND		1.00	1	07/12/2023 17:18	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 17:18	WG2093479


Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 17:18	WG2093479
Iodomethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 17:18	WG2093479
Styrene	ND		1.00	1	07/12/2023 17:18	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 17:18	WG2093479
Toluene	ND		1.00	1	07/12/2023 17:18	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 17:18	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 17:18	WG2093479
Vinyl acetate	ND	J4	5.00	1	07/12/2023 17:18	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 17:18	WG2093479
Xylenes, Total	ND		1.00	1	07/12/2023 17:18	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 17:18	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 17:18	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 17:18	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 17:18	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 17:18	WG2093479
(S) 1,2-Dichloroethane-d4	110			70.0-130	07/12/2023 17:18	WG2093479
(S) 4-Bromofluorobenzene	88.5			77.0-126	07/12/2023 17:18	WG2093479
(S) Toluene-d8	99.0			80.0-120	07/12/2023 17:18	WG2093479

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.4	su
Specific Conductance (on site)	409	umhos/cm
Temperature (on-site)	20.7	Deg. C
Turbidity (on-site)	5	NTU
Dissolved Oxygen (on-site)	1.9	mg/l
eH/ORP (On Site)	168.9	mV
Depth to water (DTW) (FROM TOC)	80.33	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	220		10.0	1	07/13/2023 10:05	WG2093592

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	193		10.0	1	07/17/2023 12:06	WG2095978
Alkalinity,Bicarbonate	193		10.0	1	07/17/2023 12:06	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 12:06	WG2095978

Sample Narrative:

L1633891-04 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 13:39	WG2092799

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:16	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	3.40		3.00	1	07/18/2023 15:26	WG2096724
Sulfate	ND		5.00	1	07/18/2023 15:26	WG2096724

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/22/2023 00:29	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/19/2023 11:47	WG2092917
Barium, Total Recoverable	0.0397		0.00500	1	07/19/2023 11:47	WG2092917
Calcium, Total Recoverable	70.0		0.200	1	07/19/2023 11:47	WG2092917
Iron, Total Recoverable	ND		0.0600	1	07/19/2023 11:47	WG2092917
Potassium, Total Recoverable	ND		3.00	1	07/19/2023 11:47	WG2092917

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	3.27		0.200	1	07/19/2023 11:47	WG2092917
Manganese, Total Recoverable	ND		0.00300	1	07/19/2023 11:47	WG2092917
Sodium, Total Recoverable	7.39		5.00	1	07/19/2023 11:47	WG2092917
Lead, Total Recoverable	ND		0.00500	1	07/19/2023 11:47	WG2092917
Selenium, Total Recoverable	ND		0.0100	1	08/17/2023 14:57	WG2115485



Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/12/2023 14:53	WG2092923
Beryllium, Total Recoverable	ND		0.00100	1	07/12/2023 14:53	WG2092923
Cadmium, Total Recoverable	ND		0.00100	1	07/12/2023 14:53	WG2092923
Cobalt, Total Recoverable	ND		0.00300	1	07/12/2023 14:53	WG2092923
Chromium, Total Recoverable	ND		0.00300	1	07/12/2023 14:53	WG2092923
Copper, Total Recoverable	ND		0.00400	1	07/12/2023 14:53	WG2092923
Nickel, Total Recoverable	0.00616		0.00400	1	07/12/2023 14:53	WG2092923
Antimony, Total Recoverable	ND		0.00200	1	07/12/2023 14:53	WG2092923
Thallium, Total Recoverable	ND		0.00100	1	07/12/2023 14:53	WG2092923
Vanadium, Total Recoverable	ND		0.00300	1	07/12/2023 14:53	WG2092923
Zinc, Total Recoverable	0.0506		0.00500	1	07/12/2023 14:53	WG2092923

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 17:39	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 17:39	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 17:39	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 17:39	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 17:39	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 17:39	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 17:39	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 17:39	WG2093479
Acetone	ND		10.0	1	07/12/2023 17:39	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 17:39	WG2093479
Benzene	ND		1.00	1	07/12/2023 17:39	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Bromoform	ND		1.00	1	07/12/2023 17:39	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 17:39	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 17:39	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 17:39	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Chloroform	ND		1.00	1	07/12/2023 17:39	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 17:39	WG2093479

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 17:39	WG2093479
Iodomethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 17:39	WG2093479
Styrene	ND		1.00	1	07/12/2023 17:39	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 17:39	WG2093479
Toluene	ND		1.00	1	07/12/2023 17:39	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 17:39	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 17:39	WG2093479
Vinyl acetate	ND	J4	5.00	1	07/12/2023 17:39	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 17:39	WG2093479
Xylenes, Total	ND		1.00	1	07/12/2023 17:39	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 17:39	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 17:39	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 17:39	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 17:39	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 17:39	WG2093479
(S) 1,2-Dichloroethane-d4	115			70.0-130	07/12/2023 17:39	WG2093479
(S) 4-Bromofluorobenzene	98.4			77.0-126	07/12/2023 17:39	WG2093479
(S) Toluene-d8	99.9			80.0-120	07/12/2023 17:39	WG2093479

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.18	su
Specific Conductance (on site)	366	umhos/cm
Temperature (on-site)	18	Deg. C
Turbidity (on-site)	5	NTU
Dissolved Oxygen (on-site)	6.5	mg/l
eH/ORP (On Site)	166.3	mV
Depth to water (DTW) (FROM TOC)	58.32	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	197		10.0	1	07/12/2023 14:00	WG2093348

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Alkalinity	177		10.0	1	07/17/2023 12:22	WG2095978
Alkalinity,Bicarbonate	177		10.0	1	07/17/2023 12:22	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 12:22	WG2095978

Sample Narrative:

L1633891-05 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	07/12/2023 14:06	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Nitrate-Nitrite	0.418		0.100	1	07/11/2023 21:17	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	ND		3.00	1	07/18/2023 15:43	WG2096724
Sulfate	ND		5.00	1	07/18/2023 15:43	WG2096724

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	07/22/2023 00:41	WG2099016

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	07/19/2023 11:49	WG2092917
Barium, Total Recoverable	0.0511		0.00500	1	07/19/2023 11:49	WG2092917
Calcium, Total Recoverable	67.3		0.200	1	07/19/2023 11:49	WG2092917
Iron, Total Recoverable	ND		0.0600	1	07/19/2023 11:49	WG2092917
Potassium, Total Recoverable	ND		3.00	1	07/19/2023 11:49	WG2092917

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Magnesium, Total Recoverable	0.572	J	0.200	1	07/19/2023 11:49	WG2092917
Manganese, Total Recoverable	ND		0.00300	1	07/19/2023 11:49	WG2092917
Sodium, Total Recoverable	ND		5.00	1	07/19/2023 11:49	WG2092917
Lead, Total Recoverable	ND		0.00500	1	07/19/2023 11:49	WG2092917
Selenium, Total Recoverable	ND		0.0100	1	08/17/2023 15:00	WG2115485

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	07/12/2023 14:56	WG2092923
Beryllium, Total Recoverable	ND		0.00100	1	07/12/2023 14:56	WG2092923
Cadmium, Total Recoverable	ND		0.00100	1	07/12/2023 14:56	WG2092923
Cobalt, Total Recoverable	ND		0.00300	1	07/12/2023 14:56	WG2092923
Chromium, Total Recoverable	ND		0.00300	1	07/12/2023 14:56	WG2092923
Copper, Total Recoverable	ND		0.00400	1	07/12/2023 14:56	WG2092923
Nickel, Total Recoverable	ND		0.00400	1	07/12/2023 14:56	WG2092923
Antimony, Total Recoverable	ND		0.00200	1	07/12/2023 14:56	WG2092923
Thallium, Total Recoverable	ND		0.00100	1	07/12/2023 14:56	WG2092923
Vanadium, Total Recoverable	ND		0.00300	1	07/12/2023 14:56	WG2092923
Zinc, Total Recoverable	0.0228	J	0.00500	1	07/12/2023 14:56	WG2092923

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,1,1-Trichloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,1,2,2-Tetrachloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,1,2-Trichloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,1-Dichloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,1-Dichloroethene	ND		1.00	1	07/12/2023 18:01	WG2093479
1,2,3-Trichloropropane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,2-Dibromo-3-Chloropropane	ND		2.00	1	07/12/2023 18:01	WG2093479
1,2-Dibromoethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,2-Dichlorobenzene	ND		1.00	1	07/12/2023 18:01	WG2093479
1,2-Dichloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,2-Dichloropropane	ND		1.00	1	07/12/2023 18:01	WG2093479
1,4-Dichlorobenzene	ND		1.00	1	07/12/2023 18:01	WG2093479
2-Butanone (MEK)	ND		5.00	1	07/12/2023 18:01	WG2093479
2-Hexanone	ND		5.00	1	07/12/2023 18:01	WG2093479
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	07/12/2023 18:01	WG2093479
Acetone	ND		10.0	1	07/12/2023 18:01	WG2093479
Acrylonitrile	ND		20.0	1	07/12/2023 18:01	WG2093479
Benzene	ND		1.00	1	07/12/2023 18:01	WG2093479
Bromochloromethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Bromodichloromethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Bromoform	ND		1.00	1	07/12/2023 18:01	WG2093479
Bromomethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Carbon disulfide	ND		1.00	1	07/12/2023 18:01	WG2093479
Carbon tetrachloride	ND		1.00	1	07/12/2023 18:01	WG2093479
Chlorobenzene	ND		1.00	1	07/12/2023 18:01	WG2093479
Chloroethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Chloroform	ND		1.00	1	07/12/2023 18:01	WG2093479
Chloromethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Dibromochloromethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Dibromomethane	ND		1.00	1	07/12/2023 18:01	WG2093479

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	07/12/2023 18:01	WG2093479
Iodomethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Methylene Chloride	ND		1.07	1	07/12/2023 18:01	WG2093479
Styrene	ND		1.00	1	07/12/2023 18:01	WG2093479
Tetrachloroethene	ND		1.00	1	07/12/2023 18:01	WG2093479
Toluene	ND		1.00	1	07/12/2023 18:01	WG2093479
Trichloroethene	ND		1.00	1	07/12/2023 18:01	WG2093479
Trichlorofluoromethane	ND		1.00	1	07/12/2023 18:01	WG2093479
Vinyl acetate	ND	J4	5.00	1	07/12/2023 18:01	WG2093479
Vinyl chloride	ND		1.00	1	07/12/2023 18:01	WG2093479
Xylenes, Total	ND		1.00	1	07/12/2023 18:01	WG2093479
cis-1,2-Dichloroethene	ND		1.00	1	07/12/2023 18:01	WG2093479
cis-1,3-Dichloropropene	ND		1.00	1	07/12/2023 18:01	WG2093479
trans-1,2-Dichloroethene	ND		1.00	1	07/12/2023 18:01	WG2093479
trans-1,3-Dichloropropene	ND		1.00	1	07/12/2023 18:01	WG2093479
trans-1,4-Dichloro-2-butene	ND		1.00	1	07/12/2023 18:01	WG2093479
(S) 1,2-Dichloroethane-d4	116			70.0-130	07/12/2023 18:01	WG2093479
(S) 4-Bromofluorobenzene	91.7			77.0-126	07/12/2023 18:01	WG2093479
(S) Toluene-d8	95.3			80.0-120	07/12/2023 18:01	WG2093479

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.16	su
Specific Conductance (on site)	18558	umhos/cm
Temperature (on-site)	23.8	Deg. C
Turbidity (on-site)	439.75	NTU
Dissolved Oxygen (on-site)	1.16	mg/l
eH/ORP (On Site)	156.1	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1630		31.7	1000	07/12/2023 14:09	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1190		5.19	100	07/18/2023 16:00	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.75	su
Specific Conductance (on site)	15429	umhos/cm
Temperature (on-site)	22.6	Deg. C
Turbidity (on-site)	522.11	NTU
Dissolved Oxygen (on-site)	1.21	mg/l
eH/ORP (On Site)	212	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1110		31.7	1000	07/12/2023 14:10	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1430		3.00	10	07/18/2023 16:17	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.01	su
Specific Conductance (on site)	13600	umhos/cm
Temperature (on-site)	22.9	Deg. C
Turbidity (on-site)	45.45	NTU
Dissolved Oxygen (on-site)	4.8	mg/l
eH/ORP (On Site)	194.5	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	967		31.7	1000	07/12/2023 14:12	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1140		3.00	10	07/18/2023 16:34	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.79	su
Specific Conductance (on site)	19705	umhos/cm
Temperature (on-site)	27	Deg. C
Turbidity (on-site)	76.81	NTU
Dissolved Oxygen (on-site)	1.11	mg/l
eH/ORP (On Site)	162.2	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	1520		31.7	1000	07/12/2023 14:13	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	1500		3.00	10	07/18/2023 16:51	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.6	su
Specific Conductance (on site)	29225	umhos/cm
Temperature (on-site)	31.5	Deg. C
Turbidity (on-site)	121.71	NTU
Dissolved Oxygen (on-site)	0.63	mg/l
eH/ORP (On Site)	122.2	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	2650		31.7	1000	07/12/2023 14:15	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	2460		5.19	100	07/18/2023 17:41	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.5	su
Specific Conductance (on site)	21142	umhos/cm
Temperature (on-site)	24.4	Deg. C
Turbidity (on-site)	361.05	NTU
Dissolved Oxygen (on-site)	4.2	mg/l
eH/ORP (On Site)	172.9	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1530		31.7	1000	07/12/2023 14:16	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1680		3.00	10	07/18/2023 17:58	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.98	su
Specific Conductance (on site)	23174	umhos/cm
Temperature (on-site)	30.3	Deg. C
Turbidity (on-site)	36.95	NTU
Dissolved Oxygen (on-site)	2.24	mg/l
eH/ORP (On Site)	179.7	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1570		158	5000	07/12/2023 14:22	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	2330		3.00	50	07/18/2023 18:15	WG2096724

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.33	su
Specific Conductance (on site)	12562	umhos/cm
Temperature (on-site)	36	Deg. C
Turbidity (on-site)	2529.71	NTU
Dissolved Oxygen (on-site)	2.45	mg/l
eH/ORP (On Site)	176.4	mV

1 Cp

2 Tc

3 Ss

4 Cn

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	825		3.17	100	07/12/2023 14:24	WG2092801

5 Sr

6 Qc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1070		3.00	10	07/18/2023 18:49	WG2096724

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.98	su
Specific Conductance (on site)	20942	umhos/cm
Temperature (on-site)	31.2	Deg. C
Turbidity (on-site)	48.79	NTU
Dissolved Oxygen (on-site)	0.99	mg/l
eH/ORP (On Site)	178	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1490		6.34	200	07/12/2023 14:27	WG2092801

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1800		5.19	100	07/19/2023 00:49	WG2097280

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.18	su
Specific Conductance (on site)	24571	umhos/cm
Temperature (on-site)	35.7	Deg. C
Turbidity (on-site)	79.52	NTU
Dissolved Oxygen (on-site)	0.32	mg/l
eH/ORP (On Site)	154.8	mV

1 Cp

2 Tc

3 Ss

4 Cn

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	2020		158	5000	07/12/2023 14:28	WG2092801

5 Sr

6 Qc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	2080		5.19	100	07/19/2023 01:05	WG2097280

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.47	su
Specific Conductance (on site)	24887	umhos/cm
Temperature (on-site)	33.3	Deg. C
Turbidity (on-site)	248.52	NTU
Dissolved Oxygen (on-site)	2.15	mg/l
eH/ORP (On Site)	169	mV

1 Cp

2 Tc

3 Ss

4 Cn

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1800		158	5000	07/12/2023 14:30	WG2092801

5 Sr

6 Qc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	2060		5.19	100	07/19/2023 01:22	WG2097280

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.13	su
Specific Conductance (on site)	20199	umhos/cm
Temperature (on-site)	33.4	Deg. C
Turbidity (on-site)	185.31	NTU
Dissolved Oxygen (on-site)	3.09	mg/l
eH/ORP (On Site)	155.1	mV

1 Cp

2 Tc

3 Ss

4 Cn

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	1400		31.7	1000	07/12/2023 14:31	WG2092801

5 Sr

6 Qc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	1730		5.19	100	07/19/2023 01:38	WG2097280

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.48	su
Specific Conductance (on site)	4478	umhos/cm
Temperature (on-site)	24.6	Deg. C
Turbidity (on-site)	4.35	NTU
Dissolved Oxygen (on-site)	1.91	mg/l
eH/ORP (On Site)	114.8	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	1460		10.0	1	07/17/2023 12:27	WG2095978
Alkalinity,Bicarbonate	1460		10.0	1	07/17/2023 12:27	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 12:27	WG2095978

Sample Narrative:

L1633891-18 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	17.0		0.158	5	07/12/2023 14:33	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:19	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	345	V	3.00	5	07/19/2023 03:02	WG2097280
Sulfate	ND		5.00	1	07/19/2023 02:29	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	87.5		0.200	1	07/19/2023 11:58	WG2092917
Potassium, Total Recoverable	22.7		3.00	1	07/19/2023 11:58	WG2092917
Magnesium, Total Recoverable	22.7		0.200	1	07/19/2023 11:58	WG2092917
Sodium,Total Recoverable	761		5.00	1	07/19/2023 11:58	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.43	su
Specific Conductance (on site)	3618	umhos/cm
Temperature (on-site)	23.8	Deg. C
Turbidity (on-site)	6.51	NTU
Dissolved Oxygen (on-site)	4.44	mg/l
eH/ORP (On Site)	134.3	mV

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	919		10.0	1	07/17/2023 12:32	WG2095978
Alkalinity,Bicarbonate	919		10.0	1	07/17/2023 12:32	WG2095978
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 12:32	WG2095978

Sample Narrative:

L1633891-19 WG2095978: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	6.22		0.100	1	07/12/2023 14:34	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:20	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	362		3.00	5	07/19/2023 03:35	WG2097280
Sulfate	ND		5.00	1	07/19/2023 03:18	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	88.8		0.200	1	07/19/2023 12:01	WG2092917
Potassium, Total Recoverable	13.0		3.00	1	07/19/2023 12:01	WG2092917
Magnesium, Total Recoverable	14.0		0.200	1	07/19/2023 12:01	WG2092917
Sodium,Total Recoverable	514		5.00	1	07/19/2023 12:01	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.9	su
Specific Conductance (on site)	18885	umhos/cm
Temperature (on-site)	23.6	Deg. C
Turbidity (on-site)	34.17	NTU
Dissolved Oxygen (on-site)	2.13	mg/l
eH/ORP (On Site)	168.3	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	8370		10.0	1	07/17/2023 10:18	WG2095980
Alkalinity,Bicarbonate	8370		10.0	1	07/17/2023 10:18	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:18	WG2095980

Sample Narrative:

L1633891-20 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	195		3.17	100	07/12/2023 15:06	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.197	10	07/11/2023 21:21	WG2092818

Sample Narrative:

L1633891-20 WG2092818: Diluted to leachate matrix.

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	1820		3.00	20	07/19/2023 03:51	WG2097280
Sulfate	8.53	J	5.00	20	07/19/2023 03:51	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	41.4		0.200	1	07/19/2023 12:03	WG2092917
Potassium, Total Recoverable	44.1		3.00	1	07/19/2023 12:03	WG2092917
Magnesium, Total Recoverable	106		0.200	1	07/19/2023 12:03	WG2092917
Sodium,Total Recoverable	3090		5.00	5	07/21/2023 02:19	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.98	su
Specific Conductance (on site)	17730	umhos/cm
Temperature (on-site)	27.8	Deg. C
Turbidity (on-site)	203.7	NTU
Dissolved Oxygen (on-site)	2.01	mg/l
eH/ORP (On Site)	148.3	mV

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	7610		10.0	1	07/17/2023 10:26	WG2095980
Alkalinity,Bicarbonate	7610		10.0	1	07/17/2023 10:26	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:26	WG2095980

Sample Narrative:

L1633891-21 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	913		158	5000	07/12/2023 14:46	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.197	10	07/11/2023 21:22	WG2092818

Sample Narrative:

L1633891-21 WG2092818: Diluted to leachate matrix.

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	1250		3.00	20	07/19/2023 04:07	WG2097280
Sulfate	17.1	J	5.00	20	07/19/2023 04:07	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	24.8		0.200	1	07/19/2023 12:06	WG2092917
Potassium, Total Recoverable	278		3.00	5	07/21/2023 02:21	WG2092917
Magnesium, Total Recoverable	49.2		0.200	1	07/19/2023 12:06	WG2092917
Sodium,Total Recoverable	1980		5.00	5	07/21/2023 02:21	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.46	su
Specific Conductance (on site)	11274	umhos/cm
Temperature (on-site)	28.1	Deg. C
Turbidity (on-site)	44.75	NTU
Dissolved Oxygen (on-site)	1.03	mg/l
eH/ORP (On Site)	111.9	mV

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	4600		10.0	1	07/17/2023 10:33	WG2095980
Alkalinity,Bicarbonate	4600		10.0	1	07/17/2023 10:33	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:33	WG2095980

Sample Narrative:

L1633891-22 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	333		15.8	500	07/12/2023 14:48	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	4.75		0.197	10	07/11/2023 21:24	WG2092818

Wet Chemistry by Method 9056A


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	533		3.00	20	07/19/2023 04:23	WG2097280
Sulfate	17.2	J	5.00	20	07/19/2023 04:23	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	12.0		0.200	1	07/19/2023 12:09	WG2092917
Potassium, Total Recoverable	94.2		3.00	1	07/19/2023 12:09	WG2092917
Magnesium, Total Recoverable	12.7		0.200	1	07/19/2023 12:09	WG2092917
Sodium,Total Recoverable	1950		5.00	5	07/21/2023 02:24	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.65	su
Specific Conductance (on site)	14425	umhos/cm
Temperature (on-site)	25.2	Deg. C
Turbidity (on-site)	12.5	NTU
Dissolved Oxygen (on-site)	2.61	mg/l
eH/ORP (On Site)	139.5	mV



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	5470		10.0	1	07/17/2023 10:41	WG2095980
Alkalinity,Bicarbonate	5470		10.0	1	07/17/2023 10:41	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:41	WG2095980

Sample Narrative:

L1633891-23 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	219		31.7	1000	07/12/2023 14:49	WG2092801

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:29	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	1630		3.00	20	07/19/2023 04:40	WG2097280
Sulfate	59.0	J	5.00	20	07/19/2023 04:40	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	52.4		0.200	1	07/19/2023 12:12	WG2092917
Potassium, Total Recoverable	76.1		3.00	1	07/19/2023 12:12	WG2092917
Magnesium, Total Recoverable	68.2		0.200	1	07/19/2023 12:12	WG2092917
Sodium,Total Recoverable	3080		5.00	5	07/21/2023 02:27	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.59	su
Specific Conductance (on site)	6941	umhos/cm
Temperature (on-site)	27.2	Deg. C
Turbidity (on-site)	7.03	NTU
Dissolved Oxygen (on-site)	2.13	mg/l
eH/ORP (On Site)	128	mV

1 Cp

2 Tc

3 Ss

4 Cn

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	2580		10.0	1	07/17/2023 10:48	WG2095980
Alkalinity,Bicarbonate	2580		10.0	1	07/17/2023 10:48	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:48	WG2095980

5 Sr

6 Qc

7 Gl

Sample Narrative:

L1633891-24 WG2095980: Endpoint pH 4.5 Headspace

8 Al

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	185		31.7	1000	07/12/2023 14:51	WG2092801

9 Sc

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	0.136		0.100	1	07/11/2023 21:30	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	299		3.00	10	07/19/2023 04:56	WG2097280
Sulfate	31.0	J	5.00	10	07/19/2023 04:56	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	12.5		0.200	1	07/19/2023 12:14	WG2092917
Potassium, Total Recoverable	83.9		3.00	1	07/19/2023 12:14	WG2092917
Magnesium, Total Recoverable	12.5		0.200	1	07/19/2023 12:14	WG2092917
Sodium,Total Recoverable	939		5.00	1	07/19/2023 12:14	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.7	su
Specific Conductance (on site)	3485	umhos/cm
Temperature (on-site)	32.8	Deg. C
Turbidity (on-site)	13.13	NTU
Dissolved Oxygen (on-site)	1.81	mg/l
eH/ORP (On Site)	129.9	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	896		10.0	1	07/17/2023 10:53	WG2095980
Alkalinity,Bicarbonate	896		10.0	1	07/17/2023 10:53	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 10:53	WG2095980

Sample Narrative:

L1633891-25 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	26.8		0.317	10	07/13/2023 23:49	WG2094632

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:31	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	120		3.00	5	07/19/2023 05:45	WG2097280
Sulfate	271		5.00	5	07/19/2023 05:45	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	23.7		0.200	1	07/19/2023 12:17	WG2092917
Potassium, Total Recoverable	23.8		3.00	1	07/19/2023 12:17	WG2092917
Magnesium, Total Recoverable	5.99		0.200	1	07/19/2023 12:17	WG2092917
Sodium,Total Recoverable	531		5.00	1	07/19/2023 12:17	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.29	su
Specific Conductance (on site)	1630	umhos/cm
Temperature (on-site)	29.2	Deg. C
Turbidity (on-site)	2.29	NTU
Dissolved Oxygen (on-site)	1.57	mg/l
eH/ORP (On Site)	121.3	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	1390		10.0	1	07/17/2023 11:00	WG2095980
Alkalinity,Bicarbonate	1390		10.0	1	07/17/2023 11:00	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:00	WG2095980

Sample Narrative:

L1633891-26 WG2095980: Endpoint pH 4.5

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	23.8		0.634	20	07/16/2023 00:16	WG2094642

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.100	1	07/11/2023 21:33	WG2092818

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	119		3.00	1	07/19/2023 06:02	WG2097280
Sulfate	ND		5.00	1	07/19/2023 06:02	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	53.6		0.200	1	07/19/2023 12:20	WG2092917
Potassium, Total Recoverable	24.6		3.00	1	07/19/2023 12:20	WG2092917
Magnesium, Total Recoverable	15.8		0.200	1	07/19/2023 12:20	WG2092917
Sodium,Total Recoverable	549		5.00	1	07/19/2023 12:20	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.37	su
Specific Conductance (on site)	15407	umhos/cm
Temperature (on-site)	30.9	Deg. C
Turbidity (on-site)	157.87	NTU
Dissolved Oxygen (on-site)	0.34	mg/l
eH/ORP (On Site)	144.1	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	9660		10.0	1	07/17/2023 11:26	WG2095980
Alkalinity,Bicarbonate	9660		10.0	1	07/17/2023 11:26	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:26	WG2095980

Sample Narrative:

L1633891-27 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	1270		158	5000	07/14/2023 22:41	WG2094637

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.197	10	07/11/2023 21:37	WG2092818

Sample Narrative:

L1633891-27 WG2092818: Diluted to leachate matrix.

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	2180		3.00	20	07/19/2023 06:18	WG2097280
Sulfate	8.83	J	5.00	20	07/19/2023 06:18	WG2097280

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	32.1		0.200	1	07/19/2023 12:23	WG2092917
Potassium, Total Recoverable	437		3.00	5	07/21/2023 02:30	WG2092917
Magnesium, Total Recoverable	36.0		0.200	1	07/19/2023 12:23	WG2092917
Sodium,Total Recoverable	1510		5.00	5	07/21/2023 02:30	WG2092917

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	8.49	su
Specific Conductance (on site)	14490	umhos/cm
Temperature (on-site)	31.1	Deg. C
Turbidity (on-site)	37.47	NTU
Dissolved Oxygen (on-site)	1.36	mg/l
eH/ORP (On Site)	141.8	mV

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Alkalinity	5450		10.0	1	07/17/2023 11:34	WG2095980
Alkalinity,Bicarbonate	5450		10.0	1	07/17/2023 11:34	WG2095980
Alkalinity,Carbonate	ND		10.0	1	07/17/2023 11:34	WG2095980

Sample Narrative:

L1633891-28 WG2095980: Endpoint pH 4.5 Headspace

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	644		3.17	100	07/14/2023 23:26	WG2094637

Wet Chemistry by Method 353.2

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Nitrate-Nitrite	ND		0.197	10	07/11/2023 21:38	WG2092818

Sample Narrative:

L1633891-28 WG2092818: Diluted to leachate matrix.

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	1270		5.19	100	07/19/2023 12:07	WG2097563
Sulfate	69.6	J	7.74	100	07/19/2023 12:07	WG2097563

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Calcium, Total Recoverable	70.0		0.200	1	07/19/2023 10:44	WG2092917
Potassium, Total Recoverable	219		3.00	5	07/21/2023 02:16	WG2092917
Magnesium, Total Recoverable	183		0.200	1	07/19/2023 10:44	WG2092917
Sodium,Total Recoverable	1860		5.00	5	07/21/2023 02:16	WG2092917

Method Blank (MB)

(MB) R3948623-1 07/12/23 14:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1633385-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1633385-04 07/12/23 14:00 • (DUP) R3948623-3 07/12/23 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	1200	1190	1	1.51		5

4 Cn

5 Sr

6 Qc

L1633529-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633529-01 07/12/23 14:00 • (DUP) R3948623-4 07/12/23 14:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	302	325	1	7.34	J3	5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948623-2 07/12/23 14:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8540	97.0	77.3-123	

Method Blank (MB)

(MB) R3948766-1 07/13/23 10:05

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1633581-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633581-01 07/13/23 10:05 • (DUP) R3948766-3 07/13/23 10:05

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	369	377	1	2.14		5

4 Cn

5 Sr

6 Qc

L1633864-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-07 07/13/23 10:05 • (DUP) R3948766-4 07/13/23 10:05

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	393	398	1	1.26		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948766-2 07/13/23 10:05

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8480	96.4	77.3-123	

Method Blank (MB)

(MB) R3949298-2 07/17/23 10:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1633770-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633770-01 07/17/23 10:43 • (DUP) R3949298-3 07/17/23 10:47

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	164	164	1	0.316		20
Alkalinity,Bicarbonate	164	164	1	0.316		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5

L1634156-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634156-01 07/17/23 12:36 • (DUP) R3949298-4 07/17/23 12:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	894	905	1	1.28		20
Alkalinity,Bicarbonate	707	716	1	1.23		20
Alkalinity,Carbonate	186	189	1	1.45		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3949298-1 07/17/23 10:01

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	98.3	98.3	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3949303-2 07/17/23 10:02

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Alkalinity	ND		2.71	20.0
Alkalinity,Bicarbonate	ND		2.71	20.0
Alkalinity,Carbonate	ND		2.71	20.0

Sample Narrative:

BLANK: Endpoint pH 4.5

L1633891-26 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-26 07/17/23 11:00 • (DUP) R3949303-3 07/17/23 11:05

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	1390	1420	1	2.70		20
Alkalinity,Bicarbonate	1390	1420	1	2.70		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5

DUP: Endpoint pH 4.5

L1634106-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634106-01 07/17/23 12:13 • (DUP) R3949303-4 07/17/23 12:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	mg/l	mg/l		%		%
Alkalinity	271	269	1	0.755		20
Alkalinity,Bicarbonate	271	269	1	0.755		20
Alkalinity,Carbonate	ND	ND	1	0.000		20

Sample Narrative:

OS: Endpoint pH 4.5 Headspace

DUP: Endpoint pH 4.5



Laboratory Control Sample (LCS)

(LCS) R3949303-1 07/17/23 09:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Alkalinity	100	107	107	90.0-110	

Sample Narrative:

LCS: Endpoint pH 4.5

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3947829-1 07/12/23 12:51

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633864-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-13 07/12/23 13:30 • (DUP) R3947829-7 07/12/23 13:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	0.161	0.102	1	200	P1	10

L1633864-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-03 07/12/23 13:03 • (DUP) R3947829-5 07/12/23 13:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3947829-2 07/12/23 12:52

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.71	103	90.0-110	

L1633864-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-02 07/12/23 12:58 • (MS) R3947829-3 07/12/23 13:00 • (MSD) R3947829-4 07/12/23 13:01

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	5.07	5.25	101	105	1	90.0-110			3.49	10

L1633864-12 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633864-12 07/12/23 13:22 • (MS) R3947829-6 07/12/23 13:24

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	5.12	102	1	90.0-110	

Method Blank (MB)

(MB) R3947834-1 07/12/23 14:03

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633891-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-13 07/12/23 14:24 • (DUP) R3947834-4 07/12/23 14:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	825	820	100	0.533		10

L1633891-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-20 07/12/23 15:06 • (DUP) R3947834-11 07/12/23 15:07

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	195	195	100	0.0374		10

Laboratory Control Sample (LCS)

(LCS) R3947834-2 07/12/23 14:04

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.65	102	90.0-110	

L1633891-05 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633891-05 07/12/23 14:06 • (MS) R3947834-3 07/12/23 14:07

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	5.16	103	1	90.0-110	

L1633891-19 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-19 07/12/23 14:34 • (MS) R3947834-8 07/12/23 14:36 • (MSD) R3947834-9 07/12/23 14:42

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	6.22	11.0	11.2	96.4	101	1	90.0-110	E	E	1.88	10

Method Blank (MB)

(MB) R3948477-1 07/13/23 22:54

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1632866-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632866-01 07/13/23 23:03 • (DUP) R3948477-3 07/13/23 23:04

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1634841-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634841-01 07/13/23 23:39 • (DUP) R3948477-6 07/13/23 23:40

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3948477-2 07/13/23 23:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.70	103	90.0-110	

L1632866-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1632866-01 07/13/23 23:03 • (MS) R3948477-4 07/13/23 23:06 • (MSD) R3948477-5 07/13/23 23:07

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	4.96	5.03	99.1	101	1	90.0-110			1.52	10

L1634841-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1634841-01 07/13/23 23:39 • (MS) R3948477-7 07/13/23 23:42

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.93	98.5	1	90.0-110	

Method Blank (MB)

(MB) R3948873-1 07/14/23 22:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1633913-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633913-01 07/14/23 23:27 • (DUP) R3948873-3 07/14/23 22:45

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	0.103	ND	1	10.2		10

L1634249-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634249-01 07/14/23 23:18 • (DUP) R3948873-5 07/14/23 23:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	3.77	3.73	1	1.04		10

Laboratory Control Sample (LCS)

(LCS) R3948873-2 07/14/23 22:38

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.77	104	90.0-110	

L1633913-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633913-01 07/14/23 23:27 • (MS) R3948873-4 07/14/23 22:47

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	0.103	5.13	101	1	90.0-110	

L1634249-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1634249-01 07/14/23 23:18 • (MS) R3948873-6 07/14/23 23:21 • (MSD) R3948873-7 07/14/23 23:23

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	3.77	8.58	8.72	96.2	99.0	1	90.0-110			1.64	10

Method Blank (MB)

(MB) R3949015-1 07/16/23 00:13

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1634548-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1634548-02 07/16/23 00:19 • (DUP) R3949015-3 07/16/23 00:21

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1634851-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1634851-02 07/16/23 00:46 • (DUP) R3949015-6 07/16/23 00:53

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	0.383	0.389	1	1.55		10

Laboratory Control Sample (LCS)

(LCS) R3949015-2 07/16/23 00:15

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.19	95.8	90.0-110	

L1634548-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1634548-02 07/16/23 00:19 • (MS) R3949015-4 07/16/23 00:22 • (MSD) R3949015-5 07/16/23 00:24

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	4.93	4.83	98.6	96.6	1	90.0-110			2.03	10

L1634851-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1634851-02 07/16/23 00:46 • (MS) R3949015-7 07/16/23 00:54

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	0.383	4.95	91.4	1	90.0-110	

Method Blank (MB)

(MB) R3947358-1 07/11/23 20:57

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Nitrate-Nitrite	ND		0.0197	0.100

L1633891-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-01 07/11/23 21:05 • (DUP) R3947358-3 07/11/23 21:06

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	0.803	0.810	1	0.868		20

L1633891-26 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-26 07/11/23 21:33 • (DUP) R3947358-6 07/11/23 21:34

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Nitrate-Nitrite	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3947358-2 07/11/23 20:58

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Nitrate-Nitrite	2.50	2.46	98.4	90.0-110	

L1633891-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-01 07/11/23 21:05 • (MS) R3947358-4 07/11/23 21:07 • (MSD) R3947358-5 07/11/23 21:12

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Nitrate-Nitrite	2.50	0.803	3.46	3.44	106	105	1	90.0-110			0.580	20

L1633891-26 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633891-26 07/11/23 21:33 • (MS) R3947358-7 07/11/23 21:35

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Nitrate-Nitrite	2.50	ND	2.67	107	1	90.0-110	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3950404-1 07/18/23 09:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	mg/l		mg/l	mg/l
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

L1633864-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-12 07/18/23 12:20 • (DUP) R3950404-5 07/18/23 13:11

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	21.5	21.4	1	0.174		15
Sulfate	ND	ND	1	0.000		15

L1635301-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1635301-02 07/18/23 19:06 • (DUP) R3950404-6 07/18/23 19:23

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	4.37	4.38	1	0.288		15
Sulfate	30.1	28.5	1	5.33		15

Laboratory Control Sample (LCS)

(LCS) R3950404-2 07/18/23 09:53

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	mg/l	mg/l	%	%	
Chloride	40.0	40.1	100	80.0-120	
Sulfate	40.0	39.5	98.9	80.0-120	

L1633864-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-12 07/18/23 12:20 • (MS) R3950404-3 07/18/23 12:37 • (MSD) R3950404-4 07/18/23 12:54

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Chloride	50.0	21.5	70.4	70.4	97.9	98.0	1	80.0-120			0.0987	15
Sulfate	50.0	ND	48.8	49.2	97.7	98.3	1	80.0-120			0.658	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1635301-02 Original Sample (OS) • Matrix Spike (MS)

(OS) L1635301-02 07/18/23 19:06 • (MS) R3950404-7 07/18/23 19:40

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	4.37	53.5	98.2	1	80.0-120	
Sulfate	50.0	30.1	78.4	96.6	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3950233-1 07/18/23 22:07

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

L1632774-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1632774-01 07/19/23 00:16 • (DUP) R3950233-3 07/19/23 00:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	52.8	53.2	100	0.661	U	15
Sulfate	907	902	100	0.522		15

L1634084-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1634084-02 07/19/23 06:51 • (DUP) R3950233-5 07/19/23 07:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	46.2	46.2	1	0.0539		15
Sulfate	19.3	19.3	1	0.0788		15

Laboratory Control Sample (LCS)

(LCS) R3950233-2 07/18/23 22:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	39.9	99.7	80.0-120	
Sulfate	40.0	39.5	98.8	80.0-120	

L1633891-18 Original Sample (OS) • Matrix Spike (MS)

(OS) L1633891-18 07/19/23 02:29 • (MS) R3950233-4 07/19/23 02:45

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Chloride	50.0	351	381	61.9	1	80.0-120	EV
Sulfate	50.0	ND	47.8	95.6	1	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1634084-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1634084-02 07/19/23 06:51 • (MS) R3950233-6 07/19/23 07:24 • (MSD) R3950233-7 07/19/23 07:41

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50.0	46.2	90.9	91.0	89.2	89.5	1	80.0-120			0.127	15
Sulfate	50.0	19.3	63.9	65.8	89.2	93.0	1	80.0-120			2.92	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3950797-1 07/19/23 10:52

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	mg/l		mg/l	mg/l
Chloride	ND		0.0519	1.00
Sulfate	ND		0.0774	5.00

L1634137-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1634137-01 07/19/23 12:23 • (DUP) R3950797-5 07/19/23 13:15

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	89.6	89.6	1	0.0175		15
Sulfate	1840	1840	1	0.00692	E	15

L1634640-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1634640-07 07/19/23 19:09 • (DUP) R3950797-6 07/19/23 19:26

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	mg/l	mg/l	%	%		%
Chloride	ND	ND	1	9.01		15
Sulfate	ND	ND	1	1.13		15

Laboratory Control Sample (LCS)

(LCS) R3950797-2 07/19/23 11:08

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	mg/l	mg/l	%	%	
Chloride	40.0	39.5	98.8	80.0-120	
Sulfate	40.0	39.2	98.0	80.0-120	

L1634137-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1634137-01 07/19/23 12:23 • (MS) R3950797-3 07/19/23 12:40 • (MSD) R3950797-4 07/19/23 12:57

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	mg/l	mg/l	mg/l	mg/l	%	%		%			%	%
Chloride	50.0	89.6	135	135	91.3	91.7	1	80.0-120			0.141	15
Sulfate	50.0	1840	1830	1820	0.000	0.000	1	80.0-120	E V	E V	0.525	15

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1634640-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1634640-07 07/19/23 19:09 • (MS) R3950797-7 07/19/23 19:43

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	ND	49.2	96.8	1	80.0-120	
Sulfate	50.0	ND	49.2	96.3	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3951638-2 07/21/23 17:08

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	0.334	↓	0.102	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1633864-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1633864-07 07/21/23 19:41 • (DUP) R3951638-5 07/21/23 19:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.49	1.35	1	9.78		20

L1633891-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1633891-02 07/21/23 23:12 • (DUP) R3951638-6 07/21/23 23:25

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.06	ND	1	16.1		20

Laboratory Control Sample (LCS)

(LCS) R3951638-1 07/21/23 16:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.6	98.4	85.0-115	

L1633864-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633864-06 07/21/23 18:46 • (MS) R3951638-3 07/21/23 19:07 • (MSD) R3951638-4 07/21/23 19:28

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	ND	24.6	24.6	96.2	96.4	1	80.0-120			0.244	20

L1633891-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-01 07/22/23 19:28 • (MS) R3951638-9 07/22/23 19:50 • (MSD) R3951638-10 07/22/23 20:11

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	ND	25.7	25.3	100	98.7	1	80.0-120			1.41	20

Method Blank (MB)

(MB) R3950358-1 07/19/23 11:25

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Silver, Total Recoverable	ND		0.00280	0.00500
Barium, Total Recoverable	ND		0.00170	0.00500
Calcium, Total Recoverable	ND		0.0463	1.00
Iron, Total Recoverable	0.0203	U	0.0141	0.100
Potassium, Total Recoverable	0.300	U	0.102	1.00
Magnesium, Total Recoverable	ND		0.0111	1.00
Manganese, Total Recoverable	ND		0.00120	0.0100
Sodium, Total Recoverable	0.0399		0.0111	1.00
Lead, Total Recoverable	ND		0.00190	0.00500
Selenium, Total Recoverable	ND		0.00740	0.0100

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3950358-2 07/19/23 11:28

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Silver, Total Recoverable	0.200	0.196	98.1	80.0-120	
Barium, Total Recoverable	1.00	1.04	104	80.0-120	
Calcium, Total Recoverable	10.0	9.83	98.3	80.0-120	
Iron, Total Recoverable	10.0	9.88	98.8	80.0-120	
Potassium, Total Recoverable	10.0	9.99	99.9	80.0-120	
Magnesium, Total Recoverable	10.0	9.62	96.2	80.0-120	
Manganese, Total Recoverable	1.00	0.994	99.4	80.0-120	
Sodium, Total Recoverable	10.0	9.99	99.9	80.0-120	
Lead, Total Recoverable	1.00	0.978	97.8	80.0-120	
Selenium, Total Recoverable	1.00	0.985	98.5	80.0-120	

L1633891-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-02 07/19/23 11:31 • (MS) R3950358-4 07/19/23 11:36 • (MSD) R3950358-5 07/19/23 11:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Silver, Total Recoverable	0.200	ND	0.194	0.194	96.8	97.1	1	75.0-125			0.281	20
Barium, Total Recoverable	1.00	0.0338	1.05	1.05	101	101	1	75.0-125			0.00563	20
Calcium, Total Recoverable	10.0	36.1	45.1	45.0	89.8	88.5	1	75.0-125			0.287	20
Iron, Total Recoverable	10.0	ND	9.67	9.73	96.3	96.9	1	75.0-125			0.547	20
Potassium, Total Recoverable	10.0	ND	11.7	12.0	94.2	97.7	1	75.0-125			2.92	20
Magnesium, Total Recoverable	10.0	2.64	12.2	12.0	95.2	94.1	1	75.0-125			0.967	20
Manganese, Total Recoverable	1.00	0.0108	0.977	0.979	96.6	96.8	1	75.0-125			0.211	20

L1633891-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-02 07/19/23 11:31 • (MS) R3950358-4 07/19/23 11:36 • (MSD) R3950358-5 07/19/23 11:38

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Sodium, Total Recoverable	10.0	10.8	19.7	19.7	88.2	88.9	1	75.0-125			0.367	20
Lead, Total Recoverable	1.00	ND	0.959	0.966	95.9	96.6	1	75.0-125			0.725	20
Selenium, Total Recoverable	1.00	0.0112	0.996	0.985	98.5	97.4	1	75.0-125			1.08	20

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Method Blank (MB)

(MB) R3962303-1 08/17/23 14:38

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Selenium, Total Recoverable	ND		0.00740	0.0100

1 Cp

2 Tc

3 Ss

Laboratory Control Sample (LCS)

(LCS) R3962303-2 08/17/23 14:41

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Selenium, Total Recoverable	1.00	0.892	89.2	80.0-120	

4 Cn

5 Sr

6 Qc

L1633891-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-03 08/17/23 14:43 • (MS) R3962303-4 08/17/23 14:49 • (MSD) R3962303-5 08/17/23 14:51

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Selenium, Total Recoverable	1.00	ND	0.890	0.900	89.0	90.0	1	75.0-125			1.21	20

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3947739-1 07/12/23 14:04

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Arsenic, Total Recoverable	ND		0.000250	0.00200
Beryllium, Total Recoverable	ND		0.000120	0.00200
Cadmium, Total Recoverable	ND		0.000160	0.00100
Cobalt, Total Recoverable	ND		0.000260	0.00200
Chromium, Total Recoverable	ND		0.000540	0.00200
Copper, Total Recoverable	ND		0.000520	0.00500
Nickel, Total Recoverable	ND		0.000350	0.00200
Antimony, Total Recoverable	ND		0.000754	0.00200
Thallium, Total Recoverable	ND		0.000190	0.00200
Vanadium, Total Recoverable	ND		0.000180	0.00500
Zinc, Total Recoverable	ND		0.00256	0.0250

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3947739-2 07/12/23 14:08

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic, Total Recoverable	0.0500	0.0506	101	80.0-120	
Beryllium, Total Recoverable	0.0500	0.0483	96.6	80.0-120	
Cadmium, Total Recoverable	0.0500	0.0513	103	80.0-120	
Cobalt, Total Recoverable	0.0500	0.0507	101	80.0-120	
Chromium, Total Recoverable	0.0500	0.0509	102	80.0-120	
Copper, Total Recoverable	0.0500	0.0482	96.5	80.0-120	
Nickel, Total Recoverable	0.0500	0.0508	102	80.0-120	
Antimony, Total Recoverable	0.0500	0.0457	91.4	80.0-120	
Thallium, Total Recoverable	0.0500	0.0493	98.5	80.0-120	
Vanadium, Total Recoverable	0.0500	0.0505	101	80.0-120	
Zinc, Total Recoverable	0.0500	0.0482	96.3	80.0-120	

L1633891-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-01 07/12/23 14:11 • (MS) R3947739-4 07/12/23 14:18 • (MSD) R3947739-5 07/12/23 14:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic, Total Recoverable	0.0500	ND	0.0499	0.0493	99.8	98.7	1	75.0-125			1.09	20
Beryllium, Total Recoverable	0.0500	ND	0.0491	0.0465	98.3	93.1	1	75.0-125			5.46	20
Cadmium, Total Recoverable	0.0500	ND	0.0517	0.0507	103	101	1	75.0-125			2.04	20
Cobalt, Total Recoverable	0.0500	ND	0.0502	0.0499	100	99.9	1	75.0-125			0.502	20
Chromium, Total Recoverable	0.0500	ND	0.0507	0.0507	101	101	1	75.0-125			0.0118	20

L1633891-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1633891-01 07/12/23 14:11 • (MS) R3947739-4 07/12/23 14:18 • (MSD) R3947739-5 07/12/23 14:22

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Copper, Total Recoverable	0.0500	ND	0.0473	0.0462	94.5	92.5	1	75.0-125			2.18	20
Nickel, Total Recoverable	0.0500	ND	0.0506	0.0496	99.2	97.2	1	75.0-125			1.94	20
Antimony, Total Recoverable	0.0500	ND	0.0447	0.0442	89.3	88.4	1	75.0-125			1.03	20
Thallium, Total Recoverable	0.0500	ND	0.0479	0.0492	95.9	98.3	1	75.0-125			2.55	20
Vanadium, Total Recoverable	0.0500	ND	0.0517	0.0500	102	99.0	1	75.0-125			3.23	20
Zinc, Total Recoverable	0.0500	0.00548	0.0519	0.0518	104	104	1	75.0-125			0.0376	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3948671-2 07/12/23 09:42

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3948671-2 07/12/23 09:42

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	93.6			70.0-130
(S) 4-Bromofluorobenzene	90.3			77.0-126
(S) Toluene-d8	98.6			80.0-120

Laboratory Control Sample (LCS)

(LCS) R3948671-1 07/12/23 08:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,1,1,2-Tetrachloroethane	5.00	5.18	104	75.0-125	
1,1,1-Trichloroethane	5.00	5.14	103	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	5.34	107	65.0-130	
1,1,2-Trichloroethane	5.00	5.04	101	80.0-120	
1,1-Dichloroethane	5.00	5.37	107	70.0-126	
1,1-Dichloroethene	5.00	5.07	101	71.0-124	
1,2,3-Trichloropropane	5.00	5.50	110	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	4.39	87.8	58.0-134	
1,2-Dibromoethane	5.00	5.06	101	80.0-122	
1,2-Dichlorobenzene	5.00	5.03	101	79.0-121	
1,2-Dichloroethane	5.00	5.15	103	70.0-128	
1,2-Dichloropropane	5.00	5.39	108	77.0-125	
1,4-Dichlorobenzene	5.00	5.40	108	79.0-120	
2-Butanone (MEK)	25.0	31.5	126	44.0-160	
2-Hexanone	25.0	28.3	113	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	28.0	112	68.0-142	
Acetone	25.0	27.8	111	19.0-160	
Acrylonitrile	25.0	35.7	143	55.0-149	
Benzene	5.00	4.83	96.6	70.0-123	
Bromochloromethane	5.00	5.46	109	76.0-122	
Bromodichloromethane	5.00	5.14	103	75.0-120	
Bromoform	5.00	4.76	95.2	68.0-132	
Bromomethane	5.00	1.77	35.4	10.0-160	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3948671-1 07/12/23 08:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Carbon disulfide	5.00	4.25	85.0	61.0-128	
Carbon tetrachloride	5.00	5.53	111	68.0-126	
Chlorobenzene	5.00	4.84	96.8	80.0-121	
Chloroethane	5.00	6.27	125	47.0-150	
Chloroform	5.00	5.19	104	73.0-120	
Chloromethane	5.00	3.38	67.6	41.0-142	
Dibromochloromethane	5.00	5.38	108	77.0-125	
Dibromomethane	5.00	5.96	119	80.0-120	
Ethylbenzene	5.00	5.31	106	79.0-123	
Iodomethane	25.0	14.2	56.8	33.0-147	
Methylene Chloride	5.00	5.50	110	67.0-120	
Styrene	5.00	4.34	86.8	73.0-130	
Tetrachloroethene	5.00	5.08	102	72.0-132	
Toluene	5.00	4.84	96.8	79.0-120	
Trichloroethene	5.00	4.70	94.0	78.0-124	
Trichlorofluoromethane	5.00	4.90	98.0	59.0-147	
Vinyl acetate	25.0	51.0	204	11.0-160	J4
Vinyl chloride	5.00	5.19	104	67.0-131	
Xylenes, Total	15.0	15.3	102	79.0-123	
cis-1,2-Dichloroethene	5.00	5.45	109	73.0-120	
cis-1,3-Dichloropropene	5.00	4.89	97.8	80.0-123	
trans-1,2-Dichloroethene	5.00	5.11	102	73.0-120	
trans-1,3-Dichloropropene	5.00	4.56	91.2	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	3.95	79.0	33.0-144	
(S) 1,2-Dichloroethane-d4			102	70.0-130	
(S) 4-Bromofluorobenzene			98.3	77.0-126	
(S) Toluene-d8			96.9	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

Report to:
Jodi Reynolds

Email To:
ciara.children.beavers@jettenviro.com; jeffholm

Project Description:
Eco-Vista - GW-July

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: 501-993-8966

Client Project #
200

Lab Project #
WMCOVISAR-00019

Collected by (print):
Chris Fincher

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Quote #

- Same Day Five Day
- Next Day 5 Day (Rad Only)
- Two Day 10 Day (Rad Only)
- Three Day

Date Results Needed

No.
of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

LGW-GR NE-10D	Grab	GW	101.45	7.8.23	1400	8
LGW-9 MW-17	↓	GW	60.35	↓	1515	8
LGW-10 MW-2N	↓	GW	70.95	↓	1635	8
LGW-14R MW-1N	↓	GW	81.70	↓	1735	8
LEACHATE-COMPOSITE MW-11N	↓	GW	63.55	↓	1835	8
DUP		GW				8
DUP2		GW				8
LCS-1	Grab	GW	N/A	7.9.23	0800	2
LCS-2	↓	GW	↓	↓	0830	2
LCS-3	↓	GW	↓	↓	0900	2

ALK, CHLORIDE, SULFA 250mlHDPE-NoPres	CHLORIDE 125mlHDPE-NoPres	Metals 250mlHDPE-HNO3	NH3 250mlHDPE-H2SO4	NH3,NO2NO3 250mlHDPE-H2SO4	TDS 1L-HDPE NoPres	TOC 250mlHDPE-HCl	V8260LL 40mlAmb-HCl	V8260LL TB 40mlAmb-HCl-BIK
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	
X	X	X	X	X	X	X	X	

Remarks | Sample # (lab only)

-01
-02
-03
-04
-05

-06
-07
-08

- * Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking #

pH _____ Temp _____
Flow _____ Other _____

Sample Receipt Checklist	
COC Seal Present/Intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

Relinquished by: (Signature) <i>[Signature]</i>	Date: 7.10.23	Time: 1800	Received by: (Signature)	Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ECL/MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: _____ °C Bottles Received: 97
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) 9 10	Date: 7.11.23 Time: 9:00

If preservation required by local Dept - Time
PH-10BDH4321 TRC-2313312
CR6-2022'V
Hold: _____ Condition: **(NCF) / OK**

Company Name/Address:

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Report to:
Jodi Reynolds

Project Description:
Eco-Vista - GW-July

Phone: 501-993-8966

Client Project #
200

Lab Project #
WMECOVISAR-00019

Collected by (print):
Chris Finck

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Immediately
Packed on Ice N Y

Pres
Chk

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Email To:
ciara.childers.beavers@jettenviro.com; jeffholm

City/State
Collected:

Please Circle:
PT MT CT ET

Analysis / Container / Preservative

Chain of Custody Page **2** of **3**



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **U63589**

Table #

Acctnum: **WMECOVISAR**

Template: **T211193**

Prelogin: **P1006574**

PM: **616 - Stacy Kennedy**

PB:

Shipped Via: **FedEX Ground**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

LCS-4	Grab	GW	N/A	7.9.23	0930	2
LCS-5		GW			1000	2
LCS-6		GW			1030	2
LCS-7		GW			1100	2
LCS-8		GW			1130	2
LCS-9		GW			1300	2
LCS-10		GW			1330	2
LCS-11		GW			1400	2
LCS-12		GW			1430	2
LDS-1		GW			0815	3

ALK, CHLORIDE, SULFA 250mlHDPE-NoPres

CHLORIDE 125mlHDPE-NoPres

Metals 250mlHDPE-HNO3

NH3 250mlHDPE-H2SO4

NH3,NO2NO3 250mlHDPE-H2SO4

TDS 1L-HDPE NoPres

TOC 250mlHDPE-HCl

V8260LL 40mlAmb-HCl

V8260LL TB 40mlAmb-HCl-Bik

Remarks	Sample # (lab only)
	-09
	-10
	-11
	-12
	-13
	-14
	-15
	-16
	-17
	-18

* Matrix:
 SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:

pH _____ Temp _____
 Flow _____ Other _____

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

Samples returned via:
 UPS FedEx Courier Tracking #

Relinquished by: (Signature) <i>[Signature]</i>	Date: 7.10.23	Time: 1800	Received by: (Signature)	Trip Blank Received: Yes / No HCL / MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 7.11.23 Time: 9:00 Hold: Condition: NCF / OK

If preservation required by Login: Date/Time

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

Report to:
Jodi Reynolds

Email To:
ciara.childrens.beavers@jettenviro.com;jeffholm

Project Description:
Eco-Vista - GW-July

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: **501-993-8966**

Client Project #
200

Lab Project #
WMECOVISAR-00019

Collected by (print):
Chris Fincher

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Quote #

- Same Day Five Day
- Next Day 5 Day (Rad Only)
- Two Day 10 Day (Rad Only)
- Three Day

Date Results Needed

No.
of
Cnts

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts
-----------	-----------	----------	-------	------	------	-------------

LDS-2	Grab	GW	N/A	7.9.23	0845	3
LDS-3		GW			0915	3
LDS-4		GW			0945	3
LDS-5		GW			1015	3
LDS-6		GW			1045	3
LDS-7		GW			1115	3
LDS-8		GW			1145	3
LDS-9		GW			1315	3
LDS-10		GW			1345	3
LDS-11		GW			1445	3
LDS-12		GW				

ALK, CHLORIDE, SULFA 250mlHDPE-NoPres

CHLORIDE 125mlHDPE-NoPres

Metals 250mlHDPE-HNO3

NH3 250mlHDPE-H2SO4

NH3,NO2NO3 250mlHDPE-H2SO4

TDS 1L-HDPE NoPres

TOC 250mlHDPE-HCl

V8260LL 40mlAmb-HCl

V8260LL TB 40mlAmb-HCl-BIK

Remarks | Sample # (lab only)

-19
-20
-21
-22
-23
-24
-25
-26
-27
-28

- * Matrix:
- SS - Soil AIR - Air F - Filter
- GW - Groundwater B - Bioassay
- WW - WasteWater
- DW - Drinking Water
- OT - Other

Remarks:

Samples returned via:

UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

- COC Seal Present/Intact: Y N
- COC Signed/Accurate: Y N
- Bottles arrive intact: Y N
- Correct bottles used: Y N
- Sufficient volume sent: Y N
- If Applicable
- VOA Zero Headspace: Y N
- Preservation Correct/Checked: Y N
- RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes / No

HCL/MeOH

TBR

Temp: °C Bottles Received:

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Date: Time:

Hold:

Condition:
NCF / OK

7 10

7.11.23 7:00

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE 100
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L1633891

PURGE INFO: 070823 | 1330 | | | |
PURGE DATE (MM DD YY) | **PURGE TIME** (2400 Hr Clock) | **ELAPSED HRS** (hrs:min) | **WATER VOL IN CASING** (Gallons) | **ACTUAL VOL PURGED** (Gallons) | **WELL VOLS PURGED**
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGING AND SAMPLING EQUIPMENT ... Dedicated: Y or X
 Purging Device: A A-Submersible Pump D-Bailer | Filter Device: Y or N | 0.45 μ or μ (circle or fill in)
 Sampling Device: A B-Peristaltic Pump E-Piston Pump | Filter Type: | A-In-line Disposable C-Vacuum
 X-Other: | C-QED Bladder Pump F-Dipper/Bottle | B-Pressure X-Other:
 Sample Tube Type: D | A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 101.28 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
13:35	300 1 st	9.55	240	17.6	718	7.9	146.6	101.45
13:40	300 2 nd	6.23	241	17.8	470	8.0	151.0	101.45
13:45	300 3 rd	5.93	241	17.9	328	8.1	155.1	101.45
13:50	300 4 th	5.81	239	17.6	189	8.1	159.6	101.45
13:55	300	5.80	239	18.1	142	8.1	160.6	101.45
14:00	300	5.78	238	17.9	91	8.1	161.5	101.45

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2 | Conductance +/- 3% | Temp. - | Turbidity - | D.O. +/- 10% | eH/ORP +/- 25 mV | DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

FIELD DATA: SAMPLE DATE (MM DD YY) 070823 | pH (std) 5.78 | CONDUCTANCE (umhos/cm @ 25°C) 238 | TEMP. (°C) 17.9 | TURBIDITY (ntu) 91 | DO (mg/L-ppm) 8.1 | eH/ORP (mV) 161.5 | Other:
 Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7.8.23 | C. Funder | |
 Date | Name | Signature | Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-17
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L633891

PURGE INFO: 070823 | 1430 | | | |
 PURGE DATE (MM DD YY) | PURGE TIME (2400 Hr Clock) | ELAPSED HRS (hrs:min) | WATER VOL IN CASING (Gallons) | ACTUAL VOL PURGED (Gallons) | WELL VOLS PURGED
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGING AND SAMPLING EQUIPMENT ... Dedicated: Y or X
 Purging Device: A | A-Submersible Pump | D-Bailer | Filter Device: Y or X | 0.45 μ or μ (circle or fill in)
 Sampling Device: A | B-Peristaltic Pump | E-Piston Pump | Filter Type: | A-In-line Disposable | C-Vacuum
 X-Other: | C-QED Bladder Pump | F-Dipper/Bottle | Sample Tube Type: D | B-Stainless Steel | D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) | Depth to Water (DTW) (from TOC) 60.30 (ft) | Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) | Stick Up (from ground elevation) (ft) | Casing ID 2 (in) | Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:35	200 1 st	6.77	473	19.6	344.6	3.9	173.2	60.35
14:40	200 2 nd	6.52	461	19.6	302.2	4.1	168.3	60.35
14:45	200 3 rd	6.26	438	19.7	258.6	4.6	164.9	60.35
14:50	200 4 th	6.06	370	19.5	190.1	5.9	166.8	60.35
14:55	200	5.86	328	19.7	160.8	6.7	172.2	60.35
15:00	200	5.80	305	19.3	110.1	7.0	175.5	60.35
15:05	200	5.73	297	19.3	60.2	7.2	177.6	60.35
15:10	200	5.69	286	19.4	30.9	7.4	179.9	60.35
15:15	200	5.63	282	19.6	11.6	7.4	181.0	60.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

FIELD DATA: SAMPLE DATE (MM DD YY) 070823 | pH (std) 5.63 | CONDUCTANCE (umhos/cm @ 25°C) 282 | TEMP. (°C) 19.6 | TURBIDITY (ntu) 11.6 | DO (mg/L-ppm) 7.4 | eH/ORP (mV) 181.0 | Other:

Sample Appearance: clear | Odor: none | Color: clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required):

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 8, 23 | C. Fincher | [Signature] | Promus
 Date | Name | Signature | Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-2N
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
L163391

PURGE INFO: 070823 16:00
 PURGE DATE (MM DD YY) PURGE TIME (2400 Hr Clock) ELAPSED HRS (hrs:min) WATER VOL IN CASING (Gallons) ACTUAL VOL PURGED (Gallons) WELL VOLs PURGED
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT: Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 68.95 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:05	250 1 st	8.44	469	27.5	24.4	5.9	175.2	69.75
16:10	250 2 nd	7.94	528	23.4	8.3	4.4	170.4	70.45
16:15	250 3 rd	7.20	530	22.2	7.9	4.2	172.1	70.55
16:20	250 4 th	6.50	530	22.2	6.6	3.4	174.1	70.75
16:25	250	6.38	531	22.2	5.1	3.0	174.4	70.85
16:30	250	6.33	531	21.8	5.4	2.8	174.8	70.95
16:35	250	6.29	530	21.1	5.3	2.9	175.4	70.95
;								
;								
;								

Suggested range for 3 consec. readings or note Permit/State requirements: +/- 0.2 +/- 3% - - +/- 10% +/- 25 mV Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
070823	6.29	530	21.1	5.3	2.9	175.4	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 8, 23 C. Pinder [Signature] Proamus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: WW-1M
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
4633891

PURGE INFO
 PURGE DATE: 070823 PURGE TIME: 17:05 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 80.33 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
17:10	200 1 st	7.24	419	23.0	21.2	82	166.1	81.50
17:15	200 2 nd	7.28	415	21.9	9.3	59	162.7	81.70
17:20	200 3 rd	6.85	416	21.5	8.3	30	165.1	81.7
17:25	200 4 th	6.49	412	21.1	5.8	22	167.7	81.75
17:30	200	6.43	410	20.8	5.3	20	168.5	81.75
17:35	200	6.40	409	20.7	5.0	19	168.9	81.7

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 070823 pH (std): 6.40 CONDUCTANCE (umhos/cm @ 25°C): 409 TEMP. (°C): 20.7 TURBIDITY (ntu): 5.0 DO (mg/L-ppm): 19 eH/ORP (mV): 168.9 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7, 8, 23 C. Fisher [Signature] [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-11M
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:
11633891

PURGE INFO
 PURGE DATE: 07/08/23 PURGE TIME: 18:00 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: or 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 58.32 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:05	225 1 st	8.00	366	18.8	5.6	4.8	160.3	61.0
18:10	200 2 nd	7.01	366	17.9	5.6	6.0	163.4	62.25
18:15	200 3 rd	6.43	367	18.0	7.2	6.4	164.8	62.85
18:20	200 4 th	6.28	368	18.0	5.3	6.5	165.9	63.35
18:25	200	6.24	367	17.9	5.9	6.6	166.7	63.55
18:30	200	6.21	367	18.0	5.5	6.5	166.5	63.55
18:35	200	6.18	366	18.0	5.0	6.5	166.3	63.55

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 07/08/23 pH (std): 6.18 CONDUCTANCE (umhos/cm @ 25°C): 366 TEMP. (°C): 18.0 TURBIDITY (ntu): 5.0 DO (mg/L-ppm): 6.5 eH/ORP (mV): 166.3 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: NONE Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
7/8/23 C. Fincher [Signature] Probus
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:
 L1633891

Site Name: EVLF

Sample I.D.: LCS-1

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0800</u>	<u>7.16</u>	<u>15558</u>	<u>23.8</u>	<u>459.75</u>	<u>1.16</u>	<u>156.1</u>

Record final stabilized field readings.

Field Observations


Sample Appearance: Odor: Yes Color: Brown Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change): cloudy, 80s

Direction/Speed: calm Precipitation: Y or N

Specific Comments: _____

7.9.23 C. Fincher  Promus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

41633891

Site Name: EVLF

Sample I.D. LLS-2

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle

I - Indirect T - Transfer Vessel O - Other

V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
07/09/2023	0830	6.75	15429	22.6	522.11	1.21	212.0

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: Brown Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9 123 C. Finck Pratts

Date: 7.9.23 Name: C. Finck Signature: [Signature] Company: Pratts

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

L1633891

Sample I.D. LCS-4

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: **D** D - Direct Sampling Equipment: **S** D - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: **Grab** / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0930</u>	<u>6.79</u>	<u>19705</u>	<u>27.0</u>	<u>76.81</u>	<u>1.11</u>	<u>162.2</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: Brown Other: _____
 Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

719123 C. Finley [Signature] Probus
 _____ _____ _____ _____
 Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate


 Laboratory Use Only / Lab I.D.:
L1633891

 Site Name: EVLF
 Sample I.D. LCS-5

Sampling Method & Equipment

Purge and Sample Equipment:

 Sampling Method: D D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

 Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
07/09/2023	1000	7.60	29225	31.5	121.71	0.63	122.2

Record final stabilized field readings.

Field Observations

 Sample Appearance: Odor: Yes Color: Dark Brown Other: _____
 Sheen Present Y or ~~N~~ Foam Present: ~~Y~~ or N Floating Solids: Y or ~~N~~

Weather Conditions: (required daily, or as conditions change):

 Direction/Speed: _____ Precipitation: Y or N

 Specific Comments: _____

7.9
 Date

C. Fincher
 Name

Signature

Praxis
 Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LCS-6

11633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1030</u>	<u>7.50</u>	<u>21142</u>	<u>24.4</u>	<u>361.05</u>	<u>4.20</u>	<u>172.9</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: Black Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9.23 C. Fincher [Signature] Perkins

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LCS-8

11633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1130</u>	<u>8.33</u>	<u>12562</u>	<u>36.0</u>	<u>2529.71</u>	<u>2.45</u>	<u>176.4</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: Brown Other: _____
 Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9 123 C. Finlar [Signature] Praxis

Date: 7.9 123 Name: C. Finlar Signature: [Signature] Company: Praxis

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LCS-9

L1633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
I - Indirect T - Transfer Vessel O - Other

V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1300</u>	<u>8.98</u>	<u>20942</u>	<u>31.2</u>	<u>48.79</u>	<u>0.99</u>	<u>178.0</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: Brown Other: _____
Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9 123 C. Funder _____ Praxis

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLFF

Sample I.D.: LCS-10

Laboratory Use Only / Lab I.D.:

LL633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1330</u>	<u>8.18</u>	<u>24571</u>	<u>35.7</u>	<u>79.52</u>	<u>0.32</u>	<u>154.8</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: _____ Other: _____
Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7/9/23 C. Funder [Signature] Provis

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

L1633891

Site Name: EVLF

Sample I.D. LCS-11

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1400</u>	<u>8.47</u>	<u>24887</u>	<u>33.3</u>	<u>248.52</u>	<u>2.15</u>	<u>169.0</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Black Other: _____
 Sheen Present or N Foam Present: or N Floating Solids: or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

NO LDS Sample Available: Empty Pipe?

3

7/9/23 C. Finelar Praxis

Date: _____ Name: _____ Signature: _____ Company: _____

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLF

Laboratory Use Only / Lab I.D.:
L11033891

Sample I.D. LCS-12

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D I V D - Direct I - Indirect V - Visual
Sampling Equipment: S T D - Dipper T - Transfer Vessel
S - Sample Bottle O - Other

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1430</u>	<u>8.13</u>	<u>20199</u>	<u>33.4</u>	<u>185.31</u>	<u>3.09</u>	<u>155.1</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Brown Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7, 9, 23 C. Fincher Prom's

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLF

Sample I.D.: LDS-1

Laboratory Use Only / Lab I.D.:

L1e33891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0815</u>	<u>6.48</u>	<u>4478</u>	<u>24.6</u>	<u>4.35</u>	<u>1.91</u>	<u>114.8</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: yellow Other: _____
 Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9.23 C. Finley [Signature] PROMMS

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLF

Sample I.D.: LDS-2

Laboratory Use Only / Lab I.D.:
24633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
 I I - Indirect T T - Transfer Vessel O - Other

V V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0845</u>	<u>6.43</u>	<u>3618</u>	<u>23.8</u>	<u>6.51</u>	<u>4.44</u>	<u>134.3</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Yellow Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7/9/23 L. Fowler _____ Promis

Date Name Signature Company

FIELD INFORMATION FORM
Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LDS-3

11633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0915</u>	<u>6.90</u>	<u>18885</u>	<u>23.6</u>	<u>34.17</u>	<u>2.13</u>	<u>168.3</u>

Record final stabilized field readings.


Field Observations

Sample Appearance: Odor: Yes Color: Dark yellow Other: _____
Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7/9/23 C. Funder  Promus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LOS-4

L1633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>0945</u>	<u>6.98</u>	<u>17730</u>	<u>27.8</u>	<u>203.70</u>	<u>2.01</u>	<u>148.3</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Black Other: _____
Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7/9/23 C. Fincher [Signature] Praxis
_____ _____ _____ _____
Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVVF

Sample I.D.: LOS-5

Laboratory Use Only / Lab I.D.:

11633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel
 V - Visual O - Other

Sample Type: Composite Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1015</u>	<u>7.46</u>	<u>11274</u>	<u>29.1</u>	<u>44.75</u>	<u>1.03</u>	<u>111.9</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Black Other: _____
Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7/9/23 C. Fincher [Signature] Promus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

11633891

Site Name: EVLF

Sample I.D.: LDS-7

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: / Grat / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1115</u>	<u>7.59</u>	<u>694</u>	<u>27.2</u>	<u>7.03</u>	<u>2.13</u>	<u>128.0</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: yellow Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7, 9, 2023 C. Fincher  Proamus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

41633891

Site Name: EVLF

Sample I.D. L05-8

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2023</u>	<u>1145</u>	<u>8.70</u>	<u>3485</u>	<u>32.8</u>	<u>13.13</u>	<u>1.81</u>	<u>129.9</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: yes Color: clear Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9.23 C. Fincher [Signature] Pronus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Site Name: EVLF

Sample I.D. LOS-9

Laboratory Use Only / Lab I.D.:
41033891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D Direct Sampling Equipment: S Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp 'C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
07/09/2023	1315	8.29	1630	29.2	2.29	1.57	121.3
<i>Record final stabilized field readings.</i>							

Field Observations

Sample Appearance: Odor: Yes Color: Yellow Tint Other: _____

Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7, 9, 23 C. Finley Parus

Date Name Signature Company

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LDS-10

L1633891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D - Direct Sampling Equipment: S D - Dipper S - Sample Bottle
 I - Indirect T - Transfer Vessel O - Other
 V - Visual

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2005</u>	<u>1345</u>	<u>8.37</u>	<u>15407</u>	<u>30.9</u>	<u>157.87</u>	<u>0.34</u>	<u>144.1</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Brown Other: _____
 Sheen Present Y or N Foam Present: Y or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7.9.05 L. Fincher [Signature] Proams

Date: 7.9.05 Name: L. Fincher Signature: [Signature] Company: Proams

FIELD INFORMATION FORM

Surface Water, Stormwater and Leachate



Laboratory Use Only / Lab I.D.:

Site Name: EVLF

Sample I.D. LDS-12

L11033891

Sampling Method & Equipment

Purge and Sample Equipment:

Sampling Method: D D - Direct I - Indirect V - Visual
Sampling Equipment: S D - Dipper T - Transfer Vessel S - Sample Bottle O - Other

Sample Type: Grab / Composite (circle one)

Field Measurements

Sample Date MM/DD/YYYY	Sample Time 24 Hr. Clock	pH (std. Units)	CONDUCTIVITY (umhos/cm @ 25°C)	Temp °C	TURBIDITY (NTUs)	DO mg/L - ppm	eH/ORP (std. Units)
<u>07/09/2003</u>	<u>1445</u>	<u>8.49</u>	<u>14490</u>	<u>31.1</u>	<u>37.47</u>	<u>1.36</u>	<u>141.8</u>

Record final stabilized field readings.

Field Observations

Sample Appearance: Odor: Yes Color: Red/Brown Other: _____

Sheen Present Y or N Foam Present: X or N Floating Solids: Y or N

Weather Conditions: (required daily, or as conditions change):

Direction/Speed: _____ Precipitation: Y or N

Specific Comments: _____

7, 9 2003 C. Fincher [Signature] Promus

Date Name Signature Company

L11035891

<u>Tracking Numbers</u>	<u>Temperature</u>
6525 5570 5921	GBA6 5.470=5.4
6525 5570 5895	GBA6 2.670=2.6
6525 5570 5932	GBA6 2.770=2.7
6525 5570 5873	GBA6 1.270=1.2
6525 5570 5910	GBA6 5.470=5.4
6525 5570 5900	GBA6 3.570=3.5

7/11-NCF-L1633891 WMECOVISAR

R5

Time estimate: oh

Time spent: oh

Members



Hailey Melson (responsible)



Stacy Kennedy

Due on 14 July 2023 8:00 AM for target Done

- Parameter(s) past holding time
- Temperature not in range
- Improper container type
- pH not in range
- Insufficient sample volume
- Sample is biphasic
- Vials received with headspace
- Broken container
- Sufficient sample remains
- If broken container: Insufficient packing material around container
- If broken container: Insufficient packing material inside cooler
- If broken container: Improper handling by carrier: _____
- If broken container: Sample was frozen
- If broken container: Container lid not intact
- Client informed by Call
- Client informed by Email
- Client informed by Voicemail
- Date/Time: _____
- PM initials: _____
- Client Contact: _____

Comments

- Hailey Melson* *11 July 2023 1:45 PM*
 pH out of range for all LCS IDs. Sample reacted with Sulfuric so no samples were preserved.
- Stacy Kennedy* *11 July 2023 2:08 PM*
 Noted. Please proceed with analysis. These are a leachate-type matrix.
- Hailey Melson* *11 July 2023 2:09 PM*
 Done

APPENDIX C

**Laboratory Analytical Results & Field
Forms Fourth Quarter 2023 Event**



ANALYTICAL REPORT

October 26, 2023

Revised Report

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc


Eco-Vista (Tontitown)LF

Sample Delivery Group: L1663702
 Samples Received: 10/06/2023
 Project Number: 200
 Description: Eco-Vista LF-GW-Apr & Oct
 Site: AR03
 Report To: Jodi Reynolds
 88 Joyce Lane
 Russellville, AR 72801

Entire Report Reviewed By:

Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.




Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	2 Tc
Ss: Sample Summary	4	3 Ss
Cn: Case Narrative	9	4 Cn
Sr: Sample Results	12	5 Sr
DUP L1663702-01	12	
DUP2 L1663702-02	14	
LGW-2 L1663702-03	16	
LGW-3R L1663702-04	17	
LGW-4 L1663702-05	18	
LGW-5 L1663702-06	19	
MW-7N L1663702-07	25	
MW-15 L1663702-08	26	
MW-16 L1663702-09	27	
MW-17 L1663702-10	28	
MW-19 L1663702-11	29	
NE-1 L1663702-12	30	
NE-2 L1663702-13	32	
NE-4 L1663702-14	34	
NE-5 L1663702-15	36	
NE-5E L1663702-16	38	
NE-5W L1663702-17	40	
NE-6D L1663702-18	42	
NE-10D L1663702-19	44	
NE-14D L1663702-20	46	
NE-14S L1663702-21	48	
FB L1663702-22	50	
TRIP BLANK L1663702-23	52	
Qc: Quality Control Summary	54	6 Qc
Gravimetric Analysis by Method 2540 C-2011	54	
Wet Chemistry by Method 350.1	59	
Wet Chemistry by Method 4500S2 D-2011	60	
Wet Chemistry by Method 9012B	61	
Wet Chemistry by Method 9056A	62	
Wet Chemistry by Method 9060A	70	
Mercury by Method 7470A	71	
Metals (ICP) by Method 6010B	72	
Metals (ICPMS) by Method 6020	73	
Volatile Organic Compounds (GC/MS) by Method 8260B	75	
Chlorinated Acid Herbicides (GC) by Method 8151	93	7 Gl

Pesticides (GC) by Method 8081	94
Polychlorinated Biphenyls (GC) by Method 8082	96
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	97
GI: Glossary of Terms	106
AI: Accreditations & Locations	107
Sc: Sample Chain of Custody	108




SAMPLE SUMMARY

DUP L1663702-01 GW

Collected by: Chris F.
 Collected date/time: 10/03/23 07:00
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2147641	1	10/09/23 08:32	10/09/23 11:03	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 06:24	10/12/23 06:24	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 14:03	10/12/23 14:03	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:01	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 22:48	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 19:58	10/08/23 19:58	DYW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147871	1	10/09/23 22:44	10/09/23 22:44	DYW	Mt. Juliet, TN



DUP2 L1663702-02 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 07:00
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148182	1	10/10/23 09:28	10/10/23 13:19	KAM	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 12:56	10/10/23 12:56	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 06:38	10/12/23 06:38	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 14:17	10/12/23 14:17	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:04	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:08	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 20:17	10/08/23 20:17	DYW	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147871	1	10/09/23 23:03	10/09/23 23:03	DYW	Mt. Juliet, TN

LGW-2 L1663702-03 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 11:25
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:05	10/10/23 13:05	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 06:52	10/12/23 06:52	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 14:31	10/12/23 14:31	ASH	Mt. Juliet, TN

LGW-3R L1663702-04 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 10:50
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:08	10/10/23 13:08	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 07:05	10/12/23 07:05	HMM	Mt. Juliet, TN

LGW-4 L1663702-05 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 10:15
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:09	10/10/23 13:09	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 07:19	10/12/23 07:19	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 14:45	10/12/23 14:45	ASH	Mt. Juliet, TN

LGW-5 L1663702-06 GW

Collected by: Chris F.
 Collected date/time: 10/05/23 10:00
 Received date/time: 10/06/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149548	1	10/11/23 18:54	10/12/23 12:22	MMF	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:11	10/10/23 13:11	BMD	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2146948	1	10/07/23 12:48	10/07/23 12:48	EPW	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-5 L1663702-06 GW

Collected by: Chris F.
 Collected date/time: 10/05/23 10:00
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9012B	WG2146824	1	10/08/23 19:15	10/09/23 11:51	UNP	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 07:33	10/12/23 07:33	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 16:25	10/12/23 16:25	ASH	Mt. Juliet, TN
Mercury by Method 7470A	WG2147175	1	10/10/23 14:19	10/11/23 11:23	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:07	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:11	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147154	1	10/08/23 10:38	10/08/23 10:38	JCP	Mt. Juliet, TN
Chlorinated Acid Herbicides (GC) by Method 8151	WG2145481	1	10/09/23 14:32	10/10/23 18:48	LTB	Mt. Juliet, TN
Pesticides (GC) by Method 8081	WG2147257	1	10/08/23 16:26	10/08/23 22:17	NWH	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082	WG2147257	1	10/08/23 16:26	10/08/23 22:17	NWH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/12/23 19:41	AMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/13/23 22:34	JNJ	Mt. Juliet, TN



MW-7N L1663702-07 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 16:45
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:12	10/10/23 13:12	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149492	1	10/11/23 22:32	10/11/23 22:32	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 16:53	10/12/23 16:53	ASH	Mt. Juliet, TN

MW-15 L1663702-08 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 12:25
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:14	10/10/23 13:14	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149658	1	10/12/23 07:47	10/12/23 07:47	HMM	Mt. Juliet, TN

MW-16 L1663702-09 GW

Collected by: Chris F.
 Collected date/time: 10/04/23 13:00
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:15	10/10/23 13:15	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/13/23 21:38	10/13/23 21:38	HMM	Mt. Juliet, TN

MW-17 L1663702-10 GW

Collected by: Chris F.
 Collected date/time: 10/03/23 17:40
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:17	10/10/23 13:17	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/13/23 21:52	10/13/23 21:52	HMM	Mt. Juliet, TN

MW-19 L1663702-11 GW

Collected by: Chris F.
 Collected date/time: 10/03/23 15:00
 Received date/time: 10/06/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:23	10/10/23 13:23	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/13/23 22:06	10/13/23 22:06	HMM	Mt. Juliet, TN

SAMPLE SUMMARY

NE-1 L1663702-12 GW

Collected by: Chris F. Collected date/time: 10/05/23 09:00 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149548	1	10/11/23 18:54	10/12/23 12:22	MMF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 20:35	10/13/23 20:35	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 17:08	10/12/23 17:08	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:10	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:23	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 20:36	10/08/23 20:36	DYW	Mt. Juliet, TN



NE-2 L1663702-13 GW

Collected by: Chris F. Collected date/time: 10/04/23 08:25 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148182	1	10/10/23 09:28	10/10/23 13:19	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 20:48	10/13/23 20:48	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 17:24	10/12/23 17:24	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:13	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:26	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 20:55	10/08/23 20:55	DYW	Mt. Juliet, TN

NE-4 L1663702-14 GW

Collected by: Chris F. Collected date/time: 10/04/23 13:45 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148179	1	10/10/23 09:19	10/10/23 12:55	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 21:01	10/13/23 21:01	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 17:38	10/12/23 17:38	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:16	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:29	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 21:14	10/08/23 21:14	DYW	Mt. Juliet, TN

NE-5 L1663702-15 GW

Collected by: Chris F. Collected date/time: 10/04/23 18:45 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148182	1	10/10/23 09:28	10/10/23 13:19	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 21:13	10/13/23 21:13	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 17:52	10/12/23 17:52	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:19	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:33	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 21:33	10/08/23 21:33	DYW	Mt. Juliet, TN

NE-5E L1663702-16 GW

Collected by: Chris F. Collected date/time: 10/04/23 18:15 Received date/time: 10/06/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148182	1	10/10/23 09:28	10/10/23 13:19	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 21:51	10/13/23 21:51	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 18:06	10/12/23 18:06	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:21	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:36	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147452	1	10/08/23 21:52	10/08/23 21:52	DYW	Mt. Juliet, TN

SAMPLE SUMMARY

NE-5W L1663702-17 GW

Collected by: Chris F. Collected date/time: 10/04/23 19:20 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2150228	1	10/12/23 16:20	10/13/23 00:00	MMF	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149864	1	10/13/23 22:04	10/13/23 22:04	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 18:20	10/12/23 18:20	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:24	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:39	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 01:58	10/10/23 01:58	DWR	Mt. Juliet, TN



NE-6D L1663702-18 GW

Collected by: Chris F. Collected date/time: 10/04/23 17:35 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148179	1	10/10/23 09:19	10/10/23 12:55	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149878	1	10/13/23 23:50	10/13/23 23:50	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 19:10	10/12/23 19:10	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:42	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:42	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 02:17	10/10/23 02:17	DWR	Mt. Juliet, TN

NE-10D L1663702-19 GW

Collected by: Chris F. Collected date/time: 10/03/23 19:00 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2147641	1	10/09/23 08:32	10/09/23 11:03	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149878	1	10/14/23 00:07	10/14/23 00:07	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 20:16	10/12/23 20:16	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:45	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:46	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 02:36	10/10/23 02:36	DWR	Mt. Juliet, TN

NE-14D L1663702-20 GW

Collected by: Chris F. Collected date/time: 10/04/23 15:55 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148179	1	10/10/23 09:19	10/10/23 12:55	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149878	1	10/14/23 00:24	10/14/23 00:24	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 20:29	10/12/23 20:29	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:47	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/11/23 23:49	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 02:55	10/10/23 02:55	DWR	Mt. Juliet, TN

NE-14S L1663702-21 GW

Collected by: Chris F. Collected date/time: 10/04/23 07:40 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2148179	1	10/10/23 09:19	10/10/23 12:55	KAM	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149878	1	10/14/23 02:05	10/14/23 02:05	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 20:42	10/12/23 20:42	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:50	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/12/23 00:10	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 03:14	10/10/23 03:14	DWR	Mt. Juliet, TN

SAMPLE SUMMARY

FB L1663702-22 GW

Collected by: Chris F.
 Collected date/time: 10/03/23 17:30
 Received date/time: 10/06/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2147641	1	10/09/23 08:32	10/09/23 11:03	JAC	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148269	1	10/10/23 13:26	10/10/23 13:26	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149878	1	10/14/23 02:22	10/14/23 02:22	GEB	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149939	1	10/12/23 20:55	10/12/23 20:55	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2146860	1	10/11/23 09:10	10/13/23 23:53	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2146872	1	10/09/23 03:48	10/12/23 00:13	LD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 01:01	10/10/23 01:01	DWR	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

TRIP BLANK L1663702-23 GW

Collected by: Chris F.
 Collected date/time: 10/03/23 00:00
 Received date/time: 10/06/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2147827	1	10/09/23 15:29	10/09/23 15:29	JAH	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Report Revision History

Level II Report - Version 1: 10/22/23 20:33

Project Comments

L1663702-01, sample "DUP", ammonia container was not received. Lab proceeded with all other analysis. SK 10/16/23

-17 TDS was initially analyzed within holding time. The lab reanalyzed the sample upon data review; however, sample hold time was not met. SK 10/19/23

Report reissued to update project specific reporting limits per request. SK 10/26/23

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Sample Delivery Group (SDG) Narrative

pH outside of method requirement.

Batch	Method	Lab Sample ID
WG2148873	8270C	L1663702-06

Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.

Batch	Method	Lab Sample ID
WG2150228	2540 C-2011	L1663702-17

Gravimetric Analysis by Method 2540 C-2011

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2148179	(DUP) R3985480-3, (DUP) R3985480-4	Dissolved Solids
WG2148182	(DUP) R3985447-4	Dissolved Solids

CASE NARRATIVE

Wet Chemistry by Method 9056A

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2149864	(MS) R3987601-5, (MSD) R3987601-6	Chloride

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG2149864	(MS) R3987601-5, (MSD) R3987601-6	Sulfate
WG2149878	(MS) R3986850-7	Sulfate

Metals (ICPMS) by Method 6020

The sample matrix interfered with the ability to make any accurate determination; spike value is high.

Batch	Lab Sample ID	Analytes
WG2146872	(MSD) R3985095-5, L1663702-01	Chromium, Total Recoverable, Copper, Total Recoverable and Nickel, Total Recoverable

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2146872	(MSD) R3985095-5, L1663702-01	Chromium, Total Recoverable, Copper, Total Recoverable and Nickel, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2147452	(LCS) R3983704-1, (LCSD) R3983704-2, L1663702-01, 02, 12, 13, 14, 15, 16	Chloromethane

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2147154	(LCSD) R3984821-2, L1663702-06	Vinyl acetate
WG2148115	(LCSD) R3985695-2, L1663702-17, 18, 19, 20, 21, 22	1,2-Dibromo-3-Chloropropane and 2-Butanone (MEK)

Chlorinated Acid Herbicides (GC) by Method 8151

RPD between the primary and confirmatory analysis exceeded 40%

Batch	Lab Sample ID	Analytes
WG2145481	(LCS) R3984708-2	2,4,5-T
WG2145481	(LCSD) R3984708-3	2,4,5-T and 2,4-D

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2145481	(LCSD) R3984708-3, L1663702-06	2,4,5-T, 2,4,5-Tp (Silvex) and 2,4-D


Semi Volatile Organic Compounds (GC/MS) by Method 8270C

The associated batch QC was below the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2148873	(LCS) R3987287-1, L1663702-06	1,4-Naphthoquinone, 3,3-Dimethylbenzidine and p-Phenylenediamine

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG2148873	(MS) R3986579-3	Indeno(1,2,3-cd)pyrene



CASE NARRATIVE

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2148873	(MSD) R3986579-4	2,4,5-Trichlorophenol, 2,4,6-Trichlorophenol, 2,4-Dichlorophenol, 2,4-Dimethylphenol, 2-Methylphenol, 4-Chloro-3-methylphenol and Hexachlorocyclopentadiene

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	117		10.0	1	10/09/2023 11:03	WG2147641

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	3.70		3.00	1	10/12/2023 06:24	WG2149658
Sulfate	ND		5.00	1	10/12/2023 06:24	WG2149658

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	10/12/2023 14:03	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:01	WG2146860
Barium, Total Recoverable	0.0191		0.00500	1	10/13/2023 23:01	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:01	WG2146860
Manganese, Total Recoverable	0.0178		0.00300	1	10/13/2023 23:01	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:01	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:01	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 22:48	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 22:48	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 22:48	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 22:48	WG2146872
Chromium, Total Recoverable	ND	J3 J5	0.00300	1	10/11/2023 22:48	WG2146872
Copper, Total Recoverable	ND	J3 J5	0.00400	1	10/11/2023 22:48	WG2146872
Nickel, Total Recoverable	ND	J3 J5	0.00400	1	10/11/2023 22:48	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 22:48	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 22:48	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 22:48	WG2146872
Zinc, Total Recoverable	ND		0.00500	1	10/11/2023 22:48	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 19:58	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 19:58	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 19:58	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 19:58	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 19:58	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 19:58	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 19:58	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 19:58	WG2147452
Acetone	ND		10.0	1	10/08/2023 19:58	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 19:58	WG2147452
Benzene	ND		1.00	1	10/09/2023 22:44	WG2147871
Bromochloromethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Bromoform	ND		1.00	1	10/08/2023 19:58	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 19:58	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 19:58	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 19:58	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Chloroform	ND		1.00	1	10/08/2023 19:58	WG2147452
Chloromethane	ND	J4	1.00	1	10/08/2023 19:58	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Ethylbenzene	ND		1.00	1	10/09/2023 22:44	WG2147871
Iodomethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 19:58	WG2147452
Styrene	ND		1.00	1	10/08/2023 19:58	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 19:58	WG2147452
Toluene	ND		1.00	1	10/08/2023 19:58	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 19:58	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 19:58	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 19:58	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 19:58	WG2147452
Xylenes, Total	ND		1.00	1	10/09/2023 22:44	WG2147871
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 19:58	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 19:58	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 19:58	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 19:58	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 19:58	WG2147452
(S) 1,2-Dichloroethane-d4	94.0			70.0-130	10/08/2023 19:58	WG2147452
(S) 1,2-Dichloroethane-d4	101			70.0-130	10/09/2023 22:44	WG2147871
(S) 4-Bromofluorobenzene	91.8			77.0-126	10/08/2023 19:58	WG2147452
(S) 4-Bromofluorobenzene	90.6			77.0-126	10/09/2023 22:44	WG2147871
(S) Toluene-d8	115			80.0-120	10/08/2023 19:58	WG2147452
(S) Toluene-d8	113			80.0-120	10/09/2023 22:44	WG2147871

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	347		10.0	1	10/10/2023 13:19	WG2148182

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	ND		0.100	1	10/10/2023 12:56	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	14.4		3.00	1	10/12/2023 06:38	WG2149658
Sulfate	ND		5.00	1	10/12/2023 06:38	WG2149658

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.48		1.00	1	10/12/2023 14:17	WG2149939

Metals (ICP) by Method 6010B


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:04	WG2146860
Barium, Total Recoverable	0.0684		0.00500	1	10/13/2023 23:04	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:04	WG2146860
Manganese, Total Recoverable	ND		0.00300	1	10/13/2023 23:04	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:04	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:04	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:08	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:08	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:08	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:08	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:08	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:08	WG2146872
Nickel, Total Recoverable	ND		0.00400	1	10/11/2023 23:08	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:08	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:08	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:08	WG2146872
Zinc, Total Recoverable	0.0197	J	0.00500	1	10/11/2023 23:08	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 20:17	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 20:17	WG2147452



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 20:17	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 20:17	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 20:17	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 20:17	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 20:17	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 20:17	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 20:17	WG2147452
Acetone	ND		10.0	1	10/08/2023 20:17	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 20:17	WG2147452
Benzene	ND		1.00	1	10/08/2023 20:17	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Bromoform	ND		1.00	1	10/08/2023 20:17	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 20:17	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 20:17	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 20:17	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Chloroform	ND		1.00	1	10/08/2023 20:17	WG2147452
Chloromethane	ND	J4	1.00	1	10/08/2023 20:17	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Ethylbenzene	ND		1.00	1	10/09/2023 23:03	WG2147871
Iodomethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 20:17	WG2147452
Styrene	ND		1.00	1	10/08/2023 20:17	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 20:17	WG2147452
Toluene	ND		1.00	1	10/08/2023 20:17	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 20:17	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 20:17	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 20:17	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 20:17	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 20:17	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:17	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:17	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:17	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:17	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 20:17	WG2147452
(S) 1,2-Dichloroethane-d4	93.5			70.0-130	10/08/2023 20:17	WG2147452
(S) 1,2-Dichloroethane-d4	98.9			70.0-130	10/09/2023 23:03	WG2147871
(S) 4-Bromofluorobenzene	92.0			77.0-126	10/08/2023 20:17	WG2147452
(S) 4-Bromofluorobenzene	87.8			77.0-126	10/09/2023 23:03	WG2147871
(S) Toluene-d8	114			80.0-120	10/08/2023 20:17	WG2147452
(S) Toluene-d8	116			80.0-120	10/09/2023 23:03	WG2147871

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.73	su
Specific Conductance (on site)	708	umhos/cm
Temperature (on-site)	19.2	Deg. C
Turbidity (on-site)	3.1	NTU
Dissolved Oxygen (on-site)	7	mg/l
eH/ORP (On Site)	159	mV
Depth to water (DTW) (FROM TOC)	72.78	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:05	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	11.3		3.00	1	10/12/2023 06:52	WG2149658

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	2.23		1.00	1	10/12/2023 14:31	WG2149939

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.09	su
Specific Conductance (on site)	115	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	3.9	NTU
Dissolved Oxygen (on-site)	5.5	mg/l
eH/ORP (On Site)	194.4	mV
Depth to water (DTW) (FROM TOC)	56.68	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:08	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	4.93		3.00	1	10/12/2023 07:05	WG2149658

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.47	su
Specific Conductance (on site)	924	umhos/cm
Temperature (on-site)	17.4	Deg. C
Turbidity (on-site)	4.1	NTU
Dissolved Oxygen (on-site)	1.8	mg/l
eH/ORP (On Site)	162	mV
Depth to water (DTW) (FROM TOC)	60.95	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:09	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	20.3		3.00	1	10/12/2023 07:19	WG2149658

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	1.63		1.00	1	10/12/2023 14:45	WG2149939

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.32	su
Specific Conductance (on site)	1049	umhos/cm
Temperature (on-site)	18.2	Deg. C
Turbidity (on-site)	8	NTU
Dissolved Oxygen (on-site)	1	mg/l
eH/ORP (On Site)	-112.1	mV
Depth to water (DTW) (FROM TOC)	71.98	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	438		10.0	1	10/12/2023 12:22	WG2149548

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.260		0.100	1	10/10/2023 13:11	WG2148269

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Sulfide	ND		4.00	1	10/07/2023 12:48	WG2146948

Wet Chemistry by Method 9012B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Cyanide	ND		0.0100	1	10/09/2023 11:51	WG2146824

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	31.0		3.00	1	10/12/2023 07:33	WG2149658
Sulfate	5.37		5.00	1	10/12/2023 07:33	WG2149658

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.29		1.00	1	10/12/2023 16:25	WG2149939

Mercury by Method 7470A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Mercury, Total Recoverable	ND		0.000200	1	10/11/2023 11:23	WG2147175

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Barium, Total Recoverable	0.132		0.00500	1	10/13/2023 23:07	WG2146860
Iron, Total Recoverable	2.41		0.0600	1	10/13/2023 23:07	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:07	WG2146860
Manganese, Total Recoverable	12.7		0.00300	1	10/13/2023 23:07	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:07	WG2146860

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:07	WG2146860
Tin, Total Recoverable	ND		0.100	1	10/13/2023 23:07	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:11	WG2146872
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:11	WG2146872
Beryllium, Total Recoverable	0.00103	J	0.00100	1	10/11/2023 23:11	WG2146872
Cadmium, Total Recoverable	0.00181		0.00100	1	10/11/2023 23:11	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:11	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:11	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:11	WG2146872
Nickel, Total Recoverable	0.0114		0.00400	1	10/11/2023 23:11	WG2146872
Thallium, Total Recoverable	0.00121	J	0.00100	1	10/11/2023 23:11	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:11	WG2146872
Zinc, Total Recoverable	0.120		0.00500	1	10/11/2023 23:11	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1-Dichloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1-Dichloroethene	ND		1.00	1	10/08/2023 10:38	WG2147154
1,1-Dichloropropene	ND		1.00	1	10/08/2023 10:38	WG2147154
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 10:38	WG2147154
1,2-Dibromoethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 10:38	WG2147154
1,2-Dichloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,2-Dichloropropane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,3-Dichlorobenzene	ND		1.00	1	10/08/2023 10:38	WG2147154
1,3-Dichloropropane	ND		1.00	1	10/08/2023 10:38	WG2147154
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 10:38	WG2147154
2,2-Dichloropropane	ND		5.00	1	10/08/2023 10:38	WG2147154
2-Butanone (MEK)	ND		5.00	1	10/08/2023 10:38	WG2147154
2-Hexanone	ND		5.00	1	10/08/2023 10:38	WG2147154
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 10:38	WG2147154
Acetone	ND		11.3	1	10/08/2023 10:38	WG2147154
Acetonitrile	ND		30.0	1	10/08/2023 10:38	WG2147154
Acrolein	ND		20.0	1	10/08/2023 10:38	WG2147154
Acrylonitrile	ND		20.0	1	10/08/2023 10:38	WG2147154
Allyl chloride	ND		10.0	1	10/08/2023 10:38	WG2147154
Benzene	ND		1.00	1	10/08/2023 10:38	WG2147154
Bromochloromethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Bromodichloromethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Bromoform	ND		1.00	1	10/08/2023 10:38	WG2147154
Bromomethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Carbon disulfide	ND		1.00	1	10/08/2023 10:38	WG2147154
Carbon tetrachloride	ND		1.00	1	10/08/2023 10:38	WG2147154
Chlorobenzene	ND		1.00	1	10/08/2023 10:38	WG2147154
Chloroethane	ND		1.00	1	10/08/2023 10:38	WG2147154

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Chloroform	ND		1.00	1	10/08/2023 10:38	WG2147154
Chloromethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Chloroprene	ND		1.70	1	10/08/2023 10:38	WG2147154
Dibromochloromethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Dibromomethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Dichlorodifluoromethane	ND		2.00	1	10/08/2023 10:38	WG2147154
Ethyl methacrylate	ND		3.00	1	10/08/2023 10:38	WG2147154
Ethylbenzene	ND		1.00	1	10/08/2023 10:38	WG2147154
Iodomethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Isobutanol	ND		110	1	10/08/2023 10:38	WG2147154
Methacrylonitrile	ND		13.0	1	10/08/2023 10:38	WG2147154
Methyl methacrylate	ND		4.00	1	10/08/2023 10:38	WG2147154
Methylene Chloride	ND		1.07	1	10/08/2023 10:38	WG2147154
Propionitrile	ND		20.0	1	10/08/2023 10:38	WG2147154
Styrene	ND		1.00	1	10/08/2023 10:38	WG2147154
Tetrachloroethene	ND		1.00	1	10/08/2023 10:38	WG2147154
Toluene	ND		1.00	1	10/08/2023 10:38	WG2147154
Trichloroethene	ND		1.00	1	10/08/2023 10:38	WG2147154
Trichlorofluoromethane	ND		1.00	1	10/08/2023 10:38	WG2147154
Vinyl acetate	ND	J3	5.00	1	10/08/2023 10:38	WG2147154
Vinyl chloride	ND		1.00	1	10/08/2023 10:38	WG2147154
Xylenes, Total	ND		1.00	1	10/08/2023 10:38	WG2147154
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 10:38	WG2147154
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 10:38	WG2147154
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 10:38	WG2147154
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 10:38	WG2147154
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 10:38	WG2147154
(S) Toluene-d8	107			80.0-120	10/08/2023 10:38	WG2147154
(S) 1,2-Dichloroethane-d4	99.9			70.0-130	10/08/2023 10:38	WG2147154
(S) 4-Bromofluorobenzene	89.9			77.0-126	10/08/2023 10:38	WG2147154

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Chlorinated Acid Herbicides (GC) by Method 8151

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
2,4,5-T	ND	J3	1.00	1	10/10/2023 18:48	WG2145481
2,4,5-Tp (Silvex)	ND	J3	1.00	1	10/10/2023 18:48	WG2145481
2,4-D	ND	J3	4.00	1	10/10/2023 18:48	WG2145481
(S) 2,4-Dichlorophenyl Acetic Acid	86.6			14.0-158	10/10/2023 18:48	WG2145481

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4,4-DDD	ND		0.0500	1	10/08/2023 22:17	WG2147257
4,4-DDE	ND		0.0500	1	10/08/2023 22:17	WG2147257
4,4-DDT	ND		0.0500	1	10/08/2023 22:17	WG2147257
Aldrin	ND		0.0500	1	10/08/2023 22:17	WG2147257
Alpha BHC	ND		0.0500	1	10/08/2023 22:17	WG2147257
Beta BHC	ND		0.500	1	10/08/2023 22:17	WG2147257
Chlordane	ND		0.500	1	10/08/2023 22:17	WG2147257
Delta BHC	ND		0.0500	1	10/08/2023 22:17	WG2147257
Dieldrin	ND		0.0500	1	10/08/2023 22:17	WG2147257
Endosulfan I	ND		0.0500	1	10/08/2023 22:17	WG2147257
Endosulfan II	ND		0.0500	1	10/08/2023 22:17	WG2147257
Endosulfan sulfate	ND		0.0500	1	10/08/2023 22:17	WG2147257
Endrin	ND		0.0500	1	10/08/2023 22:17	WG2147257

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Endrin aldehyde	ND		0.0500	1	10/08/2023 22:17	WG2147257
Gamma BHC	ND		0.0500	1	10/08/2023 22:17	WG2147257
Heptachlor	ND		0.0500	1	10/08/2023 22:17	WG2147257
Heptachlor epoxide	ND		0.0500	1	10/08/2023 22:17	WG2147257
Methoxychlor	ND		0.100	1	10/08/2023 22:17	WG2147257
Toxaphene	ND		5.00	1	10/08/2023 22:17	WG2147257
(S) Decachlorobiphenyl	57.0			10.0-128	10/08/2023 22:17	WG2147257
(S) Tetrachloro-m-xylene	82.1			10.0-127	10/08/2023 22:17	WG2147257



Polychlorinated Biphenyls (GC) by Method 8082

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
PCB 1016	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1221	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1232	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1242	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1248	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1254	ND		1.00	1	10/08/2023 22:17	WG2147257
PCB 1260	ND		1.00	1	10/08/2023 22:17	WG2147257
(S) Decachlorobiphenyl	68.3			10.0-128	10/08/2023 22:17	WG2147257
(S) Tetrachloro-m-xylene	90.6			10.0-127	10/08/2023 22:17	WG2147257

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2,4,5-Tetrachlorobenzene	ND		10.0	1	10/12/2023 19:41	WG2148873
1,2,4-Trichlorobenzene	ND		10.0	1	10/12/2023 19:41	WG2148873
1,3,5-Trinitrobenzene	ND		50.0	1	10/13/2023 22:34	WG2148873
1,3-Dinitrobenzene	ND		10.0	1	10/13/2023 22:34	WG2148873
1,4-Naphthoquinone	ND	J4	50.0	1	10/13/2023 22:34	WG2148873
1-Naphthylamine	ND		10.0	1	10/13/2023 22:34	WG2148873
2,2-Oxybis(1-Chloropropane)	ND		10.0	1	10/12/2023 19:41	WG2148873
2,3,4,6-Tetrachlorophenol	ND		50.0	1	10/12/2023 19:41	WG2148873
2,4,5-Trichlorophenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2,4,6-Trichlorophenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2,4-Dichlorophenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2,4-Dimethylphenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2,4-Dinitrophenol	ND		50.0	1	10/12/2023 19:41	WG2148873
2,4-Dinitrotoluene	ND		10.0	1	10/12/2023 19:41	WG2148873
2,6-Dichlorophenol	ND		10.0	1	10/13/2023 22:34	WG2148873
2,6-Dinitrotoluene	ND		10.0	1	10/12/2023 19:41	WG2148873
2-Acetylaminofluorene	ND		100	1	10/13/2023 22:34	WG2148873
2-Chloronaphthalene	ND		10.0	1	10/12/2023 19:41	WG2148873
2-Chlorophenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2-Methylnaphthalene	ND		10.0	1	10/12/2023 19:41	WG2148873
2-Methylphenol	ND		10.0	1	10/12/2023 19:41	WG2148873
2-Naphthylamine	ND		10.0	1	10/13/2023 22:34	WG2148873
2-Nitroaniline	ND		50.0	1	10/12/2023 19:41	WG2148873
2-Nitrophenol	ND		10.0	1	10/12/2023 19:41	WG2148873
3&4-Methyl Phenol	ND		10.0	1	10/12/2023 19:41	WG2148873
3,3-Dichlorobenzidine	ND		50.0	1	10/12/2023 19:41	WG2148873
3,3-Dimethylbenzidine	ND	J4	20.0	1	10/13/2023 22:34	WG2148873
3-Methylcholanthrene	ND		20.0	1	10/13/2023 22:34	WG2148873
3-Nitroaniline	ND		50.0	1	10/12/2023 19:41	WG2148873
4,6-Dinitro-2-methylphenol	ND		50.0	1	10/12/2023 19:41	WG2148873

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4-Aminobiphenyl	ND		10.0	1	10/13/2023 22:34	WG2148873
4-Bromophenyl-phenylether	ND		50.0	1	10/12/2023 19:41	WG2148873
4-Chloro-3-methylphenol	ND		10.0	1	10/12/2023 19:41	WG2148873
4-Chloroaniline	ND		10.0	1	10/12/2023 19:41	WG2148873
4-Chlorophenyl-phenylether	ND		10.0	1	10/12/2023 19:41	WG2148873
4-Nitroaniline	ND		50.0	1	10/12/2023 19:41	WG2148873
4-Nitrophenol	ND		50.0	1	10/12/2023 19:41	WG2148873
5-Nitro-o-toluidine	ND		20.0	1	10/13/2023 22:34	WG2148873
Acenaphthene	ND		10.0	1	10/12/2023 19:41	WG2148873
Acenaphthylene	ND		10.0	1	10/12/2023 19:41	WG2148873
Acetophenone	ND		10.0	1	10/12/2023 19:41	WG2148873
Anthracene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzo(A)Anthracene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzo(a)pyrene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzo(b)fluoranthene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzo(g,h,i)perylene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzo(k)fluoranthene	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzyl Alcohol	ND		10.0	1	10/12/2023 19:41	WG2148873
Benzylbutyl phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Bis(2-Ethylhexyl)phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Bis(2-chlorethoxy)methane	ND		10.0	1	10/12/2023 19:41	WG2148873
Bis(2-chloroethyl)ether	ND		10.0	1	10/12/2023 19:41	WG2148873
Chlorobenzilate	ND		10.0	1	10/13/2023 22:34	WG2148873
Chrysene	ND		10.0	1	10/12/2023 19:41	WG2148873
Di-n-butyl phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Di-n-octyl phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Diallate	ND		20.0	1	10/13/2023 22:34	WG2148873
Dibenz(a,h)anthracene	ND		20.0	1	10/12/2023 19:41	WG2148873
Dibenzofuran	ND		10.0	1	10/12/2023 19:41	WG2148873
Diethyl phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Dimethoate	ND		20.0	1	10/13/2023 22:34	WG2148873
Dimethyl phthalate	ND		10.0	1	10/12/2023 19:41	WG2148873
Dimethylbenz (A) Anthracene	ND		20.0	1	10/13/2023 22:34	WG2148873
Dinoseb	ND		17.9	1	10/13/2023 22:34	WG2148873
Diphenylamine	ND		10.0	1	10/12/2023 19:41	WG2148873
Disulfoton	ND		50.0	1	10/13/2023 22:34	WG2148873
Ethyl methanesulfonate	ND		10.0	1	10/13/2023 22:34	WG2148873
Ethyl parathion	ND		50.0	1	10/13/2023 22:34	WG2148873
Famphur	ND		200	1	10/13/2023 22:34	WG2148873
Fluoranthene	ND		1.00	1	10/12/2023 19:41	WG2148873
Fluorene	ND		10.0	1	10/12/2023 19:41	WG2148873
Hexachloro-1,3-butadiene	ND		10.0	1	10/12/2023 19:41	WG2148873
Hexachlorobenzene	ND		10.0	1	10/12/2023 19:41	WG2148873
Hexachlorocyclopentadiene	ND		50.0	1	10/12/2023 19:41	WG2148873
Hexachloroethane	ND		10.0	1	10/12/2023 19:41	WG2148873
Hexachloropropene	ND		100	1	10/13/2023 22:34	WG2148873
Indeno(1,2,3-cd)pyrene	ND		10.0	1	10/12/2023 19:41	WG2148873
Isodrin	ND		10.0	1	10/13/2023 22:34	WG2148873
Isophorone	ND		10.0	1	10/12/2023 19:41	WG2148873
Isosafrole	ND		20.0	1	10/13/2023 22:34	WG2148873
Kepone	ND		1.88	1	10/13/2023 22:34	WG2148873
Methapyrilene	ND		50.0	1	10/13/2023 22:34	WG2148873
Methyl methanesulfonate	ND		50.0	1	10/13/2023 22:34	WG2148873
Methyl parathion	ND		10.0	1	10/13/2023 22:34	WG2148873
Naphthalene	ND		10.0	1	10/12/2023 19:41	WG2148873
Nitrobenzene	ND		10.0	1	10/12/2023 19:41	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
O,O,O-Triethyl Phosphorothioate	ND		50.0	1	10/13/2023 22:34	WG2148873
P-(Dimethylamino) Azobenzene	ND		20.0	1	10/13/2023 22:34	WG2148873
Pentachlorobenzene	ND		10.0	1	10/13/2023 22:34	WG2148873
Pentachloronitrobenzene	ND		50.0	1	10/13/2023 22:34	WG2148873
Pentachlorophenol	ND		50.0	1	10/12/2023 19:41	WG2148873
Phenacetin	ND		10.0	1	10/13/2023 22:34	WG2148873
Phenanthrene	ND		20.0	1	10/12/2023 19:41	WG2148873
Phenol	ND		10.0	1	10/12/2023 19:41	WG2148873
Phorate	ND		50.0	1	10/13/2023 22:34	WG2148873
Pronamide	ND		20.0	1	10/13/2023 22:34	WG2148873
Pyrene	ND		10.0	1	10/12/2023 19:41	WG2148873
Safrole	ND		50.0	1	10/13/2023 22:34	WG2148873
Thionazin	ND		10.0	1	10/13/2023 22:34	WG2148873
n-Nitrosodi-n-butylamine	ND		10.0	1	10/13/2023 22:34	WG2148873
n-Nitrosodi-n-propylamine	ND		10.0	1	10/12/2023 19:41	WG2148873
n-Nitrosodiethylamine	ND		10.0	1	10/13/2023 22:34	WG2148873
n-Nitrosodimethylamine	ND		10.0	1	10/12/2023 19:41	WG2148873
n-Nitrosodiphenylamine	ND		10.0	1	10/12/2023 19:41	WG2148873
n-Nitrosomethylethylamine	ND		10.0	1	10/13/2023 22:34	WG2148873
n-Nitrosopiperidine	ND		10.0	1	10/13/2023 22:34	WG2148873
n-Nitrosopyrrolidine	ND		10.0	1	10/13/2023 22:34	WG2148873
o-Toluidine	ND		10.0	1	10/13/2023 22:34	WG2148873
p-Phenylenediamine	ND	<u>J4</u>	387	1	10/13/2023 22:34	WG2148873
(S) Phenol-d5	21.4				10.0-120 10/12/2023 19:41	WG2148873
(S) 2,4,6-Tribromophenol	54.5				10.0-155 10/12/2023 19:41	WG2148873
(S) p-Terphenyl-d14	70.9				10.0-128 10/12/2023 19:41	WG2148873
(S) Nitrobenzene-d5	59.9				10.0-127 10/12/2023 19:41	WG2148873
(S) 2-Fluorobiphenyl	52.9				10.0-130 10/12/2023 19:41	WG2148873
(S) 2-Fluorophenol	29.3				10.0-120 10/12/2023 19:41	WG2148873

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.67	su
Specific Conductance (on site)	690	umhos/cm
Temperature (on-site)	16.9	Deg. C
Turbidity (on-site)	2.3	NTU
Dissolved Oxygen (on-site)	3.8	mg/l
eH/ORP (On Site)	139.9	mV
Depth to water (DTW) (FROM TOC)	87.91	ft

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:12	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	30.1		3.00	1	10/11/2023 22:32	WG2149492

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	2.07		1.00	1	10/12/2023 16:53	WG2149939

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.42	su
Specific Conductance (on site)	702	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	2	NTU
Dissolved Oxygen (on-site)	5.6	mg/l
eH/ORP (On Site)	151.8	mV
Depth to water (DTW) (FROM TOC)	58.8	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:14	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	39.3		3.00	1	10/12/2023 07:47	WG2149658

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.2	su
Specific Conductance (on site)	449	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	2	NTU
Dissolved Oxygen (on-site)	6.7	mg/l
eH/ORP (On Site)	129.2	mV
Depth to water (DTW) (FROM TOC)	73.84	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:15	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	4.05		3.00	1	10/13/2023 21:38	WG2149890

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.56	su
Specific Conductance (on site)	315	umhos/cm
Temperature (on-site)	18.3	Deg. C
Turbidity (on-site)	18.5	NTU
Dissolved Oxygen (on-site)	7.7	mg/l
eH/ORP (On Site)	53.6	mV
Depth to water (DTW) (FROM TOC)	60.4	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:17	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	6.63		3.00	1	10/13/2023 21:52	WG2149890

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.07	su
Specific Conductance (on site)	513	umhos/cm
Temperature (on-site)	18.8	Deg. C
Turbidity (on-site)	2.1	NTU
Dissolved Oxygen (on-site)	7.9	mg/l
eH/ORP (On Site)	135.6	mV
Depth to water (DTW) (FROM TOC)	68.15	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 13:23	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	7.79		3.00	1	10/13/2023 22:06	WG2149890

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.11	su
Specific Conductance (on site)	656	umhos/cm
Temperature (on-site)	15.5	Deg. C
Turbidity (on-site)	8.2	NTU
Dissolved Oxygen (on-site)	4.7	mg/l
eH/ORP (On Site)	-16.8	mV
Depth to water (DTW) (FROM TOC)	46.41	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	237		10.0	1	10/12/2023 12:22	WG2149548

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	19.1		3.00	1	10/13/2023 20:35	WG2149864
Sulfate	15.2		5.00	1	10/13/2023 20:35	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.55		1.00	1	10/12/2023 17:08	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:10	WG2146860
Barium, Total Recoverable	0.0187		0.00500	1	10/13/2023 23:10	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:10	WG2146860
Manganese, Total Recoverable	0.237		0.00300	1	10/13/2023 23:10	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:10	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:10	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:23	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:23	WG2146872
Cadmium, Total Recoverable	0.00159		0.00100	1	10/11/2023 23:23	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:23	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:23	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:23	WG2146872
Nickel, Total Recoverable	0.00505		0.00400	1	10/11/2023 23:23	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:23	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:23	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:23	WG2146872
Zinc, Total Recoverable	0.00631	J	0.00500	1	10/11/2023 23:23	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 20:36	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 20:36	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 20:36	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 20:36	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 20:36	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 20:36	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 20:36	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 20:36	WG2147452
Acetone	ND		10.0	1	10/08/2023 20:36	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 20:36	WG2147452
Benzene	ND		1.00	1	10/08/2023 20:36	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Bromoform	ND		1.00	1	10/08/2023 20:36	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 20:36	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 20:36	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 20:36	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Chloroform	ND		1.00	1	10/08/2023 20:36	WG2147452
Chloromethane	ND	<u>J4</u>	1.00	1	10/08/2023 20:36	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Ethylbenzene	ND		1.00	1	10/08/2023 20:36	WG2147452
Iodomethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 20:36	WG2147452
Styrene	ND		1.00	1	10/08/2023 20:36	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 20:36	WG2147452
Toluene	ND		1.00	1	10/08/2023 20:36	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 20:36	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 20:36	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 20:36	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 20:36	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 20:36	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:36	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:36	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:36	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:36	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 20:36	WG2147452
(S) 1,2-Dichloroethane-d4	94.5			70.0-130	10/08/2023 20:36	WG2147452
(S) 4-Bromofluorobenzene	92.6			77.0-126	10/08/2023 20:36	WG2147452
(S) Toluene-d8	111			80.0-120	10/08/2023 20:36	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.26	su
Specific Conductance (on site)	471	umhos/cm
Temperature (on-site)	15.9	Deg. C
Turbidity (on-site)	3	NTU
Dissolved Oxygen (on-site)	3.3	mg/l
eH/ORP (On Site)	134.1	mV
Depth to water (DTW) (FROM TOC)	21.6	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	254		10.0	1	10/10/2023 13:19	WG2148182

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	26.0		3.00	1	10/13/2023 20:48	WG2149864
Sulfate	12.5		5.00	1	10/13/2023 20:48	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	2.09		1.00	1	10/12/2023 17:24	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:13	WG2146860
Barium, Total Recoverable	0.0985		0.00500	1	10/13/2023 23:13	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:13	WG2146860
Manganese, Total Recoverable	ND		0.00300	1	10/13/2023 23:13	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:13	WG2146860
Selenium, Total Recoverable	0.0149		0.0100	1	10/13/2023 23:13	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:26	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:26	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:26	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:26	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:26	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:26	WG2146872
Nickel, Total Recoverable	ND		0.00400	1	10/11/2023 23:26	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:26	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:26	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:26	WG2146872
Zinc, Total Recoverable	ND		0.00500	1	10/11/2023 23:26	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 20:55	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 20:55	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 20:55	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 20:55	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 20:55	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 20:55	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 20:55	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 20:55	WG2147452
Acetone	ND		10.0	1	10/08/2023 20:55	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 20:55	WG2147452
Benzene	ND		1.00	1	10/08/2023 20:55	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Bromoform	ND		1.00	1	10/08/2023 20:55	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 20:55	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 20:55	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 20:55	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Chloroform	ND		1.00	1	10/08/2023 20:55	WG2147452
Chloromethane	ND	<u>J4</u>	1.00	1	10/08/2023 20:55	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Ethylbenzene	ND		1.00	1	10/08/2023 20:55	WG2147452
Iodomethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 20:55	WG2147452
Styrene	ND		1.00	1	10/08/2023 20:55	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 20:55	WG2147452
Toluene	ND		1.00	1	10/08/2023 20:55	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 20:55	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 20:55	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 20:55	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 20:55	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 20:55	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:55	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:55	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 20:55	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 20:55	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 20:55	WG2147452
(S) 1,2-Dichloroethane-d4	91.5			70.0-130	10/08/2023 20:55	WG2147452
(S) 4-Bromofluorobenzene	92.3			77.0-126	10/08/2023 20:55	WG2147452
(S) Toluene-d8	114			80.0-120	10/08/2023 20:55	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	7.21	su
Specific Conductance (on site)	579	umhos/cm
Temperature (on-site)	17.7	Deg. C
Turbidity (on-site)	4.9	NTU
Dissolved Oxygen (on-site)	8.6	mg/l
eH/ORP (On Site)	127.6	mV
Depth to water (DTW) (FROM TOC)	64.73	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	48.0		10.0	1	10/10/2023 12:55	WG2148179

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	4.52		3.00	1	10/13/2023 21:01	WG2149864
Sulfate	5.11		5.00	1	10/13/2023 21:01	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.07		1.00	1	10/12/2023 17:38	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:16	WG2146860
Barium, Total Recoverable	0.0275		0.00500	1	10/13/2023 23:16	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:16	WG2146860
Manganese, Total Recoverable	0.00468	J	0.00300	1	10/13/2023 23:16	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:16	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:16	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:29	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:29	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:29	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:29	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:29	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:29	WG2146872
Nickel, Total Recoverable	0.00633		0.00400	1	10/11/2023 23:29	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:29	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:29	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:29	WG2146872
Zinc, Total Recoverable	ND		0.00500	1	10/11/2023 23:29	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 21:14	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 21:14	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 21:14	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 21:14	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 21:14	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 21:14	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 21:14	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 21:14	WG2147452
Acetone	ND		10.0	1	10/08/2023 21:14	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 21:14	WG2147452
Benzene	ND		1.00	1	10/08/2023 21:14	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Bromoform	ND		1.00	1	10/08/2023 21:14	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 21:14	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 21:14	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 21:14	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Chloroform	ND		1.00	1	10/08/2023 21:14	WG2147452
Chloromethane	ND	<u>J4</u>	1.00	1	10/08/2023 21:14	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Ethylbenzene	ND		1.00	1	10/08/2023 21:14	WG2147452
Iodomethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 21:14	WG2147452
Styrene	ND		1.00	1	10/08/2023 21:14	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 21:14	WG2147452
Toluene	ND		1.00	1	10/08/2023 21:14	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 21:14	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 21:14	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 21:14	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 21:14	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 21:14	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:14	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:14	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:14	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:14	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 21:14	WG2147452
(S) 1,2-Dichloroethane-d4	92.3			70.0-130	10/08/2023 21:14	WG2147452
(S) 4-Bromofluorobenzene	94.2			77.0-126	10/08/2023 21:14	WG2147452
(S) Toluene-d8	114			80.0-120	10/08/2023 21:14	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.6	su
Specific Conductance (on site)	758	umhos/cm
Temperature (on-site)	15.7	Deg. C
Turbidity (on-site)	5.7	NTU
Dissolved Oxygen (on-site)	0.8	mg/l
eH/ORP (On Site)	-75.3	mV
Depth to water (DTW) (FROM TOC)	70.45	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	341		10.0	1	10/10/2023 13:19	WG2148182

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	9.86		3.00	1	10/13/2023 21:13	WG2149864
Sulfate	ND		5.00	1	10/13/2023 21:13	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.55		1.00	1	10/12/2023 17:52	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:19	WG2146860
Barium, Total Recoverable	0.0434		0.00500	1	10/13/2023 23:19	WG2146860
Iron, Total Recoverable	9.15		0.0600	1	10/13/2023 23:19	WG2146860
Manganese, Total Recoverable	1.48		0.00300	1	10/13/2023 23:19	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:19	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:19	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:33	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:33	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:33	WG2146872
Cobalt, Total Recoverable	0.0351		0.00300	1	10/11/2023 23:33	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:33	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:33	WG2146872
Nickel, Total Recoverable	0.110		0.00400	1	10/11/2023 23:33	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:33	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:33	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:33	WG2146872
Zinc, Total Recoverable	0.0469		0.00500	1	10/11/2023 23:33	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 21:33	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 21:33	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 21:33	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 21:33	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 21:33	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 21:33	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 21:33	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 21:33	WG2147452
Acetone	ND		10.0	1	10/08/2023 21:33	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 21:33	WG2147452
Benzene	ND		1.00	1	10/08/2023 21:33	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Bromoform	ND		1.00	1	10/08/2023 21:33	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 21:33	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 21:33	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 21:33	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Chloroform	ND		1.00	1	10/08/2023 21:33	WG2147452
Chloromethane	ND	<u>J4</u>	1.00	1	10/08/2023 21:33	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Ethylbenzene	ND		1.00	1	10/08/2023 21:33	WG2147452
Iodomethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 21:33	WG2147452
Styrene	ND		1.00	1	10/08/2023 21:33	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 21:33	WG2147452
Toluene	ND		1.00	1	10/08/2023 21:33	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 21:33	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 21:33	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 21:33	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 21:33	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 21:33	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:33	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:33	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:33	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:33	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 21:33	WG2147452
(S) 1,2-Dichloroethane-d4	98.7			70.0-130	10/08/2023 21:33	WG2147452
(S) 4-Bromofluorobenzene	93.9			77.0-126	10/08/2023 21:33	WG2147452
(S) Toluene-d8	114			80.0-120	10/08/2023 21:33	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.61	su
Specific Conductance (on site)	808	umhos/cm
Temperature (on-site)	16.8	Deg. C
Turbidity (on-site)	21.1	NTU
Dissolved Oxygen (on-site)	2.1	mg/l
eH/ORP (On Site)	10.8	mV
Depth to water (DTW) (FROM TOC)	67.71	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	359		10.0	1	10/10/2023 13:19	WG2148182

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	21.2		3.00	1	10/13/2023 21:51	WG2149864
Sulfate	6.08		5.00	1	10/13/2023 21:51	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	1.65		1.00	1	10/12/2023 18:06	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:21	WG2146860
Barium, Total Recoverable	0.0441		0.00500	1	10/13/2023 23:21	WG2146860
Iron, Total Recoverable	4.04		0.0600	1	10/13/2023 23:21	WG2146860
Manganese, Total Recoverable	0.124		0.00300	1	10/13/2023 23:21	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:21	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:21	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:36	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:36	WG2146872
Cadmium, Total Recoverable	0.0200		0.00100	1	10/11/2023 23:36	WG2146872
Cobalt, Total Recoverable	0.0144		0.00300	1	10/11/2023 23:36	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:36	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:36	WG2146872
Nickel, Total Recoverable	0.0228		0.00400	1	10/11/2023 23:36	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:36	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:36	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:36	WG2146872
Zinc, Total Recoverable	0.0327		0.00500	1	10/11/2023 23:36	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,1,1-Trichloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,1,2-Trichloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,1-Dichloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,1-Dichloroethene	ND		1.00	1	10/08/2023 21:52	WG2147452
1,2,3-Trichloropropane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/08/2023 21:52	WG2147452
1,2-Dibromoethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,2-Dichlorobenzene	ND		1.00	1	10/08/2023 21:52	WG2147452
1,2-Dichloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,2-Dichloropropane	ND		1.00	1	10/08/2023 21:52	WG2147452
1,4-Dichlorobenzene	ND		1.00	1	10/08/2023 21:52	WG2147452
2-Butanone (MEK)	ND		5.00	1	10/08/2023 21:52	WG2147452
2-Hexanone	ND		5.00	1	10/08/2023 21:52	WG2147452
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/08/2023 21:52	WG2147452
Acetone	ND		10.0	1	10/08/2023 21:52	WG2147452
Acrylonitrile	ND		20.0	1	10/08/2023 21:52	WG2147452
Benzene	ND		1.00	1	10/08/2023 21:52	WG2147452
Bromochloromethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Bromodichloromethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Bromoform	ND		1.00	1	10/08/2023 21:52	WG2147452
Bromomethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Carbon disulfide	ND		1.00	1	10/08/2023 21:52	WG2147452
Carbon tetrachloride	ND		1.00	1	10/08/2023 21:52	WG2147452
Chlorobenzene	ND		1.00	1	10/08/2023 21:52	WG2147452
Chloroethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Chloroform	ND		1.00	1	10/08/2023 21:52	WG2147452
Chloromethane	ND	<u>J4</u>	1.00	1	10/08/2023 21:52	WG2147452
Dibromochloromethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Dibromomethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Ethylbenzene	ND		1.00	1	10/08/2023 21:52	WG2147452
Iodomethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Methylene Chloride	ND		1.07	1	10/08/2023 21:52	WG2147452
Styrene	ND		1.00	1	10/08/2023 21:52	WG2147452
Tetrachloroethene	ND		1.00	1	10/08/2023 21:52	WG2147452
Toluene	ND		1.00	1	10/08/2023 21:52	WG2147452
Trichloroethene	ND		1.00	1	10/08/2023 21:52	WG2147452
Trichlorofluoromethane	ND		1.00	1	10/08/2023 21:52	WG2147452
Vinyl acetate	ND		5.00	1	10/08/2023 21:52	WG2147452
Vinyl chloride	ND		1.00	1	10/08/2023 21:52	WG2147452
Xylenes, Total	ND		1.00	1	10/08/2023 21:52	WG2147452
cis-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:52	WG2147452
cis-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:52	WG2147452
trans-1,2-Dichloroethene	ND		1.00	1	10/08/2023 21:52	WG2147452
trans-1,3-Dichloropropene	ND		1.00	1	10/08/2023 21:52	WG2147452
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/08/2023 21:52	WG2147452
(S) 1,2-Dichloroethane-d4	91.9			70.0-130	10/08/2023 21:52	WG2147452
(S) 4-Bromofluorobenzene	91.6			77.0-126	10/08/2023 21:52	WG2147452
(S) Toluene-d8	113			80.0-120	10/08/2023 21:52	WG2147452

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.59	su
Specific Conductance (on site)	806	umhos/cm
Temperature (on-site)	16.7	Deg. C
Turbidity (on-site)	10.4	NTU
Dissolved Oxygen (on-site)	1.6	mg/l
eH/ORP (On Site)	49.3	mV
Depth to water (DTW) (FROM TOC)	71.85	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	389	Q	10.0	1	10/13/2023 00:00	WG2150228

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	13.7		3.00	1	10/13/2023 22:04	WG2149864
Sulfate	ND		5.00	1	10/13/2023 22:04	WG2149864

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	1.69		1.00	1	10/12/2023 18:20	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:24	WG2146860
Barium, Total Recoverable	0.0458		0.00500	1	10/13/2023 23:24	WG2146860
Iron, Total Recoverable	1.87		0.0600	1	10/13/2023 23:24	WG2146860
Manganese, Total Recoverable	0.0325		0.00300	1	10/13/2023 23:24	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:24	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:24	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:39	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:39	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:39	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:39	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:39	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:39	WG2146872
Nickel, Total Recoverable	0.0235		0.00400	1	10/11/2023 23:39	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:39	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:39	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:39	WG2146872
Zinc, Total Recoverable	0.0161	J	0.00500	1	10/11/2023 23:39	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 01:58	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 01:58	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 01:58	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 01:58	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 01:58	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 01:58	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 01:58	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 01:58	WG2148115
Acetone	ND		10.0	1	10/10/2023 01:58	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 01:58	WG2148115
Benzene	ND		1.00	1	10/10/2023 01:58	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Bromoform	ND		1.00	1	10/10/2023 01:58	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 01:58	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 01:58	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 01:58	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Chloroform	ND		1.00	1	10/10/2023 01:58	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 01:58	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 01:58	WG2148115
Styrene	ND		1.00	1	10/10/2023 01:58	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 01:58	WG2148115
Toluene	ND		1.00	1	10/10/2023 01:58	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 01:58	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 01:58	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 01:58	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 01:58	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 01:58	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 01:58	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 01:58	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 01:58	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 01:58	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 01:58	WG2148115
(S) 1,2-Dichloroethane-d4	117			70.0-130	10/10/2023 01:58	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 01:58	WG2148115
(S) Toluene-d8	97.2			80.0-120	10/10/2023 01:58	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.68	su
Specific Conductance (on site)	776	umhos/cm
Temperature (on-site)	16.3	Deg. C
Turbidity (on-site)	2.2	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	137	mV
Depth to water (DTW) (FROM TOC)	32.79	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	351		10.0	1	10/10/2023 12:55	WG2148179

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	29.9		3.00	1	10/13/2023 23:50	WG2149878
Sulfate	21.6		5.00	1	10/13/2023 23:50	WG2149878

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	2.02		1.00	1	10/12/2023 19:10	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:42	WG2146860
Barium, Total Recoverable	0.139		0.00500	1	10/13/2023 23:42	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:42	WG2146860
Manganese, Total Recoverable	2.41		0.00300	1	10/13/2023 23:42	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:42	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:42	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:42	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:42	WG2146872
Cadmium, Total Recoverable	0.00453		0.00100	1	10/11/2023 23:42	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:42	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:42	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:42	WG2146872
Nickel, Total Recoverable	0.0164		0.00400	1	10/11/2023 23:42	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:42	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:42	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:42	WG2146872
Zinc, Total Recoverable	0.0188	J	0.00500	1	10/11/2023 23:42	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 02:17	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 02:17	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 02:17	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 02:17	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 02:17	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 02:17	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 02:17	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 02:17	WG2148115
Acetone	ND		10.0	1	10/10/2023 02:17	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 02:17	WG2148115
Benzene	ND		1.00	1	10/10/2023 02:17	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Bromoform	ND		1.00	1	10/10/2023 02:17	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 02:17	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 02:17	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 02:17	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Chloroform	ND		1.00	1	10/10/2023 02:17	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 02:17	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 02:17	WG2148115
Styrene	ND		1.00	1	10/10/2023 02:17	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 02:17	WG2148115
Toluene	ND		1.00	1	10/10/2023 02:17	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 02:17	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 02:17	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 02:17	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 02:17	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 02:17	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:17	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:17	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:17	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:17	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 02:17	WG2148115
(S) 1,2-Dichloroethane-d4	117			70.0-130	10/10/2023 02:17	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 02:17	WG2148115
(S) Toluene-d8	96.8			80.0-120	10/10/2023 02:17	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.81	su
Specific Conductance (on site)	262	umhos/cm
Temperature (on-site)	17.1	Deg. C
Turbidity (on-site)	8.1	NTU
Dissolved Oxygen (on-site)	8.3	mg/l
eH/ORP (On Site)	97.5	mV
Depth to water (DTW) (FROM TOC)	101.85	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	116		10.0	1	10/09/2023 11:03	WG2147641

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	3.66		3.00	1	10/14/2023 00:07	WG2149878
Sulfate	ND		5.00	1	10/14/2023 00:07	WG2149878

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	ND		1.00	1	10/12/2023 20:16	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:45	WG2146860
Barium, Total Recoverable	0.0190		0.00500	1	10/13/2023 23:45	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:45	WG2146860
Manganese, Total Recoverable	0.0154		0.00300	1	10/13/2023 23:45	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:45	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:45	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:46	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:46	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:46	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:46	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:46	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:46	WG2146872
Nickel, Total Recoverable	ND		0.00400	1	10/11/2023 23:46	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:46	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:46	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:46	WG2146872
Zinc, Total Recoverable	ND		0.00500	1	10/11/2023 23:46	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 02:36	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 02:36	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 02:36	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 02:36	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 02:36	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 02:36	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 02:36	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 02:36	WG2148115
Acetone	ND		10.0	1	10/10/2023 02:36	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 02:36	WG2148115
Benzene	ND		1.00	1	10/10/2023 02:36	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Bromoform	ND		1.00	1	10/10/2023 02:36	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 02:36	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 02:36	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 02:36	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Chloroform	ND		1.00	1	10/10/2023 02:36	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 02:36	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 02:36	WG2148115
Styrene	ND		1.00	1	10/10/2023 02:36	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 02:36	WG2148115
Toluene	ND		1.00	1	10/10/2023 02:36	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 02:36	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 02:36	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 02:36	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 02:36	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 02:36	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:36	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:36	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:36	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:36	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 02:36	WG2148115
(S) 1,2-Dichloroethane-d4	114			70.0-130	10/10/2023 02:36	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 02:36	WG2148115
(S) Toluene-d8	95.6			80.0-120	10/10/2023 02:36	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.7	su
Specific Conductance (on site)	724	umhos/cm
Temperature (on-site)	15.7	Deg. C
Turbidity (on-site)	1.9	NTU
Dissolved Oxygen (on-site)	1.4	mg/l
eH/ORP (On Site)	145.8	mV
Depth to water (DTW) (FROM TOC)	17.41	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	353		10.0	1	10/10/2023 12:55	WG2148179

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	14.1		3.00	1	10/14/2023 00:24	WG2149878
Sulfate	5.35		5.00	1	10/14/2023 00:24	WG2149878

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	10/12/2023 20:29	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:47	WG2146860
Barium, Total Recoverable	0.0678		0.00500	1	10/13/2023 23:47	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:47	WG2146860
Manganese, Total Recoverable	ND		0.00300	1	10/13/2023 23:47	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:47	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:47	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/11/2023 23:49	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/11/2023 23:49	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/11/2023 23:49	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/11/2023 23:49	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/11/2023 23:49	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/11/2023 23:49	WG2146872
Nickel, Total Recoverable	ND		0.00400	1	10/11/2023 23:49	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/11/2023 23:49	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/11/2023 23:49	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/11/2023 23:49	WG2146872
Zinc, Total Recoverable	0.0184	J	0.00500	1	10/11/2023 23:49	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 02:55	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 02:55	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 02:55	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 02:55	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 02:55	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 02:55	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 02:55	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 02:55	WG2148115
Acetone	ND		10.0	1	10/10/2023 02:55	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 02:55	WG2148115
Benzene	ND		1.00	1	10/10/2023 02:55	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Bromoform	ND		1.00	1	10/10/2023 02:55	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 02:55	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 02:55	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 02:55	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Chloroform	ND		1.00	1	10/10/2023 02:55	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 02:55	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 02:55	WG2148115
Styrene	ND		1.00	1	10/10/2023 02:55	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 02:55	WG2148115
Toluene	ND		1.00	1	10/10/2023 02:55	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 02:55	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 02:55	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 02:55	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 02:55	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 02:55	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:55	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:55	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 02:55	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 02:55	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 02:55	WG2148115
(S) 1,2-Dichloroethane-d4	116			70.0-130	10/10/2023 02:55	WG2148115
(S) 4-Bromofluorobenzene	106			77.0-126	10/10/2023 02:55	WG2148115
(S) Toluene-d8	95.1			80.0-120	10/10/2023 02:55	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.51	su
Specific Conductance (on site)	544	umhos/cm
Temperature (on-site)	16.4	Deg. C
Turbidity (on-site)	6.1	NTU
Dissolved Oxygen (on-site)	3.4	mg/l
eH/ORP (On Site)	129.1	mV
Depth to water (DTW) (FROM TOC)	19.7	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	304		10.0	1	10/10/2023 12:55	WG2148179

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	8.66		3.00	1	10/14/2023 02:05	WG2149878
Sulfate	ND		5.00	1	10/14/2023 02:05	WG2149878

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	10/12/2023 20:42	WG2149939

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 23:50	WG2146860
Barium, Total Recoverable	0.0820		0.00500	1	10/13/2023 23:50	WG2146860
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 23:50	WG2146860
Manganese, Total Recoverable	0.00314	J	0.00300	1	10/13/2023 23:50	WG2146860
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 23:50	WG2146860
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 23:50	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/12/2023 00:10	WG2146872
Beryllium, Total Recoverable	ND		0.00100	1	10/12/2023 00:10	WG2146872
Cadmium, Total Recoverable	ND		0.00100	1	10/12/2023 00:10	WG2146872
Cobalt, Total Recoverable	ND		0.00300	1	10/12/2023 00:10	WG2146872
Chromium, Total Recoverable	ND		0.00300	1	10/12/2023 00:10	WG2146872
Copper, Total Recoverable	ND		0.00400	1	10/12/2023 00:10	WG2146872
Nickel, Total Recoverable	ND		0.00400	1	10/12/2023 00:10	WG2146872
Antimony, Total Recoverable	ND		0.00200	1	10/12/2023 00:10	WG2146872
Thallium, Total Recoverable	ND		0.00100	1	10/12/2023 00:10	WG2146872
Vanadium, Total Recoverable	ND		0.00300	1	10/12/2023 00:10	WG2146872
Zinc, Total Recoverable	0.0162	J	0.00500	1	10/12/2023 00:10	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 03:14	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 03:14	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 03:14	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 03:14	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 03:14	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 03:14	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 03:14	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 03:14	WG2148115
Acetone	ND		10.0	1	10/10/2023 03:14	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 03:14	WG2148115
Benzene	ND		1.00	1	10/10/2023 03:14	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Bromoform	ND		1.00	1	10/10/2023 03:14	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 03:14	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 03:14	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 03:14	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Chloroform	ND		1.00	1	10/10/2023 03:14	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 03:14	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 03:14	WG2148115
Styrene	ND		1.00	1	10/10/2023 03:14	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 03:14	WG2148115
Toluene	ND		1.00	1	10/10/2023 03:14	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 03:14	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 03:14	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 03:14	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 03:14	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 03:14	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 03:14	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 03:14	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 03:14	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 03:14	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 03:14	WG2148115
(S) 1,2-Dichloroethane-d4	117			70.0-130	10/10/2023 03:14	WG2148115
(S) 4-Bromofluorobenzene	106			77.0-126	10/10/2023 03:14	WG2148115
(S) Toluene-d8	95.9			80.0-120	10/10/2023 03:14	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	mg/l		mg/l		date / time	
	ND		10.0	1	10/09/2023 11:03	WG2147641

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Ammonia Nitrogen	mg/l		mg/l		date / time	
	ND		0.100	1	10/10/2023 13:26	WG2148269

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	mg/l		mg/l		date / time	
	ND		3.00	1	10/14/2023 02:22	WG2149878
Sulfate	mg/l		mg/l		date / time	
	ND		5.00	1	10/14/2023 02:22	WG2149878

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	mg/l		mg/l		date / time	
	ND		1.00	1	10/12/2023 20:55	WG2149939

Metals (ICP) by Method 6010B


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0500	1	10/13/2023 23:53	WG2146860
Barium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	10/13/2023 23:53	WG2146860
Iron, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0600	1	10/13/2023 23:53	WG2146860
Manganese, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	10/13/2023 23:53	WG2146860
Lead, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	10/13/2023 23:53	WG2146860
Selenium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.0100	1	10/13/2023 23:53	WG2146860

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	10/12/2023 00:13	WG2146872
Beryllium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	10/12/2023 00:13	WG2146872
Cadmium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	10/12/2023 00:13	WG2146872
Cobalt, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	10/12/2023 00:13	WG2146872
Chromium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	10/12/2023 00:13	WG2146872
Copper, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00400	1	10/12/2023 00:13	WG2146872
Nickel, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00400	1	10/12/2023 00:13	WG2146872
Antimony, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00200	1	10/12/2023 00:13	WG2146872
Thallium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00100	1	10/12/2023 00:13	WG2146872
Vanadium, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00300	1	10/12/2023 00:13	WG2146872
Zinc, Total Recoverable	mg/l		mg/l		date / time	
	ND		0.00500	1	10/12/2023 00:13	WG2146872

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
1,1,1,2-Tetrachloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,1,1-Trichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,1,2,2-Tetrachloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,1,2-Trichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,1-Dichloroethane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,1-Dichloroethene	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115
1,2,3-Trichloropropane	ug/l		ug/l		date / time	
	ND		1.00	1	10/10/2023 01:01	WG2148115



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 01:01	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 01:01	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 01:01	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 01:01	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 01:01	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 01:01	WG2148115
2-Butanone (MEK)	6.17	J3	5.00	1	10/10/2023 01:01	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 01:01	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 01:01	WG2148115
Acetone	ND		10.0	1	10/10/2023 01:01	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 01:01	WG2148115
Benzene	ND		1.00	1	10/10/2023 01:01	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Bromoform	ND		1.00	1	10/10/2023 01:01	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 01:01	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 01:01	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 01:01	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Chloroform	ND		1.00	1	10/10/2023 01:01	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 01:01	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 01:01	WG2148115
Styrene	ND		1.00	1	10/10/2023 01:01	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 01:01	WG2148115
Toluene	1.47		1.00	1	10/10/2023 01:01	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 01:01	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 01:01	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 01:01	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 01:01	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 01:01	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 01:01	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 01:01	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 01:01	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 01:01	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 01:01	WG2148115
(S) 1,2-Dichloroethane-d4	117			70.0-130	10/10/2023 01:01	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 01:01	WG2148115
(S) Toluene-d8	96.1			80.0-120	10/10/2023 01:01	WG2148115

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1,1-Trichloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1,2-Trichloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1-Dichloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1-Dichloroethene	ND		1.00	1	10/09/2023 15:29	WG2147827
1,1-Dichloropropene	ND		1.00	1	10/09/2023 15:29	WG2147827
1,2,3-Trichloropropane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/09/2023 15:29	WG2147827
1,2-Dibromoethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,2-Dichlorobenzene	ND		1.00	1	10/09/2023 15:29	WG2147827
1,2-Dichloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,2-Dichloropropane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,3-Dichlorobenzene	ND		1.00	1	10/09/2023 15:29	WG2147827
1,3-Dichloropropane	ND		1.00	1	10/09/2023 15:29	WG2147827
1,4-Dichlorobenzene	ND		1.00	1	10/09/2023 15:29	WG2147827
2,2-Dichloropropane	ND		5.00	1	10/09/2023 15:29	WG2147827
2-Butanone (MEK)	ND		5.00	1	10/09/2023 15:29	WG2147827
2-Hexanone	ND		5.00	1	10/09/2023 15:29	WG2147827
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/09/2023 15:29	WG2147827
Acetone	ND		11.3	1	10/09/2023 15:29	WG2147827
Acetonitrile	ND		30.0	1	10/09/2023 15:29	WG2147827
Acrolein	ND		20.0	1	10/09/2023 15:29	WG2147827
Acrylonitrile	ND		20.0	1	10/09/2023 15:29	WG2147827
Allyl chloride	ND		10.0	1	10/09/2023 15:29	WG2147827
Benzene	ND		1.00	1	10/09/2023 15:29	WG2147827
Bromochloromethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Bromodichloromethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Bromoform	ND		1.00	1	10/09/2023 15:29	WG2147827
Bromomethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Carbon disulfide	ND		1.00	1	10/09/2023 15:29	WG2147827
Carbon tetrachloride	ND		1.00	1	10/09/2023 15:29	WG2147827
Chlorobenzene	ND		1.00	1	10/09/2023 15:29	WG2147827
Chloroethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Chloroform	ND		1.00	1	10/09/2023 15:29	WG2147827
Chloromethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Chloroprene	ND		1.70	1	10/09/2023 15:29	WG2147827
Dibromochloromethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Dibromomethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Dichlorodifluoromethane	ND		2.00	1	10/09/2023 15:29	WG2147827
Ethyl methacrylate	ND		3.00	1	10/09/2023 15:29	WG2147827
Ethylbenzene	ND		1.00	1	10/09/2023 15:29	WG2147827
Iodomethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Isobutanol	ND		110	1	10/09/2023 15:29	WG2147827
Methacrylonitrile	ND		13.0	1	10/09/2023 15:29	WG2147827
Methyl methacrylate	ND		4.00	1	10/09/2023 15:29	WG2147827
Methylene Chloride	ND		1.07	1	10/09/2023 15:29	WG2147827
Propionitrile	ND		20.0	1	10/09/2023 15:29	WG2147827
Styrene	ND		1.00	1	10/09/2023 15:29	WG2147827
Tetrachloroethene	ND		1.00	1	10/09/2023 15:29	WG2147827
Toluene	ND		1.00	1	10/09/2023 15:29	WG2147827
Trichloroethene	ND		1.00	1	10/09/2023 15:29	WG2147827
Trichlorofluoromethane	ND		1.00	1	10/09/2023 15:29	WG2147827
Vinyl acetate	ND		5.00	1	10/09/2023 15:29	WG2147827
Vinyl chloride	ND		1.00	1	10/09/2023 15:29	WG2147827
Xylenes, Total	ND		1.00	1	10/09/2023 15:29	WG2147827

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
cis-1,2-Dichloroethene	ND		1.00	1	10/09/2023 15:29	WG2147827
cis-1,3-Dichloropropene	ND		1.00	1	10/09/2023 15:29	WG2147827
trans-1,2-Dichloroethene	ND		1.00	1	10/09/2023 15:29	WG2147827
trans-1,3-Dichloropropene	ND		1.00	1	10/09/2023 15:29	WG2147827
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/09/2023 15:29	WG2147827
(S) Toluene-d8	108			80.0-120	10/09/2023 15:29	WG2147827
(S) 1,2-Dichloroethane-d4	97.8			70.0-130	10/09/2023 15:29	WG2147827
(S) 4-Bromofluorobenzene	90.4			77.0-126	10/09/2023 15:29	WG2147827

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3984245-1 10/09/23 11:03

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1664095-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1664095-02 10/09/23 11:03 • (DUP) R3984245-3 10/09/23 11:03

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	775	787	1	1.54		5

4 Cn

5 Sr

6 Qc

L1664095-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1664095-03 10/09/23 11:03 • (DUP) R3984245-4 10/09/23 11:03

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	719	736	1	2.38		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3984245-2 10/09/23 11:03

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8910	101	77.3-123	

Method Blank (MB)

(MB) R3985480-1 10/10/23 12:55

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663274-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663274-01 10/10/23 12:55 • (DUP) R3985480-3 10/10/23 12:55

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	1190	1310	1	9.20	J3	5

L1663274-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1663274-03 10/10/23 12:55 • (DUP) R3985480-4 10/10/23 12:55

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	964	1040	1	7.78	J3	5

Laboratory Control Sample (LCS)

(LCS) R3985480-2 10/10/23 12:55

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8160	92.7	77.3-123	

Method Blank (MB)

(MB) R3985447-1 10/10/23 13:19

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663141-46 Original Sample (OS) • Duplicate (DUP)

(OS) L1663141-46 10/10/23 13:19 • (DUP) R3985447-3 10/10/23 13:19

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	1930	1910	1	1.04		5

L1663141-47 Original Sample (OS) • Duplicate (DUP)

(OS) L1663141-47 10/10/23 13:19 • (DUP) R3985447-4 10/10/23 13:19

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	3490	4060	1	15.0	J3	5

Laboratory Control Sample (LCS)

(LCS) R3985447-2 10/10/23 13:19

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8460	96.1	77.3-123	

Method Blank (MB)

(MB) R3986737-1 10/12/23 12:22

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1663610-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1663610-04 10/12/23 12:22 • (DUP) R3986737-3 10/12/23 12:22

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	331	346	1	4.43		5

4 Cn

5 Sr

6 Qc

L1663622-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663622-01 10/12/23 12:22 • (DUP) R3986737-4 10/12/23 12:22

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	507	508	1	0.197		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986737-2 10/12/23 12:22

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8090	91.9	77.3-123	

Method Blank (MB)

(MB) R3986723-1 10/13/23 00:00

Analyte	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1663622-14 Original Sample (OS) • Duplicate (DUP)

(OS) L1663622-14 10/13/23 00:00 • (DUP) R3986723-3 10/13/23 00:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Dissolved Solids	1550	1570	1	1.15		5

4 Cn

5 Sr

6 Qc

L1664648-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1664648-09 10/13/23 00:00 • (DUP) R3986723-4 10/13/23 00:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Dissolved Solids	608	609	1	0.164		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986723-2 10/13/23 00:00

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Dissolved Solids	8800	8520	96.8	77.3-123	

Method Blank (MB)

(MB) R3984374-1 10/10/23 12:39

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1663702-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-03 10/10/23 13:05 • (DUP) R3984374-5 10/10/23 13:06

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

L1663702-22 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-22 10/10/23 13:26 • (DUP) R3984374-7 10/10/23 13:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3984374-2 10/10/23 12:41

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.10	94.7	90.0-110	

L1663702-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-02 10/10/23 12:56 • (MS) R3984374-3 10/10/23 12:57 • (MSD) R3984374-4 10/10/23 13:03

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	4.58	4.78	91.6	95.5	1	90.0-110			4.21	10

L1663702-11 Original Sample (OS) • Matrix Spike (MS)

(OS) L1663702-11 10/10/23 13:23 • (MS) R3984374-6 10/10/23 13:25

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	4.73	94.6	1	90.0-110	

Method Blank (MB)

(MB) R3983240-1 10/07/23 12:47

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfide	ND		0.00650	0.0500

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663763-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1663763-10 10/07/23 12:53 • (DUP) R3983240-5 10/07/23 12:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfide	ND	ND	1	0.000		20

L1663829-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1663829-04 10/07/23 12:56 • (DUP) R3983240-6 10/07/23 12:57

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfide	ND	ND	1	2.74		20

Laboratory Control Sample (LCS)

(LCS) R3983240-2 10/07/23 12:48

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Sulfide	0.500	0.508	102	85.0-115	

L1663702-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-06 10/07/23 12:48 • (MS) R3983240-3 10/07/23 12:48 • (MSD) R3983240-4 10/07/23 12:50

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Sulfide	0.500	ND	ND	ND	94.2	94.0	1	80.0-120			0.213	20

Method Blank (MB)

(MB) R3983700-1 10/09/23 11:22

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Cyanide	ND		0.00180	0.00500

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1663702-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-06 10/09/23 11:51 • (DUP) R3983700-3 10/09/23 11:52

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Cyanide	ND	ND	1	0.000		20

L1663763-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1663763-07 10/09/23 12:05 • (DUP) R3983700-6 10/09/23 12:07

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Cyanide	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3983700-2 10/09/23 11:24

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Cyanide	0.100	0.0905	90.5	87.1-120	

L1663710-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663710-01 10/09/23 11:57 • (MS) R3983700-4 10/09/23 11:58 • (MSD) R3983700-5 10/09/23 12:00

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Cyanide	0.100	ND	0.0920	0.0919	92.0	91.9	1	90.0-110			0.109	20

Method Blank (MB)

(MB) R3985256-1 10/11/23 18:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	ND		0.0519	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1662631-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1662631-12 10/11/23 20:28 • (DUP) R3985256-3 10/11/23 20:38

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	6.05	6.02	1	0.491		15

L1663702-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-07 10/11/23 22:32 • (DUP) R3985256-6 10/11/23 22:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	30.1	30.1	1	0.0664		15

Laboratory Control Sample (LCS)

(LCS) R3985256-2 10/11/23 18:15

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	38.3	95.8	80.0-120	

L1662631-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1662631-12 10/11/23 20:28 • (MS) R3985256-4 10/11/23 20:47 • (MSD) R3985256-5 10/11/23 20:57

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	40.0	6.05	43.7	43.3	94.0	93.2	1	80.0-120			0.768	15

L1663702-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1663702-07 10/11/23 22:32 • (MS) R3985256-7 10/11/23 22:51

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Chloride	40.0	30.1	62.3	80.4	1	80.0-120	

Method Blank (MB)

(MB) R3985302-1 10/12/23 00:43

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	0.0972		0.0519	1.00
Sulfate	0.228		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663354-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1663354-02 10/12/23 03:53 • (DUP) R3985302-3 10/12/23 04:07

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	ND	ND	1	4.85		15
Sulfate	5.59	5.21	1	7.05		15

L1663702-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-08 10/12/23 07:47 • (DUP) R3985302-6 10/12/23 08:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	39.3	39.5	1	0.512		15
Sulfate	11.0	11.1	1	0.780		15

Laboratory Control Sample (LCS)

(LCS) R3985302-2 10/12/23 00:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	39.9	99.8	80.0-120	
Sulfate	40.0	39.2	98.1	80.0-120	

L1663354-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663354-02 10/12/23 03:53 • (MS) R3985302-4 10/12/23 04:21 • (MSD) R3985302-5 10/12/23 04:34

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	40.0	ND	42.0	42.1	98.6	98.7	1	80.0-120			0.128	15
Sulfate	40.0	5.59	43.0	43.0	93.4	93.6	1	80.0-120			0.199	15

L1663702-08 Original Sample (OS) • Matrix Spike (MS)

(OS) L1663702-08 10/12/23 07:47 • (MS) R3985302-7 10/12/23 08:14

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	40.0	39.3	71.4	80.2	1	80.0-120	
Sulfate	40.0	11.0	47.0	90.0	1	80.0-120	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3987601-1 10/13/23 13:12

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	0.295		0.0519	1.00
Sulfate	0.385		0.0774	5.00

L1663141-48 Original Sample (OS) • Duplicate (DUP)

(OS) L1663141-48 10/13/23 15:42 • (DUP) R3987601-3 10/13/23 16:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	220	219	1	0.503	E	15
Sulfate	92.5	91.2	1	1.44		15

L1663141-48 Original Sample (OS) • Duplicate (DUP)

(OS) L1663141-48 10/13/23 15:55 • (DUP) R3987601-4 10/13/23 16:46

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	199	198	10	0.674		15
Sulfate	79.9	79.5	10	0.533		15

L1663702-17 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-17 10/13/23 22:04 • (DUP) R3987601-7 10/13/23 22:17

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	13.7	13.7	1	0.335		15
Sulfate	ND	ND	1	0.194		15

Laboratory Control Sample (LCS)

(LCS) R3987601-2 10/13/23 13:25

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	38.6	96.4	80.0-120	
Sulfate	40.0	38.4	95.9	80.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663141-48 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663141-48 10/13/23 15:55 • (MS) R3987601-5 10/13/23 16:59 • (MSD) R3987601-6 10/13/23 17:11

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Chloride	40.0	199	197	199	0.000	0.000	10	80.0-120	<u>V</u>	<u>V</u>	0.664	15
Sulfate	40.0	79.9	99.9	99.1	50.1	48.1	10	80.0-120	<u>J6</u>	<u>J6</u>	0.805	15

L1663702-17 Original Sample (OS) • Matrix Spike (MS)

(OS) L1663702-17 10/13/23 22:04 • (MS) R3987601-8 10/13/23 22:30

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	40.0	13.7	50.2	91.2	1	80.0-120	
Sulfate	40.0	ND	41.6	92.0	1	80.0-120	

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3986850-1 10/13/23 15:47

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	ND		0.0519	1.00
Sulfate	0.182		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663702-20 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-20 10/14/23 00:24 • (DUP) R3986850-3 10/14/23 00:40

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	14.1	14.1	1	0.0177		15
Sulfate	5.35	5.28	1	1.24		15

L1663866-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663866-01 10/14/23 06:36 • (DUP) R3986850-6 10/14/23 06:52

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	ND	ND	1	3.28		15
Sulfate	44.3	44.3	1	0.0616		15

Laboratory Control Sample (LCS)

(LCS) R3986850-2 10/13/23 16:04

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	40.1	100	80.0-120	
Sulfate	40.0	40.3	101	80.0-120	

L1663702-20 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-20 10/14/23 00:24 • (MS) R3986850-4 10/14/23 01:31 • (MSD) R3986850-5 10/14/23 01:48

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	40.0	14.1	51.0	50.6	92.1	91.2	1	80.0-120			0.688	15
Sulfate	40.0	5.35	42.1	41.8	92.0	91.1	1	80.0-120			0.814	15

L1663866-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1663866-01 10/14/23 06:36 • (MS) R3986850-7 10/14/23 07:09

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	40.0	ND	38.3	94.3	1	80.0-120	
Sulfate	40.0	44.3	73.2	72.2	1	80.0-120	<u>J6</u>

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3986690-1 10/13/23 09:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	0.0560		0.0519	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1664045-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-01 10/13/23 22:47 • (DUP) R3986690-3 10/13/23 23:00

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits
Chloride	17.2	16.9	1	1.54		15

L1664052-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1664052-03 10/14/23 03:21 • (DUP) R3986690-6 10/14/23 03:35

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits
Chloride	10.6	10.5	1	0.929		15

Laboratory Control Sample (LCS)

(LCS) R3986690-2 10/13/23 09:23

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	39.4	98.6	80.0-120	

L1664045-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664045-01 10/13/23 22:47 • (MS) R3986690-4 10/13/23 23:14 • (MSD) R3986690-5 10/13/23 23:55

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Chloride	40.0	17.2	54.8	54.9	94.0	94.1	1	80.0-120			0.0781	15

L1664052-03 Original Sample (OS) • Matrix Spike (MS)

(OS) L1664052-03 10/14/23 03:21 • (MS) R3986690-7 10/14/23 03:48

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	40.0	10.6	49.4	97.0	1	80.0-120	

Method Blank (MB)

(MB) R3985771-2 10/12/23 12:09

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	0.121	↓	0.102	1.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663633-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1663633-05 10/12/23 13:06 • (DUP) R3985771-3 10/12/23 13:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	14.2	14.4	1	1.40		20

L1663702-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1663702-06 10/12/23 16:25 • (DUP) R3985771-6 10/12/23 16:39

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	2.29	2.26	1	1.54		20

Laboratory Control Sample (LCS)

(LCS) R3985771-1 10/12/23 11:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	25.9	103	85.0-115	

L1663702-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-05 10/12/23 14:45 • (MS) R3985771-4 10/12/23 15:09 • (MSD) R3985771-5 10/12/23 15:34

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	1.63	27.6	27.3	104	103	1	80.0-120			0.838	20

L1663702-18 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-18 10/12/23 19:10 • (MS) R3985771-7 10/12/23 19:33 • (MSD) R3985771-8 10/12/23 20:01

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	2.02	27.9	27.7	104	103	1	80.0-120			0.683	20

Method Blank (MB)

(MB) R3984751-1 10/11/23 10:42

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Mercury, Total Recoverable	ND		0.0000490	0.000200

Laboratory Control Sample (LCS)

(LCS) R3984751-2 10/11/23 10:44

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Mercury, Total Recoverable	0.00300	0.00304	101	80.0-120	

L1663763-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663763-07 10/11/23 10:47 • (MS) R3984751-3 10/11/23 10:49 • (MSD) R3984751-4 10/11/23 10:51

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Mercury, Total Recoverable	0.00300	ND	0.00309	0.00308	103	103	1	75.0-125			0.310	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3986301-1 10/13/23 22:25

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Barium, Total Recoverable	ND		0.00170	0.00500
Silver, Total Recoverable	ND		0.00280	0.00500
Iron, Total Recoverable	ND		0.0141	0.100
Lead, Total Recoverable	0.00251		0.00190	0.00500
Manganese, Total Recoverable	ND		0.00120	0.0100
Selenium, Total Recoverable	ND		0.00740	0.0100
Tin, Total Recoverable	ND		0.00440	0.0500

Laboratory Control Sample (LCS)

(LCS) R3986301-2 10/13/23 22:28

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Barium, Total Recoverable	1.00	1.03	103	80.0-120	
Silver, Total Recoverable	0.200	0.194	97.0	80.0-120	
Iron, Total Recoverable	10.0	9.96	99.6	80.0-120	
Lead, Total Recoverable	1.00	0.999	99.9	80.0-120	
Manganese, Total Recoverable	1.00	1.00	100	80.0-120	
Selenium, Total Recoverable	1.00	0.988	98.8	80.0-120	
Tin, Total Recoverable	1.00	1.00	100	80.0-120	

L1663617-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663617-01 10/13/23 22:31 • (MS) R3986301-4 10/13/23 22:36 • (MSD) R3986301-5 10/13/23 22:39

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Barium, Total Recoverable	1.00	0.100	1.08	1.09	98.4	98.7	1	75.0-125			0.285	20
Silver, Total Recoverable	0.200	ND	0.193	0.196	96.3	97.8	1	75.0-125			1.51	20
Iron, Total Recoverable	10.0	0.111	9.75	9.83	96.4	97.2	1	75.0-125			0.759	20
Lead, Total Recoverable	1.00	ND	0.992	1.00	99.2	100	1	75.0-125			0.744	20
Manganese, Total Recoverable	1.00	0.00345	0.954	0.956	95.1	95.3	1	75.0-125			0.198	20
Selenium, Total Recoverable	1.00	ND	0.997	1.01	99.7	101	1	75.0-125			1.66	20
Tin, Total Recoverable	1.00	ND	1.02	1.02	101	101	1	75.0-125			0.0609	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3985095-1 10/11/23 22:42

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Antimony, Total Recoverable	ND		0.000754	0.00200
Arsenic, Total Recoverable	ND		0.000250	0.00200
Beryllium, Total Recoverable	ND		0.000120	0.00200
Cadmium, Total Recoverable	ND		0.000160	0.00100
Cobalt, Total Recoverable	ND		0.000260	0.00200
Chromium, Total Recoverable	ND		0.000540	0.00200
Copper, Total Recoverable	0.000599		0.000520	0.00500
Nickel, Total Recoverable	ND		0.000350	0.00200
Thallium, Total Recoverable	ND		0.000190	0.00200
Vanadium, Total Recoverable	ND		0.000180	0.00500
Zinc, Total Recoverable	ND		0.00256	0.0250

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3985095-2 10/11/23 22:45

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Antimony, Total Recoverable	0.0500	0.0549	110	80.0-120	
Arsenic, Total Recoverable	0.0500	0.0545	109	80.0-120	
Beryllium, Total Recoverable	0.0500	0.0552	110	80.0-120	
Cadmium, Total Recoverable	0.0500	0.0545	109	80.0-120	
Cobalt, Total Recoverable	0.0500	0.0551	110	80.0-120	
Chromium, Total Recoverable	0.0500	0.0561	112	80.0-120	
Copper, Total Recoverable	0.0500	0.0509	102	80.0-120	
Nickel, Total Recoverable	0.0500	0.0544	109	80.0-120	
Thallium, Total Recoverable	0.0500	0.0538	108	80.0-120	
Vanadium, Total Recoverable	0.0500	0.0553	111	80.0-120	
Zinc, Total Recoverable	0.0500	0.0534	107	80.0-120	

L1663702-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-01 10/11/23 22:48 • (MS) R3985095-4 10/11/23 22:55 • (MSD) R3985095-5 10/11/23 22:58

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Antimony, Total Recoverable	0.0500	ND	0.0533	0.0532	107	106	1	75.0-125			0.107	20
Arsenic, Total Recoverable	0.0500	ND	0.0513	0.0530	103	106	1	75.0-125			3.28	20
Beryllium, Total Recoverable	0.0500	ND	0.0540	0.0537	108	107	1	75.0-125			0.646	20
Cadmium, Total Recoverable	0.0500	ND	0.0550	0.0543	110	108	1	75.0-125			1.28	20
Cobalt, Total Recoverable	0.0500	ND	0.0515	0.0572	103	114	1	75.0-125			10.4	20

L1663702-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663702-01 10/11/23 22:48 • (MS) R3985095-4 10/11/23 22:55 • (MSD) R3985095-5 10/11/23 22:58

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chromium, Total Recoverable	0.0500	ND	0.0543	0.746	104	1490	1	75.0-125		J3 J5	173	20
Copper, Total Recoverable	0.0500	ND	0.0500	0.0676	100	135	1	75.0-125		J3 J5	30.0	20
Nickel, Total Recoverable	0.0500	ND	0.0532	0.373	104	743	1	75.0-125		J3 J5	150	20
Thallium, Total Recoverable	0.0500	ND	0.0517	0.0523	103	104	1	75.0-125			1.25	20
Vanadium, Total Recoverable	0.0500	ND	0.0519	0.0570	104	114	1	75.0-125			9.23	20
Zinc, Total Recoverable	0.0500	ND	0.0532	0.0534	99.8	100	1	75.0-125			0.396	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3984821-4 10/08/23 06:28

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.186	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,1-Dichloropropene	ND		0.128	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,3-Dichlorobenzene	ND		0.130	0.500
1,3-Dichloropropane	ND		0.147	1.00
1,4-Dichlorobenzene	ND		0.121	0.500
2,2-Dichloropropane	ND		0.0929	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acetonitrile	ND		15.0	50.0
Acrolein	ND		8.87	50.0
Acrylonitrile	ND		0.873	5.00
Allyl chloride	ND		1.70	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chloroprene	ND		1.70	50.0
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Dichlorodifluoromethane	ND		0.127	2.50

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3984821-4 10/08/23 06:28

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Ethyl methacrylate	ND		1.40	5.00
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Isobutanol	ND		39.0	100
Methacrylonitrile	ND		13.0	50.0
Methyl methacrylate	ND		1.20	5.00
Methylene Chloride	ND		1.07	2.50
Propionitrile	ND		13.0	50.0
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) Toluene-d8	106			80.0-120
(S) 1,2-Dichloroethane-d4	101			70.0-130
(S) 4-Bromofluorobenzene	89.1			77.0-126

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984821-1 10/08/23 04:44 • (LCSD) R3984821-2 10/08/23 05:05

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5.00	6.04	5.51	121	110	75.0-125			9.18	20
1,1,1-Trichloroethane	5.00	5.31	5.09	106	102	73.0-124			4.23	20
1,1,2,2-Tetrachloroethane	5.00	5.07	4.79	101	95.8	65.0-130			5.68	20
1,1,2-Trichloroethane	5.00	5.67	5.37	113	107	80.0-120			5.43	20
1,1-Dichloroethane	5.00	5.23	5.01	105	100	70.0-126			4.30	20
1,1-Dichloroethene	5.00	4.97	4.39	99.4	87.8	71.0-124			12.4	20
1,1-Dichloropropene	5.00	5.14	4.77	103	95.4	74.0-126			7.47	20
1,2,3-Trichloropropane	5.00	5.11	4.64	102	92.8	73.0-130			9.64	20
1,2-Dibromo-3-Chloropropane	5.00	4.05	3.89	81.0	77.8	58.0-134			4.03	20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984821-1 10/08/23 04:44 • (LCSD) R3984821-2 10/08/23 05:05

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
1,2-Dibromoethane	5.00	5.73	5.44	115	109	80.0-122			5.19	20
1,2-Dichlorobenzene	5.00	5.74	5.50	115	110	79.0-121			4.27	20
1,2-Dichloroethane	5.00	5.27	4.95	105	99.0	70.0-128			6.26	20
1,2-Dichloropropane	5.00	5.34	5.13	107	103	77.0-125			4.01	20
1,3-Dichlorobenzene	5.00	5.57	5.31	111	106	79.0-120			4.78	20
1,3-Dichloropropane	5.00	5.52	5.19	110	104	80.0-120			6.16	20
1,4-Dichlorobenzene	5.00	5.65	5.32	113	106	79.0-120			6.02	20
2,2-Dichloropropane	5.00	4.89	4.25	97.8	85.0	58.0-130			14.0	20
2-Butanone (MEK)	25.0	27.2	25.2	109	101	44.0-160			7.63	20
2-Hexanone	25.0	26.3	25.0	105	100	67.0-149			5.07	20
4-Methyl-2-pentanone (MIBK)	25.0	28.9	27.3	116	109	68.0-142			5.69	20
Acetone	25.0	28.9	29.3	116	117	19.0-160			1.37	27
Acrolein	25.0	14.3	12.2	57.2	48.8	10.0-160			15.8	26
Acrylonitrile	25.0	25.7	24.7	103	98.8	55.0-149			3.97	20
Allyl chloride	25.0	25.5	23.3	102	93.2	72.0-128			9.02	23
Benzene	5.00	5.08	4.76	102	95.2	70.0-123			6.50	20
Bromochloromethane	5.00	5.63	5.31	113	106	76.0-122			5.85	20
Bromodichloromethane	5.00	5.12	4.93	102	98.6	75.0-120			3.78	20
Bromoform	5.00	5.89	5.57	118	111	68.0-132			5.58	20
Bromomethane	5.00	5.18	5.15	104	103	10.0-160			0.581	25
Carbon disulfide	5.00	4.37	4.10	87.4	82.0	61.0-128			6.38	20
Carbon tetrachloride	5.00	5.46	5.11	109	102	68.0-126			6.62	20
Chlorobenzene	5.00	5.72	5.38	114	108	80.0-121			6.13	20
Chloroethane	5.00	6.09	5.65	122	113	47.0-150			7.50	20
Chloroform	5.00	5.31	5.00	106	100	73.0-120			6.01	20
Chloromethane	5.00	5.05	4.83	101	96.6	41.0-142			4.45	20
Dibromochloromethane	5.00	5.92	5.46	118	109	77.0-125			8.08	20
Dibromomethane	5.00	5.14	5.03	103	101	80.0-120			2.16	20
Dichlorodifluoromethane	5.00	4.14	3.82	82.8	76.4	51.0-149			8.04	20
Ethylbenzene	5.00	5.80	5.20	116	104	79.0-123			10.9	20
Iodomethane	25.0	21.4	21.2	85.6	84.8	33.0-147			0.939	26
Methylene Chloride	5.00	3.99	3.88	79.8	77.6	67.0-120			2.80	20
Styrene	5.00	5.10	4.83	102	96.6	73.0-130			5.44	20
Tetrachloroethene	5.00	6.02	5.62	120	112	72.0-132			6.87	20
Toluene	5.00	5.36	5.06	107	101	79.0-120			5.76	20
Trichloroethene	5.00	5.67	5.57	113	111	78.0-124			1.78	20
Trichlorofluoromethane	5.00	6.26	5.60	125	112	59.0-147			11.1	20
Vinyl acetate	25.0	20.9	16.4	83.6	65.6	11.0-160		<u>J3</u>	24.1	20
Vinyl chloride	5.00	5.44	5.06	109	101	67.0-131			7.24	20
Xylenes, Total	15.0	16.5	15.7	110	105	79.0-123			4.97	20

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984821-1 10/08/23 04:44 • (LCSD) R3984821-2 10/08/23 05:05

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
cis-1,2-Dichloroethene	5.00	5.12	5.07	102	101	73.0-120			0.981	20
cis-1,3-Dichloropropene	5.00	4.83	4.43	96.6	88.6	80.0-123			8.64	20
trans-1,2-Dichloroethene	5.00	5.10	4.69	102	93.8	73.0-120			8.38	20
trans-1,3-Dichloropropene	5.00	5.59	5.21	112	104	78.0-124			7.04	20
trans-1,4-Dichloro-2-butene	5.00	4.84	4.45	96.8	89.0	33.0-144			8.40	20
(S) Toluene-d8				106	104	80.0-120				
(S) 1,2-Dichloroethane-d4				97.9	97.3	70.0-130				
(S) 4-Bromofluorobenzene				91.1	89.4	77.0-126				

Laboratory Control Sample (LCS)

(LCS) R3984821-3 10/08/23 05:26

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Acetonitrile	500	408	81.6	40.0-160	
Chloroprene	50.0	50.3	101	60.0-143	
Ethyl methacrylate	50.0	55.6	111	72.0-129	
Isobutanol	1000	837	83.7	40.0-160	
Methacrylonitrile	500	468	93.6	61.0-145	
Methyl methacrylate	50.0	49.3	98.6	63.0-149	
Propionitrile	500	449	89.8	49.0-160	
(S) Toluene-d8			108	80.0-120	
(S) 1,2-Dichloroethane-d4			98.5	70.0-130	
(S) 4-Bromofluorobenzene			92.6	77.0-126	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3983704-3 10/08/23 15:17

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND		1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3983704-3 10/08/23 15:17

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	98.4			70.0-130
(S) 4-Bromofluorobenzene	87.9			77.0-126
(S) Toluene-d8	111			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3983704-1 10/08/23 14:20 • (LCSD) R3983704-2 10/08/23 14:39

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5.00	5.38	5.55	108	111	75.0-125			3.11	20
1,1,1-Trichloroethane	5.00	4.51	5.09	90.2	102	73.0-124			12.1	20
1,1,2,2-Tetrachloroethane	5.00	5.26	5.59	105	112	65.0-130			6.08	20
1,1,2-Trichloroethane	5.00	5.15	5.51	103	110	80.0-120			6.75	20
1,1-Dichloroethane	5.00	4.68	5.03	93.6	101	70.0-126			7.21	20
1,1-Dichloroethene	5.00	4.60	5.05	92.0	101	71.0-124			9.33	20
1,2,3-Trichloropropane	5.00	5.35	5.61	107	112	73.0-130			4.74	20
1,2-Dibromo-3-Chloropropane	5.00	5.01	5.61	100	112	58.0-134			11.3	20
1,2-Dibromoethane	5.00	5.22	5.38	104	108	80.0-122			3.02	20
1,2-Dichlorobenzene	5.00	5.19	5.72	104	114	79.0-121			9.72	20
1,2-Dichloroethane	5.00	4.24	4.53	84.8	90.6	70.0-128			6.61	20
1,2-Dichloropropane	5.00	4.78	4.98	95.6	99.6	77.0-125			4.10	20
1,4-Dichlorobenzene	5.00	5.36	5.83	107	117	79.0-120			8.40	20
2-Butanone (MEK)	25.0	21.9	23.7	87.6	94.8	44.0-160			7.89	20
2-Hexanone	25.0	25.8	27.6	103	110	67.0-149			6.74	20
4-Methyl-2-pentanone (MIBK)	25.0	29.0	31.3	116	125	68.0-142			7.63	20
Acetone	25.0	19.4	22.7	77.6	90.8	19.0-160			15.7	27
Acrylonitrile	25.0	21.3	24.8	85.2	99.2	55.0-149			15.2	20
Benzene	5.00	4.20	4.47	84.0	89.4	70.0-123			6.23	20
Bromochloromethane	5.00	4.31	4.57	86.2	91.4	76.0-122			5.86	20
Bromodichloromethane	5.00	4.53	4.73	90.6	94.6	75.0-120			4.32	20
Bromoform	5.00	5.86	6.02	117	120	68.0-132			2.69	20
Bromomethane	5.00	4.14	4.13	82.8	82.6	10.0-160			0.242	25

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3983704-1 10/08/23 14:20 • (LCSD) R3983704-2 10/08/23 14:39

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Carbon disulfide	5.00	4.49	4.81	89.8	96.2	61.0-128			6.88	20
Carbon tetrachloride	5.00	4.54	4.81	90.8	96.2	68.0-126			5.78	20
Chlorobenzene	5.00	5.08	5.40	102	108	80.0-121			6.11	20
Chloroethane	5.00	4.05	4.20	81.0	84.0	47.0-150			3.64	20
Chloroform	5.00	4.30	4.77	86.0	95.4	73.0-120			10.4	20
Chloromethane	5.00	7.29	7.69	146	154	41.0-142	J4	J4	5.34	20
Dibromochloromethane	5.00	5.59	5.79	112	116	77.0-125			3.51	20
Dibromomethane	5.00	4.20	4.19	84.0	83.8	80.0-120			0.238	20
Ethylbenzene	5.00	4.77	5.10	95.4	102	79.0-123			6.69	20
Iodomethane	25.0	23.1	23.9	92.4	95.6	33.0-147			3.40	26
Methylene Chloride	5.00	4.30	4.62	86.0	92.4	67.0-120			7.17	20
Styrene	5.00	4.43	4.87	88.6	97.4	73.0-130			9.46	20
Tetrachloroethene	5.00	5.79	6.12	116	122	72.0-132			5.54	20
Toluene	5.00	5.01	5.17	100	103	79.0-120			3.14	20
Trichloroethene	5.00	4.40	4.80	88.0	96.0	78.0-124			8.70	20
Trichlorofluoromethane	5.00	4.79	5.42	95.8	108	59.0-147			12.3	20
Vinyl acetate	25.0	23.1	23.1	92.4	92.4	11.0-160			0.000	20
Vinyl chloride	5.00	5.07	5.42	101	108	67.0-131			6.67	20
Xylenes, Total	15.0	14.1	14.9	94.0	99.3	79.0-123			5.52	20
cis-1,2-Dichloroethene	5.00	4.33	4.56	86.6	91.2	73.0-120			5.17	20
cis-1,3-Dichloropropene	5.00	4.06	4.33	81.2	86.6	80.0-123			6.44	20
trans-1,2-Dichloroethene	5.00	4.39	4.70	87.8	94.0	73.0-120			6.82	20
trans-1,3-Dichloropropene	5.00	4.68	4.97	93.6	99.4	78.0-124			6.01	20
trans-1,4-Dichloro-2-butene	5.00	5.03	5.28	101	106	33.0-144			4.85	20
(S) 1,2-Dichloroethane-d4				97.1	101	70.0-130				
(S) 4-Bromofluorobenzene				93.3	92.1	77.0-126				
(S) Toluene-d8				114	114	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663164-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663164-09 10/08/23 16:28 • (MS) R3983704-4 10/08/23 22:49 • (MSD) R3983704-5 10/08/23 23:08

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5.00	ND	5.70	5.62	114	112	1	36.0-151			1.41	29
1,1,1-Trichloroethane	5.00	ND	4.97	5.02	99.4	100	1	23.0-160			1.00	28
1,1,2,2-Tetrachloroethane	5.00	ND	5.83	5.55	117	111	1	33.0-150			4.92	28
1,1,2-Trichloroethane	5.00	ND	5.57	5.18	111	104	1	35.0-147			7.26	27
1,1-Dichloroethane	5.00	ND	5.08	4.87	102	97.4	1	25.0-158			4.22	27
1,1-Dichloroethene	5.00	ND	5.11	4.98	102	99.6	1	11.0-160			2.58	29

L1663164-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663164-09 10/08/23 16:28 • (MS) R3983704-4 10/08/23 22:49 • (MSD) R3983704-5 10/08/23 23:08

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,2,3-Trichloropropane	5.00	ND	5.59	5.48	112	110	1	34.0-151			1.99	29
1,2-Dibromo-3-Chloropropane	5.00	ND	5.66	4.87	113	97.4	1	22.0-151			15.0	34
1,2-Dibromoethane	5.00	ND	5.35	5.11	107	102	1	34.0-147			4.59	27
1,2-Dichlorobenzene	5.00	ND	5.82	5.57	116	111	1	34.0-149			4.39	28
1,2-Dichloroethane	5.00	ND	4.55	4.40	91.0	88.0	1	29.0-151			3.35	27
1,2-Dichloropropane	5.00	ND	4.85	4.98	97.0	99.6	1	30.0-156			2.64	27
1,4-Dichlorobenzene	5.00	ND	5.94	5.72	119	114	1	35.0-142			3.77	27
2-Butanone (MEK)	25.0	ND	23.3	23.5	93.2	94.0	1	10.0-160			0.855	32
2-Hexanone	25.0	ND	26.6	26.6	106	106	1	21.0-160			0.000	29
4-Methyl-2-pentanone (MIBK)	25.0	ND	30.1	29.1	120	116	1	29.0-160			3.38	29
Acetone	25.0	ND	23.1	24.1	92.4	96.4	1	10.0-160			4.24	35
Acrylonitrile	25.0	ND	24.5	26.2	98.0	105	1	21.0-160			6.71	32
Benzene	5.00	ND	4.53	4.40	90.6	88.0	1	17.0-158			2.91	27
Bromochloromethane	5.00	ND	4.36	4.31	87.2	86.2	1	38.0-142			1.15	26
Bromodichloromethane	5.00	ND	4.81	4.59	96.2	91.8	1	31.0-150			4.68	27
Bromoform	5.00	ND	6.03	5.70	121	114	1	29.0-150			5.63	29
Bromomethane	5.00	ND	4.02	3.88	80.4	77.6	1	10.0-160			3.54	38
Carbon disulfide	5.00	ND	4.37	4.31	87.4	86.2	1	10.0-156			1.38	28
Carbon tetrachloride	5.00	ND	5.17	5.07	103	101	1	23.0-159			1.95	28
Chlorobenzene	5.00	ND	5.49	5.18	110	104	1	33.0-152			5.81	27
Chloroethane	5.00	ND	4.09	4.07	81.8	81.4	1	10.0-160			0.490	30
Chloroform	5.00	ND	4.68	4.55	93.6	91.0	1	29.0-154			2.82	28
Chloromethane	5.00	ND	7.12	6.82	142	136	1	10.0-160			4.30	29
Dibromochloromethane	5.00	ND	5.80	5.61	116	112	1	37.0-149			3.33	27
Dibromomethane	5.00	ND	4.09	4.17	81.8	83.4	1	30.0-151			1.94	27
Ethylbenzene	5.00	ND	5.56	5.28	111	106	1	30.0-155			5.17	27
Iodomethane	25.0	ND	23.3	23.4	93.2	93.6	1	10.0-160			0.428	40
Methylene Chloride	5.00	ND	4.46	4.38	89.2	87.6	1	23.0-144			1.81	28
Styrene	5.00	ND	4.85	4.72	97.0	94.4	1	33.0-155			2.72	28
Tetrachloroethene	5.00	ND	6.35	6.04	127	121	1	10.0-160			5.00	27
Toluene	5.00	ND	5.24	5.11	105	102	1	26.0-154			2.51	28
Trichloroethene	5.00	ND	4.76	4.72	95.2	94.4	1	10.0-160			0.844	25
Trichlorofluoromethane	5.00	ND	5.50	5.26	110	105	1	17.0-160			4.46	31
Vinyl acetate	25.0	ND	28.2	27.7	113	111	1	12.0-160			1.79	31
Vinyl chloride	5.00	ND	5.56	5.36	111	107	1	10.0-160			3.66	27
Xylenes, Total	15.0	ND	15.7	15.1	105	101	1	29.0-154			3.90	28
cis-1,2-Dichloroethene	5.00	ND	4.65	4.52	93.0	90.4	1	10.0-160			2.84	27
cis-1,3-Dichloropropene	5.00	ND	4.05	3.93	81.0	78.6	1	34.0-149			3.01	28
trans-1,2-Dichloroethene	5.00	ND	4.77	4.46	95.4	89.2	1	17.0-153			6.72	27
trans-1,3-Dichloropropene	5.00	ND	4.92	4.66	98.4	93.2	1	32.0-149			5.43	28

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663164-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663164-09 10/08/23 16:28 • (MS) R3983704-4 10/08/23 22:49 • (MSD) R3983704-5 10/08/23 23:08

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
trans-1,4-Dichloro-2-butene	5.00	ND	4.98	4.69	99.6	93.8	1	10.0-157			6.00	37
(S) 1,2-Dichloroethane-d4					96.0	97.9		70.0-130				
(S) 4-Bromofluorobenzene					94.3	94.1		77.0-126				
(S) Toluene-d8					111	108		80.0-120				

L1663164-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663164-14 10/08/23 18:03 • (MS) R3983704-6 10/08/23 23:27 • (MSD) R3983704-7 10/08/23 23:47

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5.00	ND	4.51	4.47	90.2	89.4	1	36.0-151			0.891	29
1,1,1-Trichloroethane	5.00	ND	4.06	4.17	81.2	83.4	1	23.0-160			2.67	28
1,1,2,2-Tetrachloroethane	5.00	ND	4.53	4.68	90.6	93.6	1	33.0-150			3.26	28
1,1,2-Trichloroethane	5.00	ND	4.61	4.36	92.2	87.2	1	35.0-147			5.57	27
1,1-Dichloroethane	5.00	ND	4.23	4.24	84.6	84.8	1	25.0-158			0.236	27
1,1-Dichloroethene	5.00	ND	4.38	4.49	87.6	89.8	1	11.0-160			2.48	29
1,2,3-Trichloropropane	5.00	ND	4.70	4.61	94.0	92.2	1	34.0-151			1.93	29
1,2-Dibromo-3-Chloropropane	5.00	ND	4.28	4.77	85.6	95.4	1	22.0-151			10.8	34
1,2-Dibromoethane	5.00	ND	4.39	4.47	87.8	89.4	1	34.0-147			1.81	27
1,2-Dichlorobenzene	5.00	ND	4.52	4.66	90.4	93.2	1	34.0-149			3.05	28
1,2-Dichloroethane	5.00	ND	3.87	3.75	77.4	75.0	1	29.0-151			3.15	27
1,2-Dichloropropane	5.00	ND	4.14	3.98	82.8	79.6	1	30.0-156			3.94	27
1,4-Dichlorobenzene	5.00	ND	4.82	4.78	96.4	95.6	1	35.0-142			0.833	27
2-Butanone (MEK)	25.0	ND	22.4	19.1	89.6	76.4	1	10.0-160			15.9	32
2-Hexanone	25.0	ND	23.9	23.2	95.6	92.8	1	21.0-160			2.97	29
4-Methyl-2-pentanone (MIBK)	25.0	ND	26.3	25.3	105	101	1	29.0-160			3.88	29
Acetone	25.0	ND	31.0	28.1	124	112	1	10.0-160			9.81	35
Acrylonitrile	25.0	ND	26.6	21.1	106	84.4	1	21.0-160			23.1	32
Benzene	5.00	ND	3.80	3.74	76.0	74.8	1	17.0-158			1.59	27
Bromochloromethane	5.00	ND	3.91	3.72	78.2	74.4	1	38.0-142			4.98	26
Bromodichloromethane	5.00	ND	4.00	3.77	80.0	75.4	1	31.0-150			5.92	27
Bromoform	5.00	ND	5.14	5.05	103	101	1	29.0-150			1.77	29
Bromomethane	5.00	ND	3.23	3.35	64.6	67.0	1	10.0-160			3.65	38
Carbon disulfide	5.00	ND	3.68	3.76	73.6	75.2	1	10.0-156			2.15	28
Carbon tetrachloride	5.00	ND	4.18	4.27	83.6	85.4	1	23.0-159			2.13	28
Chlorobenzene	5.00	ND	4.61	4.51	92.2	90.2	1	33.0-152			2.19	27
Chloroethane	5.00	ND	3.27	3.52	65.4	70.4	1	10.0-160			7.36	30
Chloroform	5.00	ND	3.93	3.86	78.6	77.2	1	29.0-154			1.80	28
Chloromethane	5.00	ND	6.02	5.95	120	119	1	10.0-160			1.17	29

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663164-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663164-14 10/08/23 18:03 • (MS) R3983704-6 10/08/23 23:27 • (MSD) R3983704-7 10/08/23 23:47

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Dibromochloromethane	5.00	ND	4.76	4.60	95.2	92.0	1	37.0-149			3.42	27
Dibromomethane	5.00	ND	3.55	3.45	71.0	69.0	1	30.0-151			2.86	27
Ethylbenzene	5.00	ND	4.47	4.45	89.4	89.0	1	30.0-155			0.448	27
Iodomethane	25.0	ND	19.9	19.9	79.6	79.6	1	10.0-160			0.000	40
Methylene Chloride	5.00	ND	3.76	3.84	75.2	76.8	1	23.0-144			2.11	28
Styrene	5.00	ND	4.06	3.80	81.2	76.0	1	33.0-155			6.62	28
Tetrachloroethene	5.00	ND	5.28	5.21	106	104	1	10.0-160			1.33	27
Toluene	5.00	ND	4.27	4.37	85.4	87.4	1	26.0-154			2.31	28
Trichloroethene	5.00	ND	3.84	3.96	76.8	79.2	1	10.0-160			3.08	25
Trichlorofluoromethane	5.00	ND	4.10	4.70	82.0	94.0	1	17.0-160			13.6	31
Vinyl acetate	25.0	ND	24.3	23.3	97.2	93.2	1	12.0-160			4.20	31
Vinyl chloride	5.00	ND	4.52	4.58	90.4	91.6	1	10.0-160			1.32	27
Xylenes, Total	15.0	ND	12.7	12.6	84.7	84.0	1	29.0-154			0.791	28
cis-1,2-Dichloroethene	5.00	ND	4.14	3.88	82.8	77.6	1	10.0-160			6.48	27
cis-1,3-Dichloropropene	5.00	ND	3.37	3.33	67.4	66.6	1	34.0-149			1.19	28
trans-1,2-Dichloroethene	5.00	ND	3.85	3.89	77.0	77.8	1	17.0-153			1.03	27
trans-1,3-Dichloropropene	5.00	ND	3.99	3.99	79.8	79.8	1	32.0-149			0.000	28
trans-1,4-Dichloro-2-butene	5.00	ND	3.59	3.98	71.8	79.6	1	10.0-157			10.3	37
<i>(S) 1,2-Dichloroethane-d4</i>					98.6	97.8		70.0-130				
<i>(S) 4-Bromofluorobenzene</i>					95.8	93.8		77.0-126				
<i>(S) Toluene-d8</i>					110	111		80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3983905-4 10/09/23 11:54

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.186	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,1-Dichloropropene	ND		0.128	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,3-Dichlorobenzene	ND		0.130	0.500
1,3-Dichloropropane	ND		0.147	1.00
1,4-Dichlorobenzene	ND		0.121	0.500
2,2-Dichloropropane	ND		0.0929	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acetonitrile	ND		15.0	50.0
Acrolein	ND		8.87	50.0
Acrylonitrile	ND		0.873	5.00
Allyl chloride	ND		1.70	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chloroprene	ND		1.70	50.0
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Dichlorodifluoromethane	ND		0.127	2.50

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3983905-4 10/09/23 11:54

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Ethyl methacrylate	ND		1.40	5.00
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Isobutanol	ND		39.0	100
Methacrylonitrile	ND		13.0	50.0
Methyl methacrylate	ND		1.20	5.00
Methylene Chloride	ND		1.07	2.50
Propionitrile	ND		13.0	50.0
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) Toluene-d8	108			80.0-120
(S) 1,2-Dichloroethane-d4	97.1			70.0-130
(S) 4-Bromofluorobenzene	93.7			77.0-126

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3983905-1 10/09/23 10:32 • (LCSD) R3983905-2 10/09/23 10:52

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
1,1,1,2-Tetrachloroethane	5.00	5.68	5.17	114	103	75.0-125			9.40	20
1,1,1-Trichloroethane	5.00	5.14	4.45	103	89.0	73.0-124			14.4	20
1,1,2,2-Tetrachloroethane	5.00	5.31	4.70	106	94.0	65.0-130			12.2	20
1,1,2-Trichloroethane	5.00	5.67	5.12	113	102	80.0-120			10.2	20
1,1-Dichloroethane	5.00	5.26	4.47	105	89.4	70.0-126			16.2	20
1,1-Dichloroethene	5.00	4.76	3.97	95.2	79.4	71.0-124			18.1	20
1,1-Dichloropropene	5.00	4.93	4.25	98.6	85.0	74.0-126			14.8	20
1,2,3-Trichloropropane	5.00	4.97	4.56	99.4	91.2	73.0-130			8.60	20
1,2-Dibromo-3-Chloropropane	5.00	3.99	3.69	79.8	73.8	58.0-134			7.81	20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3983905-1 10/09/23 10:32 • (LCSD) R3983905-2 10/09/23 10:52

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
1,2-Dibromoethane	5.00	5.77	5.14	115	103	80.0-122			11.5	20
1,2-Dichlorobenzene	5.00	5.73	5.13	115	103	79.0-121			11.0	20
1,2-Dichloroethane	5.00	5.14	4.85	103	97.0	70.0-128			5.81	20
1,2-Dichloropropane	5.00	5.35	4.62	107	92.4	77.0-125			14.6	20
1,3-Dichlorobenzene	5.00	5.42	4.91	108	98.2	79.0-120			9.87	20
1,3-Dichloropropane	5.00	5.45	5.00	109	100	80.0-120			8.61	20
1,4-Dichlorobenzene	5.00	5.61	4.95	112	99.0	79.0-120			12.5	20
2,2-Dichloropropane	5.00	5.06	4.45	101	89.0	58.0-130			12.8	20
2-Butanone (MEK)	25.0	26.1	24.5	104	98.0	44.0-160			6.32	20
2-Hexanone	25.0	26.7	24.8	107	99.2	67.0-149			7.38	20
4-Methyl-2-pentanone (MIBK)	25.0	29.0	26.8	116	107	68.0-142			7.89	20
Acetone	25.0	31.3	29.0	125	116	19.0-160			7.63	27
Acrolein	25.0	14.7	13.8	58.8	55.2	10.0-160			6.32	26
Acrylonitrile	25.0	26.7	24.2	107	96.8	55.0-149			9.82	20
Allyl chloride	25.0	25.3	21.6	101	86.4	72.0-128			15.8	23
Benzene	5.00	4.98	4.33	99.6	86.6	70.0-123			14.0	20
Bromochloromethane	5.00	5.53	5.06	111	101	76.0-122			8.88	20
Bromodichloromethane	5.00	5.10	4.53	102	90.6	75.0-120			11.8	20
Bromoform	5.00	5.63	5.24	113	105	68.0-132			7.18	20
Bromomethane	5.00	3.43	3.60	68.6	72.0	10.0-160			4.84	25
Carbon disulfide	5.00	4.46	3.88	89.2	77.6	61.0-128			13.9	20
Carbon tetrachloride	5.00	5.12	4.35	102	87.0	68.0-126			16.3	20
Chlorobenzene	5.00	5.54	5.01	111	100	80.0-121			10.0	20
Chloroethane	5.00	5.77	5.09	115	102	47.0-150			12.5	20
Chloroform	5.00	5.29	4.55	106	91.0	73.0-120			15.0	20
Chloromethane	5.00	5.14	4.55	103	91.0	41.0-142			12.2	20
Dibromochloromethane	5.00	5.80	5.38	116	108	77.0-125			7.51	20
Dibromomethane	5.00	5.24	4.88	105	97.6	80.0-120			7.11	20
Dichlorodifluoromethane	5.00	4.76	4.05	95.2	81.0	51.0-149			16.1	20
Ethylbenzene	5.00	5.69	4.91	114	98.2	79.0-123			14.7	20
Iodomethane	25.0	18.0	17.6	72.0	70.4	33.0-147			2.25	26
Methylene Chloride	5.00	4.01	3.41	80.2	68.2	67.0-120			16.2	20
Styrene	5.00	4.96	4.42	99.2	88.4	73.0-130			11.5	20
Tetrachloroethene	5.00	5.73	4.95	115	99.0	72.0-132			14.6	20
Toluene	5.00	5.18	4.61	104	92.2	79.0-120			11.6	20
Trichloroethene	5.00	5.31	4.60	106	92.0	78.0-124			14.3	20
Trichlorofluoromethane	5.00	6.17	5.30	123	106	59.0-147			15.2	20
Vinyl acetate	25.0	36.5	31.8	146	127	11.0-160			13.8	20
Vinyl chloride	5.00	5.46	4.75	109	95.0	67.0-131			13.9	20
Xylenes, Total	15.0	16.3	14.5	109	96.7	79.0-123			11.7	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3983905-1 10/09/23 10:32 • (LCSD) R3983905-2 10/09/23 10:52

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
cis-1,2-Dichloroethene	5.00	5.08	4.53	102	90.6	73.0-120			11.4	20
cis-1,3-Dichloropropene	5.00	4.88	4.40	97.6	88.0	80.0-123			10.3	20
trans-1,2-Dichloroethene	5.00	4.90	4.19	98.0	83.8	73.0-120			15.6	20
trans-1,3-Dichloropropene	5.00	5.60	5.03	112	101	78.0-124			10.7	20
trans-1,4-Dichloro-2-butene	5.00	4.35	4.01	87.0	80.2	33.0-144			8.13	20
(S) Toluene-d8				105	107	80.0-120				
(S) 1,2-Dichloroethane-d4				97.8	97.4	70.0-130				
(S) 4-Bromofluorobenzene				91.3	92.6	77.0-126				

Laboratory Control Sample (LCS)

(LCS) R3983905-3 10/09/23 11:13

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Acetonitrile	500	463	92.6	40.0-160	
Chloroprene	50.0	52.6	105	60.0-143	
Ethyl methacrylate	50.0	58.7	117	72.0-129	
Isobutanol	1000	909	90.9	40.0-160	
Methacrylonitrile	500	496	99.2	61.0-145	
Methyl methacrylate	50.0	48.3	96.6	63.0-149	
Propionitrile	500	451	90.2	49.0-160	
(S) Toluene-d8			107	80.0-120	
(S) 1,2-Dichloroethane-d4			94.9	70.0-130	
(S) 4-Bromofluorobenzene			94.1	77.0-126	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3984292-3 10/09/23 20:23

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Benzene	ND		0.0896	0.500
Ethylbenzene	ND		0.158	0.500
Xylenes, Total	ND		0.316	1.50
<i>(S) 1,2-Dichloroethane-d4</i>	97.6			70.0-130
<i>(S) 4-Bromofluorobenzene</i>	92.1			77.0-126
<i>(S) Toluene-d8</i>	114			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984292-1 10/09/23 19:26 • (LCSD) R3984292-2 10/09/23 19:45

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Benzene	5.00	4.35	4.14	87.0	82.8	70.0-123			4.95	20
Ethylbenzene	5.00	4.97	4.69	99.4	93.8	79.0-123			5.80	20
Xylenes, Total	15.0	14.8	14.1	98.7	94.0	79.0-123			4.84	20
<i>(S) 1,2-Dichloroethane-d4</i>				98.4	98.1	70.0-130				
<i>(S) 4-Bromofluorobenzene</i>				92.3	95.3	77.0-126				
<i>(S) Toluene-d8</i>				113	113	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3985695-3 10/09/23 23:40

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND	U	1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3985695-3 10/09/23 23:40

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	103			70.0-130
(S) 4-Bromofluorobenzene	104			77.0-126
(S) Toluene-d8	103			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3985695-1 10/09/23 22:05 • (LCSD) R3985695-2 10/09/23 22:24

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
1,1,1,2-Tetrachloroethane	5.00	4.95	5.86	99.0	117	75.0-125			16.8	20
1,1,1-Trichloroethane	5.00	5.13	6.01	103	120	73.0-124			15.8	20
1,1,2,2-Tetrachloroethane	5.00	4.92	5.67	98.4	113	65.0-130			14.2	20
1,1,2-Trichloroethane	5.00	4.91	5.35	98.2	107	80.0-120			8.58	20
1,1-Dichloroethane	5.00	5.12	5.90	102	118	70.0-126			14.2	20
1,1-Dichloroethene	5.00	5.17	6.14	103	123	71.0-124			17.2	20
1,2,3-Trichloropropane	5.00	4.84	5.46	96.8	109	73.0-130			12.0	20
1,2-Dibromo-3-Chloropropane	5.00	4.28	5.56	85.6	111	58.0-134		J3	26.0	20
1,2-Dibromoethane	5.00	4.88	5.52	97.6	110	80.0-122			12.3	20
1,2-Dichlorobenzene	5.00	5.15	5.90	103	118	79.0-121			13.6	20
1,2-Dichloroethane	5.00	5.47	6.15	109	123	70.0-128			11.7	20
1,2-Dichloropropane	5.00	5.16	5.93	103	119	77.0-125			13.9	20
1,4-Dichlorobenzene	5.00	4.79	5.54	95.8	111	79.0-120			14.5	20
2-Butanone (MEK)	25.0	27.8	34.4	111	138	44.0-160		J3	21.2	20
2-Hexanone	25.0	26.5	30.6	106	122	67.0-149			14.4	20
4-Methyl-2-pentanone (MIBK)	25.0	28.9	33.4	116	134	68.0-142			14.4	20
Acetone	25.0	29.8	36.8	119	147	19.0-160			21.0	27
Acrylonitrile	25.0	28.1	30.3	112	121	55.0-149			7.53	20
Benzene	5.00	4.78	5.48	95.6	110	70.0-123			13.6	20
Bromochloromethane	5.00	5.16	5.63	103	113	76.0-122			8.71	20
Bromodichloromethane	5.00	5.00	5.77	100	115	75.0-120			14.3	20
Bromoform	5.00	4.69	5.14	93.8	103	68.0-132			9.16	20
Bromomethane	5.00	5.00	5.78	100	116	10.0-160			14.5	25

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3985695-1 10/09/23 22:05 • (LCSD) R3985695-2 10/09/23 22:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Carbon disulfide	5.00	3.77	4.44	75.4	88.8	61.0-128			16.3	20
Carbon tetrachloride	5.00	5.13	6.04	103	121	68.0-126			16.3	20
Chlorobenzene	5.00	4.71	5.57	94.2	111	80.0-121			16.7	20
Chloroethane	5.00	4.76	4.96	95.2	99.2	47.0-150			4.12	20
Chloroform	5.00	4.98	5.67	99.6	113	73.0-120			13.0	20
Chloromethane	5.00	5.59	6.52	112	130	41.0-142			15.4	20
Dibromochloromethane	5.00	4.80	5.73	96.0	115	77.0-125			17.7	20
Dibromomethane	5.00	4.94	5.62	98.8	112	80.0-120			12.9	20
Ethylbenzene	5.00	4.86	5.61	97.2	112	79.0-123			14.3	20
Iodomethane	25.0	24.4	28.0	97.6	112	33.0-147			13.7	26
Methylene Chloride	5.00	4.34	4.72	86.8	94.4	67.0-120			8.39	20
Styrene	5.00	4.61	5.20	92.2	104	73.0-130			12.0	20
Tetrachloroethene	5.00	4.37	4.94	87.4	98.8	72.0-132			12.2	20
Toluene	5.00	4.45	5.11	89.0	102	79.0-120			13.8	20
Trichloroethene	5.00	4.54	5.33	90.8	107	78.0-124			16.0	20
Trichlorofluoromethane	5.00	5.40	6.13	108	123	59.0-147			12.7	20
Vinyl acetate	25.0	24.8	29.4	99.2	118	11.0-160			17.0	20
Vinyl chloride	5.00	5.02	5.88	100	118	67.0-131			15.8	20
Xylenes, Total	15.0	15.1	17.4	101	116	79.0-123			14.2	20
cis-1,2-Dichloroethene	5.00	4.62	5.37	92.4	107	73.0-120			15.0	20
cis-1,3-Dichloropropene	5.00	4.88	5.44	97.6	109	80.0-123			10.9	20
trans-1,2-Dichloroethene	5.00	4.57	5.22	91.4	104	73.0-120			13.3	20
trans-1,3-Dichloropropene	5.00	4.98	5.66	99.6	113	78.0-124			12.8	20
trans-1,4-Dichloro-2-butene	5.00	5.82	6.58	116	132	33.0-144			12.3	20
(S) 1,2-Dichloroethane-d4				115	115	70.0-130				
(S) 4-Bromofluorobenzene				110	108	77.0-126				
(S) Toluene-d8				98.1	97.2	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)


(MB) R3984708-1 10/10/23 15:36

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
2,4,5-T	ND		0.843	2.00
2,4,5-Tp (Silvex)	ND		0.845	2.00
2,4-D	ND		0.744	2.00
(S) 2,4-Dichlorophenyl Acetic Acid	55.8			14.0-158

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984708-2 10/10/23 15:47 • (LCSD) R3984708-3 10/10/23 15:59

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
2,4,5-T	5.00	3.53	4.33	70.6	86.6	54.0-120	P	J3 P	20.4	20
2,4,5-Tp (Silvex)	5.00	2.68	3.39	53.6	67.8	50.0-125		J3	23.4	20
2,4-D	5.00	3.39	4.33	67.8	86.6	50.0-120		J3 P	24.4	20
(S) 2,4-Dichlorophenyl Acetic Acid				52.2	67.8	14.0-158				



Method Blank (MB)

(MB) R3984938-1 10/08/23 21:06

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
4,4-DDD	ND		0.0170	0.0500
4,4-DDE	ND		0.0154	0.0500
4,4-DDT	ND		0.0177	0.0500
Aldrin	ND		0.00813	0.0500
Alpha BHC	ND		0.0166	0.0500
Beta BHC	ND		0.0184	0.0500
Chlordane	ND		0.0198	0.500
Delta BHC	ND		0.0150	0.0500
Dieldrin	ND		0.00751	0.0500
Endosulfan I	ND		0.0160	0.0500
Endosulfan II	ND		0.0164	0.0500
Endosulfan sulfate	ND		0.0196	0.0500
Endrin	ND		0.0161	0.0500
Endrin aldehyde	ND		0.0142	0.0500
Gamma BHC	ND		0.0176	0.0500
Heptachlor	ND		0.0108	0.0500
Heptachlor epoxide	ND		0.0175	0.0500
Methoxychlor	ND		0.0193	0.0500
Toxaphene	ND		0.168	0.500
(S) Decachlorobiphenyl	22.0			10.0-128
(S) Tetrachloro-m-xylene	73.5			10.0-127

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-4 10/08/23 21:15 • (LCSD) R3984938-5 10/08/23 21:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
4,4-DDD	1.00	0.946	0.948	94.6	94.8	56.0-140			0.211	22
4,4-DDE	1.00	0.848	0.815	84.8	81.5	52.0-128			3.97	22
4,4-DDT	1.00	0.910	0.870	91.0	87.0	50.0-141			4.49	23
Aldrin	1.00	0.838	0.816	83.8	81.6	22.0-124			2.66	34
Alpha BHC	1.00	0.958	0.984	95.8	98.4	54.0-130			2.68	23
Beta BHC	1.00	0.987	1.01	98.7	101	53.0-136			2.30	20
Delta BHC	1.00	0.954	0.974	95.4	97.4	54.0-133			2.07	20
Dieldrin	1.00	0.913	0.924	91.3	92.4	59.0-133			1.20	20
Endosulfan I	1.00	0.906	0.920	90.6	92.0	57.0-131			1.53	20
Endosulfan II	1.00	0.914	0.938	91.4	93.8	58.0-133			2.59	20
Endosulfan sulfate	1.00	0.870	0.901	87.0	90.1	58.0-133			3.50	21
Endrin	1.00	0.964	0.975	96.4	97.5	57.0-134			1.13	21

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-4 10/08/23 21:15 • (LCSD) R3984938-5 10/08/23 21:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Endrin aldehyde	1.00	0.898	0.933	89.8	93.3	53.0-129			3.82	20
Gamma BHC	1.00	0.957	0.978	95.7	97.8	55.0-129			2.17	20
Heptachlor	1.00	0.937	0.933	93.7	93.3	27.0-132			0.428	31
Heptachlor epoxide	1.00	0.917	0.931	91.7	93.1	57.0-130			1.52	20
Methoxychlor	1.00	0.949	0.953	94.9	95.3	54.0-155			0.421	24
<i>(S) Decachlorobiphenyl</i>				61.3	29.4	10.0-128				
<i>(S) Tetrachloro-m-xylene</i>				77.9	76.1	10.0-127				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3984938-1 10/08/23 21:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
PCB 1016	ND		0.100	0.500
PCB 1221	ND		0.0730	0.500
PCB 1232	ND		0.0420	0.500
PCB 1242	ND		0.0470	0.500
PCB 1248	ND		0.0860	0.500
PCB 1254	ND		0.0470	0.500
PCB 1260	ND		0.120	0.500
(S) Decachlorobiphenyl	26.0			10.0-128
(S) Tetrachloro-m-xylene	82.4			10.0-127

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-2 10/08/23 21:32 • (LCSD) R3984938-3 10/08/23 21:41

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
PCB 1016	2.50	2.43	2.18	97.2	87.2	36.0-135			10.8	29
PCB 1260	2.50	2.27	1.90	90.8	76.0	42.0-131			17.7	25
(S) Decachlorobiphenyl				67.6	55.6	10.0-128				
(S) Tetrachloro-m-xylene				87.6	77.8	10.0-127				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3986579-2 10/12/23 11:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,2,4,5-Tetrachlorobenzene	ND		2.41	10.0
1,2,4-Trichlorobenzene	ND		0.355	10.0
2,2-Oxybis(1-Chloropropane)	ND		0.445	10.0
2,3,4,6-Tetrachlorophenol	ND		2.00	10.0
2,4,5-Trichlorophenol	ND		0.236	10.0
2,4,6-Trichlorophenol	ND		0.297	10.0
2,4-Dichlorophenol	ND		0.284	10.0
2,4-Dimethylphenol	ND		0.624	10.0
2,4-Dinitrophenol	ND		3.25	10.0
2,4-Dinitrotoluene	ND		1.65	10.0
2,6-Dinitrotoluene	ND		0.279	10.0
2-Chloronaphthalene	ND		0.330	1.00
2-Chlorophenol	ND		0.283	10.0
2-Methylnaphthalene	ND		0.311	1.00
2-Methylphenol	ND		0.312	10.0
2-Nitroaniline	ND		1.90	10.0
2-Nitrophenol	ND		0.320	10.0
3&4-Methyl Phenol	ND		0.266	10.0
3,3-Dichlorobenzidine	ND		2.02	10.0
3-Nitroaniline	ND		0.308	10.0
4,6-Dinitro-2-methylphenol	ND		2.62	10.0
4-Bromophenyl-phenylether	ND		0.335	10.0
4-Chloro-3-methylphenol	ND		0.263	10.0
4-Chloroaniline	ND		0.382	10.0
4-Chlorophenyl-phenylether	ND		0.303	10.0
4-Nitroaniline	ND		0.349	10.0
4-Nitrophenol	ND		2.01	10.0
Acenaphthene	ND		0.316	1.00
Acenaphthylene	ND		0.309	1.00
Acetophenone	ND		2.71	10.0
Anthracene	ND		0.291	1.00
Benzo(A)Anthracene	ND		0.0975	1.00
Benzo(a)pyrene	ND		0.340	1.00
Benzo(b)fluoranthene	ND		0.0896	1.00
Benzo(g,h,i)perylene	ND		0.161	1.00
Benzo(k)fluoranthene	ND		0.355	1.00
Benzyl Alcohol	ND		0.393	10.0
Benzylbutyl phthalate	ND		0.275	3.00
Bis(2-Ethylhexyl)phthalate	ND		0.709	3.00
Bis(2-chlorethoxy)methane	ND		0.329	10.0

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3986579-2 10/12/23 11:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Bis(2-chloroethyl)ether	ND		1.62	10.0
Chrysene	ND		0.332	1.00
Di-n-butyl phthalate	ND		0.266	3.00
Di-n-octyl phthalate	ND		0.278	3.00
Dibenz(a,h)anthracene	ND		0.279	1.00
Dibenzofuran	ND		0.338	10.0
Diethyl phthalate	ND		0.282	3.00
Dimethyl phthalate	ND		0.283	3.00
Diphenylamine	ND		1.19	10.0
Fluoranthene	ND		0.310	1.00
Fluorene	ND		0.323	1.00
Hexachloro-1,3-butadiene	ND		0.329	10.0
Hexachlorobenzene	ND		0.341	1.00
Hexachlorocyclopentadiene	ND		2.33	10.0
Hexachloroethane	ND		0.365	10.0
Indeno(1,2,3-cd)pyrene	ND		0.279	1.00
Isophorone	ND		0.272	10.0
Naphthalene	ND		0.372	1.00
Nitrobenzene	ND		0.367	10.0
Pentachlorophenol	ND		0.313	10.0
Phenanthrene	ND		0.366	1.00
Phenol	ND		0.334	10.0
Pyrene	ND		0.330	1.00
n-Nitrosodi-n-propylamine	ND		0.403	10.0
n-Nitrosodimethylamine	ND		1.26	10.0
n-Nitrosodiphenylamine	ND		1.19	10.0
(S) Phenol-d5	18.9			10.0-120
(S) 2,4,6-Tribromophenol	46.8			10.0-155
(S) p-Terphenyl-d14	64.9			10.0-128
(S) Nitrobenzene-d5	53.8			10.0-127
(S) 2-Fluorobiphenyl	55.1			10.0-130
(S) 2-Fluorophenol	28.1			10.0-120

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3987287-2 10/13/23 19:21

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
1,3,5-Trinitrobenzene	ND		1.32	10.0
1,3-Dinitrobenzene	ND		0.359	10.0
1,4-Naphthoquinone	ND		5.56	50.0
1-Naphthylamine	ND		0.289	10.0
2,6-Dichlorophenol	ND		2.77	10.0
2-Acetylaminofluorene	ND		0.253	10.0
2-Naphthylamine	ND		0.195	10.0
3,3-Dimethylbenzidine	ND		3.39	10.0
3-Methylcholanthrene	ND		0.164	10.0
4-Aminobiphenyl	ND		0.461	10.0
5-Nitro-o-toluidine	ND		1.99	10.0
Chlorobenzilate	ND		1.33	50.0
Diallate	ND		0.524	10.0
Dimethoate	ND		1.44	50.0
Dimethylbenz (A) Anthracene	ND		1.71	10.0
Dinoseb	ND		17.9	50.0
Diphenylamine	ND		1.19	10.0
Disulfoton	ND		0.267	10.0
Ethyl methanesulfonate	ND		0.326	10.0
Ethyl parathion	ND		0.379	10.0
Famphur	ND		1.06	20.0
Hexachloropropene	ND		0.149	50.0
Isodrin	ND		0.293	10.0
Isosafrole	ND		0.409	10.0
Kepone	ND		1.88	20.0
Methapyrilene	ND		4.25	50.0
Methyl methanesulfonate	ND		0.647	50.0
Methyl parathion	ND		0.213	10.0
O,O,O-Triethyl Phosphorothioate	ND		0.537	10.0
P-(Dimethylamino) Azobenzene	ND		0.208	10.0
Pentachlorobenzene	ND		0.369	10.0
Pentachloronitrobenzene	ND		0.327	10.0
Phenacetin	ND		0.262	10.0
Phorate	ND		0.382	50.0
Pronamide	ND		0.265	10.0
Safrole	ND		0.259	10.0
Thionazin	ND		0.204	10.0
n-Nitrosodi-n-butylamine	ND		0.331	10.0
n-Nitrosodiethylamine	ND		0.497	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3987287-2 10/13/23 19:21

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
n-Nitrosomethylethylamine	ND		1.71	10.0
n-Nitrosopiperidine	ND		0.268	10.0
n-Nitrosopyrrolidine	ND		2.55	10.0
o-Toluidine	ND		0.362	10.0
p-Phenylenediamine	ND		387	6900

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
1,2,4,5-Tetrachlorobenzene	50.0	28.3	56.6	31.0-121	
1,2,4-Trichlorobenzene	50.0	21.7	43.4	24.0-120	
2,2-Oxybis(1-Chloropropane)	50.0	29.5	59.0	28.0-120	
2,3,4,6-Tetrachlorophenol	50.0	30.8	61.6	42.0-132	
2,4,5-Trichlorophenol	50.0	29.8	59.6	44.0-120	
2,4,6-Trichlorophenol	50.0	29.4	58.8	42.0-120	
2,4-Dichlorophenol	50.0	23.2	46.4	36.0-120	
2,4-Dimethylphenol	50.0	25.1	50.2	33.0-120	
2,4-Dinitrophenol	50.0	36.9	73.8	10.0-120	
2,4-Dinitrotoluene	50.0	34.0	68.0	49.0-124	
2,6-Dinitrotoluene	50.0	34.4	68.8	46.0-120	
2-Chloronaphthalene	50.0	29.3	58.6	37.0-120	
2-Chlorophenol	50.0	24.1	48.2	25.0-120	
2-Methylnaphthalene	50.0	25.1	50.2	33.0-120	
2-Methylphenol	50.0	21.9	43.8	28.0-120	
2-Nitroaniline	50.0	33.2	66.4	43.0-120	
2-Nitrophenol	50.0	30.7	61.4	31.0-120	
3&4-Methyl Phenol	50.0	22.3	44.6	31.0-120	
3,3-Dichlorobenzidine	100	65.4	65.4	44.0-120	
3-Nitroaniline	50.0	30.9	61.8	38.0-120	
4,6-Dinitro-2-methylphenol	50.0	38.5	77.0	38.0-138	
4-Bromophenyl-phenylether	50.0	35.0	70.0	45.0-120	
4-Chloro-3-methylphenol	50.0	23.4	46.8	40.0-120	
4-Chloroaniline	50.0	22.2	44.4	25.0-120	
4-Chlorophenyl-phenylether	50.0	32.1	64.2	44.0-120	
4-Nitroaniline	50.0	30.1	60.2	18.0-160	
4-Nitrophenol	50.0	10.3	20.6	10.0-120	
Acenaphthene	50.0	30.7	61.4	41.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Acenaphthylene	50.0	29.6	59.2	43.0-120	
Acetophenone	50.0	33.5	67.0	29.0-120	
Anthracene	50.0	32.7	65.4	45.0-120	
Benzo(A)Anthracene	50.0	35.0	70.0	47.0-120	
Benzo(a)pyrene	50.0	32.7	65.4	47.0-120	
Benzo(b)fluoranthene	50.0	34.3	68.6	46.0-120	
Benzo(g,h,i)perylene	50.0	29.2	58.4	48.0-121	
Benzo(k)fluoranthene	50.0	33.9	67.8	46.0-120	
Benzyl Alcohol	50.0	22.9	45.8	25.0-120	
Benzylbutyl phthalate	50.0	39.7	79.4	43.0-121	
Bis(2-Ethylhexyl)phthalate	50.0	35.9	71.8	43.0-122	
Bis(2-chlorethoxy)methane	50.0	28.5	57.0	33.0-120	
Bis(2-chloroethyl)ether	50.0	30.8	61.6	23.0-120	
Chrysene	50.0	33.6	67.2	48.0-120	
Di-n-butyl phthalate	50.0	40.6	81.2	49.0-121	
Di-n-octyl phthalate	50.0	35.7	71.4	42.0-125	
Dibenz(a,h)anthracene	50.0	31.8	63.6	47.0-120	
Dibenzofuran	50.0	29.6	59.2	44.0-120	
Diethyl phthalate	50.0	34.6	69.2	48.0-122	
Dimethyl phthalate	50.0	32.9	65.8	48.0-120	
Diphenylamine	50.0	31.4	62.8	35.0-120	
Fluoranthene	50.0	34.4	68.8	51.0-120	
Fluorene	50.0	31.6	63.2	47.0-120	
Hexachloro-1,3-butadiene	50.0	23.1	46.2	19.0-120	
Hexachlorobenzene	50.0	33.3	66.6	44.0-120	
Hexachlorocyclopentadiene	50.0	20.0	40.0	15.0-120	
Hexachloroethane	50.0	28.4	56.8	15.0-120	
Indeno(1,2,3-cd)pyrene	50.0	29.2	58.4	49.0-122	
Isophorone	50.0	27.8	55.6	36.0-120	
Naphthalene	50.0	24.9	49.8	27.0-120	
Nitrobenzene	50.0	27.8	55.6	27.0-120	
Pentachlorophenol	50.0	25.2	50.4	23.0-120	
Phenanthrene	50.0	33.4	66.8	46.0-120	
Phenol	50.0	12.0	24.0	10.0-120	
Pyrene	50.0	34.8	69.6	47.0-120	
n-Nitrosodi-n-propylamine	50.0	33.9	67.8	31.0-120	
n-Nitrosodimethylamine	50.0	18.0	36.0	10.0-120	
n-Nitrosodiphenylamine	50.0	31.4	62.8	47.0-120	
(S) Phenol-d5			22.0	10.0-120	
(S) 2,4,6-Tribromophenol			61.5	10.0-155	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
(S) p-Terphenyl-d14			66.9	10.0-128	
(S) Nitrobenzene-d5			51.8	10.0-127	
(S) 2-Fluorobiphenyl			54.6	10.0-130	
(S) 2-Fluorophenol			29.6	10.0-120	

Laboratory Control Sample (LCS)

(LCS) R3987287-1 10/13/23 19:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,3,5-Trinitrobenzene	50.0	39.8	79.6	37.0-147	
1,3-Dinitrobenzene	50.0	33.0	66.0	34.0-120	
1,4-Naphthoquinone	50.0	5.87	11.7	50.0-150	J4
1-Naphthylamine	50.0	25.0	50.0	19.0-120	
2,6-Dichlorophenol	50.0	23.1	46.2	19.0-136	
2-Acetylaminofluorene	50.0	32.0	64.0	32.0-120	
2-Naphthylamine	50.0	18.5	37.0	10.0-120	
3,3-Dimethylbenzidine	50.0	3.15	6.30	13.0-120	J4
3-Methylcholanthrene	50.0	36.2	72.4	30.0-160	
4-Aminobiphenyl	50.0	27.3	54.6	20.0-120	
5-Nitro-o-toluidine	50.0	34.2	68.4	34.0-120	
Chlorobenzilate	50.0	40.9	81.8	29.0-128	
Diallate	50.0	33.2	66.4	30.0-120	
Dimethoate	50.0	28.6	57.2	11.0-134	
Dimethylbenz (A) Anthracene	50.0	30.8	61.6	14.0-124	
Dinoseb	50.0	34.5	69.0	39.0-120	
Diphenylamine	50.0	31.0	62.0	35.0-120	
Disulfoton	50.0	34.7	69.4	32.0-120	
Ethyl methanesulfonate	50.0	24.4	48.8	10.0-120	
Ethyl parathion	50.0	36.5	73.0	46.0-130	
Famphur	50.0	37.6	75.2	32.0-120	
Hexachloropropene	50.0	22.6	45.2	10.0-120	
Isodrin	50.0	28.9	57.8	22.0-157	
Isosafrole	50.0	28.4	56.8	25.0-133	
Kepone	50.0	17.8	35.6	10.0-120	
Methapyrilene	50.0	5.76	11.5	10.0-120	
Methyl methanesulfonate	50.0	20.7	41.4	10.0-120	
Methyl parathion	50.0	43.8	87.6	42.0-120	
O,O,O-Triethyl Phosphorothioate	50.0	27.0	54.0	11.0-135	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3987287-1 10/13/23 19:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
P-(Dimethylamino) Azobenzene	50.0	29.3	58.6	27.0-120	
Pentachlorobenzene	50.0	30.1	60.2	25.0-120	
Pentachloronitrobenzene	50.0	34.9	69.8	34.0-132	
Phenacetin	50.0	30.4	60.8	34.0-127	
Phorate	50.0	37.8	75.6	13.0-160	
Pronamide	50.0	37.9	75.8	38.0-130	
Safrole	50.0	26.5	53.0	21.0-120	
Thionazin	50.0	34.9	69.8	38.0-121	
n-Nitrosodi-n-butylamine	50.0	28.8	57.6	13.0-143	
n-Nitrosodiethylamine	50.0	23.1	46.2	10.0-120	
n-Nitrosomethylethylamine	50.0	19.7	39.4	10.0-120	
n-Nitrosopiperidine	50.0	23.3	46.6	10.0-160	
n-Nitrosopyrrolidine	50.0	23.7	47.4	10.0-124	
o-Toluidine	50.0	19.3	38.6	10.0-120	
p-Phenylenediamine	50.0	0.000	0.000	50.0-150	J4

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,2,4,5-Tetrachlorobenzene	45.5	ND	21.2	24.7	46.6	51.9	1	19.0-122			15.3	32
1,2,4-Trichlorobenzene	45.5	ND	17.1	18.8	37.6	39.5	1	15.0-120			9.47	31
2,2-Oxybis(1-Chloropropane)	45.5	ND	24.2	26.4	53.2	55.5	1	18.0-120			8.70	34
2,3,4,6-Tetrachlorophenol	45.5	ND	ND	ND	46.6	58.2	1	17.0-142			26.6	34
2,4,5-Trichlorophenol	45.5	ND	18.6	25.6	40.9	53.8	1	33.0-120		J3	31.7	31
2,4,6-Trichlorophenol	45.5	ND	17.3	24.3	38.0	51.1	1	26.0-120		J3	33.7	31
2,4-Dichlorophenol	45.5	ND	13.2	18.7	29.0	39.3	1	19.0-120		J3	34.5	27
2,4-Dimethylphenol	45.5	ND	11.8	20.9	25.9	43.9	1	15.0-120		J3	55.7	28
2,4-Dinitrophenol	45.5	ND	ND	ND	56.0	68.1	1	10.0-120			23.8	40
2,4-Dinitrotoluene	45.5	ND	27.6	29.2	60.7	61.3	1	39.0-125			5.63	25
2,6-Dinitrotoluene	45.5	ND	27.9	29.4	61.3	61.8	1	36.0-120			5.24	27
2-Chloronaphthalene	45.5	ND	22.6	25.2	49.7	52.9	1	29.0-120			10.9	28
2-Chlorophenol	45.5	ND	15.0	20.3	33.0	42.6	1	18.0-120			30.0	34
2-Methylnaphthalene	45.5	ND	18.9	21.0	41.5	44.1	1	17.0-120			10.5	28
2-Methylphenol	45.5	ND	13.5	18.9	29.7	39.7	1	10.0-120		J3	33.3	30
2-Nitroaniline	45.5	ND	ND	ND	60.9	63.0	1	33.0-120			7.97	27
2-Nitrophenol	45.5	ND	18.4	24.2	40.4	50.8	1	20.0-120			27.2	30
3&4-Methyl Phenol	45.5	ND	14.1	19.2	31.0	40.3	1	10.0-120			30.6	36

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
3,3-Dichlorobenzidine	91.0	ND	52.6	56.1	57.8	58.9	1	10.0-134			6.44	30
3-Nitroaniline	45.5	ND	ND	ND	54.7	59.2	1	20.0-120			12.4	27
4,6-Dinitro-2-methylphenol	45.5	ND	ND	ND	61.1	68.7	1	10.0-144			16.2	39
4-Bromophenyl-phenylether	45.5	ND	ND	ND	57.8	61.6	1	37.0-120			10.8	24
4-Chloro-3-methylphenol	45.5	ND	13.7	19.7	30.1	41.4	1	26.0-120		J3	35.9	27
4-Chloroaniline	45.5	ND	15.7	18.7	34.5	39.3	1	10.0-120			17.4	31
4-Chlorophenyl-phenylether	45.5	ND	24.2	26.6	53.2	55.9	1	36.0-120			9.45	23
4-Nitroaniline	45.5	ND	ND	ND	51.4	56.1	1	10.0-160			13.2	26
4-Nitrophenol	45.5	ND	ND	ND	17.3	17.6	1	10.0-120			6.04	40
Acenaphthene	45.5	ND	23.4	26.6	51.4	55.9	1	28.0-120			12.8	25
Acenaphthylene	45.5	ND	23.1	25.7	50.8	54.0	1	31.0-121			10.7	25
Acetophenone	45.5	ND	27.0	30.2	59.3	63.4	1	20.0-120			11.2	35
Anthracene	45.5	ND	26.2	27.6	57.6	58.0	1	36.0-120			5.20	23
Benzo(A)Anthracene	45.5	ND	24.8	28.4	54.5	59.7	1	39.0-120			13.5	23
Benzo(a)pyrene	45.5	ND	21.0	25.4	46.2	53.4	1	37.0-120			19.0	24
Benzo(b)fluoranthene	45.5	ND	22.2	26.4	48.8	55.5	1	37.0-120			17.3	23
Benzo(g,h,i)perylene	45.5	ND	17.6	21.7	38.7	45.6	1	37.0-123			20.9	25
Benzo(k)fluoranthene	45.5	ND	22.1	26.1	48.6	54.8	1	37.0-120			16.6	26
Benzyl Alcohol	45.5	ND	17.7	21.1	38.9	44.3	1	14.0-120			17.5	38
Benzylbutyl phthalate	45.5	ND	31.0	34.3	68.1	72.1	1	34.0-126			10.1	24
Bis(2-Ethylhexyl)phthalate	45.5	ND	21.7	26.5	47.7	55.7	1	33.0-126			19.9	25
Bis(2-chlorethoxy)methane	45.5	ND	23.3	25.6	51.2	53.8	1	17.0-120			9.41	31
Bis(2-chloroethyl)ether	45.5	ND	27.5	31.6	60.4	66.4	1	14.0-120			13.9	33
Chrysene	45.5	ND	23.9	27.3	52.5	57.4	1	38.0-120			13.3	23
Di-n-butyl phthalate	45.5	ND	32.2	33.5	70.8	70.4	1	35.0-128			3.96	23
Di-n-octyl phthalate	45.5	ND	21.2	26.0	46.6	54.6	1	25.0-135			20.3	26
Dibenz(a,h)anthracene	45.5	ND	ND	23.5	41.3	49.4	1	36.0-121			22.2	24
Dibenzofuran	45.5	ND	22.9	25.9	50.3	54.4	1	32.0-120			12.3	26
Diethyl phthalate	45.5	ND	29.3	30.1	64.4	63.2	1	39.0-125			2.69	24
Dimethyl phthalate	45.5	ND	26.1	28.4	57.4	59.7	1	37.0-120			8.44	24
Diphenylamine	45.5	ND	26.0	26.6	57.1	55.9	1	35.0-120			2.28	30
Fluoranthene	45.5	ND	27.5	28.5	60.4	59.9	1	41.0-121			3.57	22
Fluorene	45.5	ND	23.4	26.1	51.4	54.8	1	37.0-120			10.9	24
Hexachloro-1,3-butadiene	45.5	ND	17.3	19.6	38.0	41.2	1	12.0-120			12.5	34
Hexachlorobenzene	45.5	ND	25.3	28.1	55.6	59.0	1	35.0-122			10.5	24
Hexachlorocyclopentadiene	45.5	ND	ND	ND	24.2	37.0	1	10.0-120		J3	46.2	33
Hexachloroethane	45.5	ND	22.0	24.2	48.4	50.8	1	10.0-120			9.52	40
Indeno(1,2,3-cd)pyrene	45.5	ND	17.2	21.5	37.8	45.2	1	38.0-125		J6	22.2	24
Isophorone	45.5	ND	21.8	24.4	47.9	51.3	1	21.0-120			11.3	27
Naphthalene	45.5	ND	19.2	21.2	42.2	44.5	1	10.0-120			9.90	31

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Nitrobenzene	45.5	ND	22.6	24.1	49.7	50.6	1	12.0-120			6.42	30
Pentachlorophenol	45.5	ND	ND	ND	42.4	47.7	1	10.0-128			16.2	37
Phenanthrene	45.5	ND	26.1	27.8	57.4	58.4	1	33.0-120			6.31	22
Phenol	45.5	ND	11.4	10.6	25.1	22.3	1	10.0-120			7.27	40
Pyrene	45.5	ND	28.0	30.1	61.5	63.2	1	39.0-120			7.23	22
n-Nitrosodi-n-propylamine	45.5	ND	26.7	30.6	58.7	64.3	1	16.0-120			13.6	30
n-Nitrosodimethylamine	45.5	ND	16.2	17.5	35.6	36.8	1	10.0-120			7.72	40
n-Nitrosodiphenylamine	45.5	ND	26.0	26.6	57.1	55.9	1	37.0-120			2.28	24
<i>(S) Phenol-d5</i>					18.6	20.0		10.0-120				
<i>(S) 2,4,6-Tribromophenol</i>					43.7	53.2		10.0-155				
<i>(S) p-Terphenyl-d14</i>					50.8	56.9		10.0-128				
<i>(S) Nitrobenzene-d5</i>					45.8	46.5		10.0-127				
<i>(S) 2-Fluorobiphenyl</i>					47.3	48.6		10.0-130				
<i>(S) 2-Fluorophenol</i>					23.3	27.2		10.0-120				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P	RPD between the primary and confirmatory analysis exceeded 40%.
Q	Sample was prepared and/or analyzed past holding time as defined in the method. Concentrations should be considered minimum values.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: **Eco-Vista (Tontitown)LF**
88 Joyce Lane
Russellville, AR 72801

Billing Information:
jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Report to:
Jodi Reynolds

Project Description:
Eco-Vista LF-GW-Apr & Oct

City/State Collected: _____ Please Circle: PT MT CT ET

Phone: **501-993-8966** Client Project # **200** Lab Project # **WMECOVISAR-00020**

Collected by (print): *Chris Fincher* Site/Facility ID # **AR03** P.O. # _____

Collected by (signature): *[Signature]* **Rush? (Lab MUST Be Notified)**
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Immediately Packed on Ice N Y X

Quote # _____ Date Results Needed _____

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Analysis / Container / Preservative														
LCS-9		GW				2	8081/8082 100ml Amb-NoPres														
LCS-10		GW				2		8270AP9 100ml Amb NoPres													
LCS-11		GW				2		CHLORIDE 125mlHDPE-NoPres													
LCS-12		GW				2		CHLORIDE,SULFATE 125mlHDPE-NoPres													
DUP	Grab	GW	77.77	10.3.23	0700	8		CN 250mlHDPEAmb-NaOH													
DUP2		GW	77.77	10.4.23	0700	8		Metals 250mlHDPE-HNO3													
LGW-2		GW	73.95	10.4.23	1125	3		NH3 250mlHDPE-H2SO4													
LGW-3R		GW	56.90	10.4.23	1050	2		SULFIDE 250mlAmb-S-NaOH+ZnAC													
LGW-4		GW	61.15	10.4.23	1015	3		SV8151 1L-Amb-No Pres													
LGW-5		GW	72.00	10.5.23	1000	16	X	TDS 1L-HDPE NoPres													

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	8081/8082 100ml Amb-NoPres	8270AP9 100ml Amb NoPres	CHLORIDE 125mlHDPE-NoPres	CHLORIDE,SULFATE 125mlHDPE-NoPres	CN 250mlHDPEAmb-NaOH	Metals 250mlHDPE-HNO3	NH3 250mlHDPE-H2SO4	SULFIDE 250mlAmb-S-NaOH+ZnAC	SV8151 1L-Amb-No Pres	TDS 1L-HDPE NoPres
LCS-9		GW				2			X				X			
LCS-10		GW				2			X				X			
LCS-11		GW				2			X				X			
LCS-12		GW				2			X				X			
DUP	Grab	GW	77.77	10.3.23	0700	8			X	X	X	X			X	
DUP2		GW	77.77	10.4.23	0700	8			X	X	X	X			X	
LGW-2		GW	73.95	10.4.23	1125	3			X			X				
LGW-3R		GW	56.90	10.4.23	1050	2			X			X				
LGW-4		GW	61.15	10.4.23	1015	3			X			X				
LGW-5		GW	72.00	10.5.23	1000	16	X	X		X	X	X	X	X	X	X

* Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other _____

Remarks:
 pH _____ Temp _____
 Flow _____ Other _____

Samples returned via: UPS FedEx Courier _____ Tracking # _____

Relinquished by: (Signature) *[Signature]* Date: **10.5.23** Time: **1200** Received by: (Signature) _____ Trip Blank Received: Yes/ No Yes No
 HCL/ MeOH TBR

Relinquished by: (Signature) _____ Date: _____ Time: _____ Received by: (Signature) _____ Temp: **0.1 to 0.1** Bottles Received: _____ If preservation required by Login: Date/Time _____

Relinquished by: (Signature) _____ Date: _____ Time: _____ Received for lab by: (Signature) *[Signature]* Date: **10.6.2023** Time: **9:00**

PH-10BDH4321 TRC-2352362
 CR6-20221V
 PH-10BDH4321 TRC-2352362
 CR6-20221V

Condition: NCF / *[initials]*

Chain of Custody Page **1** of **4**

Pace
 PEOPLE ADVANCING SCIENCE

MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **L16030702**
E051

Acctnum: **WMECOVISAR**
 Template: **T238606**
 Prelogin: **P1026525**
 PM: **616 - Stacy Kennedy**
 PB: **9/26/23**

Shipped Via: **FedEX Ground**

Remarks _____ Sample # (lab only) _____

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:
jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Report to:
Jodi Reynolds

Email To:
ciara.childers.beavers@jettenviro.com;jeffholm

Project Description:
Eco-Vista LF-GW-Apr & Oct

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: 501-993-8966

Client Project #
200

Lab Project #
WMECOVISAR-00013

Collected by (print):
Chris Finley

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Quote #

Immediately
Packed on Ice N Y

___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day


Date Results Needed

No.
of
Cnts

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts	TOC 250mlAmb-HCI	TOC 250mlHDPE-HCI	V8260LL 40mlAmb-HCI	V8260LLAP9 40mlAmb-HCI	V8260LLAP9 40mlAmb-HCI-BIK
LGW-6		GW				16	X			X	
LGW-7		GW				4	X				
LGW-8R		GW				4	X				
LGW-9		GW				16	X			X	
LGW-10		GW				16	X			X	
LGW-14R		GW				2					
MW-7N	Grab	GW	88.7	10.4.23	1645	3	X				
MW-15	↓	GW	58.85	10.4.23	1225	2					
MW-16	↓	GW	75.45	10.4.23	1300	2					
MW-17	↓	GW	60.50	10.3.23	1740	2					

Analysis / Container / Preservative											

Chain of Custody Page 2 of 4



PEOPLE ADVANCING SCIENCE

MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **L1663702**

Table #

Acctnum: **WMECOVISAR**

Template: **T238606**

Prelogin: **P1026525**

PM: **616 - Stacy Kennedy**

PB: **9/26/23 TS**

Shipped Via: **FedEX Ground**

Remarks | Sample # (lab only)

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

pH _____ Temp _____
Flow _____ Other _____

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headpace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

Samples returned via:
 UPS FedEx Courier

Tracking #

Relinquished by: (Signature) <i>[Signature]</i>	Date: 10.5.23	Time: 1200	Received by: (Signature) <i>[Signature]</i>	Trip Blank Received: Yes/No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No HCL/MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>Hana Michener</i>	Date: 10-6-23 Time: 0900
			Hold:	Condition: NCF / <input checked="" type="checkbox"/> OK

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:

jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Pres
Chk

Analysis / Container / Preservative



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG # L1603702

Table #

Acctnum: **WMECOVISAR**

Template: **T238606**

Prelogin: **P1026525**

PM: **616 - Stacy Kennedy**

PB: 9/20/23 TU

Shipped Via: **FedEX Ground**

Remarks | Sample # (lab only)

Report to:

Jodi Reynolds

Email To:

ciara.childrens.beavers@jettenviro.com; jeffholm

Project Description:

Eco-Vista LF-GW-Apr & Oct

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: **501-993-8966**

Client Project #
200

Lab Project #
WMECOVISAR-00020

Collected by (print):

Chris Funder

Site/Facility ID #
AR03

P.O. #

Collected by (signature):

Chris Funder

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Immediately

Packed on Ice N Y X

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

MW-19	Grab	GW	68.55	10.4.23	1500	2
NE-1	↓	GW	49.95	10.5.23	0900	7
NE-2		GW	21.75	10.4.23	0825	7
NE-4		GW	65.00	10.4.23	1345	7
NE-5		GW	72.20	10.4.23	1845	7
NE-5E		GW	69.25	10.4.23	1815	7
NE-5W		GW	73.55	10.4.23	1920	7
NE-6D		GW	34.20	10.4.23	1735	7
NE-10D		GW	101.9	10.3.23	1900	7
NE-14D		GW	17.90	10.4.23	1555	7

TOC 250mlAmb-HCl
TOC 250mlHDPE-HCl
V8260LL 40mlAmb-HCl
V8260LLAP9 40mlAmb-HCl
V8260LLAP9 40mlAmb-HCl-Bik

-11
-12
-13
-14
-15
-16
-17
-18
-19
-20

- * Matrix:
- SS - Soil AIR - Air F - Filter
- GW - Groundwater B - Bioassay
- WW - WasteWater
- DW - Drinking Water
- OT - Other

Remarks:

Samples returned via:

UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact:	NP	<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
COC Signed/Accurate:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
Bottles arrive intact:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
Correct bottles used:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
Sufficient volume sent:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
If Applicable					
VOA Zero Headpace:		<input type="checkbox"/>	Y	<input type="checkbox"/>	N
Preservation Correct/Checked:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N
RAD Screen <0.5 mR/hr:		<input checked="" type="checkbox"/>	Y	<input type="checkbox"/>	N

Relinquished by: (Signature)

Chris Funder

Date:

10.5.23

Time:

1200

Received by: (Signature)

Handa Mueching

Trip Blank Received: Yes/No

2

HCl/MeOH
TBR

Temp: _____ °C

Bottles Received:

0-110-0-1

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Handa Mueching

Date:

10.6

Time:

0900

Hold:

Condition:
NCF / OK

Company Name/Address:
Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:
jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Report to:
Jodi Reynolds

Email To:
ciara.childers.beavers@jettenviro.com; jeffholm

Project Description:
Eco-Vista LF-GW-Apr & Oct

City/State Collected: Please Circle:
PT MT CT ET

Phone: **501-993-8966**

Client Project # **200**
Lab Project # **WMECOVISAR-00020**

Collected by (print):
Chris Funder

Site/Facility ID # **AR03**
P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day
Date Results Needed

Immediately Packed on Ice N ___ Y **X**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

NE-14S	Grab	GW	19.75	10.4.23	0740	7
NE-15D		GW				7
NE-15S		GW				7
MW-3N		GW				7
MW-8N		GW				15
MW-21		GW				7
NE-9		GW				7
FB	Grab	GW	N/A	10.3.23	1730	8
TRIP BLANK		GW				3
		GW				7

Analysis / Container / Preservative						
TOC 250mlAmb-HCl	TOC 250mlHDPE-HCl	V8260LL 40mlAmb-HCl	V8260LLAP9 40mlAmb-HCl	V8260LLAP9 40mlAmb-HCl-Bik		
	X	X				
	X	X				
	X	X				
			X			
	X	X				
	X	X				
				X		

Chain of Custody Page 4 of 4

MT JULIET, TN
12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG # **L1663762**
Table #
Acctnum: **WMECOVISAR**
Template: **T238606**
Prelogin: **P1026525**
PM: **616 - Stacy Kennedy**
PB: **9/20/23 JS**
Shipped Via: **FedEX Ground**

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:
pH _____ Temp _____
Flow _____ Other _____
Samples returned via: ___ UPS ___ FedEx ___ Courier
Tracking # _____

Sample Receipt Checklist	
COC Seal Present/Intact:	NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

Relinquished by: (Signature) <i>[Signature]</i>	Date: 10.5.23	Time: 1200	Received by: (Signature) [Signature]	Trip Blank Received: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> (HCl/MeOH/TBR)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 0-10-0.1 °C Bottles Received:
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) [Signature]	Date: 10-6 Time: 0900 Hold: Condition: NCF / OK

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LCW-2
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10 04 23
 PURGE TIME (2400 Hr Clock): 11:00
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ "Water Vol in Tubing/Flow Cell" and "Tubing/Flow Cell Vols Purged". Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: A-Submersible Pump D-Bailer
 Sampling Device: B-Peristaltic Pump E-Piston Pump
 X-Other: _____
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____
 Sample Tube Type: 0
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl)
 Depth to Water (DTW) (from TOC) 7278 (ft)
 Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft)
 Stick Up (from ground elevation) _____ (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
<u>11:05</u>	<u>200</u>	<u>6.10</u>	<u>216</u>	<u>20.4</u>	<u>6.9</u>	<u>6.7</u>	<u>169.5</u>	<u>73.35</u>
<u>11:10</u>	<u>200</u>	<u>6.57</u>	<u>603</u>	<u>20.1</u>	<u>3.5</u>	<u>7.0</u>	<u>161.2</u>	<u>73.55</u>
<u>11:15</u>	<u>200</u>	<u>6.71</u>	<u>699</u>	<u>19.4</u>	<u>3.1</u>	<u>7.1</u>	<u>157.3</u>	<u>73.75</u>
<u>11:20</u>	<u>200</u>	<u>6.72</u>	<u>703</u>	<u>19.2</u>	<u>3.2</u>	<u>7.0</u>	<u>158.1</u>	<u>73.85</u>
<u>11:25</u>	<u>200</u>	<u>6.73</u>	<u>708</u>	<u>19.2</u>	<u>3.1</u>	<u>7.0</u>	<u>159.0</u>	<u>73.95</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 04 23
 pH (std): 6.73
 CONDUCTANCE (umhos/cm @ 25°C): 708
 TEMP. (°C): 19.2
 TURBIDITY (ntu): 3.1
 DO (mg/L-ppm): 7.0
 eH/ORP (mV): 159.0
 Other: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): Rain Direction/Speed: _____ Outlook: Stormy Precipitation: or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LCW-3R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 100423
 PURGE TIME (2400 Hr Clock): 10:25
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 5668 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:30	200	5.90	297	17.9	4.1	5.8	141.1	56.9
10:35	200	5.18	124	17.1	3.8	5.8	170.1	56.9
10:40	200	5.11	117	17.1	3.9	5.5	183.6	56.9
10:45	200	5.09	114	17.2	3.8	5.5	192.3	56.9
10:50	200	5.09	115	17.2	3.9	5.5	194.4	56.9

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 100423
 pH (std): 5.09
 CONDUCTANCE (umhos/cm @ 25°C): 115
 TEMP. (°C): 17.2
 TURBIDITY (ntu): 3.9
 DO (mg/L-ppm): 5.5
 eH/ORP (mV): 194.4
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-4
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO: 100423 0945
PURGE DATE (MM DD YY) **PURGE TIME** (2400 Hr Clock) **ELAPSED HRS** (hrs:min) **WATER VOL IN CASING** (Gallons) **ACTUAL VOL PURGED** (Gallons) **WELL VOLs PURGED**
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGING AND SAMPLING EQUIPMENT ... Dedicated: or **Filter Device:** or 0.45 μ or μ (circle or fill in)
 Purging Device: A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 Sampling Device: C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other:
 X-Other: Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA: Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 6095 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
09:50	200 1 st	6.81	916	17.8	4.0	7.4	1628	6115
09:55	200 2 nd	6.55	929	17.6	3.6	5.3	1651	6115
10:06	200 3 rd	6.49	929	17.5	4.3	3.5	1644	6115
10:05	200 4 th	6.48	927	17.5	4.5	2.1	1634	6115
10:10	200	6.48	926	17.5	4.1	1.9	1626	6115
10:15	200	6.47	924	17.4	4.1	1.8	1620	6115

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA: SAMPLE DATE (MM DD YY) 100423 pH (std) 6.47 CONDUCTANCE (μ mhos/cm @ 25°C) 924 TEMP. (°C) 17.4 TURBIDITY (ntu) 4.1 DO (mg/L-ppm) 1.8 eH/ORP (mV) 1620 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS:

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10.4.23 C. Fisher
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-5
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 100523 (MM DD YY)
 PURGE TIME: 0930 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLs PURGED:

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Sample Tube Type: 0
 Filter Type:
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 7198 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in)
 Casing Material: PVC

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
<u>08:38</u>	<u>200</u> 1 st	<u>6.71</u> 1 st	<u>886</u>	<u>19.4</u>	<u>27</u>	<u>6.0</u>	<u>526</u>	<u>720</u>
<u>09:40</u>	<u>200</u> 2 nd	<u>6.31</u> 2 nd	<u>1029</u>	<u>28.3</u>	<u>25</u>	<u>3.1</u>	<u>-95.1</u>	<u>720</u>
<u>09:45</u>	<u>200</u> 3 rd	<u>6.30</u> 3 rd	<u>1040</u>	<u>18.1</u>	<u>3.8</u>	<u>2.1</u>	<u>-99.1</u>	<u>720</u>
<u>09:50</u>	<u>200</u> 4 th	<u>6.31</u> 4 th	<u>1047</u>	<u>18.1</u>	<u>11.9</u>	<u>1.3</u>	<u>-108.4</u>	<u>720</u>
<u>09:55</u>	<u>200</u>	<u>6.32</u>	<u>1049</u>	<u>18.1</u>	<u>14.6</u>	<u>1.1</u>	<u>-110.1</u>	<u>720</u>
<u>10:00</u>	<u>200</u>	<u>6.32</u>	<u>1049</u>	<u>18.2</u>	<u>8.0</u>	<u>1.0</u>	<u>-112.1</u>	<u>720</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
<u>100523</u>	<u>6.32</u>	<u>1049</u>	<u>18.2</u>	<u>8.0</u>	<u>1.0</u>	<u>-112.1</u>	<u> </u>

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10.5.23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-7N
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 100423 PURGE TIME: 16:05 ELAPSED HRS:
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or _____ μ (circle or fill in)
 Purging Device: A-Submersible Pump D-Bailer
 Sampling Device: B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: 0 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 8791 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>16:10</u>	<u>200</u>	<u>6.83</u>	<u>727</u>	<u>18.0</u>	<u>8.1</u>	<u>1.7</u>	<u>121.8</u>
	<u>16:15</u>	<u>200</u>	<u>7.20</u>	<u>683</u>	<u>17.4</u>	<u>3.5</u>	<u>8.3</u>	<u>120.2</u>	<u>88.1</u>
	<u>16:20</u>	<u>200</u>	<u>6.81</u>	<u>685</u>	<u>17.1</u>	<u>3.1</u>	<u>6.9</u>	<u>132.7</u>	<u>88.1</u>
	<u>16:25</u>	<u>200</u>	<u>6.70</u>	<u>688</u>	<u>17.0</u>	<u>2.3</u>	<u>5.0</u>	<u>136.2</u>	<u>88.1</u>
	<u>16:30</u>	<u>200</u>	<u>6.67</u>	<u>690</u>	<u>16.9</u>	<u>2.4</u>	<u>4.8</u>	<u>137.3</u>	<u>88.7</u>
	<u>16:35</u>	<u>200</u>	<u>6.67</u>	<u>690</u>	<u>16.9</u>	<u>2.4</u>	<u>4.0</u>	<u>138.3</u>	<u>88.7</u>
	<u>16:40</u>	<u>200</u>	<u>6.67</u>	<u>690</u>	<u>17.0</u>	<u>2.6</u>	<u>3.9</u>	<u>139.1</u>	<u>88.7</u>
	<u>16:45</u>	<u>200</u>	<u>6.67</u>	<u>690</u>	<u>16.9</u>	<u>2.3</u>	<u>3.8</u>	<u>139.9</u>	<u>88.7</u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 100423 pH (std): 6.67 CONDUCTANCE (μ mhos/cm @ 25°C): 690 TEMP. (°C): 16.9 TURBIDITY (ntu): 2.3 DO (mg/L-ppm): 3.8 eH/ORP (mV): _____ Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-15
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10 04 23 PURGE TIME (2400 Hr Clock): 12:00 ELAPSED HRS (hrs:min): WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLs PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 5880 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)		Conductance (SC/EC) (umhos/cm @ 25°C)		Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		1 st	2 nd	1 st	2 nd					
<u>12:05</u>	<u>200</u>	<u>6.417</u>	<u>1st</u>	<u>692</u>	<u>16.5</u>	<u>2.3</u>	<u>65</u>	<u>149.5</u>	<u>58.85</u>	
<u>12:10</u>	<u>200</u>	<u>6.44</u>	<u>2nd</u>	<u>696</u>	<u>16.4</u>	<u>2.1</u>	<u>58</u>	<u>150.5</u>	<u>58.85</u>	
<u>12:15</u>	<u>200</u>	<u>6.43</u>	<u>3rd</u>	<u>699</u>	<u>16.4</u>	<u>2.1</u>	<u>56</u>	<u>150.9</u>	<u>58.85</u>	
<u>12:20</u>	<u>200</u>	<u>6.42</u>	<u>4th</u>	<u>701</u>	<u>16.4</u>	<u>2.0</u>	<u>56</u>	<u>151.4</u>	<u>58.85</u>	
<u>12:25</u>	<u>200</u>	<u>6.42</u>		<u>702</u>	<u>16.4</u>	<u>2.0</u>	<u>56</u>	<u>151.8</u>	<u>58.85</u>	

Suggested range for 3 consec. readings or note Permit/State requirements: pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 04 23 pH (std): 6.42 CONDUCTANCE (umhos/cm @ 25°C): 702 TEMP. (°C): 16.4 TURBIDITY (ntu): 2.0 DO (mg/L-ppm): 56 eH/ORP (mV): 151.8 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: none Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: X or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23 _____ _____ _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-16
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 10/04/23 PURGE TIME: 12:35 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
 (MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft)

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 7384 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>12:40</u>	<u>200</u>	<u>6.53</u>	<u>687</u>	<u>18.0</u>	<u>3.6</u>	<u>5.6</u>	<u>139.7</u>
	<u>12:45</u>	<u>200</u>	<u>7.02</u>	<u>503</u>	<u>17.9</u>	<u>2.1</u>	<u>17.5</u>	<u>129.9</u>	<u>74.85</u>
	<u>12:50</u>	<u>200</u>	<u>7.15</u>	<u>453</u>	<u>17.3</u>	<u>2.1</u>	<u>6.8</u>	<u>130.0</u>	<u>75.15</u>
	<u>12:55</u>	<u>200</u>	<u>7.18</u>	<u>450</u>	<u>17.3</u>	<u>2.0</u>	<u>6.7</u>	<u>130.2</u>	<u>75.35</u>
	<u>13:00</u>	<u>200</u>	<u>7.20</u>	<u>449</u>	<u>17.2</u>	<u>2.0</u>	<u>6.7</u>	<u>129.2</u>	<u>75.45</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 7.20 CONDUCTANCE (umhos/cm @ 25 °C): 449 TEMP. (°C): 17.2 TURBIDITY (ntu): 2.0 DO (mg/L-ppm): 6.7 eH/ORP (mV): 129.2 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: _____
 Sample Point: MW-17
 Sample ID: _____

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10 03 23
 PURGE TIME (2400 Hr Clock): 17:00
 ELAPSED HRS (hrs:min): _____
 WATER VOL IN CASING (Gallons): _____
 ACTUAL VOL PURGED (Gallons): _____
 WELL VOL PURGED: _____

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: A A-Submersible Pump D-Bailer
 Sampling Device: A B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or N 0.45 µ or _____ µ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 6040 (ft)
 Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft)
 Casing ID _____ (in) Casing Material _____
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (µmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
17:05	275 1"	7.02 1"	401	19.3	245.7	5.9	382	60.5
17:10	300 2"	6.79 2"	349	18.9	144.2	6.8	453	60.5
17:15	300 3"	6.68 3"	328	18.6	101.1	7.4	445	60.5
17:20	300 4"	6.64 4"	324	18.5	56.1	7.5	466	60.5
17:25	300	6.61	322	18.5	54.2	7.6	476	60.5
17:30	300	6.58	318	18.4	44.0	7.7	507	60.5
17:35	300	6.57	316	18.4	31.4	7.7	540	60.5
17:40	300	6.56	315	18.3	18.5	7.7	536	60.5

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 03 23
 pH (std): 6.56
 CONDUCTANCE (µmhos/cm @ 25°C): 315
 TEMP. (°C): 18.3
 TURBIDITY (ntu): 18.5
 DO (mg/L-ppm): 7.7
 eH/ORP (mV): 536
 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____
 Direction/Speed: SE @ 5-10 Outlook: cloudy 80s Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

FB @ 1730

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 3, 23 Chris Ender _____ _____
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: mw-19
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 10/04/23 (MM DD YY)
 PURGE TIME: 14:30 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 68.15 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
14:35	200 1 st	6.88	418	19.1	26	6.9	134.0	68.45
14:40	200 2 nd	6.92	417	18.9	23	6.9	134.0	68.55
14:45	200 3 rd	7.07	468	18.9	1.9	7.5	133.4	68.55
14:50	200 4 th	7.09	496	18.9	2.6	7.8	133.8	68.55
14:55	200	7.08	505	18.8	2.0	7.9	134.9	68.55
15:00	200	7.07	513	18.8	2.1	7.9	135.6	68.55

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 10/04/23 (MM DD YY) pH (std): 7.07 CONDUCTANCE (umhos/cm @ 25°C): 513 TEMP. (°C): 18.8 TURBIDITY (ntu): 2.1 DO (mg/L-ppm): 7.9 eH/ORP (mV): 135.6 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23 _____
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: ME-1
 Sample Point: ME-1
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 10/05/23 (MM DD YY)
 PURGE TIME: 08:30 (2400 Hr Clock)
 ELAPSED HRS: _____ (hrs:min)
 WATER VOL IN CASING: _____ (Gallons)
 ACTUAL VOL PURGED: _____ (Gallons)
 WELL VOLS PURGED: _____

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 46.41 (ft)
 Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
<u>08:35</u>	<u>200</u> 1 st	<u>7.10</u> 1 st	<u>751</u> 1 st	<u>15.8</u>	<u>3.5</u>	<u>3.5</u>	<u>-136.4</u>	<u>48.95</u>
<u>08:40</u>	<u>200</u> 2 nd	<u>7.18</u> 2 nd	<u>637</u> 2 nd	<u>15.5</u>	<u>4.9</u>	<u>6.2</u>	<u>-43.7</u>	<u>49.40</u>
<u>08:45</u>	<u>200</u> 3 rd	<u>7.14</u> 3 rd	<u>638</u> 3 rd	<u>15.5</u>	<u>8.5</u>	<u>6.7</u>	<u>-7.2</u>	<u>49.55</u>
<u>08:50</u>	<u>200</u> 4 th	<u>7.12</u> 4 th	<u>648</u> 4 th	<u>15.5</u>	<u>8.4</u>	<u>5.0</u>	<u>-20.8</u>	<u>49.80</u>
<u>08:55</u>	<u>200</u>	<u>7.12</u>	<u>651</u>	<u>15.5</u>	<u>8.1</u>	<u>4.8</u>	<u>-18.7</u>	<u>49.85</u>
<u>09:00</u>	<u>200</u>	<u>7.11</u>	<u>656</u>	<u>15.5</u>	<u>8.2</u>	<u>4.7</u>	<u>-16.8</u>	<u>49.95</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/05/23 pH (std): 7.11 CONDUCTANCE (umhos/cm @ 25°C): 656 TEMP. (°C): 15.5 TURBIDITY (ntu): 8.2 DO (mg/L-ppm): 4.7 eH/ORP (mV): -16.8 Other: _____
 Units: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): cloudy Direction/Speed: E@5-10mph Outlook: cloudy 70-80s Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/5/23 _____ [Signature] _____ [Signature]
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

Site No.: _____ Sample Point: NE-2
Sample ID

PURGE INFO
 PURGE DATE: 10/04/23 PURGE TIME: 08:00 ELAPSED HRS: _____
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: _____ ACTUAL VOL PURGED: _____ WELL VOLs PURGED: _____
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ "Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: B A- Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: B C-QED Bladder Pump F-Dipper/Bottle
 X-Other: _____
 Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 2160 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
08:05	200 1 st	6.40	493	16.5	4.2	5.6	129.3	217
08:10	200 2 nd	6.27	467	15.9	4.5	4.5	131.9	217.5
08:15	200 3 rd	6.28	492	15.8	3.3	3.3	132.2	217.5
08:20	200 4 th	6.26	475	15.8	2.9	3.3	133.8	217.5
08:25	200	6.26	471	15.9	3.0	3.3	134.1	217.5

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 6.26 CONDUCTANCE (umhos/cm @ 25°C): 471 TEMP. (°C): 15.9 TURBIDITY (ntu): 3.0 DO (mg/L-ppm): 3.3 eH/ORP (mV): 134.1 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23 _____
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVVF
 Site No.:
 Sample Point: ME-4
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 10/04/23
 PURGE TIME (2400 Hr Clock): 13:15
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle

Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 64.73 (ft)
 Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft)
 Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		13:20	200 1 st	7.19	566	16.7	5.7	7.8	116.4
	13:25	200 2 nd	7.27	529	16.7	5.5	8.2	115.7	↓
	13:30	200 3 rd	7.26	547	17.2	6.3	8.5	120.0	↓
	13:35	200 4 th	7.23	566	17.5	4.9	8.6	124.8	↓
	13:40	200	7.21	573	17.6	4.9	8.6	126.6	↓
	13:45	200	7.21	579	17.7	4.9	8.6	127.0	↓

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 7.21 CONDUCTANCE (umhos/cm @ 25°C): 579 TEMP. (°C): 17.7 TURBIDITY (ntu): 4.9 DO (mg/L-ppm): 8.6 eH/ORP (mV): 127.6 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: cloudy Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
water level = Below top of Pump = 65.0' T.O.P

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-5
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10/04/23 PURGE TIME (2400 Hr Clock): 18:20 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: 0 A-Teflon C-PVC X-Other: _____
 X-Other: _____ B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 7045 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:25	200 1 st	6.95	591	16.1	13.7	8.7	131	7175
18:30	200 2 nd	6.57	777	15.9	10.0	2.6	-88.6	7195
18:35	200 3 rd	6.61	755	15.8	5.9	1.0	-69.1	7210
18:40	200 4 th	6.60	756	15.7	6.8	0.9	-73.2	7215
18:45	200	6.60	758	15.7	5.7	0.8	-75.3	7220

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 6.60 CONDUCTANCE (umhos/cm @ 25°C): 758 TEMP. (°C): 15.7 TURBIDITY (ntu): 5.7 DO (mg/L-ppm): 0.8 eH/ORP (mV): -75.3 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): Partly Direction/Speed: _____ Outlook: _____ Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-SE
 No.: Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 100423 PURGE TIME: 17:45 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/msl)
 Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 67.71 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
 Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		17:50	200	6.87	739	17.7	36.7	2.5	110.4
	17:55	200	6.80	767	17.1	29.2	5.5	-35.7	68.90
	18:00	200	6.67	797	17.0	21.6	4.0	-9.2	69.1
	18:05	200	6.62	809	17.0	10.7	2.4	5.1	69.15
	18:10	200	6.61	807	16.9	50.6	2.3	8.7	69.20
	18:15	200	6.61	808	16.8	21.1	2.1	10.8	69.25

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA

SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: Units
100423	6.61	808	16.8	21.1	2.1	10.8	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Orange Flakes Odor: NONE Color: Clear w/orange Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Orange flakes during purge - Turbidity visually clear apart from Flaking debris.

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: ME-5W
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 10/04/23 PURGE TIME: 18:50 ELAPSED HRS:
(MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Filter Type:
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 7185 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:55	200 1 st	6.94	613	17.7	27.8	4.1	-586	72.6
19:00	200 2 nd	6.75	697	17.0	164.9	5.9	-257	72.85
19:05	200 3 rd	6.61	806	16.6	57.8	2.6	37.8	73.00
19:10	200 4 th	6.60	807	16.6	41.3	1.8	45.2	73.25
19:15	200	6.60	806	16.6	20.6	1.7	48.6	73.45
19:20	200	6.59	806	16.7	10.4	1.6	49.3	73.55

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 6.59 CONDUCTANCE (μmhos/cm @ 25°C): 806 TEMP. (°C): 16.7 TURBIDITY (ntu): 10.4 DO (mg/L-ppm): 1.6 eH/ORP (mV): 49.3 Other:
 Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Orange Flakes during Purge. --

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: ME-60
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 10/04/23 PURGE TIME: 17:05 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLS PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ "Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged". Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 X-Other: _____ Sample Tube Type: 0 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 327.9 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ hos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
17:10	200 1 st	7.08	770	17.9	24	5.9	128.9	33.55
17:15	200 2 nd	6.74	774	16.4	23	2.8	137.9	33.85
17:20	200 3 rd	6.70	775	16.3	24	1.8	138.2	34.05
17:25	200 4 th	6.69	776	16.3	26	0.7	138.1	34.10
17:30	200	6.69	776	16.3	22	0.6	137.9	34.15
17:35	200	6.68	776	16.3	22	0.5	137.0	34.2

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 6.68 CONDUCTANCE (umhos/cm @ 25°C): 776 TEMP. (°C): 16.3 TURBIDITY (ntu): 22 DO (mg/L-ppm): 0.5 eH/ORP (mV): 137.0 Other: _____
 Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/4/23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: NE-100
 Site No.: Sample Point:
 No.: Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 100323 PURGE TIME: 18:30 ELAPSED HRS:
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:
(MM DD YY) (2400 Hr Clock) (hrs:min) (Gallons) (Gallons) (ft/msl)
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or Y Filter Device: Y or Y 0.45 μ or μ (circle or fill in)
 Purging Device: A A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: A B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 10185 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:35	250 1 st	6.78	265	17.8	225	7.8	875	1019
18:40	250 2 nd	6.80	260	16.2	927	8.0	940	1019
18:45	250 3 rd	6.82	263	16.9	354	8.2	967	1019
18:50	250 4 th	6.82	262	17.1	204	8.2	975	1019
18:55	250	6.82	262	17.1	151	8.3	974	1019
19:00	250	6.81	262	17.1	81	8.3	975	1019

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form

FIELD DATA
 SAMPLE DATE: 100323 pH: 6.81 CONDUCTANCE: 262 TEMP.: 17.1 TURBIDITY: 81 DO: 8.3 eH/ORP: 975 Other:
(MM DD YY) (std) (umhos/cm @ 25°C) (°C) (ntu) (mg/L-ppm) (mV) Units
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: clear Odor: NONE Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Dup 1 @ 0700 + 77.77'

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10.3.23
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: NE-140
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 10 04 23
 PURGE TIME (2400 Hr Clock): 15:30
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or **Filter Device:** Y or 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer **Filter Type:** A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other
 X-Other: C-QED Bladder Pump F-Dipper/Bottle **Sample Tube Type:** D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) **Depth to Water (DTW) (from TOC)** 1741 (ft) **Groundwater Elevation (site datum, from TOC)** (ft/msl)
 Total Well Depth (from TOC) (ft) **Stick Up (from ground elevation)** (ft) **Casing ID** 2 (in) **Casing Material** PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
15:315	200 1 st	6.76	716	16.4	28	5.2	1472	17.9
15:40	200 2 nd	6.70	723	15.8	23	1.9	1479	17.9
15:415	200 3 rd	6.70	723	15.8	20	1.6	1470	17.9
15:50	200 4 th	6.70	724	15.8	19	1.5	1461	17.9
15:55	200	6.70	724	15.7	19	1.4	1458	17.9

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 04 23
 pH (std): 6.70
 CONDUCTANCE (umhos/cm @ 25°C): 724
 TEMP. (°C): 15.7
 TURBIDITY (ntu): 19
 DO (mg/L-ppm): 1.4
 eH/ORP (mV): 1458
 Other:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS
Dup 2 @ 0700 + 77.77'

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 4, 23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: ME-1145
 Sample Point: ME-1145
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO

PURGE DATE (MM DD YY): 10/04/23
 PURGE TIME (2400 Hr Clock): 07:15
 ELAPSED HRS (hrs:min): 1:00
 WATER VOL IN CASING (Gallons): _____
 ACTUAL VOL PURGED (Gallons): _____
 WELL VOLS PURGED: _____

PURGE/SAMPLE EQUIPMENT

Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: B A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: B C-QED Bladder Pump F-Dipper/Bottle
 X-Other: _____

Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Filter Type: _____
 Sample Tube Type: D
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other _____
 A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA

Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 1970 (ft)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L-ppm)	eH/ORP (mV)	DTW (ft)
07:20	200	6.60	570	16.6	8.7	4.5	129.2	19.7
07:25	200	6.55	553	16.4	8.8	3.4	129.2	19.75
07:30	200	6.53	547	16.4	6.6	3.4	128.7	19.75
07:35	200	6.52	546	16.4	6.9	3.4	128.9	19.75
07:40	200	6.51	544	16.4	6.1	3.4	129.1	19.75

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

FIELD DATA

SAMPLE DATE (MM DD YY): 10/04/23 pH (std): 6.51 CONDUCTANCE (umhos/cm @ 25°C): 544 TEMP. (°C): 16.4 TURBIDITY (ntu): 6.1 DO (mg/L-ppm): 3.4 eH/ORP (mV): 129.1 Other: _____

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site.)

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: Calm Outlook: Cloudy Precipitation: Y or X
 Specific Comments (including purge/well volume calculations if required): _____


FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

Date: 10/4/23 Name: C. Ender Signature: _____ Company: _____

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

ORIGINAL COPY



Eco-Vista (Tontitown)LF


Sample Delivery Group: L1664045
Samples Received: 10/07/2023
Project Number: 200
Description: Eco-Vista LF-GW-Apr & Oct
Site: AR03
Report To: Jodi Reynolds
88 Joyce Lane
Russellville, AR 72801

Entire Report Reviewed By:



Stacy Kennedy
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.




Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	6
Sr: Sample Results	8
LGW-6 L1664045-01	8
LGW-7 L1664045-02	14
LGW-8R L1664045-03	15
LGW-9 L1664045-04	16
LGW-10 L1664045-05	22
LGW-14R L1664045-06	28
NE-15D L1664045-07	29
MW-3N L1664045-08	31
MW-8N L1664045-09	33
MW-21 L1664045-10	39
NE-9 L1664045-11	41
TRIP BLANK L1664045-12	43
Qc: Quality Control Summary	45
Gravimetric Analysis by Method 2540 C-2011	45
Wet Chemistry by Method 350.1	49
Wet Chemistry by Method 4500S2 D-2011	50
Wet Chemistry by Method 9012B	51
Wet Chemistry by Method 9056A	53
Wet Chemistry by Method 9060A	55
Mercury by Method 7470A	56
Metals (ICP) by Method 6010B	57
Metals (ICPMS) by Method 6020	59
Volatile Organic Compounds (GC/MS) by Method 8260B	61
Chlorinated Acid Herbicides (GC) by Method 8151	68
Pesticides (GC) by Method 8081	70
Polychlorinated Biphenyls (GC) by Method 8082	74
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	76
Gl: Glossary of Terms	85
Al: Accreditations & Locations	86
Sc: Sample Chain of Custody	87




SAMPLE SUMMARY

LGW-6 L1664045-01 GW

Collected by: Chris Fincher
 Collected date/time: 10/05/23 13:55
 Received date/time: 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149590	1	10/11/23 20:02	10/11/23 20:45	JAC	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:43	10/10/23 15:43	BMD	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2147116	1	10/07/23 16:30	10/07/23 16:30	EPW	Mt. Juliet, TN
Wet Chemistry by Method 9012B	WG2148826	1	10/11/23 09:20	10/11/23 15:23	UNP	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/13/23 22:47	10/13/23 22:47	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 17:36	10/12/23 17:36	ASH	Mt. Juliet, TN
Mercury by Method 7470A	WG2147401	1	10/12/23 19:03	10/14/23 10:59	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:13	DJS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	5	10/11/23 14:03	10/15/23 13:52	ZSA	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2150984	1	10/14/23 11:25	10/15/23 11:44	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 15:40	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148782	1	10/11/23 03:19	10/11/23 03:19	JCP	Mt. Juliet, TN
Chlorinated Acid Herbicides (GC) by Method 8151	WG2145481	1	10/09/23 14:32	10/10/23 19:33	LTB	Mt. Juliet, TN
Pesticides (GC) by Method 8081	WG2147257	1	10/08/23 16:26	10/08/23 23:19	NWH	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082	WG2147257	1	10/08/23 16:26	10/08/23 23:19	NWH	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/12/23 18:15	AMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/13/23 21:42	JNJ	Mt. Juliet, TN



LGW-7 L1664045-02 GW

Collected by: Chris Fincher
 Collected date/time: 10/05/23 17:00
 Received date/time: 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:44	10/10/23 15:44	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 00:09	10/14/23 00:09	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 17:57	10/12/23 17:57	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2150984	1	10/14/23 11:25	10/15/23 11:56	ZSA	Mt. Juliet, TN

LGW-8R L1664045-03 GW

Collected by: Chris Fincher
 Collected date/time: 10/05/23 17:35
 Received date/time: 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:46	10/10/23 15:46	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 00:23	10/14/23 00:23	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 18:16	10/12/23 18:16	ASH	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 15:50	SJM	Mt. Juliet, TN

LGW-9 L1664045-04 GW

Collected by: Chris Fincher
 Collected date/time: 10/05/23 19:00
 Received date/time: 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149590	1	10/11/23 20:02	10/11/23 20:45	JAC	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:49	10/10/23 15:49	BMD	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2147116	1	10/07/23 16:31	10/07/23 16:31	EPW	Mt. Juliet, TN
Wet Chemistry by Method 9012B	WG2148826	1	10/11/23 09:20	10/11/23 15:24	UNP	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 00:36	10/14/23 00:36	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 18:33	10/12/23 18:33	ASH	Mt. Juliet, TN
Mercury by Method 7470A	WG2147401	1	10/12/23 19:03	10/14/23 11:01	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:25	DJS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 15:53	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148782	1	10/11/23 03:39	10/11/23 03:39	JCP	Mt. Juliet, TN
Chlorinated Acid Herbicides (GC) by Method 8151	WG2145481	1	10/09/23 14:32	10/10/23 19:44	LTB	Mt. Juliet, TN
Pesticides (GC) by Method 8081	WG2147257	1	10/08/23 16:26	10/08/23 23:28	NWH	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082	WG2147257	1	10/08/23 16:26	10/08/23 23:28	NWH	Mt. Juliet, TN

SAMPLE SUMMARY

LGW-9 L1664045-04 GW

Collected by
Chris Fincher

Collected date/time
10/05/23 19:00

Received date/time
10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/12/23 18:36	AMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/13/23 21:24	JNJ	Mt. Juliet, TN

LGW-10 L1664045-05 GW

Collected by
Chris Fincher

Collected date/time
10/05/23 18:15

Received date/time
10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149590	1	10/11/23 20:02	10/11/23 20:45	JAC	Mt. Juliet, TN
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:52	10/10/23 15:52	BMD	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2147116	1	10/07/23 16:31	10/07/23 16:31	EPW	Mt. Juliet, TN
Wet Chemistry by Method 9012B	WG2148826	1	10/11/23 09:20	10/11/23 15:29	UNP	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 00:50	10/14/23 00:50	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 18:55	10/12/23 18:55	ASH	Mt. Juliet, TN
Mercury by Method 7470A	WG2147401	1	10/12/23 19:03	10/14/23 11:04	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:28	DJS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2150984	1	10/14/23 11:25	10/15/23 11:59	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 15:56	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148782	1	10/11/23 04:00	10/11/23 04:00	JCP	Mt. Juliet, TN
Chlorinated Acid Herbicides (GC) by Method 8151	WG2147800	1	10/11/23 14:37	10/12/23 01:59	MEW	Mt. Juliet, TN
Pesticides (GC) by Method 8081	WG2148878	1	10/11/23 20:41	10/13/23 01:51	LTB	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082	WG2148878	1	10/11/23 20:41	10/13/23 01:51	LTB	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/12/23 18:58	AMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/13/23 21:59	JNJ	Mt. Juliet, TN

LGW-14R L1664045-06 GW

Collected by
Chris Fincher

Collected date/time
10/05/23 13:25

Received date/time
10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 350.1	WG2148271	1	10/10/23 15:53	10/10/23 15:53	BMD	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 01:04	10/14/23 01:04	HMM	Mt. Juliet, TN

NE-15D L1664045-07 GW

Collected by
Chris Fincher

Collected date/time
10/06/23 10:00

Received date/time
10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2150609	1	10/13/23 08:33	10/15/23 08:14	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 01:18	10/14/23 01:18	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 20:17	10/12/23 20:17	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:31	DJS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2150984	1	10/14/23 11:25	10/15/23 12:02	ZSA	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 16:00	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 06:05	10/10/23 06:05	DWR	Mt. Juliet, TN

MW-3N L1664045-08 GW

Collected by
Chris Fincher

Collected date/time
10/06/23 08:25

Received date/time
10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2150609	1	10/13/23 08:33	10/15/23 08:14	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 01:31	10/14/23 01:31	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 20:34	10/12/23 20:34	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:34	DJS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2150984	1	10/14/23 11:25	10/15/23 12:04	ZSA	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al


9 Sc

SAMPLE SUMMARY

MW-3N L1664045-08 GW

Collected by Chris Fincher Collected date/time 10/06/23 08:25 Received date/time 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 16:03	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 06:24	10/10/23 06:24	DWR	Mt. Juliet, TN



MW-8N L1664045-09 GW

Collected by Chris Fincher Collected date/time 10/05/23 14:55 Received date/time 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2149295	1	10/11/23 14:07	10/11/23 14:20	JAC	Mt. Juliet, TN
Wet Chemistry by Method 4500S2 D-2011	WG2147116	1	10/07/23 16:31	10/07/23 16:31	EPW	Mt. Juliet, TN
Wet Chemistry by Method 9012B	WG2148826	1	10/11/23 09:20	10/11/23 15:30	UNP	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 01:45	10/14/23 01:45	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 21:13	10/12/23 21:13	ASH	Mt. Juliet, TN
Mercury by Method 7470A	WG2147401	1	10/12/23 19:03	10/14/23 11:06	LAS	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:37	DJS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 16:06	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148782	1	10/11/23 04:21	10/11/23 04:21	JCP	Mt. Juliet, TN
Chlorinated Acid Herbicides (GC) by Method 8151	WG2147800	1	10/11/23 14:37	10/12/23 02:10	MEW	Mt. Juliet, TN
Pesticides (GC) by Method 8081	WG2148878	1	10/11/23 20:41	10/13/23 02:00	LTB	Mt. Juliet, TN
Polychlorinated Biphenyls (GC) by Method 8082	WG2148878	1	10/11/23 20:41	10/13/23 02:00	LTB	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/12/23 19:20	AMG	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270C	WG2148873	1	10/11/23 14:00	10/13/23 22:16	JNJ	Mt. Juliet, TN

MW-21 L1664045-10 GW

Collected by Chris Fincher Collected date/time 10/06/23 09:15 Received date/time 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2150608	1	10/13/23 09:36	10/13/23 16:42	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 01:59	10/14/23 01:59	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 21:32	10/12/23 21:32	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:40	DJS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 16:10	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 06:43	10/10/23 06:43	DWR	Mt. Juliet, TN

NE-9 L1664045-11 GW

Collected by Chris Fincher Collected date/time 10/06/23 10:40 Received date/time 10/07/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG2150609	1	10/13/23 08:33	10/15/23 08:14	JAC	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG2149890	1	10/14/23 02:40	10/14/23 02:40	HMM	Mt. Juliet, TN
Wet Chemistry by Method 9060A	WG2149942	1	10/12/23 21:52	10/12/23 21:52	ASH	Mt. Juliet, TN
Metals (ICP) by Method 6010B	WG2149104	1	10/11/23 14:03	10/13/23 01:43	DJS	Mt. Juliet, TN
Metals (ICPMS) by Method 6020	WG2149123	1	10/12/23 11:23	10/21/23 16:13	SJM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148115	1	10/10/23 07:02	10/10/23 07:02	DWR	Mt. Juliet, TN

TRIP BLANK L1664045-12 GW

Collected by Chris Fincher Collected date/time 10/06/23 00:00 Received date/time 10/07/23 09:00


Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2148782	1	10/11/23 02:17	10/11/23 02:17	JCP	Mt. Juliet, TN

CASE NARRATIVE

Unless qualified or notated within the narrative below, all sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Stacy Kennedy
Project Manager



Project Comments

Method 8270, -01, -04, -05, -06, -09: 2-Picoline, a,a-Dimethylphenethylamine, p-Phenylenediamine, and 3,3-Dimethylbenzidine are reporting with critically low recovery in the laboratory control sample(s). These compounds are a method defined poor performer. Results are estimated.

The requested project specific reporting limits may be less than laboratory standard quantitation limits (PQL) but will be greater than or equal to the laboratory method detection limits (MDL). It is noted that results reported below lab standard quantitation limits (PQLs) may result in false positive/false negative values that may require additional laboratory quality assurance review, if requested. Routine laboratory procedures do not initiate a data review process for detections below the laboratory's PQL unless requested by the client.

Wet Chemistry by Method 9012B

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG2148826	(MS) R3984879-5, (MS) R3984879-7, (MSD) R3984879-6, (MSD) R3984879-8, L1664045-04	Cyanide

Metals (ICP) by Method 6010B

The sample concentration is too high to evaluate accurate spike recoveries.

Batch	Lab Sample ID	Analytes
WG2150984	(MS) R3986468-4, (MSD) R3986468-5	Manganese, Total Recoverable

Volatile Organic Compounds (GC/MS) by Method 8260B

The associated batch QC was above the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2148782	(LCS) R3984893-1, L1664045-01, 04, 05, 09, 12	1,1,2-Trichloroethane and Dibromochloromethane

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2148115	(LCSD) R3985695-2, L1664045-07, 08, 10, 11	1,2-Dibromo-3-Chloropropane and 2-Butanone (MEK)

CASE NARRATIVE

Chlorinated Acid Herbicides (GC) by Method 8151

RPD between the primary and confirmatory analysis exceeded 40%

Batch	Lab Sample ID	Analytes
WG2145481	(LCS) R3984708-2	2,4,5-T
WG2145481	(LCSD) R3984708-3	2,4,5-T and 2,4-D

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2145481	(LCSD) R3984708-3, L1664045-01, 04	2,4,5-T, 2,4,5-Tp (Silvex) and 2,4-D

Polychlorinated Biphenyls (GC) by Method 8082

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2148878	(LCSD) R3986371-5, L1664045-05, 09	PCB 1016 and PCB 1260

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

The associated batch QC was below the established quality control range for accuracy.

Batch	Lab Sample ID	Analytes
WG2148873	(LCS) R3987287-1, L1664045-01, 04, 05, 09	1,4-Naphthoquinone, 3,3-Dimethylbenzidine and p-Phenylenediamine

The sample matrix interfered with the ability to make any accurate determination; spike value is low.

Batch	Lab Sample ID	Analytes
WG2148873	(MS) R3986579-3	Indeno(1,2,3-cd)pyrene

The associated batch QC was outside the established quality control range for precision.

Batch	Lab Sample ID	Analytes
WG2148873	(MSD) R3986579-4	2,4,5-Trichlorophenol, 2,4,6-Trichlorophenol, 2,4-Dichlorophenol, 2,4-Dimethylphenol, 2-Methylphenol, 4-Chloro-3-methylphenol and Hexachlorocyclopentadiene

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.34	su
Specific Conductance (on site)	868	umhos/cm
Temperature (on-site)	18.8	Deg. C
Turbidity (on-site)	3.1	NTU
Dissolved Oxygen (on-site)	0.8	mg/l
eH/ORP (On Site)	-9.3	mV
Depth to water (DTW) (FROM TOC)	51.1	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	401		10.0	1	10/11/2023 20:45	WG2149590

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	10/10/2023 15:43	WG2148271

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Sulfide	ND		4.00	1	10/07/2023 16:30	WG2147116

Wet Chemistry by Method 9012B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Cyanide	ND		0.0100	1	10/11/2023 15:23	WG2148826

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.2		3.00	1	10/13/2023 22:47	WG2149890
Sulfate	ND		5.00	1	10/13/2023 22:47	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	10/12/2023 17:36	WG2149942

Mercury by Method 7470A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Mercury, Total Recoverable	ND		0.000200	1	10/14/2023 10:59	WG2147401

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Barium, Total Recoverable	0.196		0.00500	1	10/13/2023 01:13	WG2149104
Iron, Total Recoverable	1.29		0.0600	1	10/15/2023 11:44	WG2150984
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:13	WG2149104
Manganese, Total Recoverable	32.6		0.00600	5	10/15/2023 13:52	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:13	WG2149104

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:13	WG2149104
Tin, Total Recoverable	ND		0.100	1	10/13/2023 01:13	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 15:40	WG2149123
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 15:40	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 15:40	WG2149123
Cadmium, Total Recoverable	0.00139		0.00100	1	10/21/2023 15:40	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 15:40	WG2149123
Cobalt, Total Recoverable	0.0248		0.00300	1	10/21/2023 15:40	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 15:40	WG2149123
Nickel, Total Recoverable	0.165		0.00400	1	10/21/2023 15:40	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 15:40	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 15:40	WG2149123
Zinc, Total Recoverable	0.139		0.00500	1	10/21/2023 15:40	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,1,1-Trichloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,1,2-Trichloroethane	ND	J4	1.00	1	10/11/2023 03:19	WG2148782
1,1-Dichloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,1-Dichloroethene	ND		1.00	1	10/11/2023 03:19	WG2148782
1,1-Dichloropropene	ND		1.00	1	10/11/2023 03:19	WG2148782
1,2,3-Trichloropropane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/11/2023 03:19	WG2148782
1,2-Dibromoethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,2-Dichlorobenzene	ND		1.00	1	10/11/2023 03:19	WG2148782
1,2-Dichloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,2-Dichloropropane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,3-Dichlorobenzene	ND		1.00	1	10/11/2023 03:19	WG2148782
1,3-Dichloropropane	ND		1.00	1	10/11/2023 03:19	WG2148782
1,4-Dichlorobenzene	ND		1.00	1	10/11/2023 03:19	WG2148782
2,2-Dichloropropane	ND		5.00	1	10/11/2023 03:19	WG2148782
2-Butanone (MEK)	ND		5.00	1	10/11/2023 03:19	WG2148782
2-Hexanone	ND		5.00	1	10/11/2023 03:19	WG2148782
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/11/2023 03:19	WG2148782
Acetone	ND		11.3	1	10/11/2023 03:19	WG2148782
Acetonitrile	ND		30.0	1	10/11/2023 03:19	WG2148782
Acrolein	ND		20.0	1	10/11/2023 03:19	WG2148782
Acrylonitrile	ND		20.0	1	10/11/2023 03:19	WG2148782
Allyl chloride	ND		10.0	1	10/11/2023 03:19	WG2148782
Benzene	ND		1.00	1	10/11/2023 03:19	WG2148782
Bromochloromethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Bromodichloromethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Bromoform	ND		1.00	1	10/11/2023 03:19	WG2148782
Bromomethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Carbon disulfide	ND		1.00	1	10/11/2023 03:19	WG2148782
Carbon tetrachloride	ND		1.00	1	10/11/2023 03:19	WG2148782
Chlorobenzene	ND		1.00	1	10/11/2023 03:19	WG2148782
Chloroethane	ND		1.00	1	10/11/2023 03:19	WG2148782

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc


7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
Chloroform	ND		1.00	1	10/11/2023 03:19	WG2148782
Chloromethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Chloroprene	ND		1.70	1	10/11/2023 03:19	WG2148782
Dibromochloromethane	ND	<u>J4</u>	1.00	1	10/11/2023 03:19	WG2148782
Dibromomethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Dichlorodifluoromethane	ND		2.00	1	10/11/2023 03:19	WG2148782
Ethyl methacrylate	ND		3.00	1	10/11/2023 03:19	WG2148782
Ethylbenzene	ND		1.00	1	10/11/2023 03:19	WG2148782
Iodomethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Isobutanol	ND		110	1	10/11/2023 03:19	WG2148782
Methacrylonitrile	ND		13.0	1	10/11/2023 03:19	WG2148782
Methyl methacrylate	ND		4.00	1	10/11/2023 03:19	WG2148782
Methylene Chloride	ND		1.07	1	10/11/2023 03:19	WG2148782
Propionitrile	ND		20.0	1	10/11/2023 03:19	WG2148782
Styrene	ND		1.00	1	10/11/2023 03:19	WG2148782
Tetrachloroethene	ND		1.00	1	10/11/2023 03:19	WG2148782
Toluene	ND		1.00	1	10/11/2023 03:19	WG2148782
Trichloroethene	ND		1.00	1	10/11/2023 03:19	WG2148782
Trichlorofluoromethane	ND		1.00	1	10/11/2023 03:19	WG2148782
Vinyl acetate	ND		5.00	1	10/11/2023 03:19	WG2148782
Vinyl chloride	ND		1.00	1	10/11/2023 03:19	WG2148782
Xylenes, Total	ND		1.00	1	10/11/2023 03:19	WG2148782
cis-1,2-Dichloroethene	ND		1.00	1	10/11/2023 03:19	WG2148782
cis-1,3-Dichloropropene	ND		1.00	1	10/11/2023 03:19	WG2148782
trans-1,2-Dichloroethene	ND		1.00	1	10/11/2023 03:19	WG2148782
trans-1,3-Dichloropropene	ND		1.00	1	10/11/2023 03:19	WG2148782
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/11/2023 03:19	WG2148782
(S) Toluene-d8	107			80.0-120	10/11/2023 03:19	WG2148782
(S) 1,2-Dichloroethane-d4	95.7			70.0-130	10/11/2023 03:19	WG2148782
(S) 4-Bromofluorobenzene	91.1			77.0-126	10/11/2023 03:19	WG2148782



Chlorinated Acid Herbicides (GC) by Method 8151


Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
2,4,5-T	ND	<u>J3</u>	1.00	1	10/10/2023 19:33	WG2145481
2,4,5-Tp (Silvex)	ND	<u>J3</u>	1.00	1	10/10/2023 19:33	WG2145481
2,4-D	ND	<u>J3</u>	4.00	1	10/10/2023 19:33	WG2145481
(S) 2,4-Dichlorophenyl Acetic Acid	85.3			14.0-158	10/10/2023 19:33	WG2145481

Pesticides (GC) by Method 8081

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
4,4-DDD	ND		0.0500	1	10/08/2023 23:19	WG2147257
4,4-DDE	ND		0.0500	1	10/08/2023 23:19	WG2147257
4,4-DDT	ND		0.0500	1	10/08/2023 23:19	WG2147257
Aldrin	ND		0.0500	1	10/08/2023 23:19	WG2147257
Alpha BHC	ND		0.0500	1	10/08/2023 23:19	WG2147257
Beta BHC	ND		0.500	1	10/08/2023 23:19	WG2147257
Chlordane	ND		0.500	1	10/08/2023 23:19	WG2147257
Delta BHC	ND		0.0500	1	10/08/2023 23:19	WG2147257
Dieldrin	ND		0.0500	1	10/08/2023 23:19	WG2147257
Endosulfan I	ND		0.0500	1	10/08/2023 23:19	WG2147257
Endosulfan II	ND		0.0500	1	10/08/2023 23:19	WG2147257
Endosulfan sulfate	ND		0.0500	1	10/08/2023 23:19	WG2147257
Endrin	ND		0.0500	1	10/08/2023 23:19	WG2147257

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Endrin aldehyde	ND		0.0500	1	10/08/2023 23:19	WG2147257
Gamma BHC	ND		0.0500	1	10/08/2023 23:19	WG2147257
Heptachlor	ND		0.0500	1	10/08/2023 23:19	WG2147257
Heptachlor epoxide	ND		0.0500	1	10/08/2023 23:19	WG2147257
Methoxychlor	ND		0.100	1	10/08/2023 23:19	WG2147257
Toxaphene	ND		5.00	1	10/08/2023 23:19	WG2147257
(S) Decachlorobiphenyl	65.8			10.0-128	10/08/2023 23:19	WG2147257
(S) Tetrachloro-m-xylene	64.9			10.0-127	10/08/2023 23:19	WG2147257



Polychlorinated Biphenyls (GC) by Method 8082

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
PCB 1016	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1221	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1232	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1242	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1248	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1254	ND		1.00	1	10/08/2023 23:19	WG2147257
PCB 1260	ND		1.00	1	10/08/2023 23:19	WG2147257
(S) Decachlorobiphenyl	79.8			10.0-128	10/08/2023 23:19	WG2147257
(S) Tetrachloro-m-xylene	73.2			10.0-127	10/08/2023 23:19	WG2147257

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2,4,5-Tetrachlorobenzene	ND		10.0	1	10/12/2023 18:15	WG2148873
1,2,4-Trichlorobenzene	ND		10.0	1	10/12/2023 18:15	WG2148873
1,3,5-Trinitrobenzene	ND		50.0	1	10/13/2023 21:42	WG2148873
1,3-Dinitrobenzene	ND		10.0	1	10/13/2023 21:42	WG2148873
1,4-Naphthoquinone	ND	J4	50.0	1	10/13/2023 21:42	WG2148873
1-Naphthylamine	ND		10.0	1	10/13/2023 21:42	WG2148873
2,2-Oxybis(1-Chloropropane)	ND		10.0	1	10/12/2023 18:15	WG2148873
2,3,4,6-Tetrachlorophenol	ND		50.0	1	10/12/2023 18:15	WG2148873
2,4,5-Trichlorophenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2,4,6-Trichlorophenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2,4-Dichlorophenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2,4-Dimethylphenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2,4-Dinitrophenol	ND		50.0	1	10/12/2023 18:15	WG2148873
2,4-Dinitrotoluene	ND		10.0	1	10/12/2023 18:15	WG2148873
2,6-Dichlorophenol	ND		10.0	1	10/13/2023 21:42	WG2148873
2,6-Dinitrotoluene	ND		10.0	1	10/12/2023 18:15	WG2148873
2-Acetylaminofluorene	ND		100	1	10/13/2023 21:42	WG2148873
2-Chloronaphthalene	ND		10.0	1	10/12/2023 18:15	WG2148873
2-Chlorophenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2-Methylnaphthalene	ND		10.0	1	10/12/2023 18:15	WG2148873
2-Methylphenol	ND		10.0	1	10/12/2023 18:15	WG2148873
2-Naphthylamine	ND		10.0	1	10/13/2023 21:42	WG2148873
2-Nitroaniline	ND		50.0	1	10/12/2023 18:15	WG2148873
2-Nitrophenol	ND		10.0	1	10/12/2023 18:15	WG2148873
3&4-Methyl Phenol	ND		10.0	1	10/12/2023 18:15	WG2148873
3,3-Dichlorobenzidine	ND		50.0	1	10/12/2023 18:15	WG2148873
3,3-Dimethylbenzidine	ND	J4	20.0	1	10/13/2023 21:42	WG2148873
3-Methylcholanthrene	ND		20.0	1	10/13/2023 21:42	WG2148873
3-Nitroaniline	ND		50.0	1	10/12/2023 18:15	WG2148873
4,6-Dinitro-2-methylphenol	ND		50.0	1	10/12/2023 18:15	WG2148873

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4-Aminobiphenyl	ND		10.0	1	10/13/2023 21:42	WG2148873
4-Bromophenyl-phenylether	ND		50.0	1	10/12/2023 18:15	WG2148873
4-Chloro-3-methylphenol	ND		10.0	1	10/12/2023 18:15	WG2148873
4-Chloroaniline	ND		10.0	1	10/12/2023 18:15	WG2148873
4-Chlorophenyl-phenylether	ND		10.0	1	10/12/2023 18:15	WG2148873
4-Nitroaniline	ND		50.0	1	10/12/2023 18:15	WG2148873
4-Nitrophenol	ND		50.0	1	10/12/2023 18:15	WG2148873
5-Nitro-o-toluidine	ND		20.0	1	10/13/2023 21:42	WG2148873
Acenaphthene	ND		10.0	1	10/12/2023 18:15	WG2148873
Acenaphthylene	ND		10.0	1	10/12/2023 18:15	WG2148873
Acetophenone	ND		10.0	1	10/12/2023 18:15	WG2148873
Anthracene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzo(A)Anthracene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzo(a)pyrene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzo(b)fluoranthene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzo(g,h,i)perylene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzo(k)fluoranthene	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzyl Alcohol	ND		10.0	1	10/12/2023 18:15	WG2148873
Benzylbutyl phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Bis(2-Ethylhexyl)phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Bis(2-chlorethoxy)methane	ND		10.0	1	10/12/2023 18:15	WG2148873
Bis(2-chloroethyl)ether	ND		10.0	1	10/12/2023 18:15	WG2148873
Chlorobenzilate	ND		10.0	1	10/13/2023 21:42	WG2148873
Chrysene	ND		10.0	1	10/12/2023 18:15	WG2148873
Di-n-butyl phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Di-n-octyl phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Diallate	ND		20.0	1	10/13/2023 21:42	WG2148873
Dibenz(a,h)anthracene	ND		20.0	1	10/12/2023 18:15	WG2148873
Dibenzofuran	ND		10.0	1	10/12/2023 18:15	WG2148873
Diethyl phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Dimethoate	ND		20.0	1	10/13/2023 21:42	WG2148873
Dimethyl phthalate	ND		10.0	1	10/12/2023 18:15	WG2148873
Dimethylbenz (A) Anthracene	ND		20.0	1	10/13/2023 21:42	WG2148873
Dinoseb	ND		17.9	1	10/13/2023 21:42	WG2148873
Diphenylamine	ND		10.0	1	10/12/2023 18:15	WG2148873
Disulfoton	ND		50.0	1	10/13/2023 21:42	WG2148873
Ethyl methanesulfonate	ND		10.0	1	10/13/2023 21:42	WG2148873
Ethyl parathion	ND		50.0	1	10/13/2023 21:42	WG2148873
Famphur	ND		200	1	10/13/2023 21:42	WG2148873
Fluoranthene	ND		1.00	1	10/12/2023 18:15	WG2148873
Fluorene	ND		10.0	1	10/12/2023 18:15	WG2148873
Hexachloro-1,3-butadiene	ND		10.0	1	10/12/2023 18:15	WG2148873
Hexachlorobenzene	ND		10.0	1	10/12/2023 18:15	WG2148873
Hexachlorocyclopentadiene	ND		50.0	1	10/12/2023 18:15	WG2148873
Hexachloroethane	ND		10.0	1	10/12/2023 18:15	WG2148873
Hexachloropropene	ND		100	1	10/13/2023 21:42	WG2148873
Indeno(1,2,3-cd)pyrene	ND		10.0	1	10/12/2023 18:15	WG2148873
Isodrin	ND		10.0	1	10/13/2023 21:42	WG2148873
Isophorone	ND		10.0	1	10/12/2023 18:15	WG2148873
Isosafrole	ND		20.0	1	10/13/2023 21:42	WG2148873
Kepone	ND		1.88	1	10/13/2023 21:42	WG2148873
Methapyrilene	ND		50.0	1	10/13/2023 21:42	WG2148873
Methyl methanesulfonate	ND		50.0	1	10/13/2023 21:42	WG2148873
Methyl parathion	ND		10.0	1	10/13/2023 21:42	WG2148873
Naphthalene	ND		10.0	1	10/12/2023 18:15	WG2148873
Nitrobenzene	ND		10.0	1	10/12/2023 18:15	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
O,O,O-Triethyl Phosphorothioate	ND		50.0	1	10/13/2023 21:42	WG2148873
P-(Dimethylamino) Azobenzene	ND		20.0	1	10/13/2023 21:42	WG2148873
Pentachlorobenzene	ND		10.0	1	10/13/2023 21:42	WG2148873
Pentachloronitrobenzene	ND		50.0	1	10/13/2023 21:42	WG2148873
Pentachlorophenol	ND		50.0	1	10/12/2023 18:15	WG2148873
Phenacetin	ND		10.0	1	10/13/2023 21:42	WG2148873
Phenanthrene	ND		20.0	1	10/12/2023 18:15	WG2148873
Phenol	ND		10.0	1	10/12/2023 18:15	WG2148873
Phorate	ND		50.0	1	10/13/2023 21:42	WG2148873
Pronamide	ND		20.0	1	10/13/2023 21:42	WG2148873
Pyrene	ND		10.0	1	10/12/2023 18:15	WG2148873
Safrole	ND		50.0	1	10/13/2023 21:42	WG2148873
Thionazin	ND		10.0	1	10/13/2023 21:42	WG2148873
n-Nitrosodi-n-butylamine	ND		10.0	1	10/13/2023 21:42	WG2148873
n-Nitrosodi-n-propylamine	ND		10.0	1	10/12/2023 18:15	WG2148873
n-Nitrosodiethylamine	ND		10.0	1	10/13/2023 21:42	WG2148873
n-Nitrosodimethylamine	ND		10.0	1	10/12/2023 18:15	WG2148873
n-Nitrosodiphenylamine	ND		10.0	1	10/12/2023 18:15	WG2148873
n-Nitrosomethylethylamine	ND		10.0	1	10/13/2023 21:42	WG2148873
n-Nitrosopiperidine	ND		10.0	1	10/13/2023 21:42	WG2148873
n-Nitrosopyrrolidine	ND		10.0	1	10/13/2023 21:42	WG2148873
o-Toluidine	ND		10.0	1	10/13/2023 21:42	WG2148873
p-Phenylenediamine	ND	<u>J4</u>	387	1	10/13/2023 21:42	WG2148873
(S) Phenol-d5	17.1				10.0-120 10/12/2023 18:15	WG2148873
(S) 2,4,6-Tribromophenol	29.7				10.0-155 10/12/2023 18:15	WG2148873
(S) p-Terphenyl-d14	50.1				10.0-128 10/12/2023 18:15	WG2148873
(S) Nitrobenzene-d5	52.5				10.0-127 10/12/2023 18:15	WG2148873
(S) 2-Fluorobiphenyl	53.7				10.0-130 10/12/2023 18:15	WG2148873
(S) 2-Fluorophenol	22.9				10.0-120 10/12/2023 18:15	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.69	su
Specific Conductance (on site)	744	umhos/cm
Temperature (on-site)	18.2	Deg. C
Turbidity (on-site)	2.6	NTU
Dissolved Oxygen (on-site)	1.9	mg/l
eH/ORP (On Site)	91	mV
Depth to water (DTW) (FROM TOC)	43.65	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	10/10/2023 15:44	WG2148271

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	17.3		3.00	1	10/14/2023 00:09	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	10/12/2023 17:57	WG2149942

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Manganese,Total Recoverable	0.0258		0.00300	1	10/15/2023 11:56	WG2150984

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.64	su
Specific Conductance (on site)	873	umhos/cm
Temperature (on-site)	17.3	Deg. C
Turbidity (on-site)	2.5	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	95.9	mV
Depth to water (DTW) (FROM TOC)	10.9	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Ammonia Nitrogen	ND		0.100	1	10/10/2023 15:46	WG2148271

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Chloride	20.2		3.00	1	10/14/2023 00:23	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
TOC	ND		1.00	1	10/12/2023 18:16	WG2149942

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Cadmium, Total Recoverable	0.00297		0.00100	1	10/21/2023 15:50	WG2149123
Nickel, Total Recoverable	0.0187		0.00400	1	10/21/2023 15:50	WG2149123
Zinc, Total Recoverable	0.0585		0.00500	1	10/21/2023 15:50	WG2149123

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.41	su
Specific Conductance (on site)	930	umhos/cm
Temperature (on-site)	17.2	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	0.4	mg/l
eH/ORP (On Site)	79.7	mV
Depth to water (DTW) (FROM TOC)	54.24	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	412		10.0	1	10/11/2023 20:45	WG2149590

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	10/10/2023 15:49	WG2148271

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Sulfide	ND		4.00	1	10/07/2023 16:31	WG2147116

Wet Chemistry by Method 9012B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Cyanide	ND	J6	0.0100	1	10/11/2023 15:24	WG2148826

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	34.8		3.00	1	10/14/2023 00:36	WG2149890
Sulfate	7.30		5.00	1	10/14/2023 00:36	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.45		1.00	1	10/12/2023 18:33	WG2149942

Mercury by Method 7470A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Mercury, Total Recoverable	ND		0.000200	1	10/14/2023 11:01	WG2147401

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Barium, Total Recoverable	0.146		0.00500	1	10/13/2023 01:25	WG2149104
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 01:25	WG2149104
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:25	WG2149104
Manganese, Total Recoverable	3.27		0.00300	1	10/13/2023 01:25	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:25	WG2149104

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:25	WG2149104
Tin, Total Recoverable	ND		0.100	1	10/13/2023 01:25	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 15:53	WG2149123
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 15:53	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 15:53	WG2149123
Cadmium, Total Recoverable	0.0117		0.00100	1	10/21/2023 15:53	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 15:53	WG2149123
Cobalt, Total Recoverable	ND		0.00300	1	10/21/2023 15:53	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 15:53	WG2149123
Nickel, Total Recoverable	0.0221		0.00400	1	10/21/2023 15:53	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 15:53	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 15:53	WG2149123
Zinc, Total Recoverable	0.0624		0.00500	1	10/21/2023 15:53	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,1,1-Trichloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,1,2-Trichloroethane	ND	J4	1.00	1	10/11/2023 03:39	WG2148782
1,1-Dichloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,1-Dichloroethene	ND		1.00	1	10/11/2023 03:39	WG2148782
1,1-Dichloropropene	ND		1.00	1	10/11/2023 03:39	WG2148782
1,2,3-Trichloropropane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/11/2023 03:39	WG2148782
1,2-Dibromoethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,2-Dichlorobenzene	ND		1.00	1	10/11/2023 03:39	WG2148782
1,2-Dichloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,2-Dichloropropane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,3-Dichlorobenzene	ND		1.00	1	10/11/2023 03:39	WG2148782
1,3-Dichloropropane	ND		1.00	1	10/11/2023 03:39	WG2148782
1,4-Dichlorobenzene	ND		1.00	1	10/11/2023 03:39	WG2148782
2,2-Dichloropropane	ND		5.00	1	10/11/2023 03:39	WG2148782
2-Butanone (MEK)	ND		5.00	1	10/11/2023 03:39	WG2148782
2-Hexanone	ND		5.00	1	10/11/2023 03:39	WG2148782
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/11/2023 03:39	WG2148782
Acetone	ND		11.3	1	10/11/2023 03:39	WG2148782
Acetonitrile	ND		30.0	1	10/11/2023 03:39	WG2148782
Acrolein	ND		20.0	1	10/11/2023 03:39	WG2148782
Acrylonitrile	ND		20.0	1	10/11/2023 03:39	WG2148782
Allyl chloride	ND		10.0	1	10/11/2023 03:39	WG2148782
Benzene	ND		1.00	1	10/11/2023 03:39	WG2148782
Bromochloromethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Bromodichloromethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Bromoform	ND		1.00	1	10/11/2023 03:39	WG2148782
Bromomethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Carbon disulfide	ND		1.00	1	10/11/2023 03:39	WG2148782
Carbon tetrachloride	ND		1.00	1	10/11/2023 03:39	WG2148782
Chlorobenzene	ND		1.00	1	10/11/2023 03:39	WG2148782
Chloroethane	ND		1.00	1	10/11/2023 03:39	WG2148782

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Chloroform	ND		1.00	1	10/11/2023 03:39	WG2148782
Chloromethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Chloroprene	ND		1.70	1	10/11/2023 03:39	WG2148782
Dibromochloromethane	ND	<u>J4</u>	1.00	1	10/11/2023 03:39	WG2148782
Dibromomethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Dichlorodifluoromethane	ND		2.00	1	10/11/2023 03:39	WG2148782
Ethyl methacrylate	ND		3.00	1	10/11/2023 03:39	WG2148782
Ethylbenzene	ND		1.00	1	10/11/2023 03:39	WG2148782
Iodomethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Isobutanol	ND		110	1	10/11/2023 03:39	WG2148782
Methacrylonitrile	ND		13.0	1	10/11/2023 03:39	WG2148782
Methyl methacrylate	ND		4.00	1	10/11/2023 03:39	WG2148782
Methylene Chloride	ND		1.07	1	10/11/2023 03:39	WG2148782
Propionitrile	ND		20.0	1	10/11/2023 03:39	WG2148782
Styrene	ND		1.00	1	10/11/2023 03:39	WG2148782
Tetrachloroethene	ND		1.00	1	10/11/2023 03:39	WG2148782
Toluene	ND		1.00	1	10/11/2023 03:39	WG2148782
Trichloroethene	ND		1.00	1	10/11/2023 03:39	WG2148782
Trichlorofluoromethane	ND		1.00	1	10/11/2023 03:39	WG2148782
Vinyl acetate	ND		5.00	1	10/11/2023 03:39	WG2148782
Vinyl chloride	ND		1.00	1	10/11/2023 03:39	WG2148782
Xylenes, Total	ND		1.00	1	10/11/2023 03:39	WG2148782
cis-1,2-Dichloroethene	ND		1.00	1	10/11/2023 03:39	WG2148782
cis-1,3-Dichloropropene	ND		1.00	1	10/11/2023 03:39	WG2148782
trans-1,2-Dichloroethene	ND		1.00	1	10/11/2023 03:39	WG2148782
trans-1,3-Dichloropropene	ND		1.00	1	10/11/2023 03:39	WG2148782
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/11/2023 03:39	WG2148782
(S) Toluene-d8	109			80.0-120	10/11/2023 03:39	WG2148782
(S) 1,2-Dichloroethane-d4	96.3			70.0-130	10/11/2023 03:39	WG2148782
(S) 4-Bromofluorobenzene	91.3			77.0-126	10/11/2023 03:39	WG2148782

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Chlorinated Acid Herbicides (GC) by Method 8151

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
2,4,5-T	ND	<u>J3</u>	1.00	1	10/10/2023 19:44	WG2145481
2,4,5-Tp (Silvex)	ND	<u>J3</u>	1.00	1	10/10/2023 19:44	WG2145481
2,4-D	ND	<u>J3</u>	4.00	1	10/10/2023 19:44	WG2145481
(S) 2,4-Dichlorophenyl Acetic Acid	96.0			14.0-158	10/10/2023 19:44	WG2145481

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4,4-DDD	ND		0.0500	1	10/08/2023 23:28	WG2147257
4,4-DDE	ND		0.0500	1	10/08/2023 23:28	WG2147257
4,4-DDT	ND		0.0500	1	10/08/2023 23:28	WG2147257
Aldrin	ND		0.0500	1	10/08/2023 23:28	WG2147257
Alpha BHC	ND		0.0500	1	10/08/2023 23:28	WG2147257
Beta BHC	ND		0.500	1	10/08/2023 23:28	WG2147257
Chlordane	ND		0.500	1	10/08/2023 23:28	WG2147257
Delta BHC	ND		0.0500	1	10/08/2023 23:28	WG2147257
Dieldrin	ND		0.0500	1	10/08/2023 23:28	WG2147257
Endosulfan I	ND		0.0500	1	10/08/2023 23:28	WG2147257
Endosulfan II	ND		0.0500	1	10/08/2023 23:28	WG2147257
Endosulfan sulfate	ND		0.0500	1	10/08/2023 23:28	WG2147257
Endrin	ND		0.0500	1	10/08/2023 23:28	WG2147257

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Endrin aldehyde	ND		0.0500	1	10/08/2023 23:28	WG2147257
Gamma BHC	ND		0.0500	1	10/08/2023 23:28	WG2147257
Heptachlor	ND		0.0500	1	10/08/2023 23:28	WG2147257
Heptachlor epoxide	ND		0.0500	1	10/08/2023 23:28	WG2147257
Methoxychlor	ND		0.100	1	10/08/2023 23:28	WG2147257
Toxaphene	ND		5.00	1	10/08/2023 23:28	WG2147257
(S) Decachlorobiphenyl	57.0			10.0-128	10/08/2023 23:28	WG2147257
(S) Tetrachloro-m-xylene	64.1			10.0-127	10/08/2023 23:28	WG2147257

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Polychlorinated Biphenyls (GC) by Method 8082

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
PCB 1016	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1221	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1232	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1242	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1248	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1254	ND		1.00	1	10/08/2023 23:28	WG2147257
PCB 1260	ND		1.00	1	10/08/2023 23:28	WG2147257
(S) Decachlorobiphenyl	67.5			10.0-128	10/08/2023 23:28	WG2147257
(S) Tetrachloro-m-xylene	70.6			10.0-127	10/08/2023 23:28	WG2147257

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2,4,5-Tetrachlorobenzene	ND		10.0	1	10/12/2023 18:36	WG2148873
1,2,4-Trichlorobenzene	ND		10.0	1	10/12/2023 18:36	WG2148873
1,3,5-Trinitrobenzene	ND		50.0	1	10/13/2023 21:24	WG2148873
1,3-Dinitrobenzene	ND		10.0	1	10/13/2023 21:24	WG2148873
1,4-Naphthoquinone	ND	J4	50.0	1	10/13/2023 21:24	WG2148873
1-Naphthylamine	ND		10.0	1	10/13/2023 21:24	WG2148873
2,2-Oxybis(1-Chloropropane)	ND		10.0	1	10/12/2023 18:36	WG2148873
2,3,4,6-Tetrachlorophenol	ND		50.0	1	10/12/2023 18:36	WG2148873
2,4,5-Trichlorophenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2,4,6-Trichlorophenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2,4-Dichlorophenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2,4-Dimethylphenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2,4-Dinitrophenol	ND		50.0	1	10/12/2023 18:36	WG2148873
2,4-Dinitrotoluene	ND		10.0	1	10/12/2023 18:36	WG2148873
2,6-Dichlorophenol	ND		10.0	1	10/13/2023 21:24	WG2148873
2,6-Dinitrotoluene	ND		10.0	1	10/12/2023 18:36	WG2148873
2-Acetylaminofluorene	ND		100	1	10/13/2023 21:24	WG2148873
2-Chloronaphthalene	ND		10.0	1	10/12/2023 18:36	WG2148873
2-Chlorophenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2-Methylnaphthalene	ND		10.0	1	10/12/2023 18:36	WG2148873
2-Methylphenol	ND		10.0	1	10/12/2023 18:36	WG2148873
2-Naphthylamine	ND		10.0	1	10/13/2023 21:24	WG2148873
2-Nitroaniline	ND		50.0	1	10/12/2023 18:36	WG2148873
2-Nitrophenol	ND		10.0	1	10/12/2023 18:36	WG2148873
3&4-Methyl Phenol	ND		10.0	1	10/12/2023 18:36	WG2148873
3,3-Dichlorobenzidine	ND		50.0	1	10/12/2023 18:36	WG2148873
3,3-Dimethylbenzidine	ND	J4	20.0	1	10/13/2023 21:24	WG2148873
3-Methylcholanthrene	ND		20.0	1	10/13/2023 21:24	WG2148873
3-Nitroaniline	ND		50.0	1	10/12/2023 18:36	WG2148873
4,6-Dinitro-2-methylphenol	ND		50.0	1	10/12/2023 18:36	WG2148873

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4-Aminobiphenyl	ND		10.0	1	10/13/2023 21:24	WG2148873
4-Bromophenyl-phenylether	ND		50.0	1	10/12/2023 18:36	WG2148873
4-Chloro-3-methylphenol	ND		10.0	1	10/12/2023 18:36	WG2148873
4-Chloroaniline	ND		10.0	1	10/12/2023 18:36	WG2148873
4-Chlorophenyl-phenylether	ND		10.0	1	10/12/2023 18:36	WG2148873
4-Nitroaniline	ND		50.0	1	10/12/2023 18:36	WG2148873
4-Nitrophenol	ND		50.0	1	10/12/2023 18:36	WG2148873
5-Nitro-o-toluidine	ND		20.0	1	10/13/2023 21:24	WG2148873
Acenaphthene	ND		10.0	1	10/12/2023 18:36	WG2148873
Acenaphthylene	ND		10.0	1	10/12/2023 18:36	WG2148873
Acetophenone	ND		10.0	1	10/12/2023 18:36	WG2148873
Anthracene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzo(A)Anthracene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzo(a)pyrene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzo(b)fluoranthene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzo(g,h,i)perylene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzo(k)fluoranthene	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzyl Alcohol	ND		10.0	1	10/12/2023 18:36	WG2148873
Benzylbutyl phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Bis(2-Ethylhexyl)phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Bis(2-chlorethoxy)methane	ND		10.0	1	10/12/2023 18:36	WG2148873
Bis(2-chloroethyl)ether	ND		10.0	1	10/12/2023 18:36	WG2148873
Chlorobenzilate	ND		10.0	1	10/13/2023 21:24	WG2148873
Chrysene	ND		10.0	1	10/12/2023 18:36	WG2148873
Di-n-butyl phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Di-n-octyl phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Diallate	ND		20.0	1	10/13/2023 21:24	WG2148873
Dibenz(a,h)anthracene	ND		20.0	1	10/12/2023 18:36	WG2148873
Dibenzofuran	ND		10.0	1	10/12/2023 18:36	WG2148873
Diethyl phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Dimethoate	ND		20.0	1	10/13/2023 21:24	WG2148873
Dimethyl phthalate	ND		10.0	1	10/12/2023 18:36	WG2148873
Dimethylbenz (A) Anthracene	ND		20.0	1	10/13/2023 21:24	WG2148873
Dinoseb	ND		17.9	1	10/13/2023 21:24	WG2148873
Diphenylamine	ND		10.0	1	10/12/2023 18:36	WG2148873
Disulfoton	ND		50.0	1	10/13/2023 21:24	WG2148873
Ethyl methanesulfonate	ND		10.0	1	10/13/2023 21:24	WG2148873
Ethyl parathion	ND		50.0	1	10/13/2023 21:24	WG2148873
Famphur	ND		200	1	10/13/2023 21:24	WG2148873
Fluoranthene	ND		1.00	1	10/12/2023 18:36	WG2148873
Fluorene	ND		10.0	1	10/12/2023 18:36	WG2148873
Hexachloro-1,3-butadiene	ND		10.0	1	10/12/2023 18:36	WG2148873
Hexachlorobenzene	ND		10.0	1	10/12/2023 18:36	WG2148873
Hexachlorocyclopentadiene	ND		50.0	1	10/12/2023 18:36	WG2148873
Hexachloroethane	ND		10.0	1	10/12/2023 18:36	WG2148873
Hexachloropropene	ND		100	1	10/13/2023 21:24	WG2148873
Indeno(1,2,3-cd)pyrene	ND		10.0	1	10/12/2023 18:36	WG2148873
Isodrin	ND		10.0	1	10/13/2023 21:24	WG2148873
Isophorone	ND		10.0	1	10/12/2023 18:36	WG2148873
Isosafrole	ND		20.0	1	10/13/2023 21:24	WG2148873
Kepone	ND		1.88	1	10/13/2023 21:24	WG2148873
Methapyrilene	ND		50.0	1	10/13/2023 21:24	WG2148873
Methyl methanesulfonate	ND		50.0	1	10/13/2023 21:24	WG2148873
Methyl parathion	ND		10.0	1	10/13/2023 21:24	WG2148873
Naphthalene	ND		10.0	1	10/12/2023 18:36	WG2148873
Nitrobenzene	ND		10.0	1	10/12/2023 18:36	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
O,O,O-Triethyl Phosphorothioate	ND		50.0	1	10/13/2023 21:24	WG2148873
P-(Dimethylamino) Azobenzene	ND		20.0	1	10/13/2023 21:24	WG2148873
Pentachlorobenzene	ND		10.0	1	10/13/2023 21:24	WG2148873
Pentachloronitrobenzene	ND		50.0	1	10/13/2023 21:24	WG2148873
Pentachlorophenol	ND		50.0	1	10/12/2023 18:36	WG2148873
Phenacetin	ND		10.0	1	10/13/2023 21:24	WG2148873
Phenanthrene	ND		20.0	1	10/12/2023 18:36	WG2148873
Phenol	ND		10.0	1	10/12/2023 18:36	WG2148873
Phorate	ND		50.0	1	10/13/2023 21:24	WG2148873
Pronamide	ND		20.0	1	10/13/2023 21:24	WG2148873
Pyrene	ND		10.0	1	10/12/2023 18:36	WG2148873
Safrole	ND		50.0	1	10/13/2023 21:24	WG2148873
Thionazin	ND		10.0	1	10/13/2023 21:24	WG2148873
n-Nitrosodi-n-butylamine	ND		10.0	1	10/13/2023 21:24	WG2148873
n-Nitrosodi-n-propylamine	ND		10.0	1	10/12/2023 18:36	WG2148873
n-Nitrosodiethylamine	ND		10.0	1	10/13/2023 21:24	WG2148873
n-Nitrosodimethylamine	ND		10.0	1	10/12/2023 18:36	WG2148873
n-Nitrosodiphenylamine	ND		10.0	1	10/12/2023 18:36	WG2148873
n-Nitrosomethylethylamine	ND		10.0	1	10/13/2023 21:24	WG2148873
n-Nitrosopiperidine	ND		10.0	1	10/13/2023 21:24	WG2148873
n-Nitrosopyrrolidine	ND		10.0	1	10/13/2023 21:24	WG2148873
o-Toluidine	ND		10.0	1	10/13/2023 21:24	WG2148873
p-Phenylenediamine	ND	<u>J4</u>	387	1	10/13/2023 21:24	WG2148873
(S) Phenol-d5	22.1				10.0-120 10/12/2023 18:36	WG2148873
(S) 2,4,6-Tribromophenol	48.4				10.0-155 10/12/2023 18:36	WG2148873
(S) p-Terphenyl-d14	72.4				10.0-128 10/12/2023 18:36	WG2148873
(S) Nitrobenzene-d5	65.6				10.0-127 10/12/2023 18:36	WG2148873
(S) 2-Fluorobiphenyl	60.3				10.0-130 10/12/2023 18:36	WG2148873
(S) 2-Fluorophenol	30.1				10.0-120 10/12/2023 18:36	WG2148873

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.47	su
Specific Conductance (on site)	1048	umhos/cm
Temperature (on-site)	17.5	Deg. C
Turbidity (on-site)	3.4	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	-37	mV
Depth to water (DTW) (FROM TOC)	59.58	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	510		10.0	1	10/11/2023 20:45	WG2149590

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	0.100		0.100	1	10/10/2023 15:52	WG2148271

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Sulfide	ND		4.00	1	10/07/2023 16:31	WG2147116

Wet Chemistry by Method 9012B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Cyanide	ND		0.0100	1	10/11/2023 15:29	WG2148826

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	24.2		3.00	1	10/14/2023 00:50	WG2149890
Sulfate	ND		5.00	1	10/14/2023 00:50	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.09		1.00	1	10/12/2023 18:55	WG2149942

Mercury by Method 7470A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Mercury, Total Recoverable	ND		0.000200	1	10/14/2023 11:04	WG2147401

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Barium, Total Recoverable	0.0673		0.00500	1	10/15/2023 11:59	WG2150984
Iron, Total Recoverable	3.82		0.0600	1	10/13/2023 01:28	WG2149104
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:28	WG2149104
Manganese, Total Recoverable	3.02		0.00300	1	10/13/2023 01:28	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:28	WG2149104

Metals (ICP) by Method 6010B


Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:28	WG2149104
Tin, Total Recoverable	ND		0.100	1	10/13/2023 01:28	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 15:56	WG2149123
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 15:56	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 15:56	WG2149123
Cadmium, Total Recoverable	ND		0.00100	1	10/21/2023 15:56	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 15:56	WG2149123
Cobalt, Total Recoverable	0.0351		0.00300	1	10/21/2023 15:56	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 15:56	WG2149123
Nickel, Total Recoverable	0.0865		0.00400	1	10/21/2023 15:56	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 15:56	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 15:56	WG2149123
Zinc, Total Recoverable	0.0996		0.00500	1	10/21/2023 15:56	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,1,1-Trichloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,1,2-Trichloroethane	ND	J4	1.00	1	10/11/2023 04:00	WG2148782
1,1-Dichloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,1-Dichloroethene	ND		1.00	1	10/11/2023 04:00	WG2148782
1,1-Dichloropropene	ND		1.00	1	10/11/2023 04:00	WG2148782
1,2,3-Trichloropropane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/11/2023 04:00	WG2148782
1,2-Dibromoethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,2-Dichlorobenzene	ND		1.00	1	10/11/2023 04:00	WG2148782
1,2-Dichloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,2-Dichloropropane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,3-Dichlorobenzene	ND		1.00	1	10/11/2023 04:00	WG2148782
1,3-Dichloropropane	ND		1.00	1	10/11/2023 04:00	WG2148782
1,4-Dichlorobenzene	1.88		1.00	1	10/11/2023 04:00	WG2148782
2,2-Dichloropropane	ND		5.00	1	10/11/2023 04:00	WG2148782
2-Butanone (MEK)	ND		5.00	1	10/11/2023 04:00	WG2148782
2-Hexanone	ND		5.00	1	10/11/2023 04:00	WG2148782
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/11/2023 04:00	WG2148782
Acetone	ND		11.3	1	10/11/2023 04:00	WG2148782
Acetonitrile	ND		30.0	1	10/11/2023 04:00	WG2148782
Acrolein	ND		20.0	1	10/11/2023 04:00	WG2148782
Acrylonitrile	ND		20.0	1	10/11/2023 04:00	WG2148782
Allyl chloride	ND		10.0	1	10/11/2023 04:00	WG2148782
Benzene	ND		1.00	1	10/11/2023 04:00	WG2148782
Bromochloromethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Bromodichloromethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Bromoform	ND		1.00	1	10/11/2023 04:00	WG2148782
Bromomethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Carbon disulfide	ND		1.00	1	10/11/2023 04:00	WG2148782
Carbon tetrachloride	ND		1.00	1	10/11/2023 04:00	WG2148782
Chlorobenzene	ND		1.00	1	10/11/2023 04:00	WG2148782
Chloroethane	ND		1.00	1	10/11/2023 04:00	WG2148782



Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Chloroform	ND		1.00	1	10/11/2023 04:00	WG2148782
Chloromethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Chloroprene	ND		1.70	1	10/11/2023 04:00	WG2148782
Dibromochloromethane	ND	J4	1.00	1	10/11/2023 04:00	WG2148782
Dibromomethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Dichlorodifluoromethane	ND		2.00	1	10/11/2023 04:00	WG2148782
Ethyl methacrylate	ND		3.00	1	10/11/2023 04:00	WG2148782
Ethylbenzene	ND		1.00	1	10/11/2023 04:00	WG2148782
Iodomethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Isobutanol	ND		110	1	10/11/2023 04:00	WG2148782
Methacrylonitrile	ND		13.0	1	10/11/2023 04:00	WG2148782
Methyl methacrylate	ND		4.00	1	10/11/2023 04:00	WG2148782
Methylene Chloride	ND		1.07	1	10/11/2023 04:00	WG2148782
Propionitrile	ND		20.0	1	10/11/2023 04:00	WG2148782
Styrene	ND		1.00	1	10/11/2023 04:00	WG2148782
Tetrachloroethene	ND		1.00	1	10/11/2023 04:00	WG2148782
Toluene	ND		1.00	1	10/11/2023 04:00	WG2148782
Trichloroethene	ND		1.00	1	10/11/2023 04:00	WG2148782
Trichlorofluoromethane	ND		1.00	1	10/11/2023 04:00	WG2148782
Vinyl acetate	ND		5.00	1	10/11/2023 04:00	WG2148782
Vinyl chloride	ND		1.00	1	10/11/2023 04:00	WG2148782
Xylenes, Total	ND		1.00	1	10/11/2023 04:00	WG2148782
cis-1,2-Dichloroethene	ND		1.00	1	10/11/2023 04:00	WG2148782
cis-1,3-Dichloropropene	ND		1.00	1	10/11/2023 04:00	WG2148782
trans-1,2-Dichloroethene	ND		1.00	1	10/11/2023 04:00	WG2148782
trans-1,3-Dichloropropene	ND		1.00	1	10/11/2023 04:00	WG2148782
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/11/2023 04:00	WG2148782
(S) Toluene-d8	107			80.0-120	10/11/2023 04:00	WG2148782
(S) 1,2-Dichloroethane-d4	95.6			70.0-130	10/11/2023 04:00	WG2148782
(S) 4-Bromofluorobenzene	93.4			77.0-126	10/11/2023 04:00	WG2148782

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Chlorinated Acid Herbicides (GC) by Method 8151

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
2,4,5-T	ND		1.00	1	10/12/2023 01:59	WG2147800
2,4,5-Tp (Silvex)	ND		1.00	1	10/12/2023 01:59	WG2147800
2,4-D	ND		4.00	1	10/12/2023 01:59	WG2147800
(S) 2,4-Dichlorophenyl Acetic Acid	86.1			14.0-158	10/12/2023 01:59	WG2147800

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4,4-DDD	ND		0.0500	1	10/13/2023 01:51	WG2148878
4,4-DDE	ND		0.0500	1	10/13/2023 01:51	WG2148878
4,4-DDT	ND		0.0500	1	10/13/2023 01:51	WG2148878
Aldrin	ND		0.0500	1	10/13/2023 01:51	WG2148878
Alpha BHC	ND		0.0500	1	10/13/2023 01:51	WG2148878
Beta BHC	ND		0.500	1	10/13/2023 01:51	WG2148878
Chlordane	ND		0.500	1	10/13/2023 01:51	WG2148878
Delta BHC	ND		0.0500	1	10/13/2023 01:51	WG2148878
Dieldrin	ND		0.0500	1	10/13/2023 01:51	WG2148878
Endosulfan I	ND		0.0500	1	10/13/2023 01:51	WG2148878
Endosulfan II	ND		0.0500	1	10/13/2023 01:51	WG2148878
Endosulfan sulfate	ND		0.0500	1	10/13/2023 01:51	WG2148878
Endrin	ND		0.0500	1	10/13/2023 01:51	WG2148878

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Endrin aldehyde	ND		0.0500	1	10/13/2023 01:51	WG2148878
Gamma BHC	ND		0.0500	1	10/13/2023 01:51	WG2148878
Heptachlor	ND		0.0500	1	10/13/2023 01:51	WG2148878
Heptachlor epoxide	ND		0.0500	1	10/13/2023 01:51	WG2148878
Methoxychlor	ND		0.100	1	10/13/2023 01:51	WG2148878
Toxaphene	ND		5.00	1	10/13/2023 01:51	WG2148878
(S) Decachlorobiphenyl	23.8			10.0-128	10/13/2023 01:51	WG2148878
(S) Tetrachloro-m-xylene	59.1			10.0-127	10/13/2023 01:51	WG2148878



Polychlorinated Biphenyls (GC) by Method 8082

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
PCB 1016	ND	J3	1.00	1	10/13/2023 01:51	WG2148878
PCB 1221	ND		1.00	1	10/13/2023 01:51	WG2148878
PCB 1232	ND		1.00	1	10/13/2023 01:51	WG2148878
PCB 1242	ND		1.00	1	10/13/2023 01:51	WG2148878
PCB 1248	ND		1.00	1	10/13/2023 01:51	WG2148878
PCB 1254	ND		1.00	1	10/13/2023 01:51	WG2148878
PCB 1260	ND	J3	1.00	1	10/13/2023 01:51	WG2148878
(S) Decachlorobiphenyl	29.6			10.0-128	10/13/2023 01:51	WG2148878
(S) Tetrachloro-m-xylene	62.3			10.0-127	10/13/2023 01:51	WG2148878

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2,4,5-Tetrachlorobenzene	ND		10.0	1	10/12/2023 18:58	WG2148873
1,2,4-Trichlorobenzene	ND		10.0	1	10/12/2023 18:58	WG2148873
1,3,5-Trinitrobenzene	ND		50.0	1	10/13/2023 21:59	WG2148873
1,3-Dinitrobenzene	ND		10.0	1	10/13/2023 21:59	WG2148873
1,4-Naphthoquinone	ND	J4	50.0	1	10/13/2023 21:59	WG2148873
1-Naphthylamine	ND		10.0	1	10/13/2023 21:59	WG2148873
2,2-Oxybis(1-Chloropropane)	ND		10.0	1	10/12/2023 18:58	WG2148873
2,3,4,6-Tetrachlorophenol	ND		50.0	1	10/12/2023 18:58	WG2148873
2,4,5-Trichlorophenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2,4,6-Trichlorophenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2,4-Dichlorophenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2,4-Dimethylphenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2,4-Dinitrophenol	ND		50.0	1	10/12/2023 18:58	WG2148873
2,4-Dinitrotoluene	ND		10.0	1	10/12/2023 18:58	WG2148873
2,6-Dichlorophenol	ND		10.0	1	10/13/2023 21:59	WG2148873
2,6-Dinitrotoluene	ND		10.0	1	10/12/2023 18:58	WG2148873
2-Acetylaminofluorene	ND		100	1	10/13/2023 21:59	WG2148873
2-Chloronaphthalene	ND		10.0	1	10/12/2023 18:58	WG2148873
2-Chlorophenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2-Methylnaphthalene	ND		10.0	1	10/12/2023 18:58	WG2148873
2-Methylphenol	ND		10.0	1	10/12/2023 18:58	WG2148873
2-Naphthylamine	ND		10.0	1	10/13/2023 21:59	WG2148873
2-Nitroaniline	ND		50.0	1	10/12/2023 18:58	WG2148873
2-Nitrophenol	ND		10.0	1	10/12/2023 18:58	WG2148873
3&4-Methyl Phenol	ND		10.0	1	10/12/2023 18:58	WG2148873
3,3-Dichlorobenzidine	ND		50.0	1	10/12/2023 18:58	WG2148873
3,3-Dimethylbenzidine	ND	J4	20.0	1	10/13/2023 21:59	WG2148873
3-Methylcholanthrene	ND		20.0	1	10/13/2023 21:59	WG2148873
3-Nitroaniline	ND		50.0	1	10/12/2023 18:58	WG2148873
4,6-Dinitro-2-methylphenol	ND		50.0	1	10/12/2023 18:58	WG2148873

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4-Aminobiphenyl	ND		10.0	1	10/13/2023 21:59	WG2148873
4-Bromophenyl-phenylether	ND		50.0	1	10/12/2023 18:58	WG2148873
4-Chloro-3-methylphenol	ND		10.0	1	10/12/2023 18:58	WG2148873
4-Chloroaniline	ND		10.0	1	10/12/2023 18:58	WG2148873
4-Chlorophenyl-phenylether	ND		10.0	1	10/12/2023 18:58	WG2148873
4-Nitroaniline	ND		50.0	1	10/12/2023 18:58	WG2148873
4-Nitrophenol	ND		50.0	1	10/12/2023 18:58	WG2148873
5-Nitro-o-toluidine	ND		20.0	1	10/13/2023 21:59	WG2148873
Acenaphthene	ND		10.0	1	10/12/2023 18:58	WG2148873
Acenaphthylene	ND		10.0	1	10/12/2023 18:58	WG2148873
Acetophenone	ND		10.0	1	10/12/2023 18:58	WG2148873
Anthracene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzo(A)Anthracene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzo(a)pyrene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzo(b)fluoranthene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzo(g,h,i)perylene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzo(k)fluoranthene	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzyl Alcohol	ND		10.0	1	10/12/2023 18:58	WG2148873
Benzylbutyl phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Bis(2-Ethylhexyl)phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Bis(2-chlorethoxy)methane	ND		10.0	1	10/12/2023 18:58	WG2148873
Bis(2-chloroethyl)ether	ND		10.0	1	10/12/2023 18:58	WG2148873
Chlorobenzilate	ND		10.0	1	10/13/2023 21:59	WG2148873
Chrysene	ND		10.0	1	10/12/2023 18:58	WG2148873
Di-n-butyl phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Di-n-octyl phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Diallate	ND		20.0	1	10/13/2023 21:59	WG2148873
Dibenz(a,h)anthracene	ND		20.0	1	10/12/2023 18:58	WG2148873
Dibenzofuran	ND		10.0	1	10/12/2023 18:58	WG2148873
Diethyl phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Dimethoate	ND		20.0	1	10/13/2023 21:59	WG2148873
Dimethyl phthalate	ND		10.0	1	10/12/2023 18:58	WG2148873
Dimethylbenz (A) Anthracene	ND		20.0	1	10/13/2023 21:59	WG2148873
Dinoseb	ND		17.9	1	10/13/2023 21:59	WG2148873
Diphenylamine	ND		10.0	1	10/12/2023 18:58	WG2148873
Disulfoton	ND		50.0	1	10/13/2023 21:59	WG2148873
Ethyl methanesulfonate	ND		10.0	1	10/13/2023 21:59	WG2148873
Ethyl parathion	ND		50.0	1	10/13/2023 21:59	WG2148873
Famphur	ND		200	1	10/13/2023 21:59	WG2148873
Fluoranthene	ND		1.00	1	10/12/2023 18:58	WG2148873
Fluorene	ND		10.0	1	10/12/2023 18:58	WG2148873
Hexachloro-1,3-butadiene	ND		10.0	1	10/12/2023 18:58	WG2148873
Hexachlorobenzene	ND		10.0	1	10/12/2023 18:58	WG2148873
Hexachlorocyclopentadiene	ND		50.0	1	10/12/2023 18:58	WG2148873
Hexachloroethane	ND		10.0	1	10/12/2023 18:58	WG2148873
Hexachloropropene	ND		100	1	10/13/2023 21:59	WG2148873
Indeno(1,2,3-cd)pyrene	ND		10.0	1	10/12/2023 18:58	WG2148873
Isodrin	ND		10.0	1	10/13/2023 21:59	WG2148873
Isophorone	ND		10.0	1	10/12/2023 18:58	WG2148873
Isosafrole	ND		20.0	1	10/13/2023 21:59	WG2148873
Kepone	ND		1.88	1	10/13/2023 21:59	WG2148873
Methapyrilene	ND		50.0	1	10/13/2023 21:59	WG2148873
Methyl methanesulfonate	ND		50.0	1	10/13/2023 21:59	WG2148873
Methyl parathion	ND		10.0	1	10/13/2023 21:59	WG2148873
Naphthalene	ND		10.0	1	10/12/2023 18:58	WG2148873
Nitrobenzene	ND		10.0	1	10/12/2023 18:58	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
O,O,O-Triethyl Phosphorothioate	ND		50.0	1	10/13/2023 21:59	WG2148873
P-(Dimethylamino) Azobenzene	ND		20.0	1	10/13/2023 21:59	WG2148873
Pentachlorobenzene	ND		10.0	1	10/13/2023 21:59	WG2148873
Pentachloronitrobenzene	ND		50.0	1	10/13/2023 21:59	WG2148873
Pentachlorophenol	ND		50.0	1	10/12/2023 18:58	WG2148873
Phenacetin	ND		10.0	1	10/13/2023 21:59	WG2148873
Phenanthrene	ND		20.0	1	10/12/2023 18:58	WG2148873
Phenol	ND		10.0	1	10/12/2023 18:58	WG2148873
Phorate	ND		50.0	1	10/13/2023 21:59	WG2148873
Pronamide	ND		20.0	1	10/13/2023 21:59	WG2148873
Pyrene	ND		10.0	1	10/12/2023 18:58	WG2148873
Safrole	ND		50.0	1	10/13/2023 21:59	WG2148873
Thionazin	ND		10.0	1	10/13/2023 21:59	WG2148873
n-Nitrosodi-n-butylamine	ND		10.0	1	10/13/2023 21:59	WG2148873
n-Nitrosodi-n-propylamine	ND		10.0	1	10/12/2023 18:58	WG2148873
n-Nitrosodiethylamine	ND		10.0	1	10/13/2023 21:59	WG2148873
n-Nitrosodimethylamine	ND		10.0	1	10/12/2023 18:58	WG2148873
n-Nitrosodiphenylamine	ND		10.0	1	10/12/2023 18:58	WG2148873
n-Nitrosomethylethylamine	ND		10.0	1	10/13/2023 21:59	WG2148873
n-Nitrosopiperidine	ND		10.0	1	10/13/2023 21:59	WG2148873
n-Nitrosopyrrolidine	ND		10.0	1	10/13/2023 21:59	WG2148873
o-Toluidine	ND		10.0	1	10/13/2023 21:59	WG2148873
p-Phenylenediamine	ND	<u>J4</u>	387	1	10/13/2023 21:59	WG2148873
(S) Phenol-d5	17.9				10.0-120 10/12/2023 18:58	WG2148873
(S) 2,4,6-Tribromophenol	44.5				10.0-155 10/12/2023 18:58	WG2148873
(S) p-Terphenyl-d14	64.4				10.0-128 10/12/2023 18:58	WG2148873
(S) Nitrobenzene-d5	55.4				10.0-127 10/12/2023 18:58	WG2148873
(S) 2-Fluorobiphenyl	56.9				10.0-130 10/12/2023 18:58	WG2148873
(S) 2-Fluorophenol	23.8				10.0-120 10/12/2023 18:58	WG2148873

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.86	su
Specific Conductance (on site)	750	umhos/cm
Temperature (on-site)	19.7	Deg. C
Turbidity (on-site)	2.9	NTU
Dissolved Oxygen (on-site)	3.8	mg/l
eH/ORP (On Site)	64.3	mV
Depth to water (DTW) (FROM TOC)	56.6	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Wet Chemistry by Method 350.1

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Ammonia Nitrogen	ND		0.100	1	10/10/2023 15:53	WG2148271

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	5.64		3.00	1	10/14/2023 01:04	WG2149890

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.91	su
Specific Conductance (on site)	746	umhos/cm
Temperature (on-site)	14.7	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	1	mg/l
eH/ORP (On Site)	52.7	mV
Depth to water (DTW) (FROM TOC)	47.64	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	337		10.0	1	10/15/2023 08:14	WG2150609

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	13.4		3.00	1	10/14/2023 01:18	WG2149890
Sulfate	ND		5.00	1	10/14/2023 01:18	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	10/12/2023 20:17	WG2149942

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:31	WG2149104
Barium, Total Recoverable	0.0548		0.00500	1	10/15/2023 12:02	WG2150984
Iron, Total Recoverable	ND		0.0600	1	10/15/2023 12:02	WG2150984
Manganese, Total Recoverable	0.0124		0.00300	1	10/15/2023 12:02	WG2150984
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:31	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:31	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 16:00	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 16:00	WG2149123
Cadmium, Total Recoverable	ND		0.00100	1	10/21/2023 16:00	WG2149123
Cobalt, Total Recoverable	ND		0.00300	1	10/21/2023 16:00	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 16:00	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 16:00	WG2149123
Nickel, Total Recoverable	ND		0.00400	1	10/21/2023 16:00	WG2149123
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 16:00	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 16:00	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 16:00	WG2149123
Zinc, Total Recoverable	ND		0.00500	1	10/21/2023 16:00	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 06:05	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,2-Dibromo-3-Chloropropane	ND	<u>J3</u>	2.00	1	10/10/2023 06:05	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 06:05	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 06:05	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 06:05	WG2148115
2-Butanone (MEK)	ND	<u>J3</u>	5.00	1	10/10/2023 06:05	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 06:05	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 06:05	WG2148115
Acetone	ND		10.0	1	10/10/2023 06:05	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 06:05	WG2148115
Benzene	ND		1.00	1	10/10/2023 06:05	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Bromoform	ND		1.00	1	10/10/2023 06:05	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 06:05	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 06:05	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 06:05	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Chloroform	ND		1.00	1	10/10/2023 06:05	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 06:05	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 06:05	WG2148115
Styrene	ND		1.00	1	10/10/2023 06:05	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 06:05	WG2148115
Toluene	ND		1.00	1	10/10/2023 06:05	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 06:05	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 06:05	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 06:05	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 06:05	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 06:05	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:05	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:05	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:05	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:05	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 06:05	WG2148115
(S) 1,2-Dichloroethane-d4	118			70.0-130	10/10/2023 06:05	WG2148115
(S) 4-Bromofluorobenzene	105			77.0-126	10/10/2023 06:05	WG2148115
(S) Toluene-d8	97.1			80.0-120	10/10/2023 06:05	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.62	su
Specific Conductance (on site)	788	umhos/cm
Temperature (on-site)	15.2	Deg. C
Turbidity (on-site)	3.2	NTU
Dissolved Oxygen (on-site)	0.5	mg/l
eH/ORP (On Site)	110.5	mV
Depth to water (DTW) (FROM TOC)	43.88	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	341		10.0	1	10/15/2023 08:14	WG2150609

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	7.18		3.00	1	10/14/2023 01:31	WG2149890
Sulfate	13.9		5.00	1	10/14/2023 01:31	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	ND		1.00	1	10/12/2023 20:34	WG2149942

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:34	WG2149104
Barium, Total Recoverable	0.0741		0.00500	1	10/13/2023 01:34	WG2149104
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 01:34	WG2149104
Manganese, Total Recoverable	0.141		0.00300	1	10/15/2023 12:04	WG2150984
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:34	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:34	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 16:03	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 16:03	WG2149123
Cadmium, Total Recoverable	0.0107		0.00100	1	10/21/2023 16:03	WG2149123
Cobalt, Total Recoverable	ND		0.00300	1	10/21/2023 16:03	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 16:03	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 16:03	WG2149123
Nickel, Total Recoverable	0.0122		0.00400	1	10/21/2023 16:03	WG2149123
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 16:03	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 16:03	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 16:03	WG2149123
Zinc, Total Recoverable	0.0593		0.00500	1	10/21/2023 16:03	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 06:24	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 06:24	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 06:24	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 06:24	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 06:24	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 06:24	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 06:24	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 06:24	WG2148115
Acetone	ND		10.0	1	10/10/2023 06:24	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 06:24	WG2148115
Benzene	ND		1.00	1	10/10/2023 06:24	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Bromoform	ND		1.00	1	10/10/2023 06:24	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 06:24	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 06:24	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 06:24	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Chloroform	ND		1.00	1	10/10/2023 06:24	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 06:24	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 06:24	WG2148115
Styrene	ND		1.00	1	10/10/2023 06:24	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 06:24	WG2148115
Toluene	ND		1.00	1	10/10/2023 06:24	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 06:24	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 06:24	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 06:24	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 06:24	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 06:24	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:24	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:24	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:24	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:24	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 06:24	WG2148115
(S) 1,2-Dichloroethane-d4	116			70.0-130	10/10/2023 06:24	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 06:24	WG2148115
(S) Toluene-d8	96.9			80.0-120	10/10/2023 06:24	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.41	su
Specific Conductance (on site)	642	umhos/cm
Temperature (on-site)	17.8	Deg. C
Turbidity (on-site)	3.7	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	91.8	mV
Depth to water (DTW) (FROM TOC)	29.98	ft

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	251		10.0	1	10/11/2023 14:20	WG2149295

Wet Chemistry by Method 4500S2 D-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Sulfide	ND		4.00	1	10/07/2023 16:31	WG2147116

Wet Chemistry by Method 9012B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Cyanide	ND		0.0100	1	10/11/2023 15:30	WG2148826

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	30.5		3.00	1	10/14/2023 01:45	WG2149890
Sulfate	18.9		5.00	1	10/14/2023 01:45	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	1.46		1.00	1	10/12/2023 21:13	WG2149942

Mercury by Method 7470A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Mercury, Total Recoverable	ND		0.000200	1	10/14/2023 11:06	WG2147401

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Barium, Total Recoverable	0.137		0.00500	1	10/13/2023 01:37	WG2149104
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 01:37	WG2149104
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:37	WG2149104
Manganese, Total Recoverable	2.40		0.00300	1	10/13/2023 01:37	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:37	WG2149104
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:37	WG2149104
Tin, Total Recoverable	ND		0.100	1	10/13/2023 01:37	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result mg/l	Qualifier	RL mg/l	Dilution	Analysis date / time	Batch
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 16:06	WG2149123
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 16:06	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 16:06	WG2149123
Cadmium, Total Recoverable	0.00658		0.00100	1	10/21/2023 16:06	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 16:06	WG2149123
Cobalt, Total Recoverable	ND		0.00300	1	10/21/2023 16:06	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 16:06	WG2149123
Nickel, Total Recoverable	0.0183		0.00400	1	10/21/2023 16:06	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 16:06	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 16:06	WG2149123
Zinc, Total Recoverable	0.0107	J	0.00500	1	10/21/2023 16:06	WG2149123

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result ug/l	Qualifier	RL ug/l	Dilution	Analysis date / time	Batch
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,1,1-Trichloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,1,2-Trichloroethane	ND	J4	1.00	1	10/11/2023 04:21	WG2148782
1,1-Dichloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,1-Dichloroethene	ND		1.00	1	10/11/2023 04:21	WG2148782
1,1-Dichloropropene	ND		1.00	1	10/11/2023 04:21	WG2148782
1,2,3-Trichloropropane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/11/2023 04:21	WG2148782
1,2-Dibromoethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,2-Dichlorobenzene	ND		1.00	1	10/11/2023 04:21	WG2148782
1,2-Dichloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,2-Dichloropropane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,3-Dichlorobenzene	ND		1.00	1	10/11/2023 04:21	WG2148782
1,3-Dichloropropane	ND		1.00	1	10/11/2023 04:21	WG2148782
1,4-Dichlorobenzene	ND		1.00	1	10/11/2023 04:21	WG2148782
2,2-Dichloropropane	ND		5.00	1	10/11/2023 04:21	WG2148782
2-Butanone (MEK)	ND		5.00	1	10/11/2023 04:21	WG2148782
2-Hexanone	ND		5.00	1	10/11/2023 04:21	WG2148782
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/11/2023 04:21	WG2148782
Acetone	ND		11.3	1	10/11/2023 04:21	WG2148782
Acetonitrile	ND		30.0	1	10/11/2023 04:21	WG2148782
Acrolein	ND		20.0	1	10/11/2023 04:21	WG2148782
Acrylonitrile	ND		20.0	1	10/11/2023 04:21	WG2148782
Allyl chloride	ND		10.0	1	10/11/2023 04:21	WG2148782
Benzene	ND		1.00	1	10/11/2023 04:21	WG2148782
Bromochloromethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Bromodichloromethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Bromoform	ND		1.00	1	10/11/2023 04:21	WG2148782
Bromomethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Carbon disulfide	ND		1.00	1	10/11/2023 04:21	WG2148782
Carbon tetrachloride	ND		1.00	1	10/11/2023 04:21	WG2148782
Chlorobenzene	ND		1.00	1	10/11/2023 04:21	WG2148782
Chloroethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Chloroform	ND		1.00	1	10/11/2023 04:21	WG2148782
Chloromethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Chloroprene	ND		1.70	1	10/11/2023 04:21	WG2148782
Dibromochloromethane	ND	J4	1.00	1	10/11/2023 04:21	WG2148782
Dibromomethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Dichlorodifluoromethane	ND		2.00	1	10/11/2023 04:21	WG2148782
Ethyl methacrylate	ND		3.00	1	10/11/2023 04:21	WG2148782

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Ethylbenzene	ND		1.00	1	10/11/2023 04:21	WG2148782
Iodomethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Isobutanol	ND		110	1	10/11/2023 04:21	WG2148782
Methacrylonitrile	ND		13.0	1	10/11/2023 04:21	WG2148782
Methyl methacrylate	ND		4.00	1	10/11/2023 04:21	WG2148782
Methylene Chloride	ND		1.07	1	10/11/2023 04:21	WG2148782
Propionitrile	ND		20.0	1	10/11/2023 04:21	WG2148782
Styrene	ND		1.00	1	10/11/2023 04:21	WG2148782
Tetrachloroethene	ND		1.00	1	10/11/2023 04:21	WG2148782
Toluene	ND		1.00	1	10/11/2023 04:21	WG2148782
Trichloroethene	ND		1.00	1	10/11/2023 04:21	WG2148782
Trichlorofluoromethane	ND		1.00	1	10/11/2023 04:21	WG2148782
Vinyl acetate	ND		5.00	1	10/11/2023 04:21	WG2148782
Vinyl chloride	ND		1.00	1	10/11/2023 04:21	WG2148782
Xylenes, Total	ND		1.00	1	10/11/2023 04:21	WG2148782
cis-1,2-Dichloroethene	ND		1.00	1	10/11/2023 04:21	WG2148782
cis-1,3-Dichloropropene	ND		1.00	1	10/11/2023 04:21	WG2148782
trans-1,2-Dichloroethene	ND		1.00	1	10/11/2023 04:21	WG2148782
trans-1,3-Dichloropropene	ND		1.00	1	10/11/2023 04:21	WG2148782
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/11/2023 04:21	WG2148782
(S) Toluene-d8	108			80.0-120	10/11/2023 04:21	WG2148782
(S) 1,2-Dichloroethane-d4	96.1			70.0-130	10/11/2023 04:21	WG2148782
(S) 4-Bromofluorobenzene	92.2			77.0-126	10/11/2023 04:21	WG2148782



Chlorinated Acid Herbicides (GC) by Method 8151

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
2,4,5-T	ND		1.00	1	10/12/2023 02:10	WG2147800
2,4,5-Tp (Silvex)	ND		1.00	1	10/12/2023 02:10	WG2147800
2,4-D	ND		4.00	1	10/12/2023 02:10	WG2147800
(S) 2,4-Dichlorophenyl Acetic Acid	88.2			14.0-158	10/12/2023 02:10	WG2147800

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
4,4-DDD	ND		0.0500	1	10/13/2023 02:00	WG2148878
4,4-DDE	ND		0.0500	1	10/13/2023 02:00	WG2148878
4,4-DDT	ND		0.0500	1	10/13/2023 02:00	WG2148878
Aldrin	ND		0.0500	1	10/13/2023 02:00	WG2148878
Alpha BHC	ND		0.0500	1	10/13/2023 02:00	WG2148878
Beta BHC	ND		0.500	1	10/13/2023 02:00	WG2148878
Chlordane	ND		0.500	1	10/13/2023 02:00	WG2148878
Delta BHC	ND		0.0500	1	10/13/2023 02:00	WG2148878
Dieldrin	ND		0.0500	1	10/13/2023 02:00	WG2148878
Endosulfan I	ND		0.0500	1	10/13/2023 02:00	WG2148878
Endosulfan II	ND		0.0500	1	10/13/2023 02:00	WG2148878
Endosulfan sulfate	ND		0.0500	1	10/13/2023 02:00	WG2148878
Endrin	ND		0.0500	1	10/13/2023 02:00	WG2148878
Endrin aldehyde	ND		0.0500	1	10/13/2023 02:00	WG2148878
Gamma BHC	ND		0.0500	1	10/13/2023 02:00	WG2148878
Heptachlor	ND		0.0500	1	10/13/2023 02:00	WG2148878
Heptachlor epoxide	ND		0.0500	1	10/13/2023 02:00	WG2148878
Methoxychlor	ND		0.100	1	10/13/2023 02:00	WG2148878
Toxaphene	ND		5.00	1	10/13/2023 02:00	WG2148878
(S) Decachlorobiphenyl	37.9			10.0-128	10/13/2023 02:00	WG2148878

Pesticides (GC) by Method 8081

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
(S) Tetrachloro-m-xylene	66.8			10.0-127	10/13/2023 02:00	WG2148878

Polychlorinated Biphenyls (GC) by Method 8082

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
PCB 1016	ND	J3	1.00	1	10/13/2023 02:00	WG2148878
PCB 1221	ND		1.00	1	10/13/2023 02:00	WG2148878
PCB 1232	ND		1.00	1	10/13/2023 02:00	WG2148878
PCB 1242	ND		1.00	1	10/13/2023 02:00	WG2148878
PCB 1248	ND		1.00	1	10/13/2023 02:00	WG2148878
PCB 1254	ND		1.00	1	10/13/2023 02:00	WG2148878
PCB 1260	ND	J3	1.00	1	10/13/2023 02:00	WG2148878
(S) Decachlorobiphenyl	45.7			10.0-128	10/13/2023 02:00	WG2148878
(S) Tetrachloro-m-xylene	69.7			10.0-127	10/13/2023 02:00	WG2148878

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,2,4,5-Tetrachlorobenzene	ND		10.0	1	10/12/2023 19:20	WG2148873
1,2,4-Trichlorobenzene	ND		10.0	1	10/12/2023 19:20	WG2148873
1,3,5-Trinitrobenzene	ND		50.0	1	10/13/2023 22:16	WG2148873
1,3-Dinitrobenzene	ND		10.0	1	10/13/2023 22:16	WG2148873
1,4-Naphthoquinone	ND	J4	50.0	1	10/13/2023 22:16	WG2148873
1-Naphthylamine	ND		10.0	1	10/13/2023 22:16	WG2148873
2,2-Oxybis(1-Chloropropane)	ND		10.0	1	10/12/2023 19:20	WG2148873
2,3,4,6-Tetrachlorophenol	ND		50.0	1	10/12/2023 19:20	WG2148873
2,4,5-Trichlorophenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2,4,6-Trichlorophenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2,4-Dichlorophenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2,4-Dimethylphenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2,4-Dinitrophenol	ND		50.0	1	10/12/2023 19:20	WG2148873
2,4-Dinitrotoluene	ND		10.0	1	10/12/2023 19:20	WG2148873
2,6-Dichlorophenol	ND		10.0	1	10/13/2023 22:16	WG2148873
2,6-Dinitrotoluene	ND		10.0	1	10/12/2023 19:20	WG2148873
2-Acetylaminofluorene	ND		100	1	10/13/2023 22:16	WG2148873
2-Chloronaphthalene	ND		10.0	1	10/12/2023 19:20	WG2148873
2-Chlorophenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2-Methylnaphthalene	ND		10.0	1	10/12/2023 19:20	WG2148873
2-Methylphenol	ND		10.0	1	10/12/2023 19:20	WG2148873
2-Naphthylamine	ND		10.0	1	10/13/2023 22:16	WG2148873
2-Nitroaniline	ND		50.0	1	10/12/2023 19:20	WG2148873
2-Nitrophenol	ND		10.0	1	10/12/2023 19:20	WG2148873
3&4-Methyl Phenol	ND		10.0	1	10/12/2023 19:20	WG2148873
3,3-Dichlorobenzidine	ND		50.0	1	10/12/2023 19:20	WG2148873
3,3-Dimethylbenzidine	ND	J4	20.0	1	10/13/2023 22:16	WG2148873
3-Methylcholanthrene	ND		20.0	1	10/13/2023 22:16	WG2148873
3-Nitroaniline	ND		50.0	1	10/12/2023 19:20	WG2148873
4,6-Dinitro-2-methylphenol	ND		50.0	1	10/12/2023 19:20	WG2148873
4-Aminobiphenyl	ND		10.0	1	10/13/2023 22:16	WG2148873
4-Bromophenyl-phenylether	ND		50.0	1	10/12/2023 19:20	WG2148873
4-Chloro-3-methylphenol	ND		10.0	1	10/12/2023 19:20	WG2148873
4-Chloroaniline	ND		10.0	1	10/12/2023 19:20	WG2148873
4-Chlorophenyl-phenylether	ND		10.0	1	10/12/2023 19:20	WG2148873
4-Nitroaniline	ND		50.0	1	10/12/2023 19:20	WG2148873
4-Nitrophenol	ND		50.0	1	10/12/2023 19:20	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
5-Nitro-o-toluidine	ND		20.0	1	10/13/2023 22:16	WG2148873
Acenaphthene	ND		10.0	1	10/12/2023 19:20	WG2148873
Acenaphthylene	ND		10.0	1	10/12/2023 19:20	WG2148873
Acetophenone	ND		10.0	1	10/12/2023 19:20	WG2148873
Anthracene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzo(A)Anthracene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzo(a)pyrene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzo(b)fluoranthene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzo(g,h,i)perylene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzo(k)fluoranthene	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzyl Alcohol	ND		10.0	1	10/12/2023 19:20	WG2148873
Benzylbutyl phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Bis(2-Ethylhexyl)phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Bis(2-chloroethoxy)methane	ND		10.0	1	10/12/2023 19:20	WG2148873
Bis(2-chloroethyl)ether	ND		10.0	1	10/12/2023 19:20	WG2148873
Chlorobenzilate	ND		10.0	1	10/13/2023 22:16	WG2148873
Chrysene	ND		10.0	1	10/12/2023 19:20	WG2148873
Di-n-butyl phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Di-n-octyl phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Diallate	ND		20.0	1	10/13/2023 22:16	WG2148873
Dibenz(a,h)anthracene	ND		20.0	1	10/12/2023 19:20	WG2148873
Dibenzofuran	ND		10.0	1	10/12/2023 19:20	WG2148873
Diethyl phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Dimethoate	ND		20.0	1	10/13/2023 22:16	WG2148873
Dimethyl phthalate	ND		10.0	1	10/12/2023 19:20	WG2148873
Dimethylbenz (A) Anthracene	ND		20.0	1	10/13/2023 22:16	WG2148873
Dinoseb	ND		17.9	1	10/13/2023 22:16	WG2148873
Diphenylamine	ND		10.0	1	10/12/2023 19:20	WG2148873
Disulfoton	ND		50.0	1	10/13/2023 22:16	WG2148873
Ethyl methanesulfonate	ND		10.0	1	10/13/2023 22:16	WG2148873
Ethyl parathion	ND		50.0	1	10/13/2023 22:16	WG2148873
Famphur	ND		200	1	10/13/2023 22:16	WG2148873
Fluoranthene	ND		1.00	1	10/12/2023 19:20	WG2148873
Fluorene	ND		10.0	1	10/12/2023 19:20	WG2148873
Hexachloro-1,3-butadiene	ND		10.0	1	10/12/2023 19:20	WG2148873
Hexachlorobenzene	ND		10.0	1	10/12/2023 19:20	WG2148873
Hexachlorocyclopentadiene	ND		50.0	1	10/12/2023 19:20	WG2148873
Hexachloroethane	ND		10.0	1	10/12/2023 19:20	WG2148873
Hexachloropropene	ND		100	1	10/13/2023 22:16	WG2148873
Indeno(1,2,3-cd)pyrene	ND		10.0	1	10/12/2023 19:20	WG2148873
Isodrin	ND		10.0	1	10/13/2023 22:16	WG2148873
Isophorone	ND		10.0	1	10/12/2023 19:20	WG2148873
Isosafrole	ND		20.0	1	10/13/2023 22:16	WG2148873
Kepone	ND		1.88	1	10/13/2023 22:16	WG2148873
Methapyrilene	ND		50.0	1	10/13/2023 22:16	WG2148873
Methyl methanesulfonate	ND		50.0	1	10/13/2023 22:16	WG2148873
Methyl parathion	ND		10.0	1	10/13/2023 22:16	WG2148873
Naphthalene	ND		10.0	1	10/12/2023 19:20	WG2148873
Nitrobenzene	ND		10.0	1	10/12/2023 19:20	WG2148873
O,O,O-Triethyl Phosphorothioate	ND		50.0	1	10/13/2023 22:16	WG2148873
P-(Dimethylamino) Azobenzene	ND		20.0	1	10/13/2023 22:16	WG2148873
Pentachlorobenzene	ND		10.0	1	10/13/2023 22:16	WG2148873
Pentachloronitrobenzene	ND		50.0	1	10/13/2023 22:16	WG2148873
Pentachlorophenol	ND		50.0	1	10/12/2023 19:20	WG2148873
Phenacetin	ND		10.0	1	10/13/2023 22:16	WG2148873
Phenanthrene	ND		20.0	1	10/12/2023 19:20	WG2148873

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Phenol	ND		10.0	1	10/12/2023 19:20	WG2148873
Phorate	ND		50.0	1	10/13/2023 22:16	WG2148873
Pronamide	ND		20.0	1	10/13/2023 22:16	WG2148873
Pyrene	ND		10.0	1	10/12/2023 19:20	WG2148873
Safrole	ND		50.0	1	10/13/2023 22:16	WG2148873
Thionazin	ND		10.0	1	10/13/2023 22:16	WG2148873
n-Nitrosodi-n-butylamine	ND		10.0	1	10/13/2023 22:16	WG2148873
n-Nitrosodi-n-propylamine	ND		10.0	1	10/12/2023 19:20	WG2148873
n-Nitrosodiethylamine	ND		10.0	1	10/13/2023 22:16	WG2148873
n-Nitrosodimethylamine	ND		10.0	1	10/12/2023 19:20	WG2148873
n-Nitrosodiphenylamine	ND		10.0	1	10/12/2023 19:20	WG2148873
n-Nitrosomethylethylamine	ND		10.0	1	10/13/2023 22:16	WG2148873
n-Nitrosopiperidine	ND		10.0	1	10/13/2023 22:16	WG2148873
n-Nitrosopyrrolidine	ND		10.0	1	10/13/2023 22:16	WG2148873
o-Toluidine	ND		10.0	1	10/13/2023 22:16	WG2148873
p-Phenylenediamine	ND	<u>J4</u>	387	1	10/13/2023 22:16	WG2148873
(S) Phenol-d5	19.5			10.0-120	10/12/2023 19:20	WG2148873
(S) 2,4,6-Tribromophenol	34.0			10.0-155	10/12/2023 19:20	WG2148873
(S) p-Terphenyl-d14	57.7			10.0-128	10/12/2023 19:20	WG2148873
(S) Nitrobenzene-d5	59.2			10.0-127	10/12/2023 19:20	WG2148873
(S) 2-Fluorobiphenyl	57.8			10.0-130	10/12/2023 19:20	WG2148873
(S) 2-Fluorophenol	26.1			10.0-120	10/12/2023 19:20	WG2148873

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc


7
Gl

8
Al

9
Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	5.93	su
Specific Conductance (on site)	580	umhos/cm
Temperature (on-site)	16.1	Deg. C
Turbidity (on-site)	8.1	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	26.9	mV
Depth to water (DTW) (FROM TOC)	23.79	ft



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Dissolved Solids	239		10.0	1	10/13/2023 16:42	WG2150608

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Chloride	27.1		3.00	1	10/14/2023 01:59	WG2149890
Sulfate	22.2		5.00	1	10/14/2023 01:59	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
TOC	2.89		1.00	1	10/12/2023 21:32	WG2149942

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:40	WG2149104
Barium, Total Recoverable	0.294		0.00500	1	10/13/2023 01:40	WG2149104
Iron, Total Recoverable	4.91		0.0600	1	10/13/2023 01:40	WG2149104
Manganese, Total Recoverable	11.1		0.00300	1	10/13/2023 01:40	WG2149104
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:40	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:40	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis date / time	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 16:10	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 16:10	WG2149123
Cadmium, Total Recoverable	0.00323		0.00100	1	10/21/2023 16:10	WG2149123
Cobalt, Total Recoverable	0.0186		0.00300	1	10/21/2023 16:10	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 16:10	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 16:10	WG2149123
Nickel, Total Recoverable	0.0469		0.00400	1	10/21/2023 16:10	WG2149123
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 16:10	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 16:10	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 16:10	WG2149123
Zinc, Total Recoverable	0.0734		0.00500	1	10/21/2023 16:10	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 06:43	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 06:43	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 06:43	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 06:43	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 06:43	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 06:43	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 06:43	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 06:43	WG2148115
Acetone	ND		10.0	1	10/10/2023 06:43	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 06:43	WG2148115
Benzene	ND		1.00	1	10/10/2023 06:43	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Bromoform	ND		1.00	1	10/10/2023 06:43	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 06:43	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 06:43	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 06:43	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Chloroform	ND		1.00	1	10/10/2023 06:43	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 06:43	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 06:43	WG2148115
Styrene	ND		1.00	1	10/10/2023 06:43	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 06:43	WG2148115
Toluene	ND		1.00	1	10/10/2023 06:43	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 06:43	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 06:43	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 06:43	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 06:43	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 06:43	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:43	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:43	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 06:43	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 06:43	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 06:43	WG2148115
(S) 1,2-Dichloroethane-d4	116			70.0-130	10/10/2023 06:43	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 06:43	WG2148115
(S) Toluene-d8	95.5			80.0-120	10/10/2023 06:43	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Additional Information - Results for field analyses are not accredited to ISO 17025

Analyte	Result	Units
pH (On Site)	6.32	su
Specific Conductance (on site)	851	umhos/cm
Temperature (on-site)	16.2	Deg. C
Turbidity (on-site)	2.8	NTU
Dissolved Oxygen (on-site)	0.3	mg/l
eH/ORP (On Site)	108	mV
Depth to water (DTW) (FROM TOC)	9.65	ft

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Dissolved Solids	349		10.0	1	10/15/2023 08:14	WG2150609

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Chloride	27.0		3.00	1	10/14/2023 02:40	WG2149890
Sulfate	ND		5.00	1	10/14/2023 02:40	WG2149890

Wet Chemistry by Method 9060A

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
TOC	ND		1.00	1	10/12/2023 21:52	WG2149942

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Silver, Total Recoverable	ND		0.0500	1	10/13/2023 01:43	WG2149104
Barium, Total Recoverable	0.0974		0.00500	1	10/13/2023 01:43	WG2149104
Iron, Total Recoverable	ND		0.0600	1	10/13/2023 01:43	WG2149104
Manganese, Total Recoverable	2.61		0.00300	1	10/13/2023 01:43	WG2149104
Lead, Total Recoverable	ND		0.00500	1	10/13/2023 01:43	WG2149104
Selenium, Total Recoverable	ND		0.0100	1	10/13/2023 01:43	WG2149104

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
Arsenic, Total Recoverable	ND		0.00500	1	10/21/2023 16:13	WG2149123
Beryllium, Total Recoverable	ND		0.00100	1	10/21/2023 16:13	WG2149123
Cadmium, Total Recoverable	0.0116		0.00100	1	10/21/2023 16:13	WG2149123
Cobalt, Total Recoverable	ND		0.00300	1	10/21/2023 16:13	WG2149123
Chromium, Total Recoverable	ND		0.00300	1	10/21/2023 16:13	WG2149123
Copper, Total Recoverable	ND		0.00400	1	10/21/2023 16:13	WG2149123
Nickel, Total Recoverable	0.0450		0.00400	1	10/21/2023 16:13	WG2149123
Antimony, Total Recoverable	ND		0.00200	1	10/21/2023 16:13	WG2149123
Thallium, Total Recoverable	ND		0.00100	1	10/21/2023 16:13	WG2149123
Vanadium, Total Recoverable	ND		0.00300	1	10/21/2023 16:13	WG2149123
Zinc, Total Recoverable	0.0678		0.00500	1	10/21/2023 16:13	WG2149123

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,1,1-Trichloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,1,2-Trichloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,1-Dichloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,1-Dichloroethene	ND		1.00	1	10/10/2023 07:02	WG2148115
1,2,3-Trichloropropane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,2-Dibromo-3-Chloropropane	ND	J3	2.00	1	10/10/2023 07:02	WG2148115
1,2-Dibromoethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,2-Dichlorobenzene	ND		1.00	1	10/10/2023 07:02	WG2148115
1,2-Dichloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,2-Dichloropropane	ND		1.00	1	10/10/2023 07:02	WG2148115
1,4-Dichlorobenzene	ND		1.00	1	10/10/2023 07:02	WG2148115
2-Butanone (MEK)	ND	J3	5.00	1	10/10/2023 07:02	WG2148115
2-Hexanone	ND		5.00	1	10/10/2023 07:02	WG2148115
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/10/2023 07:02	WG2148115
Acetone	ND		10.0	1	10/10/2023 07:02	WG2148115
Acrylonitrile	ND		20.0	1	10/10/2023 07:02	WG2148115
Benzene	ND		1.00	1	10/10/2023 07:02	WG2148115
Bromochloromethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Bromodichloromethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Bromoform	ND		1.00	1	10/10/2023 07:02	WG2148115
Bromomethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Carbon disulfide	ND		1.00	1	10/10/2023 07:02	WG2148115
Carbon tetrachloride	ND		1.00	1	10/10/2023 07:02	WG2148115
Chlorobenzene	ND		1.00	1	10/10/2023 07:02	WG2148115
Chloroethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Chloroform	ND		1.00	1	10/10/2023 07:02	WG2148115
Chloromethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Dibromochloromethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Dibromomethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Ethylbenzene	ND		1.00	1	10/10/2023 07:02	WG2148115
Iodomethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Methylene Chloride	ND		1.07	1	10/10/2023 07:02	WG2148115
Styrene	ND		1.00	1	10/10/2023 07:02	WG2148115
Tetrachloroethene	ND		1.00	1	10/10/2023 07:02	WG2148115
Toluene	ND		1.00	1	10/10/2023 07:02	WG2148115
Trichloroethene	ND		1.00	1	10/10/2023 07:02	WG2148115
Trichlorofluoromethane	ND		1.00	1	10/10/2023 07:02	WG2148115
Vinyl acetate	ND		5.00	1	10/10/2023 07:02	WG2148115
Vinyl chloride	ND		1.00	1	10/10/2023 07:02	WG2148115
Xylenes, Total	ND		1.00	1	10/10/2023 07:02	WG2148115
cis-1,2-Dichloroethene	ND		1.00	1	10/10/2023 07:02	WG2148115
cis-1,3-Dichloropropene	ND		1.00	1	10/10/2023 07:02	WG2148115
trans-1,2-Dichloroethene	ND		1.00	1	10/10/2023 07:02	WG2148115
trans-1,3-Dichloropropene	ND		1.00	1	10/10/2023 07:02	WG2148115
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/10/2023 07:02	WG2148115
(S) 1,2-Dichloroethane-d4	115			70.0-130	10/10/2023 07:02	WG2148115
(S) 4-Bromofluorobenzene	107			77.0-126	10/10/2023 07:02	WG2148115
(S) Toluene-d8	94.8			80.0-120	10/10/2023 07:02	WG2148115

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
1,1,1,2-Tetrachloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,1,1-Trichloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,1,2,2-Tetrachloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,1,2-Trichloroethane	ND	J4	1.00	1	10/11/2023 02:17	WG2148782
1,1-Dichloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,1-Dichloroethene	ND		1.00	1	10/11/2023 02:17	WG2148782
1,1-Dichloropropene	ND		1.00	1	10/11/2023 02:17	WG2148782
1,2,3-Trichloropropane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,2-Dibromo-3-Chloropropane	ND		2.00	1	10/11/2023 02:17	WG2148782
1,2-Dibromoethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,2-Dichlorobenzene	ND		1.00	1	10/11/2023 02:17	WG2148782
1,2-Dichloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,2-Dichloropropane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,3-Dichlorobenzene	ND		1.00	1	10/11/2023 02:17	WG2148782
1,3-Dichloropropane	ND		1.00	1	10/11/2023 02:17	WG2148782
1,4-Dichlorobenzene	ND		1.00	1	10/11/2023 02:17	WG2148782
2,2-Dichloropropane	ND		5.00	1	10/11/2023 02:17	WG2148782
2-Butanone (MEK)	ND		5.00	1	10/11/2023 02:17	WG2148782
2-Hexanone	ND		5.00	1	10/11/2023 02:17	WG2148782
4-Methyl-2-pentanone (MIBK)	ND		5.00	1	10/11/2023 02:17	WG2148782
Acetone	ND		11.3	1	10/11/2023 02:17	WG2148782
Acetonitrile	ND		30.0	1	10/11/2023 02:17	WG2148782
Acrolein	ND		20.0	1	10/11/2023 02:17	WG2148782
Acrylonitrile	ND		20.0	1	10/11/2023 02:17	WG2148782
Allyl chloride	ND		10.0	1	10/11/2023 02:17	WG2148782
Benzene	ND		1.00	1	10/11/2023 02:17	WG2148782
Bromochloromethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Bromodichloromethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Bromoform	ND		1.00	1	10/11/2023 02:17	WG2148782
Bromomethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Carbon disulfide	ND		1.00	1	10/11/2023 02:17	WG2148782
Carbon tetrachloride	ND		1.00	1	10/11/2023 02:17	WG2148782
Chlorobenzene	ND		1.00	1	10/11/2023 02:17	WG2148782
Chloroethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Chloroform	ND		1.00	1	10/11/2023 02:17	WG2148782
Chloromethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Chloroprene	ND		1.70	1	10/11/2023 02:17	WG2148782
Dibromochloromethane	ND	J4	1.00	1	10/11/2023 02:17	WG2148782
Dibromomethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Dichlorodifluoromethane	ND		2.00	1	10/11/2023 02:17	WG2148782
Ethyl methacrylate	ND		3.00	1	10/11/2023 02:17	WG2148782
Ethylbenzene	ND		1.00	1	10/11/2023 02:17	WG2148782
Iodomethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Isobutanol	ND		110	1	10/11/2023 02:17	WG2148782
Methacrylonitrile	ND		13.0	1	10/11/2023 02:17	WG2148782
Methyl methacrylate	ND		4.00	1	10/11/2023 02:17	WG2148782
Methylene Chloride	ND		1.07	1	10/11/2023 02:17	WG2148782
Propionitrile	ND		20.0	1	10/11/2023 02:17	WG2148782
Styrene	ND		1.00	1	10/11/2023 02:17	WG2148782
Tetrachloroethene	ND		1.00	1	10/11/2023 02:17	WG2148782
Toluene	ND		1.00	1	10/11/2023 02:17	WG2148782
Trichloroethene	ND		1.00	1	10/11/2023 02:17	WG2148782
Trichlorofluoromethane	ND		1.00	1	10/11/2023 02:17	WG2148782
Vinyl acetate	ND		5.00	1	10/11/2023 02:17	WG2148782
Vinyl chloride	ND		1.00	1	10/11/2023 02:17	WG2148782
Xylenes, Total	ND		1.00	1	10/11/2023 02:17	WG2148782

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	RL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
cis-1,2-Dichloroethene	ND		1.00	1	10/11/2023 02:17	WG2148782
cis-1,3-Dichloropropene	ND		1.00	1	10/11/2023 02:17	WG2148782
trans-1,2-Dichloroethene	ND		1.00	1	10/11/2023 02:17	WG2148782
trans-1,3-Dichloropropene	ND		1.00	1	10/11/2023 02:17	WG2148782
trans-1,4-Dichloro-2-butene	ND		1.00	1	10/11/2023 02:17	WG2148782
(S) Toluene-d8	108			80.0-120	10/11/2023 02:17	WG2148782
(S) 1,2-Dichloroethane-d4	95.8			70.0-130	10/11/2023 02:17	WG2148782
(S) 4-Bromofluorobenzene	92.3			77.0-126	10/11/2023 02:17	WG2148782

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3986000-1 10/11/23 14:20

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

¹Cp

²Tc

³Ss

L1663866-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663866-01 10/11/23 14:20 • (DUP) R3986000-3 10/11/23 14:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	180	189	1	4.88		5

⁴Cn

⁵Sr

Laboratory Control Sample (LCS)

(LCS) R3986000-2 10/11/23 14:20

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8410	95.6	77.3-123	

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3985980-1 10/11/23 20:45

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1664103-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1664103-13 10/11/23 20:45 • (DUP) R3985980-3 10/11/23 20:45

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	225	225	1	0.000		5

4 Cn

5 Sr

6 Qc

Laboratory Control Sample (LCS)

(LCS) R3985980-2 10/11/23 20:45

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8430	95.8	77.3-123	

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3987323-1 10/13/23 16:42

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	ND		2.82	10.0

1 Cp

2 Tc

3 Ss

L1664045-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-10 10/13/23 16:42 • (DUP) R3987323-3 10/13/23 16:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	239	240	1	0.418		5

4 Cn

5 Sr

6 Qc

L1664323-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1664323-01 10/13/23 16:42 • (DUP) R3987323-4 10/13/23 16:42

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	213	211	1	0.943		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3987323-2 10/13/23 16:42

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8770	99.7	77.3-123	

Method Blank (MB)

(MB) R3987291-1 10/15/23 08:14

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	4.00	↓	2.82	10.0

1 Cp

2 Tc

3 Ss

L1664045-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-07 10/15/23 08:14 • (DUP) R3987291-3 10/15/23 08:14

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	337	346	1	2.64		5

4 Cn

5 Sr

6 Qc

L1664045-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-08 10/15/23 08:14 • (DUP) R3987291-4 10/15/23 08:14

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	341	351	1	2.89		5

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3987291-2 10/15/23 08:14

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800	8710	99.0	77.3-123	

Method Blank (MB)

(MB) R3984452-1 10/10/23 15:20

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Ammonia Nitrogen	ND		0.0317	0.100

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1663953-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663953-01 10/10/23 15:29 • (DUP) R3984452-5 10/10/23 15:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	5.36	5.36	1	0.0560		10

L1664045-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-04 10/10/23 15:49 • (DUP) R3984452-7 10/10/23 15:50

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Ammonia Nitrogen	ND	ND	1	0.000		10

Laboratory Control Sample (LCS)

(LCS) R3984452-2 10/10/23 15:21

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Ammonia Nitrogen	7.50	7.39	98.6	90.0-110	

L1663921-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663921-01 10/10/23 15:24 • (MS) R3984452-3 10/10/23 15:26 • (MSD) R3984452-4 10/10/23 15:27

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Ammonia Nitrogen	5.00	ND	4.95	5.02	99.0	100	1	90.0-110			1.48	10

L1664045-03 Original Sample (OS) • Matrix Spike (MS)

(OS) L1664045-03 10/10/23 15:46 • (MS) R3984452-6 10/10/23 15:47

Analyte	Spike Amount	Original Result	MS Result	MS Rec.	Dilution	Rec. Limits	MS Qualifier
Ammonia Nitrogen	5.00	ND	5.01	100	1	90.0-110	

Method Blank (MB)

(MB) R3983285-1 10/07/23 16:30

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfide	ND		0.00650	0.0500

1 Cp

2 Tc

3 Ss

L1664045-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-09 10/07/23 16:31 • (DUP) R3983285-5 10/07/23 16:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfide	ND	ND	1	0.000		20

4 Cn

5 Sr

Laboratory Control Sample (LCS)

(LCS) R3983285-2 10/07/23 16:30

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Sulfide	0.500	0.457	91.4	85.0-115	

6 Qc

7 Gl

8 Al

L1664045-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664045-01 10/07/23 16:30 • (MS) R3983285-3 10/07/23 16:30 • (MSD) R3983285-4 10/07/23 16:31

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Sulfide	0.500	ND	ND	ND	90.6	90.2	1	80.0-120			0.442	20

9 Sc

Method Blank (MB)

(MB) R3984879-1 10/11/23 14:47

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Cyanide	ND		0.00180	0.00500

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663811-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1663811-01 10/11/23 14:58 • (DUP) R3984879-3 10/11/23 15:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Cyanide	ND	ND	1	14.7		20

L1663913-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1663913-02 10/11/23 15:08 • (DUP) R3984879-4 10/11/23 15:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Cyanide	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3984879-2 10/11/23 14:48

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Cyanide	0.100	0.0975	97.5	87.1-120	

L1663953-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663953-02 10/11/23 15:13 • (MS) R3984879-5 10/11/23 15:14 • (MSD) R3984879-6 10/11/23 15:16

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Cyanide	0.100	ND	0.0735	0.0780	71.2	75.7	1	90.0-110	J6	J6	5.94	20

Sample Narrative:

MS: Matrix spike failure due to matrix interference.
 MSD: Matrix spike failure due to matrix interference.

L1664045-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664045-04 10/11/23 15:24 • (MS) R3984879-7 10/11/23 15:26 • (MSD) R3984879-8 10/11/23 15:27

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits
Cyanide	0.100	ND	0.0893	0.0860	89.3	86.0	1	90.0-110	<u>J6</u>	<u>J6</u>	3.76	20

Sample Narrative:

MS: Matrix spike failure due to matrix interference.

MSD: Matrix spike failure due to matrix interference.

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Method Blank (MB)

(MB) R3986690-1 10/13/23 09:10

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	0.0560		0.0519	1.00
Sulfate	0.189		0.0774	5.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1664045-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-01 10/13/23 22:47 • (DUP) R3986690-3 10/13/23 23:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	17.2	16.9	1	1.54		15
Sulfate	ND	ND	1	0.931		15

L1664052-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1664052-03 10/14/23 03:21 • (DUP) R3986690-6 10/14/23 03:35

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	10.6	10.5	1	0.929		15
Sulfate	ND	ND	1	1.61		15

Laboratory Control Sample (LCS)

(LCS) R3986690-2 10/13/23 09:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Chloride	40.0	39.4	98.6	80.0-120	
Sulfate	40.0	38.9	97.3	80.0-120	

L1664045-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664045-01 10/13/23 22:47 • (MS) R3986690-4 10/13/23 23:14 • (MSD) R3986690-5 10/13/23 23:55

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	40.0	17.2	54.8	54.9	94.0	94.1	1	80.0-120			0.0781	15
Sulfate	40.0	ND	40.0	40.0	96.0	96.1	1	80.0-120			0.0831	15

L1664052-03 Original Sample (OS) • Matrix Spike (MS)

(OS) L1664052-03 10/14/23 03:21 • (MS) R3986690-7 10/14/23 03:48

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	40.0	10.6	49.4	97.0	1	80.0-120	
Sulfate	40.0	ND	43.1	97.6	1	80.0-120	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3985998-2 10/12/23 12:27

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
TOC	ND		0.102	1.00

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1664045-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-05 10/12/23 18:55 • (DUP) R3985998-5 10/12/23 19:14

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	1.09	1.18	1	7.67		20

L1664045-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1664045-08 10/12/23 20:34 • (DUP) R3985998-6 10/12/23 20:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
TOC	ND	ND	1	9.90		20

Laboratory Control Sample (LCS)

(LCS) R3985998-1 10/12/23 12:07

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
TOC	25.0	24.6	98.4	85.0-115	

L1663868-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663868-01 10/12/23 16:33 • (MS) R3985998-3 10/12/23 16:57 • (MSD) R3985998-4 10/12/23 17:19

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
TOC	25.0	ND	25.0	24.9	100	99.7	1	80.0-120			0.320	20

Method Blank (MB)

(MB) R3986208-1 10/14/23 10:30

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Mercury, Total Recoverable	ND		0.0000490	0.000200

1 Cp

2 Tc

3 Ss

Laboratory Control Sample (LCS)

(LCS) R3986208-2 10/14/23 10:33

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Mercury, Total Recoverable	0.00300	0.00349	116	80.0-120	

4 Cn

5 Sr

L1664048-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664048-04 10/14/23 10:35 • (MS) R3986208-3 10/14/23 10:37 • (MSD) R3986208-4 10/14/23 10:40

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Mercury, Total Recoverable	0.00300	ND	0.00355	0.00356	118	119	1	75.0-125			0.433	20

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3985834-1 10/13/23 00:49

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Barium, Total Recoverable	0.00737		0.00170	0.00500
Silver, Total Recoverable	ND		0.00280	0.00500
Iron, Total Recoverable	0.198		0.0141	0.100
Lead, Total Recoverable	0.0518		0.00190	0.00500
Manganese, Total Recoverable	0.0290		0.00120	0.0100
Selenium, Total Recoverable	ND		0.00740	0.0100
Tin, Total Recoverable	0.0130	↓	0.00440	0.0500

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3985834-2 10/13/23 00:52

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Barium, Total Recoverable	1.00	1.05	105	80.0-120	
Silver, Total Recoverable	0.200	0.182	91.2	80.0-120	
Iron, Total Recoverable	10.0	10.1	101	80.0-120	
Lead, Total Recoverable	1.00	1.03	103	80.0-120	
Manganese, Total Recoverable	1.00	0.999	99.9	80.0-120	
Selenium, Total Recoverable	1.00	1.05	105	80.0-120	
Tin, Total Recoverable	1.00	1.04	104	80.0-120	

L1663940-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663940-10 10/13/23 00:55 • (MS) R3985834-4 10/13/23 01:01 • (MSD) R3985834-5 10/13/23 01:04

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Barium, Total Recoverable	1.00	0.104	1.14	1.14	103	103	1	75.0-125			0.0221	20
Silver, Total Recoverable	0.200	ND	0.196	0.194	98.0	97.1	1	75.0-125			0.976	20
Lead, Total Recoverable	1.00	ND	1.06	1.07	106	106	1	75.0-125			0.481	20
Manganese, Total Recoverable	1.00	2.52	3.47	3.45	94.3	92.2	1	75.0-125			0.610	20
Selenium, Total Recoverable	1.00	ND	1.11	1.09	111	109	1	75.0-125			1.92	20
Tin, Total Recoverable	1.00	ND	1.02	1.03	102	103	1	75.0-125			0.824	20

Method Blank (MB)

(MB) R3986468-1 10/15/23 11:38

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Barium, Total Recoverable	ND		0.00170	0.00500
Iron, Total Recoverable	ND		0.0141	0.100
Manganese, Total Recoverable	ND		0.00120	0.0100

Laboratory Control Sample (LCS)

(LCS) R3986468-2 10/15/23 11:41

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Barium, Total Recoverable	1.00	1.01	101	80.0-120	
Iron, Total Recoverable	10.0	9.81	98.1	80.0-120	
Manganese, Total Recoverable	1.00	0.972	97.2	80.0-120	

L1664045-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1664045-01 10/15/23 11:44 • (MS) R3986468-4 10/15/23 11:50 • (MSD) R3986468-5 10/15/23 11:53

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Barium, Total Recoverable	1.00	0.207	1.20	1.19	99.7	98.8	1	75.0-125			0.792	20
Iron, Total Recoverable	10.0	1.29	11.1	11.0	98.0	96.6	1	75.0-125			1.20	20
Manganese, Total Recoverable	1.00	29.9	30.2	30.2	29.5	32.4	1	75.0-125	<u>EV</u>	<u>EV</u>	0.0953	20

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3989350-1 10/21/23 15:10

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Antimony, Total Recoverable	ND		0.000754	0.00200
Arsenic, Total Recoverable	0.000277	J	0.000250	0.00200
Beryllium, Total Recoverable	ND		0.000120	0.00200
Cadmium, Total Recoverable	ND		0.000160	0.00100
Chromium, Total Recoverable	ND		0.000540	0.00200
Cobalt, Total Recoverable	ND		0.000260	0.00200
Copper, Total Recoverable	ND		0.000520	0.00500
Nickel, Total Recoverable	ND		0.000350	0.00200
Thallium, Total Recoverable	ND		0.000190	0.00200
Vanadium, Total Recoverable	0.00244	J	0.000180	0.00500
Zinc, Total Recoverable	ND		0.00256	0.0250

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3989350-2 10/21/23 15:14

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Antimony, Total Recoverable	0.500	0.464	92.8	80.0-120	
Arsenic, Total Recoverable	0.500	0.489	97.7	80.0-120	
Beryllium, Total Recoverable	0.500	0.495	99.0	80.0-120	
Cadmium, Total Recoverable	0.500	0.514	103	80.0-120	
Chromium, Total Recoverable	0.500	0.497	99.4	80.0-120	
Cobalt, Total Recoverable	0.500	0.497	99.4	80.0-120	
Copper, Total Recoverable	0.500	0.447	89.4	80.0-120	
Nickel, Total Recoverable	0.500	0.492	98.3	80.0-120	
Thallium, Total Recoverable	0.500	0.495	99.1	80.0-120	
Vanadium, Total Recoverable	0.500	0.500	100	80.0-120	
Zinc, Total Recoverable	0.500	0.462	92.3	80.0-120	

L1663974-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663974-02 10/21/23 15:17 • (MS) R3989350-4 10/21/23 15:24 • (MSD) R3989350-5 10/21/23 15:27

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Antimony, Total Recoverable	0.500	ND	0.502	0.507	100	101	1	75.0-125			0.894	20
Arsenic, Total Recoverable	0.500	ND	0.500	0.504	99.8	101	1	75.0-125			0.827	20
Beryllium, Total Recoverable	0.500	ND	0.496	0.500	99.1	99.9	1	75.0-125	E	E	0.792	20
Cadmium, Total Recoverable	0.500	ND	0.511	0.516	102	103	1	75.0-125			0.928	20
Chromium, Total Recoverable	0.500	0.00774	0.500	0.503	98.5	99.0	1	75.0-125			0.473	20

L1663974-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663974-02 10/21/23 15:17 • (MS) R3989350-4 10/21/23 15:24 • (MSD) R3989350-5 10/21/23 15:27

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Cobalt, Total Recoverable	0.500	ND	0.484	0.485	96.7	96.9	1	75.0-125			0.227	20
Copper, Total Recoverable	0.500	0.00513	0.472	0.468	93.3	92.5	1	75.0-125			0.897	20
Nickel, Total Recoverable	0.500	ND	0.477	0.481	95.3	96.0	1	75.0-125			0.741	20
Thallium, Total Recoverable	0.500	ND	0.500	0.511	99.9	102	1	75.0-125			2.18	20
Vanadium, Total Recoverable	0.500	0.00526	0.510	0.508	101	101	1	75.0-125			0.300	20
Zinc, Total Recoverable	0.500	ND	0.467	0.471	92.6	93.3	1	75.0-125			0.849	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3985695-3 10/09/23 23:40

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.0940	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,4-Dichlorobenzene	ND		0.121	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acrylonitrile	ND		0.873	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Methylene Chloride	ND	U	1.07	2.50
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3985695-3 10/09/23 23:40

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) 1,2-Dichloroethane-d4	103			70.0-130
(S) 4-Bromofluorobenzene	104			77.0-126
(S) Toluene-d8	103			80.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3985695-1 10/09/23 22:05 • (LCSD) R3985695-2 10/09/23 22:24

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
1,1,1,2-Tetrachloroethane	5.00	4.95	5.86	99.0	117	75.0-125			16.8	20
1,1,1-Trichloroethane	5.00	5.13	6.01	103	120	73.0-124			15.8	20
1,1,2,2-Tetrachloroethane	5.00	4.92	5.67	98.4	113	65.0-130			14.2	20
1,1,2-Trichloroethane	5.00	4.91	5.35	98.2	107	80.0-120			8.58	20
1,1-Dichloroethane	5.00	5.12	5.90	102	118	70.0-126			14.2	20
1,1-Dichloroethene	5.00	5.17	6.14	103	123	71.0-124			17.2	20
1,2,3-Trichloropropane	5.00	4.84	5.46	96.8	109	73.0-130			12.0	20
1,2-Dibromo-3-Chloropropane	5.00	4.28	5.56	85.6	111	58.0-134		J3	26.0	20
1,2-Dibromoethane	5.00	4.88	5.52	97.6	110	80.0-122			12.3	20
1,2-Dichlorobenzene	5.00	5.15	5.90	103	118	79.0-121			13.6	20
1,2-Dichloroethane	5.00	5.47	6.15	109	123	70.0-128			11.7	20
1,2-Dichloropropane	5.00	5.16	5.93	103	119	77.0-125			13.9	20
1,4-Dichlorobenzene	5.00	4.79	5.54	95.8	111	79.0-120			14.5	20
2-Butanone (MEK)	25.0	27.8	34.4	111	138	44.0-160		J3	21.2	20
2-Hexanone	25.0	26.5	30.6	106	122	67.0-149			14.4	20
4-Methyl-2-pentanone (MIBK)	25.0	28.9	33.4	116	134	68.0-142			14.4	20
Acetone	25.0	29.8	36.8	119	147	19.0-160			21.0	27
Acrylonitrile	25.0	28.1	30.3	112	121	55.0-149			7.53	20
Benzene	5.00	4.78	5.48	95.6	110	70.0-123			13.6	20
Bromochloromethane	5.00	5.16	5.63	103	113	76.0-122			8.71	20
Bromodichloromethane	5.00	5.00	5.77	100	115	75.0-120			14.3	20
Bromoform	5.00	4.69	5.14	93.8	103	68.0-132			9.16	20
Bromomethane	5.00	5.00	5.78	100	116	10.0-160			14.5	25

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3985695-1 10/09/23 22:05 • (LCSD) R3985695-2 10/09/23 22:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Carbon disulfide	5.00	3.77	4.44	75.4	88.8	61.0-128			16.3	20
Carbon tetrachloride	5.00	5.13	6.04	103	121	68.0-126			16.3	20
Chlorobenzene	5.00	4.71	5.57	94.2	111	80.0-121			16.7	20
Chloroethane	5.00	4.76	4.96	95.2	99.2	47.0-150			4.12	20
Chloroform	5.00	4.98	5.67	99.6	113	73.0-120			13.0	20
Chloromethane	5.00	5.59	6.52	112	130	41.0-142			15.4	20
Dibromochloromethane	5.00	4.80	5.73	96.0	115	77.0-125			17.7	20
Dibromomethane	5.00	4.94	5.62	98.8	112	80.0-120			12.9	20
Ethylbenzene	5.00	4.86	5.61	97.2	112	79.0-123			14.3	20
Iodomethane	25.0	24.4	28.0	97.6	112	33.0-147			13.7	26
Methylene Chloride	5.00	4.34	4.72	86.8	94.4	67.0-120			8.39	20
Styrene	5.00	4.61	5.20	92.2	104	73.0-130			12.0	20
Tetrachloroethene	5.00	4.37	4.94	87.4	98.8	72.0-132			12.2	20
Toluene	5.00	4.45	5.11	89.0	102	79.0-120			13.8	20
Trichloroethene	5.00	4.54	5.33	90.8	107	78.0-124			16.0	20
Trichlorofluoromethane	5.00	5.40	6.13	108	123	59.0-147			12.7	20
Vinyl acetate	25.0	24.8	29.4	99.2	118	11.0-160			17.0	20
Vinyl chloride	5.00	5.02	5.88	100	118	67.0-131			15.8	20
Xylenes, Total	15.0	15.1	17.4	101	116	79.0-123			14.2	20
cis-1,2-Dichloroethene	5.00	4.62	5.37	92.4	107	73.0-120			15.0	20
cis-1,3-Dichloropropene	5.00	4.88	5.44	97.6	109	80.0-123			10.9	20
trans-1,2-Dichloroethene	5.00	4.57	5.22	91.4	104	73.0-120			13.3	20
trans-1,3-Dichloropropene	5.00	4.98	5.66	99.6	113	78.0-124			12.8	20
trans-1,4-Dichloro-2-butene	5.00	5.82	6.58	116	132	33.0-144			12.3	20
<i>(S) 1,2-Dichloroethane-d4</i>				115	115	70.0-130				
<i>(S) 4-Bromofluorobenzene</i>				110	108	77.0-126				
<i>(S) Toluene-d8</i>				98.1	97.2	80.0-120				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3984893-3 10/10/23 23:04

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,1,1,2-Tetrachloroethane	ND		0.120	0.500
1,1,1-Trichloroethane	ND		0.0940	0.500
1,1,2,2-Tetrachloroethane	ND		0.130	0.500
1,1,2-Trichloroethane	ND		0.186	0.500
1,1-Dichloroethane	ND		0.114	0.500
1,1-Dichloroethene	ND		0.188	0.500
1,1-Dichloropropene	ND		0.128	0.500
1,2,3-Trichloropropane	ND		0.247	2.50
1,2-Dibromo-3-Chloropropane	ND		0.325	2.50
1,2-Dibromoethane	ND		0.193	0.500
1,2-Dichlorobenzene	ND		0.101	0.500
1,2-Dichloroethane	ND		0.108	0.500
1,2-Dichloropropane	ND		0.190	0.500
1,3-Dichlorobenzene	ND		0.130	0.500
1,3-Dichloropropane	ND		0.147	1.00
1,4-Dichlorobenzene	ND		0.121	0.500
2,2-Dichloropropane	ND		0.0929	0.500
2-Butanone (MEK)	ND		1.28	5.00
2-Hexanone	ND		0.757	5.00
4-Methyl-2-pentanone (MIBK)	ND		0.823	5.00
Acetone	ND		1.05	25.0
Acetonitrile	ND		15.0	50.0
Acrolein	ND		8.87	50.0
Acrylonitrile	ND		0.873	5.00
Allyl chloride	ND		1.70	5.00
Benzene	ND		0.0896	0.500
Bromochloromethane	ND		0.145	0.500
Bromodichloromethane	ND		0.0800	0.500
Bromoform	ND		0.186	0.500
Bromomethane	ND		0.157	2.50
Carbon disulfide	ND		0.101	0.500
Carbon tetrachloride	ND		0.159	0.500
Chlorobenzene	ND		0.140	0.500
Chloroethane	ND		0.141	2.50
Chloroform	ND		0.0860	0.500
Chloromethane	ND		0.153	1.25
Chloroprene	ND		1.70	50.0
Dibromochloromethane	ND		0.128	0.500
Dibromomethane	ND		0.117	0.500
Dichlorodifluoromethane	ND		0.127	2.50

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3984893-3 10/10/23 23:04

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Ethyl methacrylate	ND		1.40	5.00
Ethylbenzene	ND		0.158	0.500
Iodomethane	ND		0.377	10.0
Isobutanol	ND		39.0	100
Methacrylonitrile	ND		13.0	50.0
Methyl methacrylate	ND		1.20	5.00
Methylene Chloride	ND		1.07	2.50
Propionitrile	ND		13.0	50.0
Styrene	ND		0.117	0.500
Tetrachloroethene	ND		0.199	0.500
Toluene	ND		0.412	0.500
Trichloroethene	ND		0.153	0.500
Trichlorofluoromethane	ND		0.130	2.50
Vinyl acetate	ND		0.645	5.00
Vinyl chloride	ND		0.118	0.500
Xylenes, Total	ND		0.316	1.50
cis-1,2-Dichloroethene	ND		0.0933	0.500
cis-1,3-Dichloropropene	ND		0.0976	0.500
trans-1,2-Dichloroethene	ND		0.152	0.500
trans-1,3-Dichloropropene	ND		0.222	0.500
trans-1,4-Dichloro-2-butene	ND		0.257	5.00
(S) Toluene-d8	108			80.0-120
(S) 1,2-Dichloroethane-d4	95.6			70.0-130
(S) 4-Bromofluorobenzene	94.4			77.0-126

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3984893-1 10/10/23 21:42

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
1,1,1,2-Tetrachloroethane	5.00	6.15	123	75.0-125	
1,1,1-Trichloroethane	5.00	5.48	110	73.0-124	
1,1,2,2-Tetrachloroethane	5.00	5.38	108	65.0-130	
1,1,2-Trichloroethane	5.00	6.04	121	80.0-120	J4
1,1-Dichloroethane	5.00	5.61	112	70.0-126	
1,1-Dichloroethene	5.00	5.25	105	71.0-124	
1,1-Dichloropropene	5.00	5.37	107	74.0-126	
1,2,3-Trichloropropane	5.00	5.29	106	73.0-130	
1,2-Dibromo-3-Chloropropane	5.00	4.37	87.4	58.0-134	

Laboratory Control Sample (LCS)

(LCS) R3984893-1 10/10/23 21:42

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
1,2-Dibromoethane	5.00	5.98	120	80.0-122	
1,2-Dichlorobenzene	5.00	5.92	118	79.0-121	
1,2-Dichloroethane	5.00	5.36	107	70.0-128	
1,2-Dichloropropane	5.00	5.74	115	77.0-125	
1,3-Dichlorobenzene	5.00	5.84	117	79.0-120	
1,3-Dichloropropane	5.00	5.87	117	80.0-120	
1,4-Dichlorobenzene	5.00	5.81	116	79.0-120	
2,2-Dichloropropane	5.00	5.44	109	58.0-130	
2-Butanone (MEK)	25.0	28.3	113	44.0-160	
2-Hexanone	25.0	29.3	117	67.0-149	
4-Methyl-2-pentanone (MIBK)	25.0	31.8	127	68.0-142	
Acetone	25.0	33.0	132	19.0-160	
Acrolein	25.0	17.7	70.8	10.0-160	
Acrylonitrile	25.0	28.2	113	55.0-149	
Allyl chloride	25.0	27.0	108	72.0-128	
Benzene	5.00	5.32	106	70.0-123	
Bromochloromethane	5.00	5.77	115	76.0-122	
Bromodichloromethane	5.00	5.20	104	75.0-120	
Bromoform	5.00	6.20	124	68.0-132	
Bromomethane	5.00	3.79	75.8	10.0-160	
Carbon disulfide	5.00	4.69	93.8	61.0-128	
Carbon tetrachloride	5.00	5.63	113	68.0-126	
Chlorobenzene	5.00	6.04	121	80.0-121	
Chloroethane	5.00	5.88	118	47.0-150	
Chloroform	5.00	5.47	109	73.0-120	
Chloromethane	5.00	5.80	116	41.0-142	
Dibromochloromethane	5.00	6.29	126	77.0-125	J4
Dibromomethane	5.00	5.47	109	80.0-120	
Dichlorodifluoromethane	5.00	5.35	107	51.0-149	
Ethylbenzene	5.00	6.10	122	79.0-123	
Iodomethane	25.0	20.2	80.8	33.0-147	
Methylene Chloride	5.00	4.37	87.4	67.0-120	
Styrene	5.00	5.35	107	73.0-130	
Tetrachloroethene	5.00	6.25	125	72.0-132	
Toluene	5.00	5.58	112	79.0-120	
Trichloroethene	5.00	5.89	118	78.0-124	
Trichlorofluoromethane	5.00	6.21	124	59.0-147	
Vinyl acetate	25.0	29.0	116	11.0-160	
Vinyl chloride	5.00	6.13	123	67.0-131	
Xylenes, Total	15.0	17.9	119	79.0-123	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3984893-1 10/10/23 21:42

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
cis-1,2-Dichloroethene	5.00	5.41	108	73.0-120	
cis-1,3-Dichloropropene	5.00	5.09	102	80.0-123	
trans-1,2-Dichloroethene	5.00	5.28	106	73.0-120	
trans-1,3-Dichloropropene	5.00	5.89	118	78.0-124	
trans-1,4-Dichloro-2-butene	5.00	4.31	86.2	33.0-144	
(S) Toluene-d8			105	80.0-120	
(S) 1,2-Dichloroethane-d4			93.9	70.0-130	
(S) 4-Bromofluorobenzene			93.1	77.0-126	

Laboratory Control Sample (LCS)

(LCS) R3984893-2 10/10/23 22:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Acetonitrile	500	468	93.6	40.0-160	
Chloroprene	50.0	50.5	101	60.0-143	
Ethyl methacrylate	50.0	57.2	114	72.0-129	
Isobutanol	1000	875	87.5	40.0-160	
Methacrylonitrile	500	479	95.8	61.0-145	
Methyl methacrylate	50.0	47.5	95.0	63.0-149	
Propionitrile	500	433	86.6	49.0-160	
(S) Toluene-d8			105	80.0-120	
(S) 1,2-Dichloroethane-d4			93.8	70.0-130	
(S) 4-Bromofluorobenzene			94.1	77.0-126	

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Method Blank (MB)

(MB) R3984708-1 10/10/23 15:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
2,4,5-T	ND		0.843	2.00
2,4,5-Tp (Silvex)	ND		0.845	2.00
2,4-D	ND		0.744	2.00
(S) 2,4-Dichlorophenyl Acetic Acid	55.8			14.0-158

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984708-2 10/10/23 15:47 • (LCSD) R3984708-3 10/10/23 15:59

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
2,4,5-T	5.00	3.53	4.33	70.6	86.6	54.0-120	P	J3 P	20.4	20
2,4,5-Tp (Silvex)	5.00	2.68	3.39	53.6	67.8	50.0-125		J3	23.4	20
2,4-D	5.00	3.39	4.33	67.8	86.6	50.0-120		J3 P	24.4	20
(S) 2,4-Dichlorophenyl Acetic Acid				52.2	67.8	14.0-158				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3985591-1 10/12/23 00:51

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
2,4,5-T	ND		0.843	2.00
2,4,5-Tp (Silvex)	ND		0.845	2.00
2,4-D	ND		0.744	2.00
(S) 2,4-Dichlorophenyl Acetic Acid	74.2			14.0-158

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3985591-2 10/12/23 01:03 • (LCSD) R3985591-3 10/12/23 01:14

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
2,4,5-T	5.00	4.14	4.47	82.8	89.4	54.0-120			7.67	20
2,4,5-Tp (Silvex)	5.00	3.73	4.06	74.6	81.2	50.0-125			8.47	20
2,4-D	5.00	4.56	4.93	91.2	98.6	50.0-120			7.80	20
(S) 2,4-Dichlorophenyl Acetic Acid				90.2	94.6	14.0-158				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3984938-1 10/08/23 21:06

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
4,4-DDD	ND		0.0170	0.0500
4,4-DDE	ND		0.0154	0.0500
4,4-DDT	ND		0.0177	0.0500
Aldrin	ND		0.00813	0.0500
Alpha BHC	ND		0.0166	0.0500
Beta BHC	ND		0.0184	0.0500
Chlordane	ND		0.0198	0.500
Delta BHC	ND		0.0150	0.0500
Dieldrin	ND		0.00751	0.0500
Endosulfan I	ND		0.0160	0.0500
Endosulfan II	ND		0.0164	0.0500
Endosulfan sulfate	ND		0.0196	0.0500
Endrin	ND		0.0161	0.0500
Endrin aldehyde	ND		0.0142	0.0500
Gamma BHC	ND		0.0176	0.0500
Heptachlor	ND		0.0108	0.0500
Heptachlor epoxide	ND		0.0175	0.0500
Methoxychlor	ND		0.0193	0.0500
Toxaphene	ND		0.168	0.500
(S) Decachlorobiphenyl	22.0			10.0-128
(S) Tetrachloro-m-xylene	73.5			10.0-127

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-4 10/08/23 21:15 • (LCSD) R3984938-5 10/08/23 21:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
4,4-DDD	1.00	0.946	0.948	94.6	94.8	56.0-140			0.211	22
4,4-DDE	1.00	0.848	0.815	84.8	81.5	52.0-128			3.97	22
4,4-DDT	1.00	0.910	0.870	91.0	87.0	50.0-141			4.49	23
Aldrin	1.00	0.838	0.816	83.8	81.6	22.0-124			2.66	34
Alpha BHC	1.00	0.958	0.984	95.8	98.4	54.0-130			2.68	23
Beta BHC	1.00	0.987	1.01	98.7	101	53.0-136			2.30	20
Delta BHC	1.00	0.954	0.974	95.4	97.4	54.0-133			2.07	20
Dieldrin	1.00	0.913	0.924	91.3	92.4	59.0-133			1.20	20
Endosulfan I	1.00	0.906	0.920	90.6	92.0	57.0-131			1.53	20
Endosulfan II	1.00	0.914	0.938	91.4	93.8	58.0-133			2.59	20
Endosulfan sulfate	1.00	0.870	0.901	87.0	90.1	58.0-133			3.50	21
Endrin	1.00	0.964	0.975	96.4	97.5	57.0-134			1.13	21

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-4 10/08/23 21:15 • (LCSD) R3984938-5 10/08/23 21:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Endrin aldehyde	1.00	0.898	0.933	89.8	93.3	53.0-129			3.82	20
Gamma BHC	1.00	0.957	0.978	95.7	97.8	55.0-129			2.17	20
Heptachlor	1.00	0.937	0.933	93.7	93.3	27.0-132			0.428	31
Heptachlor epoxide	1.00	0.917	0.931	91.7	93.1	57.0-130			1.52	20
Methoxychlor	1.00	0.949	0.953	94.9	95.3	54.0-155			0.421	24
<i>(S) Decachlorobiphenyl</i>				61.3	29.4	10.0-128				
<i>(S) Tetrachloro-m-xylene</i>				77.9	76.1	10.0-127				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3986371-1 10/13/23 01:06

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
4,4-DDD	ND		0.0170	0.0500
4,4-DDE	ND		0.0154	0.0500
4,4-DDT	ND		0.0177	0.0500
Aldrin	ND		0.00813	0.0500
Alpha BHC	ND		0.0166	0.0500
Beta BHC	ND		0.0184	0.0500
Chlordane	ND		0.0198	0.500
Delta BHC	ND		0.0150	0.0500
Dieldrin	ND		0.00751	0.0500
Endosulfan I	ND		0.0160	0.0500
Endosulfan II	ND		0.0164	0.0500
Endosulfan sulfate	ND		0.0196	0.0500
Endrin	ND		0.0161	0.0500
Endrin aldehyde	ND		0.0142	0.0500
Gamma BHC	ND		0.0176	0.0500
Heptachlor	ND		0.0108	0.0500
Heptachlor epoxide	ND		0.0175	0.0500
Methoxychlor	ND		0.0193	0.0500
Toxaphene	ND		0.168	0.500
(S) Decachlorobiphenyl	13.9			10.0-128
(S) Tetrachloro-m-xylene	69.4			10.0-127

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3986371-2 10/13/23 01:15 • (LCSD) R3986371-3 10/13/23 01:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
4,4-DDD	1.00	0.916	0.912	91.6	91.2	56.0-140			0.438	22
4,4-DDE	1.00	0.802	0.767	80.2	76.7	52.0-128			4.46	22
4,4-DDT	1.00	0.904	0.882	90.4	88.2	50.0-141			2.46	23
Aldrin	1.00	0.870	0.844	87.0	84.4	22.0-124			3.03	34
Alpha BHC	1.00	0.946	0.935	94.6	93.5	54.0-130			1.17	23
Beta BHC	1.00	0.914	0.897	91.4	89.7	53.0-136			1.88	20
Delta BHC	1.00	0.883	0.922	88.3	92.2	54.0-133			4.32	20
Dieldrin	1.00	0.918	0.913	91.8	91.3	59.0-133			0.546	20
Endosulfan I	1.00	0.911	0.912	91.1	91.2	57.0-131			0.110	20
Endosulfan II	1.00	0.924	0.911	92.4	91.1	58.0-133			1.42	20
Endosulfan sulfate	1.00	0.900	0.903	90.0	90.3	58.0-133			0.333	21
Endrin	1.00	1.06	1.05	106	105	57.0-134			0.948	21

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3986371-2 10/13/23 01:15 • (LCSD) R3986371-3 10/13/23 01:24

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Endrin aldehyde	1.00	0.866	0.881	86.6	88.1	53.0-129			1.72	20
Gamma BHC	1.00	0.959	0.944	95.9	94.4	55.0-129			1.58	20
Heptachlor	1.00	1.03	1.04	103	104	27.0-132			0.966	31
Heptachlor epoxide	1.00	0.938	0.923	93.8	92.3	57.0-130			1.61	20
Methoxychlor	1.00	1.02	1.05	102	105	54.0-155			2.90	24
<i>(S) Decachlorobiphenyl</i>				31.3	76.4	10.0-128				
<i>(S) Tetrachloro-m-xylene</i>				74.3	87.0	10.0-127				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3984938-1 10/08/23 21:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
PCB 1016	ND		0.100	0.500
PCB 1221	ND		0.0730	0.500
PCB 1232	ND		0.0420	0.500
PCB 1242	ND		0.0470	0.500
PCB 1248	ND		0.0860	0.500
PCB 1254	ND		0.0470	0.500
PCB 1260	ND		0.120	0.500
(S) Decachlorobiphenyl	26.0			10.0-128
(S) Tetrachloro-m-xylene	82.4			10.0-127

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3984938-2 10/08/23 21:32 • (LCSD) R3984938-3 10/08/23 21:41

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
PCB 1016	2.50	2.43	2.18	97.2	87.2	36.0-135			10.8	29
PCB 1260	2.50	2.27	1.90	90.8	76.0	42.0-131			17.7	25
(S) Decachlorobiphenyl				67.6	55.6	10.0-128				
(S) Tetrachloro-m-xylene				87.6	77.8	10.0-127				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3986371-1 10/13/23 01:06

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
PCB 1016	ND		0.100	0.500
PCB 1221	ND		0.0730	0.500
PCB 1232	ND		0.0420	0.500
PCB 1242	ND		0.0470	0.500
PCB 1248	ND		0.0860	0.500
PCB 1254	ND		0.0470	0.500
PCB 1260	ND		0.120	0.500
<i>(S) Decachlorobiphenyl</i>	15.7			10.0-128
<i>(S) Tetrachloro-m-xylene</i>	72.6			10.0-127

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3986371-4 10/13/23 01:33 • (LCSD) R3986371-5 10/13/23 01:42

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
PCB 1016	2.50	2.05	1.51	82.0	60.4	36.0-135		J3	30.3	29
PCB 1260	2.50	2.30	1.47	92.0	58.8	42.0-131		J3	44.0	25
<i>(S) Decachlorobiphenyl</i>				48.7	14.5	10.0-128				
<i>(S) Tetrachloro-m-xylene</i>				80.7	62.5	10.0-127				

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Method Blank (MB)

(MB) R3986579-2 10/12/23 11:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,2,4,5-Tetrachlorobenzene	ND		2.41	10.0
1,2,4-Trichlorobenzene	ND		0.355	10.0
2,2-Oxybis(1-Chloropropane)	ND		0.445	10.0
2,3,4,6-Tetrachlorophenol	ND		2.00	10.0
2,4,5-Trichlorophenol	ND		0.236	10.0
2,4,6-Trichlorophenol	ND		0.297	10.0
2,4-Dichlorophenol	ND		0.284	10.0
2,4-Dimethylphenol	ND		0.624	10.0
2,4-Dinitrophenol	ND		3.25	10.0
2,4-Dinitrotoluene	ND		1.65	10.0
2,6-Dinitrotoluene	ND		0.279	10.0
2-Chloronaphthalene	ND		0.330	1.00
2-Chlorophenol	ND		0.283	10.0
2-Methylnaphthalene	ND		0.311	1.00
2-Methylphenol	ND		0.312	10.0
2-Nitroaniline	ND		1.90	10.0
2-Nitrophenol	ND		0.320	10.0
3&4-Methyl Phenol	ND		0.266	10.0
3,3-Dichlorobenzidine	ND		2.02	10.0
3-Nitroaniline	ND		0.308	10.0
4,6-Dinitro-2-methylphenol	ND		2.62	10.0
4-Bromophenyl-phenylether	ND		0.335	10.0
4-Chloro-3-methylphenol	ND		0.263	10.0
4-Chloroaniline	ND		0.382	10.0
4-Chlorophenyl-phenylether	ND		0.303	10.0
4-Nitroaniline	ND		0.349	10.0
4-Nitrophenol	ND		2.01	10.0
Acenaphthene	ND		0.316	1.00
Acenaphthylene	ND		0.309	1.00
Acetophenone	ND		2.71	10.0
Anthracene	ND		0.291	1.00
Benzo(A)Anthracene	ND		0.0975	1.00
Benzo(a)pyrene	ND		0.340	1.00
Benzo(b)fluoranthene	ND		0.0896	1.00
Benzo(g,h,i)perylene	ND		0.161	1.00
Benzo(k)fluoranthene	ND		0.355	1.00
Benzyl Alcohol	ND		0.393	10.0
Benzylbutyl phthalate	ND		0.275	3.00
Bis(2-Ethylhexyl)phthalate	ND		0.709	3.00
Bis(2-chlorethoxy)methane	ND		0.329	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3986579-2 10/12/23 11:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Bis(2-chloroethyl)ether	ND		1.62	10.0
Chrysene	ND		0.332	1.00
Di-n-butyl phthalate	ND		0.266	3.00
Di-n-octyl phthalate	ND		0.278	3.00
Dibenz(a,h)anthracene	ND		0.279	1.00
Dibenzofuran	ND		0.338	10.0
Diethyl phthalate	ND		0.282	3.00
Dimethyl phthalate	ND		0.283	3.00
Diphenylamine	ND		1.19	10.0
Fluoranthene	ND		0.310	1.00
Fluorene	ND		0.323	1.00
Hexachloro-1,3-butadiene	ND		0.329	10.0
Hexachlorobenzene	ND		0.341	1.00
Hexachlorocyclopentadiene	ND		2.33	10.0
Hexachloroethane	ND		0.365	10.0
Indeno(1,2,3-cd)pyrene	ND		0.279	1.00
Isophorone	ND		0.272	10.0
Naphthalene	ND		0.372	1.00
Nitrobenzene	ND		0.367	10.0
Pentachlorophenol	ND		0.313	10.0
Phenanthrene	ND		0.366	1.00
Phenol	ND		0.334	10.0
Pyrene	ND		0.330	1.00
n-Nitrosodi-n-propylamine	ND		0.403	10.0
n-Nitrosodimethylamine	ND		1.26	10.0
n-Nitrosodiphenylamine	ND		1.19	10.0
(S) Phenol-d5	18.9			10.0-120
(S) 2,4,6-Tribromophenol	46.8			10.0-155
(S) p-Terphenyl-d14	64.9			10.0-128
(S) Nitrobenzene-d5	53.8			10.0-127
(S) 2-Fluorobiphenyl	55.1			10.0-130
(S) 2-Fluorophenol	28.1			10.0-120

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3987287-2 10/13/23 19:21

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
1,3,5-Trinitrobenzene	ND		1.32	10.0
1,3-Dinitrobenzene	ND		0.359	10.0
1,4-Naphthoquinone	ND		5.56	50.0
1-Naphthylamine	ND		0.289	10.0
2,6-Dichlorophenol	ND		2.77	10.0
2-Acetylaminofluorene	ND		0.253	10.0
2-Naphthylamine	ND		0.195	10.0
3,3-Dimethylbenzidine	ND		3.39	10.0
3-Methylcholanthrene	ND		0.164	10.0
4-Aminobiphenyl	ND		0.461	10.0
5-Nitro-o-toluidine	ND		1.99	10.0
Chlorobenzilate	ND		1.33	50.0
Diallate	ND		0.524	10.0
Dimethoate	ND		1.44	50.0
Dimethylbenz (A) Anthracene	ND		1.71	10.0
Dinoseb	ND		17.9	50.0
Diphenylamine	ND		1.19	10.0
Disulfoton	ND		0.267	10.0
Ethyl methanesulfonate	ND		0.326	10.0
Ethyl parathion	ND		0.379	10.0
Famphur	ND		1.06	20.0
Hexachloropropene	ND		0.149	50.0
Isodrin	ND		0.293	10.0
Isosafrole	ND		0.409	10.0
Kepone	ND		1.88	20.0
Methapyrilene	ND		4.25	50.0
Methyl methanesulfonate	ND		0.647	50.0
Methyl parathion	ND		0.213	10.0
O,O,O-Triethyl Phosphorothioate	ND		0.537	10.0
P-(Dimethylamino) Azobenzene	ND		0.208	10.0
Pentachlorobenzene	ND		0.369	10.0
Pentachloronitrobenzene	ND		0.327	10.0
Phenacetin	ND		0.262	10.0
Phorate	ND		0.382	50.0
Pronamide	ND		0.265	10.0
Safrole	ND		0.259	10.0
Thionazin	ND		0.204	10.0
n-Nitrosodi-n-butylamine	ND		0.331	10.0
n-Nitrosodiethylamine	ND		0.497	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3987287-2 10/13/23 19:21

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
n-Nitrosomethylethylamine	ND		1.71	10.0
n-Nitrosopiperidine	ND		0.268	10.0
n-Nitrosopyrrolidine	ND		2.55	10.0
o-Toluidine	ND		0.362	10.0
p-Phenylenediamine	ND		387	6900

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
1,2,4,5-Tetrachlorobenzene	50.0	28.3	56.6	31.0-121	
1,2,4-Trichlorobenzene	50.0	21.7	43.4	24.0-120	
2,2-Oxybis(1-Chloropropane)	50.0	29.5	59.0	28.0-120	
2,3,4,6-Tetrachlorophenol	50.0	30.8	61.6	42.0-132	
2,4,5-Trichlorophenol	50.0	29.8	59.6	44.0-120	
2,4,6-Trichlorophenol	50.0	29.4	58.8	42.0-120	
2,4-Dichlorophenol	50.0	23.2	46.4	36.0-120	
2,4-Dimethylphenol	50.0	25.1	50.2	33.0-120	
2,4-Dinitrophenol	50.0	36.9	73.8	10.0-120	
2,4-Dinitrotoluene	50.0	34.0	68.0	49.0-124	
2,6-Dinitrotoluene	50.0	34.4	68.8	46.0-120	
2-Chloronaphthalene	50.0	29.3	58.6	37.0-120	
2-Chlorophenol	50.0	24.1	48.2	25.0-120	
2-Methylnaphthalene	50.0	25.1	50.2	33.0-120	
2-Methylphenol	50.0	21.9	43.8	28.0-120	
2-Nitroaniline	50.0	33.2	66.4	43.0-120	
2-Nitrophenol	50.0	30.7	61.4	31.0-120	
3&4-Methyl Phenol	50.0	22.3	44.6	31.0-120	
3,3-Dichlorobenzidine	100	65.4	65.4	44.0-120	
3-Nitroaniline	50.0	30.9	61.8	38.0-120	
4,6-Dinitro-2-methylphenol	50.0	38.5	77.0	38.0-138	
4-Bromophenyl-phenylether	50.0	35.0	70.0	45.0-120	
4-Chloro-3-methylphenol	50.0	23.4	46.8	40.0-120	
4-Chloroaniline	50.0	22.2	44.4	25.0-120	
4-Chlorophenyl-phenylether	50.0	32.1	64.2	44.0-120	
4-Nitroaniline	50.0	30.1	60.2	18.0-160	
4-Nitrophenol	50.0	10.3	20.6	10.0-120	
Acenaphthene	50.0	30.7	61.4	41.0-120	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Acenaphthylene	50.0	29.6	59.2	43.0-120	
Acetophenone	50.0	33.5	67.0	29.0-120	
Anthracene	50.0	32.7	65.4	45.0-120	
Benzo(A)Anthracene	50.0	35.0	70.0	47.0-120	
Benzo(a)pyrene	50.0	32.7	65.4	47.0-120	
Benzo(b)fluoranthene	50.0	34.3	68.6	46.0-120	
Benzo(g,h,i)perylene	50.0	29.2	58.4	48.0-121	
Benzo(k)fluoranthene	50.0	33.9	67.8	46.0-120	
Benzyl Alcohol	50.0	22.9	45.8	25.0-120	
Benzylbutyl phthalate	50.0	39.7	79.4	43.0-121	
Bis(2-Ethylhexyl)phthalate	50.0	35.9	71.8	43.0-122	
Bis(2-chlorethoxy)methane	50.0	28.5	57.0	33.0-120	
Bis(2-chloroethyl)ether	50.0	30.8	61.6	23.0-120	
Chrysene	50.0	33.6	67.2	48.0-120	
Di-n-butyl phthalate	50.0	40.6	81.2	49.0-121	
Di-n-octyl phthalate	50.0	35.7	71.4	42.0-125	
Dibenz(a,h)anthracene	50.0	31.8	63.6	47.0-120	
Dibenzofuran	50.0	29.6	59.2	44.0-120	
Diethyl phthalate	50.0	34.6	69.2	48.0-122	
Dimethyl phthalate	50.0	32.9	65.8	48.0-120	
Diphenylamine	50.0	31.4	62.8	35.0-120	
Fluoranthene	50.0	34.4	68.8	51.0-120	
Fluorene	50.0	31.6	63.2	47.0-120	
Hexachloro-1,3-butadiene	50.0	23.1	46.2	19.0-120	
Hexachlorobenzene	50.0	33.3	66.6	44.0-120	
Hexachlorocyclopentadiene	50.0	20.0	40.0	15.0-120	
Hexachloroethane	50.0	28.4	56.8	15.0-120	
Indeno(1,2,3-cd)pyrene	50.0	29.2	58.4	49.0-122	
Isophorone	50.0	27.8	55.6	36.0-120	
Naphthalene	50.0	24.9	49.8	27.0-120	
Nitrobenzene	50.0	27.8	55.6	27.0-120	
Pentachlorophenol	50.0	25.2	50.4	23.0-120	
Phenanthrene	50.0	33.4	66.8	46.0-120	
Phenol	50.0	12.0	24.0	10.0-120	
Pyrene	50.0	34.8	69.6	47.0-120	
n-Nitrosodi-n-propylamine	50.0	33.9	67.8	31.0-120	
n-Nitrosodimethylamine	50.0	18.0	36.0	10.0-120	
n-Nitrosodiphenylamine	50.0	31.4	62.8	47.0-120	
(S) Phenol-d5			22.0	10.0-120	
(S) 2,4,6-Tribromophenol			61.5	10.0-155	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3986579-1 10/12/23 11:34

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
(S) p-Terphenyl-d14			66.9	10.0-128	
(S) Nitrobenzene-d5			51.8	10.0-127	
(S) 2-Fluorobiphenyl			54.6	10.0-130	
(S) 2-Fluorophenol			29.6	10.0-120	

Laboratory Control Sample (LCS)

(LCS) R3987287-1 10/13/23 19:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
1,3,5-Trinitrobenzene	50.0	39.8	79.6	37.0-147	
1,3-Dinitrobenzene	50.0	33.0	66.0	34.0-120	
1,4-Naphthoquinone	50.0	5.87	11.7	50.0-150	J4
1-Naphthylamine	50.0	25.0	50.0	19.0-120	
2,6-Dichlorophenol	50.0	23.1	46.2	19.0-136	
2-Acetylaminofluorene	50.0	32.0	64.0	32.0-120	
2-Naphthylamine	50.0	18.5	37.0	10.0-120	
3,3-Dimethylbenzidine	50.0	3.15	6.30	13.0-120	J4
3-Methylcholanthrene	50.0	36.2	72.4	30.0-160	
4-Aminobiphenyl	50.0	27.3	54.6	20.0-120	
5-Nitro-o-toluidine	50.0	34.2	68.4	34.0-120	
Chlorobenzilate	50.0	40.9	81.8	29.0-128	
Diallate	50.0	33.2	66.4	30.0-120	
Dimethoate	50.0	28.6	57.2	11.0-134	
Dimethylbenz (A) Anthracene	50.0	30.8	61.6	14.0-124	
Dinoseb	50.0	34.5	69.0	39.0-120	
Diphenylamine	50.0	31.0	62.0	35.0-120	
Disulfoton	50.0	34.7	69.4	32.0-120	
Ethyl methanesulfonate	50.0	24.4	48.8	10.0-120	
Ethyl parathion	50.0	36.5	73.0	46.0-130	
Famphur	50.0	37.6	75.2	32.0-120	
Hexachloropropene	50.0	22.6	45.2	10.0-120	
Isodrin	50.0	28.9	57.8	22.0-157	
Isosafrole	50.0	28.4	56.8	25.0-133	
Kepone	50.0	17.8	35.6	10.0-120	
Methapyrilene	50.0	5.76	11.5	10.0-120	
Methyl methanesulfonate	50.0	20.7	41.4	10.0-120	
Methyl parathion	50.0	43.8	87.6	42.0-120	
O,O,O-Triethyl Phosphorothioate	50.0	27.0	54.0	11.0-135	

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3987287-1 10/13/23 19:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
P-(Dimethylamino) Azobenzene	50.0	29.3	58.6	27.0-120	
Pentachlorobenzene	50.0	30.1	60.2	25.0-120	
Pentachloronitrobenzene	50.0	34.9	69.8	34.0-132	
Phenacetin	50.0	30.4	60.8	34.0-127	
Phorate	50.0	37.8	75.6	13.0-160	
Pronamide	50.0	37.9	75.8	38.0-130	
Safrole	50.0	26.5	53.0	21.0-120	
Thionazin	50.0	34.9	69.8	38.0-121	
n-Nitrosodi-n-butylamine	50.0	28.8	57.6	13.0-143	
n-Nitrosodiethylamine	50.0	23.1	46.2	10.0-120	
n-Nitrosomethylethylamine	50.0	19.7	39.4	10.0-120	
n-Nitrosopiperidine	50.0	23.3	46.6	10.0-160	
n-Nitrosopyrrolidine	50.0	23.7	47.4	10.0-124	
o-Toluidine	50.0	19.3	38.6	10.0-120	
p-Phenylenediamine	50.0	0.000	0.000	50.0-150	J4

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
1,2,4,5-Tetrachlorobenzene	45.5	ND	21.2	24.7	46.6	51.9	1	19.0-122			15.3	32
1,2,4-Trichlorobenzene	45.5	ND	17.1	18.8	37.6	39.5	1	15.0-120			9.47	31
2,2-Oxybis(1-Chloropropane)	45.5	ND	24.2	26.4	53.2	55.5	1	18.0-120			8.70	34
2,3,4,6-Tetrachlorophenol	45.5	ND	ND	ND	46.6	58.2	1	17.0-142			26.6	34
2,4,5-Trichlorophenol	45.5	ND	18.6	25.6	40.9	53.8	1	33.0-120		J3	31.7	31
2,4,6-Trichlorophenol	45.5	ND	17.3	24.3	38.0	51.1	1	26.0-120		J3	33.7	31
2,4-Dichlorophenol	45.5	ND	13.2	18.7	29.0	39.3	1	19.0-120		J3	34.5	27
2,4-Dimethylphenol	45.5	ND	11.8	20.9	25.9	43.9	1	15.0-120		J3	55.7	28
2,4-Dinitrophenol	45.5	ND	ND	ND	56.0	68.1	1	10.0-120			23.8	40
2,4-Dinitrotoluene	45.5	ND	27.6	29.2	60.7	61.3	1	39.0-125			5.63	25
2,6-Dinitrotoluene	45.5	ND	27.9	29.4	61.3	61.8	1	36.0-120			5.24	27
2-Chloronaphthalene	45.5	ND	22.6	25.2	49.7	52.9	1	29.0-120			10.9	28
2-Chlorophenol	45.5	ND	15.0	20.3	33.0	42.6	1	18.0-120			30.0	34
2-Methylnaphthalene	45.5	ND	18.9	21.0	41.5	44.1	1	17.0-120			10.5	28
2-Methylphenol	45.5	ND	13.5	18.9	29.7	39.7	1	10.0-120		J3	33.3	30
2-Nitroaniline	45.5	ND	ND	ND	60.9	63.0	1	33.0-120			7.97	27
2-Nitrophenol	45.5	ND	18.4	24.2	40.4	50.8	1	20.0-120			27.2	30
3&4-Methyl Phenol	45.5	ND	14.1	19.2	31.0	40.3	1	10.0-120			30.6	36

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
3,3-Dichlorobenzidine	91.0	ND	52.6	56.1	57.8	58.9	1	10.0-134			6.44	30
3-Nitroaniline	45.5	ND	ND	ND	54.7	59.2	1	20.0-120			12.4	27
4,6-Dinitro-2-methylphenol	45.5	ND	ND	ND	61.1	68.7	1	10.0-144			16.2	39
4-Bromophenyl-phenylether	45.5	ND	ND	ND	57.8	61.6	1	37.0-120			10.8	24
4-Chloro-3-methylphenol	45.5	ND	13.7	19.7	30.1	41.4	1	26.0-120		J3	35.9	27
4-Chloroaniline	45.5	ND	15.7	18.7	34.5	39.3	1	10.0-120			17.4	31
4-Chlorophenyl-phenylether	45.5	ND	24.2	26.6	53.2	55.9	1	36.0-120			9.45	23
4-Nitroaniline	45.5	ND	ND	ND	51.4	56.1	1	10.0-160			13.2	26
4-Nitrophenol	45.5	ND	ND	ND	17.3	17.6	1	10.0-120			6.04	40
Acenaphthene	45.5	ND	23.4	26.6	51.4	55.9	1	28.0-120			12.8	25
Acenaphthylene	45.5	ND	23.1	25.7	50.8	54.0	1	31.0-121			10.7	25
Acetophenone	45.5	ND	27.0	30.2	59.3	63.4	1	20.0-120			11.2	35
Anthracene	45.5	ND	26.2	27.6	57.6	58.0	1	36.0-120			5.20	23
Benzo(A)Anthracene	45.5	ND	24.8	28.4	54.5	59.7	1	39.0-120			13.5	23
Benzo(a)pyrene	45.5	ND	21.0	25.4	46.2	53.4	1	37.0-120			19.0	24
Benzo(b)fluoranthene	45.5	ND	22.2	26.4	48.8	55.5	1	37.0-120			17.3	23
Benzo(g,h,i)perylene	45.5	ND	17.6	21.7	38.7	45.6	1	37.0-123			20.9	25
Benzo(k)fluoranthene	45.5	ND	22.1	26.1	48.6	54.8	1	37.0-120			16.6	26
Benzyl Alcohol	45.5	ND	17.7	21.1	38.9	44.3	1	14.0-120			17.5	38
Benzylbutyl phthalate	45.5	ND	31.0	34.3	68.1	72.1	1	34.0-126			10.1	24
Bis(2-Ethylhexyl)phthalate	45.5	ND	21.7	26.5	47.7	55.7	1	33.0-126			19.9	25
Bis(2-chlorethoxy)methane	45.5	ND	23.3	25.6	51.2	53.8	1	17.0-120			9.41	31
Bis(2-chloroethyl)ether	45.5	ND	27.5	31.6	60.4	66.4	1	14.0-120			13.9	33
Chrysene	45.5	ND	23.9	27.3	52.5	57.4	1	38.0-120			13.3	23
Di-n-butyl phthalate	45.5	ND	32.2	33.5	70.8	70.4	1	35.0-128			3.96	23
Di-n-octyl phthalate	45.5	ND	21.2	26.0	46.6	54.6	1	25.0-135			20.3	26
Dibenz(a,h)anthracene	45.5	ND	ND	23.5	41.3	49.4	1	36.0-121			22.2	24
Dibenzofuran	45.5	ND	22.9	25.9	50.3	54.4	1	32.0-120			12.3	26
Diethyl phthalate	45.5	ND	29.3	30.1	64.4	63.2	1	39.0-125			2.69	24
Dimethyl phthalate	45.5	ND	26.1	28.4	57.4	59.7	1	37.0-120			8.44	24
Diphenylamine	45.5	ND	26.0	26.6	57.1	55.9	1	35.0-120			2.28	30
Fluoranthene	45.5	ND	27.5	28.5	60.4	59.9	1	41.0-121			3.57	22
Fluorene	45.5	ND	23.4	26.1	51.4	54.8	1	37.0-120			10.9	24
Hexachloro-1,3-butadiene	45.5	ND	17.3	19.6	38.0	41.2	1	12.0-120			12.5	34
Hexachlorobenzene	45.5	ND	25.3	28.1	55.6	59.0	1	35.0-122			10.5	24
Hexachlorocyclopentadiene	45.5	ND	ND	ND	24.2	37.0	1	10.0-120		J3	46.2	33
Hexachloroethane	45.5	ND	22.0	24.2	48.4	50.8	1	10.0-120			9.52	40
Indeno(1,2,3-cd)pyrene	45.5	ND	17.2	21.5	37.8	45.2	1	38.0-125		J6	22.2	24
Isophorone	45.5	ND	21.8	24.4	47.9	51.3	1	21.0-120			11.3	27
Naphthalene	45.5	ND	19.2	21.2	42.2	44.5	1	10.0-120			9.90	31

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl


8 Al

9 Sc

L1663622-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1663622-23 10/12/23 13:22 • (MS) R3986579-3 10/12/23 13:44 • (MSD) R3986579-4 10/12/23 14:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Nitrobenzene	45.5	ND	22.6	24.1	49.7	50.6	1	12.0-120			6.42	30
Pentachlorophenol	45.5	ND	ND	ND	42.4	47.7	1	10.0-128			16.2	37
Phenanthrene	45.5	ND	26.1	27.8	57.4	58.4	1	33.0-120			6.31	22
Phenol	45.5	ND	11.4	10.6	25.1	22.3	1	10.0-120			7.27	40
Pyrene	45.5	ND	28.0	30.1	61.5	63.2	1	39.0-120			7.23	22
n-Nitrosodi-n-propylamine	45.5	ND	26.7	30.6	58.7	64.3	1	16.0-120			13.6	30
n-Nitrosodimethylamine	45.5	ND	16.2	17.5	35.6	36.8	1	10.0-120			7.72	40
n-Nitrosodiphenylamine	45.5	ND	26.0	26.6	57.1	55.9	1	37.0-120			2.28	24
<i>(S) Phenol-d5</i>					18.6	20.0		10.0-120				
<i>(S) 2,4,6-Tribromophenol</i>					43.7	53.2		10.0-155				
<i>(S) p-Terphenyl-d14</i>					50.8	56.9		10.0-128				
<i>(S) Nitrobenzene-d5</i>					45.8	46.5		10.0-127				
<i>(S) 2-Fluorobiphenyl</i>					47.3	48.6		10.0-130				
<i>(S) 2-Fluorophenol</i>					23.3	27.2		10.0-120				



GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
P	RPD between the primary and confirmatory analysis exceeded 40%.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Billing Information:
jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Report to:
Jodi Reynolds

Email To:
ciara.childers.beavers@jettenviro.com; jeffholm

Project Description:
Eco-Vista LF-GW-Apr & Oct

City/State Collected: Please Circle:
PT MT CT ET

Phone: 501-993-8966

Client Project # 200
Lab Project # WMECOVISAR-00013

Collected by (print):
Chris Fincher

Site/Facility ID # AR03
P.O. #

Collected by (signature):
[Signature]
Immediately Packed on Ice N Y

Rush? (Lab MUST Be Notified)
 Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day
 Quote #
 Date Results Needed

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
-----------	-----------	----------	-------	------	------	--------------

LGW-6	Grab	GW	51.15	10.5.23	1355	16
LGW-7		GW	44.55	10.5.23	1700	4
LGW-8R		GW	11.20	10.5.23	1755	4
LGW-9		GW	55.45	10.5.23	1900	16
LGW-10		GW	61.25	10.5.23	1815	16
LGW-14R		GW	58.30	10.5.23	1325	2
MW-7N		GW				3
MW-15		GW				2
MW-16		GW				2
MW-17		GW				2

Pres Chk	Analysis / Container / Preservative
	>12 <2 <2
	8081/8082 100ml Amb-NoPres
	8270AP9 100ml Amb NoPres
	CHLORIDE 125mIHDPE-NoPres
	CHLORIDE,SULFATE 125mIHDPE-NoPres
	CN 250mIHDPEAmb-NaOH
	Metals 150mIHDPE-HNO3
	NH3 250mIHDPE-H2SO4
	SULFIDE 250mIAmb-S-NaOH+ZnAc
	SV8151 1L-Amb-No Pres
	TDS 1L-HDPE NoPres



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # *1164005*
F067

Acctnum: WMECOVISAR
Template: T238606
Prelogin: P1026525
PM: 616- Stacy Kennedy
PB: 9/26/23 JS
Shipped Via: FedEX Ground

Remarks	Sample # (lab only)
	-01
	-02
	-03
	-04
	-05
	-06

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking #

pH _____ Temp _____

Flow _____ Other _____

PH-10BDH4321 TRC-2352
CR6-20221V
PH-10BDH4321 TRC-2352
CR6-20221V

Trip Blank Received: Yes No
2 HCL/MeOH TBR

Temp: 44.8 °C Bottles Received: 101

Date: 5.7.10 Time: 10/7/23

Sample Receipt Checklist	
COC Seal Present/Intact:	<input type="checkbox"/> NP <input checked="" type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> N

Relinquished by: (Signature) *[Signature]* Date: 10.6.23 Time: 1200
Received by: (Signature)

Relinquished by: (Signature) Date: Time: Received by: (Signature)

Relinquished by: (Signature) Date: Time: Received for lab by: (Signature) *Christopher R. Ballin*

If preservation required by Login: Date/Time
Hold: Condition: NCF OK

Eco-Vista (Tontitown)LF

88 Joyce Lane
Russellville, AR 72801

Report to:
Jodi Reynolds

Project Description:
Eco-Vista LF-GW-Apr & Oct

Phone: **501-993-8966**

Client Project #
200

Lab Project #
WMECOVISAR-00020

Collected by (print):
Chris Fincher

Site/Facility ID #
AR03

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Quote #

Immediately Packed on Ice N Y X

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Date Results Needed

No. of
Ctrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Ctrs
NE-145		GW				7
NE-15D	Grab	GW	48.75	10.6.23	1000	7
NE-155		GW				7
MW-3N	Grab	GW	44.35	10.6.23	0825	7
MW-8N	Grab	GW	30.30	10.5.23	1455	15
MW-21	Grab	GW	24.00	10.6.23	0915	7
NE-9	Grab	GW	11.20	10.6.23	1040	7
TRIP BLANK		GW				8
		GW				7

Billing Information:
jreyno10@wm.com
P.O. Box 4745
WM A/P DEPARTMENT
Portland, OR 97208-4745

Email To:
ciara.childers.beavers@jettenviro.com;jeffholm

City/State Collected: Please Circle:
PT MT CT ET

Analysis / Container / Preservative										Chain of Custody Page 2 of 2		
8081/8082 100ml Amb-NoPres	8270AP9 100ml Amb NoPres	CHLORIDE 125mlHDPE-NoPres	CHLORIDE,SULFATE 125mlHDPE-NoPres	CN 250mlHDPEAmb-NaOH	Metals 250mlHDPE-HNO3	NH3 250mlHDPE-H2SO4	SULFIDE 250ml/Amb-S-NaOH+ZnAc	SV8151 1L-Amb-No Pres	TDS 1L-HDPE NoPres			
			X		X							
			X		X							
			X		X							
			X		X							
	X	X	X	X	X		X	X	X			
			X		X							
			X		X							
			X		X	X						
			X		X							
			X		X							



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG # *6/1664045*

Table #

Acctnum: **WMECOVISAR**

Template: **T238606**

Prelogin: **P1026525**

PM: **616 - Stacy Kennedy**

PB: *9/26/25 TJS*

Shipped Via: **FedEX Ground**

Remarks | Sample # (lab only)

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:
pH _____ Temp _____
Flow _____ Other _____

Samples returned via:
 UPS FedEx Courier

Tracking #

Sample Receipt Checklist	
COC Seal Present/Intact: <input type="checkbox"/> NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
If Applicable	
VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Preservation Correct/Checked: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

Relinquished by: (Signature) <i>[Signature]</i>	Date: 10.6.23	Time: 1200	Received by: (Signature)	Trip Blank Received: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No HCL / MeOH TBR
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: <i>6.8</i> °C <i>5.7</i> HD
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature) <i>Christopher Gallie</i>	Date: <i>10/2/23</i> Time: <i>0900</i>

If preservation required by Login: Date/Time
Hold:
Condition: **NCF / OK**

L 1664045

<u>Tracking Numbers</u>	<u>Temperature</u>
707487885214	5.7+0
707487885199	3.0+0
707487885225	.1+0
707487885203	-4+0

Name

Date

FIELD INFORMATION FORM



Site Name: EVLF

This Waste Management Field Information Form is Required
This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

Site No.: _____
Sample Point: LCW-6
Sample ID

PURGE INFO	<u>100523</u>	<u>13:30</u>	_____	_____	_____	_____
	PURGE DATE (MM DD YY)	PURGE TIME (2400 Hr Clock)	ELAPSED HRS (hrs:min)	WATER VOL IN CASING (Gallons)	ACTUAL VOL PURGED (Gallons)	WELL VOLS PURGED

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT	Purging and Sampling Equipment ... Dedicated: <input checked="" type="checkbox"/> Y or <input type="checkbox"/> N		Filter Device: <input type="checkbox"/> Y or <input checked="" type="checkbox"/> N	<u>0.45</u> μ or _____ μ (circle or fill in)
	Purging Device <u>C</u>	A- Submersible Pump	D-Bailer	A-In-line Disposable C-Vacuum
	Sampling Device <u>C</u>	B-Peristaltic Pump	E-Piston Pump	B-Pressure X-Other _____
	X-Other: _____	C-QED Bladder Pump	F-Dipper/Bottle	A-Teflon C-PVC X-Other: _____
		Sample Tube Type: <u>D</u>	B-Stainless Steel	D-Polypropylene

WELL DATA	Well Elevation (at TOC) _____ (ft/msl)	Depth to Water (DTW) (from TOC) <u>511.0</u> (ft)	Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
	Total Well Depth (from TOC) _____ (ft)	Stick Up (from ground elevation) _____ (ft)	Casing ID <u>2</u> (in) Casing Material <u>PVC</u>

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μ mhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)	
	<u>13:35</u>	<u>300</u>	<u>1"</u>	<u>6.816</u>	<u>714</u>	<u>20.2</u>	<u>33</u>	<u>6.5</u>	<u>61.8</u>	<u>511.5</u>
	<u>13:40</u>	<u>300</u>	<u>2"</u>	<u>6.313</u>	<u>804</u>	<u>18.9</u>	<u>34</u>	<u>3.3</u>	<u>123.5</u>	<u>511.5</u>
	<u>13:45</u>	<u>300</u>	<u>3"</u>	<u>6.312</u>	<u>843</u>	<u>18.7</u>	<u>39</u>	<u>1.0</u>	<u>18.4</u>	<u>511.5</u>
	<u>13:50</u>	<u>300</u>	<u>4"</u>	<u>6.314</u>	<u>859</u>	<u>18.6</u>	<u>34</u>	<u>0.9</u>	<u>11.6</u>	<u>511.5</u>
	<u>13:55</u>	<u>300</u>	<u>3"</u>	<u>6.314</u>	<u>868</u>	<u>18.8</u>	<u>31</u>	<u>0.8</u>	<u>-9.3</u>	<u>511.5</u>

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2
 Conductance: +/- 3%
 Temp: ---
 Turbidity: ---
 D.O.: +/- 10%
 eH/ORP: +/- 25 mV
 DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA	SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (μ mhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____ Units
	<u>100523</u>	<u>6.34</u>	<u>868</u>	<u>18.8</u>	<u>31</u>	<u>0.8</u>	<u>-9.3</u>	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____
 Direction/Speed: _____ Outlook: _____ Precipitation: Y or N

Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

10, 5, 23 _____ _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLV
 Site No.:
 Sample Point: LGW-7
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 100523
 PURGE TIME (2400 Hr Clock): 16:30
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLs PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 4365 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
16:35	200 1 st	7.06	1650	18.5	52	4.9	257	4440
16:40	200 2 nd	7.02	1638	18.3	28	3.7	421	4445
16:45	200 3 rd	6.93	1673	18.2	27	32	550	4445
16:50	200 4 th	6.78	720	18.3	27	22	760	4445
16:55	200	6.71	739	18.1	26	20	852	4445
17:00	200	6.69	744	18.2	26	19	910	4455

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 100523 pH (std): 6.69 CONDUCTANCE (umhos/cm @ 25°C): 744 TEMP. (°C): 18.2 TURBIDITY (ntu): 26 DO (mg/L-ppm): 19 eH/ORP (mV): 910 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/5/23
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: LGW-8R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 10/05/23 PURGE TIME: 17:10 ELAPSED HRS:
 (MM DD YY) (2400 Hr Clock) (hrs:min)
 WATER VOL IN CASING: ACTUAL VOL PURGED: WELL VOLs PURGED:
 (Gallons) (Gallons)

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N Filter Device: Y or N 0.45 μ or μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other:
 X-Other: B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 1090 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time	Rate/Unit	pH	Conductance (SC/EC)	Temp.	Turbidity	D.O.	eH/ORP	DTW
	(2400 Hr Clock)		(std)	(μmhos/cm @ 25°C)	(°C)	(ntu)	(mg/L - ppm)	(mV)	(ft)
	<u>17:15</u>	<u>200</u> 1 st	<u>6.65</u>	<u>856</u>	<u>18.0</u>	<u>2.5</u>	<u>2.6</u>	<u>95.8</u>	<u>11.15</u>
	<u>17:20</u>	<u>200</u> 2 nd	<u>6.64</u>	<u>865</u>	<u>17.4</u>	<u>2.4</u>	<u>0.9</u>	<u>98.4</u>	<u>11.2</u>
	<u>17:25</u>	<u>200</u> 3 rd	<u>6.64</u>	<u>871</u>	<u>17.3</u>	<u>2.4</u>	<u>0.5</u>	<u>97.3</u>	<u>11.2</u>
	<u>17:30</u>	<u>200</u> 4 th	<u>6.64</u>	<u>872</u>	<u>17.3</u>	<u>2.5</u>	<u>0.4</u>	<u>96.4</u>	<u>11.2</u>
	<u>17:35</u>	<u>200</u>	<u>6.64</u>	<u>873</u>	<u>17.3</u>	<u>2.5</u>	<u>0.4</u>	<u>95.9</u>	<u>11.2</u>
	<u> </u>								
	<u> </u>								
	<u> </u>								
	<u> </u>								
	<u> </u>								

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE: 10/05/23 pH (std): 6.64 CONDUCTANCE (μmhos/cm @ 25°C): 873 TEMP. (°C): 17.3 TURBIDITY (ntu): 2.5 DO (mg/L-ppm): 0.4 eH/ORP (mV): 95.9 Other:
 Units:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: None Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/5/23
 Date Name Signature Company

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: LGW-9
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10|05|23 PURGE TIME (2400 Hr Clock): 18|35 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A- Submersible Pump D-Bailer Filter Type: _____ A-In-line Disposable C-Vacuum
 Sampling Device: C B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 X-Other: _____ C-QED Bladder Pump F-Dipper/Bottle Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 54|24 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material pvc
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
18:40	200 1 st	6.68	929	17.8	27	5.1	215	55.25
18:45	200 2 nd	6.42	929	17.2	28	1.6	55.3	55.35
18:50	200 3 rd	6.41	931	17.3	25	0.8	66.8	55.45
18:55	200 4 th	6.41	931	17.2	26	0.5	74.9	55.55
19:00	200	6.41	930	17.2	28	0.4	79.7	55.45

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10|05|23 pH (std): 6.41 CONDUCTANCE (umhos/cm @ 25°C): 930 TEMP. (°C): 17.2 TURBIDITY (ntu): 28 DO (mg/L-ppm): 0.4 eH/ORP (mV): 79.7 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 5, 23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: 26W-110
 Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE: 100523 (MM DD YY)
 PURGE TIME: 17:50 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: _____ C-Vacuum
 Filter Type: _____ B-Pressure X-Other: _____
 Sample Tube Type: D A-Teflon C-PVC X-Other: _____
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): _____ (ft/msl) Depth to Water (DTW) (from TOC): 5958 (ft) Groundwater Elevation (site datum, from TOC): _____ (ft/msl)
 Total Well Depth (from TOC): _____ (ft) Stick Up (from ground elevation): _____ (ft) Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)

Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
17:55	200 1 st	6.71	1911	20.3	4.6	5.0	182.4	160.45
18:00	200 2 nd	6.45	1045	17.6	3.9	1.3	-23.3	160.90
18:05	200 3 rd	6.46	1048	17.4	3.5	0.6	-32.2	161.05
18:10	200 4 th	6.46	1047	17.4	3.5	0.4	-34.8	161.15
18:15	200	6.47	1048	17.5	3.4	0.3	-37.0	161.25

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: - Turbidity: - D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 100523 pH (std): 6.47 CONDUCTANCE (umhos/cm @ 25°C): 1048 TEMP. (°C): 17.5 TURBIDITY (ntu): 3.4 DO (mg/L-ppm): 0.3 eH/ORP (mV): -370 Other: _____
 Units

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/5/23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: L6W14R
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 10/05/23 (MMDDYY)
 PURGE TIME: 13:00 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or N
 Purging Device: C A- Submersible Pump D-Bailer
 Sampling Device: C B-Peristaltic Pump E-Piston Pump
 X-Other: C-QED Bladder Pump F-Dipper/Bottle
 Filter Device: Y or X 0.45 μ or μ (circle or fill in)
 Filter Type: A-In-line Disposable C-Vacuum
 B-Pressure X-Other
 Sample Tube Type: D A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl)
 Depth to Water (DTW) (from TOC): 56.60 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft)
 Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) Casing Material: PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (μmhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		13:05	200 1 st	7.10	662	21.7	12.5	8.1	12.6
	13:10	200 2 nd	6.89	742	20.0	2.7	5.6	4.49	58.10
	13:15	200 3 rd	6.87	750	20.1	2.7	3.9	5.63	58.20
	13:20	200 4 th	6.87	751	19.9	2.7	3.8	6.04	58.25
	13:25	200	6.86	750	19.7	2.9	3.8	6.43	58.30

Suggested range for 3 consec. readings or note Permit/State requirements:
 pH: +/- 0.2 Conductance: +/- 3% Temp: -- Turbidity: -- D.O.: +/- 10% eH/ORP: +/- 25 mV DTW: Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/05/23
 pH (std): 6.86
 CONDUCTANCE (umhos/cm @ 25°C): 750
 TEMP. (°C): 19.7
 TURBIDITY (ntu): 2.9
 DO (mg/L-ppm): 3.8
 eH/ORP (mV): 6.43
 Other: Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Mostly Sunny Direction/Speed: E @ 5-10 mph Outlook: Sunny 80s Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10/5/23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLFF
 Site No.:
 Sample Point: NE-15D
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE: 10/06/23 (MM DD YY)
 PURGE TIME: 09:30 (2400 Hr Clock)
 ELAPSED HRS: (hrs:min)
 WATER VOL IN CASING: (Gallons)
 ACTUAL VOL PURGED: (Gallons)
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or X | 0.45 μ or μ (circle or fill in)
 Purging Device: C | A-Submersible Pump | D-Bailer
 B-Peristaltic Pump | E-Piston Pump
 Sampling Device: C | C-QED Bladder Pump | F-Dipper/Bottle
 X-Other:
 Filter Type:
 A-In-line Disposable | C-Vacuum
 B-Pressure | X-Other:
 A-Teflon | C-PVC | X-Other:
 B-Stainless Steel | D-Polypropylene
 Sample Tube Type: 0

WELL DATA
 Well Elevation (at TOC): (ft/msl) | Depth to Water (DTW) (from TOC): 47.64 (ft)
 Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) | Stick Up (from ground elevation): (ft)
 Casing ID: 2 (in) | Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25 °C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		09:35	200 1 st	6.59	560	17.3	4.6	3.9	-1.1
	09:40	200 2 nd	7.05	693	15.7	3.1	6.7	-1.6	48.35
	09:45	200 3 rd	6.92	749	14.8	3.3	2.3	39.3	48.55
	09:50	200 4 th	6.91	751	14.8	2.9	1.4	46.9	48.65
	09:55	200	6.90	749	14.7	2.8	1.2	49.8	48.75
	10:00	200	6.91	746	14.7	2.8	1.0	52.7	48.75

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/06/23
 pH (std): 6.91
 CONDUCTANCE (umhos/cm @ 25°C): 746
 TEMP. (°C): 14.7
 TURBIDITY (ntu): 2.8
 DO (mg/L-ppm): 1.0
 eH/ORP (mV): 52.7
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear | Odor: None | Color: Clear | Other:
 Weather Conditions (required daily, or as conditions change): | Direction/Speed: | Outlook: | Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

Date: 10/6/23 | Name: | Signature: | Company:

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-3M
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 10 06 23 PURGE TIME (2400 Hr Clock): 08100 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:
Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: or Filter Device: or 0.45 μ or μ (circle or fill in)
 Purging Device: A-Submersible Pump D-Bailer Filter Type: A-In-line Disposable C-Vacuum
 Sampling Device: B-Peristaltic Pump E-Piston Pump B-Pressure X-Other:
 X-Other: Sample Tube Type: A-Teflon C-PVC X-Other:
 C-QED Bladder Pump F-Dipper/Bottle B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC): (ft/msl) Depth to Water (DTW) (from TOC): 4388 (ft) Groundwater Elevation (site datum, from TOC): (ft/msl)
 Total Well Depth (from TOC): (ft) Stick Up (from ground elevation): (ft) Casing ID: 2 (in) Casing Material: PVC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		08:05	200	6.70	843	14.9	4.2	2.0	103.5
	08:10	200	6.67	825	15.0	3.5	0.9	105.8	44.25
	08:15	200	6.66	813	15.1	3.2	0.6	108.3	44.25
	08:20	200	6.62	800	15.2	3.2	0.5	110.0	44.30
	08:25	200	6.62	788	15.2	3.2	0.5	110.5	44.35

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 06 23 pH (std): 6.62 CONDUCTANCE (umhos/cm @ 25°C): 788 TEMP. (°C): 15.2 TURBIDITY (ntu): 3.2 DO (mg/L-ppm): 0.5 eH/ORP (mV): 110.5 Other:
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: clear Odor: none Color: clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: calm Outlook: Sunny 70-80 Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10 5 23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: MW-8N
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO
 PURGE DATE (MM DD YY): 10/05/23 PURGE TIME (2400 Hr Clock): 14:36 ELAPSED HRS (hrs:min): :
 WATER VOL IN CASING (Gallons): ACTUAL VOL PURGED (Gallons): WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or X 0.45 μ or _____ μ (circle or fill in)
 Purging Device: A-Submersible Pump D-Bailer A-In-line Disposable C-Vacuum
 B-Peristaltic Pump E-Piston Pump B-Pressure X-Other _____
 Sampling Device: C-QED Bladder Pump F-Dipper/Bottle A-Teflon C-PVC X-Other: _____
 X-Other: _____ Sample Tube Type: D B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) _____ (ft/msl) Depth to Water (DTW) (from TOC) 27.98 (ft) Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
 Total Well Depth (from TOC) _____ (ft) Stick Up (from ground elevation) _____ (ft) Casing ID 2 (in) Casing Material PVC

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		<u>14:35</u>	<u>200</u>	<u>6.59</u>	<u>6166</u>	<u>18.9</u>	<u>32</u>	<u>12</u>	<u>64.7</u>
	<u>14:40</u>	<u>200</u>	<u>6.44</u>	<u>6510</u>	<u>18.7</u>	<u>35</u>	<u>0.8</u>	<u>73.4</u>	<u>30.3</u>
	<u>14:45</u>	<u>200</u>	<u>6.42</u>	<u>6415</u>	<u>17.6</u>	<u>30</u>	<u>0.4</u>	<u>87.3</u>	<u>30.3</u>
	<u>14:50</u>	<u>200</u>	<u>6.42</u>	<u>6411</u>	<u>17.7</u>	<u>33</u>	<u>0.4</u>	<u>90.2</u>	<u>30.3</u>
	<u>14:55</u>	<u>200</u>	<u>6.41</u>	<u>6412</u>	<u>17.8</u>	<u>37</u>	<u>0.3</u>	<u>91.8</u>	<u>30.3</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. -, Turbidity -, D.O. +/- 10%, eH/ORP +/- 25 mV, DTW Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10/05/23 pH (std): 6.41 CONDUCTANCE (umhos/cm @ 25°C): 642 TEMP. (°C): 17.8 TURBIDITY (ntu): 37 DO (mg/L-ppm): 0.3 eH/ORP (mV): 91.8 Other: _____
Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 5, 23 _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.:
 Sample Point: MW-21
 Sample ID:

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID:

PURGE INFO
 PURGE DATE (MM DD YY): 10 06 23
 PURGE TIME (2400 Hr Clock): 0840
 ELAPSED HRS (hrs:min):
 WATER VOL IN CASING (Gallons):
 ACTUAL VOL PURGED (Gallons):
 WELL VOLS PURGED:

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT
 Purging and Sampling Equipment ... Dedicated: Y or N
 Filter Device: Y or X | 0.45 μ or μ (circle or fill in)
 Purging Device: C A-Submersible Pump D-Bailer
 B-Peristaltic Pump E-Piston Pump
 Sampling Device: C C-QED Bladder Pump F-Dipper/Bottle
 X-Other: Sample Tube Type: D
 Filter Type:
 A-In-line Disposable C-Vacuum
 B-Pressure X-Other:
 A-Teflon C-PVC X-Other:
 B-Stainless Steel D-Polypropylene

WELL DATA
 Well Elevation (at TOC) (ft/msl) Depth to Water (DTW) (from TOC) 2379 (ft) Groundwater Elevation (site datum, from TOC) (ft/msl)
 Total Well Depth (from TOC) (ft) Stick Up (from ground elevation) (ft) Casing ID 2 (in) Casing Material PC
Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
		08:45	200 1 st	5.99 1 st	622	16.1	10.0	0.8	19.8
	08:50	200 2 nd	5.97 2 nd	609	16.1	8.7	0.5	22.0	24.0
	08:55	200 3 rd	5.94 3 rd	593	16.1	7.1	0.3	24.8	24.0
	09:00	200 4 th	5.93 4 th	586	16.1	7.0	0.3	26.3	24.0
	09:15	200	5.93	580	16.1	8.1	0.3	26.9	24.0

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA
 SAMPLE DATE (MM DD YY): 10 06 23
 pH (std): 5.93
 CONDUCTANCE (umhos/cm @ 25°C): 580
 TEMP. (°C): 16.1
 TURBIDITY (ntu): 8.1
 DO (mg/L-ppm): 0.3
 eH/ORP (mV): 26.9
 Other:
 Units:

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: NONE Color: Clear Other:
 Weather Conditions (required daily, or as conditions change): Direction/Speed: Outlook: Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required):

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):
10, 6, 23
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

FIELD INFORMATION FORM



Site Name: EVLF
 Site No.: Sample Point: NE-9
Sample ID

This Waste Management Field Information Form is Required
 This form is to be completed, in addition to any State Forms. The Field Form is submitted along with the Chain of Custody Forms that accompany the sample containers (i.e. with the cooler that is returned to the laboratory).

Laboratory Use Only/Lab ID: _____

PURGE INFO	PURGE DATE (MM DD YY) <u>100623</u>	PURGE TIME (2400 Hr Clock) <u>10:20</u>	ELAPSED HRS (hrs:min) <u> </u>	WATER VOL IN CASING (Gallons) <u> </u>	ACTUAL VOL PURGED (Gallons) <u> </u>	WELL VOLs PURGED <u> </u>
------------	--	--	--------------------------------------	--	--	---------------------------------

Note: For Passive Sampling, replace "Water Vol in Casing" and "Well Vols Purged" w/ Water Vol in Tubing/Flow Cell and Tubing/Flow Cell Vols Purged. Mark changes, record field data, below.

PURGE/SAMPLE EQUIPMENT	Purging and Sampling Equipment ... Dedicated: <input checked="" type="checkbox"/> Y or <input type="checkbox"/> N Purging Device: <u>C</u> A-Submersible Pump D-Bailer <u>C</u> B-Peristaltic Pump E-Piston Pump <u>C</u> C-QED Bladder Pump F-Dipper/Bottle X-Other: _____	Filter Device: <input type="checkbox"/> Y or <input checked="" type="checkbox"/> N <u>0.45</u> μ or _____ μ (circle or fill in) Filter Type: _____ Sample Tube Type: <u>D</u>
		A-In-line Disposable C-Vacuum B-Pressure X-Other _____ A-Teflon C-PVC X-Other: _____ B-Stainless Steel D-Polypropylene

WELL DATA	Well Elevation (at TOC) _____ (ft/msl)	Depth to Water (DTW) (from TOC) <u>965</u> (ft)	Groundwater Elevation (site datum, from TOC) _____ (ft/msl)
	Total Well Depth (from TOC) _____ (ft)	Stick Up (from ground elevation) _____ (ft)	Casing ID <u>2</u> (in) Casing Material <u>PVC</u>

Note: Total Well Depth, Stick Up, Casing Id, etc. are optional and can be from historical data, unless required by Site/Permit. Well Elevation, DTW, and Groundwater Elevation must be current.

STABILIZATION DATA (Optional)	Sample Time (2400 Hr Clock)	Rate/Unit	pH (std)	Conductance (SC/EC) (umhos/cm @ 25°C)	Temp. (°C)	Turbidity (ntu)	D.O. (mg/L - ppm)	eH/ORP (mV)	DTW (ft)
	<u>10:25</u>	<u>200</u>	<u>6.35</u> 1 st	<u>852</u>	<u>16.1</u>	<u>3.1</u>	<u>1.4</u>	<u>88.0</u>	<u>1092</u>
	<u>10:30</u>	<u>200</u>	<u>6.33</u> 2 nd	<u>851</u>	<u>16.2</u>	<u>2.9</u>	<u>0.4</u>	<u>99.9</u>	<u>1105</u>
	<u>10:35</u>	<u>200</u>	<u>6.32</u> 3 rd	<u>851</u>	<u>16.2</u>	<u>2.9</u>	<u>0.3</u>	<u>102.8</u>	<u>1115</u>
	<u>10:40</u>	<u>200</u>	<u>6.32</u> 4 th	<u>851</u>	<u>16.2</u>	<u>2.8</u>	<u>0.3</u>	<u>108.0</u>	<u>1120</u>

Suggested range for 3 consec. readings or note Permit/State requirements: pH +/- 0.2, Conductance +/- 3%, Temp. --, Turbidity --, D.O. +/- 10%, eH/ORP +/- 25 mV, Stabilize

Stabilization Data Fields are Optional (i.e. complete stabilization readings for parameters required by WM, Site, or State). These fields can be used where four (4) field measurements are required by State/Permit/Site. If a Data Logger or other Electronic format is used, fill in final readings below and submit electronic data separately to Site. If more fields above are needed, use separate sheet or form.

FIELD DATA	SAMPLE DATE (MM DD YY)	pH (std)	CONDUCTANCE (umhos/cm @ 25°C)	TEMP. (°C)	TURBIDITY (ntu)	DO (mg/L-ppm)	eH/ORP (mV)	Other: _____
	<u>100623</u>	<u>6.32</u>	<u>851</u>	<u>16.2</u>	<u>2.8</u>	<u>0.3</u>	<u>108.0</u>	

Final Field Readings are required (i.e. record field measurements, final stabilized readings, passive sample readings before sampling for all field parameters required by State/Permit/Site).

Sample Appearance: Clear Odor: None Color: Clear Other: _____
 Weather Conditions (required daily, or as conditions change): _____ Direction/Speed: _____ Outlook: _____ Precipitation: Y or N
 Specific Comments (including purge/well volume calculations if required): _____

FIELD COMMENTS

I certify that sampling procedures were in accordance with applicable EPA, State, and WM protocols (if more than one sampler, all should sign):

10/6/23 _____ _____
 Date Name Signature Company

DISTRIBUTION: WHITE/ORIGINAL - Stays with Sample, YELLOW - Returned to Client

APPENDIX D

Historical Groundwater Quality Results

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	LGW-10	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	10/6/2016	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	10/9/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/16/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-10	10/5/2023	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	10/27/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/17/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-14R	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	2/13/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	2/13/2015	65	65	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/12/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/8/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-2	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	2/10/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/11/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-3R	7/6/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/11/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-4	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	2/10/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/12/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-5	10/5/2023	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	2/5/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	2/10/2015	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/17/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/10/2019	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-6	10/5/2023	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	10/6/2016	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	LGW-7	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/12/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/10/2019	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-7	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/13/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-8R	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/26/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	2/11/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/5/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/13/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/10/2019	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	7/7/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	LGW-9	10/5/2023	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	2/13/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-10N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	2/3/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/9/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	2/10/2015	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/17/2018	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-11N	7/6/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-15	7/10/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	MW-15	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-16	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-16	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-17	7/10/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-17	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-19	7/13/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-19	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	10/14/1998	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	2/5/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	2/10/2015	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/10/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/6/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-1N	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-20	7/12/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-20	7/4/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	10/5/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	10/6/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/11/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/11/2019	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	MW-21	7/8/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-21	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/12/2018	51	51	ND	ug/L
0,0,0-triethylphosphorothioate	MW-2N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/11/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	2/12/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	10/9/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/13/2018	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/7/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-3N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/15/1998	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	2/12/2015	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	10/5/2017	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/13/2018	52	52	ND	ug/L
0,0,0-triethylphosphorothioate	MW-7N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/29/2002	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/24/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	1/24/2008	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	2/4/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	5/10/2011	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/11/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/2/2013	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/8/2014	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	2/12/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/6/2016	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/6/2017	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/16/2018	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/11/2019	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/9/2020	10	10	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	7/5/2021	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	MW-8N	10/5/2023	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	2/7/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	7/10/2012	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-1	7/18/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-2	7/10/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	2/7/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	7/10/2012	49	49	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	2/13/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-4	7/12/2018	52	52	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
0,0,0-triethylphosphorothioate	NE-5	10/25/2006	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	2/6/2009	50	50	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/10/2012	47	47	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	2/11/2015	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/17/2018	48	48	ND	ug/L
0,0,0-triethylphosphorothioate	NE-5	7/9/2019	50	50	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	4/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/28/1998	11	11	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/15/1999	5.7	5.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-10N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/14/1999	5.7	5.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-11N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/14/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/20/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/14/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/15/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/22/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/23/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/20/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/24/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-3N	10/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/21/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	8/18/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	9/17/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/15/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	11/9/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/13/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/10/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/21/1997	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/22/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/28/1998	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/22/1998	5.7	5.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-8N	1/12/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/13/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/19/1999	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/14/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/25/2000	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/29/2002	5.7	5.7	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1,2-tetrachloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,1,1,2-tetrachloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/28/1998	6	6	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/15/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/18/2017	0.32	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/23/2018	0.22	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/20/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/14/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/15/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/22/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/23/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/20/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/24/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-3N	10/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/21/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	8/18/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	9/17/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/15/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	11/9/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/13/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/21/1997	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/28/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/22/1998	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/12/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/13/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/19/1999	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/14/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/25/2000	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/29/2002	3	3	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-12	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,1-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,1,1-trichloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-2	7/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/28/1998	4.4	4.4	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/15/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/8/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/22/1997	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-1N	1/20/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/14/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/15/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/22/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/21/1998	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-2N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/21/1997	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-3N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/23/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/20/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/24/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-3N	10/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/21/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/21/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	8/18/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	9/17/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/15/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	11/9/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/13/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/21/1997	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/28/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/22/1998	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/12/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/13/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/19/1999	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/14/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/25/2000	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/29/2002	2.2	2.2	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	4/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	4/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,1,2,2-tetrachloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/28/1998	2.4	2.4	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/15/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/20/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/14/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/15/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/22/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/23/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/20/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/24/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-3N	10/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/21/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	8/18/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	9/17/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/15/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	11/9/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/13/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/21/1997	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/28/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/22/1998	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/12/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/13/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/19/1999	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/14/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/25/2000	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/29/2002	1.2	1.2	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1,2-trichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,1,2-trichloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	1/26/2006	1.8	1		ug/L
1,1-dichloroethane	LGW-10	8/1/2006	2.4	1		ug/L
1,1-dichloroethane	LGW-10	8/1/2006	2.4	1		ug/L
1,1-dichloroethane	LGW-10	10/26/2006	1.3	1		ug/L
1,1-dichloroethane	LGW-10	1/25/2007	1.8	1		ug/L
1,1-dichloroethane	LGW-10	4/26/2007	1.3	1		ug/L
1,1-dichloroethane	LGW-10	7/12/2007	1.1	1		ug/L
1,1-dichloroethane	LGW-10	1/23/2008	1.5	1		ug/L
1,1-dichloroethane	LGW-10	7/22/2008	1.6	1		ug/L
1,1-dichloroethane	LGW-10	7/29/2009	1.4	1		ug/L
1,1-dichloroethane	LGW-10	2/3/2010	1.2	1		ug/L
1,1-dichloroethane	LGW-10	2/3/2010	1.2	1		ug/L
1,1-dichloroethane	LGW-10	7/16/2010	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/19/2011	1.2	1		ug/L
1,1-dichloroethane	LGW-10	7/12/2011	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/5/2012	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2012	1.7	1		ug/L
1,1-dichloroethane	LGW-10	5/1/2013	2	1		ug/L
1,1-dichloroethane	LGW-10	1/30/2014	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2014	1.8	1		ug/L
1,1-dichloroethane	LGW-10	2/12/2015	1.9	1		ug/L
1,1-dichloroethane	LGW-10	7/13/2015	2.2	1		ug/L
1,1-dichloroethane	LGW-10	1/5/2016	2.1	1		ug/L
1,1-dichloroethane	LGW-10	2/10/2016	1.8	1		ug/L
1,1-dichloroethane	LGW-10	4/6/2016	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/21/2016	2.1	1		ug/L
1,1-dichloroethane	LGW-10	10/6/2016	2	1		ug/L
1,1-dichloroethane	LGW-10	1/11/2017	1.3	1		ug/L
1,1-dichloroethane	LGW-10	4/4/2017	2.1	1		ug/L
1,1-dichloroethane	LGW-10	7/19/2017	2.2	1		ug/L
1,1-dichloroethane	LGW-10	10/9/2017	2.1	1		ug/L
1,1-dichloroethane	LGW-10	1/24/2018	1.2	1		ug/L
1,1-dichloroethane	LGW-10	4/11/2018	1.7	1		ug/L
1,1-dichloroethane	LGW-10	7/16/2018	1.6	1		ug/L
1,1-dichloroethane	LGW-10	10/4/2018	1.6	1		ug/L
1,1-dichloroethane	LGW-10	1/4/2019	1.5	1		ug/L
1,1-dichloroethane	LGW-10	4/3/2019	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	10/2/2019	1.7	1		ug/L
1,1-dichloroethane	LGW-10	1/15/2020	2	1		ug/L
1,1-dichloroethane	LGW-10	4/2/2020	1.8	1		ug/L
1,1-dichloroethane	LGW-10	7/9/2020	1.8	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-10	10/7/2020	1.24	1		ug/L
1,1-dichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	4/6/2021	1.44	1		ug/L
1,1-dichloroethane	LGW-10	7/7/2021	1.55	1		ug/L
1,1-dichloroethane	LGW-10	10/5/2021	1.07	1		ug/L
1,1-dichloroethane	LGW-10	1/13/2022	1.28	1		ug/L
1,1-dichloroethane	LGW-10	4/4/2022	1.49	1		ug/L
1,1-dichloroethane	LGW-10	7/11/2022	1.52	1		ug/L
1,1-dichloroethane	LGW-10	10/7/2022	1.28	1		ug/L
1,1-dichloroethane	LGW-10	1/11/2023	1.4	1		ug/L
1,1-dichloroethane	LGW-10	4/5/2023	1.15	1		ug/L
1,1-dichloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/12/2010	0.27	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/13/2011	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/4/2012	0.31	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/9/2012	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/30/2013	0.38	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/15/2013	0.24	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/30/2014	0.25	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2014	0.29	1	ND	ug/L
1,1-dichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2015	0.25	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/5/2016	0.26	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/19/2016	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/18/2017	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/23/2018	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	2/4/2009	0.5	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/14/2010	0.7	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/20/2011	0.65	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/12/2011	0.69	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/5/2012	0.49	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2012	0.41	1	ND	ug/L
1,1-dichloroethane	LGW-9	5/1/2013	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/15/2013	0.3	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/23/2014	0.22	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/8/2014	0.23	1	ND	ug/L
1,1-dichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/6/2016	0.22	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/11/2017	0.27	1	ND	ug/L
1,1-dichloroethane	LGW-9	5/5/2017	0.29	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/11/2018	0.33	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/13/2018	0.4	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/2/2018	0.37	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/7/2019	0.47	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/3/2019	0.55	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2019	0.37	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/17/2021	1.58	1		ug/L
1,1-dichloroethane	LGW-9	4/6/2021	1.13	1		ug/L
1,1-dichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/7/2022	1.01	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/28/1998	5	5	ND	ug/L
1,1-dichloroethane	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	4/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/13/1999	2.7	2.5		ug/L
1,1-dichloroethane	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-1N	7/12/2000	2.1	1		ug/L
1,1-dichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	4/12/2001	3.2	1		ug/L
1,1-dichloroethane	MW-1N	5/29/2002	2.6	2.5		ug/L
1,1-dichloroethane	MW-1N	5/29/2002	2.6	1		ug/L
1,1-dichloroethane	MW-1N	7/9/2002	2.8	1		ug/L
1,1-dichloroethane	MW-1N	10/3/2002	2.8	1		ug/L
1,1-dichloroethane	MW-1N	1/22/2003	1.6	1		ug/L
1,1-dichloroethane	MW-1N	4/15/2003	1.6	1		ug/L
1,1-dichloroethane	MW-1N	7/8/2003	1	1		ug/L
1,1-dichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-20	9/2/2015	0.23	1	ND	ug/L
1,1-dichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-20	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-21	6/5/2015	0.35	1	ND	ug/L
1,1-dichloroethane	MW-21	7/14/2015	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	8/4/2015	0.27	1	ND	ug/L
1,1-dichloroethane	MW-21	9/2/2015	0.3	1	ND	ug/L
1,1-dichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/5/2016	0.26	1	ND	ug/L
1,1-dichloroethane	MW-21	7/20/2016	0.22	1	ND	ug/L
1,1-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/10/2017	0.22	1	ND	ug/L
1,1-dichloroethane	MW-21	4/5/2017	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	7/19/2017	0.29	1	ND	ug/L
1,1-dichloroethane	MW-21	10/6/2017	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/11/2018	0.42	1	ND	ug/L
1,1-dichloroethane	MW-21	7/11/2018	0.25	1	ND	ug/L
1,1-dichloroethane	MW-21	10/4/2018	0.23	1	ND	ug/L
1,1-dichloroethane	MW-21	1/3/2019	0.32	1	ND	ug/L
1,1-dichloroethane	MW-21	4/3/2019	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/2/2019	0.24	1	ND	ug/L
1,1-dichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	4/28/1998	0.78	2.5		ug/L
1,1-dichloroethane	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-3N	10/20/1999	0.97	2.5		ug/L
1,1-dichloroethane	MW-3N	1/14/2000	0.86	2.5		ug/L
1,1-dichloroethane	MW-3N	4/24/2000	1.6	2.5		ug/L
1,1-dichloroethane	MW-3N	7/11/2000	0.84	1		ug/L
1,1-dichloroethane	MW-3N	10/17/2000	0.93	1		ug/L
1,1-dichloroethane	MW-3N	1/23/2001	1.1	1		ug/L
1,1-dichloroethane	MW-3N	4/11/2001	0.96	1		ug/L
1,1-dichloroethane	MW-3N	5/29/2002	2.6	2.5		ug/L
1,1-dichloroethane	MW-3N	5/29/2002	2.6	1		ug/L
1,1-dichloroethane	MW-3N	7/9/2002	2.2	1		ug/L
1,1-dichloroethane	MW-3N	10/2/2002	2.7	1		ug/L
1,1-dichloroethane	MW-3N	1/22/2003	2	1		ug/L
1,1-dichloroethane	MW-3N	4/14/2003	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/7/2003	2.9	1		ug/L
1,1-dichloroethane	MW-3N	1/28/2004	2.7	1		ug/L
1,1-dichloroethane	MW-3N	7/27/2004	2.9	1		ug/L
1,1-dichloroethane	MW-3N	1/12/2005	2.1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-3N	7/20/2005	2.7	1		ug/L
1,1-dichloroethane	MW-3N	1/18/2006	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/19/2006	2.8	1		ug/L
1,1-dichloroethane	MW-3N	7/19/2006	2.8	1		ug/L
1,1-dichloroethane	MW-3N	10/25/2006	2.3	1		ug/L
1,1-dichloroethane	MW-3N	1/26/2007	2.4	1		ug/L
1,1-dichloroethane	MW-3N	7/11/2007	2.1	1		ug/L
1,1-dichloroethane	MW-3N	1/24/2008	2.8	1		ug/L
1,1-dichloroethane	MW-3N	7/22/2008	2.3	1		ug/L
1,1-dichloroethane	MW-3N	2/4/2009	2	1		ug/L
1,1-dichloroethane	MW-3N	7/31/2009	2	1		ug/L
1,1-dichloroethane	MW-3N	1/26/2010	2.3	1		ug/L
1,1-dichloroethane	MW-3N	7/13/2010	2.1	1		ug/L
1,1-dichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/14/2011	1.9	1		ug/L
1,1-dichloroethane	MW-3N	1/5/2012	1.5	1		ug/L
1,1-dichloroethane	MW-3N	7/11/2012	1.5	1		ug/L
1,1-dichloroethane	MW-3N	5/1/2013	1.2	1		ug/L
1,1-dichloroethane	MW-3N	6/4/2013	0.99	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/16/2013	0.92	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/24/2014	1	1		ug/L
1,1-dichloroethane	MW-3N	7/9/2014	1.3	1		ug/L
1,1-dichloroethane	MW-3N	2/12/2015	0.97	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/1/2015	1.1	1		ug/L
1,1-dichloroethane	MW-3N	7/14/2015	0.79	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/5/2015	1	1		ug/L
1,1-dichloroethane	MW-3N	1/6/2016	0.92	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/6/2016	0.76	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/21/2016	0.94	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/6/2016	0.74	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/11/2017	0.61	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/4/2017	0.64	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/19/2017	0.77	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/9/2017	0.79	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/24/2018	0.31	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/10/2018	0.77	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/13/2018	0.69	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/3/2018	0.66	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/7/2019	0.44	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/3/2019	0.63	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/11/2019	0.65	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/2/2019	0.6	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-3N	10/6/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-7N	7/22/1998	5.4	2.5		ug/L
1,1-dichloroethane	MW-7N	8/18/1998	4.7	2.5		ug/L
1,1-dichloroethane	MW-7N	9/17/1998	4.4	2.5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-7N	10/15/1998	3.6	2.5		ug/L
1,1-dichloroethane	MW-7N	11/9/1998	5	2.5		ug/L
1,1-dichloroethane	MW-7N	1/14/1999	3.5	2.5		ug/L
1,1-dichloroethane	MW-7N	4/14/1999	6	2.5		ug/L
1,1-dichloroethane	MW-7N	7/14/1999	5.6	2.5		ug/L
1,1-dichloroethane	MW-7N	10/19/1999	5.6	2.5		ug/L
1,1-dichloroethane	MW-7N	1/13/2000	4.8	2.5		ug/L
1,1-dichloroethane	MW-7N	4/25/2000	8.4	2.5		ug/L
1,1-dichloroethane	MW-7N	10/17/2000	5.5	1		ug/L
1,1-dichloroethane	MW-7N	1/23/2001	5.7	1		ug/L
1,1-dichloroethane	MW-7N	4/10/2001	6.1	1		ug/L
1,1-dichloroethane	MW-7N	5/29/2002	7.9	2.5		ug/L
1,1-dichloroethane	MW-7N	5/29/2002	7.9	1		ug/L
1,1-dichloroethane	MW-7N	7/9/2002	5.1	1		ug/L
1,1-dichloroethane	MW-7N	10/2/2002	4.7	1		ug/L
1,1-dichloroethane	MW-7N	1/23/2003	3.6	1		ug/L
1,1-dichloroethane	MW-7N	4/14/2003	4.3	1		ug/L
1,1-dichloroethane	MW-7N	7/7/2003	5	1		ug/L
1,1-dichloroethane	MW-7N	1/27/2004	4.5	1		ug/L
1,1-dichloroethane	MW-7N	4/8/2004	4.1	1		ug/L
1,1-dichloroethane	MW-7N	7/26/2004	3.6	1		ug/L
1,1-dichloroethane	MW-7N	1/12/2005	3.3	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2005	3.8	1		ug/L
1,1-dichloroethane	MW-7N	1/19/2006	3.1	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2006	3.4	1		ug/L
1,1-dichloroethane	MW-7N	7/19/2006	3.4	1		ug/L
1,1-dichloroethane	MW-7N	10/24/2006	3.2	1		ug/L
1,1-dichloroethane	MW-7N	1/26/2007	1.9	1		ug/L
1,1-dichloroethane	MW-7N	7/10/2007	1	1		ug/L
1,1-dichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	2/6/2009	1	1		ug/L
1,1-dichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/14/2010	0.92	1	ND	ug/L
1,1-dichloroethane	MW-7N	9/2/2010	0.58	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/20/2011	0.79	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/12/2011	0.7	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/5/2012	0.64	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/10/2012	0.66	1	ND	ug/L
1,1-dichloroethane	MW-7N	5/1/2013	1.2	1		ug/L
1,1-dichloroethane	MW-7N	6/4/2013	0.73	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/15/2013	0.54	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/30/2014	0.46	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/9/2014	0.49	1	ND	ug/L
1,1-dichloroethane	MW-7N	2/12/2015	0.52	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/13/2015	0.36	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/5/2016	0.34	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/21/2016	0.27	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/11/2017	0.66	1	ND	ug/L
1,1-dichloroethane	MW-7N	4/4/2017	0.7	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/19/2017	0.61	1	ND	ug/L
1,1-dichloroethane	MW-7N	10/5/2017	0.27	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/25/2018	0.3	1	ND	ug/L
1,1-dichloroethane	MW-7N	4/11/2018	0.29	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/4/2019	0.24	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
1,1-dichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-11	3/1/2017	0.26	1	ND	ug/L
1,1-dichloroethane	NE-11	4/6/2017	0.23	1	ND	ug/L
1,1-dichloroethane	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2002	1.2	1		ug/L
1,1-dichloroethane	NE-2	8/6/2002	0.26	1		ug/L
1,1-dichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-2	4/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/10/2002	2.4	1		ug/L
1,1-dichloroethane	NE-4	8/6/2002	2.9	1		ug/L
1,1-dichloroethane	NE-4	9/4/2002	2.6	1		ug/L
1,1-dichloroethane	NE-4	10/3/2002	2.7	1		ug/L
1,1-dichloroethane	NE-4	4/15/2003	1.6	1		ug/L
1,1-dichloroethane	NE-4	7/8/2003	1.5	1		ug/L
1,1-dichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-4	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/9/2002	1.9	1		ug/L
1,1-dichloroethane	NE-5	8/6/2002	3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-5	9/4/2002	2.5	1		ug/L
1,1-dichloroethane	NE-5	10/2/2002	2.5	1		ug/L
1,1-dichloroethane	NE-5	4/15/2003	2.4	1		ug/L
1,1-dichloroethane	NE-5	7/8/2003	3.2	1		ug/L
1,1-dichloroethane	NE-5	1/27/2004	2.3	1		ug/L
1,1-dichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/19/2006	2.4	1		ug/L
1,1-dichloroethane	NE-5	7/19/2006	2.4	1		ug/L
1,1-dichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/24/2007	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/12/2007	1.3	1		ug/L
1,1-dichloroethane	NE-5	7/22/2008	1.6	1		ug/L
1,1-dichloroethane	NE-5	2/6/2009	1.6	1		ug/L
1,1-dichloroethane	NE-5	7/31/2009	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/26/2010	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/16/2010	1.3	1		ug/L
1,1-dichloroethane	NE-5	9/2/2010	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/19/2011	1.5	1		ug/L
1,1-dichloroethane	NE-5	7/13/2011	1.3	1		ug/L
1,1-dichloroethane	NE-5	1/5/2012	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/10/2012	1.4	1		ug/L
1,1-dichloroethane	NE-5	4/30/2013	1.1	1		ug/L
1,1-dichloroethane	NE-5	7/16/2013	1.1	1		ug/L
1,1-dichloroethane	NE-5	1/23/2014	1	1		ug/L
1,1-dichloroethane	NE-5	7/9/2014	1.1	1		ug/L
1,1-dichloroethane	NE-5	2/11/2015	1.4	1		ug/L
1,1-dichloroethane	NE-5	7/14/2015	0.81	1	ND	ug/L
1,1-dichloroethane	NE-5	1/6/2016	1.1	1		ug/L
1,1-dichloroethane	NE-5	2/11/2016	1.3	1		ug/L
1,1-dichloroethane	NE-5	7/20/2016	0.84	1	ND	ug/L
1,1-dichloroethane	NE-5	1/11/2017	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/19/2017	0.89	1	ND	ug/L
1,1-dichloroethane	NE-5	1/25/2018	0.98	1	ND	ug/L
1,1-dichloroethane	NE-5	4/10/2018	1	1		ug/L
1,1-dichloroethane	NE-5	7/17/2018	1.1	1		ug/L
1,1-dichloroethane	NE-5	10/3/2018	1.1	1		ug/L
1,1-dichloroethane	NE-5	1/4/2019	1.4	1		ug/L
1,1-dichloroethane	NE-5	4/2/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	4/2/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.1	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	7/9/2019	1.2	1		ug/L
1,1-dichloroethane	NE-5	10/3/2019	0.9	1	ND	ug/L
1,1-dichloroethane	NE-5	1/16/2020	1.16	1		ug/L
1,1-dichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/9/2021	1.31	1		ug/L
1,1-dichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	9/30/2019	0.53	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	9/30/2019	0.71	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/2/2020	1.03	1		ug/L
1,1-dichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/6/2022	1.05	1		ug/L
1,1-dichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,1-dichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,1-dichloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-10	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-10	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-14R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-2	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-3R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-4	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/8/2014	0.23	1	ND	ug/L
1,1-dichloroethene	LGW-5	2/10/2015	1	1		ug/L
1,1-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-5	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/17/2018	0.37	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-6	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-7	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/25/2018	0.31	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-8R	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	LGW-9	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/28/1998	9.8	9.8	ND	ug/L
1,1-dichloroethene	MW-10N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	7/15/1999	4.9	4.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-10N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-10N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/14/1999	4.9	4.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-11N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-11N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-15	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-16	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-17	7/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-19	7/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/20/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	10/14/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	5/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/15/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	7/12/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/3/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-1N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-21	7/7/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-21	10/6/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/22/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	7/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-2N	7/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/23/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	10/20/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	4/24/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-3N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/13/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-3N	10/6/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/21/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	7/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	8/18/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	9/17/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/15/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	11/9/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	4/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	1/13/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/10/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-7N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-7N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/21/1997	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	1/22/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/28/1998	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/22/1998	4.9	4.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-8N	1/12/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/13/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	10/19/1999	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	1/14/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	4/25/2000	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/29/2002	4.9	4.9	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	7/7/2023	1	1	ND	ug/L
1,1-dichloroethene	MW-8N	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-1	10/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	7/8/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-10D	10/3/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-11	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-12	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14D	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-14S	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15D	10/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-2	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-2	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/10/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/3/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-4	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-4	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	8/6/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	9/4/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/2/2002	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/15/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/8/2003	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/27/2004	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
1,1-dichloroethene	NE-5	2/6/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/16/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	9/2/2010	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/19/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/13/2011	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/5/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/10/2012	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/30/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/23/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2014	1	1	ND	ug/L
1,1-dichloroethene	NE-5	2/11/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/14/2015	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/6/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/20/2016	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/11/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/25/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/10/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/17/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/3/2018	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/3/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5E	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-5W	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-6D	10/4/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-7	7/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-8	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
1,1-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	7/5/2023	1	1	ND	ug/L
1,1-dichloroethene	NE-9	10/6/2023	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-10	10/5/2023	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-5	10/5/2023	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-6	10/5/2023	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/26/2006	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
1,1-dichloropropene	LGW-9	10/5/2023	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	10/14/1998	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-1N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-3N	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	10/15/1998	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-7N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/29/2002	5.7	5.7	ND	ug/L
1,1-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/24/2006	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L
1,1-dichloropropene	MW-8N	10/5/2023	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/25/2006	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
1,1-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
1,1-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
1,1-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,1-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
1,1-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
1,1-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
1,1-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/16/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/4/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-10	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/26/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/13/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-2	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-4	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-5	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-6	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-7	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	LGW-9	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/28/1998	8.2	8.2	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/15/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-10N	7/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/10/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-11N	7/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/15/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-15	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-15	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/8/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/18/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-16	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/15/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-17	7/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/16/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	8/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	9/3/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-19	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	8/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-19	7/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/20/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/14/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/15/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/23/2020	1.23	1.23	ND	ug/L
1,2,3-trichloropropane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-1N	7/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/18/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/26/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-20	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	6/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	8/4/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	9/2/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/7/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/10/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/4/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	4/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	7/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-21	10/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/22/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-2N	7/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/23/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/20/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/24/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/22/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	7/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-3N	10/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/21/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	8/18/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	9/17/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/15/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	11/9/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/13/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/10/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-7N	7/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/21/1997	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/28/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/22/1998	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/12/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/13/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/19/1999	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/14/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/25/2000	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/29/2002	4.1	4.1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/7/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/3/2012	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	6/4/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	7/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	MW-8N	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/24/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/11/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-1	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-1	10/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	7/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-10D	10/3/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	10/9/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-11	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	8/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/13/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-12	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	2/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-13	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14D	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-14S	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15D	10/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-2	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/1/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/8/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/5/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/1/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/14/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/14/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	4/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-2	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/10/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/3/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/28/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/13/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/24/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/21/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/14/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-4	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/26/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/1/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/13/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/5/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	4/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-4	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	8/6/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	9/4/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/2/2002	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/15/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/8/2003	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/27/2004	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/12/2005	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/24/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/12/2007	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/22/2008	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/31/2009	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/26/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/16/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	9/2/2010	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/19/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/13/2011	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/5/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/30/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/16/2013	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/23/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2014	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-5	1/6/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/20/2016	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/11/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/25/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/10/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/3/2018	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/3/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/1/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5E	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-5W	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/19/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	2/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	8/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	7/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-6D	10/4/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	3/1/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	4/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	2/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	8/6/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/12/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	1/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-7	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,3-trichloropropane	NE-8	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	10/6/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	2/4/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	8/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/8/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	4/9/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	10/7/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-8	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/12/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	4/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/20/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	10/5/2017	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	2/5/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	8/7/2019	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/15/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/7/2020	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/13/2022	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	1/6/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	4/8/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	7/5/2023	1	1	ND	ug/L
1,2,3-trichloropropane	NE-9	10/6/2023	1	1	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-10	10/5/2023	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-2	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-5	10/5/2023	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-6	10/5/2023	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	LGW-9	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/8/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4,5-tetrachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	MW-8N	10/5/2023	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1,2,4,5-tetrachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-10	10/5/2023	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-5	10/5/2023	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-6	10/5/2023	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	LGW-9	10/5/2023	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2,4-trichlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
1,2,4-trichlorobenzene	MW-8N	10/5/2023	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1,2,4-trichlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1,2,4-trichlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1,2,4-trichlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/29/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/16/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/4/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-10	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	8/2/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	8/2/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	10/27/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	4/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/12/2010	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-14R	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/26/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/30/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	2/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/13/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-2	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/26/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/22/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/8/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-3R	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-4	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/18/2017	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-5	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/5/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/19/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	5/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/2/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-6	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/13/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-7	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/22/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/22/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-8R	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/20/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/26/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/15/2013	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	5/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/11/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	LGW-9	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/28/1998	18	18	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/15/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2006	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	2/13/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/27/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	8/10/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-10N	7/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/13/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/10/2007	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/3/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/4/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-11N	7/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/15/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	8/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-15	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	8/5/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-16	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/8/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/18/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-16	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/15/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-17	7/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/16/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	8/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	9/3/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	8/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-19	1/11/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-19	7/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/20/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/14/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/15/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/18/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	2/5/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	2/10/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/23/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/6/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-1N	7/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/18/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/26/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	7/4/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-20	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	6/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	8/4/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	9/2/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/7/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/10/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/4/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	4/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	7/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-21	10/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/22/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/28/1998	9.1	9.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	3/27/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/23/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/23/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/14/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-2N	7/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/23/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/13/1999	9.1	9.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/20/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/24/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/13/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/1/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/2/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	7/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-3N	10/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/21/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	8/18/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	9/17/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/15/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	11/9/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/13/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/29/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/20/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/12/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/15/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	2/12/2015	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/13/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/10/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	1/10/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-7N	7/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/21/1997	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/28/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/22/1998	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/12/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/13/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/19/1999	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/14/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/25/2000	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/29/2002	9.1	9.1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/24/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/26/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/25/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/10/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/23/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	2/4/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/10/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/6/2012	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/11/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/3/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	5/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	6/4/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/30/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/3/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	2/12/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/1/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/5/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/21/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/4/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/16/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/11/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/5/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/4/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	1/11/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	4/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	7/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	MW-8N	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2007	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	2/7/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/24/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/11/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/18/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/10/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-1	10/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	11/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	7/8/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-10D	10/3/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	4/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	10/9/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-11	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	4/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	8/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/13/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-12	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	2/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-13	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14D	10/4/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-14S	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15D	10/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-15S	4/3/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/1/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/8/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/5/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/1/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/14/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/14/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	4/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-2	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	8/1/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/24/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/21/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	2/7/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/14/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	2/13/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/26/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/12/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/8/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/1/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/13/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/5/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/9/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	4/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-4	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2006	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/25/2006	5	5	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/24/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/12/2007	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/22/2008	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	2/6/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/31/2009	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/26/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/16/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	9/2/2010	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/19/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/13/2011	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/5/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/10/2012	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/30/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/16/2013	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/23/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2014	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	2/11/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/14/2015	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/6/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/20/2016	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/11/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/25/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/10/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/17/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/3/2018	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/9/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/3/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/18/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/1/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5E	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	9/30/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/6/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/6/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/18/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-5W	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/19/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	2/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	8/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6	7/6/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/2/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/2/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/9/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/15/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/2/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/6/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/7/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	4/7/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-6D	10/4/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	3/1/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	4/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	2/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	8/6/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/16/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/12/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	1/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-7	7/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	10/6/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	2/4/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	8/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/15/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/8/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/13/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	4/9/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	10/7/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-8	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/12/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	4/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/20/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	10/5/2017	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	2/5/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	8/7/2019	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/15/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/7/2020	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/1/2021	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/17/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/13/2022	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	1/6/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	4/8/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	7/5/2023	2	2	ND	ug/L
1,2-dibromo-3-chloropropane (dbcp)	NE-9	10/6/2023	2	2	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/4/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-10	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-14R	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/30/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-2	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-3R	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-4	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-5	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-6	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-7	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-8R	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	LGW-9	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/22/1997	2.4	2.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-10N	1/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/28/1998	4.8	4.8	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/15/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-10N	7/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/23/1998	2.4	2.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-11N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/13/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-11N	7/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-15	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-16	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/14/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-17	7/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-19	7/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/20/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/14/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/15/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-1N	7/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	7/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-21	10/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/22/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-2N	7/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/23/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/20/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/24/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	7/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-3N	10/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/21/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	8/18/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	9/17/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/15/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	11/9/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/13/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/8/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-7N	7/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/21/1997	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/28/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/22/1998	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/12/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/13/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/19/1999	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/14/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/25/2000	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/29/2002	2.4	2.4	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	7/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	MW-8N	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-1	10/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	7/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-10D	10/3/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-11	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-12	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14D	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-14S	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15D	10/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-2	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-4	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5E	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-5W	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-6D	10/4/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-7	7/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dibromoethane (edb)	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-8	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	7/5/2023	1	1	ND	ug/L
1,2-dibromoethane (edb)	NE-9	10/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/16/2010	0.15	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/5/2012	0.15	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	5/1/2013	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2014	0.18	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	2/12/2015	0.17	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/13/2015	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/5/2016	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/6/2016	0.17	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-10	7/21/2016	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/6/2016	0.16	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/4/2017	0.17	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/19/2017	0.2	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/9/2017	0.21	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/4/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-10	10/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-14R	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-2	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-3R	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-4	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-5	10/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-6	10/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-7	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-8R	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	LGW-9	10/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/28/1998	6.6	6.6	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/15/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-10N	7/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-11N	7/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-15	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-16	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-17	7/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-19	7/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/20/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/13/1999	3.3	3.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-1N	5/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/15/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-1N	7/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	6/5/2015	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/14/2015	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	8/4/2015	0.18	1	ND	ug/L
1,2-dichlorobenzene	MW-21	9/2/2015	0.21	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/19/2017	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/11/2018	0.26	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/11/2018	0.15	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/3/2019	0.22	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/3/2019	0.17	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/11/2019	0.17	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/2/2019	0.16	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	7/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-21	10/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/22/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/20/1999	3.3	3.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-2N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-2N	7/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/23/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/1999	3.3	3.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-3N	10/20/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/24/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	7/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-3N	10/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/21/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	8/18/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	9/17/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,2-dichlorobenzene	MW-7N	11/9/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/13/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-7N	7/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/21/1997	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/28/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/22/1998	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/12/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/13/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/19/1999	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/14/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/25/2000	3.3	3.3	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	7/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	MW-8N	10/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-1	10/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	7/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-10D	10/3/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-11	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-12	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14D	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-14S	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15D	10/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-2	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-4	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5E	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-5W	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-6D	10/4/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-7	7/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-8	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	7/5/2023	1	1	ND	ug/L
1,2-dichlorobenzene	NE-9	10/6/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/12/2011	0.32	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	5/1/2013	0.44	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2014	0.45	1	ND	ug/L
1,2-dichloroethane	LGW-10	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/5/2016	0.54	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/21/2016	0.56	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/11/2017	0.31	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/4/2017	0.49	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/4/2018	0.25	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/3/2019	0.36	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/2/2019	0.39	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/2/2018	0.16	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/3/2019	0.18	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/28/1998	5.6	5.6	ND	ug/L
1,2-dichloroethane	MW-10N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	7/15/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-15	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-16	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-17	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-17	7/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-19	7/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/20/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	10/14/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	5/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/15/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-1N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	7/7/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-21	10/6/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/22/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/23/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	10/20/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	4/24/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-3N	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-7N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/21/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	8/18/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	9/17/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/15/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	11/9/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	4/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	1/13/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/10/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-7N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/2/2002	0.29	1		ug/L
1,2-dichloroethane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/21/1997	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/28/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	7/22/1998	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/12/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/13/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	10/19/1999	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	1/14/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	4/25/2000	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/29/2002	2.8	2.8	ND	ug/L
1,2-dichloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
1,2-dichloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-1	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-1	10/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-11	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-11	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-12	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-2	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-2	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-4	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-4	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-4	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichloroethane	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichloroethane	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-7	7/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-8	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichloroethane	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloroethane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichloroethane	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	7/5/2023	1	1	ND	ug/L
1,2-dichloroethane	NE-9	10/6/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/16/2010	0.63	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/19/2011	0.41	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/12/2011	0.53	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/5/2012	0.57	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2012	0.69	1	ND	ug/L
1,2-dichloropropane	LGW-10	5/1/2013	0.7	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/30/2014	0.65	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2014	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	2/12/2015	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/13/2015	0.84	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/5/2016	0.8	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/6/2016	0.75	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/21/2016	0.92	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/6/2016	0.87	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/11/2017	0.63	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/4/2017	0.92	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/19/2017	0.93	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/9/2017	0.88	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/24/2018	0.66	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/11/2018	0.68	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/16/2018	0.74	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/4/2018	0.77	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/4/2019	0.65	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/3/2019	0.74	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/11/2019	0.7	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/2/2019	1.1	1		ug/L
1,2-dichloropropane	LGW-10	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-10	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-10	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	8/2/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	4/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-14R	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/26/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/30/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-2	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-2	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/26/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/22/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/8/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-3R	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-3R	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-4	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-5	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-5	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-6	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/19/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	5/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-6	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/26/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-7	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-7	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/24/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/22/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/22/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	LGW-8R	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-8R	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/25/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/20/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	5/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/13/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/11/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	LGW-9	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/28/1998	2.8	2.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-10N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	7/15/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-10N	7/11/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	4/10/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/23/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/27/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	8/10/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-10N	7/7/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/28/1998	1.4	1.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-11N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-11N	7/10/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/10/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/29/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/13/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/3/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/4/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/8/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-11N	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-11N	7/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-15	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/15/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-15	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-15	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-15	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-16	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/8/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-16	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/18/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-16	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-16	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-17	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/15/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-17	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-17	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-17	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-17	7/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-19	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/16/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	8/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	9/3/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-19	8/3/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-19	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-19	7/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/20/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	10/14/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	5/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/15/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	10/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/12/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/18/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/12/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-1N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/3/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-1N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/23/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-1N	7/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-20	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/18/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/26/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-20	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	6/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	8/4/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	9/2/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/7/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/10/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/4/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-21	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	7/7/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-21	10/6/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/22/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-2N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	3/27/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/11/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-2N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/23/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/23/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-2N	7/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/23/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	10/20/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	4/24/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/23/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/22/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/18/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-3N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/13/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/24/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/1/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	7/7/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-3N	10/6/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	1/21/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	8/18/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	9/17/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	10/15/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	11/9/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	1/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	4/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-7N	10/19/1999	0.97	1.4		ug/L
1,2-dichloropropane	MW-7N	1/13/2000	0.65	1.4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-7N	4/25/2000	0.85	1.4		ug/L
1,2-dichloropropane	MW-7N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/23/2001	0.87	1		ug/L
1,2-dichloropropane	MW-7N	4/10/2001	0.6	1		ug/L
1,2-dichloropropane	MW-7N	5/29/2002	1.4	1.4		ug/L
1,2-dichloropropane	MW-7N	5/29/2002	1.4	1		ug/L
1,2-dichloropropane	MW-7N	7/9/2002	1.1	1		ug/L
1,2-dichloropropane	MW-7N	10/2/2002	0.96	1		ug/L
1,2-dichloropropane	MW-7N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/8/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/26/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/29/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/20/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/12/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	5/1/2013	0.18	1	ND	ug/L
1,2-dichloropropane	MW-7N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/15/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/13/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/11/2017	0.25	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/10/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	1/10/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-7N	7/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-8N	10/21/1997	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/28/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	7/22/1998	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/12/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/13/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	10/19/1999	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	1/14/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	4/25/2000	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	10/17/2000	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/23/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/11/2001	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/29/2002	1.4	1.4	ND	ug/L
1,2-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/23/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/14/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/7/2003	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/27/2004	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/20/2005	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/26/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/25/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/23/2008	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/2011	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/6/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/5/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/3/2012	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	5/1/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	6/4/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/30/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/3/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/1/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/5/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	MW-8N	7/21/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/4/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/4/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	1/11/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	7/7/2023	1	1	ND	ug/L
1,2-dichloropropane	MW-8N	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-1	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-1	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/24/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/11/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/10/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-1	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-1	10/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	11/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	7/8/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-10D	10/3/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-11	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	10/9/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-11	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-11	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-11	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-12	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-12	8/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-12	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-12	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-13	2/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-13	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-13	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-13	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14D	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-14S	7/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-14S	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15D	10/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-15S	4/3/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2002	0.24	1		ug/L
1,2-dichloropropane	NE-2	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/1/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/8/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/5/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/1/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/14/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/14/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-2	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-2	4/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-2	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-2	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/10/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/3/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-4	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/28/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/13/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	8/1/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/24/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/21/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/14/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/26/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/8/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/1/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/13/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/5/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-4	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-4	4/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-4	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-4	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	8/6/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	9/4/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/2/2002	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/15/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/8/2003	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/27/2004	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/12/2005	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-5	7/19/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/24/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/12/2007	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/22/2008	1	1	ND	ug/L
1,2-dichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/31/2009	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/26/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/16/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	9/2/2010	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/19/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/13/2011	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/5/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/30/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/16/2013	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/23/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2014	1	1	ND	ug/L
1,2-dichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/14/2015	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/6/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/20/2016	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/11/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/25/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/10/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/3/2018	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/3/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/1/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-5E	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5E	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	9/30/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/6/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/6/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/18/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-5W	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/19/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-6	2/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6	8/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/2/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/2/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/9/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/15/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/2/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	4/6/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/7/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,2-dichloropropane	NE-6D	4/7/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-6D	10/4/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-7	3/1/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	4/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-7	2/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-7	8/6/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/16/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/12/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-7	1/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-7	7/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	10/6/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-8	2/4/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-8	8/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/8/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/13/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	4/9/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	10/7/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-8	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-8	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/12/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	4/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/20/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	10/5/2017	1	1	ND	ug/L
1,2-dichloropropane	NE-9	2/5/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-9	8/7/2019	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/15/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/7/2020	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/1/2021	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/17/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/13/2022	1	1	ND	ug/L
1,2-dichloropropane	NE-9	1/6/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	4/8/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	7/5/2023	1	1	ND	ug/L
1,2-dichloropropane	NE-9	10/6/2023	1	1	ND	ug/L
1,3,5-Trinitrobenzene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-10	7/7/2021	0.05	0.05	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3,5-Trinitrobenzene	LGW-10	10/5/2023	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-5	10/5/2023	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-6	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-6	10/5/2023	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	LGW-9	10/5/2023	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-15	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-16	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-17	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-19	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-20	7/4/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-21	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-3N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
1,3,5-Trinitrobenzene	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
1,3,5-Trinitrobenzene	MW-8N	10/5/2023	0.05	0.05	ND	mg/L
1,3-dichlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/9/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/16/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-10	10/5/2023	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-5	10/5/2023	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-6	10/5/2023	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	LGW-9	10/5/2023	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/5/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/6/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/11/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/11/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,3-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,3-dichlorobenzene	MW-8N	10/5/2023	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,3-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	LGW-10	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/9/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/16/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-10	10/5/2023	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	10/27/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-14R	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	2/13/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-2	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-3R	7/6/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-4	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-5	10/5/2023	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	2/5/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/10/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/6/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-6	10/5/2023	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	LGW-7	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/10/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-7	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-8R	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/26/2006	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/10/2019	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	7/7/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/5/2021	1	1	ND	ug/L
1,3-dichloropropane	LGW-9	10/5/2023	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	2/13/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-10N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	2/3/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/9/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-11N	7/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-15	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-15	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-16	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-16	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-17	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-17	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-19	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-19	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	10/14/1998	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-1N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	2/5/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	2/10/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-1N	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-20	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	MW-20	7/4/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/5/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/6/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/11/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-21	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-21	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-2N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/11/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/9/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/7/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-3N	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	10/15/1998	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-7N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	10/5/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/13/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-7N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	5/29/2002	6.8	6.8	ND	ug/L
1,3-dichloropropane	MW-8N	10/24/2006	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	1/24/2008	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	2/4/2009	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	5/10/2011	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/11/2012	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/2/2013	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/8/2014	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	2/12/2015	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2016	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2017	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/16/2018	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/11/2019	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2020	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	7/5/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/6/2021	1	1	ND	ug/L
1,3-dichloropropane	MW-8N	10/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,3-dichloropropane	NE-1	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-1	2/7/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-1	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-1	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-1	7/18/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-2	7/10/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-4	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-4	2/7/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-4	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-4	2/13/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-4	7/12/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-5	10/25/2006	1	1	ND	ug/L
1,3-dichloropropane	NE-5	2/6/2009	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/10/2012	1	1	ND	ug/L
1,3-dichloropropane	NE-5	2/11/2015	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/17/2018	1	1	ND	ug/L
1,3-dichloropropane	NE-5	7/9/2019	1	1	ND	ug/L
1,3-Dinitrobenzene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-15	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-16	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-17	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-19	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-20	7/4/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-21	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
1,3-Dinitrobenzene	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
1,4-dichlorobenzene	LGW-10	1/26/2006	2.2	1		ug/L
1,4-dichlorobenzene	LGW-10	8/1/2006	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	8/1/2006	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	10/26/2006	3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-10	1/25/2007	4.1	1		ug/L
1,4-dichlorobenzene	LGW-10	4/26/2007	4	1		ug/L
1,4-dichlorobenzene	LGW-10	7/12/2007	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	1/23/2008	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/22/2008	2.8	1		ug/L
1,4-dichlorobenzene	LGW-10	7/29/2009	3.5	1		ug/L
1,4-dichlorobenzene	LGW-10	2/3/2010	3.9	1		ug/L
1,4-dichlorobenzene	LGW-10	2/3/2010	3.9	1		ug/L
1,4-dichlorobenzene	LGW-10	7/16/2010	5.4	1		ug/L
1,4-dichlorobenzene	LGW-10	1/19/2011	4.6	1		ug/L
1,4-dichlorobenzene	LGW-10	7/12/2011	6.6	1		ug/L
1,4-dichlorobenzene	LGW-10	1/5/2012	5.3	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2012	5.1	1		ug/L
1,4-dichlorobenzene	LGW-10	5/1/2013	6.5	1		ug/L
1,4-dichlorobenzene	LGW-10	1/30/2014	6.4	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2014	6.1	1		ug/L
1,4-dichlorobenzene	LGW-10	2/12/2015	7.2	1		ug/L
1,4-dichlorobenzene	LGW-10	7/13/2015	7.6	1		ug/L
1,4-dichlorobenzene	LGW-10	1/5/2016	6.9	1		ug/L
1,4-dichlorobenzene	LGW-10	2/10/2016	6.5	1		ug/L
1,4-dichlorobenzene	LGW-10	4/6/2016	6.3	1		ug/L
1,4-dichlorobenzene	LGW-10	7/21/2016	7.4	1		ug/L
1,4-dichlorobenzene	LGW-10	10/6/2016	6.9	1		ug/L
1,4-dichlorobenzene	LGW-10	1/11/2017	5.6	1		ug/L
1,4-dichlorobenzene	LGW-10	4/4/2017	7.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/19/2017	7.1	1		ug/L
1,4-dichlorobenzene	LGW-10	10/9/2017	7	1		ug/L
1,4-dichlorobenzene	LGW-10	1/24/2018	2	1		ug/L
1,4-dichlorobenzene	LGW-10	4/11/2018	2.5	1		ug/L
1,4-dichlorobenzene	LGW-10	7/16/2018	3.7	1		ug/L
1,4-dichlorobenzene	LGW-10	10/4/2018	1.9	1		ug/L
1,4-dichlorobenzene	LGW-10	1/4/2019	2.2	1		ug/L
1,4-dichlorobenzene	LGW-10	4/3/2019	3.2	1		ug/L
1,4-dichlorobenzene	LGW-10	7/11/2019	4.8	1		ug/L
1,4-dichlorobenzene	LGW-10	10/2/2019	3.2	1		ug/L
1,4-dichlorobenzene	LGW-10	1/15/2020	5.26	1		ug/L
1,4-dichlorobenzene	LGW-10	4/2/2020	4.83	1		ug/L
1,4-dichlorobenzene	LGW-10	7/9/2020	5.15	1		ug/L
1,4-dichlorobenzene	LGW-10	10/7/2020	2.1	1		ug/L
1,4-dichlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-10	7/7/2021	4.05	1		ug/L
1,4-dichlorobenzene	LGW-10	10/5/2021	2.48	1		ug/L
1,4-dichlorobenzene	LGW-10	1/13/2022	2.51	1		ug/L
1,4-dichlorobenzene	LGW-10	4/4/2022	2.62	1		ug/L
1,4-dichlorobenzene	LGW-10	7/11/2022	4.06	1		ug/L
1,4-dichlorobenzene	LGW-10	10/7/2022	2.48	1		ug/L
1,4-dichlorobenzene	LGW-10	1/11/2023	2.13	1		ug/L
1,4-dichlorobenzene	LGW-10	4/5/2023	1.87	1		ug/L
1,4-dichlorobenzene	LGW-10	7/10/2023	1.57	1		ug/L
1,4-dichlorobenzene	LGW-10	10/5/2023	1.88	1		ug/L
1,4-dichlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-14R	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-2	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-3R	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-4	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/9/2019	0.19	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-5	10/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-6	10/2/2018	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/10/2019	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-6	10/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-7	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-8R	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	LGW-9	7/14/2010	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/20/2011	0.34	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/12/2011	0.38	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/5/2012	0.31	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	5/1/2013	0.23	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	2/11/2015	0.2	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/6/2016	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/11/2017	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	5/5/2017	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/18/2017	0.16	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/11/2018	0.19	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/13/2018	0.23	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/2/2018	0.22	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/7/2019	0.27	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/3/2019	0.32	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2019	0.25	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/3/2019	0.21	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/17/2021	4.33	1		ug/L
1,4-dichlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	LGW-9	10/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/28/1998	8.6	8.6	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/15/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-10N	7/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-11N	7/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-15	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-16	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-17	7/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	6/5/2015	0.33	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/16/2015	0.41	1	ND	ug/L
1,4-dichlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/18/2017	0.16	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-19	7/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/20/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/15/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/12/2000	0.95	1		ug/L
1,4-dichlorobenzene	MW-1N	10/18/2000	0.5	1		ug/L
1,4-dichlorobenzene	MW-1N	1/24/2001	0.26	1		ug/L
1,4-dichlorobenzene	MW-1N	4/12/2001	2.5	1		ug/L
1,4-dichlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/9/2002	0.57	1		ug/L
1,4-dichlorobenzene	MW-1N	10/3/2002	0.62	1		ug/L
1,4-dichlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-1N	7/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	6/5/2015	1.4	1		ug/L
1,4-dichlorobenzene	MW-21	7/14/2015	1.2	1		ug/L
1,4-dichlorobenzene	MW-21	8/4/2015	1.5	1		ug/L
1,4-dichlorobenzene	MW-21	9/2/2015	1	1		ug/L
1,4-dichlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/5/2016	1.2	1		ug/L
1,4-dichlorobenzene	MW-21	7/20/2016	0.85	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/5/2016	0.38	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/5/2016	0.38	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/10/2017	0.6	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/5/2017	0.96	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/19/2017	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	10/6/2017	1.4	1		ug/L
1,4-dichlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/11/2018	2.3	1		ug/L
1,4-dichlorobenzene	MW-21	7/11/2018	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	10/4/2018	0.89	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/3/2019	1.8	1		ug/L
1,4-dichlorobenzene	MW-21	4/3/2019	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	7/11/2019	1.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-21	10/2/2019	1.3	1		ug/L
1,4-dichlorobenzene	MW-21	1/16/2020	1.03	1		ug/L
1,4-dichlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	7/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-21	10/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/22/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-2N	7/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/23/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/20/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/24/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/9/2002	0.37	1		ug/L
1,4-dichlorobenzene	MW-3N	10/2/2002	0.46	1		ug/L
1,4-dichlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2008	1	1		ug/L
1,4-dichlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	2/4/2009	0.95	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/26/2010	1	1		ug/L
1,4-dichlorobenzene	MW-3N	7/13/2010	0.67	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/2011	0.9	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/5/2012	0.77	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2012	0.88	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	5/1/2013	0.58	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	6/4/2013	0.52	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/16/2013	0.56	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-3N	1/24/2014	0.54	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/9/2014	0.62	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	2/12/2015	0.48	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/1/2015	0.54	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/14/2015	0.45	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/5/2015	0.49	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/6/2016	0.45	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/6/2016	0.34	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/21/2016	0.47	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/6/2016	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/19/2017	0.34	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/9/2017	0.36	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/10/2018	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/13/2018	0.27	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/3/2018	0.3	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/3/2019	0.19	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/11/2019	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/2/2019	0.16	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	7/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-3N	10/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/21/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	8/18/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	9/17/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
1,4-dichlorobenzene	MW-7N	11/9/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	4/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/19/1999	1.9	4.3		ug/L
1,4-dichlorobenzene	MW-7N	1/13/2000	1.8	4.3		ug/L
1,4-dichlorobenzene	MW-7N	4/25/2000	1.5	4.3		ug/L
1,4-dichlorobenzene	MW-7N	10/17/2000	2.3	1		ug/L
1,4-dichlorobenzene	MW-7N	1/23/2001	1.9	1		ug/L
1,4-dichlorobenzene	MW-7N	4/10/2001	2.3	1		ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002	2.8	1		ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/9/2002	2.2	1		ug/L
1,4-dichlorobenzene	MW-7N	10/2/2002	2.2	1		ug/L
1,4-dichlorobenzene	MW-7N	1/23/2003	1.8	1		ug/L
1,4-dichlorobenzene	MW-7N	4/14/2003	1.9	1		ug/L
1,4-dichlorobenzene	MW-7N	7/7/2003	1.8	1		ug/L
1,4-dichlorobenzene	MW-7N	1/27/2004	1.7	1		ug/L
1,4-dichlorobenzene	MW-7N	4/8/2004	2.3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-7N	7/26/2004	3.1	1		ug/L
1,4-dichlorobenzene	MW-7N	1/12/2005	3.6	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2005	4.8	1		ug/L
1,4-dichlorobenzene	MW-7N	1/19/2006	3.6	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	10/24/2006	3.9	1		ug/L
1,4-dichlorobenzene	MW-7N	1/26/2007	2.5	1		ug/L
1,4-dichlorobenzene	MW-7N	7/10/2007	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/21/2008	1.1	1		ug/L
1,4-dichlorobenzene	MW-7N	2/6/2009	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2010	1.4	1		ug/L
1,4-dichlorobenzene	MW-7N	7/14/2010	1.1	1		ug/L
1,4-dichlorobenzene	MW-7N	9/2/2010	0.77	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/20/2011	0.96	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/12/2011	0.52	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/5/2012	0.57	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2012	0.6	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	5/1/2013	2.7	1		ug/L
1,4-dichlorobenzene	MW-7N	6/4/2013	1.3	1		ug/L
1,4-dichlorobenzene	MW-7N	7/15/2013	0.69	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/30/2014	0.51	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/9/2014	0.32	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	2/12/2015	0.26	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/21/2016	0.35	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/11/2017	2.1	1		ug/L
1,4-dichlorobenzene	MW-7N	4/4/2017	1.7	1		ug/L
1,4-dichlorobenzene	MW-7N	7/19/2017	1.3	1		ug/L
1,4-dichlorobenzene	MW-7N	10/5/2017	0.71	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	4/11/2018	0.63	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/13/2018	0.18	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/4/2019	0.57	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-7N	7/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/21/1997	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/28/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/22/1998	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/12/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/13/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/19/1999	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/14/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/25/2000	4.3	4.3	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	7/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	MW-8N	10/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-1	10/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	7/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-10D	10/3/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-11	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-12	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14D	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-14S	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15D	10/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2002	0.51	1		ug/L
1,4-dichlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-2	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/10/2002	0.5	1		ug/L
1,4-dichlorobenzene	NE-4	8/6/2002	0.69	1		ug/L
1,4-dichlorobenzene	NE-4	9/4/2002	0.54	1		ug/L
1,4-dichlorobenzene	NE-4	10/3/2002	0.53	1		ug/L
1,4-dichlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-4	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5E	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-5W	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-6D	10/4/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-7	7/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-8	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	7/5/2023	1	1	ND	ug/L
1,4-dichlorobenzene	NE-9	10/6/2023	1	1	ND	ug/L
1,4-naphthoquinone	LGW-10	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-10	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	10/6/2016	47	47	ND	ug/L
1,4-naphthoquinone	LGW-10	10/9/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	7/16/2018	48	48	ND	ug/L
1,4-naphthoquinone	LGW-10	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-10	10/5/2023	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	10/27/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-14R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-14R	2/11/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-14R	7/17/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	LGW-14R	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	2/13/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-2	2/13/2015	65	65	ND	ug/L
1,4-naphthoquinone	LGW-2	7/12/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-2	7/8/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-2	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-3R	2/10/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/11/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-3R	7/6/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-4	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-4	7/11/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-4	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-5	2/10/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-5	7/12/2018	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-5	10/5/2023	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	2/5/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-6	2/10/2015	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-6	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-6	7/17/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-6	7/10/2019	49	49	ND	ug/L
1,4-naphthoquinone	LGW-6	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-6	10/5/2023	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-7	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-7	7/12/2018	51	51	ND	ug/L
1,4-naphthoquinone	LGW-7	7/10/2019	49	49	ND	ug/L
1,4-naphthoquinone	LGW-7	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-7	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-8R	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-8R	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-8R	2/11/2015	49	49	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/13/2018	49	49	ND	ug/L
1,4-naphthoquinone	LGW-8R	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	10/26/2006	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	LGW-9	2/11/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	LGW-9	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	LGW-9	10/5/2017	48	48	ND	ug/L
1,4-naphthoquinone	LGW-9	7/13/2018	47	47	ND	ug/L
1,4-naphthoquinone	LGW-9	7/10/2019	51	51	ND	ug/L
1,4-naphthoquinone	LGW-9	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	7/7/2021	50	50	ND	ug/L
1,4-naphthoquinone	LGW-9	10/5/2023	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	2/13/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-10N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-10N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-10N	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-10N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	2/3/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/9/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-11N	2/10/2015	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/17/2018	50	50	ND	ug/L
1,4-naphthoquinone	MW-11N	7/6/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-15	7/10/2018	51	51	ND	ug/L
1,4-naphthoquinone	MW-15	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-16	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-16	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-17	7/10/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-17	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-19	7/13/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-19	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	10/14/1998	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-1N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	2/5/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-1N	2/10/2015	47	47	ND	ug/L
1,4-naphthoquinone	MW-1N	7/10/2018	49	49	ND	ug/L
1,4-naphthoquinone	MW-1N	7/6/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-1N	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-20	7/12/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-20	7/4/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	10/5/2016	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	10/6/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	7/11/2018	48	48	ND	ug/L
1,4-naphthoquinone	MW-21	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	7/8/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-21	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-2N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-2N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-2N	7/12/2018	51	51	ND	ug/L
1,4-naphthoquinone	MW-2N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-3N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-3N	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/11/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-3N	2/12/2015	49	49	ND	ug/L
1,4-naphthoquinone	MW-3N	10/6/2016	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1,4-naphthoquinone	MW-3N	10/9/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-3N	7/13/2018	47	47	ND	ug/L
1,4-naphthoquinone	MW-3N	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/7/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-3N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	10/15/1998	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-7N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-7N	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-7N	2/12/2015	49	49	ND	ug/L
1,4-naphthoquinone	MW-7N	10/5/2017	49	49	ND	ug/L
1,4-naphthoquinone	MW-7N	7/13/2018	52	52	ND	ug/L
1,4-naphthoquinone	MW-7N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-8N	5/29/2002	10	10	ND	ug/L
1,4-naphthoquinone	MW-8N	10/24/2006	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	1/24/2008	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	2/4/2009	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	5/10/2011	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	7/11/2012	47	47	ND	ug/L
1,4-naphthoquinone	MW-8N	10/2/2013	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/8/2014	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	2/12/2015	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/6/2016	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	10/6/2017	48	48	ND	ug/L
1,4-naphthoquinone	MW-8N	7/16/2018	49	49	ND	ug/L
1,4-naphthoquinone	MW-8N	7/11/2019	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	7/9/2020	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	7/5/2021	50	50	ND	ug/L
1,4-naphthoquinone	MW-8N	10/5/2023	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	2/7/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-1	7/10/2012	48	48	ND	ug/L
1,4-naphthoquinone	NE-1	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-1	7/18/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-2	7/10/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-4	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-4	2/7/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-4	7/10/2012	49	49	ND	ug/L
1,4-naphthoquinone	NE-4	2/13/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-4	7/12/2018	52	52	ND	ug/L
1,4-naphthoquinone	NE-5	10/25/2006	50	50	ND	ug/L
1,4-naphthoquinone	NE-5	2/6/2009	50	50	ND	ug/L
1,4-naphthoquinone	NE-5	7/10/2012	47	47	ND	ug/L
1,4-naphthoquinone	NE-5	2/11/2015	48	48	ND	ug/L
1,4-naphthoquinone	NE-5	7/17/2018	48	48	ND	ug/L
1,4-naphthoquinone	NE-5	7/9/2019	50	50	ND	ug/L
1-naphthylamine	LGW-10	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-10	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-10	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	LGW-10	10/5/2023	10	10	ND	ug/L
1-naphthylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
1-naphthylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
1-naphthylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
1-naphthylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-2	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-2	2/13/2009	10	10	ND	ug/L
1-naphthylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-2	2/13/2015	13	13	ND	ug/L
1-naphthylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-2	7/8/2020	10	10	ND	ug/L
1-naphthylamine	LGW-2	7/4/2021	10	10	ND	ug/L
1-naphthylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
1-naphthylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
1-naphthylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
1-naphthylamine	LGW-4	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-4	2/3/2009	10	10	ND	ug/L
1-naphthylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-4	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-5	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-5	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-5	7/12/2018	10	10	ND	ug/L
1-naphthylamine	LGW-5	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-5	10/5/2023	10	10	ND	ug/L
1-naphthylamine	LGW-6	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-6	2/5/2009	10	10	ND	ug/L
1-naphthylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-6	2/10/2015	10	10	ND	ug/L
1-naphthylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
1-naphthylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
1-naphthylamine	LGW-6	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-6	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-6	10/5/2023	10	10	ND	ug/L
1-naphthylamine	LGW-7	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-7	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-7	7/12/2018	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-7	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-7	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
1-naphthylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-9	10/26/2006	10	10	ND	ug/L
1-naphthylamine	LGW-9	2/4/2009	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
1-naphthylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
1-naphthylamine	LGW-9	7/10/2019	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/9/2020	10	10	ND	ug/L
1-naphthylamine	LGW-9	7/7/2021	10	10	ND	ug/L
1-naphthylamine	LGW-9	10/5/2023	10	10	ND	ug/L
1-naphthylamine	MW-10N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-10N	2/13/2009	10	10	ND	ug/L
1-naphthylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
1-naphthylamine	MW-10N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-11N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-11N	2/3/2009	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-11N	2/10/2015	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/17/2018	10	10	ND	ug/L
1-naphthylamine	MW-11N	7/6/2021	10	10	ND	ug/L
1-naphthylamine	MW-15	7/10/2018	10	10	ND	ug/L
1-naphthylamine	MW-15	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-16	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-17	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
1-naphthylamine	MW-19	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-1N	10/14/1998	10	10	ND	ug/L
1-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-1N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-1N	2/5/2009	10	10	ND	ug/L
1-naphthylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
1-naphthylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
1-naphthylamine	MW-1N	7/6/2020	10	10	ND	ug/L
1-naphthylamine	MW-1N	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-20	7/4/2021	10	10	ND	ug/L
1-naphthylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
1-naphthylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-21	7/11/2019	10	10	ND	ug/L
1-naphthylamine	MW-21	7/8/2020	10	10	ND	ug/L
1-naphthylamine	MW-21	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-2N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-2N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
1-naphthylamine	MW-2N	7/12/2018	10	10	ND	ug/L
1-naphthylamine	MW-2N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
1-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-3N	10/25/2006	10	10	ND	ug/L
1-naphthylamine	MW-3N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
1-naphthylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
1-naphthylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
1-naphthylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
1-naphthylamine	MW-3N	7/11/2019	10	10	ND	ug/L
1-naphthylamine	MW-3N	7/7/2020	10	10	ND	ug/L
1-naphthylamine	MW-3N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-7N	10/15/1998	10	10	ND	ug/L
1-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-7N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-7N	2/6/2009	10	10	ND	ug/L
1-naphthylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
1-naphthylamine	MW-7N	7/13/2018	10	10	ND	ug/L
1-naphthylamine	MW-7N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
1-naphthylamine	MW-8N	10/24/2006	10	10	ND	ug/L
1-naphthylamine	MW-8N	1/24/2008	10	10	ND	ug/L
1-naphthylamine	MW-8N	2/4/2009	10	10	ND	ug/L
1-naphthylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
1-naphthylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
1-naphthylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
1-naphthylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
1-naphthylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
1-naphthylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
1-naphthylamine	MW-8N	7/11/2019	10	10	ND	ug/L
1-naphthylamine	MW-8N	7/9/2020	10	10	ND	ug/L
1-naphthylamine	MW-8N	7/5/2021	10	10	ND	ug/L
1-naphthylamine	MW-8N	10/5/2023	10	10	ND	ug/L
1-naphthylamine	NE-1	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-1	2/7/2009	10	10	ND	ug/L
1-naphthylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
1-naphthylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
1-naphthylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
1-naphthylamine	NE-4	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-4	2/7/2009	10	10	ND	ug/L
1-naphthylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
1-naphthylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
1-naphthylamine	NE-4	7/12/2018	10	10	ND	ug/L
1-naphthylamine	NE-5	10/25/2006	10	10	ND	ug/L
1-naphthylamine	NE-5	2/6/2009	10	10	ND	ug/L
1-naphthylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
1-naphthylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
1-naphthylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
1-naphthylamine	NE-5	7/9/2019	10	10	ND	ug/L
2,2-dichloropropane	LGW-10	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	LGW-10	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/9/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/16/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-10	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-10	10/5/2023	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	10/27/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-14R	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	2/13/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-2	7/8/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-2	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-3R	7/6/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-4	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-5	10/5/2023	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	2/5/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-6	10/6/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-6	10/5/2023	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/10/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	LGW-7	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-7	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-7	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-8R	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/26/2006	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/10/2019	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	LGW-9	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	7/7/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/5/2021	5	5	ND	ug/L
2,2-dichloropropane	LGW-9	10/5/2023	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	2/13/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-10N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	2/3/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/9/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-11N	7/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-15	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-15	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-16	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-16	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-17	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-17	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-19	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-19	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	10/14/1998	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-1N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-1N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-1N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	2/5/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	2/10/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-1N	7/6/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-1N	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-20	7/12/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	MW-20	7/4/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/5/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/6/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/11/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/8/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-21	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-21	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-21	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-2N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-3N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-3N	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/11/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/9/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/7/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-3N	10/7/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-3N	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	10/15/1998	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-7N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-7N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-7N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	10/5/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/13/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-7N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	5/29/2002	1	1	ND	ug/L
2,2-dichloropropane	MW-8N	5/29/2002	3.1	3.1	ND	ug/L
2,2-dichloropropane	MW-8N	10/24/2006	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	1/24/2008	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	2/4/2009	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	5/10/2011	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/11/2012	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/2/2013	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/8/2014	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	2/12/2015	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2016	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2017	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/16/2018	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/11/2019	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/9/2020	1	1	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2020	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	7/5/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/6/2021	5	5	ND	ug/L
2,2-dichloropropane	MW-8N	10/5/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2-dichloropropane	NE-1	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-1	2/7/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-1	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-1	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-1	7/18/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-2	7/10/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-4	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-4	2/7/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-4	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-4	2/13/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-4	7/12/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-5	10/25/2006	5	5	ND	ug/L
2,2-dichloropropane	NE-5	2/6/2009	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/10/2012	5	5	ND	ug/L
2,2-dichloropropane	NE-5	2/11/2015	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/17/2018	5	5	ND	ug/L
2,2-dichloropropane	NE-5	7/9/2019	5	5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-10	10/5/2023	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	10/27/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/17/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-14R	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	2/13/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	2/13/2015	13	13	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/8/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-2	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/11/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-3R	7/6/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-4	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-5	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	LGW-5	10/5/2023	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	2/5/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	2/10/2015	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-6	10/5/2023	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-7	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-8R	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/26/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/10/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	7/7/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	LGW-9	10/5/2023	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	2/13/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-10N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	2/3/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	2/10/2015	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/17/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-11N	7/6/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-15	7/10/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-15	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-16	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-17	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-19	7/13/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	MW-19	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	10/14/1998	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	2/5/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/6/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-1N	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-20	7/4/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/8/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-21	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-2N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/7/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-3N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	10/15/1998	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/13/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-7N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/29/2002	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/24/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	1/24/2008	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	2/4/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,2'-oxybis(1-chloropropane)	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/11/2019	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/9/2020	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	7/5/2021	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	MW-8N	10/5/2023	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	2/7/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	2/7/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-4	7/12/2018	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	10/25/2006	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	2/6/2009	10	10	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,2'-oxybis(1-chloropropane)	NE-5	7/9/2019	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/6/2016	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/9/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/16/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-10	10/5/2023	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	2/13/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	2/13/2015	65	65	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/12/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-2	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/11/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-4	7/7/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	LGW-5	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	2/10/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/12/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-5	10/5/2023	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	2/5/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	2/10/2015	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/17/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/10/2019	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-6	10/5/2023	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/12/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/10/2019	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-7	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/26/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	2/11/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/5/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/13/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/10/2019	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	7/7/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	LGW-9	10/5/2023	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	2/13/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-10N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	2/3/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/9/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	2/10/2015	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/17/2018	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-11N	7/6/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-15	7/10/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	MW-15	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-16	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-16	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-17	7/10/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-17	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-19	7/13/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-19	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	2/5/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	2/10/2015	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/10/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-1N	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-20	7/12/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-20	7/4/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	10/5/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	10/6/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/11/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-21	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/12/2018	51	51	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-2N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	2/4/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/11/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	2/12/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	10/9/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/13/2018	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-3N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	2/12/2015	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	10/5/2017	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	7/13/2018	52	52	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-7N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/24/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	1/24/2008	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	2/4/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,3,4,6-tetrachlorophenol	MW-8N	5/10/2011	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/11/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/2/2013	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/8/2014	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	2/12/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/6/2016	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/6/2017	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/16/2018	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/11/2019	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	7/5/2021	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	MW-8N	10/5/2023	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	2/7/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	7/10/2012	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-1	7/18/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-2	7/10/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	2/7/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	7/10/2012	49	49	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	2/13/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-4	7/12/2018	52	52	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	10/25/2006	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	2/6/2009	50	50	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/10/2012	47	47	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	2/11/2015	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/17/2018	48	48	ND	ug/L
2,3,4,6-tetrachlorophenol	NE-5	7/9/2019	50	50	ND	ug/L
2,4,5-t	LGW-10	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-10	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	10/6/2016	0.95	0.95	ND	ug/L
2,4,5-t	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
2,4,5-t	LGW-10	7/11/2019	1.1	1.1	ND	ug/L
2,4,5-t	LGW-10	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-10	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-10	10/5/2023	1	1	ND	ug/L
2,4,5-t	LGW-14R	10/27/2006	1	1	ND	ug/L
2,4,5-t	LGW-14R	2/6/2009	1	1	ND	ug/L
2,4,5-t	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-14R	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-t	LGW-14R	7/17/2018	1	1	ND	ug/L
2,4,5-t	LGW-14R	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-2	11/3/2006	1	1	ND	ug/L
2,4,5-t	LGW-2	2/13/2009	1	1	ND	ug/L
2,4,5-t	LGW-2	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-2	7/12/2018	1.1	1.1	ND	ug/L
2,4,5-t	LGW-2	7/8/2020	2	2	ND	ug/L
2,4,5-t	LGW-2	7/4/2021	1	1	ND	ug/L
2,4,5-t	LGW-3R	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-3R	2/3/2009	1	1	ND	ug/L
2,4,5-t	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-3R	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-t	LGW-3R	7/11/2018	1	1	ND	ug/L
2,4,5-t	LGW-3R	7/6/2021	1	1	ND	ug/L
2,4,5-t	LGW-4	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	LGW-4	2/3/2009	1	1	ND	ug/L
2,4,5-t	LGW-4	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-4	2/11/2015	0.99	0.99	ND	ug/L
2,4,5-t	LGW-4	7/11/2018	0.98	0.98	ND	ug/L
2,4,5-t	LGW-4	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-5	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-5	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-5	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-t	LGW-5	7/12/2018	1	1	ND	ug/L
2,4,5-t	LGW-5	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-5	10/5/2023	1	1	ND	ug/L
2,4,5-t	LGW-6	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-6	2/5/2009	1	1	ND	ug/L
2,4,5-t	LGW-6	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-6	2/10/2015	1	1	ND	ug/L
2,4,5-t	LGW-6	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-t	LGW-6	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-t	LGW-6	7/17/2018	1	1	ND	ug/L
2,4,5-t	LGW-6	7/10/2019	0.95	0.95	ND	ug/L
2,4,5-t	LGW-6	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-6	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-6	10/5/2023	1	1	ND	ug/L
2,4,5-t	LGW-7	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-7	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-t	LGW-7	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	LGW-7	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	7/12/2018	0.95	0.95	ND	ug/L
2,4,5-t	LGW-7	7/10/2019	0.97	0.97	ND	ug/L
2,4,5-t	LGW-7	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-7	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-8R	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-8R	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-8R	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-t	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-t	LGW-8R	7/13/2018	0.98	0.98	ND	ug/L
2,4,5-t	LGW-8R	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-9	10/26/2006	1	1	ND	ug/L
2,4,5-t	LGW-9	2/4/2009	1	1	ND	ug/L
2,4,5-t	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	LGW-9	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-t	LGW-9	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
2,4,5-t	LGW-9	7/13/2018	0.96	0.96	ND	ug/L
2,4,5-t	LGW-9	7/10/2019	1	1	ND	ug/L
2,4,5-t	LGW-9	7/9/2020	2	2	ND	ug/L
2,4,5-t	LGW-9	7/7/2021	1	1	ND	ug/L
2,4,5-t	LGW-9	10/5/2023	1	1	ND	ug/L
2,4,5-t	MW-10N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-10N	2/13/2009	1	1	ND	ug/L
2,4,5-t	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-10N	2/12/2015	0.97	0.97	ND	ug/L
2,4,5-t	MW-10N	7/11/2018	1	1	ND	ug/L
2,4,5-t	MW-10N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-11N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-11N	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
2,4,5-t	MW-11N	7/17/2018	1	1	ND	ug/L
2,4,5-t	MW-11N	7/6/2021	1	1	ND	ug/L
2,4,5-t	MW-15	7/10/2018	1	1	ND	ug/L
2,4,5-t	MW-15	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-16	7/11/2018	1	1	ND	ug/L
2,4,5-t	MW-16	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-17	7/10/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-17	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-19	7/13/2018	1	1	ND	ug/L
2,4,5-t	MW-19	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-1N	10/14/1998	1	1	ND	ug/L
2,4,5-t	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-1N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-1N	2/5/2009	1	1	ND	ug/L
2,4,5-t	MW-1N	7/10/2012	0.96	0.96	ND	ug/L
2,4,5-t	MW-1N	2/10/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-1N	7/10/2018	0.97	0.97	ND	ug/L
2,4,5-t	MW-1N	7/6/2020	2	2	ND	ug/L
2,4,5-t	MW-1N	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-20	7/12/2018	0.96	0.96	ND	ug/L
2,4,5-t	MW-20	7/4/2021	1	1	ND	ug/L
2,4,5-t	MW-21	10/5/2016	0.96	0.96	ND	ug/L
2,4,5-t	MW-21	10/6/2017	0.96	0.96	ND	ug/L
2,4,5-t	MW-21	7/11/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-21	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-21	7/8/2020	2	2	ND	ug/L
2,4,5-t	MW-21	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-2N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-2N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-2N	7/10/2012	1	1	ND	ug/L
2,4,5-t	MW-2N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	MW-2N	7/12/2018	1	1	ND	ug/L
2,4,5-t	MW-2N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-3N	10/25/2006	1	1	ND	ug/L
2,4,5-t	MW-3N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-t	MW-3N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-t	MW-3N	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-t	MW-3N	10/9/2017	0.97	0.97	ND	ug/L
2,4,5-t	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-3N	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-3N	7/7/2020	2	2	ND	ug/L
2,4,5-t	MW-3N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-7N	10/15/1998	1	1	ND	ug/L
2,4,5-t	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-7N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-7N	2/6/2009	1	1	ND	ug/L
2,4,5-t	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	MW-7N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-7N	10/5/2017	0.96	0.96	ND	ug/L
2,4,5-t	MW-7N	7/13/2018	1	1	ND	ug/L
2,4,5-t	MW-7N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-t	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-t	MW-8N	10/24/2006	1	1	ND	ug/L
2,4,5-t	MW-8N	1/24/2008	1	1	ND	ug/L
2,4,5-t	MW-8N	2/4/2009	1	1	ND	ug/L
2,4,5-t	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-t	MW-8N	10/2/2013	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-t	MW-8N	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-t	MW-8N	10/6/2017	0.98	0.98	ND	ug/L
2,4,5-t	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
2,4,5-t	MW-8N	7/11/2019	1	1	ND	ug/L
2,4,5-t	MW-8N	7/9/2020	2	2	ND	ug/L
2,4,5-t	MW-8N	7/5/2021	1	1	ND	ug/L
2,4,5-t	MW-8N	10/5/2023	1	1	ND	ug/L
2,4,5-t	NE-1	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-1	2/7/2009	1	1	ND	ug/L
2,4,5-t	NE-1	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	NE-1	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-t	NE-1	7/18/2018	0.95	0.95	ND	ug/L
2,4,5-t	NE-2	7/10/2018	1	1	ND	ug/L
2,4,5-t	NE-4	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-4	2/7/2009	1	1	ND	ug/L
2,4,5-t	NE-4	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-t	NE-4	2/13/2015	4.8	4.8	ND	ug/L
2,4,5-t	NE-4	7/12/2018	1	1	ND	ug/L
2,4,5-t	NE-5	10/25/2006	1	1	ND	ug/L
2,4,5-t	NE-5	2/6/2009	1	1	ND	ug/L
2,4,5-t	NE-5	7/10/2012	0.94	0.94	ND	ug/L
2,4,5-t	NE-5	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-t	NE-5	7/17/2018	0.99	0.99	ND	ug/L
2,4,5-t	NE-5	7/9/2019	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-10	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/6/2016	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/11/2019	1.1	1.1	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-10	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-10	10/5/2023	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	10/27/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	2/6/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-14R	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	11/3/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	2/13/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/12/2018	1.1	1.1	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/8/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-2	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-3R	7/6/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	2/3/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-4	2/11/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/11/2018	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-4	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-5	2/10/2015	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-5	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-5	10/5/2023	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	2/5/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-6	2/10/2015	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/10/2019	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-6	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-6	10/5/2023	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-7	10/5/2017	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/12/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/10/2019	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-7	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/9/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/13/2018	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	LGW-8R	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/26/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-9	2/11/2015	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/13/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/10/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	LGW-9	7/7/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	LGW-9	10/5/2023	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	2/13/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	MW-10N	2/12/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-10N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	2/3/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/17/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-11N	7/6/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-15	7/10/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-15	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-16	7/11/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-16	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-17	7/10/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-17	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-19	7/13/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-19	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	10/14/1998	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-1N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	2/5/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/10/2012	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-1N	2/10/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/10/2018	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/6/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-1N	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-20	7/12/2018	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-20	7/4/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-21	10/5/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-21	10/6/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/11/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/8/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-21	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/10/2012	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-2N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-tp (silvex)	MW-3N	2/12/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/6/2016	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-3N	10/9/2017	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/7/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-3N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/15/1998	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	2/6/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-tp (silvex)	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-7N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-7N	10/5/2017	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-7N	7/13/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-7N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/24/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	1/24/2008	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	2/4/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/11/2012	4.7	4.7	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/2/2013	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	2/12/2015	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/6/2016	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/6/2017	0.98	0.98	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/11/2019	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/9/2020	2	2	ND	ug/L
2,4,5-tp (silvex)	MW-8N	7/5/2021	1	1	ND	ug/L
2,4,5-tp (silvex)	MW-8N	10/5/2023	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-1	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-1	2/7/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-1	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-1	2/11/2015	0.96	0.96	ND	ug/L
2,4,5-tp (silvex)	NE-1	7/18/2018	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-2	7/10/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	2/7/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-4	7/10/2012	0.95	0.95	ND	ug/L
2,4,5-tp (silvex)	NE-4	2/13/2015	4.8	4.8	ND	ug/L
2,4,5-tp (silvex)	NE-4	7/12/2018	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	10/25/2006	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	2/6/2009	1	1	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/10/2012	0.94	0.94	ND	ug/L
2,4,5-tp (silvex)	NE-5	2/11/2015	0.97	0.97	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/17/2018	0.99	0.99	ND	ug/L
2,4,5-tp (silvex)	NE-5	7/9/2019	0.98	0.98	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	10/14/1998	25	25	ND	ug/L
2,4,5-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4,5-trichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,5-trichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/15/1998	25	25	ND	ug/L
2,4,5-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4,5-trichlorophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4,5-trichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4,5-trichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4,5-trichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4,6-trichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4,6-trichlorophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4,6-trichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4,6-trichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4,6-trichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4,6-trichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-d	LGW-10	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-10	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-10	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-10	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-10	10/9/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-10	7/16/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-10	7/11/2019	4.3	4.3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-d	LGW-10	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-10	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-10	10/5/2023	4	4	ND	ug/L
2,4-d	LGW-14R	10/27/2006	4	4	ND	ug/L
2,4-d	LGW-14R	2/6/2009	4	4	ND	ug/L
2,4-d	LGW-14R	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-14R	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-14R	7/17/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-14R	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-2	11/3/2006	4	4	ND	ug/L
2,4-d	LGW-2	2/13/2009	4	4	ND	ug/L
2,4-d	LGW-2	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-2	7/12/2018	4.4	4.4	ND	ug/L
2,4-d	LGW-2	7/8/2020	2	2	ND	ug/L
2,4-d	LGW-2	7/4/2021	4	4	ND	ug/L
2,4-d	LGW-3R	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-3R	2/3/2009	4	4	ND	ug/L
2,4-d	LGW-3R	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-3R	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-3R	7/11/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-3R	7/6/2021	4	4	ND	ug/L
2,4-d	LGW-4	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-4	2/3/2009	4	4	ND	ug/L
2,4-d	LGW-4	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-4	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-4	7/11/2018	3.9	3.9	ND	ug/L
2,4-d	LGW-4	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-5	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-5	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-5	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-5	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-5	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	LGW-5	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-5	10/5/2023	4	4	ND	ug/L
2,4-d	LGW-6	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-6	2/5/2009	4	4	ND	ug/L
2,4-d	LGW-6	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-6	2/10/2015	4	4	ND	ug/L
2,4-d	LGW-6	10/6/2016	3.9	3.9	ND	ug/L
2,4-d	LGW-6	10/5/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-6	7/17/2018	4	4	ND	ug/L
2,4-d	LGW-6	7/10/2019	3.8	3.8	ND	ug/L
2,4-d	LGW-6	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-6	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-6	10/5/2023	4	4	ND	ug/L
2,4-d	LGW-7	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-7	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-7	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-7	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-7	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-7	10/5/2017	3.8	3.8	ND	ug/L
2,4-d	LGW-7	7/12/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-7	7/10/2019	3.9	3.9	ND	ug/L
2,4-d	LGW-7	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-7	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-8R	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-8R	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-8R	7/9/2012	3.8	3.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-d	LGW-8R	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	LGW-8R	7/13/2018	3.9	3.9	ND	ug/L
2,4-d	LGW-8R	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-9	10/26/2006	4	4	ND	ug/L
2,4-d	LGW-9	2/4/2009	4	4	ND	ug/L
2,4-d	LGW-9	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	LGW-9	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	LGW-9	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	LGW-9	10/5/2017	3.9	3.9	ND	ug/L
2,4-d	LGW-9	7/13/2018	3.8	3.8	ND	ug/L
2,4-d	LGW-9	7/10/2019	4	4	ND	ug/L
2,4-d	LGW-9	7/9/2020	2	2	ND	ug/L
2,4-d	LGW-9	7/7/2021	4	4	ND	ug/L
2,4-d	LGW-9	10/5/2023	4	4	ND	ug/L
2,4-d	MW-10N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-10N	2/13/2009	4	4	ND	ug/L
2,4-d	MW-10N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-10N	2/12/2015	3.9	3.9	ND	ug/L
2,4-d	MW-10N	7/11/2018	4	4	ND	ug/L
2,4-d	MW-10N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-11N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-11N	2/3/2009	4	4	ND	ug/L
2,4-d	MW-11N	7/9/2012	3.8	3.8	ND	ug/L
2,4-d	MW-11N	2/10/2015	3.9	3.9	ND	ug/L
2,4-d	MW-11N	7/17/2018	4	4	ND	ug/L
2,4-d	MW-11N	7/6/2021	4	4	ND	ug/L
2,4-d	MW-15	7/10/2018	4.1	4.1	ND	ug/L
2,4-d	MW-15	7/4/2021	4	4	ND	ug/L
2,4-d	MW-16	7/11/2018	4.2	4.2	ND	ug/L
2,4-d	MW-16	7/4/2021	4	4	ND	ug/L
2,4-d	MW-17	7/10/2018	3.8	3.8	ND	ug/L
2,4-d	MW-17	7/4/2021	4	4	ND	ug/L
2,4-d	MW-19	7/13/2018	4.1	4.1	ND	ug/L
2,4-d	MW-19	7/4/2021	4	4	ND	ug/L
2,4-d	MW-1N	10/14/1998	1	1	ND	ug/L
2,4-d	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-1N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-1N	2/5/2009	4	4	ND	ug/L
2,4-d	MW-1N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-1N	2/10/2015	4	4	ND	ug/L
2,4-d	MW-1N	7/10/2018	3.9	3.9	ND	ug/L
2,4-d	MW-1N	7/6/2020	2	2	ND	ug/L
2,4-d	MW-1N	7/4/2021	4	4	ND	ug/L
2,4-d	MW-20	7/12/2018	3.8	3.8	ND	ug/L
2,4-d	MW-20	7/4/2021	4	4	ND	ug/L
2,4-d	MW-21	10/5/2016	3.8	3.8	ND	ug/L
2,4-d	MW-21	10/6/2017	3.8	3.8	ND	ug/L
2,4-d	MW-21	7/11/2018	3.8	3.8	ND	ug/L
2,4-d	MW-21	7/11/2019	4	4	ND	ug/L
2,4-d	MW-21	7/8/2020	2	2	ND	ug/L
2,4-d	MW-21	7/5/2021	4	4	ND	ug/L
2,4-d	MW-2N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-2N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-2N	7/10/2012	4	4	ND	ug/L
2,4-d	MW-2N	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	MW-2N	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	MW-2N	7/5/2021	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-d	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-3N	10/25/2006	4	4	ND	ug/L
2,4-d	MW-3N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-3N	7/11/2012	19	19	ND	ug/L
2,4-d	MW-3N	2/12/2015	3.8	3.8	ND	ug/L
2,4-d	MW-3N	10/6/2016	3.9	3.9	ND	ug/L
2,4-d	MW-3N	10/9/2017	3.9	3.9	ND	ug/L
2,4-d	MW-3N	7/13/2018	3.8	3.8	ND	ug/L
2,4-d	MW-3N	7/11/2019	4	4	ND	ug/L
2,4-d	MW-3N	7/7/2020	2	2	ND	ug/L
2,4-d	MW-3N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-7N	10/15/1998	1	1	ND	ug/L
2,4-d	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-7N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-7N	2/6/2009	4	4	ND	ug/L
2,4-d	MW-7N	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	MW-7N	2/12/2015	4	4	ND	ug/L
2,4-d	MW-7N	10/5/2017	3.9	3.9	ND	ug/L
2,4-d	MW-7N	7/13/2018	4.1	4.1	ND	ug/L
2,4-d	MW-7N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
2,4-d	MW-8N	10/24/2006	4	4	ND	ug/L
2,4-d	MW-8N	1/24/2008	4	4	ND	ug/L
2,4-d	MW-8N	2/4/2009	4	4	ND	ug/L
2,4-d	MW-8N	5/10/2011	3.8	3.8	ND	ug/L
2,4-d	MW-8N	7/11/2012	19	19	ND	ug/L
2,4-d	MW-8N	10/2/2013	3.8	3.8	ND	ug/L
2,4-d	MW-8N	10/8/2014	3.8	3.8	ND	ug/L
2,4-d	MW-8N	2/12/2015	3.9	3.9	ND	ug/L
2,4-d	MW-8N	10/6/2016	3.8	3.8	ND	ug/L
2,4-d	MW-8N	10/6/2017	3.9	3.9	ND	ug/L
2,4-d	MW-8N	7/16/2018	3.8	3.8	ND	ug/L
2,4-d	MW-8N	7/11/2019	4.2	4.2	ND	ug/L
2,4-d	MW-8N	7/9/2020	2	2	ND	ug/L
2,4-d	MW-8N	7/5/2021	4	4	ND	ug/L
2,4-d	MW-8N	10/5/2023	4	4	ND	ug/L
2,4-d	NE-1	10/25/2006	4	4	ND	ug/L
2,4-d	NE-1	2/7/2009	4	4	ND	ug/L
2,4-d	NE-1	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-1	2/11/2015	3.8	3.8	ND	ug/L
2,4-d	NE-1	7/18/2018	3.8	3.8	ND	ug/L
2,4-d	NE-2	7/10/2018	4	4	ND	ug/L
2,4-d	NE-4	10/25/2006	4	4	ND	ug/L
2,4-d	NE-4	2/7/2009	4	4	ND	ug/L
2,4-d	NE-4	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-4	2/13/2015	19	19	ND	ug/L
2,4-d	NE-4	7/12/2018	4.1	4.1	ND	ug/L
2,4-d	NE-5	10/25/2006	4	4	ND	ug/L
2,4-d	NE-5	2/6/2009	4	4	ND	ug/L
2,4-d	NE-5	7/10/2012	3.8	3.8	ND	ug/L
2,4-d	NE-5	2/11/2015	3.9	3.9	ND	ug/L
2,4-d	NE-5	7/17/2018	4	4	ND	ug/L
2,4-d	NE-5	7/9/2019	3.9	3.9	ND	ug/L
2,4-dichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dichlorophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4-dichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dichlorophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-10	10/5/2023	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dimethylphenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-5	10/5/2023	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dimethylphenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dimethylphenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-6	10/5/2023	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dimethylphenol	LGW-9	10/5/2023	10	10	ND	ug/L
2,4-dimethylphenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-19	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	10/14/1998	4	4	ND	ug/L
2,4-dimethylphenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dimethylphenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-20	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-21	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dimethylphenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dimethylphenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	10/15/1998	4	4	ND	ug/L
2,4-dimethylphenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dimethylphenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dimethylphenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dimethylphenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dimethylphenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,4-dimethylphenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dimethylphenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dimethylphenol	MW-8N	10/5/2023	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-4	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dimethylphenol	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dimethylphenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	2/6/2009	10	10	ND	ug/L
2,4-dimethylphenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dimethylphenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dimethylphenol	NE-5	7/9/2019	10	10	ND	ug/L
2,4-dinitrophenol	LGW-10	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-10	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-10	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	10/6/2016	47	47	ND	ug/L
2,4-dinitrophenol	LGW-10	10/9/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	7/16/2018	48	48	ND	ug/L
2,4-dinitrophenol	LGW-10	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-10	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-10	10/5/2023	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
2,4-dinitrophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	2/13/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-2	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-2	2/13/2015	65	65	ND	ug/L
2,4-dinitrophenol	LGW-2	7/12/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-2	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	2/3/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-4	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-4	7/11/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-4	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-5	2/10/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-5	7/12/2018	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-5	10/5/2023	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	2/5/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-6	2/10/2015	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-6	10/5/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	LGW-6	7/17/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-6	7/10/2019	49	49	ND	ug/L
2,4-dinitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-6	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-6	10/5/2023	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-7	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-7	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	10/5/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-7	7/12/2018	51	51	ND	ug/L
2,4-dinitrophenol	LGW-7	7/10/2019	49	49	ND	ug/L
2,4-dinitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-7	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
2,4-dinitrophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	10/26/2006	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	LGW-9	2/11/2015	49	49	ND	ug/L
2,4-dinitrophenol	LGW-9	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	LGW-9	10/5/2017	48	48	ND	ug/L
2,4-dinitrophenol	LGW-9	7/13/2018	47	47	ND	ug/L
2,4-dinitrophenol	LGW-9	7/10/2019	51	51	ND	ug/L
2,4-dinitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	LGW-9	7/7/2021	50	50	ND	ug/L
2,4-dinitrophenol	LGW-9	10/5/2023	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	2/13/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-10N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-10N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-10N	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-10N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	2/3/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/9/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-11N	2/10/2015	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/17/2018	50	50	ND	ug/L
2,4-dinitrophenol	MW-11N	7/6/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-15	7/10/2018	51	51	ND	ug/L
2,4-dinitrophenol	MW-15	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-16	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-16	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-17	7/10/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-17	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-19	7/13/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-19	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	10/14/1998	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	2/5/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-1N	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	MW-1N	2/10/2015	47	47	ND	ug/L
2,4-dinitrophenol	MW-1N	7/10/2018	49	49	ND	ug/L
2,4-dinitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-1N	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-20	7/12/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-20	7/4/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-21	10/5/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	10/6/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	7/11/2018	48	48	ND	ug/L
2,4-dinitrophenol	MW-21	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-21	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-2N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-2N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-2N	7/12/2018	51	51	ND	ug/L
2,4-dinitrophenol	MW-2N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	7/11/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-3N	2/12/2015	49	49	ND	ug/L
2,4-dinitrophenol	MW-3N	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-3N	10/9/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-3N	7/13/2018	47	47	ND	ug/L
2,4-dinitrophenol	MW-3N	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-3N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	10/15/1998	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-7N	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-7N	2/12/2015	49	49	ND	ug/L
2,4-dinitrophenol	MW-7N	10/5/2017	49	49	ND	ug/L
2,4-dinitrophenol	MW-7N	7/13/2018	52	52	ND	ug/L
2,4-dinitrophenol	MW-7N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	10/24/2006	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	1/24/2008	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	2/4/2009	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	5/10/2011	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	7/11/2012	47	47	ND	ug/L
2,4-dinitrophenol	MW-8N	10/2/2013	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/8/2014	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	2/12/2015	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/6/2016	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	10/6/2017	48	48	ND	ug/L
2,4-dinitrophenol	MW-8N	7/16/2018	49	49	ND	ug/L
2,4-dinitrophenol	MW-8N	7/11/2019	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dinitrophenol	MW-8N	7/5/2021	50	50	ND	ug/L
2,4-dinitrophenol	MW-8N	10/5/2023	50	50	ND	ug/L
2,4-dinitrophenol	NE-1	10/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrophenol	NE-1	2/7/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-1	7/10/2012	48	48	ND	ug/L
2,4-dinitrophenol	NE-1	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-1	7/18/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-2	7/10/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-4	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	NE-4	2/7/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-4	7/10/2012	49	49	ND	ug/L
2,4-dinitrophenol	NE-4	2/13/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-4	7/12/2018	52	52	ND	ug/L
2,4-dinitrophenol	NE-5	10/25/2006	50	50	ND	ug/L
2,4-dinitrophenol	NE-5	2/6/2009	50	50	ND	ug/L
2,4-dinitrophenol	NE-5	7/10/2012	47	47	ND	ug/L
2,4-dinitrophenol	NE-5	2/11/2015	48	48	ND	ug/L
2,4-dinitrophenol	NE-5	7/17/2018	48	48	ND	ug/L
2,4-dinitrophenol	NE-5	7/9/2019	50	50	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-10	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-10	10/5/2023	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	10/27/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/17/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-14R	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	2/13/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-2	2/13/2015	13	13	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/8/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-2	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/11/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-3R	7/6/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-4	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-5	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	LGW-6	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	2/5/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-6	2/10/2015	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-6	10/5/2023	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-7	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-8R	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/26/2006	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/10/2019	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	7/7/2021	10	10	ND	ug/L
2,4-dinitrotoluene	LGW-9	10/5/2023	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	2/13/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-10N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	2/3/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-11N	2/10/2015	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/17/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-11N	7/6/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-15	7/10/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-15	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-16	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-17	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	MW-1N	10/14/1998	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	2/5/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/6/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-1N	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-20	7/4/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-21	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	7/8/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-21	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-2N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,4-dinitrotoluene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/7/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-3N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/15/1998	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/13/2018	10	10	ND	ug/L
2,4-dinitrotoluene	MW-7N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/24/2006	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	1/24/2008	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	2/4/2009	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,4-dinitrotoluene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/11/2019	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/9/2020	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	7/5/2021	10	10	ND	ug/L
2,4-dinitrotoluene	MW-8N	10/5/2023	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	2/7/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-4	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-4	2/7/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,4-dinitrotoluene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-4	7/12/2018	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	10/25/2006	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	2/6/2009	10	10	ND	ug/L
2,4-dinitrotoluene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,4-dinitrotoluene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,4-dinitrotoluene	NE-5	7/9/2019	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2,6-dichlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,6-dichlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,6-dichlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2,6-dichlorophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-15	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,6-dichlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,6-dichlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,6-dichlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,6-dichlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2,6-dichlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dichlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,6-dichlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dichlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,6-dichlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,6-dichlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2,6-dichlorophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,6-dichlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2,6-dichlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,6-dichlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,6-dichlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-10	10/5/2023	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	10/27/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/17/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-14R	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	2/13/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-2	2/13/2015	13	13	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/8/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-2	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	2/3/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/11/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-3R	7/6/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-4	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	LGW-4	2/3/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-4	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-5	10/5/2023	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	2/5/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-6	2/10/2015	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-6	10/5/2023	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-7	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-8R	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/26/2006	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/10/2019	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	7/7/2021	10	10	ND	ug/L
2,6-dinitrotoluene	LGW-9	10/5/2023	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	2/13/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-10N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-11N	2/10/2015	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	7/17/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-11N	7/6/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-15	7/10/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-15	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-16	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-17	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-19	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	10/14/1998	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	2/5/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/6/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-1N	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-20	7/4/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-21	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	7/8/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-21	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-2N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2,6-dinitrotoluene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/7/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-3N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/15/1998	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/13/2018	10	10	ND	ug/L
2,6-dinitrotoluene	MW-7N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2,6-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	5/29/2002	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/24/2006	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	1/24/2008	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	2/4/2009	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/11/2019	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/9/2020	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	7/5/2021	10	10	ND	ug/L
2,6-dinitrotoluene	MW-8N	10/5/2023	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	2/7/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-4	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	NE-4	2/7/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2,6-dinitrotoluene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-4	7/12/2018	10	10	ND	ug/L
2,6-dinitrotoluene	NE-5	10/25/2006	10	10	ND	ug/L
2,6-dinitrotoluene	NE-5	2/6/2009	10	10	ND	ug/L
2,6-dinitrotoluene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2,6-dinitrotoluene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2,6-dinitrotoluene	NE-5	7/9/2019	10	10	ND	ug/L
2-acetylaminofluorene	LGW-10	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-10	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	2/12/2015	96	96	ND	ug/L
2-acetylaminofluorene	LGW-10	10/6/2016	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	10/9/2017	96	96	ND	ug/L
2-acetylaminofluorene	LGW-10	7/16/2018	95	95	ND	ug/L
2-acetylaminofluorene	LGW-10	7/11/2019	99	99	ND	ug/L
2-acetylaminofluorene	LGW-10	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-10	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-10	10/5/2023	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	10/27/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-14R	2/11/2015	99	99	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/17/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-14R	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	2/13/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-2	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-2	2/13/2015	130	130	ND	ug/L
2-acetylaminofluorene	LGW-2	7/12/2018	97	97	ND	ug/L
2-acetylaminofluorene	LGW-2	7/8/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-2	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	10/26/2006	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-acetylaminofluorene	LGW-3R	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-3R	2/10/2015	97	97	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/11/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-3R	7/6/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-4	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-4	2/11/2015	97	97	ND	ug/L
2-acetylaminofluorene	LGW-4	7/11/2018	99	99	ND	ug/L
2-acetylaminofluorene	LGW-4	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-5	2/10/2015	95	95	ND	ug/L
2-acetylaminofluorene	LGW-5	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-5	10/5/2023	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	2/5/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-6	2/10/2015	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	10/6/2016	97	97	ND	ug/L
2-acetylaminofluorene	LGW-6	10/5/2017	95	95	ND	ug/L
2-acetylaminofluorene	LGW-6	7/17/2018	99	99	ND	ug/L
2-acetylaminofluorene	LGW-6	7/10/2019	99	99	ND	ug/L
2-acetylaminofluorene	LGW-6	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-6	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-6	10/5/2023	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-7	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	LGW-7	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	LGW-7	10/5/2017	96	96	ND	ug/L
2-acetylaminofluorene	LGW-7	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	LGW-7	7/10/2019	98	98	ND	ug/L
2-acetylaminofluorene	LGW-7	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-7	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/9/2012	94	94	ND	ug/L
2-acetylaminofluorene	LGW-8R	2/11/2015	98	98	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/13/2018	98	98	ND	ug/L
2-acetylaminofluorene	LGW-8R	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	10/26/2006	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	2/11/2015	98	98	ND	ug/L
2-acetylaminofluorene	LGW-9	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	LGW-9	10/5/2017	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	7/13/2018	95	95	ND	ug/L
2-acetylaminofluorene	LGW-9	7/10/2019	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	LGW-9	7/7/2021	100	100	ND	ug/L
2-acetylaminofluorene	LGW-9	10/5/2023	100	100	ND	ug/L
2-acetylaminofluorene	MW-10N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-10N	2/13/2009	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-acetylaminofluorene	MW-10N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-10N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-10N	7/11/2018	97	97	ND	ug/L
2-acetylaminofluorene	MW-10N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	2/3/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/9/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-11N	2/10/2015	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/17/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-11N	7/6/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-15	7/10/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-15	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-16	7/11/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-16	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-17	7/10/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-17	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-19	7/13/2018	96	96	ND	ug/L
2-acetylaminofluorene	MW-19	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	10/14/1998	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	10/24/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	2/5/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-1N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-1N	2/10/2015	95	95	ND	ug/L
2-acetylaminofluorene	MW-1N	7/10/2018	99	99	ND	ug/L
2-acetylaminofluorene	MW-1N	7/6/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-1N	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-20	7/12/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-20	7/4/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-21	10/5/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-21	10/6/2017	96	96	ND	ug/L
2-acetylaminofluorene	MW-21	7/11/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-21	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-21	7/8/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-21	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-2N	2/12/2015	96	96	ND	ug/L
2-acetylaminofluorene	MW-2N	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-2N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	7/11/2012	94	94	ND	ug/L
2-acetylaminofluorene	MW-3N	2/12/2015	98	98	ND	ug/L
2-acetylaminofluorene	MW-3N	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-3N	10/9/2017	95	95	ND	ug/L
2-acetylaminofluorene	MW-3N	7/13/2018	95	95	ND	ug/L
2-acetylaminofluorene	MW-3N	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-3N	7/7/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-3N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	10/15/1998	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-7N	10/24/2006	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-acetylaminofluorene	MW-7N	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-7N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-7N	10/5/2017	99	99	ND	ug/L
2-acetylaminofluorene	MW-7N	7/13/2018	100	100	ND	ug/L
2-acetylaminofluorene	MW-7N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	5/29/2002	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	10/24/2006	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	1/24/2008	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	2/4/2009	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	5/10/2011	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	7/11/2012	95	95	ND	ug/L
2-acetylaminofluorene	MW-8N	10/2/2013	95	95	ND	ug/L
2-acetylaminofluorene	MW-8N	10/8/2014	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	2/12/2015	97	97	ND	ug/L
2-acetylaminofluorene	MW-8N	10/6/2016	96	96	ND	ug/L
2-acetylaminofluorene	MW-8N	10/6/2017	97	97	ND	ug/L
2-acetylaminofluorene	MW-8N	7/16/2018	98	98	ND	ug/L
2-acetylaminofluorene	MW-8N	7/11/2019	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	7/9/2020	10	10	ND	ug/L
2-acetylaminofluorene	MW-8N	7/5/2021	100	100	ND	ug/L
2-acetylaminofluorene	MW-8N	10/5/2023	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	2/7/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-1	7/10/2012	96	96	ND	ug/L
2-acetylaminofluorene	NE-1	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	NE-1	7/18/2018	96	96	ND	ug/L
2-acetylaminofluorene	NE-2	7/10/2018	95	95	ND	ug/L
2-acetylaminofluorene	NE-4	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-4	2/7/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-4	7/10/2012	98	98	ND	ug/L
2-acetylaminofluorene	NE-4	2/13/2015	95	95	ND	ug/L
2-acetylaminofluorene	NE-4	7/12/2018	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	10/25/2006	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	2/6/2009	100	100	ND	ug/L
2-acetylaminofluorene	NE-5	7/10/2012	95	95	ND	ug/L
2-acetylaminofluorene	NE-5	2/11/2015	96	96	ND	ug/L
2-acetylaminofluorene	NE-5	7/17/2018	96	96	ND	ug/L
2-acetylaminofluorene	NE-5	7/9/2019	100	100	ND	ug/L
2-chloronaphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-10	10/5/2023	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-2	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
2-chloronaphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-5	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-5	10/5/2023	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-chloronaphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-chloronaphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-6	10/5/2023	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-chloronaphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
2-chloronaphthalene	LGW-9	10/5/2023	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/17/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-15	7/10/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-15	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-16	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-17	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-19	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-chloronaphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-20	7/4/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-21	7/11/2019	10	10	ND	ug/L
2-chloronaphthalene	MW-21	7/8/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-21	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-chloronaphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-chloronaphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-3N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chloronaphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-chloronaphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
2-chloronaphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	10/24/2006	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-chloronaphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-chloronaphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-chloronaphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-chloronaphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	7/9/2020	1	1	ND	ug/L
2-chloronaphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
2-chloronaphthalene	MW-8N	10/5/2023	10	10	ND	ug/L
2-chloronaphthalene	NE-1	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-1	2/7/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-4	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-4	2/7/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-chloronaphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-4	7/12/2018	10	10	ND	ug/L
2-chloronaphthalene	NE-5	10/25/2006	10	10	ND	ug/L
2-chloronaphthalene	NE-5	2/6/2009	10	10	ND	ug/L
2-chloronaphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-chloronaphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-chloronaphthalene	NE-5	7/9/2019	10	10	ND	ug/L
2-chlorophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2-chlorophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2-chlorophenol	LGW-14R	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2-chlorophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2-chlorophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2-chlorophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2-chlorophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2-chlorophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2-chlorophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2-chlorophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2-chlorophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2-chlorophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2-chlorophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2-chlorophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2-chlorophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2-chlorophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-chlorophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-chlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2-chlorophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2-chlorophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-chlorophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-9	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-chlorophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-chlorophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2-chlorophenol	LGW-9	7/7/2021	10	10	ND	ug/L
2-chlorophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2-chlorophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2-chlorophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-chlorophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2-chlorophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2-chlorophenol	MW-15	7/10/2018	10	10	ND	ug/L
2-chlorophenol	MW-15	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-16	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-17	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-chlorophenol	MW-19	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-chlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2-chlorophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-chlorophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-chlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2-chlorophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-20	7/4/2021	10	10	ND	ug/L
2-chlorophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-chlorophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-21	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
2-chlorophenol	MW-21	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2-chlorophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-chlorophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2-chlorophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2-chlorophenol	MW-3N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-chlorophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-chlorophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-chlorophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-chlorophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-chlorophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2-chlorophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2-chlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2-chlorophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-chlorophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2-chlorophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-chlorophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2-chlorophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2-chlorophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2-chlorophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-chlorophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-chlorophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-chlorophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-chlorophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-chlorophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-chlorophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2-chlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2-chlorophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2-chlorophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2-chlorophenol	NE-1	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-1	2/7/2009	10	10	ND	ug/L
2-chlorophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-chlorophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-chlorophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-chlorophenol	NE-4	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-4	2/7/2009	10	10	ND	ug/L
2-chlorophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-chlorophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-chlorophenol	NE-4	7/12/2018	10	10	ND	ug/L
2-chlorophenol	NE-5	10/25/2006	10	10	ND	ug/L
2-chlorophenol	NE-5	2/6/2009	10	10	ND	ug/L
2-chlorophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-chlorophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-chlorophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-chlorophenol	NE-5	7/9/2019	10	10	ND	ug/L
2-hexanone	LGW-10	1/26/2006	5	5	ND	ug/L
2-hexanone	LGW-10	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-10	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-10	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-10	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-10	4/26/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-10	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-10	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-10	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-10	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-10	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-10	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-10	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-10	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-10	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-10	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-10	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-10	5/1/2013	5	5	ND	ug/L
2-hexanone	LGW-10	1/30/2014	5	5	ND	ug/L
2-hexanone	LGW-10	7/9/2014	5	5	ND	ug/L
2-hexanone	LGW-10	2/12/2015	5	5	ND	ug/L
2-hexanone	LGW-10	7/13/2015	5	5	ND	ug/L
2-hexanone	LGW-10	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-10	4/6/2016	5	5	ND	ug/L
2-hexanone	LGW-10	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-10	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-10	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-10	4/4/2017	5	5	ND	ug/L
2-hexanone	LGW-10	7/19/2017	5	5	ND	ug/L
2-hexanone	LGW-10	10/9/2017	5	5	ND	ug/L
2-hexanone	LGW-10	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-10	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-10	7/16/2018	5	5	ND	ug/L
2-hexanone	LGW-10	10/4/2018	5	5	ND	ug/L
2-hexanone	LGW-10	1/4/2019	5	5	ND	ug/L
2-hexanone	LGW-10	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-10	7/11/2019	5	5	ND	ug/L
2-hexanone	LGW-10	10/2/2019	5	5	ND	ug/L
2-hexanone	LGW-10	1/15/2020	5	5	ND	ug/L
2-hexanone	LGW-10	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-10	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-10	10/7/2020	5	5	ND	ug/L
2-hexanone	LGW-10	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-10	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-10	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-10	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-10	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-10	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-10	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-10	10/7/2022	5	5	ND	ug/L
2-hexanone	LGW-10	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-10	4/5/2023	5	5	ND	ug/L
2-hexanone	LGW-10	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-10	10/5/2023	5	5	ND	ug/L
2-hexanone	LGW-14R	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	8/2/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	8/2/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	10/27/2006	5	5	ND	ug/L
2-hexanone	LGW-14R	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	4/24/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-14R	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-14R	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-14R	2/6/2009	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-14R	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-14R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-14R	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-14R	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-14R	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-14R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-14R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-14R	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-14R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-14R	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-14R	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-14R	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-14R	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-14R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-14R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-14R	1/25/2018	5	5	ND	ug/L
2-hexanone	LGW-14R	7/17/2018	5	5	ND	ug/L
2-hexanone	LGW-14R	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-14R	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-14R	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-14R	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-14R	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-14R	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-14R	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-14R	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-14R	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-14R	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-2	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-2	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-2	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-2	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-2	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-2	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-2	7/10/2007	5	5	ND	ug/L
2-hexanone	LGW-2	1/26/2008	5	5	ND	ug/L
2-hexanone	LGW-2	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-2	2/6/2009	5	5	ND	ug/L
2-hexanone	LGW-2	7/30/2009	5	5	ND	ug/L
2-hexanone	LGW-2	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-2	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-2	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-2	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-2	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-2	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-2	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-2	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-2	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-2	1/30/2014	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-2	2/13/2015	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2015	5	5	ND	ug/L
2-hexanone	LGW-2	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-2	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-2	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-2	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-2	1/23/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-2	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-2	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-2	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-2	1/13/2020	5	5	ND	ug/L
2-hexanone	LGW-2	4/1/2020	5	5	ND	ug/L
2-hexanone	LGW-2	7/8/2020	5	5	ND	ug/L
2-hexanone	LGW-2	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-2	7/4/2021	5	5	ND	ug/L
2-hexanone	LGW-2	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-2	7/10/2022	5	5	ND	ug/L
2-hexanone	LGW-2	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-2	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-3R	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-3R	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-3R	1/26/2008	5	5	ND	ug/L
2-hexanone	LGW-3R	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-3R	2/3/2009	5	5	ND	ug/L
2-hexanone	LGW-3R	7/31/2009	5	5	ND	ug/L
2-hexanone	LGW-3R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-3R	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-3R	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-3R	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-3R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-3R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-3R	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-3R	1/22/2014	5	5	ND	ug/L
2-hexanone	LGW-3R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-3R	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-3R	7/16/2015	5	5	ND	ug/L
2-hexanone	LGW-3R	1/8/2016	5	5	ND	ug/L
2-hexanone	LGW-3R	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-3R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-3R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-3R	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-3R	7/11/2018	5	5	ND	ug/L
2-hexanone	LGW-3R	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-3R	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-3R	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-3R	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-3R	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-3R	7/6/2021	5	5	ND	ug/L
2-hexanone	LGW-3R	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-3R	7/10/2022	5	5	ND	ug/L
2-hexanone	LGW-3R	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-3R	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-4	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-4	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-4	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-4	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-4	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-4	4/26/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-4	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-4	1/22/2008	5	5	ND	ug/L
2-hexanone	LGW-4	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2009	5	5	ND	ug/L
2-hexanone	LGW-4	7/31/2009	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-4	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-4	7/16/2010	5	5	ND	ug/L
2-hexanone	LGW-4	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-4	7/13/2011	5	5	ND	ug/L
2-hexanone	LGW-4	1/4/2012	5	5	ND	ug/L
2-hexanone	LGW-4	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-4	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-4	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-4	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-4	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-4	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-4	7/8/2015	5	5	ND	ug/L
2-hexanone	LGW-4	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-4	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-4	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-4	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-4	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-4	7/11/2018	5	5	ND	ug/L
2-hexanone	LGW-4	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-4	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-4	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-4	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-4	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-4	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-4	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-4	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-4	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-4	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-5	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-5	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-5	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-5	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-5	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-5	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-5	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-5	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-5	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-5	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-5	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-5	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-5	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-5	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-5	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-5	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-5	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-5	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-5	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-5	7/8/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-5	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-5	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-5	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-5	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-5	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-5	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-5	1/3/2019	5	5	ND	ug/L
2-hexanone	LGW-5	7/9/2019	5	5	ND	ug/L
2-hexanone	LGW-5	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-5	7/6/2020	5	5	ND	ug/L
2-hexanone	LGW-5	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-5	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-5	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-5	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-5	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-5	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-5	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-5	10/6/2022	5	5	ND	ug/L
2-hexanone	LGW-5	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-5	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-5	10/5/2023	5	5	ND	ug/L
2-hexanone	LGW-6	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-6	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-6	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-6	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-6	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-6	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-6	7/11/2007	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2008	5	5	ND	ug/L
2-hexanone	LGW-6	7/23/2008	5	5	ND	ug/L
2-hexanone	LGW-6	2/5/2009	5	5	ND	ug/L
2-hexanone	LGW-6	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-6	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-6	2/3/2010	5	5	ND	ug/L
2-hexanone	LGW-6	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-6	1/19/2011	5	5	ND	ug/L
2-hexanone	LGW-6	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-6	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-6	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-6	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-6	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-6	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-6	2/10/2015	5	5	ND	ug/L
2-hexanone	LGW-6	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-6	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-6	7/19/2016	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-6	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-6	5/5/2017	5	5	ND	ug/L
2-hexanone	LGW-6	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-6	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-6	1/23/2018	5	5	ND	ug/L
2-hexanone	LGW-6	4/10/2018	5	5	ND	ug/L
2-hexanone	LGW-6	7/17/2018	5	5	ND	ug/L
2-hexanone	LGW-6	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-6	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-6	4/3/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-6	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-6	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-6	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-6	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-6	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2020	5	5	ND	ug/L
2-hexanone	LGW-6	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-6	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-6	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-6	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-6	1/12/2022	5	5	ND	ug/L
2-hexanone	LGW-6	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-6	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-6	10/6/2022	5	5	ND	ug/L
2-hexanone	LGW-6	1/10/2023	5	5	ND	ug/L
2-hexanone	LGW-6	4/6/2023	5	5	ND	ug/L
2-hexanone	LGW-6	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-6	10/5/2023	5	5	ND	ug/L
2-hexanone	LGW-7	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-7	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-7	8/1/2006	5	5	ND	ug/L
2-hexanone	LGW-7	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-7	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-7	4/26/2007	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-7	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-7	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-7	7/31/2009	5	5	ND	ug/L
2-hexanone	LGW-7	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2010	5	5	ND	ug/L
2-hexanone	LGW-7	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-7	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-7	7/10/2012	5	5	ND	ug/L
2-hexanone	LGW-7	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-7	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-7	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-7	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-7	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-7	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-7	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-7	4/6/2016	5	5	ND	ug/L
2-hexanone	LGW-7	7/20/2016	5	5	ND	ug/L
2-hexanone	LGW-7	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-7	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-7	4/4/2017	5	5	ND	ug/L
2-hexanone	LGW-7	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-7	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-7	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-7	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-7	7/12/2018	5	5	ND	ug/L
2-hexanone	LGW-7	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-7	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-7	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-7	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-7	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-7	1/15/2020	5	5	ND	ug/L
2-hexanone	LGW-7	7/9/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-7	1/18/2021	5	5	ND	ug/L
2-hexanone	LGW-7	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-7	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-7	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-7	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-7	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-7	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-8R	1/24/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-8R	1/24/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	4/25/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	7/12/2007	5	5	ND	ug/L
2-hexanone	LGW-8R	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-8R	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-8R	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-8R	7/14/2010	5	5	ND	ug/L
2-hexanone	LGW-8R	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-8R	7/12/2011	5	5	ND	ug/L
2-hexanone	LGW-8R	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-8R	7/9/2012	5	5	ND	ug/L
2-hexanone	LGW-8R	4/30/2013	5	5	ND	ug/L
2-hexanone	LGW-8R	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-8R	1/22/2014	5	5	ND	ug/L
2-hexanone	LGW-8R	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-8R	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-8R	7/22/2015	5	5	ND	ug/L
2-hexanone	LGW-8R	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-8R	7/20/2016	5	5	ND	ug/L
2-hexanone	LGW-8R	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-8R	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-8R	1/25/2018	5	5	ND	ug/L
2-hexanone	LGW-8R	7/13/2018	5	5	ND	ug/L
2-hexanone	LGW-8R	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-8R	7/8/2019	5	5	ND	ug/L
2-hexanone	LGW-8R	1/14/2020	5	5	ND	ug/L
2-hexanone	LGW-8R	7/7/2020	5	5	ND	ug/L
2-hexanone	LGW-8R	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-8R	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-8R	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-8R	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-8R	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-8R	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-9	1/25/2006	5	5	ND	ug/L
2-hexanone	LGW-9	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-9	7/20/2006	5	5	ND	ug/L
2-hexanone	LGW-9	10/26/2006	5	5	ND	ug/L
2-hexanone	LGW-9	1/25/2007	5	5	ND	ug/L
2-hexanone	LGW-9	4/25/2007	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2007	5	5	ND	ug/L
2-hexanone	LGW-9	7/22/2008	5	5	ND	ug/L
2-hexanone	LGW-9	2/4/2009	5	5	ND	ug/L
2-hexanone	LGW-9	7/29/2009	5	5	ND	ug/L
2-hexanone	LGW-9	1/27/2010	5	5	ND	ug/L
2-hexanone	LGW-9	7/14/2010	5	5	ND	ug/L
2-hexanone	LGW-9	1/20/2011	5	5	ND	ug/L
2-hexanone	LGW-9	7/12/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	LGW-9	1/5/2012	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2012	5	5	ND	ug/L
2-hexanone	LGW-9	5/1/2013	5	5	ND	ug/L
2-hexanone	LGW-9	7/15/2013	5	5	ND	ug/L
2-hexanone	LGW-9	1/23/2014	5	5	ND	ug/L
2-hexanone	LGW-9	7/8/2014	5	5	ND	ug/L
2-hexanone	LGW-9	2/11/2015	5	5	ND	ug/L
2-hexanone	LGW-9	7/13/2015	5	5	ND	ug/L
2-hexanone	LGW-9	1/5/2016	5	5	ND	ug/L
2-hexanone	LGW-9	7/21/2016	5	5	ND	ug/L
2-hexanone	LGW-9	10/6/2016	5	5	ND	ug/L
2-hexanone	LGW-9	1/11/2017	5	5	ND	ug/L
2-hexanone	LGW-9	5/5/2017	5	5	ND	ug/L
2-hexanone	LGW-9	7/18/2017	5	5	ND	ug/L
2-hexanone	LGW-9	10/5/2017	5	5	ND	ug/L
2-hexanone	LGW-9	1/24/2018	5	5	ND	ug/L
2-hexanone	LGW-9	4/11/2018	5	5	ND	ug/L
2-hexanone	LGW-9	7/13/2018	5	5	ND	ug/L
2-hexanone	LGW-9	10/2/2018	5	5	ND	ug/L
2-hexanone	LGW-9	1/7/2019	5	5	ND	ug/L
2-hexanone	LGW-9	4/3/2019	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2019	5	5	ND	ug/L
2-hexanone	LGW-9	10/3/2019	5	5	ND	ug/L
2-hexanone	LGW-9	1/16/2020	5	5	ND	ug/L
2-hexanone	LGW-9	4/2/2020	5	5	ND	ug/L
2-hexanone	LGW-9	7/9/2020	5	5	ND	ug/L
2-hexanone	LGW-9	10/7/2020	5	5	ND	ug/L
2-hexanone	LGW-9	1/17/2021	5	5	ND	ug/L
2-hexanone	LGW-9	4/6/2021	5	5	ND	ug/L
2-hexanone	LGW-9	7/7/2021	5	5	ND	ug/L
2-hexanone	LGW-9	10/5/2021	5	5	ND	ug/L
2-hexanone	LGW-9	1/13/2022	5	5	ND	ug/L
2-hexanone	LGW-9	4/4/2022	5	5	ND	ug/L
2-hexanone	LGW-9	7/11/2022	5	5	ND	ug/L
2-hexanone	LGW-9	10/7/2022	5	5	ND	ug/L
2-hexanone	LGW-9	1/11/2023	5	5	ND	ug/L
2-hexanone	LGW-9	4/5/2023	5	5	ND	ug/L
2-hexanone	LGW-9	7/10/2023	5	5	ND	ug/L
2-hexanone	LGW-9	10/5/2023	5	5	ND	ug/L
2-hexanone	MW-10N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-10N	1/22/1998	34	34	ND	ug/L
2-hexanone	MW-10N	4/28/1998	69	69	ND	ug/L
2-hexanone	MW-10N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-10N	1/14/1999	34	34	ND	ug/L
2-hexanone	MW-10N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-10N	7/15/1999	34	34	ND	ug/L
2-hexanone	MW-10N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-10N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-10N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-10N	7/11/2000	5	5	ND	ug/L
2-hexanone	MW-10N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-10N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2002	5	5	ND	ug/L
2-hexanone	MW-10N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-10N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-10N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-10N	7/8/2003	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-10N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-10N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-10N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-10N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-10N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-10N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-10N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-10N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2007	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-10N	1/23/2008	5	5	ND	ug/L
2-hexanone	MW-10N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-10N	2/13/2009	5	5	ND	ug/L
2-hexanone	MW-10N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-10N	1/27/2010	5	5	ND	ug/L
2-hexanone	MW-10N	8/10/2010	5	5	ND	ug/L
2-hexanone	MW-10N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-10N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-10N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-10N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-10N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-10N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-10N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-10N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-10N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-10N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-10N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-10N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-10N	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-10N	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-10N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-10N	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-10N	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-10N	7/8/2020	5	5	ND	ug/L
2-hexanone	MW-10N	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-10N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-10N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-10N	7/7/2023	5	5	ND	ug/L
2-hexanone	MW-11N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-11N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-11N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-11N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-11N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-11N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-11N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-11N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-11N	1/13/2000	34	34	ND	ug/L
2-hexanone	MW-11N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-11N	7/10/2000	5	5	ND	ug/L
2-hexanone	MW-11N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-11N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-11N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-11N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-11N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-11N	7/8/2003	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-11N	1/29/2004	5	5	ND	ug/L
2-hexanone	MW-11N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-11N	1/13/2005	5	5	ND	ug/L
2-hexanone	MW-11N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-11N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-11N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-11N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-11N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-11N	1/24/2007	5	5	ND	ug/L
2-hexanone	MW-11N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-11N	1/22/2008	5	5	ND	ug/L
2-hexanone	MW-11N	7/23/2008	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2009	5	5	ND	ug/L
2-hexanone	MW-11N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2010	5	5	ND	ug/L
2-hexanone	MW-11N	2/3/2010	5	5	ND	ug/L
2-hexanone	MW-11N	7/16/2010	5	5	ND	ug/L
2-hexanone	MW-11N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-11N	1/4/2012	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2012	5	5	ND	ug/L
2-hexanone	MW-11N	4/30/2013	5	5	ND	ug/L
2-hexanone	MW-11N	7/15/2013	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2014	5	5	ND	ug/L
2-hexanone	MW-11N	7/8/2014	5	5	ND	ug/L
2-hexanone	MW-11N	2/10/2015	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2015	5	5	ND	ug/L
2-hexanone	MW-11N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-11N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-11N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-11N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-11N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-11N	7/17/2018	5	5	ND	ug/L
2-hexanone	MW-11N	1/2/2019	5	5	ND	ug/L
2-hexanone	MW-11N	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-11N	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-11N	7/6/2020	5	5	ND	ug/L
2-hexanone	MW-11N	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-11N	7/6/2021	5	5	ND	ug/L
2-hexanone	MW-11N	1/18/2022	5	5	ND	ug/L
2-hexanone	MW-11N	7/13/2022	5	5	ND	ug/L
2-hexanone	MW-11N	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-11N	7/8/2023	5	5	ND	ug/L
2-hexanone	MW-15	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-15	7/15/2015	5	5	ND	ug/L
2-hexanone	MW-15	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-15	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-15	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-15	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-15	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-15	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-15	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-15	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-15	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-15	7/10/2018	5	5	ND	ug/L
2-hexanone	MW-15	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-15	7/9/2019	5	5	ND	ug/L
2-hexanone	MW-15	1/14/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-15	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-15	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-15	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-15	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-15	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-15	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-15	7/10/2023	5	5	ND	ug/L
2-hexanone	MW-16	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-16	7/16/2015	5	5	ND	ug/L
2-hexanone	MW-16	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-16	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-16	1/8/2016	5	5	ND	ug/L
2-hexanone	MW-16	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-16	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-16	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-16	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-16	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-16	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-16	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-16	1/2/2019	5	5	ND	ug/L
2-hexanone	MW-16	7/10/2019	5	5	ND	ug/L
2-hexanone	MW-16	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-16	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-16	1/18/2021	5	5	ND	ug/L
2-hexanone	MW-16	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-16	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-16	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-16	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-16	7/10/2023	5	5	ND	ug/L
2-hexanone	MW-17	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-17	7/15/2015	5	5	ND	ug/L
2-hexanone	MW-17	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-17	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-17	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-17	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-17	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-17	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-17	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-17	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-17	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-17	7/10/2018	5	5	ND	ug/L
2-hexanone	MW-17	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-17	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-17	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-17	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-17	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-17	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-17	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-17	7/8/2023	5	5	ND	ug/L
2-hexanone	MW-19	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-19	7/16/2015	5	5	ND	ug/L
2-hexanone	MW-19	8/5/2015	5	5	ND	ug/L
2-hexanone	MW-19	9/3/2015	5	5	ND	ug/L
2-hexanone	MW-19	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-19	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-19	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-19	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-19	1/10/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-19	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-19	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-19	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-19	1/7/2019	5	5	ND	ug/L
2-hexanone	MW-19	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-19	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-19	8/3/2020	5	5	ND	ug/L
2-hexanone	MW-19	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-19	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-19	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-19	7/10/2023	5	5	ND	ug/L
2-hexanone	MW-1N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-1N	1/20/1998	34	34	ND	ug/L
2-hexanone	MW-1N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-1N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-1N	10/14/1998	34	34	ND	ug/L
2-hexanone	MW-1N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-1N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-1N	5/19/1999	34	34	ND	ug/L
2-hexanone	MW-1N	7/15/1999	34	34	ND	ug/L
2-hexanone	MW-1N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-1N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-1N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-1N	7/12/2000	5	5	ND	ug/L
2-hexanone	MW-1N	10/18/2000	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-1N	4/12/2001	5	5	ND	ug/L
2-hexanone	MW-1N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-1N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-1N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-1N	10/3/2002	5	5	ND	ug/L
2-hexanone	MW-1N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-1N	4/15/2003	5	5	ND	ug/L
2-hexanone	MW-1N	7/8/2003	5	5	ND	ug/L
2-hexanone	MW-1N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-1N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-1N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-1N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-1N	1/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	7/18/2006	5	5	ND	ug/L
2-hexanone	MW-1N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-1N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-1N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-1N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-1N	2/5/2009	5	5	ND	ug/L
2-hexanone	MW-1N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-1N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-1N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-1N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-1N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-1N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-1N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-1N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-1N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-1N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-1N	7/9/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-1N	2/10/2015	5	5	ND	ug/L
2-hexanone	MW-1N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-1N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-1N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-1N	1/12/2017	5	5	ND	ug/L
2-hexanone	MW-1N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-1N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-1N	7/10/2018	5	5	ND	ug/L
2-hexanone	MW-1N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-1N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-1N	1/23/2020	5	5	ND	ug/L
2-hexanone	MW-1N	4/2/2020	5	5	ND	ug/L
2-hexanone	MW-1N	7/6/2020	5	5	ND	ug/L
2-hexanone	MW-1N	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-1N	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-1N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-1N	7/8/2023	5	5	ND	ug/L
2-hexanone	MW-20	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-20	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-20	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-20	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-20	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-20	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-20	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-20	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-20	1/12/2017	5	5	ND	ug/L
2-hexanone	MW-20	7/18/2017	5	5	ND	ug/L
2-hexanone	MW-20	1/26/2018	5	5	ND	ug/L
2-hexanone	MW-20	7/12/2018	5	5	ND	ug/L
2-hexanone	MW-20	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-20	1/14/2020	5	5	ND	ug/L
2-hexanone	MW-20	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-20	1/17/2021	5	5	ND	ug/L
2-hexanone	MW-20	7/4/2021	5	5	ND	ug/L
2-hexanone	MW-20	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-21	6/5/2015	5	5	ND	ug/L
2-hexanone	MW-21	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-21	8/4/2015	5	5	ND	ug/L
2-hexanone	MW-21	9/2/2015	5	5	ND	ug/L
2-hexanone	MW-21	1/7/2016	5	5	ND	ug/L
2-hexanone	MW-21	4/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	7/20/2016	5	5	ND	ug/L
2-hexanone	MW-21	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	10/5/2016	5	5	ND	ug/L
2-hexanone	MW-21	1/10/2017	5	5	ND	ug/L
2-hexanone	MW-21	4/5/2017	5	5	ND	ug/L
2-hexanone	MW-21	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-21	10/6/2017	5	5	ND	ug/L
2-hexanone	MW-21	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-21	4/11/2018	5	5	ND	ug/L
2-hexanone	MW-21	7/11/2018	5	5	ND	ug/L
2-hexanone	MW-21	10/4/2018	5	5	ND	ug/L
2-hexanone	MW-21	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-21	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-21	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-21	10/2/2019	5	5	ND	ug/L
2-hexanone	MW-21	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-21	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-21	7/8/2020	5	5	ND	ug/L
2-hexanone	MW-21	10/7/2020	5	5	ND	ug/L
2-hexanone	MW-21	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-21	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-21	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-21	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-21	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-21	4/8/2023	5	5	ND	ug/L
2-hexanone	MW-21	7/7/2023	5	5	ND	ug/L
2-hexanone	MW-21	10/6/2023	5	5	ND	ug/L
2-hexanone	MW-2N	10/22/1997	34	34	ND	ug/L
2-hexanone	MW-2N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-2N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-2N	7/22/1998	34	34	ND	ug/L
2-hexanone	MW-2N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-2N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-2N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-2N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-2N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-2N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-2N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2001	5	5	ND	ug/L
2-hexanone	MW-2N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-2N	7/10/2002	5	5	ND	ug/L
2-hexanone	MW-2N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-2N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-2N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-2N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-2N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-2N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-2N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-2N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-2N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-2N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-2N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-2N	3/27/2007	5	5	ND	ug/L
2-hexanone	MW-2N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-2N	7/22/2008	5	5	ND	ug/L
2-hexanone	MW-2N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-2N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-2N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-2N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-2N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-2N	7/13/2011	5	5	ND	ug/L
2-hexanone	MW-2N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-2N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-2N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-2N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-2N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-2N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-2N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-2N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-2N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-2N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-2N	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-2N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-2N	1/23/2018	5	5	ND	ug/L
2-hexanone	MW-2N	7/12/2018	5	5	ND	ug/L
2-hexanone	MW-2N	1/3/2019	5	5	ND	ug/L
2-hexanone	MW-2N	8/7/2019	5	5	ND	ug/L
2-hexanone	MW-2N	1/23/2020	5	5	ND	ug/L
2-hexanone	MW-2N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-2N	1/14/2021	5	5	ND	ug/L
2-hexanone	MW-2N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-2N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-2N	7/8/2023	5	5	ND	ug/L
2-hexanone	MW-3N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-3N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-3N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-3N	7/23/1998	34	34	ND	ug/L
2-hexanone	MW-3N	1/13/1999	34	34	ND	ug/L
2-hexanone	MW-3N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-3N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-3N	10/20/1999	34	34	ND	ug/L
2-hexanone	MW-3N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-3N	4/24/2000	34	34	ND	ug/L
2-hexanone	MW-3N	7/11/2000	5	5	ND	ug/L
2-hexanone	MW-3N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-3N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-3N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-3N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-3N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-3N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-3N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-3N	1/22/2003	5	5	ND	ug/L
2-hexanone	MW-3N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-3N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-3N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-3N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-3N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-3N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-3N	1/18/2006	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-3N	10/25/2006	5	5	ND	ug/L
2-hexanone	MW-3N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2007	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-3N	7/22/2008	5	5	ND	ug/L
2-hexanone	MW-3N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-3N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-3N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-3N	7/13/2010	5	5	ND	ug/L
2-hexanone	MW-3N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-3N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-3N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2012	5	5	ND	ug/L
2-hexanone	MW-3N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-3N	6/4/2013	5	5	ND	ug/L
2-hexanone	MW-3N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2014	5	5	ND	ug/L
2-hexanone	MW-3N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-3N	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-3N	4/1/2015	5	5	ND	ug/L
2-hexanone	MW-3N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-3N	10/5/2015	5	5	ND	ug/L
2-hexanone	MW-3N	1/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	4/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-3N	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-3N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-3N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-3N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-3N	10/9/2017	5	5	ND	ug/L
2-hexanone	MW-3N	1/24/2018	5	5	ND	ug/L
2-hexanone	MW-3N	4/10/2018	5	5	ND	ug/L
2-hexanone	MW-3N	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-3N	10/3/2018	5	5	ND	ug/L
2-hexanone	MW-3N	1/7/2019	5	5	ND	ug/L
2-hexanone	MW-3N	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-3N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-3N	10/2/2019	5	5	ND	ug/L
2-hexanone	MW-3N	1/15/2020	5	5	ND	ug/L
2-hexanone	MW-3N	4/2/2020	5	5	ND	ug/L
2-hexanone	MW-3N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-3N	10/7/2020	5	5	ND	ug/L
2-hexanone	MW-3N	1/13/2021	5	5	ND	ug/L
2-hexanone	MW-3N	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-3N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-3N	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-3N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-3N	7/7/2023	5	5	ND	ug/L
2-hexanone	MW-3N	10/6/2023	5	5	ND	ug/L
2-hexanone	MW-7N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-7N	1/21/1998	34	34	ND	ug/L
2-hexanone	MW-7N	7/22/1998	34	34	ND	ug/L
2-hexanone	MW-7N	8/18/1998	34	34	ND	ug/L
2-hexanone	MW-7N	9/17/1998	34	34	ND	ug/L
2-hexanone	MW-7N	10/15/1998	34	34	ND	ug/L
2-hexanone	MW-7N	11/9/1998	34	34	ND	ug/L
2-hexanone	MW-7N	1/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	4/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-7N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-7N	1/13/2000	34	34	ND	ug/L
2-hexanone	MW-7N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-7N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-7N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-7N	4/10/2001	5	5	ND	ug/L
2-hexanone	MW-7N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-7N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-7N	7/9/2002	5	5	ND	ug/L
2-hexanone	MW-7N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-7N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-7N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-7N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-7N	1/27/2004	5	5	ND	ug/L
2-hexanone	MW-7N	4/8/2004	5	5	ND	ug/L
2-hexanone	MW-7N	7/26/2004	5	5	ND	ug/L
2-hexanone	MW-7N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2005	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-7N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-7N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-7N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-7N	7/21/2008	5	5	ND	ug/L
2-hexanone	MW-7N	2/6/2009	5	5	ND	ug/L
2-hexanone	MW-7N	7/29/2009	5	5	ND	ug/L
2-hexanone	MW-7N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-7N	7/14/2010	5	5	ND	ug/L
2-hexanone	MW-7N	9/2/2010	5	5	ND	ug/L
2-hexanone	MW-7N	1/20/2011	5	5	ND	ug/L
2-hexanone	MW-7N	7/12/2011	5	5	ND	ug/L
2-hexanone	MW-7N	1/5/2012	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2012	5	5	ND	ug/L
2-hexanone	MW-7N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-7N	6/4/2013	5	5	ND	ug/L
2-hexanone	MW-7N	7/15/2013	5	5	ND	ug/L
2-hexanone	MW-7N	1/30/2014	5	5	ND	ug/L
2-hexanone	MW-7N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-7N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-7N	7/13/2015	5	5	ND	ug/L
2-hexanone	MW-7N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-7N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-7N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-7N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-7N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-7N	10/5/2017	5	5	ND	ug/L
2-hexanone	MW-7N	1/25/2018	5	5	ND	ug/L
2-hexanone	MW-7N	4/11/2018	5	5	ND	ug/L
2-hexanone	MW-7N	7/13/2018	5	5	ND	ug/L
2-hexanone	MW-7N	1/4/2019	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2019	5	5	ND	ug/L
2-hexanone	MW-7N	1/16/2020	5	5	ND	ug/L
2-hexanone	MW-7N	7/7/2020	5	5	ND	ug/L
2-hexanone	MW-7N	1/16/2021	5	5	ND	ug/L
2-hexanone	MW-7N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-7N	1/12/2022	5	5	ND	ug/L
2-hexanone	MW-7N	7/10/2022	5	5	ND	ug/L
2-hexanone	MW-7N	1/10/2023	5	5	ND	ug/L
2-hexanone	MW-7N	7/7/2023	5	5	ND	ug/L
2-hexanone	MW-8N	10/21/1997	34	34	ND	ug/L
2-hexanone	MW-8N	1/22/1998	34	34	ND	ug/L
2-hexanone	MW-8N	4/28/1998	34	34	ND	ug/L
2-hexanone	MW-8N	7/22/1998	34	34	ND	ug/L
2-hexanone	MW-8N	1/12/1999	34	34	ND	ug/L
2-hexanone	MW-8N	4/13/1999	34	34	ND	ug/L
2-hexanone	MW-8N	7/14/1999	34	34	ND	ug/L
2-hexanone	MW-8N	10/19/1999	34	34	ND	ug/L
2-hexanone	MW-8N	1/14/2000	34	34	ND	ug/L
2-hexanone	MW-8N	4/25/2000	34	34	ND	ug/L
2-hexanone	MW-8N	10/17/2000	5	5	ND	ug/L
2-hexanone	MW-8N	1/23/2001	5	5	ND	ug/L
2-hexanone	MW-8N	4/11/2001	5	5	ND	ug/L
2-hexanone	MW-8N	5/29/2002	34	34	ND	ug/L
2-hexanone	MW-8N	5/29/2002	5	5	ND	ug/L
2-hexanone	MW-8N	7/9/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-8N	10/2/2002	5	5	ND	ug/L
2-hexanone	MW-8N	1/23/2003	5	5	ND	ug/L
2-hexanone	MW-8N	4/14/2003	5	5	ND	ug/L
2-hexanone	MW-8N	7/7/2003	5	5	ND	ug/L
2-hexanone	MW-8N	1/28/2004	5	5	ND	ug/L
2-hexanone	MW-8N	7/27/2004	5	5	ND	ug/L
2-hexanone	MW-8N	1/12/2005	5	5	ND	ug/L
2-hexanone	MW-8N	7/20/2005	5	5	ND	ug/L
2-hexanone	MW-8N	1/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2006	5	5	ND	ug/L
2-hexanone	MW-8N	10/24/2006	5	5	ND	ug/L
2-hexanone	MW-8N	1/26/2007	5	5	ND	ug/L
2-hexanone	MW-8N	4/25/2007	5	5	ND	ug/L
2-hexanone	MW-8N	7/10/2007	5	5	ND	ug/L
2-hexanone	MW-8N	1/24/2008	5	5	ND	ug/L
2-hexanone	MW-8N	7/23/2008	5	5	ND	ug/L
2-hexanone	MW-8N	2/4/2009	5	5	ND	ug/L
2-hexanone	MW-8N	7/31/2009	5	5	ND	ug/L
2-hexanone	MW-8N	1/26/2010	5	5	ND	ug/L
2-hexanone	MW-8N	7/16/2010	5	5	ND	ug/L
2-hexanone	MW-8N	1/19/2011	5	5	ND	ug/L
2-hexanone	MW-8N	5/10/2011	5	5	ND	ug/L
2-hexanone	MW-8N	7/14/2011	5	5	ND	ug/L
2-hexanone	MW-8N	1/6/2012	5	5	ND	ug/L
2-hexanone	MW-8N	4/5/2012	5	5	ND	ug/L
2-hexanone	MW-8N	7/11/2012	5	5	ND	ug/L
2-hexanone	MW-8N	10/3/2012	5	5	ND	ug/L
2-hexanone	MW-8N	5/1/2013	5	5	ND	ug/L
2-hexanone	MW-8N	6/4/2013	5	5	ND	ug/L
2-hexanone	MW-8N	7/16/2013	5	5	ND	ug/L
2-hexanone	MW-8N	10/2/2013	5	5	ND	ug/L
2-hexanone	MW-8N	1/30/2014	5	5	ND	ug/L
2-hexanone	MW-8N	4/3/2014	5	5	ND	ug/L
2-hexanone	MW-8N	7/9/2014	5	5	ND	ug/L
2-hexanone	MW-8N	10/8/2014	5	5	ND	ug/L
2-hexanone	MW-8N	2/12/2015	5	5	ND	ug/L
2-hexanone	MW-8N	4/1/2015	5	5	ND	ug/L
2-hexanone	MW-8N	7/14/2015	5	5	ND	ug/L
2-hexanone	MW-8N	10/5/2015	5	5	ND	ug/L
2-hexanone	MW-8N	1/5/2016	5	5	ND	ug/L
2-hexanone	MW-8N	4/6/2016	5	5	ND	ug/L
2-hexanone	MW-8N	7/21/2016	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2016	5	5	ND	ug/L
2-hexanone	MW-8N	1/11/2017	5	5	ND	ug/L
2-hexanone	MW-8N	4/4/2017	5	5	ND	ug/L
2-hexanone	MW-8N	7/19/2017	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2017	5	5	ND	ug/L
2-hexanone	MW-8N	1/25/2018	5	5	ND	ug/L
2-hexanone	MW-8N	4/10/2018	5	5	ND	ug/L
2-hexanone	MW-8N	7/16/2018	5	5	ND	ug/L
2-hexanone	MW-8N	10/2/2018	5	5	ND	ug/L
2-hexanone	MW-8N	1/7/2019	5	5	ND	ug/L
2-hexanone	MW-8N	4/3/2019	5	5	ND	ug/L
2-hexanone	MW-8N	7/11/2019	5	5	ND	ug/L
2-hexanone	MW-8N	10/3/2019	5	5	ND	ug/L
2-hexanone	MW-8N	1/15/2020	5	5	ND	ug/L
2-hexanone	MW-8N	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	MW-8N	7/9/2020	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2020	5	5	ND	ug/L
2-hexanone	MW-8N	1/15/2021	5	5	ND	ug/L
2-hexanone	MW-8N	4/6/2021	5	5	ND	ug/L
2-hexanone	MW-8N	7/5/2021	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2021	5	5	ND	ug/L
2-hexanone	MW-8N	1/18/2022	5	5	ND	ug/L
2-hexanone	MW-8N	4/4/2022	5	5	ND	ug/L
2-hexanone	MW-8N	7/12/2022	5	5	ND	ug/L
2-hexanone	MW-8N	10/6/2022	5	5	ND	ug/L
2-hexanone	MW-8N	1/11/2023	5	5	ND	ug/L
2-hexanone	MW-8N	4/8/2023	5	5	ND	ug/L
2-hexanone	MW-8N	7/7/2023	5	5	ND	ug/L
2-hexanone	MW-8N	10/5/2023	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2002	5	5	ND	ug/L
2-hexanone	NE-1	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-1	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-1	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-1	1/27/2004	5	5	ND	ug/L
2-hexanone	NE-1	1/12/2005	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-1	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2007	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2008	5	5	ND	ug/L
2-hexanone	NE-1	7/21/2008	5	5	ND	ug/L
2-hexanone	NE-1	2/7/2009	5	5	ND	ug/L
2-hexanone	NE-1	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-1	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-1	7/14/2010	5	5	ND	ug/L
2-hexanone	NE-1	9/2/2010	5	5	ND	ug/L
2-hexanone	NE-1	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-1	7/13/2011	5	5	ND	ug/L
2-hexanone	NE-1	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-1	4/30/2013	5	5	ND	ug/L
2-hexanone	NE-1	7/16/2013	5	5	ND	ug/L
2-hexanone	NE-1	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-1	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-1	2/11/2015	5	5	ND	ug/L
2-hexanone	NE-1	7/8/2015	5	5	ND	ug/L
2-hexanone	NE-1	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-1	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-1	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-1	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-1	1/24/2018	5	5	ND	ug/L
2-hexanone	NE-1	4/11/2018	5	5	ND	ug/L
2-hexanone	NE-1	7/18/2018	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2018	5	5	ND	ug/L
2-hexanone	NE-1	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-1	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2019	5	5	ND	ug/L
2-hexanone	NE-1	7/10/2019	5	5	ND	ug/L
2-hexanone	NE-1	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-1	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-1	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-1	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-1	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-1	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-1	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-1	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-1	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-1	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-1	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-1	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-1	10/6/2022	5	5	ND	ug/L
2-hexanone	NE-1	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-1	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-1	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-1	10/5/2023	5	5	ND	ug/L
2-hexanone	NE-10D	11/6/2019	5	5	ND	ug/L
2-hexanone	NE-10D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-10D	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-10D	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-10D	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-10D	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-10D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-10D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-10D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-10D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-10D	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-10D	7/8/2023	5	5	ND	ug/L
2-hexanone	NE-10D	10/3/2023	5	5	ND	ug/L
2-hexanone	NE-11	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-11	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-11	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-11	10/9/2017	5	5	ND	ug/L
2-hexanone	NE-11	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-11	1/14/2020	5	5	ND	ug/L
2-hexanone	NE-11	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-11	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-11	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-11	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-11	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-11	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-11	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-11	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-11	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-11	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-12	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-12	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-12	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-12	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-12	8/5/2019	5	5	ND	ug/L
2-hexanone	NE-12	1/13/2020	5	5	ND	ug/L
2-hexanone	NE-12	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-12	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-12	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-12	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-12	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-12	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-12	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-12	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-12	1/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-12	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-13	2/5/2019	5	5	ND	ug/L
2-hexanone	NE-13	8/7/2019	5	5	ND	ug/L
2-hexanone	NE-13	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-13	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-13	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-13	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-13	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-13	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-14D	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-14D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-14D	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-14D	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-14D	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-14D	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-14D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-14D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-14D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-14D	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-14D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-14D	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-14D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-14D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-14D	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-14D	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-14D	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-14S	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-14S	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-14S	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-14S	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-14S	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-14S	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-14S	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-14S	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-14S	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-14S	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-14S	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-14S	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-14S	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-14S	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-14S	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-14S	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-14S	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-15D	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-15D	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-15D	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-15D	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-15D	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-15D	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-15D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-15D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-15D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-15D	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-15D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-15D	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-15D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-15D	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-15D	4/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-15D	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-15D	10/6/2023	5	5	ND	ug/L
2-hexanone	NE-15S	4/3/2020	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2002	5	5	ND	ug/L
2-hexanone	NE-2	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-2	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-2	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-2	10/1/2013	5	5	ND	ug/L
2-hexanone	NE-2	10/8/2014	5	5	ND	ug/L
2-hexanone	NE-2	10/5/2015	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2016	5	5	ND	ug/L
2-hexanone	NE-2	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-2	1/25/2018	5	5	ND	ug/L
2-hexanone	NE-2	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-2	7/10/2018	5	5	ND	ug/L
2-hexanone	NE-2	10/1/2018	5	5	ND	ug/L
2-hexanone	NE-2	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-2	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-2	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-2	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-2	1/14/2020	5	5	ND	ug/L
2-hexanone	NE-2	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-2	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-2	1/14/2021	5	5	ND	ug/L
2-hexanone	NE-2	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-2	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-2	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-2	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-2	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-2	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-2	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-2	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-2	4/5/2023	5	5	ND	ug/L
2-hexanone	NE-2	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-2	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-4	7/10/2002	5	5	ND	ug/L
2-hexanone	NE-4	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-4	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-4	10/3/2002	5	5	ND	ug/L
2-hexanone	NE-4	4/15/2003	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-4	1/28/2004	5	5	ND	ug/L
2-hexanone	NE-4	1/13/2005	5	5	ND	ug/L
2-hexanone	NE-4	8/1/2006	5	5	ND	ug/L
2-hexanone	NE-4	8/1/2006	5	5	ND	ug/L
2-hexanone	NE-4	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-4	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-4	7/12/2007	5	5	ND	ug/L
2-hexanone	NE-4	1/24/2008	5	5	ND	ug/L
2-hexanone	NE-4	7/21/2008	5	5	ND	ug/L
2-hexanone	NE-4	2/7/2009	5	5	ND	ug/L
2-hexanone	NE-4	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-4	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-4	7/14/2010	5	5	ND	ug/L
2-hexanone	NE-4	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-4	7/13/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-4	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-4	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-4	4/30/2013	5	5	ND	ug/L
2-hexanone	NE-4	7/16/2013	5	5	ND	ug/L
2-hexanone	NE-4	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-4	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-4	2/13/2015	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2015	5	5	ND	ug/L
2-hexanone	NE-4	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-4	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-4	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-4	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-4	1/26/2018	5	5	ND	ug/L
2-hexanone	NE-4	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-4	7/12/2018	5	5	ND	ug/L
2-hexanone	NE-4	10/3/2018	5	5	ND	ug/L
2-hexanone	NE-4	1/7/2019	5	5	ND	ug/L
2-hexanone	NE-4	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2019	5	5	ND	ug/L
2-hexanone	NE-4	7/8/2019	5	5	ND	ug/L
2-hexanone	NE-4	10/1/2019	5	5	ND	ug/L
2-hexanone	NE-4	1/13/2020	5	5	ND	ug/L
2-hexanone	NE-4	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-4	7/6/2020	5	5	ND	ug/L
2-hexanone	NE-4	10/5/2020	5	5	ND	ug/L
2-hexanone	NE-4	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-4	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-4	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-4	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-4	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-4	4/6/2023	5	5	ND	ug/L
2-hexanone	NE-4	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-4	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2002	5	5	ND	ug/L
2-hexanone	NE-5	8/6/2002	5	5	ND	ug/L
2-hexanone	NE-5	9/4/2002	5	5	ND	ug/L
2-hexanone	NE-5	10/2/2002	5	5	ND	ug/L
2-hexanone	NE-5	4/15/2003	5	5	ND	ug/L
2-hexanone	NE-5	7/8/2003	5	5	ND	ug/L
2-hexanone	NE-5	1/27/2004	5	5	ND	ug/L
2-hexanone	NE-5	1/12/2005	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2006	5	5	ND	ug/L
2-hexanone	NE-5	10/25/2006	5	5	ND	ug/L
2-hexanone	NE-5	1/24/2007	5	5	ND	ug/L
2-hexanone	NE-5	7/12/2007	5	5	ND	ug/L
2-hexanone	NE-5	7/22/2008	5	5	ND	ug/L
2-hexanone	NE-5	2/6/2009	5	5	ND	ug/L
2-hexanone	NE-5	7/31/2009	5	5	ND	ug/L
2-hexanone	NE-5	1/26/2010	5	5	ND	ug/L
2-hexanone	NE-5	7/16/2010	5	5	ND	ug/L
2-hexanone	NE-5	9/2/2010	5	5	ND	ug/L
2-hexanone	NE-5	1/19/2011	5	5	ND	ug/L
2-hexanone	NE-5	7/13/2011	5	5	ND	ug/L
2-hexanone	NE-5	1/5/2012	5	5	ND	ug/L
2-hexanone	NE-5	7/10/2012	5	5	ND	ug/L
2-hexanone	NE-5	4/30/2013	5	5	ND	ug/L
2-hexanone	NE-5	7/16/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-5	1/23/2014	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2014	5	5	ND	ug/L
2-hexanone	NE-5	2/11/2015	5	5	ND	ug/L
2-hexanone	NE-5	7/14/2015	5	5	ND	ug/L
2-hexanone	NE-5	1/6/2016	5	5	ND	ug/L
2-hexanone	NE-5	7/20/2016	5	5	ND	ug/L
2-hexanone	NE-5	1/11/2017	5	5	ND	ug/L
2-hexanone	NE-5	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-5	1/25/2018	5	5	ND	ug/L
2-hexanone	NE-5	4/10/2018	5	5	ND	ug/L
2-hexanone	NE-5	7/17/2018	5	5	ND	ug/L
2-hexanone	NE-5	10/3/2018	5	5	ND	ug/L
2-hexanone	NE-5	1/4/2019	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	7/9/2019	5	5	ND	ug/L
2-hexanone	NE-5	10/3/2019	5	5	ND	ug/L
2-hexanone	NE-5	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-5	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-5	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-5	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-5	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-5	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-5E	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-5E	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5E	4/1/2020	5	5	ND	ug/L
2-hexanone	NE-5E	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5E	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5E	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-5E	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5E	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5E	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5E	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5E	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5E	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-5E	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5E	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5E	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-5E	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-5E	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-5W	9/30/2019	5	5	ND	ug/L
2-hexanone	NE-5W	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-5W	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-5W	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-5W	10/6/2020	5	5	ND	ug/L
2-hexanone	NE-5W	1/15/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-5W	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-5W	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-5W	10/6/2021	5	5	ND	ug/L
2-hexanone	NE-5W	1/18/2022	5	5	ND	ug/L
2-hexanone	NE-5W	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-5W	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-5W	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-5W	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-5W	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-5W	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-5W	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-6	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-6	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-6	7/19/2017	5	5	ND	ug/L
2-hexanone	NE-6	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-6	2/4/2019	5	5	ND	ug/L
2-hexanone	NE-6	8/6/2019	5	5	ND	ug/L
2-hexanone	NE-6	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-6	7/9/2020	5	5	ND	ug/L
2-hexanone	NE-6	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-6	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-6	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-6	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-6	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-6	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-6	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-6D	10/2/2019	5	5	ND	ug/L
2-hexanone	NE-6D	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-6D	4/2/2020	5	5	ND	ug/L
2-hexanone	NE-6D	7/9/2020	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2020	5	5	ND	ug/L
2-hexanone	NE-6D	1/15/2021	5	5	ND	ug/L
2-hexanone	NE-6D	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-6D	7/2/2021	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-6D	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-6D	4/6/2022	5	5	ND	ug/L
2-hexanone	NE-6D	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-6D	10/7/2022	5	5	ND	ug/L
2-hexanone	NE-6D	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-6D	4/7/2023	5	5	ND	ug/L
2-hexanone	NE-6D	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-6D	10/4/2023	5	5	ND	ug/L
2-hexanone	NE-7	3/1/2017	5	5	ND	ug/L
2-hexanone	NE-7	4/6/2017	5	5	ND	ug/L
2-hexanone	NE-7	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-7	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-7	2/6/2019	5	5	ND	ug/L
2-hexanone	NE-7	8/6/2019	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2020	5	5	ND	ug/L
2-hexanone	NE-7	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-7	1/16/2021	5	5	ND	ug/L
2-hexanone	NE-7	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-7	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-7	1/17/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-hexanone	NE-7	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-7	7/12/2022	5	5	ND	ug/L
2-hexanone	NE-7	1/5/2023	5	5	ND	ug/L
2-hexanone	NE-7	7/6/2023	5	5	ND	ug/L
2-hexanone	NE-8	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-8	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-8	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-8	10/6/2017	5	5	ND	ug/L
2-hexanone	NE-8	2/4/2019	5	5	ND	ug/L
2-hexanone	NE-8	8/5/2019	5	5	ND	ug/L
2-hexanone	NE-8	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-8	7/8/2020	5	5	ND	ug/L
2-hexanone	NE-8	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-8	1/13/2021	5	5	ND	ug/L
2-hexanone	NE-8	4/9/2021	5	5	ND	ug/L
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-8	10/7/2021	5	5	ND	ug/L
2-hexanone	NE-8	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-8	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-9	1/12/2017	5	5	ND	ug/L
2-hexanone	NE-9	4/5/2017	5	5	ND	ug/L
2-hexanone	NE-9	7/20/2017	5	5	ND	ug/L
2-hexanone	NE-9	10/5/2017	5	5	ND	ug/L
2-hexanone	NE-9	2/5/2019	5	5	ND	ug/L
2-hexanone	NE-9	8/7/2019	5	5	ND	ug/L
2-hexanone	NE-9	1/15/2020	5	5	ND	ug/L
2-hexanone	NE-9	7/7/2020	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2021	5	5	ND	ug/L
2-hexanone	NE-9	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-9	7/1/2021	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-9	1/17/2022	5	5	ND	ug/L
2-hexanone	NE-9	7/13/2022	5	5	ND	ug/L
2-hexanone	NE-9	1/6/2023	5	5	ND	ug/L
2-hexanone	NE-9	4/8/2023	5	5	ND	ug/L
2-hexanone	NE-9	7/5/2023	5	5	ND	ug/L
2-hexanone	NE-9	10/6/2023	5	5	ND	ug/L
2-methylnaphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-10	10/5/2023	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-2	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
2-methylnaphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-5	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-5	10/5/2023	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-methylnaphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-methylnaphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-6	10/5/2023	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
2-methylnaphthalene	LGW-9	10/5/2023	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/17/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-15	7/10/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-15	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-16	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-17	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-19	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	10/24/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-methylnaphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-20	7/4/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-21	7/11/2019	10	10	ND	ug/L
2-methylnaphthalene	MW-21	7/8/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-21	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-methylnaphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-methylnaphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-3N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-methylnaphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-methylnaphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
2-methylnaphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	10/24/2006	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-methylnaphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-methylnaphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-methylnaphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-methylnaphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	7/9/2020	1	1	ND	ug/L
2-methylnaphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
2-methylnaphthalene	MW-8N	10/5/2023	10	10	ND	ug/L
2-methylnaphthalene	NE-1	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-1	2/7/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-4	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-4	2/7/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-methylnaphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-4	7/12/2018	10	10	ND	ug/L
2-methylnaphthalene	NE-5	10/25/2006	10	10	ND	ug/L
2-methylnaphthalene	NE-5	2/6/2009	10	10	ND	ug/L
2-methylnaphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-methylnaphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-methylnaphthalene	NE-5	7/9/2019	10	10	ND	ug/L
2-Methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-Methylphenol	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
2-Methylphenol	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
2-Methylphenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
2-Methylphenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
2-Methylphenol	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
2-naphthylamine	LGW-10	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-10	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-10	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-10	10/5/2023	10	10	ND	ug/L
2-naphthylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
2-naphthylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
2-naphthylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
2-naphthylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-2	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-2	2/13/2009	10	10	ND	ug/L
2-naphthylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-2	2/13/2015	13	13	ND	ug/L
2-naphthylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-2	7/8/2020	10	10	ND	ug/L
2-naphthylamine	LGW-2	7/4/2021	10	10	ND	ug/L
2-naphthylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
2-naphthylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
2-naphthylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
2-naphthylamine	LGW-4	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-4	2/3/2009	10	10	ND	ug/L
2-naphthylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-4	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-5	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-5	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-5	7/12/2018	10	10	ND	ug/L
2-naphthylamine	LGW-5	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-5	10/5/2023	10	10	ND	ug/L
2-naphthylamine	LGW-6	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-6	2/5/2009	10	10	ND	ug/L
2-naphthylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-6	2/10/2015	10	10	ND	ug/L
2-naphthylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-naphthylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-naphthylamine	LGW-6	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-6	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-6	10/5/2023	10	10	ND	ug/L
2-naphthylamine	LGW-7	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-7	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-7	7/12/2018	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-7	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-7	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-naphthylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-9	10/26/2006	10	10	ND	ug/L
2-naphthylamine	LGW-9	2/4/2009	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-naphthylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-naphthylamine	LGW-9	7/10/2019	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/9/2020	10	10	ND	ug/L
2-naphthylamine	LGW-9	7/7/2021	10	10	ND	ug/L
2-naphthylamine	LGW-9	10/5/2023	10	10	ND	ug/L
2-naphthylamine	MW-10N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-10N	2/13/2009	10	10	ND	ug/L
2-naphthylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-naphthylamine	MW-10N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-11N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-11N	2/3/2009	10	10	ND	ug/L
2-naphthylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-11N	2/10/2015	10	10	ND	ug/L
2-naphthylamine	MW-11N	7/17/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	MW-11N	7/6/2021	10	10	ND	ug/L
2-naphthylamine	MW-15	7/10/2018	10	10	ND	ug/L
2-naphthylamine	MW-15	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-16	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-17	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-naphthylamine	MW-19	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-1N	10/14/1998	10	10	ND	ug/L
2-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-1N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-1N	10/24/2006	10	10	ND	ug/L
2-naphthylamine	MW-1N	2/5/2009	10	10	ND	ug/L
2-naphthylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-naphthylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-naphthylamine	MW-1N	7/6/2020	10	10	ND	ug/L
2-naphthylamine	MW-1N	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-20	7/4/2021	10	10	ND	ug/L
2-naphthylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-naphthylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-21	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-21	7/8/2020	10	10	ND	ug/L
2-naphthylamine	MW-21	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-2N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-2N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-naphthylamine	MW-2N	7/12/2018	10	10	ND	ug/L
2-naphthylamine	MW-2N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-3N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-3N	10/25/2006	10	10	ND	ug/L
2-naphthylamine	MW-3N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-naphthylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-naphthylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-naphthylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-naphthylamine	MW-3N	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/7/2020	10	10	ND	ug/L
2-naphthylamine	MW-3N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-7N	10/15/1998	10	10	ND	ug/L
2-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-7N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-7N	10/24/2006	10	10	ND	ug/L
2-naphthylamine	MW-7N	2/6/2009	10	10	ND	ug/L
2-naphthylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-naphthylamine	MW-7N	7/13/2018	10	10	ND	ug/L
2-naphthylamine	MW-7N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/29/2002	10	10	ND	ug/L
2-naphthylamine	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-naphthylamine	MW-8N	1/24/2008	10	10	ND	ug/L
2-naphthylamine	MW-8N	2/4/2009	10	10	ND	ug/L
2-naphthylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-naphthylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-naphthylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-naphthylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-naphthylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-naphthylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-naphthylamine	MW-8N	7/11/2019	10	10	ND	ug/L
2-naphthylamine	MW-8N	7/9/2020	10	10	ND	ug/L
2-naphthylamine	MW-8N	7/5/2021	10	10	ND	ug/L
2-naphthylamine	MW-8N	10/5/2023	10	10	ND	ug/L
2-naphthylamine	NE-1	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-1	2/7/2009	10	10	ND	ug/L
2-naphthylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-naphthylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-naphthylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-naphthylamine	NE-4	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-4	2/7/2009	10	10	ND	ug/L
2-naphthylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-naphthylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-naphthylamine	NE-4	7/12/2018	10	10	ND	ug/L
2-naphthylamine	NE-5	10/25/2006	10	10	ND	ug/L
2-naphthylamine	NE-5	2/6/2009	10	10	ND	ug/L
2-naphthylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-naphthylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-naphthylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-naphthylamine	NE-5	7/9/2019	10	10	ND	ug/L
2-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
2-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
2-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
2-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
2-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
2-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-10	10/5/2023	50	50	ND	ug/L
2-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
2-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
2-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
2-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
2-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
2-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
2-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
2-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
2-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
2-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
2-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
2-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
2-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
2-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
2-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L
2-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
2-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-5	10/5/2023	50	50	ND	ug/L
2-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
2-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
2-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
2-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
2-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-6	10/5/2023	50	50	ND	ug/L
2-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
2-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
2-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
2-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L
2-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
2-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
2-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
2-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
2-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
2-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
2-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
2-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
2-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
2-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
2-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
2-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
2-nitroaniline	LGW-9	10/5/2023	50	50	ND	ug/L
2-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
2-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L
2-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
2-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
2-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
2-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
2-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
2-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
2-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L
2-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
2-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
2-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
2-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
2-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
2-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
2-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
2-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
2-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
2-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
2-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
2-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
2-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
2-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L
2-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
2-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
2-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
2-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
2-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
2-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
2-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
2-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
2-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
2-nitroaniline	MW-7N	2/6/2009	50	50	ND	ug/L
2-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
2-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
2-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
2-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
2-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L
2-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
2-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
2-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
2-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
2-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L
2-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
2-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
2-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
2-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
2-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
2-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
2-nitroaniline	MW-8N	10/5/2023	50	50	ND	ug/L
2-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
2-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
2-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
2-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
2-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
2-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
2-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
2-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
2-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
2-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
2-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
2-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
2-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
2-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
2-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
2-nitrophenol	LGW-10	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-10	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-10	10/5/2023	10	10	ND	ug/L
2-nitrophenol	LGW-14R	10/27/2006	10	10	ND	ug/L
2-nitrophenol	LGW-14R	2/6/2009	10	10	ND	ug/L
2-nitrophenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-14R	7/17/2018	10	10	ND	ug/L
2-nitrophenol	LGW-14R	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-2	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-2	2/13/2009	10	10	ND	ug/L
2-nitrophenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-2	2/13/2015	13	13	ND	ug/L
2-nitrophenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
2-nitrophenol	LGW-2	7/4/2021	10	10	ND	ug/L
2-nitrophenol	LGW-3R	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-3R	2/3/2009	10	10	ND	ug/L
2-nitrophenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-3R	7/11/2018	10	10	ND	ug/L
2-nitrophenol	LGW-3R	7/6/2021	10	10	ND	ug/L
2-nitrophenol	LGW-4	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-4	2/3/2009	10	10	ND	ug/L
2-nitrophenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-4	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-5	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-5	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-5	7/12/2018	10	10	ND	ug/L
2-nitrophenol	LGW-5	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-5	10/5/2023	10	10	ND	ug/L
2-nitrophenol	LGW-6	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-6	2/5/2009	10	10	ND	ug/L
2-nitrophenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-6	2/10/2015	10	10	ND	ug/L
2-nitrophenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
2-nitrophenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
2-nitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-6	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-6	10/5/2023	10	10	ND	ug/L
2-nitrophenol	LGW-7	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-7	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-7	7/12/2018	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-7	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-8R	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-8R	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
2-nitrophenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-8R	7/7/2021	10	10	ND	ug/L
2-nitrophenol	LGW-9	10/26/2006	10	10	ND	ug/L
2-nitrophenol	LGW-9	2/4/2009	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
2-nitrophenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
2-nitrophenol	LGW-9	7/10/2019	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
2-nitrophenol	LGW-9	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	LGW-9	10/5/2023	10	10	ND	ug/L
2-nitrophenol	MW-10N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-10N	2/13/2009	10	10	ND	ug/L
2-nitrophenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
2-nitrophenol	MW-10N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-11N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-11N	2/3/2009	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-11N	2/10/2015	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/17/2018	10	10	ND	ug/L
2-nitrophenol	MW-11N	7/6/2021	10	10	ND	ug/L
2-nitrophenol	MW-15	7/10/2018	10	10	ND	ug/L
2-nitrophenol	MW-15	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-16	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-17	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
2-nitrophenol	MW-19	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-nitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-1N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-1N	2/5/2009	10	10	ND	ug/L
2-nitrophenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
2-nitrophenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
2-nitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
2-nitrophenol	MW-1N	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-20	7/4/2021	10	10	ND	ug/L
2-nitrophenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
2-nitrophenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
2-nitrophenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-21	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
2-nitrophenol	MW-21	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-2N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-2N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
2-nitrophenol	MW-2N	7/12/2018	10	10	ND	ug/L
2-nitrophenol	MW-2N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-3N	10/25/2006	10	10	ND	ug/L
2-nitrophenol	MW-3N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
2-nitrophenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
2-nitrophenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
2-nitrophenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
2-nitrophenol	MW-3N	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
2-nitrophenol	MW-3N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-7N	10/15/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
2-nitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-7N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-7N	2/6/2009	10	10	ND	ug/L
2-nitrophenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
2-nitrophenol	MW-7N	7/13/2018	10	10	ND	ug/L
2-nitrophenol	MW-7N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-nitrophenol	MW-8N	10/24/2006	10	10	ND	ug/L
2-nitrophenol	MW-8N	1/24/2008	10	10	ND	ug/L
2-nitrophenol	MW-8N	2/4/2009	10	10	ND	ug/L
2-nitrophenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
2-nitrophenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
2-nitrophenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
2-nitrophenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
2-nitrophenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
2-nitrophenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
2-nitrophenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
2-nitrophenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
2-nitrophenol	MW-8N	7/11/2019	10	10	ND	ug/L
2-nitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
2-nitrophenol	MW-8N	7/5/2021	10	10	ND	ug/L
2-nitrophenol	MW-8N	10/5/2023	10	10	ND	ug/L
2-nitrophenol	NE-1	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-1	2/7/2009	10	10	ND	ug/L
2-nitrophenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
2-nitrophenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
2-nitrophenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
2-nitrophenol	NE-4	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-4	2/7/2009	10	10	ND	ug/L
2-nitrophenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
2-nitrophenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
2-nitrophenol	NE-4	7/12/2018	10	10	ND	ug/L
2-nitrophenol	NE-5	10/25/2006	10	10	ND	ug/L
2-nitrophenol	NE-5	2/6/2009	10	10	ND	ug/L
2-nitrophenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
2-nitrophenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
2-nitrophenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
2-nitrophenol	NE-5	7/9/2019	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	10/14/1998	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-1N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-3N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	10/15/1998	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-7N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
2-sec-butyl-4,6-dinitrophenol	MW-8N	5/29/2002	10	10	ND	ug/L
3&4-Methyl Phenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3&4-Methyl Phenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
3&4-Methyl Phenol	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
3,3'-dichlorobenzidine	LGW-10	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	10/6/2016	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	10/9/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/16/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-10	10/5/2023	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	10/27/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/17/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-14R	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	2/13/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	2/13/2015	65	65	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/12/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/8/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-2	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/9/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dichlorobenzidine	LGW-3R	2/10/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/11/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-3R	7/6/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/11/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-4	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	2/10/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/12/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-5	10/5/2023	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	2/5/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	2/10/2015	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/17/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/10/2019	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-6	10/5/2023	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/12/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/10/2019	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-7	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/13/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-8R	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/26/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	2/11/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/5/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/13/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/10/2019	51	51	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	7/7/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	LGW-9	10/5/2023	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	2/13/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	2/12/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dichlorobenzidine	MW-10N	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-10N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	2/3/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/9/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	2/10/2015	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/17/2018	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-11N	7/6/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-15	7/10/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	MW-15	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-16	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-16	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-17	7/10/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-17	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-19	7/13/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-19	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	10/14/1998	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	2/5/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	2/10/2015	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/10/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/6/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-1N	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-20	7/12/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-20	7/4/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-21	10/5/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	10/6/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/11/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/8/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-21	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	7/12/2018	51	51	ND	ug/L
3,3'-dichlorobenzidine	MW-2N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/11/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	2/12/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	10/9/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/13/2018	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/7/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-3N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/15/1998	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dichlorobenzidine	MW-7N	2/12/2015	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	10/5/2017	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/13/2018	52	52	ND	ug/L
3,3'-dichlorobenzidine	MW-7N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/24/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	1/24/2008	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	2/4/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	5/10/2011	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/11/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/2/2013	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/8/2014	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	2/12/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/6/2016	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/6/2017	48	48	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/16/2018	49	49	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/11/2019	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/9/2020	10	10	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	7/5/2021	50	50	ND	ug/L
3,3'-dichlorobenzidine	MW-8N	10/5/2023	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	2/7/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-1	7/10/2012	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-1	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-1	7/18/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-2	7/10/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-4	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-4	2/7/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-4	7/10/2012	49	49	ND	ug/L
3,3'-dichlorobenzidine	NE-4	2/13/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-4	7/12/2018	52	52	ND	ug/L
3,3'-dichlorobenzidine	NE-5	10/25/2006	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-5	2/6/2009	50	50	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/10/2012	47	47	ND	ug/L
3,3'-dichlorobenzidine	NE-5	2/11/2015	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/17/2018	48	48	ND	ug/L
3,3'-dichlorobenzidine	NE-5	7/9/2019	50	50	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/9/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/16/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-10	10/5/2023	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	10/27/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-14R	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	2/13/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	2/13/2015	26	26	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	LGW-2	7/12/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/8/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-2	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/11/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-3R	7/6/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/11/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-4	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-5	10/5/2023	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	2/5/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	2/10/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-6	10/5/2023	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	LGW-7	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/13/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-8R	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/26/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	2/11/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/5/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/10/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	LGW-9	7/7/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	LGW-9	10/5/2023	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	2/13/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-10N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	2/3/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/9/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	2/10/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/17/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-11N	7/6/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-15	7/10/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-15	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-16	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-16	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-17	7/10/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-17	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-19	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-19	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	10/14/1998	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	2/5/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	2/10/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/10/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/6/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-1N	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-20	7/12/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-20	7/4/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-21	10/5/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	10/6/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/11/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/8/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-21	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/12/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-2N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/11/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	2/12/2015	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	10/9/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/13/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/7/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-3N	7/5/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3,3'-dimethylbenzidine	MW-7N	10/15/1998	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	10/5/2017	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/13/2018	21	21	ND	ug/L
3,3'-dimethylbenzidine	MW-7N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/29/2002	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/24/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	1/24/2008	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	2/4/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	5/10/2011	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/11/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/2/2013	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/8/2014	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	2/12/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/6/2016	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/6/2017	19	19	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/16/2018	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/11/2019	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/9/2020	10	10	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	7/5/2021	20	20	ND	ug/L
3,3'-dimethylbenzidine	MW-8N	10/5/2023	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	2/7/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-1	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-1	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-1	7/18/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-2	7/10/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-4	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	2/7/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	7/10/2012	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-4	2/13/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-4	7/12/2018	21	21	ND	ug/L
3,3'-dimethylbenzidine	NE-5	10/25/2006	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-5	2/6/2009	20	20	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/10/2012	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	2/11/2015	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/17/2018	19	19	ND	ug/L
3,3'-dimethylbenzidine	NE-5	7/9/2019	20	20	ND	ug/L
3-chloropropene	LGW-10	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-10	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-10	2/12/2015	10	10	ND	ug/L
3-chloropropene	LGW-10	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-10	10/9/2017	10	10	ND	ug/L
3-chloropropene	LGW-10	7/16/2018	10	10	ND	ug/L
3-chloropropene	LGW-10	7/11/2019	10	10	ND	ug/L
3-chloropropene	LGW-14R	10/27/2006	10	10	ND	ug/L
3-chloropropene	LGW-14R	2/6/2009	10	10	ND	ug/L
3-chloropropene	LGW-14R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-14R	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-14R	7/17/2018	10	10	ND	ug/L
3-chloropropene	LGW-2	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-2	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	LGW-2	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-2	2/13/2015	10	10	ND	ug/L
3-chloropropene	LGW-2	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-3R	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-3R	2/3/2009	10	10	ND	ug/L
3-chloropropene	LGW-3R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-3R	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-3R	7/11/2018	10	10	ND	ug/L
3-chloropropene	LGW-4	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-4	2/3/2009	10	10	ND	ug/L
3-chloropropene	LGW-4	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-4	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-4	7/11/2018	10	10	ND	ug/L
3-chloropropene	LGW-5	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-5	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-5	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-5	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-5	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-6	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-6	2/5/2009	10	10	ND	ug/L
3-chloropropene	LGW-6	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-6	2/10/2015	10	10	ND	ug/L
3-chloropropene	LGW-6	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-6	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-6	7/17/2018	10	10	ND	ug/L
3-chloropropene	LGW-6	7/10/2019	10	10	ND	ug/L
3-chloropropene	LGW-7	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-7	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-7	7/10/2012	10	10	ND	ug/L
3-chloropropene	LGW-7	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-7	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-7	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-7	7/12/2018	10	10	ND	ug/L
3-chloropropene	LGW-7	7/10/2019	10	10	ND	ug/L
3-chloropropene	LGW-8R	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-8R	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-8R	7/9/2012	10	10	ND	ug/L
3-chloropropene	LGW-8R	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-8R	7/13/2018	10	10	ND	ug/L
3-chloropropene	LGW-9	10/26/2006	10	10	ND	ug/L
3-chloropropene	LGW-9	2/4/2009	10	10	ND	ug/L
3-chloropropene	LGW-9	7/10/2012	10	10	ND	ug/L
3-chloropropene	LGW-9	2/11/2015	10	10	ND	ug/L
3-chloropropene	LGW-9	10/6/2016	10	10	ND	ug/L
3-chloropropene	LGW-9	10/5/2017	10	10	ND	ug/L
3-chloropropene	LGW-9	7/13/2018	10	10	ND	ug/L
3-chloropropene	LGW-9	7/10/2019	10	10	ND	ug/L
3-chloropropene	MW-10N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-10N	2/13/2009	10	10	ND	ug/L
3-chloropropene	MW-10N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-10N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-10N	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-11N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-11N	2/3/2009	10	10	ND	ug/L
3-chloropropene	MW-11N	7/9/2012	10	10	ND	ug/L
3-chloropropene	MW-11N	2/10/2015	10	10	ND	ug/L
3-chloropropene	MW-11N	7/17/2018	10	10	ND	ug/L
3-chloropropene	MW-15	7/10/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	MW-16	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-17	7/10/2018	10	10	ND	ug/L
3-chloropropene	MW-19	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-1N	10/14/1998	5	5	ND	ug/L
3-chloropropene	MW-1N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-1N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-1N	2/5/2009	10	10	ND	ug/L
3-chloropropene	MW-1N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-1N	2/10/2015	10	10	ND	ug/L
3-chloropropene	MW-1N	7/10/2018	10	10	ND	ug/L
3-chloropropene	MW-20	7/12/2018	10	10	ND	ug/L
3-chloropropene	MW-21	10/5/2016	10	10	ND	ug/L
3-chloropropene	MW-21	10/6/2017	10	10	ND	ug/L
3-chloropropene	MW-21	7/11/2018	10	10	ND	ug/L
3-chloropropene	MW-21	7/11/2019	10	10	ND	ug/L
3-chloropropene	MW-2N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-2N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-2N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-2N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-2N	7/12/2018	10	10	ND	ug/L
3-chloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-3N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-3N	10/25/2006	10	10	ND	ug/L
3-chloropropene	MW-3N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-3N	7/11/2012	10	10	ND	ug/L
3-chloropropene	MW-3N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-3N	10/6/2016	10	10	ND	ug/L
3-chloropropene	MW-3N	10/9/2017	10	10	ND	ug/L
3-chloropropene	MW-3N	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-3N	7/11/2019	10	10	ND	ug/L
3-chloropropene	MW-7N	10/15/1998	5	5	ND	ug/L
3-chloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-7N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-7N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-7N	2/6/2009	10	10	ND	ug/L
3-chloropropene	MW-7N	7/10/2012	10	10	ND	ug/L
3-chloropropene	MW-7N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-7N	10/5/2017	10	10	ND	ug/L
3-chloropropene	MW-7N	7/13/2018	10	10	ND	ug/L
3-chloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
3-chloropropene	MW-8N	5/29/2002	5	5	ND	ug/L
3-chloropropene	MW-8N	10/24/2006	10	10	ND	ug/L
3-chloropropene	MW-8N	1/24/2008	10	10	ND	ug/L
3-chloropropene	MW-8N	2/4/2009	10	10	ND	ug/L
3-chloropropene	MW-8N	5/10/2011	10	10	ND	ug/L
3-chloropropene	MW-8N	7/11/2012	10	10	ND	ug/L
3-chloropropene	MW-8N	10/2/2013	10	10	ND	ug/L
3-chloropropene	MW-8N	10/8/2014	10	10	ND	ug/L
3-chloropropene	MW-8N	2/12/2015	10	10	ND	ug/L
3-chloropropene	MW-8N	10/6/2016	10	10	ND	ug/L
3-chloropropene	MW-8N	10/6/2017	10	10	ND	ug/L
3-chloropropene	MW-8N	7/16/2018	10	10	ND	ug/L
3-chloropropene	MW-8N	7/11/2019	10	10	ND	ug/L
3-chloropropene	NE-1	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-1	2/7/2009	10	10	ND	ug/L
3-chloropropene	NE-1	7/10/2012	10	10	ND	ug/L
3-chloropropene	NE-1	2/11/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-chloropropene	NE-1	7/18/2018	10	10	ND	ug/L
3-chloropropene	NE-2	7/10/2018	10	10	ND	ug/L
3-chloropropene	NE-4	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-4	2/7/2009	10	10	ND	ug/L
3-chloropropene	NE-4	7/10/2012	10	10	ND	ug/L
3-chloropropene	NE-4	2/13/2015	10	10	ND	ug/L
3-chloropropene	NE-4	7/12/2018	10	10	ND	ug/L
3-chloropropene	NE-5	10/25/2006	10	10	ND	ug/L
3-chloropropene	NE-5	2/6/2009	10	10	ND	ug/L
3-chloropropene	NE-5	7/10/2012	10	10	ND	ug/L
3-chloropropene	NE-5	2/11/2015	10	10	ND	ug/L
3-chloropropene	NE-5	7/17/2018	10	10	ND	ug/L
3-chloropropene	NE-5	7/9/2019	10	10	ND	ug/L
3-methylcholanthrene	LGW-10	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-10	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	10/9/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	7/16/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-10	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-10	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-10	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-10	10/5/2023	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	10/27/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-14R	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-14R	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	2/13/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-2	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-2	2/13/2015	26	26	ND	ug/L
3-methylcholanthrene	LGW-2	7/12/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-2	7/8/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-2	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-3R	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-3R	7/11/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-3R	7/6/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-4	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-4	7/11/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-4	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-5	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-5	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-5	10/5/2023	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	2/5/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/9/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-methylcholanthrene	LGW-6	2/10/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-6	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-6	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-6	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-6	10/5/2023	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-7	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-7	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-7	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-8R	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/13/2018	20	20	ND	ug/L
3-methylcholanthrene	LGW-8R	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	10/26/2006	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	2/11/2015	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	10/5/2017	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	LGW-9	7/10/2019	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	7/9/2020	10	10	ND	ug/L
3-methylcholanthrene	LGW-9	7/7/2021	20	20	ND	ug/L
3-methylcholanthrene	LGW-9	10/5/2023	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	2/13/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-10N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-10N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	2/3/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/9/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-11N	2/10/2015	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/17/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-11N	7/6/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-15	7/10/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-15	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-16	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-16	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-17	7/10/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-17	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-19	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-19	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	10/14/1998	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-methylcholanthrene	MW-1N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	2/5/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-1N	2/10/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-1N	7/10/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-1N	7/6/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-1N	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-20	7/12/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-20	7/4/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-21	10/5/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-21	10/6/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-21	7/11/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-21	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-21	7/8/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-21	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-2N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-2N	7/12/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-2N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	7/11/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	2/12/2015	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	10/9/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	7/13/2018	19	19	ND	ug/L
3-methylcholanthrene	MW-3N	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-3N	7/7/2020	10	10	ND	ug/L
3-methylcholanthrene	MW-3N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	10/15/1998	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-7N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-7N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-7N	10/5/2017	20	20	ND	ug/L
3-methylcholanthrene	MW-7N	7/13/2018	21	21	ND	ug/L
3-methylcholanthrene	MW-7N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
3-methylcholanthrene	MW-8N	10/24/2006	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	1/24/2008	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	2/4/2009	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	5/10/2011	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	7/11/2012	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/2/2013	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/8/2014	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	2/12/2015	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/6/2016	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	10/6/2017	19	19	ND	ug/L
3-methylcholanthrene	MW-8N	7/16/2018	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	7/11/2019	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-methylcholanthrene	MW-8N	7/5/2021	20	20	ND	ug/L
3-methylcholanthrene	MW-8N	10/5/2023	20	20	ND	ug/L
3-methylcholanthrene	NE-1	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-1	2/7/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-1	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	NE-1	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-1	7/18/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-2	7/10/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-4	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-4	2/7/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-4	7/10/2012	20	20	ND	ug/L
3-methylcholanthrene	NE-4	2/13/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-4	7/12/2018	21	21	ND	ug/L
3-methylcholanthrene	NE-5	10/25/2006	20	20	ND	ug/L
3-methylcholanthrene	NE-5	2/6/2009	20	20	ND	ug/L
3-methylcholanthrene	NE-5	7/10/2012	19	19	ND	ug/L
3-methylcholanthrene	NE-5	2/11/2015	19	19	ND	ug/L
3-methylcholanthrene	NE-5	7/17/2018	19	19	ND	ug/L
3-methylcholanthrene	NE-5	7/9/2019	20	20	ND	ug/L
3-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
3-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
3-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
3-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
3-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
3-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-10	10/5/2023	50	50	ND	ug/L
3-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
3-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
3-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
3-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
3-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
3-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
3-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
3-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
3-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
3-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L
3-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
3-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
3-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
3-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
3-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
3-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
3-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-5	10/5/2023	50	50	ND	ug/L
3-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
3-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
3-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
3-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
3-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-6	10/5/2023	50	50	ND	ug/L
3-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
3-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
3-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
3-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L
3-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
3-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
3-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
3-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
3-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
3-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
3-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
3-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
3-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
3-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
3-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
3-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
3-nitroaniline	LGW-9	10/5/2023	50	50	ND	ug/L
3-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
3-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
3-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
3-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
3-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
3-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
3-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
3-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
3-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
3-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
3-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
3-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
3-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
3-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
3-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
3-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
3-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
3-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L
3-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
3-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
3-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
3-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
3-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
3-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
3-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
3-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
3-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-7N	2/6/2009	50	50	ND	ug/L
3-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
3-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L
3-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
3-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
3-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
3-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L
3-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
3-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
3-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
3-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
3-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
3-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
3-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
3-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
3-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
3-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
3-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
3-nitroaniline	MW-8N	10/5/2023	50	50	ND	ug/L
3-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
3-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
3-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
3-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
3-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
3-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
3-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
3-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
3-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
3-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
3-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
3-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
3-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
3-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
3-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
4,4'-ddd	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-ddd	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-ddd	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-4	2/11/2015	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-ddd	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddd	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
4,4'-ddd	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddd	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-11N	2/10/2015	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-ddd	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-ddd	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-ddd	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddd	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-ddd	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddd	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddd	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
4,4'-ddd	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-ddd	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-ddd	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/29/2002	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddd	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddd	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddd	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddd	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddd	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddd	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddd	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-ddd	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-ddd	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-ddd	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-ddd	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddd	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddd	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddd	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-ddd	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-ddd	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-dde	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-dde	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-dde	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-dde	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-dde	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-dde	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-dde	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-dde	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-dde	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-dde	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-dde	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-dde	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
4,4'-dde	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
4,4'-dde	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-10N	7/10/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
4,4'-dde	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-dde	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-dde	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-dde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-dde	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-dde	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-dde	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-dde	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
4,4'-dde	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-dde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	2/6/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-dde	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-dde	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-dde	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-dde	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-dde	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-dde	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-dde	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-dde	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-dde	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-dde	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-dde	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-dde	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-dde	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-dde	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-dde	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-dde	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-dde	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
4,4'-ddt	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/9/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
4,4'-ddt	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
4,4'-ddt	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
4,4'-ddt	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
4,4'-ddt	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
4,4'-ddt	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/10/2019	0.053	0.053	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
4,4'-ddt	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
4,4'-ddt	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
4,4'-ddt	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-15	7/10/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-15	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-16	7/11/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-16	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-17	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-17	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-19	7/13/2018	0.051	0.051	ND	ug/L
4,4'-ddt	MW-19	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
4,4'-ddt	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
4,4'-ddt	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-20	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-20	7/4/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-21	10/5/2016	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	7/11/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-21	7/11/2019	0.053	0.053	ND	ug/L
4,4'-ddt	MW-21	7/8/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-21	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
4,4'-ddt	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
4,4'-ddt	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
4,4'-ddt	MW-3N	7/11/2019	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,4'-ddt	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
4,4'-ddt	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
4,4'-ddt	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
4,4'-ddt	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
4,4'-ddt	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
4,4'-ddt	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
4,4'-ddt	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
4,4'-ddt	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-1	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-1	2/11/2015	0.048	0.048	ND	ug/L
4,4'-ddt	NE-1	7/18/2018	0.05	0.05	ND	ug/L
4,4'-ddt	NE-2	7/10/2018	0.049	0.049	ND	ug/L
4,4'-ddt	NE-4	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-4	2/7/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-4	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-4	2/13/2015	0.047	0.047	ND	ug/L
4,4'-ddt	NE-4	7/12/2018	0.054	0.054	ND	ug/L
4,4'-ddt	NE-5	10/25/2006	0.05	0.05	ND	ug/L
4,4'-ddt	NE-5	2/6/2009	0.05	0.05	ND	ug/L
4,4'-ddt	NE-5	7/10/2012	0.048	0.048	ND	ug/L
4,4'-ddt	NE-5	2/11/2015	0.047	0.047	ND	ug/L
4,4'-ddt	NE-5	7/17/2018	0.051	0.051	ND	ug/L
4,4'-ddt	NE-5	7/9/2019	0.05	0.05	ND	ug/L
4,6-Dinitro-2-methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-10	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-10	10/5/2023	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-5	10/5/2023	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-6	7/7/2021	0.05	0.05	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4,6-Dinitro-2-methylphenol	LGW-6	10/5/2023	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	LGW-9	10/5/2023	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-15	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-16	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-17	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-19	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-20	7/4/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-21	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-3N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
4,6-Dinitro-2-methylphenol	MW-8N	10/5/2023	0.05	0.05	ND	mg/L
4-aminobiphenyl	LGW-10	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-10	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-10	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	10/6/2016	47	47	ND	ug/L
4-aminobiphenyl	LGW-10	10/9/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	7/16/2018	48	48	ND	ug/L
4-aminobiphenyl	LGW-10	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	LGW-10	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-10	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-10	10/5/2023	10	10	ND	ug/L
4-aminobiphenyl	LGW-14R	10/27/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-14R	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-14R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-14R	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-14R	7/17/2018	51	51	ND	ug/L
4-aminobiphenyl	LGW-14R	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	2/13/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-2	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-2	2/13/2015	65	65	ND	ug/L
4-aminobiphenyl	LGW-2	7/12/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-2	7/8/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-2	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-3R	2/10/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-3R	7/11/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-3R	7/6/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-4	2/11/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-aminobiphenyl	LGW-4	7/11/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-4	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-5	2/10/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-5	7/12/2018	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-5	10/5/2023	10	10	ND	ug/L
4-aminobiphenyl	LGW-6	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	2/5/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-6	2/10/2015	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-6	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-6	7/17/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-6	7/10/2019	49	49	ND	ug/L
4-aminobiphenyl	LGW-6	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-6	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-6	10/5/2023	10	10	ND	ug/L
4-aminobiphenyl	LGW-7	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-7	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-7	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-7	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-7	7/12/2018	51	51	ND	ug/L
4-aminobiphenyl	LGW-7	7/10/2019	49	49	ND	ug/L
4-aminobiphenyl	LGW-7	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-7	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-8R	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-8R	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-8R	7/13/2018	49	49	ND	ug/L
4-aminobiphenyl	LGW-8R	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	10/26/2006	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	LGW-9	2/11/2015	49	49	ND	ug/L
4-aminobiphenyl	LGW-9	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	LGW-9	10/5/2017	48	48	ND	ug/L
4-aminobiphenyl	LGW-9	7/13/2018	47	47	ND	ug/L
4-aminobiphenyl	LGW-9	7/10/2019	51	51	ND	ug/L
4-aminobiphenyl	LGW-9	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	LGW-9	7/7/2021	50	50	ND	ug/L
4-aminobiphenyl	LGW-9	10/5/2023	10	10	ND	ug/L
4-aminobiphenyl	MW-10N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-10N	2/13/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-10N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-10N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-10N	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-10N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	2/3/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	7/9/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-11N	2/10/2015	50	50	ND	ug/L
4-aminobiphenyl	MW-11N	7/17/2018	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-aminobiphenyl	MW-11N	7/6/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-15	7/10/2018	51	51	ND	ug/L
4-aminobiphenyl	MW-15	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-16	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-16	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-17	7/10/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-17	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-19	7/13/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-19	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	10/14/1998	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	10/24/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	2/5/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-1N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-1N	2/10/2015	47	47	ND	ug/L
4-aminobiphenyl	MW-1N	7/10/2018	49	49	ND	ug/L
4-aminobiphenyl	MW-1N	7/6/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-1N	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-20	7/12/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-20	7/4/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-21	10/5/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-21	10/6/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-21	7/11/2018	48	48	ND	ug/L
4-aminobiphenyl	MW-21	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-21	7/8/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-21	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-2N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-2N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-2N	7/12/2018	51	51	ND	ug/L
4-aminobiphenyl	MW-2N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	7/11/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-3N	2/12/2015	49	49	ND	ug/L
4-aminobiphenyl	MW-3N	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-3N	10/9/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-3N	7/13/2018	47	47	ND	ug/L
4-aminobiphenyl	MW-3N	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-3N	7/7/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-3N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	10/15/1998	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-7N	10/24/2006	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-7N	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-7N	2/12/2015	49	49	ND	ug/L
4-aminobiphenyl	MW-7N	10/5/2017	49	49	ND	ug/L
4-aminobiphenyl	MW-7N	7/13/2018	52	52	ND	ug/L
4-aminobiphenyl	MW-7N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	5/29/2002	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	10/24/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-aminobiphenyl	MW-8N	1/24/2008	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	2/4/2009	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	5/10/2011	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	7/11/2012	47	47	ND	ug/L
4-aminobiphenyl	MW-8N	10/2/2013	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/8/2014	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	2/12/2015	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/6/2016	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	10/6/2017	48	48	ND	ug/L
4-aminobiphenyl	MW-8N	7/16/2018	49	49	ND	ug/L
4-aminobiphenyl	MW-8N	7/11/2019	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	7/9/2020	10	10	ND	ug/L
4-aminobiphenyl	MW-8N	7/5/2021	50	50	ND	ug/L
4-aminobiphenyl	MW-8N	10/5/2023	10	10	ND	ug/L
4-aminobiphenyl	NE-1	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-1	2/7/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-1	7/10/2012	48	48	ND	ug/L
4-aminobiphenyl	NE-1	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-1	7/18/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-2	7/10/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-4	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-4	2/7/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-4	7/10/2012	49	49	ND	ug/L
4-aminobiphenyl	NE-4	2/13/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-4	7/12/2018	52	52	ND	ug/L
4-aminobiphenyl	NE-5	10/25/2006	50	50	ND	ug/L
4-aminobiphenyl	NE-5	2/6/2009	50	50	ND	ug/L
4-aminobiphenyl	NE-5	7/10/2012	47	47	ND	ug/L
4-aminobiphenyl	NE-5	2/11/2015	48	48	ND	ug/L
4-aminobiphenyl	NE-5	7/17/2018	48	48	ND	ug/L
4-aminobiphenyl	NE-5	7/9/2019	50	50	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-10	10/5/2023	50	50	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	10/27/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/17/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-14R	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	2/13/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	2/13/2015	13	13	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/8/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-2	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	LGW-3R	7/11/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-3R	7/6/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-4	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-5	10/5/2023	50	50	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	2/5/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	2/10/2015	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-6	10/5/2023	50	50	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-7	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-8R	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/26/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/10/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	7/7/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	LGW-9	10/5/2023	50	50	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	2/13/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	MW-10N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	2/3/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	2/10/2015	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/17/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-11N	7/6/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-15	7/10/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-15	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-16	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-17	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-19	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	10/14/1998	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	2/5/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/6/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-1N	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-20	7/4/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/8/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-21	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-2N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/7/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-3N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	10/15/1998	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-bromophenyl phenyl ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/13/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-7N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/24/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	1/24/2008	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	2/4/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/11/2019	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/9/2020	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	7/5/2021	10	10	ND	ug/L
4-bromophenyl phenyl ether	MW-8N	10/5/2023	50	50	ND	ug/L
4-bromophenyl phenyl ether	NE-1	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-1	2/7/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-4	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-4	2/7/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-bromophenyl phenyl ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-4	7/12/2018	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	10/25/2006	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	2/6/2009	10	10	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L
4-bromophenyl phenyl ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-bromophenyl phenyl ether	NE-5	7/9/2019	10	10	ND	ug/L
4-Chloro-3-methylphenol	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-11N	7/6/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-Chloro-3-methylphenol	MW-15	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-16	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-17	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-19	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-20	7/4/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-21	7/8/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-21	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
4-Chloro-3-methylphenol	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
4-chloroaniline	LGW-10	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-10	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-10	10/5/2023	10	10	ND	ug/L
4-chloroaniline	LGW-14R	10/27/2006	10	10	ND	ug/L
4-chloroaniline	LGW-14R	2/6/2009	10	10	ND	ug/L
4-chloroaniline	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-14R	7/17/2018	10	10	ND	ug/L
4-chloroaniline	LGW-14R	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-2	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-2	2/13/2009	10	10	ND	ug/L
4-chloroaniline	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-2	2/13/2015	13	13	ND	ug/L
4-chloroaniline	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
4-chloroaniline	LGW-2	7/4/2021	10	10	ND	ug/L
4-chloroaniline	LGW-3R	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-3R	2/3/2009	10	10	ND	ug/L
4-chloroaniline	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-3R	7/11/2018	10	10	ND	ug/L
4-chloroaniline	LGW-3R	7/6/2021	10	10	ND	ug/L
4-chloroaniline	LGW-4	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-4	2/3/2009	10	10	ND	ug/L
4-chloroaniline	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-4	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-5	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-5	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-5	7/12/2018	10	10	ND	ug/L
4-chloroaniline	LGW-5	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-5	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	LGW-6	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-6	2/5/2009	10	10	ND	ug/L
4-chloroaniline	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-6	2/10/2015	10	10	ND	ug/L
4-chloroaniline	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-chloroaniline	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-chloroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-6	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-6	10/5/2023	10	10	ND	ug/L
4-chloroaniline	LGW-7	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-7	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-7	7/12/2018	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-7	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-8R	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-8R	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-chloroaniline	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-8R	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-9	10/26/2006	10	10	ND	ug/L
4-chloroaniline	LGW-9	2/4/2009	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-chloroaniline	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-chloroaniline	LGW-9	7/10/2019	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
4-chloroaniline	LGW-9	7/7/2021	10	10	ND	ug/L
4-chloroaniline	LGW-9	10/5/2023	10	10	ND	ug/L
4-chloroaniline	MW-10N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-10N	2/13/2009	10	10	ND	ug/L
4-chloroaniline	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
4-chloroaniline	MW-10N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-11N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-11N	2/3/2009	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-11N	2/10/2015	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/17/2018	10	10	ND	ug/L
4-chloroaniline	MW-11N	7/6/2021	10	10	ND	ug/L
4-chloroaniline	MW-15	7/10/2018	10	10	ND	ug/L
4-chloroaniline	MW-15	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-16	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-17	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-chloroaniline	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	MW-1N	10/14/1998	10	10	ND	ug/L
4-chloroaniline	MW-1N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-1N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-1N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-1N	2/5/2009	10	10	ND	ug/L
4-chloroaniline	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
4-chloroaniline	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-chloroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
4-chloroaniline	MW-1N	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-20	7/4/2021	10	10	ND	ug/L
4-chloroaniline	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-chloroaniline	MW-21	7/11/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-21	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-21	7/8/2020	10	10	ND	ug/L
4-chloroaniline	MW-21	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-2N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-2N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-chloroaniline	MW-2N	7/12/2018	10	10	ND	ug/L
4-chloroaniline	MW-2N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-3N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-3N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-3N	10/25/2006	10	10	ND	ug/L
4-chloroaniline	MW-3N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-chloroaniline	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-chloroaniline	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-chloroaniline	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-chloroaniline	MW-3N	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
4-chloroaniline	MW-3N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-7N	10/15/1998	10	10	ND	ug/L
4-chloroaniline	MW-7N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-7N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-7N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-7N	2/6/2009	10	10	ND	ug/L
4-chloroaniline	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-chloroaniline	MW-7N	7/13/2018	10	10	ND	ug/L
4-chloroaniline	MW-7N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/29/2002	10	10	ND	ug/L
4-chloroaniline	MW-8N	10/24/2006	10	10	ND	ug/L
4-chloroaniline	MW-8N	1/24/2008	10	10	ND	ug/L
4-chloroaniline	MW-8N	2/4/2009	10	10	ND	ug/L
4-chloroaniline	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-chloroaniline	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-chloroaniline	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-chloroaniline	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-chloroaniline	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chloroaniline	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-chloroaniline	MW-8N	7/11/2019	10	10	ND	ug/L
4-chloroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
4-chloroaniline	MW-8N	7/5/2021	10	10	ND	ug/L
4-chloroaniline	MW-8N	10/5/2023	10	10	ND	ug/L
4-chloroaniline	NE-1	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-1	2/7/2009	10	10	ND	ug/L
4-chloroaniline	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-chloroaniline	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-chloroaniline	NE-2	7/10/2018	9.5	9.5	ND	ug/L
4-chloroaniline	NE-4	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-4	2/7/2009	10	10	ND	ug/L
4-chloroaniline	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-chloroaniline	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-chloroaniline	NE-4	7/12/2018	10	10	ND	ug/L
4-chloroaniline	NE-5	10/25/2006	10	10	ND	ug/L
4-chloroaniline	NE-5	2/6/2009	10	10	ND	ug/L
4-chloroaniline	NE-5	7/10/2012	9.5	9.5	ND	ug/L
4-chloroaniline	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-chloroaniline	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-chloroaniline	NE-5	7/9/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-10	10/5/2023	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	10/27/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/17/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-14R	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	2/13/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	2/13/2015	13	13	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/8/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-2	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/11/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-3R	7/6/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-4	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	LGW-5	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-5	10/5/2023	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	2/5/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	2/10/2015	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-6	10/5/2023	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-7	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-8R	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/26/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/10/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	7/7/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	LGW-9	10/5/2023	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	2/13/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-10N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	2/3/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	2/10/2015	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/17/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-11N	7/6/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-15	7/10/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-15	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-16	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-17	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-19	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	10/14/1998	4	4	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	2/5/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/6/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-1N	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-20	7/4/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/8/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-21	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-2N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/7/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-3N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/15/1998	4	4	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/13/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-7N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/29/2002	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/24/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	1/24/2008	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	2/4/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-chlorophenyl phenyl ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/11/2019	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/9/2020	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	7/5/2021	10	10	ND	ug/L
4-chlorophenyl phenyl ether	MW-8N	10/5/2023	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	2/7/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	2/7/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	NE-4	7/12/2018	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	10/25/2006	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	2/6/2009	10	10	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
4-chlorophenyl phenyl ether	NE-5	7/9/2019	10	10	ND	ug/L
4-nitroaniline	LGW-10	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-10	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-10	2/12/2015	48	48	ND	ug/L
4-nitroaniline	LGW-10	10/6/2016	47	47	ND	ug/L
4-nitroaniline	LGW-10	10/9/2017	48	48	ND	ug/L
4-nitroaniline	LGW-10	7/16/2018	48	48	ND	ug/L
4-nitroaniline	LGW-10	7/11/2019	50	50	ND	ug/L
4-nitroaniline	LGW-10	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-10	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-10	10/5/2023	50	50	ND	ug/L
4-nitroaniline	LGW-14R	10/27/2006	50	50	ND	ug/L
4-nitroaniline	LGW-14R	2/6/2009	50	50	ND	ug/L
4-nitroaniline	LGW-14R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-14R	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-14R	7/17/2018	51	51	ND	ug/L
4-nitroaniline	LGW-14R	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-2	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-2	2/13/2009	50	50	ND	ug/L
4-nitroaniline	LGW-2	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-2	2/13/2015	65	65	ND	ug/L
4-nitroaniline	LGW-2	7/12/2018	49	49	ND	ug/L
4-nitroaniline	LGW-2	7/8/2020	10	10	ND	ug/L
4-nitroaniline	LGW-2	7/4/2021	50	50	ND	ug/L
4-nitroaniline	LGW-3R	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-3R	2/3/2009	50	50	ND	ug/L
4-nitroaniline	LGW-3R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-3R	2/10/2015	49	49	ND	ug/L
4-nitroaniline	LGW-3R	7/11/2018	50	50	ND	ug/L
4-nitroaniline	LGW-3R	7/6/2021	50	50	ND	ug/L
4-nitroaniline	LGW-4	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitroaniline	LGW-4	2/3/2009	50	50	ND	ug/L
4-nitroaniline	LGW-4	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-4	2/11/2015	48	48	ND	ug/L
4-nitroaniline	LGW-4	7/11/2018	50	50	ND	ug/L
4-nitroaniline	LGW-4	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-5	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-5	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-5	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-5	2/10/2015	48	48	ND	ug/L
4-nitroaniline	LGW-5	7/12/2018	50	50	ND	ug/L
4-nitroaniline	LGW-5	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-5	10/5/2023	50	50	ND	ug/L
4-nitroaniline	LGW-6	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-6	2/5/2009	50	50	ND	ug/L
4-nitroaniline	LGW-6	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-6	2/10/2015	50	50	ND	ug/L
4-nitroaniline	LGW-6	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-6	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-6	7/17/2018	49	49	ND	ug/L
4-nitroaniline	LGW-6	7/10/2019	49	49	ND	ug/L
4-nitroaniline	LGW-6	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-6	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-6	10/5/2023	50	50	ND	ug/L
4-nitroaniline	LGW-7	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-7	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-7	7/10/2012	47	47	ND	ug/L
4-nitroaniline	LGW-7	2/11/2015	48	48	ND	ug/L
4-nitroaniline	LGW-7	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-7	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-7	7/12/2018	51	51	ND	ug/L
4-nitroaniline	LGW-7	7/10/2019	49	49	ND	ug/L
4-nitroaniline	LGW-7	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-7	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-8R	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-8R	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-8R	7/9/2012	47	47	ND	ug/L
4-nitroaniline	LGW-8R	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-8R	7/13/2018	49	49	ND	ug/L
4-nitroaniline	LGW-8R	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-9	10/26/2006	50	50	ND	ug/L
4-nitroaniline	LGW-9	2/4/2009	50	50	ND	ug/L
4-nitroaniline	LGW-9	7/10/2012	47	47	ND	ug/L
4-nitroaniline	LGW-9	2/11/2015	49	49	ND	ug/L
4-nitroaniline	LGW-9	10/6/2016	48	48	ND	ug/L
4-nitroaniline	LGW-9	10/5/2017	48	48	ND	ug/L
4-nitroaniline	LGW-9	7/13/2018	47	47	ND	ug/L
4-nitroaniline	LGW-9	7/10/2019	51	51	ND	ug/L
4-nitroaniline	LGW-9	7/9/2020	10	10	ND	ug/L
4-nitroaniline	LGW-9	7/7/2021	50	50	ND	ug/L
4-nitroaniline	LGW-9	10/5/2023	50	50	ND	ug/L
4-nitroaniline	MW-10N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-10N	2/13/2009	50	50	ND	ug/L
4-nitroaniline	MW-10N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-10N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-10N	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-10N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-11N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-11N	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitroaniline	MW-11N	7/9/2012	47	47	ND	ug/L
4-nitroaniline	MW-11N	2/10/2015	50	50	ND	ug/L
4-nitroaniline	MW-11N	7/17/2018	50	50	ND	ug/L
4-nitroaniline	MW-11N	7/6/2021	50	50	ND	ug/L
4-nitroaniline	MW-15	7/10/2018	51	51	ND	ug/L
4-nitroaniline	MW-15	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-16	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-16	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-17	7/10/2018	47	47	ND	ug/L
4-nitroaniline	MW-17	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-19	7/13/2018	48	48	ND	ug/L
4-nitroaniline	MW-19	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-1N	10/14/1998	50	50	ND	ug/L
4-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-1N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-1N	2/5/2009	50	50	ND	ug/L
4-nitroaniline	MW-1N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-1N	2/10/2015	47	47	ND	ug/L
4-nitroaniline	MW-1N	7/10/2018	49	49	ND	ug/L
4-nitroaniline	MW-1N	7/6/2020	10	10	ND	ug/L
4-nitroaniline	MW-1N	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-20	7/12/2018	47	47	ND	ug/L
4-nitroaniline	MW-20	7/4/2021	50	50	ND	ug/L
4-nitroaniline	MW-21	10/5/2016	48	48	ND	ug/L
4-nitroaniline	MW-21	10/6/2017	48	48	ND	ug/L
4-nitroaniline	MW-21	7/11/2018	48	48	ND	ug/L
4-nitroaniline	MW-21	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-21	7/8/2020	10	10	ND	ug/L
4-nitroaniline	MW-21	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-2N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-2N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-2N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-2N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-2N	7/12/2018	51	51	ND	ug/L
4-nitroaniline	MW-2N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-3N	10/25/2006	50	50	ND	ug/L
4-nitroaniline	MW-3N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-3N	7/11/2012	47	47	ND	ug/L
4-nitroaniline	MW-3N	2/12/2015	49	49	ND	ug/L
4-nitroaniline	MW-3N	10/6/2016	48	48	ND	ug/L
4-nitroaniline	MW-3N	10/9/2017	48	48	ND	ug/L
4-nitroaniline	MW-3N	7/13/2018	47	47	ND	ug/L
4-nitroaniline	MW-3N	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-3N	7/7/2020	10	10	ND	ug/L
4-nitroaniline	MW-3N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-7N	10/15/1998	50	50	ND	ug/L
4-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-7N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-7N	2/6/2009	6.4	50	ND	ug/L
4-nitroaniline	MW-7N	7/10/2012	47	47	ND	ug/L
4-nitroaniline	MW-7N	2/12/2015	49	49	ND	ug/L
4-nitroaniline	MW-7N	10/5/2017	49	49	ND	ug/L
4-nitroaniline	MW-7N	7/13/2018	52	52	ND	ug/L
4-nitroaniline	MW-7N	7/5/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitroaniline	MW-8N	10/24/2006	50	50	ND	ug/L
4-nitroaniline	MW-8N	1/24/2008	50	50	ND	ug/L
4-nitroaniline	MW-8N	2/4/2009	50	50	ND	ug/L
4-nitroaniline	MW-8N	5/10/2011	48	48	ND	ug/L
4-nitroaniline	MW-8N	7/11/2012	47	47	ND	ug/L
4-nitroaniline	MW-8N	10/2/2013	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/8/2014	48	48	ND	ug/L
4-nitroaniline	MW-8N	2/12/2015	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/6/2016	48	48	ND	ug/L
4-nitroaniline	MW-8N	10/6/2017	48	48	ND	ug/L
4-nitroaniline	MW-8N	7/16/2018	49	49	ND	ug/L
4-nitroaniline	MW-8N	7/11/2019	50	50	ND	ug/L
4-nitroaniline	MW-8N	7/9/2020	10	10	ND	ug/L
4-nitroaniline	MW-8N	7/5/2021	50	50	ND	ug/L
4-nitroaniline	MW-8N	10/5/2023	50	50	ND	ug/L
4-nitroaniline	NE-1	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-1	2/7/2009	50	50	ND	ug/L
4-nitroaniline	NE-1	7/10/2012	48	48	ND	ug/L
4-nitroaniline	NE-1	2/11/2015	48	48	ND	ug/L
4-nitroaniline	NE-1	7/18/2018	48	48	ND	ug/L
4-nitroaniline	NE-2	7/10/2018	48	48	ND	ug/L
4-nitroaniline	NE-4	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-4	2/7/2009	50	50	ND	ug/L
4-nitroaniline	NE-4	7/10/2012	49	49	ND	ug/L
4-nitroaniline	NE-4	2/13/2015	48	48	ND	ug/L
4-nitroaniline	NE-4	7/12/2018	52	52	ND	ug/L
4-nitroaniline	NE-5	10/25/2006	50	50	ND	ug/L
4-nitroaniline	NE-5	2/6/2009	50	50	ND	ug/L
4-nitroaniline	NE-5	7/10/2012	47	47	ND	ug/L
4-nitroaniline	NE-5	2/11/2015	48	48	ND	ug/L
4-nitroaniline	NE-5	7/17/2018	48	48	ND	ug/L
4-nitroaniline	NE-5	7/9/2019	50	50	ND	ug/L
4-nitrophenol	LGW-10	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-10	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-10	2/12/2015	48	48	ND	ug/L
4-nitrophenol	LGW-10	10/6/2016	47	47	ND	ug/L
4-nitrophenol	LGW-10	10/9/2017	48	48	ND	ug/L
4-nitrophenol	LGW-10	7/16/2018	48	48	ND	ug/L
4-nitrophenol	LGW-10	7/11/2019	50	50	ND	ug/L
4-nitrophenol	LGW-10	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-10	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-10	10/5/2023	50	50	ND	ug/L
4-nitrophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
4-nitrophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
4-nitrophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
4-nitrophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-2	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-2	2/13/2009	50	50	ND	ug/L
4-nitrophenol	LGW-2	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-2	2/13/2015	65	65	ND	ug/L
4-nitrophenol	LGW-2	7/12/2018	49	49	ND	ug/L
4-nitrophenol	LGW-2	7/8/2020	10	10	ND	ug/L
4-nitrophenol	LGW-2	7/4/2021	50	50	ND	ug/L
4-nitrophenol	LGW-3R	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
4-nitrophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
4-nitrophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
4-nitrophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
4-nitrophenol	LGW-4	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-4	2/3/2009	50	50	ND	ug/L
4-nitrophenol	LGW-4	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-4	2/11/2015	48	48	ND	ug/L
4-nitrophenol	LGW-4	7/11/2018	50	50	ND	ug/L
4-nitrophenol	LGW-4	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-5	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-5	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-5	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-5	2/10/2015	48	48	ND	ug/L
4-nitrophenol	LGW-5	7/12/2018	50	50	ND	ug/L
4-nitrophenol	LGW-5	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-5	10/5/2023	50	50	ND	ug/L
4-nitrophenol	LGW-6	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-6	2/5/2009	50	50	ND	ug/L
4-nitrophenol	LGW-6	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-6	2/10/2015	50	50	ND	ug/L
4-nitrophenol	LGW-6	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-6	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-6	7/17/2018	49	49	ND	ug/L
4-nitrophenol	LGW-6	7/10/2019	49	49	ND	ug/L
4-nitrophenol	LGW-6	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-6	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-6	10/5/2023	50	50	ND	ug/L
4-nitrophenol	LGW-7	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-7	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-7	7/10/2012	47	47	ND	ug/L
4-nitrophenol	LGW-7	2/11/2015	48	48	ND	ug/L
4-nitrophenol	LGW-7	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-7	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-7	7/12/2018	51	51	ND	ug/L
4-nitrophenol	LGW-7	7/10/2019	49	49	ND	ug/L
4-nitrophenol	LGW-7	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-7	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
4-nitrophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
4-nitrophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-9	10/26/2006	50	50	ND	ug/L
4-nitrophenol	LGW-9	2/4/2009	50	50	ND	ug/L
4-nitrophenol	LGW-9	7/10/2012	47	47	ND	ug/L
4-nitrophenol	LGW-9	2/11/2015	49	49	ND	ug/L
4-nitrophenol	LGW-9	10/6/2016	48	48	ND	ug/L
4-nitrophenol	LGW-9	10/5/2017	48	48	ND	ug/L
4-nitrophenol	LGW-9	7/13/2018	47	47	ND	ug/L
4-nitrophenol	LGW-9	7/10/2019	51	51	ND	ug/L
4-nitrophenol	LGW-9	7/9/2020	10	10	ND	ug/L
4-nitrophenol	LGW-9	7/7/2021	50	50	ND	ug/L
4-nitrophenol	LGW-9	10/5/2023	50	50	ND	ug/L
4-nitrophenol	MW-10N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-10N	2/13/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	MW-10N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-10N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-10N	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-10N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-11N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-11N	2/3/2009	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/9/2012	47	47	ND	ug/L
4-nitrophenol	MW-11N	2/10/2015	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/17/2018	50	50	ND	ug/L
4-nitrophenol	MW-11N	7/6/2021	50	50	ND	ug/L
4-nitrophenol	MW-15	7/10/2018	51	51	ND	ug/L
4-nitrophenol	MW-15	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-16	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-16	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-17	7/10/2018	47	47	ND	ug/L
4-nitrophenol	MW-17	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-19	7/13/2018	48	48	ND	ug/L
4-nitrophenol	MW-19	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-1N	10/14/1998	50	50	ND	ug/L
4-nitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-1N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-1N	10/24/2006	50	50	ND	ug/L
4-nitrophenol	MW-1N	2/5/2009	50	50	ND	ug/L
4-nitrophenol	MW-1N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-1N	2/10/2015	47	47	ND	ug/L
4-nitrophenol	MW-1N	7/10/2018	49	49	ND	ug/L
4-nitrophenol	MW-1N	7/6/2020	10	10	ND	ug/L
4-nitrophenol	MW-1N	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-20	7/12/2018	47	47	ND	ug/L
4-nitrophenol	MW-20	7/4/2021	50	50	ND	ug/L
4-nitrophenol	MW-21	10/5/2016	48	48	ND	ug/L
4-nitrophenol	MW-21	10/6/2017	48	48	ND	ug/L
4-nitrophenol	MW-21	7/11/2018	48	48	ND	ug/L
4-nitrophenol	MW-21	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-21	7/8/2020	10	10	ND	ug/L
4-nitrophenol	MW-21	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-2N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-2N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-2N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-2N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-2N	7/12/2018	51	51	ND	ug/L
4-nitrophenol	MW-2N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-3N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-3N	10/25/2006	50	50	ND	ug/L
4-nitrophenol	MW-3N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-3N	7/11/2012	47	47	ND	ug/L
4-nitrophenol	MW-3N	2/12/2015	49	49	ND	ug/L
4-nitrophenol	MW-3N	10/6/2016	48	48	ND	ug/L
4-nitrophenol	MW-3N	10/9/2017	48	48	ND	ug/L
4-nitrophenol	MW-3N	7/13/2018	47	47	ND	ug/L
4-nitrophenol	MW-3N	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-3N	7/7/2020	10	10	ND	ug/L
4-nitrophenol	MW-3N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-7N	10/15/1998	50	50	ND	ug/L
4-nitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-7N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-7N	10/24/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
4-nitrophenol	MW-7N	2/6/2009	5.2	50	ND	ug/L
4-nitrophenol	MW-7N	7/10/2012	47	47	ND	ug/L
4-nitrophenol	MW-7N	2/12/2015	49	49	ND	ug/L
4-nitrophenol	MW-7N	10/5/2017	49	49	ND	ug/L
4-nitrophenol	MW-7N	7/13/2018	52	52	ND	ug/L
4-nitrophenol	MW-7N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/29/2002	50	50	ND	ug/L
4-nitrophenol	MW-8N	10/24/2006	50	50	ND	ug/L
4-nitrophenol	MW-8N	1/24/2008	50	50	ND	ug/L
4-nitrophenol	MW-8N	2/4/2009	50	50	ND	ug/L
4-nitrophenol	MW-8N	5/10/2011	48	48	ND	ug/L
4-nitrophenol	MW-8N	7/11/2012	47	47	ND	ug/L
4-nitrophenol	MW-8N	10/2/2013	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/8/2014	48	48	ND	ug/L
4-nitrophenol	MW-8N	2/12/2015	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/6/2016	48	48	ND	ug/L
4-nitrophenol	MW-8N	10/6/2017	48	48	ND	ug/L
4-nitrophenol	MW-8N	7/16/2018	49	49	ND	ug/L
4-nitrophenol	MW-8N	7/11/2019	50	50	ND	ug/L
4-nitrophenol	MW-8N	7/9/2020	10	10	ND	ug/L
4-nitrophenol	MW-8N	7/5/2021	50	50	ND	ug/L
4-nitrophenol	MW-8N	10/5/2023	50	50	ND	ug/L
4-nitrophenol	NE-1	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-1	2/7/2009	50	50	ND	ug/L
4-nitrophenol	NE-1	7/10/2012	48	48	ND	ug/L
4-nitrophenol	NE-1	2/11/2015	48	48	ND	ug/L
4-nitrophenol	NE-1	7/18/2018	48	48	ND	ug/L
4-nitrophenol	NE-2	7/10/2018	48	48	ND	ug/L
4-nitrophenol	NE-4	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-4	2/7/2009	50	50	ND	ug/L
4-nitrophenol	NE-4	7/10/2012	49	49	ND	ug/L
4-nitrophenol	NE-4	2/13/2015	48	48	ND	ug/L
4-nitrophenol	NE-4	7/12/2018	52	52	ND	ug/L
4-nitrophenol	NE-5	10/25/2006	50	50	ND	ug/L
4-nitrophenol	NE-5	2/6/2009	50	50	ND	ug/L
4-nitrophenol	NE-5	7/10/2012	47	47	ND	ug/L
4-nitrophenol	NE-5	2/11/2015	48	48	ND	ug/L
4-nitrophenol	NE-5	7/17/2018	48	48	ND	ug/L
4-nitrophenol	NE-5	7/9/2019	50	50	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/9/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/16/2018	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-10	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-10	10/5/2023	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	10/27/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-14R	2/11/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-14R	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-2	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-2	2/13/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	LGW-2	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-2	2/13/2015	26	26	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/12/2018	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/8/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-2	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-3R	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/11/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-3R	7/6/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-4	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/11/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-4	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-5	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-5	10/5/2023	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	2/5/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	2/10/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/10/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-6	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-6	10/5/2023	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/10/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-7	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-8R	2/11/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/13/2018	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-8R	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/26/2006	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	2/11/2015	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/5/2017	19	19	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/13/2018	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	LGW-9	7/10/2019	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	LGW-9	7/7/2021	20	20	ND	ug/L
5-nitro-o-toluidine	LGW-9	10/5/2023	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	2/13/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-10N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	2/3/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/9/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-11N	2/10/2015	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/17/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-11N	7/6/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-15	7/10/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-15	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-16	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-16	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-17	7/10/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-17	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-19	7/13/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-19	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	10/14/1998	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	2/5/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-1N	2/10/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/10/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/6/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-1N	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-20	7/12/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-20	7/4/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-21	10/5/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	10/6/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	7/11/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-21	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	MW-21	7/8/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-21	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-2N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/12/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-2N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/11/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	2/12/2015	20	20	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	10/9/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/13/2018	19	19	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/11/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
5-nitro-o-toluidine	MW-3N	7/7/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-3N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	10/15/1998	10	10	ND	ug/L
5-nitro-o-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-7N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-7N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-7N	10/5/2017	20	20	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/13/2018	21	21	ND	ug/L
5-nitro-o-toluidine	MW-7N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/24/2006	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	1/24/2008	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	2/4/2009	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	5/10/2011	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/11/2012	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/2/2013	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/8/2014	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	2/12/2015	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/6/2016	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/6/2017	19	19	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/16/2018	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/11/2019	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/9/2020	10	10	ND	ug/L
5-nitro-o-toluidine	MW-8N	7/5/2021	20	20	ND	ug/L
5-nitro-o-toluidine	MW-8N	10/5/2023	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	2/7/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-1	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	NE-1	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-1	7/18/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-2	7/10/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-4	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	2/7/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	7/10/2012	20	20	ND	ug/L
5-nitro-o-toluidine	NE-4	2/13/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-4	7/12/2018	21	21	ND	ug/L
5-nitro-o-toluidine	NE-5	10/25/2006	20	20	ND	ug/L
5-nitro-o-toluidine	NE-5	2/6/2009	20	20	ND	ug/L
5-nitro-o-toluidine	NE-5	7/10/2012	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	2/11/2015	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	7/17/2018	19	19	ND	ug/L
5-nitro-o-toluidine	NE-5	7/9/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	10/9/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/16/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-10	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	10/27/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-14R	7/17/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
7,12-dimethylbenz(a)anthracene	LGW-2	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	2/13/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	2/13/2015	26	26	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-2	7/12/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	2/10/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-3R	7/11/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-4	7/11/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	2/10/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-5	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	2/5/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	2/10/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/17/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-6	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-7	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-8R	7/13/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/26/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	2/11/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	10/5/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	LGW-9	7/10/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	2/13/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-10N	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	2/3/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	7/9/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-11N	2/10/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
7,12-dimethylbenz(a)anthracene	MW-11N	7/17/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-15	7/10/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-16	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-17	7/10/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-19	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	2/5/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	2/10/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-1N	7/10/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-20	7/12/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	10/5/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	10/6/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	7/11/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-21	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-2N	7/12/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/11/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	2/12/2015	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	10/9/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/13/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-3N	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	10/5/2017	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-7N	7/13/2018	21	21	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/24/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	1/24/2008	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	2/4/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	5/10/2011	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/11/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/2/2013	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/8/2014	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	2/12/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/6/2016	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	10/6/2017	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/16/2018	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	MW-8N	7/11/2019	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	2/7/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
7,12-dimethylbenz(a)anthracene	NE-1	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-1	7/18/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-2	7/10/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	2/7/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	7/10/2012	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	2/13/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-4	7/12/2018	21	21	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	10/25/2006	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	2/6/2009	20	20	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/10/2012	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	2/11/2015	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/17/2018	19	19	ND	ug/L
7,12-dimethylbenz(a)anthracene	NE-5	7/9/2019	20	20	ND	ug/L
Acenaphthene	LGW-10	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acenaphthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acenaphthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acenaphthene	LGW-10	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-10	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-10	10/5/2023	10	10	ND	ug/L
Acenaphthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Acenaphthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Acenaphthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acenaphthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Acenaphthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-2	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-2	2/13/2009	10	10	ND	ug/L
Acenaphthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-2	2/13/2015	13	13	ND	ug/L
Acenaphthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acenaphthene	LGW-2	7/8/2020	1	1	ND	ug/L
Acenaphthene	LGW-2	7/4/2021	10	10	ND	ug/L
Acenaphthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-3R	2/3/2009	10	10	ND	ug/L
Acenaphthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acenaphthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Acenaphthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Acenaphthene	LGW-4	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-4	2/3/2009	10	10	ND	ug/L
Acenaphthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acenaphthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acenaphthene	LGW-4	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-5	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-5	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthene	LGW-5	7/12/2018	10	10	ND	ug/L
Acenaphthene	LGW-5	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-5	10/5/2023	10	10	ND	ug/L
Acenaphthene	LGW-6	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	LGW-6	2/5/2009	10	10	ND	ug/L
Acenaphthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-6	2/10/2015	10	10	ND	ug/L
Acenaphthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acenaphthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acenaphthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acenaphthene	LGW-6	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-6	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-6	10/5/2023	10	10	ND	ug/L
Acenaphthene	LGW-7	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-7	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acenaphthene	LGW-7	7/12/2018	10	10	ND	ug/L
Acenaphthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acenaphthene	LGW-7	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-7	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acenaphthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-9	10/26/2006	10	10	ND	ug/L
Acenaphthene	LGW-9	2/4/2009	10	10	ND	ug/L
Acenaphthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthene	LGW-9	7/10/2019	10	10	ND	ug/L
Acenaphthene	LGW-9	7/9/2020	1	1	ND	ug/L
Acenaphthene	LGW-9	7/7/2021	10	10	ND	ug/L
Acenaphthene	LGW-9	10/5/2023	10	10	ND	ug/L
Acenaphthene	MW-10N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-10N	2/13/2009	10	10	ND	ug/L
Acenaphthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acenaphthene	MW-10N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-11N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-11N	2/3/2009	10	10	ND	ug/L
Acenaphthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-11N	2/10/2015	10	10	ND	ug/L
Acenaphthene	MW-11N	7/17/2018	10	10	ND	ug/L
Acenaphthene	MW-11N	7/6/2021	10	10	ND	ug/L
Acenaphthene	MW-15	7/10/2018	10	10	ND	ug/L
Acenaphthene	MW-15	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-16	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-17	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acenaphthene	MW-19	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-1N	10/14/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-1N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-1N	2/5/2009	10	10	ND	ug/L
Acenaphthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acenaphthene	MW-1N	7/6/2020	1	1	ND	ug/L
Acenaphthene	MW-1N	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-20	7/4/2021	10	10	ND	ug/L
Acenaphthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acenaphthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-21	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-21	7/8/2020	1	1	ND	ug/L
Acenaphthene	MW-21	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-2N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-2N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthene	MW-2N	7/12/2018	10	10	ND	ug/L
Acenaphthene	MW-2N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-3N	10/25/2006	10	10	ND	ug/L
Acenaphthene	MW-3N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acenaphthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acenaphthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acenaphthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthene	MW-3N	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-3N	7/7/2020	1	1	ND	ug/L
Acenaphthene	MW-3N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-7N	10/15/1998	10	10	ND	ug/L
Acenaphthene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-7N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-7N	2/6/2009	10	10	ND	ug/L
Acenaphthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acenaphthene	MW-7N	7/13/2018	10	10	ND	ug/L
Acenaphthene	MW-7N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthene	MW-8N	10/24/2006	10	10	ND	ug/L
Acenaphthene	MW-8N	1/24/2008	10	10	ND	ug/L
Acenaphthene	MW-8N	2/4/2009	10	10	ND	ug/L
Acenaphthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Acenaphthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acenaphthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acenaphthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthene	MW-8N	7/11/2019	10	10	ND	ug/L
Acenaphthene	MW-8N	7/9/2020	1	1	ND	ug/L
Acenaphthene	MW-8N	7/5/2021	10	10	ND	ug/L
Acenaphthene	MW-8N	10/5/2023	10	10	ND	ug/L
Acenaphthene	NE-1	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-1	2/7/2009	10	10	ND	ug/L
Acenaphthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acenaphthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acenaphthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthene	NE-4	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-4	2/7/2009	10	10	ND	ug/L
Acenaphthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acenaphthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acenaphthene	NE-4	7/12/2018	10	10	ND	ug/L
Acenaphthene	NE-5	10/25/2006	10	10	ND	ug/L
Acenaphthene	NE-5	2/6/2009	10	10	ND	ug/L
Acenaphthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acenaphthene	NE-5	7/9/2019	10	10	ND	ug/L
Acenaphthylene	LGW-10	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-10	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-10	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-10	10/5/2023	10	10	ND	ug/L
Acenaphthylene	LGW-14R	10/27/2006	10	10	ND	ug/L
Acenaphthylene	LGW-14R	2/6/2009	10	10	ND	ug/L
Acenaphthylene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-14R	7/17/2018	10	10	ND	ug/L
Acenaphthylene	LGW-14R	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-2	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-2	2/13/2009	10	10	ND	ug/L
Acenaphthylene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-2	2/13/2015	13	13	ND	ug/L
Acenaphthylene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-2	7/8/2020	1	1	ND	ug/L
Acenaphthylene	LGW-2	7/4/2021	10	10	ND	ug/L
Acenaphthylene	LGW-3R	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-3R	2/3/2009	10	10	ND	ug/L
Acenaphthylene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-3R	7/11/2018	10	10	ND	ug/L
Acenaphthylene	LGW-3R	7/6/2021	10	10	ND	ug/L
Acenaphthylene	LGW-4	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-4	2/3/2009	10	10	ND	ug/L
Acenaphthylene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-4	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-5	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-5	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-5	7/12/2018	10	10	ND	ug/L
Acenaphthylene	LGW-5	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-5	10/5/2023	10	10	ND	ug/L
Acenaphthylene	LGW-6	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-6	2/5/2009	10	10	ND	ug/L
Acenaphthylene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-6	2/10/2015	10	10	ND	ug/L
Acenaphthylene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acenaphthylene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acenaphthylene	LGW-6	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-6	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-6	10/5/2023	10	10	ND	ug/L
Acenaphthylene	LGW-7	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-7	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-7	7/12/2018	10	10	ND	ug/L
Acenaphthylene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-7	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-7	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-8R	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-8R	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acenaphthylene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-8R	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-9	10/26/2006	10	10	ND	ug/L
Acenaphthylene	LGW-9	2/4/2009	10	10	ND	ug/L
Acenaphthylene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acenaphthylene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthylene	LGW-9	7/10/2019	10	10	ND	ug/L
Acenaphthylene	LGW-9	7/9/2020	1	1	ND	ug/L
Acenaphthylene	LGW-9	7/7/2021	10	10	ND	ug/L
Acenaphthylene	LGW-9	10/5/2023	10	10	ND	ug/L
Acenaphthylene	MW-10N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-10N	2/13/2009	10	10	ND	ug/L
Acenaphthylene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acenaphthylene	MW-10N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-11N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-11N	2/3/2009	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-11N	2/10/2015	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/17/2018	10	10	ND	ug/L
Acenaphthylene	MW-11N	7/6/2021	10	10	ND	ug/L
Acenaphthylene	MW-15	7/10/2018	10	10	ND	ug/L
Acenaphthylene	MW-15	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-16	7/11/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	MW-16	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-17	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acenaphthylene	MW-19	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-1N	10/14/1998	10	10	ND	ug/L
Acenaphthylene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-1N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-1N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-1N	2/5/2009	10	10	ND	ug/L
Acenaphthylene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acenaphthylene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acenaphthylene	MW-1N	7/6/2020	1	1	ND	ug/L
Acenaphthylene	MW-1N	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-20	7/4/2021	10	10	ND	ug/L
Acenaphthylene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acenaphthylene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-21	7/11/2019	10	10	ND	ug/L
Acenaphthylene	MW-21	7/8/2020	1	1	ND	ug/L
Acenaphthylene	MW-21	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-2N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-2N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acenaphthylene	MW-2N	7/12/2018	10	10	ND	ug/L
Acenaphthylene	MW-2N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-3N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-3N	10/25/2006	10	10	ND	ug/L
Acenaphthylene	MW-3N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acenaphthylene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acenaphthylene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acenaphthylene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acenaphthylene	MW-3N	7/11/2019	10	10	ND	ug/L
Acenaphthylene	MW-3N	7/7/2020	1	1	ND	ug/L
Acenaphthylene	MW-3N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-7N	10/15/1998	10	10	ND	ug/L
Acenaphthylene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-7N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-7N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-7N	2/6/2009	10	10	ND	ug/L
Acenaphthylene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acenaphthylene	MW-7N	7/13/2018	10	10	ND	ug/L
Acenaphthylene	MW-7N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/29/2002	10	10	ND	ug/L
Acenaphthylene	MW-8N	10/24/2006	10	10	ND	ug/L
Acenaphthylene	MW-8N	1/24/2008	10	10	ND	ug/L
Acenaphthylene	MW-8N	2/4/2009	10	10	ND	ug/L
Acenaphthylene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acenaphthylene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acenaphthylene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acenaphthylene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acenaphthylene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acenaphthylene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Acenaphthylene	MW-8N	7/11/2019	10	10	ND	ug/L
Acenaphthylene	MW-8N	7/9/2020	1	1	ND	ug/L
Acenaphthylene	MW-8N	7/5/2021	10	10	ND	ug/L
Acenaphthylene	MW-8N	10/5/2023	10	10	ND	ug/L
Acenaphthylene	NE-1	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-1	2/7/2009	10	10	ND	ug/L
Acenaphthylene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acenaphthylene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acenaphthylene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acenaphthylene	NE-4	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-4	2/7/2009	10	10	ND	ug/L
Acenaphthylene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acenaphthylene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acenaphthylene	NE-4	7/12/2018	10	10	ND	ug/L
Acenaphthylene	NE-5	10/25/2006	10	10	ND	ug/L
Acenaphthylene	NE-5	2/6/2009	10	10	ND	ug/L
Acenaphthylene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acenaphthylene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acenaphthylene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acenaphthylene	NE-5	7/9/2019	10	10	ND	ug/L
Acetone	LGW-10	1/26/2006	5	5	ND	ug/L
Acetone	LGW-10	8/1/2006	5	5	ND	ug/L
Acetone	LGW-10	8/1/2006	5	5	ND	ug/L
Acetone	LGW-10	10/26/2006	5	5	ND	ug/L
Acetone	LGW-10	1/25/2007	5	5	ND	ug/L
Acetone	LGW-10	4/26/2007	5	5	ND	ug/L
Acetone	LGW-10	7/12/2007	5	5	ND	ug/L
Acetone	LGW-10	1/23/2008	5	5	ND	ug/L
Acetone	LGW-10	7/22/2008	5	5	ND	ug/L
Acetone	LGW-10	7/29/2009	5	5	ND	ug/L
Acetone	LGW-10	2/3/2010	5	5	ND	ug/L
Acetone	LGW-10	2/3/2010	5	5	ND	ug/L
Acetone	LGW-10	7/16/2010	5	5	ND	ug/L
Acetone	LGW-10	1/19/2011	5	5	ND	ug/L
Acetone	LGW-10	7/12/2011	5	5	ND	ug/L
Acetone	LGW-10	1/5/2012	5	5	ND	ug/L
Acetone	LGW-10	7/9/2012	5	5	ND	ug/L
Acetone	LGW-10	5/1/2013	5	5	ND	ug/L
Acetone	LGW-10	1/30/2014	7.5	5		ug/L
Acetone	LGW-10	7/9/2014	6.3	5		ug/L
Acetone	LGW-10	2/12/2015	5	5	ND	ug/L
Acetone	LGW-10	7/13/2015	5.4	5		ug/L
Acetone	LGW-10	1/5/2016	4.7	5	ND	ug/L
Acetone	LGW-10	4/6/2016	5	5	ND	ug/L
Acetone	LGW-10	7/21/2016	9.8	5		ug/L
Acetone	LGW-10	10/6/2016	3.9	5	ND	ug/L
Acetone	LGW-10	1/11/2017	5.3	5		ug/L
Acetone	LGW-10	4/4/2017	8	5		ug/L
Acetone	LGW-10	7/19/2017	4	5	ND	ug/L
Acetone	LGW-10	10/9/2017	5.1	5		ug/L
Acetone	LGW-10	1/24/2018	9.2	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-10	4/11/2018	28	5		ug/L
Acetone	LGW-10	7/16/2018	6.9	5		ug/L
Acetone	LGW-10	10/4/2018	11	10		ug/L
Acetone	LGW-10	1/4/2019	10	10	ND	ug/L
Acetone	LGW-10	4/3/2019	10	10	ND	ug/L
Acetone	LGW-10	7/11/2019	10	10	ND	ug/L
Acetone	LGW-10	10/2/2019	4.1	10	ND	ug/L
Acetone	LGW-10	1/15/2020	10	10	ND	ug/L
Acetone	LGW-10	4/2/2020	10	10	ND	ug/L
Acetone	LGW-10	7/9/2020	5	5	ND	ug/L
Acetone	LGW-10	10/7/2020	11.3	11.3	ND	ug/L
Acetone	LGW-10	1/17/2021	10	10	ND	ug/L
Acetone	LGW-10	4/6/2021	10	10	ND	ug/L
Acetone	LGW-10	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-10	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-10	1/13/2022	10	10	ND	ug/L
Acetone	LGW-10	4/4/2022	10	10	ND	ug/L
Acetone	LGW-10	7/11/2022	10	10	ND	ug/L
Acetone	LGW-10	10/7/2022	10	10	ND	ug/L
Acetone	LGW-10	1/11/2023	10	10	ND	ug/L
Acetone	LGW-10	4/5/2023	10	10	ND	ug/L
Acetone	LGW-10	7/10/2023	10	10	ND	ug/L
Acetone	LGW-10	10/5/2023	11.3	11.3	ND	ug/L
Acetone	LGW-14R	1/25/2006	5	5	ND	ug/L
Acetone	LGW-14R	8/2/2006	5.5	5		ug/L
Acetone	LGW-14R	8/2/2006	5.5	5		ug/L
Acetone	LGW-14R	10/27/2006	5	5	ND	ug/L
Acetone	LGW-14R	1/24/2007	5	5	ND	ug/L
Acetone	LGW-14R	4/24/2007	5	5	ND	ug/L
Acetone	LGW-14R	7/11/2007	5.8	5		ug/L
Acetone	LGW-14R	1/23/2008	5	5	ND	ug/L
Acetone	LGW-14R	7/22/2008	5	5	ND	ug/L
Acetone	LGW-14R	2/6/2009	2.6	5	ND	ug/L
Acetone	LGW-14R	7/29/2009	5	5	ND	ug/L
Acetone	LGW-14R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-14R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-14R	7/12/2010	5	5	ND	ug/L
Acetone	LGW-14R	1/19/2011	5	5	ND	ug/L
Acetone	LGW-14R	7/12/2011	5	5	ND	ug/L
Acetone	LGW-14R	1/5/2012	5	5	ND	ug/L
Acetone	LGW-14R	7/9/2012	5.1	5		ug/L
Acetone	LGW-14R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-14R	1/23/2014	5	5	ND	ug/L
Acetone	LGW-14R	7/8/2014	3.1	5	ND	ug/L
Acetone	LGW-14R	2/11/2015	5	5	ND	ug/L
Acetone	LGW-14R	7/22/2015	5	5	ND	ug/L
Acetone	LGW-14R	1/5/2016	5	5	ND	ug/L
Acetone	LGW-14R	7/19/2016	5	5	ND	ug/L
Acetone	LGW-14R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-14R	7/18/2017	3.1	5	ND	ug/L
Acetone	LGW-14R	1/25/2018	8.4	5		ug/L
Acetone	LGW-14R	6/21/2018	15	5		ug/L
Acetone	LGW-14R	7/17/2018	29	5		ug/L
Acetone	LGW-14R	1/3/2019	10	10	ND	ug/L
Acetone	LGW-14R	7/10/2019	10	10	ND	ug/L
Acetone	LGW-14R	1/16/2020	10	10	ND	ug/L
Acetone	LGW-14R	7/9/2020	10	10	ND	ug/L
Acetone	LGW-14R	1/18/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-14R	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-14R	1/12/2022	10	10	ND	ug/L
Acetone	LGW-14R	7/11/2022	10	10	ND	ug/L
Acetone	LGW-14R	1/10/2023	10	10	ND	ug/L
Acetone	LGW-14R	7/10/2023	10	10	ND	ug/L
Acetone	LGW-2	1/25/2006	5	5	ND	ug/L
Acetone	LGW-2	8/1/2006	5	5	ND	ug/L
Acetone	LGW-2	8/1/2006	5	5	ND	ug/L
Acetone	LGW-2	10/26/2006	5	5	ND	ug/L
Acetone	LGW-2	1/25/2007	5	5	ND	ug/L
Acetone	LGW-2	4/26/2007	5	5	ND	ug/L
Acetone	LGW-2	7/10/2007	5	5	ND	ug/L
Acetone	LGW-2	1/26/2008	5	5	ND	ug/L
Acetone	LGW-2	7/23/2008	5	5	ND	ug/L
Acetone	LGW-2	2/6/2009	2.4	5	ND	ug/L
Acetone	LGW-2	7/30/2009	6.9	5		ug/L
Acetone	LGW-2	2/3/2010	5	5	ND	ug/L
Acetone	LGW-2	2/3/2010	5	5	ND	ug/L
Acetone	LGW-2	7/12/2010	5	5	ND	ug/L
Acetone	LGW-2	1/19/2011	5	5	ND	ug/L
Acetone	LGW-2	7/13/2011	5	5	ND	ug/L
Acetone	LGW-2	1/4/2012	5	5	ND	ug/L
Acetone	LGW-2	7/9/2012	5	5	ND	ug/L
Acetone	LGW-2	4/30/2013	5	5	ND	ug/L
Acetone	LGW-2	7/15/2013	5	5	ND	ug/L
Acetone	LGW-2	1/30/2014	2.8	5	ND	ug/L
Acetone	LGW-2	7/8/2014	5	5	ND	ug/L
Acetone	LGW-2	2/13/2015	4.3	5	ND	ug/L
Acetone	LGW-2	7/8/2015	5	5	ND	ug/L
Acetone	LGW-2	1/5/2016	5	5	ND	ug/L
Acetone	LGW-2	7/19/2016	5	5	ND	ug/L
Acetone	LGW-2	1/11/2017	5	5	ND	ug/L
Acetone	LGW-2	7/18/2017	21	5		ug/L
Acetone	LGW-2	1/23/2018	5	5	ND	ug/L
Acetone	LGW-2	7/12/2018	17	5		ug/L
Acetone	LGW-2	1/3/2019	10	10	ND	ug/L
Acetone	LGW-2	7/9/2019	6.4	10	ND	ug/L
Acetone	LGW-2	1/13/2020	13.1	10		ug/L
Acetone	LGW-2	4/1/2020	11.3	10		ug/L
Acetone	LGW-2	7/8/2020	6.44	5		ug/L
Acetone	LGW-2	1/18/2021	10	10	ND	ug/L
Acetone	LGW-2	7/4/2021	11.3	11.3	ND	ug/L
Acetone	LGW-2	1/12/2022	10	10	ND	ug/L
Acetone	LGW-2	7/10/2022	11	10		ug/L
Acetone	LGW-2	1/10/2023	10	10	ND	ug/L
Acetone	LGW-2	7/10/2023	10	10	ND	ug/L
Acetone	LGW-3R	1/24/2006	5	5	ND	ug/L
Acetone	LGW-3R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-3R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-3R	10/26/2006	5	5	ND	ug/L
Acetone	LGW-3R	1/25/2007	5	5	ND	ug/L
Acetone	LGW-3R	4/26/2007	5	5	ND	ug/L
Acetone	LGW-3R	7/11/2007	5	5	ND	ug/L
Acetone	LGW-3R	1/26/2008	5	5	ND	ug/L
Acetone	LGW-3R	7/23/2008	5	5	ND	ug/L
Acetone	LGW-3R	2/3/2009	5	5	ND	ug/L
Acetone	LGW-3R	7/31/2009	5	5	ND	ug/L
Acetone	LGW-3R	2/3/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-3R	2/3/2010	5	5	ND	ug/L
Acetone	LGW-3R	7/16/2010	5	5	ND	ug/L
Acetone	LGW-3R	1/19/2011	5	5	ND	ug/L
Acetone	LGW-3R	7/13/2011	5	5	ND	ug/L
Acetone	LGW-3R	1/4/2012	5	5	ND	ug/L
Acetone	LGW-3R	7/9/2012	5.7	5	ND	ug/L
Acetone	LGW-3R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-3R	7/15/2013	5	5	ND	ug/L
Acetone	LGW-3R	1/22/2014	5	5	ND	ug/L
Acetone	LGW-3R	7/8/2014	7.8	5	ND	ug/L
Acetone	LGW-3R	2/10/2015	5	5	ND	ug/L
Acetone	LGW-3R	7/16/2015	7	5		ug/L
Acetone	LGW-3R	1/8/2016	5	5	ND	ug/L
Acetone	LGW-3R	7/21/2016	5	5	ND	ug/L
Acetone	LGW-3R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-3R	7/18/2017	5	5	ND	ug/L
Acetone	LGW-3R	1/23/2018	5	5	ND	ug/L
Acetone	LGW-3R	7/11/2018	6.2	5		ug/L
Acetone	LGW-3R	1/3/2019	10	10	ND	ug/L
Acetone	LGW-3R	7/9/2019	10	10	ND	ug/L
Acetone	LGW-3R	1/14/2020	10	10	ND	ug/L
Acetone	LGW-3R	7/6/2020	10	10	ND	ug/L
Acetone	LGW-3R	1/18/2021	10	10	ND	ug/L
Acetone	LGW-3R	7/6/2021	11.3	11.3	ND	ug/L
Acetone	LGW-3R	1/12/2022	10	10	ND	ug/L
Acetone	LGW-3R	7/10/2022	10	10	ND	ug/L
Acetone	LGW-3R	1/10/2023	10	10	ND	ug/L
Acetone	LGW-3R	7/10/2023	10	10	ND	ug/L
Acetone	LGW-4	1/24/2006	5	5	ND	ug/L
Acetone	LGW-4	7/20/2006	5	5	ND	ug/L
Acetone	LGW-4	7/20/2006	5	5	ND	ug/L
Acetone	LGW-4	10/26/2006	5	5	ND	ug/L
Acetone	LGW-4	1/25/2007	5	5	ND	ug/L
Acetone	LGW-4	4/26/2007	5	5	ND	ug/L
Acetone	LGW-4	7/11/2007	5	5	ND	ug/L
Acetone	LGW-4	1/22/2008	5	5	ND	ug/L
Acetone	LGW-4	7/23/2008	5	5	ND	ug/L
Acetone	LGW-4	2/3/2009	5	5	ND	ug/L
Acetone	LGW-4	7/31/2009	5	5	ND	ug/L
Acetone	LGW-4	2/3/2010	5	5	ND	ug/L
Acetone	LGW-4	2/3/2010	5	5	ND	ug/L
Acetone	LGW-4	7/16/2010	5	5	ND	ug/L
Acetone	LGW-4	1/19/2011	5	5	ND	ug/L
Acetone	LGW-4	7/13/2011	5	5	ND	ug/L
Acetone	LGW-4	1/4/2012	5	5	ND	ug/L
Acetone	LGW-4	7/9/2012	4.5	5	ND	ug/L
Acetone	LGW-4	4/30/2013	5	5	ND	ug/L
Acetone	LGW-4	7/15/2013	5	5	ND	ug/L
Acetone	LGW-4	1/23/2014	5	5	ND	ug/L
Acetone	LGW-4	7/8/2014	5	5	ND	ug/L
Acetone	LGW-4	2/11/2015	5	5	ND	ug/L
Acetone	LGW-4	7/8/2015	5	5	ND	ug/L
Acetone	LGW-4	1/5/2016	5	5	ND	ug/L
Acetone	LGW-4	7/19/2016	5	5	ND	ug/L
Acetone	LGW-4	1/11/2017	5	5	ND	ug/L
Acetone	LGW-4	7/18/2017	5	5	ND	ug/L
Acetone	LGW-4	1/23/2018	5	5	ND	ug/L
Acetone	LGW-4	7/11/2018	3.8	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-4	1/3/2019	10	10	ND	ug/L
Acetone	LGW-4	7/9/2019	10	10	ND	ug/L
Acetone	LGW-4	1/14/2020	10	10	ND	ug/L
Acetone	LGW-4	7/6/2020	10	10	ND	ug/L
Acetone	LGW-4	1/18/2021	10	10	ND	ug/L
Acetone	LGW-4	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-4	1/12/2022	10	10	ND	ug/L
Acetone	LGW-4	7/11/2022	10	10	ND	ug/L
Acetone	LGW-4	1/10/2023	10	10	ND	ug/L
Acetone	LGW-4	7/10/2023	10	10	ND	ug/L
Acetone	LGW-5	1/25/2006	5	5	ND	ug/L
Acetone	LGW-5	8/1/2006	5	5	ND	ug/L
Acetone	LGW-5	8/1/2006	5	5	ND	ug/L
Acetone	LGW-5	10/26/2006	5	5	ND	ug/L
Acetone	LGW-5	1/25/2007	5	5	ND	ug/L
Acetone	LGW-5	4/26/2007	5	5	ND	ug/L
Acetone	LGW-5	7/11/2007	5	5	ND	ug/L
Acetone	LGW-5	1/23/2008	5	5	ND	ug/L
Acetone	LGW-5	7/23/2008	5	5	ND	ug/L
Acetone	LGW-5	2/4/2009	5	5	ND	ug/L
Acetone	LGW-5	7/29/2009	5	5	ND	ug/L
Acetone	LGW-5	2/3/2010	5	5	ND	ug/L
Acetone	LGW-5	2/3/2010	5	5	ND	ug/L
Acetone	LGW-5	7/12/2010	5	5	ND	ug/L
Acetone	LGW-5	1/19/2011	1.9	5	ND	ug/L
Acetone	LGW-5	7/12/2011	5	5	ND	ug/L
Acetone	LGW-5	1/5/2012	5	5	ND	ug/L
Acetone	LGW-5	7/9/2012	5	5	ND	ug/L
Acetone	LGW-5	4/30/2013	5	5	ND	ug/L
Acetone	LGW-5	7/15/2013	5	5	ND	ug/L
Acetone	LGW-5	1/23/2014	5	5	ND	ug/L
Acetone	LGW-5	7/8/2014	4.5	5	ND	ug/L
Acetone	LGW-5	2/10/2015	5	5	ND	ug/L
Acetone	LGW-5	7/8/2015	5	5	ND	ug/L
Acetone	LGW-5	1/5/2016	5	5	ND	ug/L
Acetone	LGW-5	7/19/2016	5	5	ND	ug/L
Acetone	LGW-5	1/11/2017	5	5	ND	ug/L
Acetone	LGW-5	7/18/2017	4.8	5	ND	ug/L
Acetone	LGW-5	1/23/2018	5	5	ND	ug/L
Acetone	LGW-5	7/12/2018	2	5	ND	ug/L
Acetone	LGW-5	1/3/2019	10	10	ND	ug/L
Acetone	LGW-5	7/9/2019	10	10	ND	ug/L
Acetone	LGW-5	1/14/2020	10	10	ND	ug/L
Acetone	LGW-5	7/6/2020	10	10	ND	ug/L
Acetone	LGW-5	1/18/2021	10	10	ND	ug/L
Acetone	LGW-5	4/6/2021	10	10	ND	ug/L
Acetone	LGW-5	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-5	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-5	1/12/2022	10	10	ND	ug/L
Acetone	LGW-5	4/4/2022	10	10	ND	ug/L
Acetone	LGW-5	7/11/2022	10	10	ND	ug/L
Acetone	LGW-5	10/6/2022	10	10	ND	ug/L
Acetone	LGW-5	1/10/2023	10	10	ND	ug/L
Acetone	LGW-5	7/10/2023	10	10	ND	ug/L
Acetone	LGW-5	10/5/2023	11.3	11.3	ND	ug/L
Acetone	LGW-6	1/24/2006	5	5	ND	ug/L
Acetone	LGW-6	7/20/2006	5	5	ND	ug/L
Acetone	LGW-6	7/20/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-6	10/26/2006	5	5	ND	ug/L
Acetone	LGW-6	1/24/2007	5	5	ND	ug/L
Acetone	LGW-6	4/26/2007	5	5	ND	ug/L
Acetone	LGW-6	7/11/2007	5	5	ND	ug/L
Acetone	LGW-6	1/23/2008	5	5	ND	ug/L
Acetone	LGW-6	7/23/2008	5	5	ND	ug/L
Acetone	LGW-6	2/5/2009	5	5	ND	ug/L
Acetone	LGW-6	7/29/2009	5	5	ND	ug/L
Acetone	LGW-6	2/3/2010	5	5	ND	ug/L
Acetone	LGW-6	2/3/2010	5	5	ND	ug/L
Acetone	LGW-6	7/12/2010	5	5	ND	ug/L
Acetone	LGW-6	1/19/2011	5	5	ND	ug/L
Acetone	LGW-6	7/12/2011	5	5	ND	ug/L
Acetone	LGW-6	1/5/2012	5	5	ND	ug/L
Acetone	LGW-6	7/9/2012	5.1	5		ug/L
Acetone	LGW-6	4/30/2013	5	5	ND	ug/L
Acetone	LGW-6	7/15/2013	5	5	ND	ug/L
Acetone	LGW-6	1/23/2014	5	5	ND	ug/L
Acetone	LGW-6	7/8/2014	3.1	5	ND	ug/L
Acetone	LGW-6	2/10/2015	5	5	ND	ug/L
Acetone	LGW-6	7/22/2015	5	5	ND	ug/L
Acetone	LGW-6	1/5/2016	5	5	ND	ug/L
Acetone	LGW-6	7/19/2016	5	5	ND	ug/L
Acetone	LGW-6	10/6/2016	2.1	5	ND	ug/L
Acetone	LGW-6	1/11/2017	5	5	ND	ug/L
Acetone	LGW-6	5/5/2017	5	5	ND	ug/L
Acetone	LGW-6	7/18/2017	5	5	ND	ug/L
Acetone	LGW-6	10/5/2017	5	5	ND	ug/L
Acetone	LGW-6	1/23/2018	5	5	ND	ug/L
Acetone	LGW-6	4/10/2018	5	5	ND	ug/L
Acetone	LGW-6	7/17/2018	5	5	ND	ug/L
Acetone	LGW-6	10/2/2018	4.7	10	ND	ug/L
Acetone	LGW-6	1/7/2019	10	10	ND	ug/L
Acetone	LGW-6	4/3/2019	10	10	ND	ug/L
Acetone	LGW-6	7/10/2019	10	10	ND	ug/L
Acetone	LGW-6	10/3/2019	10	10	ND	ug/L
Acetone	LGW-6	1/16/2020	10	10	ND	ug/L
Acetone	LGW-6	4/2/2020	10	10	ND	ug/L
Acetone	LGW-6	7/9/2020	5	5	ND	ug/L
Acetone	LGW-6	10/6/2020	11.3	11.3	ND	ug/L
Acetone	LGW-6	1/18/2021	10	10	ND	ug/L
Acetone	LGW-6	4/6/2021	10	10	ND	ug/L
Acetone	LGW-6	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-6	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-6	1/12/2022	10	10	ND	ug/L
Acetone	LGW-6	4/4/2022	10	10	ND	ug/L
Acetone	LGW-6	7/11/2022	10	10	ND	ug/L
Acetone	LGW-6	10/6/2022	10	10	ND	ug/L
Acetone	LGW-6	1/10/2023	10	10	ND	ug/L
Acetone	LGW-6	4/6/2023	10	10	ND	ug/L
Acetone	LGW-6	7/10/2023	10	10	ND	ug/L
Acetone	LGW-6	10/5/2023	11.3	11.3	ND	ug/L
Acetone	LGW-7	1/25/2006	5	5	ND	ug/L
Acetone	LGW-7	8/1/2006	5	5	ND	ug/L
Acetone	LGW-7	8/1/2006	5	5	ND	ug/L
Acetone	LGW-7	10/26/2006	5	5	ND	ug/L
Acetone	LGW-7	1/24/2007	5	5	ND	ug/L
Acetone	LGW-7	4/26/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-7	7/12/2007	5	5	ND	ug/L
Acetone	LGW-7	7/22/2008	5	5	ND	ug/L
Acetone	LGW-7	2/4/2009	5	5	ND	ug/L
Acetone	LGW-7	7/31/2009	5	5	ND	ug/L
Acetone	LGW-7	1/27/2010	5	5	ND	ug/L
Acetone	LGW-7	7/12/2010	5	5	ND	ug/L
Acetone	LGW-7	1/20/2011	5	5	ND	ug/L
Acetone	LGW-7	7/12/2011	5	5	ND	ug/L
Acetone	LGW-7	1/5/2012	5	5	ND	ug/L
Acetone	LGW-7	7/10/2012	5	5	ND	ug/L
Acetone	LGW-7	4/30/2013	5	5	ND	ug/L
Acetone	LGW-7	7/15/2013	5	5	ND	ug/L
Acetone	LGW-7	1/23/2014	5	5	ND	ug/L
Acetone	LGW-7	7/8/2014	5	5	ND	ug/L
Acetone	LGW-7	2/11/2015	5	5	ND	ug/L
Acetone	LGW-7	7/22/2015	5	5	ND	ug/L
Acetone	LGW-7	1/5/2016	5	5	ND	ug/L
Acetone	LGW-7	4/6/2016	5	5	ND	ug/L
Acetone	LGW-7	7/20/2016	5	5	ND	ug/L
Acetone	LGW-7	10/6/2016	3.7	5	ND	ug/L
Acetone	LGW-7	1/11/2017	5	5	ND	ug/L
Acetone	LGW-7	4/4/2017	3.2	5	ND	ug/L
Acetone	LGW-7	7/18/2017	5	5	ND	ug/L
Acetone	LGW-7	10/5/2017	5	5	ND	ug/L
Acetone	LGW-7	1/24/2018	5	5	ND	ug/L
Acetone	LGW-7	4/11/2018	1.9	5	ND	ug/L
Acetone	LGW-7	7/12/2018	7.6	5		ug/L
Acetone	LGW-7	10/2/2018	11	10		ug/L
Acetone	LGW-7	1/7/2019	10	10	ND	ug/L
Acetone	LGW-7	4/3/2019	5.5	10	ND	ug/L
Acetone	LGW-7	7/10/2019	10	10	ND	ug/L
Acetone	LGW-7	10/3/2019	4.6	10	ND	ug/L
Acetone	LGW-7	1/15/2020	10	10	ND	ug/L
Acetone	LGW-7	7/9/2020	5	5	ND	ug/L
Acetone	LGW-7	1/18/2021	10	10	ND	ug/L
Acetone	LGW-7	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-7	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-7	1/13/2022	10	10	ND	ug/L
Acetone	LGW-7	7/11/2022	11	10		ug/L
Acetone	LGW-7	1/11/2023	10	10	ND	ug/L
Acetone	LGW-7	7/10/2023	10	10	ND	ug/L
Acetone	LGW-8R	1/24/2006	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2006	5	5	ND	ug/L
Acetone	LGW-8R	10/26/2006	5	5	ND	ug/L
Acetone	LGW-8R	1/24/2007	5	5	ND	ug/L
Acetone	LGW-8R	4/25/2007	5	5	ND	ug/L
Acetone	LGW-8R	7/12/2007	5	5	ND	ug/L
Acetone	LGW-8R	2/4/2009	5	5	ND	ug/L
Acetone	LGW-8R	7/29/2009	5	5	ND	ug/L
Acetone	LGW-8R	1/27/2010	5	5	ND	ug/L
Acetone	LGW-8R	7/14/2010	5	5	ND	ug/L
Acetone	LGW-8R	1/20/2011	5	5	ND	ug/L
Acetone	LGW-8R	7/12/2011	5	5	ND	ug/L
Acetone	LGW-8R	1/5/2012	5	5	ND	ug/L
Acetone	LGW-8R	7/9/2012	4.5	5	ND	ug/L
Acetone	LGW-8R	4/30/2013	5	5	ND	ug/L
Acetone	LGW-8R	7/15/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-8R	1/22/2014	5	5	ND	ug/L
Acetone	LGW-8R	7/8/2014	5	5	ND	ug/L
Acetone	LGW-8R	2/11/2015	5	5	ND	ug/L
Acetone	LGW-8R	7/22/2015	5	5	ND	ug/L
Acetone	LGW-8R	1/5/2016	5	5	ND	ug/L
Acetone	LGW-8R	7/20/2016	5	5	ND	ug/L
Acetone	LGW-8R	1/11/2017	5	5	ND	ug/L
Acetone	LGW-8R	7/18/2017	7.2	5		ug/L
Acetone	LGW-8R	1/25/2018	6.9	5		ug/L
Acetone	LGW-8R	7/13/2018	6	5		ug/L
Acetone	LGW-8R	1/7/2019	10	10	ND	ug/L
Acetone	LGW-8R	7/8/2019	10	10	ND	ug/L
Acetone	LGW-8R	1/14/2020	10	10	ND	ug/L
Acetone	LGW-8R	7/7/2020	10	10	ND	ug/L
Acetone	LGW-8R	1/17/2021	10	10	ND	ug/L
Acetone	LGW-8R	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-8R	1/13/2022	10	10	ND	ug/L
Acetone	LGW-8R	7/11/2022	10	10	ND	ug/L
Acetone	LGW-8R	1/11/2023	10	10	ND	ug/L
Acetone	LGW-8R	7/10/2023	10	10	ND	ug/L
Acetone	LGW-9	1/25/2006	5	5	ND	ug/L
Acetone	LGW-9	7/20/2006	5	5	ND	ug/L
Acetone	LGW-9	7/20/2006	5	5	ND	ug/L
Acetone	LGW-9	10/26/2006	5	5	ND	ug/L
Acetone	LGW-9	1/25/2007	5	5	ND	ug/L
Acetone	LGW-9	4/25/2007	5	5	ND	ug/L
Acetone	LGW-9	7/10/2007	5	5	ND	ug/L
Acetone	LGW-9	7/22/2008	5	5	ND	ug/L
Acetone	LGW-9	2/4/2009	5	5	ND	ug/L
Acetone	LGW-9	7/29/2009	5	5	ND	ug/L
Acetone	LGW-9	1/27/2010	5	5	ND	ug/L
Acetone	LGW-9	7/14/2010	5	5	ND	ug/L
Acetone	LGW-9	1/20/2011	5	5	ND	ug/L
Acetone	LGW-9	7/12/2011	5	5	ND	ug/L
Acetone	LGW-9	1/5/2012	5	5	ND	ug/L
Acetone	LGW-9	7/10/2012	5	5	ND	ug/L
Acetone	LGW-9	5/1/2013	5	5	ND	ug/L
Acetone	LGW-9	7/15/2013	5	5	ND	ug/L
Acetone	LGW-9	1/23/2014	5	5	ND	ug/L
Acetone	LGW-9	7/8/2014	5	5	ND	ug/L
Acetone	LGW-9	2/11/2015	5	5	ND	ug/L
Acetone	LGW-9	7/13/2015	5	5	ND	ug/L
Acetone	LGW-9	1/5/2016	5	5	ND	ug/L
Acetone	LGW-9	7/21/2016	4.4	5	ND	ug/L
Acetone	LGW-9	10/6/2016	2	5	ND	ug/L
Acetone	LGW-9	1/11/2017	5	5	ND	ug/L
Acetone	LGW-9	5/5/2017	5	5	ND	ug/L
Acetone	LGW-9	7/18/2017	5	5		ug/L
Acetone	LGW-9	10/5/2017	4.5	5	ND	ug/L
Acetone	LGW-9	1/24/2018	5	5	ND	ug/L
Acetone	LGW-9	4/11/2018	12	5		ug/L
Acetone	LGW-9	7/13/2018	7.7	5		ug/L
Acetone	LGW-9	10/2/2018	14	10		ug/L
Acetone	LGW-9	1/7/2019	10	10	ND	ug/L
Acetone	LGW-9	4/3/2019	10	10	ND	ug/L
Acetone	LGW-9	7/10/2019	10	10	ND	ug/L
Acetone	LGW-9	10/3/2019	10	10	ND	ug/L
Acetone	LGW-9	1/16/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	LGW-9	4/2/2020	10	10	ND	ug/L
Acetone	LGW-9	7/9/2020	5	5	ND	ug/L
Acetone	LGW-9	10/7/2020	11.3	11.3	ND	ug/L
Acetone	LGW-9	1/17/2021	10	10	ND	ug/L
Acetone	LGW-9	4/6/2021	10	10	ND	ug/L
Acetone	LGW-9	7/7/2021	11.3	11.3	ND	ug/L
Acetone	LGW-9	10/5/2021	11.3	11.3	ND	ug/L
Acetone	LGW-9	1/13/2022	10	10	ND	ug/L
Acetone	LGW-9	4/4/2022	10	10	ND	ug/L
Acetone	LGW-9	7/11/2022	10	10	ND	ug/L
Acetone	LGW-9	10/7/2022	10	10	ND	ug/L
Acetone	LGW-9	1/11/2023	10	10	ND	ug/L
Acetone	LGW-9	4/5/2023	10	10	ND	ug/L
Acetone	LGW-9	7/10/2023	10	10	ND	ug/L
Acetone	LGW-9	10/5/2023	11.3	11.3	ND	ug/L
Acetone	MW-10N	10/22/1997	19	19	ND	ug/L
Acetone	MW-10N	1/22/1998	32	19		ug/L
Acetone	MW-10N	4/28/1998	38	38	ND	ug/L
Acetone	MW-10N	7/23/1998	19	19	ND	ug/L
Acetone	MW-10N	1/14/1999	19	19	ND	ug/L
Acetone	MW-10N	4/13/1999	19	19	ND	ug/L
Acetone	MW-10N	7/15/1999	19	19	ND	ug/L
Acetone	MW-10N	10/20/1999	19	19	ND	ug/L
Acetone	MW-10N	1/14/2000	19	19	ND	ug/L
Acetone	MW-10N	4/25/2000	19	19	ND	ug/L
Acetone	MW-10N	7/11/2000	5	5	ND	ug/L
Acetone	MW-10N	10/17/2000	5	5	ND	ug/L
Acetone	MW-10N	1/24/2001	5	5	ND	ug/L
Acetone	MW-10N	4/10/2001	5	5	ND	ug/L
Acetone	MW-10N	7/10/2002	5	5	ND	ug/L
Acetone	MW-10N	10/2/2002	5	5	ND	ug/L
Acetone	MW-10N	1/22/2003	5	5	ND	ug/L
Acetone	MW-10N	4/15/2003	5	5	ND	ug/L
Acetone	MW-10N	7/8/2003	9.9	5		ug/L
Acetone	MW-10N	1/28/2004	5	5	ND	ug/L
Acetone	MW-10N	7/27/2004	5	5	ND	ug/L
Acetone	MW-10N	1/12/2005	5	5	ND	ug/L
Acetone	MW-10N	7/20/2005	5	5	ND	ug/L
Acetone	MW-10N	1/19/2006	5	5	ND	ug/L
Acetone	MW-10N	7/19/2006	5	5	ND	ug/L
Acetone	MW-10N	7/19/2006	5	5	ND	ug/L
Acetone	MW-10N	10/25/2006	5	5	ND	ug/L
Acetone	MW-10N	1/24/2007	5.5	5		ug/L
Acetone	MW-10N	7/10/2007	5	5	ND	ug/L
Acetone	MW-10N	1/23/2008	5	5	ND	ug/L
Acetone	MW-10N	7/21/2008	5	5	ND	ug/L
Acetone	MW-10N	2/13/2009	5	5	ND	ug/L
Acetone	MW-10N	7/31/2009	5	5	ND	ug/L
Acetone	MW-10N	1/27/2010	5	5	ND	ug/L
Acetone	MW-10N	8/10/2010	5	5	ND	ug/L
Acetone	MW-10N	1/19/2011	5	5	ND	ug/L
Acetone	MW-10N	7/14/2011	5	5	ND	ug/L
Acetone	MW-10N	1/5/2012	5	5	ND	ug/L
Acetone	MW-10N	7/10/2012	5	5	ND	ug/L
Acetone	MW-10N	5/1/2013	4.9	5	ND	ug/L
Acetone	MW-10N	1/24/2014	5	5	ND	ug/L
Acetone	MW-10N	7/9/2014	2.5	5	ND	ug/L
Acetone	MW-10N	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-10N	7/14/2015	5	5	ND	ug/L
Acetone	MW-10N	1/6/2016	5	5	ND	ug/L
Acetone	MW-10N	7/21/2016	5	5	ND	ug/L
Acetone	MW-10N	1/11/2017	5	5	ND	ug/L
Acetone	MW-10N	7/19/2017	2.8	5	ND	ug/L
Acetone	MW-10N	1/24/2018	5	5	ND	ug/L
Acetone	MW-10N	7/11/2018	5.6	5		ug/L
Acetone	MW-10N	1/3/2019	10	10	ND	ug/L
Acetone	MW-10N	7/9/2019	10	10	ND	ug/L
Acetone	MW-10N	1/16/2020	10	10	ND	ug/L
Acetone	MW-10N	7/8/2020	10	10	ND	ug/L
Acetone	MW-10N	1/13/2021	10	10	ND	ug/L
Acetone	MW-10N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-10N	1/11/2023	10	10	ND	ug/L
Acetone	MW-10N	7/7/2023	10	10	ND	ug/L
Acetone	MW-11N	10/22/1997	19	19	ND	ug/L
Acetone	MW-11N	1/21/1998	19	19	ND	ug/L
Acetone	MW-11N	4/28/1998	19	19	ND	ug/L
Acetone	MW-11N	7/23/1998	19	19	ND	ug/L
Acetone	MW-11N	1/13/1999	19	19	ND	ug/L
Acetone	MW-11N	4/13/1999	19	19	ND	ug/L
Acetone	MW-11N	7/14/1999	19	19	ND	ug/L
Acetone	MW-11N	10/20/1999	19	19	ND	ug/L
Acetone	MW-11N	1/13/2000	19	19	ND	ug/L
Acetone	MW-11N	4/25/2000	19	19	ND	ug/L
Acetone	MW-11N	7/10/2000	5	5	ND	ug/L
Acetone	MW-11N	10/17/2000	5	5	ND	ug/L
Acetone	MW-11N	1/24/2001	5	5	ND	ug/L
Acetone	MW-11N	4/10/2001	5	5	ND	ug/L
Acetone	MW-11N	7/9/2002	5	5	ND	ug/L
Acetone	MW-11N	10/2/2002	5	5	ND	ug/L
Acetone	MW-11N	1/23/2003	5	5	ND	ug/L
Acetone	MW-11N	4/15/2003	5	5	ND	ug/L
Acetone	MW-11N	7/8/2003	5	5	ND	ug/L
Acetone	MW-11N	1/29/2004	5	5	ND	ug/L
Acetone	MW-11N	7/27/2004	5	5	ND	ug/L
Acetone	MW-11N	1/13/2005	5	5	ND	ug/L
Acetone	MW-11N	7/20/2005	5	5	ND	ug/L
Acetone	MW-11N	1/19/2006	5	5	ND	ug/L
Acetone	MW-11N	7/18/2006	5	5	ND	ug/L
Acetone	MW-11N	7/18/2006	5	5	ND	ug/L
Acetone	MW-11N	10/25/2006	5	5	ND	ug/L
Acetone	MW-11N	1/24/2007	5	5	ND	ug/L
Acetone	MW-11N	7/10/2007	5	5	ND	ug/L
Acetone	MW-11N	1/22/2008	5	5	ND	ug/L
Acetone	MW-11N	7/23/2008	5	5	ND	ug/L
Acetone	MW-11N	2/3/2009	5	5	ND	ug/L
Acetone	MW-11N	7/31/2009	5	5	ND	ug/L
Acetone	MW-11N	2/3/2010	5	5	ND	ug/L
Acetone	MW-11N	2/3/2010	5	5	ND	ug/L
Acetone	MW-11N	7/16/2010	5	5	ND	ug/L
Acetone	MW-11N	1/19/2011	5	5	ND	ug/L
Acetone	MW-11N	7/13/2011	5	5	ND	ug/L
Acetone	MW-11N	1/4/2012	5	5	ND	ug/L
Acetone	MW-11N	7/9/2012	2.8	5	ND	ug/L
Acetone	MW-11N	4/30/2013	5	5	ND	ug/L
Acetone	MW-11N	7/15/2013	5	5	ND	ug/L
Acetone	MW-11N	1/23/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-11N	7/8/2014	2.8	5	ND	ug/L
Acetone	MW-11N	2/10/2015	5	5	ND	ug/L
Acetone	MW-11N	7/13/2015	5	5	ND	ug/L
Acetone	MW-11N	1/5/2016	5	5	ND	ug/L
Acetone	MW-11N	7/21/2016	5	5	ND	ug/L
Acetone	MW-11N	1/11/2017	5	5	ND	ug/L
Acetone	MW-11N	7/19/2017	4.6	5	ND	ug/L
Acetone	MW-11N	1/23/2018	5	5	ND	ug/L
Acetone	MW-11N	7/17/2018	8.9	5		ug/L
Acetone	MW-11N	1/2/2019	10	10	ND	ug/L
Acetone	MW-11N	7/9/2019	10	10	ND	ug/L
Acetone	MW-11N	1/14/2020	10	10	ND	ug/L
Acetone	MW-11N	7/6/2020	10	10	ND	ug/L
Acetone	MW-11N	1/18/2021	10	10	ND	ug/L
Acetone	MW-11N	7/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-11N	1/18/2022	10	10	ND	ug/L
Acetone	MW-11N	7/13/2022	10	10	ND	ug/L
Acetone	MW-11N	1/10/2023	10	10	ND	ug/L
Acetone	MW-11N	7/8/2023	10	10	ND	ug/L
Acetone	MW-15	6/5/2015	8.5	5		ug/L
Acetone	MW-15	7/15/2015	7.1	5		ug/L
Acetone	MW-15	8/5/2015	5	5	ND	ug/L
Acetone	MW-15	9/3/2015	5	5	ND	ug/L
Acetone	MW-15	1/7/2016	5	5	ND	ug/L
Acetone	MW-15	4/5/2016	5	5	ND	ug/L
Acetone	MW-15	7/20/2016	2	5	ND	ug/L
Acetone	MW-15	10/6/2016	5	5	ND	ug/L
Acetone	MW-15	1/10/2017	5	5	ND	ug/L
Acetone	MW-15	7/18/2017	5.6	5		ug/L
Acetone	MW-15	1/23/2018	5	5	ND	ug/L
Acetone	MW-15	7/10/2018	5	5	ND	ug/L
Acetone	MW-15	1/3/2019	10	10	ND	ug/L
Acetone	MW-15	7/9/2019	10	10	ND	ug/L
Acetone	MW-15	1/14/2020	10	10	ND	ug/L
Acetone	MW-15	8/3/2020	5	5	ND	ug/L
Acetone	MW-15	1/18/2021	10	10	ND	ug/L
Acetone	MW-15	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-15	1/12/2022	10	10	ND	ug/L
Acetone	MW-15	7/10/2022	10	10	ND	ug/L
Acetone	MW-15	1/10/2023	10	10	ND	ug/L
Acetone	MW-15	7/10/2023	10	10	ND	ug/L
Acetone	MW-16	6/5/2015	13	5		ug/L
Acetone	MW-16	7/16/2015	2.2	5	ND	ug/L
Acetone	MW-16	8/5/2015	5	5	ND	ug/L
Acetone	MW-16	9/3/2015	5	5	ND	ug/L
Acetone	MW-16	1/8/2016	5	5	ND	ug/L
Acetone	MW-16	4/5/2016	5	5	ND	ug/L
Acetone	MW-16	7/21/2016	3.3	5	ND	ug/L
Acetone	MW-16	10/5/2016	5	5	ND	ug/L
Acetone	MW-16	1/10/2017	5	5	ND	ug/L
Acetone	MW-16	7/18/2017	6.8	5		ug/L
Acetone	MW-16	1/23/2018	5	5	ND	ug/L
Acetone	MW-16	7/11/2018	4.4	5	ND	ug/L
Acetone	MW-16	1/2/2019	3.7	10	ND	ug/L
Acetone	MW-16	7/10/2019	10	10	ND	ug/L
Acetone	MW-16	1/14/2020	10	10	ND	ug/L
Acetone	MW-16	8/3/2020	5	5	ND	ug/L
Acetone	MW-16	1/18/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-16	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-16	1/12/2022	10	10	ND	ug/L
Acetone	MW-16	7/10/2022	10	10	ND	ug/L
Acetone	MW-16	1/10/2023	10	10	ND	ug/L
Acetone	MW-16	7/10/2023	10	10	ND	ug/L
Acetone	MW-17	6/5/2015	6.5	5		ug/L
Acetone	MW-17	7/15/2015	4.2	5	ND	ug/L
Acetone	MW-17	8/4/2015	5	5	ND	ug/L
Acetone	MW-17	9/2/2015	5	5	ND	ug/L
Acetone	MW-17	1/7/2016	5	5	ND	ug/L
Acetone	MW-17	4/5/2016	5	5	ND	ug/L
Acetone	MW-17	7/20/2016	5	5	ND	ug/L
Acetone	MW-17	10/6/2016	2.7	5	ND	ug/L
Acetone	MW-17	1/10/2017	5	5	ND	ug/L
Acetone	MW-17	7/18/2017	4.3	5	ND	ug/L
Acetone	MW-17	1/23/2018	5	5	ND	ug/L
Acetone	MW-17	7/10/2018	5	5	ND	ug/L
Acetone	MW-17	1/3/2019	5.5	10	ND	ug/L
Acetone	MW-17	7/11/2019	10	10	ND	ug/L
Acetone	MW-17	1/14/2020	10	10	ND	ug/L
Acetone	MW-17	8/3/2020	5	5	ND	ug/L
Acetone	MW-17	1/14/2021	10	10	ND	ug/L
Acetone	MW-17	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-17	1/10/2023	10	10	ND	ug/L
Acetone	MW-17	7/8/2023	10	10	ND	ug/L
Acetone	MW-19	6/5/2015	5	5	ND	ug/L
Acetone	MW-19	7/16/2015	5.9	5		ug/L
Acetone	MW-19	8/5/2015	5	5	ND	ug/L
Acetone	MW-19	9/3/2015	5	5	ND	ug/L
Acetone	MW-19	1/7/2016	5	5	ND	ug/L
Acetone	MW-19	4/5/2016	5	5	ND	ug/L
Acetone	MW-19	7/21/2016	2.6	5	ND	ug/L
Acetone	MW-19	10/5/2016	2.9	5	ND	ug/L
Acetone	MW-19	1/10/2017	5	5	ND	ug/L
Acetone	MW-19	7/18/2017	6.7	5		ug/L
Acetone	MW-19	1/23/2018	2.3	5	ND	ug/L
Acetone	MW-19	7/13/2018	4.8	5	ND	ug/L
Acetone	MW-19	1/7/2019	10	10	ND	ug/L
Acetone	MW-19	7/11/2019	10	10	ND	ug/L
Acetone	MW-19	1/14/2020	10	10	ND	ug/L
Acetone	MW-19	8/3/2020	5	5	ND	ug/L
Acetone	MW-19	1/14/2021	10	10	ND	ug/L
Acetone	MW-19	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-19	1/11/2023	10	10	ND	ug/L
Acetone	MW-19	7/10/2023	10	10	ND	ug/L
Acetone	MW-1N	10/22/1997	19	19	ND	ug/L
Acetone	MW-1N	1/20/1998	19	19	ND	ug/L
Acetone	MW-1N	4/28/1998	7.4	19		ug/L
Acetone	MW-1N	7/23/1998	19	19	ND	ug/L
Acetone	MW-1N	10/14/1998	18	18	ND	ug/L
Acetone	MW-1N	1/13/1999	19	19	ND	ug/L
Acetone	MW-1N	4/13/1999	19	19	ND	ug/L
Acetone	MW-1N	5/19/1999	19	19	ND	ug/L
Acetone	MW-1N	7/15/1999	19	19	ND	ug/L
Acetone	MW-1N	10/19/1999	19	19	ND	ug/L
Acetone	MW-1N	1/14/2000	19	19	ND	ug/L
Acetone	MW-1N	4/25/2000	19	19	ND	ug/L
Acetone	MW-1N	7/12/2000	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-1N	10/18/2000	5	5	ND	ug/L
Acetone	MW-1N	1/24/2001	5	5	ND	ug/L
Acetone	MW-1N	4/12/2001	5	5	ND	ug/L
Acetone	MW-1N	5/29/2002	18	18	ND	ug/L
Acetone	MW-1N	5/29/2002	5	5	ND	ug/L
Acetone	MW-1N	7/9/2002	5	5	ND	ug/L
Acetone	MW-1N	10/3/2002	5	5	ND	ug/L
Acetone	MW-1N	1/22/2003	5	5	ND	ug/L
Acetone	MW-1N	4/15/2003	5	5	ND	ug/L
Acetone	MW-1N	7/8/2003	5	5	ND	ug/L
Acetone	MW-1N	1/28/2004	5	5	ND	ug/L
Acetone	MW-1N	7/27/2004	5	5	ND	ug/L
Acetone	MW-1N	1/12/2005	5	5	ND	ug/L
Acetone	MW-1N	7/20/2005	5	5	ND	ug/L
Acetone	MW-1N	1/18/2006	5	5	ND	ug/L
Acetone	MW-1N	7/18/2006	5	5	ND	ug/L
Acetone	MW-1N	7/18/2006	5	5	ND	ug/L
Acetone	MW-1N	10/24/2006	5	5	ND	ug/L
Acetone	MW-1N	1/26/2007	5	5	ND	ug/L
Acetone	MW-1N	7/11/2007	5	5	ND	ug/L
Acetone	MW-1N	1/24/2008	5	5	ND	ug/L
Acetone	MW-1N	7/21/2008	5	5	ND	ug/L
Acetone	MW-1N	2/5/2009	5	5	ND	ug/L
Acetone	MW-1N	7/31/2009	5	5	ND	ug/L
Acetone	MW-1N	1/26/2010	5	5	ND	ug/L
Acetone	MW-1N	7/13/2010	5	5	ND	ug/L
Acetone	MW-1N	1/20/2011	5	5	ND	ug/L
Acetone	MW-1N	7/13/2011	5	5	ND	ug/L
Acetone	MW-1N	1/5/2012	5	5	ND	ug/L
Acetone	MW-1N	7/10/2012	5	5	ND	ug/L
Acetone	MW-1N	5/1/2013	5	5	ND	ug/L
Acetone	MW-1N	7/16/2013	5	5	ND	ug/L
Acetone	MW-1N	1/24/2014	5	5	ND	ug/L
Acetone	MW-1N	7/9/2014	10	5		ug/L
Acetone	MW-1N	2/10/2015	5	5	ND	ug/L
Acetone	MW-1N	7/14/2015	5	5	ND	ug/L
Acetone	MW-1N	1/6/2016	5	5	ND	ug/L
Acetone	MW-1N	7/21/2016	5	5	ND	ug/L
Acetone	MW-1N	1/12/2017	5	5	ND	ug/L
Acetone	MW-1N	7/19/2017	2.8	5	ND	ug/L
Acetone	MW-1N	1/23/2018	5	5	ND	ug/L
Acetone	MW-1N	7/10/2018	26	5		ug/L
Acetone	MW-1N	1/3/2019	10	10	ND	ug/L
Acetone	MW-1N	7/11/2019	4.2	10	ND	ug/L
Acetone	MW-1N	1/23/2020	29.1	10		ug/L
Acetone	MW-1N	4/2/2020	10	10	ND	ug/L
Acetone	MW-1N	7/6/2020	5	5	ND	ug/L
Acetone	MW-1N	1/14/2021	10	10	ND	ug/L
Acetone	MW-1N	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-1N	1/11/2023	10	10	ND	ug/L
Acetone	MW-1N	7/8/2023	10	10	ND	ug/L
Acetone	MW-20	6/5/2015	2.1	5	ND	ug/L
Acetone	MW-20	7/14/2015	5	5	ND	ug/L
Acetone	MW-20	8/4/2015	5	5	ND	ug/L
Acetone	MW-20	9/2/2015	5	5	ND	ug/L
Acetone	MW-20	1/7/2016	5	5	ND	ug/L
Acetone	MW-20	4/5/2016	5	5	ND	ug/L
Acetone	MW-20	7/20/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-20	10/5/2016	5	5	ND	ug/L
Acetone	MW-20	1/12/2017	9.9	5		ug/L
Acetone	MW-20	7/18/2017	5	5	ND	ug/L
Acetone	MW-20	1/26/2018	5	5	ND	ug/L
Acetone	MW-20	7/12/2018	2	5	ND	ug/L
Acetone	MW-20	7/11/2019	10	10	ND	ug/L
Acetone	MW-20	1/14/2020	10	10	ND	ug/L
Acetone	MW-20	7/7/2020	10	10	ND	ug/L
Acetone	MW-20	1/17/2021	10	10	ND	ug/L
Acetone	MW-20	7/4/2021	11.3	11.3	ND	ug/L
Acetone	MW-20	1/11/2023	10	10	ND	ug/L
Acetone	MW-21	6/5/2015	2.5	5	ND	ug/L
Acetone	MW-21	7/14/2015	5	5	ND	ug/L
Acetone	MW-21	8/4/2015	5	5	ND	ug/L
Acetone	MW-21	9/2/2015	5	5	ND	ug/L
Acetone	MW-21	1/7/2016	5	5	ND	ug/L
Acetone	MW-21	4/5/2016	5	5	ND	ug/L
Acetone	MW-21	7/20/2016	5	5	ND	ug/L
Acetone	MW-21	10/5/2016	2.2	5	ND	ug/L
Acetone	MW-21	10/5/2016	3.3	5	ND	ug/L
Acetone	MW-21	1/10/2017	5	5	ND	ug/L
Acetone	MW-21	4/5/2017	3.9	5	ND	ug/L
Acetone	MW-21	7/19/2017	5	5	ND	ug/L
Acetone	MW-21	10/6/2017	5.1	5		ug/L
Acetone	MW-21	1/24/2018	5	5	ND	ug/L
Acetone	MW-21	4/11/2018	5	5	ND	ug/L
Acetone	MW-21	7/11/2018	24	5		ug/L
Acetone	MW-21	10/4/2018	7.7	10	ND	ug/L
Acetone	MW-21	1/3/2019	2.6	10	ND	ug/L
Acetone	MW-21	4/3/2019	10	10	ND	ug/L
Acetone	MW-21	7/11/2019	10	10	ND	ug/L
Acetone	MW-21	10/2/2019	10	10	ND	ug/L
Acetone	MW-21	1/16/2020	10	10	ND	ug/L
Acetone	MW-21	4/2/2020	10	10	ND	ug/L
Acetone	MW-21	7/8/2020	5	5	ND	ug/L
Acetone	MW-21	10/7/2020	11.3	11.3	ND	ug/L
Acetone	MW-21	1/13/2021	10	10	ND	ug/L
Acetone	MW-21	4/6/2021	10	10	ND	ug/L
Acetone	MW-21	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-21	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-21	1/11/2023	10	10	ND	ug/L
Acetone	MW-21	4/8/2023	10	10	ND	ug/L
Acetone	MW-21	7/7/2023	10	10	ND	ug/L
Acetone	MW-21	10/6/2023	10	10	ND	ug/L
Acetone	MW-2N	10/22/1997	19	19	ND	ug/L
Acetone	MW-2N	1/21/1998	19	19	ND	ug/L
Acetone	MW-2N	4/28/1998	19	19	ND	ug/L
Acetone	MW-2N	7/22/1998	19	19	ND	ug/L
Acetone	MW-2N	1/13/1999	19	19	ND	ug/L
Acetone	MW-2N	4/13/1999	19	19	ND	ug/L
Acetone	MW-2N	7/14/1999	19	19	ND	ug/L
Acetone	MW-2N	10/20/1999	19	19	ND	ug/L
Acetone	MW-2N	1/14/2000	19	19	ND	ug/L
Acetone	MW-2N	4/25/2000	19	19	ND	ug/L
Acetone	MW-2N	10/17/2000	5	5	ND	ug/L
Acetone	MW-2N	1/24/2001	5	5	ND	ug/L
Acetone	MW-2N	4/11/2001	5	5	ND	ug/L
Acetone	MW-2N	7/10/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-2N	10/2/2002	5	5	ND	ug/L
Acetone	MW-2N	1/22/2003	5	5	ND	ug/L
Acetone	MW-2N	4/14/2003	5	5	ND	ug/L
Acetone	MW-2N	7/7/2003	5	5	ND	ug/L
Acetone	MW-2N	1/28/2004	5	5	ND	ug/L
Acetone	MW-2N	7/27/2004	5	5	ND	ug/L
Acetone	MW-2N	1/12/2005	5	5	ND	ug/L
Acetone	MW-2N	7/20/2005	5	5	ND	ug/L
Acetone	MW-2N	1/19/2006	5	5	ND	ug/L
Acetone	MW-2N	7/19/2006	5	5	ND	ug/L
Acetone	MW-2N	7/19/2006	5	5	ND	ug/L
Acetone	MW-2N	10/25/2006	5	5	ND	ug/L
Acetone	MW-2N	1/26/2007	5	5	ND	ug/L
Acetone	MW-2N	3/27/2007	5	5	ND	ug/L
Acetone	MW-2N	7/11/2007	6.7	5		ug/L
Acetone	MW-2N	1/24/2008	5	5	ND	ug/L
Acetone	MW-2N	7/22/2008	5	5	ND	ug/L
Acetone	MW-2N	2/4/2009	5	5	ND	ug/L
Acetone	MW-2N	7/31/2009	5	5	ND	ug/L
Acetone	MW-2N	1/26/2010	5	5	ND	ug/L
Acetone	MW-2N	7/13/2010	5	5	ND	ug/L
Acetone	MW-2N	1/20/2011	5	5	ND	ug/L
Acetone	MW-2N	7/13/2011	5	5	ND	ug/L
Acetone	MW-2N	1/5/2012	5	5	ND	ug/L
Acetone	MW-2N	7/10/2012	5	5	ND	ug/L
Acetone	MW-2N	5/1/2013	5	5	ND	ug/L
Acetone	MW-2N	7/16/2013	5	5	ND	ug/L
Acetone	MW-2N	1/24/2014	5	5	ND	ug/L
Acetone	MW-2N	7/9/2014	3.8	5	ND	ug/L
Acetone	MW-2N	2/12/2015	4.8	5	ND	ug/L
Acetone	MW-2N	7/14/2015	5	5	ND	ug/L
Acetone	MW-2N	1/6/2016	5	5	ND	ug/L
Acetone	MW-2N	7/21/2016	3.4	5	ND	ug/L
Acetone	MW-2N	1/11/2017	5	5	ND	ug/L
Acetone	MW-2N	7/19/2017	8.5	5		ug/L
Acetone	MW-2N	1/23/2018	3.4	5	ND	ug/L
Acetone	MW-2N	7/12/2018	39	5		ug/L
Acetone	MW-2N	1/3/2019	10	10	ND	ug/L
Acetone	MW-2N	8/7/2019	10	10	ND	ug/L
Acetone	MW-2N	1/23/2020	10	10	ND	ug/L
Acetone	MW-2N	7/7/2020	10	10	ND	ug/L
Acetone	MW-2N	1/14/2021	10	10	ND	ug/L
Acetone	MW-2N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-2N	1/11/2023	10	10	ND	ug/L
Acetone	MW-2N	7/8/2023	10	10	ND	ug/L
Acetone	MW-3N	10/21/1997	19	19	ND	ug/L
Acetone	MW-3N	1/21/1998	19	19	ND	ug/L
Acetone	MW-3N	4/28/1998	19	19	ND	ug/L
Acetone	MW-3N	7/23/1998	19	19	ND	ug/L
Acetone	MW-3N	1/13/1999	19	19	ND	ug/L
Acetone	MW-3N	4/13/1999	19	19	ND	ug/L
Acetone	MW-3N	7/14/1999	19	19	ND	ug/L
Acetone	MW-3N	10/20/1999	19	19	ND	ug/L
Acetone	MW-3N	1/14/2000	19	19	ND	ug/L
Acetone	MW-3N	4/24/2000	19	19	ND	ug/L
Acetone	MW-3N	7/11/2000	5	5	ND	ug/L
Acetone	MW-3N	10/17/2000	5	5	ND	ug/L
Acetone	MW-3N	1/23/2001	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-3N	4/11/2001	5	5	ND	ug/L
Acetone	MW-3N	5/29/2002	18	18	ND	ug/L
Acetone	MW-3N	5/29/2002	5	5	ND	ug/L
Acetone	MW-3N	7/9/2002	5	5	ND	ug/L
Acetone	MW-3N	10/2/2002	5	5	ND	ug/L
Acetone	MW-3N	1/22/2003	5	5	ND	ug/L
Acetone	MW-3N	4/14/2003	5	5	ND	ug/L
Acetone	MW-3N	7/7/2003	5	5	ND	ug/L
Acetone	MW-3N	1/28/2004	5	5	ND	ug/L
Acetone	MW-3N	7/27/2004	5	5	ND	ug/L
Acetone	MW-3N	1/12/2005	5	5	ND	ug/L
Acetone	MW-3N	7/20/2005	5	5	ND	ug/L
Acetone	MW-3N	1/18/2006	5	5	ND	ug/L
Acetone	MW-3N	7/19/2006	5	5	ND	ug/L
Acetone	MW-3N	7/19/2006	5	5	ND	ug/L
Acetone	MW-3N	10/25/2006	5	5	ND	ug/L
Acetone	MW-3N	1/26/2007	5	5	ND	ug/L
Acetone	MW-3N	7/11/2007	5	5	ND	ug/L
Acetone	MW-3N	1/24/2008	5	5	ND	ug/L
Acetone	MW-3N	7/22/2008	5	5	ND	ug/L
Acetone	MW-3N	2/4/2009	5	5	ND	ug/L
Acetone	MW-3N	7/31/2009	5	5	ND	ug/L
Acetone	MW-3N	1/26/2010	5	5	ND	ug/L
Acetone	MW-3N	7/13/2010	5	5	ND	ug/L
Acetone	MW-3N	1/20/2011	5	5	ND	ug/L
Acetone	MW-3N	7/14/2011	5	5	ND	ug/L
Acetone	MW-3N	1/5/2012	5	5	ND	ug/L
Acetone	MW-3N	7/11/2012	5	5	ND	ug/L
Acetone	MW-3N	5/1/2013	5	5	ND	ug/L
Acetone	MW-3N	6/4/2013	5	5	ND	ug/L
Acetone	MW-3N	7/16/2013	5	5	ND	ug/L
Acetone	MW-3N	1/24/2014	5	5	ND	ug/L
Acetone	MW-3N	7/9/2014	5	5	ND	ug/L
Acetone	MW-3N	2/12/2015	5	5	ND	ug/L
Acetone	MW-3N	4/1/2015	5	5	ND	ug/L
Acetone	MW-3N	7/14/2015	5	5	ND	ug/L
Acetone	MW-3N	10/5/2015	5	5	ND	ug/L
Acetone	MW-3N	1/6/2016	5	5	ND	ug/L
Acetone	MW-3N	4/6/2016	5	5	ND	ug/L
Acetone	MW-3N	7/21/2016	5	5	ND	ug/L
Acetone	MW-3N	10/6/2016	2.5	5	ND	ug/L
Acetone	MW-3N	1/11/2017	5	5	ND	ug/L
Acetone	MW-3N	4/4/2017	4.1	5	ND	ug/L
Acetone	MW-3N	7/19/2017	5	5	ND	ug/L
Acetone	MW-3N	10/9/2017	5.6	5		ug/L
Acetone	MW-3N	1/24/2018	5	5	ND	ug/L
Acetone	MW-3N	4/10/2018	5	5	ND	ug/L
Acetone	MW-3N	7/13/2018	5	5	ND	ug/L
Acetone	MW-3N	10/3/2018	2.8	10	ND	ug/L
Acetone	MW-3N	1/7/2019	10	10	ND	ug/L
Acetone	MW-3N	4/3/2019	10	10	ND	ug/L
Acetone	MW-3N	7/11/2019	10	10	ND	ug/L
Acetone	MW-3N	10/2/2019	10	10	ND	ug/L
Acetone	MW-3N	1/15/2020	10	10	ND	ug/L
Acetone	MW-3N	4/2/2020	10	10	ND	ug/L
Acetone	MW-3N	7/7/2020	5	5	ND	ug/L
Acetone	MW-3N	10/7/2020	11.3	11.3	ND	ug/L
Acetone	MW-3N	1/13/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-3N	4/6/2021	10	10	ND	ug/L
Acetone	MW-3N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-3N	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-3N	1/11/2023	10	10	ND	ug/L
Acetone	MW-3N	7/7/2023	10	10	ND	ug/L
Acetone	MW-3N	10/6/2023	10	10	ND	ug/L
Acetone	MW-7N	10/21/1997	19	19	ND	ug/L
Acetone	MW-7N	1/21/1998	50	19		ug/L
Acetone	MW-7N	7/22/1998	19	19	ND	ug/L
Acetone	MW-7N	8/18/1998	19	19	ND	ug/L
Acetone	MW-7N	9/17/1998	19	19	ND	ug/L
Acetone	MW-7N	10/15/1998	18	18	ND	ug/L
Acetone	MW-7N	11/9/1998	19	19	ND	ug/L
Acetone	MW-7N	1/14/1999	19	19	ND	ug/L
Acetone	MW-7N	4/14/1999	19	19	ND	ug/L
Acetone	MW-7N	7/14/1999	19	19	ND	ug/L
Acetone	MW-7N	10/19/1999	19	19	ND	ug/L
Acetone	MW-7N	1/13/2000	19	19	ND	ug/L
Acetone	MW-7N	4/25/2000	19	19	ND	ug/L
Acetone	MW-7N	10/17/2000	5	5	ND	ug/L
Acetone	MW-7N	1/23/2001	5	5	ND	ug/L
Acetone	MW-7N	4/10/2001	5	5	ND	ug/L
Acetone	MW-7N	5/29/2002	5	5	ND	ug/L
Acetone	MW-7N	5/29/2002	18	18	ND	ug/L
Acetone	MW-7N	7/9/2002	5	5	ND	ug/L
Acetone	MW-7N	10/2/2002	5	5	ND	ug/L
Acetone	MW-7N	1/23/2003	5	5	ND	ug/L
Acetone	MW-7N	4/14/2003	5	5	ND	ug/L
Acetone	MW-7N	7/7/2003	5	5	ND	ug/L
Acetone	MW-7N	1/27/2004	5	5	ND	ug/L
Acetone	MW-7N	4/8/2004	5	5	ND	ug/L
Acetone	MW-7N	7/26/2004	5	5	ND	ug/L
Acetone	MW-7N	1/12/2005	5	5	ND	ug/L
Acetone	MW-7N	7/19/2005	5	5	ND	ug/L
Acetone	MW-7N	1/19/2006	5	5	ND	ug/L
Acetone	MW-7N	7/19/2006	5	5	ND	ug/L
Acetone	MW-7N	7/19/2006	5	5	ND	ug/L
Acetone	MW-7N	10/24/2006	5	5	ND	ug/L
Acetone	MW-7N	1/26/2007	5	5	ND	ug/L
Acetone	MW-7N	7/10/2007	5	5	ND	ug/L
Acetone	MW-7N	7/21/2008	5	5	ND	ug/L
Acetone	MW-7N	2/6/2009	2.2	5	ND	ug/L
Acetone	MW-7N	7/29/2009	5	5	ND	ug/L
Acetone	MW-7N	1/26/2010	5	5	ND	ug/L
Acetone	MW-7N	7/14/2010	5	5	ND	ug/L
Acetone	MW-7N	9/2/2010	5	5	ND	ug/L
Acetone	MW-7N	1/20/2011	5	5	ND	ug/L
Acetone	MW-7N	7/12/2011	5	5	ND	ug/L
Acetone	MW-7N	1/5/2012	5	5	ND	ug/L
Acetone	MW-7N	7/10/2012	5	5	ND	ug/L
Acetone	MW-7N	5/1/2013	5	5	ND	ug/L
Acetone	MW-7N	6/4/2013	5	5	ND	ug/L
Acetone	MW-7N	7/15/2013	5	5	ND	ug/L
Acetone	MW-7N	1/30/2014	3	5	ND	ug/L
Acetone	MW-7N	7/9/2014	2.9	5	ND	ug/L
Acetone	MW-7N	2/12/2015	5	5	ND	ug/L
Acetone	MW-7N	7/13/2015	3.6	5	ND	ug/L
Acetone	MW-7N	1/5/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-7N	7/21/2016	5	5	ND	ug/L
Acetone	MW-7N	1/11/2017	5	5	ND	ug/L
Acetone	MW-7N	4/4/2017	6.3	5		ug/L
Acetone	MW-7N	7/19/2017	5	5	ND	ug/L
Acetone	MW-7N	10/5/2017	5	5	ND	ug/L
Acetone	MW-7N	1/25/2018	5	5	ND	ug/L
Acetone	MW-7N	4/11/2018	5	5	ND	ug/L
Acetone	MW-7N	7/13/2018	7.3	5		ug/L
Acetone	MW-7N	1/4/2019	3.5	10	ND	ug/L
Acetone	MW-7N	7/10/2019	10	10	ND	ug/L
Acetone	MW-7N	1/16/2020	10	10	ND	ug/L
Acetone	MW-7N	7/7/2020	10	10	ND	ug/L
Acetone	MW-7N	1/16/2021	10	10	ND	ug/L
Acetone	MW-7N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-7N	1/12/2022	10	10	ND	ug/L
Acetone	MW-7N	7/10/2022	10	10	ND	ug/L
Acetone	MW-7N	1/10/2023	10	10	ND	ug/L
Acetone	MW-7N	7/7/2023	10	10	ND	ug/L
Acetone	MW-8N	10/21/1997	19	19	ND	ug/L
Acetone	MW-8N	1/22/1998	19	19	ND	ug/L
Acetone	MW-8N	4/28/1998	19	19	ND	ug/L
Acetone	MW-8N	7/22/1998	19	19	ND	ug/L
Acetone	MW-8N	1/12/1999	19	19	ND	ug/L
Acetone	MW-8N	4/13/1999	19	19	ND	ug/L
Acetone	MW-8N	7/14/1999	19	19	ND	ug/L
Acetone	MW-8N	10/19/1999	19	19	ND	ug/L
Acetone	MW-8N	1/14/2000	19	19	ND	ug/L
Acetone	MW-8N	4/25/2000	19	19	ND	ug/L
Acetone	MW-8N	10/17/2000	5	5	ND	ug/L
Acetone	MW-8N	1/23/2001	5	5	ND	ug/L
Acetone	MW-8N	4/11/2001	5	5	ND	ug/L
Acetone	MW-8N	5/29/2002	5	5	ND	ug/L
Acetone	MW-8N	5/29/2002	18	18	ND	ug/L
Acetone	MW-8N	7/9/2002	5	5	ND	ug/L
Acetone	MW-8N	10/2/2002	5	5	ND	ug/L
Acetone	MW-8N	1/23/2003	5	5	ND	ug/L
Acetone	MW-8N	4/14/2003	5	5	ND	ug/L
Acetone	MW-8N	7/7/2003	5	5	ND	ug/L
Acetone	MW-8N	1/28/2004	5	5	ND	ug/L
Acetone	MW-8N	7/27/2004	5	5	ND	ug/L
Acetone	MW-8N	1/12/2005	5	5	ND	ug/L
Acetone	MW-8N	7/20/2005	5	5	ND	ug/L
Acetone	MW-8N	1/19/2006	5	5	ND	ug/L
Acetone	MW-8N	7/19/2006	5	5	ND	ug/L
Acetone	MW-8N	7/19/2006	5	5	ND	ug/L
Acetone	MW-8N	10/24/2006	5	5	ND	ug/L
Acetone	MW-8N	1/26/2007	5	5	ND	ug/L
Acetone	MW-8N	4/25/2007	5	5	ND	ug/L
Acetone	MW-8N	7/10/2007	5	5	ND	ug/L
Acetone	MW-8N	1/24/2008	5	5	ND	ug/L
Acetone	MW-8N	7/23/2008	5	5	ND	ug/L
Acetone	MW-8N	2/4/2009	5	5	ND	ug/L
Acetone	MW-8N	7/31/2009	5	5	ND	ug/L
Acetone	MW-8N	1/26/2010	5	5	ND	ug/L
Acetone	MW-8N	7/16/2010	5	5	ND	ug/L
Acetone	MW-8N	1/19/2011	5	5	ND	ug/L
Acetone	MW-8N	5/10/2011	5	5	ND	ug/L
Acetone	MW-8N	7/14/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	MW-8N	1/6/2012	5	5	ND	ug/L
Acetone	MW-8N	4/5/2012	5	5	ND	ug/L
Acetone	MW-8N	7/11/2012	5	5	ND	ug/L
Acetone	MW-8N	10/3/2012	5	5	ND	ug/L
Acetone	MW-8N	5/1/2013	5	5	ND	ug/L
Acetone	MW-8N	6/4/2013	5	5	ND	ug/L
Acetone	MW-8N	7/16/2013	5	5	ND	ug/L
Acetone	MW-8N	10/2/2013	5	5	ND	ug/L
Acetone	MW-8N	1/30/2014	2.3	5	ND	ug/L
Acetone	MW-8N	4/3/2014	5	5	ND	ug/L
Acetone	MW-8N	7/9/2014	2.8	5	ND	ug/L
Acetone	MW-8N	10/8/2014	5	5	ND	ug/L
Acetone	MW-8N	2/12/2015	2.4	5	ND	ug/L
Acetone	MW-8N	4/1/2015	5	5	ND	ug/L
Acetone	MW-8N	7/14/2015	5	5	ND	ug/L
Acetone	MW-8N	10/5/2015	5	5	ND	ug/L
Acetone	MW-8N	1/5/2016	5	5	ND	ug/L
Acetone	MW-8N	4/6/2016	5	5	ND	ug/L
Acetone	MW-8N	7/21/2016	5	5	ND	ug/L
Acetone	MW-8N	10/6/2016	3.2	5	ND	ug/L
Acetone	MW-8N	1/11/2017	5	5	ND	ug/L
Acetone	MW-8N	4/4/2017	5	5	ND	ug/L
Acetone	MW-8N	7/19/2017	5	5	ND	ug/L
Acetone	MW-8N	10/6/2017	5.2	5		ug/L
Acetone	MW-8N	1/25/2018	5	5	ND	ug/L
Acetone	MW-8N	4/10/2018	5	5	ND	ug/L
Acetone	MW-8N	7/16/2018	6.8	5		ug/L
Acetone	MW-8N	10/2/2018	12	10		ug/L
Acetone	MW-8N	1/7/2019	10	10	ND	ug/L
Acetone	MW-8N	4/3/2019	10	10	ND	ug/L
Acetone	MW-8N	7/11/2019	10	10	ND	ug/L
Acetone	MW-8N	10/3/2019	10	10	ND	ug/L
Acetone	MW-8N	1/15/2020	10	10	ND	ug/L
Acetone	MW-8N	4/2/2020	10	10	ND	ug/L
Acetone	MW-8N	7/9/2020	5	5	ND	ug/L
Acetone	MW-8N	10/6/2020	11.3	11.3	ND	ug/L
Acetone	MW-8N	1/15/2021	10	10	ND	ug/L
Acetone	MW-8N	4/6/2021	10	10	ND	ug/L
Acetone	MW-8N	7/5/2021	11.3	11.3	ND	ug/L
Acetone	MW-8N	10/6/2021	11.3	11.3	ND	ug/L
Acetone	MW-8N	1/18/2022	10	10	ND	ug/L
Acetone	MW-8N	4/4/2022	10	10	ND	ug/L
Acetone	MW-8N	7/12/2022	10	10	ND	ug/L
Acetone	MW-8N	10/6/2022	10	10	ND	ug/L
Acetone	MW-8N	1/11/2023	10	10	ND	ug/L
Acetone	MW-8N	4/8/2023	10	10	ND	ug/L
Acetone	MW-8N	7/7/2023	10	10	ND	ug/L
Acetone	MW-8N	10/5/2023	11.3	11.3	ND	ug/L
Acetone	NE-1	7/10/2002	5	5	ND	ug/L
Acetone	NE-1	8/6/2002	5	5	ND	ug/L
Acetone	NE-1	9/4/2002	5	5	ND	ug/L
Acetone	NE-1	10/2/2002	5	5	ND	ug/L
Acetone	NE-1	7/8/2003	5	5	ND	ug/L
Acetone	NE-1	1/27/2004	5	5	ND	ug/L
Acetone	NE-1	1/12/2005	5	5	ND	ug/L
Acetone	NE-1	7/19/2006	5	5	ND	ug/L
Acetone	NE-1	7/19/2006	5	5	ND	ug/L
Acetone	NE-1	10/25/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-1	1/24/2007	5	5	ND	ug/L
Acetone	NE-1	7/10/2007	5	5	ND	ug/L
Acetone	NE-1	1/24/2008	5	5	ND	ug/L
Acetone	NE-1	7/21/2008	5	5	ND	ug/L
Acetone	NE-1	2/7/2009	5	5	ND	ug/L
Acetone	NE-1	7/31/2009	5	5	ND	ug/L
Acetone	NE-1	1/26/2010	5	5	ND	ug/L
Acetone	NE-1	7/14/2010	5	5	ND	ug/L
Acetone	NE-1	9/2/2010	5	5	ND	ug/L
Acetone	NE-1	1/19/2011	5	5	ND	ug/L
Acetone	NE-1	7/13/2011	5	5	ND	ug/L
Acetone	NE-1	1/5/2012	5	5	ND	ug/L
Acetone	NE-1	7/10/2012	5	5	ND	ug/L
Acetone	NE-1	4/30/2013	5	5	ND	ug/L
Acetone	NE-1	7/16/2013	5	5	ND	ug/L
Acetone	NE-1	1/23/2014	5	5	ND	ug/L
Acetone	NE-1	7/9/2014	8	5		ug/L
Acetone	NE-1	2/11/2015	5	5	ND	ug/L
Acetone	NE-1	7/8/2015	5	5	ND	ug/L
Acetone	NE-1	1/6/2016	5	5	ND	ug/L
Acetone	NE-1	7/20/2016	5	5	ND	ug/L
Acetone	NE-1	1/11/2017	5	5	ND	ug/L
Acetone	NE-1	7/19/2017	5	5	ND	ug/L
Acetone	NE-1	1/24/2018	5	5	ND	ug/L
Acetone	NE-1	4/11/2018	5	5	ND	ug/L
Acetone	NE-1	7/18/2018	4.8	5	ND	ug/L
Acetone	NE-1	10/2/2018	17	10		ug/L
Acetone	NE-1	1/4/2019	2.1	10	ND	ug/L
Acetone	NE-1	4/2/2019	10	10	ND	ug/L
Acetone	NE-1	7/10/2019	10	10	ND	ug/L
Acetone	NE-1	7/10/2019	10	10	ND	ug/L
Acetone	NE-1	10/2/2019	10	10	ND	ug/L
Acetone	NE-1	1/15/2020	10	10	ND	ug/L
Acetone	NE-1	4/2/2020	10	10	ND	ug/L
Acetone	NE-1	7/8/2020	10	10	ND	ug/L
Acetone	NE-1	10/7/2020	10	10	ND	ug/L
Acetone	NE-1	1/13/2021	10	10	ND	ug/L
Acetone	NE-1	4/9/2021	10	10	ND	ug/L
Acetone	NE-1	7/2/2021	10	10	ND	ug/L
Acetone	NE-1	10/6/2021	10	10	ND	ug/L
Acetone	NE-1	1/17/2022	10	10	ND	ug/L
Acetone	NE-1	4/6/2022	10	10	ND	ug/L
Acetone	NE-1	7/13/2022	30	10		ug/L
Acetone	NE-1	10/6/2022	10	10	ND	ug/L
Acetone	NE-1	1/5/2023	10	10	ND	ug/L
Acetone	NE-1	4/7/2023	10	10	ND	ug/L
Acetone	NE-1	7/5/2023	10	10	ND	ug/L
Acetone	NE-1	10/5/2023	10	10	ND	ug/L
Acetone	NE-10D	11/6/2019	10	10	ND	ug/L
Acetone	NE-10D	1/16/2020	10	10	ND	ug/L
Acetone	NE-10D	4/2/2020	10	10	ND	ug/L
Acetone	NE-10D	7/8/2020	10	10	ND	ug/L
Acetone	NE-10D	10/7/2020	10	10	ND	ug/L
Acetone	NE-10D	1/13/2021	10	10	ND	ug/L
Acetone	NE-10D	4/9/2021	10	10	ND	ug/L
Acetone	NE-10D	7/2/2021	10	10	ND	ug/L
Acetone	NE-10D	10/7/2021	10	10	ND	ug/L
Acetone	NE-10D	1/6/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-10D	4/6/2023	10	10	ND	ug/L
Acetone	NE-10D	7/8/2023	10	10	ND	ug/L
Acetone	NE-10D	10/3/2023	10	10	ND	ug/L
Acetone	NE-11	3/1/2017	5	5	ND	ug/L
Acetone	NE-11	4/6/2017	5	5	ND	ug/L
Acetone	NE-11	7/20/2017	5	5	ND	ug/L
Acetone	NE-11	10/9/2017	5	5	ND	ug/L
Acetone	NE-11	9/30/2019	10	10	ND	ug/L
Acetone	NE-11	1/14/2020	10	10	ND	ug/L
Acetone	NE-11	7/7/2020	10	10	ND	ug/L
Acetone	NE-11	1/16/2021	10	10	ND	ug/L
Acetone	NE-11	1/16/2021	10	10	ND	ug/L
Acetone	NE-11	7/1/2021	10	10	ND	ug/L
Acetone	NE-11	7/1/2021	10	10	ND	ug/L
Acetone	NE-11	1/17/2022	10	10	ND	ug/L
Acetone	NE-11	1/17/2022	10	10	ND	ug/L
Acetone	NE-11	7/12/2022	10	10	ND	ug/L
Acetone	NE-11	1/6/2023	10	10	ND	ug/L
Acetone	NE-11	7/6/2023	10	10	ND	ug/L
Acetone	NE-12	3/1/2017	5	5	ND	ug/L
Acetone	NE-12	4/6/2017	5	5	ND	ug/L
Acetone	NE-12	7/20/2017	5	5	ND	ug/L
Acetone	NE-12	10/6/2017	12	5		ug/L
Acetone	NE-12	8/5/2019	3.2	10	ND	ug/L
Acetone	NE-12	1/13/2020	10	10	ND	ug/L
Acetone	NE-12	7/7/2020	10	10	ND	ug/L
Acetone	NE-12	1/15/2021	10	10	ND	ug/L
Acetone	NE-12	1/15/2021	10	10	ND	ug/L
Acetone	NE-12	7/1/2021	10	10	ND	ug/L
Acetone	NE-12	7/1/2021	10	10	ND	ug/L
Acetone	NE-12	1/17/2022	10	10	ND	ug/L
Acetone	NE-12	1/17/2022	10	10	ND	ug/L
Acetone	NE-12	7/12/2022	10	10	ND	ug/L
Acetone	NE-12	1/6/2023	10	10	ND	ug/L
Acetone	NE-12	7/5/2023	10	10	ND	ug/L
Acetone	NE-13	2/5/2019	4.1	10	ND	ug/L
Acetone	NE-13	8/7/2019	10	10	ND	ug/L
Acetone	NE-13	1/15/2020	10	10	ND	ug/L
Acetone	NE-13	7/8/2020	10	10	ND	ug/L
Acetone	NE-13	1/17/2021	10	10	ND	ug/L
Acetone	NE-13	1/17/2021	10	10	ND	ug/L
Acetone	NE-13	7/1/2021	10	10	ND	ug/L
Acetone	NE-13	7/1/2021	10	10	ND	ug/L
Acetone	NE-14D	10/2/2019	10	10	ND	ug/L
Acetone	NE-14D	1/16/2020	10	10	ND	ug/L
Acetone	NE-14D	4/3/2020	10	10	ND	ug/L
Acetone	NE-14D	7/7/2020	10	10	ND	ug/L
Acetone	NE-14D	10/6/2020	10	10	ND	ug/L
Acetone	NE-14D	1/17/2021	10	10	ND	ug/L
Acetone	NE-14D	4/9/2021	10	10	ND	ug/L
Acetone	NE-14D	7/2/2021	10	10	ND	ug/L
Acetone	NE-14D	10/7/2021	10	10	ND	ug/L
Acetone	NE-14D	1/18/2022	10	10	ND	ug/L
Acetone	NE-14D	4/6/2022	10	10	ND	ug/L
Acetone	NE-14D	7/13/2022	10	10	ND	ug/L
Acetone	NE-14D	10/7/2022	10	10	ND	ug/L
Acetone	NE-14D	1/6/2023	10	10	ND	ug/L
Acetone	NE-14D	4/6/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-14D	7/5/2023	10	10	ND	ug/L
Acetone	NE-14D	10/4/2023	10	10	ND	ug/L
Acetone	NE-14S	10/2/2019	10	10	ND	ug/L
Acetone	NE-14S	1/16/2020	10	10	ND	ug/L
Acetone	NE-14S	4/3/2020	10	10	ND	ug/L
Acetone	NE-14S	7/7/2020	10	10	ND	ug/L
Acetone	NE-14S	10/6/2020	10	10	ND	ug/L
Acetone	NE-14S	1/17/2021	10	10	ND	ug/L
Acetone	NE-14S	4/9/2021	10	10	ND	ug/L
Acetone	NE-14S	7/2/2021	10	10	ND	ug/L
Acetone	NE-14S	10/7/2021	10	10	ND	ug/L
Acetone	NE-14S	1/18/2022	10	10	ND	ug/L
Acetone	NE-14S	4/6/2022	10	10	ND	ug/L
Acetone	NE-14S	7/13/2022	10	10	ND	ug/L
Acetone	NE-14S	10/7/2022	10	10	ND	ug/L
Acetone	NE-14S	1/6/2023	10	10	ND	ug/L
Acetone	NE-14S	4/6/2023	10	10	ND	ug/L
Acetone	NE-14S	7/5/2023	10	10	ND	ug/L
Acetone	NE-14S	10/4/2023	10	10	ND	ug/L
Acetone	NE-15D	9/30/2019	10	10	ND	ug/L
Acetone	NE-15D	1/16/2020	10	10	ND	ug/L
Acetone	NE-15D	4/3/2020	10	10	ND	ug/L
Acetone	NE-15D	7/7/2020	10	10	ND	ug/L
Acetone	NE-15D	10/6/2020	10	10	ND	ug/L
Acetone	NE-15D	1/17/2021	10	10	ND	ug/L
Acetone	NE-15D	4/9/2021	10	10	ND	ug/L
Acetone	NE-15D	7/2/2021	10	10	ND	ug/L
Acetone	NE-15D	10/7/2021	10	10	ND	ug/L
Acetone	NE-15D	1/17/2022	10	10	ND	ug/L
Acetone	NE-15D	4/6/2022	10	10	ND	ug/L
Acetone	NE-15D	7/13/2022	10	10	ND	ug/L
Acetone	NE-15D	10/7/2022	10	10	ND	ug/L
Acetone	NE-15D	1/6/2023	10	10	ND	ug/L
Acetone	NE-15D	4/6/2023	10	10	ND	ug/L
Acetone	NE-15D	7/6/2023	10	10	ND	ug/L
Acetone	NE-15D	10/6/2023	10	10	ND	ug/L
Acetone	NE-15S	4/3/2020	10	10	ND	ug/L
Acetone	NE-2	7/9/2002	5	5	ND	ug/L
Acetone	NE-2	8/6/2002	5	5	ND	ug/L
Acetone	NE-2	9/4/2002	5	5	ND	ug/L
Acetone	NE-2	10/2/2002	5	5	ND	ug/L
Acetone	NE-2	10/1/2013	5	5	ND	ug/L
Acetone	NE-2	10/8/2014	5	5	ND	ug/L
Acetone	NE-2	10/5/2015	5	5	ND	ug/L
Acetone	NE-2	10/6/2016	5	5	ND	ug/L
Acetone	NE-2	10/5/2017	5	5	ND	ug/L
Acetone	NE-2	1/25/2018	5	5	ND	ug/L
Acetone	NE-2	4/10/2018	9.3	5		ug/L
Acetone	NE-2	7/10/2018	6.3	5		ug/L
Acetone	NE-2	10/1/2018	21	10		ug/L
Acetone	NE-2	1/4/2019	2.9	10	ND	ug/L
Acetone	NE-2	4/2/2019	10	10	ND	ug/L
Acetone	NE-2	7/9/2019	10	10	ND	ug/L
Acetone	NE-2	7/9/2019	10	10	ND	ug/L
Acetone	NE-2	10/2/2019	2	10	ND	ug/L
Acetone	NE-2	1/14/2020	10	10	ND	ug/L
Acetone	NE-2	4/1/2020	10	10	ND	ug/L
Acetone	NE-2	7/7/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-2	10/6/2020	10	10	ND	ug/L
Acetone	NE-2	1/14/2021	10	10	ND	ug/L
Acetone	NE-2	4/9/2021	10	10	ND	ug/L
Acetone	NE-2	7/2/2021	10	10	ND	ug/L
Acetone	NE-2	10/6/2021	10	10	ND	ug/L
Acetone	NE-2	1/18/2022	10	10	ND	ug/L
Acetone	NE-2	4/6/2022	10	10	ND	ug/L
Acetone	NE-2	7/13/2022	10	10	ND	ug/L
Acetone	NE-2	10/7/2022	10	10	ND	ug/L
Acetone	NE-2	1/5/2023	10	10	ND	ug/L
Acetone	NE-2	4/5/2023	10	10	ND	ug/L
Acetone	NE-2	7/5/2023	10	10	ND	ug/L
Acetone	NE-2	10/4/2023	10	10	ND	ug/L
Acetone	NE-4	7/10/2002	5	5	ND	ug/L
Acetone	NE-4	8/6/2002	5	5	ND	ug/L
Acetone	NE-4	9/4/2002	5	5	ND	ug/L
Acetone	NE-4	10/3/2002	5	5	ND	ug/L
Acetone	NE-4	4/15/2003	5	5	ND	ug/L
Acetone	NE-4	7/8/2003	5	5	ND	ug/L
Acetone	NE-4	1/28/2004	5	5	ND	ug/L
Acetone	NE-4	1/13/2005	5	5	ND	ug/L
Acetone	NE-4	8/1/2006	5	5	ND	ug/L
Acetone	NE-4	8/1/2006	5	5	ND	ug/L
Acetone	NE-4	10/25/2006	5	5	ND	ug/L
Acetone	NE-4	1/24/2007	5	5	ND	ug/L
Acetone	NE-4	7/12/2007	5	5	ND	ug/L
Acetone	NE-4	1/24/2008	5	5	ND	ug/L
Acetone	NE-4	7/21/2008	5	5	ND	ug/L
Acetone	NE-4	2/7/2009	5	5	ND	ug/L
Acetone	NE-4	7/31/2009	5	5	ND	ug/L
Acetone	NE-4	1/26/2010	5	5	ND	ug/L
Acetone	NE-4	7/14/2010	5	5	ND	ug/L
Acetone	NE-4	1/19/2011	5	5	ND	ug/L
Acetone	NE-4	7/13/2011	5	5	ND	ug/L
Acetone	NE-4	1/5/2012	5	5	ND	ug/L
Acetone	NE-4	7/10/2012	5	5	ND	ug/L
Acetone	NE-4	4/30/2013	5	5	ND	ug/L
Acetone	NE-4	7/16/2013	5	5	ND	ug/L
Acetone	NE-4	1/23/2014	5	5	ND	ug/L
Acetone	NE-4	7/9/2014	6.9	5		ug/L
Acetone	NE-4	2/13/2015	2.2	5	ND	ug/L
Acetone	NE-4	7/8/2015	5	5	ND	ug/L
Acetone	NE-4	1/6/2016	5	5	ND	ug/L
Acetone	NE-4	7/20/2016	5	5	ND	ug/L
Acetone	NE-4	1/11/2017	5	5	ND	ug/L
Acetone	NE-4	7/19/2017	5	5	ND	ug/L
Acetone	NE-4	1/26/2018	6.8	5		ug/L
Acetone	NE-4	4/10/2018	5	5	ND	ug/L
Acetone	NE-4	7/12/2018	5	5	ND	ug/L
Acetone	NE-4	10/3/2018	25	10		ug/L
Acetone	NE-4	1/7/2019	10	10	ND	ug/L
Acetone	NE-4	4/2/2019	10	10	ND	ug/L
Acetone	NE-4	7/8/2019	10	10	ND	ug/L
Acetone	NE-4	7/8/2019	10	10	ND	ug/L
Acetone	NE-4	10/1/2019	10	10	ND	ug/L
Acetone	NE-4	1/13/2020	10	10	ND	ug/L
Acetone	NE-4	4/1/2020	10	10	ND	ug/L
Acetone	NE-4	7/6/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-4	10/5/2020	10	10	ND	ug/L
Acetone	NE-4	1/15/2021	10	10	ND	ug/L
Acetone	NE-4	4/9/2021	10	10	ND	ug/L
Acetone	NE-4	7/2/2021	10	10	ND	ug/L
Acetone	NE-4	10/6/2021	10	10	ND	ug/L
Acetone	NE-4	1/5/2023	10	10	ND	ug/L
Acetone	NE-4	4/6/2023	10	10	ND	ug/L
Acetone	NE-4	7/5/2023	10	10	ND	ug/L
Acetone	NE-4	10/4/2023	10	10	ND	ug/L
Acetone	NE-5	7/9/2002	4.1	5		ug/L
Acetone	NE-5	8/6/2002	3.1	5		ug/L
Acetone	NE-5	9/4/2002	5	5	ND	ug/L
Acetone	NE-5	10/2/2002	5	5	ND	ug/L
Acetone	NE-5	4/15/2003	5	5	ND	ug/L
Acetone	NE-5	7/8/2003	5	5	ND	ug/L
Acetone	NE-5	1/27/2004	5	5	ND	ug/L
Acetone	NE-5	1/12/2005	5	5	ND	ug/L
Acetone	NE-5	7/19/2006	5	5	ND	ug/L
Acetone	NE-5	7/19/2006	5	5	ND	ug/L
Acetone	NE-5	10/25/2006	5	5	ND	ug/L
Acetone	NE-5	1/24/2007	5	5	ND	ug/L
Acetone	NE-5	7/12/2007	5	5	ND	ug/L
Acetone	NE-5	7/22/2008	6.7	5		ug/L
Acetone	NE-5	2/6/2009	3.5	5	ND	ug/L
Acetone	NE-5	7/31/2009	5	5	ND	ug/L
Acetone	NE-5	1/26/2010	5	5	ND	ug/L
Acetone	NE-5	7/16/2010	4.7	5	ND	ug/L
Acetone	NE-5	9/2/2010	5	5	ND	ug/L
Acetone	NE-5	1/19/2011	2.5	5	ND	ug/L
Acetone	NE-5	7/13/2011	5	5	ND	ug/L
Acetone	NE-5	1/5/2012	5	5	ND	ug/L
Acetone	NE-5	7/10/2012	5	5	ND	ug/L
Acetone	NE-5	4/30/2013	5	5	ND	ug/L
Acetone	NE-5	7/16/2013	5	5	ND	ug/L
Acetone	NE-5	1/23/2014	2.1	5	ND	ug/L
Acetone	NE-5	7/9/2014	4.6	5	ND	ug/L
Acetone	NE-5	2/11/2015	5	5	ND	ug/L
Acetone	NE-5	7/14/2015	5	5	ND	ug/L
Acetone	NE-5	1/6/2016	5	5	ND	ug/L
Acetone	NE-5	7/20/2016	5	5	ND	ug/L
Acetone	NE-5	1/11/2017	12	5		ug/L
Acetone	NE-5	7/19/2017	5	5	ND	ug/L
Acetone	NE-5	1/25/2018	11	5		ug/L
Acetone	NE-5	4/10/2018	5	5	ND	ug/L
Acetone	NE-5	7/17/2018	17	5		ug/L
Acetone	NE-5	10/3/2018	21	10		ug/L
Acetone	NE-5	1/4/2019	10	10	ND	ug/L
Acetone	NE-5	4/2/2019	10	10	ND	ug/L
Acetone	NE-5	4/2/2019	10	10	ND	ug/L
Acetone	NE-5	7/9/2019	10	10	ND	ug/L
Acetone	NE-5	7/9/2019	6.2	10	ND	ug/L
Acetone	NE-5	7/9/2019	6.2	10	ND	ug/L
Acetone	NE-5	10/3/2019	10	10	ND	ug/L
Acetone	NE-5	1/16/2020	10	10	ND	ug/L
Acetone	NE-5	4/2/2020	10	10	ND	ug/L
Acetone	NE-5	7/8/2020	10	10	ND	ug/L
Acetone	NE-5	10/6/2020	10	10	ND	ug/L
Acetone	NE-5	1/15/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-5	4/9/2021	10	10	ND	ug/L
Acetone	NE-5	7/2/2021	10	10	ND	ug/L
Acetone	NE-5	10/6/2021	10	10	ND	ug/L
Acetone	NE-5	1/18/2022	10	10	ND	ug/L
Acetone	NE-5	4/6/2022	10	10	ND	ug/L
Acetone	NE-5	7/13/2022	13.8	10		ug/L
Acetone	NE-5	10/7/2022	10	10	ND	ug/L
Acetone	NE-5	1/5/2023	10	10	ND	ug/L
Acetone	NE-5	4/7/2023	10	10	ND	ug/L
Acetone	NE-5	7/6/2023	10	10	ND	ug/L
Acetone	NE-5	10/4/2023	10	10	ND	ug/L
Acetone	NE-5E	9/30/2019	10	10	ND	ug/L
Acetone	NE-5E	1/16/2020	10	10	ND	ug/L
Acetone	NE-5E	4/1/2020	10	10	ND	ug/L
Acetone	NE-5E	7/8/2020	10	10	ND	ug/L
Acetone	NE-5E	10/6/2020	10	10	ND	ug/L
Acetone	NE-5E	1/15/2021	10	10	ND	ug/L
Acetone	NE-5E	4/9/2021	10	10	ND	ug/L
Acetone	NE-5E	7/2/2021	10	10	ND	ug/L
Acetone	NE-5E	10/6/2021	10	10	ND	ug/L
Acetone	NE-5E	1/18/2022	10	10	ND	ug/L
Acetone	NE-5E	4/6/2022	10	10	ND	ug/L
Acetone	NE-5E	7/13/2022	11.5	10		ug/L
Acetone	NE-5E	10/7/2022	10	10	ND	ug/L
Acetone	NE-5E	1/5/2023	10	10	ND	ug/L
Acetone	NE-5E	4/7/2023	10	10	ND	ug/L
Acetone	NE-5E	7/6/2023	10	10	ND	ug/L
Acetone	NE-5E	10/4/2023	10	10	ND	ug/L
Acetone	NE-5W	9/30/2019	2.6	10	ND	ug/L
Acetone	NE-5W	1/16/2020	10	10	ND	ug/L
Acetone	NE-5W	4/2/2020	10	10	ND	ug/L
Acetone	NE-5W	7/8/2020	10	10	ND	ug/L
Acetone	NE-5W	10/6/2020	10	10	ND	ug/L
Acetone	NE-5W	1/15/2021	10	10	ND	ug/L
Acetone	NE-5W	4/9/2021	10	10	ND	ug/L
Acetone	NE-5W	7/2/2021	10	10	ND	ug/L
Acetone	NE-5W	10/6/2021	10	10	ND	ug/L
Acetone	NE-5W	1/18/2022	10	10	ND	ug/L
Acetone	NE-5W	4/6/2022	10	10	ND	ug/L
Acetone	NE-5W	7/13/2022	10	10	ND	ug/L
Acetone	NE-5W	10/7/2022	10	10	ND	ug/L
Acetone	NE-5W	1/5/2023	10	10	ND	ug/L
Acetone	NE-5W	4/7/2023	10	10	ND	ug/L
Acetone	NE-5W	7/6/2023	10	10	ND	ug/L
Acetone	NE-5W	10/4/2023	10	10	ND	ug/L
Acetone	NE-6	1/12/2017	5	5	ND	ug/L
Acetone	NE-6	4/5/2017	4.6	5	ND	ug/L
Acetone	NE-6	7/19/2017	3.3	5	ND	ug/L
Acetone	NE-6	10/6/2017	5	5	ND	ug/L
Acetone	NE-6	2/4/2019	10	10	ND	ug/L
Acetone	NE-6	8/6/2019	10	10	ND	ug/L
Acetone	NE-6	1/15/2020	10	10	ND	ug/L
Acetone	NE-6	7/9/2020	10	10	ND	ug/L
Acetone	NE-6	1/16/2021	10	10	ND	ug/L
Acetone	NE-6	1/16/2021	10	10	ND	ug/L
Acetone	NE-6	7/1/2021	10	10	ND	ug/L
Acetone	NE-6	7/1/2021	10	10	ND	ug/L
Acetone	NE-6	1/17/2022	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-6	1/17/2022	10	10	ND	ug/L
Acetone	NE-6	7/12/2022	10	10	ND	ug/L
Acetone	NE-6	1/5/2023	10	10	ND	ug/L
Acetone	NE-6	7/6/2023	10	10	ND	ug/L
Acetone	NE-6D	10/2/2019	2.6	10	ND	ug/L
Acetone	NE-6D	1/15/2020	10	10	ND	ug/L
Acetone	NE-6D	4/2/2020	10	10	ND	ug/L
Acetone	NE-6D	7/9/2020	10	10	ND	ug/L
Acetone	NE-6D	10/7/2020	10	10	ND	ug/L
Acetone	NE-6D	1/15/2021	10	10	ND	ug/L
Acetone	NE-6D	4/9/2021	10	10	ND	ug/L
Acetone	NE-6D	7/2/2021	10	10	ND	ug/L
Acetone	NE-6D	10/7/2021	10	10	ND	ug/L
Acetone	NE-6D	1/17/2022	10	10	ND	ug/L
Acetone	NE-6D	4/6/2022	10	10	ND	ug/L
Acetone	NE-6D	7/12/2022	10	10	ND	ug/L
Acetone	NE-6D	10/7/2022	10	10	ND	ug/L
Acetone	NE-6D	1/5/2023	10	10	ND	ug/L
Acetone	NE-6D	4/7/2023	10	10	ND	ug/L
Acetone	NE-6D	7/6/2023	10	10	ND	ug/L
Acetone	NE-6D	10/4/2023	10	10	ND	ug/L
Acetone	NE-7	3/1/2017	5	5	ND	ug/L
Acetone	NE-7	4/6/2017	3.3	5	ND	ug/L
Acetone	NE-7	7/20/2017	5	5	ND	ug/L
Acetone	NE-7	10/5/2017	5	5	ND	ug/L
Acetone	NE-7	2/6/2019	6.4	10	ND	ug/L
Acetone	NE-7	8/6/2019	3.3	10	ND	ug/L
Acetone	NE-7	1/16/2020	10	10	ND	ug/L
Acetone	NE-7	7/7/2020	10	10	ND	ug/L
Acetone	NE-7	1/16/2021	10	10	ND	ug/L
Acetone	NE-7	1/16/2021	10	10	ND	ug/L
Acetone	NE-7	7/1/2021	10	10	ND	ug/L
Acetone	NE-7	7/1/2021	10	10	ND	ug/L
Acetone	NE-7	1/17/2022	10	10	ND	ug/L
Acetone	NE-7	1/17/2022	10	10	ND	ug/L
Acetone	NE-7	7/12/2022	10	10	ND	ug/L
Acetone	NE-7	1/5/2023	10	10	ND	ug/L
Acetone	NE-7	7/6/2023	10	10	ND	ug/L
Acetone	NE-8	1/12/2017	5	5	ND	ug/L
Acetone	NE-8	4/5/2017	4.2	5	ND	ug/L
Acetone	NE-8	7/20/2017	5	5	ND	ug/L
Acetone	NE-8	10/6/2017	5	5	ND	ug/L
Acetone	NE-8	2/4/2019	5.9	10	ND	ug/L
Acetone	NE-8	8/5/2019	10	10	ND	ug/L
Acetone	NE-8	1/15/2020	10	10	ND	ug/L
Acetone	NE-8	7/8/2020	10	10	ND	ug/L
Acetone	NE-8	1/13/2021	10	10	ND	ug/L
Acetone	NE-8	1/13/2021	10	10	ND	ug/L
Acetone	NE-8	4/9/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	7/1/2021	10	10	ND	ug/L
Acetone	NE-8	10/7/2021	10	10	ND	ug/L
Acetone	NE-8	1/6/2023	10	10	ND	ug/L
Acetone	NE-8	7/5/2023	10	10	ND	ug/L
Acetone	NE-9	1/12/2017	5	5	ND	ug/L
Acetone	NE-9	4/5/2017	5	5	ND	ug/L
Acetone	NE-9	7/20/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetone	NE-9	10/5/2017	5	5	ND	ug/L
Acetone	NE-9	2/5/2019	3.7	10	ND	ug/L
Acetone	NE-9	8/7/2019	10	10	ND	ug/L
Acetone	NE-9	1/15/2020	10	10	ND	ug/L
Acetone	NE-9	7/7/2020	10	10	ND	ug/L
Acetone	NE-9	1/17/2021	10	10	ND	ug/L
Acetone	NE-9	1/17/2021	10	10	ND	ug/L
Acetone	NE-9	7/1/2021	10	10	ND	ug/L
Acetone	NE-9	7/1/2021	10	10	ND	ug/L
Acetone	NE-9	1/17/2022	10	10	ND	ug/L
Acetone	NE-9	1/17/2022	10	10	ND	ug/L
Acetone	NE-9	7/13/2022	10	10	ND	ug/L
Acetone	NE-9	1/6/2023	10	10	ND	ug/L
Acetone	NE-9	4/8/2023	10	10	ND	ug/L
Acetone	NE-9	7/5/2023	10	10	ND	ug/L
Acetone	NE-9	10/6/2023	10	10	ND	ug/L
Acetonitrile	LGW-10	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-10	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-10	2/12/2015	30	30	ND	ug/L
Acetonitrile	LGW-10	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-10	10/9/2017	30	30	ND	ug/L
Acetonitrile	LGW-10	7/16/2018	30	30	ND	ug/L
Acetonitrile	LGW-10	7/11/2019	30	30	ND	ug/L
Acetonitrile	LGW-10	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-10	10/7/2020	30	30	ND	ug/L
Acetonitrile	LGW-10	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-10	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-10	10/5/2023	30	30	ND	ug/L
Acetonitrile	LGW-14R	10/27/2006	30	30	ND	ug/L
Acetonitrile	LGW-14R	2/6/2009	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-14R	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/17/2018	30	30	ND	ug/L
Acetonitrile	LGW-14R	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-2	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-2	2/6/2009	30	30	ND	ug/L
Acetonitrile	LGW-2	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-2	2/13/2015	30	30	ND	ug/L
Acetonitrile	LGW-2	7/12/2018	30	30	ND	ug/L
Acetonitrile	LGW-2	7/8/2020	15	15	ND	ug/L
Acetonitrile	LGW-2	7/4/2021	30	30	ND	ug/L
Acetonitrile	LGW-3R	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-3R	2/3/2009	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-3R	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/11/2018	30	30	ND	ug/L
Acetonitrile	LGW-3R	7/6/2021	30	30	ND	ug/L
Acetonitrile	LGW-4	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-4	2/3/2009	30	30	ND	ug/L
Acetonitrile	LGW-4	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-4	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-4	7/11/2018	30	30	ND	ug/L
Acetonitrile	LGW-4	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-5	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-5	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-5	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-5	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-5	7/12/2018	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	LGW-5	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-5	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-5	10/5/2023	30	30	ND	ug/L
Acetonitrile	LGW-6	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-6	2/5/2009	30	30	ND	ug/L
Acetonitrile	LGW-6	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-6	2/10/2015	30	30	ND	ug/L
Acetonitrile	LGW-6	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-6	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-6	7/17/2018	30	30	ND	ug/L
Acetonitrile	LGW-6	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-6	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-6	10/6/2020	30	30	ND	ug/L
Acetonitrile	LGW-6	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-6	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-6	10/5/2023	30	30	ND	ug/L
Acetonitrile	LGW-7	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-7	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-7	7/10/2012	30	30	ND	ug/L
Acetonitrile	LGW-7	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-7	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-7	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-7	7/12/2018	30	30	ND	ug/L
Acetonitrile	LGW-7	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-7	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-7	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-7	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-8R	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-8R	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/9/2012	30	30	ND	ug/L
Acetonitrile	LGW-8R	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/13/2018	30	30	ND	ug/L
Acetonitrile	LGW-8R	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-9	10/26/2006	30	30	ND	ug/L
Acetonitrile	LGW-9	2/4/2009	30	30	ND	ug/L
Acetonitrile	LGW-9	7/10/2012	30	30	ND	ug/L
Acetonitrile	LGW-9	2/11/2015	30	30	ND	ug/L
Acetonitrile	LGW-9	10/6/2016	30	30	ND	ug/L
Acetonitrile	LGW-9	10/5/2017	30	30	ND	ug/L
Acetonitrile	LGW-9	7/13/2018	30	30	ND	ug/L
Acetonitrile	LGW-9	7/10/2019	30	30	ND	ug/L
Acetonitrile	LGW-9	7/9/2020	15	15	ND	ug/L
Acetonitrile	LGW-9	10/7/2020	30	30	ND	ug/L
Acetonitrile	LGW-9	7/7/2021	30	30	ND	ug/L
Acetonitrile	LGW-9	10/5/2021	30	30	ND	ug/L
Acetonitrile	LGW-9	10/5/2023	30	30	ND	ug/L
Acetonitrile	MW-10N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-10N	2/13/2009	30	30	ND	ug/L
Acetonitrile	MW-10N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-10N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-10N	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-10N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-11N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-11N	2/3/2009	30	30	ND	ug/L
Acetonitrile	MW-11N	7/9/2012	30	30	ND	ug/L
Acetonitrile	MW-11N	2/10/2015	30	30	ND	ug/L
Acetonitrile	MW-11N	7/17/2018	30	30	ND	ug/L
Acetonitrile	MW-11N	7/6/2021	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	MW-15	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-15	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-16	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-16	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-17	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-17	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-19	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-19	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-1N	10/14/1998	70	70	ND	ug/L
Acetonitrile	MW-1N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-1N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-1N	10/24/2006	30	30	ND	ug/L
Acetonitrile	MW-1N	2/5/2009	30	30	ND	ug/L
Acetonitrile	MW-1N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-1N	2/10/2015	30	30	ND	ug/L
Acetonitrile	MW-1N	7/10/2018	30	30	ND	ug/L
Acetonitrile	MW-1N	7/6/2020	15	15	ND	ug/L
Acetonitrile	MW-1N	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-20	7/12/2018	30	30	ND	ug/L
Acetonitrile	MW-20	7/4/2021	30	30	ND	ug/L
Acetonitrile	MW-21	10/5/2016	30	30	ND	ug/L
Acetonitrile	MW-21	10/6/2017	30	30	ND	ug/L
Acetonitrile	MW-21	7/11/2018	30	30	ND	ug/L
Acetonitrile	MW-21	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-21	7/8/2020	15	15	ND	ug/L
Acetonitrile	MW-21	10/7/2020	30	30	ND	ug/L
Acetonitrile	MW-21	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-21	10/6/2021	30	30	ND	ug/L
Acetonitrile	MW-2N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-2N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-2N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-2N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-2N	7/12/2018	30	30	ND	ug/L
Acetonitrile	MW-2N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-3N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-3N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-3N	10/25/2006	30	30	ND	ug/L
Acetonitrile	MW-3N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-3N	7/11/2012	30	30	ND	ug/L
Acetonitrile	MW-3N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-3N	10/6/2016	30	30	ND	ug/L
Acetonitrile	MW-3N	10/9/2017	30	30	ND	ug/L
Acetonitrile	MW-3N	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-3N	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-3N	7/7/2020	15	15	ND	ug/L
Acetonitrile	MW-3N	10/7/2020	30	30	ND	ug/L
Acetonitrile	MW-3N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-3N	10/6/2021	30	30	ND	ug/L
Acetonitrile	MW-7N	10/15/1998	70	70	ND	ug/L
Acetonitrile	MW-7N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-7N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-7N	10/24/2006	30	30	ND	ug/L
Acetonitrile	MW-7N	2/6/2009	30	30	ND	ug/L
Acetonitrile	MW-7N	7/10/2012	30	30	ND	ug/L
Acetonitrile	MW-7N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-7N	10/5/2017	30	30	ND	ug/L
Acetonitrile	MW-7N	7/13/2018	30	30	ND	ug/L
Acetonitrile	MW-7N	7/5/2021	30	30	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetonitrile	MW-8N	5/29/2002	70	70	ND	ug/L
Acetonitrile	MW-8N	5/29/2002	2	2	ND	ug/L
Acetonitrile	MW-8N	10/24/2006	30	30	ND	ug/L
Acetonitrile	MW-8N	1/24/2008	30	30	ND	ug/L
Acetonitrile	MW-8N	2/4/2009	30	30	ND	ug/L
Acetonitrile	MW-8N	5/10/2011	30	30	ND	ug/L
Acetonitrile	MW-8N	7/11/2012	30	30	ND	ug/L
Acetonitrile	MW-8N	10/2/2013	30	30	ND	ug/L
Acetonitrile	MW-8N	10/8/2014	30	30	ND	ug/L
Acetonitrile	MW-8N	2/12/2015	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2016	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2017	30	30	ND	ug/L
Acetonitrile	MW-8N	7/16/2018	30	30	ND	ug/L
Acetonitrile	MW-8N	7/11/2019	30	30	ND	ug/L
Acetonitrile	MW-8N	7/9/2020	15	15	ND	ug/L
Acetonitrile	MW-8N	10/6/2020	30	30	ND	ug/L
Acetonitrile	MW-8N	7/5/2021	30	30	ND	ug/L
Acetonitrile	MW-8N	10/6/2021	30	30	ND	ug/L
Acetonitrile	MW-8N	10/5/2023	30	30	ND	ug/L
Acetonitrile	NE-1	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-1	2/7/2009	30	30	ND	ug/L
Acetonitrile	NE-1	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-1	2/11/2015	30	30	ND	ug/L
Acetonitrile	NE-1	7/18/2018	30	30	ND	ug/L
Acetonitrile	NE-2	7/10/2018	30	30	ND	ug/L
Acetonitrile	NE-4	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-4	2/7/2009	30	30	ND	ug/L
Acetonitrile	NE-4	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-4	2/13/2015	30	30	ND	ug/L
Acetonitrile	NE-4	7/12/2018	30	30	ND	ug/L
Acetonitrile	NE-5	10/25/2006	30	30	ND	ug/L
Acetonitrile	NE-5	2/6/2009	30	30	ND	ug/L
Acetonitrile	NE-5	7/10/2012	30	30	ND	ug/L
Acetonitrile	NE-5	2/11/2015	30	30	ND	ug/L
Acetonitrile	NE-5	7/17/2018	30	30	ND	ug/L
Acetonitrile	NE-5	7/9/2019	30	30	ND	ug/L
Acetophenone	LGW-10	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Acetophenone	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Acetophenone	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Acetophenone	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Acetophenone	LGW-10	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-10	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-10	10/5/2023	10	10	ND	ug/L
Acetophenone	LGW-14R	10/27/2006	10	10	ND	ug/L
Acetophenone	LGW-14R	2/6/2009	10	10	ND	ug/L
Acetophenone	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Acetophenone	LGW-14R	7/17/2018	10	10	ND	ug/L
Acetophenone	LGW-14R	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-2	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-2	2/13/2009	10	10	ND	ug/L
Acetophenone	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-2	2/13/2015	13	13	ND	ug/L
Acetophenone	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Acetophenone	LGW-2	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	LGW-2	7/4/2021	10	10	ND	ug/L
Acetophenone	LGW-3R	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-3R	2/3/2009	10	10	ND	ug/L
Acetophenone	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Acetophenone	LGW-3R	7/11/2018	10	10	ND	ug/L
Acetophenone	LGW-3R	7/6/2021	10	10	ND	ug/L
Acetophenone	LGW-4	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-4	2/3/2009	10	10	ND	ug/L
Acetophenone	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Acetophenone	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Acetophenone	LGW-4	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-5	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-5	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Acetophenone	LGW-5	7/12/2018	10	10	ND	ug/L
Acetophenone	LGW-5	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-5	10/5/2023	10	10	ND	ug/L
Acetophenone	LGW-6	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-6	2/5/2009	10	10	ND	ug/L
Acetophenone	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-6	2/10/2015	10	10	ND	ug/L
Acetophenone	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Acetophenone	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Acetophenone	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Acetophenone	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Acetophenone	LGW-6	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-6	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-6	10/5/2023	10	10	ND	ug/L
Acetophenone	LGW-7	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-7	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Acetophenone	LGW-7	7/12/2018	10	10	ND	ug/L
Acetophenone	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Acetophenone	LGW-7	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-7	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-8R	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-8R	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Acetophenone	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Acetophenone	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Acetophenone	LGW-8R	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-9	10/26/2006	10	10	ND	ug/L
Acetophenone	LGW-9	2/4/2009	10	10	ND	ug/L
Acetophenone	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Acetophenone	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Acetophenone	LGW-9	7/10/2019	10	10	ND	ug/L
Acetophenone	LGW-9	7/9/2020	10	10	ND	ug/L
Acetophenone	LGW-9	7/7/2021	10	10	ND	ug/L
Acetophenone	LGW-9	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	MW-10N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-10N	2/13/2009	10	10	ND	ug/L
Acetophenone	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Acetophenone	MW-10N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-11N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-11N	2/3/2009	10	10	ND	ug/L
Acetophenone	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-11N	2/10/2015	10	10	ND	ug/L
Acetophenone	MW-11N	7/17/2018	10	10	ND	ug/L
Acetophenone	MW-11N	7/6/2021	10	10	ND	ug/L
Acetophenone	MW-15	7/10/2018	10	10	ND	ug/L
Acetophenone	MW-15	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-16	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-17	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Acetophenone	MW-19	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-1N	10/14/1998	10	10	ND	ug/L
Acetophenone	MW-1N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-1N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-1N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-1N	2/5/2009	10	10	ND	ug/L
Acetophenone	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Acetophenone	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Acetophenone	MW-1N	7/6/2020	10	10	ND	ug/L
Acetophenone	MW-1N	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-20	7/4/2021	10	10	ND	ug/L
Acetophenone	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Acetophenone	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-21	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-21	7/8/2020	10	10	ND	ug/L
Acetophenone	MW-21	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-2N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-2N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Acetophenone	MW-2N	7/12/2018	10	10	ND	ug/L
Acetophenone	MW-2N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-3N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-3N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-3N	10/25/2006	10	10	ND	ug/L
Acetophenone	MW-3N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Acetophenone	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Acetophenone	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Acetophenone	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Acetophenone	MW-3N	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-3N	7/7/2020	10	10	ND	ug/L
Acetophenone	MW-3N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-7N	10/15/1998	10	10	ND	ug/L
Acetophenone	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acetophenone	MW-7N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-7N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-7N	2/6/2009	10	10	ND	ug/L
Acetophenone	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Acetophenone	MW-7N	7/13/2018	10	10	ND	ug/L
Acetophenone	MW-7N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-8N	5/29/2002	10	10	ND	ug/L
Acetophenone	MW-8N	10/24/2006	10	10	ND	ug/L
Acetophenone	MW-8N	1/24/2008	10	10	ND	ug/L
Acetophenone	MW-8N	2/4/2009	10	10	ND	ug/L
Acetophenone	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Acetophenone	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Acetophenone	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Acetophenone	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Acetophenone	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Acetophenone	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Acetophenone	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Acetophenone	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Acetophenone	MW-8N	7/11/2019	10	10	ND	ug/L
Acetophenone	MW-8N	7/9/2020	10	10	ND	ug/L
Acetophenone	MW-8N	7/5/2021	10	10	ND	ug/L
Acetophenone	MW-8N	10/5/2023	10	10	ND	ug/L
Acetophenone	NE-1	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-1	2/7/2009	10	10	ND	ug/L
Acetophenone	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Acetophenone	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Acetophenone	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Acetophenone	NE-4	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-4	2/7/2009	10	10	ND	ug/L
Acetophenone	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Acetophenone	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Acetophenone	NE-4	7/12/2018	10	10	ND	ug/L
Acetophenone	NE-5	10/25/2006	10	10	ND	ug/L
Acetophenone	NE-5	2/6/2009	10	10	ND	ug/L
Acetophenone	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Acetophenone	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Acetophenone	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Acetophenone	NE-5	7/9/2019	10	10	ND	ug/L
Acrolein	LGW-10	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-10	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-10	2/12/2015	20	20	ND	ug/L
Acrolein	LGW-10	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-10	10/9/2017	20	20	ND	ug/L
Acrolein	LGW-10	7/16/2018	20	20	ND	ug/L
Acrolein	LGW-10	7/11/2019	20	20	ND	ug/L
Acrolein	LGW-10	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-10	10/7/2020	20	20	ND	ug/L
Acrolein	LGW-10	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-10	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-10	10/5/2023	20	20	ND	ug/L
Acrolein	LGW-14R	10/27/2006	20	20	ND	ug/L
Acrolein	LGW-14R	2/6/2009	20	20	ND	ug/L
Acrolein	LGW-14R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-14R	2/11/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	LGW-14R	7/17/2018	20	20	ND	ug/L
Acrolein	LGW-14R	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-2	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-2	2/6/2009	20	20	ND	ug/L
Acrolein	LGW-2	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-2	2/13/2015	20	20	ND	ug/L
Acrolein	LGW-2	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-2	7/8/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-2	7/4/2021	20	20	ND	ug/L
Acrolein	LGW-3R	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-3R	2/3/2009	20	20	ND	ug/L
Acrolein	LGW-3R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-3R	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-3R	7/11/2018	20	20	ND	ug/L
Acrolein	LGW-3R	7/6/2021	20	20	ND	ug/L
Acrolein	LGW-4	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-4	2/3/2009	20	20	ND	ug/L
Acrolein	LGW-4	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-4	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-4	7/11/2018	20	20	ND	ug/L
Acrolein	LGW-4	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-5	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-5	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-5	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-5	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-5	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-5	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-5	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-5	10/5/2023	20	20	ND	ug/L
Acrolein	LGW-6	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-6	2/5/2009	20	20	ND	ug/L
Acrolein	LGW-6	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-6	2/10/2015	20	20	ND	ug/L
Acrolein	LGW-6	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-6	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-6	7/17/2018	20	20	ND	ug/L
Acrolein	LGW-6	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-6	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-6	10/6/2020	20	20	ND	ug/L
Acrolein	LGW-6	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-6	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-6	10/5/2023	20	20	ND	ug/L
Acrolein	LGW-7	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-7	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-7	7/10/2012	20	20	ND	ug/L
Acrolein	LGW-7	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-7	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-7	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-7	7/12/2018	20	20	ND	ug/L
Acrolein	LGW-7	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-7	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-7	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-7	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-8R	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-8R	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-8R	7/9/2012	20	20	ND	ug/L
Acrolein	LGW-8R	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-8R	7/13/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	LGW-8R	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-9	10/26/2006	20	20	ND	ug/L
Acrolein	LGW-9	2/4/2009	20	20	ND	ug/L
Acrolein	LGW-9	7/10/2012	20	20	ND	ug/L
Acrolein	LGW-9	2/11/2015	20	20	ND	ug/L
Acrolein	LGW-9	10/6/2016	20	20	ND	ug/L
Acrolein	LGW-9	10/5/2017	20	20	ND	ug/L
Acrolein	LGW-9	7/13/2018	20	20	ND	ug/L
Acrolein	LGW-9	7/10/2019	20	20	ND	ug/L
Acrolein	LGW-9	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	LGW-9	10/7/2020	20	20	ND	ug/L
Acrolein	LGW-9	7/7/2021	20	20	ND	ug/L
Acrolein	LGW-9	10/5/2021	20	20	ND	ug/L
Acrolein	LGW-9	10/5/2023	20	20	ND	ug/L
Acrolein	MW-10N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-10N	2/13/2009	20	20	ND	ug/L
Acrolein	MW-10N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-10N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-10N	7/11/2018	20	20	ND	ug/L
Acrolein	MW-10N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-11N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-11N	2/3/2009	20	20	ND	ug/L
Acrolein	MW-11N	7/9/2012	20	20	ND	ug/L
Acrolein	MW-11N	2/10/2015	20	20	ND	ug/L
Acrolein	MW-11N	7/17/2018	20	20	ND	ug/L
Acrolein	MW-11N	7/6/2021	20	20	ND	ug/L
Acrolein	MW-15	7/10/2018	20	20	ND	ug/L
Acrolein	MW-15	7/4/2021	20	20	ND	ug/L
Acrolein	MW-16	7/11/2018	20	20	ND	ug/L
Acrolein	MW-16	7/4/2021	20	20	ND	ug/L
Acrolein	MW-17	7/10/2018	20	20	ND	ug/L
Acrolein	MW-17	7/4/2021	20	20	ND	ug/L
Acrolein	MW-19	7/13/2018	20	20	ND	ug/L
Acrolein	MW-19	7/4/2021	20	20	ND	ug/L
Acrolein	MW-1N	10/14/1998	313	313	ND	ug/L
Acrolein	MW-1N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-1N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-1N	2/5/2009	20	20	ND	ug/L
Acrolein	MW-1N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-1N	2/10/2015	20	20	ND	ug/L
Acrolein	MW-1N	7/10/2018	20	20	ND	ug/L
Acrolein	MW-1N	7/6/2020	8.87	8.87	ND	ug/L
Acrolein	MW-1N	7/4/2021	20	20	ND	ug/L
Acrolein	MW-20	7/12/2018	20	20	ND	ug/L
Acrolein	MW-20	7/4/2021	20	20	ND	ug/L
Acrolein	MW-21	10/5/2016	20	20	ND	ug/L
Acrolein	MW-21	10/6/2017	20	20	ND	ug/L
Acrolein	MW-21	7/11/2018	20	20	ND	ug/L
Acrolein	MW-21	7/11/2019	20	20	ND	ug/L
Acrolein	MW-21	7/8/2020	8.87	8.87	ND	ug/L
Acrolein	MW-21	10/7/2020	20	20	ND	ug/L
Acrolein	MW-21	7/5/2021	20	20	ND	ug/L
Acrolein	MW-21	10/6/2021	20	20	ND	ug/L
Acrolein	MW-2N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-2N	2/4/2009	20	20	ND	ug/L
Acrolein	MW-2N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-2N	2/12/2015	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	MW-2N	7/12/2018	20	20	ND	ug/L
Acrolein	MW-2N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-3N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-3N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-3N	10/25/2006	20	20	ND	ug/L
Acrolein	MW-3N	2/4/2009	20	20	ND	ug/L
Acrolein	MW-3N	7/11/2012	20	20	ND	ug/L
Acrolein	MW-3N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-3N	10/6/2016	20	20	ND	ug/L
Acrolein	MW-3N	10/9/2017	20	20	ND	ug/L
Acrolein	MW-3N	7/13/2018	20	20	ND	ug/L
Acrolein	MW-3N	7/11/2019	20	20	ND	ug/L
Acrolein	MW-3N	7/7/2020	8.87	8.87	ND	ug/L
Acrolein	MW-3N	10/7/2020	20	20	ND	ug/L
Acrolein	MW-3N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-3N	10/6/2021	20	20	ND	ug/L
Acrolein	MW-7N	10/15/1998	313	313	ND	ug/L
Acrolein	MW-7N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-7N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-7N	2/6/2009	20	20	ND	ug/L
Acrolein	MW-7N	7/10/2012	20	20	ND	ug/L
Acrolein	MW-7N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-7N	10/5/2017	20	20	ND	ug/L
Acrolein	MW-7N	7/13/2018	20	20	ND	ug/L
Acrolein	MW-7N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-8N	5/29/2002	313	313	ND	ug/L
Acrolein	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Acrolein	MW-8N	10/24/2006	20	20	ND	ug/L
Acrolein	MW-8N	1/24/2008	20	20	ND	ug/L
Acrolein	MW-8N	2/4/2009	20	20	ND	ug/L
Acrolein	MW-8N	5/10/2011	20	20	ND	ug/L
Acrolein	MW-8N	7/11/2012	20	20	ND	ug/L
Acrolein	MW-8N	10/2/2013	20	20	ND	ug/L
Acrolein	MW-8N	10/8/2014	20	20	ND	ug/L
Acrolein	MW-8N	2/12/2015	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2016	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2017	20	20	ND	ug/L
Acrolein	MW-8N	7/16/2018	20	20	ND	ug/L
Acrolein	MW-8N	7/11/2019	20	20	ND	ug/L
Acrolein	MW-8N	7/9/2020	8.87	8.87	ND	ug/L
Acrolein	MW-8N	10/6/2020	20	20	ND	ug/L
Acrolein	MW-8N	7/5/2021	20	20	ND	ug/L
Acrolein	MW-8N	10/6/2021	20	20	ND	ug/L
Acrolein	MW-8N	10/5/2023	20	20	ND	ug/L
Acrolein	NE-1	10/25/2006	20	20	ND	ug/L
Acrolein	NE-1	2/7/2009	20	20	ND	ug/L
Acrolein	NE-1	7/10/2012	20	20	ND	ug/L
Acrolein	NE-1	2/11/2015	20	20	ND	ug/L
Acrolein	NE-1	7/18/2018	20	20	ND	ug/L
Acrolein	NE-2	7/10/2018	20	20	ND	ug/L
Acrolein	NE-4	10/25/2006	20	20	ND	ug/L
Acrolein	NE-4	2/7/2009	20	20	ND	ug/L
Acrolein	NE-4	7/10/2012	20	20	ND	ug/L
Acrolein	NE-4	2/13/2015	20	20	ND	ug/L
Acrolein	NE-4	7/12/2018	20	20	ND	ug/L
Acrolein	NE-5	10/25/2006	20	20	ND	ug/L
Acrolein	NE-5	2/6/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrolein	NE-5	7/10/2012	20	20	ND	ug/L
Acrolein	NE-5	2/11/2015	20	20	ND	ug/L
Acrolein	NE-5	7/17/2018	20	20	ND	ug/L
Acrolein	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-10	5/1/2013	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/30/2014	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2014	20	20	ND	ug/L
Acrylonitrile	LGW-10	2/12/2015	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/4/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/19/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/9/2017	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/24/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/16/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/4/2018	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/4/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/11/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/2/2019	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/15/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/7/2022	20	20	ND	ug/L
Acrylonitrile	LGW-10	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-10	4/5/2023	20	20	ND	ug/L
Acrylonitrile	LGW-10	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-10	10/5/2023	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-14R	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	8/2/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	8/2/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	10/27/2006	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	4/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/6/2009	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-14R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-14R	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/25/2018	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/17/2018	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-14R	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-14R	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/10/2007	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/26/2008	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/6/2009	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/30/2009	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/30/2013	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-2	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/30/2014	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-2	2/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/13/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	4/1/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/8/2020	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/4/2021	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/10/2022	20	20	ND	ug/L
Acrylonitrile	LGW-2	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-2	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/26/2008	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2009	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-3R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/22/2014	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-3R	2/10/2015	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/16/2015	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/8/2016	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/6/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-3R	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/10/2022	20	20	ND	ug/L
Acrylonitrile	LGW-3R	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-3R	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2009	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/16/2010	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/13/2011	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/4/2012	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-4	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-4	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-4	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-4	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2010	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-5	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-5	2/10/2015	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/8/2015	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/6/2022	20	20	ND	ug/L
Acrylonitrile	LGW-5	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-5	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-5	10/5/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/11/2007	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/23/2008	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/5/2009	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/3/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/19/2011	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-6	2/10/2015	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/19/2016	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2016	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-6	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	5/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/23/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/10/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/17/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2020	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/12/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/6/2022	20	20	ND	ug/L
Acrylonitrile	LGW-6	1/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	4/6/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-6	10/5/2023	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	8/1/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/26/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-7	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/31/2009	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/27/2010	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2010	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/10/2012	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-7	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/20/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/4/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/5/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-7	1/24/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/12/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/15/2020	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/18/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-7	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-7	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/24/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	10/26/2006	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/24/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	4/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/12/2007	20	20	ND	ug/L
Acrylonitrile	LGW-8R	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/27/2010	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/14/2010	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/9/2012	20	20	ND	ug/L
Acrylonitrile	LGW-8R	4/30/2013	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/22/2014	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-8R	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/22/2015	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/20/2016	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/25/2018	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/13/2018	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/8/2019	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/14/2020	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-8R	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-8R	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/25/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/20/2006	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/26/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	LGW-9	1/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/25/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2007	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/22/2008	20	20	ND	ug/L
Acrylonitrile	LGW-9	2/4/2009	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/29/2009	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/27/2010	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/14/2010	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/20/2011	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/12/2011	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/5/2012	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2012	20	20	ND	ug/L
Acrylonitrile	LGW-9	5/1/2013	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/15/2013	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/23/2014	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/8/2014	20	20	ND	ug/L
Acrylonitrile	LGW-9	2/11/2015	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/13/2015	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/5/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/21/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/6/2016	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/11/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	5/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/18/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/5/2017	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/24/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/11/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/13/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/2/2018	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/7/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/3/2019	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/16/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/2/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/9/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/7/2020	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/6/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/7/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/5/2021	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/13/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/4/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/11/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/7/2022	20	20	ND	ug/L
Acrylonitrile	LGW-9	1/11/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	4/5/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	7/10/2023	20	20	ND	ug/L
Acrylonitrile	LGW-9	10/5/2023	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-10N	4/28/1998	140	140	ND	ug/L
Acrylonitrile	MW-10N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	7/15/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-10N	1/14/2000	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-10N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-10N	7/11/2000	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-10N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2002	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-10N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2007	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-10N	2/13/2009	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/27/2010	20	20	ND	ug/L
Acrylonitrile	MW-10N	8/10/2010	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-10N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-10N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/8/2020	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-10N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-10N	7/7/2023	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-11N	1/13/2000	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-11N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-11N	7/10/2000	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/29/2004	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/13/2005	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-11N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/24/2007	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2009	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/3/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/16/2010	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/4/2012	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2012	20	20	ND	ug/L
Acrylonitrile	MW-11N	4/30/2013	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/15/2013	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2014	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/8/2014	20	20	ND	ug/L
Acrylonitrile	MW-11N	2/10/2015	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2015	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/17/2018	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/18/2022	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/13/2022	20	20	ND	ug/L
Acrylonitrile	MW-11N	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-11N	7/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-15	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	7/15/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	9/3/2015	20	20	ND	ug/L
Acrylonitrile	MW-15	1/7/2016	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-15	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-15	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-15	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-15	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-15	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-15	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-15	7/9/2019	20	20	ND	ug/L
Acrylonitrile	MW-15	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-15	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-15	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-15	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-15	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-15	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-15	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-15	7/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-16	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	7/16/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	9/3/2015	20	20	ND	ug/L
Acrylonitrile	MW-16	1/8/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-16	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-16	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-16	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-16	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-16	1/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-16	7/10/2019	20	20	ND	ug/L
Acrylonitrile	MW-16	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-16	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-16	1/18/2021	20	20	ND	ug/L
Acrylonitrile	MW-16	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-16	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-16	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-16	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-16	7/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-17	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	7/15/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	9/2/2015	20	20	ND	ug/L
Acrylonitrile	MW-17	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-17	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-17	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-17	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-17	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-17	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-17	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-17	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-17	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-17	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-17	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-17	1/10/2023	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-17	7/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-19	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	7/16/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	8/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	9/3/2015	20	20	ND	ug/L
Acrylonitrile	MW-19	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-19	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-19	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-19	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-19	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-19	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-19	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-19	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-19	8/3/2020	20	20	ND	ug/L
Acrylonitrile	MW-19	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-19	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-19	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-19	7/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/20/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	10/14/1998	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	5/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/15/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-1N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-1N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-1N	7/12/2000	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/18/2000	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/12/2001	20	20	ND	ug/L
Acrylonitrile	MW-1N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-1N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/3/2002	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/15/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/8/2003	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-1N	1/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-1N	2/5/2009	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/31/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-1N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/13/2010	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-1N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-1N	2/10/2015	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/12/2017	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/23/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-1N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-1N	7/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-20	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	9/2/2015	20	20	ND	ug/L
Acrylonitrile	MW-20	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-20	1/12/2017	20	20	ND	ug/L
Acrylonitrile	MW-20	7/18/2017	20	20	ND	ug/L
Acrylonitrile	MW-20	1/26/2018	20	20	ND	ug/L
Acrylonitrile	MW-20	7/12/2018	20	20	ND	ug/L
Acrylonitrile	MW-20	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-20	1/14/2020	20	20	ND	ug/L
Acrylonitrile	MW-20	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-20	1/17/2021	20	20	ND	ug/L
Acrylonitrile	MW-20	7/4/2021	20	20	ND	ug/L
Acrylonitrile	MW-20	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	6/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	8/4/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	9/2/2015	20	20	ND	ug/L
Acrylonitrile	MW-21	1/7/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	4/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	7/20/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	10/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-21	1/10/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	4/5/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-21	10/6/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-21	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	4/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	7/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	10/4/2018	20	20	ND	ug/L
Acrylonitrile	MW-21	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	10/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-21	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	7/8/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	10/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-21	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-21	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	4/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	7/7/2023	20	20	ND	ug/L
Acrylonitrile	MW-21	10/6/2023	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/22/1997	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-2N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-2N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-2N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2001	20	20	ND	ug/L
Acrylonitrile	MW-2N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/10/2002	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-2N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-2N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	3/27/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-2N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/13/2010	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/13/2011	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/5/2012	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-2N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-2N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-2N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/23/2018	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/12/2018	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-2N	8/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/23/2020	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/14/2021	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-2N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-2N	7/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/23/1998	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/13/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	10/20/1999	70	70	ND	ug/L
Acrylonitrile	MW-3N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-3N	4/24/2000	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/11/2000	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-3N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/22/2003	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-3N	1/18/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/25/2006	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2007	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/22/2008	20	20	ND	ug/L
Acrylonitrile	MW-3N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/13/2010	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-3N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2012	20	20	ND	ug/L
Acrylonitrile	MW-3N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2014	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-3N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/1/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/9/2017	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/24/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/3/2018	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/2/2019	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/15/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/13/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-3N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-3N	7/7/2023	20	20	ND	ug/L
Acrylonitrile	MW-3N	10/6/2023	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/21/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	8/18/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	9/17/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	10/15/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	11/9/1998	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	4/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-7N	1/13/2000	70	70	ND	ug/L
Acrylonitrile	MW-7N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-7N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/10/2001	20	20	ND	ug/L
Acrylonitrile	MW-7N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	5/29/2002	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-7N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/8/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/26/2004	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2005	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/21/2008	20	20	ND	ug/L
Acrylonitrile	MW-7N	2/6/2009	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/29/2009	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/14/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	9/2/2010	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/20/2011	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/12/2011	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2012	20	20	ND	ug/L
Acrylonitrile	MW-7N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/15/2013	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/30/2014	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-7N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/13/2015	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	10/5/2017	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/25/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	4/11/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/13/2018	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/4/2019	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2019	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/16/2020	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/7/2020	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/16/2021	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/10/2022	20	20	ND	ug/L
Acrylonitrile	MW-7N	1/10/2023	20	20	ND	ug/L
Acrylonitrile	MW-7N	7/7/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/21/1997	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/28/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	7/22/1998	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/12/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/13/1999	70	70	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-8N	7/14/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	10/19/1999	70	70	ND	ug/L
Acrylonitrile	MW-8N	1/14/2000	70	70	ND	ug/L
Acrylonitrile	MW-8N	4/25/2000	70	70	ND	ug/L
Acrylonitrile	MW-8N	10/17/2000	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/23/2001	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/11/2001	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/29/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/29/2002	70	70	ND	ug/L
Acrylonitrile	MW-8N	7/9/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2002	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/23/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/14/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/7/2003	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/28/2004	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/27/2004	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/12/2005	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/20/2005	10	10	ND	ug/L
Acrylonitrile	MW-8N	1/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/24/2006	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/26/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/25/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/10/2007	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/24/2008	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/23/2008	20	20	ND	ug/L
Acrylonitrile	MW-8N	2/4/2009	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/31/2009	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/26/2010	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2010	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/19/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/10/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/14/2011	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/6/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/5/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/11/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/3/2012	20	20	ND	ug/L
Acrylonitrile	MW-8N	5/1/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	6/4/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2013	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/30/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/3/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/9/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/8/2014	20	20	ND	ug/L
Acrylonitrile	MW-8N	2/12/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/1/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/14/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/5/2015	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/5/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/21/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2016	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/11/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/4/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/19/2017	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	MW-8N	1/25/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/10/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/16/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/2/2018	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/7/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/11/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/3/2019	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/15/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/2/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/9/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2020	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/15/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/5/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2021	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/18/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/4/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/12/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/6/2022	20	20	ND	ug/L
Acrylonitrile	MW-8N	1/11/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	4/8/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	7/7/2023	20	20	ND	ug/L
Acrylonitrile	MW-8N	10/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-1	1/27/2004	20	20	ND	ug/L
Acrylonitrile	NE-1	1/12/2005	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	10/25/2006	20	20	ND	ug/L
Acrylonitrile	NE-1	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2007	20	20	ND	ug/L
Acrylonitrile	NE-1	1/24/2008	20	20	ND	ug/L
Acrylonitrile	NE-1	7/21/2008	20	20	ND	ug/L
Acrylonitrile	NE-1	2/7/2009	20	20	ND	ug/L
Acrylonitrile	NE-1	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-1	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	7/14/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	9/2/2010	20	20	ND	ug/L
Acrylonitrile	NE-1	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-1	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-1	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-1	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-1	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-1	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-1	7/9/2014	20	20	ND	ug/L
Acrylonitrile	NE-1	2/11/2015	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2015	20	20	ND	ug/L
Acrylonitrile	NE-1	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-1	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-1	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-1	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-1	1/24/2018	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-1	4/11/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	7/18/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2018	20	20	ND	ug/L
Acrylonitrile	NE-1	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	7/10/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-1	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-1	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-1	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	10/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-1	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-1	10/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	11/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-10D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	7/8/2023	20	20	ND	ug/L
Acrylonitrile	NE-10D	10/3/2023	20	20	ND	ug/L
Acrylonitrile	NE-11	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	10/9/2017	20	20	ND	ug/L
Acrylonitrile	NE-11	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-11	1/14/2020	20	20	ND	ug/L
Acrylonitrile	NE-11	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-11	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-11	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-11	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-11	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-12	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-12	8/5/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-12	1/13/2020	20	20	ND	ug/L
Acrylonitrile	NE-12	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-12	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-12	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-12	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-12	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-12	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-12	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-13	2/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-13	8/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-13	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-13	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-13	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-13	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-14D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14D	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-14D	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-14S	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-14S	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/6/2020	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-15D	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-15D	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15D	10/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-15S	4/3/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-2	10/1/2013	20	20	ND	ug/L
Acrylonitrile	NE-2	10/8/2014	20	20	ND	ug/L
Acrylonitrile	NE-2	10/5/2015	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-2	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-2	1/25/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	7/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	10/1/2018	20	20	ND	ug/L
Acrylonitrile	NE-2	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-2	1/14/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-2	1/14/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-2	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-2	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-2	4/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-2	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-2	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-4	7/10/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	10/3/2002	20	20	ND	ug/L
Acrylonitrile	NE-4	4/15/2003	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-4	1/28/2004	20	20	ND	ug/L
Acrylonitrile	NE-4	1/13/2005	20	20	ND	ug/L
Acrylonitrile	NE-4	8/1/2006	20	20	ND	ug/L
Acrylonitrile	NE-4	8/1/2006	20	20	ND	ug/L
Acrylonitrile	NE-4	10/25/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-4	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-4	7/12/2007	20	20	ND	ug/L
Acrylonitrile	NE-4	1/24/2008	20	20	ND	ug/L
Acrylonitrile	NE-4	7/21/2008	20	20	ND	ug/L
Acrylonitrile	NE-4	2/7/2009	20	20	ND	ug/L
Acrylonitrile	NE-4	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-4	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-4	7/14/2010	20	20	ND	ug/L
Acrylonitrile	NE-4	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-4	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-4	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-4	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-4	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-4	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-4	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-4	7/9/2014	20	20	ND	ug/L
Acrylonitrile	NE-4	2/13/2015	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2015	20	20	ND	ug/L
Acrylonitrile	NE-4	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-4	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-4	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-4	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-4	1/26/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	7/12/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	10/3/2018	20	20	ND	ug/L
Acrylonitrile	NE-4	1/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	7/8/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	10/1/2019	20	20	ND	ug/L
Acrylonitrile	NE-4	1/13/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	7/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	10/5/2020	20	20	ND	ug/L
Acrylonitrile	NE-4	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-4	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-4	4/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-4	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-4	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	8/6/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	9/4/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	10/2/2002	20	20	ND	ug/L
Acrylonitrile	NE-5	4/15/2003	20	20	ND	ug/L
Acrylonitrile	NE-5	7/8/2003	20	20	ND	ug/L
Acrylonitrile	NE-5	1/27/2004	20	20	ND	ug/L
Acrylonitrile	NE-5	1/12/2005	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	10/25/2006	20	20	ND	ug/L
Acrylonitrile	NE-5	1/24/2007	20	20	ND	ug/L
Acrylonitrile	NE-5	7/12/2007	20	20	ND	ug/L
Acrylonitrile	NE-5	7/22/2008	20	20	ND	ug/L
Acrylonitrile	NE-5	2/6/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-5	7/31/2009	20	20	ND	ug/L
Acrylonitrile	NE-5	1/26/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	7/16/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	9/2/2010	20	20	ND	ug/L
Acrylonitrile	NE-5	1/19/2011	20	20	ND	ug/L
Acrylonitrile	NE-5	7/13/2011	20	20	ND	ug/L
Acrylonitrile	NE-5	1/5/2012	20	20	ND	ug/L
Acrylonitrile	NE-5	7/10/2012	20	20	ND	ug/L
Acrylonitrile	NE-5	4/30/2013	20	20	ND	ug/L
Acrylonitrile	NE-5	7/16/2013	20	20	ND	ug/L
Acrylonitrile	NE-5	1/23/2014	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2014	20	20	ND	ug/L
Acrylonitrile	NE-5	2/11/2015	20	20	ND	ug/L
Acrylonitrile	NE-5	7/14/2015	20	20	ND	ug/L
Acrylonitrile	NE-5	1/6/2016	20	20	ND	ug/L
Acrylonitrile	NE-5	7/20/2016	20	20	ND	ug/L
Acrylonitrile	NE-5	1/11/2017	20	20	ND	ug/L
Acrylonitrile	NE-5	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-5	1/25/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	4/10/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	7/17/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	10/3/2018	20	20	ND	ug/L
Acrylonitrile	NE-5	1/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	7/9/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	10/3/2019	20	20	ND	ug/L
Acrylonitrile	NE-5	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-5	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-5	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/1/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5E	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/7/2022	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-5E	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-5E	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	9/30/2019	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/6/2020	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/6/2021	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/18/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-5W	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-5W	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-6	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	7/19/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-6	2/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-6	8/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-6	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-6	7/9/2020	20	20	ND	ug/L
Acrylonitrile	NE-6	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-6	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-6	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-6	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/2/2019	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/2/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/9/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/15/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/2/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/6/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/7/2022	20	20	ND	ug/L
Acrylonitrile	NE-6D	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	4/7/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-6D	10/4/2023	20	20	ND	ug/L
Acrylonitrile	NE-7	3/1/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	4/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	7/20/2017	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Acrylonitrile	NE-7	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-7	2/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-7	8/6/2019	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2020	20	20	ND	ug/L
Acrylonitrile	NE-7	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	1/16/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-7	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	7/12/2022	20	20	ND	ug/L
Acrylonitrile	NE-7	1/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-7	7/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-8	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	10/6/2017	20	20	ND	ug/L
Acrylonitrile	NE-8	2/4/2019	20	20	ND	ug/L
Acrylonitrile	NE-8	8/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-8	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-8	7/8/2020	20	20	ND	ug/L
Acrylonitrile	NE-8	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	1/13/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	4/9/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	10/7/2021	20	20	ND	ug/L
Acrylonitrile	NE-8	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-8	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	1/12/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	4/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	7/20/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	10/5/2017	20	20	ND	ug/L
Acrylonitrile	NE-9	2/5/2019	20	20	ND	ug/L
Acrylonitrile	NE-9	8/7/2019	20	20	ND	ug/L
Acrylonitrile	NE-9	1/15/2020	20	20	ND	ug/L
Acrylonitrile	NE-9	7/7/2020	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	7/1/2021	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	1/17/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	7/13/2022	20	20	ND	ug/L
Acrylonitrile	NE-9	1/6/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	4/8/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	7/5/2023	20	20	ND	ug/L
Acrylonitrile	NE-9	10/6/2023	20	20	ND	ug/L
Aldrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Aldrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Aldrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Aldrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Aldrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Aldrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Aldrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Aldrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Aldrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Aldrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Aldrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Aldrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Aldrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Aldrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Aldrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Aldrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Aldrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Aldrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Aldrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Aldrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Aldrin	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Aldrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Aldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Aldrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Aldrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Aldrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Aldrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Aldrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Aldrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Aldrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Aldrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Aldrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Aldrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Aldrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Aldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Aldrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Aldrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Aldrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Aldrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Aldrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Aldrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Aldrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Aldrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Aldrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Aldrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Aldrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Aldrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Aldrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Aldrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Aldrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Aldrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Aldrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Aldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Aldrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Aldrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Aldrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Aldrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Aldrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Aldrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Aldrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Aldrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/11/2012	0.021	0.047	ND	ug/L
Aldrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Aldrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Aldrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Aldrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Aldrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Aldrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Aldrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Aldrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Aldrin	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Aldrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Aldrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Aldrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Aldrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Aldrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Aldrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Aldrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Aldrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Aldrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Aldrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Aldrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Aldrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Aldrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Alkalinity, bicarbonate (as caco3)	LGW-10	1/26/2006	412	50		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/11/2018	440	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/16/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/16/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/4/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/4/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/4/2019	450	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/3/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	4/3/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/11/2019	480	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/11/2019	480	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/11/2019	480	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/2/2019	510	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	10/2/2019	510	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/15/2020	471	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/9/2020	515	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/17/2021	334	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/7/2021	506	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/7/2021	506	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/13/2022	461	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/11/2022	451	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	1/11/2023	478	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-10	7/10/2023	429	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/25/2006	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	8/2/2006	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	8/2/2006	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	8/2/2006	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	8/2/2006	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	4/24/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	4/24/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/23/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/23/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/6/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/6/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/12/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/12/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	4/30/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	4/30/2013	150	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/23/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/23/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/11/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	2/11/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/22/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/19/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/19/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/11/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/11/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/18/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/18/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/25/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/17/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/17/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/3/2019	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/10/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/10/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/16/2020	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/9/2020	223	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/18/2021	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/18/2021	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/7/2021	245	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/7/2021	241	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/12/2022	248	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/11/2022	218	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	1/10/2023	278	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-14R	7/10/2023	272	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2006	246	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	8/1/2006	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2007	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/25/2007	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/26/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/26/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2007	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2007	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/26/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/26/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/23/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/23/2008	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/6/2009	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/6/2009	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/30/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/30/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/3/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2010	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2010	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/19/2011	320	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/19/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/13/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/13/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/4/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/4/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/30/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	4/30/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/15/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/15/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/30/2014	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/30/2014	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2014	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2014	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/13/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	2/13/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/5/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/5/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/19/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/19/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/11/2017	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/11/2017	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/18/2017	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/18/2017	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/23/2018	470	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2018	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/12/2018	530	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/3/2019	520	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/9/2019	450	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/13/2020	325	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/8/2020	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/18/2021	309	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/18/2021	309	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/4/2021	315	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/4/2021	329	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/12/2022	306	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2022	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	1/10/2023	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-2	7/10/2023	286	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/24/2006	244	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/20/2006	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/25/2007	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/25/2007	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/26/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/26/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/23/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/23/2008	100	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/31/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/31/2009	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/3/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/19/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/19/2011	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/13/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/13/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/4/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/4/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/30/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	4/30/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/22/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/22/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/8/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/8/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/16/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/8/2016	65	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/8/2016	65	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/21/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/21/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/18/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/18/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/23/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/11/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/3/2019	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/9/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/14/2020	127	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2020	235	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2021	92.1	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/6/2021	77.5	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/12/2022	66.9	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/10/2022	92.7	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	1/10/2023	37.7	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-3R	7/10/2023	24.8	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/24/2006	220	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/20/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/25/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/25/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/22/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/22/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/23/2008	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/23/2008	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/31/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/31/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/16/2010	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/13/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/13/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/4/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/4/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/30/2013	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	4/30/2013	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/15/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/15/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/11/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	2/11/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/8/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/19/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/19/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/11/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/11/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/18/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/18/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/23/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2018	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2018	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/3/2019	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/9/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/14/2020	193	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/6/2020	189	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/18/2021	299	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/18/2021	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/7/2021	314	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/7/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/12/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/11/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	1/10/2023	362	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-4	7/10/2023	340	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2006	194	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	8/1/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/25/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/26/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/23/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/23/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/4/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/4/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2010	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2012	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/30/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	4/30/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/15/2013	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2014	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2014	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/10/2015	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	2/10/2015	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/8/2015	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/19/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/19/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/11/2017	250	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/23/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/12/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/3/2019	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/14/2020	297	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/6/2020	329	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/18/2021	332	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/18/2021	332	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/7/2021	362	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/7/2021	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/12/2022	339	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/11/2022	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	1/10/2023	338	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-5	7/10/2023	321	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/24/2006	192	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/20/2006	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/24/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/24/2007	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/26/2007	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/26/2007	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/11/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/23/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/23/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/23/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/23/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/5/2009	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/29/2009	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/3/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/12/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/12/2010	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/19/2011	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/12/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/12/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/9/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/30/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/30/2013	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/15/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/15/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/23/2014	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/23/2014	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/8/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/8/2014	170	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/10/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	2/10/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/22/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/22/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/5/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/19/2016	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/19/2016	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/6/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/6/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/11/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/11/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	5/5/2017	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	5/5/2017	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/23/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/10/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/10/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/2/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/2/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/7/2019	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/3/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	4/3/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/3/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	10/3/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/16/2020	340	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/9/2020	367	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/18/2021	372	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/7/2021	386	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/7/2021	396	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/12/2022	380	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/11/2022	357	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	1/10/2023	367	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-6	7/10/2023	347	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/25/2006	149	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	8/1/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/24/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	4/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/12/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/22/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/4/2009	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	2/4/2009	150	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/15/2020	252	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/9/2020	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/18/2021	228	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/7/2021	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/7/2021	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/13/2022	256	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/11/2022	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	1/11/2023	274	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-7	7/10/2023	299	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2006	179	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/25/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/25/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/4/2009	220	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/4/2009	220	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/29/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/29/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/27/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/27/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/14/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/14/2010	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/20/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/20/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2011	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/12/2011	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2012	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2012	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/9/2012	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/9/2012	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/30/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	4/30/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/15/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/15/2013	210	5	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/22/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/22/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2014	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/11/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	2/11/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/22/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/22/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/5/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/20/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/18/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/25/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/13/2018	290	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/13/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/7/2019	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/8/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/14/2020	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2020	289	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/17/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2021	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/7/2021	343	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/13/2022	334	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/11/2022	333	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	1/11/2023	354	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-8R	7/10/2023	346	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2006	243	50		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/20/2006	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/25/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/25/2007	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/25/2007	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/22/2008	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/22/2008	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/4/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/4/2009	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/29/2009	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/29/2009	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/14/2010	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/14/2010	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/20/2011	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/20/2011	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/12/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/12/2011	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2012	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/1/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/1/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/15/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/15/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/23/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/23/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/8/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/8/2014	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/11/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	2/11/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/21/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/21/2016	290	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2017	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2017	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/5/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	5/5/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/18/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/5/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/24/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/11/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/11/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/13/2018	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/2/2018	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/2/2018	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/7/2019	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/3/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	4/3/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/3/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	10/3/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/16/2020	282	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/9/2020	295	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/17/2021	483	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/7/2021	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/7/2021	379	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/13/2022	316	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/11/2022	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	1/11/2023	327	10		mg/L
Alkalinity, bicarbonate (as cacO3)	LGW-9	7/10/2023	341	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/22/1997	223	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/22/1997	223	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/22/1998	242	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/22/1998	242	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/28/1998	246	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/28/1998	246	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/23/1998	229	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/23/1998	229	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2002	280	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2002	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/2/2002	295	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	10/2/2002	295	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	4/15/2003	271	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/8/2003	297	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/12/2005	288	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/20/2005	301	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2006	290	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2006	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2007	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2007	270	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2007	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2007	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/23/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/23/2008	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2008	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2008	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/13/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/13/2009	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/31/2009	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/31/2009	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/27/2010	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	8/10/2010	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	8/10/2010	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2011	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/19/2011	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2011	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2011	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/5/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/5/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/10/2012	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	5/1/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	5/1/2013	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2014	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2014	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/12/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	2/12/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/14/2015	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/6/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/6/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/21/2016	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/19/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/24/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/11/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/11/2018	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/3/2019	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/9/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/16/2020	236	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/8/2020	247	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/13/2021	236	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/5/2021	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/5/2021	258	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	1/11/2023	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-10N	7/7/2023	241	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/22/1997	211	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/22/1997	211	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/21/1998	207	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/21/1998	207	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/28/1998	209	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/28/1998	209	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/1998	196	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/1998	196	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2002	231	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2002	231	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/2/2002	244	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	10/2/2002	244	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/15/2003	210	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2003	230	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/13/2005	191	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/20/2005	176	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2006	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/18/2006	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/22/2008	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/2008	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/23/2008	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2009	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2009	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/31/2009	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/31/2009	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/3/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/16/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/16/2010	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/19/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2011	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/4/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/4/2012	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/30/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	4/30/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/15/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/15/2013	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2014	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2014	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	2/10/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/21/2016	180	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/11/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/11/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/19/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/17/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/17/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/2/2019	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/9/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/14/2020	172	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2020	186	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/6/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/18/2022	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/13/2022	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	1/10/2023	184	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-11N	7/8/2023	177	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/15/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/15/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/7/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/7/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	4/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	4/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/20/2016	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/20/2016	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	10/6/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/18/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/18/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/3/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/9/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/9/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/14/2020	172	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/7/2020	205	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/18/2021	159	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/18/2021	159	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/4/2021	147	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/4/2021	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/12/2022	187	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2022	153	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	1/10/2023	206	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-15	7/10/2023	194	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	6/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	6/5/2015	170	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-16	7/16/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/16/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	8/5/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	9/3/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/8/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/8/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	4/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	4/5/2016	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	10/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	10/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/18/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/18/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/23/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/11/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/11/2018	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/2/2019	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/14/2020	169	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/7/2020	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/18/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/18/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/4/2021	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/4/2021	185	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/12/2022	169	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2022	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	1/10/2023	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-16	7/10/2023	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	6/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	6/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/15/2015	92	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/15/2015	92	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	8/4/2015	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	8/4/2015	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	9/2/2015	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	9/2/2015	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/7/2016	45	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/7/2016	45	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	4/5/2016	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	4/5/2016	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/20/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/20/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	10/6/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	10/6/2016	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/18/2017	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/18/2017	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/23/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/10/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/10/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/3/2019	180	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-17	7/11/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/11/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/14/2020	123	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/6/2020	216	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/14/2021	137	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/4/2021	155	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/4/2021	163	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	1/10/2023	143	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-17	7/8/2023	102	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	6/5/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	6/5/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/16/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/16/2015	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	8/5/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	8/5/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	9/3/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	9/3/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	4/5/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	4/5/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/21/2016	99	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/21/2016	99	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	10/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	10/5/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/10/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/10/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/18/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/18/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/23/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/13/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/13/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/7/2019	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/11/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/11/2019	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/14/2020	221	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/6/2020	184	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/14/2021	146	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/4/2021	148	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/4/2021	152	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	1/11/2023	101	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-19	7/10/2023	92.4	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/22/1997	185	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/22/1997	185	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/1998	234	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/1998	234	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/28/1998	221	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/28/1998	221	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/23/1998	216	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/23/1998	216	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/14/1998	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/14/1998	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2002	411	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2002	411	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/3/2002	401	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	10/3/2002	401	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	4/15/2003	353	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/8/2003	268	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2005	220	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/20/2005	208	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/18/2006	193	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/18/2006	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2007	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2007	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2008	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2008	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/5/2009	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/5/2009	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/31/2009	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/31/2009	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/26/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2010	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/2011	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/20/2011	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/13/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/5/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/5/2012	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2012	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2012	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	5/1/2013	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	5/1/2013	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/16/2013	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/16/2013	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/24/2014	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/9/2014	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/10/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	2/10/2015	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/6/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/6/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/21/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/12/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/19/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/19/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/23/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/10/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/3/2019	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/11/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/23/2020	281	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/6/2020	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/14/2021	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/4/2021	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/4/2021	211	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	1/11/2023	204	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-1N	7/8/2023	193	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	6/5/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	6/5/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/14/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/14/2015	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	8/4/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	8/4/2015	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	9/2/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	9/2/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/7/2016	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/7/2016	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	4/5/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	4/5/2016	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/20/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/20/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	10/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	10/5/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/12/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/12/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/18/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/18/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/26/2018	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/12/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/12/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/11/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/11/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/14/2020	412	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/7/2020	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/17/2021	403	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/4/2021	322	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	7/4/2021	334	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-20	1/11/2023	247	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	6/5/2015	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/14/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/14/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	8/4/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	8/4/2015	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	9/2/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	9/2/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/7/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/7/2016	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2016	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/20/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/20/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/5/2016	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/10/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/10/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2017	160	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-21	4/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/19/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/19/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/6/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/6/2017	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/24/2018	96	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/11/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/11/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2018	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/4/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/4/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/3/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/3/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	4/3/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/11/2019	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/2/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	10/2/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/16/2020	142	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/8/2020	119	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/13/2021	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/5/2021	105	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/5/2021	100	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	1/11/2023	86.1	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-21	7/7/2023	83.1	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/22/1997	119	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/22/1997	119	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/21/1998	116	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/21/1998	116	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/28/1998	126	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/28/1998	126	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/1998	121	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/1998	121	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2002	94.6	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2002	94.6	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/2/2002	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	10/2/2002	110	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	4/14/2003	97.6	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/7/2003	99.4	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/12/2005	95.5	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/20/2005	87.8	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/19/2006	96.5	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2006	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2007	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/22/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/4/2009	100	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/4/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/31/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/31/2009	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/20/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/20/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/13/2011	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/5/2012	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/5/2012	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2012	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/10/2012	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	5/1/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	5/1/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2014	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2014	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/9/2014	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/9/2014	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/12/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	2/12/2015	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/14/2015	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/6/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/6/2016	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/21/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/21/2016	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/19/2017	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/23/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/12/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/12/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/3/2019	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/11/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/24/2020	194	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/7/2020	10	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/14/2021	212	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/5/2021	226	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/5/2021	232	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	1/11/2023	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-2N	7/8/2023	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/21/1997	308	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/21/1997	308	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/21/1998	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/21/1998	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/28/1998	335	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/28/1998	335	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/23/1998	333	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/23/1998	333	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2002	361	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2002	361	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2002	392	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2002	392	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/14/2003	362	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/7/2003	329	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/12/2005	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/20/2005	328	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/18/2006	323	25		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2006	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2008	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2008	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/22/2008	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/22/2008	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	2/4/2009	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	2/4/2009	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/31/2009	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/31/2009	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2010	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/26/2010	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/13/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/13/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/20/2011	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/20/2011	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/14/2011	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/14/2011	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2012	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	5/1/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	5/1/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	6/4/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	6/4/2013	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/16/2013	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/16/2013	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2014	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2014	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	2/12/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	2/12/2015	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/1/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/1/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/14/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/14/2015	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/5/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/5/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/6/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/6/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/6/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/6/2016	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/21/2016	270	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/21/2016	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/6/2016	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/11/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/11/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/4/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/4/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/9/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/9/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/24/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/10/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/10/2018	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/13/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/13/2018	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/3/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/3/2018	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/7/2019	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/3/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	4/3/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/11/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	10/2/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/15/2020	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/7/2020	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/13/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/5/2021	306	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/5/2021	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	1/11/2023	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-3N	7/7/2023	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/21/1997	157	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/21/1997	157	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/21/1998	248	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/21/1998	248	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/22/1998	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/22/1998	420	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	8/18/1998	405	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	8/18/1998	405	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	9/17/1998	394	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	9/17/1998	394	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/15/1998	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/15/1998	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	11/9/1998	422	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	11/9/1998	422	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2002	495	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/9/2002	495	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/2/2002	564	2		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/2/2002	564	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	4/14/2003	479	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/7/2003	392	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	10/5/2004	460	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/12/2005	403	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/19/2005	406	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/19/2006	392	25		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/16/2020	165	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/7/2020	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/16/2021	195	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/5/2021	209	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/5/2021	203	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/12/2022	195	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/10/2022	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	1/10/2023	207	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-7N	7/7/2023	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/21/1997	147	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/21/1997	147	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/22/1998	227	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/22/1998	227	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/28/1998	261	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/28/1998	261	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/22/1998	263	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/22/1998	263	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2002	166	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2002	166	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2002	192	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/2/2002	192	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/14/2003	174	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/7/2003	197	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/12/2005	210	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/20/2005	192	1		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/19/2006	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/19/2006	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/26/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/25/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	4/25/2007	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/10/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/10/2007	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/24/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/24/2008	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/23/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/23/2008	100	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	2/4/2009	95	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	2/4/2009	95	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/31/2009	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/31/2009	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/26/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/16/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/16/2010	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/19/2011	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/19/2011	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	5/10/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	5/10/2011	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/14/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/14/2011	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/6/2012	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/6/2012	140	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/11/2019	230	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/3/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	10/3/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/15/2020	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/9/2020	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/15/2021	174	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/5/2021	188	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/5/2021	185	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/18/2022	189	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/12/2022	173	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	1/11/2023	177	10		mg/L
Alkalinity, bicarbonate (as cacO3)	MW-8N	7/7/2023	169	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2002	268	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2002	268	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	8/6/2002	277	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	8/6/2002	277	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	9/4/2002	273	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	9/4/2002	273	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2002	295	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2002	295	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2003	236	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/12/2005	204	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2006	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2007	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2007	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2007	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2008	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/21/2008	91	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/21/2008	91	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	2/7/2009	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/31/2009	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/31/2009	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/26/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/26/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/19/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/19/2011	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2011	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2011	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2012	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2012	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/30/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/30/2013	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/16/2013	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/23/2014	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/9/2014	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/9/2014	130	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-1	2/11/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	2/11/2015	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/6/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/6/2016	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/20/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/20/2016	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/11/2017	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/19/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/24/2018	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/11/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	4/11/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/18/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/18/2018	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	10/2/2018	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/4/2019	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/10/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/15/2020	192	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/8/2020	204	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/13/2021	208	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/2/2021	196	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/17/2022	203	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/13/2022	154	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	1/5/2023	186	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-1	7/5/2023	187	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	11/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	11/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/16/2020	127	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	7/8/2020	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/13/2021	110	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	7/2/2021	122	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	1/6/2023	109	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-10D	7/8/2023	102	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	3/1/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	3/1/2017	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	4/6/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	4/6/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/20/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/20/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	10/9/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	10/9/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	9/30/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	9/30/2019	180	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/14/2020	237	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/7/2020	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/16/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/16/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/1/2021	231	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/17/2022	229	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	1/17/2022	227	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/12/2022	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-11	1/6/2023	238	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-11	7/6/2023	239	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	3/1/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	3/1/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	4/6/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	4/6/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	10/6/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	10/6/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/9/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/9/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	8/5/2019	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	8/5/2019	240	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/13/2020	176	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/7/2020	218	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/15/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/15/2021	167	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	213	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	242	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/1/2021	213	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/17/2022	208	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/17/2022	196	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/12/2022	214	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	1/6/2023	230	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-12	7/5/2023	213	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	2/5/2019	9.4	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	2/5/2019	9.4	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/11/2019	9.8	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/11/2019	9.8	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	8/7/2019	17	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	8/7/2019	17	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/15/2020	10	10	ND	mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/8/2020	32.8	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/17/2021	40.8	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	1/17/2021	34	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	151	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	151	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-13	7/1/2021	141	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	10/2/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	10/2/2019	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/16/2020	217	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/7/2020	245	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/17/2021	251	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/2/2021	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/18/2022	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/13/2022	276	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	1/6/2023	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14D	7/5/2023	316	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	10/2/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	10/2/2019	200	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/16/2020	103	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/7/2020	162	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/17/2021	197	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/2/2021	187	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/18/2022	233	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/13/2022	191	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-14S	1/6/2023	259	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-14S	7/5/2023	265	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	9/30/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	9/30/2019	280	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/16/2020	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/7/2020	274	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/17/2021	267	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/2/2021	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/17/2022	285	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/13/2022	283	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	1/6/2023	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-15D	7/6/2023	302	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2002	225	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2002	225	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	8/6/2002	214	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	8/6/2002	214	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	9/4/2002	38	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	9/4/2002	38	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/2/2002	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/2/2002	130	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2013	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/8/2014	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2015	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/6/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/6/2016	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/25/2018	130	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	4/10/2018	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	4/10/2018	120	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/10/2018	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/10/2018	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	10/1/2018	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/4/2019	110	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2019	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/9/2019	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/14/2020	76.6	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/7/2020	142	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/14/2021	105	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/2/2021	150	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/18/2022	154	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/13/2022	163	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	1/5/2023	130	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-2	7/5/2023	170	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2002	384	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2002	384	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/6/2002	391	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/6/2002	391	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	9/4/2002	340	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	9/4/2002	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2002	388	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2002	388	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2003	322	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/13/2005	197	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	8/1/2006	370	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2007	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2007	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2008	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/24/2008	390	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/21/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/21/2008	150	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/7/2009	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/31/2009	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/31/2009	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2010	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/14/2010	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/19/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/19/2011	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/13/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/13/2011	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2012	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2012	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/10/2012	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/30/2013	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/30/2013	310	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/16/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/16/2013	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/23/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/23/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/9/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/9/2014	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/13/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	2/13/2015	300	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2015	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/6/2016	84	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/6/2016	84	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/20/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/20/2016	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/11/2017	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/19/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/19/2017	210	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/26/2018	270	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/10/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	4/10/2018	230	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/12/2018	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	10/3/2018	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/7/2019	240	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2019	99	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/8/2019	99	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/13/2020	141	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/6/2020	126	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-4	1/15/2021	241	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/2/2021	252	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	1/5/2023	248	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-4	7/5/2023	239	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2002	382	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2002	382	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	8/6/2002	417	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	8/6/2002	417	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	9/4/2002	413	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	9/4/2002	413	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/2/2002	421	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/2/2002	421	1		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/8/2003	500	2		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/12/2005	369	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2006	410	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/24/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/24/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/12/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/12/2007	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/22/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/22/2008	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/6/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/6/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/31/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/31/2009	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/26/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/26/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2010	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/19/2011	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/19/2011	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2011	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2011	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2012	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2012	380	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/10/2012	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/10/2012	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/30/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/30/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/16/2013	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/23/2014	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/23/2014	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2014	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/11/2015	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	2/11/2015	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/14/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/14/2015	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/6/2016	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/6/2016	360	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/20/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/20/2016	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/11/2017	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/11/2017	330	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/19/2017	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/25/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/10/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/10/2018	330	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/17/2018	340	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/3/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	10/3/2018	350	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/4/2019	320	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/2/2019	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	4/2/2019	330	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	350	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/9/2019	370	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/16/2020	302	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/8/2020	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/15/2021	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/2/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/18/2022	323	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/13/2022	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	1/5/2023	342	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5	7/6/2023	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	9/30/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	9/30/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/16/2020	244	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/8/2020	243	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/15/2021	254	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/2/2021	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/18/2022	246	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/13/2022	311	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	1/5/2023	325	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5E	7/6/2023	317	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	9/30/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	9/30/2019	360	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/16/2020	333	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/8/2020	337	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/15/2021	326	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/2/2021	363	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/18/2022	348	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/13/2022	344	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	1/5/2023	358	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-5W	7/6/2023	354	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/12/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/12/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	4/5/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	4/5/2017	290	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/19/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	10/6/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	10/6/2017	280	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	2/4/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	2/4/2019	290	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2019	310	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	8/6/2019	300	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	8/6/2019	300	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-6	1/15/2020	272	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/9/2020	282	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/16/2021	276	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/16/2021	277	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/1/2021	301	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/17/2022	278	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/17/2022	284	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/12/2022	243	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	1/5/2023	291	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6	7/6/2023	289	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	10/2/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	10/2/2019	320	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/15/2020	277	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/9/2020	286	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/15/2021	266	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/2/2021	285	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/17/2022	272	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/12/2022	262	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	1/5/2023	271	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-6D	7/6/2023	267	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	3/1/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	3/1/2017	260	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	4/6/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	4/6/2017	140	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/20/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/20/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	10/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	10/5/2017	160	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	2/6/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	2/6/2019	190	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/10/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/10/2019	160	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	8/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	8/6/2019	140	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2020	143	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/7/2020	108	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2021	177	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/16/2021	181	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	124	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/1/2021	126	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/17/2022	145	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/17/2022	139	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/12/2022	112	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	1/5/2023	139	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-7	7/6/2023	149	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/12/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/12/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	4/5/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	4/5/2017	180	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/20/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/20/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	10/6/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	10/6/2017	250	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	2/4/2019	210	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	2/4/2019	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, bicarbonate (as cacO3)	NE-8	7/11/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/11/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	8/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	8/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/15/2020	264	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/8/2020	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/13/2021	257	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/13/2021	256	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	313	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/1/2021	315	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	1/6/2023	281	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-8	7/5/2023	363	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/12/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/12/2017	220	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	4/5/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	4/5/2017	190	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/20/2017	170	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	10/5/2017	200	5		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	2/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	2/5/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/8/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/8/2019	270	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	8/7/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	8/7/2019	260	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/15/2020	214	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/7/2020	178	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2021	251	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2021	250	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/1/2021	307	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2022	292	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/17/2022	296	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/13/2022	298	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	1/6/2023	325	10		mg/L
Alkalinity, bicarbonate (as cacO3)	NE-9	7/5/2023	318	10		mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/26/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2014	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-10	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/16/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/4/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-10	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	8/2/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	8/2/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	4/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/10/2019	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-14R	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-14R	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/26/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/30/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	2/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-2	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/26/2008	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-3R	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/22/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/8/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-3R	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/5/2016	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-4	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-4	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-5	7/10/2023	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-6	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/5/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/8/2014	16	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/19/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	5/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-6	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/27/2010	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/8/2014	11	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-7	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/24/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/22/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/8/2014	8.5	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/22/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/5/2016	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-8R	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-8R	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/25/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/20/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/8/2014	18	5		mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	5/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/7/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/7/2021	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	LGW-9	1/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/11/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	LGW-9	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/12/2005	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	2/13/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/27/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	8/10/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/9/2014	30	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-10N	7/7/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/13/2005	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-11N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/3/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/4/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/2/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/6/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-11N	7/8/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/15/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/18/2021	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-15	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-15	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/8/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/2/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/18/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-16	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/15/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-17	7/8/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/16/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	8/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	9/3/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	4/5/2016	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-19	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-19	7/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/20/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/14/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	10/3/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	4/15/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	2/5/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/9/2014	25	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	2/10/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/23/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/14/2021	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-1N	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-1N	7/8/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/18/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/26/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	7/4/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-20	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	6/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	8/4/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	9/2/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/7/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/10/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/4/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-21	7/7/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	10/22/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	10/2/2002	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-2N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/23/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/3/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/24/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-2N	7/8/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/23/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/18/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	2/4/2009	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-3N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/13/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/1/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-3N	7/7/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/21/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	8/18/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	9/17/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/15/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	11/9/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/2/2002	2	2	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2007	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-7N	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/29/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/20/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/12/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/15/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/9/2014	8.7	5		mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/13/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/10/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	1/10/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-7N	7/7/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/21/1997	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/28/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/22/1998	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/14/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/7/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/20/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/26/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/25/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/23/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	2/4/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2010	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	MW-8N	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	5/10/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/14/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/6/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/3/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	5/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	6/4/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/30/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/3/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/8/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	2/12/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/1/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/5/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/21/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/4/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/16/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	4/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	10/3/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/5/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	1/11/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	MW-8N	7/7/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	2/7/2009	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-1	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/24/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	4/11/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/18/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	10/2/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-1	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	11/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-10D	7/8/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	10/9/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-11	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/20/2017	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-12	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	8/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-12	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	2/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	8/7/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-13	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14D	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-14S	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-15D	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/1/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/8/2014	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-2	10/5/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	10/1/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/14/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/14/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-2	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/10/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	10/3/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/13/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	8/1/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/24/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/21/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	2/7/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/14/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	2/13/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/26/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/12/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/7/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/13/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/6/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-4	1/5/2023	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-4	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	8/6/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	9/4/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	10/2/2002	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/8/2003	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/12/2005	1	1	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2006	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/24/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/12/2007	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/22/2008	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	2/6/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/31/2009	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/26/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/16/2010	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/19/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/13/2011	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/5/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/10/2012	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/30/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/16/2013	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/23/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2014	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	2/11/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/14/2015	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/6/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/20/2016	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/11/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/25/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/10/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/17/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	10/3/2018	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/4/2019	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	4/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5E	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	9/30/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/8/2020	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-5W	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/18/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-5W	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/19/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	2/4/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/9/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	8/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	10/2/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/9/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/15/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/2/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-6D	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	3/1/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	4/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	2/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/10/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	8/6/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/16/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/12/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	1/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-7	7/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	10/6/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	2/4/2019	10	10	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alkalinity, carbonate (as cacO3)	NE-8	7/11/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	8/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/8/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/13/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-8	7/5/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/12/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	4/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/20/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	10/5/2017	5	5	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	2/5/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/8/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	8/7/2019	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/15/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/7/2020	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/1/2021	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/17/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/13/2022	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	1/6/2023	10	10	ND	mg/L
Alkalinity, carbonate (as cacO3)	NE-9	7/5/2023	10	10	ND	mg/L
Allyl chloride	LGW-10	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-10	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-10	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
Allyl chloride	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-2	7/8/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-5	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-6	10/6/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
Allyl chloride	LGW-7	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-7	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	LGW-9	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	10/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
Allyl chloride	MW-10N	7/5/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Allyl chloride	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-1N	7/6/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	7/8/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-21	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-21	10/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	7/7/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-3N	10/7/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-3N	10/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	7/9/2020	0.005	0.005	ND	mg/L
Allyl chloride	MW-8N	10/6/2020	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	10/6/2021	0.01	0.01	ND	mg/L
Allyl chloride	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
Alpha-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Alpha-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Alpha-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Alpha-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Alpha-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Alpha-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Alpha-bhc	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-10N	2/13/2009	0.02	0.05	ND	ug/L
Alpha-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Alpha-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Alpha-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Alpha-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Alpha-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Alpha-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Alpha-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Alpha-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Alpha-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Alpha-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Alpha-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Alpha-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Alpha-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Alpha-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Alpha-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Alpha-bhc	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Alpha-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Alpha-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Alpha-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Alpha-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Alpha-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Alpha-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Alpha-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Alpha-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Alpha-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Alpha-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Ammonia (as n)	LGW-10	1/26/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-10	8/1/2006	0.13	0.1		mg/L
Ammonia (as n)	LGW-10	9/28/2006	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	10/26/2006	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	11/21/2006	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/25/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	2/27/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	3/27/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	4/26/2007	0.096	0.1	ND	mg/L
Ammonia (as n)	LGW-10	5/31/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	6/28/2007	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-10	7/12/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-10	8/28/2007	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	9/28/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	10/23/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	11/28/2007	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	12/28/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-10	1/23/2008	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-10	2/28/2008	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	5/29/2008	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	6/26/2008	0.57	0.1		mg/L
Ammonia (as n)	LGW-10	7/22/2008	0.6	0.1		mg/L
Ammonia (as n)	LGW-10	8/29/2008	0.51	0.1		mg/L
Ammonia (as n)	LGW-10	9/26/2008	0.71	0.1		mg/L
Ammonia (as n)	LGW-10	10/21/2008	0.79	0.1		mg/L
Ammonia (as n)	LGW-10	11/25/2008	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	12/19/2008	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	3/26/2009	0.42	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	4/16/2009	0.37	0.1		mg/L
Ammonia (as n)	LGW-10	5/29/2009	0.41	0.1		mg/L
Ammonia (as n)	LGW-10	6/24/2009	0.45	0.1		mg/L
Ammonia (as n)	LGW-10	7/29/2009	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	8/28/2009	0.35	0.1		mg/L
Ammonia (as n)	LGW-10	10/21/2009	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	12/17/2009	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2010	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2010	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	2/16/2010	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2010	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	4/8/2010	0.35	0.1		mg/L
Ammonia (as n)	LGW-10	5/6/2010	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	6/15/2010	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	7/16/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2010	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	9/1/2010	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	9/29/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2010	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	12/2/2010	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	1/19/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	2/7/2011	0.18	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2011	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	5/10/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2011	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	7/12/2011	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	8/3/2011	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	9/7/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	10/5/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	11/1/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	12/7/2011	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	1/5/2012	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	2/1/2012	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	3/6/2012	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2012	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/1/2012	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	6/5/2012	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	8/9/2012	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-10	9/4/2012	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	10/7/2012	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	5/1/2013	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	6/4/2013	0.43	0.1		mg/L
Ammonia (as n)	LGW-10	8/8/2013	0.33	0.1		mg/L
Ammonia (as n)	LGW-10	9/10/2013	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	10/1/2013	0.11	0.1		mg/L
Ammonia (as n)	LGW-10	11/6/2013	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	12/2/2013	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	1/30/2014	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	2/13/2014	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	3/12/2014	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	4/2/2014	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2014	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2014	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2014	0.33	0.1		mg/L
Ammonia (as n)	LGW-10	8/5/2014	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2014	0.25	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	10/9/2014	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2014	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	1/14/2015	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	2/12/2015	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	3/3/2015	0.11	0.1		mg/L
Ammonia (as n)	LGW-10	4/1/2015	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2015	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2015	0.44	0.1		mg/L
Ammonia (as n)	LGW-10	7/13/2015	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	8/5/2015	0.39	0.1		mg/L
Ammonia (as n)	LGW-10	9/3/2015	0.34	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2015	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	11/4/2015	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	12/3/2015	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	1/5/2016	0.36	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2016	0.31	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2016	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	4/6/2016	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	5/11/2016	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2016	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	7/21/2016	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2016	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	9/6/2016	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2016	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	10/6/2016	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	11/2/2016	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/1/2016	0.14	0.1		mg/L
Ammonia (as n)	LGW-10	1/11/2017	0.1	0.1		mg/L
Ammonia (as n)	LGW-10	2/7/2017	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2017	0.15	0.1		mg/L
Ammonia (as n)	LGW-10	4/4/2017	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	5/16/2017	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	6/6/2017	0.13	0.1		mg/L
Ammonia (as n)	LGW-10	7/19/2017	0.28	0.1		mg/L
Ammonia (as n)	LGW-10	8/1/2017	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	9/5/2017	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	10/9/2017	0.27	0.1		mg/L
Ammonia (as n)	LGW-10	11/1/2017	0.2	0.1		mg/L
Ammonia (as n)	LGW-10	1/24/2018	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	2/23/2018	0.12	0.1		mg/L
Ammonia (as n)	LGW-10	3/21/2018	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	4/11/2018	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	4/11/2018	0.19	0.1		mg/L
Ammonia (as n)	LGW-10	6/6/2018	0.3	0.1		mg/L
Ammonia (as n)	LGW-10	7/16/2018	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	8/2/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2018	0.29	0.1		mg/L
Ammonia (as n)	LGW-10	10/4/2018	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	10/4/2018	0.38	0.1		mg/L
Ammonia (as n)	LGW-10	11/6/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	12/4/2018	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	1/4/2019	0.16	0.1		mg/L
Ammonia (as n)	LGW-10	2/6/2019	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	3/5/2019	0.24	0.1		mg/L
Ammonia (as n)	LGW-10	4/3/2019	0.26	0.1		mg/L
Ammonia (as n)	LGW-10	5/3/2019	0.23	0.1		mg/L
Ammonia (as n)	LGW-10	6/4/2019	0.31	0.1		mg/L
Ammonia (as n)	LGW-10	7/11/2019	0.11	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-10	7/11/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-10	8/7/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	9/4/2019	0.21	0.1		mg/L
Ammonia (as n)	LGW-10	10/2/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	10/2/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	11/5/2019	0.25	0.1		mg/L
Ammonia (as n)	LGW-10	12/3/2019	0.22	0.1		mg/L
Ammonia (as n)	LGW-10	1/15/2020	0.315	0.1		mg/L
Ammonia (as n)	LGW-10	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-10	3/4/2020	0.209	0.1		mg/L
Ammonia (as n)	LGW-10	4/2/2020	0.284	0.1		mg/L
Ammonia (as n)	LGW-10	5/5/2020	0.333	0.1		mg/L
Ammonia (as n)	LGW-10	6/2/2020	0.324	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2020	0.248	0.1		mg/L
Ammonia (as n)	LGW-10	7/9/2020	0.243	0.1		mg/L
Ammonia (as n)	LGW-10	8/3/2020	0.256	0.1		mg/L
Ammonia (as n)	LGW-10	9/2/2020	0.143	0.1		mg/L
Ammonia (as n)	LGW-10	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/3/2020	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	2/9/2021	0.143	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	4/6/2021	0.165	0.1		mg/L
Ammonia (as n)	LGW-10	5/5/2021	0.181	0.1		mg/L
Ammonia (as n)	LGW-10	6/1/2021	0.234	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.276	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.276	0.1		mg/L
Ammonia (as n)	LGW-10	7/7/2021	0.249	0.1		mg/L
Ammonia (as n)	LGW-10	8/4/2021	0.147	0.1		mg/L
Ammonia (as n)	LGW-10	9/2/2021	0.187	0.1		mg/L
Ammonia (as n)	LGW-10	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/9/2021	0.118	0.1		mg/L
Ammonia (as n)	LGW-10	1/13/2022	0.141	0.1		mg/L
Ammonia (as n)	LGW-10	2/10/2022	0.126	0.1		mg/L
Ammonia (as n)	LGW-10	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	4/4/2022	0.164	0.1		mg/L
Ammonia (as n)	LGW-10	5/7/2022	0.17	0.1		mg/L
Ammonia (as n)	LGW-10	6/3/2022	0.286	0.1		mg/L
Ammonia (as n)	LGW-10	7/11/2022	0.406	0.1		mg/L
Ammonia (as n)	LGW-10	8/10/2022	0.185	0.1		mg/L
Ammonia (as n)	LGW-10	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	10/7/2022	0.106	0.1		mg/L
Ammonia (as n)	LGW-10	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	1/11/2023	0.225	0.1		mg/L
Ammonia (as n)	LGW-10	2/3/2023	0.118	0.1		mg/L
Ammonia (as n)	LGW-10	3/1/2023	0.185	0.1		mg/L
Ammonia (as n)	LGW-10	4/5/2023	0.267	0.1		mg/L
Ammonia (as n)	LGW-10	5/10/2023	0.227	0.1		mg/L
Ammonia (as n)	LGW-10	6/8/2023	0.164	0.1		mg/L
Ammonia (as n)	LGW-10	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-10	9/2/2023	0.107	0.1		mg/L
Ammonia (as n)	LGW-10	10/5/2023	0.1	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-14R	8/2/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/28/2006	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/27/2006	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/21/2006	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/27/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/26/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/28/2007	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/29/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/27/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/23/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/27/2007	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/27/2007	0.081	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2008	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/28/2008	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/25/2008	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/3/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/30/2008	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/22/2008	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/29/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/26/2008	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/21/2008	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/25/2008	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/19/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-14R	2/6/2009	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/26/2009	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-14R	7/29/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/28/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/22/2009	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/18/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/7/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/6/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/16/2010	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/12/2010	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/10/2010	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/29/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/2/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/19/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/7/2011	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2011	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/10/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/1/2011	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/12/2011	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2011	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/7/2011	0.029	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	10/5/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/1/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/5/2012	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2012	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/5/2012	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2012	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/4/2012	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/2/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/11/2016	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/20/2018	0.1	0.1		mg/L
Ammonia (as n)	LGW-14R	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/1/2018	1.2	0.1		mg/L
Ammonia (as n)	LGW-14R	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/4/2018	0.21	0.1		mg/L
Ammonia (as n)	LGW-14R	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-14R	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/18/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-14R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/11/2022	0.181	0.1		mg/L
Ammonia (as n)	LGW-14R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	7/10/2023	0.161	0.1		mg/L
Ammonia (as n)	LGW-14R	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-14R	10/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-2	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/27/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/26/2006	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/21/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/25/2007	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/27/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/26/2007	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/28/2007	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/10/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/28/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/28/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/28/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/28/2007	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/26/2008	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/28/2008	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/24/2008	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/3/2008	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/26/2008	0.065	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	7/23/2008	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/29/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/21/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/19/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-2	2/13/2009	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/26/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/16/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-2	7/30/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/29/2009	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/30/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/22/2009	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/24/2009	0.12	0.1		mg/L
Ammonia (as n)	LGW-2	12/18/2009	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2010	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2010	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/17/2010	0.09	0.1		mg/L
Ammonia (as n)	LGW-2	3/4/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/8/2010	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/6/2010	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/12/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2010	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/1/2010	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/2/2010	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/7/2011	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/3/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2011	0.13	0.1		mg/L
Ammonia (as n)	LGW-2	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/13/2011	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/3/2011	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/7/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/6/2012	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/5/2012	0.11	0.1		mg/L
Ammonia (as n)	LGW-2	7/9/2012	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/4/2012	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/7/2012	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/1/2013	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/30/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/3/2014	0.31	0.1		mg/L
Ammonia (as n)	LGW-2	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2014	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/8/2015	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/11/2016	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/7/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/4/2017	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/16/2017	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/6/2017	0.091	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/18/2017	0.31	0.1		mg/L
Ammonia (as n)	LGW-2	8/1/2017	0.53	0.1		mg/L
Ammonia (as n)	LGW-2	9/5/2017	0.39	0.1		mg/L
Ammonia (as n)	LGW-2	10/6/2017	0.17	0.1		mg/L
Ammonia (as n)	LGW-2	11/1/2017	0.25	0.1		mg/L
Ammonia (as n)	LGW-2	1/23/2018	0.16	0.1		mg/L
Ammonia (as n)	LGW-2	2/22/2018	0.12	0.1		mg/L
Ammonia (as n)	LGW-2	3/21/2018	0.25	0.1		mg/L
Ammonia (as n)	LGW-2	4/10/2018	0.11	0.1		mg/L
Ammonia (as n)	LGW-2	6/5/2018	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	7/12/2018	0.22	0.1		mg/L
Ammonia (as n)	LGW-2	8/1/2018	0.18	0.1		mg/L
Ammonia (as n)	LGW-2	9/4/2018	0.19	0.1		mg/L
Ammonia (as n)	LGW-2	10/2/2018	0.24	0.1		mg/L
Ammonia (as n)	LGW-2	11/6/2018	0.27	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	12/4/2018	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	1/3/2019	0.23	0.1		mg/L
Ammonia (as n)	LGW-2	2/5/2019	0.27	0.1		mg/L
Ammonia (as n)	LGW-2	3/6/2019	0.35	0.1		mg/L
Ammonia (as n)	LGW-2	4/3/2019	0.4	0.1		mg/L
Ammonia (as n)	LGW-2	5/2/2019	0.33	0.1		mg/L
Ammonia (as n)	LGW-2	6/5/2019	0.4	0.1		mg/L
Ammonia (as n)	LGW-2	7/9/2019	0.5	0.1		mg/L
Ammonia (as n)	LGW-2	8/6/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-2	9/4/2019	0.28	0.1		mg/L
Ammonia (as n)	LGW-2	10/1/2019	0.32	0.1		mg/L
Ammonia (as n)	LGW-2	11/6/2019	0.58	0.1		mg/L
Ammonia (as n)	LGW-2	12/3/2019	0.51	0.1		mg/L
Ammonia (as n)	LGW-2	1/13/2020	0.586	0.1		mg/L
Ammonia (as n)	LGW-2	2/4/2020	0.425	1		mg/L
Ammonia (as n)	LGW-2	3/3/2020	0.373	0.1		mg/L
Ammonia (as n)	LGW-2	4/1/2020	0.395	0.1		mg/L
Ammonia (as n)	LGW-2	5/5/2020	0.551	0.1		mg/L
Ammonia (as n)	LGW-2	6/2/2020	0.38	0.1		mg/L
Ammonia (as n)	LGW-2	7/8/2020	0.226	0.1		mg/L
Ammonia (as n)	LGW-2	7/8/2020	0.286	0.1		mg/L
Ammonia (as n)	LGW-2	8/3/2020	0.407	0.1		mg/L
Ammonia (as n)	LGW-2	9/3/2020	0.186	0.1		mg/L
Ammonia (as n)	LGW-2	10/7/2020	0.422	0.1		mg/L
Ammonia (as n)	LGW-2	11/3/2020	0.321	0.1		mg/L
Ammonia (as n)	LGW-2	12/4/2020	0.35	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	1/18/2021	0.173	0.1		mg/L
Ammonia (as n)	LGW-2	2/10/2021	0.46	0.1		mg/L
Ammonia (as n)	LGW-2	3/2/2021	0.228	0.1		mg/L
Ammonia (as n)	LGW-2	4/7/2021	0.172	0.1		mg/L
Ammonia (as n)	LGW-2	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/4/2021	0.196	0.1		mg/L
Ammonia (as n)	LGW-2	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	5/11/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-2	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	9/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-2	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-3R	7/20/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/26/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/21/2006	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/27/2007	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/26/2007	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/28/2007	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/11/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/24/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/28/2007	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/27/2007	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/26/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/27/2008	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/24/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/3/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/26/2008	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/23/2008	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/29/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/26/2008	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/22/2008	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/19/2008	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/26/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/16/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/28/2009	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/25/2009	0.098	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/31/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/29/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/30/2009	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/22/2009	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/24/2009	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/18/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2010	0.066	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/17/2010	0.085	0.1		mg/L
Ammonia (as n)	LGW-3R	3/3/2010	0.037	0.1		mg/L
Ammonia (as n)	LGW-3R	4/8/2010	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/5/2010	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/16/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/11/2010	0.13	0.1		mg/L
Ammonia (as n)	LGW-3R	9/1/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2010	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/3/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/19/2011	0.069	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	2/7/2011	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/3/2011	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/1/2011	0.15	0.1		mg/L
Ammonia (as n)	LGW-3R	7/13/2011	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2011	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/1/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/4/2012	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2012	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2012	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2012	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/8/2012	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2013	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2013	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/22/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/2/2014	0.18	0.1		mg/L
Ammonia (as n)	LGW-3R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/9/2014	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/16/2015	0.14	0.1		mg/L
Ammonia (as n)	LGW-3R	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/8/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/4/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/3/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/1/2018	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/1/2019	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-3R	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/3/2022	0.121	0.1		mg/L
Ammonia (as n)	LGW-3R	7/10/2022	0.11	0.1		mg/L
Ammonia (as n)	LGW-3R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-3R	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-4	7/20/2006	0.11	0.1		mg/L
Ammonia (as n)	LGW-4	9/26/2006	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/26/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/21/2006	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/25/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/27/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/26/2007	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/28/2007	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/11/2007	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/28/2007	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/28/2007	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/27/2007	0.076	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	1/22/2008	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/27/2008	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/25/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/3/2008	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/23/2008	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/29/2008	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/22/2008	0.13	0.1		mg/L
Ammonia (as n)	LGW-4	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/19/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-4	2/3/2009	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/26/2009	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/16/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/28/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-4	7/31/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/29/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/22/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/24/2009	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2010	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2010	0.09	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/17/2010	0.088	0.1		mg/L
Ammonia (as n)	LGW-4	3/3/2010	0.027	0.1		mg/L
Ammonia (as n)	LGW-4	4/8/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/5/2010	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/16/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/11/2010	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/1/2010	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2010	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/3/2010	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/7/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/3/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/10/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/1/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/13/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/7/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2011	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/1/2011	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/7/2011	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/4/2012	0.1	0.1		mg/L
Ammonia (as n)	LGW-4	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2012	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2012	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/9/2012	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/7/2012	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/8/2013	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/6/2013	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/2/2014	0.24	0.1		mg/L
Ammonia (as n)	LGW-4	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/2/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/4/2017	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/16/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/5/2018	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/1/2019	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/6/2019	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/3/2022	0.305	0.1		mg/L
Ammonia (as n)	LGW-4	7/11/2022	0.127	0.1		mg/L
Ammonia (as n)	LGW-4	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	1/10/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-4	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-4	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2006	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/27/2006	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/26/2006	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/21/2006	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/27/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/26/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/28/2007	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/28/2007	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/24/2007	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/28/2007	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/27/2007	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/28/2008	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/25/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/3/2008	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/26/2008	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/23/2008	0.095	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/21/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/25/2008	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/19/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-5	2/4/2009	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/26/2009	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/16/2009	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/29/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-5	7/29/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/28/2009	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/21/2009	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/24/2009	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/17/2009	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2010	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/16/2010	0.088	0.1		mg/L
Ammonia (as n)	LGW-5	3/3/2010	0.063	0.1		mg/L
Ammonia (as n)	LGW-5	4/7/2010	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/5/2010	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/10/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/29/2010	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	11/3/2010	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/2/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/19/2011	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/7/2011	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/3/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/5/2011	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2011	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2011	0.061	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/7/2011	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2011	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/1/2011	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/5/2012	0.16	0.1		mg/L
Ammonia (as n)	LGW-5	7/9/2012	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2012	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/4/2013	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/15/2013	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/2/2014	0.74	0.1		mg/L
Ammonia (as n)	LGW-5	5/7/2014	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/8/2014	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/5/2014	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/6/2015	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2015	0.074	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/8/2015	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/4/2015	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2015	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2015	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2016	0.029	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/19/2016	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/2/2016	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/7/2017	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/4/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/16/2017	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/18/2017	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2017	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/3/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	6/3/2022	0.14	0.1		mg/L
Ammonia (as n)	LGW-5	7/11/2022	0.185	0.1		mg/L
Ammonia (as n)	LGW-5	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	12/7/2022	0.172	0.1		mg/L
Ammonia (as n)	LGW-5	1/10/2023	0.1	0.1		mg/L
Ammonia (as n)	LGW-5	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	4/6/2023	0.162	0.1		mg/L
Ammonia (as n)	LGW-5	5/10/2023	0.151	0.1		mg/L
Ammonia (as n)	LGW-5	6/8/2023	0.12	0.1		mg/L
Ammonia (as n)	LGW-5	7/10/2023	0.182	0.1		mg/L
Ammonia (as n)	LGW-5	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-5	9/2/2023	0.235	0.1		mg/L
Ammonia (as n)	LGW-5	10/5/2023	0.26	0.1		mg/L
Ammonia (as n)	LGW-6	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-6	7/20/2006	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/27/2006	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/21/2006	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/26/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/31/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/28/2007	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/28/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/27/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/23/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/27/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/27/2007	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2008	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/28/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/25/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/3/2008	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/26/2008	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	7/23/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/29/2008	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/21/2008	0.082	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/25/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/19/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-6	2/5/2009	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/26/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/29/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-6	7/29/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/28/2009	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/29/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/22/2009	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/24/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/17/2009	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2010	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2010	0.099	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/16/2010	0.085	0.1		mg/L
Ammonia (as n)	LGW-6	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/7/2010	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2010	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/15/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/12/2010	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/10/2010	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2010	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/2/2010	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/19/2011	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/7/2011	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/3/2011	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2011	0.11	0.1		mg/L
Ammonia (as n)	LGW-6	5/10/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2011	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/12/2011	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2011	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/7/2011	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2011	0.034	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/1/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/7/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/5/2012	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2012	0.048	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/5/2013	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	2/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/5/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/2/2014	0.26	0.1		mg/L
Ammonia (as n)	LGW-6	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/19/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2016	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2017	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	11/1/2017	0.081	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/5/2018	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/1/2018	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/7/2019	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/4/2019	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/10/2019	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/3/2019	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/5/2019	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-6	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/12/2022	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-6	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/11/2022	0.143	0.1		mg/L
Ammonia (as n)	LGW-6	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-6	10/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/25/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-7	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/27/2006	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/26/2006	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/21/2006	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/27/2007	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/27/2007	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/28/2007	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/29/2007	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/24/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/27/2007	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/27/2007	0.087	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/25/2008	0.025	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/28/2008	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/25/2008	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/3/2008	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/26/2008	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/22/2008	0.094	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/26/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/21/2008	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/19/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-7	2/4/2009	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/26/2009	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/16/2009	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/28/2009	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-7	7/31/2009	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/29/2009	0.062	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/30/2009	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/21/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/24/2009	0.074	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	12/17/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/27/2010	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/16/2010	0.15	0.1		mg/L
Ammonia (as n)	LGW-7	3/3/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/7/2010	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2010	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/10/2010	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/2/2010	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/20/2011	0.065	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/8/2011	0.2	0.1		mg/L
Ammonia (as n)	LGW-7	3/3/2011	0.065	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/5/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/10/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2011	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2011	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2011	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/7/2011	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2011	0.2	0.1		mg/L
Ammonia (as n)	LGW-7	11/1/2011	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/8/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/6/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/5/2012	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/5/2012	0.13	0.1		mg/L
Ammonia (as n)	LGW-7	7/10/2012	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/4/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-7	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/2/2014	0.38	0.1		mg/L
Ammonia (as n)	LGW-7	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/11/2015	0.044	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/1/2015	0.052	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/18/2017	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/22/2018	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/2/2018	0.024	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/4/2018	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/4/2019	0.055	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/10/2019	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/3/2019	0.049	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/6/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-7	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-7	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/3/2022	0.121	0.1		mg/L
Ammonia (as n)	LGW-7	7/11/2022	0.182	0.1		mg/L
Ammonia (as n)	LGW-7	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-7	10/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/24/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	LGW-8R	7/20/2006	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/26/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/26/2006	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/21/2006	0.037	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/24/2007	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	2/27/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/26/2007	0.022	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/25/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/28/2007	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/12/2007	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/29/2007	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/28/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/23/2007	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/28/2007	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/29/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/25/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/21/2008	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/25/2008	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/19/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-8R	2/4/2009	0.084	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/26/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/16/2009	0.077	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/28/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/25/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-8R	7/29/2009	0.043	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/28/2009	0.053	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/29/2009	0.032	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/21/2009	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/24/2009	0.076	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/17/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/27/2010	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/15/2010	0.093	0.1		mg/L
Ammonia (as n)	LGW-8R	3/3/2010	0.032	0.1		mg/L
Ammonia (as n)	LGW-8R	4/7/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/5/2010	0.041	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/14/2010	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/10/2010	0.08	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/2/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/29/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/2/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/20/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/7/2011	0.36	0.1		mg/L
Ammonia (as n)	LGW-8R	3/3/2011	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2011	0.075	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/10/2011	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2011	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/12/2011	0.051	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2011	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/7/2011	0.052	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2011	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/1/2011	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/8/2011	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/5/2012	0.036	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/5/2012	0.07	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/9/2012	0.035	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/9/2012	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	9/4/2012	0.086	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/8/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/22/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/12/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/11/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/2/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-8R	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/22/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/23/2018	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	3/19/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/5/2019	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-8R	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/11/2022	0.145	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-8R	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-8R	10/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/25/2006	0.13	0.05		mg/L
Ammonia (as n)	LGW-9	7/20/2006	0.23	0.1		mg/L
Ammonia (as n)	LGW-9	9/27/2006	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	10/26/2006	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	11/21/2006	0.24	0.1		mg/L
Ammonia (as n)	LGW-9	1/25/2007	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	2/27/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	3/26/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	4/25/2007	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	5/31/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/28/2007	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	7/10/2007	0.087	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/28/2007	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	8/28/2007	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	9/28/2007	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	10/23/2007	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	11/28/2007	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	12/27/2007	0.19	0.1		mg/L
Ammonia (as n)	LGW-9	1/25/2008	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	2/28/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	3/25/2008	0.26	0.1		mg/L
Ammonia (as n)	LGW-9	5/3/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	5/29/2008	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	6/26/2008	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/22/2008	0.18	0.1		mg/L
Ammonia (as n)	LGW-9	8/29/2008	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	9/26/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	9/26/2008	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	10/22/2008	0.26	0.1		mg/L
Ammonia (as n)	LGW-9	11/24/2008	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	12/19/2008	0.24	0.1		mg/L
Ammonia (as n)	LGW-9	2/4/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	3/26/2009	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/15/2009	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/28/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/24/2009	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	7/29/2009	0.045	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/28/2009	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/29/2009	0.042	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/22/2009	0.085	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/24/2009	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	12/17/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/27/2010	0.054	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	2/15/2010	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2010	0.039	0.1		mg/L
Ammonia (as n)	LGW-9	4/8/2010	0.05	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/6/2010	0.073	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/16/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/14/2010	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/11/2010	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	9/1/2010	0.038	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/29/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2010	0.079	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/2/2010	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/20/2011	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	2/7/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2011	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	4/5/2011	0.41	0.1		mg/L
Ammonia (as n)	LGW-9	5/10/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/1/2011	0.089	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/12/2011	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	8/4/2011	0.25	0.1		mg/L
Ammonia (as n)	LGW-9	9/7/2011	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	10/5/2011	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	11/1/2011	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	12/8/2011	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	1/5/2012	0.21	0.1		mg/L
Ammonia (as n)	LGW-9	2/1/2012	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	3/7/2012	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	4/5/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	5/1/2012	0.1	0.1		mg/L
Ammonia (as n)	LGW-9	6/5/2012	0.22	0.1		mg/L
Ammonia (as n)	LGW-9	7/10/2012	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	8/9/2012	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/4/2012	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	10/7/2012	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	5/1/2013	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	6/4/2013	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	7/15/2013	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	8/8/2013	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	9/10/2013	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	10/1/2013	0.26	0.1		mg/L
Ammonia (as n)	LGW-9	11/6/2013	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	12/2/2013	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	1/23/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	2/13/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	3/11/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	4/2/2014	0.34	0.1		mg/L
Ammonia (as n)	LGW-9	5/7/2014	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	6/3/2014	0.096	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/8/2014	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/5/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	9/4/2014	0.11	0.1		mg/L
Ammonia (as n)	LGW-9	10/9/2014	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	11/3/2014	0.15	0.1		mg/L
Ammonia (as n)	LGW-9	1/14/2015	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	2/11/2015	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	3/3/2015	0.22	0.1		mg/L
Ammonia (as n)	LGW-9	4/1/2015	0.2	0.1		mg/L
Ammonia (as n)	LGW-9	5/7/2015	0.21	0.1		mg/L
Ammonia (as n)	LGW-9	6/3/2015	0.21	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	7/13/2015	0.19	0.1		mg/L
Ammonia (as n)	LGW-9	8/4/2015	0.17	0.1		mg/L
Ammonia (as n)	LGW-9	9/3/2015	0.16	0.1		mg/L
Ammonia (as n)	LGW-9	10/6/2015	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	11/4/2015	0.14	0.1		mg/L
Ammonia (as n)	LGW-9	12/3/2015	0.13	0.1		mg/L
Ammonia (as n)	LGW-9	1/5/2016	0.12	0.1		mg/L
Ammonia (as n)	LGW-9	2/3/2016	0.056	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2016	0.03	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/1/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/21/2016	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/2/2016	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/11/2017	0.054	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/7/2017	0.069	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2017	0.078	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/4/2017	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2017	0.047	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/16/2017	0.039	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/5/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/11/2018	0.029	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/2/2018	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/2/2018	0.026	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/4/2018	0.027	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/6/2019	0.058	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/5/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/3/2019	0.057	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/3/2019	0.046	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/4/2019	0.068	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/10/2019	0.063	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/10/2019	0.059	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/8/2019	0.067	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/3/2019	0.083	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/3/2019	0.072	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/6/2019	0.071	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/3/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	LGW-9	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	LGW-9	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	1/17/2021	0.136	0.1		mg/L
Ammonia (as n)	LGW-9	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/2/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/11/2022	0.112	0.1		mg/L
Ammonia (as n)	LGW-9	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	LGW-9	10/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	4/28/1998	0.099	0.05		mg/L
Ammonia (as n)	MW-10N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-10N	7/19/2006	0.15	0.1		mg/L
Ammonia (as n)	MW-10N	7/19/2006	0.15	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2007	0.043	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-10N	7/10/2007	0.072	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/23/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/21/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	2/13/2009	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	7/31/2009	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/27/2010	0.24	0.1		mg/L
Ammonia (as n)	MW-10N	8/10/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	1/19/2011	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/14/2011	0.23	0.1		mg/L
Ammonia (as n)	MW-10N	1/5/2012	0.17	0.1		mg/L
Ammonia (as n)	MW-10N	7/10/2012	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	5/1/2013	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2014	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/9/2014	0.093	0.1	ND	mg/L
Ammonia (as n)	MW-10N	2/12/2015	0.092	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/14/2015	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/6/2016	0.14	0.1		mg/L
Ammonia (as n)	MW-10N	7/21/2016	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	1/11/2017	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/19/2017	0.11	0.1		mg/L
Ammonia (as n)	MW-10N	1/24/2018	0.12	0.1		mg/L
Ammonia (as n)	MW-10N	7/11/2018	0.067	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/3/2019	0.13	0.1		mg/L
Ammonia (as n)	MW-10N	7/9/2019	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-10N	1/11/2023	0.156	0.1		mg/L
Ammonia (as n)	MW-10N	7/7/2023	0.125	0.1		mg/L
Ammonia (as n)	MW-11N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-11N	7/18/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/18/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/10/2007	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/22/2008	0.042	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/23/2008	0.063	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2009	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/31/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2010	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/3/2010	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/16/2010	0.028	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/19/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/13/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/9/2012	0.054	0.1	ND	mg/L
Ammonia (as n)	MW-11N	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/15/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/13/2015	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/21/2016	0.024	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-11N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/17/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/6/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/13/2022	0.197	0.1		mg/L
Ammonia (as n)	MW-11N	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-11N	7/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/15/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/4/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2016	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/20/2016	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/18/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/1/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/1/2017	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/4/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/6/2018	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-15	12/5/2018	0.034	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/4/2019	0.14	0.1		mg/L
Ammonia (as n)	MW-15	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/1/2019	0.025	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/5/2019	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-15	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	5/11/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-15	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	9/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-15	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/16/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/8/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/4/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/1/2017	0.13	0.1		mg/L
Ammonia (as n)	MW-16	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/6/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/5/2018	0.12	0.1		mg/L
Ammonia (as n)	MW-16	1/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/4/2019	0.19	0.1		mg/L
Ammonia (as n)	MW-16	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/4/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-16	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/3/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-16	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/18/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/10/2022	0.15	0.1		mg/L
Ammonia (as n)	MW-16	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	5/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	9/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-16	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2015	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/15/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/5/2015	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-17	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/6/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/1/2017	0.045	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/21/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/7/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/3/2019	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/5/2019	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/5/2019	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-17	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/1/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/3/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-17	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	2/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	7/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	8/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	9/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-17	10/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/16/2015	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/12/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/21/2016	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2016	0.1	0.1		mg/L
Ammonia (as n)	MW-19	11/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/10/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/7/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/2/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/6/2017	0.31	0.1		mg/L
Ammonia (as n)	MW-19	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/1/2017	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-19	9/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2017	0.024	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/22/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/20/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/7/2018	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/5/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/6/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/3/2019	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/4/2019	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/5/2019	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/3/2019	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-19	3/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/10/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	3/1/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-19	4/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	7/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	9/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-19	10/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	10/14/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-1N	1/18/2006	0.051	0.05		mg/L
Ammonia (as n)	MW-1N	7/18/2006	0.09	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/18/2006	0.09	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/26/2007	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/11/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/24/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/21/2008	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-1N	2/5/2009	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/31/2009	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/26/2010	0.1	0.1		mg/L
Ammonia (as n)	MW-1N	7/13/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/20/2011	0.061	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/13/2011	0.13	0.1		mg/L
Ammonia (as n)	MW-1N	1/5/2012	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/10/2012	0.062	0.1	ND	mg/L
Ammonia (as n)	MW-1N	5/1/2013	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	2/10/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/11/2019	0.022	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/23/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-1N	7/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	6/2/2015	3	5	ND	mg/L
Ammonia (as n)	MW-20	6/5/2015	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	9/2/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	10/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/12/2017	0.024	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-20	7/18/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/26/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	7/4/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-20	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	6/2/2015	2	2	ND	mg/L
Ammonia (as n)	MW-21	6/5/2015	0.37	0.1		mg/L
Ammonia (as n)	MW-21	7/14/2015	0.46	0.1		mg/L
Ammonia (as n)	MW-21	8/4/2015	0.46	0.1		mg/L
Ammonia (as n)	MW-21	9/2/2015	0.49	0.1		mg/L
Ammonia (as n)	MW-21	10/5/2015	0.43	0.1		mg/L
Ammonia (as n)	MW-21	1/7/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	4/5/2016	0.36	0.1		mg/L
Ammonia (as n)	MW-21	7/20/2016	0.36	0.1		mg/L
Ammonia (as n)	MW-21	10/5/2016	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-21	10/5/2016	0.1	0.1		mg/L
Ammonia (as n)	MW-21	1/10/2017	0.17	0.1		mg/L
Ammonia (as n)	MW-21	4/5/2017	0.27	0.1		mg/L
Ammonia (as n)	MW-21	7/19/2017	0.42	0.1		mg/L
Ammonia (as n)	MW-21	10/6/2017	0.34	0.1		mg/L
Ammonia (as n)	MW-21	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	4/11/2018	0.75	0.1		mg/L
Ammonia (as n)	MW-21	7/11/2018	0.38	0.1		mg/L
Ammonia (as n)	MW-21	10/4/2018	0.16	0.1		mg/L
Ammonia (as n)	MW-21	1/3/2019	0.6	0.1		mg/L
Ammonia (as n)	MW-21	4/3/2019	0.48	0.1		mg/L
Ammonia (as n)	MW-21	7/11/2019	0.38	0.1		mg/L
Ammonia (as n)	MW-21	10/2/2019	0.61	0.1		mg/L
Ammonia (as n)	MW-21	1/16/2020	0.416	0.1		mg/L
Ammonia (as n)	MW-21	7/8/2020	0.128	0.1		mg/L
Ammonia (as n)	MW-21	1/13/2021	0.376	0.1		mg/L
Ammonia (as n)	MW-21	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-21	7/7/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	10/22/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2006	0.051	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2006	0.051	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/11/2007	0.21	0.1		mg/L
Ammonia (as n)	MW-2N	1/24/2008	0.04	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/22/2008	0.068	0.1	ND	mg/L
Ammonia (as n)	MW-2N	2/4/2009	0.072	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/31/2009	0.048	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/26/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/13/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/20/2011	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/13/2011	0.083	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/10/2012	0.055	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-2N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	2/12/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/23/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/24/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-2N	7/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	7/23/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	1/18/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2006	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/26/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2008	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/22/2008	0.076	0.1	ND	mg/L
Ammonia (as n)	MW-3N	2/4/2009	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/31/2009	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/26/2010	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/13/2010	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/20/2011	0.05	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/14/2011	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2012	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-3N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	2/12/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/5/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/9/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/10/2018	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-3N	7/13/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	4/3/2019	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-3N	7/7/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	8/18/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	9/17/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	10/15/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	11/9/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	10/5/2004	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	1/19/2006	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-7N	7/19/2006	0.1	0.1		mg/L
Ammonia (as n)	MW-7N	9/28/2006	0.05	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/24/2006	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	11/21/2006	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	1/26/2007	0.085	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/27/2007	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/27/2007	0.093	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/25/2007	0.07	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/28/2007	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2007	0.052	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/29/2007	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	8/29/2007	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	9/28/2007	0.096	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/24/2007	0.063	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/27/2007	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	12/27/2007	0.089	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/25/2008	0.071	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/28/2008	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	3/24/2008	0.088	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/3/2008	0.19	0.1		mg/L
Ammonia (as n)	MW-7N	5/29/2008	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/26/2008	0.086	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/21/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	8/29/2008	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	9/25/2008	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	10/21/2008	0.25	0.1		mg/L
Ammonia (as n)	MW-7N	11/24/2008	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	12/18/2008	0.22	0.1		mg/L
Ammonia (as n)	MW-7N	2/6/2009	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	3/25/2009	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	4/15/2009	0.17	0.1		mg/L
Ammonia (as n)	MW-7N	6/25/2009	0.2	0.1		mg/L
Ammonia (as n)	MW-7N	7/29/2009	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	8/28/2009	0.16	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	9/29/2009	0.13	0.1		mg/L
Ammonia (as n)	MW-7N	10/21/2009	0.2	0.1		mg/L
Ammonia (as n)	MW-7N	11/24/2009	0.27	0.1		mg/L
Ammonia (as n)	MW-7N	12/17/2009	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	1/26/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	2/15/2010	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	3/3/2010	0.099	0.1		mg/L
Ammonia (as n)	MW-7N	4/8/2010	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	5/6/2010	0.15	0.1		mg/L
Ammonia (as n)	MW-7N	6/16/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/14/2010	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	8/11/2010	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	9/2/2010	0.039	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/29/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2010	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2010	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/20/2011	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	2/7/2011	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/3/2011	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	4/5/2011	0.073	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/10/2011	0.098	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2011	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	7/12/2011	0.097	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/4/2011	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	9/7/2011	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	10/5/2011	0.078	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/1/2011	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	12/8/2011	0.049	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/5/2012	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/1/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/7/2012	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/10/2012	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/5/2012	0.077	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2012	0.073	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/9/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/7/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/1/2013	0.18	0.1		mg/L
Ammonia (as n)	MW-7N	6/4/2013	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	6/4/2013	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	7/15/2013	0.056	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/8/2013	0.053	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/10/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/6/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/30/2014	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/13/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/11/2014	0.036	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/2/2014	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	5/7/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/9/2014	0.037	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/5/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2014	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	1/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/12/2015	0.043	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/7/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/4/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/3/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/3/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/2/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/11/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/1/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/21/2016	0.03	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/10/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2016	0.12	0.1		mg/L
Ammonia (as n)	MW-7N	11/2/2016	0.3	0.1		mg/L
Ammonia (as n)	MW-7N	12/1/2016	0.15	0.1		mg/L
Ammonia (as n)	MW-7N	1/11/2017	0.41	0.1		mg/L
Ammonia (as n)	MW-7N	2/7/2017	0.23	0.1		mg/L
Ammonia (as n)	MW-7N	3/2/2017	0.22	0.1		mg/L
Ammonia (as n)	MW-7N	4/4/2017	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	5/16/2017	0.057	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/6/2017	0.029	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/19/2017	0.25	0.1		mg/L
Ammonia (as n)	MW-7N	8/1/2017	0.081	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/5/2017	0.24	0.1		mg/L
Ammonia (as n)	MW-7N	10/5/2017	0.2	0.1		mg/L
Ammonia (as n)	MW-7N	11/1/2017	0.1	0.1		mg/L
Ammonia (as n)	MW-7N	1/25/2018	0.16	0.1		mg/L
Ammonia (as n)	MW-7N	2/22/2018	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/20/2018	0.19	0.1		mg/L
Ammonia (as n)	MW-7N	4/11/2018	0.11	0.1		mg/L
Ammonia (as n)	MW-7N	4/11/2018	0.14	0.1		mg/L
Ammonia (as n)	MW-7N	6/5/2018	0.078	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/13/2018	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/1/2018	0.048	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/5/2018	0.027	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/4/2018	0.079	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/6/2018	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/4/2018	0.054	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/4/2019	0.055	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/5/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/4/2019	0.035	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/4/2019	0.036	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/3/2019	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-7N	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/4/2020	0.1	1	ND	mg/L
Ammonia (as n)	MW-7N	3/4/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/5/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/2/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/9/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/7/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/3/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/8/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/12/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/9/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/1/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/4/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/10/2022	0.126	0.1		mg/L
Ammonia (as n)	MW-7N	8/10/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/8/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/6/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	11/3/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	12/7/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	1/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	2/3/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	3/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	4/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	5/10/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	6/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	7/7/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	8/1/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	9/2/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-7N	10/4/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/21/1997	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	4/28/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	7/22/1998	0.05	0.05	ND	mg/L
Ammonia (as n)	MW-8N	1/19/2006	0.15	0.05		mg/L
Ammonia (as n)	MW-8N	7/19/2006	0.19	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	MW-8N	7/19/2006	0.19	0.1		mg/L
Ammonia (as n)	MW-8N	1/26/2007	0.074	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/25/2007	0.023	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/10/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/24/2007	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/24/2008	0.047	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/23/2008	0.075	0.1	ND	mg/L
Ammonia (as n)	MW-8N	2/4/2009	0.059	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/31/2009	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/26/2010	0.033	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2010	0.031	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/19/2011	0.069	0.1	ND	mg/L
Ammonia (as n)	MW-8N	5/10/2011	0.06	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/14/2011	0.064	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/6/2012	0.061	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/5/2012	0.026	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/11/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/3/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	5/1/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	6/4/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/2/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/30/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/3/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	2/12/2015	0.046	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/1/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/14/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/5/2015	0.041	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/5/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/21/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/4/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/16/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	4/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/11/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	10/3/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/5/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/12/2022	0.804	0.1		mg/L
Ammonia (as n)	MW-8N	1/11/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	MW-8N	7/7/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2006	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-1	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2007	0.032	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/24/2007	0.039	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/24/2008	0.058	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/21/2008	0.061	0.1	ND	mg/L
Ammonia (as n)	NE-1	2/7/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/31/2009	0.038	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/14/2010	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/19/2011	0.079	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/13/2011	0.079	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2012	0.052	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/23/2014	0.098	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	2/11/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/24/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/11/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/18/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/2/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/10/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	7/13/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-1	1/5/2023	0.229	0.1		mg/L
Ammonia (as n)	NE-1	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	11/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-10D	7/8/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	3/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	4/6/2017	0.035	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	10/9/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-11	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/12/2022	0.607	0.1		mg/L
Ammonia (as n)	NE-11	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-11	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	3/1/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	4/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	10/6/2017	0.027	0.1	ND	mg/L
Ammonia (as n)	NE-12	8/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/13/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/12/2022	0.526	0.1		mg/L
Ammonia (as n)	NE-12	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-12	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-13	7/1/2021	1.23	0.1		mg/L
Ammonia (as n)	NE-13	7/1/2021	1.23	0.1		mg/L
Ammonia (as n)	NE-13	7/1/2021	0.999	0.1		mg/L
Ammonia (as n)	NE-14D	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/13/2022	0.351	0.1		mg/L
Ammonia (as n)	NE-14D	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14D	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	10/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/13/2022	0.31	0.1		mg/L
Ammonia (as n)	NE-14S	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-14S	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	9/30/2019	0.13	0.1		mg/L
Ammonia (as n)	NE-15D	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-15D	7/13/2022	0.317	0.1		mg/L
Ammonia (as n)	NE-15D	1/6/2023	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-15D	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/1/2013	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/8/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/5/2015	0.022	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/5/2017	0.04	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/25/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	4/10/2018	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/1/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/9/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	10/2/2019	0.026	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/14/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/14/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-2	7/13/2022	0.234	0.1		mg/L
Ammonia (as n)	NE-2	1/5/2023	0.141	0.1		mg/L
Ammonia (as n)	NE-2	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	8/1/2006	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/24/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/12/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/24/2008	0.044	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/21/2008	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	2/7/2009	0.04	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/31/2009	0.039	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/14/2010	0.043	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/19/2011	0.052	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/13/2011	0.066	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/5/2012	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/10/2012	0.046	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	2/13/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2015	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/6/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/20/2016	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/26/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/12/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	10/3/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	4/2/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/8/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	10/1/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/13/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/6/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-4	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-4	1/5/2023	0.166	0.1		mg/L
Ammonia (as n)	NE-4	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/19/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/19/2006	0.078	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/24/2007	0.024	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/12/2007	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/22/2008	0.06	0.1	ND	mg/L
Ammonia (as n)	NE-5	2/6/2009	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/31/2009	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/26/2010	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/16/2010	0.088	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/19/2011	0.093	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/13/2011	0.091	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/5/2012	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/10/2012	0.069	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/30/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/16/2013	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/23/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2014	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	2/11/2015	0.022	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/14/2015	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/6/2016	0.029	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/20/2016	0.026	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/11/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/19/2017	0.077	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/25/2018	0.043	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/10/2018	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/17/2018	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	10/3/2018	0.14	0.1		mg/L
Ammonia (as n)	NE-5	1/4/2019	0.061	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/2/2019	0.06	0.1	ND	mg/L
Ammonia (as n)	NE-5	4/2/2019	0.06	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2019	0.024	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2019	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/9/2019	0.034	0.1	ND	mg/L
Ammonia (as n)	NE-5	10/3/2019	0.056	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5	7/13/2022	0.195	0.1		mg/L
Ammonia (as n)	NE-5	1/5/2023	0.127	0.1		mg/L
Ammonia (as n)	NE-5	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5E	7/13/2022	0.213	0.1		mg/L
Ammonia (as n)	NE-5E	1/5/2023	0.114	0.1		mg/L
Ammonia (as n)	NE-5E	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	9/30/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/8/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-5W	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	1/18/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-5W	7/13/2022	0.25	0.1		mg/L
Ammonia (as n)	NE-5W	1/5/2023	0.1	0.1		mg/L
Ammonia (as n)	NE-5W	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/19/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	10/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	2/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	8/6/2019	0.025	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/12/2022	0.982	0.1		mg/L
Ammonia (as n)	NE-6	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	10/2/2019	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/9/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/15/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/2/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/12/2022	0.773	0.1		mg/L
Ammonia (as n)	NE-6D	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-6D	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	3/1/2017	0.028	0.1	ND	mg/L
Ammonia (as n)	NE-7	4/6/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/20/2017	0.023	0.1	ND	mg/L
Ammonia (as n)	NE-7	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	2/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	8/6/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/16/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/16/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/12/2022	0.714	0.1		mg/L
Ammonia (as n)	NE-7	1/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-7	7/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/20/2017	0.35	0.1		mg/L
Ammonia (as n)	NE-8	10/6/2017	0.33	0.1		mg/L
Ammonia (as n)	NE-8	2/4/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	8/5/2019	0.13	0.1		mg/L
Ammonia (as n)	NE-8	1/15/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ammonia (as n)	NE-8	7/8/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/13/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-8	7/5/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/12/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	4/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/20/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	10/5/2017	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	2/5/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	8/7/2019	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/15/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/7/2020	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/1/2021	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	1/17/2022	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/13/2022	0.155	0.1		mg/L
Ammonia (as n)	NE-9	1/6/2023	0.1	0.1	ND	mg/L
Ammonia (as n)	NE-9	7/5/2023	0.1	0.1	ND	mg/L
Anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-10	10/5/2023	10	10	ND	ug/L
Anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Anthracene	LGW-2	7/4/2021	10	10	ND	ug/L
Anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-3R	2/3/2009	2.8	10	ND	ug/L
Anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-5	10/5/2023	10	10	ND	ug/L
Anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-6	10/5/2023	10	10	ND	ug/L
Anthracene	LGW-7	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Anthracene	LGW-9	7/7/2021	10	10	ND	ug/L
Anthracene	LGW-9	10/5/2023	10	10	ND	ug/L
Anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-11N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Anthracene	MW-11N	2/10/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	MW-11N	7/17/2018	10	10	ND	ug/L
Anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Anthracene	MW-20	7/4/2021	10	10	ND	ug/L
Anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Anthracene	MW-21	7/11/2019	10	10	ND	ug/L
Anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-7N	2/6/2009	2.5	10	ND	ug/L
Anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Anthracene	MW-8N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Anthracene	MW-8N	10/5/2023	10	10	ND	ug/L
Anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Anthracene	NE-4	10/25/2006	10	10	ND	ug/L
Anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Anthracene	NE-4	7/12/2018	10	10	ND	ug/L
Anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Antimony, dissolved	LGW-14R	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-2	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-4	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-5	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-6	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-7	1/25/2006	6	6	ND	ug/L
Antimony, dissolved	LGW-8R	1/24/2006	6	6	ND	ug/L
Antimony, dissolved	MW-10N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	MW-10N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-11N	7/10/2000	6	6	ND	ug/L
Antimony, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-11N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-1N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-1N	7/12/2000	6	6	ND	ug/L
Antimony, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-1N	10/3/2002	2	2	ND	ug/L
Antimony, dissolved	MW-2N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	MW-2N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-3N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-3N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-7N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-7N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, dissolved	MW-7N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	MW-8N	10/19/1999	6	6	ND	ug/L
Antimony, dissolved	MW-8N	7/11/2000	6	6	ND	ug/L
Antimony, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	MW-8N	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	NE-1	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-1	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	NE-2	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-2	10/2/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Antimony, dissolved	NE-4	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-4	10/3/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Antimony, dissolved	NE-5	8/6/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	9/4/2002	2	2	ND	ug/L
Antimony, dissolved	NE-5	10/2/2002	2	2	ND	ug/L
Antimony, total	LGW-10	1/26/2006	6	6	ND	ug/L
Antimony, total	LGW-10	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-10	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-10	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-10	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-10	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-10	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-10	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-10	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-10	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-10	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-10	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-10	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-10	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-10	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-10	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-10	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-10	5/1/2013	2	2	ND	ug/L
Antimony, total	LGW-10	1/30/2014	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2014	2	2	ND	ug/L
Antimony, total	LGW-10	2/12/2015	2	2	ND	ug/L
Antimony, total	LGW-10	7/13/2015	2	2	ND	ug/L
Antimony, total	LGW-10	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-10	4/6/2016	2	2	ND	ug/L
Antimony, total	LGW-10	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-10	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-10	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-10	4/4/2017	2	2	ND	ug/L
Antimony, total	LGW-10	7/19/2017	2	2	ND	ug/L
Antimony, total	LGW-10	10/9/2017	2	2	ND	ug/L
Antimony, total	LGW-10	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-10	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-10	7/16/2018	2	2	ND	ug/L
Antimony, total	LGW-10	10/4/2018	2	2	ND	ug/L
Antimony, total	LGW-10	1/4/2019	2	2	ND	ug/L
Antimony, total	LGW-10	4/3/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-10	7/11/2019	4	4	ND	ug/L
Antimony, total	LGW-10	10/2/2019	0.45	2	ND	ug/L
Antimony, total	LGW-10	1/15/2020	2	2	ND	ug/L
Antimony, total	LGW-10	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-10	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-10	10/7/2020	2	2	ND	ug/L
Antimony, total	LGW-10	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-10	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-10	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-10	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-10	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-10	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-10	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-10	10/7/2022	2	2	ND	ug/L
Antimony, total	LGW-10	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-10	4/5/2023	2	2	ND	ug/L
Antimony, total	LGW-10	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-10	10/5/2023	2	2	ND	ug/L
Antimony, total	LGW-14R	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-14R	8/2/2006	0.2	2	ND	ug/L
Antimony, total	LGW-14R	8/2/2006	0.2	2	ND	ug/L
Antimony, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Antimony, total	LGW-14R	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-14R	4/24/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/11/2007	0.1	2	ND	ug/L
Antimony, total	LGW-14R	1/23/2008	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-14R	2/6/2009	0.1	2	ND	ug/L
Antimony, total	LGW-14R	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-14R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-14R	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-14R	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-14R	1/5/2012	0.6	2	ND	ug/L
Antimony, total	LGW-14R	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-14R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-14R	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-14R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-14R	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-14R	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-14R	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-14R	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-14R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-14R	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-14R	1/25/2018	2	2	ND	ug/L
Antimony, total	LGW-14R	7/17/2018	2	2	ND	ug/L
Antimony, total	LGW-14R	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-14R	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-14R	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-14R	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-14R	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-14R	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-14R	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-14R	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-14R	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-14R	7/10/2023	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-2	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-2	8/1/2006	0.4	2	ND	ug/L
Antimony, total	LGW-2	8/1/2006	0.4	2	ND	ug/L
Antimony, total	LGW-2	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-2	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-2	1/25/2007	0.2	2	ND	ug/L
Antimony, total	LGW-2	4/26/2007	0.1	2	ND	ug/L
Antimony, total	LGW-2	7/10/2007	0.3	2	ND	ug/L
Antimony, total	LGW-2	1/26/2008	0.4	2	ND	ug/L
Antimony, total	LGW-2	7/23/2008	0.6	2	ND	ug/L
Antimony, total	LGW-2	2/6/2009	0.5	2	ND	ug/L
Antimony, total	LGW-2	7/30/2009	0.5	2	ND	ug/L
Antimony, total	LGW-2	2/3/2010	0.3	2	ND	ug/L
Antimony, total	LGW-2	2/3/2010	0.3	2	ND	ug/L
Antimony, total	LGW-2	7/12/2010	0.4	2	ND	ug/L
Antimony, total	LGW-2	1/19/2011	0.5	2	ND	ug/L
Antimony, total	LGW-2	7/13/2011	0.1	2	ND	ug/L
Antimony, total	LGW-2	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-2	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-2	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-2	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-2	1/30/2014	1	2	ND	ug/L
Antimony, total	LGW-2	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-2	2/13/2015	0.8	2	ND	ug/L
Antimony, total	LGW-2	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-2	1/5/2016	0.4	2	ND	ug/L
Antimony, total	LGW-2	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-2	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-2	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-2	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-2	7/12/2018	2	2	ND	ug/L
Antimony, total	LGW-2	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-2	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-2	1/13/2020	2	2	ND	ug/L
Antimony, total	LGW-2	4/1/2020	2	2	ND	ug/L
Antimony, total	LGW-2	7/8/2020	2	2	ND	ug/L
Antimony, total	LGW-2	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-2	7/4/2021	2	2	ND	ug/L
Antimony, total	LGW-2	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-2	7/10/2022	2	2	ND	ug/L
Antimony, total	LGW-2	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-2	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-3R	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-3R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-3R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-3R	1/8/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-3R	1/26/2008	2	2	ND	ug/L
Antimony, total	LGW-3R	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2009	2	2	ND	ug/L
Antimony, total	LGW-3R	7/31/2009	0.1	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-3R	1/19/2011	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-3R	7/13/2011	2	2	ND	ug/L
Antimony, total	LGW-3R	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-3R	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-3R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-3R	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-3R	1/22/2014	2	2	ND	ug/L
Antimony, total	LGW-3R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-3R	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-3R	7/16/2015	2	2	ND	ug/L
Antimony, total	LGW-3R	1/8/2016	2	2	ND	ug/L
Antimony, total	LGW-3R	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-3R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-3R	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-3R	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-3R	7/11/2018	2	2	ND	ug/L
Antimony, total	LGW-3R	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-3R	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-3R	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-3R	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-3R	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-3R	7/6/2021	2	2	ND	ug/L
Antimony, total	LGW-3R	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-3R	7/10/2022	2	2	ND	ug/L
Antimony, total	LGW-3R	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-3R	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-4	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-4	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-4	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-4	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-4	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-4	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-4	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-4	1/22/2008	2	2	ND	ug/L
Antimony, total	LGW-4	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2009	2	2	ND	ug/L
Antimony, total	LGW-4	7/31/2009	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-4	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-4	7/16/2010	2	2	ND	ug/L
Antimony, total	LGW-4	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-4	7/13/2011	2	2	ND	ug/L
Antimony, total	LGW-4	1/4/2012	2	2	ND	ug/L
Antimony, total	LGW-4	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-4	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-4	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-4	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-4	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-4	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-4	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-4	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-4	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-4	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-4	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-4	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2018	2	2	ND	ug/L
Antimony, total	LGW-4	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-4	7/9/2019	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-4	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-4	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-4	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-4	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-4	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-4	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-4	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-4	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-5	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-5	8/1/2006	0.1	2	ND	ug/L
Antimony, total	LGW-5	8/1/2006	0.1	2	ND	ug/L
Antimony, total	LGW-5	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-5	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-5	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-5	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-5	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-5	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-5	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-5	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-5	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-5	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2010	0.2	2	ND	ug/L
Antimony, total	LGW-5	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-5	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-5	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-5	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-5	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-5	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-5	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-5	7/8/2015	2	2	ND	ug/L
Antimony, total	LGW-5	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-5	7/19/2016	0.4	2	ND	ug/L
Antimony, total	LGW-5	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-5	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-5	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-5	7/12/2018	2	2	ND	ug/L
Antimony, total	LGW-5	1/3/2019	2	2	ND	ug/L
Antimony, total	LGW-5	7/9/2019	4	4	ND	ug/L
Antimony, total	LGW-5	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-5	7/6/2020	2	2	ND	ug/L
Antimony, total	LGW-5	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-5	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-5	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-5	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-5	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-5	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-5	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-5	10/6/2022	2	2	ND	ug/L
Antimony, total	LGW-5	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-5	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-5	10/5/2023	2	2	ND	ug/L
Antimony, total	LGW-6	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-6	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-6	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-6	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-6	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-6	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-6	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-6	7/11/2007	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2008	2	2	ND	ug/L
Antimony, total	LGW-6	7/23/2008	2	2	ND	ug/L
Antimony, total	LGW-6	2/5/2009	2	2	ND	ug/L
Antimony, total	LGW-6	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-6	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-6	2/3/2010	2	2	ND	ug/L
Antimony, total	LGW-6	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-6	1/19/2011	2	2	ND	ug/L
Antimony, total	LGW-6	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-6	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-6	7/9/2012	2	2	ND	ug/L
Antimony, total	LGW-6	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-6	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-6	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-6	2/10/2015	2	2	ND	ug/L
Antimony, total	LGW-6	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-6	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-6	7/19/2016	2	2	ND	ug/L
Antimony, total	LGW-6	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-6	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-6	5/5/2017	2	2	ND	ug/L
Antimony, total	LGW-6	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-6	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-6	1/23/2018	2	2	ND	ug/L
Antimony, total	LGW-6	4/10/2018	2	2	ND	ug/L
Antimony, total	LGW-6	7/17/2018	2	2	ND	ug/L
Antimony, total	LGW-6	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-6	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-6	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-6	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-6	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-6	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-6	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-6	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-6	10/6/2020	2	2	ND	ug/L
Antimony, total	LGW-6	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-6	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-6	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-6	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-6	1/12/2022	2	2	ND	ug/L
Antimony, total	LGW-6	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-6	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-6	10/6/2022	2	2	ND	ug/L
Antimony, total	LGW-6	1/10/2023	2	2	ND	ug/L
Antimony, total	LGW-6	4/6/2023	2	2	ND	ug/L
Antimony, total	LGW-6	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-6	10/5/2023	2	2	ND	ug/L
Antimony, total	LGW-7	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-7	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-7	8/1/2006	2	2	ND	ug/L
Antimony, total	LGW-7	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-7	1/9/2007	0.1	2	ND	ug/L
Antimony, total	LGW-7	1/24/2007	0.2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-7	4/26/2007	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-7	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-7	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-7	7/31/2009	2	2	ND	ug/L
Antimony, total	LGW-7	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2010	2	2	ND	ug/L
Antimony, total	LGW-7	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-7	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-7	7/10/2012	2	2	ND	ug/L
Antimony, total	LGW-7	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-7	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-7	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-7	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-7	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-7	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-7	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-7	4/6/2016	2	2	ND	ug/L
Antimony, total	LGW-7	7/20/2016	2	2	ND	ug/L
Antimony, total	LGW-7	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-7	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-7	4/4/2017	2	2	ND	ug/L
Antimony, total	LGW-7	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-7	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-7	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-7	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-7	7/12/2018	2	2	ND	ug/L
Antimony, total	LGW-7	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-7	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-7	4/3/2019	2	2	ND	ug/L
Antimony, total	LGW-7	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-7	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-7	1/15/2020	2	2	ND	ug/L
Antimony, total	LGW-7	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-7	1/18/2021	2	2	ND	ug/L
Antimony, total	LGW-7	7/7/2021	6.56	2		ug/L
Antimony, total	LGW-7	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-7	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-7	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-7	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-7	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-8R	1/24/2006	6	6	ND	ug/L
Antimony, total	LGW-8R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-8R	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-8R	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	1/24/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	4/25/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	7/12/2007	2	2	ND	ug/L
Antimony, total	LGW-8R	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-8R	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-8R	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-8R	7/14/2010	2	2	ND	ug/L
Antimony, total	LGW-8R	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-8R	7/12/2011	2	2	ND	ug/L
Antimony, total	LGW-8R	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-8R	7/9/2012	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-8R	4/30/2013	2	2	ND	ug/L
Antimony, total	LGW-8R	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-8R	1/22/2014	2	2	ND	ug/L
Antimony, total	LGW-8R	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-8R	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-8R	7/22/2015	2	2	ND	ug/L
Antimony, total	LGW-8R	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-8R	7/20/2016	2	2	ND	ug/L
Antimony, total	LGW-8R	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-8R	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-8R	1/25/2018	2	2	ND	ug/L
Antimony, total	LGW-8R	7/13/2018	2	2	ND	ug/L
Antimony, total	LGW-8R	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-8R	7/8/2019	4	4	ND	ug/L
Antimony, total	LGW-8R	1/14/2020	2	2	ND	ug/L
Antimony, total	LGW-8R	7/7/2020	2	2	ND	ug/L
Antimony, total	LGW-8R	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-8R	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-8R	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-8R	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-8R	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-8R	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-9	1/25/2006	6	6	ND	ug/L
Antimony, total	LGW-9	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-9	7/20/2006	2	2	ND	ug/L
Antimony, total	LGW-9	10/26/2006	10	10	ND	ug/L
Antimony, total	LGW-9	1/9/2007	2	2	ND	ug/L
Antimony, total	LGW-9	1/25/2007	2	2	ND	ug/L
Antimony, total	LGW-9	4/25/2007	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2007	2	2	ND	ug/L
Antimony, total	LGW-9	7/22/2008	2	2	ND	ug/L
Antimony, total	LGW-9	2/4/2009	2	2	ND	ug/L
Antimony, total	LGW-9	7/29/2009	2	2	ND	ug/L
Antimony, total	LGW-9	1/27/2010	2	2	ND	ug/L
Antimony, total	LGW-9	7/14/2010	2	2	ND	ug/L
Antimony, total	LGW-9	1/20/2011	2	2	ND	ug/L
Antimony, total	LGW-9	7/12/2011	0.1	2	ND	ug/L
Antimony, total	LGW-9	1/5/2012	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2012	2	2	ND	ug/L
Antimony, total	LGW-9	5/1/2013	2	2	ND	ug/L
Antimony, total	LGW-9	7/15/2013	2	2	ND	ug/L
Antimony, total	LGW-9	1/23/2014	2	2	ND	ug/L
Antimony, total	LGW-9	7/8/2014	2	2	ND	ug/L
Antimony, total	LGW-9	2/11/2015	2	2	ND	ug/L
Antimony, total	LGW-9	7/13/2015	2	2	ND	ug/L
Antimony, total	LGW-9	1/5/2016	2	2	ND	ug/L
Antimony, total	LGW-9	7/21/2016	2	2	ND	ug/L
Antimony, total	LGW-9	10/6/2016	2	2	ND	ug/L
Antimony, total	LGW-9	1/11/2017	2	2	ND	ug/L
Antimony, total	LGW-9	5/5/2017	2	2	ND	ug/L
Antimony, total	LGW-9	7/18/2017	2	2	ND	ug/L
Antimony, total	LGW-9	10/5/2017	2	2	ND	ug/L
Antimony, total	LGW-9	1/24/2018	2	2	ND	ug/L
Antimony, total	LGW-9	4/11/2018	2	2	ND	ug/L
Antimony, total	LGW-9	7/13/2018	2	2	ND	ug/L
Antimony, total	LGW-9	10/2/2018	2	2	ND	ug/L
Antimony, total	LGW-9	1/7/2019	2	2	ND	ug/L
Antimony, total	LGW-9	4/3/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	LGW-9	7/10/2019	4	4	ND	ug/L
Antimony, total	LGW-9	10/3/2019	2	2	ND	ug/L
Antimony, total	LGW-9	1/16/2020	2	2	ND	ug/L
Antimony, total	LGW-9	4/2/2020	2	2	ND	ug/L
Antimony, total	LGW-9	7/9/2020	2	2	ND	ug/L
Antimony, total	LGW-9	10/7/2020	2	2	ND	ug/L
Antimony, total	LGW-9	1/17/2021	2	2	ND	ug/L
Antimony, total	LGW-9	4/6/2021	2	2	ND	ug/L
Antimony, total	LGW-9	7/7/2021	2	2	ND	ug/L
Antimony, total	LGW-9	10/5/2021	2	2	ND	ug/L
Antimony, total	LGW-9	1/13/2022	2	2	ND	ug/L
Antimony, total	LGW-9	4/4/2022	2	2	ND	ug/L
Antimony, total	LGW-9	7/11/2022	2	2	ND	ug/L
Antimony, total	LGW-9	10/7/2022	2	2	ND	ug/L
Antimony, total	LGW-9	1/11/2023	2	2	ND	ug/L
Antimony, total	LGW-9	4/5/2023	2	2	ND	ug/L
Antimony, total	LGW-9	7/10/2023	2	2	ND	ug/L
Antimony, total	LGW-9	10/5/2023	2	2	ND	ug/L
Antimony, total	MW-10N	10/22/1997	15	6		ug/L
Antimony, total	MW-10N	1/22/1998	6	6	ND	ug/L
Antimony, total	MW-10N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-10N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-10N	1/14/1999	6	6	ND	ug/L
Antimony, total	MW-10N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-10N	7/15/1999	6	6	ND	ug/L
Antimony, total	MW-10N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-10N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-10N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-10N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-10N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-10N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-10N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-10N	7/10/2002	10	10	ND	ug/L
Antimony, total	MW-10N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-10N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-10N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-10N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-10N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-10N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-10N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-10N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-10N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-10N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-10N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-10N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-10N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2007	0.4	2	ND	ug/L
Antimony, total	MW-10N	7/10/2007	2	2	ND	ug/L
Antimony, total	MW-10N	1/23/2008	2	2	ND	ug/L
Antimony, total	MW-10N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-10N	2/13/2009	0.1	2	ND	ug/L
Antimony, total	MW-10N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-10N	1/27/2010	0.2	2	ND	ug/L
Antimony, total	MW-10N	8/10/2010	0.1	2	ND	ug/L
Antimony, total	MW-10N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-10N	7/14/2011	2	2	ND	ug/L
Antimony, total	MW-10N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-10N	7/10/2012	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-10N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-10N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-10N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-10N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-10N	1/6/2016	2	2	ND	ug/L
Antimony, total	MW-10N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-10N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-10N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-10N	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-10N	7/11/2018	2	2	ND	ug/L
Antimony, total	MW-10N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-10N	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-10N	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-10N	7/8/2020	2	2	ND	ug/L
Antimony, total	MW-10N	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-10N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-10N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-10N	7/7/2023	2	2	ND	ug/L
Antimony, total	MW-11N	10/22/1997	50	6		ug/L
Antimony, total	MW-11N	1/21/1998	32	6		ug/L
Antimony, total	MW-11N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-11N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-11N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-11N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-11N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/2000	6	6	ND	ug/L
Antimony, total	MW-11N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-11N	7/10/2000	6	6	ND	ug/L
Antimony, total	MW-11N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-11N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-11N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-11N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-11N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-11N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-11N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-11N	1/29/2004	6	6	ND	ug/L
Antimony, total	MW-11N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-11N	1/13/2005	6	6	ND	ug/L
Antimony, total	MW-11N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-11N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-11N	7/18/2006	2	2	ND	ug/L
Antimony, total	MW-11N	7/18/2006	2	2	ND	ug/L
Antimony, total	MW-11N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-11N	1/9/2007	0.6	2	ND	ug/L
Antimony, total	MW-11N	1/24/2007	1.1	2	ND	ug/L
Antimony, total	MW-11N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-11N	1/22/2008	0.1	2	ND	ug/L
Antimony, total	MW-11N	7/23/2008	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2009	0.1	2	ND	ug/L
Antimony, total	MW-11N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2010	2	2	ND	ug/L
Antimony, total	MW-11N	2/3/2010	2	2	ND	ug/L
Antimony, total	MW-11N	7/16/2010	2	2	ND	ug/L
Antimony, total	MW-11N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-11N	7/13/2011	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-11N	1/4/2012	2	2	ND	ug/L
Antimony, total	MW-11N	7/9/2012	2	2	ND	ug/L
Antimony, total	MW-11N	4/30/2013	2	2	ND	ug/L
Antimony, total	MW-11N	7/15/2013	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2014	2	2	ND	ug/L
Antimony, total	MW-11N	7/8/2014	2	2	ND	ug/L
Antimony, total	MW-11N	2/10/2015	0.6	2	ND	ug/L
Antimony, total	MW-11N	7/13/2015	1.3	2	ND	ug/L
Antimony, total	MW-11N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-11N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-11N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-11N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-11N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-11N	7/17/2018	0.43	2	ND	ug/L
Antimony, total	MW-11N	1/2/2019	2	2	ND	ug/L
Antimony, total	MW-11N	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-11N	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-11N	7/6/2020	2	2	ND	ug/L
Antimony, total	MW-11N	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-11N	7/6/2021	2	2	ND	ug/L
Antimony, total	MW-11N	1/18/2022	2	2	ND	ug/L
Antimony, total	MW-11N	7/13/2022	2	2	ND	ug/L
Antimony, total	MW-11N	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-11N	7/8/2023	2	2	ND	ug/L
Antimony, total	MW-15	6/5/2015	0.4	2	ND	ug/L
Antimony, total	MW-15	7/15/2015	2	2	ND	ug/L
Antimony, total	MW-15	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-15	9/3/2015	1.2	2	ND	ug/L
Antimony, total	MW-15	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-15	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-15	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-15	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-15	1/10/2017	0.9	2	ND	ug/L
Antimony, total	MW-15	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-15	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-15	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-15	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-15	7/9/2019	4	4	ND	ug/L
Antimony, total	MW-15	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-15	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-15	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-15	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-15	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-15	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-15	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-15	7/10/2023	2	2	ND	ug/L
Antimony, total	MW-16	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-16	7/16/2015	2	2	ND	ug/L
Antimony, total	MW-16	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-16	9/3/2015	0.7	2	ND	ug/L
Antimony, total	MW-16	1/8/2016	2	2	ND	ug/L
Antimony, total	MW-16	4/5/2016	0.6	2	ND	ug/L
Antimony, total	MW-16	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-16	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-16	1/10/2017	0.7	2	ND	ug/L
Antimony, total	MW-16	7/18/2017	0.5	2	ND	ug/L
Antimony, total	MW-16	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-16	7/11/2018	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-16	1/2/2019	2	2	ND	ug/L
Antimony, total	MW-16	7/10/2019	4	4	ND	ug/L
Antimony, total	MW-16	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-16	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-16	1/18/2021	2	2	ND	ug/L
Antimony, total	MW-16	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-16	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-16	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-16	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-16	7/10/2023	2	2	ND	ug/L
Antimony, total	MW-17	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-17	7/15/2015	2	2	ND	ug/L
Antimony, total	MW-17	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-17	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-17	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-17	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-17	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-17	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-17	1/10/2017	0.4	2	ND	ug/L
Antimony, total	MW-17	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-17	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-17	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-17	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-17	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-17	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-17	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-17	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-17	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-17	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-17	7/8/2023	2	2	ND	ug/L
Antimony, total	MW-19	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-19	7/16/2015	2	2	ND	ug/L
Antimony, total	MW-19	8/5/2015	2	2	ND	ug/L
Antimony, total	MW-19	9/3/2015	2	2	ND	ug/L
Antimony, total	MW-19	1/7/2016	0.9	2	ND	ug/L
Antimony, total	MW-19	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-19	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-19	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-19	1/10/2017	2	2	ND	ug/L
Antimony, total	MW-19	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-19	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-19	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-19	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-19	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-19	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-19	8/3/2020	2	2	ND	ug/L
Antimony, total	MW-19	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-19	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-19	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-19	7/10/2023	2	2	ND	ug/L
Antimony, total	MW-1N	10/22/1997	6	6	ND	ug/L
Antimony, total	MW-1N	1/20/1998	6	6	ND	ug/L
Antimony, total	MW-1N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-1N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-1N	10/14/1998	6	6	ND	ug/L
Antimony, total	MW-1N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-1N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-1N	7/15/1999	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-1N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-1N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-1N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-1N	7/12/2000	6	6	ND	ug/L
Antimony, total	MW-1N	10/18/2000	6	6	ND	ug/L
Antimony, total	MW-1N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-1N	4/12/2001	6	6	ND	ug/L
Antimony, total	MW-1N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-1N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-1N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-1N	10/3/2002	2	2	ND	ug/L
Antimony, total	MW-1N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-1N	4/15/2003	6	6	ND	ug/L
Antimony, total	MW-1N	7/8/2003	6	6	ND	ug/L
Antimony, total	MW-1N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-1N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-1N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-1N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-1N	1/18/2006	6	6	ND	ug/L
Antimony, total	MW-1N	7/18/2006	0.3	2	ND	ug/L
Antimony, total	MW-1N	7/18/2006	0.3	2	ND	ug/L
Antimony, total	MW-1N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-1N	1/9/2007	2	2	ND	ug/L
Antimony, total	MW-1N	1/26/2007	0.2	2	ND	ug/L
Antimony, total	MW-1N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-1N	1/24/2008	0.2	2	ND	ug/L
Antimony, total	MW-1N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-1N	2/5/2009	0.8	2	ND	ug/L
Antimony, total	MW-1N	7/31/2009	0.4	2	ND	ug/L
Antimony, total	MW-1N	1/26/2010	0.7	2	ND	ug/L
Antimony, total	MW-1N	7/13/2010	0.5	2	ND	ug/L
Antimony, total	MW-1N	1/20/2011	1	2	ND	ug/L
Antimony, total	MW-1N	7/13/2011	0.1	2	ND	ug/L
Antimony, total	MW-1N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-1N	7/10/2012	0.5	2	ND	ug/L
Antimony, total	MW-1N	5/1/2013	0.8	2	ND	ug/L
Antimony, total	MW-1N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-1N	1/24/2014	0.9	2	ND	ug/L
Antimony, total	MW-1N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-1N	2/10/2015	2	2	ND	ug/L
Antimony, total	MW-1N	7/14/2015	1	2	ND	ug/L
Antimony, total	MW-1N	1/6/2016	3.7	2		ug/L
Antimony, total	MW-1N	7/21/2016	0.8	2	ND	ug/L
Antimony, total	MW-1N	1/12/2017	0.4	2	ND	ug/L
Antimony, total	MW-1N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-1N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-1N	7/10/2018	2	2	ND	ug/L
Antimony, total	MW-1N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-1N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-1N	1/23/2020	3.92	2		ug/L
Antimony, total	MW-1N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-1N	7/6/2020	2	2	ND	ug/L
Antimony, total	MW-1N	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-1N	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-1N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-1N	7/8/2023	2	2	ND	ug/L
Antimony, total	MW-20	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-20	7/14/2015	0.5	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-20	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-20	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-20	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-20	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-20	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-20	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-20	1/12/2017	2	2	ND	ug/L
Antimony, total	MW-20	7/18/2017	2	2	ND	ug/L
Antimony, total	MW-20	1/26/2018	2	2	ND	ug/L
Antimony, total	MW-20	7/12/2018	2	2	ND	ug/L
Antimony, total	MW-20	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-20	1/14/2020	2	2	ND	ug/L
Antimony, total	MW-20	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-20	1/17/2021	2	2	ND	ug/L
Antimony, total	MW-20	7/4/2021	2	2	ND	ug/L
Antimony, total	MW-20	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-21	6/5/2015	2	2	ND	ug/L
Antimony, total	MW-21	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-21	8/4/2015	2	2	ND	ug/L
Antimony, total	MW-21	9/2/2015	2	2	ND	ug/L
Antimony, total	MW-21	1/7/2016	2	2	ND	ug/L
Antimony, total	MW-21	4/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	7/20/2016	2	2	ND	ug/L
Antimony, total	MW-21	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	10/5/2016	2	2	ND	ug/L
Antimony, total	MW-21	1/10/2017	2	2	ND	ug/L
Antimony, total	MW-21	4/5/2017	2	2	ND	ug/L
Antimony, total	MW-21	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-21	10/6/2017	2	2	ND	ug/L
Antimony, total	MW-21	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-21	4/11/2018	2	2	ND	ug/L
Antimony, total	MW-21	7/11/2018	2	2	ND	ug/L
Antimony, total	MW-21	10/4/2018	2	2	ND	ug/L
Antimony, total	MW-21	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-21	4/3/2019	0.43	2	ND	ug/L
Antimony, total	MW-21	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-21	10/2/2019	2	2	ND	ug/L
Antimony, total	MW-21	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-21	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-21	7/8/2020	2	2	ND	ug/L
Antimony, total	MW-21	10/7/2020	2	2	ND	ug/L
Antimony, total	MW-21	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-21	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-21	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-21	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-21	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-21	4/8/2023	2	2	ND	ug/L
Antimony, total	MW-21	7/7/2023	2	2	ND	ug/L
Antimony, total	MW-21	10/6/2023	2	2	ND	ug/L
Antimony, total	MW-2N	10/22/1997	6	6	ND	ug/L
Antimony, total	MW-2N	1/21/1998	6	6	ND	ug/L
Antimony, total	MW-2N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-2N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-2N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-2N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-2N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-2N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-2N	1/14/2000	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-2N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-2N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-2N	1/24/2001	6	6	ND	ug/L
Antimony, total	MW-2N	4/11/2001	6	6	ND	ug/L
Antimony, total	MW-2N	7/10/2002	10	10	ND	ug/L
Antimony, total	MW-2N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-2N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-2N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-2N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-2N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-2N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-2N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-2N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-2N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-2N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-2N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-2N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-2N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-2N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-2N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-2N	7/22/2008	2	2	ND	ug/L
Antimony, total	MW-2N	2/4/2009	2	2	ND	ug/L
Antimony, total	MW-2N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-2N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-2N	7/13/2010	2	2	ND	ug/L
Antimony, total	MW-2N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-2N	7/13/2011	2	2	ND	ug/L
Antimony, total	MW-2N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-2N	7/10/2012	2	2	ND	ug/L
Antimony, total	MW-2N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-2N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-2N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-2N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-2N	2/12/2015	0.4	2	ND	ug/L
Antimony, total	MW-2N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-2N	1/6/2016	0.4	2	ND	ug/L
Antimony, total	MW-2N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-2N	1/11/2017	0.5	2	ND	ug/L
Antimony, total	MW-2N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-2N	1/23/2018	2	2	ND	ug/L
Antimony, total	MW-2N	7/12/2018	2	2	ND	ug/L
Antimony, total	MW-2N	1/3/2019	2	2	ND	ug/L
Antimony, total	MW-2N	8/7/2019	4	4	ND	ug/L
Antimony, total	MW-2N	1/23/2020	2	2	ND	ug/L
Antimony, total	MW-2N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-2N	1/14/2021	2	2	ND	ug/L
Antimony, total	MW-2N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-2N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-2N	7/8/2023	2	2	ND	ug/L
Antimony, total	MW-3N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-3N	1/21/1998	6	6	ND	ug/L
Antimony, total	MW-3N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-3N	7/23/1998	6	6	ND	ug/L
Antimony, total	MW-3N	1/13/1999	6	6	ND	ug/L
Antimony, total	MW-3N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-3N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-3N	10/20/1999	6	6	ND	ug/L
Antimony, total	MW-3N	1/14/2000	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-3N	4/24/2000	6	6	ND	ug/L
Antimony, total	MW-3N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-3N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-3N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-3N	4/11/2001	6	6	ND	ug/L
Antimony, total	MW-3N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-3N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-3N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-3N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-3N	1/22/2003	6	6	ND	ug/L
Antimony, total	MW-3N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-3N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-3N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-3N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-3N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-3N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-3N	1/18/2006	6	6	ND	ug/L
Antimony, total	MW-3N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-3N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-3N	10/25/2006	10	10	ND	ug/L
Antimony, total	MW-3N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-3N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2007	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-3N	7/22/2008	2	2	ND	ug/L
Antimony, total	MW-3N	2/4/2009	2	2	ND	ug/L
Antimony, total	MW-3N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-3N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-3N	7/13/2010	2	2	ND	ug/L
Antimony, total	MW-3N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-3N	7/14/2011	0.1	2	ND	ug/L
Antimony, total	MW-3N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2012	2	2	ND	ug/L
Antimony, total	MW-3N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-3N	6/4/2013	2	2	ND	ug/L
Antimony, total	MW-3N	7/16/2013	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2014	2	2	ND	ug/L
Antimony, total	MW-3N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-3N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-3N	4/1/2015	0.6	2	ND	ug/L
Antimony, total	MW-3N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-3N	10/5/2015	2	2	ND	ug/L
Antimony, total	MW-3N	1/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	4/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	7/21/2016	1.1	2	ND	ug/L
Antimony, total	MW-3N	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-3N	1/11/2017	0.8	2	ND	ug/L
Antimony, total	MW-3N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-3N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-3N	10/9/2017	2	2	ND	ug/L
Antimony, total	MW-3N	1/24/2018	2	2	ND	ug/L
Antimony, total	MW-3N	4/10/2018	2	2	ND	ug/L
Antimony, total	MW-3N	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-3N	10/3/2018	2	2	ND	ug/L
Antimony, total	MW-3N	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-3N	4/3/2019	2	2	ND	ug/L
Antimony, total	MW-3N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-3N	10/2/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-3N	1/15/2020	2	2	ND	ug/L
Antimony, total	MW-3N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-3N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-3N	10/7/2020	2	2	ND	ug/L
Antimony, total	MW-3N	1/13/2021	2	2	ND	ug/L
Antimony, total	MW-3N	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-3N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-3N	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-3N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-3N	7/7/2023	2	2	ND	ug/L
Antimony, total	MW-3N	10/6/2023	2	2	ND	ug/L
Antimony, total	MW-7N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-7N	1/21/1998	6	6	ND	ug/L
Antimony, total	MW-7N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-7N	8/18/1998	6	6	ND	ug/L
Antimony, total	MW-7N	9/17/1998	6	6	ND	ug/L
Antimony, total	MW-7N	10/15/1998	6	6	ND	ug/L
Antimony, total	MW-7N	11/9/1998	6	6	ND	ug/L
Antimony, total	MW-7N	1/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	4/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-7N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-7N	1/13/2000	6	6	ND	ug/L
Antimony, total	MW-7N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-7N	7/11/2000	6	6	ND	ug/L
Antimony, total	MW-7N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-7N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-7N	4/10/2001	6	6	ND	ug/L
Antimony, total	MW-7N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-7N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-7N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-7N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-7N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-7N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-7N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-7N	1/27/2004	6	6	ND	ug/L
Antimony, total	MW-7N	4/8/2004	6	6	ND	ug/L
Antimony, total	MW-7N	7/26/2004	6	6	ND	ug/L
Antimony, total	MW-7N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-7N	7/19/2005	6	6	ND	ug/L
Antimony, total	MW-7N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-7N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-7N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-7N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-7N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-7N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-7N	7/21/2008	2	2	ND	ug/L
Antimony, total	MW-7N	2/6/2009	2	2	ND	ug/L
Antimony, total	MW-7N	7/29/2009	2	2	ND	ug/L
Antimony, total	MW-7N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-7N	7/14/2010	2	2	ND	ug/L
Antimony, total	MW-7N	1/20/2011	2	2	ND	ug/L
Antimony, total	MW-7N	7/12/2011	0.1	2	ND	ug/L
Antimony, total	MW-7N	1/5/2012	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2012	2	2	ND	ug/L
Antimony, total	MW-7N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-7N	6/4/2013	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-7N	7/15/2013	2	2	ND	ug/L
Antimony, total	MW-7N	1/30/2014	0.8	2	ND	ug/L
Antimony, total	MW-7N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-7N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-7N	7/13/2015	2	2	ND	ug/L
Antimony, total	MW-7N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-7N	7/21/2016	0.9	2	ND	ug/L
Antimony, total	MW-7N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-7N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-7N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-7N	10/5/2017	2	2	ND	ug/L
Antimony, total	MW-7N	1/25/2018	2	2	ND	ug/L
Antimony, total	MW-7N	4/11/2018	2	2	ND	ug/L
Antimony, total	MW-7N	7/13/2018	2	2	ND	ug/L
Antimony, total	MW-7N	1/4/2019	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2019	4	4	ND	ug/L
Antimony, total	MW-7N	1/16/2020	2	2	ND	ug/L
Antimony, total	MW-7N	7/7/2020	2	2	ND	ug/L
Antimony, total	MW-7N	1/16/2021	2	2	ND	ug/L
Antimony, total	MW-7N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-7N	1/12/2022	2	2	ND	ug/L
Antimony, total	MW-7N	7/10/2022	2	2	ND	ug/L
Antimony, total	MW-7N	1/10/2023	2	2	ND	ug/L
Antimony, total	MW-7N	7/7/2023	2	2	ND	ug/L
Antimony, total	MW-8N	10/21/1997	6	6	ND	ug/L
Antimony, total	MW-8N	1/22/1998	6	6	ND	ug/L
Antimony, total	MW-8N	4/28/1998	6	6	ND	ug/L
Antimony, total	MW-8N	7/22/1998	6	6	ND	ug/L
Antimony, total	MW-8N	1/12/1999	6	6	ND	ug/L
Antimony, total	MW-8N	4/13/1999	6	6	ND	ug/L
Antimony, total	MW-8N	7/14/1999	6	6	ND	ug/L
Antimony, total	MW-8N	10/19/1999	6	6	ND	ug/L
Antimony, total	MW-8N	1/14/2000	6	6	ND	ug/L
Antimony, total	MW-8N	4/25/2000	6	6	ND	ug/L
Antimony, total	MW-8N	10/17/2000	6	6	ND	ug/L
Antimony, total	MW-8N	1/23/2001	6	6	ND	ug/L
Antimony, total	MW-8N	4/11/2001	6	6	ND	ug/L
Antimony, total	MW-8N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-8N	5/29/2002	13	13	ND	ug/L
Antimony, total	MW-8N	7/9/2002	10	10	ND	ug/L
Antimony, total	MW-8N	10/2/2002	2	2	ND	ug/L
Antimony, total	MW-8N	1/23/2003	6	6	ND	ug/L
Antimony, total	MW-8N	4/14/2003	6	6	ND	ug/L
Antimony, total	MW-8N	7/7/2003	6	6	ND	ug/L
Antimony, total	MW-8N	1/28/2004	6	6	ND	ug/L
Antimony, total	MW-8N	7/27/2004	6	6	ND	ug/L
Antimony, total	MW-8N	1/12/2005	6	6	ND	ug/L
Antimony, total	MW-8N	7/20/2005	6	6	ND	ug/L
Antimony, total	MW-8N	1/19/2006	6	6	ND	ug/L
Antimony, total	MW-8N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-8N	7/19/2006	2	2	ND	ug/L
Antimony, total	MW-8N	10/24/2006	10	10	ND	ug/L
Antimony, total	MW-8N	1/10/2007	2	2	ND	ug/L
Antimony, total	MW-8N	1/26/2007	2	2	ND	ug/L
Antimony, total	MW-8N	4/25/2007	2	2	ND	ug/L
Antimony, total	MW-8N	7/10/2007	0.1	2	ND	ug/L
Antimony, total	MW-8N	1/24/2008	2	2	ND	ug/L
Antimony, total	MW-8N	7/23/2008	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	MW-8N	2/4/2009	0.1	2	ND	ug/L
Antimony, total	MW-8N	7/31/2009	2	2	ND	ug/L
Antimony, total	MW-8N	1/26/2010	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2010	2	2	ND	ug/L
Antimony, total	MW-8N	1/19/2011	2	2	ND	ug/L
Antimony, total	MW-8N	5/10/2011	2	2	ND	ug/L
Antimony, total	MW-8N	7/14/2011	2	2	ND	ug/L
Antimony, total	MW-8N	1/6/2012	2	2	ND	ug/L
Antimony, total	MW-8N	4/5/2012	2	2	ND	ug/L
Antimony, total	MW-8N	7/11/2012	2	2	ND	ug/L
Antimony, total	MW-8N	10/3/2012	2	2	ND	ug/L
Antimony, total	MW-8N	5/1/2013	2	2	ND	ug/L
Antimony, total	MW-8N	6/4/2013	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2013	0.6	2	ND	ug/L
Antimony, total	MW-8N	10/2/2013	2	2	ND	ug/L
Antimony, total	MW-8N	1/30/2014	2	2	ND	ug/L
Antimony, total	MW-8N	4/3/2014	2	2	ND	ug/L
Antimony, total	MW-8N	7/9/2014	2	2	ND	ug/L
Antimony, total	MW-8N	10/8/2014	2	2	ND	ug/L
Antimony, total	MW-8N	2/12/2015	2	2	ND	ug/L
Antimony, total	MW-8N	4/1/2015	2	2	ND	ug/L
Antimony, total	MW-8N	7/14/2015	2	2	ND	ug/L
Antimony, total	MW-8N	10/5/2015	2	2	ND	ug/L
Antimony, total	MW-8N	1/5/2016	2	2	ND	ug/L
Antimony, total	MW-8N	4/6/2016	0.6	2	ND	ug/L
Antimony, total	MW-8N	7/21/2016	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2016	2	2	ND	ug/L
Antimony, total	MW-8N	1/11/2017	2	2	ND	ug/L
Antimony, total	MW-8N	4/4/2017	2	2	ND	ug/L
Antimony, total	MW-8N	7/19/2017	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2017	2	2	ND	ug/L
Antimony, total	MW-8N	1/25/2018	2	2	ND	ug/L
Antimony, total	MW-8N	4/10/2018	2	2	ND	ug/L
Antimony, total	MW-8N	7/16/2018	2	2	ND	ug/L
Antimony, total	MW-8N	10/2/2018	2	2	ND	ug/L
Antimony, total	MW-8N	1/7/2019	2	2	ND	ug/L
Antimony, total	MW-8N	4/3/2019	2	2	ND	ug/L
Antimony, total	MW-8N	7/11/2019	4	4	ND	ug/L
Antimony, total	MW-8N	10/3/2019	2	2	ND	ug/L
Antimony, total	MW-8N	1/15/2020	2	2	ND	ug/L
Antimony, total	MW-8N	4/2/2020	2	2	ND	ug/L
Antimony, total	MW-8N	7/9/2020	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2020	2	2	ND	ug/L
Antimony, total	MW-8N	1/15/2021	2	2	ND	ug/L
Antimony, total	MW-8N	4/6/2021	2	2	ND	ug/L
Antimony, total	MW-8N	7/5/2021	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2021	2	2	ND	ug/L
Antimony, total	MW-8N	1/18/2022	2	2	ND	ug/L
Antimony, total	MW-8N	4/4/2022	2	2	ND	ug/L
Antimony, total	MW-8N	7/12/2022	2	2	ND	ug/L
Antimony, total	MW-8N	10/6/2022	2	2	ND	ug/L
Antimony, total	MW-8N	1/11/2023	2	2	ND	ug/L
Antimony, total	MW-8N	4/8/2023	2	2	ND	ug/L
Antimony, total	MW-8N	7/7/2023	2	2	ND	ug/L
Antimony, total	MW-8N	10/5/2023	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2002	10	10	ND	ug/L
Antimony, total	NE-1	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-1	9/4/2002	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-1	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-1	1/27/2004	6	6	ND	ug/L
Antimony, total	NE-1	1/12/2005	6	6	ND	ug/L
Antimony, total	NE-1	7/19/2006	2	2	ND	ug/L
Antimony, total	NE-1	7/19/2006	2	2	ND	ug/L
Antimony, total	NE-1	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-1	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2007	2	2	ND	ug/L
Antimony, total	NE-1	1/24/2008	2	2	ND	ug/L
Antimony, total	NE-1	7/21/2008	2	2	ND	ug/L
Antimony, total	NE-1	2/7/2009	0.1	2	ND	ug/L
Antimony, total	NE-1	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-1	1/26/2010	0.2	2	ND	ug/L
Antimony, total	NE-1	7/14/2010	0.1	2	ND	ug/L
Antimony, total	NE-1	1/19/2011	0.1	2	ND	ug/L
Antimony, total	NE-1	7/13/2011	2	2	ND	ug/L
Antimony, total	NE-1	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-1	4/30/2013	2	2	ND	ug/L
Antimony, total	NE-1	7/16/2013	2	2	ND	ug/L
Antimony, total	NE-1	1/23/2014	2	2	ND	ug/L
Antimony, total	NE-1	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-1	2/11/2015	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2015	2	2	ND	ug/L
Antimony, total	NE-1	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-1	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-1	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-1	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-1	1/24/2018	2	2	ND	ug/L
Antimony, total	NE-1	4/11/2018	2	2	ND	ug/L
Antimony, total	NE-1	7/18/2018	2	2	ND	ug/L
Antimony, total	NE-1	10/2/2018	2	2	ND	ug/L
Antimony, total	NE-1	1/4/2019	2	2	ND	ug/L
Antimony, total	NE-1	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-1	7/10/2019	4	4	ND	ug/L
Antimony, total	NE-1	7/10/2019	4	4	ND	ug/L
Antimony, total	NE-1	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-1	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-1	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-1	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-1	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-1	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-1	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-1	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-1	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-1	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-1	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-1	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-1	10/6/2022	2	2	ND	ug/L
Antimony, total	NE-1	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-1	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-1	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-1	10/5/2023	2	2	ND	ug/L
Antimony, total	NE-10D	11/6/2019	2	2	ND	ug/L
Antimony, total	NE-10D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-10D	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-10D	7/8/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-10D	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-10D	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-10D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-10D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-10D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-10D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-10D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-10D	7/8/2023	2	2	ND	ug/L
Antimony, total	NE-10D	10/3/2023	2	2	ND	ug/L
Antimony, total	NE-11	3/1/2017	2	2	ND	ug/L
Antimony, total	NE-11	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-11	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-11	10/9/2017	0.5	2	ND	ug/L
Antimony, total	NE-11	9/30/2019	0.75	2	ND	ug/L
Antimony, total	NE-11	1/14/2020	2	2	ND	ug/L
Antimony, total	NE-11	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-11	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-11	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-11	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-11	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-11	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-11	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-11	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-11	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-12	3/1/2017	0.7	2	ND	ug/L
Antimony, total	NE-12	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-12	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-12	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-12	8/5/2019	4	4	ND	ug/L
Antimony, total	NE-12	1/13/2020	2	2	ND	ug/L
Antimony, total	NE-12	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-12	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-12	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-12	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-12	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-12	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-12	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-12	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-12	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-13	2/5/2019	2	2	ND	ug/L
Antimony, total	NE-13	8/7/2019	4	4	ND	ug/L
Antimony, total	NE-13	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-13	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-13	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-13	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-13	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-14D	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-14D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-14D	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-14D	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-14D	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-14D	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-14D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-14D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-14D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-14D	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-14D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-14D	7/13/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-14D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-14D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-14D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-14D	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-14D	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-14S	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-14S	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-14S	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-14S	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-14S	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-14S	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-14S	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-14S	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-14S	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-14S	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-14S	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-14S	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-14S	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-14S	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-14S	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-14S	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-14S	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-15D	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-15D	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-15D	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-15D	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-15D	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-15D	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-15D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-15D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-15D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-15D	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-15D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-15D	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-15D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-15D	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-15D	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-15D	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-15D	10/6/2023	2	2	ND	ug/L
Antimony, total	NE-15S	4/3/2020	2	2	ND	ug/L
Antimony, total	NE-2	7/9/2002	10	10	ND	ug/L
Antimony, total	NE-2	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-2	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-2	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-2	10/1/2013	2	2	ND	ug/L
Antimony, total	NE-2	10/8/2014	2	2	ND	ug/L
Antimony, total	NE-2	10/5/2015	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2016	0.9	2	ND	ug/L
Antimony, total	NE-2	10/5/2017	0.7	2	ND	ug/L
Antimony, total	NE-2	1/25/2018	2	2	ND	ug/L
Antimony, total	NE-2	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-2	7/10/2018	2	2	ND	ug/L
Antimony, total	NE-2	10/1/2018	2	2	ND	ug/L
Antimony, total	NE-2	1/4/2019	2	2	ND	ug/L
Antimony, total	NE-2	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-2	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-2	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-2	10/2/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-2	1/14/2020	2	2	ND	ug/L
Antimony, total	NE-2	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-2	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-2	1/14/2021	2	2	ND	ug/L
Antimony, total	NE-2	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-2	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-2	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-2	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-2	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-2	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-2	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-2	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-2	4/5/2023	2	2	ND	ug/L
Antimony, total	NE-2	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-2	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-4	7/10/2002	10	10	ND	ug/L
Antimony, total	NE-4	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-4	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-4	10/3/2002	2	2	ND	ug/L
Antimony, total	NE-4	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-4	1/28/2004	6	6	ND	ug/L
Antimony, total	NE-4	1/13/2005	6	6	ND	ug/L
Antimony, total	NE-4	8/1/2006	0.2	2	ND	ug/L
Antimony, total	NE-4	8/1/2006	0.2	2	ND	ug/L
Antimony, total	NE-4	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-4	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-4	7/12/2007	0.1	2	ND	ug/L
Antimony, total	NE-4	1/24/2008	0.2	2	ND	ug/L
Antimony, total	NE-4	7/21/2008	2	2	ND	ug/L
Antimony, total	NE-4	2/7/2009	0.1	2	ND	ug/L
Antimony, total	NE-4	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-4	1/26/2010	0.2	2	ND	ug/L
Antimony, total	NE-4	7/14/2010	0.2	2	ND	ug/L
Antimony, total	NE-4	1/19/2011	0.1	2	ND	ug/L
Antimony, total	NE-4	7/13/2011	2	2	ND	ug/L
Antimony, total	NE-4	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-4	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-4	4/30/2013	1	2	ND	ug/L
Antimony, total	NE-4	7/16/2013	0.5	2	ND	ug/L
Antimony, total	NE-4	1/23/2014	1	2	ND	ug/L
Antimony, total	NE-4	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-4	2/13/2015	0.4	2	ND	ug/L
Antimony, total	NE-4	7/8/2015	0.8	2	ND	ug/L
Antimony, total	NE-4	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-4	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-4	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-4	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-4	1/26/2018	2	2	ND	ug/L
Antimony, total	NE-4	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-4	7/12/2018	2	2	ND	ug/L
Antimony, total	NE-4	10/3/2018	2	2	ND	ug/L
Antimony, total	NE-4	1/7/2019	2	2	ND	ug/L
Antimony, total	NE-4	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-4	7/8/2019	4	4	ND	ug/L
Antimony, total	NE-4	7/8/2019	4	4	ND	ug/L
Antimony, total	NE-4	10/1/2019	2	2	ND	ug/L
Antimony, total	NE-4	1/13/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-4	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-4	7/6/2020	2	2	ND	ug/L
Antimony, total	NE-4	10/5/2020	2	2	ND	ug/L
Antimony, total	NE-4	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-4	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-4	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-4	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-4	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-4	4/6/2023	2	2	ND	ug/L
Antimony, total	NE-4	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-4	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-5	7/9/2002	10	10	ND	ug/L
Antimony, total	NE-5	8/6/2002	2	2	ND	ug/L
Antimony, total	NE-5	9/4/2002	2	2	ND	ug/L
Antimony, total	NE-5	10/2/2002	2	2	ND	ug/L
Antimony, total	NE-5	7/8/2003	6	6	ND	ug/L
Antimony, total	NE-5	1/27/2004	6	6	ND	ug/L
Antimony, total	NE-5	1/12/2005	6	6	ND	ug/L
Antimony, total	NE-5	7/19/2006	0.4	2	ND	ug/L
Antimony, total	NE-5	7/19/2006	0.4	2	ND	ug/L
Antimony, total	NE-5	10/25/2006	10	10	ND	ug/L
Antimony, total	NE-5	1/10/2007	2	2	ND	ug/L
Antimony, total	NE-5	1/24/2007	2	2	ND	ug/L
Antimony, total	NE-5	7/12/2007	2	2	ND	ug/L
Antimony, total	NE-5	7/22/2008	2	2	ND	ug/L
Antimony, total	NE-5	2/6/2009	0.5	2	ND	ug/L
Antimony, total	NE-5	7/31/2009	2	2	ND	ug/L
Antimony, total	NE-5	1/26/2010	0.1	2	ND	ug/L
Antimony, total	NE-5	7/16/2010	0.3	2	ND	ug/L
Antimony, total	NE-5	1/19/2011	2	2	ND	ug/L
Antimony, total	NE-5	7/13/2011	0.1	2	ND	ug/L
Antimony, total	NE-5	1/5/2012	2	2	ND	ug/L
Antimony, total	NE-5	7/10/2012	2	2	ND	ug/L
Antimony, total	NE-5	4/30/2013	0.8	2	ND	ug/L
Antimony, total	NE-5	7/16/2013	2	2	ND	ug/L
Antimony, total	NE-5	1/23/2014	0.5	2	ND	ug/L
Antimony, total	NE-5	7/9/2014	2	2	ND	ug/L
Antimony, total	NE-5	2/11/2015	2	2	ND	ug/L
Antimony, total	NE-5	7/14/2015	0.4	2	ND	ug/L
Antimony, total	NE-5	1/6/2016	2	2	ND	ug/L
Antimony, total	NE-5	7/20/2016	2	2	ND	ug/L
Antimony, total	NE-5	1/11/2017	2	2	ND	ug/L
Antimony, total	NE-5	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-5	1/25/2018	2	2	ND	ug/L
Antimony, total	NE-5	4/10/2018	2	2	ND	ug/L
Antimony, total	NE-5	7/17/2018	0.81	2	ND	ug/L
Antimony, total	NE-5	10/3/2018	2	2	ND	ug/L
Antimony, total	NE-5	1/4/2019	2	2	ND	ug/L
Antimony, total	NE-5	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-5	4/2/2019	2	2	ND	ug/L
Antimony, total	NE-5	7/9/2019	4	4	ND	ug/L
Antimony, total	NE-5	10/3/2019	2	2	ND	ug/L
Antimony, total	NE-5	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-5	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5	4/9/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-5	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-5	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-5	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-5E	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-5E	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5E	4/1/2020	2	2	ND	ug/L
Antimony, total	NE-5E	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5E	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5E	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5E	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-5E	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5E	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5E	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5E	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5E	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5E	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5E	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5E	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-5E	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-5E	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-5W	9/30/2019	2	2	ND	ug/L
Antimony, total	NE-5W	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-5W	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-5W	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-5W	10/6/2020	2	2	ND	ug/L
Antimony, total	NE-5W	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-5W	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-5W	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-5W	10/6/2021	2	2	ND	ug/L
Antimony, total	NE-5W	1/18/2022	2	2	ND	ug/L
Antimony, total	NE-5W	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-5W	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-5W	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-5W	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-5W	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-5W	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-5W	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-6	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-6	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-6	7/19/2017	2	2	ND	ug/L
Antimony, total	NE-6	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-6	2/4/2019	2	2	ND	ug/L
Antimony, total	NE-6	8/6/2019	4	4	ND	ug/L
Antimony, total	NE-6	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-6	7/9/2020	2	2	ND	ug/L
Antimony, total	NE-6	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-6	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-6	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-6	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-6	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-6	7/12/2022	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-6	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-6	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-6D	10/2/2019	2	2	ND	ug/L
Antimony, total	NE-6D	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-6D	4/2/2020	2	2	ND	ug/L
Antimony, total	NE-6D	7/9/2020	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2020	2	2	ND	ug/L
Antimony, total	NE-6D	1/15/2021	2	2	ND	ug/L
Antimony, total	NE-6D	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-6D	7/2/2021	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-6D	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-6D	4/6/2022	2	2	ND	ug/L
Antimony, total	NE-6D	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-6D	10/7/2022	2	2	ND	ug/L
Antimony, total	NE-6D	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-6D	4/7/2023	2	2	ND	ug/L
Antimony, total	NE-6D	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-6D	10/4/2023	2	2	ND	ug/L
Antimony, total	NE-7	3/1/2017	2	2	ND	ug/L
Antimony, total	NE-7	4/6/2017	2	2	ND	ug/L
Antimony, total	NE-7	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-7	10/5/2017	2	2	ND	ug/L
Antimony, total	NE-7	2/6/2019	2	2	ND	ug/L
Antimony, total	NE-7	8/6/2019	4	4	ND	ug/L
Antimony, total	NE-7	1/16/2020	2	2	ND	ug/L
Antimony, total	NE-7	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-7	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-7	1/16/2021	2	2	ND	ug/L
Antimony, total	NE-7	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-7	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-7	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-7	7/12/2022	2	2	ND	ug/L
Antimony, total	NE-7	1/5/2023	2	2	ND	ug/L
Antimony, total	NE-7	7/6/2023	2	2	ND	ug/L
Antimony, total	NE-8	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-8	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-8	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-8	10/6/2017	2	2	ND	ug/L
Antimony, total	NE-8	2/4/2019	2	2	ND	ug/L
Antimony, total	NE-8	8/5/2019	4	4	ND	ug/L
Antimony, total	NE-8	1/15/2020	2	2	ND	ug/L
Antimony, total	NE-8	7/8/2020	2	2	ND	ug/L
Antimony, total	NE-8	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-8	1/13/2021	2	2	ND	ug/L
Antimony, total	NE-8	4/9/2021	2	2	ND	ug/L
Antimony, total	NE-8	7/1/2021	2	2	ND	ug/L
Antimony, total	NE-8	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-8	10/7/2021	2	2	ND	ug/L
Antimony, total	NE-8	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-8	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-9	1/12/2017	2	2	ND	ug/L
Antimony, total	NE-9	4/5/2017	2	2	ND	ug/L
Antimony, total	NE-9	7/20/2017	2	2	ND	ug/L
Antimony, total	NE-9	10/5/2017	0.5	2	ND	ug/L
Antimony, total	NE-9	2/5/2019	0.6	2	ND	ug/L
Antimony, total	NE-9	8/7/2019	4	4	ND	ug/L
Antimony, total	NE-9	1/15/2020	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Antimony, total	NE-9	7/7/2020	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2021	2	2	ND	ug/L
Antimony, total	NE-9	7/1/2021	7.5	7.5	ND	ug/L
Antimony, total	NE-9	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-9	1/17/2022	2	2	ND	ug/L
Antimony, total	NE-9	7/13/2022	2	2	ND	ug/L
Antimony, total	NE-9	1/6/2023	2	2	ND	ug/L
Antimony, total	NE-9	4/8/2023	2	2	ND	ug/L
Antimony, total	NE-9	7/5/2023	2	2	ND	ug/L
Antimony, total	NE-9	10/6/2023	2	2	ND	ug/L
Arsenic, dissolved	LGW-14R	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-2	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-4	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-5	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-6	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-7	1/25/2006	20	20	ND	ug/L
Arsenic, dissolved	LGW-8R	1/24/2006	20	20	ND	ug/L
Arsenic, dissolved	MW-10N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-10N	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-10N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-11N	7/10/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-11N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-11N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-1N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-1N	7/12/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-1N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-1N	10/3/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-2N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-2N	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-2N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-3N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-3N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-3N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-7N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-7N	7/11/2000	25	20		ug/L
Arsenic, dissolved	MW-7N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-7N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-8N	10/19/1999	20	20	ND	ug/L
Arsenic, dissolved	MW-8N	7/11/2000	20	20	ND	ug/L
Arsenic, dissolved	MW-8N	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	MW-8N	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-1	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-2	10/2/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	7/10/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-4	10/3/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	7/9/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	8/6/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	9/4/2002	40	40	ND	ug/L
Arsenic, dissolved	NE-5	10/2/2002	40	40	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-10	1/26/2006	20	20	ND	ug/L
Arsenic, total	LGW-10	8/1/2006	2.1	5	ND	ug/L
Arsenic, total	LGW-10	8/1/2006	2.1	5	ND	ug/L
Arsenic, total	LGW-10	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-10	1/9/2007	2.9	5	ND	ug/L
Arsenic, total	LGW-10	1/25/2007	1.6	5	ND	ug/L
Arsenic, total	LGW-10	4/26/2007	1.9	5	ND	ug/L
Arsenic, total	LGW-10	7/12/2007	2.1	5	ND	ug/L
Arsenic, total	LGW-10	1/23/2008	1.6	5	ND	ug/L
Arsenic, total	LGW-10	7/22/2008	2.5	5	ND	ug/L
Arsenic, total	LGW-10	7/29/2009	1.6	5	ND	ug/L
Arsenic, total	LGW-10	2/3/2010	1.8	5	ND	ug/L
Arsenic, total	LGW-10	2/3/2010	1.8	5	ND	ug/L
Arsenic, total	LGW-10	7/16/2010	0.9	5	ND	ug/L
Arsenic, total	LGW-10	1/19/2011	1	5	ND	ug/L
Arsenic, total	LGW-10	7/12/2011	0.9	5	ND	ug/L
Arsenic, total	LGW-10	1/5/2012	2	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2012	2.2	5	ND	ug/L
Arsenic, total	LGW-10	5/1/2013	4.2	5	ND	ug/L
Arsenic, total	LGW-10	1/30/2014	2.8	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2014	2.8	5	ND	ug/L
Arsenic, total	LGW-10	2/12/2015	5.2	5		ug/L
Arsenic, total	LGW-10	7/13/2015	1.9	5	ND	ug/L
Arsenic, total	LGW-10	1/5/2016	2.2	5	ND	ug/L
Arsenic, total	LGW-10	4/6/2016	2	5	ND	ug/L
Arsenic, total	LGW-10	7/21/2016	1.3	5	ND	ug/L
Arsenic, total	LGW-10	10/6/2016	2.1	5	ND	ug/L
Arsenic, total	LGW-10	1/11/2017	2	5	ND	ug/L
Arsenic, total	LGW-10	4/4/2017	0.8	5	ND	ug/L
Arsenic, total	LGW-10	7/19/2017	2.8	5	ND	ug/L
Arsenic, total	LGW-10	10/9/2017	2.9	5	ND	ug/L
Arsenic, total	LGW-10	1/24/2018	0.79	5	ND	ug/L
Arsenic, total	LGW-10	4/11/2018	1.9	5	ND	ug/L
Arsenic, total	LGW-10	7/16/2018	1.6	5	ND	ug/L
Arsenic, total	LGW-10	10/4/2018	0.91	5	ND	ug/L
Arsenic, total	LGW-10	1/4/2019	1.3	5	ND	ug/L
Arsenic, total	LGW-10	4/3/2019	1.2	5	ND	ug/L
Arsenic, total	LGW-10	7/11/2019	1.3	10	ND	ug/L
Arsenic, total	LGW-10	10/2/2019	1.1	5	ND	ug/L
Arsenic, total	LGW-10	1/15/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	4/2/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	10/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-10	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-10	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	10/7/2022	5	5	ND	ug/L
Arsenic, total	LGW-10	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-10	4/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-10	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-10	10/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-14R	8/2/2006	4.5	5	ND	ug/L
Arsenic, total	LGW-14R	8/2/2006	4.5	5	ND	ug/L
Arsenic, total	LGW-14R	10/27/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-14R	1/9/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-14R	1/24/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	4/24/2007	1.8	5	ND	ug/L
Arsenic, total	LGW-14R	7/11/2007	5.9	5		ug/L
Arsenic, total	LGW-14R	1/23/2008	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-14R	2/6/2009	0.6	5	ND	ug/L
Arsenic, total	LGW-14R	7/29/2009	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/12/2010	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/19/2011	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/12/2011	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/5/2012	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-14R	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-14R	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/5/2016	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/25/2018	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/17/2018	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/10/2019	10	10	ND	ug/L
Arsenic, total	LGW-14R	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-14R	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-14R	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-2	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-2	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-2	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-2	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-2	1/9/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	1/25/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	4/26/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-2	7/10/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-2	1/26/2008	1	5	ND	ug/L
Arsenic, total	LGW-2	7/23/2008	0.5	5	ND	ug/L
Arsenic, total	LGW-2	2/6/2009	1	5	ND	ug/L
Arsenic, total	LGW-2	7/30/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-2	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-2	1/19/2011	0.6	5	ND	ug/L
Arsenic, total	LGW-2	7/13/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-2	1/4/2012	0.5	5	ND	ug/L
Arsenic, total	LGW-2	7/9/2012	0.3	5	ND	ug/L
Arsenic, total	LGW-2	4/30/2013	0.5	5	ND	ug/L
Arsenic, total	LGW-2	7/15/2013	0.3	5	ND	ug/L
Arsenic, total	LGW-2	1/30/2014	0.5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-2	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-2	2/13/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-2	7/8/2015	5	5	ND	ug/L
Arsenic, total	LGW-2	1/5/2016	0.3	5	ND	ug/L
Arsenic, total	LGW-2	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-2	1/11/2017	0.8	5	ND	ug/L
Arsenic, total	LGW-2	7/18/2017	8.5	5		ug/L
Arsenic, total	LGW-2	1/23/2018	7.3	5		ug/L
Arsenic, total	LGW-2	6/21/2018	6.6	5		ug/L
Arsenic, total	LGW-2	7/12/2018	10	5		ug/L
Arsenic, total	LGW-2	1/3/2019	10	5		ug/L
Arsenic, total	LGW-2	7/9/2019	9	10	ND	ug/L
Arsenic, total	LGW-2	1/13/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	4/1/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	7/8/2020	5	5	ND	ug/L
Arsenic, total	LGW-2	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-2	7/4/2021	5	5	ND	ug/L
Arsenic, total	LGW-2	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-2	7/10/2022	5	5	ND	ug/L
Arsenic, total	LGW-2	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-2	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-3R	7/20/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-3R	7/20/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-3R	1/8/2007	1.2	5	ND	ug/L
Arsenic, total	LGW-3R	1/25/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-3R	4/26/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-3R	7/11/2007	0.7	5	ND	ug/L
Arsenic, total	LGW-3R	1/26/2008	1.2	5	ND	ug/L
Arsenic, total	LGW-3R	7/23/2008	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	7/31/2009	1.4	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2010	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	2/3/2010	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	7/16/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-3R	1/19/2011	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/13/2011	0.2	5	ND	ug/L
Arsenic, total	LGW-3R	1/4/2012	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-3R	4/30/2013	0.8	5	ND	ug/L
Arsenic, total	LGW-3R	7/15/2013	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	1/22/2014	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-3R	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-3R	7/16/2015	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/8/2016	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/21/2016	1.3	5	ND	ug/L
Arsenic, total	LGW-3R	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-3R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-3R	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/6/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-3R	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/10/2022	5	5	ND	ug/L
Arsenic, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-3R	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-4	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-4	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-4	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-4	1/9/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-4	1/25/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-4	4/26/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-4	1/22/2008	0.8	5	ND	ug/L
Arsenic, total	LGW-4	7/23/2008	0.5	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/31/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-4	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-4	7/16/2010	0.5	5	ND	ug/L
Arsenic, total	LGW-4	1/19/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-4	7/13/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-4	1/4/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-4	4/30/2013	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-4	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-4	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-4	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-4	7/8/2015	5	5	ND	ug/L
Arsenic, total	LGW-4	1/5/2016	0.4	5	ND	ug/L
Arsenic, total	LGW-4	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-4	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-4	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-4	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-4	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-4	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-4	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-4	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-4	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-4	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-4	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-4	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-4	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-4	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-5	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-5	8/1/2006	3.6	5	ND	ug/L
Arsenic, total	LGW-5	8/1/2006	3.6	5	ND	ug/L
Arsenic, total	LGW-5	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-5	1/9/2007	3.5	5	ND	ug/L
Arsenic, total	LGW-5	1/25/2007	1.2	5	ND	ug/L
Arsenic, total	LGW-5	4/26/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-5	7/11/2007	0.8	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2008	1	5	ND	ug/L
Arsenic, total	LGW-5	7/23/2008	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/4/2009	0.6	5	ND	ug/L
Arsenic, total	LGW-5	7/29/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/3/2010	0.4	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-5	2/3/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/19/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/5/2012	0.5	5	ND	ug/L
Arsenic, total	LGW-5	7/9/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-5	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-5	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/8/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-5	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/8/2015	0.4	5	ND	ug/L
Arsenic, total	LGW-5	1/5/2016	0.4	5	ND	ug/L
Arsenic, total	LGW-5	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-5	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-5	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-5	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-5	7/12/2018	5	5	ND	ug/L
Arsenic, total	LGW-5	1/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-5	7/9/2019	10	10	ND	ug/L
Arsenic, total	LGW-5	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-5	7/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-5	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-5	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	10/6/2022	5	5	ND	ug/L
Arsenic, total	LGW-5	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-5	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-5	10/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-6	7/20/2006	0.3	5	ND	ug/L
Arsenic, total	LGW-6	7/20/2006	0.3	5	ND	ug/L
Arsenic, total	LGW-6	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-6	1/9/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-6	1/24/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-6	4/26/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/11/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2008	0.8	5	ND	ug/L
Arsenic, total	LGW-6	7/23/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/5/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-6	7/29/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-6	2/3/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-6	7/12/2010	0.4	5	ND	ug/L
Arsenic, total	LGW-6	1/19/2011	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/12/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-6	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-6	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-6	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-6	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-6	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-6	2/10/2015	5	5	ND	ug/L
Arsenic, total	LGW-6	7/22/2015	0.4	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-6	1/5/2016	0.5	5	ND	ug/L
Arsenic, total	LGW-6	7/19/2016	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2016	5	5	ND	ug/L
Arsenic, total	LGW-6	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-6	5/5/2017	5	5	ND	ug/L
Arsenic, total	LGW-6	7/18/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-6	10/5/2017	0.3	5	ND	ug/L
Arsenic, total	LGW-6	1/23/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	4/10/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	7/17/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	10/2/2018	5	5	ND	ug/L
Arsenic, total	LGW-6	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	4/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	7/10/2019	10	10	ND	ug/L
Arsenic, total	LGW-6	10/3/2019	5	5	ND	ug/L
Arsenic, total	LGW-6	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	4/2/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2020	5	5	ND	ug/L
Arsenic, total	LGW-6	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-6	1/12/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	10/6/2022	5	5	ND	ug/L
Arsenic, total	LGW-6	1/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	4/6/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-6	10/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-7	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-7	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-7	8/1/2006	0.6	5	ND	ug/L
Arsenic, total	LGW-7	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-7	1/9/2007	0.6	5	ND	ug/L
Arsenic, total	LGW-7	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-7	4/26/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	LGW-7	2/4/2009	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/31/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/27/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/20/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2011	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	LGW-7	7/10/2012	0.3	5	ND	ug/L
Arsenic, total	LGW-7	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-7	7/15/2013	0.3	5	ND	ug/L
Arsenic, total	LGW-7	1/23/2014	5	5	ND	ug/L
Arsenic, total	LGW-7	7/8/2014	0.4	5	ND	ug/L
Arsenic, total	LGW-7	2/11/2015	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-7	1/5/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	4/6/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	7/20/2016	0.6	5	ND	ug/L
Arsenic, total	LGW-7	10/6/2016	0.7	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-7	1/11/2017	0.6	5	ND	ug/L
Arsenic, total	LGW-7	4/4/2017	0.5	5	ND	ug/L
Arsenic, total	LGW-7	7/18/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-7	10/5/2017	0.7	5	ND	ug/L
Arsenic, total	LGW-7	1/24/2018	0.76	5	ND	ug/L
Arsenic, total	LGW-7	4/11/2018	0.63	5	ND	ug/L
Arsenic, total	LGW-7	7/12/2018	0.58	5	ND	ug/L
Arsenic, total	LGW-7	10/2/2018	0.43	5	ND	ug/L
Arsenic, total	LGW-7	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-7	4/3/2019	0.51	5	ND	ug/L
Arsenic, total	LGW-7	7/10/2019	0.65	10	ND	ug/L
Arsenic, total	LGW-7	10/3/2019	0.44	5	ND	ug/L
Arsenic, total	LGW-7	1/15/2020	5	5	ND	ug/L
Arsenic, total	LGW-7	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-7	1/18/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-7	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-7	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-7	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-7	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/24/2006	20	20	ND	ug/L
Arsenic, total	LGW-8R	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/20/2006	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-8R	1/9/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-8R	4/25/2007	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/12/2007	0.5	5	ND	ug/L
Arsenic, total	LGW-8R	2/4/2009	0.4	5	ND	ug/L
Arsenic, total	LGW-8R	7/29/2009	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	1/27/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	7/14/2010	0.3	5	ND	ug/L
Arsenic, total	LGW-8R	1/20/2011	0.2	5	ND	ug/L
Arsenic, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/5/2012	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/9/2012	5	5	ND	ug/L
Arsenic, total	LGW-8R	4/30/2013	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/15/2013	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/22/2014	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/8/2014	5	5	ND	ug/L
Arsenic, total	LGW-8R	2/11/2015	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/22/2015	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/5/2016	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/20/2016	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/11/2017	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/18/2017	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/25/2018	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/7/2019	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/8/2019	10	10	ND	ug/L
Arsenic, total	LGW-8R	1/14/2020	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-8R	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-8R	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	LGW-8R	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	1/25/2006	20	20	ND	ug/L
Arsenic, total	LGW-9	7/20/2006	1.9	5	ND	ug/L
Arsenic, total	LGW-9	7/20/2006	1.9	5	ND	ug/L
Arsenic, total	LGW-9	10/26/2006	10	10	ND	ug/L
Arsenic, total	LGW-9	1/9/2007	2.6	5	ND	ug/L
Arsenic, total	LGW-9	1/25/2007	2.5	5	ND	ug/L
Arsenic, total	LGW-9	4/25/2007	2.5	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2007	2.1	5	ND	ug/L
Arsenic, total	LGW-9	7/22/2008	2.2	5	ND	ug/L
Arsenic, total	LGW-9	2/4/2009	1.8	5	ND	ug/L
Arsenic, total	LGW-9	7/29/2009	0.7	5	ND	ug/L
Arsenic, total	LGW-9	1/27/2010	0.8	5	ND	ug/L
Arsenic, total	LGW-9	7/14/2010	0.9	5	ND	ug/L
Arsenic, total	LGW-9	1/20/2011	1.1	5	ND	ug/L
Arsenic, total	LGW-9	7/12/2011	1.5	5	ND	ug/L
Arsenic, total	LGW-9	1/5/2012	1.8	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2012	3	5	ND	ug/L
Arsenic, total	LGW-9	5/1/2013	2.9	5	ND	ug/L
Arsenic, total	LGW-9	7/15/2013	3.1	5	ND	ug/L
Arsenic, total	LGW-9	1/23/2014	2.6	5	ND	ug/L
Arsenic, total	LGW-9	7/8/2014	2.3	5	ND	ug/L
Arsenic, total	LGW-9	2/11/2015	1.9	5	ND	ug/L
Arsenic, total	LGW-9	7/13/2015	2.6	5	ND	ug/L
Arsenic, total	LGW-9	1/5/2016	2.3	5	ND	ug/L
Arsenic, total	LGW-9	7/21/2016	5	5	ND	ug/L
Arsenic, total	LGW-9	10/6/2016	5	5	ND	ug/L
Arsenic, total	LGW-9	1/11/2017	1.7	5	ND	ug/L
Arsenic, total	LGW-9	5/5/2017	5	5	ND	ug/L
Arsenic, total	LGW-9	7/18/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-9	10/5/2017	0.4	5	ND	ug/L
Arsenic, total	LGW-9	1/24/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	4/11/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	7/13/2018	5	5	ND	ug/L
Arsenic, total	LGW-9	10/2/2018	0.38	5	ND	ug/L
Arsenic, total	LGW-9	1/7/2019	1	5	ND	ug/L
Arsenic, total	LGW-9	4/3/2019	0.85	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2019	0.98	10	ND	ug/L
Arsenic, total	LGW-9	10/3/2019	0.8	5	ND	ug/L
Arsenic, total	LGW-9	1/16/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	4/2/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	7/9/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	10/7/2020	5	5	ND	ug/L
Arsenic, total	LGW-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	4/6/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	7/7/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	10/5/2021	5	5	ND	ug/L
Arsenic, total	LGW-9	1/13/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	4/4/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	7/11/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	10/7/2022	5	5	ND	ug/L
Arsenic, total	LGW-9	1/11/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	4/5/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	7/10/2023	5	5	ND	ug/L
Arsenic, total	LGW-9	10/5/2023	5	5	ND	ug/L
Arsenic, total	MW-10N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-10N	1/22/1998	20	20	ND	ug/L
Arsenic, total	MW-10N	4/28/1998	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-10N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-10N	1/14/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	7/15/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-10N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-10N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-10N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-10N	7/10/2002	40	40	ND	ug/L
Arsenic, total	MW-10N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-10N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-10N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-10N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-10N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-10N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-10N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-10N	7/19/2006	1.1	5	ND	ug/L
Arsenic, total	MW-10N	7/19/2006	1.1	5	ND	ug/L
Arsenic, total	MW-10N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-10N	1/10/2007	1.3	5	ND	ug/L
Arsenic, total	MW-10N	1/24/2007	1.6	5	ND	ug/L
Arsenic, total	MW-10N	7/10/2007	1	5	ND	ug/L
Arsenic, total	MW-10N	1/23/2008	0.6	5	ND	ug/L
Arsenic, total	MW-10N	7/21/2008	0.8	5	ND	ug/L
Arsenic, total	MW-10N	2/13/2009	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/31/2009	0.6	5	ND	ug/L
Arsenic, total	MW-10N	1/27/2010	0.7	5	ND	ug/L
Arsenic, total	MW-10N	8/10/2010	1	5	ND	ug/L
Arsenic, total	MW-10N	1/19/2011	0.6	5	ND	ug/L
Arsenic, total	MW-10N	7/14/2011	0.4	5	ND	ug/L
Arsenic, total	MW-10N	1/5/2012	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-10N	5/1/2013	0.4	5	ND	ug/L
Arsenic, total	MW-10N	1/24/2014	5	5	ND	ug/L
Arsenic, total	MW-10N	7/9/2014	0.5	5	ND	ug/L
Arsenic, total	MW-10N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-10N	7/14/2015	0.8	5	ND	ug/L
Arsenic, total	MW-10N	1/6/2016	0.5	5	ND	ug/L
Arsenic, total	MW-10N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-10N	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	MW-10N	7/19/2017	0.4	5	ND	ug/L
Arsenic, total	MW-10N	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-10N	7/11/2018	5	5	ND	ug/L
Arsenic, total	MW-10N	1/3/2019	0.37	5	ND	ug/L
Arsenic, total	MW-10N	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-10N	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-10N	7/8/2020	5	5	ND	ug/L
Arsenic, total	MW-10N	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-10N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-10N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-10N	7/7/2023	5	5	ND	ug/L
Arsenic, total	MW-11N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-11N	1/21/1998	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-11N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-11N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	7/10/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-11N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-11N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-11N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-11N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-11N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-11N	1/29/2004	20	20	ND	ug/L
Arsenic, total	MW-11N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-11N	1/13/2005	20	20	ND	ug/L
Arsenic, total	MW-11N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-11N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-11N	7/18/2006	0.6	5	ND	ug/L
Arsenic, total	MW-11N	7/18/2006	0.6	5	ND	ug/L
Arsenic, total	MW-11N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-11N	1/9/2007	1.2	5	ND	ug/L
Arsenic, total	MW-11N	1/24/2007	1.4	5	ND	ug/L
Arsenic, total	MW-11N	7/10/2007	0.7	5	ND	ug/L
Arsenic, total	MW-11N	1/22/2008	0.8	5	ND	ug/L
Arsenic, total	MW-11N	7/23/2008	0.6	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2009	0.4	5	ND	ug/L
Arsenic, total	MW-11N	7/31/2009	0.4	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2010	0.5	5	ND	ug/L
Arsenic, total	MW-11N	2/3/2010	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/16/2010	0.4	5	ND	ug/L
Arsenic, total	MW-11N	1/19/2011	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/13/2011	0.6	5	ND	ug/L
Arsenic, total	MW-11N	1/4/2012	0.5	5	ND	ug/L
Arsenic, total	MW-11N	7/9/2012	0.4	5	ND	ug/L
Arsenic, total	MW-11N	4/30/2013	0.8	5	ND	ug/L
Arsenic, total	MW-11N	7/15/2013	5	5	ND	ug/L
Arsenic, total	MW-11N	1/23/2014	0.6	5	ND	ug/L
Arsenic, total	MW-11N	7/8/2014	5	5	ND	ug/L
Arsenic, total	MW-11N	2/10/2015	5	5	ND	ug/L
Arsenic, total	MW-11N	7/13/2015	0.5	5	ND	ug/L
Arsenic, total	MW-11N	1/5/2016	0.3	5	ND	ug/L
Arsenic, total	MW-11N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-11N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-11N	7/19/2017	0.4	5	ND	ug/L
Arsenic, total	MW-11N	1/23/2018	0.4	5	ND	ug/L
Arsenic, total	MW-11N	7/17/2018	5	5	ND	ug/L
Arsenic, total	MW-11N	1/2/2019	5	5	ND	ug/L
Arsenic, total	MW-11N	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-11N	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-11N	7/6/2020	5	5	ND	ug/L
Arsenic, total	MW-11N	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-11N	7/6/2021	5	5	ND	ug/L
Arsenic, total	MW-11N	1/18/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-11N	7/13/2022	5	5	ND	ug/L
Arsenic, total	MW-11N	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-11N	7/8/2023	5	5	ND	ug/L
Arsenic, total	MW-15	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-15	7/15/2015	5	5	ND	ug/L
Arsenic, total	MW-15	8/5/2015	0.7	5	ND	ug/L
Arsenic, total	MW-15	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-15	1/7/2016	5	5	ND	ug/L
Arsenic, total	MW-15	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-15	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-15	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-15	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-15	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-15	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-15	7/10/2018	5	5	ND	ug/L
Arsenic, total	MW-15	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-15	7/9/2019	10	10	ND	ug/L
Arsenic, total	MW-15	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-15	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-15	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-15	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-15	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-15	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-15	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-15	7/10/2023	5	5	ND	ug/L
Arsenic, total	MW-16	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-16	7/16/2015	5	5	ND	ug/L
Arsenic, total	MW-16	8/5/2015	5	5	ND	ug/L
Arsenic, total	MW-16	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-16	1/8/2016	5	5	ND	ug/L
Arsenic, total	MW-16	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-16	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-16	10/5/2016	5	5	ND	ug/L
Arsenic, total	MW-16	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-16	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-16	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-16	7/11/2018	5	5	ND	ug/L
Arsenic, total	MW-16	1/2/2019	5	5	ND	ug/L
Arsenic, total	MW-16	7/10/2019	10	10	ND	ug/L
Arsenic, total	MW-16	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-16	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-16	1/18/2021	5	5	ND	ug/L
Arsenic, total	MW-16	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-16	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-16	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-16	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-16	7/10/2023	5	5	ND	ug/L
Arsenic, total	MW-17	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-17	7/15/2015	5	5	ND	ug/L
Arsenic, total	MW-17	8/4/2015	5	5	ND	ug/L
Arsenic, total	MW-17	9/2/2015	5	5	ND	ug/L
Arsenic, total	MW-17	1/7/2016	5	5	ND	ug/L
Arsenic, total	MW-17	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-17	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-17	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-17	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-17	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-17	1/23/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-17	7/10/2018	5	5	ND	ug/L
Arsenic, total	MW-17	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-17	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-17	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-17	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-17	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-17	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-17	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-17	7/8/2023	5	5	ND	ug/L
Arsenic, total	MW-19	6/5/2015	0.6	5	ND	ug/L
Arsenic, total	MW-19	7/16/2015	5	5	ND	ug/L
Arsenic, total	MW-19	8/5/2015	5	5	ND	ug/L
Arsenic, total	MW-19	9/3/2015	5	5	ND	ug/L
Arsenic, total	MW-19	1/7/2016	0.4	5	ND	ug/L
Arsenic, total	MW-19	4/5/2016	0.3	5	ND	ug/L
Arsenic, total	MW-19	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-19	10/5/2016	5	5	ND	ug/L
Arsenic, total	MW-19	1/10/2017	5	5	ND	ug/L
Arsenic, total	MW-19	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-19	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-19	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-19	1/7/2019	5	5	ND	ug/L
Arsenic, total	MW-19	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-19	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-19	8/3/2020	5	5	ND	ug/L
Arsenic, total	MW-19	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-19	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-19	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-19	7/10/2023	5	5	ND	ug/L
Arsenic, total	MW-1N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-1N	1/20/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	10/14/1998	20	20	ND	ug/L
Arsenic, total	MW-1N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	7/15/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-1N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	7/12/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	10/18/2000	20	20	ND	ug/L
Arsenic, total	MW-1N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-1N	4/12/2001	20	20	ND	ug/L
Arsenic, total	MW-1N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-1N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-1N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-1N	10/3/2002	40	40	ND	ug/L
Arsenic, total	MW-1N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	4/15/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	7/8/2003	20	20	ND	ug/L
Arsenic, total	MW-1N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-1N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-1N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-1N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-1N	1/18/2006	20	20	ND	ug/L
Arsenic, total	MW-1N	7/18/2006	1	5	ND	ug/L
Arsenic, total	MW-1N	7/18/2006	1	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-1N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-1N	1/9/2007	0.9	5	ND	ug/L
Arsenic, total	MW-1N	1/26/2007	0.8	5	ND	ug/L
Arsenic, total	MW-1N	7/11/2007	0.8	5	ND	ug/L
Arsenic, total	MW-1N	1/24/2008	1	5	ND	ug/L
Arsenic, total	MW-1N	7/21/2008	0.5	5	ND	ug/L
Arsenic, total	MW-1N	2/5/2009	1.2	5	ND	ug/L
Arsenic, total	MW-1N	7/31/2009	0.8	5	ND	ug/L
Arsenic, total	MW-1N	1/26/2010	0.7	5	ND	ug/L
Arsenic, total	MW-1N	7/13/2010	0.5	5	ND	ug/L
Arsenic, total	MW-1N	1/20/2011	0.4	5	ND	ug/L
Arsenic, total	MW-1N	7/13/2011	4	5	ND	ug/L
Arsenic, total	MW-1N	1/5/2012	1.7	5	ND	ug/L
Arsenic, total	MW-1N	7/10/2012	1.2	5	ND	ug/L
Arsenic, total	MW-1N	5/1/2013	1.2	5	ND	ug/L
Arsenic, total	MW-1N	7/16/2013	0.6	5	ND	ug/L
Arsenic, total	MW-1N	1/24/2014	0.9	5	ND	ug/L
Arsenic, total	MW-1N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-1N	2/10/2015	0.4	5	ND	ug/L
Arsenic, total	MW-1N	7/14/2015	5.4	5		ug/L
Arsenic, total	MW-1N	1/6/2016	5.8	5		ug/L
Arsenic, total	MW-1N	7/21/2016	1.4	5	ND	ug/L
Arsenic, total	MW-1N	1/12/2017	0.8	5	ND	ug/L
Arsenic, total	MW-1N	7/19/2017	2.4	5	ND	ug/L
Arsenic, total	MW-1N	1/23/2018	0.41	5	ND	ug/L
Arsenic, total	MW-1N	7/10/2018	0.33	5	ND	ug/L
Arsenic, total	MW-1N	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-1N	7/11/2019	3.1	10	ND	ug/L
Arsenic, total	MW-1N	1/23/2020	5.89	5		ug/L
Arsenic, total	MW-1N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-1N	7/6/2020	5	5	ND	ug/L
Arsenic, total	MW-1N	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-1N	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-1N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-1N	7/8/2023	5	5	ND	ug/L
Arsenic, total	MW-20	6/5/2015	5	5	ND	ug/L
Arsenic, total	MW-20	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-20	8/4/2015	5	5	ND	ug/L
Arsenic, total	MW-20	9/2/2015	5	5	ND	ug/L
Arsenic, total	MW-20	1/7/2016	1.2	5	ND	ug/L
Arsenic, total	MW-20	4/5/2016	5	5	ND	ug/L
Arsenic, total	MW-20	7/20/2016	5	5	ND	ug/L
Arsenic, total	MW-20	10/5/2016	0.5	5	ND	ug/L
Arsenic, total	MW-20	1/12/2017	0.6	5	ND	ug/L
Arsenic, total	MW-20	7/18/2017	5	5	ND	ug/L
Arsenic, total	MW-20	1/26/2018	5	5	ND	ug/L
Arsenic, total	MW-20	7/12/2018	5	5	ND	ug/L
Arsenic, total	MW-20	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-20	1/14/2020	5	5	ND	ug/L
Arsenic, total	MW-20	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-20	1/17/2021	5	5	ND	ug/L
Arsenic, total	MW-20	7/4/2021	5	5	ND	ug/L
Arsenic, total	MW-20	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-21	6/5/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	7/14/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	8/4/2015	1.5	5	ND	ug/L
Arsenic, total	MW-21	9/2/2015	1.6	5	ND	ug/L
Arsenic, total	MW-21	1/7/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-21	4/5/2016	1.8	5	ND	ug/L
Arsenic, total	MW-21	7/20/2016	1.1	5	ND	ug/L
Arsenic, total	MW-21	10/5/2016	0.4	5	ND	ug/L
Arsenic, total	MW-21	10/5/2016	0.4	5	ND	ug/L
Arsenic, total	MW-21	1/10/2017	0.8	5	ND	ug/L
Arsenic, total	MW-21	4/5/2017	1	5	ND	ug/L
Arsenic, total	MW-21	7/19/2017	1.3	5	ND	ug/L
Arsenic, total	MW-21	10/6/2017	1.1	5	ND	ug/L
Arsenic, total	MW-21	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-21	4/11/2018	1.6	5	ND	ug/L
Arsenic, total	MW-21	7/11/2018	0.78	5	ND	ug/L
Arsenic, total	MW-21	10/4/2018	0.52	5	ND	ug/L
Arsenic, total	MW-21	1/3/2019	1.3	5	ND	ug/L
Arsenic, total	MW-21	4/3/2019	1.6	5	ND	ug/L
Arsenic, total	MW-21	7/11/2019	1.1	10	ND	ug/L
Arsenic, total	MW-21	10/2/2019	1.1	5	ND	ug/L
Arsenic, total	MW-21	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-21	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-21	7/8/2020	5	5	ND	ug/L
Arsenic, total	MW-21	10/7/2020	5	5	ND	ug/L
Arsenic, total	MW-21	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-21	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-21	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-21	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-21	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-21	4/8/2023	5	5	ND	ug/L
Arsenic, total	MW-21	7/7/2023	5	5	ND	ug/L
Arsenic, total	MW-21	10/6/2023	5	5	ND	ug/L
Arsenic, total	MW-2N	10/22/1997	20	20	ND	ug/L
Arsenic, total	MW-2N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-2N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-2N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-2N	1/24/2001	20	20	ND	ug/L
Arsenic, total	MW-2N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-2N	7/10/2002	40	40	ND	ug/L
Arsenic, total	MW-2N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-2N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-2N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-2N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-2N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-2N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-2N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-2N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-2N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-2N	10/25/2006	10	10	ND	ug/L
Arsenic, total	MW-2N	1/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-2N	1/26/2007	5	5	ND	ug/L
Arsenic, total	MW-2N	7/11/2007	0.4	5	ND	ug/L
Arsenic, total	MW-2N	1/24/2008	0.6	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-2N	7/22/2008	5	5	ND	ug/L
Arsenic, total	MW-2N	2/4/2009	0.3	5	ND	ug/L
Arsenic, total	MW-2N	7/31/2009	5	5	ND	ug/L
Arsenic, total	MW-2N	1/26/2010	5	5	ND	ug/L
Arsenic, total	MW-2N	7/13/2010	5	5	ND	ug/L
Arsenic, total	MW-2N	1/20/2011	5	5	ND	ug/L
Arsenic, total	MW-2N	7/13/2011	5	5	ND	ug/L
Arsenic, total	MW-2N	1/5/2012	5	5	ND	ug/L
Arsenic, total	MW-2N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-2N	5/1/2013	5	5	ND	ug/L
Arsenic, total	MW-2N	7/16/2013	5	5	ND	ug/L
Arsenic, total	MW-2N	1/24/2014	5	5	ND	ug/L
Arsenic, total	MW-2N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-2N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-2N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-2N	1/6/2016	5	5	ND	ug/L
Arsenic, total	MW-2N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-2N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-2N	7/19/2017	5	5	ND	ug/L
Arsenic, total	MW-2N	1/23/2018	5	5	ND	ug/L
Arsenic, total	MW-2N	7/12/2018	5	5	ND	ug/L
Arsenic, total	MW-2N	1/3/2019	5	5	ND	ug/L
Arsenic, total	MW-2N	8/7/2019	0.62	10	ND	ug/L
Arsenic, total	MW-2N	1/23/2020	5	5	ND	ug/L
Arsenic, total	MW-2N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-2N	1/14/2021	5	5	ND	ug/L
Arsenic, total	MW-2N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-2N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-2N	7/8/2023	5	5	ND	ug/L
Arsenic, total	MW-3N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-3N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	7/23/1998	20	20	ND	ug/L
Arsenic, total	MW-3N	1/13/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	10/20/1999	20	20	ND	ug/L
Arsenic, total	MW-3N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	4/24/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-3N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-3N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-3N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-3N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-3N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-3N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-3N	1/22/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-3N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-3N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-3N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-3N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-3N	1/18/2006	20	20	ND	ug/L
Arsenic, total	MW-3N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-3N	7/19/2006	5	5	ND	ug/L
Arsenic, total	MW-3N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-3N	1/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-3N	1/26/2007	0.3	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2007	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/24/2008	0.5	5	ND	ug/L
Arsenic, total	MW-3N	7/22/2008	0.3	5	ND	ug/L
Arsenic, total	MW-3N	2/4/2009	0.5	5	ND	ug/L
Arsenic, total	MW-3N	7/31/2009	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/26/2010	0.6	5	ND	ug/L
Arsenic, total	MW-3N	7/13/2010	0.6	5	ND	ug/L
Arsenic, total	MW-3N	1/20/2011	0.7	5	ND	ug/L
Arsenic, total	MW-3N	7/14/2011	0.5	5	ND	ug/L
Arsenic, total	MW-3N	1/5/2012	0.7	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2012	5	5	ND	ug/L
Arsenic, total	MW-3N	5/1/2013	0.5	5	ND	ug/L
Arsenic, total	MW-3N	6/4/2013	5	5	ND	ug/L
Arsenic, total	MW-3N	7/16/2013	5	5	ND	ug/L
Arsenic, total	MW-3N	1/24/2014	5	5	ND	ug/L
Arsenic, total	MW-3N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-3N	2/12/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	4/1/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	10/5/2015	5	5	ND	ug/L
Arsenic, total	MW-3N	1/6/2016	0.4	5	ND	ug/L
Arsenic, total	MW-3N	4/6/2016	5	5	ND	ug/L
Arsenic, total	MW-3N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-3N	10/6/2016	0.4	5	ND	ug/L
Arsenic, total	MW-3N	1/11/2017	0.3	5	ND	ug/L
Arsenic, total	MW-3N	4/4/2017	0.4	5	ND	ug/L
Arsenic, total	MW-3N	7/19/2017	0.5	5	ND	ug/L
Arsenic, total	MW-3N	10/9/2017	5	5	ND	ug/L
Arsenic, total	MW-3N	1/24/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	4/10/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-3N	10/3/2018	0.53	5	ND	ug/L
Arsenic, total	MW-3N	1/7/2019	0.48	5	ND	ug/L
Arsenic, total	MW-3N	4/3/2019	5	5	ND	ug/L
Arsenic, total	MW-3N	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-3N	10/2/2019	5	5	ND	ug/L
Arsenic, total	MW-3N	1/15/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	10/7/2020	5	5	ND	ug/L
Arsenic, total	MW-3N	1/13/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-3N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-3N	7/7/2023	5	5	ND	ug/L
Arsenic, total	MW-3N	10/6/2023	5	5	ND	ug/L
Arsenic, total	MW-7N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-7N	1/21/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	8/18/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	9/17/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	10/15/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	11/9/1998	20	20	ND	ug/L
Arsenic, total	MW-7N	1/14/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	4/14/1999	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-7N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-7N	1/13/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	7/11/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-7N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-7N	4/10/2001	20	20	ND	ug/L
Arsenic, total	MW-7N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-7N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-7N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-7N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-7N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-7N	1/27/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	4/8/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	7/26/2004	20	20	ND	ug/L
Arsenic, total	MW-7N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-7N	7/19/2005	20	20	ND	ug/L
Arsenic, total	MW-7N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-7N	7/19/2006	1.9	5	ND	ug/L
Arsenic, total	MW-7N	7/19/2006	1.9	5	ND	ug/L
Arsenic, total	MW-7N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-7N	1/10/2007	2.1	5	ND	ug/L
Arsenic, total	MW-7N	1/26/2007	2.5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2007	1.8	5	ND	ug/L
Arsenic, total	MW-7N	7/21/2008	1.3	5	ND	ug/L
Arsenic, total	MW-7N	2/6/2009	1.6	5	ND	ug/L
Arsenic, total	MW-7N	7/29/2009	1.5	5	ND	ug/L
Arsenic, total	MW-7N	1/26/2010	0.5	5	ND	ug/L
Arsenic, total	MW-7N	7/14/2010	0.4	5	ND	ug/L
Arsenic, total	MW-7N	1/20/2011	0.3	5	ND	ug/L
Arsenic, total	MW-7N	7/12/2011	5	5	ND	ug/L
Arsenic, total	MW-7N	1/5/2012	0.4	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2012	5	5	ND	ug/L
Arsenic, total	MW-7N	5/1/2013	1.6	5	ND	ug/L
Arsenic, total	MW-7N	6/4/2013	0.9	5	ND	ug/L
Arsenic, total	MW-7N	7/15/2013	0.6	5	ND	ug/L
Arsenic, total	MW-7N	1/30/2014	0.3	5	ND	ug/L
Arsenic, total	MW-7N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-7N	2/12/2015	0.6	5	ND	ug/L
Arsenic, total	MW-7N	7/13/2015	5	5	ND	ug/L
Arsenic, total	MW-7N	1/5/2016	5	5	ND	ug/L
Arsenic, total	MW-7N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-7N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-7N	4/4/2017	5	5	ND	ug/L
Arsenic, total	MW-7N	7/19/2017	0.5	5	ND	ug/L
Arsenic, total	MW-7N	10/5/2017	0.4	5	ND	ug/L
Arsenic, total	MW-7N	1/25/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	4/11/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	7/13/2018	5	5	ND	ug/L
Arsenic, total	MW-7N	1/4/2019	5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2019	10	10	ND	ug/L
Arsenic, total	MW-7N	1/16/2020	5	5	ND	ug/L
Arsenic, total	MW-7N	7/7/2020	5	5	ND	ug/L
Arsenic, total	MW-7N	1/16/2021	5	5	ND	ug/L
Arsenic, total	MW-7N	7/5/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-7N	1/12/2022	5	5	ND	ug/L
Arsenic, total	MW-7N	7/10/2022	5	5	ND	ug/L
Arsenic, total	MW-7N	1/10/2023	5	5	ND	ug/L
Arsenic, total	MW-7N	7/7/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	10/21/1997	20	20	ND	ug/L
Arsenic, total	MW-8N	1/22/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	4/28/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	7/22/1998	20	20	ND	ug/L
Arsenic, total	MW-8N	1/12/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	4/13/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	7/14/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	10/19/1999	20	20	ND	ug/L
Arsenic, total	MW-8N	1/14/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	4/25/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	10/17/2000	20	20	ND	ug/L
Arsenic, total	MW-8N	1/23/2001	20	20	ND	ug/L
Arsenic, total	MW-8N	4/11/2001	20	20	ND	ug/L
Arsenic, total	MW-8N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-8N	5/29/2002	20	20	ND	ug/L
Arsenic, total	MW-8N	7/9/2002	40	40	ND	ug/L
Arsenic, total	MW-8N	10/2/2002	40	40	ND	ug/L
Arsenic, total	MW-8N	1/23/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	4/14/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	7/7/2003	20	20	ND	ug/L
Arsenic, total	MW-8N	1/28/2004	20	20	ND	ug/L
Arsenic, total	MW-8N	7/27/2004	20	20	ND	ug/L
Arsenic, total	MW-8N	1/12/2005	20	20	ND	ug/L
Arsenic, total	MW-8N	7/20/2005	20	20	ND	ug/L
Arsenic, total	MW-8N	1/19/2006	20	20	ND	ug/L
Arsenic, total	MW-8N	7/19/2006	4.5	5	ND	ug/L
Arsenic, total	MW-8N	7/19/2006	4.5	5	ND	ug/L
Arsenic, total	MW-8N	10/24/2006	10	10	ND	ug/L
Arsenic, total	MW-8N	1/10/2007	0.8	5	ND	ug/L
Arsenic, total	MW-8N	1/26/2007	0.3	5	ND	ug/L
Arsenic, total	MW-8N	4/25/2007	0.4	5	ND	ug/L
Arsenic, total	MW-8N	7/10/2007	0.4	5	ND	ug/L
Arsenic, total	MW-8N	1/24/2008	0.6	5	ND	ug/L
Arsenic, total	MW-8N	7/23/2008	5	5	ND	ug/L
Arsenic, total	MW-8N	2/4/2009	0.3	5	ND	ug/L
Arsenic, total	MW-8N	7/31/2009	5	5	ND	ug/L
Arsenic, total	MW-8N	1/26/2010	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2010	5	5	ND	ug/L
Arsenic, total	MW-8N	1/19/2011	5	5	ND	ug/L
Arsenic, total	MW-8N	5/10/2011	5	5	ND	ug/L
Arsenic, total	MW-8N	7/14/2011	0.3	5	ND	ug/L
Arsenic, total	MW-8N	1/6/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	4/5/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	7/11/2012	5	5	ND	ug/L
Arsenic, total	MW-8N	10/3/2012	1.1	5	ND	ug/L
Arsenic, total	MW-8N	5/1/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	6/4/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	10/2/2013	5	5	ND	ug/L
Arsenic, total	MW-8N	1/30/2014	0.3	5	ND	ug/L
Arsenic, total	MW-8N	4/3/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	7/9/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	10/8/2014	5	5	ND	ug/L
Arsenic, total	MW-8N	2/12/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	MW-8N	4/1/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	7/14/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	10/5/2015	5	5	ND	ug/L
Arsenic, total	MW-8N	1/5/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	4/6/2016	0.3	5	ND	ug/L
Arsenic, total	MW-8N	7/21/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2016	5	5	ND	ug/L
Arsenic, total	MW-8N	1/11/2017	5	5	ND	ug/L
Arsenic, total	MW-8N	4/4/2017	0.4	5	ND	ug/L
Arsenic, total	MW-8N	7/19/2017	0.3	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2017	5	5	ND	ug/L
Arsenic, total	MW-8N	1/25/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	4/10/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	7/16/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	10/2/2018	5	5	ND	ug/L
Arsenic, total	MW-8N	1/7/2019	5	5	ND	ug/L
Arsenic, total	MW-8N	4/3/2019	0.51	5	ND	ug/L
Arsenic, total	MW-8N	7/11/2019	10	10	ND	ug/L
Arsenic, total	MW-8N	10/3/2019	5	5	ND	ug/L
Arsenic, total	MW-8N	1/15/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	4/2/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	7/9/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2020	5	5	ND	ug/L
Arsenic, total	MW-8N	1/15/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	4/6/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	7/5/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2021	5	5	ND	ug/L
Arsenic, total	MW-8N	1/18/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	4/4/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	7/12/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	10/6/2022	5	5	ND	ug/L
Arsenic, total	MW-8N	1/11/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	4/8/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	7/7/2023	5	5	ND	ug/L
Arsenic, total	MW-8N	10/5/2023	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2002	40	40	ND	ug/L
Arsenic, total	NE-1	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-1	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-1	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-1	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-1	1/27/2004	20	20	ND	ug/L
Arsenic, total	NE-1	1/12/2005	20	20	ND	ug/L
Arsenic, total	NE-1	7/19/2006	0.3	5	ND	ug/L
Arsenic, total	NE-1	7/19/2006	0.3	5	ND	ug/L
Arsenic, total	NE-1	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-1	1/24/2007	0.5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2007	0.3	5	ND	ug/L
Arsenic, total	NE-1	1/24/2008	0.4	5	ND	ug/L
Arsenic, total	NE-1	7/21/2008	5	5	ND	ug/L
Arsenic, total	NE-1	2/7/2009	0.4	5	ND	ug/L
Arsenic, total	NE-1	7/31/2009	5	5	ND	ug/L
Arsenic, total	NE-1	1/26/2010	5	5	ND	ug/L
Arsenic, total	NE-1	7/14/2010	0.5	5	ND	ug/L
Arsenic, total	NE-1	1/19/2011	5	5	ND	ug/L
Arsenic, total	NE-1	7/13/2011	5	5	ND	ug/L
Arsenic, total	NE-1	1/5/2012	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2012	5	5	ND	ug/L
Arsenic, total	NE-1	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-1	7/16/2013	5	5	ND	ug/L
Arsenic, total	NE-1	1/23/2014	5	5	ND	ug/L
Arsenic, total	NE-1	7/9/2014	5	5	ND	ug/L
Arsenic, total	NE-1	2/11/2015	5	5	ND	ug/L
Arsenic, total	NE-1	7/8/2015	5	5	ND	ug/L
Arsenic, total	NE-1	1/6/2016	5	5	ND	ug/L
Arsenic, total	NE-1	7/20/2016	5	5	ND	ug/L
Arsenic, total	NE-1	1/11/2017	5	5	ND	ug/L
Arsenic, total	NE-1	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-1	1/24/2018	5	5	ND	ug/L
Arsenic, total	NE-1	4/11/2018	5	5	ND	ug/L
Arsenic, total	NE-1	7/18/2018	5	5	ND	ug/L
Arsenic, total	NE-1	10/2/2018	5	5	ND	ug/L
Arsenic, total	NE-1	1/4/2019	5	5	ND	ug/L
Arsenic, total	NE-1	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-1	7/10/2019	10	10	ND	ug/L
Arsenic, total	NE-1	7/10/2019	10	10	ND	ug/L
Arsenic, total	NE-1	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-1	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-1	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-1	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-1	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-1	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-1	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-1	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-1	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-1	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-1	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-1	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-1	10/6/2022	5	5	ND	ug/L
Arsenic, total	NE-1	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-1	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-1	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-1	10/5/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	11/6/2019	5	5	ND	ug/L
Arsenic, total	NE-10D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-10D	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-10D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	7/8/2023	5	5	ND	ug/L
Arsenic, total	NE-10D	10/3/2023	5	5	ND	ug/L
Arsenic, total	NE-11	3/1/2017	5	5	ND	ug/L
Arsenic, total	NE-11	4/6/2017	5	5	ND	ug/L
Arsenic, total	NE-11	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-11	10/9/2017	5	5	ND	ug/L
Arsenic, total	NE-11	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-11	1/14/2020	5	5	ND	ug/L
Arsenic, total	NE-11	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-11	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-11	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-11	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-11	1/17/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-11	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-11	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-11	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-11	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-12	3/1/2017	5	5	ND	ug/L
Arsenic, total	NE-12	4/6/2017	5	5	ND	ug/L
Arsenic, total	NE-12	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-12	10/6/2017	0.3	5	ND	ug/L
Arsenic, total	NE-12	8/5/2019	10	10	ND	ug/L
Arsenic, total	NE-12	1/13/2020	5	5	ND	ug/L
Arsenic, total	NE-12	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-12	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-12	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-12	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-12	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-12	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-12	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-12	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-12	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-13	2/5/2019	5	5	ND	ug/L
Arsenic, total	NE-13	8/7/2019	10	10	ND	ug/L
Arsenic, total	NE-13	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-13	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-13	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-13	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-13	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-14D	10/2/2019	0.33	5	ND	ug/L
Arsenic, total	NE-14D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-14D	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-14D	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-14D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14D	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-14D	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-14S	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-14S	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-14S	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-14S	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-14S	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-14S	4/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-14S	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-14S	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-15D	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-15D	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-15D	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-15D	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15D	10/6/2023	5	5	ND	ug/L
Arsenic, total	NE-15S	4/3/2020	5	5	ND	ug/L
Arsenic, total	NE-2	7/9/2002	40	40	ND	ug/L
Arsenic, total	NE-2	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-2	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-2	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-2	10/1/2013	5	5	ND	ug/L
Arsenic, total	NE-2	10/8/2014	5	5	ND	ug/L
Arsenic, total	NE-2	10/5/2015	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2016	5	5	ND	ug/L
Arsenic, total	NE-2	10/5/2017	5	5	ND	ug/L
Arsenic, total	NE-2	1/25/2018	5	5	ND	ug/L
Arsenic, total	NE-2	4/10/2018	5	5	ND	ug/L
Arsenic, total	NE-2	7/10/2018	5	5	ND	ug/L
Arsenic, total	NE-2	10/1/2018	5	5	ND	ug/L
Arsenic, total	NE-2	1/4/2019	5	5	ND	ug/L
Arsenic, total	NE-2	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-2	7/9/2019	10	10	ND	ug/L
Arsenic, total	NE-2	7/9/2019	10	10	ND	ug/L
Arsenic, total	NE-2	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-2	1/14/2020	5	5	ND	ug/L
Arsenic, total	NE-2	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-2	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-2	1/14/2021	5	5	ND	ug/L
Arsenic, total	NE-2	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-2	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-2	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-2	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-2	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-2	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-2	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-2	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-2	4/5/2023	5	5	ND	ug/L
Arsenic, total	NE-2	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-2	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-4	7/10/2002	40	40	ND	ug/L
Arsenic, total	NE-4	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-4	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-4	10/3/2002	40	40	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-4	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-4	1/28/2004	20	20	ND	ug/L
Arsenic, total	NE-4	1/13/2005	20	20	ND	ug/L
Arsenic, total	NE-4	8/1/2006	0.2	5	ND	ug/L
Arsenic, total	NE-4	8/1/2006	0.2	5	ND	ug/L
Arsenic, total	NE-4	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-4	1/24/2007	0.3	5	ND	ug/L
Arsenic, total	NE-4	7/12/2007	0.3	5	ND	ug/L
Arsenic, total	NE-4	1/24/2008	0.5	5	ND	ug/L
Arsenic, total	NE-4	7/21/2008	5	5	ND	ug/L
Arsenic, total	NE-4	2/7/2009	0.6	5	ND	ug/L
Arsenic, total	NE-4	7/31/2009	5	5	ND	ug/L
Arsenic, total	NE-4	1/26/2010	5	5	ND	ug/L
Arsenic, total	NE-4	7/14/2010	0.4	5	ND	ug/L
Arsenic, total	NE-4	1/19/2011	5	5	ND	ug/L
Arsenic, total	NE-4	7/13/2011	5	5	ND	ug/L
Arsenic, total	NE-4	1/5/2012	5	5	ND	ug/L
Arsenic, total	NE-4	7/10/2012	1.1	5	ND	ug/L
Arsenic, total	NE-4	4/30/2013	5	5	ND	ug/L
Arsenic, total	NE-4	7/16/2013	5	5	ND	ug/L
Arsenic, total	NE-4	1/23/2014	5	5	ND	ug/L
Arsenic, total	NE-4	7/9/2014	5	5	ND	ug/L
Arsenic, total	NE-4	2/13/2015	5	5	ND	ug/L
Arsenic, total	NE-4	7/8/2015	5	5	ND	ug/L
Arsenic, total	NE-4	1/6/2016	5	5	ND	ug/L
Arsenic, total	NE-4	7/20/2016	5	5	ND	ug/L
Arsenic, total	NE-4	1/11/2017	5	5	ND	ug/L
Arsenic, total	NE-4	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-4	1/26/2018	5	5	ND	ug/L
Arsenic, total	NE-4	4/10/2018	5	5	ND	ug/L
Arsenic, total	NE-4	7/12/2018	5	5	ND	ug/L
Arsenic, total	NE-4	10/3/2018	5	5	ND	ug/L
Arsenic, total	NE-4	1/7/2019	5	5	ND	ug/L
Arsenic, total	NE-4	4/2/2019	5	5	ND	ug/L
Arsenic, total	NE-4	7/8/2019	10	10	ND	ug/L
Arsenic, total	NE-4	7/8/2019	10	10	ND	ug/L
Arsenic, total	NE-4	10/1/2019	5	5	ND	ug/L
Arsenic, total	NE-4	1/13/2020	5	5	ND	ug/L
Arsenic, total	NE-4	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-4	7/6/2020	5	5	ND	ug/L
Arsenic, total	NE-4	10/5/2020	5	5	ND	ug/L
Arsenic, total	NE-4	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-4	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-4	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-4	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-4	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-4	4/6/2023	5	5	ND	ug/L
Arsenic, total	NE-4	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-4	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-5	7/9/2002	40	40	ND	ug/L
Arsenic, total	NE-5	8/6/2002	40	40	ND	ug/L
Arsenic, total	NE-5	9/4/2002	40	40	ND	ug/L
Arsenic, total	NE-5	10/2/2002	40	40	ND	ug/L
Arsenic, total	NE-5	7/8/2003	20	20	ND	ug/L
Arsenic, total	NE-5	1/27/2004	20	20	ND	ug/L
Arsenic, total	NE-5	1/12/2005	20	20	ND	ug/L
Arsenic, total	NE-5	7/19/2006	6.7	5		ug/L
Arsenic, total	NE-5	7/19/2006	6.7	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-5	10/25/2006	10	10	ND	ug/L
Arsenic, total	NE-5	1/10/2007	1.7	5	ND	ug/L
Arsenic, total	NE-5	1/24/2007	1	5	ND	ug/L
Arsenic, total	NE-5	7/12/2007	1	5	ND	ug/L
Arsenic, total	NE-5	7/22/2008	0.6	5	ND	ug/L
Arsenic, total	NE-5	2/6/2009	2.1	5	ND	ug/L
Arsenic, total	NE-5	7/31/2009	1.5	5	ND	ug/L
Arsenic, total	NE-5	1/26/2010	1.4	5	ND	ug/L
Arsenic, total	NE-5	7/16/2010	2.8	5	ND	ug/L
Arsenic, total	NE-5	1/19/2011	1.4	5	ND	ug/L
Arsenic, total	NE-5	7/13/2011	1.9	5	ND	ug/L
Arsenic, total	NE-5	1/5/2012	1.9	5	ND	ug/L
Arsenic, total	NE-5	7/10/2012	1.3	5	ND	ug/L
Arsenic, total	NE-5	4/30/2013	5.5	5		ug/L
Arsenic, total	NE-5	7/16/2013	1.7	5	ND	ug/L
Arsenic, total	NE-5	1/23/2014	3.2	5	ND	ug/L
Arsenic, total	NE-5	7/9/2014	4.5	5	ND	ug/L
Arsenic, total	NE-5	2/11/2015	5.6	5		ug/L
Arsenic, total	NE-5	7/14/2015	5.6	5		ug/L
Arsenic, total	NE-5	1/6/2016	3.6	5	ND	ug/L
Arsenic, total	NE-5	7/20/2016	1.4	5	ND	ug/L
Arsenic, total	NE-5	1/11/2017	2.3	5	ND	ug/L
Arsenic, total	NE-5	7/19/2017	3.7	5	ND	ug/L
Arsenic, total	NE-5	1/25/2018	5.6	5		ug/L
Arsenic, total	NE-5	4/10/2018	6.2	5		ug/L
Arsenic, total	NE-5	7/17/2018	6.1	5		ug/L
Arsenic, total	NE-5	10/3/2018	4.3	5	ND	ug/L
Arsenic, total	NE-5	1/4/2019	6.8	5		ug/L
Arsenic, total	NE-5	4/2/2019	6.1	5		ug/L
Arsenic, total	NE-5	4/2/2019	6.1	5		ug/L
Arsenic, total	NE-5	7/9/2019	5.9	10	ND	ug/L
Arsenic, total	NE-5	10/3/2019	5.7	5		ug/L
Arsenic, total	NE-5	1/16/2020	5.28	5		ug/L
Arsenic, total	NE-5	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-5	7/8/2020	5	5		ug/L
Arsenic, total	NE-5	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-5	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5	1/5/2023	5.01	5		ug/L
Arsenic, total	NE-5	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-5	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-5	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-5E	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	4/1/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5E	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5E	1/18/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-5E	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5E	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-5E	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	9/30/2019	5	5	ND	ug/L
Arsenic, total	NE-5W	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	10/6/2020	5	5	ND	ug/L
Arsenic, total	NE-5W	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	10/6/2021	5	5	ND	ug/L
Arsenic, total	NE-5W	1/18/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-5W	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-5W	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-6	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-6	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-6	7/19/2017	5	5	ND	ug/L
Arsenic, total	NE-6	10/6/2017	5	5	ND	ug/L
Arsenic, total	NE-6	2/4/2019	5	5	ND	ug/L
Arsenic, total	NE-6	8/6/2019	10	10	ND	ug/L
Arsenic, total	NE-6	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-6	7/9/2020	5	5	ND	ug/L
Arsenic, total	NE-6	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-6	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-6	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-6	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-6	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-6	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	10/2/2019	5	5	ND	ug/L
Arsenic, total	NE-6D	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	4/2/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	7/9/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2020	5	5	ND	ug/L
Arsenic, total	NE-6D	1/15/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	7/2/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-6D	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	4/6/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	10/7/2022	5	5	ND	ug/L
Arsenic, total	NE-6D	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	4/7/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-6D	10/4/2023	5	5	ND	ug/L
Arsenic, total	NE-7	3/1/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Arsenic, total	NE-7	4/6/2017	0.5	5	ND	ug/L
Arsenic, total	NE-7	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-7	10/5/2017	5	5	ND	ug/L
Arsenic, total	NE-7	2/6/2019	5	5	ND	ug/L
Arsenic, total	NE-7	8/6/2019	10	10	ND	ug/L
Arsenic, total	NE-7	1/16/2020	5	5	ND	ug/L
Arsenic, total	NE-7	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-7	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-7	1/16/2021	5	5	ND	ug/L
Arsenic, total	NE-7	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-7	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-7	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-7	7/12/2022	5	5	ND	ug/L
Arsenic, total	NE-7	1/5/2023	5	5	ND	ug/L
Arsenic, total	NE-7	7/6/2023	5	5	ND	ug/L
Arsenic, total	NE-8	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-8	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-8	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-8	10/6/2017	5	5	ND	ug/L
Arsenic, total	NE-8	2/4/2019	5	5	ND	ug/L
Arsenic, total	NE-8	8/5/2019	10	10	ND	ug/L
Arsenic, total	NE-8	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-8	7/8/2020	5	5	ND	ug/L
Arsenic, total	NE-8	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-8	1/13/2021	5	5	ND	ug/L
Arsenic, total	NE-8	4/9/2021	5	5	ND	ug/L
Arsenic, total	NE-8	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-8	7/1/2021	5	5	ND	ug/L
Arsenic, total	NE-8	10/7/2021	5	5	ND	ug/L
Arsenic, total	NE-8	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-8	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-9	1/12/2017	5	5	ND	ug/L
Arsenic, total	NE-9	4/5/2017	5	5	ND	ug/L
Arsenic, total	NE-9	7/20/2017	5	5	ND	ug/L
Arsenic, total	NE-9	10/5/2017	0.5	5	ND	ug/L
Arsenic, total	NE-9	2/5/2019	5	5	ND	ug/L
Arsenic, total	NE-9	8/7/2019	10	10	ND	ug/L
Arsenic, total	NE-9	1/15/2020	5	5	ND	ug/L
Arsenic, total	NE-9	7/7/2020	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2021	5	5	ND	ug/L
Arsenic, total	NE-9	7/1/2021	6.5	6.5	ND	ug/L
Arsenic, total	NE-9	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-9	1/17/2022	5	5	ND	ug/L
Arsenic, total	NE-9	7/13/2022	5	5	ND	ug/L
Arsenic, total	NE-9	1/6/2023	5	5	ND	ug/L
Arsenic, total	NE-9	4/8/2023	5	5	ND	ug/L
Arsenic, total	NE-9	7/5/2023	5	5	ND	ug/L
Arsenic, total	NE-9	10/6/2023	5	5	ND	ug/L
Barium, dissolved	LGW-14R	1/25/2006	25	5		ug/L
Barium, dissolved	LGW-2	1/25/2006	140	5		ug/L
Barium, dissolved	LGW-4	1/24/2006	49	5		ug/L
Barium, dissolved	LGW-5	1/25/2006	130	5		ug/L
Barium, dissolved	LGW-6	1/24/2006	54	5		ug/L
Barium, dissolved	LGW-7	1/25/2006	37	5		ug/L
Barium, dissolved	LGW-8R	1/24/2006	68	5		ug/L
Barium, dissolved	MW-10N	7/11/2000	19	5		ug/L
Barium, dissolved	MW-10N	7/10/2002	53	50		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, dissolved	MW-10N	10/2/2002	52	50		ug/L
Barium, dissolved	MW-11N	7/10/2000	34	5		ug/L
Barium, dissolved	MW-11N	7/9/2002	51	50		ug/L
Barium, dissolved	MW-11N	10/2/2002	52	50		ug/L
Barium, dissolved	MW-1N	10/19/1999	65	5		ug/L
Barium, dissolved	MW-1N	7/12/2000	190	5		ug/L
Barium, dissolved	MW-1N	7/9/2002	150	50		ug/L
Barium, dissolved	MW-1N	10/3/2002	130	50		ug/L
Barium, dissolved	MW-2N	7/11/2000	30	5		ug/L
Barium, dissolved	MW-2N	7/10/2002	50	50	ND	ug/L
Barium, dissolved	MW-2N	10/2/2002	50	50	ND	ug/L
Barium, dissolved	MW-3N	7/11/2000	120	5		ug/L
Barium, dissolved	MW-3N	7/9/2002	170	50		ug/L
Barium, dissolved	MW-3N	10/2/2002	200	50		ug/L
Barium, dissolved	MW-7N	10/19/1999	270	5		ug/L
Barium, dissolved	MW-7N	7/11/2000	290	5		ug/L
Barium, dissolved	MW-7N	7/9/2002	340	50		ug/L
Barium, dissolved	MW-7N	10/2/2002	310	50		ug/L
Barium, dissolved	MW-8N	10/19/1999	170	5		ug/L
Barium, dissolved	MW-8N	7/11/2000	170	5		ug/L
Barium, dissolved	MW-8N	7/9/2002	210	50		ug/L
Barium, dissolved	MW-8N	10/2/2002	180	50		ug/L
Barium, dissolved	NE-1	7/10/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	8/6/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	9/4/2002	50	50	ND	ug/L
Barium, dissolved	NE-1	10/2/2002	50	50	ND	ug/L
Barium, dissolved	NE-2	7/9/2002	380	50		ug/L
Barium, dissolved	NE-2	8/6/2002	240	50		ug/L
Barium, dissolved	NE-2	9/4/2002	310	50		ug/L
Barium, dissolved	NE-2	10/2/2002	270	50		ug/L
Barium, dissolved	NE-4	7/10/2002	130	50		ug/L
Barium, dissolved	NE-4	8/6/2002	120	50		ug/L
Barium, dissolved	NE-4	9/4/2002	120	50		ug/L
Barium, dissolved	NE-4	10/3/2002	120	50		ug/L
Barium, dissolved	NE-5	7/9/2002	63	50		ug/L
Barium, dissolved	NE-5	8/6/2002	67	50		ug/L
Barium, dissolved	NE-5	9/4/2002	80	50		ug/L
Barium, dissolved	NE-5	10/2/2002	83	50		ug/L
Barium, total	LGW-10	1/26/2006	120	5		ug/L
Barium, total	LGW-10	8/1/2006	110	5		ug/L
Barium, total	LGW-10	8/1/2006	110	5		ug/L
Barium, total	LGW-10	10/26/2006	85	5		ug/L
Barium, total	LGW-10	1/25/2007	94	5		ug/L
Barium, total	LGW-10	4/26/2007	100	5		ug/L
Barium, total	LGW-10	7/12/2007	95	5		ug/L
Barium, total	LGW-10	1/23/2008	82	5		ug/L
Barium, total	LGW-10	7/22/2008	110	5		ug/L
Barium, total	LGW-10	7/29/2009	130	5		ug/L
Barium, total	LGW-10	2/3/2010	95	5		ug/L
Barium, total	LGW-10	2/3/2010	95	5		ug/L
Barium, total	LGW-10	7/16/2010	120	5		ug/L
Barium, total	LGW-10	1/19/2011	87	5		ug/L
Barium, total	LGW-10	7/12/2011	170	5		ug/L
Barium, total	LGW-10	1/5/2012	120	5		ug/L
Barium, total	LGW-10	7/9/2012	89	5		ug/L
Barium, total	LGW-10	5/1/2013	160	5		ug/L
Barium, total	LGW-10	1/30/2014	140	5		ug/L
Barium, total	LGW-10	7/9/2014	140	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-10	2/12/2015	100	5		ug/L
Barium, total	LGW-10	7/13/2015	180	5		ug/L
Barium, total	LGW-10	1/5/2016	170	5		ug/L
Barium, total	LGW-10	4/6/2016	120	5		ug/L
Barium, total	LGW-10	7/21/2016	130	5		ug/L
Barium, total	LGW-10	10/6/2016	110	5		ug/L
Barium, total	LGW-10	1/11/2017	81	5		ug/L
Barium, total	LGW-10	4/4/2017	140	5		ug/L
Barium, total	LGW-10	7/19/2017	210	5		ug/L
Barium, total	LGW-10	10/9/2017	120	5		ug/L
Barium, total	LGW-10	1/24/2018	82	5		ug/L
Barium, total	LGW-10	4/11/2018	120	5		ug/L
Barium, total	LGW-10	7/16/2018	83	5		ug/L
Barium, total	LGW-10	10/4/2018	76	5		ug/L
Barium, total	LGW-10	1/4/2019	83	5		ug/L
Barium, total	LGW-10	4/3/2019	84	5		ug/L
Barium, total	LGW-10	7/11/2019	120	5		ug/L
Barium, total	LGW-10	10/2/2019	87	5		ug/L
Barium, total	LGW-10	1/15/2020	128	5		ug/L
Barium, total	LGW-10	4/2/2020	105	5		ug/L
Barium, total	LGW-10	7/9/2020	104	5		ug/L
Barium, total	LGW-10	10/7/2020	54.9	5		ug/L
Barium, total	LGW-10	1/17/2021	169	5		ug/L
Barium, total	LGW-10	4/6/2021	79.3	5		ug/L
Barium, total	LGW-10	7/7/2021	130	5		ug/L
Barium, total	LGW-10	10/5/2021	68.2	5		ug/L
Barium, total	LGW-10	1/13/2022	78.7	5		ug/L
Barium, total	LGW-10	4/4/2022	89.7	5		ug/L
Barium, total	LGW-10	7/11/2022	121	5		ug/L
Barium, total	LGW-10	10/7/2022	73.3	5		ug/L
Barium, total	LGW-10	1/11/2023	87.4	5		ug/L
Barium, total	LGW-10	4/5/2023	108	5		ug/L
Barium, total	LGW-10	7/10/2023	72.7	5		ug/L
Barium, total	LGW-10	10/5/2023	67.3	5		ug/L
Barium, total	LGW-14R	1/25/2006	280	5		ug/L
Barium, total	LGW-14R	8/2/2006	83	5		ug/L
Barium, total	LGW-14R	8/2/2006	83	5		ug/L
Barium, total	LGW-14R	10/27/2006	33	5		ug/L
Barium, total	LGW-14R	1/24/2007	33	5		ug/L
Barium, total	LGW-14R	4/24/2007	47	5		ug/L
Barium, total	LGW-14R	7/11/2007	92	5		ug/L
Barium, total	LGW-14R	1/23/2008	26	5		ug/L
Barium, total	LGW-14R	7/22/2008	28	5		ug/L
Barium, total	LGW-14R	2/6/2009	60	5		ug/L
Barium, total	LGW-14R	7/29/2009	50	5		ug/L
Barium, total	LGW-14R	2/3/2010	40	5		ug/L
Barium, total	LGW-14R	7/12/2010	29	5		ug/L
Barium, total	LGW-14R	1/19/2011	35	5		ug/L
Barium, total	LGW-14R	7/12/2011	25	5		ug/L
Barium, total	LGW-14R	1/5/2012	37	5		ug/L
Barium, total	LGW-14R	7/9/2012	27	5		ug/L
Barium, total	LGW-14R	4/30/2013	26	5		ug/L
Barium, total	LGW-14R	1/23/2014	24	5		ug/L
Barium, total	LGW-14R	7/8/2014	25	5		ug/L
Barium, total	LGW-14R	2/11/2015	30	5		ug/L
Barium, total	LGW-14R	7/22/2015	28	5		ug/L
Barium, total	LGW-14R	1/5/2016	31	5		ug/L
Barium, total	LGW-14R	7/19/2016	29	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-14R	1/11/2017	31	5		ug/L
Barium, total	LGW-14R	7/18/2017	32	5		ug/L
Barium, total	LGW-14R	1/25/2018	35	5		ug/L
Barium, total	LGW-14R	7/17/2018	30	5		ug/L
Barium, total	LGW-14R	1/3/2019	33	5		ug/L
Barium, total	LGW-14R	7/10/2019	34	5		ug/L
Barium, total	LGW-14R	1/16/2020	35.7	5		ug/L
Barium, total	LGW-14R	7/9/2020	35.5	5		ug/L
Barium, total	LGW-14R	1/18/2021	40.3	5		ug/L
Barium, total	LGW-14R	7/7/2021	37.8	5		ug/L
Barium, total	LGW-14R	1/12/2022	41.8	5		ug/L
Barium, total	LGW-14R	7/11/2022	39.8	5		ug/L
Barium, total	LGW-14R	1/10/2023	44.2	5		ug/L
Barium, total	LGW-14R	7/10/2023	47.1	5		ug/L
Barium, total	LGW-2	1/25/2006	160	5		ug/L
Barium, total	LGW-2	8/1/2006	150	5		ug/L
Barium, total	LGW-2	8/1/2006	150	5		ug/L
Barium, total	LGW-2	10/26/2006	77	5		ug/L
Barium, total	LGW-2	1/25/2007	83	5		ug/L
Barium, total	LGW-2	4/26/2007	55	5		ug/L
Barium, total	LGW-2	7/10/2007	150	5		ug/L
Barium, total	LGW-2	1/26/2008	110	5		ug/L
Barium, total	LGW-2	7/23/2008	170	5		ug/L
Barium, total	LGW-2	2/6/2009	140	5		ug/L
Barium, total	LGW-2	7/30/2009	130	5		ug/L
Barium, total	LGW-2	2/3/2010	130	5		ug/L
Barium, total	LGW-2	2/3/2010	130	5		ug/L
Barium, total	LGW-2	7/12/2010	150	5		ug/L
Barium, total	LGW-2	1/19/2011	180	5		ug/L
Barium, total	LGW-2	7/13/2011	83	5		ug/L
Barium, total	LGW-2	1/4/2012	86	5		ug/L
Barium, total	LGW-2	7/9/2012	87	5		ug/L
Barium, total	LGW-2	4/30/2013	99	5		ug/L
Barium, total	LGW-2	7/15/2013	91	5		ug/L
Barium, total	LGW-2	1/30/2014	120	5		ug/L
Barium, total	LGW-2	7/8/2014	98	5		ug/L
Barium, total	LGW-2	2/13/2015	110	5		ug/L
Barium, total	LGW-2	7/8/2015	83	5		ug/L
Barium, total	LGW-2	1/5/2016	94	5		ug/L
Barium, total	LGW-2	7/19/2016	86	5		ug/L
Barium, total	LGW-2	1/11/2017	120	5		ug/L
Barium, total	LGW-2	7/18/2017	110	5		ug/L
Barium, total	LGW-2	1/23/2018	100	5		ug/L
Barium, total	LGW-2	7/12/2018	98	5		ug/L
Barium, total	LGW-2	1/3/2019	90	5		ug/L
Barium, total	LGW-2	7/9/2019	120	5		ug/L
Barium, total	LGW-2	1/13/2020	73.5	5		ug/L
Barium, total	LGW-2	4/1/2020	71.3	5		ug/L
Barium, total	LGW-2	7/8/2020	68.8	5		ug/L
Barium, total	LGW-2	1/18/2021	79.8	5		ug/L
Barium, total	LGW-2	7/4/2021	75.1	5		ug/L
Barium, total	LGW-2	1/12/2022	83.4	5		ug/L
Barium, total	LGW-2	7/10/2022	77.4	5		ug/L
Barium, total	LGW-2	1/10/2023	77.4	5		ug/L
Barium, total	LGW-2	7/10/2023	74.1	5		ug/L
Barium, total	LGW-3R	1/24/2006	52	5		ug/L
Barium, total	LGW-3R	7/20/2006	49	5		ug/L
Barium, total	LGW-3R	7/20/2006	49	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-3R	10/26/2006	88	5		ug/L
Barium, total	LGW-3R	1/25/2007	41	5		ug/L
Barium, total	LGW-3R	4/26/2007	50	5		ug/L
Barium, total	LGW-3R	7/11/2007	46	5		ug/L
Barium, total	LGW-3R	1/26/2008	48	5		ug/L
Barium, total	LGW-3R	7/23/2008	33	5		ug/L
Barium, total	LGW-3R	2/3/2009	47	5		ug/L
Barium, total	LGW-3R	7/31/2009	55	5		ug/L
Barium, total	LGW-3R	2/3/2010	46	5		ug/L
Barium, total	LGW-3R	2/3/2010	46	5		ug/L
Barium, total	LGW-3R	7/16/2010	39	5		ug/L
Barium, total	LGW-3R	1/19/2011	52	5		ug/L
Barium, total	LGW-3R	7/13/2011	31	5		ug/L
Barium, total	LGW-3R	1/4/2012	44	5		ug/L
Barium, total	LGW-3R	7/9/2012	46	5		ug/L
Barium, total	LGW-3R	4/30/2013	35	5		ug/L
Barium, total	LGW-3R	7/15/2013	45	5		ug/L
Barium, total	LGW-3R	1/22/2014	44	5		ug/L
Barium, total	LGW-3R	7/8/2014	45	5		ug/L
Barium, total	LGW-3R	2/10/2015	42	5		ug/L
Barium, total	LGW-3R	7/16/2015	57	5		ug/L
Barium, total	LGW-3R	1/8/2016	22	5		ug/L
Barium, total	LGW-3R	7/21/2016	32	5		ug/L
Barium, total	LGW-3R	1/11/2017	54	5		ug/L
Barium, total	LGW-3R	7/18/2017	49	5		ug/L
Barium, total	LGW-3R	1/23/2018	56	5		ug/L
Barium, total	LGW-3R	7/11/2018	47	5		ug/L
Barium, total	LGW-3R	1/3/2019	58	5		ug/L
Barium, total	LGW-3R	7/9/2019	59	5		ug/L
Barium, total	LGW-3R	1/14/2020	64.4	5		ug/L
Barium, total	LGW-3R	7/6/2020	79.6	5		ug/L
Barium, total	LGW-3R	1/18/2021	78.7	5		ug/L
Barium, total	LGW-3R	7/6/2021	74.8	5		ug/L
Barium, total	LGW-3R	1/12/2022	71.6	5		ug/L
Barium, total	LGW-3R	7/10/2022	68.1	5		ug/L
Barium, total	LGW-3R	1/10/2023	57	5		ug/L
Barium, total	LGW-3R	7/10/2023	53.5	5		ug/L
Barium, total	LGW-4	1/24/2006	50	5		ug/L
Barium, total	LGW-4	7/20/2006	52	5		ug/L
Barium, total	LGW-4	7/20/2006	52	5		ug/L
Barium, total	LGW-4	10/26/2006	63	5		ug/L
Barium, total	LGW-4	1/25/2007	60	5		ug/L
Barium, total	LGW-4	4/26/2007	51	5		ug/L
Barium, total	LGW-4	7/11/2007	57	5		ug/L
Barium, total	LGW-4	1/22/2008	50	5		ug/L
Barium, total	LGW-4	7/23/2008	59	5		ug/L
Barium, total	LGW-4	2/3/2009	54	5		ug/L
Barium, total	LGW-4	7/31/2009	43	5		ug/L
Barium, total	LGW-4	2/3/2010	46	5		ug/L
Barium, total	LGW-4	2/3/2010	46	5		ug/L
Barium, total	LGW-4	7/16/2010	44	5		ug/L
Barium, total	LGW-4	1/19/2011	49	5		ug/L
Barium, total	LGW-4	7/13/2011	29	5		ug/L
Barium, total	LGW-4	1/4/2012	40	5		ug/L
Barium, total	LGW-4	7/9/2012	43	5		ug/L
Barium, total	LGW-4	4/30/2013	32	5		ug/L
Barium, total	LGW-4	7/15/2013	35	5		ug/L
Barium, total	LGW-4	1/23/2014	38	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-4	7/8/2014	43	5		ug/L
Barium, total	LGW-4	2/11/2015	47	5		ug/L
Barium, total	LGW-4	7/8/2015	44	5		ug/L
Barium, total	LGW-4	1/5/2016	37	5		ug/L
Barium, total	LGW-4	7/19/2016	45	5		ug/L
Barium, total	LGW-4	1/11/2017	52	5		ug/L
Barium, total	LGW-4	7/18/2017	52	5		ug/L
Barium, total	LGW-4	1/23/2018	66	5		ug/L
Barium, total	LGW-4	7/11/2018	59	5		ug/L
Barium, total	LGW-4	1/3/2019	60	5		ug/L
Barium, total	LGW-4	7/9/2019	55	5		ug/L
Barium, total	LGW-4	1/14/2020	38.5	5		ug/L
Barium, total	LGW-4	7/6/2020	35.5	5		ug/L
Barium, total	LGW-4	1/18/2021	71.9	5		ug/L
Barium, total	LGW-4	7/7/2021	59.7	5		ug/L
Barium, total	LGW-4	1/12/2022	50.4	5		ug/L
Barium, total	LGW-4	7/11/2022	45.4	5		ug/L
Barium, total	LGW-4	1/10/2023	68.3	5		ug/L
Barium, total	LGW-4	7/10/2023	64.5	5		ug/L
Barium, total	LGW-5	1/25/2006	150	5		ug/L
Barium, total	LGW-5	8/1/2006	100	5		ug/L
Barium, total	LGW-5	8/1/2006	100	5		ug/L
Barium, total	LGW-5	10/26/2006	71	5		ug/L
Barium, total	LGW-5	1/25/2007	56	5		ug/L
Barium, total	LGW-5	4/26/2007	53	5		ug/L
Barium, total	LGW-5	7/11/2007	68	5		ug/L
Barium, total	LGW-5	1/23/2008	63	5		ug/L
Barium, total	LGW-5	7/23/2008	48	5		ug/L
Barium, total	LGW-5	2/4/2009	51	5		ug/L
Barium, total	LGW-5	7/29/2009	45	5		ug/L
Barium, total	LGW-5	2/3/2010	50	5		ug/L
Barium, total	LGW-5	2/3/2010	50	5		ug/L
Barium, total	LGW-5	7/12/2010	47	5		ug/L
Barium, total	LGW-5	1/19/2011	51	5		ug/L
Barium, total	LGW-5	7/12/2011	37	5		ug/L
Barium, total	LGW-5	1/5/2012	39	5		ug/L
Barium, total	LGW-5	7/9/2012	45	5		ug/L
Barium, total	LGW-5	4/30/2013	45	5		ug/L
Barium, total	LGW-5	7/15/2013	42	5		ug/L
Barium, total	LGW-5	1/23/2014	42	5		ug/L
Barium, total	LGW-5	7/8/2014	65	5		ug/L
Barium, total	LGW-5	2/10/2015	85	5		ug/L
Barium, total	LGW-5	7/8/2015	61	5		ug/L
Barium, total	LGW-5	1/5/2016	68	5		ug/L
Barium, total	LGW-5	7/19/2016	66	5		ug/L
Barium, total	LGW-5	1/11/2017	70	5		ug/L
Barium, total	LGW-5	7/18/2017	73	5		ug/L
Barium, total	LGW-5	1/23/2018	77	5		ug/L
Barium, total	LGW-5	7/12/2018	71	5		ug/L
Barium, total	LGW-5	1/3/2019	77	5		ug/L
Barium, total	LGW-5	7/9/2019	83	5		ug/L
Barium, total	LGW-5	1/14/2020	88.7	5		ug/L
Barium, total	LGW-5	7/6/2020	83.7	5		ug/L
Barium, total	LGW-5	1/18/2021	120	5		ug/L
Barium, total	LGW-5	4/6/2021	114	5		ug/L
Barium, total	LGW-5	7/7/2021	127	5		ug/L
Barium, total	LGW-5	10/5/2021	127	5		ug/L
Barium, total	LGW-5	1/12/2022	123	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-5	4/4/2022	126	5		ug/L
Barium, total	LGW-5	7/11/2022	119	5		ug/L
Barium, total	LGW-5	10/6/2022	134	5		ug/L
Barium, total	LGW-5	1/10/2023	109	5		ug/L
Barium, total	LGW-5	7/10/2023	120	5		ug/L
Barium, total	LGW-5	10/5/2023	132	5		ug/L
Barium, total	LGW-6	1/24/2006	58	5		ug/L
Barium, total	LGW-6	7/20/2006	52	5		ug/L
Barium, total	LGW-6	7/20/2006	52	5		ug/L
Barium, total	LGW-6	10/26/2006	62	5		ug/L
Barium, total	LGW-6	1/24/2007	51	5		ug/L
Barium, total	LGW-6	4/26/2007	48	5		ug/L
Barium, total	LGW-6	7/11/2007	51	5		ug/L
Barium, total	LGW-6	1/23/2008	49	5		ug/L
Barium, total	LGW-6	7/23/2008	49	5		ug/L
Barium, total	LGW-6	2/5/2009	54	5		ug/L
Barium, total	LGW-6	7/29/2009	51	5		ug/L
Barium, total	LGW-6	2/3/2010	51	5		ug/L
Barium, total	LGW-6	2/3/2010	51	5		ug/L
Barium, total	LGW-6	7/12/2010	53	5		ug/L
Barium, total	LGW-6	1/19/2011	53	5		ug/L
Barium, total	LGW-6	7/12/2011	45	5		ug/L
Barium, total	LGW-6	1/5/2012	49	5		ug/L
Barium, total	LGW-6	7/9/2012	49	5		ug/L
Barium, total	LGW-6	4/30/2013	52	5		ug/L
Barium, total	LGW-6	7/15/2013	53	5		ug/L
Barium, total	LGW-6	1/23/2014	51	5		ug/L
Barium, total	LGW-6	7/8/2014	50	5		ug/L
Barium, total	LGW-6	2/10/2015	58	5		ug/L
Barium, total	LGW-6	7/22/2015	57	5		ug/L
Barium, total	LGW-6	1/5/2016	65	5		ug/L
Barium, total	LGW-6	7/19/2016	75	5		ug/L
Barium, total	LGW-6	10/6/2016	73	5		ug/L
Barium, total	LGW-6	1/11/2017	61	5		ug/L
Barium, total	LGW-6	5/5/2017	71	5		ug/L
Barium, total	LGW-6	7/18/2017	82	5		ug/L
Barium, total	LGW-6	10/5/2017	80	5		ug/L
Barium, total	LGW-6	1/23/2018	100	5		ug/L
Barium, total	LGW-6	4/10/2018	110	5		ug/L
Barium, total	LGW-6	7/17/2018	110	5		ug/L
Barium, total	LGW-6	10/2/2018	110	5		ug/L
Barium, total	LGW-6	1/7/2019	110	5		ug/L
Barium, total	LGW-6	4/3/2019	110	5		ug/L
Barium, total	LGW-6	7/10/2019	140	5		ug/L
Barium, total	LGW-6	10/3/2019	120	5		ug/L
Barium, total	LGW-6	1/16/2020	146	5		ug/L
Barium, total	LGW-6	4/2/2020	140	5		ug/L
Barium, total	LGW-6	7/9/2020	151	5		ug/L
Barium, total	LGW-6	10/6/2020	149	8.5		ug/L
Barium, total	LGW-6	1/18/2021	175	5		ug/L
Barium, total	LGW-6	4/6/2021	174	5		ug/L
Barium, total	LGW-6	7/7/2021	194	5		ug/L
Barium, total	LGW-6	10/5/2021	202	5		ug/L
Barium, total	LGW-6	1/12/2022	204	5		ug/L
Barium, total	LGW-6	4/4/2022	206	5		ug/L
Barium, total	LGW-6	7/11/2022	188	5		ug/L
Barium, total	LGW-6	10/6/2022	214	5		ug/L
Barium, total	LGW-6	1/10/2023	189	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-6	4/6/2023	204	5		ug/L
Barium, total	LGW-6	7/10/2023	208	5		ug/L
Barium, total	LGW-6	10/5/2023	196	5		ug/L
Barium, total	LGW-7	1/25/2006	38	5		ug/L
Barium, total	LGW-7	8/1/2006	39	5		ug/L
Barium, total	LGW-7	8/1/2006	39	5		ug/L
Barium, total	LGW-7	10/26/2006	41	5		ug/L
Barium, total	LGW-7	1/24/2007	42	5		ug/L
Barium, total	LGW-7	4/26/2007	40	5		ug/L
Barium, total	LGW-7	7/12/2007	42	5		ug/L
Barium, total	LGW-7	7/22/2008	40	5		ug/L
Barium, total	LGW-7	2/4/2009	42	5		ug/L
Barium, total	LGW-7	7/31/2009	39	5		ug/L
Barium, total	LGW-7	1/27/2010	43	5		ug/L
Barium, total	LGW-7	7/12/2010	43	5		ug/L
Barium, total	LGW-7	1/20/2011	47	5		ug/L
Barium, total	LGW-7	7/12/2011	39	5		ug/L
Barium, total	LGW-7	1/5/2012	43	5		ug/L
Barium, total	LGW-7	7/10/2012	55	5		ug/L
Barium, total	LGW-7	4/30/2013	55	5		ug/L
Barium, total	LGW-7	7/15/2013	54	5		ug/L
Barium, total	LGW-7	1/23/2014	60	5		ug/L
Barium, total	LGW-7	7/8/2014	58	5		ug/L
Barium, total	LGW-7	2/11/2015	64	5		ug/L
Barium, total	LGW-7	7/22/2015	75	5		ug/L
Barium, total	LGW-7	1/5/2016	90	5		ug/L
Barium, total	LGW-7	4/6/2016	83	5		ug/L
Barium, total	LGW-7	7/20/2016	65	5		ug/L
Barium, total	LGW-7	10/6/2016	60	5		ug/L
Barium, total	LGW-7	1/11/2017	46	5		ug/L
Barium, total	LGW-7	4/4/2017	27	5		ug/L
Barium, total	LGW-7	7/18/2017	29	5		ug/L
Barium, total	LGW-7	10/5/2017	49	5		ug/L
Barium, total	LGW-7	1/24/2018	36	5		ug/L
Barium, total	LGW-7	4/11/2018	30	5		ug/L
Barium, total	LGW-7	7/12/2018	26	5		ug/L
Barium, total	LGW-7	10/2/2018	31	5		ug/L
Barium, total	LGW-7	1/7/2019	38	5		ug/L
Barium, total	LGW-7	4/3/2019	37	5		ug/L
Barium, total	LGW-7	7/10/2019	40	5		ug/L
Barium, total	LGW-7	10/3/2019	39	5		ug/L
Barium, total	LGW-7	1/15/2020	44.9	5		ug/L
Barium, total	LGW-7	7/9/2020	47.4	5		ug/L
Barium, total	LGW-7	1/18/2021	45.2	5		ug/L
Barium, total	LGW-7	7/7/2021	46.3	5		ug/L
Barium, total	LGW-7	10/5/2021	46.4	5		ug/L
Barium, total	LGW-7	1/13/2022	49.9	5		ug/L
Barium, total	LGW-7	7/11/2022	60.3	5		ug/L
Barium, total	LGW-7	1/11/2023	45.3	5		ug/L
Barium, total	LGW-7	7/10/2023	63.6	5		ug/L
Barium, total	LGW-8R	1/24/2006	73	5		ug/L
Barium, total	LGW-8R	7/20/2006	72	5		ug/L
Barium, total	LGW-8R	7/20/2006	72	5		ug/L
Barium, total	LGW-8R	10/26/2006	100	5		ug/L
Barium, total	LGW-8R	1/24/2007	90	5		ug/L
Barium, total	LGW-8R	4/25/2007	82	5		ug/L
Barium, total	LGW-8R	7/12/2007	73	5		ug/L
Barium, total	LGW-8R	2/4/2009	63	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-8R	7/29/2009	56	5		ug/L
Barium, total	LGW-8R	1/27/2010	59	5		ug/L
Barium, total	LGW-8R	7/14/2010	56	5		ug/L
Barium, total	LGW-8R	1/20/2011	66	5		ug/L
Barium, total	LGW-8R	7/12/2011	51	5		ug/L
Barium, total	LGW-8R	1/5/2012	54	5		ug/L
Barium, total	LGW-8R	7/9/2012	56	5		ug/L
Barium, total	LGW-8R	4/30/2013	60	5		ug/L
Barium, total	LGW-8R	7/15/2013	55	5		ug/L
Barium, total	LGW-8R	1/22/2014	53	5		ug/L
Barium, total	LGW-8R	7/8/2014	50	5		ug/L
Barium, total	LGW-8R	2/11/2015	63	5		ug/L
Barium, total	LGW-8R	7/22/2015	58	5		ug/L
Barium, total	LGW-8R	1/5/2016	64	5		ug/L
Barium, total	LGW-8R	7/20/2016	61	5		ug/L
Barium, total	LGW-8R	1/11/2017	76	5		ug/L
Barium, total	LGW-8R	7/18/2017	72	5		ug/L
Barium, total	LGW-8R	1/25/2018	78	5		ug/L
Barium, total	LGW-8R	6/21/2018	74	5		ug/L
Barium, total	LGW-8R	7/13/2018	68	5		ug/L
Barium, total	LGW-8R	1/7/2019	78	5		ug/L
Barium, total	LGW-8R	7/8/2019	78	5		ug/L
Barium, total	LGW-8R	1/14/2020	79.9	5		ug/L
Barium, total	LGW-8R	7/7/2020	76	5		ug/L
Barium, total	LGW-8R	1/17/2021	84.5	5		ug/L
Barium, total	LGW-8R	7/7/2021	75.8	5		ug/L
Barium, total	LGW-8R	1/13/2022	83.7	5		ug/L
Barium, total	LGW-8R	7/11/2022	78	5		ug/L
Barium, total	LGW-8R	1/11/2023	83.3	5		ug/L
Barium, total	LGW-8R	7/10/2023	87	5		ug/L
Barium, total	LGW-9	1/25/2006	130	5		ug/L
Barium, total	LGW-9	7/20/2006	130	5		ug/L
Barium, total	LGW-9	7/20/2006	130	5		ug/L
Barium, total	LGW-9	10/26/2006	120	5		ug/L
Barium, total	LGW-9	1/25/2007	120	5		ug/L
Barium, total	LGW-9	4/25/2007	120	5		ug/L
Barium, total	LGW-9	7/10/2007	120	5		ug/L
Barium, total	LGW-9	7/22/2008	120	5		ug/L
Barium, total	LGW-9	2/4/2009	110	5		ug/L
Barium, total	LGW-9	7/29/2009	110	5		ug/L
Barium, total	LGW-9	1/27/2010	130	5		ug/L
Barium, total	LGW-9	7/14/2010	150	5		ug/L
Barium, total	LGW-9	1/20/2011	140	5		ug/L
Barium, total	LGW-9	7/12/2011	140	5		ug/L
Barium, total	LGW-9	1/5/2012	140	5		ug/L
Barium, total	LGW-9	7/10/2012	150	5		ug/L
Barium, total	LGW-9	5/1/2013	140	5		ug/L
Barium, total	LGW-9	7/15/2013	130	5		ug/L
Barium, total	LGW-9	1/23/2014	110	5		ug/L
Barium, total	LGW-9	7/8/2014	110	5		ug/L
Barium, total	LGW-9	2/11/2015	140	5		ug/L
Barium, total	LGW-9	7/13/2015	130	5		ug/L
Barium, total	LGW-9	1/5/2016	140	5		ug/L
Barium, total	LGW-9	7/21/2016	180	5		ug/L
Barium, total	LGW-9	10/6/2016	170	5		ug/L
Barium, total	LGW-9	1/11/2017	180	5		ug/L
Barium, total	LGW-9	5/5/2017	190	5		ug/L
Barium, total	LGW-9	7/18/2017	200	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	LGW-9	10/5/2017	170	5		ug/L
Barium, total	LGW-9	1/24/2018	170	5		ug/L
Barium, total	LGW-9	4/11/2018	180	5		ug/L
Barium, total	LGW-9	7/13/2018	180	5		ug/L
Barium, total	LGW-9	10/2/2018	150	5		ug/L
Barium, total	LGW-9	1/7/2019	140	5		ug/L
Barium, total	LGW-9	4/3/2019	160	5		ug/L
Barium, total	LGW-9	7/10/2019	140	5		ug/L
Barium, total	LGW-9	10/3/2019	110	5		ug/L
Barium, total	LGW-9	1/16/2020	134	5		ug/L
Barium, total	LGW-9	4/2/2020	126	5		ug/L
Barium, total	LGW-9	7/9/2020	137	5		ug/L
Barium, total	LGW-9	10/7/2020	149	5		ug/L
Barium, total	LGW-9	1/17/2021	98	5		ug/L
Barium, total	LGW-9	4/6/2021	168	5		ug/L
Barium, total	LGW-9	7/7/2021	156	5		ug/L
Barium, total	LGW-9	10/5/2021	149	5		ug/L
Barium, total	LGW-9	1/13/2022	149	5		ug/L
Barium, total	LGW-9	4/4/2022	156	5		ug/L
Barium, total	LGW-9	7/11/2022	154	5		ug/L
Barium, total	LGW-9	10/7/2022	163	5		ug/L
Barium, total	LGW-9	1/11/2023	147	5		ug/L
Barium, total	LGW-9	4/5/2023	137	5		ug/L
Barium, total	LGW-9	7/10/2023	164	5		ug/L
Barium, total	LGW-9	10/5/2023	146	5		ug/L
Barium, total	MW-10N	10/22/1997	130	5		ug/L
Barium, total	MW-10N	1/22/1998	66	5		ug/L
Barium, total	MW-10N	4/28/1998	44	5		ug/L
Barium, total	MW-10N	7/23/1998	38	5		ug/L
Barium, total	MW-10N	1/14/1999	95	5		ug/L
Barium, total	MW-10N	4/13/1999	42	5		ug/L
Barium, total	MW-10N	7/15/1999	29	5		ug/L
Barium, total	MW-10N	10/20/1999	23	5		ug/L
Barium, total	MW-10N	1/14/2000	29	5		ug/L
Barium, total	MW-10N	4/25/2000	24	5		ug/L
Barium, total	MW-10N	7/11/2000	24	5		ug/L
Barium, total	MW-10N	10/17/2000	25	5		ug/L
Barium, total	MW-10N	1/24/2001	29	5		ug/L
Barium, total	MW-10N	4/10/2001	33	5		ug/L
Barium, total	MW-10N	7/10/2002	55	50		ug/L
Barium, total	MW-10N	10/2/2002	57	50		ug/L
Barium, total	MW-10N	1/22/2003	38	5		ug/L
Barium, total	MW-10N	4/15/2003	51	5		ug/L
Barium, total	MW-10N	7/8/2003	29	5		ug/L
Barium, total	MW-10N	1/28/2004	35	5		ug/L
Barium, total	MW-10N	7/27/2004	26	5		ug/L
Barium, total	MW-10N	1/12/2005	33	5		ug/L
Barium, total	MW-10N	7/20/2005	39	5		ug/L
Barium, total	MW-10N	1/19/2006	29	5		ug/L
Barium, total	MW-10N	7/19/2006	38	5		ug/L
Barium, total	MW-10N	7/19/2006	38	5		ug/L
Barium, total	MW-10N	10/25/2006	34	5		ug/L
Barium, total	MW-10N	1/24/2007	23	5		ug/L
Barium, total	MW-10N	7/10/2007	44	5		ug/L
Barium, total	MW-10N	1/23/2008	37	5		ug/L
Barium, total	MW-10N	7/21/2008	38	5		ug/L
Barium, total	MW-10N	2/13/2009	38	5		ug/L
Barium, total	MW-10N	7/31/2009	38	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-10N	1/27/2010	46	5		ug/L
Barium, total	MW-10N	8/10/2010	35	5		ug/L
Barium, total	MW-10N	1/19/2011	38	5		ug/L
Barium, total	MW-10N	7/14/2011	31	5		ug/L
Barium, total	MW-10N	1/5/2012	31	5		ug/L
Barium, total	MW-10N	7/10/2012	33	5		ug/L
Barium, total	MW-10N	5/1/2013	31	5		ug/L
Barium, total	MW-10N	1/24/2014	31	5		ug/L
Barium, total	MW-10N	7/9/2014	33	5		ug/L
Barium, total	MW-10N	2/12/2015	34	5		ug/L
Barium, total	MW-10N	7/14/2015	31	5		ug/L
Barium, total	MW-10N	1/6/2016	32	5		ug/L
Barium, total	MW-10N	7/21/2016	29	5		ug/L
Barium, total	MW-10N	1/11/2017	27	5		ug/L
Barium, total	MW-10N	7/19/2017	29	5		ug/L
Barium, total	MW-10N	1/24/2018	28	5		ug/L
Barium, total	MW-10N	7/11/2018	25	5		ug/L
Barium, total	MW-10N	1/3/2019	22	5		ug/L
Barium, total	MW-10N	7/9/2019	30	5		ug/L
Barium, total	MW-10N	1/16/2020	31.1	5		ug/L
Barium, total	MW-10N	7/8/2020	29	5		ug/L
Barium, total	MW-10N	1/13/2021	31.1	5		ug/L
Barium, total	MW-10N	7/5/2021	30.2	5		ug/L
Barium, total	MW-10N	1/11/2023	39.9	5		ug/L
Barium, total	MW-10N	7/7/2023	25.2	5		ug/L
Barium, total	MW-11N	10/22/1997	74	5		ug/L
Barium, total	MW-11N	1/21/1998	53	5		ug/L
Barium, total	MW-11N	4/28/1998	49	5		ug/L
Barium, total	MW-11N	7/23/1998	39	5		ug/L
Barium, total	MW-11N	1/13/1999	44	5		ug/L
Barium, total	MW-11N	4/13/1999	39	5		ug/L
Barium, total	MW-11N	7/14/1999	37	5		ug/L
Barium, total	MW-11N	10/20/1999	38	5		ug/L
Barium, total	MW-11N	1/13/2000	41	5		ug/L
Barium, total	MW-11N	4/25/2000	42	5		ug/L
Barium, total	MW-11N	7/10/2000	39	5		ug/L
Barium, total	MW-11N	10/17/2000	39	5		ug/L
Barium, total	MW-11N	1/24/2001	42	5		ug/L
Barium, total	MW-11N	4/10/2001	39	5		ug/L
Barium, total	MW-11N	7/9/2002	50	50	ND	ug/L
Barium, total	MW-11N	10/2/2002	53	50		ug/L
Barium, total	MW-11N	1/23/2003	55	5		ug/L
Barium, total	MW-11N	4/15/2003	50	5		ug/L
Barium, total	MW-11N	7/8/2003	59	5		ug/L
Barium, total	MW-11N	1/29/2004	92	5		ug/L
Barium, total	MW-11N	7/27/2004	91	5		ug/L
Barium, total	MW-11N	1/13/2005	97	5		ug/L
Barium, total	MW-11N	7/20/2005	84	5		ug/L
Barium, total	MW-11N	1/19/2006	120	5		ug/L
Barium, total	MW-11N	7/18/2006	140	5		ug/L
Barium, total	MW-11N	7/18/2006	140	5		ug/L
Barium, total	MW-11N	10/25/2006	140	5		ug/L
Barium, total	MW-11N	1/24/2007	140	5		ug/L
Barium, total	MW-11N	7/10/2007	81	5		ug/L
Barium, total	MW-11N	1/22/2008	65	5		ug/L
Barium, total	MW-11N	7/23/2008	54	5		ug/L
Barium, total	MW-11N	2/3/2009	51	5		ug/L
Barium, total	MW-11N	7/31/2009	65	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-11N	2/3/2010	54	5		ug/L
Barium, total	MW-11N	2/3/2010	54	5		ug/L
Barium, total	MW-11N	7/16/2010	55	5		ug/L
Barium, total	MW-11N	1/19/2011	55	5		ug/L
Barium, total	MW-11N	7/13/2011	48	5		ug/L
Barium, total	MW-11N	1/4/2012	50	5		ug/L
Barium, total	MW-11N	7/9/2012	59	5		ug/L
Barium, total	MW-11N	4/30/2013	77	5		ug/L
Barium, total	MW-11N	7/15/2013	61	5		ug/L
Barium, total	MW-11N	1/23/2014	52	5		ug/L
Barium, total	MW-11N	7/8/2014	69	5		ug/L
Barium, total	MW-11N	2/10/2015	53	5		ug/L
Barium, total	MW-11N	7/13/2015	67	5		ug/L
Barium, total	MW-11N	1/5/2016	66	5		ug/L
Barium, total	MW-11N	7/21/2016	64	5		ug/L
Barium, total	MW-11N	1/11/2017	66	5		ug/L
Barium, total	MW-11N	7/19/2017	65	5		ug/L
Barium, total	MW-11N	1/23/2018	65	5		ug/L
Barium, total	MW-11N	7/17/2018	64	5		ug/L
Barium, total	MW-11N	1/2/2019	72	5		ug/L
Barium, total	MW-11N	7/9/2019	66	5		ug/L
Barium, total	MW-11N	1/14/2020	65	5		ug/L
Barium, total	MW-11N	7/6/2020	59.1	5		ug/L
Barium, total	MW-11N	1/18/2021	49.1	5		ug/L
Barium, total	MW-11N	7/6/2021	52.8	5		ug/L
Barium, total	MW-11N	1/18/2022	52.5	5		ug/L
Barium, total	MW-11N	7/13/2022	50.2	5		ug/L
Barium, total	MW-11N	1/10/2023	50.9	5		ug/L
Barium, total	MW-11N	7/8/2023	51.1	5		ug/L
Barium, total	MW-15	6/5/2015	33	5		ug/L
Barium, total	MW-15	7/15/2015	25	5		ug/L
Barium, total	MW-15	8/5/2015	37	5		ug/L
Barium, total	MW-15	9/3/2015	24	5		ug/L
Barium, total	MW-15	1/7/2016	29	5		ug/L
Barium, total	MW-15	4/5/2016	23	5		ug/L
Barium, total	MW-15	7/20/2016	23	5		ug/L
Barium, total	MW-15	10/6/2016	22	5		ug/L
Barium, total	MW-15	1/10/2017	25	5		ug/L
Barium, total	MW-15	7/18/2017	23	5		ug/L
Barium, total	MW-15	1/23/2018	18	5		ug/L
Barium, total	MW-15	7/10/2018	21	5		ug/L
Barium, total	MW-15	1/3/2019	24	5		ug/L
Barium, total	MW-15	7/9/2019	21	5		ug/L
Barium, total	MW-15	1/14/2020	39.7	5		ug/L
Barium, total	MW-15	8/3/2020	29.7	5		ug/L
Barium, total	MW-15	1/18/2021	25.4	5		ug/L
Barium, total	MW-15	7/4/2021	24.4	5		ug/L
Barium, total	MW-15	1/12/2022	22.2	5		ug/L
Barium, total	MW-15	7/10/2022	20.3	5		ug/L
Barium, total	MW-15	1/10/2023	23.3	5		ug/L
Barium, total	MW-15	7/10/2023	24.2	5		ug/L
Barium, total	MW-16	6/5/2015	85	5		ug/L
Barium, total	MW-16	7/16/2015	66	5		ug/L
Barium, total	MW-16	8/5/2015	76	5		ug/L
Barium, total	MW-16	9/3/2015	79	5		ug/L
Barium, total	MW-16	1/8/2016	67	5		ug/L
Barium, total	MW-16	4/5/2016	65	5		ug/L
Barium, total	MW-16	7/21/2016	50	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-16	10/5/2016	44	5		ug/L
Barium, total	MW-16	1/10/2017	51	5		ug/L
Barium, total	MW-16	7/18/2017	50	5		ug/L
Barium, total	MW-16	1/23/2018	37	5		ug/L
Barium, total	MW-16	7/11/2018	35	5		ug/L
Barium, total	MW-16	1/2/2019	36	5		ug/L
Barium, total	MW-16	7/10/2019	36	5		ug/L
Barium, total	MW-16	1/14/2020	37	5		ug/L
Barium, total	MW-16	8/3/2020	35.8	5		ug/L
Barium, total	MW-16	1/18/2021	31	5		ug/L
Barium, total	MW-16	7/4/2021	32.4	5		ug/L
Barium, total	MW-16	1/12/2022	32.2	5		ug/L
Barium, total	MW-16	7/10/2022	33.2	5		ug/L
Barium, total	MW-16	1/10/2023	31.3	5		ug/L
Barium, total	MW-16	7/10/2023	32.7	5		ug/L
Barium, total	MW-17	6/5/2015	38	5		ug/L
Barium, total	MW-17	7/15/2015	32	5		ug/L
Barium, total	MW-17	8/4/2015	27	5		ug/L
Barium, total	MW-17	9/2/2015	29	5		ug/L
Barium, total	MW-17	1/7/2016	11	5		ug/L
Barium, total	MW-17	4/5/2016	21	5		ug/L
Barium, total	MW-17	7/20/2016	20	5		ug/L
Barium, total	MW-17	10/6/2016	91	5		ug/L
Barium, total	MW-17	1/10/2017	77	5		ug/L
Barium, total	MW-17	7/18/2017	77	5		ug/L
Barium, total	MW-17	1/23/2018	42	5		ug/L
Barium, total	MW-17	7/10/2018	53	5		ug/L
Barium, total	MW-17	1/3/2019	46	5		ug/L
Barium, total	MW-17	7/11/2019	70	5		ug/L
Barium, total	MW-17	1/14/2020	78.7	5		ug/L
Barium, total	MW-17	8/3/2020	78.9	5		ug/L
Barium, total	MW-17	1/14/2021	39.8	5		ug/L
Barium, total	MW-17	7/4/2021	71.4	5		ug/L
Barium, total	MW-17	1/10/2023	43.5	5		ug/L
Barium, total	MW-17	7/8/2023	33.8	5		ug/L
Barium, total	MW-19	6/5/2015	63	5		ug/L
Barium, total	MW-19	7/16/2015	91	5		ug/L
Barium, total	MW-19	8/5/2015	30	5		ug/L
Barium, total	MW-19	9/3/2015	34	5		ug/L
Barium, total	MW-19	1/7/2016	59	5		ug/L
Barium, total	MW-19	4/5/2016	47	5		ug/L
Barium, total	MW-19	7/21/2016	22	5		ug/L
Barium, total	MW-19	10/5/2016	37	5		ug/L
Barium, total	MW-19	1/10/2017	36	5		ug/L
Barium, total	MW-19	7/18/2017	150	5		ug/L
Barium, total	MW-19	1/23/2018	35	5		ug/L
Barium, total	MW-19	7/13/2018	25	5		ug/L
Barium, total	MW-19	1/7/2019	24	5		ug/L
Barium, total	MW-19	7/11/2019	30	5		ug/L
Barium, total	MW-19	1/14/2020	70.1	5		ug/L
Barium, total	MW-19	8/3/2020	46	5		ug/L
Barium, total	MW-19	1/14/2021	50.4	5		ug/L
Barium, total	MW-19	7/4/2021	42	5		ug/L
Barium, total	MW-19	1/11/2023	25.2	5		ug/L
Barium, total	MW-19	7/10/2023	22.1	5		ug/L
Barium, total	MW-1N	10/22/1997	40	5		ug/L
Barium, total	MW-1N	1/20/1998	40	5		ug/L
Barium, total	MW-1N	4/28/1998	58	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-1N	7/23/1998	59	5		ug/L
Barium, total	MW-1N	10/14/1998	53	5		ug/L
Barium, total	MW-1N	1/13/1999	56	5		ug/L
Barium, total	MW-1N	4/13/1999	180	5		ug/L
Barium, total	MW-1N	7/15/1999	110	5		ug/L
Barium, total	MW-1N	10/19/1999	71	5		ug/L
Barium, total	MW-1N	1/14/2000	66	5		ug/L
Barium, total	MW-1N	4/25/2000	54	5		ug/L
Barium, total	MW-1N	7/12/2000	200	5		ug/L
Barium, total	MW-1N	10/18/2000	150	5		ug/L
Barium, total	MW-1N	1/24/2001	99	5		ug/L
Barium, total	MW-1N	4/12/2001	270	5		ug/L
Barium, total	MW-1N	5/29/2002	190	5		ug/L
Barium, total	MW-1N	5/29/2002	190	5		ug/L
Barium, total	MW-1N	7/9/2002	140	50		ug/L
Barium, total	MW-1N	10/3/2002	130	50		ug/L
Barium, total	MW-1N	1/22/2003	140	5		ug/L
Barium, total	MW-1N	4/15/2003	110	5		ug/L
Barium, total	MW-1N	7/8/2003	110	5		ug/L
Barium, total	MW-1N	1/28/2004	110	5		ug/L
Barium, total	MW-1N	7/27/2004	84	5		ug/L
Barium, total	MW-1N	1/12/2005	67	5		ug/L
Barium, total	MW-1N	7/20/2005	59	5		ug/L
Barium, total	MW-1N	1/18/2006	57	5		ug/L
Barium, total	MW-1N	7/18/2006	45	5		ug/L
Barium, total	MW-1N	7/18/2006	45	5		ug/L
Barium, total	MW-1N	10/24/2006	48	5		ug/L
Barium, total	MW-1N	1/26/2007	48	5		ug/L
Barium, total	MW-1N	7/11/2007	42	5		ug/L
Barium, total	MW-1N	1/24/2008	38	5		ug/L
Barium, total	MW-1N	7/21/2008	38	5		ug/L
Barium, total	MW-1N	2/5/2009	38	5		ug/L
Barium, total	MW-1N	7/31/2009	38	5		ug/L
Barium, total	MW-1N	1/26/2010	37	5		ug/L
Barium, total	MW-1N	7/13/2010	39	5		ug/L
Barium, total	MW-1N	1/20/2011	35	5		ug/L
Barium, total	MW-1N	7/13/2011	41	5		ug/L
Barium, total	MW-1N	1/5/2012	41	5		ug/L
Barium, total	MW-1N	7/10/2012	37	5		ug/L
Barium, total	MW-1N	5/1/2013	41	5		ug/L
Barium, total	MW-1N	7/16/2013	38	5		ug/L
Barium, total	MW-1N	1/24/2014	31	5		ug/L
Barium, total	MW-1N	7/9/2014	35	5		ug/L
Barium, total	MW-1N	2/10/2015	35	5		ug/L
Barium, total	MW-1N	7/14/2015	87	5		ug/L
Barium, total	MW-1N	1/6/2016	88	5		ug/L
Barium, total	MW-1N	7/21/2016	76	5		ug/L
Barium, total	MW-1N	1/12/2017	52	5		ug/L
Barium, total	MW-1N	7/19/2017	54	5		ug/L
Barium, total	MW-1N	1/23/2018	42	5		ug/L
Barium, total	MW-1N	7/10/2018	40	5		ug/L
Barium, total	MW-1N	1/3/2019	38	5		ug/L
Barium, total	MW-1N	7/11/2019	57	5		ug/L
Barium, total	MW-1N	1/23/2020	58.3	5		ug/L
Barium, total	MW-1N	4/2/2020	45.9	5		ug/L
Barium, total	MW-1N	7/6/2020	41	5		ug/L
Barium, total	MW-1N	1/14/2021	36.3	5		ug/L
Barium, total	MW-1N	7/4/2021	37.3	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-1N	1/11/2023	39.7	5		ug/L
Barium, total	MW-1N	7/8/2023	39.7	5		ug/L
Barium, total	MW-20	6/5/2015	120	5		ug/L
Barium, total	MW-20	7/14/2015	110	5		ug/L
Barium, total	MW-20	8/4/2015	120	5		ug/L
Barium, total	MW-20	9/2/2015	110	5		ug/L
Barium, total	MW-20	1/7/2016	130	5		ug/L
Barium, total	MW-20	4/5/2016	76	5		ug/L
Barium, total	MW-20	7/20/2016	78	5		ug/L
Barium, total	MW-20	10/5/2016	73	5		ug/L
Barium, total	MW-20	1/12/2017	88	5		ug/L
Barium, total	MW-20	7/18/2017	75	5		ug/L
Barium, total	MW-20	1/26/2018	92	5		ug/L
Barium, total	MW-20	7/12/2018	79	5		ug/L
Barium, total	MW-20	7/11/2019	92	5		ug/L
Barium, total	MW-20	1/14/2020	105	5		ug/L
Barium, total	MW-20	7/7/2020	94.3	5		ug/L
Barium, total	MW-20	1/17/2021	132	5		ug/L
Barium, total	MW-20	7/4/2021	105	5		ug/L
Barium, total	MW-20	1/11/2023	102	5		ug/L
Barium, total	MW-21	6/5/2015	340	5		ug/L
Barium, total	MW-21	7/14/2015	320	5		ug/L
Barium, total	MW-21	8/4/2015	320	5		ug/L
Barium, total	MW-21	9/2/2015	330	5		ug/L
Barium, total	MW-21	1/7/2016	200	5		ug/L
Barium, total	MW-21	4/5/2016	310	5		ug/L
Barium, total	MW-21	7/20/2016	290	5		ug/L
Barium, total	MW-21	10/5/2016	220	5		ug/L
Barium, total	MW-21	10/5/2016	220	5		ug/L
Barium, total	MW-21	1/10/2017	270	5		ug/L
Barium, total	MW-21	4/5/2017	290	5		ug/L
Barium, total	MW-21	7/19/2017	280	5		ug/L
Barium, total	MW-21	10/6/2017	260	5		ug/L
Barium, total	MW-21	1/24/2018	220	5		ug/L
Barium, total	MW-21	4/11/2018	390	5		ug/L
Barium, total	MW-21	7/11/2018	280	5		ug/L
Barium, total	MW-21	10/4/2018	250	5		ug/L
Barium, total	MW-21	1/3/2019	370	5		ug/L
Barium, total	MW-21	4/3/2019	300	5		ug/L
Barium, total	MW-21	7/11/2019	290	5		ug/L
Barium, total	MW-21	10/2/2019	280	5		ug/L
Barium, total	MW-21	1/16/2020	280	5		ug/L
Barium, total	MW-21	4/2/2020	246	5		ug/L
Barium, total	MW-21	7/8/2020	229	5		ug/L
Barium, total	MW-21	10/7/2020	196	5		ug/L
Barium, total	MW-21	1/13/2021	261	5		ug/L
Barium, total	MW-21	4/6/2021	202	5		ug/L
Barium, total	MW-21	7/5/2021	207	5		ug/L
Barium, total	MW-21	10/6/2021	160	5		ug/L
Barium, total	MW-21	1/11/2023	201	5		ug/L
Barium, total	MW-21	4/8/2023	170	5		ug/L
Barium, total	MW-21	7/7/2023	180	5		ug/L
Barium, total	MW-21	10/6/2023	294	5		ug/L
Barium, total	MW-2N	10/22/1997	47	5		ug/L
Barium, total	MW-2N	1/21/1998	53	5		ug/L
Barium, total	MW-2N	4/28/1998	46	5		ug/L
Barium, total	MW-2N	7/22/1998	39	5		ug/L
Barium, total	MW-2N	1/13/1999	40	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-2N	4/13/1999	38	5		ug/L
Barium, total	MW-2N	7/14/1999	32	5		ug/L
Barium, total	MW-2N	10/20/1999	33	5		ug/L
Barium, total	MW-2N	1/14/2000	34	5		ug/L
Barium, total	MW-2N	4/25/2000	33	5		ug/L
Barium, total	MW-2N	10/17/2000	32	5		ug/L
Barium, total	MW-2N	1/24/2001	33	5		ug/L
Barium, total	MW-2N	4/11/2001	34	5		ug/L
Barium, total	MW-2N	7/10/2002	50	50	ND	ug/L
Barium, total	MW-2N	10/2/2002	50	50	ND	ug/L
Barium, total	MW-2N	1/22/2003	38	5		ug/L
Barium, total	MW-2N	4/14/2003	36	5		ug/L
Barium, total	MW-2N	7/7/2003	34	5		ug/L
Barium, total	MW-2N	1/28/2004	40	5		ug/L
Barium, total	MW-2N	7/27/2004	34	5		ug/L
Barium, total	MW-2N	1/12/2005	32	5		ug/L
Barium, total	MW-2N	7/20/2005	33	5		ug/L
Barium, total	MW-2N	1/19/2006	37	5		ug/L
Barium, total	MW-2N	7/19/2006	32	5		ug/L
Barium, total	MW-2N	7/19/2006	32	5		ug/L
Barium, total	MW-2N	10/25/2006	35	5		ug/L
Barium, total	MW-2N	1/26/2007	41	5		ug/L
Barium, total	MW-2N	7/11/2007	37	5		ug/L
Barium, total	MW-2N	1/24/2008	39	5		ug/L
Barium, total	MW-2N	7/22/2008	35	5		ug/L
Barium, total	MW-2N	2/4/2009	39	5		ug/L
Barium, total	MW-2N	7/31/2009	37	5		ug/L
Barium, total	MW-2N	1/26/2010	38	5		ug/L
Barium, total	MW-2N	7/13/2010	43	5		ug/L
Barium, total	MW-2N	1/20/2011	45	5		ug/L
Barium, total	MW-2N	7/13/2011	39	5		ug/L
Barium, total	MW-2N	1/5/2012	39	5		ug/L
Barium, total	MW-2N	7/10/2012	43	5		ug/L
Barium, total	MW-2N	5/1/2013	42	5		ug/L
Barium, total	MW-2N	7/16/2013	41	5		ug/L
Barium, total	MW-2N	1/24/2014	42	5		ug/L
Barium, total	MW-2N	7/9/2014	50	5		ug/L
Barium, total	MW-2N	2/12/2015	45	5		ug/L
Barium, total	MW-2N	7/14/2015	34	5		ug/L
Barium, total	MW-2N	1/6/2016	66	5		ug/L
Barium, total	MW-2N	7/21/2016	64	5		ug/L
Barium, total	MW-2N	1/11/2017	56	5		ug/L
Barium, total	MW-2N	7/19/2017	61	5		ug/L
Barium, total	MW-2N	1/23/2018	61	5		ug/L
Barium, total	MW-2N	6/21/2018	59	5		ug/L
Barium, total	MW-2N	7/12/2018	51	5		ug/L
Barium, total	MW-2N	1/3/2019	60	5		ug/L
Barium, total	MW-2N	4/3/2019	61	5		ug/L
Barium, total	MW-2N	8/7/2019	99	5		ug/L
Barium, total	MW-2N	1/23/2020	85.2	5		ug/L
Barium, total	MW-2N	7/7/2020	73.8	5		ug/L
Barium, total	MW-2N	1/14/2021	75.1	5		ug/L
Barium, total	MW-2N	7/5/2021	74.1	5		ug/L
Barium, total	MW-2N	1/11/2023	81.8	5		ug/L
Barium, total	MW-2N	7/8/2023	85.9	5		ug/L
Barium, total	MW-3N	10/21/1997	100	5		ug/L
Barium, total	MW-3N	1/21/1998	110	5		ug/L
Barium, total	MW-3N	4/28/1998	130	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-3N	7/23/1998	140	5		ug/L
Barium, total	MW-3N	1/13/1999	140	5		ug/L
Barium, total	MW-3N	4/13/1999	140	5		ug/L
Barium, total	MW-3N	7/14/1999	130	5		ug/L
Barium, total	MW-3N	10/20/1999	140	5		ug/L
Barium, total	MW-3N	1/14/2000	150	5		ug/L
Barium, total	MW-3N	4/24/2000	140	5		ug/L
Barium, total	MW-3N	7/11/2000	140	5		ug/L
Barium, total	MW-3N	10/17/2000	130	5		ug/L
Barium, total	MW-3N	1/23/2001	120	5		ug/L
Barium, total	MW-3N	4/11/2001	150	5		ug/L
Barium, total	MW-3N	5/29/2002	150	5		ug/L
Barium, total	MW-3N	5/29/2002	150	5		ug/L
Barium, total	MW-3N	7/9/2002	170	50		ug/L
Barium, total	MW-3N	10/2/2002	210	50		ug/L
Barium, total	MW-3N	1/22/2003	180	5		ug/L
Barium, total	MW-3N	4/14/2003	180	5		ug/L
Barium, total	MW-3N	7/7/2003	180	5		ug/L
Barium, total	MW-3N	1/28/2004	180	5		ug/L
Barium, total	MW-3N	7/27/2004	190	5		ug/L
Barium, total	MW-3N	1/12/2005	170	5		ug/L
Barium, total	MW-3N	7/20/2005	170	5		ug/L
Barium, total	MW-3N	1/18/2006	190	5		ug/L
Barium, total	MW-3N	7/19/2006	170	5		ug/L
Barium, total	MW-3N	7/19/2006	170	5		ug/L
Barium, total	MW-3N	10/25/2006	180	5		ug/L
Barium, total	MW-3N	1/26/2007	170	5		ug/L
Barium, total	MW-3N	7/11/2007	190	5		ug/L
Barium, total	MW-3N	1/24/2008	180	5		ug/L
Barium, total	MW-3N	7/22/2008	170	5		ug/L
Barium, total	MW-3N	2/4/2009	180	5		ug/L
Barium, total	MW-3N	7/31/2009	180	5		ug/L
Barium, total	MW-3N	1/26/2010	170	5		ug/L
Barium, total	MW-3N	7/13/2010	180	5		ug/L
Barium, total	MW-3N	1/20/2011	170	5		ug/L
Barium, total	MW-3N	7/14/2011	150	5		ug/L
Barium, total	MW-3N	1/5/2012	160	5		ug/L
Barium, total	MW-3N	7/11/2012	160	5		ug/L
Barium, total	MW-3N	5/1/2013	150	5		ug/L
Barium, total	MW-3N	6/4/2013	150	5		ug/L
Barium, total	MW-3N	7/16/2013	160	5		ug/L
Barium, total	MW-3N	1/24/2014	140	5		ug/L
Barium, total	MW-3N	7/9/2014	160	5		ug/L
Barium, total	MW-3N	2/12/2015	140	5		ug/L
Barium, total	MW-3N	4/1/2015	150	5		ug/L
Barium, total	MW-3N	7/14/2015	150	5		ug/L
Barium, total	MW-3N	10/5/2015	160	5		ug/L
Barium, total	MW-3N	1/6/2016	160	5		ug/L
Barium, total	MW-3N	4/6/2016	150	5		ug/L
Barium, total	MW-3N	7/21/2016	150	5		ug/L
Barium, total	MW-3N	10/6/2016	130	5		ug/L
Barium, total	MW-3N	1/11/2017	100	5		ug/L
Barium, total	MW-3N	4/4/2017	100	5		ug/L
Barium, total	MW-3N	7/19/2017	150	5		ug/L
Barium, total	MW-3N	10/9/2017	130	5		ug/L
Barium, total	MW-3N	1/24/2018	110	5		ug/L
Barium, total	MW-3N	4/10/2018	110	5		ug/L
Barium, total	MW-3N	7/13/2018	120	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-3N	10/3/2018	120	5		ug/L
Barium, total	MW-3N	1/7/2019	110	5		ug/L
Barium, total	MW-3N	4/3/2019	120	5		ug/L
Barium, total	MW-3N	7/11/2019	130	5		ug/L
Barium, total	MW-3N	10/2/2019	100	5		ug/L
Barium, total	MW-3N	1/15/2020	111	5		ug/L
Barium, total	MW-3N	4/2/2020	93.3	5		ug/L
Barium, total	MW-3N	7/7/2020	121	5		ug/L
Barium, total	MW-3N	10/7/2020	133	5		ug/L
Barium, total	MW-3N	1/13/2021	102	5		ug/L
Barium, total	MW-3N	4/6/2021	77.4	5		ug/L
Barium, total	MW-3N	7/5/2021	108	5		ug/L
Barium, total	MW-3N	10/6/2021	147	5		ug/L
Barium, total	MW-3N	1/11/2023	86.1	5		ug/L
Barium, total	MW-3N	7/7/2023	72.4	5		ug/L
Barium, total	MW-3N	10/6/2023	74.1	5		ug/L
Barium, total	MW-7N	10/21/1997	61	5		ug/L
Barium, total	MW-7N	1/21/1998	280	5		ug/L
Barium, total	MW-7N	7/22/1998	240	5		ug/L
Barium, total	MW-7N	8/18/1998	210	5		ug/L
Barium, total	MW-7N	9/17/1998	220	5		ug/L
Barium, total	MW-7N	10/15/1998	230	5		ug/L
Barium, total	MW-7N	11/9/1998	240	5		ug/L
Barium, total	MW-7N	1/14/1999	290	5		ug/L
Barium, total	MW-7N	4/14/1999	220	5		ug/L
Barium, total	MW-7N	7/14/1999	270	5		ug/L
Barium, total	MW-7N	10/19/1999	280	5		ug/L
Barium, total	MW-7N	1/13/2000	300	5		ug/L
Barium, total	MW-7N	4/25/2000	310	5		ug/L
Barium, total	MW-7N	7/11/2000	320	5		ug/L
Barium, total	MW-7N	10/17/2000	310	5		ug/L
Barium, total	MW-7N	1/23/2001	310	5		ug/L
Barium, total	MW-7N	4/10/2001	310	5		ug/L
Barium, total	MW-7N	5/29/2002	340	5		ug/L
Barium, total	MW-7N	5/29/2002	340	5		ug/L
Barium, total	MW-7N	7/9/2002	330	50		ug/L
Barium, total	MW-7N	10/2/2002	320	50		ug/L
Barium, total	MW-7N	1/23/2003	230	5		ug/L
Barium, total	MW-7N	4/14/2003	360	5		ug/L
Barium, total	MW-7N	7/7/2003	280	5		ug/L
Barium, total	MW-7N	1/27/2004	340	5		ug/L
Barium, total	MW-7N	4/8/2004	320	5		ug/L
Barium, total	MW-7N	7/26/2004	320	5		ug/L
Barium, total	MW-7N	1/12/2005	300	5		ug/L
Barium, total	MW-7N	7/19/2005	280	5		ug/L
Barium, total	MW-7N	1/19/2006	280	5		ug/L
Barium, total	MW-7N	7/19/2006	290	5		ug/L
Barium, total	MW-7N	7/19/2006	290	5		ug/L
Barium, total	MW-7N	10/24/2006	280	5		ug/L
Barium, total	MW-7N	1/26/2007	250	5		ug/L
Barium, total	MW-7N	7/10/2007	250	5		ug/L
Barium, total	MW-7N	7/21/2008	150	5		ug/L
Barium, total	MW-7N	2/6/2009	150	5		ug/L
Barium, total	MW-7N	7/29/2009	150	5		ug/L
Barium, total	MW-7N	1/26/2010	120	5		ug/L
Barium, total	MW-7N	7/14/2010	120	5		ug/L
Barium, total	MW-7N	1/20/2011	91	5		ug/L
Barium, total	MW-7N	7/12/2011	96	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-7N	1/5/2012	97	5		ug/L
Barium, total	MW-7N	7/10/2012	95	5		ug/L
Barium, total	MW-7N	5/1/2013	270	5		ug/L
Barium, total	MW-7N	6/4/2013	210	5		ug/L
Barium, total	MW-7N	7/15/2013	120	5		ug/L
Barium, total	MW-7N	1/30/2014	98	5		ug/L
Barium, total	MW-7N	7/9/2014	90	5		ug/L
Barium, total	MW-7N	2/12/2015	120	5		ug/L
Barium, total	MW-7N	7/13/2015	83	5		ug/L
Barium, total	MW-7N	1/5/2016	89	5		ug/L
Barium, total	MW-7N	7/21/2016	96	5		ug/L
Barium, total	MW-7N	1/11/2017	240	5		ug/L
Barium, total	MW-7N	4/4/2017	110	5		ug/L
Barium, total	MW-7N	7/19/2017	150	5		ug/L
Barium, total	MW-7N	10/5/2017	150	5		ug/L
Barium, total	MW-7N	1/25/2018	160	5		ug/L
Barium, total	MW-7N	4/11/2018	150	5		ug/L
Barium, total	MW-7N	7/13/2018	110	5		ug/L
Barium, total	MW-7N	1/4/2019	120	5		ug/L
Barium, total	MW-7N	7/10/2019	120	5		ug/L
Barium, total	MW-7N	1/16/2020	129	5		ug/L
Barium, total	MW-7N	7/7/2020	128	5		ug/L
Barium, total	MW-7N	1/16/2021	150	5		ug/L
Barium, total	MW-7N	7/5/2021	145	5		ug/L
Barium, total	MW-7N	1/12/2022	141	5		ug/L
Barium, total	MW-7N	7/10/2022	135	5		ug/L
Barium, total	MW-7N	1/10/2023	129	5		ug/L
Barium, total	MW-7N	7/7/2023	134	5		ug/L
Barium, total	MW-8N	10/21/1997	82	5		ug/L
Barium, total	MW-8N	1/22/1998	130	5		ug/L
Barium, total	MW-8N	4/28/1998	140	5		ug/L
Barium, total	MW-8N	7/22/1998	140	5		ug/L
Barium, total	MW-8N	1/12/1999	210	5		ug/L
Barium, total	MW-8N	4/13/1999	180	5		ug/L
Barium, total	MW-8N	7/14/1999	280	5		ug/L
Barium, total	MW-8N	10/19/1999	190	5		ug/L
Barium, total	MW-8N	1/14/2000	200	5		ug/L
Barium, total	MW-8N	4/25/2000	160	5		ug/L
Barium, total	MW-8N	10/17/2000	170	5		ug/L
Barium, total	MW-8N	1/23/2001	170	5		ug/L
Barium, total	MW-8N	4/11/2001	210	5		ug/L
Barium, total	MW-8N	5/29/2002	300	5		ug/L
Barium, total	MW-8N	5/29/2002	300	5		ug/L
Barium, total	MW-8N	7/9/2002	210	50		ug/L
Barium, total	MW-8N	10/2/2002	190	50		ug/L
Barium, total	MW-8N	1/23/2003	190	5		ug/L
Barium, total	MW-8N	4/14/2003	180	5		ug/L
Barium, total	MW-8N	7/7/2003	170	5		ug/L
Barium, total	MW-8N	1/28/2004	170	5		ug/L
Barium, total	MW-8N	7/27/2004	220	5		ug/L
Barium, total	MW-8N	1/12/2005	240	5		ug/L
Barium, total	MW-8N	7/20/2005	260	5		ug/L
Barium, total	MW-8N	1/19/2006	230	5		ug/L
Barium, total	MW-8N	7/19/2006	250	5		ug/L
Barium, total	MW-8N	7/19/2006	250	5		ug/L
Barium, total	MW-8N	10/24/2006	260	5		ug/L
Barium, total	MW-8N	1/26/2007	270	5		ug/L
Barium, total	MW-8N	4/25/2007	240	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	MW-8N	7/10/2007	220	5		ug/L
Barium, total	MW-8N	1/24/2008	220	5		ug/L
Barium, total	MW-8N	7/23/2008	190	5		ug/L
Barium, total	MW-8N	2/4/2009	160	5		ug/L
Barium, total	MW-8N	7/31/2009	160	5		ug/L
Barium, total	MW-8N	1/26/2010	150	5		ug/L
Barium, total	MW-8N	7/16/2010	160	5		ug/L
Barium, total	MW-8N	1/19/2011	160	5		ug/L
Barium, total	MW-8N	5/10/2011	170	5		ug/L
Barium, total	MW-8N	7/14/2011	150	5		ug/L
Barium, total	MW-8N	1/6/2012	150	5		ug/L
Barium, total	MW-8N	4/5/2012	160	5		ug/L
Barium, total	MW-8N	7/11/2012	150	5		ug/L
Barium, total	MW-8N	10/3/2012	170	5		ug/L
Barium, total	MW-8N	5/1/2013	160	5		ug/L
Barium, total	MW-8N	6/4/2013	160	5		ug/L
Barium, total	MW-8N	7/16/2013	150	5		ug/L
Barium, total	MW-8N	10/2/2013	150	5		ug/L
Barium, total	MW-8N	1/30/2014	150	5		ug/L
Barium, total	MW-8N	4/3/2014	140	5		ug/L
Barium, total	MW-8N	7/9/2014	150	5		ug/L
Barium, total	MW-8N	10/8/2014	120	5		ug/L
Barium, total	MW-8N	2/12/2015	150	5		ug/L
Barium, total	MW-8N	4/1/2015	150	5		ug/L
Barium, total	MW-8N	7/14/2015	150	5		ug/L
Barium, total	MW-8N	10/5/2015	160	5		ug/L
Barium, total	MW-8N	1/5/2016	180	5		ug/L
Barium, total	MW-8N	4/6/2016	180	5		ug/L
Barium, total	MW-8N	7/21/2016	170	5		ug/L
Barium, total	MW-8N	10/6/2016	150	5		ug/L
Barium, total	MW-8N	1/11/2017	180	5		ug/L
Barium, total	MW-8N	4/4/2017	160	5		ug/L
Barium, total	MW-8N	7/19/2017	180	5		ug/L
Barium, total	MW-8N	10/6/2017	170	5		ug/L
Barium, total	MW-8N	1/25/2018	180	5		ug/L
Barium, total	MW-8N	4/10/2018	180	5		ug/L
Barium, total	MW-8N	7/16/2018	180	5		ug/L
Barium, total	MW-8N	10/2/2018	160	5		ug/L
Barium, total	MW-8N	1/7/2019	170	5		ug/L
Barium, total	MW-8N	4/3/2019	180	5		ug/L
Barium, total	MW-8N	7/11/2019	180	5		ug/L
Barium, total	MW-8N	10/3/2019	160	5		ug/L
Barium, total	MW-8N	1/15/2020	169	5		ug/L
Barium, total	MW-8N	4/2/2020	162	5		ug/L
Barium, total	MW-8N	7/9/2020	165	5		ug/L
Barium, total	MW-8N	10/6/2020	155	5		ug/L
Barium, total	MW-8N	1/15/2021	157	5		ug/L
Barium, total	MW-8N	4/6/2021	136	5		ug/L
Barium, total	MW-8N	7/5/2021	144	5		ug/L
Barium, total	MW-8N	10/6/2021	144	5		ug/L
Barium, total	MW-8N	1/18/2022	141	5		ug/L
Barium, total	MW-8N	4/4/2022	147	5		ug/L
Barium, total	MW-8N	7/12/2022	144	5		ug/L
Barium, total	MW-8N	10/6/2022	147	5		ug/L
Barium, total	MW-8N	1/11/2023	139	5		ug/L
Barium, total	MW-8N	4/8/2023	142	5		ug/L
Barium, total	MW-8N	7/7/2023	141	5		ug/L
Barium, total	MW-8N	10/5/2023	137	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-1	7/10/2002	50	50	ND	ug/L
Barium, total	NE-1	8/6/2002	50	50	ND	ug/L
Barium, total	NE-1	9/4/2002	50	50	ND	ug/L
Barium, total	NE-1	10/2/2002	50	50	ND	ug/L
Barium, total	NE-1	7/8/2003	5	5	ND	ug/L
Barium, total	NE-1	1/27/2004	39	5		ug/L
Barium, total	NE-1	1/12/2005	5	5	ND	ug/L
Barium, total	NE-1	7/19/2006	5	5	ND	ug/L
Barium, total	NE-1	7/19/2006	5	5	ND	ug/L
Barium, total	NE-1	10/25/2006	5	5	ND	ug/L
Barium, total	NE-1	1/24/2007	5	5	ND	ug/L
Barium, total	NE-1	7/10/2007	12	5		ug/L
Barium, total	NE-1	1/24/2008	8.6	5		ug/L
Barium, total	NE-1	7/21/2008	5	5	ND	ug/L
Barium, total	NE-1	2/7/2009	20	5		ug/L
Barium, total	NE-1	7/31/2009	5	5	ND	ug/L
Barium, total	NE-1	1/26/2010	5	5	ND	ug/L
Barium, total	NE-1	7/14/2010	16	5		ug/L
Barium, total	NE-1	1/19/2011	3.8	5	ND	ug/L
Barium, total	NE-1	7/13/2011	5	5	ND	ug/L
Barium, total	NE-1	1/5/2012	2.2	5	ND	ug/L
Barium, total	NE-1	7/10/2012	6.5	5		ug/L
Barium, total	NE-1	4/30/2013	2.3	5	ND	ug/L
Barium, total	NE-1	7/16/2013	0.8	5	ND	ug/L
Barium, total	NE-1	1/23/2014	20	5		ug/L
Barium, total	NE-1	7/9/2014	3.3	5	ND	ug/L
Barium, total	NE-1	2/11/2015	2.7	5	ND	ug/L
Barium, total	NE-1	7/8/2015	1.8	5	ND	ug/L
Barium, total	NE-1	1/6/2016	7.7	5		ug/L
Barium, total	NE-1	7/20/2016	7.2	5		ug/L
Barium, total	NE-1	1/11/2017	7.3	5		ug/L
Barium, total	NE-1	7/19/2017	10	5		ug/L
Barium, total	NE-1	1/24/2018	12	5		ug/L
Barium, total	NE-1	4/11/2018	14	5		ug/L
Barium, total	NE-1	7/18/2018	13	5		ug/L
Barium, total	NE-1	10/2/2018	15	5		ug/L
Barium, total	NE-1	1/4/2019	14	5		ug/L
Barium, total	NE-1	4/2/2019	16	5		ug/L
Barium, total	NE-1	7/10/2019	16	5		ug/L
Barium, total	NE-1	7/10/2019	16	5		ug/L
Barium, total	NE-1	10/2/2019	12	5		ug/L
Barium, total	NE-1	1/15/2020	20.9	5		ug/L
Barium, total	NE-1	4/2/2020	21.8	5		ug/L
Barium, total	NE-1	7/8/2020	20.1	5		ug/L
Barium, total	NE-1	10/7/2020	23.6	5		ug/L
Barium, total	NE-1	1/13/2021	23.6	5		ug/L
Barium, total	NE-1	4/9/2021	28.5	5		ug/L
Barium, total	NE-1	7/2/2021	22.2	5		ug/L
Barium, total	NE-1	10/6/2021	22.4	5		ug/L
Barium, total	NE-1	1/17/2022	24.9	5		ug/L
Barium, total	NE-1	4/6/2022	22.3	5		ug/L
Barium, total	NE-1	7/13/2022	18.7	5		ug/L
Barium, total	NE-1	10/6/2022	17.9	5		ug/L
Barium, total	NE-1	1/5/2023	22.3	5		ug/L
Barium, total	NE-1	4/7/2023	19.5	5		ug/L
Barium, total	NE-1	7/5/2023	20.1	5		ug/L
Barium, total	NE-1	10/5/2023	18.7	5		ug/L
Barium, total	NE-10D	11/6/2019	25	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-10D	1/16/2020	23.9	5		ug/L
Barium, total	NE-10D	4/2/2020	23.4	5		ug/L
Barium, total	NE-10D	7/8/2020	20.1	5		ug/L
Barium, total	NE-10D	10/7/2020	19.1	5		ug/L
Barium, total	NE-10D	1/13/2021	19.1	5		ug/L
Barium, total	NE-10D	4/9/2021	20.3	5		ug/L
Barium, total	NE-10D	7/2/2021	20.2	5		ug/L
Barium, total	NE-10D	10/7/2021	17.6	5		ug/L
Barium, total	NE-10D	1/6/2023	23.3	5		ug/L
Barium, total	NE-10D	4/6/2023	23.6	5		ug/L
Barium, total	NE-10D	7/8/2023	20.6	5		ug/L
Barium, total	NE-10D	10/3/2023	19	5		ug/L
Barium, total	NE-11	3/1/2017	56	5		ug/L
Barium, total	NE-11	4/6/2017	56	5		ug/L
Barium, total	NE-11	7/20/2017	58	5		ug/L
Barium, total	NE-11	10/9/2017	56	5		ug/L
Barium, total	NE-11	9/30/2019	50	5		ug/L
Barium, total	NE-11	1/14/2020	71.3	5		ug/L
Barium, total	NE-11	7/7/2020	65.5	5		ug/L
Barium, total	NE-11	1/16/2021	60	5		ug/L
Barium, total	NE-11	1/16/2021	64.4	5		ug/L
Barium, total	NE-11	7/1/2021	59.5	5		ug/L
Barium, total	NE-11	1/17/2022	60.2	5		ug/L
Barium, total	NE-11	1/17/2022	56.9	5		ug/L
Barium, total	NE-11	7/12/2022	57	5		ug/L
Barium, total	NE-11	1/6/2023	55.7	5		ug/L
Barium, total	NE-11	7/6/2023	62.3	5		ug/L
Barium, total	NE-12	3/1/2017	59	5		ug/L
Barium, total	NE-12	4/6/2017	80	5		ug/L
Barium, total	NE-12	7/20/2017	44	5		ug/L
Barium, total	NE-12	10/6/2017	37	5		ug/L
Barium, total	NE-12	8/5/2019	27	5		ug/L
Barium, total	NE-12	1/13/2020	54.5	5		ug/L
Barium, total	NE-12	7/7/2020	22.7	5		ug/L
Barium, total	NE-12	1/15/2021	59.3	5		ug/L
Barium, total	NE-12	1/15/2021	57.5	5		ug/L
Barium, total	NE-12	7/1/2021	41.7	5		ug/L
Barium, total	NE-12	1/17/2022	47.2	5		ug/L
Barium, total	NE-12	1/17/2022	46	5		ug/L
Barium, total	NE-12	7/12/2022	25.6	5		ug/L
Barium, total	NE-12	1/6/2023	39.5	5		ug/L
Barium, total	NE-12	7/5/2023	23.5	5		ug/L
Barium, total	NE-13	2/5/2019	53	5		ug/L
Barium, total	NE-13	8/7/2019	91	5		ug/L
Barium, total	NE-13	1/15/2020	78.8	5		ug/L
Barium, total	NE-13	7/8/2020	98	5		ug/L
Barium, total	NE-13	1/17/2021	84.4	5		ug/L
Barium, total	NE-13	1/17/2021	86.3	5		ug/L
Barium, total	NE-13	7/1/2021	279	5		ug/L
Barium, total	NE-14D	10/2/2019	49	5		ug/L
Barium, total	NE-14D	1/16/2020	52.9	5		ug/L
Barium, total	NE-14D	4/3/2020	50.3	5		ug/L
Barium, total	NE-14D	7/7/2020	49.8	5		ug/L
Barium, total	NE-14D	10/6/2020	56.2	5		ug/L
Barium, total	NE-14D	1/17/2021	57.6	5		ug/L
Barium, total	NE-14D	4/9/2021	59.2	5		ug/L
Barium, total	NE-14D	7/2/2021	58	5		ug/L
Barium, total	NE-14D	10/7/2021	60.7	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-14D	1/18/2022	58.7	5		ug/L
Barium, total	NE-14D	4/6/2022	61.1	5		ug/L
Barium, total	NE-14D	7/13/2022	58.8	5		ug/L
Barium, total	NE-14D	10/7/2022	60.5	5		ug/L
Barium, total	NE-14D	1/6/2023	66.1	5		ug/L
Barium, total	NE-14D	4/6/2023	64.1	5		ug/L
Barium, total	NE-14D	7/5/2023	68	5		ug/L
Barium, total	NE-14D	10/4/2023	67.8	5		ug/L
Barium, total	NE-14S	10/2/2019	83	5		ug/L
Barium, total	NE-14S	1/16/2020	70.8	5		ug/L
Barium, total	NE-14S	4/3/2020	68.5	5		ug/L
Barium, total	NE-14S	7/7/2020	88.1	5		ug/L
Barium, total	NE-14S	10/6/2020	60.6	5		ug/L
Barium, total	NE-14S	1/17/2021	75	5		ug/L
Barium, total	NE-14S	4/9/2021	73.7	5		ug/L
Barium, total	NE-14S	7/2/2021	81	5		ug/L
Barium, total	NE-14S	10/7/2021	67.4	5		ug/L
Barium, total	NE-14S	1/18/2022	73.2	5		ug/L
Barium, total	NE-14S	4/6/2022	76.4	5		ug/L
Barium, total	NE-14S	7/13/2022	89.1	5		ug/L
Barium, total	NE-14S	10/7/2022	71.1	5		ug/L
Barium, total	NE-14S	1/6/2023	69.7	5		ug/L
Barium, total	NE-14S	4/6/2023	86	5		ug/L
Barium, total	NE-14S	7/5/2023	71.2	5		ug/L
Barium, total	NE-14S	10/4/2023	82	5		ug/L
Barium, total	NE-15D	9/30/2019	48	5		ug/L
Barium, total	NE-15D	1/16/2020	52.8	5		ug/L
Barium, total	NE-15D	4/3/2020	48.3	5		ug/L
Barium, total	NE-15D	7/7/2020	50.7	5		ug/L
Barium, total	NE-15D	10/6/2020	51.6	5		ug/L
Barium, total	NE-15D	1/17/2021	53.8	5		ug/L
Barium, total	NE-15D	4/9/2021	53.6	5		ug/L
Barium, total	NE-15D	7/2/2021	53.5	5		ug/L
Barium, total	NE-15D	10/7/2021	50.8	5		ug/L
Barium, total	NE-15D	1/17/2022	53.6	5		ug/L
Barium, total	NE-15D	4/6/2022	53.3	5		ug/L
Barium, total	NE-15D	7/13/2022	53.8	5		ug/L
Barium, total	NE-15D	10/7/2022	50.6	5		ug/L
Barium, total	NE-15D	1/6/2023	56.2	5		ug/L
Barium, total	NE-15D	4/6/2023	55.4	5		ug/L
Barium, total	NE-15D	7/6/2023	57.2	5		ug/L
Barium, total	NE-15D	10/6/2023	54.8	5		ug/L
Barium, total	NE-15S	4/3/2020	297	5		ug/L
Barium, total	NE-2	7/9/2002	440	50		ug/L
Barium, total	NE-2	8/6/2002	280	50		ug/L
Barium, total	NE-2	9/4/2002	320	50		ug/L
Barium, total	NE-2	10/2/2002	290	50		ug/L
Barium, total	NE-2	10/1/2013	69	5		ug/L
Barium, total	NE-2	10/8/2014	130	5		ug/L
Barium, total	NE-2	10/5/2015	130	5		ug/L
Barium, total	NE-2	10/6/2016	100	5		ug/L
Barium, total	NE-2	10/5/2017	120	5		ug/L
Barium, total	NE-2	1/25/2018	95	5		ug/L
Barium, total	NE-2	4/10/2018	83	5		ug/L
Barium, total	NE-2	7/10/2018	130	5		ug/L
Barium, total	NE-2	10/1/2018	130	5		ug/L
Barium, total	NE-2	1/4/2019	96	5		ug/L
Barium, total	NE-2	4/2/2019	100	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-2	7/9/2019	110	5		ug/L
Barium, total	NE-2	7/9/2019	110	5		ug/L
Barium, total	NE-2	10/2/2019	87	5		ug/L
Barium, total	NE-2	1/14/2020	91	5		ug/L
Barium, total	NE-2	4/1/2020	103	5		ug/L
Barium, total	NE-2	7/7/2020	150	5		ug/L
Barium, total	NE-2	10/6/2020	99.7	5		ug/L
Barium, total	NE-2	1/14/2021	98.5	5		ug/L
Barium, total	NE-2	4/9/2021	114	5		ug/L
Barium, total	NE-2	7/2/2021	144	5		ug/L
Barium, total	NE-2	10/6/2021	97.6	5		ug/L
Barium, total	NE-2	1/18/2022	105	5		ug/L
Barium, total	NE-2	4/6/2022	98	5		ug/L
Barium, total	NE-2	7/13/2022	123	5		ug/L
Barium, total	NE-2	10/7/2022	86.4	5		ug/L
Barium, total	NE-2	1/5/2023	118	5		ug/L
Barium, total	NE-2	4/5/2023	137	5		ug/L
Barium, total	NE-2	7/5/2023	119	5		ug/L
Barium, total	NE-2	10/4/2023	98.5	5		ug/L
Barium, total	NE-4	7/10/2002	130	50		ug/L
Barium, total	NE-4	8/6/2002	130	50		ug/L
Barium, total	NE-4	9/4/2002	120	50		ug/L
Barium, total	NE-4	10/3/2002	120	50		ug/L
Barium, total	NE-4	7/8/2003	68	5		ug/L
Barium, total	NE-4	1/28/2004	110	5		ug/L
Barium, total	NE-4	1/13/2005	43	5		ug/L
Barium, total	NE-4	8/1/2006	110	5		ug/L
Barium, total	NE-4	8/1/2006	110	5		ug/L
Barium, total	NE-4	10/25/2006	92	5		ug/L
Barium, total	NE-4	1/24/2007	46	5		ug/L
Barium, total	NE-4	7/12/2007	82	5		ug/L
Barium, total	NE-4	1/24/2008	76	5		ug/L
Barium, total	NE-4	7/21/2008	41	5		ug/L
Barium, total	NE-4	2/7/2009	66	5		ug/L
Barium, total	NE-4	7/31/2009	44	5		ug/L
Barium, total	NE-4	1/26/2010	66	5		ug/L
Barium, total	NE-4	7/14/2010	85	5		ug/L
Barium, total	NE-4	1/19/2011	53	5		ug/L
Barium, total	NE-4	7/13/2011	27	5		ug/L
Barium, total	NE-4	1/5/2012	51	5		ug/L
Barium, total	NE-4	7/10/2012	97	5		ug/L
Barium, total	NE-4	4/30/2013	110	5		ug/L
Barium, total	NE-4	7/16/2013	71	5		ug/L
Barium, total	NE-4	1/23/2014	63	5		ug/L
Barium, total	NE-4	7/9/2014	44	5		ug/L
Barium, total	NE-4	2/13/2015	59	5		ug/L
Barium, total	NE-4	7/8/2015	33	5		ug/L
Barium, total	NE-4	1/6/2016	26	5		ug/L
Barium, total	NE-4	7/20/2016	47	5		ug/L
Barium, total	NE-4	1/11/2017	42	5		ug/L
Barium, total	NE-4	7/19/2017	26	5		ug/L
Barium, total	NE-4	1/26/2018	32	5		ug/L
Barium, total	NE-4	4/10/2018	31	5		ug/L
Barium, total	NE-4	7/12/2018	30	5		ug/L
Barium, total	NE-4	10/3/2018	24	5		ug/L
Barium, total	NE-4	1/7/2019	33	5		ug/L
Barium, total	NE-4	4/2/2019	31	5		ug/L
Barium, total	NE-4	7/8/2019	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-4	7/8/2019	16	5		ug/L
Barium, total	NE-4	10/1/2019	17	5		ug/L
Barium, total	NE-4	1/13/2020	46.7	5		ug/L
Barium, total	NE-4	4/1/2020	27.9	5		ug/L
Barium, total	NE-4	7/6/2020	28.7	5		ug/L
Barium, total	NE-4	10/5/2020	27.3	5		ug/L
Barium, total	NE-4	1/15/2021	32	5		ug/L
Barium, total	NE-4	4/9/2021	29.5	5		ug/L
Barium, total	NE-4	7/2/2021	18.8	5		ug/L
Barium, total	NE-4	10/6/2021	20.8	5		ug/L
Barium, total	NE-4	1/5/2023	33.4	5		ug/L
Barium, total	NE-4	4/6/2023	40	5		ug/L
Barium, total	NE-4	7/5/2023	36.9	5		ug/L
Barium, total	NE-4	10/4/2023	27.5	5		ug/L
Barium, total	NE-5	7/9/2002	62	50		ug/L
Barium, total	NE-5	8/6/2002	83	50		ug/L
Barium, total	NE-5	9/4/2002	89	50		ug/L
Barium, total	NE-5	10/2/2002	86	50		ug/L
Barium, total	NE-5	7/8/2003	92	5		ug/L
Barium, total	NE-5	1/27/2004	140	5		ug/L
Barium, total	NE-5	1/12/2005	68	5		ug/L
Barium, total	NE-5	7/19/2006	63	5		ug/L
Barium, total	NE-5	7/19/2006	63	5		ug/L
Barium, total	NE-5	10/25/2006	58	5		ug/L
Barium, total	NE-5	1/24/2007	51	5		ug/L
Barium, total	NE-5	7/12/2007	54	5		ug/L
Barium, total	NE-5	7/22/2008	52	5		ug/L
Barium, total	NE-5	2/6/2009	71	5		ug/L
Barium, total	NE-5	7/31/2009	46	5		ug/L
Barium, total	NE-5	1/26/2010	58	5		ug/L
Barium, total	NE-5	7/16/2010	54	5		ug/L
Barium, total	NE-5	1/19/2011	42	5		ug/L
Barium, total	NE-5	7/13/2011	45	5		ug/L
Barium, total	NE-5	1/5/2012	44	5		ug/L
Barium, total	NE-5	7/10/2012	43	5		ug/L
Barium, total	NE-5	4/30/2013	49	5		ug/L
Barium, total	NE-5	7/16/2013	43	5		ug/L
Barium, total	NE-5	1/23/2014	48	5		ug/L
Barium, total	NE-5	7/9/2014	47	5		ug/L
Barium, total	NE-5	2/11/2015	52	5		ug/L
Barium, total	NE-5	7/14/2015	46	5		ug/L
Barium, total	NE-5	1/6/2016	48	5		ug/L
Barium, total	NE-5	7/20/2016	36	5		ug/L
Barium, total	NE-5	1/11/2017	36	5		ug/L
Barium, total	NE-5	7/19/2017	43	5		ug/L
Barium, total	NE-5	1/25/2018	48	5		ug/L
Barium, total	NE-5	4/10/2018	45	5		ug/L
Barium, total	NE-5	7/17/2018	46	5		ug/L
Barium, total	NE-5	10/3/2018	44	5		ug/L
Barium, total	NE-5	1/4/2019	52	5		ug/L
Barium, total	NE-5	4/2/2019	52	5		ug/L
Barium, total	NE-5	4/2/2019	52	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	7/9/2019	49	5		ug/L
Barium, total	NE-5	10/3/2019	38	5		ug/L
Barium, total	NE-5	1/16/2020	46.4	5		ug/L
Barium, total	NE-5	4/2/2020	40.7	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-5	7/8/2020	38.8	5		ug/L
Barium, total	NE-5	10/6/2020	39.5	5		ug/L
Barium, total	NE-5	1/15/2021	45	5		ug/L
Barium, total	NE-5	4/9/2021	47	5		ug/L
Barium, total	NE-5	7/2/2021	40.3	5		ug/L
Barium, total	NE-5	10/6/2021	37.8	5		ug/L
Barium, total	NE-5	1/18/2022	43.4	5		ug/L
Barium, total	NE-5	4/6/2022	40.7	5		ug/L
Barium, total	NE-5	7/13/2022	39.5	5		ug/L
Barium, total	NE-5	10/7/2022	33.3	5		ug/L
Barium, total	NE-5	1/5/2023	43.6	5		ug/L
Barium, total	NE-5	4/7/2023	44.4	5		ug/L
Barium, total	NE-5	7/6/2023	40.5	5		ug/L
Barium, total	NE-5	10/4/2023	43.4	5		ug/L
Barium, total	NE-5E	9/30/2019	39	5		ug/L
Barium, total	NE-5E	1/16/2020	40.1	5		ug/L
Barium, total	NE-5E	4/1/2020	36.9	5		ug/L
Barium, total	NE-5E	7/8/2020	36.6	5		ug/L
Barium, total	NE-5E	10/6/2020	36.1	5		ug/L
Barium, total	NE-5E	1/15/2021	38.8	5		ug/L
Barium, total	NE-5E	4/9/2021	35	5		ug/L
Barium, total	NE-5E	7/2/2021	32.8	5		ug/L
Barium, total	NE-5E	10/6/2021	34.1	5		ug/L
Barium, total	NE-5E	1/18/2022	33.3	5		ug/L
Barium, total	NE-5E	4/6/2022	36.3	5		ug/L
Barium, total	NE-5E	7/13/2022	53.9	5		ug/L
Barium, total	NE-5E	10/7/2022	50.2	5		ug/L
Barium, total	NE-5E	1/5/2023	47.5	5		ug/L
Barium, total	NE-5E	4/7/2023	46.4	5		ug/L
Barium, total	NE-5E	7/6/2023	45.1	5		ug/L
Barium, total	NE-5E	10/4/2023	44.1	5		ug/L
Barium, total	NE-5W	9/30/2019	62	5		ug/L
Barium, total	NE-5W	1/16/2020	52.3	5		ug/L
Barium, total	NE-5W	4/2/2020	50.2	5		ug/L
Barium, total	NE-5W	7/8/2020	41.1	5		ug/L
Barium, total	NE-5W	10/6/2020	44.8	5		ug/L
Barium, total	NE-5W	1/15/2021	49	5		ug/L
Barium, total	NE-5W	4/9/2021	46.2	5		ug/L
Barium, total	NE-5W	7/2/2021	44.6	5		ug/L
Barium, total	NE-5W	10/6/2021	40.7	5		ug/L
Barium, total	NE-5W	1/18/2022	42	5		ug/L
Barium, total	NE-5W	4/6/2022	42.5	5		ug/L
Barium, total	NE-5W	7/13/2022	38.9	5		ug/L
Barium, total	NE-5W	10/7/2022	38.8	5		ug/L
Barium, total	NE-5W	1/5/2023	39.4	5		ug/L
Barium, total	NE-5W	4/7/2023	41.6	5		ug/L
Barium, total	NE-5W	7/6/2023	44.2	5		ug/L
Barium, total	NE-5W	10/4/2023	45.8	5		ug/L
Barium, total	NE-6	1/12/2017	120	5		ug/L
Barium, total	NE-6	4/5/2017	85	5		ug/L
Barium, total	NE-6	7/19/2017	79	5		ug/L
Barium, total	NE-6	10/6/2017	70	5		ug/L
Barium, total	NE-6	2/4/2019	84	5		ug/L
Barium, total	NE-6	8/6/2019	89	5		ug/L
Barium, total	NE-6	1/15/2020	74.1	5		ug/L
Barium, total	NE-6	7/9/2020	75	5		ug/L
Barium, total	NE-6	1/16/2021	84.7	5		ug/L
Barium, total	NE-6	1/16/2021	84.1	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-6	7/1/2021	82.2	5		ug/L
Barium, total	NE-6	1/17/2022	79.4	5		ug/L
Barium, total	NE-6	1/17/2022	84.6	5		ug/L
Barium, total	NE-6	7/12/2022	82.9	5		ug/L
Barium, total	NE-6	1/5/2023	75.8	5		ug/L
Barium, total	NE-6	7/6/2023	86	5		ug/L
Barium, total	NE-6D	10/2/2019	160	5		ug/L
Barium, total	NE-6D	1/15/2020	185	5		ug/L
Barium, total	NE-6D	4/2/2020	173	5		ug/L
Barium, total	NE-6D	7/9/2020	166	5		ug/L
Barium, total	NE-6D	10/7/2020	153	5		ug/L
Barium, total	NE-6D	1/15/2021	158	5		ug/L
Barium, total	NE-6D	4/9/2021	140	5		ug/L
Barium, total	NE-6D	7/2/2021	165	5		ug/L
Barium, total	NE-6D	10/7/2021	148	5		ug/L
Barium, total	NE-6D	1/17/2022	143	5		ug/L
Barium, total	NE-6D	4/6/2022	147	5		ug/L
Barium, total	NE-6D	7/12/2022	149	5		ug/L
Barium, total	NE-6D	10/7/2022	128	5		ug/L
Barium, total	NE-6D	1/5/2023	136	5		ug/L
Barium, total	NE-6D	4/7/2023	138	5		ug/L
Barium, total	NE-6D	7/6/2023	140	5		ug/L
Barium, total	NE-6D	10/4/2023	139	5		ug/L
Barium, total	NE-7	3/1/2017	95	5		ug/L
Barium, total	NE-7	4/6/2017	37	5		ug/L
Barium, total	NE-7	7/20/2017	77	5		ug/L
Barium, total	NE-7	10/5/2017	73	5		ug/L
Barium, total	NE-7	2/6/2019	82	5		ug/L
Barium, total	NE-7	8/6/2019	80	5		ug/L
Barium, total	NE-7	1/16/2020	92.2	5		ug/L
Barium, total	NE-7	7/7/2020	77.3	5		ug/L
Barium, total	NE-7	1/16/2021	112	5		ug/L
Barium, total	NE-7	1/16/2021	109	5		ug/L
Barium, total	NE-7	7/1/2021	80	5		ug/L
Barium, total	NE-7	1/17/2022	89.4	5		ug/L
Barium, total	NE-7	1/17/2022	93.1	5		ug/L
Barium, total	NE-7	7/12/2022	90.2	5		ug/L
Barium, total	NE-7	1/5/2023	92.8	5		ug/L
Barium, total	NE-7	7/6/2023	101	5		ug/L
Barium, total	NE-8	1/12/2017	54	5		ug/L
Barium, total	NE-8	4/5/2017	63	5		ug/L
Barium, total	NE-8	7/20/2017	73	5		ug/L
Barium, total	NE-8	10/6/2017	77	5		ug/L
Barium, total	NE-8	2/4/2019	49	5		ug/L
Barium, total	NE-8	8/5/2019	68	5		ug/L
Barium, total	NE-8	1/15/2020	79.2	5		ug/L
Barium, total	NE-8	7/8/2020	87.1	5		ug/L
Barium, total	NE-8	1/13/2021	51.5	5		ug/L
Barium, total	NE-8	1/13/2021	52.4	5		ug/L
Barium, total	NE-8	4/9/2021	54.2	5		ug/L
Barium, total	NE-8	7/1/2021	60.6	5		ug/L
Barium, total	NE-8	7/1/2021	59.9	5		ug/L
Barium, total	NE-8	10/7/2021	63.7	5		ug/L
Barium, total	NE-8	1/6/2023	69.2	5		ug/L
Barium, total	NE-8	7/5/2023	85.2	5		ug/L
Barium, total	NE-9	1/12/2017	59	5		ug/L
Barium, total	NE-9	4/5/2017	51	5		ug/L
Barium, total	NE-9	7/20/2017	53	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Barium, total	NE-9	10/5/2017	54	5		ug/L
Barium, total	NE-9	2/5/2019	66	5		ug/L
Barium, total	NE-9	8/7/2019	71	5		ug/L
Barium, total	NE-9	1/15/2020	63.2	5		ug/L
Barium, total	NE-9	7/7/2020	50.4	5		ug/L
Barium, total	NE-9	1/17/2021	69.6	5		ug/L
Barium, total	NE-9	1/17/2021	69.3	5		ug/L
Barium, total	NE-9	7/1/2021	81.8	5		ug/L
Barium, total	NE-9	1/17/2022	76.1	5		ug/L
Barium, total	NE-9	1/17/2022	79.5	5		ug/L
Barium, total	NE-9	7/13/2022	83.1	5		ug/L
Barium, total	NE-9	1/6/2023	85.4	5		ug/L
Barium, total	NE-9	4/8/2023	88.8	5		ug/L
Barium, total	NE-9	7/5/2023	93.4	5		ug/L
Barium, total	NE-9	10/6/2023	97.4	5		ug/L
Benzene	LGW-10	1/26/2006	1.3	1		ug/L
Benzene	LGW-10	8/1/2006	1.8	1		ug/L
Benzene	LGW-10	8/1/2006	1.8	1		ug/L
Benzene	LGW-10	10/26/2006	1.3	1		ug/L
Benzene	LGW-10	1/25/2007	1.4	1		ug/L
Benzene	LGW-10	4/26/2007	1	1	ND	ug/L
Benzene	LGW-10	7/12/2007	1	1	ND	ug/L
Benzene	LGW-10	1/23/2008	1.4	1		ug/L
Benzene	LGW-10	7/22/2008	1.7	1		ug/L
Benzene	LGW-10	7/29/2009	1.4	1		ug/L
Benzene	LGW-10	2/3/2010	1.2	1		ug/L
Benzene	LGW-10	2/3/2010	1.2	1		ug/L
Benzene	LGW-10	7/16/2010	2.4	1		ug/L
Benzene	LGW-10	1/19/2011	1.1	1		ug/L
Benzene	LGW-10	7/12/2011	2.4	1		ug/L
Benzene	LGW-10	1/5/2012	2.1	1		ug/L
Benzene	LGW-10	7/9/2012	1.6	1		ug/L
Benzene	LGW-10	5/1/2013	2.4	1		ug/L
Benzene	LGW-10	1/30/2014	2	1		ug/L
Benzene	LGW-10	7/9/2014	2	1		ug/L
Benzene	LGW-10	2/12/2015	2.3	1		ug/L
Benzene	LGW-10	7/13/2015	3.2	1		ug/L
Benzene	LGW-10	1/5/2016	2.6	1		ug/L
Benzene	LGW-10	2/10/2016	1.5	1		ug/L
Benzene	LGW-10	4/6/2016	2.4	1		ug/L
Benzene	LGW-10	7/21/2016	3.2	1		ug/L
Benzene	LGW-10	10/6/2016	2.6	1		ug/L
Benzene	LGW-10	1/11/2017	1.6	1		ug/L
Benzene	LGW-10	4/4/2017	3.2	1		ug/L
Benzene	LGW-10	7/19/2017	3.4	1		ug/L
Benzene	LGW-10	10/9/2017	3.2	1		ug/L
Benzene	LGW-10	1/24/2018	1.3	1		ug/L
Benzene	LGW-10	4/11/2018	2.2	1		ug/L
Benzene	LGW-10	7/16/2018	1.9	1		ug/L
Benzene	LGW-10	10/4/2018	1.5	1		ug/L
Benzene	LGW-10	1/4/2019	1.6	1		ug/L
Benzene	LGW-10	4/3/2019	2.2	1		ug/L
Benzene	LGW-10	7/11/2019	2.3	1		ug/L
Benzene	LGW-10	10/2/2019	2.9	1		ug/L
Benzene	LGW-10	1/15/2020	3.34	1		ug/L
Benzene	LGW-10	4/2/2020	2.93	1		ug/L
Benzene	LGW-10	7/9/2020	2.82	1		ug/L
Benzene	LGW-10	10/7/2020	1.03	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-10	1/17/2021	1	1	ND	ug/L
Benzene	LGW-10	4/6/2021	2.12	1		ug/L
Benzene	LGW-10	7/7/2021	2.44	1		ug/L
Benzene	LGW-10	10/5/2021	1.06	1		ug/L
Benzene	LGW-10	1/13/2022	1.54	1		ug/L
Benzene	LGW-10	4/4/2022	2.18	1		ug/L
Benzene	LGW-10	7/11/2022	2.43	1		ug/L
Benzene	LGW-10	10/7/2022	1.5	1		ug/L
Benzene	LGW-10	1/11/2023	1.98	1		ug/L
Benzene	LGW-10	4/5/2023	1.71	1		ug/L
Benzene	LGW-10	7/10/2023	1	1	ND	ug/L
Benzene	LGW-10	10/5/2023	1	1	ND	ug/L
Benzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Benzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Benzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Benzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Benzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Benzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Benzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Benzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Benzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Benzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Benzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Benzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Benzene	LGW-14R	1/19/2011	1	1	ND	ug/L
Benzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Benzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Benzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-14R	1/23/2014	1	1	ND	ug/L
Benzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Benzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Benzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Benzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Benzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Benzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Benzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Benzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Benzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Benzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Benzene	LGW-14R	1/18/2021	1	1	ND	ug/L
Benzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Benzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Benzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Benzene	LGW-14R	1/10/2023	1	1	ND	ug/L
Benzene	LGW-14R	7/10/2023	1	1	ND	ug/L
Benzene	LGW-2	1/25/2006	1	1	ND	ug/L
Benzene	LGW-2	8/1/2006	1	1	ND	ug/L
Benzene	LGW-2	8/1/2006	1	1	ND	ug/L
Benzene	LGW-2	10/26/2006	1	1	ND	ug/L
Benzene	LGW-2	1/25/2007	1	1	ND	ug/L
Benzene	LGW-2	4/26/2007	1	1	ND	ug/L
Benzene	LGW-2	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-2	1/26/2008	1	1	ND	ug/L
Benzene	LGW-2	7/23/2008	1	1	ND	ug/L
Benzene	LGW-2	2/6/2009	1	1	ND	ug/L
Benzene	LGW-2	7/30/2009	1	1	ND	ug/L
Benzene	LGW-2	2/3/2010	1	1	ND	ug/L
Benzene	LGW-2	2/3/2010	1	1	ND	ug/L
Benzene	LGW-2	7/12/2010	1	1	ND	ug/L
Benzene	LGW-2	1/19/2011	1	1	ND	ug/L
Benzene	LGW-2	7/13/2011	1	1	ND	ug/L
Benzene	LGW-2	1/4/2012	1	1	ND	ug/L
Benzene	LGW-2	7/9/2012	1	1	ND	ug/L
Benzene	LGW-2	4/30/2013	1	1	ND	ug/L
Benzene	LGW-2	7/15/2013	1	1	ND	ug/L
Benzene	LGW-2	1/30/2014	1	1	ND	ug/L
Benzene	LGW-2	7/8/2014	1	1	ND	ug/L
Benzene	LGW-2	2/13/2015	1	1	ND	ug/L
Benzene	LGW-2	7/8/2015	1	1	ND	ug/L
Benzene	LGW-2	1/5/2016	1	1	ND	ug/L
Benzene	LGW-2	7/19/2016	1	1	ND	ug/L
Benzene	LGW-2	1/11/2017	1	1	ND	ug/L
Benzene	LGW-2	7/18/2017	1	1	ND	ug/L
Benzene	LGW-2	1/23/2018	1	1	ND	ug/L
Benzene	LGW-2	7/12/2018	1	1	ND	ug/L
Benzene	LGW-2	1/3/2019	1	1	ND	ug/L
Benzene	LGW-2	7/9/2019	1	1	ND	ug/L
Benzene	LGW-2	1/13/2020	1	1	ND	ug/L
Benzene	LGW-2	4/1/2020	1	1	ND	ug/L
Benzene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzene	LGW-2	1/18/2021	1	1	ND	ug/L
Benzene	LGW-2	7/4/2021	1	1	ND	ug/L
Benzene	LGW-2	1/12/2022	1	1	ND	ug/L
Benzene	LGW-2	7/10/2022	1	1	ND	ug/L
Benzene	LGW-2	1/10/2023	1	1	ND	ug/L
Benzene	LGW-2	7/10/2023	1	1	ND	ug/L
Benzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Benzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Benzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Benzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Benzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Benzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Benzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Benzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Benzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Benzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Benzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Benzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Benzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Benzene	LGW-3R	1/22/2014	1	1	ND	ug/L
Benzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Benzene	LGW-3R	7/16/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Benzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Benzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Benzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Benzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Benzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Benzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Benzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Benzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Benzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Benzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Benzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Benzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Benzene	LGW-3R	7/10/2023	1	1	ND	ug/L
Benzene	LGW-4	1/24/2006	1	1	ND	ug/L
Benzene	LGW-4	7/20/2006	1	1	ND	ug/L
Benzene	LGW-4	7/20/2006	1	1	ND	ug/L
Benzene	LGW-4	10/26/2006	1	1	ND	ug/L
Benzene	LGW-4	1/25/2007	1	1	ND	ug/L
Benzene	LGW-4	4/26/2007	1	1	ND	ug/L
Benzene	LGW-4	7/11/2007	1	1	ND	ug/L
Benzene	LGW-4	1/22/2008	1	1	ND	ug/L
Benzene	LGW-4	7/23/2008	1	1	ND	ug/L
Benzene	LGW-4	2/3/2009	1	1	ND	ug/L
Benzene	LGW-4	7/31/2009	1	1	ND	ug/L
Benzene	LGW-4	2/3/2010	1	1	ND	ug/L
Benzene	LGW-4	2/3/2010	1	1	ND	ug/L
Benzene	LGW-4	7/16/2010	1	1	ND	ug/L
Benzene	LGW-4	1/19/2011	1	1	ND	ug/L
Benzene	LGW-4	7/13/2011	1	1	ND	ug/L
Benzene	LGW-4	1/4/2012	1	1	ND	ug/L
Benzene	LGW-4	7/9/2012	1	1	ND	ug/L
Benzene	LGW-4	4/30/2013	1	1	ND	ug/L
Benzene	LGW-4	7/15/2013	1	1	ND	ug/L
Benzene	LGW-4	1/23/2014	1	1	ND	ug/L
Benzene	LGW-4	7/8/2014	1	1	ND	ug/L
Benzene	LGW-4	2/11/2015	1	1	ND	ug/L
Benzene	LGW-4	7/8/2015	1	1	ND	ug/L
Benzene	LGW-4	1/5/2016	1	1	ND	ug/L
Benzene	LGW-4	7/19/2016	1	1	ND	ug/L
Benzene	LGW-4	1/11/2017	1	1	ND	ug/L
Benzene	LGW-4	7/18/2017	1	1	ND	ug/L
Benzene	LGW-4	1/23/2018	1	1	ND	ug/L
Benzene	LGW-4	7/11/2018	1	1	ND	ug/L
Benzene	LGW-4	1/3/2019	1	1	ND	ug/L
Benzene	LGW-4	7/9/2019	1	1	ND	ug/L
Benzene	LGW-4	1/14/2020	1	1	ND	ug/L
Benzene	LGW-4	7/6/2020	1	1	ND	ug/L
Benzene	LGW-4	1/18/2021	1	1	ND	ug/L
Benzene	LGW-4	7/7/2021	1	1	ND	ug/L
Benzene	LGW-4	1/12/2022	1	1	ND	ug/L
Benzene	LGW-4	7/11/2022	1	1	ND	ug/L
Benzene	LGW-4	1/10/2023	1	1	ND	ug/L
Benzene	LGW-4	7/10/2023	1	1	ND	ug/L
Benzene	LGW-5	1/25/2006	1	1	ND	ug/L
Benzene	LGW-5	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-5	8/1/2006	1	1	ND	ug/L
Benzene	LGW-5	10/26/2006	1	1	ND	ug/L
Benzene	LGW-5	1/25/2007	1	1	ND	ug/L
Benzene	LGW-5	4/26/2007	1	1	ND	ug/L
Benzene	LGW-5	7/11/2007	1	1	ND	ug/L
Benzene	LGW-5	1/23/2008	1	1	ND	ug/L
Benzene	LGW-5	7/23/2008	1	1	ND	ug/L
Benzene	LGW-5	2/4/2009	1	1	ND	ug/L
Benzene	LGW-5	7/29/2009	1	1	ND	ug/L
Benzene	LGW-5	2/3/2010	1	1	ND	ug/L
Benzene	LGW-5	2/3/2010	1	1	ND	ug/L
Benzene	LGW-5	7/12/2010	1	1	ND	ug/L
Benzene	LGW-5	1/19/2011	1	1	ND	ug/L
Benzene	LGW-5	7/12/2011	1	1	ND	ug/L
Benzene	LGW-5	1/5/2012	1	1	ND	ug/L
Benzene	LGW-5	7/9/2012	1	1	ND	ug/L
Benzene	LGW-5	4/30/2013	1	1	ND	ug/L
Benzene	LGW-5	7/15/2013	1	1	ND	ug/L
Benzene	LGW-5	1/23/2014	1	1	ND	ug/L
Benzene	LGW-5	7/8/2014	1	1	ND	ug/L
Benzene	LGW-5	2/10/2015	1	1	ND	ug/L
Benzene	LGW-5	7/8/2015	1	1	ND	ug/L
Benzene	LGW-5	1/5/2016	1	1	ND	ug/L
Benzene	LGW-5	7/19/2016	1	1	ND	ug/L
Benzene	LGW-5	1/11/2017	1	1	ND	ug/L
Benzene	LGW-5	7/18/2017	1	1	ND	ug/L
Benzene	LGW-5	1/23/2018	1	1	ND	ug/L
Benzene	LGW-5	7/12/2018	1	1	ND	ug/L
Benzene	LGW-5	1/3/2019	1	1	ND	ug/L
Benzene	LGW-5	7/9/2019	1	1	ND	ug/L
Benzene	LGW-5	1/14/2020	1	1	ND	ug/L
Benzene	LGW-5	7/6/2020	1	1	ND	ug/L
Benzene	LGW-5	1/18/2021	1	1	ND	ug/L
Benzene	LGW-5	4/6/2021	1	1	ND	ug/L
Benzene	LGW-5	7/7/2021	1	1	ND	ug/L
Benzene	LGW-5	10/5/2021	1	1	ND	ug/L
Benzene	LGW-5	1/12/2022	1	1	ND	ug/L
Benzene	LGW-5	4/4/2022	1	1	ND	ug/L
Benzene	LGW-5	7/11/2022	1	1	ND	ug/L
Benzene	LGW-5	10/6/2022	1	1	ND	ug/L
Benzene	LGW-5	1/10/2023	1	1	ND	ug/L
Benzene	LGW-5	7/10/2023	1	1	ND	ug/L
Benzene	LGW-5	10/5/2023	1	1	ND	ug/L
Benzene	LGW-6	1/24/2006	1	1	ND	ug/L
Benzene	LGW-6	7/20/2006	1	1	ND	ug/L
Benzene	LGW-6	7/20/2006	1	1	ND	ug/L
Benzene	LGW-6	10/26/2006	1	1	ND	ug/L
Benzene	LGW-6	1/24/2007	1	1	ND	ug/L
Benzene	LGW-6	4/26/2007	1	1	ND	ug/L
Benzene	LGW-6	7/11/2007	1	1	ND	ug/L
Benzene	LGW-6	1/23/2008	1	1	ND	ug/L
Benzene	LGW-6	7/23/2008	1	1	ND	ug/L
Benzene	LGW-6	2/5/2009	1	1	ND	ug/L
Benzene	LGW-6	7/29/2009	1	1	ND	ug/L
Benzene	LGW-6	2/3/2010	1	1	ND	ug/L
Benzene	LGW-6	2/3/2010	1	1	ND	ug/L
Benzene	LGW-6	7/12/2010	1	1	ND	ug/L
Benzene	LGW-6	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-6	7/12/2011	1	1	ND	ug/L
Benzene	LGW-6	1/5/2012	1	1	ND	ug/L
Benzene	LGW-6	7/9/2012	1	1	ND	ug/L
Benzene	LGW-6	4/30/2013	1	1	ND	ug/L
Benzene	LGW-6	7/15/2013	1	1	ND	ug/L
Benzene	LGW-6	1/23/2014	1	1	ND	ug/L
Benzene	LGW-6	7/8/2014	1	1	ND	ug/L
Benzene	LGW-6	2/10/2015	1	1	ND	ug/L
Benzene	LGW-6	7/22/2015	1	1	ND	ug/L
Benzene	LGW-6	1/5/2016	1	1	ND	ug/L
Benzene	LGW-6	7/19/2016	1	1	ND	ug/L
Benzene	LGW-6	10/6/2016	1	1	ND	ug/L
Benzene	LGW-6	1/11/2017	1	1	ND	ug/L
Benzene	LGW-6	5/5/2017	1	1	ND	ug/L
Benzene	LGW-6	7/18/2017	1	1	ND	ug/L
Benzene	LGW-6	10/5/2017	1	1	ND	ug/L
Benzene	LGW-6	1/23/2018	1	1	ND	ug/L
Benzene	LGW-6	4/10/2018	1	1	ND	ug/L
Benzene	LGW-6	7/17/2018	1	1	ND	ug/L
Benzene	LGW-6	10/2/2018	1	1	ND	ug/L
Benzene	LGW-6	1/7/2019	1	1	ND	ug/L
Benzene	LGW-6	4/3/2019	1	1	ND	ug/L
Benzene	LGW-6	7/10/2019	1	1	ND	ug/L
Benzene	LGW-6	10/3/2019	1	1	ND	ug/L
Benzene	LGW-6	1/16/2020	1	1	ND	ug/L
Benzene	LGW-6	4/2/2020	1	1	ND	ug/L
Benzene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzene	LGW-6	10/6/2020	1	1	ND	ug/L
Benzene	LGW-6	1/18/2021	1	1	ND	ug/L
Benzene	LGW-6	4/6/2021	1	1	ND	ug/L
Benzene	LGW-6	7/7/2021	1	1	ND	ug/L
Benzene	LGW-6	10/5/2021	1	1	ND	ug/L
Benzene	LGW-6	1/12/2022	1	1	ND	ug/L
Benzene	LGW-6	4/4/2022	1	1	ND	ug/L
Benzene	LGW-6	7/11/2022	1	1	ND	ug/L
Benzene	LGW-6	10/6/2022	1	1	ND	ug/L
Benzene	LGW-6	1/10/2023	1	1	ND	ug/L
Benzene	LGW-6	4/6/2023	1	1	ND	ug/L
Benzene	LGW-6	7/10/2023	1	1	ND	ug/L
Benzene	LGW-6	10/5/2023	1	1	ND	ug/L
Benzene	LGW-7	1/25/2006	1	1	ND	ug/L
Benzene	LGW-7	8/1/2006	1	1	ND	ug/L
Benzene	LGW-7	8/1/2006	1	1	ND	ug/L
Benzene	LGW-7	10/26/2006	1	1	ND	ug/L
Benzene	LGW-7	1/24/2007	1	1	ND	ug/L
Benzene	LGW-7	4/26/2007	1	1	ND	ug/L
Benzene	LGW-7	7/12/2007	1	1	ND	ug/L
Benzene	LGW-7	7/22/2008	1	1	ND	ug/L
Benzene	LGW-7	2/4/2009	1	1	ND	ug/L
Benzene	LGW-7	7/31/2009	1	1	ND	ug/L
Benzene	LGW-7	1/27/2010	1	1	ND	ug/L
Benzene	LGW-7	7/12/2010	1	1	ND	ug/L
Benzene	LGW-7	1/20/2011	1	1	ND	ug/L
Benzene	LGW-7	7/12/2011	1	1	ND	ug/L
Benzene	LGW-7	1/5/2012	1	1	ND	ug/L
Benzene	LGW-7	7/10/2012	1	1	ND	ug/L
Benzene	LGW-7	4/30/2013	1	1	ND	ug/L
Benzene	LGW-7	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-7	1/23/2014	1	1	ND	ug/L
Benzene	LGW-7	7/8/2014	1	1	ND	ug/L
Benzene	LGW-7	2/11/2015	1	1	ND	ug/L
Benzene	LGW-7	7/22/2015	1	1	ND	ug/L
Benzene	LGW-7	1/5/2016	1	1	ND	ug/L
Benzene	LGW-7	4/6/2016	1	1	ND	ug/L
Benzene	LGW-7	7/20/2016	1	1	ND	ug/L
Benzene	LGW-7	10/6/2016	1	1	ND	ug/L
Benzene	LGW-7	1/11/2017	1	1	ND	ug/L
Benzene	LGW-7	4/4/2017	1	1	ND	ug/L
Benzene	LGW-7	7/18/2017	1	1	ND	ug/L
Benzene	LGW-7	10/5/2017	1	1	ND	ug/L
Benzene	LGW-7	1/24/2018	1	1	ND	ug/L
Benzene	LGW-7	4/11/2018	1	1	ND	ug/L
Benzene	LGW-7	7/12/2018	1	1	ND	ug/L
Benzene	LGW-7	10/2/2018	1	1	ND	ug/L
Benzene	LGW-7	1/7/2019	1	1	ND	ug/L
Benzene	LGW-7	4/3/2019	1	1	ND	ug/L
Benzene	LGW-7	7/10/2019	1	1	ND	ug/L
Benzene	LGW-7	10/3/2019	1	1	ND	ug/L
Benzene	LGW-7	1/15/2020	1	1	ND	ug/L
Benzene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzene	LGW-7	1/18/2021	1	1	ND	ug/L
Benzene	LGW-7	7/7/2021	1	1	ND	ug/L
Benzene	LGW-7	10/5/2021	1	1	ND	ug/L
Benzene	LGW-7	1/13/2022	1	1	ND	ug/L
Benzene	LGW-7	7/11/2022	1	1	ND	ug/L
Benzene	LGW-7	1/11/2023	1	1	ND	ug/L
Benzene	LGW-7	7/10/2023	1	1	ND	ug/L
Benzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Benzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Benzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Benzene	LGW-8R	1/24/2007	1	1	ND	ug/L
Benzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Benzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Benzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Benzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Benzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Benzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Benzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Benzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Benzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Benzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Benzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Benzene	LGW-8R	7/15/2013	1	1	ND	ug/L
Benzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Benzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Benzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Benzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Benzene	LGW-8R	1/5/2016	1	1	ND	ug/L
Benzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Benzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Benzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Benzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Benzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Benzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Benzene	LGW-8R	7/8/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Benzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Benzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Benzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Benzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Benzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Benzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Benzene	LGW-8R	7/10/2023	1	1	ND	ug/L
Benzene	LGW-9	1/25/2006	1	1	ND	ug/L
Benzene	LGW-9	7/20/2006	1	1	ND	ug/L
Benzene	LGW-9	7/20/2006	1	1	ND	ug/L
Benzene	LGW-9	10/26/2006	1	1	ND	ug/L
Benzene	LGW-9	1/25/2007	1	1	ND	ug/L
Benzene	LGW-9	4/25/2007	1	1	ND	ug/L
Benzene	LGW-9	7/10/2007	1	1	ND	ug/L
Benzene	LGW-9	7/22/2008	1	1	ND	ug/L
Benzene	LGW-9	2/4/2009	1	1	ND	ug/L
Benzene	LGW-9	7/29/2009	1	1	ND	ug/L
Benzene	LGW-9	1/27/2010	1	1	ND	ug/L
Benzene	LGW-9	7/14/2010	1	1	ND	ug/L
Benzene	LGW-9	1/20/2011	1	1	ND	ug/L
Benzene	LGW-9	7/12/2011	1	1	ND	ug/L
Benzene	LGW-9	1/5/2012	1	1	ND	ug/L
Benzene	LGW-9	7/10/2012	1	1	ND	ug/L
Benzene	LGW-9	5/1/2013	1	1	ND	ug/L
Benzene	LGW-9	7/15/2013	1	1	ND	ug/L
Benzene	LGW-9	1/23/2014	1	1	ND	ug/L
Benzene	LGW-9	7/8/2014	1	1	ND	ug/L
Benzene	LGW-9	2/11/2015	1	1	ND	ug/L
Benzene	LGW-9	7/13/2015	1	1	ND	ug/L
Benzene	LGW-9	1/5/2016	1	1	ND	ug/L
Benzene	LGW-9	7/21/2016	1	1	ND	ug/L
Benzene	LGW-9	10/6/2016	1	1	ND	ug/L
Benzene	LGW-9	1/11/2017	1	1	ND	ug/L
Benzene	LGW-9	5/5/2017	1	1	ND	ug/L
Benzene	LGW-9	7/18/2017	1	1	ND	ug/L
Benzene	LGW-9	10/5/2017	1	1	ND	ug/L
Benzene	LGW-9	1/24/2018	1	1	ND	ug/L
Benzene	LGW-9	4/11/2018	1	1	ND	ug/L
Benzene	LGW-9	7/13/2018	1	1	ND	ug/L
Benzene	LGW-9	10/2/2018	1	1	ND	ug/L
Benzene	LGW-9	1/7/2019	1	1	ND	ug/L
Benzene	LGW-9	4/3/2019	1	1	ND	ug/L
Benzene	LGW-9	7/10/2019	1	1	ND	ug/L
Benzene	LGW-9	10/3/2019	1	1	ND	ug/L
Benzene	LGW-9	1/16/2020	1	1	ND	ug/L
Benzene	LGW-9	4/2/2020	1	1	ND	ug/L
Benzene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzene	LGW-9	10/7/2020	1	1	ND	ug/L
Benzene	LGW-9	1/17/2021	2.64	1		ug/L
Benzene	LGW-9	4/6/2021	1	1	ND	ug/L
Benzene	LGW-9	7/7/2021	1	1	ND	ug/L
Benzene	LGW-9	10/5/2021	1	1	ND	ug/L
Benzene	LGW-9	1/13/2022	1	1	ND	ug/L
Benzene	LGW-9	4/4/2022	1	1	ND	ug/L
Benzene	LGW-9	7/11/2022	1	1	ND	ug/L
Benzene	LGW-9	10/7/2022	1	1	ND	ug/L
Benzene	LGW-9	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	LGW-9	4/5/2023	1	1	ND	ug/L
Benzene	LGW-9	7/10/2023	1	1	ND	ug/L
Benzene	LGW-9	10/5/2023	1	1	ND	ug/L
Benzene	MW-10N	10/22/1997	3	3	ND	ug/L
Benzene	MW-10N	1/22/1998	3	3	ND	ug/L
Benzene	MW-10N	4/28/1998	0.41	6		ug/L
Benzene	MW-10N	7/23/1998	3	3	ND	ug/L
Benzene	MW-10N	1/14/1999	3	3	ND	ug/L
Benzene	MW-10N	4/13/1999	3	3	ND	ug/L
Benzene	MW-10N	7/15/1999	3	3	ND	ug/L
Benzene	MW-10N	10/20/1999	3	3	ND	ug/L
Benzene	MW-10N	1/14/2000	3	3	ND	ug/L
Benzene	MW-10N	4/25/2000	3	3	ND	ug/L
Benzene	MW-10N	7/11/2000	1	1	ND	ug/L
Benzene	MW-10N	10/17/2000	1	1	ND	ug/L
Benzene	MW-10N	1/24/2001	1	1	ND	ug/L
Benzene	MW-10N	4/10/2001	1	1	ND	ug/L
Benzene	MW-10N	7/10/2002	1	1	ND	ug/L
Benzene	MW-10N	10/2/2002	1	1	ND	ug/L
Benzene	MW-10N	1/22/2003	1	1	ND	ug/L
Benzene	MW-10N	4/15/2003	1	1	ND	ug/L
Benzene	MW-10N	7/8/2003	1	1	ND	ug/L
Benzene	MW-10N	1/28/2004	1	1	ND	ug/L
Benzene	MW-10N	7/27/2004	1	1	ND	ug/L
Benzene	MW-10N	1/12/2005	1	1	ND	ug/L
Benzene	MW-10N	7/20/2005	1	1	ND	ug/L
Benzene	MW-10N	1/19/2006	1	1	ND	ug/L
Benzene	MW-10N	7/19/2006	1	1	ND	ug/L
Benzene	MW-10N	7/19/2006	1	1	ND	ug/L
Benzene	MW-10N	10/25/2006	1	1	ND	ug/L
Benzene	MW-10N	1/24/2007	1	1	ND	ug/L
Benzene	MW-10N	7/10/2007	1	1	ND	ug/L
Benzene	MW-10N	1/23/2008	1	1	ND	ug/L
Benzene	MW-10N	7/21/2008	1	1	ND	ug/L
Benzene	MW-10N	2/13/2009	1	1	ND	ug/L
Benzene	MW-10N	7/31/2009	1	1	ND	ug/L
Benzene	MW-10N	1/27/2010	1	1	ND	ug/L
Benzene	MW-10N	8/10/2010	1	1	ND	ug/L
Benzene	MW-10N	1/19/2011	1	1	ND	ug/L
Benzene	MW-10N	7/14/2011	1	1	ND	ug/L
Benzene	MW-10N	1/5/2012	1	1	ND	ug/L
Benzene	MW-10N	7/10/2012	1	1	ND	ug/L
Benzene	MW-10N	5/1/2013	1	1	ND	ug/L
Benzene	MW-10N	1/24/2014	1	1	ND	ug/L
Benzene	MW-10N	7/9/2014	1	1	ND	ug/L
Benzene	MW-10N	2/12/2015	1	1	ND	ug/L
Benzene	MW-10N	7/14/2015	1	1	ND	ug/L
Benzene	MW-10N	1/6/2016	1	1	ND	ug/L
Benzene	MW-10N	7/21/2016	1	1	ND	ug/L
Benzene	MW-10N	1/11/2017	1	1	ND	ug/L
Benzene	MW-10N	7/19/2017	1	1	ND	ug/L
Benzene	MW-10N	1/24/2018	1	1	ND	ug/L
Benzene	MW-10N	7/11/2018	1	1	ND	ug/L
Benzene	MW-10N	1/3/2019	1	1	ND	ug/L
Benzene	MW-10N	7/9/2019	1	1	ND	ug/L
Benzene	MW-10N	1/16/2020	1	1	ND	ug/L
Benzene	MW-10N	7/8/2020	1	1	ND	ug/L
Benzene	MW-10N	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-10N	7/5/2021	1	1	ND	ug/L
Benzene	MW-10N	1/11/2023	1	1	ND	ug/L
Benzene	MW-10N	7/7/2023	1	1	ND	ug/L
Benzene	MW-11N	10/22/1997	3	3	ND	ug/L
Benzene	MW-11N	1/21/1998	3	3	ND	ug/L
Benzene	MW-11N	4/28/1998	3	3	ND	ug/L
Benzene	MW-11N	7/23/1998	3	3	ND	ug/L
Benzene	MW-11N	1/13/1999	3	3	ND	ug/L
Benzene	MW-11N	4/13/1999	3	3	ND	ug/L
Benzene	MW-11N	7/14/1999	3	3	ND	ug/L
Benzene	MW-11N	10/20/1999	3	3	ND	ug/L
Benzene	MW-11N	1/13/2000	3	3	ND	ug/L
Benzene	MW-11N	4/25/2000	3	3	ND	ug/L
Benzene	MW-11N	7/10/2000	1	1	ND	ug/L
Benzene	MW-11N	10/17/2000	1	1	ND	ug/L
Benzene	MW-11N	1/24/2001	1	1	ND	ug/L
Benzene	MW-11N	4/10/2001	1	1	ND	ug/L
Benzene	MW-11N	7/9/2002	1	1	ND	ug/L
Benzene	MW-11N	10/2/2002	1	1	ND	ug/L
Benzene	MW-11N	1/23/2003	1	1	ND	ug/L
Benzene	MW-11N	4/15/2003	1	1	ND	ug/L
Benzene	MW-11N	7/8/2003	1	1	ND	ug/L
Benzene	MW-11N	1/29/2004	1	1	ND	ug/L
Benzene	MW-11N	7/27/2004	1	1	ND	ug/L
Benzene	MW-11N	1/13/2005	1	1	ND	ug/L
Benzene	MW-11N	7/20/2005	1	1	ND	ug/L
Benzene	MW-11N	1/19/2006	1	1	ND	ug/L
Benzene	MW-11N	7/18/2006	1	1	ND	ug/L
Benzene	MW-11N	7/18/2006	1	1	ND	ug/L
Benzene	MW-11N	10/25/2006	1	1	ND	ug/L
Benzene	MW-11N	1/24/2007	1	1	ND	ug/L
Benzene	MW-11N	7/10/2007	1	1	ND	ug/L
Benzene	MW-11N	1/22/2008	1	1	ND	ug/L
Benzene	MW-11N	7/23/2008	1	1	ND	ug/L
Benzene	MW-11N	2/3/2009	1	1	ND	ug/L
Benzene	MW-11N	7/31/2009	1	1	ND	ug/L
Benzene	MW-11N	2/3/2010	1	1	ND	ug/L
Benzene	MW-11N	2/3/2010	1	1	ND	ug/L
Benzene	MW-11N	7/16/2010	1	1	ND	ug/L
Benzene	MW-11N	1/19/2011	1	1	ND	ug/L
Benzene	MW-11N	7/13/2011	1	1	ND	ug/L
Benzene	MW-11N	1/4/2012	1	1	ND	ug/L
Benzene	MW-11N	7/9/2012	1	1	ND	ug/L
Benzene	MW-11N	4/30/2013	1	1	ND	ug/L
Benzene	MW-11N	7/15/2013	1	1	ND	ug/L
Benzene	MW-11N	1/23/2014	1	1	ND	ug/L
Benzene	MW-11N	7/8/2014	1	1	ND	ug/L
Benzene	MW-11N	2/10/2015	1	1	ND	ug/L
Benzene	MW-11N	7/13/2015	1	1	ND	ug/L
Benzene	MW-11N	1/5/2016	1	1	ND	ug/L
Benzene	MW-11N	7/21/2016	1	1	ND	ug/L
Benzene	MW-11N	1/11/2017	1	1	ND	ug/L
Benzene	MW-11N	7/19/2017	1	1	ND	ug/L
Benzene	MW-11N	1/23/2018	1	1	ND	ug/L
Benzene	MW-11N	7/17/2018	1	1	ND	ug/L
Benzene	MW-11N	1/2/2019	1	1	ND	ug/L
Benzene	MW-11N	7/9/2019	1	1	ND	ug/L
Benzene	MW-11N	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-11N	7/6/2020	1	1	ND	ug/L
Benzene	MW-11N	1/18/2021	1	1	ND	ug/L
Benzene	MW-11N	7/6/2021	1	1	ND	ug/L
Benzene	MW-11N	1/18/2022	1	1	ND	ug/L
Benzene	MW-11N	7/13/2022	1	1	ND	ug/L
Benzene	MW-11N	1/10/2023	1	1	ND	ug/L
Benzene	MW-11N	7/8/2023	1	1	ND	ug/L
Benzene	MW-15	6/5/2015	1	1	ND	ug/L
Benzene	MW-15	7/15/2015	1	1	ND	ug/L
Benzene	MW-15	8/5/2015	1	1	ND	ug/L
Benzene	MW-15	9/3/2015	1	1	ND	ug/L
Benzene	MW-15	1/7/2016	1	1	ND	ug/L
Benzene	MW-15	4/5/2016	1	1	ND	ug/L
Benzene	MW-15	7/20/2016	1	1	ND	ug/L
Benzene	MW-15	10/6/2016	1	1	ND	ug/L
Benzene	MW-15	1/10/2017	1	1	ND	ug/L
Benzene	MW-15	7/18/2017	1	1	ND	ug/L
Benzene	MW-15	1/23/2018	1	1	ND	ug/L
Benzene	MW-15	7/10/2018	1	1	ND	ug/L
Benzene	MW-15	1/3/2019	1	1	ND	ug/L
Benzene	MW-15	7/9/2019	1	1	ND	ug/L
Benzene	MW-15	1/14/2020	1	1	ND	ug/L
Benzene	MW-15	8/3/2020	1	1	ND	ug/L
Benzene	MW-15	1/18/2021	1	1	ND	ug/L
Benzene	MW-15	7/4/2021	1	1	ND	ug/L
Benzene	MW-15	1/12/2022	1	1	ND	ug/L
Benzene	MW-15	7/10/2022	1	1	ND	ug/L
Benzene	MW-15	1/10/2023	1	1	ND	ug/L
Benzene	MW-15	7/10/2023	1	1	ND	ug/L
Benzene	MW-16	6/5/2015	1	1	ND	ug/L
Benzene	MW-16	7/16/2015	1	1	ND	ug/L
Benzene	MW-16	8/5/2015	1	1	ND	ug/L
Benzene	MW-16	9/3/2015	1	1	ND	ug/L
Benzene	MW-16	1/8/2016	1	1	ND	ug/L
Benzene	MW-16	4/5/2016	1	1	ND	ug/L
Benzene	MW-16	7/21/2016	1	1	ND	ug/L
Benzene	MW-16	10/5/2016	1	1	ND	ug/L
Benzene	MW-16	1/10/2017	1	1	ND	ug/L
Benzene	MW-16	7/18/2017	1	1	ND	ug/L
Benzene	MW-16	1/23/2018	1	1	ND	ug/L
Benzene	MW-16	7/11/2018	1	1	ND	ug/L
Benzene	MW-16	1/2/2019	1	1	ND	ug/L
Benzene	MW-16	7/10/2019	1	1	ND	ug/L
Benzene	MW-16	1/14/2020	1	1	ND	ug/L
Benzene	MW-16	8/3/2020	1	1	ND	ug/L
Benzene	MW-16	1/18/2021	1	1	ND	ug/L
Benzene	MW-16	7/4/2021	1	1	ND	ug/L
Benzene	MW-16	1/12/2022	1	1	ND	ug/L
Benzene	MW-16	7/10/2022	1	1	ND	ug/L
Benzene	MW-16	1/10/2023	1	1	ND	ug/L
Benzene	MW-16	7/10/2023	1	1	ND	ug/L
Benzene	MW-17	6/5/2015	1	1	ND	ug/L
Benzene	MW-17	7/15/2015	1	1	ND	ug/L
Benzene	MW-17	8/4/2015	1	1	ND	ug/L
Benzene	MW-17	9/2/2015	1	1	ND	ug/L
Benzene	MW-17	1/7/2016	1	1	ND	ug/L
Benzene	MW-17	4/5/2016	1	1	ND	ug/L
Benzene	MW-17	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-17	10/6/2016	1	1	ND	ug/L
Benzene	MW-17	1/10/2017	1	1	ND	ug/L
Benzene	MW-17	7/18/2017	1	1	ND	ug/L
Benzene	MW-17	1/23/2018	1	1	ND	ug/L
Benzene	MW-17	7/10/2018	1	1	ND	ug/L
Benzene	MW-17	1/3/2019	1	1	ND	ug/L
Benzene	MW-17	7/11/2019	1	1	ND	ug/L
Benzene	MW-17	1/14/2020	1	1	ND	ug/L
Benzene	MW-17	8/3/2020	1	1	ND	ug/L
Benzene	MW-17	1/14/2021	1	1	ND	ug/L
Benzene	MW-17	7/4/2021	1	1	ND	ug/L
Benzene	MW-17	1/10/2023	1	1	ND	ug/L
Benzene	MW-17	7/8/2023	1	1	ND	ug/L
Benzene	MW-19	6/5/2015	1	1	ND	ug/L
Benzene	MW-19	7/16/2015	1	1	ND	ug/L
Benzene	MW-19	8/5/2015	1	1	ND	ug/L
Benzene	MW-19	9/3/2015	1	1	ND	ug/L
Benzene	MW-19	1/7/2016	1	1	ND	ug/L
Benzene	MW-19	4/5/2016	1	1	ND	ug/L
Benzene	MW-19	7/21/2016	1	1	ND	ug/L
Benzene	MW-19	10/5/2016	1	1	ND	ug/L
Benzene	MW-19	1/10/2017	1	1	ND	ug/L
Benzene	MW-19	7/18/2017	1	1	ND	ug/L
Benzene	MW-19	1/23/2018	1	1	ND	ug/L
Benzene	MW-19	7/13/2018	1	1	ND	ug/L
Benzene	MW-19	1/7/2019	1	1	ND	ug/L
Benzene	MW-19	7/11/2019	1	1	ND	ug/L
Benzene	MW-19	1/14/2020	1	1	ND	ug/L
Benzene	MW-19	8/3/2020	1	1	ND	ug/L
Benzene	MW-19	1/14/2021	1	1	ND	ug/L
Benzene	MW-19	7/4/2021	1	1	ND	ug/L
Benzene	MW-19	1/11/2023	1	1	ND	ug/L
Benzene	MW-19	7/10/2023	1	1	ND	ug/L
Benzene	MW-1N	10/22/1997	3	3	ND	ug/L
Benzene	MW-1N	1/20/1998	3	3	ND	ug/L
Benzene	MW-1N	4/28/1998	3	3	ND	ug/L
Benzene	MW-1N	7/23/1998	3	3	ND	ug/L
Benzene	MW-1N	10/14/1998	3.1	3.1	ND	ug/L
Benzene	MW-1N	1/13/1999	3	3	ND	ug/L
Benzene	MW-1N	4/13/1999	3	3	ND	ug/L
Benzene	MW-1N	5/19/1999	3	3	ND	ug/L
Benzene	MW-1N	7/15/1999	3	3	ND	ug/L
Benzene	MW-1N	10/19/1999	0.29	3		ug/L
Benzene	MW-1N	1/14/2000	3	3	ND	ug/L
Benzene	MW-1N	4/25/2000	3	3	ND	ug/L
Benzene	MW-1N	7/12/2000	1.4	1		ug/L
Benzene	MW-1N	10/18/2000	0.83	1		ug/L
Benzene	MW-1N	1/24/2001	0.21	1		ug/L
Benzene	MW-1N	4/12/2001	2.6	1		ug/L
Benzene	MW-1N	5/29/2002	1	1	ND	ug/L
Benzene	MW-1N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-1N	7/9/2002	0.26	1		ug/L
Benzene	MW-1N	10/3/2002	0.29	1		ug/L
Benzene	MW-1N	1/22/2003	1	1	ND	ug/L
Benzene	MW-1N	4/15/2003	1	1	ND	ug/L
Benzene	MW-1N	7/8/2003	1	1	ND	ug/L
Benzene	MW-1N	1/28/2004	1	1	ND	ug/L
Benzene	MW-1N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-1N	1/12/2005	1	1	ND	ug/L
Benzene	MW-1N	7/20/2005	1	1	ND	ug/L
Benzene	MW-1N	1/18/2006	1	1	ND	ug/L
Benzene	MW-1N	7/18/2006	1	1	ND	ug/L
Benzene	MW-1N	7/18/2006	1	1	ND	ug/L
Benzene	MW-1N	10/24/2006	1	1	ND	ug/L
Benzene	MW-1N	1/26/2007	1	1	ND	ug/L
Benzene	MW-1N	7/11/2007	1	1	ND	ug/L
Benzene	MW-1N	1/24/2008	1	1	ND	ug/L
Benzene	MW-1N	7/21/2008	1	1	ND	ug/L
Benzene	MW-1N	2/5/2009	1	1	ND	ug/L
Benzene	MW-1N	7/31/2009	1	1	ND	ug/L
Benzene	MW-1N	1/26/2010	1	1	ND	ug/L
Benzene	MW-1N	7/13/2010	1	1	ND	ug/L
Benzene	MW-1N	1/20/2011	1	1	ND	ug/L
Benzene	MW-1N	7/13/2011	1	1	ND	ug/L
Benzene	MW-1N	1/5/2012	1	1	ND	ug/L
Benzene	MW-1N	7/10/2012	1	1	ND	ug/L
Benzene	MW-1N	5/1/2013	1	1	ND	ug/L
Benzene	MW-1N	7/16/2013	1	1	ND	ug/L
Benzene	MW-1N	1/24/2014	1	1	ND	ug/L
Benzene	MW-1N	7/9/2014	1	1	ND	ug/L
Benzene	MW-1N	2/10/2015	1	1	ND	ug/L
Benzene	MW-1N	7/14/2015	1	1	ND	ug/L
Benzene	MW-1N	1/6/2016	1	1	ND	ug/L
Benzene	MW-1N	7/21/2016	1	1	ND	ug/L
Benzene	MW-1N	1/12/2017	1	1	ND	ug/L
Benzene	MW-1N	7/19/2017	1	1	ND	ug/L
Benzene	MW-1N	1/23/2018	1	1	ND	ug/L
Benzene	MW-1N	7/10/2018	1	1	ND	ug/L
Benzene	MW-1N	1/3/2019	1	1	ND	ug/L
Benzene	MW-1N	7/11/2019	1	1	ND	ug/L
Benzene	MW-1N	1/23/2020	1	1	ND	ug/L
Benzene	MW-1N	4/2/2020	1	1	ND	ug/L
Benzene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzene	MW-1N	1/14/2021	1	1	ND	ug/L
Benzene	MW-1N	7/4/2021	1	1	ND	ug/L
Benzene	MW-1N	1/11/2023	1	1	ND	ug/L
Benzene	MW-1N	7/8/2023	1	1	ND	ug/L
Benzene	MW-20	6/5/2015	1	1	ND	ug/L
Benzene	MW-20	7/14/2015	1	1	ND	ug/L
Benzene	MW-20	8/4/2015	1	1	ND	ug/L
Benzene	MW-20	9/2/2015	1	1	ND	ug/L
Benzene	MW-20	1/7/2016	1	1	ND	ug/L
Benzene	MW-20	4/5/2016	1	1	ND	ug/L
Benzene	MW-20	7/20/2016	1	1	ND	ug/L
Benzene	MW-20	10/5/2016	1	1	ND	ug/L
Benzene	MW-20	1/12/2017	1	1	ND	ug/L
Benzene	MW-20	7/18/2017	1	1	ND	ug/L
Benzene	MW-20	1/26/2018	1	1	ND	ug/L
Benzene	MW-20	7/12/2018	1	1	ND	ug/L
Benzene	MW-20	7/11/2019	1	1	ND	ug/L
Benzene	MW-20	1/14/2020	1	1	ND	ug/L
Benzene	MW-20	7/7/2020	1	1	ND	ug/L
Benzene	MW-20	1/17/2021	1	1	ND	ug/L
Benzene	MW-20	7/4/2021	1	1	ND	ug/L
Benzene	MW-20	1/11/2023	1	1	ND	ug/L
Benzene	MW-21	6/5/2015	0.32	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-21	7/14/2015	0.28	1	ND	ug/L
Benzene	MW-21	8/4/2015	0.27	1	ND	ug/L
Benzene	MW-21	9/2/2015	0.32	1	ND	ug/L
Benzene	MW-21	1/7/2016	1	1	ND	ug/L
Benzene	MW-21	4/5/2016	0.2	1	ND	ug/L
Benzene	MW-21	7/20/2016	0.18	1	ND	ug/L
Benzene	MW-21	10/5/2016	1	1	ND	ug/L
Benzene	MW-21	10/5/2016	1	1	ND	ug/L
Benzene	MW-21	1/10/2017	1	1	ND	ug/L
Benzene	MW-21	4/5/2017	0.18	1	ND	ug/L
Benzene	MW-21	7/19/2017	0.19	1	ND	ug/L
Benzene	MW-21	10/6/2017	1	1	ND	ug/L
Benzene	MW-21	1/24/2018	1	1	ND	ug/L
Benzene	MW-21	4/11/2018	0.26	1	ND	ug/L
Benzene	MW-21	7/11/2018	1	1	ND	ug/L
Benzene	MW-21	10/4/2018	1	1	ND	ug/L
Benzene	MW-21	1/3/2019	0.21	1	ND	ug/L
Benzene	MW-21	4/3/2019	1	1	ND	ug/L
Benzene	MW-21	7/11/2019	1	1	ND	ug/L
Benzene	MW-21	10/2/2019	1	1	ND	ug/L
Benzene	MW-21	1/16/2020	1	1	ND	ug/L
Benzene	MW-21	4/2/2020	1	1	ND	ug/L
Benzene	MW-21	7/8/2020	1	1	ND	ug/L
Benzene	MW-21	10/7/2020	1	1	ND	ug/L
Benzene	MW-21	1/13/2021	1	1	ND	ug/L
Benzene	MW-21	4/6/2021	1	1	ND	ug/L
Benzene	MW-21	7/5/2021	1	1	ND	ug/L
Benzene	MW-21	10/6/2021	1	1	ND	ug/L
Benzene	MW-21	1/11/2023	1	1	ND	ug/L
Benzene	MW-21	4/8/2023	1	1	ND	ug/L
Benzene	MW-21	7/7/2023	1	1	ND	ug/L
Benzene	MW-21	10/6/2023	1	1	ND	ug/L
Benzene	MW-2N	10/22/1997	3	3	ND	ug/L
Benzene	MW-2N	1/21/1998	3	3	ND	ug/L
Benzene	MW-2N	4/28/1998	3	3	ND	ug/L
Benzene	MW-2N	7/22/1998	3	3	ND	ug/L
Benzene	MW-2N	1/13/1999	3	3	ND	ug/L
Benzene	MW-2N	4/13/1999	3	3	ND	ug/L
Benzene	MW-2N	7/14/1999	3	3	ND	ug/L
Benzene	MW-2N	10/20/1999	3	3	ND	ug/L
Benzene	MW-2N	1/14/2000	3	3	ND	ug/L
Benzene	MW-2N	4/25/2000	3	3	ND	ug/L
Benzene	MW-2N	10/17/2000	1	1	ND	ug/L
Benzene	MW-2N	1/24/2001	1	1	ND	ug/L
Benzene	MW-2N	4/11/2001	1	1	ND	ug/L
Benzene	MW-2N	7/10/2002	4	1		ug/L
Benzene	MW-2N	10/2/2002	1	1	ND	ug/L
Benzene	MW-2N	1/22/2003	1	1	ND	ug/L
Benzene	MW-2N	4/14/2003	1	1	ND	ug/L
Benzene	MW-2N	7/7/2003	1	1	ND	ug/L
Benzene	MW-2N	1/28/2004	1	1	ND	ug/L
Benzene	MW-2N	7/27/2004	1	1	ND	ug/L
Benzene	MW-2N	1/12/2005	1	1	ND	ug/L
Benzene	MW-2N	7/20/2005	1	1	ND	ug/L
Benzene	MW-2N	1/19/2006	1	1	ND	ug/L
Benzene	MW-2N	7/19/2006	1	1	ND	ug/L
Benzene	MW-2N	7/19/2006	1	1	ND	ug/L
Benzene	MW-2N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-2N	1/26/2007	1	1	ND	ug/L
Benzene	MW-2N	3/27/2007	1	1	ND	ug/L
Benzene	MW-2N	7/11/2007	1	1	ND	ug/L
Benzene	MW-2N	1/24/2008	1	1	ND	ug/L
Benzene	MW-2N	7/22/2008	1	1	ND	ug/L
Benzene	MW-2N	2/4/2009	0.19	1	ND	ug/L
Benzene	MW-2N	7/31/2009	1	1	ND	ug/L
Benzene	MW-2N	1/26/2010	1	1	ND	ug/L
Benzene	MW-2N	7/13/2010	1	1	ND	ug/L
Benzene	MW-2N	1/20/2011	1	1	ND	ug/L
Benzene	MW-2N	7/13/2011	1	1	ND	ug/L
Benzene	MW-2N	1/5/2012	1	1	ND	ug/L
Benzene	MW-2N	7/10/2012	1	1	ND	ug/L
Benzene	MW-2N	5/1/2013	1	1	ND	ug/L
Benzene	MW-2N	7/16/2013	1	1	ND	ug/L
Benzene	MW-2N	1/24/2014	1	1	ND	ug/L
Benzene	MW-2N	7/9/2014	1	1	ND	ug/L
Benzene	MW-2N	2/12/2015	1	1	ND	ug/L
Benzene	MW-2N	7/14/2015	1	1	ND	ug/L
Benzene	MW-2N	1/6/2016	1	1	ND	ug/L
Benzene	MW-2N	7/21/2016	1	1	ND	ug/L
Benzene	MW-2N	1/11/2017	1	1	ND	ug/L
Benzene	MW-2N	7/19/2017	1	1	ND	ug/L
Benzene	MW-2N	1/23/2018	1	1	ND	ug/L
Benzene	MW-2N	7/12/2018	1	1	ND	ug/L
Benzene	MW-2N	1/3/2019	1	1	ND	ug/L
Benzene	MW-2N	8/7/2019	1	1	ND	ug/L
Benzene	MW-2N	1/23/2020	1	1	ND	ug/L
Benzene	MW-2N	7/7/2020	1	1	ND	ug/L
Benzene	MW-2N	1/14/2021	1	1	ND	ug/L
Benzene	MW-2N	7/5/2021	1	1	ND	ug/L
Benzene	MW-2N	1/11/2023	1	1	ND	ug/L
Benzene	MW-2N	7/8/2023	1	1	ND	ug/L
Benzene	MW-3N	10/21/1997	3	3	ND	ug/L
Benzene	MW-3N	1/21/1998	3	3	ND	ug/L
Benzene	MW-3N	4/28/1998	0.23	3		ug/L
Benzene	MW-3N	7/23/1998	3	3	ND	ug/L
Benzene	MW-3N	1/13/1999	3	3	ND	ug/L
Benzene	MW-3N	4/13/1999	3	3	ND	ug/L
Benzene	MW-3N	7/14/1999	3	3	ND	ug/L
Benzene	MW-3N	10/20/1999	0.34	3		ug/L
Benzene	MW-3N	1/14/2000	3	3	ND	ug/L
Benzene	MW-3N	4/24/2000	0.32	3		ug/L
Benzene	MW-3N	7/11/2000	0.29	1		ug/L
Benzene	MW-3N	10/17/2000	0.28	1		ug/L
Benzene	MW-3N	1/23/2001	0.3	1		ug/L
Benzene	MW-3N	4/11/2001	0.58	1		ug/L
Benzene	MW-3N	5/29/2002	1	1	ND	ug/L
Benzene	MW-3N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-3N	7/9/2002	0.97	1		ug/L
Benzene	MW-3N	10/2/2002	1.2	1		ug/L
Benzene	MW-3N	1/22/2003	1	1	ND	ug/L
Benzene	MW-3N	4/14/2003	1	1	ND	ug/L
Benzene	MW-3N	7/7/2003	1	1	ND	ug/L
Benzene	MW-3N	1/28/2004	1.1	1		ug/L
Benzene	MW-3N	7/27/2004	1.3	1		ug/L
Benzene	MW-3N	1/12/2005	1	1	ND	ug/L
Benzene	MW-3N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-3N	1/18/2006	1	1	ND	ug/L
Benzene	MW-3N	7/19/2006	1.2	1		ug/L
Benzene	MW-3N	7/19/2006	1.2	1		ug/L
Benzene	MW-3N	10/25/2006	1.1	1		ug/L
Benzene	MW-3N	1/26/2007	1	1	ND	ug/L
Benzene	MW-3N	7/11/2007	1	1		ug/L
Benzene	MW-3N	1/24/2008	1.3	1		ug/L
Benzene	MW-3N	7/22/2008	1.1	1		ug/L
Benzene	MW-3N	2/4/2009	1.1	1		ug/L
Benzene	MW-3N	7/31/2009	1	1	ND	ug/L
Benzene	MW-3N	1/26/2010	1	1	ND	ug/L
Benzene	MW-3N	7/13/2010	0.65	1	ND	ug/L
Benzene	MW-3N	1/20/2011	1	1	ND	ug/L
Benzene	MW-3N	7/14/2011	0.73	1	ND	ug/L
Benzene	MW-3N	1/5/2012	0.71	1	ND	ug/L
Benzene	MW-3N	7/11/2012	0.64	1	ND	ug/L
Benzene	MW-3N	5/1/2013	0.24	1	ND	ug/L
Benzene	MW-3N	6/4/2013	0.22	1	ND	ug/L
Benzene	MW-3N	7/16/2013	0.16	1	ND	ug/L
Benzene	MW-3N	1/24/2014	1	1	ND	ug/L
Benzene	MW-3N	7/9/2014	0.17	1	ND	ug/L
Benzene	MW-3N	2/12/2015	1	1	ND	ug/L
Benzene	MW-3N	4/1/2015	1	1	ND	ug/L
Benzene	MW-3N	7/14/2015	1	1	ND	ug/L
Benzene	MW-3N	10/5/2015	1	1	ND	ug/L
Benzene	MW-3N	1/6/2016	1	1	ND	ug/L
Benzene	MW-3N	4/6/2016	1	1	ND	ug/L
Benzene	MW-3N	7/21/2016	1	1	ND	ug/L
Benzene	MW-3N	10/6/2016	1	1	ND	ug/L
Benzene	MW-3N	1/11/2017	1	1	ND	ug/L
Benzene	MW-3N	4/4/2017	1	1	ND	ug/L
Benzene	MW-3N	7/19/2017	1	1	ND	ug/L
Benzene	MW-3N	10/9/2017	1	1	ND	ug/L
Benzene	MW-3N	1/24/2018	1	1	ND	ug/L
Benzene	MW-3N	4/10/2018	1	1	ND	ug/L
Benzene	MW-3N	7/13/2018	1	1	ND	ug/L
Benzene	MW-3N	10/3/2018	1	1	ND	ug/L
Benzene	MW-3N	1/7/2019	1	1	ND	ug/L
Benzene	MW-3N	4/3/2019	1	1	ND	ug/L
Benzene	MW-3N	7/11/2019	1	1	ND	ug/L
Benzene	MW-3N	10/2/2019	1	1	ND	ug/L
Benzene	MW-3N	1/15/2020	1	1	ND	ug/L
Benzene	MW-3N	4/2/2020	1	1	ND	ug/L
Benzene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzene	MW-3N	10/7/2020	1	1	ND	ug/L
Benzene	MW-3N	1/13/2021	1	1	ND	ug/L
Benzene	MW-3N	4/6/2021	1	1	ND	ug/L
Benzene	MW-3N	7/5/2021	1	1	ND	ug/L
Benzene	MW-3N	10/6/2021	1	1	ND	ug/L
Benzene	MW-3N	1/11/2023	1	1	ND	ug/L
Benzene	MW-3N	7/7/2023	1	1	ND	ug/L
Benzene	MW-3N	10/6/2023	1	1	ND	ug/L
Benzene	MW-7N	10/21/1997	3	3	ND	ug/L
Benzene	MW-7N	1/21/1998	3	3	ND	ug/L
Benzene	MW-7N	7/22/1998	3.3	3		ug/L
Benzene	MW-7N	8/18/1998	3	3		ug/L
Benzene	MW-7N	9/17/1998	3	3	ND	ug/L
Benzene	MW-7N	10/15/1998	3.1	3.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-7N	11/9/1998	3.1	3		ug/L
Benzene	MW-7N	1/14/1999	3	3	ND	ug/L
Benzene	MW-7N	4/14/1999	3	3	ND	ug/L
Benzene	MW-7N	7/14/1999	4	3		ug/L
Benzene	MW-7N	10/19/1999	4.2	3		ug/L
Benzene	MW-7N	1/13/2000	3.6	3		ug/L
Benzene	MW-7N	4/25/2000	4.4	3		ug/L
Benzene	MW-7N	10/17/2000	4.3	1		ug/L
Benzene	MW-7N	1/23/2001	4.4	1		ug/L
Benzene	MW-7N	4/10/2001	6.2	1		ug/L
Benzene	MW-7N	5/29/2002	5.3	3.1		ug/L
Benzene	MW-7N	5/29/2002	5.3	1		ug/L
Benzene	MW-7N	7/9/2002	4.4	1		ug/L
Benzene	MW-7N	10/2/2002	4	1		ug/L
Benzene	MW-7N	1/23/2003	3	1		ug/L
Benzene	MW-7N	4/14/2003	3.3	1		ug/L
Benzene	MW-7N	7/7/2003	3.3	1		ug/L
Benzene	MW-7N	1/27/2004	3.2	1		ug/L
Benzene	MW-7N	4/8/2004	2.9	1		ug/L
Benzene	MW-7N	7/26/2004	1.8	1		ug/L
Benzene	MW-7N	1/12/2005	1.7	1		ug/L
Benzene	MW-7N	7/19/2005	2	1		ug/L
Benzene	MW-7N	1/19/2006	1.5	1		ug/L
Benzene	MW-7N	7/19/2006	1.4	1		ug/L
Benzene	MW-7N	7/19/2006	1.4	1		ug/L
Benzene	MW-7N	10/24/2006	1.3	1		ug/L
Benzene	MW-7N	1/26/2007	1	1	ND	ug/L
Benzene	MW-7N	7/10/2007	1	1	ND	ug/L
Benzene	MW-7N	7/21/2008	1	1	ND	ug/L
Benzene	MW-7N	2/6/2009	0.55	1	ND	ug/L
Benzene	MW-7N	7/29/2009	1	1	ND	ug/L
Benzene	MW-7N	1/26/2010	1	1	ND	ug/L
Benzene	MW-7N	7/14/2010	0.49	1	ND	ug/L
Benzene	MW-7N	9/2/2010	1	1	ND	ug/L
Benzene	MW-7N	1/20/2011	0.35	1	ND	ug/L
Benzene	MW-7N	7/12/2011	1	1	ND	ug/L
Benzene	MW-7N	1/5/2012	1	1	ND	ug/L
Benzene	MW-7N	7/10/2012	1	1	ND	ug/L
Benzene	MW-7N	5/1/2013	0.78	1	ND	ug/L
Benzene	MW-7N	6/4/2013	0.37	1	ND	ug/L
Benzene	MW-7N	7/15/2013	1	1	ND	ug/L
Benzene	MW-7N	1/30/2014	1	1	ND	ug/L
Benzene	MW-7N	7/9/2014	1	1	ND	ug/L
Benzene	MW-7N	2/12/2015	1	1	ND	ug/L
Benzene	MW-7N	7/13/2015	1	1	ND	ug/L
Benzene	MW-7N	1/5/2016	1	1	ND	ug/L
Benzene	MW-7N	7/21/2016	1	1	ND	ug/L
Benzene	MW-7N	1/11/2017	1	1	ND	ug/L
Benzene	MW-7N	4/4/2017	0.18	1	ND	ug/L
Benzene	MW-7N	7/19/2017	1	1	ND	ug/L
Benzene	MW-7N	10/5/2017	1	1	ND	ug/L
Benzene	MW-7N	1/25/2018	1	1	ND	ug/L
Benzene	MW-7N	4/11/2018	1	1	ND	ug/L
Benzene	MW-7N	7/13/2018	1	1	ND	ug/L
Benzene	MW-7N	1/4/2019	1	1	ND	ug/L
Benzene	MW-7N	7/10/2019	1	1	ND	ug/L
Benzene	MW-7N	1/16/2020	1	1	ND	ug/L
Benzene	MW-7N	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-7N	1/16/2021	1	1	ND	ug/L
Benzene	MW-7N	7/5/2021	1	1	ND	ug/L
Benzene	MW-7N	1/12/2022	1	1	ND	ug/L
Benzene	MW-7N	7/10/2022	1	1	ND	ug/L
Benzene	MW-7N	1/10/2023	1	1	ND	ug/L
Benzene	MW-7N	7/7/2023	1	1	ND	ug/L
Benzene	MW-8N	10/21/1997	3	3	ND	ug/L
Benzene	MW-8N	1/22/1998	3	3	ND	ug/L
Benzene	MW-8N	4/28/1998	3	3	ND	ug/L
Benzene	MW-8N	7/22/1998	3	3	ND	ug/L
Benzene	MW-8N	1/12/1999	3	3	ND	ug/L
Benzene	MW-8N	4/13/1999	3	3	ND	ug/L
Benzene	MW-8N	7/14/1999	3	3	ND	ug/L
Benzene	MW-8N	10/19/1999	3	3	ND	ug/L
Benzene	MW-8N	1/14/2000	3	3	ND	ug/L
Benzene	MW-8N	4/25/2000	3	3	ND	ug/L
Benzene	MW-8N	10/17/2000	1	1	ND	ug/L
Benzene	MW-8N	1/23/2001	1	1	ND	ug/L
Benzene	MW-8N	4/11/2001	1	1	ND	ug/L
Benzene	MW-8N	5/29/2002	3.1	3.1	ND	ug/L
Benzene	MW-8N	5/29/2002	1	1	ND	ug/L
Benzene	MW-8N	7/9/2002	1	1	ND	ug/L
Benzene	MW-8N	10/2/2002	1	1	ND	ug/L
Benzene	MW-8N	1/23/2003	1	1	ND	ug/L
Benzene	MW-8N	4/14/2003	1	1	ND	ug/L
Benzene	MW-8N	7/7/2003	1	1	ND	ug/L
Benzene	MW-8N	1/28/2004	1	1	ND	ug/L
Benzene	MW-8N	7/27/2004	1	1	ND	ug/L
Benzene	MW-8N	1/12/2005	1	1	ND	ug/L
Benzene	MW-8N	7/20/2005	1	1	ND	ug/L
Benzene	MW-8N	1/19/2006	1	1	ND	ug/L
Benzene	MW-8N	7/19/2006	1	1	ND	ug/L
Benzene	MW-8N	7/19/2006	1	1	ND	ug/L
Benzene	MW-8N	10/24/2006	1	1	ND	ug/L
Benzene	MW-8N	1/26/2007	1	1	ND	ug/L
Benzene	MW-8N	4/25/2007	1	1	ND	ug/L
Benzene	MW-8N	7/10/2007	1	1	ND	ug/L
Benzene	MW-8N	1/24/2008	1	1	ND	ug/L
Benzene	MW-8N	7/23/2008	1	1	ND	ug/L
Benzene	MW-8N	2/4/2009	1	1	ND	ug/L
Benzene	MW-8N	7/31/2009	1	1	ND	ug/L
Benzene	MW-8N	1/26/2010	1	1	ND	ug/L
Benzene	MW-8N	7/16/2010	1	1	ND	ug/L
Benzene	MW-8N	1/19/2011	1	1	ND	ug/L
Benzene	MW-8N	5/10/2011	1	1	ND	ug/L
Benzene	MW-8N	7/14/2011	1	1	ND	ug/L
Benzene	MW-8N	1/6/2012	1	1	ND	ug/L
Benzene	MW-8N	4/5/2012	1	1	ND	ug/L
Benzene	MW-8N	7/11/2012	1	1	ND	ug/L
Benzene	MW-8N	10/3/2012	1	1	ND	ug/L
Benzene	MW-8N	5/1/2013	1	1	ND	ug/L
Benzene	MW-8N	6/4/2013	1	1	ND	ug/L
Benzene	MW-8N	7/16/2013	1	1	ND	ug/L
Benzene	MW-8N	10/2/2013	1	1	ND	ug/L
Benzene	MW-8N	1/30/2014	1	1	ND	ug/L
Benzene	MW-8N	4/3/2014	1	1	ND	ug/L
Benzene	MW-8N	7/9/2014	1	1	ND	ug/L
Benzene	MW-8N	10/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	MW-8N	2/12/2015	1	1	ND	ug/L
Benzene	MW-8N	4/1/2015	1	1	ND	ug/L
Benzene	MW-8N	7/14/2015	1	1	ND	ug/L
Benzene	MW-8N	10/5/2015	1	1	ND	ug/L
Benzene	MW-8N	1/5/2016	1	1	ND	ug/L
Benzene	MW-8N	4/6/2016	1	1	ND	ug/L
Benzene	MW-8N	7/21/2016	1	1	ND	ug/L
Benzene	MW-8N	10/6/2016	1	1	ND	ug/L
Benzene	MW-8N	1/11/2017	1	1	ND	ug/L
Benzene	MW-8N	4/4/2017	1	1	ND	ug/L
Benzene	MW-8N	7/19/2017	1	1	ND	ug/L
Benzene	MW-8N	10/6/2017	1	1	ND	ug/L
Benzene	MW-8N	1/25/2018	1	1	ND	ug/L
Benzene	MW-8N	4/10/2018	1	1	ND	ug/L
Benzene	MW-8N	7/16/2018	1	1	ND	ug/L
Benzene	MW-8N	10/2/2018	1	1	ND	ug/L
Benzene	MW-8N	1/7/2019	1	1	ND	ug/L
Benzene	MW-8N	4/3/2019	1	1	ND	ug/L
Benzene	MW-8N	7/11/2019	1	1	ND	ug/L
Benzene	MW-8N	10/3/2019	1	1	ND	ug/L
Benzene	MW-8N	1/15/2020	1	1	ND	ug/L
Benzene	MW-8N	4/2/2020	1	1	ND	ug/L
Benzene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzene	MW-8N	10/6/2020	1	1	ND	ug/L
Benzene	MW-8N	1/15/2021	1	1	ND	ug/L
Benzene	MW-8N	4/6/2021	1	1	ND	ug/L
Benzene	MW-8N	7/5/2021	1	1	ND	ug/L
Benzene	MW-8N	10/6/2021	1	1	ND	ug/L
Benzene	MW-8N	1/18/2022	1	1	ND	ug/L
Benzene	MW-8N	4/4/2022	1	1	ND	ug/L
Benzene	MW-8N	7/12/2022	1	1	ND	ug/L
Benzene	MW-8N	10/6/2022	1	1	ND	ug/L
Benzene	MW-8N	1/11/2023	1	1	ND	ug/L
Benzene	MW-8N	4/8/2023	1	1	ND	ug/L
Benzene	MW-8N	7/7/2023	1	1	ND	ug/L
Benzene	MW-8N	10/5/2023	1	1	ND	ug/L
Benzene	NE-1	7/10/2002	1	1	ND	ug/L
Benzene	NE-1	8/6/2002	1	1	ND	ug/L
Benzene	NE-1	9/4/2002	1	1	ND	ug/L
Benzene	NE-1	10/2/2002	1	1	ND	ug/L
Benzene	NE-1	7/8/2003	1	1	ND	ug/L
Benzene	NE-1	1/27/2004	1	1	ND	ug/L
Benzene	NE-1	1/12/2005	1	1	ND	ug/L
Benzene	NE-1	7/19/2006	1	1	ND	ug/L
Benzene	NE-1	7/19/2006	1	1	ND	ug/L
Benzene	NE-1	10/25/2006	1	1	ND	ug/L
Benzene	NE-1	1/24/2007	1	1	ND	ug/L
Benzene	NE-1	7/10/2007	1	1	ND	ug/L
Benzene	NE-1	1/24/2008	1	1	ND	ug/L
Benzene	NE-1	7/21/2008	1	1	ND	ug/L
Benzene	NE-1	2/7/2009	1	1	ND	ug/L
Benzene	NE-1	7/31/2009	1	1	ND	ug/L
Benzene	NE-1	1/26/2010	1	1	ND	ug/L
Benzene	NE-1	7/14/2010	1	1	ND	ug/L
Benzene	NE-1	9/2/2010	1	1	ND	ug/L
Benzene	NE-1	1/19/2011	1	1	ND	ug/L
Benzene	NE-1	7/13/2011	1	1	ND	ug/L
Benzene	NE-1	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-1	7/10/2012	1	1	ND	ug/L
Benzene	NE-1	4/30/2013	1	1	ND	ug/L
Benzene	NE-1	7/16/2013	1	1	ND	ug/L
Benzene	NE-1	1/23/2014	1	1	ND	ug/L
Benzene	NE-1	7/9/2014	1	1	ND	ug/L
Benzene	NE-1	2/11/2015	1	1	ND	ug/L
Benzene	NE-1	7/8/2015	1	1	ND	ug/L
Benzene	NE-1	1/6/2016	1	1	ND	ug/L
Benzene	NE-1	7/20/2016	1	1	ND	ug/L
Benzene	NE-1	1/11/2017	1	1	ND	ug/L
Benzene	NE-1	7/19/2017	1	1	ND	ug/L
Benzene	NE-1	1/24/2018	1	1	ND	ug/L
Benzene	NE-1	4/11/2018	1	1	ND	ug/L
Benzene	NE-1	7/18/2018	1	1	ND	ug/L
Benzene	NE-1	10/2/2018	1	1	ND	ug/L
Benzene	NE-1	1/4/2019	1	1	ND	ug/L
Benzene	NE-1	4/2/2019	1	1	ND	ug/L
Benzene	NE-1	7/10/2019	1	1	ND	ug/L
Benzene	NE-1	7/10/2019	1	1	ND	ug/L
Benzene	NE-1	10/2/2019	1	1	ND	ug/L
Benzene	NE-1	1/15/2020	1	1	ND	ug/L
Benzene	NE-1	4/2/2020	1	1	ND	ug/L
Benzene	NE-1	7/8/2020	1	1	ND	ug/L
Benzene	NE-1	10/7/2020	1	1	ND	ug/L
Benzene	NE-1	1/13/2021	1	1	ND	ug/L
Benzene	NE-1	4/9/2021	1	1	ND	ug/L
Benzene	NE-1	7/2/2021	1	1	ND	ug/L
Benzene	NE-1	10/6/2021	1	1	ND	ug/L
Benzene	NE-1	1/17/2022	1	1	ND	ug/L
Benzene	NE-1	4/6/2022	1	1	ND	ug/L
Benzene	NE-1	7/13/2022	1	1	ND	ug/L
Benzene	NE-1	10/6/2022	1	1	ND	ug/L
Benzene	NE-1	1/5/2023	1	1	ND	ug/L
Benzene	NE-1	4/7/2023	1	1	ND	ug/L
Benzene	NE-1	7/5/2023	1	1	ND	ug/L
Benzene	NE-1	10/5/2023	1	1	ND	ug/L
Benzene	NE-10D	11/6/2019	1	1	ND	ug/L
Benzene	NE-10D	1/16/2020	1	1	ND	ug/L
Benzene	NE-10D	4/2/2020	1	1	ND	ug/L
Benzene	NE-10D	7/8/2020	1	1	ND	ug/L
Benzene	NE-10D	10/7/2020	1	1	ND	ug/L
Benzene	NE-10D	1/13/2021	1	1	ND	ug/L
Benzene	NE-10D	4/9/2021	1	1	ND	ug/L
Benzene	NE-10D	7/2/2021	1	1	ND	ug/L
Benzene	NE-10D	10/7/2021	1	1	ND	ug/L
Benzene	NE-10D	1/6/2023	1	1	ND	ug/L
Benzene	NE-10D	4/6/2023	1	1	ND	ug/L
Benzene	NE-10D	7/8/2023	1	1	ND	ug/L
Benzene	NE-10D	10/3/2023	1	1	ND	ug/L
Benzene	NE-11	3/1/2017	1	1	ND	ug/L
Benzene	NE-11	4/6/2017	1	1	ND	ug/L
Benzene	NE-11	7/20/2017	1	1	ND	ug/L
Benzene	NE-11	10/9/2017	1	1	ND	ug/L
Benzene	NE-11	9/30/2019	1	1	ND	ug/L
Benzene	NE-11	1/14/2020	1	1	ND	ug/L
Benzene	NE-11	7/7/2020	1	1	ND	ug/L
Benzene	NE-11	1/16/2021	1	1	ND	ug/L
Benzene	NE-11	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-11	7/1/2021	1	1	ND	ug/L
Benzene	NE-11	7/1/2021	1	1	ND	ug/L
Benzene	NE-11	1/17/2022	1	1	ND	ug/L
Benzene	NE-11	1/17/2022	1	1	ND	ug/L
Benzene	NE-11	7/12/2022	1	1	ND	ug/L
Benzene	NE-11	1/6/2023	1	1	ND	ug/L
Benzene	NE-11	7/6/2023	1	1	ND	ug/L
Benzene	NE-12	3/1/2017	1	1	ND	ug/L
Benzene	NE-12	4/6/2017	1	1	ND	ug/L
Benzene	NE-12	7/20/2017	1	1	ND	ug/L
Benzene	NE-12	10/6/2017	1	1	ND	ug/L
Benzene	NE-12	8/5/2019	1	1	ND	ug/L
Benzene	NE-12	1/13/2020	1	1	ND	ug/L
Benzene	NE-12	7/7/2020	1	1	ND	ug/L
Benzene	NE-12	1/15/2021	1	1	ND	ug/L
Benzene	NE-12	1/15/2021	1	1	ND	ug/L
Benzene	NE-12	7/1/2021	1	1	ND	ug/L
Benzene	NE-12	7/1/2021	1	1	ND	ug/L
Benzene	NE-12	1/17/2022	1	1	ND	ug/L
Benzene	NE-12	1/17/2022	1	1	ND	ug/L
Benzene	NE-12	7/12/2022	1	1	ND	ug/L
Benzene	NE-12	1/6/2023	1	1	ND	ug/L
Benzene	NE-12	7/5/2023	1	1	ND	ug/L
Benzene	NE-13	2/5/2019	1	1	ND	ug/L
Benzene	NE-13	8/7/2019	1	1	ND	ug/L
Benzene	NE-13	1/15/2020	1	1	ND	ug/L
Benzene	NE-13	7/8/2020	1	1	ND	ug/L
Benzene	NE-13	1/17/2021	1	1	ND	ug/L
Benzene	NE-13	1/17/2021	1	1	ND	ug/L
Benzene	NE-13	7/1/2021	1	1	ND	ug/L
Benzene	NE-13	7/1/2021	1	1	ND	ug/L
Benzene	NE-14D	10/2/2019	1	1	ND	ug/L
Benzene	NE-14D	1/16/2020	1	1	ND	ug/L
Benzene	NE-14D	4/3/2020	1	1	ND	ug/L
Benzene	NE-14D	7/7/2020	1	1	ND	ug/L
Benzene	NE-14D	10/6/2020	1	1	ND	ug/L
Benzene	NE-14D	1/17/2021	1	1	ND	ug/L
Benzene	NE-14D	4/9/2021	1	1	ND	ug/L
Benzene	NE-14D	7/2/2021	1	1	ND	ug/L
Benzene	NE-14D	10/7/2021	1	1	ND	ug/L
Benzene	NE-14D	1/18/2022	1	1	ND	ug/L
Benzene	NE-14D	4/6/2022	1	1	ND	ug/L
Benzene	NE-14D	7/13/2022	1	1	ND	ug/L
Benzene	NE-14D	10/7/2022	1	1	ND	ug/L
Benzene	NE-14D	1/6/2023	1	1	ND	ug/L
Benzene	NE-14D	4/6/2023	1	1	ND	ug/L
Benzene	NE-14D	7/5/2023	1	1	ND	ug/L
Benzene	NE-14D	10/4/2023	1	1	ND	ug/L
Benzene	NE-14S	10/2/2019	1	1	ND	ug/L
Benzene	NE-14S	1/16/2020	1	1	ND	ug/L
Benzene	NE-14S	4/3/2020	1	1	ND	ug/L
Benzene	NE-14S	7/7/2020	1	1	ND	ug/L
Benzene	NE-14S	10/6/2020	1	1	ND	ug/L
Benzene	NE-14S	1/17/2021	1	1	ND	ug/L
Benzene	NE-14S	4/9/2021	1	1	ND	ug/L
Benzene	NE-14S	7/2/2021	1	1	ND	ug/L
Benzene	NE-14S	10/7/2021	1	1	ND	ug/L
Benzene	NE-14S	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-14S	4/6/2022	1	1	ND	ug/L
Benzene	NE-14S	7/13/2022	1	1	ND	ug/L
Benzene	NE-14S	10/7/2022	1	1	ND	ug/L
Benzene	NE-14S	1/6/2023	1	1	ND	ug/L
Benzene	NE-14S	4/6/2023	1	1	ND	ug/L
Benzene	NE-14S	7/5/2023	1	1	ND	ug/L
Benzene	NE-14S	10/4/2023	1	1	ND	ug/L
Benzene	NE-15D	9/30/2019	1	1	ND	ug/L
Benzene	NE-15D	1/16/2020	1	1	ND	ug/L
Benzene	NE-15D	4/3/2020	1	1	ND	ug/L
Benzene	NE-15D	7/7/2020	1	1	ND	ug/L
Benzene	NE-15D	10/6/2020	1	1	ND	ug/L
Benzene	NE-15D	1/17/2021	1	1	ND	ug/L
Benzene	NE-15D	4/9/2021	1	1	ND	ug/L
Benzene	NE-15D	7/2/2021	1	1	ND	ug/L
Benzene	NE-15D	10/7/2021	1	1	ND	ug/L
Benzene	NE-15D	1/17/2022	1	1	ND	ug/L
Benzene	NE-15D	4/6/2022	1	1	ND	ug/L
Benzene	NE-15D	7/13/2022	1	1	ND	ug/L
Benzene	NE-15D	10/7/2022	1	1	ND	ug/L
Benzene	NE-15D	1/6/2023	1	1	ND	ug/L
Benzene	NE-15D	4/6/2023	1	1	ND	ug/L
Benzene	NE-15D	7/6/2023	1	1	ND	ug/L
Benzene	NE-15D	10/6/2023	1	1	ND	ug/L
Benzene	NE-15S	4/3/2020	1	1	ND	ug/L
Benzene	NE-2	7/9/2002	0.98	1		ug/L
Benzene	NE-2	8/6/2002	1	1	ND	ug/L
Benzene	NE-2	9/4/2002	1	1	ND	ug/L
Benzene	NE-2	10/2/2002	1	1	ND	ug/L
Benzene	NE-2	10/1/2013	1	1	ND	ug/L
Benzene	NE-2	10/8/2014	1	1	ND	ug/L
Benzene	NE-2	10/5/2015	1	1	ND	ug/L
Benzene	NE-2	10/6/2016	1	1	ND	ug/L
Benzene	NE-2	10/5/2017	1	1	ND	ug/L
Benzene	NE-2	1/25/2018	1	1	ND	ug/L
Benzene	NE-2	4/10/2018	1	1	ND	ug/L
Benzene	NE-2	7/10/2018	1	1	ND	ug/L
Benzene	NE-2	10/1/2018	1	1	ND	ug/L
Benzene	NE-2	1/4/2019	1	1	ND	ug/L
Benzene	NE-2	4/2/2019	1	1	ND	ug/L
Benzene	NE-2	7/9/2019	1	1	ND	ug/L
Benzene	NE-2	7/9/2019	1	1	ND	ug/L
Benzene	NE-2	10/2/2019	1	1	ND	ug/L
Benzene	NE-2	1/14/2020	1	1	ND	ug/L
Benzene	NE-2	4/1/2020	1	1	ND	ug/L
Benzene	NE-2	7/7/2020	1	1	ND	ug/L
Benzene	NE-2	10/6/2020	1	1	ND	ug/L
Benzene	NE-2	1/14/2021	1	1	ND	ug/L
Benzene	NE-2	4/9/2021	1	1	ND	ug/L
Benzene	NE-2	7/2/2021	1	1	ND	ug/L
Benzene	NE-2	10/6/2021	1	1	ND	ug/L
Benzene	NE-2	1/18/2022	1	1	ND	ug/L
Benzene	NE-2	4/6/2022	1	1	ND	ug/L
Benzene	NE-2	7/13/2022	1	1	ND	ug/L
Benzene	NE-2	10/7/2022	1	1	ND	ug/L
Benzene	NE-2	1/5/2023	1	1	ND	ug/L
Benzene	NE-2	4/5/2023	1	1	ND	ug/L
Benzene	NE-2	7/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-2	10/4/2023	1	1	ND	ug/L
Benzene	NE-4	7/10/2002	0.57	1		ug/L
Benzene	NE-4	8/6/2002	0.66	1		ug/L
Benzene	NE-4	9/4/2002	0.36	1		ug/L
Benzene	NE-4	10/3/2002	0.52	1		ug/L
Benzene	NE-4	4/15/2003	1	1	ND	ug/L
Benzene	NE-4	7/8/2003	1	1	ND	ug/L
Benzene	NE-4	1/28/2004	1	1	ND	ug/L
Benzene	NE-4	1/13/2005	1	1	ND	ug/L
Benzene	NE-4	8/1/2006	1	1	ND	ug/L
Benzene	NE-4	8/1/2006	1	1	ND	ug/L
Benzene	NE-4	10/25/2006	1	1	ND	ug/L
Benzene	NE-4	1/24/2007	1	1	ND	ug/L
Benzene	NE-4	7/12/2007	1	1	ND	ug/L
Benzene	NE-4	1/24/2008	1	1	ND	ug/L
Benzene	NE-4	7/21/2008	1	1	ND	ug/L
Benzene	NE-4	2/7/2009	1	1	ND	ug/L
Benzene	NE-4	7/31/2009	1	1	ND	ug/L
Benzene	NE-4	1/26/2010	1	1	ND	ug/L
Benzene	NE-4	7/14/2010	1	1	ND	ug/L
Benzene	NE-4	1/19/2011	1	1	ND	ug/L
Benzene	NE-4	7/13/2011	1	1	ND	ug/L
Benzene	NE-4	1/5/2012	1	1	ND	ug/L
Benzene	NE-4	7/10/2012	1	1	ND	ug/L
Benzene	NE-4	4/30/2013	1	1	ND	ug/L
Benzene	NE-4	7/16/2013	1	1	ND	ug/L
Benzene	NE-4	1/23/2014	1	1	ND	ug/L
Benzene	NE-4	7/9/2014	1	1	ND	ug/L
Benzene	NE-4	2/13/2015	1	1	ND	ug/L
Benzene	NE-4	7/8/2015	1	1	ND	ug/L
Benzene	NE-4	1/6/2016	1	1	ND	ug/L
Benzene	NE-4	7/20/2016	1	1	ND	ug/L
Benzene	NE-4	1/11/2017	1	1	ND	ug/L
Benzene	NE-4	7/19/2017	1	1	ND	ug/L
Benzene	NE-4	1/26/2018	1	1	ND	ug/L
Benzene	NE-4	4/10/2018	1	1	ND	ug/L
Benzene	NE-4	7/12/2018	1	1	ND	ug/L
Benzene	NE-4	10/3/2018	1	1	ND	ug/L
Benzene	NE-4	1/7/2019	1	1	ND	ug/L
Benzene	NE-4	4/2/2019	1	1	ND	ug/L
Benzene	NE-4	7/8/2019	1	1	ND	ug/L
Benzene	NE-4	7/8/2019	1	1	ND	ug/L
Benzene	NE-4	10/1/2019	1	1	ND	ug/L
Benzene	NE-4	1/13/2020	1	1	ND	ug/L
Benzene	NE-4	4/1/2020	1	1	ND	ug/L
Benzene	NE-4	7/6/2020	1	1	ND	ug/L
Benzene	NE-4	10/5/2020	1	1	ND	ug/L
Benzene	NE-4	1/15/2021	1	1	ND	ug/L
Benzene	NE-4	4/9/2021	1	1	ND	ug/L
Benzene	NE-4	7/2/2021	1	1	ND	ug/L
Benzene	NE-4	10/6/2021	1	1	ND	ug/L
Benzene	NE-4	1/5/2023	1	1	ND	ug/L
Benzene	NE-4	4/6/2023	1	1	ND	ug/L
Benzene	NE-4	7/5/2023	1	1	ND	ug/L
Benzene	NE-4	10/4/2023	1	1	ND	ug/L
Benzene	NE-5	7/9/2002	0.35	1		ug/L
Benzene	NE-5	8/6/2002	0.42	1		ug/L
Benzene	NE-5	9/4/2002	0.47	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-5	10/2/2002	0.36	1		ug/L
Benzene	NE-5	4/15/2003	1	1	ND	ug/L
Benzene	NE-5	7/8/2003	1	1	ND	ug/L
Benzene	NE-5	1/27/2004	1	1	ND	ug/L
Benzene	NE-5	1/12/2005	1	1	ND	ug/L
Benzene	NE-5	7/19/2006	1	1	ND	ug/L
Benzene	NE-5	7/19/2006	1	1	ND	ug/L
Benzene	NE-5	10/25/2006	1	1	ND	ug/L
Benzene	NE-5	1/24/2007	1	1	ND	ug/L
Benzene	NE-5	7/12/2007	1	1	ND	ug/L
Benzene	NE-5	7/22/2008	1	1	ND	ug/L
Benzene	NE-5	2/6/2009	1	1	ND	ug/L
Benzene	NE-5	7/31/2009	1	1	ND	ug/L
Benzene	NE-5	1/26/2010	1	1	ND	ug/L
Benzene	NE-5	7/16/2010	1	1	ND	ug/L
Benzene	NE-5	9/2/2010	1	1	ND	ug/L
Benzene	NE-5	1/19/2011	1	1	ND	ug/L
Benzene	NE-5	7/13/2011	1	1	ND	ug/L
Benzene	NE-5	1/5/2012	1	1	ND	ug/L
Benzene	NE-5	7/10/2012	1	1	ND	ug/L
Benzene	NE-5	4/30/2013	1	1	ND	ug/L
Benzene	NE-5	7/16/2013	1	1	ND	ug/L
Benzene	NE-5	1/23/2014	0.16	1	ND	ug/L
Benzene	NE-5	7/9/2014	1	1	ND	ug/L
Benzene	NE-5	2/11/2015	1	1	ND	ug/L
Benzene	NE-5	7/14/2015	1	1	ND	ug/L
Benzene	NE-5	1/6/2016	1	1	ND	ug/L
Benzene	NE-5	7/20/2016	1	1	ND	ug/L
Benzene	NE-5	1/11/2017	1	1	ND	ug/L
Benzene	NE-5	7/19/2017	1	1	ND	ug/L
Benzene	NE-5	1/25/2018	1	1	ND	ug/L
Benzene	NE-5	4/10/2018	1	1	ND	ug/L
Benzene	NE-5	7/17/2018	1	1	ND	ug/L
Benzene	NE-5	10/3/2018	1	1	ND	ug/L
Benzene	NE-5	1/4/2019	1	1	ND	ug/L
Benzene	NE-5	4/2/2019	1	1	ND	ug/L
Benzene	NE-5	4/2/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	7/9/2019	1	1	ND	ug/L
Benzene	NE-5	10/3/2019	1	1	ND	ug/L
Benzene	NE-5	1/16/2020	1	1	ND	ug/L
Benzene	NE-5	4/2/2020	1	1	ND	ug/L
Benzene	NE-5	7/8/2020	1	1	ND	ug/L
Benzene	NE-5	10/6/2020	1	1	ND	ug/L
Benzene	NE-5	1/15/2021	1	1	ND	ug/L
Benzene	NE-5	4/9/2021	1	1	ND	ug/L
Benzene	NE-5	7/2/2021	1	1	ND	ug/L
Benzene	NE-5	10/6/2021	1	1	ND	ug/L
Benzene	NE-5	1/18/2022	1	1	ND	ug/L
Benzene	NE-5	4/6/2022	1	1	ND	ug/L
Benzene	NE-5	7/13/2022	1	1	ND	ug/L
Benzene	NE-5	10/7/2022	1	1	ND	ug/L
Benzene	NE-5	1/5/2023	1	1	ND	ug/L
Benzene	NE-5	4/7/2023	1	1	ND	ug/L
Benzene	NE-5	7/6/2023	1	1	ND	ug/L
Benzene	NE-5	10/4/2023	1	1	ND	ug/L
Benzene	NE-5E	9/30/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-5E	1/16/2020	1	1	ND	ug/L
Benzene	NE-5E	4/1/2020	1	1	ND	ug/L
Benzene	NE-5E	7/8/2020	1	1	ND	ug/L
Benzene	NE-5E	10/6/2020	1	1	ND	ug/L
Benzene	NE-5E	1/15/2021	1	1	ND	ug/L
Benzene	NE-5E	4/9/2021	1	1	ND	ug/L
Benzene	NE-5E	7/2/2021	1	1	ND	ug/L
Benzene	NE-5E	10/6/2021	1	1	ND	ug/L
Benzene	NE-5E	1/18/2022	1	1	ND	ug/L
Benzene	NE-5E	4/6/2022	1	1	ND	ug/L
Benzene	NE-5E	7/13/2022	1	1	ND	ug/L
Benzene	NE-5E	10/7/2022	1	1	ND	ug/L
Benzene	NE-5E	1/5/2023	1	1	ND	ug/L
Benzene	NE-5E	4/7/2023	1	1	ND	ug/L
Benzene	NE-5E	7/6/2023	1	1	ND	ug/L
Benzene	NE-5E	10/4/2023	1	1	ND	ug/L
Benzene	NE-5W	9/30/2019	1	1	ND	ug/L
Benzene	NE-5W	1/16/2020	1	1	ND	ug/L
Benzene	NE-5W	4/2/2020	1	1	ND	ug/L
Benzene	NE-5W	7/8/2020	1	1	ND	ug/L
Benzene	NE-5W	10/6/2020	1	1	ND	ug/L
Benzene	NE-5W	1/15/2021	1	1	ND	ug/L
Benzene	NE-5W	4/9/2021	1	1	ND	ug/L
Benzene	NE-5W	7/2/2021	1	1	ND	ug/L
Benzene	NE-5W	10/6/2021	1	1	ND	ug/L
Benzene	NE-5W	1/18/2022	1	1	ND	ug/L
Benzene	NE-5W	4/6/2022	1	1	ND	ug/L
Benzene	NE-5W	7/13/2022	1	1	ND	ug/L
Benzene	NE-5W	10/7/2022	1	1	ND	ug/L
Benzene	NE-5W	1/5/2023	1	1	ND	ug/L
Benzene	NE-5W	4/7/2023	1	1	ND	ug/L
Benzene	NE-5W	7/6/2023	1	1	ND	ug/L
Benzene	NE-5W	10/4/2023	1	1	ND	ug/L
Benzene	NE-6	1/12/2017	1	1	ND	ug/L
Benzene	NE-6	4/5/2017	1	1	ND	ug/L
Benzene	NE-6	7/19/2017	1	1	ND	ug/L
Benzene	NE-6	10/6/2017	1	1	ND	ug/L
Benzene	NE-6	2/4/2019	1	1	ND	ug/L
Benzene	NE-6	8/6/2019	1	1	ND	ug/L
Benzene	NE-6	1/15/2020	1	1	ND	ug/L
Benzene	NE-6	7/9/2020	1	1	ND	ug/L
Benzene	NE-6	1/16/2021	1	1	ND	ug/L
Benzene	NE-6	1/16/2021	1	1	ND	ug/L
Benzene	NE-6	7/1/2021	1	1	ND	ug/L
Benzene	NE-6	7/1/2021	1	1	ND	ug/L
Benzene	NE-6	1/17/2022	1	1	ND	ug/L
Benzene	NE-6	1/17/2022	1	1	ND	ug/L
Benzene	NE-6	7/12/2022	1	1	ND	ug/L
Benzene	NE-6	1/5/2023	1	1	ND	ug/L
Benzene	NE-6	7/6/2023	1	1	ND	ug/L
Benzene	NE-6D	10/2/2019	1	1	ND	ug/L
Benzene	NE-6D	1/15/2020	1	1	ND	ug/L
Benzene	NE-6D	4/2/2020	1	1	ND	ug/L
Benzene	NE-6D	7/9/2020	1	1	ND	ug/L
Benzene	NE-6D	10/7/2020	1	1	ND	ug/L
Benzene	NE-6D	1/15/2021	1	1	ND	ug/L
Benzene	NE-6D	4/9/2021	1	1	ND	ug/L
Benzene	NE-6D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-6D	10/7/2021	1	1	ND	ug/L
Benzene	NE-6D	1/17/2022	1	1	ND	ug/L
Benzene	NE-6D	4/6/2022	1	1	ND	ug/L
Benzene	NE-6D	7/12/2022	1	1	ND	ug/L
Benzene	NE-6D	10/7/2022	1	1	ND	ug/L
Benzene	NE-6D	1/5/2023	1	1	ND	ug/L
Benzene	NE-6D	4/7/2023	1	1	ND	ug/L
Benzene	NE-6D	7/6/2023	1	1	ND	ug/L
Benzene	NE-6D	10/4/2023	1	1	ND	ug/L
Benzene	NE-7	3/1/2017	1	1	ND	ug/L
Benzene	NE-7	4/6/2017	1	1	ND	ug/L
Benzene	NE-7	7/20/2017	1	1	ND	ug/L
Benzene	NE-7	10/5/2017	1	1	ND	ug/L
Benzene	NE-7	2/6/2019	1	1	ND	ug/L
Benzene	NE-7	8/6/2019	1	1	ND	ug/L
Benzene	NE-7	1/16/2020	1	1	ND	ug/L
Benzene	NE-7	7/7/2020	1	1	ND	ug/L
Benzene	NE-7	1/16/2021	1	1	ND	ug/L
Benzene	NE-7	1/16/2021	1	1	ND	ug/L
Benzene	NE-7	7/1/2021	1	1	ND	ug/L
Benzene	NE-7	7/1/2021	1	1	ND	ug/L
Benzene	NE-7	1/17/2022	1	1	ND	ug/L
Benzene	NE-7	1/17/2022	1	1	ND	ug/L
Benzene	NE-7	7/12/2022	1	1	ND	ug/L
Benzene	NE-7	1/5/2023	1	1	ND	ug/L
Benzene	NE-7	7/6/2023	1	1	ND	ug/L
Benzene	NE-8	1/12/2017	1	1	ND	ug/L
Benzene	NE-8	4/5/2017	1	1	ND	ug/L
Benzene	NE-8	7/20/2017	1	1	ND	ug/L
Benzene	NE-8	10/6/2017	1	1	ND	ug/L
Benzene	NE-8	2/4/2019	1	1	ND	ug/L
Benzene	NE-8	8/5/2019	1	1	ND	ug/L
Benzene	NE-8	1/15/2020	1	1	ND	ug/L
Benzene	NE-8	7/8/2020	1	1	ND	ug/L
Benzene	NE-8	1/13/2021	1	1	ND	ug/L
Benzene	NE-8	1/13/2021	1	1	ND	ug/L
Benzene	NE-8	4/9/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	7/1/2021	1	1	ND	ug/L
Benzene	NE-8	10/7/2021	1	1	ND	ug/L
Benzene	NE-8	1/6/2023	1	1	ND	ug/L
Benzene	NE-8	7/5/2023	1	1	ND	ug/L
Benzene	NE-9	1/12/2017	1	1	ND	ug/L
Benzene	NE-9	4/5/2017	1	1	ND	ug/L
Benzene	NE-9	7/20/2017	1	1	ND	ug/L
Benzene	NE-9	10/5/2017	1	1	ND	ug/L
Benzene	NE-9	2/5/2019	1	1	ND	ug/L
Benzene	NE-9	8/7/2019	1	1	ND	ug/L
Benzene	NE-9	1/15/2020	1	1	ND	ug/L
Benzene	NE-9	7/7/2020	1	1	ND	ug/L
Benzene	NE-9	1/17/2021	1	1	ND	ug/L
Benzene	NE-9	1/17/2021	1	1	ND	ug/L
Benzene	NE-9	7/1/2021	1	1	ND	ug/L
Benzene	NE-9	7/1/2021	1	1	ND	ug/L
Benzene	NE-9	1/17/2022	1	1	ND	ug/L
Benzene	NE-9	1/17/2022	1	1	ND	ug/L
Benzene	NE-9	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzene	NE-9	1/6/2023	1	1	ND	ug/L
Benzene	NE-9	4/8/2023	1	1	ND	ug/L
Benzene	NE-9	7/5/2023	1	1	ND	ug/L
Benzene	NE-9	10/6/2023	1	1	ND	ug/L
Benzo(a)anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-10	10/5/2023	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(a)anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	2/3/2009	0.72	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-5	10/5/2023	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(a)anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(a)anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-6	10/5/2023	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(a)anthracene	LGW-9	10/5/2023	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(a)anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-20	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(a)anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(a)anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	2/6/2009	0.99	10	ND	ug/L
Benzo(a)anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(a)anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(a)anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(a)anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(a)anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(a)anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(a)anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(a)anthracene	MW-8N	10/5/2023	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-4	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(a)anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(a)anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(a)anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(a)pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-10	10/5/2023	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(a)pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-5	10/5/2023	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(a)pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(a)pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-6	10/5/2023	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(a)pyrene	LGW-9	10/5/2023	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(a)pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(a)pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(a)pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(a)pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(a)pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	2/6/2009	2.7	10	ND	ug/L
Benzo(a)pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(a)pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(a)pyrene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(a)pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(a)pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(a)pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(a)pyrene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(a)pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(a)pyrene	MW-8N	10/5/2023	10	10	ND	ug/L
Benzo(a)pyrene	NE-1	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(a)pyrene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(a)pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(a)pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(a)pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(a)pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-10	10/5/2023	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	2/3/2009	5.6	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-5	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-6	10/5/2023	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	LGW-9	10/5/2023	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(b)fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	2/6/2009	2.8	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(b)fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(b)fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(b)fluoranthene	MW-8N	10/5/2023	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	2/7/2009	7.9	10	ND	ug/L
Benzo(b)fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(b)fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(b)fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(b)fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-10	10/5/2023	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-5	10/5/2023	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-6	10/5/2023	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(ghi)perylene	LGW-9	10/5/2023	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	2/3/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-15	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(ghi)perylene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(ghi)perylene	MW-7N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(ghi)perylene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(ghi)perylene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(ghi)perylene	MW-8N	10/5/2023	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(ghi)perylene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(ghi)perylene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(ghi)perylene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(ghi)perylene	NE-5	7/9/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-10	10/5/2023	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	2/3/2009	4.4	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(k)fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-5	10/5/2023	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-6	10/5/2023	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	LGW-9	10/5/2023	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(k)fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Benzo(k)fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzo(k)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Benzo(k)fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Benzo(k)fluoranthene	MW-8N	10/5/2023	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	2/7/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Benzo(k)fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Benzo(k)fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzo(k)fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Benzyl alcohol	LGW-10	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-10	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-10	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-10	10/5/2023	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	10/27/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-14R	7/17/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-14R	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-2	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-2	2/13/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-2	2/13/2015	13	13	ND	ug/L
Benzyl alcohol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-2	7/8/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-2	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	LGW-3R	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-3R	7/11/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-3R	7/6/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-4	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-4	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-4	7/11/2018	0.36	9.9	ND	ug/L
Benzyl alcohol	LGW-4	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-5	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-5	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-5	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-5	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-5	10/5/2023	10	10	ND	ug/L
Benzyl alcohol	LGW-6	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-6	2/5/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-6	2/10/2015	10	10	ND	ug/L
Benzyl alcohol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Benzyl alcohol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Benzyl alcohol	LGW-6	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-6	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-6	10/5/2023	10	10	ND	ug/L
Benzyl alcohol	LGW-7	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-7	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/10/2012	1.1	9.5	ND	ug/L
Benzyl alcohol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-7	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-7	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-7	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Benzyl alcohol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-8R	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-9	10/26/2006	10	10	ND	ug/L
Benzyl alcohol	LGW-9	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/10/2012	1.1	9.5	ND	ug/L
Benzyl alcohol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	LGW-9	7/10/2019	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	LGW-9	7/7/2021	10	10	ND	ug/L
Benzyl alcohol	LGW-9	10/5/2023	10	10	ND	ug/L
Benzyl alcohol	MW-10N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-10N	2/13/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	MW-10N	7/10/2012	0.37	9.5	ND	ug/L
Benzyl alcohol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-10N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-11N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-11N	2/3/2009	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-11N	2/10/2015	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/17/2018	10	10	ND	ug/L
Benzyl alcohol	MW-11N	7/6/2021	10	10	ND	ug/L
Benzyl alcohol	MW-15	7/10/2018	10	10	ND	ug/L
Benzyl alcohol	MW-15	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-16	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-17	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-19	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-1N	10/14/1998	20	20	ND	ug/L
Benzyl alcohol	MW-1N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-1N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-1N	10/24/2006	10	10	ND	ug/L
Benzyl alcohol	MW-1N	2/5/2009	10	10	ND	ug/L
Benzyl alcohol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Benzyl alcohol	MW-1N	7/6/2020	10	10	ND	ug/L
Benzyl alcohol	MW-1N	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-20	7/4/2021	10	10	ND	ug/L
Benzyl alcohol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-21	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-21	7/8/2020	10	10	ND	ug/L
Benzyl alcohol	MW-21	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-2N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-2N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-2N	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	MW-2N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-3N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-3N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-3N	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	MW-3N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/11/2012	0.66	9.4	ND	ug/L
Benzyl alcohol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Benzyl alcohol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-3N	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/7/2020	10	10	ND	ug/L
Benzyl alcohol	MW-3N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-7N	10/15/1998	20	20	ND	ug/L
Benzyl alcohol	MW-7N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-7N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-7N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzyl alcohol	MW-7N	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	MW-7N	7/10/2012	0.36	9.5	ND	ug/L
Benzyl alcohol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Benzyl alcohol	MW-7N	7/13/2018	10	10	ND	ug/L
Benzyl alcohol	MW-7N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-8N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-8N	5/29/2002	20	20	ND	ug/L
Benzyl alcohol	MW-8N	10/24/2006	10	10	ND	ug/L
Benzyl alcohol	MW-8N	1/24/2008	10	10	ND	ug/L
Benzyl alcohol	MW-8N	2/4/2009	10	10	ND	ug/L
Benzyl alcohol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Benzyl alcohol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Benzyl alcohol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Benzyl alcohol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Benzyl alcohol	MW-8N	7/11/2019	10	10	ND	ug/L
Benzyl alcohol	MW-8N	7/9/2020	10	10	ND	ug/L
Benzyl alcohol	MW-8N	7/5/2021	10	10	ND	ug/L
Benzyl alcohol	MW-8N	10/5/2023	10	10	ND	ug/L
Benzyl alcohol	NE-1	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-1	2/7/2009	10	10	ND	ug/L
Benzyl alcohol	NE-1	7/10/2012	0.96	9.6	ND	ug/L
Benzyl alcohol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Benzyl alcohol	NE-4	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-4	2/7/2009	10	10	ND	ug/L
Benzyl alcohol	NE-4	7/10/2012	3.5	9.8	ND	ug/L
Benzyl alcohol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Benzyl alcohol	NE-4	7/12/2018	10	10	ND	ug/L
Benzyl alcohol	NE-5	10/25/2006	10	10	ND	ug/L
Benzyl alcohol	NE-5	2/6/2009	10	10	ND	ug/L
Benzyl alcohol	NE-5	7/10/2012	0.22	9.5	ND	ug/L
Benzyl alcohol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Benzyl alcohol	NE-5	7/9/2019	10	10	ND	ug/L
Benzylbutyl phthalate	LGW-10	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-2	7/8/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-6	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-7	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	LGW-9	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	LGW-9	7/7/2021	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Benzylbutyl phthalate	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-1N	7/6/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-21	7/8/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-3N	7/7/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-8N	7/9/2020	0.003	0.003	ND	mg/L
Benzylbutyl phthalate	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Benzylbutyl phthalate	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
Beryllium, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-14R	8/24/2007	1	1	ND	ug/L
Beryllium, dissolved	LGW-2	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-4	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-5	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-6	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-7	1/25/2006	1	1	ND	ug/L
Beryllium, dissolved	LGW-8R	1/24/2006	1	1	ND	ug/L
Beryllium, dissolved	MW-10N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-10N	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-10N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-11N	7/10/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-11N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-11N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-1N	10/19/1999	1	1	ND	ug/L
Beryllium, dissolved	MW-1N	7/12/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-1N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-1N	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-2N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-2N	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-2N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-3N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-3N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-3N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	MW-7N	10/19/1999	1.1	1		ug/L
Beryllium, dissolved	MW-7N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-7N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-7N	10/2/2002	0.7	0.4		ug/L
Beryllium, dissolved	MW-8N	10/19/1999	1	1	ND	ug/L
Beryllium, dissolved	MW-8N	7/11/2000	1	1	ND	ug/L
Beryllium, dissolved	MW-8N	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	MW-8N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-1	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-1	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-2	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-2	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-2	9/4/2002	0.4	0.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, dissolved	NE-2	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	7/10/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-4	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-4	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	7/9/2002	2	2	ND	ug/L
Beryllium, dissolved	NE-5	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, dissolved	NE-5	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	LGW-10	1/26/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-10	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-10	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-10	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-10	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-10	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-10	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-10	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	LGW-10	1/30/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Beryllium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Beryllium, total	LGW-10	7/13/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-10	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	4/6/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/21/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/6/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-10	4/4/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-10	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/9/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Beryllium, total	LGW-10	4/11/2018	0.1	1	ND	ug/L
Beryllium, total	LGW-10	7/16/2018	0.1	1	ND	ug/L
Beryllium, total	LGW-10	10/4/2018	0.084	1	ND	ug/L
Beryllium, total	LGW-10	1/4/2019	0.11	1	ND	ug/L
Beryllium, total	LGW-10	4/3/2019	0.12	1	ND	ug/L
Beryllium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Beryllium, total	LGW-10	10/2/2019	0.18	1	ND	ug/L
Beryllium, total	LGW-10	1/15/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	10/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-10	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	10/7/2022	1	1	ND	ug/L
Beryllium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Beryllium, total	LGW-10	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-10	10/5/2023	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/25/2006	4.2	1		ug/L
Beryllium, total	LGW-14R	8/2/2006	3	1		ug/L
Beryllium, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Beryllium, total	LGW-14R	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	4/24/2007	1.1	1		ug/L
Beryllium, total	LGW-14R	7/11/2007	4.3	1		ug/L
Beryllium, total	LGW-14R	8/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	10/23/2007	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/6/2009	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-14R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Beryllium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-14R	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-2	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-2	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	7/10/2007	1	1	ND	ug/L
Beryllium, total	LGW-2	1/26/2008	1	1	ND	ug/L
Beryllium, total	LGW-2	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-2	2/6/2009	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-2	7/30/2009	1	1	ND	ug/L
Beryllium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-2	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-2	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-2	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-2	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-2	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/15/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-2	1/30/2014	0.2	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-2	2/13/2015	1	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-2	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-2	1/11/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-2	7/12/2018	0.2	1	ND	ug/L
Beryllium, total	LGW-2	1/3/2019	0.093	1	ND	ug/L
Beryllium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Beryllium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Beryllium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Beryllium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-2	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-3R	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-3R	1/8/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/26/2008	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2009	0.1	1	ND	ug/L
Beryllium, total	LGW-3R	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-3R	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-3R	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/22/2014	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-3R	2/10/2015	0.2	1	ND	ug/L
Beryllium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/21/2016	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/10/2022	1	1	ND	ug/L
Beryllium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-3R	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-4	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-4	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-4	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-4	1/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-4	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2009	1	1	ND	ug/L
Beryllium, total	LGW-4	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	7/16/2010	1	1	ND	ug/L
Beryllium, total	LGW-4	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-4	7/13/2011	1	1	ND	ug/L
Beryllium, total	LGW-4	1/4/2012	1	1	ND	ug/L
Beryllium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-4	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-4	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-4	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-4	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-4	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-4	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-4	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-4	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-4	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-4	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-5	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-5	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-5	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-5	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-5	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-5	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-5	1/19/2011	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-5	1/5/2012	1	1	ND	ug/L
Beryllium, total	LGW-5	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-5	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-5	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2014	1	1	ND	ug/L
Beryllium, total	LGW-5	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-5	2/10/2015	1	1	ND	ug/L
Beryllium, total	LGW-5	7/8/2015	1	1	ND	ug/L
Beryllium, total	LGW-5	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-5	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-5	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-5	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-5	1/23/2018	1	1	ND	ug/L
Beryllium, total	LGW-5	7/12/2018	0.15	1	ND	ug/L
Beryllium, total	LGW-5	1/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-5	7/9/2019	2	2	ND	ug/L
Beryllium, total	LGW-5	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-5	7/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-5	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Beryllium, total	LGW-5	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-5	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-5	10/5/2023	1.03	1		ug/L
Beryllium, total	LGW-6	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-6	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-6	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	7/11/2007	1	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-6	7/23/2008	1	1	ND	ug/L
Beryllium, total	LGW-6	2/5/2009	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Beryllium, total	LGW-6	7/12/2010	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-6	1/19/2011	0.2	1	ND	ug/L
Beryllium, total	LGW-6	7/12/2011	0.1	1	ND	ug/L
Beryllium, total	LGW-6	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/9/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-6	7/15/2013	0.2	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-6	2/10/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-6	7/22/2015	0.2	1	ND	ug/L
Beryllium, total	LGW-6	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-6	7/19/2016	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2016	0.3	1	ND	ug/L
Beryllium, total	LGW-6	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	5/5/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	7/18/2017	0.2	1	ND	ug/L
Beryllium, total	LGW-6	10/5/2017	0.4	1	ND	ug/L
Beryllium, total	LGW-6	1/23/2018	0.27	1	ND	ug/L
Beryllium, total	LGW-6	4/10/2018	0.26	1	ND	ug/L
Beryllium, total	LGW-6	7/17/2018	0.26	1	ND	ug/L
Beryllium, total	LGW-6	10/2/2018	0.28	1	ND	ug/L
Beryllium, total	LGW-6	1/7/2019	0.28	1	ND	ug/L
Beryllium, total	LGW-6	4/3/2019	0.35	1	ND	ug/L
Beryllium, total	LGW-6	7/10/2019	0.25	2	ND	ug/L
Beryllium, total	LGW-6	10/3/2019	0.27	1	ND	ug/L
Beryllium, total	LGW-6	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2020	1	1	ND	ug/L
Beryllium, total	LGW-6	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-6	1/12/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	10/6/2022	1	1	ND	ug/L
Beryllium, total	LGW-6	1/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-6	4/6/2023	1	1	ND	ug/L
Beryllium, total	LGW-6	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-6	10/5/2023	1	1	ND	ug/L
Beryllium, total	LGW-7	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Beryllium, total	LGW-7	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-7	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	4/26/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-7	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-7	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-7	7/31/2009	1	1	ND	ug/L
Beryllium, total	LGW-7	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2010	1	1	ND	ug/L
Beryllium, total	LGW-7	1/20/2011	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-7	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-7	4/30/2013	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-7	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	LGW-7	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-7	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-7	7/22/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-7	1/5/2016	0.1	1	ND	ug/L
Beryllium, total	LGW-7	4/6/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	7/20/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	10/6/2016	1	1	ND	ug/L
Beryllium, total	LGW-7	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	4/4/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-7	10/5/2017	0.1	1	ND	ug/L
Beryllium, total	LGW-7	1/24/2018	0.084	1	ND	ug/L
Beryllium, total	LGW-7	4/11/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	7/12/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	10/2/2018	1	1	ND	ug/L
Beryllium, total	LGW-7	1/7/2019	1	1	ND	ug/L
Beryllium, total	LGW-7	4/3/2019	0.14	1	ND	ug/L
Beryllium, total	LGW-7	7/10/2019	2	2	ND	ug/L
Beryllium, total	LGW-7	10/3/2019	1	1	ND	ug/L
Beryllium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Beryllium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Beryllium, total	LGW-7	7/7/2021	4.47	1		ug/L
Beryllium, total	LGW-7	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-7	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/24/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-8R	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/24/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	4/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/12/2007	1	1	ND	ug/L
Beryllium, total	LGW-8R	2/4/2009	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/14/2010	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/20/2011	0.1	1	ND	ug/L
Beryllium, total	LGW-8R	7/12/2011	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/5/2012	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/9/2012	1	1	ND	ug/L
Beryllium, total	LGW-8R	4/30/2013	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/15/2013	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/8/2014	1	1	ND	ug/L
Beryllium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/22/2015	0.1	1	ND	ug/L
Beryllium, total	LGW-8R	1/5/2016	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/20/2016	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/18/2017	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Beryllium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-8R	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	1/25/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	7/20/2006	1	1	ND	ug/L
Beryllium, total	LGW-9	10/26/2006	5	5	ND	ug/L
Beryllium, total	LGW-9	1/9/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	1/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	4/25/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	7/10/2007	1	1	ND	ug/L
Beryllium, total	LGW-9	7/22/2008	1	1	ND	ug/L
Beryllium, total	LGW-9	2/4/2009	0.4	1	ND	ug/L
Beryllium, total	LGW-9	7/29/2009	1	1	ND	ug/L
Beryllium, total	LGW-9	1/27/2010	1	1	ND	ug/L
Beryllium, total	LGW-9	7/14/2010	0.4	1	ND	ug/L
Beryllium, total	LGW-9	1/20/2011	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/12/2011	0.6	1	ND	ug/L
Beryllium, total	LGW-9	1/5/2012	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/10/2012	0.7	1	ND	ug/L
Beryllium, total	LGW-9	5/1/2013	0.6	1	ND	ug/L
Beryllium, total	LGW-9	7/15/2013	0.8	1	ND	ug/L
Beryllium, total	LGW-9	1/23/2014	0.7	1	ND	ug/L
Beryllium, total	LGW-9	7/8/2014	0.8	1	ND	ug/L
Beryllium, total	LGW-9	2/11/2015	0.8	1	ND	ug/L
Beryllium, total	LGW-9	7/13/2015	0.7	1	ND	ug/L
Beryllium, total	LGW-9	1/5/2016	0.9	1	ND	ug/L
Beryllium, total	LGW-9	7/21/2016	0.6	1	ND	ug/L
Beryllium, total	LGW-9	10/6/2016	0.6	1	ND	ug/L
Beryllium, total	LGW-9	1/11/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	5/5/2017	0.8	1	ND	ug/L
Beryllium, total	LGW-9	7/18/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	10/5/2017	0.9	1	ND	ug/L
Beryllium, total	LGW-9	1/24/2018	0.56	1	ND	ug/L
Beryllium, total	LGW-9	4/11/2018	0.96	1	ND	ug/L
Beryllium, total	LGW-9	7/13/2018	0.93	1	ND	ug/L
Beryllium, total	LGW-9	10/2/2018	0.78	1	ND	ug/L
Beryllium, total	LGW-9	1/7/2019	0.82	1	ND	ug/L
Beryllium, total	LGW-9	4/3/2019	1.1	1		ug/L
Beryllium, total	LGW-9	7/10/2019	0.78	2	ND	ug/L
Beryllium, total	LGW-9	10/3/2019	0.64	1	ND	ug/L
Beryllium, total	LGW-9	1/16/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	4/2/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	7/9/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	10/7/2020	1	1	ND	ug/L
Beryllium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	4/6/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	7/7/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	10/5/2021	1	1	ND	ug/L
Beryllium, total	LGW-9	1/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	LGW-9	4/4/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	7/11/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	10/7/2022	1	1	ND	ug/L
Beryllium, total	LGW-9	1/11/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	4/5/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	7/10/2023	1	1	ND	ug/L
Beryllium, total	LGW-9	10/5/2023	1	1	ND	ug/L
Beryllium, total	MW-10N	10/22/1997	2.6	1		ug/L
Beryllium, total	MW-10N	1/22/1998	1	1	ND	ug/L
Beryllium, total	MW-10N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-10N	7/23/1998	1.7	1		ug/L
Beryllium, total	MW-10N	1/14/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	7/15/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-10N	1/14/2000	1.5	1		ug/L
Beryllium, total	MW-10N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-10N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2002	2	2	ND	ug/L
Beryllium, total	MW-10N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-10N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-10N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-10N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-10N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-10N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-10N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-10N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2007	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Beryllium, total	MW-10N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-10N	2/13/2009	1	1	ND	ug/L
Beryllium, total	MW-10N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Beryllium, total	MW-10N	8/10/2010	1	1	ND	ug/L
Beryllium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Beryllium, total	MW-10N	7/14/2011	1	1	ND	ug/L
Beryllium, total	MW-10N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-10N	5/1/2013	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Beryllium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-10N	1/24/2018	1	1	ND	ug/L
Beryllium, total	MW-10N	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Beryllium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-10N	7/7/2023	1	1	ND	ug/L
Beryllium, total	MW-11N	10/22/1997	1.8	1		ug/L
Beryllium, total	MW-11N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-11N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-11N	7/23/1998	1.8	1		ug/L
Beryllium, total	MW-11N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-11N	1/13/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	7/10/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-11N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-11N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-11N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-11N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-11N	1/29/2004	1	1	ND	ug/L
Beryllium, total	MW-11N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-11N	1/13/2005	1	1	ND	ug/L
Beryllium, total	MW-11N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-11N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-11N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-11N	1/22/2008	1	1	ND	ug/L
Beryllium, total	MW-11N	7/23/2008	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2009	1	1	ND	ug/L
Beryllium, total	MW-11N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	7/16/2010	1	1	ND	ug/L
Beryllium, total	MW-11N	1/19/2011	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-11N	1/4/2012	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Beryllium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Beryllium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Beryllium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Beryllium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Beryllium, total	MW-11N	2/10/2015	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2015	1	1	ND	ug/L
Beryllium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Beryllium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-11N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-11N	7/17/2018	1	1	ND	ug/L
Beryllium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Beryllium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Beryllium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Beryllium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Beryllium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Beryllium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-11N	7/8/2023	1	1	ND	ug/L
Beryllium, total	MW-15	6/5/2015	1	1	ND	ug/L
Beryllium, total	MW-15	7/15/2015	1	1	ND	ug/L
Beryllium, total	MW-15	8/5/2015	0.2	1	ND	ug/L
Beryllium, total	MW-15	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-15	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-15	4/5/2016	1	1	ND	ug/L
Beryllium, total	MW-15	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-15	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-15	1/10/2017	0.2	1	ND	ug/L
Beryllium, total	MW-15	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-15	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-15	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-15	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-15	7/9/2019	2	2	ND	ug/L
Beryllium, total	MW-15	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-15	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-15	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-15	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-15	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-15	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-15	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-15	7/10/2023	1	1	ND	ug/L
Beryllium, total	MW-16	6/5/2015	1	1	ND	ug/L
Beryllium, total	MW-16	7/16/2015	1	1	ND	ug/L
Beryllium, total	MW-16	8/5/2015	1	1	ND	ug/L
Beryllium, total	MW-16	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-16	1/8/2016	1	1	ND	ug/L
Beryllium, total	MW-16	4/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-16	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-16	10/5/2016	1	1	ND	ug/L
Beryllium, total	MW-16	1/10/2017	0.2	1	ND	ug/L
Beryllium, total	MW-16	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-16	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-16	7/11/2018	1	1	ND	ug/L
Beryllium, total	MW-16	1/2/2019	1	1	ND	ug/L
Beryllium, total	MW-16	7/10/2019	2	2	ND	ug/L
Beryllium, total	MW-16	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-16	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-16	1/18/2021	1	1	ND	ug/L
Beryllium, total	MW-16	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-16	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-16	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-16	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-16	7/10/2023	1	1	ND	ug/L
Beryllium, total	MW-17	6/5/2015	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-17	7/15/2015	1	1	ND	ug/L
Beryllium, total	MW-17	8/4/2015	1	1	ND	ug/L
Beryllium, total	MW-17	9/2/2015	0.2	1	ND	ug/L
Beryllium, total	MW-17	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-17	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-17	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-17	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-17	1/10/2017	1	1	ND	ug/L
Beryllium, total	MW-17	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-17	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-17	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-17	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-17	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-17	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-17	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-17	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-17	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-17	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-17	7/8/2023	1	1	ND	ug/L
Beryllium, total	MW-19	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-19	7/16/2015	1	1	ND	ug/L
Beryllium, total	MW-19	8/5/2015	1	1	ND	ug/L
Beryllium, total	MW-19	9/3/2015	1	1	ND	ug/L
Beryllium, total	MW-19	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-19	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-19	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-19	10/5/2016	1	1	ND	ug/L
Beryllium, total	MW-19	1/10/2017	1	1	ND	ug/L
Beryllium, total	MW-19	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-19	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-19	7/13/2018	1	1	ND	ug/L
Beryllium, total	MW-19	1/7/2019	1	1	ND	ug/L
Beryllium, total	MW-19	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-19	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-19	8/3/2020	1	1	ND	ug/L
Beryllium, total	MW-19	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-19	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-19	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-19	7/10/2023	1	1	ND	ug/L
Beryllium, total	MW-1N	10/22/1997	1	1	ND	ug/L
Beryllium, total	MW-1N	1/20/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	7/23/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	10/14/1998	1	1	ND	ug/L
Beryllium, total	MW-1N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	7/15/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	10/19/1999	1	1	ND	ug/L
Beryllium, total	MW-1N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	7/12/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	10/18/2000	1	1	ND	ug/L
Beryllium, total	MW-1N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-1N	4/12/2001	1	1	ND	ug/L
Beryllium, total	MW-1N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-1N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-1N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-1N	10/3/2002	0.4	0.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-1N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	4/15/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	7/8/2003	1	1	ND	ug/L
Beryllium, total	MW-1N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-1N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-1N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-1N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-1N	1/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Beryllium, total	MW-1N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-1N	1/9/2007	1	1		ug/L
Beryllium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-1N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-1N	2/5/2009	1	1	ND	ug/L
Beryllium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Beryllium, total	MW-1N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-1N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-1N	5/1/2013	0.3	1	ND	ug/L
Beryllium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Beryllium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Beryllium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-1N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-1N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Beryllium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Beryllium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	7/6/2020	1	1	ND	ug/L
Beryllium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-1N	7/8/2023	1	1	ND	ug/L
Beryllium, total	MW-20	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-20	7/14/2015	0.3	1	ND	ug/L
Beryllium, total	MW-20	8/4/2015	1	1	ND	ug/L
Beryllium, total	MW-20	9/2/2015	1	1	ND	ug/L
Beryllium, total	MW-20	1/7/2016	1.2	1		ug/L
Beryllium, total	MW-20	4/5/2016	0.1	1	ND	ug/L
Beryllium, total	MW-20	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-20	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-20	1/12/2017	0.3	1	ND	ug/L
Beryllium, total	MW-20	7/18/2017	1	1	ND	ug/L
Beryllium, total	MW-20	1/26/2018	1	1	ND	ug/L
Beryllium, total	MW-20	7/12/2018	1	1	ND	ug/L
Beryllium, total	MW-20	7/11/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-20	1/14/2020	1	1	ND	ug/L
Beryllium, total	MW-20	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-20	1/17/2021	1	1	ND	ug/L
Beryllium, total	MW-20	7/4/2021	1	1	ND	ug/L
Beryllium, total	MW-20	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-21	6/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-21	7/14/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	8/4/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	9/2/2015	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/7/2016	1	1	ND	ug/L
Beryllium, total	MW-21	4/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	7/20/2016	1	1	ND	ug/L
Beryllium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/10/2017	0.3	1	ND	ug/L
Beryllium, total	MW-21	4/5/2017	0.2	1	ND	ug/L
Beryllium, total	MW-21	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	MW-21	10/6/2017	0.2	1	ND	ug/L
Beryllium, total	MW-21	1/24/2018	0.14	1	ND	ug/L
Beryllium, total	MW-21	4/11/2018	0.094	1	ND	ug/L
Beryllium, total	MW-21	7/11/2018	1	1	ND	ug/L
Beryllium, total	MW-21	10/4/2018	0.12	1	ND	ug/L
Beryllium, total	MW-21	1/3/2019	0.12	1	ND	ug/L
Beryllium, total	MW-21	4/3/2019	0.29	1	ND	ug/L
Beryllium, total	MW-21	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-21	10/2/2019	1	1	ND	ug/L
Beryllium, total	MW-21	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-21	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-21	7/8/2020	1	1	ND	ug/L
Beryllium, total	MW-21	10/7/2020	1	1	ND	ug/L
Beryllium, total	MW-21	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-21	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-21	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-21	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-21	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-21	4/8/2023	1	1	ND	ug/L
Beryllium, total	MW-21	7/7/2023	1	1	ND	ug/L
Beryllium, total	MW-21	10/6/2023	1	1	ND	ug/L
Beryllium, total	MW-2N	10/22/1997	1	1	ND	ug/L
Beryllium, total	MW-2N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-2N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-2N	7/22/1998	1.2	1		ug/L
Beryllium, total	MW-2N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-2N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2001	1	1	ND	ug/L
Beryllium, total	MW-2N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-2N	7/10/2002	2	2	ND	ug/L
Beryllium, total	MW-2N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-2N	1/22/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-2N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-2N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-2N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-2N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-2N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-2N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-2N	7/22/2008	1	1	ND	ug/L
Beryllium, total	MW-2N	2/4/2009	1	1	ND	ug/L
Beryllium, total	MW-2N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Beryllium, total	MW-2N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-2N	7/13/2011	1	1	ND	ug/L
Beryllium, total	MW-2N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Beryllium, total	MW-2N	5/1/2013	0.1	1	ND	ug/L
Beryllium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Beryllium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-2N	7/9/2014	1	1	ND	ug/L
Beryllium, total	MW-2N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-2N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Beryllium, total	MW-2N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Beryllium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Beryllium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Beryllium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Beryllium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Beryllium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Beryllium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Beryllium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-2N	7/8/2023	1	1	ND	ug/L
Beryllium, total	MW-3N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-3N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-3N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-3N	7/23/1998	1.4	1		ug/L
Beryllium, total	MW-3N	1/13/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	10/20/1999	1	1	ND	ug/L
Beryllium, total	MW-3N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	4/24/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-3N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-3N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-3N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-3N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-3N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-3N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-3N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-3N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-3N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-3N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-3N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-3N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-3N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-3N	1/18/2006	1	1	ND	ug/L
Beryllium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-3N	10/25/2006	5	5	ND	ug/L
Beryllium, total	MW-3N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2007	1	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-3N	7/22/2008	1	1	ND	ug/L
Beryllium, total	MW-3N	2/4/2009	1	1	ND	ug/L
Beryllium, total	MW-3N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-3N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-3N	7/13/2010	0.3	1	ND	ug/L
Beryllium, total	MW-3N	1/20/2011	0.2	1	ND	ug/L
Beryllium, total	MW-3N	7/14/2011	0.2	1	ND	ug/L
Beryllium, total	MW-3N	1/5/2012	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2012	1	1	ND	ug/L
Beryllium, total	MW-3N	5/1/2013	0.1	1	ND	ug/L
Beryllium, total	MW-3N	6/4/2013	1	1	ND	ug/L
Beryllium, total	MW-3N	7/16/2013	0.2	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2014	1	1	ND	ug/L
Beryllium, total	MW-3N	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	MW-3N	2/12/2015	0.1	1	ND	ug/L
Beryllium, total	MW-3N	4/1/2015	1	1	ND	ug/L
Beryllium, total	MW-3N	7/14/2015	1	1	ND	ug/L
Beryllium, total	MW-3N	10/5/2015	0.1	1	ND	ug/L
Beryllium, total	MW-3N	1/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	4/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	7/21/2016	0.2	1	ND	ug/L
Beryllium, total	MW-3N	10/6/2016	1	1	ND	ug/L
Beryllium, total	MW-3N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-3N	4/4/2017	1	1	ND	ug/L
Beryllium, total	MW-3N	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	MW-3N	10/9/2017	1	1	ND	ug/L
Beryllium, total	MW-3N	1/24/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	4/10/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	7/13/2018	0.081	1	ND	ug/L
Beryllium, total	MW-3N	10/3/2018	1	1	ND	ug/L
Beryllium, total	MW-3N	1/7/2019	0.089	1	ND	ug/L
Beryllium, total	MW-3N	4/3/2019	1	1	ND	ug/L
Beryllium, total	MW-3N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-3N	10/2/2019	1	1	ND	ug/L
Beryllium, total	MW-3N	1/15/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	10/7/2020	1	1	ND	ug/L
Beryllium, total	MW-3N	1/13/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-3N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-3N	7/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-3N	10/6/2023	1	1	ND	ug/L
Beryllium, total	MW-7N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-7N	1/21/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	7/22/1998	1.8	1		ug/L
Beryllium, total	MW-7N	8/18/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	9/17/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	10/15/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	11/9/1998	1	1	ND	ug/L
Beryllium, total	MW-7N	1/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	4/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	7/14/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	10/19/1999	1	1	ND	ug/L
Beryllium, total	MW-7N	1/13/2000	1.4	1		ug/L
Beryllium, total	MW-7N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	7/11/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-7N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-7N	4/10/2001	1	1	ND	ug/L
Beryllium, total	MW-7N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-7N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-7N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-7N	10/2/2002	0.7	0.4		ug/L
Beryllium, total	MW-7N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-7N	1/27/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	4/8/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	7/26/2004	1	1	ND	ug/L
Beryllium, total	MW-7N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2005	1	1	ND	ug/L
Beryllium, total	MW-7N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-7N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-7N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-7N	7/21/2008	1	1	ND	ug/L
Beryllium, total	MW-7N	2/6/2009	0.2	1	ND	ug/L
Beryllium, total	MW-7N	7/29/2009	1	1	ND	ug/L
Beryllium, total	MW-7N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-7N	7/14/2010	1	1	ND	ug/L
Beryllium, total	MW-7N	1/20/2011	1	1	ND	ug/L
Beryllium, total	MW-7N	7/12/2011	0.1	1	ND	ug/L
Beryllium, total	MW-7N	1/5/2012	0.1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2012	0.1	1	ND	ug/L
Beryllium, total	MW-7N	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	MW-7N	6/4/2013	0.2	1	ND	ug/L
Beryllium, total	MW-7N	7/15/2013	1	1	ND	ug/L
Beryllium, total	MW-7N	1/30/2014	0.5	1	ND	ug/L
Beryllium, total	MW-7N	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	MW-7N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Beryllium, total	MW-7N	1/5/2016	1	1	ND	ug/L
Beryllium, total	MW-7N	7/21/2016	0.7	1	ND	ug/L
Beryllium, total	MW-7N	1/11/2017	1	1	ND	ug/L
Beryllium, total	MW-7N	4/4/2017	1	1	ND	ug/L
Beryllium, total	MW-7N	7/19/2017	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-7N	10/5/2017	0.5	1	ND	ug/L
Beryllium, total	MW-7N	1/25/2018	1	1	ND	ug/L
Beryllium, total	MW-7N	4/11/2018	1	1	ND	ug/L
Beryllium, total	MW-7N	7/13/2018	0.18	1	ND	ug/L
Beryllium, total	MW-7N	1/4/2019	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2019	2	2	ND	ug/L
Beryllium, total	MW-7N	1/16/2020	1	1	ND	ug/L
Beryllium, total	MW-7N	7/7/2020	1	1	ND	ug/L
Beryllium, total	MW-7N	1/16/2021	1	1	ND	ug/L
Beryllium, total	MW-7N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Beryllium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Beryllium, total	MW-7N	1/10/2023	1	1	ND	ug/L
Beryllium, total	MW-7N	7/7/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	10/21/1997	1	1	ND	ug/L
Beryllium, total	MW-8N	1/22/1998	1	1	ND	ug/L
Beryllium, total	MW-8N	4/28/1998	1	1	ND	ug/L
Beryllium, total	MW-8N	7/22/1998	1.7	1		ug/L
Beryllium, total	MW-8N	1/12/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	4/13/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	7/14/1999	2.4	1		ug/L
Beryllium, total	MW-8N	10/19/1999	1	1	ND	ug/L
Beryllium, total	MW-8N	1/14/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	4/25/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	10/17/2000	1	1	ND	ug/L
Beryllium, total	MW-8N	1/23/2001	1	1	ND	ug/L
Beryllium, total	MW-8N	4/11/2001	1	1	ND	ug/L
Beryllium, total	MW-8N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-8N	5/29/2002	2.1	2.1	ND	ug/L
Beryllium, total	MW-8N	7/9/2002	2	2	ND	ug/L
Beryllium, total	MW-8N	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	MW-8N	1/23/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	4/14/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	7/7/2003	1	1	ND	ug/L
Beryllium, total	MW-8N	1/28/2004	1	1	ND	ug/L
Beryllium, total	MW-8N	7/27/2004	1	1	ND	ug/L
Beryllium, total	MW-8N	1/12/2005	1	1	ND	ug/L
Beryllium, total	MW-8N	7/20/2005	1	1	ND	ug/L
Beryllium, total	MW-8N	1/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	7/19/2006	1	1	ND	ug/L
Beryllium, total	MW-8N	10/24/2006	5	5	ND	ug/L
Beryllium, total	MW-8N	1/10/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	1/26/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	4/25/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	7/10/2007	1	1	ND	ug/L
Beryllium, total	MW-8N	1/24/2008	1	1	ND	ug/L
Beryllium, total	MW-8N	7/23/2008	1	1	ND	ug/L
Beryllium, total	MW-8N	2/4/2009	0.4	1	ND	ug/L
Beryllium, total	MW-8N	7/31/2009	1	1	ND	ug/L
Beryllium, total	MW-8N	1/26/2010	1	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2010	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/19/2011	0.1	1	ND	ug/L
Beryllium, total	MW-8N	5/10/2011	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/14/2011	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/6/2012	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/5/2012	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/11/2012	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	MW-8N	10/3/2012	0.4	1	ND	ug/L
Beryllium, total	MW-8N	5/1/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	6/4/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/2/2013	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/30/2014	0.3	1	ND	ug/L
Beryllium, total	MW-8N	4/3/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/9/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/8/2014	0.2	1	ND	ug/L
Beryllium, total	MW-8N	2/12/2015	1	1	ND	ug/L
Beryllium, total	MW-8N	4/1/2015	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/14/2015	0.1	1	ND	ug/L
Beryllium, total	MW-8N	10/5/2015	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/5/2016	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/6/2016	0.3	1	ND	ug/L
Beryllium, total	MW-8N	7/21/2016	0.3	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2016	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/11/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	4/4/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	7/19/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2017	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/25/2018	0.16	1	ND	ug/L
Beryllium, total	MW-8N	4/10/2018	1	1	ND	ug/L
Beryllium, total	MW-8N	7/16/2018	0.26	1	ND	ug/L
Beryllium, total	MW-8N	10/2/2018	0.2	1	ND	ug/L
Beryllium, total	MW-8N	1/7/2019	0.13	1	ND	ug/L
Beryllium, total	MW-8N	4/3/2019	0.26	1	ND	ug/L
Beryllium, total	MW-8N	7/11/2019	2	2	ND	ug/L
Beryllium, total	MW-8N	10/3/2019	1	1	ND	ug/L
Beryllium, total	MW-8N	1/15/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	4/2/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	7/9/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2020	1	1	ND	ug/L
Beryllium, total	MW-8N	1/15/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	4/6/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	7/5/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2021	1	1	ND	ug/L
Beryllium, total	MW-8N	1/18/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	4/4/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	7/12/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	10/6/2022	1	1	ND	ug/L
Beryllium, total	MW-8N	1/11/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	4/8/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	7/7/2023	1	1	ND	ug/L
Beryllium, total	MW-8N	10/5/2023	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2002	2	2	ND	ug/L
Beryllium, total	NE-1	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-1	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-1	1/27/2004	1	1	ND	ug/L
Beryllium, total	NE-1	1/12/2005	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-1	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-1	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2007	1	1	ND	ug/L
Beryllium, total	NE-1	1/24/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-1	7/21/2008	1	1	ND	ug/L
Beryllium, total	NE-1	2/7/2009	0.1	1	ND	ug/L
Beryllium, total	NE-1	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-1	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-1	7/14/2010	0.4	1	ND	ug/L
Beryllium, total	NE-1	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-1	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-1	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2012	0.2	1	ND	ug/L
Beryllium, total	NE-1	4/30/2013	1	1	ND	ug/L
Beryllium, total	NE-1	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-1	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-1	7/9/2014	0.1	1	ND	ug/L
Beryllium, total	NE-1	2/11/2015	1	1	ND	ug/L
Beryllium, total	NE-1	7/8/2015	0.1	1	ND	ug/L
Beryllium, total	NE-1	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-1	7/20/2016	0.1	1	ND	ug/L
Beryllium, total	NE-1	1/11/2017	1	1	ND	ug/L
Beryllium, total	NE-1	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-1	1/24/2018	0.081	1	ND	ug/L
Beryllium, total	NE-1	4/11/2018	1	1	ND	ug/L
Beryllium, total	NE-1	7/18/2018	1	1	ND	ug/L
Beryllium, total	NE-1	10/2/2018	1	1	ND	ug/L
Beryllium, total	NE-1	1/4/2019	1	1	ND	ug/L
Beryllium, total	NE-1	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-1	7/10/2019	2	2	ND	ug/L
Beryllium, total	NE-1	7/10/2019	2	2	ND	ug/L
Beryllium, total	NE-1	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-1	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-1	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-1	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-1	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-1	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-1	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-1	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-1	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-1	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-1	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-1	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-1	10/6/2022	1	1	ND	ug/L
Beryllium, total	NE-1	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-1	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-1	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-1	10/5/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Beryllium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	7/8/2023	1	1	ND	ug/L
Beryllium, total	NE-10D	10/3/2023	1	1	ND	ug/L
Beryllium, total	NE-11	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-11	4/6/2017	0.2	1	ND	ug/L
Beryllium, total	NE-11	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-11	10/9/2017	0.1	1	ND	ug/L
Beryllium, total	NE-11	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-11	1/14/2020	1	1	ND	ug/L
Beryllium, total	NE-11	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-11	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-11	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-11	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-11	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-11	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-11	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-11	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-11	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-12	3/1/2017	0.2	1	ND	ug/L
Beryllium, total	NE-12	4/6/2017	0.1	1	ND	ug/L
Beryllium, total	NE-12	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-12	10/6/2017	0.1	1	ND	ug/L
Beryllium, total	NE-12	8/5/2019	2	2	ND	ug/L
Beryllium, total	NE-12	1/13/2020	1	1	ND	ug/L
Beryllium, total	NE-12	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-12	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-12	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-12	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-12	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-12	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-12	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-12	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-12	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-13	2/5/2019	1	1	ND	ug/L
Beryllium, total	NE-13	8/7/2019	2	2	ND	ug/L
Beryllium, total	NE-13	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-13	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-13	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-13	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-13	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14D	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-14D	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-14S	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-14S	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15D	10/6/2023	1	1	ND	ug/L
Beryllium, total	NE-15S	4/3/2020	1	1	ND	ug/L
Beryllium, total	NE-2	7/9/2002	2	2	ND	ug/L
Beryllium, total	NE-2	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-2	10/1/2013	1	1	ND	ug/L
Beryllium, total	NE-2	10/8/2014	1	1	ND	ug/L
Beryllium, total	NE-2	10/5/2015	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2016	1	1	ND	ug/L
Beryllium, total	NE-2	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-2	1/25/2018	1	1	ND	ug/L
Beryllium, total	NE-2	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-2	7/10/2018	1	1	ND	ug/L
Beryllium, total	NE-2	10/1/2018	1	1	ND	ug/L
Beryllium, total	NE-2	1/4/2019	1	1	ND	ug/L
Beryllium, total	NE-2	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-2	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-2	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-2	1/14/2020	1	1	ND	ug/L
Beryllium, total	NE-2	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-2	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-2	1/14/2021	1	1	ND	ug/L
Beryllium, total	NE-2	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-2	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-2	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-2	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-2	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-2	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-2	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-2	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-2	4/5/2023	1	1	ND	ug/L
Beryllium, total	NE-2	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-2	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-4	7/10/2002	2	2	ND	ug/L
Beryllium, total	NE-4	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	10/3/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-4	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-4	1/28/2004	1	1	ND	ug/L
Beryllium, total	NE-4	1/13/2005	1	1	ND	ug/L
Beryllium, total	NE-4	8/1/2006	1	1	ND	ug/L
Beryllium, total	NE-4	8/1/2006	1	1	ND	ug/L
Beryllium, total	NE-4	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-4	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-4	7/12/2007	1	1	ND	ug/L
Beryllium, total	NE-4	1/24/2008	1	1	ND	ug/L
Beryllium, total	NE-4	7/21/2008	1	1	ND	ug/L
Beryllium, total	NE-4	2/7/2009	1	1	ND	ug/L
Beryllium, total	NE-4	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-4	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-4	7/14/2010	1	1	ND	ug/L
Beryllium, total	NE-4	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-4	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-4	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-4	7/10/2012	0.4	1	ND	ug/L
Beryllium, total	NE-4	4/30/2013	1	1	ND	ug/L
Beryllium, total	NE-4	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-4	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-4	7/9/2014	1	1	ND	ug/L
Beryllium, total	NE-4	2/13/2015	1	1	ND	ug/L
Beryllium, total	NE-4	7/8/2015	1	1	ND	ug/L
Beryllium, total	NE-4	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-4	7/20/2016	0.1	1	ND	ug/L
Beryllium, total	NE-4	1/11/2017	0.1	1	ND	ug/L
Beryllium, total	NE-4	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-4	1/26/2018	1	1	ND	ug/L
Beryllium, total	NE-4	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-4	7/12/2018	1	1	ND	ug/L
Beryllium, total	NE-4	10/3/2018	1	1	ND	ug/L
Beryllium, total	NE-4	1/7/2019	1	1	ND	ug/L
Beryllium, total	NE-4	4/2/2019	1	1	ND	ug/L
Beryllium, total	NE-4	7/8/2019	2	2	ND	ug/L
Beryllium, total	NE-4	7/8/2019	2	2	ND	ug/L
Beryllium, total	NE-4	10/1/2019	1	1	ND	ug/L
Beryllium, total	NE-4	1/13/2020	1	1	ND	ug/L
Beryllium, total	NE-4	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-4	7/6/2020	1	1	ND	ug/L
Beryllium, total	NE-4	10/5/2020	1	1	ND	ug/L
Beryllium, total	NE-4	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-4	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-4	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-4	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-4	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-4	4/6/2023	1	1	ND	ug/L
Beryllium, total	NE-4	7/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-4	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-5	7/9/2002	2	2	ND	ug/L
Beryllium, total	NE-5	8/6/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	9/4/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	10/2/2002	0.4	0.4	ND	ug/L
Beryllium, total	NE-5	7/8/2003	1	1	ND	ug/L
Beryllium, total	NE-5	1/27/2004	1	1	ND	ug/L
Beryllium, total	NE-5	1/12/2005	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2006	1	1	ND	ug/L
Beryllium, total	NE-5	10/25/2006	5	5	ND	ug/L
Beryllium, total	NE-5	1/10/2007	1	1	ND	ug/L
Beryllium, total	NE-5	1/24/2007	1	1	ND	ug/L
Beryllium, total	NE-5	7/12/2007	1	1	ND	ug/L
Beryllium, total	NE-5	7/22/2008	1	1	ND	ug/L
Beryllium, total	NE-5	2/6/2009	0.1	1	ND	ug/L
Beryllium, total	NE-5	7/31/2009	1	1	ND	ug/L
Beryllium, total	NE-5	1/26/2010	1	1	ND	ug/L
Beryllium, total	NE-5	7/16/2010	1	1	ND	ug/L
Beryllium, total	NE-5	1/19/2011	1	1	ND	ug/L
Beryllium, total	NE-5	7/13/2011	1	1	ND	ug/L
Beryllium, total	NE-5	1/5/2012	1	1	ND	ug/L
Beryllium, total	NE-5	7/10/2012	1	1	ND	ug/L
Beryllium, total	NE-5	4/30/2013	0.2	1	ND	ug/L
Beryllium, total	NE-5	7/16/2013	1	1	ND	ug/L
Beryllium, total	NE-5	1/23/2014	0.1	1	ND	ug/L
Beryllium, total	NE-5	7/9/2014	1	1	ND	ug/L
Beryllium, total	NE-5	2/11/2015	1	1	ND	ug/L
Beryllium, total	NE-5	7/14/2015	0.2	1	ND	ug/L
Beryllium, total	NE-5	1/6/2016	1	1	ND	ug/L
Beryllium, total	NE-5	7/20/2016	1	1	ND	ug/L
Beryllium, total	NE-5	1/11/2017	1	1	ND	ug/L
Beryllium, total	NE-5	7/19/2017	0.1	1	ND	ug/L
Beryllium, total	NE-5	1/25/2018	0.16	1	ND	ug/L
Beryllium, total	NE-5	4/10/2018	1	1	ND	ug/L
Beryllium, total	NE-5	7/17/2018	0.19	1	ND	ug/L
Beryllium, total	NE-5	10/3/2018	1	1	ND	ug/L
Beryllium, total	NE-5	1/4/2019	1	1	ND	ug/L
Beryllium, total	NE-5	4/2/2019	0.11	1	ND	ug/L
Beryllium, total	NE-5	4/2/2019	0.11	1	ND	ug/L
Beryllium, total	NE-5	7/9/2019	2	2	ND	ug/L
Beryllium, total	NE-5	10/3/2019	1	1	ND	ug/L
Beryllium, total	NE-5	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-5	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-5	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-5	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-5	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-5E	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-5E	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	4/1/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5E	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5E	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-5E	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-5E	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Beryllium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Beryllium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Beryllium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-5W	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-6	1/12/2017	0.1	1	ND	ug/L
Beryllium, total	NE-6	4/5/2017	1	1	ND	ug/L
Beryllium, total	NE-6	7/19/2017	1	1	ND	ug/L
Beryllium, total	NE-6	10/6/2017	1	1	ND	ug/L
Beryllium, total	NE-6	2/4/2019	1	1	ND	ug/L
Beryllium, total	NE-6	8/6/2019	2	2	ND	ug/L
Beryllium, total	NE-6	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-6	7/9/2020	1	1	ND	ug/L
Beryllium, total	NE-6	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-6	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-6	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-6	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-6	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-6	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	10/2/2019	1	1	ND	ug/L
Beryllium, total	NE-6D	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	4/2/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	7/9/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Beryllium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	10/7/2022	1	1	ND	ug/L
Beryllium, total	NE-6D	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	4/7/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-6D	10/4/2023	1	1	ND	ug/L
Beryllium, total	NE-7	3/1/2017	1	1	ND	ug/L
Beryllium, total	NE-7	4/6/2017	1	1	ND	ug/L
Beryllium, total	NE-7	7/20/2017	0.1	1	ND	ug/L
Beryllium, total	NE-7	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-7	2/6/2019	0.47	1	ND	ug/L
Beryllium, total	NE-7	8/6/2019	2	2	ND	ug/L
Beryllium, total	NE-7	1/16/2020	1	1	ND	ug/L
Beryllium, total	NE-7	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-7	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-7	1/16/2021	1	1	ND	ug/L
Beryllium, total	NE-7	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-7	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-7	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-7	7/12/2022	1	1	ND	ug/L
Beryllium, total	NE-7	1/5/2023	1	1	ND	ug/L
Beryllium, total	NE-7	7/6/2023	1	1	ND	ug/L
Beryllium, total	NE-8	1/12/2017	1	1	ND	ug/L
Beryllium, total	NE-8	4/5/2017	0.1	1	ND	ug/L
Beryllium, total	NE-8	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-8	10/6/2017	1	1	ND	ug/L
Beryllium, total	NE-8	2/4/2019	1	1	ND	ug/L
Beryllium, total	NE-8	8/5/2019	2	2	ND	ug/L
Beryllium, total	NE-8	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-8	7/8/2020	1	1	ND	ug/L
Beryllium, total	NE-8	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-8	1/13/2021	1	1	ND	ug/L
Beryllium, total	NE-8	4/9/2021	1	1	ND	ug/L
Beryllium, total	NE-8	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-8	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-8	10/7/2021	1	1	ND	ug/L
Beryllium, total	NE-8	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-8	7/5/2023	1	1	ND	ug/L
Beryllium, total	NE-9	1/12/2017	1	1	ND	ug/L
Beryllium, total	NE-9	4/5/2017	1	1	ND	ug/L
Beryllium, total	NE-9	7/20/2017	1	1	ND	ug/L
Beryllium, total	NE-9	10/5/2017	1	1	ND	ug/L
Beryllium, total	NE-9	2/5/2019	1	1	ND	ug/L
Beryllium, total	NE-9	8/7/2019	2	2	ND	ug/L
Beryllium, total	NE-9	1/15/2020	1	1	ND	ug/L
Beryllium, total	NE-9	7/7/2020	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2021	1	1	ND	ug/L
Beryllium, total	NE-9	7/1/2021	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-9	1/17/2022	1	1	ND	ug/L
Beryllium, total	NE-9	7/13/2022	1	1	ND	ug/L
Beryllium, total	NE-9	1/6/2023	1	1	ND	ug/L
Beryllium, total	NE-9	4/8/2023	1	1	ND	ug/L
Beryllium, total	NE-9	7/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beryllium, total	NE-9	10/6/2023	1	1	ND	ug/L
Beta-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Beta-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-10	10/5/2023	0.5	0.5	ND	ug/L
Beta-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Beta-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Beta-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Beta-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Beta-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Beta-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-5	10/5/2023	0.5	0.5	ND	ug/L
Beta-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Beta-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Beta-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-6	10/5/2023	0.5	0.5	ND	ug/L
Beta-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Beta-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Beta-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Beta-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Beta-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Beta-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Beta-bhc	LGW-9	10/5/2023	0.5	0.5	ND	ug/L
Beta-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Beta-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Beta-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Beta-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Beta-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Beta-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Beta-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Beta-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Beta-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Beta-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Beta-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Beta-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Beta-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Beta-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Beta-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Beta-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Beta-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Beta-bhc	MW-8N	10/5/2023	0.5	0.5	ND	ug/L
Beta-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Beta-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Beta-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Beta-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Beta-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Beta-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Beta-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Beta-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Beta-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Beta-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Beta-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Beta-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-10	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-2	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-5	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/10/2019	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	LGW-6	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-6	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	LGW-9	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-16	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/10/2018	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	MW-1N	7/6/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/7/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	MW-8N	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	7/10/2012	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethoxy) methane	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethoxy) methane	NE-5	7/9/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-10	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-2	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-5	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	2/5/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-6	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	LGW-9	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	2/13/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-16	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	2/5/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/6/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/8/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/7/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	2/4/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-chloroethyl) ether	MW-8N	7/9/2020	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-chloroethyl) ether	MW-8N	10/5/2023	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	2/7/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-chloroethyl) ether	NE-5	7/9/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/26/2006	20	10		ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/9/2012	2.2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/6/2016	3.4	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/5/2023	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	2/13/2009	3.3	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/9/2012	2.1	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	7/9/2012	1.9	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	10/26/2006	21	10		ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/9/2012	1.9	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	10/5/2023	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	2/5/2009	2.2	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/9/2012	1.8	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/10/2019	1.4	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-6	10/5/2023	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	2/4/2009	3	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/10/2012	2.3	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	2/4/2009	2.9	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/10/2012	2.1	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	LGW-9	10/5/2023	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	2/13/2009	7.2	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/10/2012	2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-16	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	2/5/2009	2.6	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/10/2012	1.9	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	10/5/2016	2.2	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	2/4/2009	4.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/10/2012	2.2	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	2/4/2009	3.1	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	2/6/2009	2.5	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/10/2012	2.7	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	2/4/2009	2.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	5/10/2011	2.8	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bis(2-ethylhexyl) phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	MW-8N	10/5/2023	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	7/10/2012	3.5	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	2/7/2009	0.8	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	7/10/2012	2.9	9.8	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Bis(2-ethylhexyl) phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Bromochloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Bromochloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Bromochloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-10	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-10	10/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Bromochloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-2	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Bromochloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-4	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Bromochloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-5	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-5	10/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Bromochloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-6	10/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-7	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromochloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromochloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/26/2006	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Bromochloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Bromochloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Bromochloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Bromochloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	7/10/2023	1	1	ND	ug/L
Bromochloromethane	LGW-9	10/5/2023	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/28/1998	6.4	6.4	ND	ug/L
Bromochloromethane	MW-10N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	7/15/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Bromochloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-10N	7/7/2023	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	1/13/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Bromochloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Bromochloromethane	MW-11N	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Bromochloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-11N	7/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-15	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Bromochloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-15	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-15	7/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-16	1/8/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-16	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-16	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Bromochloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-16	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Bromochloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-16	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-16	7/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-17	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-17	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-17	7/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Bromochloromethane	MW-19	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-19	8/3/2020	1	1	ND	ug/L
Bromochloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-19	7/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/20/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	10/14/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	5/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/15/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Bromochloromethane	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-1N	7/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-20	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Bromochloromethane	MW-20	1/26/2018	1	1	ND	ug/L
Bromochloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Bromochloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Bromochloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Bromochloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Bromochloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Bromochloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Bromochloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Bromochloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	7/7/2023	1	1	ND	ug/L
Bromochloromethane	MW-21	10/6/2023	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/22/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	7/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Bromochloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-2N	7/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/23/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	10/20/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	4/24/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-3N	5/29/2002	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/25/2006	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Bromochloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Bromochloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-3N	7/7/2023	1	1	ND	ug/L
Bromochloromethane	MW-3N	10/6/2023	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/21/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	8/18/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	9/17/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/15/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	11/9/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	4/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	1/13/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Bromochloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Bromochloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Bromochloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Bromochloromethane	MW-7N	7/7/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/21/1997	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	1/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/28/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/22/1998	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	1/12/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/13/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/14/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	10/19/1999	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	1/14/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	4/25/2000	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Bromochloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/24/2006	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Bromochloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Bromochloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Bromochloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Bromochloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	7/7/2023	1	1	ND	ug/L
Bromochloromethane	MW-8N	10/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Bromochloromethane	NE-1	1/12/2005	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Bromochloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Bromochloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Bromochloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Bromochloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Bromochloromethane	NE-1	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2018	1	1	ND	ug/L
Bromochloromethane	NE-1	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-1	10/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-10D	7/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-10D	10/3/2023	1	1	ND	ug/L
Bromochloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Bromochloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Bromochloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-11	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-12	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Bromochloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-12	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-13	2/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-13	8/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-13	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14D	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-14D	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-14S	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-14S	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15D	10/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Bromochloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Bromochloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-2	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	4/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Bromochloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-2	1/14/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-2	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-2	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Bromochloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-4	1/28/2004	1	1	ND	ug/L
Bromochloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Bromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Bromochloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Bromochloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Bromochloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Bromochloromethane	NE-4	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Bromochloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Bromochloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-4	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-4	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-4	1/26/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Bromochloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Bromochloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Bromochloromethane	NE-4	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-4	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-4	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Bromochloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Bromochloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Bromochloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Bromochloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	10/25/2006	1	1	ND	ug/L
Bromochloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Bromochloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Bromochloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Bromochloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Bromochloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Bromochloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Bromochloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Bromochloromethane	NE-5	7/13/2011	1	1	ND	ug/L
Bromochloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Bromochloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Bromochloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Bromochloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Bromochloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Bromochloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Bromochloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Bromochloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Bromochloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Bromochloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Bromochloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Bromochloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Bromochloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-5	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-5E	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-5W	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Bromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-6	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-6	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Bromochloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Bromochloromethane	NE-6D	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-6D	10/4/2023	1	1	ND	ug/L
Bromochloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Bromochloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Bromochloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-7	7/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Bromochloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Bromochloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Bromochloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Bromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Bromochloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-8	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Bromochloromethane	NE-9	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromochloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Bromochloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Bromochloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromochloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Bromochloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	7/5/2023	1	1	ND	ug/L
Bromochloromethane	NE-9	10/6/2023	1	1	ND	ug/L
Bromoform	LGW-10	1/26/2006	1	1	ND	ug/L
Bromoform	LGW-10	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-10	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-10	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-10	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-10	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-10	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-10	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-10	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-10	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-10	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-10	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-10	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-10	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-10	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-10	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-10	5/1/2013	1	1	ND	ug/L
Bromoform	LGW-10	1/30/2014	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2014	1	1	ND	ug/L
Bromoform	LGW-10	2/12/2015	1	1	ND	ug/L
Bromoform	LGW-10	7/13/2015	1	1	ND	ug/L
Bromoform	LGW-10	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-10	4/6/2016	1	1	ND	ug/L
Bromoform	LGW-10	7/21/2016	1	1	ND	ug/L
Bromoform	LGW-10	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-10	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-10	4/4/2017	1	1	ND	ug/L
Bromoform	LGW-10	7/19/2017	1	1	ND	ug/L
Bromoform	LGW-10	10/9/2017	1	1	ND	ug/L
Bromoform	LGW-10	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-10	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-10	7/16/2018	1	1	ND	ug/L
Bromoform	LGW-10	10/4/2018	1	1	ND	ug/L
Bromoform	LGW-10	1/4/2019	1	1	ND	ug/L
Bromoform	LGW-10	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-10	7/11/2019	1	1	ND	ug/L
Bromoform	LGW-10	10/2/2019	1	1	ND	ug/L
Bromoform	LGW-10	1/15/2020	1	1	ND	ug/L
Bromoform	LGW-10	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-10	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-10	10/7/2020	1	1	ND	ug/L
Bromoform	LGW-10	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-10	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-10	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-10	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-10	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-10	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-10	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-10	10/7/2022	1	1	ND	ug/L
Bromoform	LGW-10	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-10	4/5/2023	1	1	ND	ug/L
Bromoform	LGW-10	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-10	10/5/2023	1	1	ND	ug/L
Bromoform	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromoform	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromoform	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromoform	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-14R	4/24/2007	1	1	ND	ug/L
Bromoform	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromoform	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-14R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromoform	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromoform	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromoform	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-14R	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-14R	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-2	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-2	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-2	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-2	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-2	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-2	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-2	7/10/2007	1	1	ND	ug/L
Bromoform	LGW-2	1/26/2008	1	1	ND	ug/L
Bromoform	LGW-2	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-2	2/6/2009	1	1	ND	ug/L
Bromoform	LGW-2	7/30/2009	1	1	ND	ug/L
Bromoform	LGW-2	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-2	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-2	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-2	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-2	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-2	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-2	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-2	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-2	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-2	1/30/2014	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-2	2/13/2015	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-2	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-2	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-2	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-2	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-2	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-2	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-2	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-2	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-2	1/13/2020	1	1	ND	ug/L
Bromoform	LGW-2	4/1/2020	1	1	ND	ug/L
Bromoform	LGW-2	7/8/2020	1	1	ND	ug/L
Bromoform	LGW-2	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-2	7/4/2021	1	1	ND	ug/L
Bromoform	LGW-2	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-2	7/10/2022	1	1	ND	ug/L
Bromoform	LGW-2	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-2	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromoform	LGW-3R	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromoform	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-3R	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromoform	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromoform	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromoform	LGW-3R	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-3R	7/11/2018	1	1	ND	ug/L
Bromoform	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromoform	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-3R	7/10/2022	1	1	ND	ug/L
Bromoform	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-3R	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-4	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-4	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-4	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-4	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-4	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-4	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-4	1/22/2008	1	1	ND	ug/L
Bromoform	LGW-4	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-4	2/3/2009	1	1	ND	ug/L
Bromoform	LGW-4	7/31/2009	1	1	ND	ug/L
Bromoform	LGW-4	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-4	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-4	7/16/2010	1	1	ND	ug/L
Bromoform	LGW-4	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-4	7/13/2011	1	1	ND	ug/L
Bromoform	LGW-4	1/4/2012	1	1	ND	ug/L
Bromoform	LGW-4	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-4	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-4	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-4	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-4	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-4	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-4	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-4	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-4	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-4	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-4	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-4	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2018	1	1	ND	ug/L
Bromoform	LGW-4	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-4	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-4	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-4	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-4	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-4	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-4	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-4	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-4	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-4	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-5	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-5	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-5	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-5	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-5	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-5	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-5	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-5	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-5	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-5	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-5	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-5	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-5	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-5	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-5	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-5	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-5	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-5	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-5	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-5	7/8/2015	1	1	ND	ug/L
Bromoform	LGW-5	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-5	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-5	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-5	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-5	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-5	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-5	1/3/2019	1	1	ND	ug/L
Bromoform	LGW-5	7/9/2019	1	1	ND	ug/L
Bromoform	LGW-5	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-5	7/6/2020	1	1	ND	ug/L
Bromoform	LGW-5	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-5	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-5	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-5	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-5	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-5	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-5	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-5	10/6/2022	1	1	ND	ug/L
Bromoform	LGW-5	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-5	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-5	10/5/2023	1	1	ND	ug/L
Bromoform	LGW-6	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-6	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-6	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-6	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-6	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-6	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-6	7/11/2007	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2008	1	1	ND	ug/L
Bromoform	LGW-6	7/23/2008	1	1	ND	ug/L
Bromoform	LGW-6	2/5/2009	1	1	ND	ug/L
Bromoform	LGW-6	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-6	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-6	2/3/2010	1	1	ND	ug/L
Bromoform	LGW-6	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-6	1/19/2011	1	1	ND	ug/L
Bromoform	LGW-6	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-6	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-6	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-6	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-6	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-6	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-6	2/10/2015	1	1	ND	ug/L
Bromoform	LGW-6	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-6	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-6	7/19/2016	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-6	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-6	5/5/2017	1	1	ND	ug/L
Bromoform	LGW-6	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-6	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-6	1/23/2018	1	1	ND	ug/L
Bromoform	LGW-6	4/10/2018	1	1	ND	ug/L
Bromoform	LGW-6	7/17/2018	1	1	ND	ug/L
Bromoform	LGW-6	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-6	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-6	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-6	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-6	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-6	1/16/2020	1	1	ND	ug/L
Bromoform	LGW-6	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-6	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2020	1	1	ND	ug/L
Bromoform	LGW-6	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-6	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-6	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-6	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-6	1/12/2022	1	1	ND	ug/L
Bromoform	LGW-6	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-6	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-6	10/6/2022	1	1	ND	ug/L
Bromoform	LGW-6	1/10/2023	1	1	ND	ug/L
Bromoform	LGW-6	4/6/2023	1	1	ND	ug/L
Bromoform	LGW-6	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-6	10/5/2023	1	1	ND	ug/L
Bromoform	LGW-7	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-7	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-7	8/1/2006	1	1	ND	ug/L
Bromoform	LGW-7	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-7	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-7	4/26/2007	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-7	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-7	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-7	7/31/2009	1	1	ND	ug/L
Bromoform	LGW-7	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2010	1	1	ND	ug/L
Bromoform	LGW-7	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-7	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-7	7/10/2012	1	1	ND	ug/L
Bromoform	LGW-7	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-7	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-7	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-7	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-7	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-7	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-7	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-7	4/6/2016	1	1	ND	ug/L
Bromoform	LGW-7	7/20/2016	1	1	ND	ug/L
Bromoform	LGW-7	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-7	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-7	4/4/2017	1	1	ND	ug/L
Bromoform	LGW-7	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-7	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-7	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-7	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-7	7/12/2018	1	1	ND	ug/L
Bromoform	LGW-7	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-7	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-7	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-7	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-7	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-7	1/15/2020	1	1	ND	ug/L
Bromoform	LGW-7	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-7	1/18/2021	1	1	ND	ug/L
Bromoform	LGW-7	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-7	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-7	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-7	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-7	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-7	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromoform	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromoform	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromoform	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromoform	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-8R	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromoform	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromoform	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromoform	LGW-8R	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromoform	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromoform	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromoform	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromoform	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromoform	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromoform	LGW-8R	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-8R	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-8R	7/10/2023	1	1	ND	ug/L
Bromoform	LGW-9	1/25/2006	1	1	ND	ug/L
Bromoform	LGW-9	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-9	7/20/2006	1	1	ND	ug/L
Bromoform	LGW-9	10/26/2006	1	1	ND	ug/L
Bromoform	LGW-9	1/25/2007	1	1	ND	ug/L
Bromoform	LGW-9	4/25/2007	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2007	1	1	ND	ug/L
Bromoform	LGW-9	7/22/2008	1	1	ND	ug/L
Bromoform	LGW-9	2/4/2009	1	1	ND	ug/L
Bromoform	LGW-9	7/29/2009	1	1	ND	ug/L
Bromoform	LGW-9	1/27/2010	1	1	ND	ug/L
Bromoform	LGW-9	7/14/2010	1	1	ND	ug/L
Bromoform	LGW-9	1/20/2011	1	1	ND	ug/L
Bromoform	LGW-9	7/12/2011	1	1	ND	ug/L
Bromoform	LGW-9	1/5/2012	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2012	1	1	ND	ug/L
Bromoform	LGW-9	5/1/2013	1	1	ND	ug/L
Bromoform	LGW-9	7/15/2013	1	1	ND	ug/L
Bromoform	LGW-9	1/23/2014	1	1	ND	ug/L
Bromoform	LGW-9	7/8/2014	1	1	ND	ug/L
Bromoform	LGW-9	2/11/2015	1	1	ND	ug/L
Bromoform	LGW-9	7/13/2015	1	1	ND	ug/L
Bromoform	LGW-9	1/5/2016	1	1	ND	ug/L
Bromoform	LGW-9	7/21/2016	1	1	ND	ug/L
Bromoform	LGW-9	10/6/2016	1	1	ND	ug/L
Bromoform	LGW-9	1/11/2017	1	1	ND	ug/L
Bromoform	LGW-9	5/5/2017	1	1	ND	ug/L
Bromoform	LGW-9	7/18/2017	1	1	ND	ug/L
Bromoform	LGW-9	10/5/2017	1	1	ND	ug/L
Bromoform	LGW-9	1/24/2018	1	1	ND	ug/L
Bromoform	LGW-9	4/11/2018	1	1	ND	ug/L
Bromoform	LGW-9	7/13/2018	1	1	ND	ug/L
Bromoform	LGW-9	10/2/2018	1	1	ND	ug/L
Bromoform	LGW-9	1/7/2019	1	1	ND	ug/L
Bromoform	LGW-9	4/3/2019	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2019	1	1	ND	ug/L
Bromoform	LGW-9	10/3/2019	1	1	ND	ug/L
Bromoform	LGW-9	1/16/2020	1	1	ND	ug/L
Bromoform	LGW-9	4/2/2020	1	1	ND	ug/L
Bromoform	LGW-9	7/9/2020	1	1	ND	ug/L
Bromoform	LGW-9	10/7/2020	1	1	ND	ug/L
Bromoform	LGW-9	1/17/2021	1	1	ND	ug/L
Bromoform	LGW-9	4/6/2021	1	1	ND	ug/L
Bromoform	LGW-9	7/7/2021	1	1	ND	ug/L
Bromoform	LGW-9	10/5/2021	1	1	ND	ug/L
Bromoform	LGW-9	1/13/2022	1	1	ND	ug/L
Bromoform	LGW-9	4/4/2022	1	1	ND	ug/L
Bromoform	LGW-9	7/11/2022	1	1	ND	ug/L
Bromoform	LGW-9	10/7/2022	1	1	ND	ug/L
Bromoform	LGW-9	1/11/2023	1	1	ND	ug/L
Bromoform	LGW-9	4/5/2023	1	1	ND	ug/L
Bromoform	LGW-9	7/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	LGW-9	10/5/2023	1	1	ND	ug/L
Bromoform	MW-10N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/28/1998	7.6	7.6	ND	ug/L
Bromoform	MW-10N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	7/15/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-10N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-10N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-10N	7/11/2000	1	1	ND	ug/L
Bromoform	MW-10N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-10N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2002	1	1	ND	ug/L
Bromoform	MW-10N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-10N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-10N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-10N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-10N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-10N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-10N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-10N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-10N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-10N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2007	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-10N	1/23/2008	1	1	ND	ug/L
Bromoform	MW-10N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-10N	2/13/2009	1	1	ND	ug/L
Bromoform	MW-10N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-10N	1/27/2010	1	1	ND	ug/L
Bromoform	MW-10N	8/10/2010	1	1	ND	ug/L
Bromoform	MW-10N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-10N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-10N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-10N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-10N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-10N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-10N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-10N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-10N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-10N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-10N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-10N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-10N	1/24/2018	1	1	ND	ug/L
Bromoform	MW-10N	7/11/2018	1	1	ND	ug/L
Bromoform	MW-10N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-10N	7/9/2019	1	1	ND	ug/L
Bromoform	MW-10N	1/16/2020	1	1	ND	ug/L
Bromoform	MW-10N	7/8/2020	1	1	ND	ug/L
Bromoform	MW-10N	1/13/2021	1	1	ND	ug/L
Bromoform	MW-10N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-10N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-10N	7/7/2023	1	1	ND	ug/L
Bromoform	MW-11N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-11N	1/13/2000	3.8	3.8	ND	ug/L
Bromoform	MW-11N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-11N	7/10/2000	1	1	ND	ug/L
Bromoform	MW-11N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-11N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-11N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-11N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-11N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-11N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-11N	1/29/2004	1	1	ND	ug/L
Bromoform	MW-11N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-11N	1/13/2005	1	1	ND	ug/L
Bromoform	MW-11N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-11N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-11N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-11N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-11N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-11N	1/24/2007	1	1	ND	ug/L
Bromoform	MW-11N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-11N	1/22/2008	1	1	ND	ug/L
Bromoform	MW-11N	7/23/2008	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2009	1	1	ND	ug/L
Bromoform	MW-11N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2010	1	1	ND	ug/L
Bromoform	MW-11N	2/3/2010	1	1	ND	ug/L
Bromoform	MW-11N	7/16/2010	1	1	ND	ug/L
Bromoform	MW-11N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-11N	1/4/2012	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2012	1	1	ND	ug/L
Bromoform	MW-11N	4/30/2013	1	1	ND	ug/L
Bromoform	MW-11N	7/15/2013	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2014	1	1	ND	ug/L
Bromoform	MW-11N	7/8/2014	1	1	ND	ug/L
Bromoform	MW-11N	2/10/2015	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2015	1	1	ND	ug/L
Bromoform	MW-11N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-11N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-11N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-11N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-11N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-11N	7/17/2018	1	1	ND	ug/L
Bromoform	MW-11N	1/2/2019	1	1	ND	ug/L
Bromoform	MW-11N	7/9/2019	1	1	ND	ug/L
Bromoform	MW-11N	1/14/2020	1	1	ND	ug/L
Bromoform	MW-11N	7/6/2020	1	1	ND	ug/L
Bromoform	MW-11N	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-11N	7/6/2021	1	1	ND	ug/L
Bromoform	MW-11N	1/18/2022	1	1	ND	ug/L
Bromoform	MW-11N	7/13/2022	1	1	ND	ug/L
Bromoform	MW-11N	1/10/2023	1	1	ND	ug/L
Bromoform	MW-11N	7/8/2023	1	1	ND	ug/L
Bromoform	MW-15	6/5/2015	1	1	ND	ug/L
Bromoform	MW-15	7/15/2015	1	1	ND	ug/L
Bromoform	MW-15	8/5/2015	1	1	ND	ug/L
Bromoform	MW-15	9/3/2015	1	1	ND	ug/L
Bromoform	MW-15	1/7/2016	1	1	ND	ug/L
Bromoform	MW-15	4/5/2016	1	1	ND	ug/L
Bromoform	MW-15	7/20/2016	1	1	ND	ug/L
Bromoform	MW-15	10/6/2016	1	1	ND	ug/L
Bromoform	MW-15	1/10/2017	1	1	ND	ug/L
Bromoform	MW-15	7/18/2017	1	1	ND	ug/L
Bromoform	MW-15	1/23/2018	1	1	ND	ug/L
Bromoform	MW-15	7/10/2018	1	1	ND	ug/L
Bromoform	MW-15	1/3/2019	1	1	ND	ug/L
Bromoform	MW-15	7/9/2019	1	1	ND	ug/L
Bromoform	MW-15	1/14/2020	1	1	ND	ug/L
Bromoform	MW-15	8/3/2020	1	1	ND	ug/L
Bromoform	MW-15	1/18/2021	1	1	ND	ug/L
Bromoform	MW-15	7/4/2021	1	1	ND	ug/L
Bromoform	MW-15	1/12/2022	1	1	ND	ug/L
Bromoform	MW-15	7/10/2022	1	1	ND	ug/L
Bromoform	MW-15	1/10/2023	1	1	ND	ug/L
Bromoform	MW-15	7/10/2023	1	1	ND	ug/L
Bromoform	MW-16	6/5/2015	1	1	ND	ug/L
Bromoform	MW-16	7/16/2015	1	1	ND	ug/L
Bromoform	MW-16	8/5/2015	1	1	ND	ug/L
Bromoform	MW-16	9/3/2015	1	1	ND	ug/L
Bromoform	MW-16	1/8/2016	1	1	ND	ug/L
Bromoform	MW-16	4/5/2016	1	1	ND	ug/L
Bromoform	MW-16	7/21/2016	1	1	ND	ug/L
Bromoform	MW-16	10/5/2016	1	1	ND	ug/L
Bromoform	MW-16	1/10/2017	1	1	ND	ug/L
Bromoform	MW-16	7/18/2017	1	1	ND	ug/L
Bromoform	MW-16	1/23/2018	1	1	ND	ug/L
Bromoform	MW-16	7/11/2018	1	1	ND	ug/L
Bromoform	MW-16	1/2/2019	1	1	ND	ug/L
Bromoform	MW-16	7/10/2019	1	1	ND	ug/L
Bromoform	MW-16	1/14/2020	1	1	ND	ug/L
Bromoform	MW-16	8/3/2020	1	1	ND	ug/L
Bromoform	MW-16	1/18/2021	1	1	ND	ug/L
Bromoform	MW-16	7/4/2021	1	1	ND	ug/L
Bromoform	MW-16	1/12/2022	1	1	ND	ug/L
Bromoform	MW-16	7/10/2022	1	1	ND	ug/L
Bromoform	MW-16	1/10/2023	1	1	ND	ug/L
Bromoform	MW-16	7/10/2023	1	1	ND	ug/L
Bromoform	MW-17	6/5/2015	1	1	ND	ug/L
Bromoform	MW-17	7/15/2015	1	1	ND	ug/L
Bromoform	MW-17	8/4/2015	1	1	ND	ug/L
Bromoform	MW-17	9/2/2015	1	1	ND	ug/L
Bromoform	MW-17	1/7/2016	1	1	ND	ug/L
Bromoform	MW-17	4/5/2016	1	1	ND	ug/L
Bromoform	MW-17	7/20/2016	1	1	ND	ug/L
Bromoform	MW-17	10/6/2016	1	1	ND	ug/L
Bromoform	MW-17	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-17	7/18/2017	1	1	ND	ug/L
Bromoform	MW-17	1/23/2018	1	1	ND	ug/L
Bromoform	MW-17	7/10/2018	1	1	ND	ug/L
Bromoform	MW-17	1/3/2019	1	1	ND	ug/L
Bromoform	MW-17	7/11/2019	1	1	ND	ug/L
Bromoform	MW-17	1/14/2020	1	1	ND	ug/L
Bromoform	MW-17	8/3/2020	1	1	ND	ug/L
Bromoform	MW-17	1/14/2021	1	1	ND	ug/L
Bromoform	MW-17	7/4/2021	1	1	ND	ug/L
Bromoform	MW-17	1/10/2023	1	1	ND	ug/L
Bromoform	MW-17	7/8/2023	1	1	ND	ug/L
Bromoform	MW-19	6/5/2015	1	1	ND	ug/L
Bromoform	MW-19	7/16/2015	1	1	ND	ug/L
Bromoform	MW-19	8/5/2015	1	1	ND	ug/L
Bromoform	MW-19	9/3/2015	1	1	ND	ug/L
Bromoform	MW-19	1/7/2016	1	1	ND	ug/L
Bromoform	MW-19	4/5/2016	1	1	ND	ug/L
Bromoform	MW-19	7/21/2016	1	1	ND	ug/L
Bromoform	MW-19	10/5/2016	1	1	ND	ug/L
Bromoform	MW-19	1/10/2017	1	1	ND	ug/L
Bromoform	MW-19	7/18/2017	1	1	ND	ug/L
Bromoform	MW-19	1/23/2018	1	1	ND	ug/L
Bromoform	MW-19	7/13/2018	1	1	ND	ug/L
Bromoform	MW-19	1/7/2019	1	1	ND	ug/L
Bromoform	MW-19	7/11/2019	1	1	ND	ug/L
Bromoform	MW-19	1/14/2020	1	1	ND	ug/L
Bromoform	MW-19	8/3/2020	1	1	ND	ug/L
Bromoform	MW-19	1/14/2021	1	1	ND	ug/L
Bromoform	MW-19	7/4/2021	1	1	ND	ug/L
Bromoform	MW-19	1/11/2023	1	1	ND	ug/L
Bromoform	MW-19	7/10/2023	1	1	ND	ug/L
Bromoform	MW-1N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/20/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	10/14/1998	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	5/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/15/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-1N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-1N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-1N	7/12/2000	1	1	ND	ug/L
Bromoform	MW-1N	10/18/2000	1	1	ND	ug/L
Bromoform	MW-1N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-1N	4/12/2001	1	1	ND	ug/L
Bromoform	MW-1N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-1N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-1N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-1N	10/3/2002	1	1	ND	ug/L
Bromoform	MW-1N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-1N	4/15/2003	1	1	ND	ug/L
Bromoform	MW-1N	7/8/2003	1	1	ND	ug/L
Bromoform	MW-1N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-1N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-1N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-1N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-1N	1/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	7/18/2006	1	1	ND	ug/L
Bromoform	MW-1N	10/24/2006	1	1	ND	ug/L
Bromoform	MW-1N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-1N	7/11/2007	1	1	ND	ug/L
Bromoform	MW-1N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-1N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-1N	2/5/2009	1	1	ND	ug/L
Bromoform	MW-1N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-1N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-1N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-1N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-1N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-1N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-1N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-1N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-1N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-1N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-1N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-1N	2/10/2015	1	1	ND	ug/L
Bromoform	MW-1N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-1N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-1N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-1N	1/12/2017	1	1	ND	ug/L
Bromoform	MW-1N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-1N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-1N	7/10/2018	1	1	ND	ug/L
Bromoform	MW-1N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-1N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-1N	1/23/2020	1	1	ND	ug/L
Bromoform	MW-1N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-1N	7/6/2020	1	1	ND	ug/L
Bromoform	MW-1N	1/14/2021	1	1	ND	ug/L
Bromoform	MW-1N	7/4/2021	1	1	ND	ug/L
Bromoform	MW-1N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-1N	7/8/2023	1	1	ND	ug/L
Bromoform	MW-20	6/5/2015	1	1	ND	ug/L
Bromoform	MW-20	7/14/2015	1	1	ND	ug/L
Bromoform	MW-20	8/4/2015	1	1	ND	ug/L
Bromoform	MW-20	9/2/2015	1	1	ND	ug/L
Bromoform	MW-20	1/7/2016	1	1	ND	ug/L
Bromoform	MW-20	4/5/2016	1	1	ND	ug/L
Bromoform	MW-20	7/20/2016	1	1	ND	ug/L
Bromoform	MW-20	10/5/2016	1	1	ND	ug/L
Bromoform	MW-20	1/12/2017	1	1	ND	ug/L
Bromoform	MW-20	7/18/2017	1	1	ND	ug/L
Bromoform	MW-20	1/26/2018	1	1	ND	ug/L
Bromoform	MW-20	7/12/2018	1	1	ND	ug/L
Bromoform	MW-20	7/11/2019	1	1	ND	ug/L
Bromoform	MW-20	1/14/2020	1	1	ND	ug/L
Bromoform	MW-20	7/7/2020	1	1	ND	ug/L
Bromoform	MW-20	1/17/2021	1	1	ND	ug/L
Bromoform	MW-20	7/4/2021	1	1	ND	ug/L
Bromoform	MW-20	1/11/2023	1	1	ND	ug/L
Bromoform	MW-21	6/5/2015	1	1	ND	ug/L
Bromoform	MW-21	7/14/2015	1	1	ND	ug/L
Bromoform	MW-21	8/4/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-21	9/2/2015	1	1	ND	ug/L
Bromoform	MW-21	1/7/2016	1	1	ND	ug/L
Bromoform	MW-21	4/5/2016	1	1	ND	ug/L
Bromoform	MW-21	7/20/2016	1	1	ND	ug/L
Bromoform	MW-21	10/5/2016	1	1	ND	ug/L
Bromoform	MW-21	10/5/2016	1	1	ND	ug/L
Bromoform	MW-21	1/10/2017	1	1	ND	ug/L
Bromoform	MW-21	4/5/2017	1	1	ND	ug/L
Bromoform	MW-21	7/19/2017	1	1	ND	ug/L
Bromoform	MW-21	10/6/2017	1	1	ND	ug/L
Bromoform	MW-21	1/24/2018	1	1	ND	ug/L
Bromoform	MW-21	4/11/2018	1	1	ND	ug/L
Bromoform	MW-21	7/11/2018	1	1	ND	ug/L
Bromoform	MW-21	10/4/2018	1	1	ND	ug/L
Bromoform	MW-21	1/3/2019	1	1	ND	ug/L
Bromoform	MW-21	4/3/2019	1	1	ND	ug/L
Bromoform	MW-21	7/11/2019	1	1	ND	ug/L
Bromoform	MW-21	10/2/2019	1	1	ND	ug/L
Bromoform	MW-21	1/16/2020	1	1	ND	ug/L
Bromoform	MW-21	4/2/2020	1	1	ND	ug/L
Bromoform	MW-21	7/8/2020	1	1	ND	ug/L
Bromoform	MW-21	10/7/2020	1	1	ND	ug/L
Bromoform	MW-21	1/13/2021	1	1	ND	ug/L
Bromoform	MW-21	4/6/2021	1	1	ND	ug/L
Bromoform	MW-21	7/5/2021	1	1	ND	ug/L
Bromoform	MW-21	10/6/2021	1	1	ND	ug/L
Bromoform	MW-21	1/11/2023	1	1	ND	ug/L
Bromoform	MW-21	4/8/2023	1	1	ND	ug/L
Bromoform	MW-21	7/7/2023	1	1	ND	ug/L
Bromoform	MW-21	10/6/2023	1	1	ND	ug/L
Bromoform	MW-2N	10/22/1997	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-2N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-2N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-2N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2001	1	1	ND	ug/L
Bromoform	MW-2N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-2N	7/10/2002	1	1	ND	ug/L
Bromoform	MW-2N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-2N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-2N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-2N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-2N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-2N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-2N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-2N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-2N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-2N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-2N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-2N	3/27/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-2N	7/11/2007	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-2N	7/22/2008	1	1	ND	ug/L
Bromoform	MW-2N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-2N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-2N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-2N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-2N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-2N	7/13/2011	1	1	ND	ug/L
Bromoform	MW-2N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-2N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-2N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-2N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-2N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-2N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-2N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-2N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-2N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-2N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-2N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-2N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-2N	1/23/2018	1	1	ND	ug/L
Bromoform	MW-2N	7/12/2018	1	1	ND	ug/L
Bromoform	MW-2N	1/3/2019	1	1	ND	ug/L
Bromoform	MW-2N	8/7/2019	1	1	ND	ug/L
Bromoform	MW-2N	1/23/2020	1	1	ND	ug/L
Bromoform	MW-2N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-2N	1/14/2021	1	1	ND	ug/L
Bromoform	MW-2N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-2N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-2N	7/8/2023	1	1	ND	ug/L
Bromoform	MW-3N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/23/1998	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	10/20/1999	3.8	3.8	ND	ug/L
Bromoform	MW-3N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-3N	4/24/2000	3.8	3.8	ND	ug/L
Bromoform	MW-3N	7/11/2000	1	1	ND	ug/L
Bromoform	MW-3N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-3N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-3N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-3N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-3N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-3N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-3N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-3N	1/22/2003	1	1	ND	ug/L
Bromoform	MW-3N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-3N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-3N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-3N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-3N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-3N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-3N	1/18/2006	1	1	ND	ug/L
Bromoform	MW-3N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-3N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-3N	10/25/2006	1	1	ND	ug/L
Bromoform	MW-3N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2007	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-3N	7/22/2008	1	1	ND	ug/L
Bromoform	MW-3N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-3N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-3N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-3N	7/13/2010	1	1	ND	ug/L
Bromoform	MW-3N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-3N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-3N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2012	1	1	ND	ug/L
Bromoform	MW-3N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-3N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-3N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2014	1	1	ND	ug/L
Bromoform	MW-3N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-3N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-3N	4/1/2015	1	1	ND	ug/L
Bromoform	MW-3N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-3N	10/5/2015	1	1	ND	ug/L
Bromoform	MW-3N	1/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	4/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-3N	10/6/2016	1	1	ND	ug/L
Bromoform	MW-3N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-3N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-3N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-3N	10/9/2017	1	1	ND	ug/L
Bromoform	MW-3N	1/24/2018	1	1	ND	ug/L
Bromoform	MW-3N	4/10/2018	1	1	ND	ug/L
Bromoform	MW-3N	7/13/2018	1	1	ND	ug/L
Bromoform	MW-3N	10/3/2018	1	1	ND	ug/L
Bromoform	MW-3N	1/7/2019	1	1	ND	ug/L
Bromoform	MW-3N	4/3/2019	1	1	ND	ug/L
Bromoform	MW-3N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-3N	10/2/2019	1	1	ND	ug/L
Bromoform	MW-3N	1/15/2020	1	1	ND	ug/L
Bromoform	MW-3N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-3N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-3N	10/7/2020	1	1	ND	ug/L
Bromoform	MW-3N	1/13/2021	1	1	ND	ug/L
Bromoform	MW-3N	4/6/2021	1	1	ND	ug/L
Bromoform	MW-3N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-3N	10/6/2021	1	1	ND	ug/L
Bromoform	MW-3N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-3N	7/7/2023	1	1	ND	ug/L
Bromoform	MW-3N	10/6/2023	1	1	ND	ug/L
Bromoform	MW-7N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/21/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	8/18/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	9/17/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/15/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	11/9/1998	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/14/1999	3.8	3.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-7N	4/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-7N	1/13/2000	3.8	3.8	ND	ug/L
Bromoform	MW-7N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-7N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-7N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-7N	4/10/2001	1	1	ND	ug/L
Bromoform	MW-7N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-7N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-7N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-7N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-7N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-7N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-7N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-7N	1/27/2004	1	1	ND	ug/L
Bromoform	MW-7N	4/8/2004	1	1	ND	ug/L
Bromoform	MW-7N	7/26/2004	1	1	ND	ug/L
Bromoform	MW-7N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2005	1	1	ND	ug/L
Bromoform	MW-7N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-7N	10/24/2006	1	1	ND	ug/L
Bromoform	MW-7N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-7N	7/21/2008	1	1	ND	ug/L
Bromoform	MW-7N	2/6/2009	1	1	ND	ug/L
Bromoform	MW-7N	7/29/2009	1	1	ND	ug/L
Bromoform	MW-7N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-7N	7/14/2010	1	1	ND	ug/L
Bromoform	MW-7N	9/2/2010	1	1	ND	ug/L
Bromoform	MW-7N	1/20/2011	1	1	ND	ug/L
Bromoform	MW-7N	7/12/2011	1	1	ND	ug/L
Bromoform	MW-7N	1/5/2012	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2012	1	1	ND	ug/L
Bromoform	MW-7N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-7N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-7N	7/15/2013	1	1	ND	ug/L
Bromoform	MW-7N	1/30/2014	1	1	ND	ug/L
Bromoform	MW-7N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-7N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-7N	7/13/2015	1	1	ND	ug/L
Bromoform	MW-7N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-7N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-7N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-7N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-7N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-7N	10/5/2017	1	1	ND	ug/L
Bromoform	MW-7N	1/25/2018	1	1	ND	ug/L
Bromoform	MW-7N	4/11/2018	1	1	ND	ug/L
Bromoform	MW-7N	7/13/2018	1	1	ND	ug/L
Bromoform	MW-7N	1/4/2019	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2019	1	1	ND	ug/L
Bromoform	MW-7N	1/16/2020	1	1	ND	ug/L
Bromoform	MW-7N	7/7/2020	1	1	ND	ug/L
Bromoform	MW-7N	1/16/2021	1	1	ND	ug/L
Bromoform	MW-7N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-7N	1/12/2022	1	1	ND	ug/L
Bromoform	MW-7N	7/10/2022	1	1	ND	ug/L
Bromoform	MW-7N	1/10/2023	1	1	ND	ug/L
Bromoform	MW-7N	7/7/2023	1	1	ND	ug/L
Bromoform	MW-8N	10/21/1997	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/28/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/22/1998	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/12/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/13/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/14/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	10/19/1999	3.8	3.8	ND	ug/L
Bromoform	MW-8N	1/14/2000	3.8	3.8	ND	ug/L
Bromoform	MW-8N	4/25/2000	3.8	3.8	ND	ug/L
Bromoform	MW-8N	10/17/2000	1	1	ND	ug/L
Bromoform	MW-8N	1/23/2001	1	1	ND	ug/L
Bromoform	MW-8N	4/11/2001	1	1	ND	ug/L
Bromoform	MW-8N	5/29/2002	1	1	ND	ug/L
Bromoform	MW-8N	5/29/2002	3.8	3.8	ND	ug/L
Bromoform	MW-8N	7/9/2002	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2002	1	1	ND	ug/L
Bromoform	MW-8N	1/23/2003	1	1	ND	ug/L
Bromoform	MW-8N	4/14/2003	1	1	ND	ug/L
Bromoform	MW-8N	7/7/2003	1	1	ND	ug/L
Bromoform	MW-8N	1/28/2004	1	1	ND	ug/L
Bromoform	MW-8N	7/27/2004	1	1	ND	ug/L
Bromoform	MW-8N	1/12/2005	1	1	ND	ug/L
Bromoform	MW-8N	7/20/2005	1	1	ND	ug/L
Bromoform	MW-8N	1/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2006	1	1	ND	ug/L
Bromoform	MW-8N	10/24/2006	1	1	ND	ug/L
Bromoform	MW-8N	1/26/2007	1	1	ND	ug/L
Bromoform	MW-8N	4/25/2007	1	1	ND	ug/L
Bromoform	MW-8N	7/10/2007	1	1	ND	ug/L
Bromoform	MW-8N	1/24/2008	1	1	ND	ug/L
Bromoform	MW-8N	7/23/2008	1	1	ND	ug/L
Bromoform	MW-8N	2/4/2009	1	1	ND	ug/L
Bromoform	MW-8N	7/31/2009	1	1	ND	ug/L
Bromoform	MW-8N	1/26/2010	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2010	1	1	ND	ug/L
Bromoform	MW-8N	1/19/2011	1	1	ND	ug/L
Bromoform	MW-8N	5/10/2011	1	1	ND	ug/L
Bromoform	MW-8N	7/14/2011	1	1	ND	ug/L
Bromoform	MW-8N	1/6/2012	1	1	ND	ug/L
Bromoform	MW-8N	4/5/2012	1	1	ND	ug/L
Bromoform	MW-8N	7/11/2012	1	1	ND	ug/L
Bromoform	MW-8N	10/3/2012	1	1	ND	ug/L
Bromoform	MW-8N	5/1/2013	1	1	ND	ug/L
Bromoform	MW-8N	6/4/2013	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2013	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2013	1	1	ND	ug/L
Bromoform	MW-8N	1/30/2014	1	1	ND	ug/L
Bromoform	MW-8N	4/3/2014	1	1	ND	ug/L
Bromoform	MW-8N	7/9/2014	1	1	ND	ug/L
Bromoform	MW-8N	10/8/2014	1	1	ND	ug/L
Bromoform	MW-8N	2/12/2015	1	1	ND	ug/L
Bromoform	MW-8N	4/1/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	MW-8N	7/14/2015	1	1	ND	ug/L
Bromoform	MW-8N	10/5/2015	1	1	ND	ug/L
Bromoform	MW-8N	1/5/2016	1	1	ND	ug/L
Bromoform	MW-8N	4/6/2016	1	1	ND	ug/L
Bromoform	MW-8N	7/21/2016	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2016	1	1	ND	ug/L
Bromoform	MW-8N	1/11/2017	1	1	ND	ug/L
Bromoform	MW-8N	4/4/2017	1	1	ND	ug/L
Bromoform	MW-8N	7/19/2017	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2017	1	1	ND	ug/L
Bromoform	MW-8N	1/25/2018	1	1	ND	ug/L
Bromoform	MW-8N	4/10/2018	1	1	ND	ug/L
Bromoform	MW-8N	7/16/2018	1	1	ND	ug/L
Bromoform	MW-8N	10/2/2018	1	1	ND	ug/L
Bromoform	MW-8N	1/7/2019	1	1	ND	ug/L
Bromoform	MW-8N	4/3/2019	1	1	ND	ug/L
Bromoform	MW-8N	7/11/2019	1	1	ND	ug/L
Bromoform	MW-8N	10/3/2019	1	1	ND	ug/L
Bromoform	MW-8N	1/15/2020	1	1	ND	ug/L
Bromoform	MW-8N	4/2/2020	1	1	ND	ug/L
Bromoform	MW-8N	7/9/2020	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2020	1	1	ND	ug/L
Bromoform	MW-8N	1/15/2021	1	1	ND	ug/L
Bromoform	MW-8N	4/6/2021	1	1	ND	ug/L
Bromoform	MW-8N	7/5/2021	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2021	1	1	ND	ug/L
Bromoform	MW-8N	1/18/2022	1	1	ND	ug/L
Bromoform	MW-8N	4/4/2022	1	1	ND	ug/L
Bromoform	MW-8N	7/12/2022	1	1	ND	ug/L
Bromoform	MW-8N	10/6/2022	1	1	ND	ug/L
Bromoform	MW-8N	1/11/2023	1	1	ND	ug/L
Bromoform	MW-8N	4/8/2023	1	1	ND	ug/L
Bromoform	MW-8N	7/7/2023	1	1	ND	ug/L
Bromoform	MW-8N	10/5/2023	1	1	ND	ug/L
Bromoform	NE-1	7/10/2002	1	1	ND	ug/L
Bromoform	NE-1	8/6/2002	1	1	ND	ug/L
Bromoform	NE-1	9/4/2002	1	1	ND	ug/L
Bromoform	NE-1	10/2/2002	1	1	ND	ug/L
Bromoform	NE-1	7/8/2003	1	1	ND	ug/L
Bromoform	NE-1	1/27/2004	1	1	ND	ug/L
Bromoform	NE-1	1/12/2005	1	1	ND	ug/L
Bromoform	NE-1	7/19/2006	1	1	ND	ug/L
Bromoform	NE-1	7/19/2006	1	1	ND	ug/L
Bromoform	NE-1	10/25/2006	1	1	ND	ug/L
Bromoform	NE-1	1/24/2007	1	1	ND	ug/L
Bromoform	NE-1	7/10/2007	1	1	ND	ug/L
Bromoform	NE-1	1/24/2008	1	1	ND	ug/L
Bromoform	NE-1	7/21/2008	1	1	ND	ug/L
Bromoform	NE-1	2/7/2009	1	1	ND	ug/L
Bromoform	NE-1	7/31/2009	1	1	ND	ug/L
Bromoform	NE-1	1/26/2010	1	1	ND	ug/L
Bromoform	NE-1	7/14/2010	1	1	ND	ug/L
Bromoform	NE-1	9/2/2010	1	1	ND	ug/L
Bromoform	NE-1	1/19/2011	1	1	ND	ug/L
Bromoform	NE-1	7/13/2011	1	1	ND	ug/L
Bromoform	NE-1	1/5/2012	1	1	ND	ug/L
Bromoform	NE-1	7/10/2012	1	1	ND	ug/L
Bromoform	NE-1	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-1	7/16/2013	1	1	ND	ug/L
Bromoform	NE-1	1/23/2014	1	1	ND	ug/L
Bromoform	NE-1	7/9/2014	1	1	ND	ug/L
Bromoform	NE-1	2/11/2015	1	1	ND	ug/L
Bromoform	NE-1	7/8/2015	1	1	ND	ug/L
Bromoform	NE-1	1/6/2016	1	1	ND	ug/L
Bromoform	NE-1	7/20/2016	1	1	ND	ug/L
Bromoform	NE-1	1/11/2017	1	1	ND	ug/L
Bromoform	NE-1	7/19/2017	1	1	ND	ug/L
Bromoform	NE-1	1/24/2018	1	1	ND	ug/L
Bromoform	NE-1	4/11/2018	1	1	ND	ug/L
Bromoform	NE-1	7/18/2018	1	1	ND	ug/L
Bromoform	NE-1	10/2/2018	1	1	ND	ug/L
Bromoform	NE-1	1/4/2019	1	1	ND	ug/L
Bromoform	NE-1	4/2/2019	1	1	ND	ug/L
Bromoform	NE-1	7/10/2019	1	1	ND	ug/L
Bromoform	NE-1	7/10/2019	1	1	ND	ug/L
Bromoform	NE-1	10/2/2019	1	1	ND	ug/L
Bromoform	NE-1	1/15/2020	1	1	ND	ug/L
Bromoform	NE-1	4/2/2020	1	1	ND	ug/L
Bromoform	NE-1	7/8/2020	1	1	ND	ug/L
Bromoform	NE-1	10/7/2020	1	1	ND	ug/L
Bromoform	NE-1	1/13/2021	1	1	ND	ug/L
Bromoform	NE-1	4/9/2021	1	1	ND	ug/L
Bromoform	NE-1	7/2/2021	1	1	ND	ug/L
Bromoform	NE-1	10/6/2021	1	1	ND	ug/L
Bromoform	NE-1	1/17/2022	1	1	ND	ug/L
Bromoform	NE-1	4/6/2022	1	1	ND	ug/L
Bromoform	NE-1	7/13/2022	1	1	ND	ug/L
Bromoform	NE-1	10/6/2022	1	1	ND	ug/L
Bromoform	NE-1	1/5/2023	1	1	ND	ug/L
Bromoform	NE-1	4/7/2023	1	1	ND	ug/L
Bromoform	NE-1	7/5/2023	1	1	ND	ug/L
Bromoform	NE-1	10/5/2023	1	1	ND	ug/L
Bromoform	NE-10D	11/6/2019	1	1	ND	ug/L
Bromoform	NE-10D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-10D	4/2/2020	1	1	ND	ug/L
Bromoform	NE-10D	7/8/2020	1	1	ND	ug/L
Bromoform	NE-10D	10/7/2020	1	1	ND	ug/L
Bromoform	NE-10D	1/13/2021	1	1	ND	ug/L
Bromoform	NE-10D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-10D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-10D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-10D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-10D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-10D	7/8/2023	1	1	ND	ug/L
Bromoform	NE-10D	10/3/2023	1	1	ND	ug/L
Bromoform	NE-11	3/1/2017	1	1	ND	ug/L
Bromoform	NE-11	4/6/2017	1	1	ND	ug/L
Bromoform	NE-11	7/20/2017	1	1	ND	ug/L
Bromoform	NE-11	10/9/2017	1	1	ND	ug/L
Bromoform	NE-11	9/30/2019	1	1	ND	ug/L
Bromoform	NE-11	1/14/2020	1	1	ND	ug/L
Bromoform	NE-11	7/7/2020	1	1	ND	ug/L
Bromoform	NE-11	1/16/2021	1	1	ND	ug/L
Bromoform	NE-11	1/16/2021	1	1	ND	ug/L
Bromoform	NE-11	7/1/2021	1	1	ND	ug/L
Bromoform	NE-11	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-11	1/17/2022	1	1	ND	ug/L
Bromoform	NE-11	1/17/2022	1	1	ND	ug/L
Bromoform	NE-11	7/12/2022	1	1	ND	ug/L
Bromoform	NE-11	1/6/2023	1	1	ND	ug/L
Bromoform	NE-11	7/6/2023	1	1	ND	ug/L
Bromoform	NE-12	3/1/2017	1	1	ND	ug/L
Bromoform	NE-12	4/6/2017	1	1	ND	ug/L
Bromoform	NE-12	7/20/2017	1	1	ND	ug/L
Bromoform	NE-12	10/6/2017	1	1	ND	ug/L
Bromoform	NE-12	8/5/2019	1	1	ND	ug/L
Bromoform	NE-12	1/13/2020	1	1	ND	ug/L
Bromoform	NE-12	7/7/2020	1	1	ND	ug/L
Bromoform	NE-12	1/15/2021	1	1	ND	ug/L
Bromoform	NE-12	1/15/2021	1	1	ND	ug/L
Bromoform	NE-12	7/1/2021	1	1	ND	ug/L
Bromoform	NE-12	7/1/2021	1	1	ND	ug/L
Bromoform	NE-12	1/17/2022	1	1	ND	ug/L
Bromoform	NE-12	1/17/2022	1	1	ND	ug/L
Bromoform	NE-12	7/12/2022	1	1	ND	ug/L
Bromoform	NE-12	1/6/2023	1	1	ND	ug/L
Bromoform	NE-12	7/5/2023	1	1	ND	ug/L
Bromoform	NE-13	2/5/2019	1	1	ND	ug/L
Bromoform	NE-13	8/7/2019	1	1	ND	ug/L
Bromoform	NE-13	1/15/2020	1	1	ND	ug/L
Bromoform	NE-13	7/8/2020	1	1	ND	ug/L
Bromoform	NE-13	1/17/2021	1	1	ND	ug/L
Bromoform	NE-13	1/17/2021	1	1	ND	ug/L
Bromoform	NE-13	7/1/2021	1	1	ND	ug/L
Bromoform	NE-13	7/1/2021	1	1	ND	ug/L
Bromoform	NE-14D	10/2/2019	1	1	ND	ug/L
Bromoform	NE-14D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-14D	4/3/2020	1	1	ND	ug/L
Bromoform	NE-14D	7/7/2020	1	1	ND	ug/L
Bromoform	NE-14D	10/6/2020	1	1	ND	ug/L
Bromoform	NE-14D	1/17/2021	1	1	ND	ug/L
Bromoform	NE-14D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-14D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-14D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-14D	1/18/2022	1	1	ND	ug/L
Bromoform	NE-14D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-14D	7/13/2022	1	1	ND	ug/L
Bromoform	NE-14D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-14D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-14D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-14D	7/5/2023	1	1	ND	ug/L
Bromoform	NE-14D	10/4/2023	1	1	ND	ug/L
Bromoform	NE-14S	10/2/2019	1	1	ND	ug/L
Bromoform	NE-14S	1/16/2020	1	1	ND	ug/L
Bromoform	NE-14S	4/3/2020	1	1	ND	ug/L
Bromoform	NE-14S	7/7/2020	1	1	ND	ug/L
Bromoform	NE-14S	10/6/2020	1	1	ND	ug/L
Bromoform	NE-14S	1/17/2021	1	1	ND	ug/L
Bromoform	NE-14S	4/9/2021	1	1	ND	ug/L
Bromoform	NE-14S	7/2/2021	1	1	ND	ug/L
Bromoform	NE-14S	10/7/2021	1	1	ND	ug/L
Bromoform	NE-14S	1/18/2022	1	1	ND	ug/L
Bromoform	NE-14S	4/6/2022	1	1	ND	ug/L
Bromoform	NE-14S	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-14S	10/7/2022	1	1	ND	ug/L
Bromoform	NE-14S	1/6/2023	1	1	ND	ug/L
Bromoform	NE-14S	4/6/2023	1	1	ND	ug/L
Bromoform	NE-14S	7/5/2023	1	1	ND	ug/L
Bromoform	NE-14S	10/4/2023	1	1	ND	ug/L
Bromoform	NE-15D	9/30/2019	1	1	ND	ug/L
Bromoform	NE-15D	1/16/2020	1	1	ND	ug/L
Bromoform	NE-15D	4/3/2020	1	1	ND	ug/L
Bromoform	NE-15D	7/7/2020	1	1	ND	ug/L
Bromoform	NE-15D	10/6/2020	1	1	ND	ug/L
Bromoform	NE-15D	1/17/2021	1	1	ND	ug/L
Bromoform	NE-15D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-15D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-15D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-15D	1/17/2022	1	1	ND	ug/L
Bromoform	NE-15D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-15D	7/13/2022	1	1	ND	ug/L
Bromoform	NE-15D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-15D	1/6/2023	1	1	ND	ug/L
Bromoform	NE-15D	4/6/2023	1	1	ND	ug/L
Bromoform	NE-15D	7/6/2023	1	1	ND	ug/L
Bromoform	NE-15D	10/6/2023	1	1	ND	ug/L
Bromoform	NE-15S	4/3/2020	1	1	ND	ug/L
Bromoform	NE-2	7/9/2002	1	1	ND	ug/L
Bromoform	NE-2	8/6/2002	1	1	ND	ug/L
Bromoform	NE-2	9/4/2002	1	1	ND	ug/L
Bromoform	NE-2	10/2/2002	1	1	ND	ug/L
Bromoform	NE-2	10/1/2013	1	1	ND	ug/L
Bromoform	NE-2	10/8/2014	1	1	ND	ug/L
Bromoform	NE-2	10/5/2015	1	1	ND	ug/L
Bromoform	NE-2	10/6/2016	1	1	ND	ug/L
Bromoform	NE-2	10/5/2017	1	1	ND	ug/L
Bromoform	NE-2	1/25/2018	1	1	ND	ug/L
Bromoform	NE-2	4/10/2018	1	1	ND	ug/L
Bromoform	NE-2	7/10/2018	1	1	ND	ug/L
Bromoform	NE-2	10/1/2018	1	1	ND	ug/L
Bromoform	NE-2	1/4/2019	1	1	ND	ug/L
Bromoform	NE-2	4/2/2019	1	1	ND	ug/L
Bromoform	NE-2	7/9/2019	1	1	ND	ug/L
Bromoform	NE-2	7/9/2019	1	1	ND	ug/L
Bromoform	NE-2	10/2/2019	1	1	ND	ug/L
Bromoform	NE-2	1/14/2020	1	1	ND	ug/L
Bromoform	NE-2	4/1/2020	1	1	ND	ug/L
Bromoform	NE-2	7/7/2020	1	1	ND	ug/L
Bromoform	NE-2	10/6/2020	1	1	ND	ug/L
Bromoform	NE-2	1/14/2021	1	1	ND	ug/L
Bromoform	NE-2	4/9/2021	1	1	ND	ug/L
Bromoform	NE-2	7/2/2021	1	1	ND	ug/L
Bromoform	NE-2	10/6/2021	1	1	ND	ug/L
Bromoform	NE-2	1/18/2022	1	1	ND	ug/L
Bromoform	NE-2	4/6/2022	1	1	ND	ug/L
Bromoform	NE-2	7/13/2022	1	1	ND	ug/L
Bromoform	NE-2	10/7/2022	1	1	ND	ug/L
Bromoform	NE-2	1/5/2023	1	1	ND	ug/L
Bromoform	NE-2	4/5/2023	1	1	ND	ug/L
Bromoform	NE-2	7/5/2023	1	1	ND	ug/L
Bromoform	NE-2	10/4/2023	1	1	ND	ug/L
Bromoform	NE-4	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-4	8/6/2002	1	1	ND	ug/L
Bromoform	NE-4	9/4/2002	1	1	ND	ug/L
Bromoform	NE-4	10/3/2002	1	1	ND	ug/L
Bromoform	NE-4	4/15/2003	1	1	ND	ug/L
Bromoform	NE-4	7/8/2003	1	1	ND	ug/L
Bromoform	NE-4	1/28/2004	1	1	ND	ug/L
Bromoform	NE-4	1/13/2005	1	1	ND	ug/L
Bromoform	NE-4	8/1/2006	1	1	ND	ug/L
Bromoform	NE-4	8/1/2006	1	1	ND	ug/L
Bromoform	NE-4	10/25/2006	1	1	ND	ug/L
Bromoform	NE-4	1/24/2007	1	1	ND	ug/L
Bromoform	NE-4	7/12/2007	1	1	ND	ug/L
Bromoform	NE-4	1/24/2008	1	1	ND	ug/L
Bromoform	NE-4	7/21/2008	1	1	ND	ug/L
Bromoform	NE-4	2/7/2009	1	1	ND	ug/L
Bromoform	NE-4	7/31/2009	1	1	ND	ug/L
Bromoform	NE-4	1/26/2010	1	1	ND	ug/L
Bromoform	NE-4	7/14/2010	1	1	ND	ug/L
Bromoform	NE-4	1/19/2011	1	1	ND	ug/L
Bromoform	NE-4	7/13/2011	1	1	ND	ug/L
Bromoform	NE-4	1/5/2012	1	1	ND	ug/L
Bromoform	NE-4	7/10/2012	1	1	ND	ug/L
Bromoform	NE-4	4/30/2013	1	1	ND	ug/L
Bromoform	NE-4	7/16/2013	1	1	ND	ug/L
Bromoform	NE-4	1/23/2014	1	1	ND	ug/L
Bromoform	NE-4	7/9/2014	1	1	ND	ug/L
Bromoform	NE-4	2/13/2015	1	1	ND	ug/L
Bromoform	NE-4	7/8/2015	1	1	ND	ug/L
Bromoform	NE-4	1/6/2016	1	1	ND	ug/L
Bromoform	NE-4	7/20/2016	1	1	ND	ug/L
Bromoform	NE-4	1/11/2017	1	1	ND	ug/L
Bromoform	NE-4	7/19/2017	1	1	ND	ug/L
Bromoform	NE-4	1/26/2018	1	1	ND	ug/L
Bromoform	NE-4	4/10/2018	1	1	ND	ug/L
Bromoform	NE-4	7/12/2018	1	1	ND	ug/L
Bromoform	NE-4	10/3/2018	1	1	ND	ug/L
Bromoform	NE-4	1/7/2019	1	1	ND	ug/L
Bromoform	NE-4	4/2/2019	1	1	ND	ug/L
Bromoform	NE-4	7/8/2019	1	1	ND	ug/L
Bromoform	NE-4	7/8/2019	1	1	ND	ug/L
Bromoform	NE-4	10/1/2019	1	1	ND	ug/L
Bromoform	NE-4	1/13/2020	1	1	ND	ug/L
Bromoform	NE-4	4/1/2020	1	1	ND	ug/L
Bromoform	NE-4	7/6/2020	1	1	ND	ug/L
Bromoform	NE-4	10/5/2020	1	1	ND	ug/L
Bromoform	NE-4	1/15/2021	1	1	ND	ug/L
Bromoform	NE-4	4/9/2021	1	1	ND	ug/L
Bromoform	NE-4	7/2/2021	1	1	ND	ug/L
Bromoform	NE-4	10/6/2021	1	1	ND	ug/L
Bromoform	NE-4	1/5/2023	1	1	ND	ug/L
Bromoform	NE-4	4/6/2023	1	1	ND	ug/L
Bromoform	NE-4	7/5/2023	1	1	ND	ug/L
Bromoform	NE-4	10/4/2023	1	1	ND	ug/L
Bromoform	NE-5	7/9/2002	1	1	ND	ug/L
Bromoform	NE-5	8/6/2002	1	1	ND	ug/L
Bromoform	NE-5	9/4/2002	1	1	ND	ug/L
Bromoform	NE-5	10/2/2002	1	1	ND	ug/L
Bromoform	NE-5	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-5	7/8/2003	1	1	ND	ug/L
Bromoform	NE-5	1/27/2004	1	1	ND	ug/L
Bromoform	NE-5	1/12/2005	1	1	ND	ug/L
Bromoform	NE-5	7/19/2006	1	1	ND	ug/L
Bromoform	NE-5	7/19/2006	1	1	ND	ug/L
Bromoform	NE-5	10/25/2006	1	1	ND	ug/L
Bromoform	NE-5	1/24/2007	1	1	ND	ug/L
Bromoform	NE-5	7/12/2007	1	1	ND	ug/L
Bromoform	NE-5	7/22/2008	1	1	ND	ug/L
Bromoform	NE-5	2/6/2009	1	1	ND	ug/L
Bromoform	NE-5	7/31/2009	1	1	ND	ug/L
Bromoform	NE-5	1/26/2010	1	1	ND	ug/L
Bromoform	NE-5	7/16/2010	1	1	ND	ug/L
Bromoform	NE-5	9/2/2010	1	1	ND	ug/L
Bromoform	NE-5	1/19/2011	1	1	ND	ug/L
Bromoform	NE-5	7/13/2011	1	1	ND	ug/L
Bromoform	NE-5	1/5/2012	1	1	ND	ug/L
Bromoform	NE-5	7/10/2012	1	1	ND	ug/L
Bromoform	NE-5	4/30/2013	1	1	ND	ug/L
Bromoform	NE-5	7/16/2013	1	1	ND	ug/L
Bromoform	NE-5	1/23/2014	1	1	ND	ug/L
Bromoform	NE-5	7/9/2014	1	1	ND	ug/L
Bromoform	NE-5	2/11/2015	1	1	ND	ug/L
Bromoform	NE-5	7/14/2015	1	1	ND	ug/L
Bromoform	NE-5	1/6/2016	1	1	ND	ug/L
Bromoform	NE-5	7/20/2016	1	1	ND	ug/L
Bromoform	NE-5	1/11/2017	1	1	ND	ug/L
Bromoform	NE-5	7/19/2017	1	1	ND	ug/L
Bromoform	NE-5	1/25/2018	1	1	ND	ug/L
Bromoform	NE-5	4/10/2018	1	1	ND	ug/L
Bromoform	NE-5	7/17/2018	1	1	ND	ug/L
Bromoform	NE-5	10/3/2018	1	1	ND	ug/L
Bromoform	NE-5	1/4/2019	1	1	ND	ug/L
Bromoform	NE-5	4/2/2019	1	1	ND	ug/L
Bromoform	NE-5	4/2/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	7/9/2019	1	1	ND	ug/L
Bromoform	NE-5	10/3/2019	1	1	ND	ug/L
Bromoform	NE-5	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5	4/2/2020	1	1	ND	ug/L
Bromoform	NE-5	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5	10/6/2020	1	1	ND	ug/L
Bromoform	NE-5	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5	4/7/2023	1	1	ND	ug/L
Bromoform	NE-5	7/6/2023	1	1	ND	ug/L
Bromoform	NE-5	10/4/2023	1	1	ND	ug/L
Bromoform	NE-5E	9/30/2019	1	1	ND	ug/L
Bromoform	NE-5E	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5E	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-5E	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5E	10/6/2020	1	1	ND	ug/L
Bromoform	NE-5E	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5E	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5E	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5E	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5E	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5E	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5E	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5E	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5E	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5E	4/7/2023	1	1	ND	ug/L
Bromoform	NE-5E	7/6/2023	1	1	ND	ug/L
Bromoform	NE-5E	10/4/2023	1	1	ND	ug/L
Bromoform	NE-5W	9/30/2019	1	1	ND	ug/L
Bromoform	NE-5W	1/16/2020	1	1	ND	ug/L
Bromoform	NE-5W	4/2/2020	1	1	ND	ug/L
Bromoform	NE-5W	7/8/2020	1	1	ND	ug/L
Bromoform	NE-5W	10/6/2020	1	1	ND	ug/L
Bromoform	NE-5W	1/15/2021	1	1	ND	ug/L
Bromoform	NE-5W	4/9/2021	1	1	ND	ug/L
Bromoform	NE-5W	7/2/2021	1	1	ND	ug/L
Bromoform	NE-5W	10/6/2021	1	1	ND	ug/L
Bromoform	NE-5W	1/18/2022	1	1	ND	ug/L
Bromoform	NE-5W	4/6/2022	1	1	ND	ug/L
Bromoform	NE-5W	7/13/2022	1	1	ND	ug/L
Bromoform	NE-5W	10/7/2022	1	1	ND	ug/L
Bromoform	NE-5W	1/5/2023	1	1	ND	ug/L
Bromoform	NE-5W	4/7/2023	1	1	ND	ug/L
Bromoform	NE-5W	7/6/2023	1	1	ND	ug/L
Bromoform	NE-5W	10/4/2023	1	1	ND	ug/L
Bromoform	NE-6	1/12/2017	1	1	ND	ug/L
Bromoform	NE-6	4/5/2017	1	1	ND	ug/L
Bromoform	NE-6	7/19/2017	1	1	ND	ug/L
Bromoform	NE-6	10/6/2017	1	1	ND	ug/L
Bromoform	NE-6	2/4/2019	1	1	ND	ug/L
Bromoform	NE-6	8/6/2019	1	1	ND	ug/L
Bromoform	NE-6	1/15/2020	1	1	ND	ug/L
Bromoform	NE-6	7/9/2020	1	1	ND	ug/L
Bromoform	NE-6	1/16/2021	1	1	ND	ug/L
Bromoform	NE-6	1/16/2021	1	1	ND	ug/L
Bromoform	NE-6	7/1/2021	1	1	ND	ug/L
Bromoform	NE-6	7/1/2021	1	1	ND	ug/L
Bromoform	NE-6	1/17/2022	1	1	ND	ug/L
Bromoform	NE-6	1/17/2022	1	1	ND	ug/L
Bromoform	NE-6	7/12/2022	1	1	ND	ug/L
Bromoform	NE-6	1/5/2023	1	1	ND	ug/L
Bromoform	NE-6	7/6/2023	1	1	ND	ug/L
Bromoform	NE-6D	10/2/2019	1	1	ND	ug/L
Bromoform	NE-6D	1/15/2020	1	1	ND	ug/L
Bromoform	NE-6D	4/2/2020	1	1	ND	ug/L
Bromoform	NE-6D	7/9/2020	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2020	1	1	ND	ug/L
Bromoform	NE-6D	1/15/2021	1	1	ND	ug/L
Bromoform	NE-6D	4/9/2021	1	1	ND	ug/L
Bromoform	NE-6D	7/2/2021	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2021	1	1	ND	ug/L
Bromoform	NE-6D	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-6D	4/6/2022	1	1	ND	ug/L
Bromoform	NE-6D	7/12/2022	1	1	ND	ug/L
Bromoform	NE-6D	10/7/2022	1	1	ND	ug/L
Bromoform	NE-6D	1/5/2023	1	1	ND	ug/L
Bromoform	NE-6D	4/7/2023	1	1	ND	ug/L
Bromoform	NE-6D	7/6/2023	1	1	ND	ug/L
Bromoform	NE-6D	10/4/2023	1	1	ND	ug/L
Bromoform	NE-7	3/1/2017	1	1	ND	ug/L
Bromoform	NE-7	4/6/2017	1	1	ND	ug/L
Bromoform	NE-7	7/20/2017	1	1	ND	ug/L
Bromoform	NE-7	10/5/2017	1	1	ND	ug/L
Bromoform	NE-7	2/6/2019	1	1	ND	ug/L
Bromoform	NE-7	8/6/2019	1	1	ND	ug/L
Bromoform	NE-7	1/16/2020	1	1	ND	ug/L
Bromoform	NE-7	7/7/2020	1	1	ND	ug/L
Bromoform	NE-7	1/16/2021	1	1	ND	ug/L
Bromoform	NE-7	1/16/2021	1	1	ND	ug/L
Bromoform	NE-7	7/1/2021	1	1	ND	ug/L
Bromoform	NE-7	7/1/2021	1	1	ND	ug/L
Bromoform	NE-7	1/17/2022	1	1	ND	ug/L
Bromoform	NE-7	1/17/2022	1	1	ND	ug/L
Bromoform	NE-7	7/12/2022	1	1	ND	ug/L
Bromoform	NE-7	1/5/2023	1	1	ND	ug/L
Bromoform	NE-7	7/6/2023	1	1	ND	ug/L
Bromoform	NE-8	1/12/2017	1	1	ND	ug/L
Bromoform	NE-8	4/5/2017	1	1	ND	ug/L
Bromoform	NE-8	7/20/2017	1	1	ND	ug/L
Bromoform	NE-8	10/6/2017	1	1	ND	ug/L
Bromoform	NE-8	2/4/2019	1	1	ND	ug/L
Bromoform	NE-8	8/5/2019	1	1	ND	ug/L
Bromoform	NE-8	1/15/2020	1	1	ND	ug/L
Bromoform	NE-8	7/8/2020	1	1	ND	ug/L
Bromoform	NE-8	1/13/2021	1	1	ND	ug/L
Bromoform	NE-8	1/13/2021	1	1	ND	ug/L
Bromoform	NE-8	4/9/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	7/1/2021	1	1	ND	ug/L
Bromoform	NE-8	10/7/2021	1	1	ND	ug/L
Bromoform	NE-8	1/6/2023	1	1	ND	ug/L
Bromoform	NE-8	7/5/2023	1	1	ND	ug/L
Bromoform	NE-9	1/12/2017	1	1	ND	ug/L
Bromoform	NE-9	4/5/2017	1	1	ND	ug/L
Bromoform	NE-9	7/20/2017	1	1	ND	ug/L
Bromoform	NE-9	10/5/2017	1	1	ND	ug/L
Bromoform	NE-9	2/5/2019	1	1	ND	ug/L
Bromoform	NE-9	8/7/2019	1	1	ND	ug/L
Bromoform	NE-9	1/15/2020	1	1	ND	ug/L
Bromoform	NE-9	7/7/2020	1	1	ND	ug/L
Bromoform	NE-9	1/17/2021	1	1	ND	ug/L
Bromoform	NE-9	1/17/2021	1	1	ND	ug/L
Bromoform	NE-9	7/1/2021	1	1	ND	ug/L
Bromoform	NE-9	7/1/2021	1	1	ND	ug/L
Bromoform	NE-9	1/17/2022	1	1	ND	ug/L
Bromoform	NE-9	1/17/2022	1	1	ND	ug/L
Bromoform	NE-9	7/13/2022	1	1	ND	ug/L
Bromoform	NE-9	1/6/2023	1	1	ND	ug/L
Bromoform	NE-9	4/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromoform	NE-9	7/5/2023	1	1	ND	ug/L
Bromoform	NE-9	10/6/2023	1	1	ND	ug/L
Bromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Bromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Bromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Bromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Bromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Bromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Bromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Bromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Bromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Bromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Bromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Bromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Bromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Bromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Bromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Bromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Bromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Bromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Bromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Bromomethane	LGW-10	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-10	10/5/2023	1	1	ND	ug/L
Bromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Bromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Bromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Bromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Bromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Bromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Bromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Bromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Bromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-2	1/30/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Bromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Bromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Bromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Bromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Bromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Bromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-2	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Bromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Bromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Bromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Bromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Bromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Bromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Bromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Bromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Bromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Bromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Bromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Bromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Bromomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-4	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-5	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Bromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Bromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Bromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Bromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Bromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-5	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-5	10/5/2023	1	1	ND	ug/L
Bromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Bromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Bromomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Bromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Bromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Bromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Bromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-6	5/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Bromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Bromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Bromomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Bromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Bromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Bromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Bromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Bromomethane	LGW-6	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-6	10/5/2023	1	1	ND	ug/L
Bromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Bromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Bromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Bromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Bromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Bromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Bromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Bromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-7	4/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Bromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Bromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Bromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-7	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Bromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Bromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Bromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Bromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Bromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Bromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Bromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Bromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Bromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Bromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Bromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Bromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Bromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Bromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Bromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Bromomethane	LGW-9	4/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Bromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Bromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Bromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Bromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Bromomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Bromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Bromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Bromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Bromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Bromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Bromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Bromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Bromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Bromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Bromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Bromomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Bromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Bromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Bromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Bromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Bromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Bromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Bromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Bromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Bromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Bromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Bromomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Bromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Bromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Bromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Bromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Bromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Bromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Bromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Bromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Bromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Bromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Bromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Bromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Bromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Bromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Bromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Bromomethane	LGW-9	7/10/2023	1	1	ND	ug/L
Bromomethane	LGW-9	10/5/2023	1	1	ND	ug/L
Bromomethane	MW-10N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-10N	1/22/1998	14	14	ND	ug/L
Bromomethane	MW-10N	4/28/1998	29	29	ND	ug/L
Bromomethane	MW-10N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-10N	1/14/1999	14	14	ND	ug/L
Bromomethane	MW-10N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-10N	7/15/1999	14	14	ND	ug/L
Bromomethane	MW-10N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-10N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-10N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-10N	7/11/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Bromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Bromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Bromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Bromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Bromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Bromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Bromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-10N	7/7/2023	1	1	ND	ug/L
Bromomethane	MW-11N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-11N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-11N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-11N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-11N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-11N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-11N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-11N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-11N	1/13/2000	14	14	ND	ug/L
Bromomethane	MW-11N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-11N	7/10/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Bromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Bromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Bromomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Bromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Bromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Bromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Bromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Bromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Bromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Bromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Bromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Bromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Bromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Bromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Bromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Bromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Bromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Bromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Bromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-11N	7/8/2023	1	1	ND	ug/L
Bromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Bromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-15	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-15	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-15	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-15	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Bromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-15	7/10/2023	1	1	ND	ug/L
Bromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Bromomethane	MW-16	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Bromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Bromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Bromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Bromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-16	7/10/2023	1	1	ND	ug/L
Bromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Bromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-17	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-17	7/8/2023	1	1	ND	ug/L
Bromomethane	MW-19	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Bromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Bromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Bromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-19	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-19	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-19	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Bromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-19	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-19	7/10/2023	1	1	ND	ug/L
Bromomethane	MW-1N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-1N	1/20/1998	14	14	ND	ug/L
Bromomethane	MW-1N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-1N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-1N	10/14/1998	14	14	ND	ug/L
Bromomethane	MW-1N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-1N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-1N	5/19/1999	14	14	ND	ug/L
Bromomethane	MW-1N	7/15/1999	14	14	ND	ug/L
Bromomethane	MW-1N	10/19/1999	14	14	ND	ug/L
Bromomethane	MW-1N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-1N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Bromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Bromomethane	MW-1N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Bromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Bromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Bromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Bromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Bromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-1N	7/13/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Bromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Bromomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Bromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Bromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Bromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-1N	7/8/2023	1	1	ND	ug/L
Bromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Bromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Bromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Bromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Bromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Bromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Bromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Bromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Bromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Bromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Bromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Bromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Bromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Bromomethane	MW-21	1/10/2017	1	1	ND	ug/L
Bromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Bromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Bromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-21	4/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Bromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Bromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-21	10/2/2019	1	1	ND	ug/L
Bromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Bromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Bromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-21	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Bromomethane	MW-21	7/7/2023	1	1	ND	ug/L
Bromomethane	MW-21	10/6/2023	1	1	ND	ug/L
Bromomethane	MW-2N	10/22/1997	14	14	ND	ug/L
Bromomethane	MW-2N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-2N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-2N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-2N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-2N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-2N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-2N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-2N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-2N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Bromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Bromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Bromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Bromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Bromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Bromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-2N	5/1/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Bromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Bromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Bromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Bromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Bromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Bromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-2N	7/8/2023	1	1	ND	ug/L
Bromomethane	MW-3N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-3N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-3N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-3N	7/23/1998	15	15	ND	ug/L
Bromomethane	MW-3N	1/13/1999	14	14	ND	ug/L
Bromomethane	MW-3N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-3N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-3N	10/20/1999	14	14	ND	ug/L
Bromomethane	MW-3N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-3N	4/24/2000	14	14	ND	ug/L
Bromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Bromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-3N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Bromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Bromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Bromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Bromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-3N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Bromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Bromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Bromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Bromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Bromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Bromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Bromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Bromomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Bromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Bromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Bromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Bromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-3N	7/7/2023	1	1	ND	ug/L
Bromomethane	MW-3N	10/6/2023	1	1	ND	ug/L
Bromomethane	MW-7N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-7N	1/21/1998	14	14	ND	ug/L
Bromomethane	MW-7N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-7N	8/18/1998	15	15	ND	ug/L
Bromomethane	MW-7N	9/17/1998	15	15	ND	ug/L
Bromomethane	MW-7N	10/15/1998	14	14	ND	ug/L
Bromomethane	MW-7N	11/9/1998	15	15	ND	ug/L
Bromomethane	MW-7N	1/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	4/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-7N	10/19/1999	14	14	ND	ug/L
Bromomethane	MW-7N	1/13/2000	14	14	ND	ug/L
Bromomethane	MW-7N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Bromomethane	MW-7N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-7N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Bromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Bromomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Bromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Bromomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Bromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Bromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Bromomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Bromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Bromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Bromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Bromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Bromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Bromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Bromomethane	MW-7N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Bromomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Bromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Bromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Bromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Bromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Bromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Bromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Bromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Bromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Bromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Bromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Bromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Bromomethane	MW-7N	7/7/2023	1	1	ND	ug/L
Bromomethane	MW-8N	10/21/1997	14	14	ND	ug/L
Bromomethane	MW-8N	1/22/1998	14	14	ND	ug/L
Bromomethane	MW-8N	4/28/1998	15	15	ND	ug/L
Bromomethane	MW-8N	7/22/1998	15	15	ND	ug/L
Bromomethane	MW-8N	1/12/1999	14	14	ND	ug/L
Bromomethane	MW-8N	4/13/1999	14	14	ND	ug/L
Bromomethane	MW-8N	7/14/1999	14	14	ND	ug/L
Bromomethane	MW-8N	10/19/1999	14	14	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-8N	1/14/2000	14	14	ND	ug/L
Bromomethane	MW-8N	4/25/2000	14	14	ND	ug/L
Bromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Bromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Bromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Bromomethane	MW-8N	5/29/2002	14	14	ND	ug/L
Bromomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Bromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Bromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Bromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Bromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Bromomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Bromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Bromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Bromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Bromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Bromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Bromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Bromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Bromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Bromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Bromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Bromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Bromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Bromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Bromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Bromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Bromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Bromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Bromomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Bromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Bromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Bromomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Bromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Bromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Bromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Bromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Bromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Bromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Bromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Bromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Bromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Bromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Bromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Bromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Bromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Bromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Bromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Bromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Bromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Bromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Bromomethane	MW-8N	4/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Bromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Bromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Bromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Bromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Bromomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Bromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Bromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Bromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Bromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Bromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Bromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Bromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Bromomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Bromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Bromomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Bromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Bromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Bromomethane	MW-8N	7/7/2023	1	1	ND	ug/L
Bromomethane	MW-8N	10/5/2023	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Bromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Bromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Bromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Bromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Bromomethane	NE-1	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Bromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Bromomethane	NE-1	9/2/2010	1	1	ND	ug/L
Bromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Bromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Bromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Bromomethane	NE-1	7/18/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Bromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Bromomethane	NE-1	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-1	10/6/2022	1	1	ND	ug/L
Bromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-1	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-1	10/5/2023	1	1	ND	ug/L
Bromomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Bromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-10D	7/8/2023	1	1	ND	ug/L
Bromomethane	NE-10D	10/3/2023	1	1	ND	ug/L
Bromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Bromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Bromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-11	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Bromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Bromomethane	NE-12	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-12	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Bromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Bromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-14D	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-14D	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-14S	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-14S	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-15D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-15D	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-15D	10/6/2023	1	1	ND	ug/L
Bromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Bromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Bromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Bromomethane	NE-2	10/5/2015	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Bromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Bromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Bromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Bromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Bromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Bromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-2	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Bromomethane	NE-2	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-2	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Bromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Bromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Bromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Bromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Bromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-4	7/12/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Bromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Bromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Bromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Bromomethane	NE-4	7/14/2010	1	1	ND	ug/L
Bromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Bromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Bromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-4	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Bromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Bromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Bromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Bromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Bromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Bromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Bromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Bromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Bromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-4	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Bromomethane	NE-4	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-4	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Bromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Bromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Bromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Bromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Bromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Bromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Bromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Bromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Bromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Bromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Bromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Bromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Bromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Bromomethane	NE-5	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Bromomethane	NE-5	9/2/2010	1	1	ND	ug/L
Bromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Bromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Bromomethane	NE-5	1/5/2012	1	1	ND	ug/L
Bromomethane	NE-5	7/10/2012	1	1	ND	ug/L
Bromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Bromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Bromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Bromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Bromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Bromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Bromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Bromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Bromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Bromomethane	NE-5	4/10/2018	1	1	ND	ug/L
Bromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Bromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Bromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Bromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Bromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-5	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-5	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Bromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5E	4/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-5E	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-5E	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Bromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Bromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Bromomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Bromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-5W	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-5W	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Bromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Bromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Bromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Bromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-6	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Bromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Bromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Bromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Bromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Bromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Bromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Bromomethane	NE-6D	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-6D	10/4/2023	1	1	ND	ug/L
Bromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Bromomethane	NE-7	4/6/2017	1	1	ND	ug/L
Bromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-7	2/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Bromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Bromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Bromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Bromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Bromomethane	NE-7	7/6/2023	1	1	ND	ug/L
Bromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Bromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Bromomethane	NE-8	8/5/2019	1	1	ND	ug/L
Bromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Bromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Bromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Bromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-8	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Bromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Bromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Bromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Bromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Bromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Bromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Bromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Bromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Bromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Bromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Bromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Bromomethane	NE-9	7/5/2023	1	1	ND	ug/L
Bromomethane	NE-9	10/6/2023	1	1	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Butyl benzyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Butyl benzyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	2/13/2009	1.5	10	ND	ug/L
Butyl benzyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Butyl benzyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Butyl benzyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Butyl benzyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Butyl benzyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Butyl benzyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Butyl benzyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Butyl benzyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Butyl benzyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Butyl benzyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Butyl benzyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Cadmium, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-14R	8/24/2007	0.2	1	ND	ug/L
Cadmium, dissolved	LGW-2	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-4	1/24/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-5	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-6	1/24/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-7	1/25/2006	1	1	ND	ug/L
Cadmium, dissolved	LGW-8R	1/24/2006	2.2	1		ug/L
Cadmium, dissolved	MW-10N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-10N	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-10N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-11N	7/10/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-11N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-11N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-1N	10/19/1999	1	1	ND	ug/L
Cadmium, dissolved	MW-1N	7/12/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-1N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-1N	10/3/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-2N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-2N	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-2N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-3N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-3N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-3N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	10/19/1999	12	1		ug/L
Cadmium, dissolved	MW-7N	7/11/2000	8.4	1		ug/L
Cadmium, dissolved	MW-7N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-7N	8/24/2007	1.8	1		ug/L
Cadmium, dissolved	MW-7N	9/2/2010	5.4	1		ug/L
Cadmium, dissolved	MW-8N	10/19/1999	1	1	ND	ug/L
Cadmium, dissolved	MW-8N	7/11/2000	1	1	ND	ug/L
Cadmium, dissolved	MW-8N	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-8N	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	MW-8N	8/24/2007	26	1		ug/L
Cadmium, dissolved	MW-8N	9/2/2010	23	1		ug/L
Cadmium, dissolved	NE-1	7/10/2002	51	20		ug/L
Cadmium, dissolved	NE-1	8/6/2002	37	20		ug/L
Cadmium, dissolved	NE-1	9/4/2002	43	20		ug/L
Cadmium, dissolved	NE-1	10/2/2002	40	20		ug/L
Cadmium, dissolved	NE-1	8/24/2007	0.5	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, dissolved	NE-1	9/2/2010	0.8	1	ND	ug/L
Cadmium, dissolved	NE-2	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-2	9/2/2010	2.1	1		ug/L
Cadmium, dissolved	NE-4	7/10/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-4	10/3/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	7/9/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	8/6/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	9/4/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	10/2/2002	20	20	ND	ug/L
Cadmium, dissolved	NE-5	9/2/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-10	1/26/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-10	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Cadmium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Cadmium, total	LGW-10	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-10	7/29/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-10	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-10	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-10	7/16/2010	0	1	ND	ug/L
Cadmium, total	LGW-10	1/19/2011	0	1	ND	ug/L
Cadmium, total	LGW-10	7/12/2011	1	1	ND	ug/L
Cadmium, total	LGW-10	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-10	5/1/2013	1	1	ND	ug/L
Cadmium, total	LGW-10	1/30/2014	0.4	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Cadmium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Cadmium, total	LGW-10	7/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-10	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	4/6/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	7/21/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	10/6/2016	1	1	ND	ug/L
Cadmium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	4/4/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	7/19/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	10/9/2017	1	1	ND	ug/L
Cadmium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	4/11/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	7/16/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	10/4/2018	1	1	ND	ug/L
Cadmium, total	LGW-10	1/4/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	4/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Cadmium, total	LGW-10	10/2/2019	1	1	ND	ug/L
Cadmium, total	LGW-10	1/15/2020	1.45	1		ug/L
Cadmium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Cadmium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-10	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-10	1/17/2021	21.4	1		ug/L
Cadmium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	4/4/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	10/7/2022	1	1	ND	ug/L
Cadmium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Cadmium, total	LGW-10	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-10	10/5/2023	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/25/2006	54	1		ug/L
Cadmium, total	LGW-14R	8/2/2006	7.4	1		ug/L
Cadmium, total	LGW-14R	8/2/2006	7.4	1		ug/L
Cadmium, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Cadmium, total	LGW-14R	1/9/2007	1.1	1		ug/L
Cadmium, total	LGW-14R	1/24/2007	0.9	1	ND	ug/L
Cadmium, total	LGW-14R	4/24/2007	3.3	1		ug/L
Cadmium, total	LGW-14R	7/11/2007	7.7	1		ug/L
Cadmium, total	LGW-14R	8/24/2007	0.9	1	ND	ug/L
Cadmium, total	LGW-14R	10/23/2007	0.2	1	ND	ug/L
Cadmium, total	LGW-14R	1/23/2008	2	1		ug/L
Cadmium, total	LGW-14R	7/22/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	2/6/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	7/29/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	2/3/2010	0	1	ND	ug/L
Cadmium, total	LGW-14R	2/3/2010	0	1	ND	ug/L
Cadmium, total	LGW-14R	7/12/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	1/5/2012	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/8/2014	1	1	ND	ug/L
Cadmium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/19/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Cadmium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-14R	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-2	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-2	8/1/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-2	8/1/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-2	10/26/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-2	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/10/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-2	1/26/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/6/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/30/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/3/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/3/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/12/2010	0	1	ND	ug/L
Cadmium, total	LGW-2	1/19/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-2	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-2	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-2	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-2	4/30/2013	0.2	1	ND	ug/L
Cadmium, total	LGW-2	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-2	1/30/2014	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-2	2/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Cadmium, total	LGW-2	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Cadmium, total	LGW-2	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Cadmium, total	LGW-2	7/12/2018	1	1	ND	ug/L
Cadmium, total	LGW-2	1/3/2019	1	1	ND	ug/L
Cadmium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Cadmium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Cadmium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Cadmium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-2	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/20/2006	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/20/2006	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-3R	1/8/2007	0.4	1	ND	ug/L
Cadmium, total	LGW-3R	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	4/26/2007	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	1/26/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-3R	7/23/2008	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/3/2009	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/31/2009	1.2	1		ug/L
Cadmium, total	LGW-3R	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/16/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	1/19/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/13/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-3R	4/30/2013	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-3R	7/15/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-3R	1/22/2014	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	7/8/2014	0.2	1	ND	ug/L
Cadmium, total	LGW-3R	2/10/2015	0.3	1	ND	ug/L
Cadmium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/21/2016	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/3/2019	0.48	1	ND	ug/L
Cadmium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Cadmium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/10/2022	1	1	ND	ug/L
Cadmium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-3R	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-4	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-4	7/20/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/20/2006	0.1	1	ND	ug/L
Cadmium, total	LGW-4	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-4	1/9/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2010	0.6	1	ND	ug/L
Cadmium, total	LGW-4	2/3/2010	0.6	1	ND	ug/L
Cadmium, total	LGW-4	7/16/2010	0	1	ND	ug/L
Cadmium, total	LGW-4	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-4	1/4/2012	0	1	ND	ug/L
Cadmium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Cadmium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-4	1/23/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-4	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-4	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Cadmium, total	LGW-4	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-4	7/19/2016	1	1	ND	ug/L
Cadmium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Cadmium, total	LGW-4	1/23/2018	0.27	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2018	0.58	1	ND	ug/L
Cadmium, total	LGW-4	1/3/2019	0.82	1	ND	ug/L
Cadmium, total	LGW-4	7/9/2019	0.91	2	ND	ug/L
Cadmium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Cadmium, total	LGW-4	1/18/2021	2.76	1		ug/L
Cadmium, total	LGW-4	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-4	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-5	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Cadmium, total	LGW-5	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-5	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-5	4/26/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-5	7/11/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Cadmium, total	LGW-5	7/23/2008	0.8	1	ND	ug/L
Cadmium, total	LGW-5	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-5	7/29/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-5	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-5	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/12/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/19/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-5	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	LGW-5	7/9/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-5	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-5	7/15/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-5	1/23/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-5	7/8/2014	0.6	1	ND	ug/L
Cadmium, total	LGW-5	2/10/2015	1.6	1		ug/L
Cadmium, total	LGW-5	7/8/2015	1.6	1		ug/L
Cadmium, total	LGW-5	1/5/2016	3.2	1		ug/L
Cadmium, total	LGW-5	7/19/2016	1.2	1		ug/L
Cadmium, total	LGW-5	1/11/2017	1.2	1		ug/L
Cadmium, total	LGW-5	7/18/2017	1.4	1		ug/L
Cadmium, total	LGW-5	1/23/2018	1.9	1		ug/L
Cadmium, total	LGW-5	7/12/2018	2.8	1		ug/L
Cadmium, total	LGW-5	1/3/2019	3.9	1		ug/L
Cadmium, total	LGW-5	7/9/2019	4.7	2		ug/L
Cadmium, total	LGW-5	1/14/2020	1.95	1		ug/L
Cadmium, total	LGW-5	7/6/2020	1.09	1		ug/L
Cadmium, total	LGW-5	1/18/2021	1.19	1		ug/L
Cadmium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Cadmium, total	LGW-5	1/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-5	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-5	10/5/2023	1.81	1		ug/L
Cadmium, total	LGW-6	1/24/2006	1	1	ND	ug/L
Cadmium, total	LGW-6	7/20/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-6	7/20/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-6	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-6	1/9/2007	0.6	1	ND	ug/L
Cadmium, total	LGW-6	1/24/2007	0.7	1	ND	ug/L
Cadmium, total	LGW-6	4/26/2007	0.4	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-6	7/11/2007	0.4	1	ND	ug/L
Cadmium, total	LGW-6	1/23/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/23/2008	0.7	1	ND	ug/L
Cadmium, total	LGW-6	2/5/2009	0.7	1	ND	ug/L
Cadmium, total	LGW-6	7/29/2009	0.7	1	ND	ug/L
Cadmium, total	LGW-6	2/3/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-6	2/3/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-6	7/12/2010	0.2	1	ND	ug/L
Cadmium, total	LGW-6	1/19/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/12/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-6	1/5/2012	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/9/2012	0.3	1	ND	ug/L
Cadmium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Cadmium, total	LGW-6	7/15/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-6	1/23/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-6	7/8/2014	0.3	1	ND	ug/L
Cadmium, total	LGW-6	2/10/2015	1	1	ND	ug/L
Cadmium, total	LGW-6	7/22/2015	0.5	1	ND	ug/L
Cadmium, total	LGW-6	1/5/2016	0.5	1	ND	ug/L
Cadmium, total	LGW-6	7/19/2016	45	1		ug/L
Cadmium, total	LGW-6	9/6/2016	94	1		ug/L
Cadmium, total	LGW-6	10/6/2016	73	1		ug/L
Cadmium, total	LGW-6	1/11/2017	62	1		ug/L
Cadmium, total	LGW-6	5/5/2017	73	1		ug/L
Cadmium, total	LGW-6	7/18/2017	79	1		ug/L
Cadmium, total	LGW-6	10/5/2017	72	1		ug/L
Cadmium, total	LGW-6	1/23/2018	70	1		ug/L
Cadmium, total	LGW-6	4/10/2018	71	1		ug/L
Cadmium, total	LGW-6	7/17/2018	55	1		ug/L
Cadmium, total	LGW-6	10/2/2018	48	1		ug/L
Cadmium, total	LGW-6	1/7/2019	39	1		ug/L
Cadmium, total	LGW-6	4/3/2019	42	1		ug/L
Cadmium, total	LGW-6	7/10/2019	35	2		ug/L
Cadmium, total	LGW-6	10/3/2019	30	1		ug/L
Cadmium, total	LGW-6	1/16/2020	30.5	1		ug/L
Cadmium, total	LGW-6	4/2/2020	28.4	1		ug/L
Cadmium, total	LGW-6	7/9/2020	23.3	1		ug/L
Cadmium, total	LGW-6	10/6/2020	21.8	1		ug/L
Cadmium, total	LGW-6	1/18/2021	15.7	1		ug/L
Cadmium, total	LGW-6	4/6/2021	11.9	1		ug/L
Cadmium, total	LGW-6	7/7/2021	11.7	1		ug/L
Cadmium, total	LGW-6	10/5/2021	7.9	1		ug/L
Cadmium, total	LGW-6	1/12/2022	5.58	1		ug/L
Cadmium, total	LGW-6	4/4/2022	4.79	1		ug/L
Cadmium, total	LGW-6	7/11/2022	3.94	1		ug/L
Cadmium, total	LGW-6	10/6/2022	3.94	1		ug/L
Cadmium, total	LGW-6	1/10/2023	2.27	1		ug/L
Cadmium, total	LGW-6	4/6/2023	1.88	1		ug/L
Cadmium, total	LGW-6	7/10/2023	1.88	1		ug/L
Cadmium, total	LGW-6	10/5/2023	1.39	1		ug/L
Cadmium, total	LGW-7	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-7	8/1/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-7	8/1/2006	0.4	1	ND	ug/L
Cadmium, total	LGW-7	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-7	1/9/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/24/2007	0.3	1	ND	ug/L
Cadmium, total	LGW-7	4/26/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2007	0.3	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-7	7/22/2008	0.3	1	ND	ug/L
Cadmium, total	LGW-7	2/4/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-7	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	LGW-7	1/27/2010	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2010	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/20/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-7	7/12/2011	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/5/2012	0.5	1	ND	ug/L
Cadmium, total	LGW-7	7/10/2012	0.5	1	ND	ug/L
Cadmium, total	LGW-7	4/30/2013	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/15/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-7	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-7	7/8/2014	0.6	1	ND	ug/L
Cadmium, total	LGW-7	2/11/2015	0.4	1	ND	ug/L
Cadmium, total	LGW-7	7/22/2015	2.7	1		ug/L
Cadmium, total	LGW-7	1/5/2016	85	1		ug/L
Cadmium, total	LGW-7	2/10/2016	88	1		ug/L
Cadmium, total	LGW-7	4/6/2016	99	1		ug/L
Cadmium, total	LGW-7	7/20/2016	88	1		ug/L
Cadmium, total	LGW-7	9/6/2016	84	1		ug/L
Cadmium, total	LGW-7	10/6/2016	71	1		ug/L
Cadmium, total	LGW-7	1/11/2017	16	1		ug/L
Cadmium, total	LGW-7	4/4/2017	18	1		ug/L
Cadmium, total	LGW-7	7/18/2017	0.4	1	ND	ug/L
Cadmium, total	LGW-7	10/5/2017	46	1		ug/L
Cadmium, total	LGW-7	1/24/2018	45	1		ug/L
Cadmium, total	LGW-7	4/11/2018	34	1		ug/L
Cadmium, total	LGW-7	7/12/2018	24	1		ug/L
Cadmium, total	LGW-7	10/2/2018	19	1		ug/L
Cadmium, total	LGW-7	1/7/2019	9.4	1		ug/L
Cadmium, total	LGW-7	4/3/2019	5.9	1		ug/L
Cadmium, total	LGW-7	7/10/2019	13	2		ug/L
Cadmium, total	LGW-7	10/3/2019	1.4	1		ug/L
Cadmium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Cadmium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Cadmium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Cadmium, total	LGW-7	7/7/2021	4.84	1		ug/L
Cadmium, total	LGW-7	10/5/2021	1	1	ND	ug/L
Cadmium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-7	7/10/2023	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/24/2006	2.3	1		ug/L
Cadmium, total	LGW-8R	7/20/2006	2.1	1		ug/L
Cadmium, total	LGW-8R	7/20/2006	2.1	1		ug/L
Cadmium, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-8R	1/9/2007	3.7	1		ug/L
Cadmium, total	LGW-8R	1/24/2007	4.3	1		ug/L
Cadmium, total	LGW-8R	4/25/2007	3	1		ug/L
Cadmium, total	LGW-8R	7/12/2007	2.6	1		ug/L
Cadmium, total	LGW-8R	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	7/29/2009	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/14/2010	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	1/20/2011	0.2	1	ND	ug/L
Cadmium, total	LGW-8R	7/12/2011	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	7/9/2012	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-8R	4/30/2013	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/8/2014	0.1	1	ND	ug/L
Cadmium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/22/2015	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/5/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	7/20/2016	0.3	1	ND	ug/L
Cadmium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/18/2017	0.6	1	ND	ug/L
Cadmium, total	LGW-8R	1/25/2018	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Cadmium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Cadmium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Cadmium, total	LGW-8R	7/10/2023	1.54	1		ug/L
Cadmium, total	LGW-8R	10/5/2023	2.97	1		ug/L
Cadmium, total	LGW-9	1/25/2006	1	1	ND	ug/L
Cadmium, total	LGW-9	7/20/2006	0.3	1	ND	ug/L
Cadmium, total	LGW-9	7/20/2006	0.3	1	ND	ug/L
Cadmium, total	LGW-9	10/26/2006	5	5	ND	ug/L
Cadmium, total	LGW-9	1/9/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	1/25/2007	0.1	1	ND	ug/L
Cadmium, total	LGW-9	4/25/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	7/10/2007	1	1	ND	ug/L
Cadmium, total	LGW-9	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	LGW-9	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	LGW-9	7/29/2009	1.3	1		ug/L
Cadmium, total	LGW-9	1/27/2010	4.6	1		ug/L
Cadmium, total	LGW-9	7/14/2010	4.3	1		ug/L
Cadmium, total	LGW-9	1/20/2011	3.8	1		ug/L
Cadmium, total	LGW-9	7/12/2011	1.5	1		ug/L
Cadmium, total	LGW-9	1/5/2012	0.4	1	ND	ug/L
Cadmium, total	LGW-9	7/10/2012	0.2	1	ND	ug/L
Cadmium, total	LGW-9	5/1/2013	0.1	1	ND	ug/L
Cadmium, total	LGW-9	7/15/2013	1	1	ND	ug/L
Cadmium, total	LGW-9	1/23/2014	1	1	ND	ug/L
Cadmium, total	LGW-9	7/8/2014	1	1	ND	ug/L
Cadmium, total	LGW-9	2/11/2015	1	1	ND	ug/L
Cadmium, total	LGW-9	7/13/2015	1	1	ND	ug/L
Cadmium, total	LGW-9	1/5/2016	1	1	ND	ug/L
Cadmium, total	LGW-9	7/21/2016	44	1		ug/L
Cadmium, total	LGW-9	9/6/2016	61	1		ug/L
Cadmium, total	LGW-9	10/6/2016	59	1		ug/L
Cadmium, total	LGW-9	1/11/2017	40	1		ug/L
Cadmium, total	LGW-9	5/5/2017	53	1		ug/L
Cadmium, total	LGW-9	7/18/2017	54	1		ug/L
Cadmium, total	LGW-9	10/5/2017	51	1		ug/L
Cadmium, total	LGW-9	1/24/2018	33	1		ug/L
Cadmium, total	LGW-9	4/11/2018	52	1		ug/L
Cadmium, total	LGW-9	7/13/2018	42	1		ug/L
Cadmium, total	LGW-9	10/2/2018	35	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	LGW-9	1/7/2019	20	1		ug/L
Cadmium, total	LGW-9	4/3/2019	22	1		ug/L
Cadmium, total	LGW-9	7/10/2019	15	2		ug/L
Cadmium, total	LGW-9	10/3/2019	11	1		ug/L
Cadmium, total	LGW-9	1/16/2020	28	1		ug/L
Cadmium, total	LGW-9	4/2/2020	24.6	1		ug/L
Cadmium, total	LGW-9	7/9/2020	22.6	1		ug/L
Cadmium, total	LGW-9	10/7/2020	23.3	1		ug/L
Cadmium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Cadmium, total	LGW-9	4/6/2021	19.3	1		ug/L
Cadmium, total	LGW-9	7/7/2021	19.8	1		ug/L
Cadmium, total	LGW-9	10/5/2021	17.4	1		ug/L
Cadmium, total	LGW-9	1/13/2022	18.4	1		ug/L
Cadmium, total	LGW-9	4/4/2022	18.5	1		ug/L
Cadmium, total	LGW-9	7/11/2022	17.4	1		ug/L
Cadmium, total	LGW-9	10/7/2022	15.5	1		ug/L
Cadmium, total	LGW-9	1/11/2023	14	1		ug/L
Cadmium, total	LGW-9	4/5/2023	11.2	1		ug/L
Cadmium, total	LGW-9	7/10/2023	13.7	1		ug/L
Cadmium, total	LGW-9	10/5/2023	11.7	1		ug/L
Cadmium, total	MW-10N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-10N	1/22/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-10N	1/14/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	7/15/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-10N	1/14/2000	1.1	1		ug/L
Cadmium, total	MW-10N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	7/11/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-10N	4/10/2001	1	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2002	20	20	ND	ug/L
Cadmium, total	MW-10N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-10N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-10N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-10N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-10N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-10N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-10N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-10N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2007	1	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2007	0.1	1	ND	ug/L
Cadmium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Cadmium, total	MW-10N	7/21/2008	0	1	ND	ug/L
Cadmium, total	MW-10N	2/13/2009	1	1	ND	ug/L
Cadmium, total	MW-10N	7/31/2009	0	1	ND	ug/L
Cadmium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Cadmium, total	MW-10N	8/10/2010	1	1	ND	ug/L
Cadmium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Cadmium, total	MW-10N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-10N	1/5/2012	0	1	ND	ug/L
Cadmium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-10N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Cadmium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Cadmium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-10N	1/24/2018	1	1	ND	ug/L
Cadmium, total	MW-10N	7/11/2018	1	1	ND	ug/L
Cadmium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Cadmium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Cadmium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Cadmium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Cadmium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-10N	7/7/2023	1	1	ND	ug/L
Cadmium, total	MW-11N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-11N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	7/14/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	7/10/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-11N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-11N	4/10/2001	1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-11N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-11N	1/23/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-11N	1/29/2004	1	1	ND	ug/L
Cadmium, total	MW-11N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-11N	1/13/2005	1	1	ND	ug/L
Cadmium, total	MW-11N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-11N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-11N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Cadmium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Cadmium, total	MW-11N	7/10/2007	0.2	1	ND	ug/L
Cadmium, total	MW-11N	1/22/2008	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/23/2008	0.1	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2009	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/31/2009	0	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	MW-11N	2/3/2010	0.2	1	ND	ug/L
Cadmium, total	MW-11N	7/16/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-11N	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	MW-11N	1/4/2012	0.1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Cadmium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Cadmium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Cadmium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Cadmium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Cadmium, total	MW-11N	2/10/2015	1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2015	1	1	ND	ug/L
Cadmium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Cadmium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-11N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-11N	7/17/2018	1	1	ND	ug/L
Cadmium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Cadmium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Cadmium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Cadmium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Cadmium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Cadmium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-11N	7/8/2023	1	1	ND	ug/L
Cadmium, total	MW-15	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-15	7/15/2015	1	1	ND	ug/L
Cadmium, total	MW-15	8/5/2015	0.3	1	ND	ug/L
Cadmium, total	MW-15	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-15	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-15	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-15	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-15	10/6/2016	1	1	ND	ug/L
Cadmium, total	MW-15	1/10/2017	0.3	1	ND	ug/L
Cadmium, total	MW-15	7/18/2017	1.6	1		ug/L
Cadmium, total	MW-15	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-15	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-15	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-15	7/9/2019	2	2	ND	ug/L
Cadmium, total	MW-15	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-15	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-15	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-15	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-15	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-15	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-15	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-15	7/10/2023	1	1	ND	ug/L
Cadmium, total	MW-16	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-16	7/16/2015	1	1	ND	ug/L
Cadmium, total	MW-16	8/5/2015	1	1	ND	ug/L
Cadmium, total	MW-16	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-16	1/8/2016	1	1	ND	ug/L
Cadmium, total	MW-16	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-16	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-16	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-16	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-16	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-16	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-16	7/11/2018	1	1	ND	ug/L
Cadmium, total	MW-16	1/2/2019	1	1	ND	ug/L
Cadmium, total	MW-16	7/10/2019	2	2	ND	ug/L
Cadmium, total	MW-16	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-16	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-16	1/18/2021	1	1	ND	ug/L
Cadmium, total	MW-16	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-16	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-16	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-16	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-16	7/10/2023	1	1	ND	ug/L
Cadmium, total	MW-17	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-17	7/15/2015	1	1	ND	ug/L
Cadmium, total	MW-17	8/4/2015	1	1	ND	ug/L
Cadmium, total	MW-17	9/2/2015	1	1	ND	ug/L
Cadmium, total	MW-17	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-17	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-17	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-17	10/6/2016	1	1	ND	ug/L
Cadmium, total	MW-17	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-17	7/18/2017	1	1	ND	ug/L
Cadmium, total	MW-17	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-17	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-17	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-17	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-17	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-17	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-17	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-17	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-17	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-17	7/8/2023	1	1	ND	ug/L
Cadmium, total	MW-19	6/5/2015	1	1	ND	ug/L
Cadmium, total	MW-19	7/16/2015	0.5	1	ND	ug/L
Cadmium, total	MW-19	8/5/2015	1	1	ND	ug/L
Cadmium, total	MW-19	9/3/2015	1	1	ND	ug/L
Cadmium, total	MW-19	1/7/2016	1	1	ND	ug/L
Cadmium, total	MW-19	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-19	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-19	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-19	1/10/2017	1	1	ND	ug/L
Cadmium, total	MW-19	7/18/2017	0.8	1	ND	ug/L
Cadmium, total	MW-19	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-19	7/13/2018	1	1	ND	ug/L
Cadmium, total	MW-19	1/7/2019	1	1	ND	ug/L
Cadmium, total	MW-19	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-19	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-19	8/3/2020	1	1	ND	ug/L
Cadmium, total	MW-19	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-19	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-19	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-19	7/10/2023	1	1	ND	ug/L
Cadmium, total	MW-1N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-1N	1/20/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	10/14/1998	1	1	ND	ug/L
Cadmium, total	MW-1N	1/13/1999	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-1N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	7/15/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	10/19/1999	1	1	ND	ug/L
Cadmium, total	MW-1N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	7/12/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	10/18/2000	1	1	ND	ug/L
Cadmium, total	MW-1N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-1N	4/12/2001	1	1	ND	ug/L
Cadmium, total	MW-1N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-1N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-1N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-1N	10/3/2002	20	20	ND	ug/L
Cadmium, total	MW-1N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	4/15/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	7/8/2003	1	1	ND	ug/L
Cadmium, total	MW-1N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-1N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-1N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-1N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-1N	1/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Cadmium, total	MW-1N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-1N	1/9/2007	1	1	ND	ug/L
Cadmium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Cadmium, total	MW-1N	7/11/2007	1	1	ND	ug/L
Cadmium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Cadmium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Cadmium, total	MW-1N	2/5/2009	1	1	ND	ug/L
Cadmium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Cadmium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Cadmium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Cadmium, total	MW-1N	1/20/2011	1	1	ND	ug/L
Cadmium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Cadmium, total	MW-1N	1/5/2012	1	1	ND	ug/L
Cadmium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-1N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Cadmium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Cadmium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Cadmium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-1N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-1N	7/21/2016	0.3	1	ND	ug/L
Cadmium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Cadmium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Cadmium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	7/6/2020	1	1	ND	ug/L
Cadmium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-1N	7/8/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-20	6/5/2015	0.6	1	ND	ug/L
Cadmium, total	MW-20	7/14/2015	0.6	1	ND	ug/L
Cadmium, total	MW-20	8/4/2015	0.3	1	ND	ug/L
Cadmium, total	MW-20	9/2/2015	1	1	ND	ug/L
Cadmium, total	MW-20	1/7/2016	0.4	1	ND	ug/L
Cadmium, total	MW-20	4/5/2016	1	1	ND	ug/L
Cadmium, total	MW-20	7/20/2016	1	1	ND	ug/L
Cadmium, total	MW-20	10/5/2016	1	1	ND	ug/L
Cadmium, total	MW-20	1/12/2017	1	1	ND	ug/L
Cadmium, total	MW-20	7/18/2017	1	1	ND	ug/L
Cadmium, total	MW-20	1/26/2018	1	1	ND	ug/L
Cadmium, total	MW-20	7/12/2018	1	1	ND	ug/L
Cadmium, total	MW-20	7/11/2019	2	2	ND	ug/L
Cadmium, total	MW-20	1/14/2020	1	1	ND	ug/L
Cadmium, total	MW-20	7/7/2020	1	1	ND	ug/L
Cadmium, total	MW-20	1/17/2021	1	1	ND	ug/L
Cadmium, total	MW-20	7/4/2021	1	1	ND	ug/L
Cadmium, total	MW-20	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-21	6/5/2015	0.6	1	ND	ug/L
Cadmium, total	MW-21	7/14/2015	0.5	1	ND	ug/L
Cadmium, total	MW-21	8/4/2015	0.7	1	ND	ug/L
Cadmium, total	MW-21	9/2/2015	0.7	1	ND	ug/L
Cadmium, total	MW-21	1/7/2016	1.8	1		ug/L
Cadmium, total	MW-21	4/5/2016	0.6	1	ND	ug/L
Cadmium, total	MW-21	7/20/2016	0.7	1	ND	ug/L
Cadmium, total	MW-21	10/5/2016	2.8	1		ug/L
Cadmium, total	MW-21	10/5/2016	2.6	1		ug/L
Cadmium, total	MW-21	1/10/2017	2.8	1		ug/L
Cadmium, total	MW-21	4/5/2017	3.1	1		ug/L
Cadmium, total	MW-21	7/19/2017	1.3	1		ug/L
Cadmium, total	MW-21	10/6/2017	1.4	1		ug/L
Cadmium, total	MW-21	1/24/2018	2.6	1		ug/L
Cadmium, total	MW-21	4/11/2018	0.59	1	ND	ug/L
Cadmium, total	MW-21	7/11/2018	1.4	1		ug/L
Cadmium, total	MW-21	10/4/2018	2.4	1		ug/L
Cadmium, total	MW-21	1/3/2019	0.47	1	ND	ug/L
Cadmium, total	MW-21	4/3/2019	1.5	1		ug/L
Cadmium, total	MW-21	7/11/2019	1.7	2	ND	ug/L
Cadmium, total	MW-21	10/2/2019	1.3	1		ug/L
Cadmium, total	MW-21	1/16/2020	2	1		ug/L
Cadmium, total	MW-21	4/2/2020	2.07	1		ug/L
Cadmium, total	MW-21	7/8/2020	2.61	1		ug/L
Cadmium, total	MW-21	10/7/2020	3.19	1		ug/L
Cadmium, total	MW-21	1/13/2021	1.44	1		ug/L
Cadmium, total	MW-21	4/6/2021	2.65	1		ug/L
Cadmium, total	MW-21	7/5/2021	2.84	1		ug/L
Cadmium, total	MW-21	10/6/2021	2.68	1		ug/L
Cadmium, total	MW-21	1/11/2023	4.97	1		ug/L
Cadmium, total	MW-21	4/8/2023	2.65	1		ug/L
Cadmium, total	MW-21	7/7/2023	3.67	1		ug/L
Cadmium, total	MW-21	10/6/2023	3.23	1		ug/L
Cadmium, total	MW-2N	10/22/1997	1	1	ND	ug/L
Cadmium, total	MW-2N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	7/22/1998	1	1	ND	ug/L
Cadmium, total	MW-2N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	4/13/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	7/14/1999	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-2N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-2N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2001	1	1	ND	ug/L
Cadmium, total	MW-2N	4/11/2001	1	1	ND	ug/L
Cadmium, total	MW-2N	7/10/2002	20	20	ND	ug/L
Cadmium, total	MW-2N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-2N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-2N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-2N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-2N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-2N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-2N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Cadmium, total	MW-2N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2008	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	MW-2N	2/4/2009	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Cadmium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Cadmium, total	MW-2N	1/20/2011	1	1	ND	ug/L
Cadmium, total	MW-2N	7/13/2011	0	1	ND	ug/L
Cadmium, total	MW-2N	1/5/2012	0.1	1	ND	ug/L
Cadmium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Cadmium, total	MW-2N	5/1/2013	1	1	ND	ug/L
Cadmium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Cadmium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Cadmium, total	MW-2N	7/9/2014	1	1	ND	ug/L
Cadmium, total	MW-2N	2/12/2015	1	1	ND	ug/L
Cadmium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Cadmium, total	MW-2N	1/6/2016	1	1	ND	ug/L
Cadmium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Cadmium, total	MW-2N	1/11/2017	1	1	ND	ug/L
Cadmium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Cadmium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Cadmium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Cadmium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Cadmium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Cadmium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Cadmium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Cadmium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Cadmium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Cadmium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Cadmium, total	MW-2N	7/8/2023	1	1	ND	ug/L
Cadmium, total	MW-3N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-3N	1/21/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	7/23/1998	1	1	ND	ug/L
Cadmium, total	MW-3N	1/13/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	4/13/1999	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-3N	7/14/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	10/20/1999	1	1	ND	ug/L
Cadmium, total	MW-3N	1/14/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	4/24/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	7/11/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	10/17/2000	1	1	ND	ug/L
Cadmium, total	MW-3N	1/23/2001	1	1	ND	ug/L
Cadmium, total	MW-3N	4/11/2001	1	1	ND	ug/L
Cadmium, total	MW-3N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-3N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-3N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-3N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-3N	1/22/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-3N	1/28/2004	1	1	ND	ug/L
Cadmium, total	MW-3N	7/27/2004	1	1	ND	ug/L
Cadmium, total	MW-3N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-3N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-3N	1/18/2006	1	1		ug/L
Cadmium, total	MW-3N	7/19/2006	0.6	1	ND	ug/L
Cadmium, total	MW-3N	7/19/2006	0.6	1	ND	ug/L
Cadmium, total	MW-3N	10/25/2006	5	5	ND	ug/L
Cadmium, total	MW-3N	1/10/2007	3.1	1		ug/L
Cadmium, total	MW-3N	1/26/2007	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/11/2007	3.2	1		ug/L
Cadmium, total	MW-3N	1/24/2008	0.7	1	ND	ug/L
Cadmium, total	MW-3N	7/22/2008	0.9	1	ND	ug/L
Cadmium, total	MW-3N	2/4/2009	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/31/2009	1	1		ug/L
Cadmium, total	MW-3N	1/26/2010	0.9	1	ND	ug/L
Cadmium, total	MW-3N	7/13/2010	0.6	1	ND	ug/L
Cadmium, total	MW-3N	1/20/2011	4.2	1		ug/L
Cadmium, total	MW-3N	7/14/2011	2.5	1		ug/L
Cadmium, total	MW-3N	1/5/2012	1.6	1		ug/L
Cadmium, total	MW-3N	7/11/2012	0.8	1	ND	ug/L
Cadmium, total	MW-3N	5/1/2013	9.2	1		ug/L
Cadmium, total	MW-3N	6/4/2013	1.8	1		ug/L
Cadmium, total	MW-3N	7/16/2013	3.9	1		ug/L
Cadmium, total	MW-3N	1/24/2014	2.1	1		ug/L
Cadmium, total	MW-3N	7/9/2014	5.2	1		ug/L
Cadmium, total	MW-3N	2/12/2015	9.5	1		ug/L
Cadmium, total	MW-3N	4/1/2015	6.8	1		ug/L
Cadmium, total	MW-3N	7/14/2015	9.1	1		ug/L
Cadmium, total	MW-3N	10/5/2015	7.5	1		ug/L
Cadmium, total	MW-3N	1/6/2016	10	1		ug/L
Cadmium, total	MW-3N	4/6/2016	10	1		ug/L
Cadmium, total	MW-3N	7/21/2016	11	1		ug/L
Cadmium, total	MW-3N	10/6/2016	19	1		ug/L
Cadmium, total	MW-3N	1/11/2017	25	1		ug/L
Cadmium, total	MW-3N	4/4/2017	47	1		ug/L
Cadmium, total	MW-3N	7/19/2017	26	1		ug/L
Cadmium, total	MW-3N	10/9/2017	17	1		ug/L
Cadmium, total	MW-3N	1/24/2018	27	1		ug/L
Cadmium, total	MW-3N	4/10/2018	36	1		ug/L
Cadmium, total	MW-3N	7/13/2018	25	1		ug/L
Cadmium, total	MW-3N	10/3/2018	19	1		ug/L
Cadmium, total	MW-3N	1/7/2019	20	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-3N	4/3/2019	27	1		ug/L
Cadmium, total	MW-3N	7/11/2019	38	2		ug/L
Cadmium, total	MW-3N	10/2/2019	17	1		ug/L
Cadmium, total	MW-3N	1/15/2020	20.1	1		ug/L
Cadmium, total	MW-3N	4/2/2020	32.8	1		ug/L
Cadmium, total	MW-3N	7/7/2020	27.4	1		ug/L
Cadmium, total	MW-3N	10/7/2020	20.8	1		ug/L
Cadmium, total	MW-3N	1/13/2021	20.2	1		ug/L
Cadmium, total	MW-3N	4/6/2021	17.4	1		ug/L
Cadmium, total	MW-3N	7/5/2021	44.6	1		ug/L
Cadmium, total	MW-3N	10/6/2021	30.7	1		ug/L
Cadmium, total	MW-3N	1/11/2023	49.6	1		ug/L
Cadmium, total	MW-3N	7/7/2023	6.98	1		ug/L
Cadmium, total	MW-3N	10/6/2023	10.7	1		ug/L
Cadmium, total	MW-7N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-7N	1/21/1998	4.3	1		ug/L
Cadmium, total	MW-7N	7/22/1998	28	1		ug/L
Cadmium, total	MW-7N	8/18/1998	19	1		ug/L
Cadmium, total	MW-7N	9/17/1998	20	1		ug/L
Cadmium, total	MW-7N	10/15/1998	20	1		ug/L
Cadmium, total	MW-7N	11/9/1998	21	1		ug/L
Cadmium, total	MW-7N	1/14/1999	16	1		ug/L
Cadmium, total	MW-7N	4/14/1999	12	1		ug/L
Cadmium, total	MW-7N	7/14/1999	21	1		ug/L
Cadmium, total	MW-7N	10/19/1999	12	1		ug/L
Cadmium, total	MW-7N	1/13/2000	3.6	1		ug/L
Cadmium, total	MW-7N	4/25/2000	1	1	ND	ug/L
Cadmium, total	MW-7N	7/11/2000	7.4	1		ug/L
Cadmium, total	MW-7N	10/17/2000	2.6	1		ug/L
Cadmium, total	MW-7N	1/23/2001	1	1	ND	ug/L
Cadmium, total	MW-7N	4/10/2001	4.6	1		ug/L
Cadmium, total	MW-7N	5/29/2002	2.8	1.7		ug/L
Cadmium, total	MW-7N	5/29/2002	2.8	1.7		ug/L
Cadmium, total	MW-7N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-7N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-7N	1/23/2003	1	1	ND	ug/L
Cadmium, total	MW-7N	4/14/2003	1	1		ug/L
Cadmium, total	MW-7N	7/7/2003	1.2	1		ug/L
Cadmium, total	MW-7N	1/27/2004	1	1	ND	ug/L
Cadmium, total	MW-7N	4/8/2004	1.7	1		ug/L
Cadmium, total	MW-7N	7/26/2004	11	1		ug/L
Cadmium, total	MW-7N	10/5/2004	3.4	1		ug/L
Cadmium, total	MW-7N	1/12/2005	4.7	1		ug/L
Cadmium, total	MW-7N	7/19/2005	2.2	1		ug/L
Cadmium, total	MW-7N	1/19/2006	21	1		ug/L
Cadmium, total	MW-7N	7/19/2006	2.8	1		ug/L
Cadmium, total	MW-7N	7/19/2006	2.8	1		ug/L
Cadmium, total	MW-7N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-7N	1/10/2007	1	1		ug/L
Cadmium, total	MW-7N	1/26/2007	3	1		ug/L
Cadmium, total	MW-7N	6/1/2007	42	1		ug/L
Cadmium, total	MW-7N	7/10/2007	15	1		ug/L
Cadmium, total	MW-7N	8/24/2007	2.3	1		ug/L
Cadmium, total	MW-7N	10/24/2007	2.4	1		ug/L
Cadmium, total	MW-7N	7/21/2008	3.1	1		ug/L
Cadmium, total	MW-7N	2/6/2009	4.5	1		ug/L
Cadmium, total	MW-7N	7/29/2009	8	1		ug/L
Cadmium, total	MW-7N	10/26/2009	1.8	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-7N	1/26/2010	8.4	1		ug/L
Cadmium, total	MW-7N	4/8/2010	4.3	1		ug/L
Cadmium, total	MW-7N	7/14/2010	13	1		ug/L
Cadmium, total	MW-7N	9/2/2010	6.5	1		ug/L
Cadmium, total	MW-7N	9/29/2010	5.3	1		ug/L
Cadmium, total	MW-7N	1/20/2011	1.8	1		ug/L
Cadmium, total	MW-7N	7/12/2011	1.8	1		ug/L
Cadmium, total	MW-7N	1/5/2012	1.3	1		ug/L
Cadmium, total	MW-7N	7/10/2012	0.8	1	ND	ug/L
Cadmium, total	MW-7N	5/1/2013	14	1		ug/L
Cadmium, total	MW-7N	6/4/2013	5.2	1		ug/L
Cadmium, total	MW-7N	7/15/2013	3.9	1		ug/L
Cadmium, total	MW-7N	1/30/2014	2.7	1		ug/L
Cadmium, total	MW-7N	7/9/2014	1.2	1		ug/L
Cadmium, total	MW-7N	2/12/2015	4.8	1		ug/L
Cadmium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Cadmium, total	MW-7N	1/5/2016	0.6	1	ND	ug/L
Cadmium, total	MW-7N	7/21/2016	3.8	1		ug/L
Cadmium, total	MW-7N	1/11/2017	17	1		ug/L
Cadmium, total	MW-7N	3/2/2017	7.5	1		ug/L
Cadmium, total	MW-7N	4/4/2017	5.6	1		ug/L
Cadmium, total	MW-7N	7/19/2017	8.8	1		ug/L
Cadmium, total	MW-7N	10/5/2017	10	1		ug/L
Cadmium, total	MW-7N	1/25/2018	3.6	1		ug/L
Cadmium, total	MW-7N	4/11/2018	3.2	1		ug/L
Cadmium, total	MW-7N	7/13/2018	1.4	1		ug/L
Cadmium, total	MW-7N	1/4/2019	1.8	1		ug/L
Cadmium, total	MW-7N	7/10/2019	2	2		ug/L
Cadmium, total	MW-7N	1/16/2020	3.53	1		ug/L
Cadmium, total	MW-7N	7/7/2020	1.08	1		ug/L
Cadmium, total	MW-7N	1/16/2021	1.35	1		ug/L
Cadmium, total	MW-7N	7/5/2021	1.07	1		ug/L
Cadmium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Cadmium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Cadmium, total	MW-7N	1/10/2023	1	1	ND	ug/L
Cadmium, total	MW-7N	7/7/2023	1	1	ND	ug/L
Cadmium, total	MW-8N	10/21/1997	1	1	ND	ug/L
Cadmium, total	MW-8N	1/22/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	4/28/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	7/22/1998	1	1	ND	ug/L
Cadmium, total	MW-8N	1/12/1999	1	1	ND	ug/L
Cadmium, total	MW-8N	4/13/1999	3.5	1		ug/L
Cadmium, total	MW-8N	7/14/1999	260	1		ug/L
Cadmium, total	MW-8N	10/19/1999	32	1		ug/L
Cadmium, total	MW-8N	1/14/2000	5.9	1		ug/L
Cadmium, total	MW-8N	4/25/2000	3.2	1		ug/L
Cadmium, total	MW-8N	10/17/2000	30	1		ug/L
Cadmium, total	MW-8N	1/23/2001	1.1	1		ug/L
Cadmium, total	MW-8N	4/11/2001	1.1	1		ug/L
Cadmium, total	MW-8N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-8N	5/29/2002	1.7	1.7	ND	ug/L
Cadmium, total	MW-8N	7/9/2002	20	20	ND	ug/L
Cadmium, total	MW-8N	10/2/2002	20	20	ND	ug/L
Cadmium, total	MW-8N	1/23/2003	1.3	1		ug/L
Cadmium, total	MW-8N	4/14/2003	1	1	ND	ug/L
Cadmium, total	MW-8N	7/7/2003	1	1	ND	ug/L
Cadmium, total	MW-8N	1/28/2004	4.3	1		ug/L
Cadmium, total	MW-8N	7/27/2004	1.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-8N	1/12/2005	1	1	ND	ug/L
Cadmium, total	MW-8N	7/20/2005	1	1	ND	ug/L
Cadmium, total	MW-8N	1/19/2006	1	1	ND	ug/L
Cadmium, total	MW-8N	7/19/2006	0.7	1	ND	ug/L
Cadmium, total	MW-8N	7/19/2006	0.7	1	ND	ug/L
Cadmium, total	MW-8N	10/24/2006	5	5	ND	ug/L
Cadmium, total	MW-8N	1/10/2007	17	1		ug/L
Cadmium, total	MW-8N	1/26/2007	36	1		ug/L
Cadmium, total	MW-8N	4/25/2007	44	1		ug/L
Cadmium, total	MW-8N	7/10/2007	34	1		ug/L
Cadmium, total	MW-8N	8/24/2007	42	1		ug/L
Cadmium, total	MW-8N	10/24/2007	30	1		ug/L
Cadmium, total	MW-8N	1/24/2008	33	1		ug/L
Cadmium, total	MW-8N	5/3/2008	33	1		ug/L
Cadmium, total	MW-8N	7/23/2008	30	1		ug/L
Cadmium, total	MW-8N	10/21/2008	26	1		ug/L
Cadmium, total	MW-8N	2/4/2009	26	1		ug/L
Cadmium, total	MW-8N	4/16/2009	28	1		ug/L
Cadmium, total	MW-8N	7/31/2009	26	1		ug/L
Cadmium, total	MW-8N	10/26/2009	30	1		ug/L
Cadmium, total	MW-8N	1/26/2010	24	1		ug/L
Cadmium, total	MW-8N	4/8/2010	25	1		ug/L
Cadmium, total	MW-8N	7/16/2010	24	1		ug/L
Cadmium, total	MW-8N	9/2/2010	24	1		ug/L
Cadmium, total	MW-8N	9/30/2010	25	1		ug/L
Cadmium, total	MW-8N	1/19/2011	22	1		ug/L
Cadmium, total	MW-8N	5/10/2011	26	1		ug/L
Cadmium, total	MW-8N	7/14/2011	24	1		ug/L
Cadmium, total	MW-8N	1/6/2012	23	1		ug/L
Cadmium, total	MW-8N	4/5/2012	24	1		ug/L
Cadmium, total	MW-8N	7/11/2012	22	1		ug/L
Cadmium, total	MW-8N	10/3/2012	22	1		ug/L
Cadmium, total	MW-8N	5/1/2013	23	1		ug/L
Cadmium, total	MW-8N	6/4/2013	21	1		ug/L
Cadmium, total	MW-8N	7/16/2013	21	1		ug/L
Cadmium, total	MW-8N	10/2/2013	20	1		ug/L
Cadmium, total	MW-8N	1/30/2014	18	1		ug/L
Cadmium, total	MW-8N	4/3/2014	19	1		ug/L
Cadmium, total	MW-8N	7/9/2014	17	1		ug/L
Cadmium, total	MW-8N	10/8/2014	15	1		ug/L
Cadmium, total	MW-8N	2/12/2015	15	1		ug/L
Cadmium, total	MW-8N	4/1/2015	17	1		ug/L
Cadmium, total	MW-8N	7/14/2015	16	1		ug/L
Cadmium, total	MW-8N	10/5/2015	15	1		ug/L
Cadmium, total	MW-8N	1/5/2016	16	1		ug/L
Cadmium, total	MW-8N	4/6/2016	17	1		ug/L
Cadmium, total	MW-8N	7/21/2016	15	1		ug/L
Cadmium, total	MW-8N	10/6/2016	16	1		ug/L
Cadmium, total	MW-8N	1/11/2017	16	1		ug/L
Cadmium, total	MW-8N	4/4/2017	13	1		ug/L
Cadmium, total	MW-8N	7/19/2017	17	1		ug/L
Cadmium, total	MW-8N	10/6/2017	18	1		ug/L
Cadmium, total	MW-8N	1/25/2018	15	1		ug/L
Cadmium, total	MW-8N	4/10/2018	18	1		ug/L
Cadmium, total	MW-8N	7/16/2018	16	1		ug/L
Cadmium, total	MW-8N	10/2/2018	13	1		ug/L
Cadmium, total	MW-8N	1/7/2019	14	1		ug/L
Cadmium, total	MW-8N	4/3/2019	14	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	MW-8N	7/11/2019	14	2		ug/L
Cadmium, total	MW-8N	10/3/2019	12	1		ug/L
Cadmium, total	MW-8N	1/15/2020	11.7	1		ug/L
Cadmium, total	MW-8N	4/2/2020	10.9	1		ug/L
Cadmium, total	MW-8N	7/9/2020	10.4	1		ug/L
Cadmium, total	MW-8N	10/6/2020	9.14	1		ug/L
Cadmium, total	MW-8N	1/15/2021	10.1	1		ug/L
Cadmium, total	MW-8N	4/6/2021	7.73	1		ug/L
Cadmium, total	MW-8N	7/5/2021	8.64	1		ug/L
Cadmium, total	MW-8N	10/6/2021	7.55	1		ug/L
Cadmium, total	MW-8N	1/18/2022	7.67	1		ug/L
Cadmium, total	MW-8N	4/4/2022	8.15	1		ug/L
Cadmium, total	MW-8N	7/12/2022	7.43	1		ug/L
Cadmium, total	MW-8N	10/6/2022	7.59	1		ug/L
Cadmium, total	MW-8N	1/11/2023	7.16	1		ug/L
Cadmium, total	MW-8N	4/8/2023	7.79	1		ug/L
Cadmium, total	MW-8N	7/7/2023	7.58	1		ug/L
Cadmium, total	MW-8N	10/5/2023	6.58	1		ug/L
Cadmium, total	NE-1	7/10/2002	52	20		ug/L
Cadmium, total	NE-1	8/6/2002	49	20		ug/L
Cadmium, total	NE-1	9/4/2002	48	20		ug/L
Cadmium, total	NE-1	10/2/2002	45	20		ug/L
Cadmium, total	NE-1	4/15/2003	3.9	1		ug/L
Cadmium, total	NE-1	7/8/2003	1.7	1		ug/L
Cadmium, total	NE-1	1/27/2004	15	1		ug/L
Cadmium, total	NE-1	7/27/2004	1	1	ND	ug/L
Cadmium, total	NE-1	1/12/2005	1.2	1		ug/L
Cadmium, total	NE-1	7/20/2005	1	1	ND	ug/L
Cadmium, total	NE-1	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-1	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-1	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-1	1/24/2007	1.1	1		ug/L
Cadmium, total	NE-1	4/24/2007	0.1	1	ND	ug/L
Cadmium, total	NE-1	7/10/2007	9.5	1		ug/L
Cadmium, total	NE-1	8/24/2007	4.2	1		ug/L
Cadmium, total	NE-1	10/24/2007	0.5	1	ND	ug/L
Cadmium, total	NE-1	1/24/2008	0.5	1	ND	ug/L
Cadmium, total	NE-1	7/21/2008	1	1	ND	ug/L
Cadmium, total	NE-1	2/7/2009	3.4	1		ug/L
Cadmium, total	NE-1	7/31/2009	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/26/2010	0.4	1	ND	ug/L
Cadmium, total	NE-1	7/14/2010	6.6	1		ug/L
Cadmium, total	NE-1	9/2/2010	0.2	1	ND	ug/L
Cadmium, total	NE-1	9/30/2010	1.8	1		ug/L
Cadmium, total	NE-1	1/19/2011	0.7	1	ND	ug/L
Cadmium, total	NE-1	7/13/2011	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	NE-1	7/10/2012	2.6	1		ug/L
Cadmium, total	NE-1	4/30/2013	0.2	1	ND	ug/L
Cadmium, total	NE-1	7/16/2013	0.6	1	ND	ug/L
Cadmium, total	NE-1	1/23/2014	0.5	1	ND	ug/L
Cadmium, total	NE-1	7/9/2014	0.5	1	ND	ug/L
Cadmium, total	NE-1	2/11/2015	1	1	ND	ug/L
Cadmium, total	NE-1	7/8/2015	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/6/2016	0.4	1	ND	ug/L
Cadmium, total	NE-1	7/20/2016	0.3	1	ND	ug/L
Cadmium, total	NE-1	1/11/2017	0.4	1	ND	ug/L
Cadmium, total	NE-1	7/19/2017	0.4	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-1	1/24/2018	1	1	ND	ug/L
Cadmium, total	NE-1	4/11/2018	1	1	ND	ug/L
Cadmium, total	NE-1	7/18/2018	1	1	ND	ug/L
Cadmium, total	NE-1	10/2/2018	1	1	ND	ug/L
Cadmium, total	NE-1	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-1	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-1	7/10/2019	2	2	ND	ug/L
Cadmium, total	NE-1	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-1	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-1	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-1	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-1	10/7/2020	1	1	ND	ug/L
Cadmium, total	NE-1	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-1	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-1	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-1	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-1	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-1	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-1	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-1	10/6/2022	1	1	ND	ug/L
Cadmium, total	NE-1	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-1	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-1	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-1	10/5/2023	1.59	1		ug/L
Cadmium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Cadmium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Cadmium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-10D	7/8/2023	1	1	ND	ug/L
Cadmium, total	NE-10D	10/3/2023	1	1	ND	ug/L
Cadmium, total	NE-11	3/1/2017	0.7	1	ND	ug/L
Cadmium, total	NE-11	4/6/2017	1	1		ug/L
Cadmium, total	NE-11	7/20/2017	0.4	1	ND	ug/L
Cadmium, total	NE-11	10/9/2017	1	1	ND	ug/L
Cadmium, total	NE-11	9/30/2019	0.79	1	ND	ug/L
Cadmium, total	NE-11	1/14/2020	1.18	1		ug/L
Cadmium, total	NE-11	7/7/2020	1.53	1		ug/L
Cadmium, total	NE-11	1/16/2021	1.05	1		ug/L
Cadmium, total	NE-11	1/16/2021	1.43	1		ug/L
Cadmium, total	NE-11	7/1/2021	1.32	1		ug/L
Cadmium, total	NE-11	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-11	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-11	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-11	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-11	7/6/2023	1	1	ND	ug/L
Cadmium, total	NE-12	3/1/2017	1	1	ND	ug/L
Cadmium, total	NE-12	4/6/2017	1	1	ND	ug/L
Cadmium, total	NE-12	7/20/2017	1	1	ND	ug/L
Cadmium, total	NE-12	10/6/2017	0.3	1	ND	ug/L
Cadmium, total	NE-12	8/5/2019	2	2	ND	ug/L
Cadmium, total	NE-12	1/13/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-12	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-12	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-12	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-12	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-12	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-12	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-12	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-12	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-12	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-13	2/5/2019	1	1	ND	ug/L
Cadmium, total	NE-13	8/7/2019	2	2	ND	ug/L
Cadmium, total	NE-13	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-13	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-13	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-13	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-13	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14D	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-14D	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-14S	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Cadmium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Cadmium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	7/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15D	10/6/2023	1	1	ND	ug/L
Cadmium, total	NE-15S	4/3/2020	2.58	1		ug/L
Cadmium, total	NE-2	7/9/2002	20	20	ND	ug/L
Cadmium, total	NE-2	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-2	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-2	10/2/2002	20	20	ND	ug/L
Cadmium, total	NE-2	4/25/2007	0.1	1	ND	ug/L
Cadmium, total	NE-2	12/19/2008	2.1	1		ug/L
Cadmium, total	NE-2	10/26/2009	0.2	1	ND	ug/L
Cadmium, total	NE-2	9/2/2010	2.1	1		ug/L
Cadmium, total	NE-2	9/30/2010	0.1	1	ND	ug/L
Cadmium, total	NE-2	4/5/2012	1.1	1		ug/L
Cadmium, total	NE-2	10/1/2013	1	1	ND	ug/L
Cadmium, total	NE-2	10/8/2014	0.1	1	ND	ug/L
Cadmium, total	NE-2	10/5/2015	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2016	1	1	ND	ug/L
Cadmium, total	NE-2	10/5/2017	0.4	1	ND	ug/L
Cadmium, total	NE-2	1/25/2018	1	1	ND	ug/L
Cadmium, total	NE-2	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-2	7/10/2018	1	1	ND	ug/L
Cadmium, total	NE-2	10/1/2018	1	1	ND	ug/L
Cadmium, total	NE-2	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-2	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-2	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-2	10/2/2019	1	1	ND	ug/L
Cadmium, total	NE-2	1/14/2020	1	1	ND	ug/L
Cadmium, total	NE-2	4/1/2020	1	1	ND	ug/L
Cadmium, total	NE-2	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-2	1/14/2021	1	1	ND	ug/L
Cadmium, total	NE-2	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-2	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-2	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-2	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-2	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-2	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-2	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-2	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-2	4/5/2023	1	1	ND	ug/L
Cadmium, total	NE-2	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-2	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-4	7/10/2002	20	20	ND	ug/L
Cadmium, total	NE-4	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-4	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-4	10/3/2002	20	20	ND	ug/L
Cadmium, total	NE-4	7/8/2003	1	1	ND	ug/L
Cadmium, total	NE-4	1/28/2004	1	1	ND	ug/L
Cadmium, total	NE-4	1/13/2005	1.2	1		ug/L
Cadmium, total	NE-4	8/1/2006	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-4	8/1/2006	0.2	1	ND	ug/L
Cadmium, total	NE-4	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-4	1/24/2007	0.2	1	ND	ug/L
Cadmium, total	NE-4	4/25/2007	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/12/2007	0.3	1	ND	ug/L
Cadmium, total	NE-4	1/24/2008	0.3	1	ND	ug/L
Cadmium, total	NE-4	7/21/2008	0.3	1	ND	ug/L
Cadmium, total	NE-4	2/7/2009	0.8	1	ND	ug/L
Cadmium, total	NE-4	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/26/2010	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/14/2010	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/19/2011	0.9	1	ND	ug/L
Cadmium, total	NE-4	7/13/2011	0.1	1	ND	ug/L
Cadmium, total	NE-4	1/5/2012	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/10/2012	0.6	1	ND	ug/L
Cadmium, total	NE-4	4/30/2013	1	1	ND	ug/L
Cadmium, total	NE-4	7/16/2013	0.2	1	ND	ug/L
Cadmium, total	NE-4	1/23/2014	0.2	1	ND	ug/L
Cadmium, total	NE-4	7/9/2014	0.1	1	ND	ug/L
Cadmium, total	NE-4	2/13/2015	0.3	1	ND	ug/L
Cadmium, total	NE-4	7/8/2015	1	1	ND	ug/L
Cadmium, total	NE-4	1/6/2016	1	1	ND	ug/L
Cadmium, total	NE-4	7/20/2016	1	1	ND	ug/L
Cadmium, total	NE-4	1/11/2017	1	1	ND	ug/L
Cadmium, total	NE-4	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-4	1/26/2018	1	1	ND	ug/L
Cadmium, total	NE-4	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-4	7/12/2018	1	1	ND	ug/L
Cadmium, total	NE-4	10/3/2018	1	1	ND	ug/L
Cadmium, total	NE-4	1/7/2019	1	1	ND	ug/L
Cadmium, total	NE-4	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-4	7/8/2019	2	2	ND	ug/L
Cadmium, total	NE-4	7/8/2019	2	2	ND	ug/L
Cadmium, total	NE-4	10/1/2019	1	1	ND	ug/L
Cadmium, total	NE-4	1/13/2020	1	1	ND	ug/L
Cadmium, total	NE-4	4/1/2020	1	1	ND	ug/L
Cadmium, total	NE-4	7/6/2020	1	1	ND	ug/L
Cadmium, total	NE-4	10/5/2020	1	1	ND	ug/L
Cadmium, total	NE-4	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-4	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-4	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-4	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-4	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-4	4/6/2023	1	1	ND	ug/L
Cadmium, total	NE-4	7/5/2023	1	1	ND	ug/L
Cadmium, total	NE-4	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2002	20	20	ND	ug/L
Cadmium, total	NE-5	8/6/2002	20	20	ND	ug/L
Cadmium, total	NE-5	9/4/2002	20	20	ND	ug/L
Cadmium, total	NE-5	10/2/2002	20	20	ND	ug/L
Cadmium, total	NE-5	7/8/2003	1	1	ND	ug/L
Cadmium, total	NE-5	1/27/2004	1	1	ND	ug/L
Cadmium, total	NE-5	1/12/2005	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2006	1	1	ND	ug/L
Cadmium, total	NE-5	10/25/2006	5	5	ND	ug/L
Cadmium, total	NE-5	1/10/2007	1	1	ND	ug/L
Cadmium, total	NE-5	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-5	4/25/2007	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/12/2007	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/22/2008	0.1	1	ND	ug/L
Cadmium, total	NE-5	2/6/2009	1.1	1		ug/L
Cadmium, total	NE-5	7/31/2009	0.2	1	ND	ug/L
Cadmium, total	NE-5	1/26/2010	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/16/2010	0.2	1	ND	ug/L
Cadmium, total	NE-5	9/2/2010	1	1	ND	ug/L
Cadmium, total	NE-5	1/19/2011	0.1	1	ND	ug/L
Cadmium, total	NE-5	7/13/2011	0.5	1	ND	ug/L
Cadmium, total	NE-5	1/5/2012	1	1	ND	ug/L
Cadmium, total	NE-5	7/10/2012	0.2	1	ND	ug/L
Cadmium, total	NE-5	4/30/2013	0.4	1	ND	ug/L
Cadmium, total	NE-5	7/16/2013	0.3	1	ND	ug/L
Cadmium, total	NE-5	1/23/2014	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2014	0.2	1	ND	ug/L
Cadmium, total	NE-5	2/11/2015	1	1	ND	ug/L
Cadmium, total	NE-5	7/14/2015	1	1	ND	ug/L
Cadmium, total	NE-5	1/6/2016	1	1	ND	ug/L
Cadmium, total	NE-5	7/20/2016	0.4	1	ND	ug/L
Cadmium, total	NE-5	1/11/2017	1	1	ND	ug/L
Cadmium, total	NE-5	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-5	1/25/2018	1	1	ND	ug/L
Cadmium, total	NE-5	4/10/2018	1	1	ND	ug/L
Cadmium, total	NE-5	7/17/2018	1	1	ND	ug/L
Cadmium, total	NE-5	10/3/2018	1	1	ND	ug/L
Cadmium, total	NE-5	1/4/2019	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2019	1	1	ND	ug/L
Cadmium, total	NE-5	7/9/2019	2	2	ND	ug/L
Cadmium, total	NE-5	10/3/2019	1	1	ND	ug/L
Cadmium, total	NE-5	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-5	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-5	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-5	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-5	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-5	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-5	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-5	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-5	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-5	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-5	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-5	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-5	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-5	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-5	7/6/2023	1	1	ND	ug/L
Cadmium, total	NE-5	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-5E	9/30/2019	19	1		ug/L
Cadmium, total	NE-5E	1/16/2020	24.7	1		ug/L
Cadmium, total	NE-5E	4/1/2020	40.3	1		ug/L
Cadmium, total	NE-5E	7/8/2020	28.6	1		ug/L
Cadmium, total	NE-5E	10/6/2020	25.5	1		ug/L
Cadmium, total	NE-5E	1/15/2021	23.1	1		ug/L
Cadmium, total	NE-5E	4/9/2021	23.4	1		ug/L
Cadmium, total	NE-5E	7/2/2021	20.2	1		ug/L
Cadmium, total	NE-5E	10/6/2021	18.6	1		ug/L
Cadmium, total	NE-5E	1/18/2022	14.3	1		ug/L
Cadmium, total	NE-5E	4/6/2022	14.3	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-5E	7/13/2022	17.7	1		ug/L
Cadmium, total	NE-5E	10/7/2022	25.7	1		ug/L
Cadmium, total	NE-5E	1/5/2023	15	1		ug/L
Cadmium, total	NE-5E	4/7/2023	13.8	1		ug/L
Cadmium, total	NE-5E	7/6/2023	17.1	1		ug/L
Cadmium, total	NE-5E	10/4/2023	20	1		ug/L
Cadmium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Cadmium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Cadmium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Cadmium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Cadmium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Cadmium, total	NE-5W	7/6/2023	1	1	ND	ug/L
Cadmium, total	NE-5W	10/4/2023	1	1	ND	ug/L
Cadmium, total	NE-6	1/12/2017	0.8	1	ND	ug/L
Cadmium, total	NE-6	4/5/2017	0.3	1	ND	ug/L
Cadmium, total	NE-6	7/19/2017	1	1	ND	ug/L
Cadmium, total	NE-6	10/6/2017	1	1	ND	ug/L
Cadmium, total	NE-6	2/4/2019	1	1	ND	ug/L
Cadmium, total	NE-6	8/6/2019	0.59	2	ND	ug/L
Cadmium, total	NE-6	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-6	7/9/2020	1	1	ND	ug/L
Cadmium, total	NE-6	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-6	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-6	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-6	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-6	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-6	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-6	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-6	7/6/2023	1	1	ND	ug/L
Cadmium, total	NE-6D	10/2/2019	2.9	1		ug/L
Cadmium, total	NE-6D	1/15/2020	6.65	1		ug/L
Cadmium, total	NE-6D	4/2/2020	8.79	1		ug/L
Cadmium, total	NE-6D	7/9/2020	7.51	1		ug/L
Cadmium, total	NE-6D	10/7/2020	6.22	1		ug/L
Cadmium, total	NE-6D	1/15/2021	6.83	1		ug/L
Cadmium, total	NE-6D	4/9/2021	5.58	1		ug/L
Cadmium, total	NE-6D	7/2/2021	7.9	1		ug/L
Cadmium, total	NE-6D	10/7/2021	4.99	1		ug/L
Cadmium, total	NE-6D	1/17/2022	6.3	1		ug/L
Cadmium, total	NE-6D	4/6/2022	5.88	1		ug/L
Cadmium, total	NE-6D	7/12/2022	5.63	1		ug/L
Cadmium, total	NE-6D	10/7/2022	4.05	1		ug/L
Cadmium, total	NE-6D	1/5/2023	5.22	1		ug/L
Cadmium, total	NE-6D	4/7/2023	4.61	1		ug/L
Cadmium, total	NE-6D	7/6/2023	4.58	1		ug/L
Cadmium, total	NE-6D	10/4/2023	4.53	1		ug/L
Cadmium, total	NE-7	3/1/2017	1.4	1		ug/L
Cadmium, total	NE-7	4/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cadmium, total	NE-7	7/20/2017	0.5	1	ND	ug/L
Cadmium, total	NE-7	10/5/2017	1.4	1		ug/L
Cadmium, total	NE-7	2/6/2019	1	1	ND	ug/L
Cadmium, total	NE-7	8/6/2019	0.65	2	ND	ug/L
Cadmium, total	NE-7	1/16/2020	1	1	ND	ug/L
Cadmium, total	NE-7	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-7	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-7	1/16/2021	1	1	ND	ug/L
Cadmium, total	NE-7	7/1/2021	1	1	ND	ug/L
Cadmium, total	NE-7	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-7	1/17/2022	1	1	ND	ug/L
Cadmium, total	NE-7	7/12/2022	1	1	ND	ug/L
Cadmium, total	NE-7	1/5/2023	1	1	ND	ug/L
Cadmium, total	NE-7	7/6/2023	1.33	1		ug/L
Cadmium, total	NE-8	1/12/2017	1	1	ND	ug/L
Cadmium, total	NE-8	4/5/2017	1	1	ND	ug/L
Cadmium, total	NE-8	7/20/2017	1.1	1		ug/L
Cadmium, total	NE-8	10/6/2017	1	1	ND	ug/L
Cadmium, total	NE-8	2/4/2019	1	1	ND	ug/L
Cadmium, total	NE-8	8/5/2019	1.9	2	ND	ug/L
Cadmium, total	NE-8	1/15/2020	2.79	1		ug/L
Cadmium, total	NE-8	7/8/2020	4.94	1		ug/L
Cadmium, total	NE-8	10/7/2020	1.47	1		ug/L
Cadmium, total	NE-8	10/7/2020	1.47	1		ug/L
Cadmium, total	NE-8	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-8	1/13/2021	1	1	ND	ug/L
Cadmium, total	NE-8	4/9/2021	1.17	1		ug/L
Cadmium, total	NE-8	7/1/2021	2.54	1		ug/L
Cadmium, total	NE-8	7/1/2021	2.64	1		ug/L
Cadmium, total	NE-8	10/7/2021	3.17	1		ug/L
Cadmium, total	NE-8	1/6/2023	2.52	1		ug/L
Cadmium, total	NE-8	7/5/2023	4.21	1		ug/L
Cadmium, total	NE-9	1/12/2017	0.6	1	ND	ug/L
Cadmium, total	NE-9	4/5/2017	1	1	ND	ug/L
Cadmium, total	NE-9	7/20/2017	1	1	ND	ug/L
Cadmium, total	NE-9	10/5/2017	1	1	ND	ug/L
Cadmium, total	NE-9	2/5/2019	1.3	1		ug/L
Cadmium, total	NE-9	8/7/2019	2.1	2		ug/L
Cadmium, total	NE-9	1/15/2020	1	1	ND	ug/L
Cadmium, total	NE-9	7/7/2020	1	1	ND	ug/L
Cadmium, total	NE-9	1/17/2021	1.04	1		ug/L
Cadmium, total	NE-9	1/17/2021	1.07	1		ug/L
Cadmium, total	NE-9	7/1/2021	2.92	1		ug/L
Cadmium, total	NE-9	1/17/2022	3.6	1		ug/L
Cadmium, total	NE-9	1/17/2022	4.07	1		ug/L
Cadmium, total	NE-9	7/13/2022	8.31	1		ug/L
Cadmium, total	NE-9	1/6/2023	10.3	1		ug/L
Cadmium, total	NE-9	4/8/2023	10.4	1		ug/L
Cadmium, total	NE-9	7/5/2023	12.6	1		ug/L
Cadmium, total	NE-9	10/6/2023	11.6	1		ug/L
Calcium, dissolved	LGW-14R	1/25/2006	76.3	0.04		mg/L
Calcium, dissolved	LGW-2	1/25/2006	95.4	0.04		mg/L
Calcium, dissolved	LGW-4	1/24/2006	96.8	0.04		mg/L
Calcium, dissolved	LGW-5	1/25/2006	79.2	0.04		mg/L
Calcium, dissolved	LGW-6	1/24/2006	88.4	0.04		mg/L
Calcium, dissolved	LGW-7	1/25/2006	85.1	0.04		mg/L
Calcium, dissolved	LGW-8R	1/24/2006	84.9	0.04		mg/L
Calcium, dissolved	MW-10N	7/10/2002	45.2	0.047		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, dissolved	MW-10N	10/2/2002	43.5	0.04		mg/L
Calcium, dissolved	MW-11N	7/9/2002	71.8	0.047		mg/L
Calcium, dissolved	MW-11N	10/2/2002	74.2	0.04		mg/L
Calcium, dissolved	MW-1N	7/9/2002	141	0.047		mg/L
Calcium, dissolved	MW-1N	10/3/2002	136	0.04		mg/L
Calcium, dissolved	MW-2N	7/10/2002	45.5	0.047		mg/L
Calcium, dissolved	MW-2N	10/2/2002	44.8	0.04		mg/L
Calcium, dissolved	MW-3N	7/9/2002	132	0.047		mg/L
Calcium, dissolved	MW-3N	10/2/2002	136	0.04		mg/L
Calcium, dissolved	MW-7N	7/9/2002	159	0.047		mg/L
Calcium, dissolved	MW-7N	10/2/2002	160	0.04		mg/L
Calcium, dissolved	MW-8N	7/9/2002	52.1	0.047		mg/L
Calcium, dissolved	MW-8N	10/2/2002	57.3	0.12		mg/L
Calcium, dissolved	NE-1	7/10/2002	82.8	0.047		mg/L
Calcium, dissolved	NE-1	8/6/2002	78.5	0.047		mg/L
Calcium, dissolved	NE-1	9/4/2002	81.8	0.04		mg/L
Calcium, dissolved	NE-1	10/2/2002	88	0.04		mg/L
Calcium, dissolved	NE-2	7/9/2002	86.2	0.047		mg/L
Calcium, dissolved	NE-2	8/6/2002	64.1	0.047		mg/L
Calcium, dissolved	NE-2	9/4/2002	29.1	0.04		mg/L
Calcium, dissolved	NE-2	10/2/2002	44.6	0.04		mg/L
Calcium, dissolved	NE-4	7/10/2002	137	0.047		mg/L
Calcium, dissolved	NE-4	8/6/2002	126	0.047		mg/L
Calcium, dissolved	NE-4	9/4/2002	119	0.04		mg/L
Calcium, dissolved	NE-4	10/3/2002	134	0.04		mg/L
Calcium, dissolved	NE-5	7/9/2002	146	0.047		mg/L
Calcium, dissolved	NE-5	8/6/2002	146	0.047		mg/L
Calcium, dissolved	NE-5	9/4/2002	147	0.04		mg/L
Calcium, dissolved	NE-5	10/2/2002	157	0.04		mg/L
Calcium, total	LGW-10	1/26/2006	173	1		mg/L
Calcium, total	LGW-10	8/1/2006	210	0.2		mg/L
Calcium, total	LGW-10	8/1/2006	210	0.2		mg/L
Calcium, total	LGW-10	1/25/2007	140	0.2		mg/L
Calcium, total	LGW-10	4/26/2007	170	0.2		mg/L
Calcium, total	LGW-10	7/12/2007	180	0.2		mg/L
Calcium, total	LGW-10	1/23/2008	140	0.2		mg/L
Calcium, total	LGW-10	7/22/2008	170	0.2		mg/L
Calcium, total	LGW-10	7/29/2009	170	0.2		mg/L
Calcium, total	LGW-10	2/3/2010	160	0.2		mg/L
Calcium, total	LGW-10	2/3/2010	160	0.2		mg/L
Calcium, total	LGW-10	7/16/2010	170	0.2		mg/L
Calcium, total	LGW-10	1/19/2011	150	0.2		mg/L
Calcium, total	LGW-10	7/12/2011	190	0.2		mg/L
Calcium, total	LGW-10	1/5/2012	180	0.2		mg/L
Calcium, total	LGW-10	7/9/2012	190	0.2		mg/L
Calcium, total	LGW-10	5/1/2013	180	0.2		mg/L
Calcium, total	LGW-10	1/30/2014	180	0.2		mg/L
Calcium, total	LGW-10	7/9/2014	190	0.2		mg/L
Calcium, total	LGW-10	2/12/2015	200	0.2		mg/L
Calcium, total	LGW-10	7/13/2015	190	0.2		mg/L
Calcium, total	LGW-10	1/5/2016	200	0.2		mg/L
Calcium, total	LGW-10	4/6/2016	200	0.2		mg/L
Calcium, total	LGW-10	7/21/2016	190	0.2		mg/L
Calcium, total	LGW-10	10/6/2016	190	0.2		mg/L
Calcium, total	LGW-10	1/11/2017	170	0.2		mg/L
Calcium, total	LGW-10	4/4/2017	200	0.2		mg/L
Calcium, total	LGW-10	7/19/2017	190	0.2		mg/L
Calcium, total	LGW-10	10/9/2017	180	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-10	1/24/2018	170	0.2		mg/L
Calcium, total	LGW-10	4/11/2018	200	0.2		mg/L
Calcium, total	LGW-10	7/16/2018	150	0.2		mg/L
Calcium, total	LGW-10	10/4/2018	160	0.2		mg/L
Calcium, total	LGW-10	1/4/2019	190	0.2		mg/L
Calcium, total	LGW-10	4/3/2019	180	0.2		mg/L
Calcium, total	LGW-10	7/11/2019	170	0.2		mg/L
Calcium, total	LGW-10	7/11/2019	180	0.2		mg/L
Calcium, total	LGW-10	10/2/2019	170	0.2		mg/L
Calcium, total	LGW-10	1/15/2020	197	0.2		mg/L
Calcium, total	LGW-10	7/9/2020	187	0.2		mg/L
Calcium, total	LGW-10	1/17/2021	127	0.2		mg/L
Calcium, total	LGW-10	7/7/2021	184	0.2		mg/L
Calcium, total	LGW-10	7/7/2021	183	0.2		mg/L
Calcium, total	LGW-10	1/13/2022	182	0.2		mg/L
Calcium, total	LGW-10	7/11/2022	182	0.2		mg/L
Calcium, total	LGW-10	1/11/2023	171	0.2		mg/L
Calcium, total	LGW-10	7/10/2023	172	0.2		mg/L
Calcium, total	LGW-14R	1/25/2006	460	1		mg/L
Calcium, total	LGW-14R	8/2/2006	210	0.2		mg/L
Calcium, total	LGW-14R	8/2/2006	210	0.2		mg/L
Calcium, total	LGW-14R	1/24/2007	79	0.2		mg/L
Calcium, total	LGW-14R	4/24/2007	140	0.2		mg/L
Calcium, total	LGW-14R	7/11/2007	270	0.2		mg/L
Calcium, total	LGW-14R	1/23/2008	73	0.2		mg/L
Calcium, total	LGW-14R	7/22/2008	77	0.2		mg/L
Calcium, total	LGW-14R	2/6/2009	110	0.2		mg/L
Calcium, total	LGW-14R	7/29/2009	62	0.2		mg/L
Calcium, total	LGW-14R	2/3/2010	62	0.2		mg/L
Calcium, total	LGW-14R	2/3/2010	62	0.2		mg/L
Calcium, total	LGW-14R	7/12/2010	69	0.2		mg/L
Calcium, total	LGW-14R	1/19/2011	68	0.2		mg/L
Calcium, total	LGW-14R	7/12/2011	65	0.2		mg/L
Calcium, total	LGW-14R	1/5/2012	61	0.2		mg/L
Calcium, total	LGW-14R	7/9/2012	71	0.2		mg/L
Calcium, total	LGW-14R	4/30/2013	62	0.2		mg/L
Calcium, total	LGW-14R	1/23/2014	68	0.2		mg/L
Calcium, total	LGW-14R	7/8/2014	66	0.2		mg/L
Calcium, total	LGW-14R	2/11/2015	68	0.2		mg/L
Calcium, total	LGW-14R	7/22/2015	78	0.2		mg/L
Calcium, total	LGW-14R	1/5/2016	79	0.2		mg/L
Calcium, total	LGW-14R	7/19/2016	74	0.2		mg/L
Calcium, total	LGW-14R	1/11/2017	79	0.2		mg/L
Calcium, total	LGW-14R	7/18/2017	85	0.2		mg/L
Calcium, total	LGW-14R	1/25/2018	79	0.2		mg/L
Calcium, total	LGW-14R	7/17/2018	74	0.2		mg/L
Calcium, total	LGW-14R	1/3/2019	82	0.2		mg/L
Calcium, total	LGW-14R	7/10/2019	80	0.2		mg/L
Calcium, total	LGW-14R	1/16/2020	91	0.2		mg/L
Calcium, total	LGW-14R	7/9/2020	85.9	0.2		mg/L
Calcium, total	LGW-14R	1/18/2021	92.7	0.2		mg/L
Calcium, total	LGW-14R	1/18/2021	92.7	0.2		mg/L
Calcium, total	LGW-14R	7/7/2021	95.2	0.2		mg/L
Calcium, total	LGW-14R	7/7/2021	93.2	0.2		mg/L
Calcium, total	LGW-14R	1/12/2022	97.9	0.2		mg/L
Calcium, total	LGW-14R	7/11/2022	96.1	0.2		mg/L
Calcium, total	LGW-14R	1/10/2023	103	0.2		mg/L
Calcium, total	LGW-14R	7/10/2023	110	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-2	1/25/2006	241	1		mg/L
Calcium, total	LGW-2	8/1/2006	110	0.2		mg/L
Calcium, total	LGW-2	8/1/2006	110	0.2		mg/L
Calcium, total	LGW-2	1/25/2007	92	0.2		mg/L
Calcium, total	LGW-2	4/26/2007	97	0.2		mg/L
Calcium, total	LGW-2	7/10/2007	90	0.2		mg/L
Calcium, total	LGW-2	1/26/2008	100	0.2		mg/L
Calcium, total	LGW-2	7/23/2008	92	0.2		mg/L
Calcium, total	LGW-2	2/6/2009	140	0.2		mg/L
Calcium, total	LGW-2	7/30/2009	110	0.2		mg/L
Calcium, total	LGW-2	2/3/2010	99	0.2		mg/L
Calcium, total	LGW-2	2/3/2010	99	0.2		mg/L
Calcium, total	LGW-2	7/12/2010	110	0.2		mg/L
Calcium, total	LGW-2	1/19/2011	130	0.2		mg/L
Calcium, total	LGW-2	7/13/2011	120	0.2		mg/L
Calcium, total	LGW-2	1/4/2012	120	0.2		mg/L
Calcium, total	LGW-2	7/9/2012	120	0.2		mg/L
Calcium, total	LGW-2	4/30/2013	130	0.2		mg/L
Calcium, total	LGW-2	7/15/2013	130	0.2		mg/L
Calcium, total	LGW-2	1/30/2014	110	0.2		mg/L
Calcium, total	LGW-2	7/8/2014	120	0.2		mg/L
Calcium, total	LGW-2	2/13/2015	120	0.2		mg/L
Calcium, total	LGW-2	7/8/2015	120	0.2		mg/L
Calcium, total	LGW-2	1/5/2016	130	0.2		mg/L
Calcium, total	LGW-2	7/19/2016	120	0.2		mg/L
Calcium, total	LGW-2	1/11/2017	170	0.2		mg/L
Calcium, total	LGW-2	7/18/2017	140	0.2		mg/L
Calcium, total	LGW-2	1/23/2018	180	0.2		mg/L
Calcium, total	LGW-2	7/12/2018	190	0.2		mg/L
Calcium, total	LGW-2	1/3/2019	210	0.2		mg/L
Calcium, total	LGW-2	7/9/2019	160	0.2		mg/L
Calcium, total	LGW-2	1/13/2020	138	0.2		mg/L
Calcium, total	LGW-2	7/8/2020	114	0.2		mg/L
Calcium, total	LGW-2	1/18/2021	127	0.2		mg/L
Calcium, total	LGW-2	1/18/2021	127	0.2		mg/L
Calcium, total	LGW-2	7/4/2021	121	0.2		mg/L
Calcium, total	LGW-2	7/4/2021	121	0.2		mg/L
Calcium, total	LGW-2	1/12/2022	121	0.2		mg/L
Calcium, total	LGW-2	7/10/2022	120	0.2		mg/L
Calcium, total	LGW-2	1/10/2023	110	0.2		mg/L
Calcium, total	LGW-2	7/10/2023	114	0.2		mg/L
Calcium, total	LGW-3R	1/24/2006	110	1		mg/L
Calcium, total	LGW-3R	7/20/2006	100	0.2		mg/L
Calcium, total	LGW-3R	7/20/2006	100	0.2		mg/L
Calcium, total	LGW-3R	1/25/2007	60	0.2		mg/L
Calcium, total	LGW-3R	4/26/2007	79	0.2		mg/L
Calcium, total	LGW-3R	7/11/2007	72	0.2		mg/L
Calcium, total	LGW-3R	1/26/2008	93	0.2		mg/L
Calcium, total	LGW-3R	7/23/2008	44	0.2		mg/L
Calcium, total	LGW-3R	2/3/2009	68	0.2		mg/L
Calcium, total	LGW-3R	7/31/2009	56	0.2		mg/L
Calcium, total	LGW-3R	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-3R	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-3R	7/16/2010	51	0.2		mg/L
Calcium, total	LGW-3R	1/19/2011	86	0.2		mg/L
Calcium, total	LGW-3R	7/13/2011	53	0.2		mg/L
Calcium, total	LGW-3R	1/4/2012	68	0.2		mg/L
Calcium, total	LGW-3R	7/9/2012	84	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-3R	4/30/2013	49	0.2		mg/L
Calcium, total	LGW-3R	7/15/2013	68	0.2		mg/L
Calcium, total	LGW-3R	1/22/2014	73	0.2		mg/L
Calcium, total	LGW-3R	7/8/2014	80	0.2		mg/L
Calcium, total	LGW-3R	2/10/2015	80	0.2		mg/L
Calcium, total	LGW-3R	7/16/2015	76	0.2		mg/L
Calcium, total	LGW-3R	1/8/2016	17	0.2		mg/L
Calcium, total	LGW-3R	7/21/2016	64	0.2		mg/L
Calcium, total	LGW-3R	1/11/2017	110	0.2		mg/L
Calcium, total	LGW-3R	7/18/2017	94	0.2		mg/L
Calcium, total	LGW-3R	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-3R	7/11/2018	100	0.2		mg/L
Calcium, total	LGW-3R	1/3/2019	120	0.2		mg/L
Calcium, total	LGW-3R	7/9/2019	71	0.2		mg/L
Calcium, total	LGW-3R	1/14/2020	35.7	0.2		mg/L
Calcium, total	LGW-3R	7/6/2020	58.5	0.2		mg/L
Calcium, total	LGW-3R	1/18/2021	71.9	0.2		mg/L
Calcium, total	LGW-3R	1/18/2021	71.9	0.2		mg/L
Calcium, total	LGW-3R	7/6/2021	25.8	0.2		mg/L
Calcium, total	LGW-3R	7/6/2021	31.6	0.2		mg/L
Calcium, total	LGW-3R	1/12/2022	24.4	0.2		mg/L
Calcium, total	LGW-3R	7/10/2022	26.9	0.2		mg/L
Calcium, total	LGW-3R	1/10/2023	13.9	0.2		mg/L
Calcium, total	LGW-3R	7/10/2023	10.1	0.2		mg/L
Calcium, total	LGW-4	1/24/2006	95.8	1		mg/L
Calcium, total	LGW-4	7/20/2006	94	0.2		mg/L
Calcium, total	LGW-4	7/20/2006	94	0.2		mg/L
Calcium, total	LGW-4	1/25/2007	72	0.2		mg/L
Calcium, total	LGW-4	4/26/2007	83	0.2		mg/L
Calcium, total	LGW-4	7/11/2007	83	0.2		mg/L
Calcium, total	LGW-4	1/22/2008	87	0.2		mg/L
Calcium, total	LGW-4	7/23/2008	63	0.2		mg/L
Calcium, total	LGW-4	2/3/2009	68	0.2		mg/L
Calcium, total	LGW-4	7/31/2009	69	0.2		mg/L
Calcium, total	LGW-4	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-4	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-4	7/16/2010	53	0.2		mg/L
Calcium, total	LGW-4	1/19/2011	74	0.2		mg/L
Calcium, total	LGW-4	7/13/2011	73	0.2		mg/L
Calcium, total	LGW-4	1/4/2012	65	0.2		mg/L
Calcium, total	LGW-4	7/9/2012	76	0.2		mg/L
Calcium, total	LGW-4	4/30/2013	52	0.2		mg/L
Calcium, total	LGW-4	7/15/2013	63	0.2		mg/L
Calcium, total	LGW-4	1/23/2014	69	0.2		mg/L
Calcium, total	LGW-4	7/8/2014	76	0.2		mg/L
Calcium, total	LGW-4	2/11/2015	86	0.2		mg/L
Calcium, total	LGW-4	7/8/2015	79	0.2		mg/L
Calcium, total	LGW-4	1/5/2016	80	0.2		mg/L
Calcium, total	LGW-4	7/19/2016	90	0.2		mg/L
Calcium, total	LGW-4	1/11/2017	94	0.2		mg/L
Calcium, total	LGW-4	7/18/2017	98	0.2		mg/L
Calcium, total	LGW-4	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-4	7/11/2018	100	0.2		mg/L
Calcium, total	LGW-4	1/3/2019	110	0.2		mg/L
Calcium, total	LGW-4	7/9/2019	89	0.2		mg/L
Calcium, total	LGW-4	1/14/2020	87.5	0.2		mg/L
Calcium, total	LGW-4	7/6/2020	80.5	0.2		mg/L
Calcium, total	LGW-4	1/18/2021	123	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-4	1/18/2021	123	0.2		mg/L
Calcium, total	LGW-4	7/7/2021	119	0.2		mg/L
Calcium, total	LGW-4	7/7/2021	122	0.2		mg/L
Calcium, total	LGW-4	1/12/2022	103	0.2		mg/L
Calcium, total	LGW-4	7/11/2022	103	0.2		mg/L
Calcium, total	LGW-4	1/10/2023	137	0.2		mg/L
Calcium, total	LGW-4	7/10/2023	138	0.2		mg/L
Calcium, total	LGW-5	1/25/2006	84	1		mg/L
Calcium, total	LGW-5	8/1/2006	81	0.2		mg/L
Calcium, total	LGW-5	8/1/2006	81	0.2		mg/L
Calcium, total	LGW-5	1/25/2007	82	0.2		mg/L
Calcium, total	LGW-5	4/26/2007	80	0.2		mg/L
Calcium, total	LGW-5	7/11/2007	90	0.2		mg/L
Calcium, total	LGW-5	1/23/2008	76	0.2		mg/L
Calcium, total	LGW-5	7/23/2008	72	0.2		mg/L
Calcium, total	LGW-5	2/4/2009	74	0.2		mg/L
Calcium, total	LGW-5	7/29/2009	66	0.2		mg/L
Calcium, total	LGW-5	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-5	2/3/2010	74	0.2		mg/L
Calcium, total	LGW-5	7/12/2010	71	0.2		mg/L
Calcium, total	LGW-5	1/19/2011	72	0.2		mg/L
Calcium, total	LGW-5	7/12/2011	62	0.2		mg/L
Calcium, total	LGW-5	1/5/2012	60	0.2		mg/L
Calcium, total	LGW-5	7/9/2012	71	0.2		mg/L
Calcium, total	LGW-5	4/30/2013	68	0.2		mg/L
Calcium, total	LGW-5	7/15/2013	64	0.2		mg/L
Calcium, total	LGW-5	1/23/2014	77	0.2		mg/L
Calcium, total	LGW-5	7/8/2014	100	0.2		mg/L
Calcium, total	LGW-5	2/10/2015	140	0.2		mg/L
Calcium, total	LGW-5	7/8/2015	88	0.2		mg/L
Calcium, total	LGW-5	1/5/2016	99	0.2		mg/L
Calcium, total	LGW-5	7/19/2016	100	0.2		mg/L
Calcium, total	LGW-5	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-5	7/18/2017	120	0.2		mg/L
Calcium, total	LGW-5	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-5	7/12/2018	110	0.2		mg/L
Calcium, total	LGW-5	1/3/2019	120	0.2		mg/L
Calcium, total	LGW-5	7/9/2019	110	0.2		mg/L
Calcium, total	LGW-5	1/14/2020	119	0.2		mg/L
Calcium, total	LGW-5	7/6/2020	111	0.2		mg/L
Calcium, total	LGW-5	1/18/2021	120	0.2		mg/L
Calcium, total	LGW-5	1/18/2021	120	0.2		mg/L
Calcium, total	LGW-5	7/7/2021	120	0.2		mg/L
Calcium, total	LGW-5	7/7/2021	119	0.2		mg/L
Calcium, total	LGW-5	1/12/2022	120	0.2		mg/L
Calcium, total	LGW-5	7/11/2022	116	0.2		mg/L
Calcium, total	LGW-5	1/10/2023	117	0.2		mg/L
Calcium, total	LGW-5	7/10/2023	117	0.2		mg/L
Calcium, total	LGW-6	1/24/2006	96.7	1		mg/L
Calcium, total	LGW-6	7/20/2006	89	0.2		mg/L
Calcium, total	LGW-6	7/20/2006	89	0.2		mg/L
Calcium, total	LGW-6	1/24/2007	90	0.2		mg/L
Calcium, total	LGW-6	4/26/2007	82	0.2		mg/L
Calcium, total	LGW-6	7/11/2007	76	0.2		mg/L
Calcium, total	LGW-6	1/23/2008	90	0.2		mg/L
Calcium, total	LGW-6	7/23/2008	69	0.2		mg/L
Calcium, total	LGW-6	2/5/2009	82	0.2		mg/L
Calcium, total	LGW-6	7/29/2009	67	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-6	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-6	2/3/2010	69	0.2		mg/L
Calcium, total	LGW-6	7/12/2010	81	0.2		mg/L
Calcium, total	LGW-6	1/19/2011	72	0.2		mg/L
Calcium, total	LGW-6	7/12/2011	66	0.2		mg/L
Calcium, total	LGW-6	1/5/2012	70	0.2		mg/L
Calcium, total	LGW-6	7/9/2012	76	0.2		mg/L
Calcium, total	LGW-6	4/30/2013	82	0.2		mg/L
Calcium, total	LGW-6	7/15/2013	76	0.2		mg/L
Calcium, total	LGW-6	1/23/2014	80	0.2		mg/L
Calcium, total	LGW-6	7/8/2014	74	0.2		mg/L
Calcium, total	LGW-6	2/10/2015	84	0.2		mg/L
Calcium, total	LGW-6	7/22/2015	90	0.2		mg/L
Calcium, total	LGW-6	1/5/2016	100	0.2		mg/L
Calcium, total	LGW-6	7/19/2016	110	0.2		mg/L
Calcium, total	LGW-6	10/6/2016	130	0.2		mg/L
Calcium, total	LGW-6	1/11/2017	120	0.2		mg/L
Calcium, total	LGW-6	5/5/2017	110	0.2		mg/L
Calcium, total	LGW-6	7/18/2017	110	0.2		mg/L
Calcium, total	LGW-6	10/5/2017	110	0.2		mg/L
Calcium, total	LGW-6	1/23/2018	110	0.2		mg/L
Calcium, total	LGW-6	4/10/2018	110	0.2		mg/L
Calcium, total	LGW-6	7/17/2018	110	0.2		mg/L
Calcium, total	LGW-6	10/2/2018	110	0.2		mg/L
Calcium, total	LGW-6	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-6	4/3/2019	120	0.2		mg/L
Calcium, total	LGW-6	7/10/2019	110	0.2		mg/L
Calcium, total	LGW-6	7/10/2019	110	0.2		mg/L
Calcium, total	LGW-6	10/3/2019	100	0.2		mg/L
Calcium, total	LGW-6	1/16/2020	122	0.2		mg/L
Calcium, total	LGW-6	7/9/2020	107	0.2		mg/L
Calcium, total	LGW-6	1/18/2021	124	0.2		mg/L
Calcium, total	LGW-6	7/7/2021	111	0.2		mg/L
Calcium, total	LGW-6	7/7/2021	113	0.2		mg/L
Calcium, total	LGW-6	1/12/2022	111	0.2		mg/L
Calcium, total	LGW-6	7/11/2022	109	0.2		mg/L
Calcium, total	LGW-6	1/10/2023	104	0.2		mg/L
Calcium, total	LGW-6	7/10/2023	109	0.2		mg/L
Calcium, total	LGW-7	1/25/2006	90.5	1		mg/L
Calcium, total	LGW-7	8/1/2006	99	0.2		mg/L
Calcium, total	LGW-7	8/1/2006	99	0.2		mg/L
Calcium, total	LGW-7	1/24/2007	73	0.2		mg/L
Calcium, total	LGW-7	4/26/2007	77	0.2		mg/L
Calcium, total	LGW-7	7/12/2007	70	0.2		mg/L
Calcium, total	LGW-7	7/22/2008	72	0.2		mg/L
Calcium, total	LGW-7	2/4/2009	73	0.2		mg/L
Calcium, total	LGW-7	7/31/2009	65	0.2		mg/L
Calcium, total	LGW-7	1/27/2010	73	0.2		mg/L
Calcium, total	LGW-7	7/12/2010	70	0.2		mg/L
Calcium, total	LGW-7	1/20/2011	72	0.2		mg/L
Calcium, total	LGW-7	7/12/2011	67	0.2		mg/L
Calcium, total	LGW-7	1/5/2012	67	0.2		mg/L
Calcium, total	LGW-7	7/10/2012	83	0.2		mg/L
Calcium, total	LGW-7	4/30/2013	70	0.2		mg/L
Calcium, total	LGW-7	7/15/2013	79	0.2		mg/L
Calcium, total	LGW-7	1/23/2014	83	0.2		mg/L
Calcium, total	LGW-7	7/8/2014	86	0.2		mg/L
Calcium, total	LGW-7	2/11/2015	100	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-7	7/22/2015	87	0.2		mg/L
Calcium, total	LGW-7	1/5/2016	96	0.2		mg/L
Calcium, total	LGW-7	4/6/2016	100	0.2		mg/L
Calcium, total	LGW-7	7/20/2016	100	0.2		mg/L
Calcium, total	LGW-7	10/6/2016	110	0.2		mg/L
Calcium, total	LGW-7	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-7	4/4/2017	94	0.2		mg/L
Calcium, total	LGW-7	7/18/2017	88	0.2		mg/L
Calcium, total	LGW-7	10/5/2017	95	0.2		mg/L
Calcium, total	LGW-7	1/24/2018	100	0.2		mg/L
Calcium, total	LGW-7	4/11/2018	99	0.2		mg/L
Calcium, total	LGW-7	7/12/2018	93	0.2		mg/L
Calcium, total	LGW-7	10/2/2018	100	0.2		mg/L
Calcium, total	LGW-7	1/7/2019	110	0.2		mg/L
Calcium, total	LGW-7	4/3/2019	110	0.2		mg/L
Calcium, total	LGW-7	7/10/2019	100	0.2		mg/L
Calcium, total	LGW-7	7/10/2019	97	0.2		mg/L
Calcium, total	LGW-7	10/3/2019	97	0.2		mg/L
Calcium, total	LGW-7	1/15/2020	114	0.2		mg/L
Calcium, total	LGW-7	7/9/2020	104	0.2		mg/L
Calcium, total	LGW-7	1/18/2021	108	0.2		mg/L
Calcium, total	LGW-7	7/7/2021	111	0.2		mg/L
Calcium, total	LGW-7	7/7/2021	112	0.2		mg/L
Calcium, total	LGW-7	1/13/2022	104	0.2		mg/L
Calcium, total	LGW-7	7/11/2022	120	0.2		mg/L
Calcium, total	LGW-7	1/11/2023	101	0.2		mg/L
Calcium, total	LGW-7	7/10/2023	122	0.2		mg/L
Calcium, total	LGW-8R	1/24/2006	84.6	1		mg/L
Calcium, total	LGW-8R	7/20/2006	86	0.2		mg/L
Calcium, total	LGW-8R	7/20/2006	86	0.2		mg/L
Calcium, total	LGW-8R	1/24/2007	74	0.2		mg/L
Calcium, total	LGW-8R	4/25/2007	72	0.2		mg/L
Calcium, total	LGW-8R	7/12/2007	86	0.2		mg/L
Calcium, total	LGW-8R	2/4/2009	98	0.2	ND	mg/L
Calcium, total	LGW-8R	7/29/2009	89	0.2		mg/L
Calcium, total	LGW-8R	1/27/2010	100	0.2		mg/L
Calcium, total	LGW-8R	7/14/2010	95	0.2		mg/L
Calcium, total	LGW-8R	1/20/2011	93	0.2		mg/L
Calcium, total	LGW-8R	7/12/2011	89	0.2		mg/L
Calcium, total	LGW-8R	1/5/2012	88	0.2		mg/L
Calcium, total	LGW-8R	7/9/2012	94	0.2		mg/L
Calcium, total	LGW-8R	4/30/2013	94	0.2	ND	mg/L
Calcium, total	LGW-8R	7/15/2013	90	0.2	ND	mg/L
Calcium, total	LGW-8R	1/22/2014	95	0.2		mg/L
Calcium, total	LGW-8R	7/8/2014	87	0.2		mg/L
Calcium, total	LGW-8R	2/11/2015	95	0.2		mg/L
Calcium, total	LGW-8R	7/22/2015	100	0.2		mg/L
Calcium, total	LGW-8R	1/5/2016	100	0.2		mg/L
Calcium, total	LGW-8R	7/20/2016	110	0.2		mg/L
Calcium, total	LGW-8R	1/11/2017	100	0.2		mg/L
Calcium, total	LGW-8R	7/18/2017	130	0.2		mg/L
Calcium, total	LGW-8R	1/25/2018	110	0.2		mg/L
Calcium, total	LGW-8R	7/13/2018	110	0.2		mg/L
Calcium, total	LGW-8R	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-8R	7/8/2019	120	0.2		mg/L
Calcium, total	LGW-8R	1/14/2020	128	0.2		mg/L
Calcium, total	LGW-8R	7/7/2020	126	0.2		mg/L
Calcium, total	LGW-8R	1/17/2021	131	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	LGW-8R	7/7/2021	131	0.2		mg/L
Calcium, total	LGW-8R	7/7/2021	131	0.2		mg/L
Calcium, total	LGW-8R	1/13/2022	134	0.2		mg/L
Calcium, total	LGW-8R	7/11/2022	139	0.2		mg/L
Calcium, total	LGW-8R	1/11/2023	130	0.2		mg/L
Calcium, total	LGW-8R	7/10/2023	139	0.2		mg/L
Calcium, total	LGW-9	1/25/2006	85.2	1		mg/L
Calcium, total	LGW-9	7/20/2006	81	0.2		mg/L
Calcium, total	LGW-9	7/20/2006	81	0.2		mg/L
Calcium, total	LGW-9	1/25/2007	89	0.2		mg/L
Calcium, total	LGW-9	4/25/2007	97	0.2		mg/L
Calcium, total	LGW-9	7/10/2007	99	0.2		mg/L
Calcium, total	LGW-9	7/22/2008	100	0.2		mg/L
Calcium, total	LGW-9	2/4/2009	89	0.2		mg/L
Calcium, total	LGW-9	7/29/2009	91	0.2		mg/L
Calcium, total	LGW-9	1/27/2010	110	0.2		mg/L
Calcium, total	LGW-9	7/14/2010	110	0.2		mg/L
Calcium, total	LGW-9	1/20/2011	110	0.2		mg/L
Calcium, total	LGW-9	7/12/2011	100	0.2		mg/L
Calcium, total	LGW-9	1/5/2012	100	0.2		mg/L
Calcium, total	LGW-9	7/10/2012	110	0.2		mg/L
Calcium, total	LGW-9	5/1/2013	99	0.2		mg/L
Calcium, total	LGW-9	7/15/2013	89	0.2		mg/L
Calcium, total	LGW-9	1/23/2014	85	0.2		mg/L
Calcium, total	LGW-9	7/8/2014	87	0.2		mg/L
Calcium, total	LGW-9	2/11/2015	110	0.2		mg/L
Calcium, total	LGW-9	7/13/2015	99	0.2		mg/L
Calcium, total	LGW-9	1/5/2016	110	0.2		mg/L
Calcium, total	LGW-9	7/21/2016	120	0.2		mg/L
Calcium, total	LGW-9	10/6/2016	120	0.2		mg/L
Calcium, total	LGW-9	1/11/2017	130	0.2		mg/L
Calcium, total	LGW-9	5/5/2017	110	0.2		mg/L
Calcium, total	LGW-9	7/18/2017	130	0.2		mg/L
Calcium, total	LGW-9	10/5/2017	120	0.2		mg/L
Calcium, total	LGW-9	1/24/2018	130	0.2		mg/L
Calcium, total	LGW-9	4/11/2018	120	0.2		mg/L
Calcium, total	LGW-9	7/13/2018	110	0.2		mg/L
Calcium, total	LGW-9	10/2/2018	120	0.2		mg/L
Calcium, total	LGW-9	1/7/2019	120	0.2		mg/L
Calcium, total	LGW-9	4/3/2019	130	0.2		mg/L
Calcium, total	LGW-9	7/10/2019	96	0.2		mg/L
Calcium, total	LGW-9	7/10/2019	95	0.2		mg/L
Calcium, total	LGW-9	10/3/2019	90	0.2		mg/L
Calcium, total	LGW-9	1/16/2020	109	0.2		mg/L
Calcium, total	LGW-9	7/9/2020	101	0.2		mg/L
Calcium, total	LGW-9	1/17/2021	198	0.2		mg/L
Calcium, total	LGW-9	7/7/2021	127	0.2		mg/L
Calcium, total	LGW-9	7/7/2021	130	0.2		mg/L
Calcium, total	LGW-9	1/13/2022	113	0.2		mg/L
Calcium, total	LGW-9	7/11/2022	125	0.2		mg/L
Calcium, total	LGW-9	1/11/2023	111	0.2		mg/L
Calcium, total	LGW-9	7/10/2023	127	0.2		mg/L
Calcium, total	MW-10N	10/22/1997	52.7	0.04		mg/L
Calcium, total	MW-10N	1/22/1998	56.9	0.04		mg/L
Calcium, total	MW-10N	4/28/1998	54.8	0.04		mg/L
Calcium, total	MW-10N	7/23/1998	56.5	0.05		mg/L
Calcium, total	MW-10N	7/8/2003	45.4	1		mg/L
Calcium, total	MW-10N	1/28/2004	50.5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-10N	7/27/2004	49.3	1		mg/L
Calcium, total	MW-10N	1/12/2005	46.4	1		mg/L
Calcium, total	MW-10N	7/20/2005	43.5	1		mg/L
Calcium, total	MW-10N	1/19/2006	53.9	1		mg/L
Calcium, total	MW-10N	7/19/2006	48	0.2		mg/L
Calcium, total	MW-10N	7/19/2006	48	0.2		mg/L
Calcium, total	MW-10N	1/24/2007	44	0.2		mg/L
Calcium, total	MW-10N	7/10/2007	36	0.2		mg/L
Calcium, total	MW-10N	1/23/2008	43	0.2		mg/L
Calcium, total	MW-10N	7/21/2008	42	0.2		mg/L
Calcium, total	MW-10N	2/13/2009	42	0.2		mg/L
Calcium, total	MW-10N	7/31/2009	38	0.2		mg/L
Calcium, total	MW-10N	1/27/2010	45	0.2		mg/L
Calcium, total	MW-10N	8/10/2010	39	0.2		mg/L
Calcium, total	MW-10N	1/19/2011	38	0.2		mg/L
Calcium, total	MW-10N	7/14/2011	37	0.2		mg/L
Calcium, total	MW-10N	1/5/2012	36	0.2		mg/L
Calcium, total	MW-10N	7/10/2012	36	0.2		mg/L
Calcium, total	MW-10N	5/1/2013	34	0.2		mg/L
Calcium, total	MW-10N	1/24/2014	35	0.2		mg/L
Calcium, total	MW-10N	7/9/2014	34	0.2		mg/L
Calcium, total	MW-10N	2/12/2015	35	0.2		mg/L
Calcium, total	MW-10N	7/14/2015	33	0.2		mg/L
Calcium, total	MW-10N	1/6/2016	36	0.2		mg/L
Calcium, total	MW-10N	7/21/2016	35	0.2		mg/L
Calcium, total	MW-10N	1/11/2017	36	0.2		mg/L
Calcium, total	MW-10N	7/19/2017	37	0.2		mg/L
Calcium, total	MW-10N	1/24/2018	35	0.2		mg/L
Calcium, total	MW-10N	7/11/2018	33	0.2		mg/L
Calcium, total	MW-10N	1/3/2019	35	0.2		mg/L
Calcium, total	MW-10N	7/9/2019	32	0.2		mg/L
Calcium, total	MW-10N	1/16/2020	35.8	0.2		mg/L
Calcium, total	MW-10N	7/8/2020	32	0.2		mg/L
Calcium, total	MW-10N	1/13/2021	32.3	0.2		mg/L
Calcium, total	MW-10N	7/5/2021	31.5	0.2		mg/L
Calcium, total	MW-10N	7/5/2021	32.8	0.2		mg/L
Calcium, total	MW-10N	1/11/2023	31.4	0.2		mg/L
Calcium, total	MW-10N	7/7/2023	32.1	0.2		mg/L
Calcium, total	MW-11N	10/22/1997	78.9	0.04		mg/L
Calcium, total	MW-11N	1/21/1998	86.1	0.04		mg/L
Calcium, total	MW-11N	4/28/1998	79.3	0.04		mg/L
Calcium, total	MW-11N	7/23/1998	73.9	0.05		mg/L
Calcium, total	MW-11N	7/8/2003	70.1	1		mg/L
Calcium, total	MW-11N	1/29/2004	73.4	1		mg/L
Calcium, total	MW-11N	7/27/2004	72	1		mg/L
Calcium, total	MW-11N	1/13/2005	64.8	1		mg/L
Calcium, total	MW-11N	7/20/2005	68.9	1		mg/L
Calcium, total	MW-11N	1/19/2006	73.8	1		mg/L
Calcium, total	MW-11N	7/18/2006	68	0.2		mg/L
Calcium, total	MW-11N	7/18/2006	68	0.2		mg/L
Calcium, total	MW-11N	1/24/2007	68	0.2		mg/L
Calcium, total	MW-11N	7/10/2007	67	0.2		mg/L
Calcium, total	MW-11N	1/22/2008	68	0.2		mg/L
Calcium, total	MW-11N	7/23/2008	68	0.2		mg/L
Calcium, total	MW-11N	2/3/2009	66	0.2		mg/L
Calcium, total	MW-11N	7/31/2009	66	0.2		mg/L
Calcium, total	MW-11N	2/3/2010	68	0.2		mg/L
Calcium, total	MW-11N	2/3/2010	68	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-11N	7/16/2010	65	0.2		mg/L
Calcium, total	MW-11N	1/19/2011	66	0.2		mg/L
Calcium, total	MW-11N	7/13/2011	66	0.2		mg/L
Calcium, total	MW-11N	1/4/2012	67	0.2		mg/L
Calcium, total	MW-11N	7/9/2012	72	0.2		mg/L
Calcium, total	MW-11N	4/30/2013	69	0.2		mg/L
Calcium, total	MW-11N	7/15/2013	68	0.2		mg/L
Calcium, total	MW-11N	1/23/2014	71	0.2		mg/L
Calcium, total	MW-11N	7/8/2014	70	0.2		mg/L
Calcium, total	MW-11N	2/10/2015	70	0.2		mg/L
Calcium, total	MW-11N	7/13/2015	66	0.2		mg/L
Calcium, total	MW-11N	1/5/2016	68	0.2		mg/L
Calcium, total	MW-11N	7/21/2016	73	0.2		mg/L
Calcium, total	MW-11N	1/11/2017	72	0.2		mg/L
Calcium, total	MW-11N	7/19/2017	74	0.2		mg/L
Calcium, total	MW-11N	1/23/2018	73	0.2		mg/L
Calcium, total	MW-11N	7/17/2018	68	0.2		mg/L
Calcium, total	MW-11N	1/2/2019	73	0.2		mg/L
Calcium, total	MW-11N	7/9/2019	67	0.2		mg/L
Calcium, total	MW-11N	1/14/2020	74.2	0.2		mg/L
Calcium, total	MW-11N	7/6/2020	67.8	0.2		mg/L
Calcium, total	MW-11N	1/18/2021	70.4	0.2		mg/L
Calcium, total	MW-11N	1/18/2021	70.4	0.2		mg/L
Calcium, total	MW-11N	7/6/2021	71.2	0.2		mg/L
Calcium, total	MW-11N	7/6/2021	69.6	0.2		mg/L
Calcium, total	MW-11N	1/18/2022	64.6	0.2		mg/L
Calcium, total	MW-11N	7/13/2022	72.2	0.2		mg/L
Calcium, total	MW-11N	1/10/2023	66.3	0.2		mg/L
Calcium, total	MW-11N	7/8/2023	67.3	0.2		mg/L
Calcium, total	MW-15	6/5/2015	84	0.2		mg/L
Calcium, total	MW-15	7/15/2015	66	0.2		mg/L
Calcium, total	MW-15	8/5/2015	92	0.2		mg/L
Calcium, total	MW-15	9/3/2015	68	0.2		mg/L
Calcium, total	MW-15	1/7/2016	54	0.2		mg/L
Calcium, total	MW-15	4/5/2016	63	0.2		mg/L
Calcium, total	MW-15	7/20/2016	58	0.2		mg/L
Calcium, total	MW-15	10/6/2016	60	0.2		mg/L
Calcium, total	MW-15	1/10/2017	71	0.2		mg/L
Calcium, total	MW-15	7/18/2017	67	0.2		mg/L
Calcium, total	MW-15	1/23/2018	73	0.2		mg/L
Calcium, total	MW-15	7/10/2018	73	0.2		mg/L
Calcium, total	MW-15	1/3/2019	85	0.2		mg/L
Calcium, total	MW-15	7/9/2019	58	0.2		mg/L
Calcium, total	MW-15	1/14/2020	72.7	0.2		mg/L
Calcium, total	MW-15	7/7/2020	81.7	0.2		mg/L
Calcium, total	MW-15	1/18/2021	63.6	0.2		mg/L
Calcium, total	MW-15	1/18/2021	63.6	0.2		mg/L
Calcium, total	MW-15	7/4/2021	54.4	0.2		mg/L
Calcium, total	MW-15	7/4/2021	56.6	0.2		mg/L
Calcium, total	MW-15	1/12/2022	67	0.2		mg/L
Calcium, total	MW-15	7/10/2022	58.8	0.2		mg/L
Calcium, total	MW-15	1/10/2023	74.6	0.2		mg/L
Calcium, total	MW-15	7/10/2023	74.3	0.2		mg/L
Calcium, total	MW-16	6/5/2015	96	0.2		mg/L
Calcium, total	MW-16	7/16/2015	68	0.2		mg/L
Calcium, total	MW-16	8/5/2015	72	0.2		mg/L
Calcium, total	MW-16	9/3/2015	77	0.2		mg/L
Calcium, total	MW-16	1/8/2016	75	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-16	4/5/2016	80	0.2		mg/L
Calcium, total	MW-16	7/21/2016	71	0.2		mg/L
Calcium, total	MW-16	10/5/2016	68	0.2		mg/L
Calcium, total	MW-16	1/10/2017	74	0.2		mg/L
Calcium, total	MW-16	7/18/2017	70	0.2		mg/L
Calcium, total	MW-16	1/23/2018	67	0.2		mg/L
Calcium, total	MW-16	7/11/2018	66	0.2		mg/L
Calcium, total	MW-16	1/2/2019	71	0.2		mg/L
Calcium, total	MW-16	7/10/2019	65	0.2		mg/L
Calcium, total	MW-16	1/14/2020	72.5	0.2		mg/L
Calcium, total	MW-16	7/7/2020	65.6	0.2		mg/L
Calcium, total	MW-16	1/18/2021	68.1	0.2		mg/L
Calcium, total	MW-16	1/18/2021	68.1	0.2		mg/L
Calcium, total	MW-16	7/4/2021	67.2	0.2		mg/L
Calcium, total	MW-16	7/4/2021	68.8	0.2		mg/L
Calcium, total	MW-16	1/12/2022	64.6	0.2		mg/L
Calcium, total	MW-16	7/10/2022	67.4	0.2		mg/L
Calcium, total	MW-16	1/10/2023	63.7	0.2		mg/L
Calcium, total	MW-16	7/10/2023	65.9	0.2		mg/L
Calcium, total	MW-17	6/5/2015	66	0.2		mg/L
Calcium, total	MW-17	7/15/2015	37	0.2		mg/L
Calcium, total	MW-17	8/4/2015	42	0.2		mg/L
Calcium, total	MW-17	9/2/2015	49	0.2		mg/L
Calcium, total	MW-17	1/7/2016	15	0.2		mg/L
Calcium, total	MW-17	4/5/2016	42	0.2		mg/L
Calcium, total	MW-17	7/20/2016	52	0.2		mg/L
Calcium, total	MW-17	10/6/2016	81	0.2		mg/L
Calcium, total	MW-17	1/10/2017	91	0.2		mg/L
Calcium, total	MW-17	7/18/2017	77	0.2		mg/L
Calcium, total	MW-17	1/23/2018	59	0.2		mg/L
Calcium, total	MW-17	7/10/2018	65	0.2		mg/L
Calcium, total	MW-17	1/3/2019	76	0.2		mg/L
Calcium, total	MW-17	7/11/2019	69	0.2		mg/L
Calcium, total	MW-17	1/14/2020	51	0.2		mg/L
Calcium, total	MW-17	7/6/2020	82.1	0.2		mg/L
Calcium, total	MW-17	1/14/2021	56.6	0.2		mg/L
Calcium, total	MW-17	7/4/2021	59.4	0.2		mg/L
Calcium, total	MW-17	7/4/2021	58.2	0.2		mg/L
Calcium, total	MW-17	1/10/2023	45.6	0.2		mg/L
Calcium, total	MW-17	7/8/2023	36.1	0.2		mg/L
Calcium, total	MW-19	6/5/2015	66	0.2		mg/L
Calcium, total	MW-19	7/16/2015	97	0.2		mg/L
Calcium, total	MW-19	8/5/2015	40	0.2		mg/L
Calcium, total	MW-19	9/3/2015	43	0.2		mg/L
Calcium, total	MW-19	1/7/2016	63	0.2		mg/L
Calcium, total	MW-19	4/5/2016	74	0.2		mg/L
Calcium, total	MW-19	7/21/2016	47	0.2		mg/L
Calcium, total	MW-19	10/5/2016	62	0.2		mg/L
Calcium, total	MW-19	1/10/2017	70	0.2		mg/L
Calcium, total	MW-19	7/18/2017	110	0.2		mg/L
Calcium, total	MW-19	1/23/2018	61	0.2		mg/L
Calcium, total	MW-19	7/13/2018	48	0.2		mg/L
Calcium, total	MW-19	1/7/2019	51	0.2		mg/L
Calcium, total	MW-19	7/11/2019	63	0.2		mg/L
Calcium, total	MW-19	1/14/2020	103	0.2		mg/L
Calcium, total	MW-19	7/6/2020	74.9	0.2		mg/L
Calcium, total	MW-19	1/14/2021	68.1	0.2		mg/L
Calcium, total	MW-19	7/4/2021	61.4	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-19	7/4/2021	63.6	0.2		mg/L
Calcium, total	MW-19	1/11/2023	43.3	0.2		mg/L
Calcium, total	MW-19	7/10/2023	41	0.2		mg/L
Calcium, total	MW-1N	10/22/1997	66.8	0.04		mg/L
Calcium, total	MW-1N	1/20/1998	28.7	0.04		mg/L
Calcium, total	MW-1N	4/28/1998	43.7	0.04		mg/L
Calcium, total	MW-1N	7/23/1998	57.8	0.05		mg/L
Calcium, total	MW-1N	7/8/2003	103	1		mg/L
Calcium, total	MW-1N	1/28/2004	103	1		mg/L
Calcium, total	MW-1N	7/27/2004	94.3	1		mg/L
Calcium, total	MW-1N	1/12/2005	86.8	1		mg/L
Calcium, total	MW-1N	7/20/2005	83.9	1		mg/L
Calcium, total	MW-1N	1/18/2006	91.5	1		mg/L
Calcium, total	MW-1N	7/18/2006	81	0.2		mg/L
Calcium, total	MW-1N	7/18/2006	81	0.2		mg/L
Calcium, total	MW-1N	1/26/2007	81	0.2		mg/L
Calcium, total	MW-1N	7/11/2007	78	0.2		mg/L
Calcium, total	MW-1N	1/24/2008	79	0.2		mg/L
Calcium, total	MW-1N	7/21/2008	75	0.2		mg/L
Calcium, total	MW-1N	2/5/2009	77	0.2		mg/L
Calcium, total	MW-1N	7/31/2009	72	0.2		mg/L
Calcium, total	MW-1N	1/26/2010	80	0.2		mg/L
Calcium, total	MW-1N	7/13/2010	80	0.2		mg/L
Calcium, total	MW-1N	1/20/2011	74	0.2		mg/L
Calcium, total	MW-1N	7/13/2011	42	0.2		mg/L
Calcium, total	MW-1N	1/5/2012	55	0.2		mg/L
Calcium, total	MW-1N	7/10/2012	70	0.2		mg/L
Calcium, total	MW-1N	5/1/2013	64	0.2		mg/L
Calcium, total	MW-1N	7/16/2013	71	0.2		mg/L
Calcium, total	MW-1N	1/24/2014	75	0.2		mg/L
Calcium, total	MW-1N	7/9/2014	74	0.2		mg/L
Calcium, total	MW-1N	2/10/2015	76	0.2		mg/L
Calcium, total	MW-1N	7/14/2015	43	0.2		mg/L
Calcium, total	MW-1N	1/6/2016	42	0.2		mg/L
Calcium, total	MW-1N	7/21/2016	66	0.2		mg/L
Calcium, total	MW-1N	1/12/2017	73	0.2		mg/L
Calcium, total	MW-1N	7/19/2017	75	0.2		mg/L
Calcium, total	MW-1N	1/23/2018	73	0.2		mg/L
Calcium, total	MW-1N	7/10/2018	72	0.2		mg/L
Calcium, total	MW-1N	1/3/2019	76	0.2		mg/L
Calcium, total	MW-1N	7/11/2019	70	0.2		mg/L
Calcium, total	MW-1N	1/23/2020	91.7	0.2		mg/L
Calcium, total	MW-1N	7/6/2020	75	0.2		mg/L
Calcium, total	MW-1N	1/14/2021	75.7	0.2		mg/L
Calcium, total	MW-1N	7/4/2021	74.6	0.2		mg/L
Calcium, total	MW-1N	7/4/2021	74.4	0.2		mg/L
Calcium, total	MW-1N	1/11/2023	69.4	0.2		mg/L
Calcium, total	MW-1N	7/8/2023	70	0.2		mg/L
Calcium, total	MW-20	6/5/2015	120	0.2		mg/L
Calcium, total	MW-20	7/14/2015	110	0.2		mg/L
Calcium, total	MW-20	8/4/2015	120	0.2		mg/L
Calcium, total	MW-20	9/2/2015	130	0.2		mg/L
Calcium, total	MW-20	1/7/2016	87	0.2		mg/L
Calcium, total	MW-20	4/5/2016	110	0.2		mg/L
Calcium, total	MW-20	7/20/2016	110	0.2		mg/L
Calcium, total	MW-20	10/5/2016	94	0.2		mg/L
Calcium, total	MW-20	1/12/2017	110	0.2		mg/L
Calcium, total	MW-20	7/18/2017	87	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-20	1/26/2018	110	0.2		mg/L
Calcium, total	MW-20	7/12/2018	98	0.2		mg/L
Calcium, total	MW-20	7/11/2019	110	0.2		mg/L
Calcium, total	MW-20	1/14/2020	92	0.2		mg/L
Calcium, total	MW-20	7/7/2020	79	0.2		mg/L
Calcium, total	MW-20	1/17/2021	92.3	0.2		mg/L
Calcium, total	MW-20	7/4/2021	81.9	0.2		mg/L
Calcium, total	MW-20	7/4/2021	86.1	0.2		mg/L
Calcium, total	MW-20	1/11/2023	80.2	0.2		mg/L
Calcium, total	MW-21	6/5/2015	52	0.2		mg/L
Calcium, total	MW-21	7/14/2015	50	0.2		mg/L
Calcium, total	MW-21	8/4/2015	48	0.2		mg/L
Calcium, total	MW-21	9/2/2015	52	0.2		mg/L
Calcium, total	MW-21	1/7/2016	19	0.2		mg/L
Calcium, total	MW-21	4/5/2016	48	0.2		mg/L
Calcium, total	MW-21	7/20/2016	43	0.2		mg/L
Calcium, total	MW-21	10/5/2016	29	0.2		mg/L
Calcium, total	MW-21	10/5/2016	27	0.2		mg/L
Calcium, total	MW-21	1/10/2017	37	0.2		mg/L
Calcium, total	MW-21	4/5/2017	42	0.2		mg/L
Calcium, total	MW-21	7/19/2017	42	0.2		mg/L
Calcium, total	MW-21	10/6/2017	40	0.2		mg/L
Calcium, total	MW-21	1/24/2018	24	0.2		mg/L
Calcium, total	MW-21	4/11/2018	70	0.2		mg/L
Calcium, total	MW-21	7/11/2018	42	0.2		mg/L
Calcium, total	MW-21	10/4/2018	31	0.2		mg/L
Calcium, total	MW-21	1/3/2019	62	0.2		mg/L
Calcium, total	MW-21	4/3/2019	48	0.2		mg/L
Calcium, total	MW-21	7/11/2019	41	0.2		mg/L
Calcium, total	MW-21	7/11/2019	41	0.2		mg/L
Calcium, total	MW-21	10/2/2019	46	0.2		mg/L
Calcium, total	MW-21	1/16/2020	44.1	0.2		mg/L
Calcium, total	MW-21	7/8/2020	30.5	0.2		mg/L
Calcium, total	MW-21	1/13/2021	39.9	0.2		mg/L
Calcium, total	MW-21	7/5/2021	26	0.2		mg/L
Calcium, total	MW-21	7/5/2021	26.6	0.2		mg/L
Calcium, total	MW-21	1/11/2023	23.5	0.2		mg/L
Calcium, total	MW-21	7/7/2023	23.7	0.2		mg/L
Calcium, total	MW-2N	10/22/1997	49.8	0.04		mg/L
Calcium, total	MW-2N	1/21/1998	48.8	0.04		mg/L
Calcium, total	MW-2N	4/28/1998	50.2	0.04		mg/L
Calcium, total	MW-2N	7/22/1998	50.5	0.05		mg/L
Calcium, total	MW-2N	7/7/2003	43.4	1		mg/L
Calcium, total	MW-2N	1/28/2004	45.1	1		mg/L
Calcium, total	MW-2N	7/27/2004	45.3	1		mg/L
Calcium, total	MW-2N	1/12/2005	43.7	1		mg/L
Calcium, total	MW-2N	7/20/2005	42.6	1		mg/L
Calcium, total	MW-2N	1/19/2006	46.7	1		mg/L
Calcium, total	MW-2N	7/19/2006	44	0.2		mg/L
Calcium, total	MW-2N	7/19/2006	44	0.2		mg/L
Calcium, total	MW-2N	1/26/2007	45	0.2		mg/L
Calcium, total	MW-2N	7/11/2007	44	0.2		mg/L
Calcium, total	MW-2N	1/24/2008	47	0.2		mg/L
Calcium, total	MW-2N	7/22/2008	44	0.2		mg/L
Calcium, total	MW-2N	2/4/2009	46	0.2		mg/L
Calcium, total	MW-2N	7/31/2009	42	0.2		mg/L
Calcium, total	MW-2N	1/26/2010	47	0.2		mg/L
Calcium, total	MW-2N	7/13/2010	48	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-2N	1/20/2011	46	0.2		mg/L
Calcium, total	MW-2N	7/13/2011	46	0.2		mg/L
Calcium, total	MW-2N	1/5/2012	45	0.2		mg/L
Calcium, total	MW-2N	7/10/2012	49	0.2		mg/L
Calcium, total	MW-2N	5/1/2013	47	0.2		mg/L
Calcium, total	MW-2N	7/16/2013	47	0.2		mg/L
Calcium, total	MW-2N	1/24/2014	50	0.2		mg/L
Calcium, total	MW-2N	7/9/2014	53	0.2		mg/L
Calcium, total	MW-2N	2/12/2015	51	0.2		mg/L
Calcium, total	MW-2N	7/14/2015	50	0.2		mg/L
Calcium, total	MW-2N	1/6/2016	56	0.2		mg/L
Calcium, total	MW-2N	7/21/2016	60	0.2		mg/L
Calcium, total	MW-2N	1/11/2017	56	0.2		mg/L
Calcium, total	MW-2N	7/19/2017	60	0.2		mg/L
Calcium, total	MW-2N	1/23/2018	58	0.2		mg/L
Calcium, total	MW-2N	7/12/2018	54	0.2		mg/L
Calcium, total	MW-2N	1/3/2019	62	0.2		mg/L
Calcium, total	MW-2N	7/11/2019	62	0.2		mg/L
Calcium, total	MW-2N	1/24/2020	81.6	0.2		mg/L
Calcium, total	MW-2N	7/7/2020	83	0.2		mg/L
Calcium, total	MW-2N	1/14/2021	87.3	0.2		mg/L
Calcium, total	MW-2N	7/5/2021	85.2	0.2		mg/L
Calcium, total	MW-2N	7/5/2021	85.5	0.2		mg/L
Calcium, total	MW-2N	1/11/2023	85.5	0.2		mg/L
Calcium, total	MW-2N	7/8/2023	91.7	0.2		mg/L
Calcium, total	MW-3N	10/21/1997	114	0.04		mg/L
Calcium, total	MW-3N	1/21/1998	114	0.04		mg/L
Calcium, total	MW-3N	4/28/1998	111	0.04		mg/L
Calcium, total	MW-3N	7/23/1998	122	0.05		mg/L
Calcium, total	MW-3N	7/7/2003	128	1		mg/L
Calcium, total	MW-3N	1/28/2004	142	1		mg/L
Calcium, total	MW-3N	7/27/2004	137	1		mg/L
Calcium, total	MW-3N	1/12/2005	134	1		mg/L
Calcium, total	MW-3N	7/20/2005	128	1		mg/L
Calcium, total	MW-3N	1/18/2006	145	1		mg/L
Calcium, total	MW-3N	7/19/2006	140	0.2		mg/L
Calcium, total	MW-3N	7/19/2006	140	0.2		mg/L
Calcium, total	MW-3N	1/26/2007	130	0.2		mg/L
Calcium, total	MW-3N	7/11/2007	130	0.2		mg/L
Calcium, total	MW-3N	1/24/2008	130	0.2		mg/L
Calcium, total	MW-3N	7/22/2008	130	0.2		mg/L
Calcium, total	MW-3N	2/4/2009	130	0.2		mg/L
Calcium, total	MW-3N	7/31/2009	110	0.2		mg/L
Calcium, total	MW-3N	1/26/2010	120	0.2		mg/L
Calcium, total	MW-3N	7/13/2010	130	0.2		mg/L
Calcium, total	MW-3N	1/20/2011	120	0.2		mg/L
Calcium, total	MW-3N	7/14/2011	110	0.2		mg/L
Calcium, total	MW-3N	1/5/2012	120	0.2		mg/L
Calcium, total	MW-3N	7/11/2012	120	0.2		mg/L
Calcium, total	MW-3N	5/1/2013	110	0.2		mg/L
Calcium, total	MW-3N	6/4/2013	120	0.2		mg/L
Calcium, total	MW-3N	7/16/2013	110	0.2		mg/L
Calcium, total	MW-3N	1/24/2014	110	0.2		mg/L
Calcium, total	MW-3N	7/9/2014	110	0.2		mg/L
Calcium, total	MW-3N	2/12/2015	120	0.2		mg/L
Calcium, total	MW-3N	4/1/2015	110	0.2		mg/L
Calcium, total	MW-3N	7/14/2015	110	0.2		mg/L
Calcium, total	MW-3N	10/5/2015	110	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-3N	1/6/2016	110	0.2		mg/L
Calcium, total	MW-3N	4/6/2016	110	0.2		mg/L
Calcium, total	MW-3N	7/21/2016	110	0.2		mg/L
Calcium, total	MW-3N	10/6/2016	120	0.2		mg/L
Calcium, total	MW-3N	1/11/2017	130	0.2		mg/L
Calcium, total	MW-3N	4/4/2017	130	0.2		mg/L
Calcium, total	MW-3N	7/19/2017	120	0.2		mg/L
Calcium, total	MW-3N	10/9/2017	99	0.2		mg/L
Calcium, total	MW-3N	1/24/2018	120	0.2		mg/L
Calcium, total	MW-3N	4/10/2018	110	0.2		mg/L
Calcium, total	MW-3N	7/13/2018	110	0.2		mg/L
Calcium, total	MW-3N	10/3/2018	120	0.2		mg/L
Calcium, total	MW-3N	1/7/2019	120	0.2		mg/L
Calcium, total	MW-3N	4/3/2019	120	0.2		mg/L
Calcium, total	MW-3N	7/11/2019	110	0.2		mg/L
Calcium, total	MW-3N	7/11/2019	110	0.2		mg/L
Calcium, total	MW-3N	10/2/2019	130	0.2		mg/L
Calcium, total	MW-3N	1/21/2020	112	0.2		mg/L
Calcium, total	MW-3N	7/7/2020	111	0.2		mg/L
Calcium, total	MW-3N	1/13/2021	138	0.2		mg/L
Calcium, total	MW-3N	7/5/2021	115	0.2		mg/L
Calcium, total	MW-3N	7/5/2021	117	0.2		mg/L
Calcium, total	MW-3N	1/11/2023	108	0.2		mg/L
Calcium, total	MW-3N	7/7/2023	111	0.2		mg/L
Calcium, total	MW-7N	10/21/1997	64.9	0.04		mg/L
Calcium, total	MW-7N	1/21/1998	79.5	0.04		mg/L
Calcium, total	MW-7N	7/22/1998	144	0.05		mg/L
Calcium, total	MW-7N	8/18/1998	137	0.05		mg/L
Calcium, total	MW-7N	9/17/1998	141	0.05		mg/L
Calcium, total	MW-7N	11/9/1998	146	0.04		mg/L
Calcium, total	MW-7N	7/7/2003	136	1		mg/L
Calcium, total	MW-7N	1/27/2004	161	1		mg/L
Calcium, total	MW-7N	4/8/2004	150	1		mg/L
Calcium, total	MW-7N	7/26/2004	146	1		mg/L
Calcium, total	MW-7N	1/12/2005	140	1		mg/L
Calcium, total	MW-7N	7/19/2005	156	1		mg/L
Calcium, total	MW-7N	1/19/2006	162	1		mg/L
Calcium, total	MW-7N	7/19/2006	150	0.2		mg/L
Calcium, total	MW-7N	7/19/2006	150	0.2		mg/L
Calcium, total	MW-7N	1/26/2007	140	0.2		mg/L
Calcium, total	MW-7N	7/10/2007	130	0.2		mg/L
Calcium, total	MW-7N	7/21/2008	93	0.2		mg/L
Calcium, total	MW-7N	2/6/2009	90	0.2		mg/L
Calcium, total	MW-7N	7/29/2009	63	0.2		mg/L
Calcium, total	MW-7N	1/26/2010	92	0.2		mg/L
Calcium, total	MW-7N	7/14/2010	85	0.2		mg/L
Calcium, total	MW-7N	1/20/2011	63	0.2		mg/L
Calcium, total	MW-7N	7/12/2011	64	0.2		mg/L
Calcium, total	MW-7N	1/5/2012	64	0.2		mg/L
Calcium, total	MW-7N	7/10/2012	68	0.2		mg/L
Calcium, total	MW-7N	5/1/2013	120	0.2		mg/L
Calcium, total	MW-7N	6/4/2013	96	0.2		mg/L
Calcium, total	MW-7N	7/15/2013	64	0.2		mg/L
Calcium, total	MW-7N	1/30/2014	66	0.2		mg/L
Calcium, total	MW-7N	7/9/2014	59	0.2		mg/L
Calcium, total	MW-7N	2/12/2015	64	0.2		mg/L
Calcium, total	MW-7N	7/13/2015	55	0.2		mg/L
Calcium, total	MW-7N	1/5/2016	59	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-7N	7/21/2016	64	0.2		mg/L
Calcium, total	MW-7N	1/11/2017	150	0.2		mg/L
Calcium, total	MW-7N	4/4/2017	120	0.2		mg/L
Calcium, total	MW-7N	7/19/2017	110	0.2		mg/L
Calcium, total	MW-7N	10/5/2017	98	0.2		mg/L
Calcium, total	MW-7N	1/25/2018	92	0.2		mg/L
Calcium, total	MW-7N	4/11/2018	90	0.2		mg/L
Calcium, total	MW-7N	7/13/2018	78	0.2		mg/L
Calcium, total	MW-7N	1/4/2019	96	0.2		mg/L
Calcium, total	MW-7N	7/10/2019	74	0.2		mg/L
Calcium, total	MW-7N	1/16/2020	77.3	0.2		mg/L
Calcium, total	MW-7N	7/7/2020	67.1	0.2		mg/L
Calcium, total	MW-7N	1/16/2021	75.8	0.2		mg/L
Calcium, total	MW-7N	7/5/2021	81.4	0.2		mg/L
Calcium, total	MW-7N	7/5/2021	82.2	0.2		mg/L
Calcium, total	MW-7N	1/12/2022	74.8	0.2		mg/L
Calcium, total	MW-7N	7/10/2022	78.4	0.2		mg/L
Calcium, total	MW-7N	1/10/2023	71.6	0.2		mg/L
Calcium, total	MW-7N	7/7/2023	74.2	0.2		mg/L
Calcium, total	MW-8N	10/21/1997	53.3	0.04		mg/L
Calcium, total	MW-8N	1/22/1998	71.3	0.04		mg/L
Calcium, total	MW-8N	4/28/1998	93.5	0.04		mg/L
Calcium, total	MW-8N	7/22/1998	99.8	0.05		mg/L
Calcium, total	MW-8N	7/7/2003	55.9	1		mg/L
Calcium, total	MW-8N	1/28/2004	55	1		mg/L
Calcium, total	MW-8N	7/27/2004	54	1		mg/L
Calcium, total	MW-8N	1/12/2005	59.9	1		mg/L
Calcium, total	MW-8N	7/20/2005	66.7	1		mg/L
Calcium, total	MW-8N	1/19/2006	76.7	1		mg/L
Calcium, total	MW-8N	7/19/2006	69	0.2		mg/L
Calcium, total	MW-8N	7/19/2006	69	0.2		mg/L
Calcium, total	MW-8N	1/26/2007	62	0.2		mg/L
Calcium, total	MW-8N	4/25/2007	54	0.2		mg/L
Calcium, total	MW-8N	7/10/2007	63	0.2		mg/L
Calcium, total	MW-8N	1/24/2008	61	0.2		mg/L
Calcium, total	MW-8N	7/23/2008	36	0.2		mg/L
Calcium, total	MW-8N	2/4/2009	42	0.2		mg/L
Calcium, total	MW-8N	7/31/2009	38	0.2		mg/L
Calcium, total	MW-8N	1/26/2010	42	0.2		mg/L
Calcium, total	MW-8N	7/16/2010	36	0.2		mg/L
Calcium, total	MW-8N	1/19/2011	42	0.2		mg/L
Calcium, total	MW-8N	5/10/2011	47	0.2		mg/L
Calcium, total	MW-8N	7/14/2011	45	0.2		mg/L
Calcium, total	MW-8N	1/6/2012	44	0.2		mg/L
Calcium, total	MW-8N	4/5/2012	47	0.2		mg/L
Calcium, total	MW-8N	7/11/2012	45	0.2		mg/L
Calcium, total	MW-8N	10/3/2012	51	0.2		mg/L
Calcium, total	MW-8N	5/1/2013	50	0.2		mg/L
Calcium, total	MW-8N	6/4/2013	53	0.2		mg/L
Calcium, total	MW-8N	7/16/2013	49	0.2		mg/L
Calcium, total	MW-8N	10/2/2013	48	0.2		mg/L
Calcium, total	MW-8N	1/30/2014	50	0.2		mg/L
Calcium, total	MW-8N	4/3/2014	50	0.2		mg/L
Calcium, total	MW-8N	7/9/2014	52	0.2		mg/L
Calcium, total	MW-8N	10/8/2014	51	0.2		mg/L
Calcium, total	MW-8N	2/12/2015	54	0.2		mg/L
Calcium, total	MW-8N	4/1/2015	54	0.2		mg/L
Calcium, total	MW-8N	7/14/2015	53	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	MW-8N	10/5/2015	54	0.2		mg/L
Calcium, total	MW-8N	1/5/2016	60	0.2		mg/L
Calcium, total	MW-8N	4/6/2016	62	0.2		mg/L
Calcium, total	MW-8N	7/21/2016	60	0.2		mg/L
Calcium, total	MW-8N	10/6/2016	55	0.2		mg/L
Calcium, total	MW-8N	1/11/2017	81	0.2		mg/L
Calcium, total	MW-8N	4/4/2017	90	0.2		mg/L
Calcium, total	MW-8N	7/19/2017	63	0.2		mg/L
Calcium, total	MW-8N	10/6/2017	63	0.2		mg/L
Calcium, total	MW-8N	1/25/2018	68	0.2		mg/L
Calcium, total	MW-8N	4/10/2018	68	0.2		mg/L
Calcium, total	MW-8N	7/16/2018	63	0.2		mg/L
Calcium, total	MW-8N	10/2/2018	70	0.2		mg/L
Calcium, total	MW-8N	1/7/2019	71	0.2		mg/L
Calcium, total	MW-8N	4/3/2019	67	0.2		mg/L
Calcium, total	MW-8N	7/11/2019	67	0.2		mg/L
Calcium, total	MW-8N	7/11/2019	67	0.2		mg/L
Calcium, total	MW-8N	10/3/2019	60	0.2		mg/L
Calcium, total	MW-8N	1/15/2020	59.8	0.2		mg/L
Calcium, total	MW-8N	7/9/2020	54.3	0.2		mg/L
Calcium, total	MW-8N	1/15/2021	58.1	0.2		mg/L
Calcium, total	MW-8N	7/5/2021	55.1	0.2		mg/L
Calcium, total	MW-8N	7/5/2021	56	0.2		mg/L
Calcium, total	MW-8N	1/18/2022	51.4	0.2		mg/L
Calcium, total	MW-8N	7/12/2022	56	0.2		mg/L
Calcium, total	MW-8N	1/11/2023	52	0.2		mg/L
Calcium, total	MW-8N	7/7/2023	52.8	0.2		mg/L
Calcium, total	NE-1	7/8/2003	73.4	1		mg/L
Calcium, total	NE-1	1/27/2004	75.4	1		mg/L
Calcium, total	NE-1	1/12/2005	69.2	1		mg/L
Calcium, total	NE-1	7/19/2006	56	0.2		mg/L
Calcium, total	NE-1	7/19/2006	56	0.2		mg/L
Calcium, total	NE-1	1/24/2007	54	0.2		mg/L
Calcium, total	NE-1	7/10/2007	68	0.2		mg/L
Calcium, total	NE-1	1/24/2008	74	0.2		mg/L
Calcium, total	NE-1	7/21/2008	38	0.2		mg/L
Calcium, total	NE-1	2/7/2009	59	0.2		mg/L
Calcium, total	NE-1	7/31/2009	42	0.2		mg/L
Calcium, total	NE-1	1/26/2010	58	0.2		mg/L
Calcium, total	NE-1	7/14/2010	70	0.2		mg/L
Calcium, total	NE-1	1/19/2011	59	0.2		mg/L
Calcium, total	NE-1	7/13/2011	52	0.2		mg/L
Calcium, total	NE-1	1/5/2012	57	0.2		mg/L
Calcium, total	NE-1	7/10/2012	60	0.2		mg/L
Calcium, total	NE-1	4/30/2013	56	0.2		mg/L
Calcium, total	NE-1	7/16/2013	33	0.2		mg/L
Calcium, total	NE-1	1/23/2014	57	0.2		mg/L
Calcium, total	NE-1	7/9/2014	66	0.2		mg/L
Calcium, total	NE-1	2/11/2015	70	0.2		mg/L
Calcium, total	NE-1	7/8/2015	58	0.2		mg/L
Calcium, total	NE-1	1/6/2016	84	0.2		mg/L
Calcium, total	NE-1	7/20/2016	83	0.2		mg/L
Calcium, total	NE-1	1/11/2017	84	0.2		mg/L
Calcium, total	NE-1	7/19/2017	70	0.2		mg/L
Calcium, total	NE-1	1/24/2018	76	0.2		mg/L
Calcium, total	NE-1	4/11/2018	78	0.2		mg/L
Calcium, total	NE-1	7/18/2018	65	0.2		mg/L
Calcium, total	NE-1	10/2/2018	78	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-1	1/4/2019	80	0.2		mg/L
Calcium, total	NE-1	7/10/2019	59	0.2		mg/L
Calcium, total	NE-1	1/15/2020	78.1	0.2		mg/L
Calcium, total	NE-1	7/8/2020	69.8	0.2		mg/L
Calcium, total	NE-1	1/13/2021	74	0.2		mg/L
Calcium, total	NE-1	7/2/2021	63.9	0.2		mg/L
Calcium, total	NE-1	1/17/2022	63.4	0.2		mg/L
Calcium, total	NE-1	7/13/2022	56.5	0.2		mg/L
Calcium, total	NE-1	1/5/2023	62.4	0.2		mg/L
Calcium, total	NE-1	7/5/2023	62.2	0.2		mg/L
Calcium, total	NE-10D	11/6/2019	58	0.2		mg/L
Calcium, total	NE-10D	1/16/2020	56.6	0.2		mg/L
Calcium, total	NE-10D	7/8/2020	48.1	0.2		mg/L
Calcium, total	NE-10D	1/13/2021	43.2	0.2		mg/L
Calcium, total	NE-10D	7/2/2021	45.4	0.2		mg/L
Calcium, total	NE-10D	1/6/2023	41.9	0.2		mg/L
Calcium, total	NE-10D	7/8/2023	39.8	0.2		mg/L
Calcium, total	NE-11	3/1/2017	73	0.2		mg/L
Calcium, total	NE-11	4/6/2017	87	0.2		mg/L
Calcium, total	NE-11	7/20/2017	66	0.2		mg/L
Calcium, total	NE-11	10/9/2017	74	0.2		mg/L
Calcium, total	NE-11	9/30/2019	59	0.2		mg/L
Calcium, total	NE-11	1/14/2020	106	0.2		mg/L
Calcium, total	NE-11	7/7/2020	96.9	0.2		mg/L
Calcium, total	NE-11	1/16/2021	99.6	0.2		mg/L
Calcium, total	NE-11	1/16/2021	102	0.2		mg/L
Calcium, total	NE-11	7/1/2021	89.8	0.2		mg/L
Calcium, total	NE-11	7/1/2021	90.1	0.2		mg/L
Calcium, total	NE-11	7/1/2021	89.8	0.2		mg/L
Calcium, total	NE-11	1/17/2022	87	0.2		mg/L
Calcium, total	NE-11	1/17/2022	90.3	0.2		mg/L
Calcium, total	NE-11	7/12/2022	89.5	0.2		mg/L
Calcium, total	NE-11	1/6/2023	91	0.2		mg/L
Calcium, total	NE-11	7/6/2023	91	0.2		mg/L
Calcium, total	NE-12	3/1/2017	110	0.2		mg/L
Calcium, total	NE-12	4/6/2017	70	0.2		mg/L
Calcium, total	NE-12	7/20/2017	67	0.2		mg/L
Calcium, total	NE-12	10/6/2017	81	0.2		mg/L
Calcium, total	NE-12	7/9/2019	74	0.2		mg/L
Calcium, total	NE-12	8/5/2019	88	0.2		mg/L
Calcium, total	NE-12	1/13/2020	81.1	0.2		mg/L
Calcium, total	NE-12	7/7/2020	88.3	0.2		mg/L
Calcium, total	NE-12	1/15/2021	82.4	0.2		mg/L
Calcium, total	NE-12	1/15/2021	80.6	0.2		mg/L
Calcium, total	NE-12	7/1/2021	91	0.2		mg/L
Calcium, total	NE-12	7/1/2021	93.7	0.2		mg/L
Calcium, total	NE-12	7/1/2021	91	0.2		mg/L
Calcium, total	NE-12	1/17/2022	74.7	0.2		mg/L
Calcium, total	NE-12	1/17/2022	69.1	0.2		mg/L
Calcium, total	NE-12	7/12/2022	89.1	0.2		mg/L
Calcium, total	NE-12	1/6/2023	88.9	0.2		mg/L
Calcium, total	NE-12	7/5/2023	80.9	0.2		mg/L
Calcium, total	NE-13	2/5/2019	7.8	0.2		mg/L
Calcium, total	NE-13	7/11/2019	6.1	0.2		mg/L
Calcium, total	NE-13	8/7/2019	12	0.2		mg/L
Calcium, total	NE-13	1/15/2020	9.07	0.2		mg/L
Calcium, total	NE-13	7/8/2020	13.9	0.2		mg/L
Calcium, total	NE-13	1/17/2021	13	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-13	1/17/2021	13.2	0.2		mg/L
Calcium, total	NE-13	7/1/2021	44	0.2		mg/L
Calcium, total	NE-13	7/1/2021	44	0.2		mg/L
Calcium, total	NE-13	7/1/2021	41.4	0.2		mg/L
Calcium, total	NE-14D	10/2/2019	97	0.2		mg/L
Calcium, total	NE-14D	1/16/2020	107	0.2		mg/L
Calcium, total	NE-14D	7/7/2020	101	0.2		mg/L
Calcium, total	NE-14D	1/17/2021	113	0.2		mg/L
Calcium, total	NE-14D	7/2/2021	113	0.2		mg/L
Calcium, total	NE-14D	1/18/2022	110	0.2		mg/L
Calcium, total	NE-14D	7/13/2022	118	0.2		mg/L
Calcium, total	NE-14D	1/6/2023	116	0.2		mg/L
Calcium, total	NE-14D	7/5/2023	117	0.2		mg/L
Calcium, total	NE-14S	10/2/2019	74	0.2		mg/L
Calcium, total	NE-14S	1/16/2020	46.4	0.2		mg/L
Calcium, total	NE-14S	7/7/2020	58.5	0.2		mg/L
Calcium, total	NE-14S	1/17/2021	83.9	0.2		mg/L
Calcium, total	NE-14S	7/2/2021	66.9	0.2		mg/L
Calcium, total	NE-14S	1/18/2022	81.1	0.2		mg/L
Calcium, total	NE-14S	7/13/2022	75.4	0.2		mg/L
Calcium, total	NE-14S	1/6/2023	97.9	0.2		mg/L
Calcium, total	NE-14S	7/5/2023	97.3	0.2		mg/L
Calcium, total	NE-15D	9/30/2019	110	0.2		mg/L
Calcium, total	NE-15D	1/16/2020	120	0.2		mg/L
Calcium, total	NE-15D	7/7/2020	114	0.2		mg/L
Calcium, total	NE-15D	1/17/2021	119	0.2		mg/L
Calcium, total	NE-15D	7/2/2021	120	0.2		mg/L
Calcium, total	NE-15D	1/17/2022	186	0.2		mg/L
Calcium, total	NE-15D	7/13/2022	122	0.2		mg/L
Calcium, total	NE-15D	1/6/2023	115	0.2		mg/L
Calcium, total	NE-15D	7/6/2023	114	0.2		mg/L
Calcium, total	NE-2	10/1/2013	56	0.2		mg/L
Calcium, total	NE-2	10/8/2014	67	0.2		mg/L
Calcium, total	NE-2	10/5/2015	55	0.2		mg/L
Calcium, total	NE-2	10/6/2016	61	0.2		mg/L
Calcium, total	NE-2	10/5/2017	59	0.2		mg/L
Calcium, total	NE-2	1/25/2018	46	0.2		mg/L
Calcium, total	NE-2	4/10/2018	42	0.2		mg/L
Calcium, total	NE-2	7/10/2018	62	0.2		mg/L
Calcium, total	NE-2	10/1/2018	61	0.2		mg/L
Calcium, total	NE-2	1/4/2019	44	0.2		mg/L
Calcium, total	NE-2	7/9/2019	39	0.2		mg/L
Calcium, total	NE-2	1/14/2020	33.5	0.2		mg/L
Calcium, total	NE-2	7/7/2020	53.7	0.2		mg/L
Calcium, total	NE-2	1/14/2021	42.6	0.2		mg/L
Calcium, total	NE-2	7/2/2021	46.4	0.2		mg/L
Calcium, total	NE-2	1/18/2022	42	0.2		mg/L
Calcium, total	NE-2	7/13/2022	63	0.2		mg/L
Calcium, total	NE-2	1/5/2023	50.2	0.2		mg/L
Calcium, total	NE-2	7/5/2023	63.7	0.2		mg/L
Calcium, total	NE-4	7/8/2003	122	1		mg/L
Calcium, total	NE-4	1/28/2004	159	1		mg/L
Calcium, total	NE-4	1/13/2005	75.6	1		mg/L
Calcium, total	NE-4	8/1/2006	140	0.2		mg/L
Calcium, total	NE-4	8/1/2006	140	0.2		mg/L
Calcium, total	NE-4	1/24/2007	86	0.2		mg/L
Calcium, total	NE-4	7/12/2007	130	0.2		mg/L
Calcium, total	NE-4	1/24/2008	140	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-4	7/21/2008	64	0.2		mg/L
Calcium, total	NE-4	2/7/2009	140	0.2		mg/L
Calcium, total	NE-4	7/31/2009	110	0.2		mg/L
Calcium, total	NE-4	1/26/2010	130	0.2		mg/L
Calcium, total	NE-4	7/14/2010	130	0.2		mg/L
Calcium, total	NE-4	1/19/2011	120	0.2		mg/L
Calcium, total	NE-4	7/13/2011	82	0.2		mg/L
Calcium, total	NE-4	1/5/2012	110	0.2		mg/L
Calcium, total	NE-4	7/10/2012	110	0.2		mg/L
Calcium, total	NE-4	4/30/2013	94	0.2		mg/L
Calcium, total	NE-4	7/16/2013	93	0.2		mg/L
Calcium, total	NE-4	1/23/2014	89	0.2		mg/L
Calcium, total	NE-4	7/9/2014	92	0.2		mg/L
Calcium, total	NE-4	2/13/2015	100	0.2		mg/L
Calcium, total	NE-4	7/8/2015	85	0.2		mg/L
Calcium, total	NE-4	1/6/2016	34	0.2		mg/L
Calcium, total	NE-4	7/20/2016	98	0.2		mg/L
Calcium, total	NE-4	1/11/2017	99	0.2		mg/L
Calcium, total	NE-4	7/19/2017	69	0.2		mg/L
Calcium, total	NE-4	1/26/2018	95	0.2		mg/L
Calcium, total	NE-4	4/10/2018	92	0.2		mg/L
Calcium, total	NE-4	7/12/2018	81	0.2		mg/L
Calcium, total	NE-4	10/3/2018	70	0.2		mg/L
Calcium, total	NE-4	1/7/2019	95	0.2		mg/L
Calcium, total	NE-4	7/8/2019	36	0.2		mg/L
Calcium, total	NE-4	1/13/2020	60.2	0.2		mg/L
Calcium, total	NE-4	7/6/2020	43.6	0.2		mg/L
Calcium, total	NE-4	1/15/2021	100	0.2		mg/L
Calcium, total	NE-4	7/2/2021	78.6	0.2		mg/L
Calcium, total	NE-4	1/5/2023	86.7	0.2		mg/L
Calcium, total	NE-4	7/5/2023	81.3	0.2		mg/L
Calcium, total	NE-5	7/8/2003	156	1		mg/L
Calcium, total	NE-5	1/27/2004	343	1		mg/L
Calcium, total	NE-5	1/12/2005	207	1		mg/L
Calcium, total	NE-5	7/19/2006	150	0.2		mg/L
Calcium, total	NE-5	7/19/2006	150	0.2		mg/L
Calcium, total	NE-5	1/24/2007	130	0.2		mg/L
Calcium, total	NE-5	7/12/2007	140	0.2		mg/L
Calcium, total	NE-5	7/22/2008	140	0.2		mg/L
Calcium, total	NE-5	2/6/2009	180	0.2		mg/L
Calcium, total	NE-5	7/31/2009	130	0.2		mg/L
Calcium, total	NE-5	1/26/2010	150	0.2		mg/L
Calcium, total	NE-5	7/16/2010	150	0.2		mg/L
Calcium, total	NE-5	1/19/2011	120	0.2		mg/L
Calcium, total	NE-5	7/13/2011	130	0.2		mg/L
Calcium, total	NE-5	1/5/2012	120	0.2		mg/L
Calcium, total	NE-5	7/10/2012	130	0.2		mg/L
Calcium, total	NE-5	4/30/2013	150	0.2		mg/L
Calcium, total	NE-5	7/16/2013	130	0.2		mg/L
Calcium, total	NE-5	1/23/2014	120	0.2		mg/L
Calcium, total	NE-5	7/9/2014	130	0.2		mg/L
Calcium, total	NE-5	2/11/2015	140	0.2		mg/L
Calcium, total	NE-5	7/14/2015	130	0.2		mg/L
Calcium, total	NE-5	1/6/2016	150	0.2		mg/L
Calcium, total	NE-5	7/20/2016	130	0.2		mg/L
Calcium, total	NE-5	1/11/2017	130	0.2		mg/L
Calcium, total	NE-5	7/19/2017	130	0.2		mg/L
Calcium, total	NE-5	1/25/2018	130	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-5	4/10/2018	140	0.2		mg/L
Calcium, total	NE-5	7/17/2018	120	0.2		mg/L
Calcium, total	NE-5	10/3/2018	130	0.2		mg/L
Calcium, total	NE-5	1/4/2019	140	0.2		mg/L
Calcium, total	NE-5	4/2/2019	140	0.2		mg/L
Calcium, total	NE-5	7/9/2019	130	0.2		mg/L
Calcium, total	NE-5	7/9/2019	130	0.2		mg/L
Calcium, total	NE-5	1/16/2020	128	0.2		mg/L
Calcium, total	NE-5	7/8/2020	108	0.2		mg/L
Calcium, total	NE-5	1/15/2021	132	0.2		mg/L
Calcium, total	NE-5	7/2/2021	119	0.2		mg/L
Calcium, total	NE-5	1/18/2022	116	0.2		mg/L
Calcium, total	NE-5	7/13/2022	122	0.2		mg/L
Calcium, total	NE-5	1/5/2023	119	0.2		mg/L
Calcium, total	NE-5	7/6/2023	115	0.2		mg/L
Calcium, total	NE-5E	9/30/2019	120	0.2		mg/L
Calcium, total	NE-5E	1/16/2020	108	0.2		mg/L
Calcium, total	NE-5E	7/8/2020	95.2	0.2		mg/L
Calcium, total	NE-5E	1/15/2021	112	0.2		mg/L
Calcium, total	NE-5E	7/2/2021	98.8	0.2		mg/L
Calcium, total	NE-5E	1/18/2022	92.6	0.2		mg/L
Calcium, total	NE-5E	7/13/2022	130	0.2		mg/L
Calcium, total	NE-5E	1/5/2023	116	0.2		mg/L
Calcium, total	NE-5E	7/6/2023	118	0.2		mg/L
Calcium, total	NE-5W	9/30/2019	130	0.2		mg/L
Calcium, total	NE-5W	1/16/2020	144	0.2		mg/L
Calcium, total	NE-5W	7/8/2020	138	0.2		mg/L
Calcium, total	NE-5W	1/15/2021	142	0.2		mg/L
Calcium, total	NE-5W	7/2/2021	139	0.2		mg/L
Calcium, total	NE-5W	1/18/2022	134	0.2		mg/L
Calcium, total	NE-5W	7/13/2022	138	0.2		mg/L
Calcium, total	NE-5W	1/5/2023	129	0.2		mg/L
Calcium, total	NE-5W	7/6/2023	131	0.2		mg/L
Calcium, total	NE-6	1/12/2017	130	0.2		mg/L
Calcium, total	NE-6	4/5/2017	120	0.2		mg/L
Calcium, total	NE-6	7/19/2017	120	0.2		mg/L
Calcium, total	NE-6	10/6/2017	120	0.2		mg/L
Calcium, total	NE-6	2/4/2019	120	0.2		mg/L
Calcium, total	NE-6	7/9/2019	120	0.2		mg/L
Calcium, total	NE-6	8/6/2019	120	0.2		mg/L
Calcium, total	NE-6	1/15/2020	128	0.2		mg/L
Calcium, total	NE-6	7/9/2020	120	0.2		mg/L
Calcium, total	NE-6	1/16/2021	130	0.2		mg/L
Calcium, total	NE-6	1/16/2021	132	0.2		mg/L
Calcium, total	NE-6	7/1/2021	123	0.2		mg/L
Calcium, total	NE-6	7/1/2021	123	0.2		mg/L
Calcium, total	NE-6	7/1/2021	122	0.2		mg/L
Calcium, total	NE-6	1/17/2022	121	0.2		mg/L
Calcium, total	NE-6	1/17/2022	116	0.2		mg/L
Calcium, total	NE-6	7/12/2022	119	0.2		mg/L
Calcium, total	NE-6	1/5/2023	113	0.2		mg/L
Calcium, total	NE-6	7/6/2023	111	0.2		mg/L
Calcium, total	NE-6D	10/2/2019	110	0.2		mg/L
Calcium, total	NE-6D	1/15/2020	108	0.2		mg/L
Calcium, total	NE-6D	7/9/2020	96.9	0.2		mg/L
Calcium, total	NE-6D	1/15/2021	101	0.2		mg/L
Calcium, total	NE-6D	7/2/2021	93.3	0.2		mg/L
Calcium, total	NE-6D	1/17/2022	87.7	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Calcium, total	NE-6D	7/12/2022	93.6	0.2		mg/L
Calcium, total	NE-6D	1/5/2023	84.8	0.2		mg/L
Calcium, total	NE-6D	7/6/2023	84.7	0.2		mg/L
Calcium, total	NE-7	3/1/2017	100	0.2		mg/L
Calcium, total	NE-7	4/6/2017	44	0.2		mg/L
Calcium, total	NE-7	7/20/2017	60	0.2		mg/L
Calcium, total	NE-7	10/5/2017	59	0.2		mg/L
Calcium, total	NE-7	2/6/2019	63	0.2		mg/L
Calcium, total	NE-7	7/10/2019	60	0.2		mg/L
Calcium, total	NE-7	8/6/2019	52	0.2		mg/L
Calcium, total	NE-7	1/16/2020	64.1	0.2		mg/L
Calcium, total	NE-7	7/7/2020	46.5	0.2		mg/L
Calcium, total	NE-7	1/16/2021	83.1	0.2		mg/L
Calcium, total	NE-7	1/16/2021	80.9	0.2		mg/L
Calcium, total	NE-7	7/1/2021	49.5	0.2		mg/L
Calcium, total	NE-7	7/1/2021	49.5	0.2		mg/L
Calcium, total	NE-7	7/1/2021	49.7	0.2		mg/L
Calcium, total	NE-7	1/17/2022	54.7	0.2		mg/L
Calcium, total	NE-7	1/17/2022	57.1	0.2		mg/L
Calcium, total	NE-7	7/12/2022	48.4	0.2		mg/L
Calcium, total	NE-7	1/5/2023	52.1	0.2		mg/L
Calcium, total	NE-7	7/6/2023	55.2	0.2		mg/L
Calcium, total	NE-8	1/12/2017	68	0.2		mg/L
Calcium, total	NE-8	4/5/2017	63	0.2		mg/L
Calcium, total	NE-8	7/20/2017	87	0.2		mg/L
Calcium, total	NE-8	10/6/2017	92	0.2		mg/L
Calcium, total	NE-8	2/4/2019	78	0.2		mg/L
Calcium, total	NE-8	7/11/2019	90	0.2		mg/L
Calcium, total	NE-8	8/5/2019	94	0.2		mg/L
Calcium, total	NE-8	1/15/2020	113	0.2		mg/L
Calcium, total	NE-8	7/8/2020	113	0.2		mg/L
Calcium, total	NE-8	1/13/2021	107	0.2		mg/L
Calcium, total	NE-8	1/13/2021	107	0.2		mg/L
Calcium, total	NE-8	7/1/2021	119	0.2		mg/L
Calcium, total	NE-8	7/1/2021	119	0.2		mg/L
Calcium, total	NE-8	7/1/2021	117	0.2		mg/L
Calcium, total	NE-8	1/6/2023	101	0.2		mg/L
Calcium, total	NE-8	7/5/2023	131	0.2		mg/L
Calcium, total	NE-9	1/12/2017	91	0.2		mg/L
Calcium, total	NE-9	4/5/2017	75	0.2		mg/L
Calcium, total	NE-9	7/20/2017	68	0.2		mg/L
Calcium, total	NE-9	10/5/2017	77	0.2		mg/L
Calcium, total	NE-9	2/5/2019	96	0.2		mg/L
Calcium, total	NE-9	7/8/2019	100	0.2		mg/L
Calcium, total	NE-9	8/7/2019	99	0.2		mg/L
Calcium, total	NE-9	1/15/2020	95.1	0.2		mg/L
Calcium, total	NE-9	7/7/2020	79.9	0.2		mg/L
Calcium, total	NE-9	1/17/2021	108	0.2		mg/L
Calcium, total	NE-9	1/17/2021	108	0.2		mg/L
Calcium, total	NE-9	7/1/2021	119	0.2		mg/L
Calcium, total	NE-9	7/1/2021	119	0.2		mg/L
Calcium, total	NE-9	7/1/2021	118	0.2		mg/L
Calcium, total	NE-9	1/17/2022	111	0.2		mg/L
Calcium, total	NE-9	1/17/2022	117	0.2		mg/L
Calcium, total	NE-9	7/13/2022	122	0.2		mg/L
Calcium, total	NE-9	1/6/2023	116	0.2		mg/L
Calcium, total	NE-9	7/5/2023	115	0.2		mg/L
Carbon dioxide	MW-7N	9/2/2010	1500	50		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon dioxide	MW-8N	9/2/2010	1400	50		ug/L
Carbon dioxide	NE-1	9/2/2010	54	50		ug/L
Carbon dioxide	NE-2	9/2/2010	2300	50		ug/L
Carbon dioxide	NE-5	9/2/2010	1400	50		ug/L
Carbon disulfide	LGW-10	1/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-10	5/1/2013	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/30/2014	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2014	1	1	ND	ug/L
Carbon disulfide	LGW-10	2/12/2015	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/4/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/19/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/9/2017	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/16/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/4/2018	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/4/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/11/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/2/2019	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/15/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/7/2020	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/7/2022	1	1	ND	ug/L
Carbon disulfide	LGW-10	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-10	4/5/2023	1	1	ND	ug/L
Carbon disulfide	LGW-10	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-10	10/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-14R	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	10/27/2006	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	4/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/6/2009	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-14R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-14R	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/25/2018	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/17/2018	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-14R	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-14R	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/10/2007	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/26/2008	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/6/2009	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/30/2009	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-2	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/30/2014	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-2	2/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/9/2019	0.43	1	ND	ug/L
Carbon disulfide	LGW-2	1/13/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	4/1/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/8/2020	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/4/2021	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/10/2022	1	1	ND	ug/L
Carbon disulfide	LGW-2	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-2	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-3R	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/26/2008	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2009	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-3R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/22/2014	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-3R	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/16/2015	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/8/2016	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/9/2019	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-3R	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/10/2022	1	1	ND	ug/L
Carbon disulfide	LGW-3R	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-3R	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2009	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/16/2010	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/13/2011	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/4/2012	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-4	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-4	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/9/2019	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-4	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-4	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-5	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-5	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/8/2015	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/9/2019	0.28	1	ND	ug/L
Carbon disulfide	LGW-5	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/6/2022	1	1	ND	ug/L
Carbon disulfide	LGW-5	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-5	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-5	10/5/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/24/2006	2	1		ug/L
Carbon disulfide	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/11/2007	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/23/2008	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/5/2009	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/19/2011	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-6	2/10/2015	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/19/2016	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-6	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	5/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/23/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/10/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/17/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/10/2019	0.25	1	ND	ug/L
Carbon disulfide	LGW-6	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2020	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/12/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/6/2022	1	1	ND	ug/L
Carbon disulfide	LGW-6	1/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	4/6/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-6	10/5/2023	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/26/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-7	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/31/2009	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2010	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/10/2012	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-7	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/20/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/4/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-7	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/12/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/15/2020	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/18/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-7	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-7	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/24/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	10/26/2006	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/24/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	4/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/12/2007	1	1	ND	ug/L
Carbon disulfide	LGW-8R	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/14/2010	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/9/2012	1	1	ND	ug/L
Carbon disulfide	LGW-8R	4/30/2013	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/22/2014	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-8R	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/22/2015	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/20/2016	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/25/2018	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/13/2018	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/8/2019	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/14/2020	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/7/2020	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-8R	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-8R	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/25/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	LGW-9	1/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/25/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2007	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/22/2008	1	1	ND	ug/L
Carbon disulfide	LGW-9	2/4/2009	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/29/2009	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/27/2010	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/14/2010	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/20/2011	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/12/2011	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/5/2012	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2012	1	1	ND	ug/L
Carbon disulfide	LGW-9	5/1/2013	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/15/2013	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/23/2014	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/8/2014	1	1	ND	ug/L
Carbon disulfide	LGW-9	2/11/2015	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/13/2015	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/5/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/21/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/6/2016	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/11/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	5/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/18/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/5/2017	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/24/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/11/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/13/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/2/2018	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/7/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/3/2019	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/16/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/2/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/9/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/7/2020	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/6/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/7/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/5/2021	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/13/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/4/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/11/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/7/2022	1	1	ND	ug/L
Carbon disulfide	LGW-9	1/11/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	4/5/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	7/10/2023	1	1	ND	ug/L
Carbon disulfide	LGW-9	10/5/2023	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	4/28/1998	0.67	8.4		ug/L
Carbon disulfide	MW-10N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	7/15/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	1/14/2000	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-10N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-10N	7/11/2000	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-10N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2002	1	1		ug/L
Carbon disulfide	MW-10N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-10N	4/15/2003	1.2	1		ug/L
Carbon disulfide	MW-10N	7/8/2003	1.3	1		ug/L
Carbon disulfide	MW-10N	1/28/2004	1	1		ug/L
Carbon disulfide	MW-10N	7/27/2004	5	1		ug/L
Carbon disulfide	MW-10N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/20/2005	1.1	1		ug/L
Carbon disulfide	MW-10N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2007	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-10N	2/13/2009	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/27/2010	1	1	ND	ug/L
Carbon disulfide	MW-10N	8/10/2010	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-10N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-10N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/8/2020	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-10N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-10N	7/7/2023	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/22/1997	7.9	4.2		ug/L
Carbon disulfide	MW-11N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	4/28/1998	10	4.2		ug/L
Carbon disulfide	MW-11N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	1/13/2000	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-11N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-11N	7/10/2000	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-11N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2002	0.75	1		ug/L
Carbon disulfide	MW-11N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2003	1.1	1		ug/L
Carbon disulfide	MW-11N	4/15/2003	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/8/2003	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/29/2004	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/13/2005	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/24/2007	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2009	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/16/2010	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/4/2012	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2012	1	1	ND	ug/L
Carbon disulfide	MW-11N	4/30/2013	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/15/2013	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2014	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/8/2014	1	1	ND	ug/L
Carbon disulfide	MW-11N	2/10/2015	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2015	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/17/2018	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/18/2022	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/13/2022	1	1	ND	ug/L
Carbon disulfide	MW-11N	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-11N	7/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-15	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	7/15/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-15	1/7/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-15	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-15	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-15	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-15	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-15	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-15	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-15	7/9/2019	1	1	ND	ug/L
Carbon disulfide	MW-15	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-15	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-15	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-15	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-15	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-15	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-15	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-15	7/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-16	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	7/16/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-16	1/8/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-16	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-16	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-16	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-16	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-16	1/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-16	7/10/2019	1	1	ND	ug/L
Carbon disulfide	MW-16	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-16	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-16	1/18/2021	1	1	ND	ug/L
Carbon disulfide	MW-16	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-16	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-16	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-16	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-16	7/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-17	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	7/15/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-17	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-17	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-17	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-17	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-17	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-17	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-17	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-17	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-17	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-17	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-17	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-17	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-17	7/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-19	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	7/16/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	8/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	9/3/2015	1	1	ND	ug/L
Carbon disulfide	MW-19	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-19	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-19	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-19	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-19	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-19	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-19	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-19	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-19	8/3/2020	1	1	ND	ug/L
Carbon disulfide	MW-19	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-19	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-19	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-19	7/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-1N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/20/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/28/1998	3.4	4.2		ug/L
Carbon disulfide	MW-1N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	10/14/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	5/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	7/15/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	7/12/2000	0.82	1		ug/L
Carbon disulfide	MW-1N	10/18/2000	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/12/2001	1	1	ND	ug/L
Carbon disulfide	MW-1N	5/29/2002	1.4	1		ug/L
Carbon disulfide	MW-1N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-1N	7/9/2002	0.85	1		ug/L
Carbon disulfide	MW-1N	10/3/2002	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/15/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/8/2003	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/27/2004	2.9	1		ug/L
Carbon disulfide	MW-1N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/18/2006	4.2	1		ug/L
Carbon disulfide	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/11/2007	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-1N	2/5/2009	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-1N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/13/2010	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-1N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-1N	2/10/2015	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/12/2017	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/11/2019	0.27	1	ND	ug/L
Carbon disulfide	MW-1N	1/23/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-1N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-1N	7/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-20	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-20	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-20	1/12/2017	1	1	ND	ug/L
Carbon disulfide	MW-20	7/18/2017	1	1	ND	ug/L
Carbon disulfide	MW-20	1/26/2018	1	1	ND	ug/L
Carbon disulfide	MW-20	7/12/2018	1	1	ND	ug/L
Carbon disulfide	MW-20	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-20	1/14/2020	1	1	ND	ug/L
Carbon disulfide	MW-20	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-20	1/17/2021	1	1	ND	ug/L
Carbon disulfide	MW-20	7/4/2021	1	1	ND	ug/L
Carbon disulfide	MW-20	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	6/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	8/4/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	9/2/2015	1	1	ND	ug/L
Carbon disulfide	MW-21	1/7/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	4/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	7/20/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	10/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-21	1/10/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	4/5/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-21	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-21	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	4/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	7/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	10/4/2018	1	1	ND	ug/L
Carbon disulfide	MW-21	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	4/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	10/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-21	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	7/8/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	10/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-21	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-21	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	4/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	7/7/2023	1	1	ND	ug/L
Carbon disulfide	MW-21	10/6/2023	1	1	ND	ug/L
Carbon disulfide	MW-2N	10/22/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/28/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-2N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/24/2001	1	1	ND	ug/L
Carbon disulfide	MW-2N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/10/2002	0.21	1		ug/L
Carbon disulfide	MW-2N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-2N	3/27/2007	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/11/2007	1	1		ug/L
Carbon disulfide	MW-2N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-2N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/13/2010	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/13/2011	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-2N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-2N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-2N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/23/2018	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/12/2018	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-2N	8/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/23/2020	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/14/2021	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-2N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-2N	7/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/28/1998	0.58	4.2		ug/L
Carbon disulfide	MW-3N	7/23/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/13/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	10/20/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	4/24/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/11/2000	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-3N	5/29/2002	1.4	1		ug/L
Carbon disulfide	MW-3N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-3N	7/9/2002	0.41	1		ug/L
Carbon disulfide	MW-3N	10/2/2002	0.43	1		ug/L
Carbon disulfide	MW-3N	1/22/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/18/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/25/2006	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/11/2007	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/22/2008	1	1	ND	ug/L
Carbon disulfide	MW-3N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/13/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-3N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/11/2012	1	1	ND	ug/L
Carbon disulfide	MW-3N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2014	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-3N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/1/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/9/2017	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/24/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/3/2018	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/2/2019	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/15/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/13/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-3N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-3N	7/7/2023	1	1	ND	ug/L
Carbon disulfide	MW-3N	10/6/2023	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/21/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	8/18/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	9/17/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/15/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	11/9/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	4/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	7/14/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	1/13/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-7N	10/17/2000	1.4	1		ug/L
Carbon disulfide	MW-7N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/10/2001	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/29/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/29/2002	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-7N	7/9/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/23/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/14/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/27/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/8/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/26/2004	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2005	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/21/2008	1	1	ND	ug/L
Carbon disulfide	MW-7N	2/6/2009	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/29/2009	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/14/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	9/2/2010	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/20/2011	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/12/2011	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2012	1	1	ND	ug/L
Carbon disulfide	MW-7N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/15/2013	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/30/2014	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-7N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/13/2015	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	10/5/2017	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/25/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	4/11/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/13/2018	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/4/2019	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2019	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/16/2020	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/7/2020	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/16/2021	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/10/2022	1	1	ND	ug/L
Carbon disulfide	MW-7N	1/10/2023	1	1	ND	ug/L
Carbon disulfide	MW-7N	7/7/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/21/1997	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/28/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	7/22/1998	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/12/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/13/1999	4.2	4.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-8N	7/14/1999	4.9	4.2		ug/L
Carbon disulfide	MW-8N	10/19/1999	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	1/14/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	4/25/2000	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	10/17/2000	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/23/2001	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/11/2001	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/29/2002	1.2	1		ug/L
Carbon disulfide	MW-8N	5/29/2002	4.2	4.2	ND	ug/L
Carbon disulfide	MW-8N	7/9/2002	0.28	1		ug/L
Carbon disulfide	MW-8N	10/2/2002	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/23/2003	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/14/2003	1.2	1		ug/L
Carbon disulfide	MW-8N	7/7/2003	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/28/2004	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/27/2004	1.4	1		ug/L
Carbon disulfide	MW-8N	1/12/2005	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/20/2005	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/24/2006	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/26/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/25/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/10/2007	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/24/2008	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/23/2008	1	1	ND	ug/L
Carbon disulfide	MW-8N	2/4/2009	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/31/2009	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/26/2010	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2010	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/19/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/10/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/14/2011	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/6/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/5/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/11/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/3/2012	1	1	ND	ug/L
Carbon disulfide	MW-8N	5/1/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	6/4/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/2/2013	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/30/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/3/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/9/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/8/2014	1	1	ND	ug/L
Carbon disulfide	MW-8N	2/12/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/1/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/14/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/5/2015	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/5/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/21/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2016	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/11/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/4/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/19/2017	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	MW-8N	1/25/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/10/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/16/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/2/2018	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/7/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/11/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/3/2019	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/15/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/2/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/9/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2020	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/15/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/5/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2021	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/18/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/4/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/12/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/6/2022	1	1	ND	ug/L
Carbon disulfide	MW-8N	1/11/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	4/8/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	7/7/2023	1	1	ND	ug/L
Carbon disulfide	MW-8N	10/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	8/6/2002	0.36	1		ug/L
Carbon disulfide	NE-1	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2003	1	1		ug/L
Carbon disulfide	NE-1	1/27/2004	1	1	ND	ug/L
Carbon disulfide	NE-1	1/12/2005	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	10/25/2006	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2007	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2008	1	1	ND	ug/L
Carbon disulfide	NE-1	7/21/2008	1	1	ND	ug/L
Carbon disulfide	NE-1	2/7/2009	1	1	ND	ug/L
Carbon disulfide	NE-1	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-1	1/26/2010	1	1	ND	ug/L
Carbon disulfide	NE-1	7/14/2010	1	1	ND	ug/L
Carbon disulfide	NE-1	9/2/2010	1	1	ND	ug/L
Carbon disulfide	NE-1	1/19/2011	1	1	ND	ug/L
Carbon disulfide	NE-1	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-1	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-1	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-1	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-1	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-1	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-1	2/11/2015	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2015	1	1	ND	ug/L
Carbon disulfide	NE-1	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-1	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-1	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-1	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-1	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-1	4/11/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	7/18/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2018	1	1	ND	ug/L
Carbon disulfide	NE-1	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	7/10/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-1	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-1	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-1	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	10/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-1	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-1	10/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	11/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-10D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	7/8/2023	1	1	ND	ug/L
Carbon disulfide	NE-10D	10/3/2023	1	1	ND	ug/L
Carbon disulfide	NE-11	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	10/9/2017	1	1	ND	ug/L
Carbon disulfide	NE-11	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-11	1/14/2020	1	1	ND	ug/L
Carbon disulfide	NE-11	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-11	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-11	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-11	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-11	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-12	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-12	8/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-12	1/13/2020	1	1	ND	ug/L
Carbon disulfide	NE-12	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-12	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-12	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-12	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-12	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-13	2/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-13	8/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-13	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-13	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-13	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-13	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-14D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14D	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-14D	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-14S	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-14S	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/3/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-15D	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-15D	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15D	10/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-15S	4/3/2020	2.49	1		ug/L
Carbon disulfide	NE-2	7/9/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	8/6/2002	0.23	1		ug/L
Carbon disulfide	NE-2	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-2	10/1/2013	1	1	ND	ug/L
Carbon disulfide	NE-2	10/8/2014	1	1	ND	ug/L
Carbon disulfide	NE-2	10/5/2015	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-2	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-2	1/25/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	7/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	10/1/2018	1	1	ND	ug/L
Carbon disulfide	NE-2	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-2	1/14/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-2	1/14/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-2	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-2	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-2	4/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-2	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-2	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-4	7/10/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	8/6/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	9/4/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	10/3/2002	1	1	ND	ug/L
Carbon disulfide	NE-4	4/15/2003	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2003	1	1	ND	ug/L
Carbon disulfide	NE-4	1/28/2004	1	1	ND	ug/L
Carbon disulfide	NE-4	1/13/2005	1	1	ND	ug/L
Carbon disulfide	NE-4	8/1/2006	1	1	ND	ug/L
Carbon disulfide	NE-4	8/1/2006	1	1	ND	ug/L
Carbon disulfide	NE-4	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-4	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-4	7/12/2007	1	1	ND	ug/L
Carbon disulfide	NE-4	1/24/2008	1	1	ND	ug/L
Carbon disulfide	NE-4	7/21/2008	1	1	ND	ug/L
Carbon disulfide	NE-4	2/7/2009	1	1	ND	ug/L
Carbon disulfide	NE-4	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-4	1/26/2010	1	1	ND	ug/L
Carbon disulfide	NE-4	7/14/2010	1	1	ND	ug/L
Carbon disulfide	NE-4	1/19/2011	1	1	ND	ug/L
Carbon disulfide	NE-4	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-4	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-4	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-4	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-4	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-4	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-4	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-4	2/13/2015	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2015	1	1	ND	ug/L
Carbon disulfide	NE-4	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-4	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-4	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-4	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-4	1/26/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	7/12/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	10/3/2018	1	1	ND	ug/L
Carbon disulfide	NE-4	1/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	7/8/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	10/1/2019	1	1	ND	ug/L
Carbon disulfide	NE-4	1/13/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	7/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	10/5/2020	1	1	ND	ug/L
Carbon disulfide	NE-4	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-4	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-4	4/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-4	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-4	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2002	0.48	1		ug/L
Carbon disulfide	NE-5	8/6/2002	1.6	1		ug/L
Carbon disulfide	NE-5	9/4/2002	0.63	1		ug/L
Carbon disulfide	NE-5	10/2/2002	1	1	ND	ug/L
Carbon disulfide	NE-5	4/15/2003	1	1	ND	ug/L
Carbon disulfide	NE-5	7/8/2003	1	1	ND	ug/L
Carbon disulfide	NE-5	1/27/2004	1	1	ND	ug/L
Carbon disulfide	NE-5	1/12/2005	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	10/25/2006	1	1	ND	ug/L
Carbon disulfide	NE-5	1/24/2007	1	1	ND	ug/L
Carbon disulfide	NE-5	7/12/2007	1	1	ND	ug/L
Carbon disulfide	NE-5	7/22/2008	1	1	ND	ug/L
Carbon disulfide	NE-5	2/6/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-5	7/31/2009	1	1	ND	ug/L
Carbon disulfide	NE-5	1/26/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	7/16/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	9/2/2010	1	1	ND	ug/L
Carbon disulfide	NE-5	1/19/2011	1	1	ND	ug/L
Carbon disulfide	NE-5	7/13/2011	1	1	ND	ug/L
Carbon disulfide	NE-5	1/5/2012	1	1	ND	ug/L
Carbon disulfide	NE-5	7/10/2012	1	1	ND	ug/L
Carbon disulfide	NE-5	4/30/2013	1	1	ND	ug/L
Carbon disulfide	NE-5	7/16/2013	1	1	ND	ug/L
Carbon disulfide	NE-5	1/23/2014	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2014	1	1	ND	ug/L
Carbon disulfide	NE-5	2/11/2015	1	1	ND	ug/L
Carbon disulfide	NE-5	7/14/2015	1	1	ND	ug/L
Carbon disulfide	NE-5	1/6/2016	1	1	ND	ug/L
Carbon disulfide	NE-5	7/20/2016	1	1	ND	ug/L
Carbon disulfide	NE-5	1/11/2017	1	1	ND	ug/L
Carbon disulfide	NE-5	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-5	1/25/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	4/10/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	7/17/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	10/3/2018	1	1	ND	ug/L
Carbon disulfide	NE-5	1/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	7/9/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	10/3/2019	1	1	ND	ug/L
Carbon disulfide	NE-5	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-5	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-5	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/1/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5E	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-5E	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-5E	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	9/30/2019	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/6/2020	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/6/2021	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/18/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-5W	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-5W	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-6	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	7/19/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-6	2/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-6	8/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-6	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-6	7/9/2020	1	1	ND	ug/L
Carbon disulfide	NE-6	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-6	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-6	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-6	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/2/2019	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/2/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/9/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/15/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/2/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/6/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/7/2022	1	1	ND	ug/L
Carbon disulfide	NE-6D	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	4/7/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-6D	10/4/2023	1	1	ND	ug/L
Carbon disulfide	NE-7	3/1/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	4/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon disulfide	NE-7	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-7	2/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-7	8/6/2019	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2020	1	1	ND	ug/L
Carbon disulfide	NE-7	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	1/16/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-7	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	7/12/2022	1	1	ND	ug/L
Carbon disulfide	NE-7	1/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-7	7/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-8	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	10/6/2017	1	1	ND	ug/L
Carbon disulfide	NE-8	2/4/2019	1	1	ND	ug/L
Carbon disulfide	NE-8	8/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-8	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-8	7/8/2020	1	1	ND	ug/L
Carbon disulfide	NE-8	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	1/13/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	4/9/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	10/7/2021	1	1	ND	ug/L
Carbon disulfide	NE-8	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-8	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	1/12/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	4/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	7/20/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	10/5/2017	1	1	ND	ug/L
Carbon disulfide	NE-9	2/5/2019	1	1	ND	ug/L
Carbon disulfide	NE-9	8/7/2019	1	1	ND	ug/L
Carbon disulfide	NE-9	1/15/2020	1	1	ND	ug/L
Carbon disulfide	NE-9	7/7/2020	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	7/1/2021	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	1/17/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	7/13/2022	1	1	ND	ug/L
Carbon disulfide	NE-9	1/6/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	4/8/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	7/5/2023	1	1	ND	ug/L
Carbon disulfide	NE-9	10/6/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-10	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/16/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/4/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-10	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-14R	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/26/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/30/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	2/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-2	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/26/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-3R	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-4	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-4	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-5	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-5	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/5/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/19/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	5/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-6	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-6	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/26/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-7	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-7	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-8R	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/25/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/20/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/26/2006	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	LGW-9	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	5/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/7/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/5/2021	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/13/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/11/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	LGW-9	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/28/1998	10	10	ND	ug/L
Carbon tetrachloride	MW-10N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	7/15/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-10N	7/11/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-10N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	2/13/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/27/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	8/10/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-10N	7/7/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	1/13/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-11N	7/10/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/29/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-11N	1/13/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/3/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/4/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/8/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-11N	7/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-15	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/15/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-15	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-15	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-15	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-15	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-16	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/8/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-16	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/18/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-16	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-16	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-17	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/15/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-17	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-17	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-17	7/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-19	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/16/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	8/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	9/3/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-19	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-19	8/3/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-19	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-19	7/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	1/20/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	10/14/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	5/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/15/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	10/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/12/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/18/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/12/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-1N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/3/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	2/5/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	2/10/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-1N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/23/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/23/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-1N	7/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-20	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/18/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/26/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-20	7/4/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-20	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	6/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	8/4/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	9/2/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/7/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/10/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/4/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-21	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-21	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	7/7/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-21	10/6/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/22/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-2N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	3/27/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-2N	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/23/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-2N	7/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/21/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/23/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	10/20/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	4/24/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-3N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/22/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/18/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/13/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/1/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-3N	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	7/7/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-3N	10/6/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/21/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/21/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	8/18/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	9/17/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/15/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	11/9/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	4/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	1/13/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/10/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-7N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/23/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/8/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/26/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-7N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/29/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/20/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/12/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/15/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/13/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/13/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/10/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	1/10/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-7N	7/7/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/21/1997	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	1/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/28/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/22/1998	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	1/12/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/13/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	10/19/1999	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	1/14/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	4/25/2000	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	10/17/2000	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/23/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/11/2001	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/29/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/29/2002	5	5	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/23/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-8N	4/14/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/7/2003	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/27/2004	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/20/2005	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/24/2006	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/26/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/25/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/23/2008	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	2/4/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/10/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/2011	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/6/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/5/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/11/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/3/2012	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	5/1/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	6/4/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2013	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/30/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/3/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/8/2014	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	2/12/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/1/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/5/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/21/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/4/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/16/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/11/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	MW-8N	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/5/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/4/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	1/11/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	7/7/2023	1	1	ND	ug/L
Carbon tetrachloride	MW-8N	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-1	2/7/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-1	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/24/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/11/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/18/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/10/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-1	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-1	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-1	10/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	11/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	7/8/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-10D	10/3/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-11	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	10/9/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-11	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-11	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-11	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-12	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-12	8/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-12	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-12	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-13	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-13	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-13	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14D	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-14S	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-15D	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-15S	4/3/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/1/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/8/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/5/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/1/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/14/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/14/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-2	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-2	4/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-2	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-2	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/10/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/3/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/28/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/13/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	8/1/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/24/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/21/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-4	2/7/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/14/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-4	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/9/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-4	2/13/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/26/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/12/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/8/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/1/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/13/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/5/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-4	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-4	4/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-4	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-4	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	8/6/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	9/4/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/2/2002	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/15/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/8/2003	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/27/2004	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/12/2005	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/25/2006	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/24/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/12/2007	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/22/2008	1	1	ND	ug/L
Carbon tetrachloride	NE-5	2/6/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/31/2009	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/26/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/16/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	9/2/2010	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/19/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/13/2011	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/5/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/10/2012	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/30/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/16/2013	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/23/2014	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-5	2/11/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/14/2015	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/6/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/20/2016	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/11/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/25/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/10/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/17/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/3/2018	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/9/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/3/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/1/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5E	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	9/30/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/6/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-5W	10/6/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/18/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-5W	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/19/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-6	2/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6	8/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/2/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/2/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/9/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/15/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/2/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/6/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/12/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/7/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	4/7/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-6D	10/4/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-7	3/1/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	4/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-7	2/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-7	8/6/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/16/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-7	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Carbon tetrachloride	NE-7	1/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-7	7/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	10/6/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-8	2/4/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-8	8/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/8/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/13/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	4/9/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	10/7/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-8	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-8	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/12/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	4/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/20/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	10/5/2017	1	1	ND	ug/L
Carbon tetrachloride	NE-9	2/5/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-9	8/7/2019	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/15/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/7/2020	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/1/2021	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/17/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/13/2022	1	1	ND	ug/L
Carbon tetrachloride	NE-9	1/6/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	4/8/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	7/5/2023	1	1	ND	ug/L
Carbon tetrachloride	NE-9	10/6/2023	1	1	ND	ug/L
Chemical oxygen demand (cod)	MW-10N	10/22/1997	356	40		mg/L
Chemical oxygen demand (cod)	MW-10N	4/28/1998	105	5		mg/L
Chemical oxygen demand (cod)	MW-10N	7/23/1998	22	5		mg/L
Chemical oxygen demand (cod)	MW-10N	1/14/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-11N	10/22/1997	257	40		mg/L
Chemical oxygen demand (cod)	MW-11N	4/28/1998	105	5		mg/L
Chemical oxygen demand (cod)	MW-11N	7/23/1998	36.9	5		mg/L
Chemical oxygen demand (cod)	MW-11N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-1N	10/22/1997	12.7	5		mg/L
Chemical oxygen demand (cod)	MW-1N	4/28/1998	53.9	5		mg/L
Chemical oxygen demand (cod)	MW-1N	7/23/1998	23.4	5		mg/L
Chemical oxygen demand (cod)	MW-1N	10/14/1998	15.9	5		mg/L
Chemical oxygen demand (cod)	MW-1N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-2N	10/22/1997	45.9	5		mg/L
Chemical oxygen demand (cod)	MW-2N	4/28/1998	38.1	5		mg/L
Chemical oxygen demand (cod)	MW-2N	7/22/1998	13.7	5		mg/L
Chemical oxygen demand (cod)	MW-2N	1/13/1999	5.3	5		mg/L
Chemical oxygen demand (cod)	MW-3N	10/21/1997	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-3N	4/28/1998	24.2	5		mg/L
Chemical oxygen demand (cod)	MW-3N	7/23/1998	13.3	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chemical oxygen demand (cod)	MW-3N	1/13/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	10/21/1997	9.2	5		mg/L
Chemical oxygen demand (cod)	MW-7N	7/22/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	8/18/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	9/17/1998	10.9	5		mg/L
Chemical oxygen demand (cod)	MW-7N	10/15/1998	10.2	5		mg/L
Chemical oxygen demand (cod)	MW-7N	11/9/1998	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-7N	1/14/1999	5	5	ND	mg/L
Chemical oxygen demand (cod)	MW-8N	10/21/1997	15.9	5		mg/L
Chemical oxygen demand (cod)	MW-8N	4/28/1998	8.7	5		mg/L
Chemical oxygen demand (cod)	MW-8N	7/22/1998	6.7	5		mg/L
Chemical oxygen demand (cod)	MW-8N	1/12/1999	5	5	ND	mg/L
Chlordane	LGW-10	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-10	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-10	2/12/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-10	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	LGW-10	10/9/2017	0.48	0.48	ND	ug/L
Chlordane	LGW-10	7/16/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-10	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-10	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-10	10/5/2023	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	10/27/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-14R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-14R	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-14R	7/17/2018	0.54	0.54	ND	ug/L
Chlordane	LGW-14R	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-2	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-2	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-2	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-2	2/13/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-2	7/12/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-2	7/8/2020	0.108	0.108	ND	ug/L
Chlordane	LGW-2	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-3R	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-3R	2/3/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-3R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-3R	2/10/2015	0.47	0.47	ND	ug/L
Chlordane	LGW-3R	7/11/2018	0.52	0.52	ND	ug/L
Chlordane	LGW-3R	7/6/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-4	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-4	2/3/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-4	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-4	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-4	7/11/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-4	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-5	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-5	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-5	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-5	2/10/2015	0.51	0.51	ND	ug/L
Chlordane	LGW-5	7/12/2018	0.53	0.53	ND	ug/L
Chlordane	LGW-5	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-5	10/5/2023	0.5	0.5	ND	ug/L
Chlordane	LGW-6	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-6	2/5/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-6	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-6	2/10/2015	0.49	0.49	ND	ug/L
Chlordane	LGW-6	10/6/2016	0.49	0.49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	LGW-6	10/5/2017	0.49	0.49	ND	ug/L
Chlordane	LGW-6	7/17/2018	0.53	0.53	ND	ug/L
Chlordane	LGW-6	7/9/2020	0.103	0.103	ND	ug/L
Chlordane	LGW-6	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-6	10/5/2023	0.5	0.5	ND	ug/L
Chlordane	LGW-7	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-7	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-7	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-7	2/11/2015	0.51	0.51	ND	ug/L
Chlordane	LGW-7	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	LGW-7	10/5/2017	0.48	0.48	ND	ug/L
Chlordane	LGW-7	7/12/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-7	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-7	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-8R	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-8R	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-8R	7/13/2018	0.48	0.48	ND	ug/L
Chlordane	LGW-8R	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-9	10/26/2006	0.5	0.5	ND	ug/L
Chlordane	LGW-9	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	LGW-9	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	LGW-9	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	LGW-9	10/6/2016	0.5	0.5	ND	ug/L
Chlordane	LGW-9	10/5/2017	0.49	0.49	ND	ug/L
Chlordane	LGW-9	7/13/2018	0.5	0.5	ND	ug/L
Chlordane	LGW-9	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	LGW-9	7/7/2021	0.5	0.5	ND	ug/L
Chlordane	LGW-9	10/5/2023	0.5	0.5	ND	ug/L
Chlordane	MW-10N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-10N	2/13/2009	0.5	0.5	ND	ug/L
Chlordane	MW-10N	2/13/2009	0.5	0.5	ND	ug/L
Chlordane	MW-10N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-10N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-10N	7/11/2018	0.51	0.51	ND	ug/L
Chlordane	MW-10N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-11N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-11N	2/3/2009	0.5	0.5	ND	ug/L
Chlordane	MW-11N	7/9/2012	0.47	0.47	ND	ug/L
Chlordane	MW-11N	2/10/2015	0.48	0.48	ND	ug/L
Chlordane	MW-11N	7/17/2018	0.52	0.52	ND	ug/L
Chlordane	MW-11N	7/6/2021	0.5	0.5	ND	ug/L
Chlordane	MW-15	7/10/2018	0.51	0.51	ND	ug/L
Chlordane	MW-15	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-16	7/11/2018	0.49	0.49	ND	ug/L
Chlordane	MW-16	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-17	7/10/2018	0.48	0.48	ND	ug/L
Chlordane	MW-17	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-19	7/13/2018	0.51	0.51	ND	ug/L
Chlordane	MW-19	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Chlordane	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-1N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-1N	2/5/2009	0.5	0.5	ND	ug/L
Chlordane	MW-1N	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	MW-1N	2/10/2015	0.47	0.47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	MW-1N	7/10/2018	0.48	0.48	ND	ug/L
Chlordane	MW-1N	7/6/2020	0.108	0.108	ND	ug/L
Chlordane	MW-1N	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-20	7/12/2018	0.49	0.49	ND	ug/L
Chlordane	MW-20	7/4/2021	0.5	0.5	ND	ug/L
Chlordane	MW-21	10/5/2016	0.48	0.48	ND	ug/L
Chlordane	MW-21	10/6/2017	0.48	0.48	ND	ug/L
Chlordane	MW-21	7/11/2018	0.48	0.48	ND	ug/L
Chlordane	MW-21	7/8/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-21	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-2N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-2N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-2N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-2N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-2N	7/12/2018	0.49	0.49	ND	ug/L
Chlordane	MW-2N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-3N	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	MW-3N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-3N	7/11/2012	0.47	0.47	ND	ug/L
Chlordane	MW-3N	2/12/2015	0.49	0.49	ND	ug/L
Chlordane	MW-3N	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	MW-3N	10/9/2017	0.48	0.48	ND	ug/L
Chlordane	MW-3N	7/13/2018	0.47	0.47	ND	ug/L
Chlordane	MW-3N	7/7/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-3N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Chlordane	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-7N	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	MW-7N	7/10/2012	0.47	0.47	ND	ug/L
Chlordane	MW-7N	2/12/2015	0.5	0.5	ND	ug/L
Chlordane	MW-7N	10/5/2017	0.5	0.5	ND	ug/L
Chlordane	MW-7N	7/13/2018	0.48	0.48	ND	ug/L
Chlordane	MW-7N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Chlordane	MW-8N	10/24/2006	0.5	0.5	ND	ug/L
Chlordane	MW-8N	1/24/2008	0.5	0.5	ND	ug/L
Chlordane	MW-8N	2/4/2009	0.5	0.5	ND	ug/L
Chlordane	MW-8N	5/10/2011	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/11/2012	0.47	0.47	ND	ug/L
Chlordane	MW-8N	10/2/2013	0.48	0.48	ND	ug/L
Chlordane	MW-8N	10/8/2014	0.48	0.48	ND	ug/L
Chlordane	MW-8N	2/12/2015	0.48	0.48	ND	ug/L
Chlordane	MW-8N	10/6/2016	0.49	0.49	ND	ug/L
Chlordane	MW-8N	10/6/2017	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/16/2018	0.48	0.48	ND	ug/L
Chlordane	MW-8N	7/9/2020	0.0977	0.0977	ND	ug/L
Chlordane	MW-8N	7/5/2021	0.5	0.5	ND	ug/L
Chlordane	MW-8N	10/5/2023	0.5	0.5	ND	ug/L
Chlordane	NE-1	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-1	2/7/2009	0.5	0.5	ND	ug/L
Chlordane	NE-1	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-1	2/11/2015	0.48	0.48	ND	ug/L
Chlordane	NE-1	7/18/2018	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlordane	NE-2	7/10/2018	0.49	0.49	ND	ug/L
Chlordane	NE-4	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-4	2/7/2009	0.5	0.5	ND	ug/L
Chlordane	NE-4	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-4	2/13/2015	0.47	0.47	ND	ug/L
Chlordane	NE-4	7/12/2018	0.54	0.54	ND	ug/L
Chlordane	NE-5	10/25/2006	0.5	0.5	ND	ug/L
Chlordane	NE-5	2/6/2009	0.5	0.5	ND	ug/L
Chlordane	NE-5	7/10/2012	0.48	0.48	ND	ug/L
Chlordane	NE-5	2/11/2015	0.47	0.47	ND	ug/L
Chlordane	NE-5	7/17/2018	0.51	0.51	ND	ug/L
Chlordane	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Chloride	LGW-10	1/26/2006	12.1	0.5		mg/L
Chloride	LGW-10	8/1/2006	13	3		mg/L
Chloride	LGW-10	9/28/2006	13	3		mg/L
Chloride	LGW-10	10/26/2006	13	3		mg/L
Chloride	LGW-10	11/21/2006	13	3		mg/L
Chloride	LGW-10	12/21/2006	13	3		mg/L
Chloride	LGW-10	1/25/2007	13	3		mg/L
Chloride	LGW-10	2/27/2007	14	3		mg/L
Chloride	LGW-10	3/27/2007	14	3		mg/L
Chloride	LGW-10	4/26/2007	14	3		mg/L
Chloride	LGW-10	5/31/2007	15	3		mg/L
Chloride	LGW-10	6/28/2007	14	3		mg/L
Chloride	LGW-10	7/12/2007	14	3		mg/L
Chloride	LGW-10	8/28/2007	15	3		mg/L
Chloride	LGW-10	9/28/2007	17	3		mg/L
Chloride	LGW-10	10/23/2007	16	3		mg/L
Chloride	LGW-10	11/28/2007	16	3		mg/L
Chloride	LGW-10	12/28/2007	18	3		mg/L
Chloride	LGW-10	1/23/2008	18	3		mg/L
Chloride	LGW-10	2/28/2008	18	3		mg/L
Chloride	LGW-10	5/29/2008	21	3		mg/L
Chloride	LGW-10	6/26/2008	20	3		mg/L
Chloride	LGW-10	7/22/2008	20	3		mg/L
Chloride	LGW-10	8/29/2008	20	3		mg/L
Chloride	LGW-10	9/26/2008	19	3		mg/L
Chloride	LGW-10	10/21/2008	21	3		mg/L
Chloride	LGW-10	11/25/2008	20	3		mg/L
Chloride	LGW-10	12/19/2008	22	3		mg/L
Chloride	LGW-10	3/26/2009	20	3		mg/L
Chloride	LGW-10	4/16/2009	21	3		mg/L
Chloride	LGW-10	5/29/2009	21	3		mg/L
Chloride	LGW-10	6/24/2009	21	3		mg/L
Chloride	LGW-10	7/29/2009	22	3		mg/L
Chloride	LGW-10	8/28/2009	20	3		mg/L
Chloride	LGW-10	10/21/2009	20	3		mg/L
Chloride	LGW-10	12/17/2009	21	3		mg/L
Chloride	LGW-10	2/3/2010	20	3		mg/L
Chloride	LGW-10	2/3/2010	20	3		mg/L
Chloride	LGW-10	2/16/2010	20	3		mg/L
Chloride	LGW-10	3/3/2010	20	3		mg/L
Chloride	LGW-10	4/8/2010	20	3		mg/L
Chloride	LGW-10	5/6/2010	21	3		mg/L
Chloride	LGW-10	6/15/2010	14	3		mg/L
Chloride	LGW-10	7/16/2010	19	3		mg/L
Chloride	LGW-10	8/10/2010	19	3		mg/L
Chloride	LGW-10	9/1/2010	20	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	9/29/2010	19	3		mg/L
Chloride	LGW-10	11/3/2010	18	3		mg/L
Chloride	LGW-10	12/2/2010	20	3		mg/L
Chloride	LGW-10	1/19/2011	20	3		mg/L
Chloride	LGW-10	2/7/2011	20	3		mg/L
Chloride	LGW-10	3/3/2011	20	3		mg/L
Chloride	LGW-10	4/5/2011	20	3		mg/L
Chloride	LGW-10	5/10/2011	19	3		mg/L
Chloride	LGW-10	6/1/2011	20	3		mg/L
Chloride	LGW-10	7/12/2011	20	3		mg/L
Chloride	LGW-10	8/3/2011	20	3		mg/L
Chloride	LGW-10	9/7/2011	19	3		mg/L
Chloride	LGW-10	10/5/2011	21	3		mg/L
Chloride	LGW-10	11/1/2011	19	3		mg/L
Chloride	LGW-10	12/7/2011	20	3		mg/L
Chloride	LGW-10	1/5/2012	20	3		mg/L
Chloride	LGW-10	2/1/2012	19	3		mg/L
Chloride	LGW-10	3/6/2012	19	3		mg/L
Chloride	LGW-10	4/5/2012	19	3		mg/L
Chloride	LGW-10	5/1/2012	19	3		mg/L
Chloride	LGW-10	6/5/2012	19	3		mg/L
Chloride	LGW-10	7/9/2012	18	3		mg/L
Chloride	LGW-10	8/9/2012	18	3		mg/L
Chloride	LGW-10	9/4/2012	18	3		mg/L
Chloride	LGW-10	10/7/2012	18	3		mg/L
Chloride	LGW-10	5/1/2013	17	3		mg/L
Chloride	LGW-10	6/4/2013	15	3		mg/L
Chloride	LGW-10	8/8/2013	14	3		mg/L
Chloride	LGW-10	9/10/2013	15	3		mg/L
Chloride	LGW-10	10/1/2013	15	3		mg/L
Chloride	LGW-10	11/6/2013	15	3		mg/L
Chloride	LGW-10	12/2/2013	16	3		mg/L
Chloride	LGW-10	1/30/2014	15	3		mg/L
Chloride	LGW-10	2/13/2014	15	3		mg/L
Chloride	LGW-10	3/12/2014	15	3		mg/L
Chloride	LGW-10	4/2/2014	15	3		mg/L
Chloride	LGW-10	5/7/2014	13	3		mg/L
Chloride	LGW-10	6/3/2014	13	3		mg/L
Chloride	LGW-10	7/9/2014	14	3		mg/L
Chloride	LGW-10	8/5/2014	14	3		mg/L
Chloride	LGW-10	9/4/2014	13	3		mg/L
Chloride	LGW-10	10/9/2014	13	3		mg/L
Chloride	LGW-10	11/3/2014	13	3		mg/L
Chloride	LGW-10	1/14/2015	13	3		mg/L
Chloride	LGW-10	2/12/2015	14	3		mg/L
Chloride	LGW-10	3/3/2015	13	3		mg/L
Chloride	LGW-10	4/1/2015	11	3		mg/L
Chloride	LGW-10	5/7/2015	11	3		mg/L
Chloride	LGW-10	6/3/2015	12	3		mg/L
Chloride	LGW-10	7/13/2015	13	3		mg/L
Chloride	LGW-10	8/5/2015	10	3		mg/L
Chloride	LGW-10	9/3/2015	11	3		mg/L
Chloride	LGW-10	10/6/2015	12	3		mg/L
Chloride	LGW-10	11/4/2015	11	3		mg/L
Chloride	LGW-10	12/3/2015	11	3		mg/L
Chloride	LGW-10	1/5/2016	11	3		mg/L
Chloride	LGW-10	2/3/2016	10	3		mg/L
Chloride	LGW-10	3/2/2016	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	4/6/2016	11	3		mg/L
Chloride	LGW-10	5/11/2016	11	3		mg/L
Chloride	LGW-10	6/1/2016	12	3		mg/L
Chloride	LGW-10	7/21/2016	13	3		mg/L
Chloride	LGW-10	8/10/2016	13	3		mg/L
Chloride	LGW-10	9/6/2016	13	3		mg/L
Chloride	LGW-10	10/6/2016	12	3		mg/L
Chloride	LGW-10	10/6/2016	13	3		mg/L
Chloride	LGW-10	11/2/2016	13	3		mg/L
Chloride	LGW-10	12/1/2016	13	5		mg/L
Chloride	LGW-10	1/11/2017	14	3		mg/L
Chloride	LGW-10	2/7/2017	14	3		mg/L
Chloride	LGW-10	3/2/2017	14	3		mg/L
Chloride	LGW-10	4/4/2017	14	3		mg/L
Chloride	LGW-10	5/16/2017	15	3		mg/L
Chloride	LGW-10	6/6/2017	14	3		mg/L
Chloride	LGW-10	7/19/2017	15	3		mg/L
Chloride	LGW-10	8/1/2017	13	3		mg/L
Chloride	LGW-10	9/5/2017	16	3		mg/L
Chloride	LGW-10	10/9/2017	15	3		mg/L
Chloride	LGW-10	11/1/2017	15	3		mg/L
Chloride	LGW-10	1/24/2018	13	3		mg/L
Chloride	LGW-10	2/23/2018	14	3		mg/L
Chloride	LGW-10	3/21/2018	15	3		mg/L
Chloride	LGW-10	4/11/2018	15	3		mg/L
Chloride	LGW-10	4/11/2018	15	3		mg/L
Chloride	LGW-10	6/6/2018	16	3		mg/L
Chloride	LGW-10	7/16/2018	14	3		mg/L
Chloride	LGW-10	8/2/2018	15	3		mg/L
Chloride	LGW-10	9/4/2018	17	3		mg/L
Chloride	LGW-10	10/4/2018	15	3		mg/L
Chloride	LGW-10	10/4/2018	15	3		mg/L
Chloride	LGW-10	11/6/2018	13	3		mg/L
Chloride	LGW-10	12/4/2018	16	3		mg/L
Chloride	LGW-10	1/4/2019	15	3		mg/L
Chloride	LGW-10	2/6/2019	16	3		mg/L
Chloride	LGW-10	3/5/2019	14	3		mg/L
Chloride	LGW-10	4/3/2019	16	3		mg/L
Chloride	LGW-10	4/3/2019	16	3		mg/L
Chloride	LGW-10	5/3/2019	14	3		mg/L
Chloride	LGW-10	6/4/2019	17	3		mg/L
Chloride	LGW-10	7/11/2019	16	3		mg/L
Chloride	LGW-10	7/11/2019	16	30	ND	mg/L
Chloride	LGW-10	8/7/2019	13	3		mg/L
Chloride	LGW-10	9/4/2019	16	3		mg/L
Chloride	LGW-10	10/2/2019	16	3		mg/L
Chloride	LGW-10	10/2/2019	17	15		mg/L
Chloride	LGW-10	11/5/2019	16	3		mg/L
Chloride	LGW-10	12/3/2019	17	3		mg/L
Chloride	LGW-10	1/15/2020	18.4	3		mg/L
Chloride	LGW-10	2/4/2020	19	1		mg/L
Chloride	LGW-10	3/4/2020	19.1	3		mg/L
Chloride	LGW-10	4/2/2020	19	3		mg/L
Chloride	LGW-10	5/5/2020	17.7	3		mg/L
Chloride	LGW-10	6/2/2020	18.1	3		mg/L
Chloride	LGW-10	7/9/2020	16.4	3		mg/L
Chloride	LGW-10	7/9/2020	16.6	3		mg/L
Chloride	LGW-10	8/3/2020	16.1	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-10	9/2/2020	15.5	3		mg/L
Chloride	LGW-10	10/7/2020	15.8	3		mg/L
Chloride	LGW-10	10/7/2020	15.8	3		mg/L
Chloride	LGW-10	11/4/2020	15.5	3		mg/L
Chloride	LGW-10	12/3/2020	16.4	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	1/17/2021	37	3		mg/L
Chloride	LGW-10	2/9/2021	19.8	3		mg/L
Chloride	LGW-10	3/2/2021	19.3	3		mg/L
Chloride	LGW-10	4/6/2021	19.5	3		mg/L
Chloride	LGW-10	5/5/2021	19.7	3		mg/L
Chloride	LGW-10	6/1/2021	20	3		mg/L
Chloride	LGW-10	7/7/2021	19.9	2		mg/L
Chloride	LGW-10	7/7/2021	20.2	3		mg/L
Chloride	LGW-10	7/7/2021	19.6	3		mg/L
Chloride	LGW-10	7/7/2021	19.6	3		mg/L
Chloride	LGW-10	8/4/2021	20	3		mg/L
Chloride	LGW-10	9/2/2021	19.7	3		mg/L
Chloride	LGW-10	10/5/2021	19.2	3		mg/L
Chloride	LGW-10	10/5/2021	19.8	3		mg/L
Chloride	LGW-10	11/2/2021	19	3		mg/L
Chloride	LGW-10	12/9/2021	18.6	3		mg/L
Chloride	LGW-10	1/13/2022	21	2		mg/L
Chloride	LGW-10	1/13/2022	20.6	3		mg/L
Chloride	LGW-10	1/13/2022	21.4	3		mg/L
Chloride	LGW-10	2/10/2022	20.2	3		mg/L
Chloride	LGW-10	3/2/2022	21.1	3		mg/L
Chloride	LGW-10	4/4/2022	21	3		mg/L
Chloride	LGW-10	5/7/2022	22.5	3		mg/L
Chloride	LGW-10	6/3/2022	22.2	3		mg/L
Chloride	LGW-10	7/11/2022	20.9	3		mg/L
Chloride	LGW-10	8/10/2022	20.5	3		mg/L
Chloride	LGW-10	9/8/2022	21.4	3		mg/L
Chloride	LGW-10	10/7/2022	20	3		mg/L
Chloride	LGW-10	11/3/2022	20	3		mg/L
Chloride	LGW-10	12/7/2022	20.5	3		mg/L
Chloride	LGW-10	1/11/2023	21.1	3		mg/L
Chloride	LGW-10	2/3/2023	22.7	3		mg/L
Chloride	LGW-10	3/1/2023	22.6	3		mg/L
Chloride	LGW-10	4/5/2023	21.7	3		mg/L
Chloride	LGW-10	5/10/2023	22.1	3		mg/L
Chloride	LGW-10	6/8/2023	23.1	3		mg/L
Chloride	LGW-10	7/10/2023	21.5	3		mg/L
Chloride	LGW-10	8/1/2023	22.1	3		mg/L
Chloride	LGW-10	9/2/2023	21	3		mg/L
Chloride	LGW-10	10/5/2023	24.2	3		mg/L
Chloride	LGW-14R	1/25/2006	4.7	0.5		mg/L
Chloride	LGW-14R	8/2/2006	5.1	3		mg/L
Chloride	LGW-14R	9/28/2006	4.1	3		mg/L
Chloride	LGW-14R	10/27/2006	4.9	3		mg/L
Chloride	LGW-14R	11/21/2006	4.4	3		mg/L
Chloride	LGW-14R	12/21/2006	4.5	3		mg/L
Chloride	LGW-14R	1/24/2007	5.3	3		mg/L
Chloride	LGW-14R	2/27/2007	5.9	3		mg/L
Chloride	LGW-14R	3/26/2007	5.5	3		mg/L
Chloride	LGW-14R	4/24/2007	4.7	3		mg/L
Chloride	LGW-14R	5/31/2007	5.4	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	6/28/2007	4.5	3		mg/L
Chloride	LGW-14R	7/11/2007	4.7	3		mg/L
Chloride	LGW-14R	8/29/2007	12	3		mg/L
Chloride	LGW-14R	9/27/2007	4.8	3		mg/L
Chloride	LGW-14R	10/23/2007	4.7	3		mg/L
Chloride	LGW-14R	11/27/2007	5	3		mg/L
Chloride	LGW-14R	12/27/2007	4.9	3		mg/L
Chloride	LGW-14R	1/23/2008	4.7	3		mg/L
Chloride	LGW-14R	2/28/2008	4.6	3		mg/L
Chloride	LGW-14R	3/25/2008	2.9	3	ND	mg/L
Chloride	LGW-14R	5/3/2008	5.5	3		mg/L
Chloride	LGW-14R	5/30/2008	4.8	3		mg/L
Chloride	LGW-14R	6/26/2008	4.3	3		mg/L
Chloride	LGW-14R	7/22/2008	5.1	3		mg/L
Chloride	LGW-14R	8/29/2008	5.8	3		mg/L
Chloride	LGW-14R	9/26/2008	4.1	3		mg/L
Chloride	LGW-14R	11/25/2008	3.8	3		mg/L
Chloride	LGW-14R	12/19/2008	4.5	3		mg/L
Chloride	LGW-14R	2/6/2009	3.9	3		mg/L
Chloride	LGW-14R	3/26/2009	3.5	3		mg/L
Chloride	LGW-14R	6/25/2009	4	3		mg/L
Chloride	LGW-14R	7/29/2009	3.5	3		mg/L
Chloride	LGW-14R	8/28/2009	3.3	3		mg/L
Chloride	LGW-14R	10/22/2009	3.5	3		mg/L
Chloride	LGW-14R	12/18/2009	3.5	3		mg/L
Chloride	LGW-14R	2/3/2010	3.5	3		mg/L
Chloride	LGW-14R	2/3/2010	3.5	3		mg/L
Chloride	LGW-14R	2/16/2010	3.4	3		mg/L
Chloride	LGW-14R	3/3/2010	3.7	3		mg/L
Chloride	LGW-14R	4/7/2010	3.5	3		mg/L
Chloride	LGW-14R	5/6/2010	4	3		mg/L
Chloride	LGW-14R	6/16/2010	3.7	3		mg/L
Chloride	LGW-14R	7/12/2010	3.5	3		mg/L
Chloride	LGW-14R	8/10/2010	3.8	3		mg/L
Chloride	LGW-14R	9/2/2010	3.7	3		mg/L
Chloride	LGW-14R	9/29/2010	3.7	3		mg/L
Chloride	LGW-14R	11/3/2010	3.2	3		mg/L
Chloride	LGW-14R	12/2/2010	3.9	3		mg/L
Chloride	LGW-14R	1/19/2011	3.7	3		mg/L
Chloride	LGW-14R	2/7/2011	3.7	3		mg/L
Chloride	LGW-14R	3/3/2011	3.9	3		mg/L
Chloride	LGW-14R	4/5/2011	3.8	3		mg/L
Chloride	LGW-14R	5/10/2011	3.6	3		mg/L
Chloride	LGW-14R	6/1/2011	3.6	3		mg/L
Chloride	LGW-14R	7/12/2011	3.9	3		mg/L
Chloride	LGW-14R	8/3/2011	3.8	3		mg/L
Chloride	LGW-14R	9/7/2011	3.9	3		mg/L
Chloride	LGW-14R	10/5/2011	4.1	3		mg/L
Chloride	LGW-14R	11/1/2011	3.6	3		mg/L
Chloride	LGW-14R	12/7/2011	3.9	3		mg/L
Chloride	LGW-14R	1/5/2012	3.8	3		mg/L
Chloride	LGW-14R	2/1/2012	3.7	3		mg/L
Chloride	LGW-14R	3/6/2012	3.8	3		mg/L
Chloride	LGW-14R	4/5/2012	3.9	3		mg/L
Chloride	LGW-14R	5/1/2012	4.2	3		mg/L
Chloride	LGW-14R	6/5/2012	3.8	3		mg/L
Chloride	LGW-14R	7/9/2012	3.8	3		mg/L
Chloride	LGW-14R	8/9/2012	3.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	9/4/2012	3.9	3		mg/L
Chloride	LGW-14R	10/7/2012	3.9	3		mg/L
Chloride	LGW-14R	11/6/2012	4	3		mg/L
Chloride	LGW-14R	11/6/2012	4	3		mg/L
Chloride	LGW-14R	12/6/2012	4.1	3		mg/L
Chloride	LGW-14R	12/6/2012	4.1	3		mg/L
Chloride	LGW-14R	1/23/2013	3.5	3		mg/L
Chloride	LGW-14R	1/23/2013	3.5	3		mg/L
Chloride	LGW-14R	2/5/2013	3.8	3		mg/L
Chloride	LGW-14R	2/5/2013	3.8	3		mg/L
Chloride	LGW-14R	3/5/2013	3.9	3		mg/L
Chloride	LGW-14R	3/5/2013	3.9	3		mg/L
Chloride	LGW-14R	4/30/2013	3.8	3		mg/L
Chloride	LGW-14R	6/4/2013	3.7	3		mg/L
Chloride	LGW-14R	8/8/2013	3.8	3		mg/L
Chloride	LGW-14R	9/10/2013	3.9	3		mg/L
Chloride	LGW-14R	10/1/2013	3.6	3		mg/L
Chloride	LGW-14R	11/6/2013	3.7	3		mg/L
Chloride	LGW-14R	12/2/2013	3.9	3		mg/L
Chloride	LGW-14R	1/23/2014	3.9	3		mg/L
Chloride	LGW-14R	2/12/2014	3.9	3		mg/L
Chloride	LGW-14R	3/11/2014	3.8	3		mg/L
Chloride	LGW-14R	4/2/2014	3.8	3		mg/L
Chloride	LGW-14R	5/7/2014	3.9	3		mg/L
Chloride	LGW-14R	6/3/2014	3.8	3		mg/L
Chloride	LGW-14R	7/8/2014	3.8	3		mg/L
Chloride	LGW-14R	8/5/2014	3.9	3		mg/L
Chloride	LGW-14R	9/4/2014	4	3		mg/L
Chloride	LGW-14R	10/9/2014	4	3		mg/L
Chloride	LGW-14R	11/3/2014	4.1	3		mg/L
Chloride	LGW-14R	1/14/2015	4.3	3		mg/L
Chloride	LGW-14R	2/11/2015	4	3		mg/L
Chloride	LGW-14R	3/3/2015	4.2	3		mg/L
Chloride	LGW-14R	4/1/2015	4	3		mg/L
Chloride	LGW-14R	5/6/2015	4.6	3		mg/L
Chloride	LGW-14R	6/3/2015	4	3		mg/L
Chloride	LGW-14R	7/22/2015	3.9	3		mg/L
Chloride	LGW-14R	8/4/2015	3.8	3		mg/L
Chloride	LGW-14R	9/3/2015	4.1	3		mg/L
Chloride	LGW-14R	10/6/2015	4	3		mg/L
Chloride	LGW-14R	11/4/2015	4.1	3		mg/L
Chloride	LGW-14R	12/3/2015	4.5	3		mg/L
Chloride	LGW-14R	1/5/2016	4.4	3		mg/L
Chloride	LGW-14R	2/3/2016	4	3		mg/L
Chloride	LGW-14R	3/2/2016	4	3		mg/L
Chloride	LGW-14R	4/5/2016	4.3	3		mg/L
Chloride	LGW-14R	5/11/2016	4.1	3		mg/L
Chloride	LGW-14R	6/1/2016	4.4	3		mg/L
Chloride	LGW-14R	7/19/2016	4.1	3		mg/L
Chloride	LGW-14R	8/10/2016	4.2	3		mg/L
Chloride	LGW-14R	9/6/2016	4.5	3		mg/L
Chloride	LGW-14R	10/6/2016	4.1	3		mg/L
Chloride	LGW-14R	11/2/2016	4.5	3		mg/L
Chloride	LGW-14R	12/1/2016	4.1	1		mg/L
Chloride	LGW-14R	1/11/2017	4.5	3		mg/L
Chloride	LGW-14R	2/7/2017	4.5	3		mg/L
Chloride	LGW-14R	3/2/2017	4.4	3		mg/L
Chloride	LGW-14R	4/4/2017	4.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	5/2/2017	4.6	3		mg/L
Chloride	LGW-14R	6/6/2017	4.6	3		mg/L
Chloride	LGW-14R	7/18/2017	4.5	3		mg/L
Chloride	LGW-14R	8/1/2017	4.6	3		mg/L
Chloride	LGW-14R	9/5/2017	4.6	3		mg/L
Chloride	LGW-14R	10/5/2017	4.5	3		mg/L
Chloride	LGW-14R	11/1/2017	4.5	3		mg/L
Chloride	LGW-14R	1/25/2018	3.9	3		mg/L
Chloride	LGW-14R	2/22/2018	4.2	3		mg/L
Chloride	LGW-14R	3/20/2018	4.6	3		mg/L
Chloride	LGW-14R	4/10/2018	4.2	3		mg/L
Chloride	LGW-14R	6/5/2018	4.5	3		mg/L
Chloride	LGW-14R	7/17/2018	4.2	3		mg/L
Chloride	LGW-14R	8/1/2018	4.7	3		mg/L
Chloride	LGW-14R	9/4/2018	5.2	3		mg/L
Chloride	LGW-14R	10/2/2018	4.2	3		mg/L
Chloride	LGW-14R	11/6/2018	4.3	3		mg/L
Chloride	LGW-14R	12/4/2018	4.4	3		mg/L
Chloride	LGW-14R	1/3/2019	4.3	3		mg/L
Chloride	LGW-14R	2/6/2019	4.5	3		mg/L
Chloride	LGW-14R	3/5/2019	4.1	3		mg/L
Chloride	LGW-14R	4/3/2019	4.7	3		mg/L
Chloride	LGW-14R	5/2/2019	4.3	3		mg/L
Chloride	LGW-14R	6/4/2019	3.9	3		mg/L
Chloride	LGW-14R	7/10/2019	3.9	3		mg/L
Chloride	LGW-14R	7/10/2019	4.8	3		mg/L
Chloride	LGW-14R	8/7/2019	3.9	3		mg/L
Chloride	LGW-14R	9/5/2019	4.3	3		mg/L
Chloride	LGW-14R	10/3/2019	4.6	3		mg/L
Chloride	LGW-14R	11/5/2019	4.1	3		mg/L
Chloride	LGW-14R	12/4/2019	4.3	3		mg/L
Chloride	LGW-14R	1/16/2020	4.68	3		mg/L
Chloride	LGW-14R	2/4/2020	4.81	1		mg/L
Chloride	LGW-14R	3/3/2020	4.68	3		mg/L
Chloride	LGW-14R	4/3/2020	4.67	3		mg/L
Chloride	LGW-14R	5/5/2020	4.34	3		mg/L
Chloride	LGW-14R	6/2/2020	4.58	3		mg/L
Chloride	LGW-14R	7/9/2020	4.76	3		mg/L
Chloride	LGW-14R	7/9/2020	4.36	3		mg/L
Chloride	LGW-14R	8/3/2020	4.49	3		mg/L
Chloride	LGW-14R	9/2/2020	4.53	3		mg/L
Chloride	LGW-14R	10/7/2020	4.36	3		mg/L
Chloride	LGW-14R	11/3/2020	4.58	3		mg/L
Chloride	LGW-14R	12/3/2020	4.42	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	1/18/2021	4.76	3		mg/L
Chloride	LGW-14R	2/9/2021	4.66	3		mg/L
Chloride	LGW-14R	3/2/2021	4.42	3		mg/L
Chloride	LGW-14R	4/6/2021	4.66	3		mg/L
Chloride	LGW-14R	5/4/2021	4.61	3		mg/L
Chloride	LGW-14R	6/1/2021	4.91	3		mg/L
Chloride	LGW-14R	7/7/2021	5.12	2		mg/L
Chloride	LGW-14R	7/7/2021	5.12	3		mg/L
Chloride	LGW-14R	7/7/2021	4.97	3		mg/L
Chloride	LGW-14R	7/7/2021	4.97	3		mg/L
Chloride	LGW-14R	8/3/2021	4.64	3		mg/L
Chloride	LGW-14R	9/2/2021	5.15	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-14R	10/5/2021	4.69	3		mg/L
Chloride	LGW-14R	11/2/2021	4.47	3		mg/L
Chloride	LGW-14R	12/9/2021	4.18	3		mg/L
Chloride	LGW-14R	1/12/2022	5.09	2		mg/L
Chloride	LGW-14R	1/12/2022	5	3		mg/L
Chloride	LGW-14R	1/12/2022	4.88	3		mg/L
Chloride	LGW-14R	2/10/2022	5.11	3		mg/L
Chloride	LGW-14R	3/1/2022	4.87	3		mg/L
Chloride	LGW-14R	4/5/2022	4.75	3		mg/L
Chloride	LGW-14R	5/7/2022	4.96	3		mg/L
Chloride	LGW-14R	6/3/2022	5.33	3		mg/L
Chloride	LGW-14R	7/11/2022	4.9	3		mg/L
Chloride	LGW-14R	8/10/2022	4.95	3		mg/L
Chloride	LGW-14R	9/8/2022	5.05	3		mg/L
Chloride	LGW-14R	10/6/2022	4.69	3		mg/L
Chloride	LGW-14R	11/3/2022	4.78	3		mg/L
Chloride	LGW-14R	12/7/2022	4.88	3		mg/L
Chloride	LGW-14R	1/10/2023	4.88	3		mg/L
Chloride	LGW-14R	2/3/2023	5.42	3		mg/L
Chloride	LGW-14R	3/1/2023	5.49	3		mg/L
Chloride	LGW-14R	4/5/2023	4.9	3		mg/L
Chloride	LGW-14R	5/10/2023	5.26	3		mg/L
Chloride	LGW-14R	6/8/2023	5.56	3		mg/L
Chloride	LGW-14R	7/10/2023	5.15	3		mg/L
Chloride	LGW-14R	8/2/2023	5.39	3		mg/L
Chloride	LGW-14R	9/2/2023	5.17	3		mg/L
Chloride	LGW-14R	10/5/2023	5.64	3		mg/L
Chloride	LGW-2	1/25/2006	17.5	0.5		mg/L
Chloride	LGW-2	8/1/2006	9.1	3		mg/L
Chloride	LGW-2	9/27/2006	7.5	3		mg/L
Chloride	LGW-2	10/26/2006	7.7	3		mg/L
Chloride	LGW-2	11/21/2006	7.7	3		mg/L
Chloride	LGW-2	12/21/2006	7.1	3		mg/L
Chloride	LGW-2	1/25/2007	7.7	3		mg/L
Chloride	LGW-2	2/27/2007	7.9	3		mg/L
Chloride	LGW-2	3/26/2007	7.4	3		mg/L
Chloride	LGW-2	4/26/2007	6.6	3		mg/L
Chloride	LGW-2	6/1/2007	9.5	3		mg/L
Chloride	LGW-2	6/28/2007	8.1	3		mg/L
Chloride	LGW-2	7/10/2007	8.1	3		mg/L
Chloride	LGW-2	8/28/2007	6.6	3		mg/L
Chloride	LGW-2	9/28/2007	7.9	3		mg/L
Chloride	LGW-2	10/24/2007	8.1	3		mg/L
Chloride	LGW-2	11/28/2007	7.9	3		mg/L
Chloride	LGW-2	12/28/2007	8	3		mg/L
Chloride	LGW-2	1/26/2008	7.7	3		mg/L
Chloride	LGW-2	2/28/2008	7.7	3		mg/L
Chloride	LGW-2	3/24/2008	7.8	3		mg/L
Chloride	LGW-2	5/3/2008	8.1	3		mg/L
Chloride	LGW-2	6/26/2008	9	3		mg/L
Chloride	LGW-2	7/23/2008	9.4	3		mg/L
Chloride	LGW-2	8/29/2008	7.7	3		mg/L
Chloride	LGW-2	9/26/2008	8.6	3		mg/L
Chloride	LGW-2	10/21/2008	8.7	3		mg/L
Chloride	LGW-2	11/25/2008	8.5	3		mg/L
Chloride	LGW-2	12/19/2008	10	3		mg/L
Chloride	LGW-2	2/6/2009	8.4	3		mg/L
Chloride	LGW-2	3/26/2009	7.9	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	4/16/2009	9.6	3		mg/L
Chloride	LGW-2	5/29/2009	8.4	3		mg/L
Chloride	LGW-2	6/25/2009	8.9	3		mg/L
Chloride	LGW-2	7/30/2009	8.7	3		mg/L
Chloride	LGW-2	8/29/2009	8.5	3		mg/L
Chloride	LGW-2	9/30/2009	8.8	3		mg/L
Chloride	LGW-2	10/22/2009	9.7	3		mg/L
Chloride	LGW-2	11/24/2009	9.7	3		mg/L
Chloride	LGW-2	12/18/2009	10	3		mg/L
Chloride	LGW-2	2/3/2010	9.4	3		mg/L
Chloride	LGW-2	2/3/2010	9.4	3		mg/L
Chloride	LGW-2	2/17/2010	9.7	3		mg/L
Chloride	LGW-2	3/4/2010	9.8	3		mg/L
Chloride	LGW-2	4/8/2010	8.6	3		mg/L
Chloride	LGW-2	5/6/2010	9.9	3		mg/L
Chloride	LGW-2	6/15/2010	12	3		mg/L
Chloride	LGW-2	7/12/2010	9.1	3		mg/L
Chloride	LGW-2	8/10/2010	9.4	3		mg/L
Chloride	LGW-2	9/1/2010	9.5	3		mg/L
Chloride	LGW-2	9/29/2010	9.4	3		mg/L
Chloride	LGW-2	11/3/2010	8.1	3		mg/L
Chloride	LGW-2	12/2/2010	9.5	3		mg/L
Chloride	LGW-2	1/19/2011	9.3	3		mg/L
Chloride	LGW-2	2/7/2011	9.1	3		mg/L
Chloride	LGW-2	3/3/2011	8.7	3		mg/L
Chloride	LGW-2	4/5/2011	9.2	3		mg/L
Chloride	LGW-2	5/10/2011	9.1	3		mg/L
Chloride	LGW-2	6/1/2011	9	3		mg/L
Chloride	LGW-2	7/13/2011	9.8	3		mg/L
Chloride	LGW-2	8/3/2011	9.7	3		mg/L
Chloride	LGW-2	9/7/2011	9.7	3		mg/L
Chloride	LGW-2	10/5/2011	10	3		mg/L
Chloride	LGW-2	11/1/2011	8.9	3		mg/L
Chloride	LGW-2	12/7/2011	8.9	3		mg/L
Chloride	LGW-2	1/4/2012	9.6	3		mg/L
Chloride	LGW-2	2/1/2012	8.9	3		mg/L
Chloride	LGW-2	3/6/2012	9.4	3		mg/L
Chloride	LGW-2	4/5/2012	9.1	3		mg/L
Chloride	LGW-2	5/1/2012	9	3		mg/L
Chloride	LGW-2	6/5/2012	8.9	3		mg/L
Chloride	LGW-2	7/9/2012	9.3	3		mg/L
Chloride	LGW-2	8/9/2012	8.8	3		mg/L
Chloride	LGW-2	9/4/2012	9	3		mg/L
Chloride	LGW-2	10/7/2012	9.2	3		mg/L
Chloride	LGW-2	4/30/2013	8.9	3		mg/L
Chloride	LGW-2	6/4/2013	8.9	3		mg/L
Chloride	LGW-2	7/15/2013	9	3		mg/L
Chloride	LGW-2	8/8/2013	8.9	3		mg/L
Chloride	LGW-2	9/10/2013	3	3	ND	mg/L
Chloride	LGW-2	10/1/2013	8.4	3		mg/L
Chloride	LGW-2	11/6/2013	8.5	3		mg/L
Chloride	LGW-2	12/2/2013	9.2	3		mg/L
Chloride	LGW-2	1/30/2014	8.5	3		mg/L
Chloride	LGW-2	2/13/2014	9.1	3		mg/L
Chloride	LGW-2	3/12/2014	9	3		mg/L
Chloride	LGW-2	4/3/2014	8.8	3		mg/L
Chloride	LGW-2	5/7/2014	8.8	3		mg/L
Chloride	LGW-2	6/3/2014	8.6	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	7/8/2014	9	3		mg/L
Chloride	LGW-2	8/5/2014	8.6	3		mg/L
Chloride	LGW-2	9/4/2014	8.4	3		mg/L
Chloride	LGW-2	10/9/2014	9	3		mg/L
Chloride	LGW-2	11/3/2014	9	3		mg/L
Chloride	LGW-2	1/14/2015	9.1	3		mg/L
Chloride	LGW-2	2/13/2015	8.8	3		mg/L
Chloride	LGW-2	3/3/2015	8.9	3		mg/L
Chloride	LGW-2	4/1/2015	8.8	3		mg/L
Chloride	LGW-2	5/6/2015	8.4	3		mg/L
Chloride	LGW-2	6/3/2015	8.9	3		mg/L
Chloride	LGW-2	7/8/2015	8.2	3		mg/L
Chloride	LGW-2	8/4/2015	8.6	3		mg/L
Chloride	LGW-2	9/2/2015	8.2	3		mg/L
Chloride	LGW-2	10/5/2015	7.9	3		mg/L
Chloride	LGW-2	11/4/2015	8.7	3		mg/L
Chloride	LGW-2	12/3/2015	10	3		mg/L
Chloride	LGW-2	1/5/2016	9.6	3		mg/L
Chloride	LGW-2	2/3/2016	9.2	3		mg/L
Chloride	LGW-2	3/2/2016	9.1	3		mg/L
Chloride	LGW-2	4/5/2016	9.5	3		mg/L
Chloride	LGW-2	5/11/2016	8.2	3		mg/L
Chloride	LGW-2	6/1/2016	9.6	3		mg/L
Chloride	LGW-2	7/19/2016	9.2	3		mg/L
Chloride	LGW-2	8/10/2016	8.6	3		mg/L
Chloride	LGW-2	9/6/2016	9.9	3		mg/L
Chloride	LGW-2	10/6/2016	8.8	3		mg/L
Chloride	LGW-2	11/2/2016	9.7	3		mg/L
Chloride	LGW-2	12/1/2016	9.3	1		mg/L
Chloride	LGW-2	1/11/2017	9.9	3		mg/L
Chloride	LGW-2	2/7/2017	9.5	3		mg/L
Chloride	LGW-2	3/2/2017	8.5	3		mg/L
Chloride	LGW-2	4/4/2017	9.5	3		mg/L
Chloride	LGW-2	5/16/2017	9.6	3		mg/L
Chloride	LGW-2	6/6/2017	9.9	3		mg/L
Chloride	LGW-2	7/18/2017	10	3		mg/L
Chloride	LGW-2	8/1/2017	10	3		mg/L
Chloride	LGW-2	9/5/2017	10	3		mg/L
Chloride	LGW-2	10/6/2017	9.9	3		mg/L
Chloride	LGW-2	11/1/2017	9.6	3		mg/L
Chloride	LGW-2	1/23/2018	10	3		mg/L
Chloride	LGW-2	2/22/2018	9.1	3		mg/L
Chloride	LGW-2	3/21/2018	9.5	3		mg/L
Chloride	LGW-2	4/10/2018	8.9	3		mg/L
Chloride	LGW-2	6/5/2018	9.6	3		mg/L
Chloride	LGW-2	7/12/2018	8.7	3		mg/L
Chloride	LGW-2	8/1/2018	9.8	3		mg/L
Chloride	LGW-2	9/4/2018	11	3		mg/L
Chloride	LGW-2	10/2/2018	8.8	3		mg/L
Chloride	LGW-2	11/6/2018	7.6	3		mg/L
Chloride	LGW-2	12/4/2018	8.9	3		mg/L
Chloride	LGW-2	1/3/2019	8.9	3		mg/L
Chloride	LGW-2	2/5/2019	10	3		mg/L
Chloride	LGW-2	3/6/2019	7.9	3		mg/L
Chloride	LGW-2	4/3/2019	9.7	3		mg/L
Chloride	LGW-2	5/2/2019	8.4	3		mg/L
Chloride	LGW-2	6/5/2019	10	3		mg/L
Chloride	LGW-2	7/9/2019	9.2	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	7/9/2019	7.6	3		mg/L
Chloride	LGW-2	8/6/2019	7.6	3		mg/L
Chloride	LGW-2	9/4/2019	9	3		mg/L
Chloride	LGW-2	10/1/2019	9.4	3		mg/L
Chloride	LGW-2	11/6/2019	9.7	3		mg/L
Chloride	LGW-2	12/3/2019	9.3	3		mg/L
Chloride	LGW-2	1/13/2020	9.66	3		mg/L
Chloride	LGW-2	2/4/2020	9.8	1		mg/L
Chloride	LGW-2	3/3/2020	9.95	3		mg/L
Chloride	LGW-2	4/1/2020	9.78	3		mg/L
Chloride	LGW-2	5/5/2020	9.59	3		mg/L
Chloride	LGW-2	6/2/2020	9.84	3		mg/L
Chloride	LGW-2	7/8/2020	9.31	3		mg/L
Chloride	LGW-2	7/8/2020	9.44	3		mg/L
Chloride	LGW-2	8/3/2020	9.96	3		mg/L
Chloride	LGW-2	9/3/2020	9.37	3		mg/L
Chloride	LGW-2	10/7/2020	11.2	3		mg/L
Chloride	LGW-2	11/3/2020	9.38	3		mg/L
Chloride	LGW-2	12/4/2020	9.35	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	1/18/2021	9.34	3		mg/L
Chloride	LGW-2	2/10/2021	9.47	3		mg/L
Chloride	LGW-2	3/2/2021	9.09	3		mg/L
Chloride	LGW-2	4/7/2021	9.99	3		mg/L
Chloride	LGW-2	5/4/2021	8.99	3		mg/L
Chloride	LGW-2	6/1/2021	9.18	3		mg/L
Chloride	LGW-2	7/4/2021	9.87	3		mg/L
Chloride	LGW-2	7/4/2021	8.89	3		mg/L
Chloride	LGW-2	7/4/2021	10	2		mg/L
Chloride	LGW-2	8/3/2021	9.69	3		mg/L
Chloride	LGW-2	9/2/2021	9.7	3		mg/L
Chloride	LGW-2	10/5/2021	9.37	3		mg/L
Chloride	LGW-2	11/1/2021	9.15	3		mg/L
Chloride	LGW-2	12/8/2021	8.67	3		mg/L
Chloride	LGW-2	1/12/2022	9.63	3		mg/L
Chloride	LGW-2	1/12/2022	9.41	3		mg/L
Chloride	LGW-2	1/12/2022	9.75	2		mg/L
Chloride	LGW-2	2/9/2022	9.66	3		mg/L
Chloride	LGW-2	3/1/2022	9.54	3		mg/L
Chloride	LGW-2	4/5/2022	9.6	3		mg/L
Chloride	LGW-2	5/7/2022	9.8	3		mg/L
Chloride	LGW-2	6/3/2022	10.3	3		mg/L
Chloride	LGW-2	7/10/2022	10.1	3		mg/L
Chloride	LGW-2	8/10/2022	9.92	3		mg/L
Chloride	LGW-2	9/8/2022	10.3	3		mg/L
Chloride	LGW-2	10/6/2022	9.47	3		mg/L
Chloride	LGW-2	11/3/2022	9.28	3		mg/L
Chloride	LGW-2	12/7/2022	9.61	3		mg/L
Chloride	LGW-2	1/10/2023	9.88	3		mg/L
Chloride	LGW-2	2/3/2023	10.6	3		mg/L
Chloride	LGW-2	3/1/2023	10.9	3		mg/L
Chloride	LGW-2	4/6/2023	9.82	3		mg/L
Chloride	LGW-2	5/11/2023	10.4	3		mg/L
Chloride	LGW-2	6/8/2023	10.2	3		mg/L
Chloride	LGW-2	7/10/2023	10.2	3		mg/L
Chloride	LGW-2	8/1/2023	10.6	3		mg/L
Chloride	LGW-2	9/1/2023	10.4	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-2	10/4/2023	11.3	3		mg/L
Chloride	LGW-3R	1/24/2006	44.9	0.5		mg/L
Chloride	LGW-3R	7/20/2006	45	3		mg/L
Chloride	LGW-3R	9/26/2006	15	3		mg/L
Chloride	LGW-3R	10/26/2006	31	3		mg/L
Chloride	LGW-3R	11/21/2006	25	3		mg/L
Chloride	LGW-3R	12/21/2006	15	3		mg/L
Chloride	LGW-3R	1/25/2007	11	3		mg/L
Chloride	LGW-3R	2/27/2007	11	3		mg/L
Chloride	LGW-3R	3/26/2007	10	3		mg/L
Chloride	LGW-3R	4/26/2007	24	3		mg/L
Chloride	LGW-3R	6/1/2007	35	3		mg/L
Chloride	LGW-3R	6/28/2007	35	3		mg/L
Chloride	LGW-3R	7/11/2007	15	3		mg/L
Chloride	LGW-3R	8/28/2007	38	3		mg/L
Chloride	LGW-3R	9/28/2007	41	3		mg/L
Chloride	LGW-3R	10/24/2007	43	3		mg/L
Chloride	LGW-3R	11/28/2007	44	3		mg/L
Chloride	LGW-3R	12/27/2007	42	3		mg/L
Chloride	LGW-3R	1/26/2008	42	3		mg/L
Chloride	LGW-3R	2/27/2008	15	3		mg/L
Chloride	LGW-3R	3/24/2008	11	3		mg/L
Chloride	LGW-3R	5/3/2008	5.2	3		mg/L
Chloride	LGW-3R	6/26/2008	7.3	3		mg/L
Chloride	LGW-3R	7/23/2008	6.1	3		mg/L
Chloride	LGW-3R	8/29/2008	11	3		mg/L
Chloride	LGW-3R	9/26/2008	8.3	3		mg/L
Chloride	LGW-3R	10/22/2008	13	3		mg/L
Chloride	LGW-3R	11/25/2008	20	3		mg/L
Chloride	LGW-3R	12/19/2008	25	3		mg/L
Chloride	LGW-3R	2/3/2009	24	3		mg/L
Chloride	LGW-3R	3/26/2009	26	3		mg/L
Chloride	LGW-3R	4/16/2009	17	3		mg/L
Chloride	LGW-3R	5/28/2009	6.2	3		mg/L
Chloride	LGW-3R	6/25/2009	9.5	3		mg/L
Chloride	LGW-3R	7/31/2009	16	3		mg/L
Chloride	LGW-3R	8/29/2009	22	3		mg/L
Chloride	LGW-3R	9/30/2009	28	3		mg/L
Chloride	LGW-3R	10/22/2009	16	3		mg/L
Chloride	LGW-3R	11/24/2009	14	3		mg/L
Chloride	LGW-3R	12/18/2009	20	3		mg/L
Chloride	LGW-3R	2/3/2010	29	3		mg/L
Chloride	LGW-3R	2/3/2010	29	3		mg/L
Chloride	LGW-3R	2/17/2010	25	3		mg/L
Chloride	LGW-3R	3/3/2010	26	3		mg/L
Chloride	LGW-3R	4/8/2010	16	3		mg/L
Chloride	LGW-3R	5/5/2010	21	3		mg/L
Chloride	LGW-3R	6/15/2010	18	3		mg/L
Chloride	LGW-3R	7/16/2010	11	3		mg/L
Chloride	LGW-3R	8/11/2010	13	3		mg/L
Chloride	LGW-3R	9/1/2010	18	3		mg/L
Chloride	LGW-3R	9/29/2010	22	3		mg/L
Chloride	LGW-3R	11/3/2010	25	3		mg/L
Chloride	LGW-3R	12/3/2010	35	3		mg/L
Chloride	LGW-3R	1/19/2011	40	3		mg/L
Chloride	LGW-3R	2/7/2011	40	3		mg/L
Chloride	LGW-3R	3/3/2011	39	3		mg/L
Chloride	LGW-3R	4/5/2011	40	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	5/10/2011	11	3		mg/L
Chloride	LGW-3R	6/1/2011	6.9	3		mg/L
Chloride	LGW-3R	7/13/2011	10	3		mg/L
Chloride	LGW-3R	8/3/2011	14	3		mg/L
Chloride	LGW-3R	9/7/2011	20	3		mg/L
Chloride	LGW-3R	10/5/2011	27	3		mg/L
Chloride	LGW-3R	11/1/2011	28	3		mg/L
Chloride	LGW-3R	12/7/2011	28	3		mg/L
Chloride	LGW-3R	1/4/2012	24	3		mg/L
Chloride	LGW-3R	2/1/2012	27	3		mg/L
Chloride	LGW-3R	3/6/2012	30	3		mg/L
Chloride	LGW-3R	4/5/2012	17	3		mg/L
Chloride	LGW-3R	5/1/2012	21	3		mg/L
Chloride	LGW-3R	6/5/2012	30	3		mg/L
Chloride	LGW-3R	7/9/2012	34	3		mg/L
Chloride	LGW-3R	8/9/2012	33	3		mg/L
Chloride	LGW-3R	9/4/2012	35	3		mg/L
Chloride	LGW-3R	11/8/2012	34	3		mg/L
Chloride	LGW-3R	12/6/2012	36	3		mg/L
Chloride	LGW-3R	12/6/2012	36	3		mg/L
Chloride	LGW-3R	1/23/2013	36	3		mg/L
Chloride	LGW-3R	1/23/2013	36	3		mg/L
Chloride	LGW-3R	2/5/2013	36	3		mg/L
Chloride	LGW-3R	2/5/2013	36	3		mg/L
Chloride	LGW-3R	3/5/2013	35	3		mg/L
Chloride	LGW-3R	3/5/2013	35	3		mg/L
Chloride	LGW-3R	4/30/2013	9.9	3		mg/L
Chloride	LGW-3R	6/4/2013	6.6	3		mg/L
Chloride	LGW-3R	7/15/2013	14	3		mg/L
Chloride	LGW-3R	8/8/2013	22	3		mg/L
Chloride	LGW-3R	9/10/2013	20	3		mg/L
Chloride	LGW-3R	10/1/2013	26	3		mg/L
Chloride	LGW-3R	11/6/2013	25	3		mg/L
Chloride	LGW-3R	12/2/2013	29	3		mg/L
Chloride	LGW-3R	1/22/2014	24	3		mg/L
Chloride	LGW-3R	2/12/2014	26	3		mg/L
Chloride	LGW-3R	3/11/2014	28	3		mg/L
Chloride	LGW-3R	4/2/2014	27	3		mg/L
Chloride	LGW-3R	5/7/2014	25	3		mg/L
Chloride	LGW-3R	6/3/2014	27	3		mg/L
Chloride	LGW-3R	7/8/2014	28	3		mg/L
Chloride	LGW-3R	8/5/2014	29	3		mg/L
Chloride	LGW-3R	9/4/2014	29	3		mg/L
Chloride	LGW-3R	10/9/2014	30	3		mg/L
Chloride	LGW-3R	11/3/2014	30	3		mg/L
Chloride	LGW-3R	1/14/2015	28	3		mg/L
Chloride	LGW-3R	2/10/2015	29	3		mg/L
Chloride	LGW-3R	3/3/2015	29	3		mg/L
Chloride	LGW-3R	4/1/2015	24	3		mg/L
Chloride	LGW-3R	5/6/2015	27	3		mg/L
Chloride	LGW-3R	6/3/2015	27	3		mg/L
Chloride	LGW-3R	7/16/2015	14	3		mg/L
Chloride	LGW-3R	8/5/2015	6.9	3		mg/L
Chloride	LGW-3R	9/3/2015	7.3	3		mg/L
Chloride	LGW-3R	10/6/2015	13	3		mg/L
Chloride	LGW-3R	11/5/2015	15	3		mg/L
Chloride	LGW-3R	12/4/2015	8.5	3		mg/L
Chloride	LGW-3R	1/8/2016	12	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	2/4/2016	7.6	3		mg/L
Chloride	LGW-3R	3/3/2016	7.6	3		mg/L
Chloride	LGW-3R	4/6/2016	7	3		mg/L
Chloride	LGW-3R	5/12/2016	7	3		mg/L
Chloride	LGW-3R	6/2/2016	7.5	3		mg/L
Chloride	LGW-3R	7/21/2016	7.2	3		mg/L
Chloride	LGW-3R	8/11/2016	8.1	3		mg/L
Chloride	LGW-3R	9/7/2016	19	3		mg/L
Chloride	LGW-3R	10/7/2016	17	3		mg/L
Chloride	LGW-3R	11/3/2016	26	3		mg/L
Chloride	LGW-3R	12/2/2016	23	1		mg/L
Chloride	LGW-3R	1/11/2017	30	3		mg/L
Chloride	LGW-3R	2/7/2017	30	3		mg/L
Chloride	LGW-3R	3/2/2017	27	3		mg/L
Chloride	LGW-3R	4/4/2017	27	3		mg/L
Chloride	LGW-3R	5/2/2017	13	3		mg/L
Chloride	LGW-3R	6/6/2017	11	3		mg/L
Chloride	LGW-3R	7/18/2017	15	3		mg/L
Chloride	LGW-3R	8/1/2017	17	3		mg/L
Chloride	LGW-3R	9/5/2017	16	3		mg/L
Chloride	LGW-3R	10/6/2017	19	3		mg/L
Chloride	LGW-3R	11/1/2017	18	3		mg/L
Chloride	LGW-3R	1/23/2018	26	3		mg/L
Chloride	LGW-3R	2/22/2018	23	3		mg/L
Chloride	LGW-3R	3/19/2018	16	3		mg/L
Chloride	LGW-3R	4/10/2018	13	3		mg/L
Chloride	LGW-3R	6/5/2018	15	3		mg/L
Chloride	LGW-3R	7/11/2018	18	3		mg/L
Chloride	LGW-3R	8/1/2018	18	3		mg/L
Chloride	LGW-3R	9/5/2018	21	3		mg/L
Chloride	LGW-3R	10/3/2018	19	3		mg/L
Chloride	LGW-3R	11/7/2018	17	3		mg/L
Chloride	LGW-3R	12/4/2018	21	3		mg/L
Chloride	LGW-3R	1/3/2019	20	3		mg/L
Chloride	LGW-3R	2/5/2019	14	3		mg/L
Chloride	LGW-3R	3/4/2019	12	3		mg/L
Chloride	LGW-3R	4/3/2019	14	3		mg/L
Chloride	LGW-3R	5/1/2019	11	3		mg/L
Chloride	LGW-3R	6/5/2019	9.1	3		mg/L
Chloride	LGW-3R	7/9/2019	8.9	3		mg/L
Chloride	LGW-3R	7/9/2019	9.9	3		mg/L
Chloride	LGW-3R	8/5/2019	7.5	3		mg/L
Chloride	LGW-3R	9/3/2019	9.3	3		mg/L
Chloride	LGW-3R	10/1/2019	11	3		mg/L
Chloride	LGW-3R	11/6/2019	9.6	3		mg/L
Chloride	LGW-3R	12/2/2019	8	3		mg/L
Chloride	LGW-3R	1/14/2020	8.25	3		mg/L
Chloride	LGW-3R	2/4/2020	6.75	1		mg/L
Chloride	LGW-3R	3/2/2020	7.8	3		mg/L
Chloride	LGW-3R	4/1/2020	6.62	3		mg/L
Chloride	LGW-3R	5/5/2020	6.65	3		mg/L
Chloride	LGW-3R	6/3/2020	6.53	3		mg/L
Chloride	LGW-3R	7/6/2020	6.23	3		mg/L
Chloride	LGW-3R	7/6/2020	6.51	3		mg/L
Chloride	LGW-3R	8/3/2020	7.65	3		mg/L
Chloride	LGW-3R	9/2/2020	7.09	3		mg/L
Chloride	LGW-3R	10/5/2020	6.64	3		mg/L
Chloride	LGW-3R	11/3/2020	5.88	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-3R	12/4/2020	5.76	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	1/18/2021	6.24	3		mg/L
Chloride	LGW-3R	2/9/2021	5.88	3		mg/L
Chloride	LGW-3R	3/2/2021	5.38	3		mg/L
Chloride	LGW-3R	4/6/2021	5.6	3		mg/L
Chloride	LGW-3R	5/4/2021	5.91	3		mg/L
Chloride	LGW-3R	6/2/2021	6.07	3		mg/L
Chloride	LGW-3R	7/6/2021	6.13	2		mg/L
Chloride	LGW-3R	7/6/2021	5.3	3		mg/L
Chloride	LGW-3R	7/6/2021	6.07	3		mg/L
Chloride	LGW-3R	8/3/2021	5.38	3		mg/L
Chloride	LGW-3R	9/2/2021	5.1	3		mg/L
Chloride	LGW-3R	10/5/2021	4.62	3		mg/L
Chloride	LGW-3R	11/2/2021	11.8	3		mg/L
Chloride	LGW-3R	12/9/2021	4.35	3		mg/L
Chloride	LGW-3R	1/12/2022	6.03	2		mg/L
Chloride	LGW-3R	1/12/2022	5.82	3		mg/L
Chloride	LGW-3R	1/12/2022	5.58	3		mg/L
Chloride	LGW-3R	2/10/2022	5.21	3		mg/L
Chloride	LGW-3R	3/1/2022	5.76	3		mg/L
Chloride	LGW-3R	4/5/2022	5.73	3		mg/L
Chloride	LGW-3R	5/7/2022	5.25	3		mg/L
Chloride	LGW-3R	6/3/2022	6.11	3		mg/L
Chloride	LGW-3R	7/10/2022	5.43	3		mg/L
Chloride	LGW-3R	8/10/2022	6.03	3		mg/L
Chloride	LGW-3R	9/8/2022	5.92	3		mg/L
Chloride	LGW-3R	10/6/2022	5.04	3		mg/L
Chloride	LGW-3R	11/3/2022	4.91	3		mg/L
Chloride	LGW-3R	12/7/2022	5.15	3		mg/L
Chloride	LGW-3R	1/10/2023	5.4	3		mg/L
Chloride	LGW-3R	2/3/2023	5.74	3		mg/L
Chloride	LGW-3R	3/1/2023	6.2	3		mg/L
Chloride	LGW-3R	4/6/2023	4.75	3		mg/L
Chloride	LGW-3R	5/10/2023	6.05	3		mg/L
Chloride	LGW-3R	6/8/2023	5.68	3		mg/L
Chloride	LGW-3R	7/10/2023	5.33	3		mg/L
Chloride	LGW-3R	8/2/2023	5.29	3		mg/L
Chloride	LGW-3R	9/2/2023	24.8	3		mg/L
Chloride	LGW-3R	10/4/2023	4.93	3		mg/L
Chloride	LGW-4	1/24/2006	20.6	0.5		mg/L
Chloride	LGW-4	7/20/2006	20	3		mg/L
Chloride	LGW-4	9/26/2006	11	3		mg/L
Chloride	LGW-4	10/26/2006	19	3		mg/L
Chloride	LGW-4	11/21/2006	15	3		mg/L
Chloride	LGW-4	12/21/2006	12	3		mg/L
Chloride	LGW-4	1/25/2007	8.7	3		mg/L
Chloride	LGW-4	2/27/2007	9.9	3		mg/L
Chloride	LGW-4	3/26/2007	9.7	3		mg/L
Chloride	LGW-4	4/26/2007	13	3		mg/L
Chloride	LGW-4	5/31/2007	19	3		mg/L
Chloride	LGW-4	6/28/2007	14	3		mg/L
Chloride	LGW-4	7/11/2007	10	3		mg/L
Chloride	LGW-4	8/28/2007	20	3		mg/L
Chloride	LGW-4	9/28/2007	20	3		mg/L
Chloride	LGW-4	10/24/2007	19	3		mg/L
Chloride	LGW-4	11/28/2007	21	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	12/27/2007	21	3		mg/L
Chloride	LGW-4	1/22/2008	22	3		mg/L
Chloride	LGW-4	2/27/2008	14	3		mg/L
Chloride	LGW-4	3/25/2008	8.9	3		mg/L
Chloride	LGW-4	5/3/2008	6.4	3		mg/L
Chloride	LGW-4	7/23/2008	8.5	3		mg/L
Chloride	LGW-4	8/29/2008	10	3		mg/L
Chloride	LGW-4	9/26/2008	6.8	3		mg/L
Chloride	LGW-4	10/22/2008	11	3		mg/L
Chloride	LGW-4	11/25/2008	13	3		mg/L
Chloride	LGW-4	12/19/2008	16	3		mg/L
Chloride	LGW-4	2/3/2009	15	3		mg/L
Chloride	LGW-4	3/26/2009	10	3		mg/L
Chloride	LGW-4	4/16/2009	10	3		mg/L
Chloride	LGW-4	5/28/2009	5.7	3		mg/L
Chloride	LGW-4	6/25/2009	9.5	3		mg/L
Chloride	LGW-4	7/31/2009	12	3		mg/L
Chloride	LGW-4	8/29/2009	14	3		mg/L
Chloride	LGW-4	10/22/2009	11	3		mg/L
Chloride	LGW-4	11/24/2009	11	3		mg/L
Chloride	LGW-4	2/3/2010	17	3		mg/L
Chloride	LGW-4	2/3/2010	17	3		mg/L
Chloride	LGW-4	2/17/2010	16	3		mg/L
Chloride	LGW-4	3/3/2010	17	3		mg/L
Chloride	LGW-4	4/8/2010	12	3		mg/L
Chloride	LGW-4	5/5/2010	14	3		mg/L
Chloride	LGW-4	6/15/2010	20	3		mg/L
Chloride	LGW-4	7/16/2010	9.3	3		mg/L
Chloride	LGW-4	8/11/2010	11	3		mg/L
Chloride	LGW-4	9/1/2010	13	3		mg/L
Chloride	LGW-4	9/29/2010	12	3		mg/L
Chloride	LGW-4	11/3/2010	14	3		mg/L
Chloride	LGW-4	12/3/2010	19	3		mg/L
Chloride	LGW-4	1/19/2011	21	3		mg/L
Chloride	LGW-4	2/7/2011	21	3		mg/L
Chloride	LGW-4	3/3/2011	22	3		mg/L
Chloride	LGW-4	4/5/2011	21	3		mg/L
Chloride	LGW-4	5/10/2011	9.4	3		mg/L
Chloride	LGW-4	6/1/2011	9	3		mg/L
Chloride	LGW-4	7/13/2011	8.2	3		mg/L
Chloride	LGW-4	8/3/2011	11	3		mg/L
Chloride	LGW-4	9/7/2011	14	3		mg/L
Chloride	LGW-4	10/5/2011	16	3		mg/L
Chloride	LGW-4	11/1/2011	16	3		mg/L
Chloride	LGW-4	12/7/2011	16	3		mg/L
Chloride	LGW-4	1/4/2012	17	3		mg/L
Chloride	LGW-4	2/1/2012	17	3		mg/L
Chloride	LGW-4	3/6/2012	18	3		mg/L
Chloride	LGW-4	4/5/2012	13	3		mg/L
Chloride	LGW-4	5/1/2012	14	3		mg/L
Chloride	LGW-4	6/5/2012	17	3		mg/L
Chloride	LGW-4	7/9/2012	19	3		mg/L
Chloride	LGW-4	8/9/2012	18	3		mg/L
Chloride	LGW-4	9/4/2012	17	3		mg/L
Chloride	LGW-4	10/7/2012	19	3		mg/L
Chloride	LGW-4	4/30/2013	9.4	3		mg/L
Chloride	LGW-4	6/4/2013	7.7	3		mg/L
Chloride	LGW-4	7/15/2013	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	8/8/2013	11	3		mg/L
Chloride	LGW-4	9/10/2013	11	3		mg/L
Chloride	LGW-4	10/1/2013	13	3		mg/L
Chloride	LGW-4	11/6/2013	9.3	3		mg/L
Chloride	LGW-4	12/2/2013	16	3		mg/L
Chloride	LGW-4	1/23/2014	15	3		mg/L
Chloride	LGW-4	2/12/2014	15	3		mg/L
Chloride	LGW-4	3/11/2014	16	3		mg/L
Chloride	LGW-4	4/2/2014	16	3		mg/L
Chloride	LGW-4	5/7/2014	10	3		mg/L
Chloride	LGW-4	6/3/2014	16	3		mg/L
Chloride	LGW-4	7/8/2014	15	3		mg/L
Chloride	LGW-4	8/5/2014	13	3		mg/L
Chloride	LGW-4	9/4/2014	12	3		mg/L
Chloride	LGW-4	10/9/2014	12	3		mg/L
Chloride	LGW-4	11/3/2014	14	3		mg/L
Chloride	LGW-4	1/14/2015	12	3		mg/L
Chloride	LGW-4	2/11/2015	17	3		mg/L
Chloride	LGW-4	3/3/2015	12	3		mg/L
Chloride	LGW-4	4/1/2015	10	3		mg/L
Chloride	LGW-4	5/6/2015	12	3		mg/L
Chloride	LGW-4	6/3/2015	8.4	3		mg/L
Chloride	LGW-4	7/8/2015	12	3		mg/L
Chloride	LGW-4	8/4/2015	7.4	3		mg/L
Chloride	LGW-4	9/2/2015	7.5	3		mg/L
Chloride	LGW-4	10/5/2015	8.7	3		mg/L
Chloride	LGW-4	11/4/2015	10	3		mg/L
Chloride	LGW-4	12/3/2015	9.2	3		mg/L
Chloride	LGW-4	1/5/2016	8	3		mg/L
Chloride	LGW-4	2/3/2016	7.3	3		mg/L
Chloride	LGW-4	3/2/2016	6.9	3		mg/L
Chloride	LGW-4	4/5/2016	9.5	3		mg/L
Chloride	LGW-4	5/11/2016	8.1	3		mg/L
Chloride	LGW-4	6/1/2016	11	3		mg/L
Chloride	LGW-4	7/19/2016	12	3		mg/L
Chloride	LGW-4	8/10/2016	11	3		mg/L
Chloride	LGW-4	9/6/2016	16	3		mg/L
Chloride	LGW-4	10/6/2016	14	3		mg/L
Chloride	LGW-4	11/2/2016	16	3		mg/L
Chloride	LGW-4	12/1/2016	17	1		mg/L
Chloride	LGW-4	1/11/2017	19	3		mg/L
Chloride	LGW-4	2/7/2017	17	3		mg/L
Chloride	LGW-4	3/2/2017	18	3		mg/L
Chloride	LGW-4	4/4/2017	16	3		mg/L
Chloride	LGW-4	5/2/2017	11	3		mg/L
Chloride	LGW-4	6/6/2017	11	3		mg/L
Chloride	LGW-4	7/18/2017	13	3		mg/L
Chloride	LGW-4	8/1/2017	14	3		mg/L
Chloride	LGW-4	9/5/2017	13	3		mg/L
Chloride	LGW-4	10/6/2017	14	3		mg/L
Chloride	LGW-4	11/1/2017	14	3		mg/L
Chloride	LGW-4	1/23/2018	19	3		mg/L
Chloride	LGW-4	2/22/2018	16	3		mg/L
Chloride	LGW-4	3/19/2018	16	3		mg/L
Chloride	LGW-4	4/10/2018	13	3		mg/L
Chloride	LGW-4	6/5/2018	14	3		mg/L
Chloride	LGW-4	7/11/2018	15	3		mg/L
Chloride	LGW-4	8/1/2018	15	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	9/5/2018	18	3		mg/L
Chloride	LGW-4	10/3/2018	15	3		mg/L
Chloride	LGW-4	11/7/2018	16	3		mg/L
Chloride	LGW-4	12/4/2018	15	3		mg/L
Chloride	LGW-4	1/3/2019	14	3		mg/L
Chloride	LGW-4	2/5/2019	13	3		mg/L
Chloride	LGW-4	3/4/2019	9.7	3		mg/L
Chloride	LGW-4	4/3/2019	14	3		mg/L
Chloride	LGW-4	5/1/2019	11	3		mg/L
Chloride	LGW-4	6/5/2019	8.2	3		mg/L
Chloride	LGW-4	7/9/2019	10	3		mg/L
Chloride	LGW-4	7/9/2019	12	3		mg/L
Chloride	LGW-4	8/5/2019	9.6	3		mg/L
Chloride	LGW-4	9/3/2019	12	3		mg/L
Chloride	LGW-4	10/1/2019	11	3		mg/L
Chloride	LGW-4	11/6/2019	13	3		mg/L
Chloride	LGW-4	12/4/2019	7.5	3		mg/L
Chloride	LGW-4	1/14/2020	8.39	3		mg/L
Chloride	LGW-4	2/4/2020	7.35	1		mg/L
Chloride	LGW-4	3/2/2020	8.24	3		mg/L
Chloride	LGW-4	4/1/2020	6.81	3		mg/L
Chloride	LGW-4	5/5/2020	6.8	3		mg/L
Chloride	LGW-4	6/3/2020	7.66	3		mg/L
Chloride	LGW-4	7/6/2020	6.58	3		mg/L
Chloride	LGW-4	7/6/2020	7.65	3		mg/L
Chloride	LGW-4	8/3/2020	7.51	3		mg/L
Chloride	LGW-4	9/2/2020	6.99	3		mg/L
Chloride	LGW-4	10/5/2020	7.88	3		mg/L
Chloride	LGW-4	11/3/2020	8.08	3		mg/L
Chloride	LGW-4	12/4/2020	6.85	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	1/18/2021	12	3		mg/L
Chloride	LGW-4	2/9/2021	7.08	3		mg/L
Chloride	LGW-4	3/2/2021	7.43	3		mg/L
Chloride	LGW-4	4/6/2021	7.27	3		mg/L
Chloride	LGW-4	5/4/2021	6.8	3		mg/L
Chloride	LGW-4	6/2/2021	7.02	3		mg/L
Chloride	LGW-4	7/7/2021	11	2		mg/L
Chloride	LGW-4	7/7/2021	10.8	3		mg/L
Chloride	LGW-4	7/7/2021	11.1	3		mg/L
Chloride	LGW-4	7/7/2021	11.1	3		mg/L
Chloride	LGW-4	8/3/2021	7.33	3		mg/L
Chloride	LGW-4	9/2/2021	7.72	3		mg/L
Chloride	LGW-4	10/5/2021	7.04	3		mg/L
Chloride	LGW-4	11/2/2021	6.85	3		mg/L
Chloride	LGW-4	12/9/2021	6.68	3		mg/L
Chloride	LGW-4	1/12/2022	8.34	3		mg/L
Chloride	LGW-4	1/12/2022	9.03	3		mg/L
Chloride	LGW-4	1/12/2022	8.56	2		mg/L
Chloride	LGW-4	2/10/2022	8.38	3		mg/L
Chloride	LGW-4	3/1/2022	8.51	3		mg/L
Chloride	LGW-4	4/5/2022	8.95	3		mg/L
Chloride	LGW-4	5/7/2022	9.3	3		mg/L
Chloride	LGW-4	6/3/2022	14.3	3		mg/L
Chloride	LGW-4	7/11/2022	11.1	3		mg/L
Chloride	LGW-4	8/10/2022	10.4	3		mg/L
Chloride	LGW-4	9/8/2022	12.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-4	10/6/2022	12.1	3		mg/L
Chloride	LGW-4	11/3/2022	15.1	3		mg/L
Chloride	LGW-4	12/7/2022	17.9	3		mg/L
Chloride	LGW-4	1/10/2023	18.9	3		mg/L
Chloride	LGW-4	2/3/2023	19.3	3		mg/L
Chloride	LGW-4	3/1/2023	22.7	3		mg/L
Chloride	LGW-4	4/6/2023	21.5	3		mg/L
Chloride	LGW-4	5/10/2023	21	3		mg/L
Chloride	LGW-4	6/8/2023	20.2	3		mg/L
Chloride	LGW-4	7/10/2023	17.6	3		mg/L
Chloride	LGW-4	8/2/2023	18.3	3		mg/L
Chloride	LGW-4	9/2/2023	18.6	3		mg/L
Chloride	LGW-4	10/4/2023	20.3	3		mg/L
Chloride	LGW-5	1/25/2006	10.1	0.5		mg/L
Chloride	LGW-5	8/1/2006	13	3		mg/L
Chloride	LGW-5	9/27/2006	12	3		mg/L
Chloride	LGW-5	10/26/2006	12	3		mg/L
Chloride	LGW-5	11/21/2006	12	3		mg/L
Chloride	LGW-5	12/21/2006	14	3		mg/L
Chloride	LGW-5	1/25/2007	13	3		mg/L
Chloride	LGW-5	2/27/2007	13	3		mg/L
Chloride	LGW-5	3/26/2007	13	3		mg/L
Chloride	LGW-5	4/26/2007	13	3		mg/L
Chloride	LGW-5	5/31/2007	14	3		mg/L
Chloride	LGW-5	6/28/2007	12	3		mg/L
Chloride	LGW-5	7/11/2007	13	3		mg/L
Chloride	LGW-5	8/28/2007	14	3		mg/L
Chloride	LGW-5	9/28/2007	11	3		mg/L
Chloride	LGW-5	10/24/2007	14	3		mg/L
Chloride	LGW-5	11/28/2007	13	3		mg/L
Chloride	LGW-5	12/27/2007	9.1	3		mg/L
Chloride	LGW-5	1/23/2008	9.6	3		mg/L
Chloride	LGW-5	2/28/2008	13	3		mg/L
Chloride	LGW-5	3/25/2008	12	3		mg/L
Chloride	LGW-5	5/3/2008	11	3		mg/L
Chloride	LGW-5	5/29/2008	11	3		mg/L
Chloride	LGW-5	6/26/2008	11	3		mg/L
Chloride	LGW-5	7/23/2008	10	3		mg/L
Chloride	LGW-5	9/26/2008	9.6	3		mg/L
Chloride	LGW-5	10/21/2008	11	3		mg/L
Chloride	LGW-5	11/25/2008	11	3		mg/L
Chloride	LGW-5	12/19/2008	13	3		mg/L
Chloride	LGW-5	2/4/2009	13	3		mg/L
Chloride	LGW-5	3/26/2009	12	3		mg/L
Chloride	LGW-5	4/16/2009	13	3		mg/L
Chloride	LGW-5	5/29/2009	11	3		mg/L
Chloride	LGW-5	6/24/2009	11	3		mg/L
Chloride	LGW-5	7/29/2009	11	3		mg/L
Chloride	LGW-5	8/28/2009	12	3		mg/L
Chloride	LGW-5	9/29/2009	13	3		mg/L
Chloride	LGW-5	10/21/2009	11	3		mg/L
Chloride	LGW-5	11/24/2009	11	3		mg/L
Chloride	LGW-5	12/17/2009	12	3		mg/L
Chloride	LGW-5	2/3/2010	14	3		mg/L
Chloride	LGW-5	2/3/2010	14	3		mg/L
Chloride	LGW-5	2/16/2010	14	3		mg/L
Chloride	LGW-5	3/3/2010	14	3		mg/L
Chloride	LGW-5	4/7/2010	12	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	5/5/2010	13	3		mg/L
Chloride	LGW-5	6/15/2010	24	3		mg/L
Chloride	LGW-5	7/12/2010	12	3		mg/L
Chloride	LGW-5	8/10/2010	11	3		mg/L
Chloride	LGW-5	9/2/2010	12	3		mg/L
Chloride	LGW-5	9/29/2010	11	3		mg/L
Chloride	LGW-5	11/3/2010	11	3		mg/L
Chloride	LGW-5	12/2/2010	14	3		mg/L
Chloride	LGW-5	1/19/2011	15	3		mg/L
Chloride	LGW-5	2/7/2011	16	3		mg/L
Chloride	LGW-5	3/3/2011	17	3		mg/L
Chloride	LGW-5	4/5/2011	17	3		mg/L
Chloride	LGW-5	5/10/2011	11	3		mg/L
Chloride	LGW-5	6/1/2011	11	3		mg/L
Chloride	LGW-5	7/12/2011	11	3		mg/L
Chloride	LGW-5	8/3/2011	12	3		mg/L
Chloride	LGW-5	9/7/2011	12	3		mg/L
Chloride	LGW-5	10/5/2011	13	3		mg/L
Chloride	LGW-5	11/1/2011	12	3		mg/L
Chloride	LGW-5	12/7/2011	12	3		mg/L
Chloride	LGW-5	1/5/2012	13	3		mg/L
Chloride	LGW-5	2/1/2012	13	3		mg/L
Chloride	LGW-5	3/6/2012	14	3		mg/L
Chloride	LGW-5	4/5/2012	13	3		mg/L
Chloride	LGW-5	5/1/2012	13	3		mg/L
Chloride	LGW-5	6/5/2012	14	3		mg/L
Chloride	LGW-5	7/9/2012	15	3		mg/L
Chloride	LGW-5	8/9/2012	15	3		mg/L
Chloride	LGW-5	9/4/2012	15	3		mg/L
Chloride	LGW-5	10/7/2012	14	3		mg/L
Chloride	LGW-5	4/30/2013	12	3		mg/L
Chloride	LGW-5	6/4/2013	9.9	3		mg/L
Chloride	LGW-5	7/15/2013	10	3		mg/L
Chloride	LGW-5	8/8/2013	10	3		mg/L
Chloride	LGW-5	9/10/2013	11	3		mg/L
Chloride	LGW-5	10/1/2013	11	3		mg/L
Chloride	LGW-5	11/6/2013	12	3		mg/L
Chloride	LGW-5	12/3/2013	13	3		mg/L
Chloride	LGW-5	1/23/2014	13	3		mg/L
Chloride	LGW-5	2/12/2014	13	3		mg/L
Chloride	LGW-5	3/11/2014	14	3		mg/L
Chloride	LGW-5	4/2/2014	13	3		mg/L
Chloride	LGW-5	5/7/2014	14	3		mg/L
Chloride	LGW-5	6/3/2014	14	3		mg/L
Chloride	LGW-5	7/8/2014	13	3		mg/L
Chloride	LGW-5	8/5/2014	13	3		mg/L
Chloride	LGW-5	9/4/2014	11	3		mg/L
Chloride	LGW-5	10/9/2014	10	3		mg/L
Chloride	LGW-5	11/3/2014	9.9	3		mg/L
Chloride	LGW-5	1/14/2015	9.1	3		mg/L
Chloride	LGW-5	2/10/2015	13	3		mg/L
Chloride	LGW-5	3/3/2015	8.7	3		mg/L
Chloride	LGW-5	4/1/2015	15	3		mg/L
Chloride	LGW-5	5/6/2015	16	3		mg/L
Chloride	LGW-5	6/3/2015	15	3		mg/L
Chloride	LGW-5	7/8/2015	14	3		mg/L
Chloride	LGW-5	8/4/2015	12	3		mg/L
Chloride	LGW-5	9/2/2015	12	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	10/5/2015	13	3		mg/L
Chloride	LGW-5	11/4/2015	16	3		mg/L
Chloride	LGW-5	12/3/2015	16	3		mg/L
Chloride	LGW-5	1/5/2016	14	3		mg/L
Chloride	LGW-5	2/3/2016	13	3		mg/L
Chloride	LGW-5	3/2/2016	14	3		mg/L
Chloride	LGW-5	4/5/2016	15	3		mg/L
Chloride	LGW-5	5/11/2016	13	3		mg/L
Chloride	LGW-5	6/1/2016	16	3		mg/L
Chloride	LGW-5	7/19/2016	16	3		mg/L
Chloride	LGW-5	8/10/2016	14	3		mg/L
Chloride	LGW-5	9/6/2016	17	3		mg/L
Chloride	LGW-5	10/6/2016	16	3		mg/L
Chloride	LGW-5	11/2/2016	19	3		mg/L
Chloride	LGW-5	12/1/2016	19	1		mg/L
Chloride	LGW-5	1/11/2017	20	3		mg/L
Chloride	LGW-5	2/7/2017	20	3		mg/L
Chloride	LGW-5	3/2/2017	20	3		mg/L
Chloride	LGW-5	4/4/2017	20	3		mg/L
Chloride	LGW-5	5/16/2017	17	3		mg/L
Chloride	LGW-5	6/6/2017	16	3		mg/L
Chloride	LGW-5	7/18/2017	16	3		mg/L
Chloride	LGW-5	8/1/2017	16	3		mg/L
Chloride	LGW-5	9/5/2017	16	3		mg/L
Chloride	LGW-5	10/5/2017	16	3		mg/L
Chloride	LGW-5	11/1/2017	17	3		mg/L
Chloride	LGW-5	1/23/2018	18	3		mg/L
Chloride	LGW-5	2/23/2018	15	3		mg/L
Chloride	LGW-5	3/20/2018	17	3		mg/L
Chloride	LGW-5	4/10/2018	14	3		mg/L
Chloride	LGW-5	6/5/2018	16	3		mg/L
Chloride	LGW-5	7/12/2018	15	3		mg/L
Chloride	LGW-5	8/1/2018	16	3		mg/L
Chloride	LGW-5	9/4/2018	18	3		mg/L
Chloride	LGW-5	10/3/2018	16	3		mg/L
Chloride	LGW-5	11/7/2018	14	3		mg/L
Chloride	LGW-5	12/4/2018	16	3		mg/L
Chloride	LGW-5	1/3/2019	16	3		mg/L
Chloride	LGW-5	2/5/2019	16	3		mg/L
Chloride	LGW-5	3/5/2019	13	3		mg/L
Chloride	LGW-5	4/3/2019	16	3		mg/L
Chloride	LGW-5	5/1/2019	14	3		mg/L
Chloride	LGW-5	6/4/2019	12	3		mg/L
Chloride	LGW-5	7/9/2019	15	3		mg/L
Chloride	LGW-5	7/9/2019	13	3		mg/L
Chloride	LGW-5	8/5/2019	12	3		mg/L
Chloride	LGW-5	9/3/2019	15	3		mg/L
Chloride	LGW-5	10/1/2019	16	3		mg/L
Chloride	LGW-5	11/5/2019	15	3		mg/L
Chloride	LGW-5	12/2/2019	16	3		mg/L
Chloride	LGW-5	1/14/2020	15.5	3		mg/L
Chloride	LGW-5	2/3/2020	15.7	1		mg/L
Chloride	LGW-5	3/2/2020	15.3	3		mg/L
Chloride	LGW-5	4/1/2020	15.1	3		mg/L
Chloride	LGW-5	5/4/2020	14	3		mg/L
Chloride	LGW-5	6/1/2020	14.9	3		mg/L
Chloride	LGW-5	7/6/2020	15	3		mg/L
Chloride	LGW-5	7/6/2020	15.3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-5	8/3/2020	15.5	3		mg/L
Chloride	LGW-5	9/1/2020	16.1	3		mg/L
Chloride	LGW-5	10/5/2020	16.4	3		mg/L
Chloride	LGW-5	11/3/2020	16.7	3		mg/L
Chloride	LGW-5	12/3/2020	16.8	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	1/18/2021	17.6	3		mg/L
Chloride	LGW-5	2/9/2021	17.4	3		mg/L
Chloride	LGW-5	3/2/2021	17.1	3		mg/L
Chloride	LGW-5	4/6/2021	17.4	3		mg/L
Chloride	LGW-5	5/4/2021	16.5	3		mg/L
Chloride	LGW-5	6/2/2021	17.5	3		mg/L
Chloride	LGW-5	7/7/2021	17.6	3		mg/L
Chloride	LGW-5	7/7/2021	17.6	2		mg/L
Chloride	LGW-5	7/7/2021	18.4	3		mg/L
Chloride	LGW-5	7/7/2021	18.4	3		mg/L
Chloride	LGW-5	8/3/2021	17.4	3		mg/L
Chloride	LGW-5	9/2/2021	18.3	3		mg/L
Chloride	LGW-5	10/5/2021	19.4	3		mg/L
Chloride	LGW-5	10/5/2021	17.7	3		mg/L
Chloride	LGW-5	11/2/2021	17.7	3		mg/L
Chloride	LGW-5	12/9/2021	18.8	3		mg/L
Chloride	LGW-5	1/12/2022	22	2		mg/L
Chloride	LGW-5	1/12/2022	22.4	3		mg/L
Chloride	LGW-5	1/12/2022	22.2	3		mg/L
Chloride	LGW-5	2/10/2022	22.2	3		mg/L
Chloride	LGW-5	3/1/2022	23.3	3		mg/L
Chloride	LGW-5	4/4/2022	24.7	3		mg/L
Chloride	LGW-5	5/7/2022	28.5	3		mg/L
Chloride	LGW-5	6/3/2022	29.7	3		mg/L
Chloride	LGW-5	7/11/2022	27.8	3		mg/L
Chloride	LGW-5	8/10/2022	27.7	3		mg/L
Chloride	LGW-5	9/8/2022	29.7	3		mg/L
Chloride	LGW-5	10/6/2022	28.1	3		mg/L
Chloride	LGW-5	11/3/2022	27.5	3		mg/L
Chloride	LGW-5	12/7/2022	26.9	3		mg/L
Chloride	LGW-5	1/10/2023	33.2	3		mg/L
Chloride	LGW-5	2/3/2023	33.4	3		mg/L
Chloride	LGW-5	3/1/2023	39	3		mg/L
Chloride	LGW-5	4/6/2023	35.5	3		mg/L
Chloride	LGW-5	5/10/2023	31.1	3		mg/L
Chloride	LGW-5	6/8/2023	33.7	3		mg/L
Chloride	LGW-5	7/10/2023	31.9	3		mg/L
Chloride	LGW-5	8/2/2023	33.2	3		mg/L
Chloride	LGW-5	9/2/2023	30.6	3		mg/L
Chloride	LGW-5	10/5/2023	31	3		mg/L
Chloride	LGW-6	1/24/2006	13.4	0.5		mg/L
Chloride	LGW-6	7/20/2006	14	3		mg/L
Chloride	LGW-6	9/27/2006	14	3		mg/L
Chloride	LGW-6	10/26/2006	14	3		mg/L
Chloride	LGW-6	11/21/2006	15	3		mg/L
Chloride	LGW-6	12/21/2006	15	3		mg/L
Chloride	LGW-6	1/24/2007	13	3		mg/L
Chloride	LGW-6	2/27/2007	15	3		mg/L
Chloride	LGW-6	3/26/2007	14	3		mg/L
Chloride	LGW-6	4/26/2007	13	3		mg/L
Chloride	LGW-6	5/31/2007	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	6/28/2007	12	3		mg/L
Chloride	LGW-6	7/11/2007	13	3		mg/L
Chloride	LGW-6	8/28/2007	12	3		mg/L
Chloride	LGW-6	9/27/2007	13	3		mg/L
Chloride	LGW-6	10/23/2007	13	3		mg/L
Chloride	LGW-6	11/27/2007	12	3		mg/L
Chloride	LGW-6	12/27/2007	12	3		mg/L
Chloride	LGW-6	1/23/2008	12	3		mg/L
Chloride	LGW-6	2/28/2008	13	3		mg/L
Chloride	LGW-6	3/25/2008	13	3		mg/L
Chloride	LGW-6	5/3/2008	15	3		mg/L
Chloride	LGW-6	5/30/2008	12	3		mg/L
Chloride	LGW-6	6/26/2008	12	3		mg/L
Chloride	LGW-6	7/23/2008	13	3		mg/L
Chloride	LGW-6	8/29/2008	15	3		mg/L
Chloride	LGW-6	9/26/2008	14	3		mg/L
Chloride	LGW-6	10/21/2008	13	3		mg/L
Chloride	LGW-6	11/25/2008	12	3		mg/L
Chloride	LGW-6	12/19/2008	13	3		mg/L
Chloride	LGW-6	2/5/2009	12	3		mg/L
Chloride	LGW-6	3/26/2009	11	3		mg/L
Chloride	LGW-6	5/29/2009	12	3		mg/L
Chloride	LGW-6	6/24/2009	13	3		mg/L
Chloride	LGW-6	7/29/2009	12	3		mg/L
Chloride	LGW-6	8/28/2009	11	3		mg/L
Chloride	LGW-6	9/29/2009	12	3		mg/L
Chloride	LGW-6	10/22/2009	11	3		mg/L
Chloride	LGW-6	11/24/2009	11	3		mg/L
Chloride	LGW-6	12/17/2009	11	3		mg/L
Chloride	LGW-6	2/3/2010	11	3		mg/L
Chloride	LGW-6	2/3/2010	11	3		mg/L
Chloride	LGW-6	2/16/2010	11	3		mg/L
Chloride	LGW-6	3/3/2010	12	3		mg/L
Chloride	LGW-6	4/7/2010	11	3		mg/L
Chloride	LGW-6	5/5/2010	12	3		mg/L
Chloride	LGW-6	6/15/2010	9.5	3		mg/L
Chloride	LGW-6	7/12/2010	12	3		mg/L
Chloride	LGW-6	8/10/2010	12	3		mg/L
Chloride	LGW-6	9/2/2010	13	3		mg/L
Chloride	LGW-6	9/29/2010	12	3		mg/L
Chloride	LGW-6	11/3/2010	10	3		mg/L
Chloride	LGW-6	12/2/2010	12	3		mg/L
Chloride	LGW-6	1/19/2011	11	3		mg/L
Chloride	LGW-6	2/7/2011	11	3		mg/L
Chloride	LGW-6	3/3/2011	11	3		mg/L
Chloride	LGW-6	4/5/2011	12	3		mg/L
Chloride	LGW-6	5/10/2011	12	3		mg/L
Chloride	LGW-6	6/1/2011	12	3		mg/L
Chloride	LGW-6	7/12/2011	12	3		mg/L
Chloride	LGW-6	8/3/2011	13	3		mg/L
Chloride	LGW-6	9/7/2011	12	3		mg/L
Chloride	LGW-6	10/5/2011	13	3		mg/L
Chloride	LGW-6	11/1/2011	11	3		mg/L
Chloride	LGW-6	12/7/2011	12	3		mg/L
Chloride	LGW-6	1/5/2012	12	3		mg/L
Chloride	LGW-6	2/1/2012	12	3		mg/L
Chloride	LGW-6	3/6/2012	12	3		mg/L
Chloride	LGW-6	4/5/2012	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	5/1/2012	13	3		mg/L
Chloride	LGW-6	6/5/2012	13	3		mg/L
Chloride	LGW-6	7/9/2012	12	3		mg/L
Chloride	LGW-6	8/9/2012	12	3		mg/L
Chloride	LGW-6	9/4/2012	12	3		mg/L
Chloride	LGW-6	10/7/2012	13	3		mg/L
Chloride	LGW-6	11/6/2012	13	3		mg/L
Chloride	LGW-6	11/6/2012	13	3		mg/L
Chloride	LGW-6	12/6/2012	13	3		mg/L
Chloride	LGW-6	12/6/2012	13	3		mg/L
Chloride	LGW-6	1/23/2013	13	3		mg/L
Chloride	LGW-6	1/23/2013	13	3		mg/L
Chloride	LGW-6	2/5/2013	13	3		mg/L
Chloride	LGW-6	2/5/2013	13	3		mg/L
Chloride	LGW-6	3/5/2013	13	3		mg/L
Chloride	LGW-6	3/5/2013	13	3		mg/L
Chloride	LGW-6	4/30/2013	13	3		mg/L
Chloride	LGW-6	6/4/2013	13	3		mg/L
Chloride	LGW-6	7/15/2013	13	3		mg/L
Chloride	LGW-6	8/8/2013	13	3		mg/L
Chloride	LGW-6	9/10/2013	13	3		mg/L
Chloride	LGW-6	10/1/2013	13	3		mg/L
Chloride	LGW-6	11/6/2013	13	3		mg/L
Chloride	LGW-6	12/2/2013	13	3		mg/L
Chloride	LGW-6	1/23/2014	13	3		mg/L
Chloride	LGW-6	2/12/2014	12	3		mg/L
Chloride	LGW-6	3/11/2014	13	3		mg/L
Chloride	LGW-6	4/2/2014	12	3		mg/L
Chloride	LGW-6	5/7/2014	13	3		mg/L
Chloride	LGW-6	6/3/2014	12	3		mg/L
Chloride	LGW-6	7/8/2014	12	3		mg/L
Chloride	LGW-6	8/5/2014	13	3		mg/L
Chloride	LGW-6	9/4/2014	13	3		mg/L
Chloride	LGW-6	10/9/2014	13	3		mg/L
Chloride	LGW-6	11/3/2014	13	3		mg/L
Chloride	LGW-6	1/14/2015	13	3		mg/L
Chloride	LGW-6	2/10/2015	13	3		mg/L
Chloride	LGW-6	3/3/2015	13	3		mg/L
Chloride	LGW-6	4/1/2015	12	3		mg/L
Chloride	LGW-6	5/6/2015	13	3		mg/L
Chloride	LGW-6	6/3/2015	13	3		mg/L
Chloride	LGW-6	7/22/2015	11	3		mg/L
Chloride	LGW-6	8/4/2015	12	3		mg/L
Chloride	LGW-6	9/2/2015	11	3		mg/L
Chloride	LGW-6	10/6/2015	11	3		mg/L
Chloride	LGW-6	11/4/2015	12	3		mg/L
Chloride	LGW-6	12/3/2015	13	3		mg/L
Chloride	LGW-6	1/5/2016	13	3		mg/L
Chloride	LGW-6	2/3/2016	12	3		mg/L
Chloride	LGW-6	3/2/2016	12	3		mg/L
Chloride	LGW-6	4/5/2016	13	3		mg/L
Chloride	LGW-6	5/11/2016	11	3		mg/L
Chloride	LGW-6	6/1/2016	13	3		mg/L
Chloride	LGW-6	7/19/2016	13	3		mg/L
Chloride	LGW-6	8/10/2016	11	3		mg/L
Chloride	LGW-6	9/6/2016	13	3		mg/L
Chloride	LGW-6	10/6/2016	12	3		mg/L
Chloride	LGW-6	10/6/2016	13	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	11/2/2016	13	3		mg/L
Chloride	LGW-6	12/1/2016	13	1		mg/L
Chloride	LGW-6	1/11/2017	14	3		mg/L
Chloride	LGW-6	2/7/2017	13	3		mg/L
Chloride	LGW-6	3/2/2017	13	3		mg/L
Chloride	LGW-6	4/4/2017	14	3		mg/L
Chloride	LGW-6	5/2/2017	14	3		mg/L
Chloride	LGW-6	5/5/2017	13	3		mg/L
Chloride	LGW-6	6/6/2017	13	3		mg/L
Chloride	LGW-6	7/18/2017	14	3		mg/L
Chloride	LGW-6	8/1/2017	13	3		mg/L
Chloride	LGW-6	9/5/2017	15	3		mg/L
Chloride	LGW-6	10/5/2017	14	3		mg/L
Chloride	LGW-6	11/1/2017	14	3		mg/L
Chloride	LGW-6	1/23/2018	16	3		mg/L
Chloride	LGW-6	2/22/2018	13	3		mg/L
Chloride	LGW-6	3/20/2018	15	3		mg/L
Chloride	LGW-6	4/10/2018	13	3		mg/L
Chloride	LGW-6	4/10/2018	15	3		mg/L
Chloride	LGW-6	6/5/2018	15	3		mg/L
Chloride	LGW-6	7/17/2018	14	3		mg/L
Chloride	LGW-6	8/1/2018	15	3		mg/L
Chloride	LGW-6	9/5/2018	17	3		mg/L
Chloride	LGW-6	10/2/2018	14	3		mg/L
Chloride	LGW-6	10/2/2018	14	3		mg/L
Chloride	LGW-6	11/6/2018	12	3		mg/L
Chloride	LGW-6	12/4/2018	14	3		mg/L
Chloride	LGW-6	1/7/2019	13	3		mg/L
Chloride	LGW-6	2/5/2019	14	3		mg/L
Chloride	LGW-6	3/4/2019	13	3		mg/L
Chloride	LGW-6	4/3/2019	14	3		mg/L
Chloride	LGW-6	5/2/2019	12	3		mg/L
Chloride	LGW-6	6/4/2019	11	3		mg/L
Chloride	LGW-6	7/10/2019	13	3		mg/L
Chloride	LGW-6	7/10/2019	15	3		mg/L
Chloride	LGW-6	8/8/2019	11	3		mg/L
Chloride	LGW-6	9/5/2019	14	3		mg/L
Chloride	LGW-6	10/3/2019	15	3		mg/L
Chloride	LGW-6	10/3/2019	14	3		mg/L
Chloride	LGW-6	11/5/2019	13	3		mg/L
Chloride	LGW-6	12/4/2019	14	3		mg/L
Chloride	LGW-6	1/16/2020	13.4	3		mg/L
Chloride	LGW-6	2/4/2020	13.7	1		mg/L
Chloride	LGW-6	3/4/2020	13.1	3		mg/L
Chloride	LGW-6	4/3/2020	12.8	3		mg/L
Chloride	LGW-6	5/5/2020	11.7	3		mg/L
Chloride	LGW-6	6/2/2020	12.5	3		mg/L
Chloride	LGW-6	7/9/2020	11.9	3		mg/L
Chloride	LGW-6	7/9/2020	12	3		mg/L
Chloride	LGW-6	8/3/2020	12	3		mg/L
Chloride	LGW-6	9/2/2020	12.1	3		mg/L
Chloride	LGW-6	10/6/2020	12.2	3		mg/L
Chloride	LGW-6	10/6/2020	12.4	3		mg/L
Chloride	LGW-6	11/3/2020	12.2	3		mg/L
Chloride	LGW-6	12/3/2020	12.1	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L
Chloride	LGW-6	1/18/2021	12.2	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-6	2/9/2021	12.5	3		mg/L
Chloride	LGW-6	3/2/2021	12.1	3		mg/L
Chloride	LGW-6	4/6/2021	12.2	3		mg/L
Chloride	LGW-6	5/5/2021	12	3		mg/L
Chloride	LGW-6	6/1/2021	12.3	3		mg/L
Chloride	LGW-6	7/7/2021	12.3	2		mg/L
Chloride	LGW-6	7/7/2021	12.4	3		mg/L
Chloride	LGW-6	7/7/2021	11.9	3		mg/L
Chloride	LGW-6	7/7/2021	11.9	3		mg/L
Chloride	LGW-6	8/3/2021	11.8	3		mg/L
Chloride	LGW-6	9/2/2021	12.5	3		mg/L
Chloride	LGW-6	10/5/2021	13.1	3		mg/L
Chloride	LGW-6	10/5/2021	12	3		mg/L
Chloride	LGW-6	11/2/2021	11.6	3		mg/L
Chloride	LGW-6	12/9/2021	11	3		mg/L
Chloride	LGW-6	1/12/2022	12.6	3		mg/L
Chloride	LGW-6	1/12/2022	12.6	3		mg/L
Chloride	LGW-6	1/12/2022	12.7	2		mg/L
Chloride	LGW-6	2/10/2022	12.7	3		mg/L
Chloride	LGW-6	3/1/2022	12.6	3		mg/L
Chloride	LGW-6	4/4/2022	12.8	3		mg/L
Chloride	LGW-6	5/7/2022	13	3		mg/L
Chloride	LGW-6	6/3/2022	14.2	3		mg/L
Chloride	LGW-6	7/11/2022	13.3	3		mg/L
Chloride	LGW-6	8/10/2022	12.7	3		mg/L
Chloride	LGW-6	9/8/2022	13.6	3		mg/L
Chloride	LGW-6	10/6/2022	12.6	3		mg/L
Chloride	LGW-6	11/3/2022	12.8	3		mg/L
Chloride	LGW-6	12/7/2022	13	3		mg/L
Chloride	LGW-6	1/10/2023	13.5	3		mg/L
Chloride	LGW-6	2/3/2023	14.6	3		mg/L
Chloride	LGW-6	3/1/2023	14.6	3		mg/L
Chloride	LGW-6	4/6/2023	14.1	3		mg/L
Chloride	LGW-6	5/10/2023	14.5	3		mg/L
Chloride	LGW-6	6/8/2023	15.5	3		mg/L
Chloride	LGW-6	7/10/2023	15	3		mg/L
Chloride	LGW-6	8/2/2023	15.7	3		mg/L
Chloride	LGW-6	9/2/2023	15.3	3		mg/L
Chloride	LGW-6	10/5/2023	17.2	3		mg/L
Chloride	LGW-7	1/25/2006	11.6	0.5		mg/L
Chloride	LGW-7	8/1/2006	13	3		mg/L
Chloride	LGW-7	9/27/2006	11	3		mg/L
Chloride	LGW-7	10/26/2006	12	3		mg/L
Chloride	LGW-7	11/21/2006	12	3		mg/L
Chloride	LGW-7	12/22/2006	12	3		mg/L
Chloride	LGW-7	1/24/2007	11	3		mg/L
Chloride	LGW-7	2/27/2007	16	3		mg/L
Chloride	LGW-7	3/27/2007	12	3		mg/L
Chloride	LGW-7	4/26/2007	11	3		mg/L
Chloride	LGW-7	6/1/2007	13	3		mg/L
Chloride	LGW-7	6/28/2007	11	3		mg/L
Chloride	LGW-7	7/12/2007	10	3		mg/L
Chloride	LGW-7	8/29/2007	9.2	3		mg/L
Chloride	LGW-7	9/28/2007	11	3		mg/L
Chloride	LGW-7	10/24/2007	10	3		mg/L
Chloride	LGW-7	11/27/2007	10	3		mg/L
Chloride	LGW-7	12/27/2007	11	3		mg/L
Chloride	LGW-7	1/25/2008	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	2/28/2008	10	3		mg/L
Chloride	LGW-7	3/25/2008	11	3		mg/L
Chloride	LGW-7	5/3/2008	10	3		mg/L
Chloride	LGW-7	5/30/2008	11	3		mg/L
Chloride	LGW-7	6/26/2008	11	3		mg/L
Chloride	LGW-7	7/22/2008	11	3		mg/L
Chloride	LGW-7	9/26/2008	10	3		mg/L
Chloride	LGW-7	10/21/2008	11	3		mg/L
Chloride	LGW-7	11/25/2008	10	3		mg/L
Chloride	LGW-7	12/19/2008	11	3		mg/L
Chloride	LGW-7	2/4/2009	10	3		mg/L
Chloride	LGW-7	3/26/2009	9.9	3		mg/L
Chloride	LGW-7	4/16/2009	10	3		mg/L
Chloride	LGW-7	5/28/2009	9.9	3		mg/L
Chloride	LGW-7	6/25/2009	10	3		mg/L
Chloride	LGW-7	7/31/2009	10	3		mg/L
Chloride	LGW-7	8/29/2009	10	3		mg/L
Chloride	LGW-7	9/30/2009	10	3		mg/L
Chloride	LGW-7	10/21/2009	9.8	3		mg/L
Chloride	LGW-7	11/24/2009	9.9	3		mg/L
Chloride	LGW-7	12/17/2009	10	3		mg/L
Chloride	LGW-7	1/27/2010	10	3		mg/L
Chloride	LGW-7	2/16/2010	10	3		mg/L
Chloride	LGW-7	3/3/2010	9.8	3		mg/L
Chloride	LGW-7	4/7/2010	9.3	3		mg/L
Chloride	LGW-7	5/5/2010	9.9	3		mg/L
Chloride	LGW-7	6/16/2010	20	3		mg/L
Chloride	LGW-7	7/12/2010	9.6	3		mg/L
Chloride	LGW-7	8/10/2010	9.8	3		mg/L
Chloride	LGW-7	9/2/2010	10	3		mg/L
Chloride	LGW-7	9/29/2010	10	3		mg/L
Chloride	LGW-7	11/3/2010	9	3		mg/L
Chloride	LGW-7	12/2/2010	11	3		mg/L
Chloride	LGW-7	1/20/2011	11	3		mg/L
Chloride	LGW-7	2/8/2011	10	3		mg/L
Chloride	LGW-7	3/3/2011	11	3		mg/L
Chloride	LGW-7	4/5/2011	11	3		mg/L
Chloride	LGW-7	5/10/2011	9.6	3		mg/L
Chloride	LGW-7	6/1/2011	9.7	3		mg/L
Chloride	LGW-7	7/12/2011	10	3		mg/L
Chloride	LGW-7	8/3/2011	11	3		mg/L
Chloride	LGW-7	9/7/2011	11	3		mg/L
Chloride	LGW-7	10/5/2011	12	3		mg/L
Chloride	LGW-7	11/1/2011	10	3		mg/L
Chloride	LGW-7	12/8/2011	10	3		mg/L
Chloride	LGW-7	1/5/2012	11	3		mg/L
Chloride	LGW-7	2/1/2012	10	3		mg/L
Chloride	LGW-7	3/6/2012	11	3		mg/L
Chloride	LGW-7	4/5/2012	11	3		mg/L
Chloride	LGW-7	5/1/2012	11	3		mg/L
Chloride	LGW-7	6/5/2012	11	3		mg/L
Chloride	LGW-7	7/10/2012	12	3		mg/L
Chloride	LGW-7	8/9/2012	11	3		mg/L
Chloride	LGW-7	9/4/2012	12	3		mg/L
Chloride	LGW-7	10/7/2012	12	3		mg/L
Chloride	LGW-7	4/30/2013	11	3		mg/L
Chloride	LGW-7	6/4/2013	11	3		mg/L
Chloride	LGW-7	7/15/2013	11	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	8/8/2013	11	3		mg/L
Chloride	LGW-7	9/10/2013	12	3		mg/L
Chloride	LGW-7	10/1/2013	11	3		mg/L
Chloride	LGW-7	11/6/2013	12	3		mg/L
Chloride	LGW-7	12/2/2013	12	3		mg/L
Chloride	LGW-7	1/23/2014	12	3		mg/L
Chloride	LGW-7	2/13/2014	11	3		mg/L
Chloride	LGW-7	3/11/2014	12	3		mg/L
Chloride	LGW-7	4/2/2014	12	3		mg/L
Chloride	LGW-7	5/7/2014	12	3		mg/L
Chloride	LGW-7	6/3/2014	12	3		mg/L
Chloride	LGW-7	7/8/2014	12	3		mg/L
Chloride	LGW-7	8/5/2014	12	3		mg/L
Chloride	LGW-7	9/4/2014	12	3		mg/L
Chloride	LGW-7	10/9/2014	12	3		mg/L
Chloride	LGW-7	11/3/2014	12	3		mg/L
Chloride	LGW-7	1/14/2015	13	3		mg/L
Chloride	LGW-7	2/11/2015	13	3		mg/L
Chloride	LGW-7	3/3/2015	13	3		mg/L
Chloride	LGW-7	4/1/2015	13	3		mg/L
Chloride	LGW-7	5/6/2015	13	3		mg/L
Chloride	LGW-7	6/3/2015	15	3		mg/L
Chloride	LGW-7	7/22/2015	14	3		mg/L
Chloride	LGW-7	8/4/2015	12	3		mg/L
Chloride	LGW-7	9/3/2015	11	3		mg/L
Chloride	LGW-7	10/6/2015	11	3		mg/L
Chloride	LGW-7	11/4/2015	12	3		mg/L
Chloride	LGW-7	12/3/2015	14	3		mg/L
Chloride	LGW-7	1/5/2016	15	3		mg/L
Chloride	LGW-7	2/3/2016	13	3		mg/L
Chloride	LGW-7	3/2/2016	13	3		mg/L
Chloride	LGW-7	4/6/2016	11	3		mg/L
Chloride	LGW-7	5/11/2016	11	3		mg/L
Chloride	LGW-7	6/1/2016	14	3		mg/L
Chloride	LGW-7	7/20/2016	13	3		mg/L
Chloride	LGW-7	8/10/2016	10	3		mg/L
Chloride	LGW-7	9/6/2016	14	3		mg/L
Chloride	LGW-7	10/6/2016	13	3		mg/L
Chloride	LGW-7	10/6/2016	12	3		mg/L
Chloride	LGW-7	11/2/2016	14	3		mg/L
Chloride	LGW-7	12/1/2016	13	1		mg/L
Chloride	LGW-7	1/11/2017	13	3		mg/L
Chloride	LGW-7	2/7/2017	13	3		mg/L
Chloride	LGW-7	3/2/2017	13	3		mg/L
Chloride	LGW-7	4/4/2017	13	3		mg/L
Chloride	LGW-7	5/2/2017	19	3		mg/L
Chloride	LGW-7	6/6/2017	16	3		mg/L
Chloride	LGW-7	7/18/2017	15	3		mg/L
Chloride	LGW-7	8/1/2017	11	3		mg/L
Chloride	LGW-7	9/5/2017	14	3		mg/L
Chloride	LGW-7	10/5/2017	14	3		mg/L
Chloride	LGW-7	11/1/2017	13	3		mg/L
Chloride	LGW-7	1/24/2018	12	3		mg/L
Chloride	LGW-7	2/22/2018	12	3		mg/L
Chloride	LGW-7	3/20/2018	18	3		mg/L
Chloride	LGW-7	4/11/2018	15	3		mg/L
Chloride	LGW-7	4/11/2018	17	3		mg/L
Chloride	LGW-7	6/5/2018	15	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	7/12/2018	14	3		mg/L
Chloride	LGW-7	8/2/2018	15	3		mg/L
Chloride	LGW-7	9/5/2018	18	3		mg/L
Chloride	LGW-7	10/2/2018	15	3		mg/L
Chloride	LGW-7	10/2/2018	15	3		mg/L
Chloride	LGW-7	11/7/2018	12	3		mg/L
Chloride	LGW-7	12/4/2018	15	3		mg/L
Chloride	LGW-7	1/7/2019	16	3		mg/L
Chloride	LGW-7	2/5/2019	17	3		mg/L
Chloride	LGW-7	3/5/2019	17	3		mg/L
Chloride	LGW-7	4/3/2019	17	3		mg/L
Chloride	LGW-7	5/2/2019	13	3		mg/L
Chloride	LGW-7	6/4/2019	14	3		mg/L
Chloride	LGW-7	7/10/2019	16	3		mg/L
Chloride	LGW-7	7/10/2019	18	3		mg/L
Chloride	LGW-7	8/7/2019	11	3		mg/L
Chloride	LGW-7	9/5/2019	14	3		mg/L
Chloride	LGW-7	10/3/2019	15	3		mg/L
Chloride	LGW-7	10/3/2019	15	3		mg/L
Chloride	LGW-7	11/6/2019	16	3		mg/L
Chloride	LGW-7	12/3/2019	16	3		mg/L
Chloride	LGW-7	1/15/2020	15	3		mg/L
Chloride	LGW-7	2/4/2020	14.1	1		mg/L
Chloride	LGW-7	3/3/2020	13.8	3		mg/L
Chloride	LGW-7	4/3/2020	14.3	3		mg/L
Chloride	LGW-7	5/5/2020	13.4	3		mg/L
Chloride	LGW-7	6/2/2020	14.1	3		mg/L
Chloride	LGW-7	7/9/2020	13.5	3		mg/L
Chloride	LGW-7	7/9/2020	14.1	3		mg/L
Chloride	LGW-7	8/3/2020	12.8	3		mg/L
Chloride	LGW-7	9/2/2020	13.5	3		mg/L
Chloride	LGW-7	10/6/2020	13.3	3		mg/L
Chloride	LGW-7	11/4/2020	13.3	3		mg/L
Chloride	LGW-7	12/3/2020	13.8	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	1/18/2021	13.6	3		mg/L
Chloride	LGW-7	2/9/2021	13.1	3		mg/L
Chloride	LGW-7	3/2/2021	12.6	3		mg/L
Chloride	LGW-7	4/7/2021	12.9	3		mg/L
Chloride	LGW-7	5/5/2021	13.5	3		mg/L
Chloride	LGW-7	6/2/2021	13.4	3		mg/L
Chloride	LGW-7	7/7/2021	14.3	3		mg/L
Chloride	LGW-7	7/7/2021	14.2	2		mg/L
Chloride	LGW-7	7/7/2021	14.1	3		mg/L
Chloride	LGW-7	7/7/2021	14.1	3		mg/L
Chloride	LGW-7	8/3/2021	13.3	3		mg/L
Chloride	LGW-7	9/2/2021	13.1	3		mg/L
Chloride	LGW-7	10/5/2021	14.1	3		mg/L
Chloride	LGW-7	10/5/2021	12.8	3		mg/L
Chloride	LGW-7	11/2/2021	12.4	3		mg/L
Chloride	LGW-7	12/9/2021	12.1	3		mg/L
Chloride	LGW-7	1/13/2022	13.4	3		mg/L
Chloride	LGW-7	1/13/2022	13.6	3		mg/L
Chloride	LGW-7	1/13/2022	13.7	2		mg/L
Chloride	LGW-7	2/10/2022	13.1	3		mg/L
Chloride	LGW-7	3/2/2022	13.8	3		mg/L
Chloride	LGW-7	4/4/2022	14.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-7	5/7/2022	15.7	3		mg/L
Chloride	LGW-7	6/3/2022	17.5	3		mg/L
Chloride	LGW-7	7/11/2022	17.2	3		mg/L
Chloride	LGW-7	8/10/2022	15	3		mg/L
Chloride	LGW-7	9/8/2022	14.7	3		mg/L
Chloride	LGW-7	10/6/2022	12.6	3		mg/L
Chloride	LGW-7	11/3/2022	11.8	3		mg/L
Chloride	LGW-7	12/7/2022	13.1	3		mg/L
Chloride	LGW-7	1/11/2023	13.1	3		mg/L
Chloride	LGW-7	2/3/2023	13.7	3		mg/L
Chloride	LGW-7	3/1/2023	16	3		mg/L
Chloride	LGW-7	4/6/2023	17	3		mg/L
Chloride	LGW-7	5/10/2023	15.1	3		mg/L
Chloride	LGW-7	6/8/2023	13.4	3		mg/L
Chloride	LGW-7	7/10/2023	17.3	3		mg/L
Chloride	LGW-7	8/1/2023	15.3	3		mg/L
Chloride	LGW-7	9/2/2023	14	3		mg/L
Chloride	LGW-7	10/5/2023	17.3	3		mg/L
Chloride	LGW-8R	1/24/2006	12.5	0.5		mg/L
Chloride	LGW-8R	7/20/2006	14	3		mg/L
Chloride	LGW-8R	9/26/2006	16	3		mg/L
Chloride	LGW-8R	10/26/2006	15	3		mg/L
Chloride	LGW-8R	11/21/2006	16	3		mg/L
Chloride	LGW-8R	12/21/2006	16	3		mg/L
Chloride	LGW-8R	1/24/2007	16	3		mg/L
Chloride	LGW-8R	2/27/2007	18	3		mg/L
Chloride	LGW-8R	3/26/2007	16	3		mg/L
Chloride	LGW-8R	4/25/2007	16	3		mg/L
Chloride	LGW-8R	6/1/2007	17	3		mg/L
Chloride	LGW-8R	6/28/2007	16	3		mg/L
Chloride	LGW-8R	7/12/2007	14	3		mg/L
Chloride	LGW-8R	8/29/2007	13	3		mg/L
Chloride	LGW-8R	9/28/2007	14	3		mg/L
Chloride	LGW-8R	10/23/2007	14	3		mg/L
Chloride	LGW-8R	11/28/2007	13	3		mg/L
Chloride	LGW-8R	8/29/2008	13	3		mg/L
Chloride	LGW-8R	9/25/2008	12	3		mg/L
Chloride	LGW-8R	10/21/2008	13	3		mg/L
Chloride	LGW-8R	11/25/2008	12	3		mg/L
Chloride	LGW-8R	12/19/2008	13	3		mg/L
Chloride	LGW-8R	2/4/2009	12	3		mg/L
Chloride	LGW-8R	3/26/2009	11	3		mg/L
Chloride	LGW-8R	4/16/2009	12	3		mg/L
Chloride	LGW-8R	5/28/2009	12	3		mg/L
Chloride	LGW-8R	6/25/2009	12	3		mg/L
Chloride	LGW-8R	7/29/2009	12	3		mg/L
Chloride	LGW-8R	8/28/2009	12	3		mg/L
Chloride	LGW-8R	9/29/2009	12	3		mg/L
Chloride	LGW-8R	10/21/2009	12	3		mg/L
Chloride	LGW-8R	11/24/2009	12	3		mg/L
Chloride	LGW-8R	12/17/2009	12	3		mg/L
Chloride	LGW-8R	1/27/2010	12	3		mg/L
Chloride	LGW-8R	2/15/2010	12	3		mg/L
Chloride	LGW-8R	3/3/2010	12	3		mg/L
Chloride	LGW-8R	4/7/2010	12	3		mg/L
Chloride	LGW-8R	5/5/2010	12	3		mg/L
Chloride	LGW-8R	6/16/2010	11	3		mg/L
Chloride	LGW-8R	7/14/2010	12	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	8/10/2010	12	3		mg/L
Chloride	LGW-8R	9/2/2010	12	3		mg/L
Chloride	LGW-8R	9/29/2010	12	3		mg/L
Chloride	LGW-8R	11/3/2010	10	3		mg/L
Chloride	LGW-8R	12/2/2010	12	3		mg/L
Chloride	LGW-8R	1/20/2011	12	3		mg/L
Chloride	LGW-8R	2/7/2011	12	3		mg/L
Chloride	LGW-8R	3/3/2011	12	3		mg/L
Chloride	LGW-8R	4/5/2011	12	3		mg/L
Chloride	LGW-8R	5/10/2011	12	3		mg/L
Chloride	LGW-8R	6/1/2011	12	3		mg/L
Chloride	LGW-8R	7/12/2011	12	3		mg/L
Chloride	LGW-8R	8/3/2011	12	3		mg/L
Chloride	LGW-8R	9/7/2011	12	3		mg/L
Chloride	LGW-8R	10/5/2011	13	3		mg/L
Chloride	LGW-8R	11/1/2011	11	3		mg/L
Chloride	LGW-8R	12/8/2011	11	3		mg/L
Chloride	LGW-8R	1/5/2012	12	3		mg/L
Chloride	LGW-8R	2/1/2012	12	3		mg/L
Chloride	LGW-8R	3/7/2012	12	3		mg/L
Chloride	LGW-8R	4/5/2012	12	3		mg/L
Chloride	LGW-8R	5/1/2012	12	3		mg/L
Chloride	LGW-8R	6/5/2012	12	3		mg/L
Chloride	LGW-8R	7/9/2012	12	3		mg/L
Chloride	LGW-8R	8/9/2012	12	3		mg/L
Chloride	LGW-8R	9/4/2012	12	3		mg/L
Chloride	LGW-8R	10/7/2012	12	3		mg/L
Chloride	LGW-8R	4/30/2013	12	3		mg/L
Chloride	LGW-8R	6/4/2013	12	3		mg/L
Chloride	LGW-8R	7/15/2013	12	3		mg/L
Chloride	LGW-8R	8/8/2013	12	3		mg/L
Chloride	LGW-8R	9/10/2013	12	3		mg/L
Chloride	LGW-8R	10/1/2013	12	3		mg/L
Chloride	LGW-8R	11/6/2013	12	3		mg/L
Chloride	LGW-8R	12/2/2013	12	3		mg/L
Chloride	LGW-8R	1/22/2014	13	3		mg/L
Chloride	LGW-8R	2/12/2014	12	3		mg/L
Chloride	LGW-8R	3/11/2014	12	3		mg/L
Chloride	LGW-8R	4/2/2014	13	3		mg/L
Chloride	LGW-8R	5/7/2014	12	3		mg/L
Chloride	LGW-8R	6/3/2014	13	3		mg/L
Chloride	LGW-8R	7/8/2014	12	3		mg/L
Chloride	LGW-8R	8/5/2014	13	3		mg/L
Chloride	LGW-8R	9/4/2014	12	3		mg/L
Chloride	LGW-8R	10/9/2014	12	3		mg/L
Chloride	LGW-8R	11/3/2014	13	3		mg/L
Chloride	LGW-8R	1/14/2015	13	3		mg/L
Chloride	LGW-8R	2/11/2015	13	3		mg/L
Chloride	LGW-8R	3/3/2015	13	3		mg/L
Chloride	LGW-8R	4/1/2015	13	3		mg/L
Chloride	LGW-8R	5/6/2015	14	3		mg/L
Chloride	LGW-8R	6/3/2015	12	3		mg/L
Chloride	LGW-8R	7/22/2015	12	3		mg/L
Chloride	LGW-8R	8/4/2015	12	3		mg/L
Chloride	LGW-8R	9/3/2015	11	3		mg/L
Chloride	LGW-8R	10/6/2015	11	3		mg/L
Chloride	LGW-8R	11/4/2015	13	3		mg/L
Chloride	LGW-8R	12/3/2015	14	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	1/5/2016	14	3		mg/L
Chloride	LGW-8R	2/3/2016	13	3		mg/L
Chloride	LGW-8R	3/2/2016	13	3		mg/L
Chloride	LGW-8R	4/5/2016	13	3		mg/L
Chloride	LGW-8R	5/11/2016	11	3		mg/L
Chloride	LGW-8R	6/1/2016	14	3		mg/L
Chloride	LGW-8R	7/20/2016	13	3		mg/L
Chloride	LGW-8R	8/10/2016	12	3		mg/L
Chloride	LGW-8R	9/6/2016	14	3		mg/L
Chloride	LGW-8R	10/6/2016	12	3		mg/L
Chloride	LGW-8R	11/2/2016	14	3		mg/L
Chloride	LGW-8R	12/1/2016	14	1		mg/L
Chloride	LGW-8R	1/11/2017	14	3		mg/L
Chloride	LGW-8R	2/7/2017	14	3		mg/L
Chloride	LGW-8R	3/2/2017	14	3		mg/L
Chloride	LGW-8R	4/4/2017	14	3		mg/L
Chloride	LGW-8R	5/2/2017	15	3		mg/L
Chloride	LGW-8R	6/6/2017	15	3		mg/L
Chloride	LGW-8R	7/18/2017	15	3		mg/L
Chloride	LGW-8R	8/1/2017	13	3		mg/L
Chloride	LGW-8R	9/5/2017	15	3		mg/L
Chloride	LGW-8R	10/5/2017	15	3		mg/L
Chloride	LGW-8R	11/1/2017	15	3		mg/L
Chloride	LGW-8R	1/25/2018	13	3		mg/L
Chloride	LGW-8R	2/23/2018	13	3		mg/L
Chloride	LGW-8R	3/19/2018	15	3		mg/L
Chloride	LGW-8R	4/11/2018	13	3		mg/L
Chloride	LGW-8R	6/5/2018	15	3		mg/L
Chloride	LGW-8R	7/13/2018	14	3		mg/L
Chloride	LGW-8R	8/2/2018	9.6	3		mg/L
Chloride	LGW-8R	9/5/2018	17	3		mg/L
Chloride	LGW-8R	10/2/2018	15	3		mg/L
Chloride	LGW-8R	11/7/2018	14	3		mg/L
Chloride	LGW-8R	12/4/2018	15	3		mg/L
Chloride	LGW-8R	1/7/2019	14	3		mg/L
Chloride	LGW-8R	2/5/2019	15	3		mg/L
Chloride	LGW-8R	3/5/2019	14	3		mg/L
Chloride	LGW-8R	4/3/2019	15	3		mg/L
Chloride	LGW-8R	5/1/2019	14	3		mg/L
Chloride	LGW-8R	6/4/2019	13	3		mg/L
Chloride	LGW-8R	7/8/2019	16	3		mg/L
Chloride	LGW-8R	7/8/2019	14	3		mg/L
Chloride	LGW-8R	8/7/2019	12	3		mg/L
Chloride	LGW-8R	9/5/2019	15	3		mg/L
Chloride	LGW-8R	10/1/2019	15	3		mg/L
Chloride	LGW-8R	11/5/2019	14	3		mg/L
Chloride	LGW-8R	12/4/2019	16	3		mg/L
Chloride	LGW-8R	1/14/2020	15.7	3		mg/L
Chloride	LGW-8R	2/4/2020	15.6	1		mg/L
Chloride	LGW-8R	3/3/2020	15.4	3		mg/L
Chloride	LGW-8R	4/2/2020	15.4	3		mg/L
Chloride	LGW-8R	5/4/2020	14.4	3		mg/L
Chloride	LGW-8R	6/1/2020	15.7	3		mg/L
Chloride	LGW-8R	7/7/2020	15.5	3		mg/L
Chloride	LGW-8R	7/7/2020	16	3		mg/L
Chloride	LGW-8R	8/3/2020	15.9	3		mg/L
Chloride	LGW-8R	9/1/2020	16	3		mg/L
Chloride	LGW-8R	10/6/2020	15.6	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-8R	11/2/2020	15.7	3		mg/L
Chloride	LGW-8R	12/1/2020	15.8	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	1/17/2021	16.4	3		mg/L
Chloride	LGW-8R	2/9/2021	15.8	3		mg/L
Chloride	LGW-8R	3/2/2021	15.5	3		mg/L
Chloride	LGW-8R	4/7/2021	15.9	3		mg/L
Chloride	LGW-8R	5/5/2021	15.4	3		mg/L
Chloride	LGW-8R	6/2/2021	15.9	3		mg/L
Chloride	LGW-8R	7/7/2021	16.7	2		mg/L
Chloride	LGW-8R	7/7/2021	16.4	3		mg/L
Chloride	LGW-8R	7/7/2021	16	3		mg/L
Chloride	LGW-8R	7/7/2021	16	3		mg/L
Chloride	LGW-8R	8/3/2021	15.9	3		mg/L
Chloride	LGW-8R	9/2/2021	16.2	3		mg/L
Chloride	LGW-8R	10/5/2021	15.6	3		mg/L
Chloride	LGW-8R	11/2/2021	15.5	3		mg/L
Chloride	LGW-8R	12/9/2021	14.6	3		mg/L
Chloride	LGW-8R	1/13/2022	16.4	3		mg/L
Chloride	LGW-8R	1/13/2022	16.9	2		mg/L
Chloride	LGW-8R	1/13/2022	16.4	3		mg/L
Chloride	LGW-8R	2/10/2022	16.2	3		mg/L
Chloride	LGW-8R	3/2/2022	16.5	3		mg/L
Chloride	LGW-8R	4/5/2022	16.4	3		mg/L
Chloride	LGW-8R	5/7/2022	16.8	3		mg/L
Chloride	LGW-8R	6/3/2022	17.2	3		mg/L
Chloride	LGW-8R	7/11/2022	17.2	3		mg/L
Chloride	LGW-8R	8/10/2022	16.5	3		mg/L
Chloride	LGW-8R	9/8/2022	17.9	3		mg/L
Chloride	LGW-8R	10/6/2022	16.4	3		mg/L
Chloride	LGW-8R	11/3/2022	16.1	3		mg/L
Chloride	LGW-8R	12/7/2022	16.7	3		mg/L
Chloride	LGW-8R	1/11/2023	16.7	3		mg/L
Chloride	LGW-8R	2/3/2023	17.7	3		mg/L
Chloride	LGW-8R	3/1/2023	18.2	3		mg/L
Chloride	LGW-8R	4/6/2023	17.1	3		mg/L
Chloride	LGW-8R	5/10/2023	17.9	3		mg/L
Chloride	LGW-8R	6/8/2023	18.8	3		mg/L
Chloride	LGW-8R	7/10/2023	18	3		mg/L
Chloride	LGW-8R	8/1/2023	18.9	3		mg/L
Chloride	LGW-8R	9/2/2023	18.1	3		mg/L
Chloride	LGW-8R	10/5/2023	20.2	3		mg/L
Chloride	LGW-9	1/25/2006	16.4	0.5		mg/L
Chloride	LGW-9	7/20/2006	17	3		mg/L
Chloride	LGW-9	7/20/2006	17	3		mg/L
Chloride	LGW-9	9/27/2006	16	3		mg/L
Chloride	LGW-9	10/26/2006	17	3		mg/L
Chloride	LGW-9	11/21/2006	17	3		mg/L
Chloride	LGW-9	12/21/2006	17	3		mg/L
Chloride	LGW-9	1/25/2007	17	3		mg/L
Chloride	LGW-9	2/27/2007	14	3		mg/L
Chloride	LGW-9	3/26/2007	17	3		mg/L
Chloride	LGW-9	4/25/2007	16	3		mg/L
Chloride	LGW-9	5/31/2007	18	3		mg/L
Chloride	LGW-9	6/28/2007	17	3		mg/L
Chloride	LGW-9	7/10/2007	16	3		mg/L
Chloride	LGW-9	8/28/2007	17	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	9/28/2007	18	3		mg/L
Chloride	LGW-9	10/23/2007	17	3		mg/L
Chloride	LGW-9	11/28/2007	17	3		mg/L
Chloride	LGW-9	12/27/2007	17	3		mg/L
Chloride	LGW-9	1/25/2008	16	3		mg/L
Chloride	LGW-9	2/28/2008	17	3		mg/L
Chloride	LGW-9	3/25/2008	18	3		mg/L
Chloride	LGW-9	5/3/2008	18	3		mg/L
Chloride	LGW-9	5/29/2008	18	3		mg/L
Chloride	LGW-9	6/26/2008	18	3		mg/L
Chloride	LGW-9	7/22/2008	18	3		mg/L
Chloride	LGW-9	8/29/2008	18	3		mg/L
Chloride	LGW-9	9/26/2008	16	3		mg/L
Chloride	LGW-9	10/22/2008	18	3		mg/L
Chloride	LGW-9	11/24/2008	16	3		mg/L
Chloride	LGW-9	12/19/2008	18	3		mg/L
Chloride	LGW-9	2/4/2009	16	3		mg/L
Chloride	LGW-9	3/26/2009	15	3		mg/L
Chloride	LGW-9	4/15/2009	16	3		mg/L
Chloride	LGW-9	5/28/2009	16	3		mg/L
Chloride	LGW-9	6/24/2009	17	3		mg/L
Chloride	LGW-9	7/29/2009	16	3		mg/L
Chloride	LGW-9	8/28/2009	16	3		mg/L
Chloride	LGW-9	9/29/2009	16	3		mg/L
Chloride	LGW-9	10/22/2009	16	3		mg/L
Chloride	LGW-9	11/24/2009	17	3		mg/L
Chloride	LGW-9	12/17/2009	17	3		mg/L
Chloride	LGW-9	1/27/2010	17	3		mg/L
Chloride	LGW-9	2/15/2010	17	3		mg/L
Chloride	LGW-9	3/3/2010	18	3		mg/L
Chloride	LGW-9	4/8/2010	17	3		mg/L
Chloride	LGW-9	5/6/2010	18	3		mg/L
Chloride	LGW-9	6/16/2010	12	3		mg/L
Chloride	LGW-9	7/14/2010	19	3		mg/L
Chloride	LGW-9	8/11/2010	18	3		mg/L
Chloride	LGW-9	9/1/2010	18	3		mg/L
Chloride	LGW-9	9/29/2010	18	3		mg/L
Chloride	LGW-9	11/3/2010	17	3		mg/L
Chloride	LGW-9	12/2/2010	19	3		mg/L
Chloride	LGW-9	1/20/2011	19	3		mg/L
Chloride	LGW-9	2/7/2011	18	3		mg/L
Chloride	LGW-9	3/3/2011	19	3		mg/L
Chloride	LGW-9	4/5/2011	19	3		mg/L
Chloride	LGW-9	5/10/2011	20	3		mg/L
Chloride	LGW-9	6/1/2011	19	3		mg/L
Chloride	LGW-9	7/12/2011	19	3		mg/L
Chloride	LGW-9	8/4/2011	20	3		mg/L
Chloride	LGW-9	9/7/2011	19	3		mg/L
Chloride	LGW-9	10/5/2011	20	3		mg/L
Chloride	LGW-9	11/1/2011	18	3		mg/L
Chloride	LGW-9	12/8/2011	19	3		mg/L
Chloride	LGW-9	1/5/2012	19	3		mg/L
Chloride	LGW-9	2/1/2012	18	3		mg/L
Chloride	LGW-9	3/7/2012	18	3		mg/L
Chloride	LGW-9	4/5/2012	18	3		mg/L
Chloride	LGW-9	5/1/2012	18	3		mg/L
Chloride	LGW-9	6/5/2012	18	3		mg/L
Chloride	LGW-9	7/10/2012	19	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	8/9/2012	17	3		mg/L
Chloride	LGW-9	9/4/2012	18	3		mg/L
Chloride	LGW-9	10/7/2012	18	3		mg/L
Chloride	LGW-9	5/1/2013	17	3		mg/L
Chloride	LGW-9	6/4/2013	16	3		mg/L
Chloride	LGW-9	7/15/2013	16	3		mg/L
Chloride	LGW-9	8/8/2013	17	3		mg/L
Chloride	LGW-9	9/10/2013	17	3		mg/L
Chloride	LGW-9	10/1/2013	17	3		mg/L
Chloride	LGW-9	11/6/2013	17	3		mg/L
Chloride	LGW-9	12/2/2013	18	3		mg/L
Chloride	LGW-9	1/23/2014	19	3		mg/L
Chloride	LGW-9	2/13/2014	19	3		mg/L
Chloride	LGW-9	3/11/2014	20	3		mg/L
Chloride	LGW-9	4/2/2014	20	3		mg/L
Chloride	LGW-9	5/7/2014	20	3		mg/L
Chloride	LGW-9	6/3/2014	21	3		mg/L
Chloride	LGW-9	7/8/2014	21	3		mg/L
Chloride	LGW-9	8/5/2014	21	3		mg/L
Chloride	LGW-9	9/4/2014	21	3		mg/L
Chloride	LGW-9	10/9/2014	22	3		mg/L
Chloride	LGW-9	11/3/2014	24	3		mg/L
Chloride	LGW-9	1/14/2015	24	3		mg/L
Chloride	LGW-9	2/11/2015	25	3		mg/L
Chloride	LGW-9	3/3/2015	24	3		mg/L
Chloride	LGW-9	4/1/2015	27	3		mg/L
Chloride	LGW-9	5/7/2015	29	3		mg/L
Chloride	LGW-9	6/3/2015	25	3		mg/L
Chloride	LGW-9	7/13/2015	29	3		mg/L
Chloride	LGW-9	8/4/2015	31	3		mg/L
Chloride	LGW-9	9/3/2015	31	3		mg/L
Chloride	LGW-9	10/6/2015	35	3		mg/L
Chloride	LGW-9	11/4/2015	42	3		mg/L
Chloride	LGW-9	12/3/2015	45	3		mg/L
Chloride	LGW-9	1/5/2016	52	3		mg/L
Chloride	LGW-9	2/3/2016	57	3		mg/L
Chloride	LGW-9	3/2/2016	58	3		mg/L
Chloride	LGW-9	4/5/2016	63	3		mg/L
Chloride	LGW-9	5/11/2016	58	3		mg/L
Chloride	LGW-9	6/1/2016	65	3		mg/L
Chloride	LGW-9	7/21/2016	70	3		mg/L
Chloride	LGW-9	8/10/2016	68	3		mg/L
Chloride	LGW-9	9/6/2016	69	3		mg/L
Chloride	LGW-9	10/6/2016	68	3		mg/L
Chloride	LGW-9	10/6/2016	68	3		mg/L
Chloride	LGW-9	11/2/2016	64	3		mg/L
Chloride	LGW-9	12/1/2016	67	5		mg/L
Chloride	LGW-9	1/11/2017	60	3		mg/L
Chloride	LGW-9	2/7/2017	51	3		mg/L
Chloride	LGW-9	3/2/2017	53	3		mg/L
Chloride	LGW-9	4/4/2017	49	3		mg/L
Chloride	LGW-9	5/5/2017	69	3		mg/L
Chloride	LGW-9	5/16/2017	70	3		mg/L
Chloride	LGW-9	6/6/2017	72	3		mg/L
Chloride	LGW-9	7/18/2017	78	3		mg/L
Chloride	LGW-9	8/1/2017	76	3		mg/L
Chloride	LGW-9	9/5/2017	82	3		mg/L
Chloride	LGW-9	10/5/2017	82	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	11/1/2017	80	3		mg/L
Chloride	LGW-9	1/24/2018	71	3		mg/L
Chloride	LGW-9	2/22/2018	71	3		mg/L
Chloride	LGW-9	3/20/2018	78	3		mg/L
Chloride	LGW-9	4/11/2018	71	3		mg/L
Chloride	LGW-9	4/11/2018	77	3		mg/L
Chloride	LGW-9	6/5/2018	72	3		mg/L
Chloride	LGW-9	7/13/2018	66	3		mg/L
Chloride	LGW-9	8/2/2018	67	3		mg/L
Chloride	LGW-9	9/5/2018	69	3		mg/L
Chloride	LGW-9	10/2/2018	60	3		mg/L
Chloride	LGW-9	10/2/2018	59	3		mg/L
Chloride	LGW-9	11/6/2018	54	3		mg/L
Chloride	LGW-9	12/4/2018	56	3		mg/L
Chloride	LGW-9	1/7/2019	53	3		mg/L
Chloride	LGW-9	2/6/2019	53	3		mg/L
Chloride	LGW-9	3/5/2019	52	3		mg/L
Chloride	LGW-9	4/3/2019	51	3		mg/L
Chloride	LGW-9	5/3/2019	51	3		mg/L
Chloride	LGW-9	6/4/2019	52	3		mg/L
Chloride	LGW-9	7/10/2019	48	3		mg/L
Chloride	LGW-9	7/10/2019	54	30		mg/L
Chloride	LGW-9	8/8/2019	40	3		mg/L
Chloride	LGW-9	9/4/2019	46	3		mg/L
Chloride	LGW-9	10/3/2019	46	15		mg/L
Chloride	LGW-9	10/3/2019	45	15		mg/L
Chloride	LGW-9	11/6/2019	40	3		mg/L
Chloride	LGW-9	12/3/2019	41	3		mg/L
Chloride	LGW-9	1/16/2020	38.9	3		mg/L
Chloride	LGW-9	2/4/2020	38.4	1		mg/L
Chloride	LGW-9	3/4/2020	36.3	3		mg/L
Chloride	LGW-9	4/2/2020	35.5	3		mg/L
Chloride	LGW-9	5/5/2020	33.6	3		mg/L
Chloride	LGW-9	6/2/2020	33.6	3		mg/L
Chloride	LGW-9	7/9/2020	34.5	3		mg/L
Chloride	LGW-9	7/9/2020	34.3	3		mg/L
Chloride	LGW-9	8/3/2020	35.5	3		mg/L
Chloride	LGW-9	9/2/2020	36.3	3		mg/L
Chloride	LGW-9	10/7/2020	36.5	3		mg/L
Chloride	LGW-9	10/7/2020	36.1	3		mg/L
Chloride	LGW-9	11/3/2020	37.3	3		mg/L
Chloride	LGW-9	12/2/2020	35.8	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	1/17/2021	19.4	3		mg/L
Chloride	LGW-9	2/9/2021	39.9	3		mg/L
Chloride	LGW-9	3/2/2021	38.3	3		mg/L
Chloride	LGW-9	4/6/2021	37.5	3		mg/L
Chloride	LGW-9	5/5/2021	36.1	3		mg/L
Chloride	LGW-9	6/2/2021	36.4	3		mg/L
Chloride	LGW-9	7/7/2021	36.8	3		mg/L
Chloride	LGW-9	7/7/2021	36.8	2		mg/L
Chloride	LGW-9	7/7/2021	36.3	3		mg/L
Chloride	LGW-9	7/7/2021	36.3	3		mg/L
Chloride	LGW-9	8/4/2021	36	3		mg/L
Chloride	LGW-9	9/2/2021	37	3		mg/L
Chloride	LGW-9	10/5/2021	36.4	3		mg/L
Chloride	LGW-9	10/5/2021	35.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	LGW-9	11/2/2021	34.6	3		mg/L
Chloride	LGW-9	12/9/2021	31.6	3		mg/L
Chloride	LGW-9	1/13/2022	33.1	3		mg/L
Chloride	LGW-9	1/13/2022	33.5	3		mg/L
Chloride	LGW-9	1/13/2022	34.2	2		mg/L
Chloride	LGW-9	2/10/2022	34.4	3		mg/L
Chloride	LGW-9	3/2/2022	35.8	3		mg/L
Chloride	LGW-9	4/4/2022	36.4	3		mg/L
Chloride	LGW-9	5/7/2022	35.2	3		mg/L
Chloride	LGW-9	6/3/2022	36.9	3		mg/L
Chloride	LGW-9	7/11/2022	38.5	3		mg/L
Chloride	LGW-9	8/10/2022	37.4	3		mg/L
Chloride	LGW-9	9/8/2022	39.5	3		mg/L
Chloride	LGW-9	10/7/2022	36.5	3		mg/L
Chloride	LGW-9	11/3/2022	36.4	3		mg/L
Chloride	LGW-9	12/7/2022	34.2	3		mg/L
Chloride	LGW-9	1/11/2023	32.2	3		mg/L
Chloride	LGW-9	2/3/2023	34	3		mg/L
Chloride	LGW-9	3/1/2023	33.7	3		mg/L
Chloride	LGW-9	4/5/2023	31	3		mg/L
Chloride	LGW-9	5/10/2023	33.7	3		mg/L
Chloride	LGW-9	6/8/2023	36.1	3		mg/L
Chloride	LGW-9	7/10/2023	35.1	3		mg/L
Chloride	LGW-9	8/1/2023	36	3		mg/L
Chloride	LGW-9	9/2/2023	32.5	3		mg/L
Chloride	LGW-9	10/5/2023	34.8	3		mg/L
Chloride	MW-10N	10/22/1997	7.2	1		mg/L
Chloride	MW-10N	1/22/1998	6.3	1		mg/L
Chloride	MW-10N	4/28/1998	7.3	1		mg/L
Chloride	MW-10N	7/23/1998	5.3	1		mg/L
Chloride	MW-10N	1/14/1999	6.6	1		mg/L
Chloride	MW-10N	7/15/1999	5.3	1		mg/L
Chloride	MW-10N	10/20/1999	5.8	1		mg/L
Chloride	MW-10N	1/14/2000	5	1		mg/L
Chloride	MW-10N	4/25/2000	5.6	1		mg/L
Chloride	MW-10N	7/11/2000	6.2	0.5		mg/L
Chloride	MW-10N	10/17/2000	7	0.5		mg/L
Chloride	MW-10N	1/24/2001	6.7	0.5		mg/L
Chloride	MW-10N	4/10/2001	6.3	0.5		mg/L
Chloride	MW-10N	7/10/2002	6.4	0.5		mg/L
Chloride	MW-10N	10/2/2002	6.4	0.5		mg/L
Chloride	MW-10N	1/22/2003	6.1	0.5		mg/L
Chloride	MW-10N	4/15/2003	7.3	0.5		mg/L
Chloride	MW-10N	7/8/2003	6.3	0.5		mg/L
Chloride	MW-10N	1/28/2004	6.5	0.5		mg/L
Chloride	MW-10N	7/27/2004	7.1	0.5		mg/L
Chloride	MW-10N	1/12/2005	6.4	0.5		mg/L
Chloride	MW-10N	7/20/2005	6.2	0.5		mg/L
Chloride	MW-10N	1/19/2006	6.5	0.5		mg/L
Chloride	MW-10N	7/19/2006	5.9	3		mg/L
Chloride	MW-10N	7/19/2006	5.9	3		mg/L
Chloride	MW-10N	10/25/2006	6.8	3		mg/L
Chloride	MW-10N	1/24/2007	6	3		mg/L
Chloride	MW-10N	7/10/2007	5.4	3		mg/L
Chloride	MW-10N	1/23/2008	5.4	3		mg/L
Chloride	MW-10N	7/21/2008	5.6	3		mg/L
Chloride	MW-10N	2/13/2009	5.9	3		mg/L
Chloride	MW-10N	7/31/2009	5.3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-10N	1/27/2010	5.7	3		mg/L
Chloride	MW-10N	8/10/2010	5.6	3		mg/L
Chloride	MW-10N	1/19/2011	5.4	3		mg/L
Chloride	MW-10N	7/14/2011	5.8	3		mg/L
Chloride	MW-10N	1/5/2012	5.7	3		mg/L
Chloride	MW-10N	7/10/2012	6	3		mg/L
Chloride	MW-10N	5/1/2013	5.5	3		mg/L
Chloride	MW-10N	1/24/2014	5.6	3		mg/L
Chloride	MW-10N	7/9/2014	5.3	3		mg/L
Chloride	MW-10N	2/12/2015	5.5	3		mg/L
Chloride	MW-10N	7/14/2015	5.4	3		mg/L
Chloride	MW-10N	1/6/2016	4.7	3		mg/L
Chloride	MW-10N	7/21/2016	5.4	3		mg/L
Chloride	MW-10N	1/11/2017	4.9	3		mg/L
Chloride	MW-10N	7/19/2017	5.5	3		mg/L
Chloride	MW-10N	1/24/2018	4.7	3		mg/L
Chloride	MW-10N	7/11/2018	5.4	3		mg/L
Chloride	MW-10N	1/3/2019	5.1	3		mg/L
Chloride	MW-10N	7/9/2019	5.4	3		mg/L
Chloride	MW-10N	1/16/2020	5.26	3		mg/L
Chloride	MW-10N	7/8/2020	5.02	3		mg/L
Chloride	MW-10N	1/13/2021	5.31	3		mg/L
Chloride	MW-10N	7/5/2021	4.58	3		mg/L
Chloride	MW-10N	7/5/2021	5.46	2		mg/L
Chloride	MW-10N	1/11/2023	4.62	3		mg/L
Chloride	MW-10N	7/7/2023	4.98	3		mg/L
Chloride	MW-11N	10/22/1997	4.2	1		mg/L
Chloride	MW-11N	1/21/1998	2.3	1		mg/L
Chloride	MW-11N	4/28/1998	3.2	1		mg/L
Chloride	MW-11N	7/23/1998	1.7	1		mg/L
Chloride	MW-11N	1/13/1999	2.6	1		mg/L
Chloride	MW-11N	7/14/1999	2.2	1		mg/L
Chloride	MW-11N	10/20/1999	1.9	1		mg/L
Chloride	MW-11N	1/13/2000	1.9	1		mg/L
Chloride	MW-11N	4/25/2000	2	1		mg/L
Chloride	MW-11N	7/10/2000	2	0.5		mg/L
Chloride	MW-11N	10/17/2000	0.5	0.5	ND	mg/L
Chloride	MW-11N	1/24/2001	2.4	0.5		mg/L
Chloride	MW-11N	4/10/2001	3	0.5		mg/L
Chloride	MW-11N	7/9/2002	3.2	0.5		mg/L
Chloride	MW-11N	10/2/2002	2.6	0.5		mg/L
Chloride	MW-11N	1/23/2003	3.5	0.5		mg/L
Chloride	MW-11N	4/15/2003	4	0.5		mg/L
Chloride	MW-11N	7/8/2003	2.4	0.5		mg/L
Chloride	MW-11N	1/29/2004	2.4	0.5		mg/L
Chloride	MW-11N	7/27/2004	2.1	0.5		mg/L
Chloride	MW-11N	1/13/2005	1.9	0.5		mg/L
Chloride	MW-11N	7/20/2005	1.9	0.5		mg/L
Chloride	MW-11N	1/19/2006	1.8	0.5		mg/L
Chloride	MW-11N	7/18/2006	1.6	3	ND	mg/L
Chloride	MW-11N	7/18/2006	1.6	3	ND	mg/L
Chloride	MW-11N	10/25/2006	1.7	3	ND	mg/L
Chloride	MW-11N	1/24/2007	2	3	ND	mg/L
Chloride	MW-11N	7/10/2007	1.5	3	ND	mg/L
Chloride	MW-11N	1/22/2008	1.4	3	ND	mg/L
Chloride	MW-11N	7/23/2008	1.5	3	ND	mg/L
Chloride	MW-11N	2/3/2009	1.4	3	ND	mg/L
Chloride	MW-11N	7/31/2009	1.5	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-11N	2/3/2010	1.6	3	ND	mg/L
Chloride	MW-11N	2/3/2010	1.6	3	ND	mg/L
Chloride	MW-11N	7/16/2010	1.3	3	ND	mg/L
Chloride	MW-11N	1/19/2011	1.6	3	ND	mg/L
Chloride	MW-11N	7/13/2011	1.9	3	ND	mg/L
Chloride	MW-11N	1/4/2012	1.6	3	ND	mg/L
Chloride	MW-11N	7/9/2012	1.6	3	ND	mg/L
Chloride	MW-11N	4/30/2013	1.7	3	ND	mg/L
Chloride	MW-11N	7/15/2013	1.7	3	ND	mg/L
Chloride	MW-11N	1/23/2014	1.7	3	ND	mg/L
Chloride	MW-11N	7/8/2014	1.7	3	ND	mg/L
Chloride	MW-11N	2/10/2015	1.7	3	ND	mg/L
Chloride	MW-11N	7/13/2015	1.6	3	ND	mg/L
Chloride	MW-11N	1/5/2016	2.1	3	ND	mg/L
Chloride	MW-11N	7/21/2016	1.8	3	ND	mg/L
Chloride	MW-11N	1/11/2017	1.7	3	ND	mg/L
Chloride	MW-11N	7/19/2017	1.8	3	ND	mg/L
Chloride	MW-11N	1/23/2018	1.8	3	ND	mg/L
Chloride	MW-11N	7/17/2018	1.7	3	ND	mg/L
Chloride	MW-11N	1/2/2019	1.4	3	ND	mg/L
Chloride	MW-11N	7/9/2019	1.7	3	ND	mg/L
Chloride	MW-11N	1/14/2020	3	3	ND	mg/L
Chloride	MW-11N	7/6/2020	3	3	ND	mg/L
Chloride	MW-11N	1/18/2021	3	3	ND	mg/L
Chloride	MW-11N	7/6/2021	2.16	2		mg/L
Chloride	MW-11N	7/6/2021	3	3	ND	mg/L
Chloride	MW-11N	1/18/2022	2.09	2		mg/L
Chloride	MW-11N	1/18/2022	3	3	ND	mg/L
Chloride	MW-11N	7/13/2022	3	3	ND	mg/L
Chloride	MW-11N	1/10/2023	3	3	ND	mg/L
Chloride	MW-11N	7/8/2023	3	3	ND	mg/L
Chloride	MW-15	6/2/2015	32	3		mg/L
Chloride	MW-15	6/5/2015	29	3		mg/L
Chloride	MW-15	7/15/2015	3	3	ND	mg/L
Chloride	MW-15	8/5/2015	28	3		mg/L
Chloride	MW-15	9/3/2015	29	3		mg/L
Chloride	MW-15	10/6/2015	24	3		mg/L
Chloride	MW-15	11/5/2015	22	3		mg/L
Chloride	MW-15	12/4/2015	35	3		mg/L
Chloride	MW-15	1/7/2016	45	3		mg/L
Chloride	MW-15	2/4/2016	31	3		mg/L
Chloride	MW-15	3/2/2016	42	3		mg/L
Chloride	MW-15	4/5/2016	32	3		mg/L
Chloride	MW-15	5/11/2016	27	3		mg/L
Chloride	MW-15	6/1/2016	31	3		mg/L
Chloride	MW-15	7/20/2016	41	3		mg/L
Chloride	MW-15	8/10/2016	34	3		mg/L
Chloride	MW-15	9/6/2016	36	3		mg/L
Chloride	MW-15	10/6/2016	32	3		mg/L
Chloride	MW-15	10/6/2016	30	3		mg/L
Chloride	MW-15	11/2/2016	31	3		mg/L
Chloride	MW-15	12/1/2016	32	1		mg/L
Chloride	MW-15	1/10/2017	25	3		mg/L
Chloride	MW-15	2/7/2017	29	3		mg/L
Chloride	MW-15	3/2/2017	20	3		mg/L
Chloride	MW-15	4/4/2017	30	3		mg/L
Chloride	MW-15	5/2/2017	35	3		mg/L
Chloride	MW-15	6/6/2017	40	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-15	7/18/2017	42	3		mg/L
Chloride	MW-15	8/1/2017	42	3		mg/L
Chloride	MW-15	9/5/2017	41	3		mg/L
Chloride	MW-15	10/6/2017	40	3		mg/L
Chloride	MW-15	11/1/2017	43	3		mg/L
Chloride	MW-15	1/23/2018	46	3		mg/L
Chloride	MW-15	2/22/2018	41	3		mg/L
Chloride	MW-15	3/21/2018	48	3		mg/L
Chloride	MW-15	4/10/2018	54	3		mg/L
Chloride	MW-15	6/5/2018	54	3		mg/L
Chloride	MW-15	7/10/2018	51	3		mg/L
Chloride	MW-15	8/1/2018	52	3		mg/L
Chloride	MW-15	9/4/2018	57	3		mg/L
Chloride	MW-15	10/2/2018	51	3		mg/L
Chloride	MW-15	11/6/2018	44	3		mg/L
Chloride	MW-15	12/5/2018	44	3		mg/L
Chloride	MW-15	1/3/2019	41	3		mg/L
Chloride	MW-15	2/5/2019	52	3		mg/L
Chloride	MW-15	3/6/2019	52	3		mg/L
Chloride	MW-15	4/3/2019	51	3		mg/L
Chloride	MW-15	5/2/2019	50	3		mg/L
Chloride	MW-15	6/4/2019	44	3		mg/L
Chloride	MW-15	7/9/2019	53	30		mg/L
Chloride	MW-15	7/9/2019	41	3		mg/L
Chloride	MW-15	8/6/2019	42	3		mg/L
Chloride	MW-15	9/4/2019	47	3		mg/L
Chloride	MW-15	10/1/2019	37	15		mg/L
Chloride	MW-15	11/5/2019	41	3		mg/L
Chloride	MW-15	12/3/2019	47	3		mg/L
Chloride	MW-15	1/14/2020	40.4	3		mg/L
Chloride	MW-15	2/4/2020	32.9	1		mg/L
Chloride	MW-15	3/3/2020	36.1	3		mg/L
Chloride	MW-15	4/1/2020	32.3	3		mg/L
Chloride	MW-15	5/4/2020	35.5	3		mg/L
Chloride	MW-15	6/2/2020	20.6	3		mg/L
Chloride	MW-15	7/7/2020	36.1	3		mg/L
Chloride	MW-15	8/3/2020	40.7	3		mg/L
Chloride	MW-15	8/3/2020	40.9	3		mg/L
Chloride	MW-15	9/3/2020	35.8	3		mg/L
Chloride	MW-15	10/6/2020	29.6	3		mg/L
Chloride	MW-15	11/4/2020	23.2	3		mg/L
Chloride	MW-15	12/2/2020	25.2	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L
Chloride	MW-15	1/18/2021	26	3		mg/L
Chloride	MW-15	2/10/2021	24.8	3		mg/L
Chloride	MW-15	3/2/2021	19.6	3		mg/L
Chloride	MW-15	4/7/2021	27.9	3		mg/L
Chloride	MW-15	5/4/2021	15.8	3		mg/L
Chloride	MW-15	6/1/2021	27.1	3		mg/L
Chloride	MW-15	7/4/2021	31.3	3		mg/L
Chloride	MW-15	7/4/2021	31.4	3		mg/L
Chloride	MW-15	7/4/2021	31.4	2		mg/L
Chloride	MW-15	8/3/2021	33.2	3		mg/L
Chloride	MW-15	9/2/2021	35.7	3		mg/L
Chloride	MW-15	10/5/2021	35.6	3		mg/L
Chloride	MW-15	11/1/2021	34.4	3		mg/L
Chloride	MW-15	12/8/2021	33.5	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-15	1/12/2022	35.1	3		mg/L
Chloride	MW-15	1/12/2022	36	3		mg/L
Chloride	MW-15	1/12/2022	34.9	2		mg/L
Chloride	MW-15	2/9/2022	34.5	3		mg/L
Chloride	MW-15	3/1/2022	35.6	3		mg/L
Chloride	MW-15	4/5/2022	36	3		mg/L
Chloride	MW-15	5/7/2022	17.6	3		mg/L
Chloride	MW-15	6/3/2022	40.9	3		mg/L
Chloride	MW-15	7/10/2022	39.5	3		mg/L
Chloride	MW-15	8/10/2022	37.9	3		mg/L
Chloride	MW-15	9/8/2022	37.8	3		mg/L
Chloride	MW-15	10/6/2022	35	3		mg/L
Chloride	MW-15	11/3/2022	34.5	3		mg/L
Chloride	MW-15	12/7/2022	36.4	3		mg/L
Chloride	MW-15	1/10/2023	40.5	3		mg/L
Chloride	MW-15	2/3/2023	38	3		mg/L
Chloride	MW-15	3/1/2023	39.1	3		mg/L
Chloride	MW-15	4/5/2023	37.3	3		mg/L
Chloride	MW-15	5/11/2023	37.2	3		mg/L
Chloride	MW-15	6/8/2023	37.7	3		mg/L
Chloride	MW-15	7/10/2023	35.7	3		mg/L
Chloride	MW-15	8/1/2023	37.6	3		mg/L
Chloride	MW-15	9/1/2023	36.8	3		mg/L
Chloride	MW-15	10/4/2023	39.3	3		mg/L
Chloride	MW-16	6/2/2015	8.4	3		mg/L
Chloride	MW-16	6/5/2015	11	3		mg/L
Chloride	MW-16	7/16/2015	11	3		mg/L
Chloride	MW-16	8/5/2015	9.6	3		mg/L
Chloride	MW-16	9/3/2015	13	3		mg/L
Chloride	MW-16	10/6/2015	12	3		mg/L
Chloride	MW-16	11/5/2015	13	3		mg/L
Chloride	MW-16	12/4/2015	12	3		mg/L
Chloride	MW-16	1/8/2016	8.2	3		mg/L
Chloride	MW-16	2/4/2016	9.9	3		mg/L
Chloride	MW-16	3/2/2016	9.1	3		mg/L
Chloride	MW-16	4/5/2016	9.8	3		mg/L
Chloride	MW-16	5/11/2016	14	3		mg/L
Chloride	MW-16	6/2/2016	16	3		mg/L
Chloride	MW-16	7/21/2016	9.7	3		mg/L
Chloride	MW-16	8/10/2016	7.4	3		mg/L
Chloride	MW-16	9/6/2016	13	3		mg/L
Chloride	MW-16	10/5/2016	6.3	3		mg/L
Chloride	MW-16	10/5/2016	10	3		mg/L
Chloride	MW-16	11/2/2016	12	3		mg/L
Chloride	MW-16	12/1/2016	5.6	1		mg/L
Chloride	MW-16	1/10/2017	11	3		mg/L
Chloride	MW-16	2/7/2017	12	3		mg/L
Chloride	MW-16	3/2/2017	13	3		mg/L
Chloride	MW-16	4/4/2017	18	3		mg/L
Chloride	MW-16	5/2/2017	14	3		mg/L
Chloride	MW-16	6/6/2017	9.8	3		mg/L
Chloride	MW-16	7/18/2017	10	3		mg/L
Chloride	MW-16	8/1/2017	10	3		mg/L
Chloride	MW-16	9/5/2017	9.2	3		mg/L
Chloride	MW-16	10/6/2017	8.3	3		mg/L
Chloride	MW-16	11/1/2017	7	3		mg/L
Chloride	MW-16	1/23/2018	5.3	3		mg/L
Chloride	MW-16	2/22/2018	4.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-16	3/21/2018	5.1	3		mg/L
Chloride	MW-16	4/10/2018	6	3		mg/L
Chloride	MW-16	6/5/2018	6	3		mg/L
Chloride	MW-16	7/11/2018	5.3	3		mg/L
Chloride	MW-16	8/1/2018	5	3		mg/L
Chloride	MW-16	9/5/2018	5.1	3		mg/L
Chloride	MW-16	10/2/2018	4.1	3		mg/L
Chloride	MW-16	11/6/2018	3.8	3		mg/L
Chloride	MW-16	12/5/2018	4.2	3		mg/L
Chloride	MW-16	1/2/2019	4.1	3		mg/L
Chloride	MW-16	2/5/2019	4.1	3		mg/L
Chloride	MW-16	3/6/2019	4.3	3		mg/L
Chloride	MW-16	4/3/2019	4.1	3		mg/L
Chloride	MW-16	5/2/2019	4.5	3		mg/L
Chloride	MW-16	6/4/2019	3.7	3		mg/L
Chloride	MW-16	7/10/2019	3.6	3		mg/L
Chloride	MW-16	7/10/2019	3.6	3		mg/L
Chloride	MW-16	8/6/2019	3.8	3		mg/L
Chloride	MW-16	9/4/2019	4.3	3		mg/L
Chloride	MW-16	10/1/2019	3.7	3		mg/L
Chloride	MW-16	11/5/2019	4.2	3		mg/L
Chloride	MW-16	12/3/2019	4.1	3		mg/L
Chloride	MW-16	1/14/2020	11.2	3		mg/L
Chloride	MW-16	2/4/2020	4.79	1		mg/L
Chloride	MW-16	3/3/2020	4.55	3		mg/L
Chloride	MW-16	4/1/2020	4.3	3		mg/L
Chloride	MW-16	5/4/2020	4.01	3		mg/L
Chloride	MW-16	6/3/2020	4.14	3		mg/L
Chloride	MW-16	7/7/2020	4.32	3		mg/L
Chloride	MW-16	8/3/2020	4.4	3		mg/L
Chloride	MW-16	8/3/2020	4.43	3		mg/L
Chloride	MW-16	9/3/2020	4.28	3		mg/L
Chloride	MW-16	10/6/2020	3.94	3		mg/L
Chloride	MW-16	11/4/2020	3.83	3		mg/L
Chloride	MW-16	12/3/2020	3.85	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	1/18/2021	4.2	3		mg/L
Chloride	MW-16	2/10/2021	3.9	3		mg/L
Chloride	MW-16	3/2/2021	3.85	3		mg/L
Chloride	MW-16	4/7/2021	3.89	3		mg/L
Chloride	MW-16	5/4/2021	4.06	3		mg/L
Chloride	MW-16	6/1/2021	4.24	3		mg/L
Chloride	MW-16	7/4/2021	4.51	3		mg/L
Chloride	MW-16	7/4/2021	3.91	3		mg/L
Chloride	MW-16	7/4/2021	4.65	2		mg/L
Chloride	MW-16	8/3/2021	4.27	3		mg/L
Chloride	MW-16	9/2/2021	4.63	3		mg/L
Chloride	MW-16	10/5/2021	3.97	3		mg/L
Chloride	MW-16	11/1/2021	3.72	3		mg/L
Chloride	MW-16	12/8/2021	3.46	3		mg/L
Chloride	MW-16	1/12/2022	4.17	3		mg/L
Chloride	MW-16	1/12/2022	4.3	2		mg/L
Chloride	MW-16	1/12/2022	3.88	3		mg/L
Chloride	MW-16	2/9/2022	4.33	3		mg/L
Chloride	MW-16	3/1/2022	3.9	3		mg/L
Chloride	MW-16	4/5/2022	3.52	3		mg/L
Chloride	MW-16	5/7/2022	4.1	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-16	6/3/2022	4.6	3		mg/L
Chloride	MW-16	7/10/2022	4.7	3		mg/L
Chloride	MW-16	8/10/2022	4.46	3		mg/L
Chloride	MW-16	9/8/2022	4.21	3		mg/L
Chloride	MW-16	10/6/2022	3.81	3		mg/L
Chloride	MW-16	11/3/2022	3.76	3		mg/L
Chloride	MW-16	12/7/2022	3.86	3		mg/L
Chloride	MW-16	1/10/2023	4.59	3		mg/L
Chloride	MW-16	2/3/2023	4.08	3		mg/L
Chloride	MW-16	3/1/2023	4.49	3		mg/L
Chloride	MW-16	4/5/2023	3.8	3		mg/L
Chloride	MW-16	5/11/2023	4.2	3		mg/L
Chloride	MW-16	6/8/2023	4.45	3		mg/L
Chloride	MW-16	7/10/2023	4.08	3		mg/L
Chloride	MW-16	8/1/2023	4.21	3		mg/L
Chloride	MW-16	9/1/2023	3.98	3		mg/L
Chloride	MW-16	10/4/2023	4.05	3		mg/L
Chloride	MW-17	6/2/2015	25	3		mg/L
Chloride	MW-17	6/5/2015	25	3		mg/L
Chloride	MW-17	7/15/2015	23	3		mg/L
Chloride	MW-17	8/4/2015	25	3		mg/L
Chloride	MW-17	9/2/2015	25	3		mg/L
Chloride	MW-17	10/5/2015	18	3		mg/L
Chloride	MW-17	11/5/2015	23	3		mg/L
Chloride	MW-17	12/3/2015	24	3		mg/L
Chloride	MW-17	1/7/2016	6.5	3		mg/L
Chloride	MW-17	2/3/2016	10	3		mg/L
Chloride	MW-17	3/2/2016	17	3		mg/L
Chloride	MW-17	4/5/2016	12	3		mg/L
Chloride	MW-17	5/12/2016	18	3		mg/L
Chloride	MW-17	6/1/2016	19	3		mg/L
Chloride	MW-17	7/20/2016	15	3		mg/L
Chloride	MW-17	8/11/2016	17	3		mg/L
Chloride	MW-17	9/6/2016	19	3		mg/L
Chloride	MW-17	10/6/2016	18	3		mg/L
Chloride	MW-17	10/6/2016	16	3		mg/L
Chloride	MW-17	11/3/2016	19	3		mg/L
Chloride	MW-17	12/2/2016	18	1		mg/L
Chloride	MW-17	1/10/2017	18	3		mg/L
Chloride	MW-17	2/7/2017	18	3		mg/L
Chloride	MW-17	3/2/2017	15	3		mg/L
Chloride	MW-17	4/4/2017	19	3		mg/L
Chloride	MW-17	5/16/2017	9.5	3		mg/L
Chloride	MW-17	6/6/2017	17	3		mg/L
Chloride	MW-17	7/18/2017	19	3		mg/L
Chloride	MW-17	8/1/2017	19	3		mg/L
Chloride	MW-17	9/5/2017	23	3		mg/L
Chloride	MW-17	10/6/2017	28	3		mg/L
Chloride	MW-17	11/1/2017	27	3		mg/L
Chloride	MW-17	1/23/2018	35	3		mg/L
Chloride	MW-17	2/22/2018	27	3		mg/L
Chloride	MW-17	3/21/2018	22	3		mg/L
Chloride	MW-17	4/10/2018	26	3		mg/L
Chloride	MW-17	6/5/2018	35	3		mg/L
Chloride	MW-17	7/10/2018	32	3		mg/L
Chloride	MW-17	8/1/2018	32	3		mg/L
Chloride	MW-17	9/5/2018	35	3		mg/L
Chloride	MW-17	10/1/2018	32	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-17	10/1/2018	33	3		mg/L
Chloride	MW-17	11/7/2018	27	3		mg/L
Chloride	MW-17	12/5/2018	33	3		mg/L
Chloride	MW-17	1/3/2019	32	3		mg/L
Chloride	MW-17	2/5/2019	32	3		mg/L
Chloride	MW-17	3/6/2019	33	3		mg/L
Chloride	MW-17	4/3/2019	32	3		mg/L
Chloride	MW-17	5/2/2019	32	3		mg/L
Chloride	MW-17	6/5/2019	34	3		mg/L
Chloride	MW-17	7/11/2019	32	3		mg/L
Chloride	MW-17	7/11/2019	29	3		mg/L
Chloride	MW-17	8/6/2019	28	3		mg/L
Chloride	MW-17	9/4/2019	35	3		mg/L
Chloride	MW-17	10/1/2019	27	3		mg/L
Chloride	MW-17	11/5/2019	23	3		mg/L
Chloride	MW-17	12/3/2019	23	3		mg/L
Chloride	MW-17	1/14/2020	22.9	3		mg/L
Chloride	MW-17	2/4/2020	24.2	1		mg/L
Chloride	MW-17	3/3/2020	23.1	3		mg/L
Chloride	MW-17	4/1/2020	22.8	3		mg/L
Chloride	MW-17	5/5/2020	21.6	3		mg/L
Chloride	MW-17	6/2/2020	22.9	3		mg/L
Chloride	MW-17	7/6/2020	20.8	3		mg/L
Chloride	MW-17	8/3/2020	22.7	3		mg/L
Chloride	MW-17	8/3/2020	23	3		mg/L
Chloride	MW-17	9/3/2020	22.6	3		mg/L
Chloride	MW-17	10/6/2020	15.2	3		mg/L
Chloride	MW-17	11/4/2020	14.5	3		mg/L
Chloride	MW-17	12/3/2020	15.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	1/14/2021	14.2	3		mg/L
Chloride	MW-17	2/10/2021	15.4	3		mg/L
Chloride	MW-17	3/2/2021	12.3	3		mg/L
Chloride	MW-17	4/7/2021	14.9	3		mg/L
Chloride	MW-17	5/4/2021	14	3		mg/L
Chloride	MW-17	6/1/2021	25.6	3		mg/L
Chloride	MW-17	7/4/2021	35.7	3		mg/L
Chloride	MW-17	7/4/2021	35.8	2		mg/L
Chloride	MW-17	7/4/2021	35.9	3		mg/L
Chloride	MW-17	8/3/2021	29.2	3		mg/L
Chloride	MW-17	9/2/2021	16.9	3		mg/L
Chloride	MW-17	10/5/2021	21.6	3		mg/L
Chloride	MW-17	11/1/2021	17.5	3		mg/L
Chloride	MW-17	12/8/2021	11.4	3		mg/L
Chloride	MW-17	1/10/2023	11	3		mg/L
Chloride	MW-17	2/4/2023	8.57	3		mg/L
Chloride	MW-17	3/1/2023	7.92	3		mg/L
Chloride	MW-17	4/5/2023	25.1	3		mg/L
Chloride	MW-17	5/10/2023	12.2	3		mg/L
Chloride	MW-17	6/8/2023	8.19	3		mg/L
Chloride	MW-17	7/8/2023	6.95	3		mg/L
Chloride	MW-17	8/2/2023	7.1	3		mg/L
Chloride	MW-17	9/1/2023	6.48	3		mg/L
Chloride	MW-17	10/3/2023	6.63	3		mg/L
Chloride	MW-19	6/2/2015	15	3		mg/L
Chloride	MW-19	6/5/2015	13	3		mg/L
Chloride	MW-19	7/16/2015	14	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-19	8/5/2015	6.3	3		mg/L
Chloride	MW-19	9/3/2015	8.4	3		mg/L
Chloride	MW-19	10/6/2015	5	3		mg/L
Chloride	MW-19	11/5/2015	5.5	3		mg/L
Chloride	MW-19	12/4/2015	6	3		mg/L
Chloride	MW-19	1/7/2016	8.6	3		mg/L
Chloride	MW-19	2/3/2016	9.8	3		mg/L
Chloride	MW-19	3/3/2016	9.2	3		mg/L
Chloride	MW-19	4/5/2016	10	3		mg/L
Chloride	MW-19	5/12/2016	9.5	3		mg/L
Chloride	MW-19	6/2/2016	9.3	3		mg/L
Chloride	MW-19	7/21/2016	9	3		mg/L
Chloride	MW-19	8/11/2016	9	3		mg/L
Chloride	MW-19	9/6/2016	11	3		mg/L
Chloride	MW-19	10/5/2016	11	3		mg/L
Chloride	MW-19	10/5/2016	9.1	3		mg/L
Chloride	MW-19	11/3/2016	9.6	3		mg/L
Chloride	MW-19	12/1/2016	8.5	1		mg/L
Chloride	MW-19	1/10/2017	10	3		mg/L
Chloride	MW-19	2/7/2017	8.7	3		mg/L
Chloride	MW-19	3/2/2017	7.3	3		mg/L
Chloride	MW-19	4/4/2017	8.2	3		mg/L
Chloride	MW-19	5/2/2017	9.1	3		mg/L
Chloride	MW-19	6/6/2017	13	3		mg/L
Chloride	MW-19	7/18/2017	19	3		mg/L
Chloride	MW-19	8/1/2017	18	3		mg/L
Chloride	MW-19	9/5/2017	16	3		mg/L
Chloride	MW-19	10/6/2017	15	3		mg/L
Chloride	MW-19	11/1/2017	15	3		mg/L
Chloride	MW-19	1/23/2018	11	3		mg/L
Chloride	MW-19	2/22/2018	11	3		mg/L
Chloride	MW-19	3/20/2018	15	3		mg/L
Chloride	MW-19	4/11/2018	14	3		mg/L
Chloride	MW-19	6/5/2018	13	3		mg/L
Chloride	MW-19	7/13/2018	12	3		mg/L
Chloride	MW-19	8/2/2018	13	3		mg/L
Chloride	MW-19	9/5/2018	13	3		mg/L
Chloride	MW-19	10/2/2018	11	3		mg/L
Chloride	MW-19	10/2/2018	12	3		mg/L
Chloride	MW-19	11/7/2018	9.7	3		mg/L
Chloride	MW-19	12/5/2018	11	3		mg/L
Chloride	MW-19	1/7/2019	10	3		mg/L
Chloride	MW-19	2/6/2019	11	3		mg/L
Chloride	MW-19	3/6/2019	11	3		mg/L
Chloride	MW-19	4/3/2019	11	3		mg/L
Chloride	MW-19	5/2/2019	10	3		mg/L
Chloride	MW-19	6/4/2019	12	3		mg/L
Chloride	MW-19	7/11/2019	8	3		mg/L
Chloride	MW-19	7/11/2019	11	3		mg/L
Chloride	MW-19	8/6/2019	9	3		mg/L
Chloride	MW-19	9/4/2019	9.5	3		mg/L
Chloride	MW-19	10/1/2019	13	3		mg/L
Chloride	MW-19	11/5/2019	35	3		mg/L
Chloride	MW-19	12/3/2019	43	3		mg/L
Chloride	MW-19	1/14/2020	27	3		mg/L
Chloride	MW-19	2/4/2020	30.9	1		mg/L
Chloride	MW-19	3/3/2020	30.9	3		mg/L
Chloride	MW-19	4/2/2020	35.7	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-19	5/5/2020	29.9	3		mg/L
Chloride	MW-19	6/2/2020	15.6	3		mg/L
Chloride	MW-19	7/6/2020	26	3		mg/L
Chloride	MW-19	8/3/2020	24.3	3		mg/L
Chloride	MW-19	8/3/2020	23.5	3		mg/L
Chloride	MW-19	9/3/2020	21.4	3		mg/L
Chloride	MW-19	10/6/2020	20	3		mg/L
Chloride	MW-19	11/3/2020	19.6	3		mg/L
Chloride	MW-19	12/3/2020	18.9	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	1/14/2021	18.1	3		mg/L
Chloride	MW-19	2/10/2021	18.7	3		mg/L
Chloride	MW-19	3/2/2021	17	3		mg/L
Chloride	MW-19	4/7/2021	17.1	3		mg/L
Chloride	MW-19	5/4/2021	15.5	3		mg/L
Chloride	MW-19	6/1/2021	16	3		mg/L
Chloride	MW-19	7/4/2021	15.4	3		mg/L
Chloride	MW-19	7/4/2021	16.2	2		mg/L
Chloride	MW-19	7/4/2021	15.3	3		mg/L
Chloride	MW-19	8/3/2021	14.9	3		mg/L
Chloride	MW-19	9/2/2021	14.8	3		mg/L
Chloride	MW-19	10/5/2021	13.8	3		mg/L
Chloride	MW-19	11/1/2021	13.1	3		mg/L
Chloride	MW-19	12/8/2021	12	3		mg/L
Chloride	MW-19	12/7/2022	8.46	3		mg/L
Chloride	MW-19	1/11/2023	9.07	3		mg/L
Chloride	MW-19	2/3/2023	8.72	3		mg/L
Chloride	MW-19	3/1/2023	8.67	3		mg/L
Chloride	MW-19	4/6/2023	7.83	3		mg/L
Chloride	MW-19	5/10/2023	8.29	3		mg/L
Chloride	MW-19	6/8/2023	8.26	3		mg/L
Chloride	MW-19	7/10/2023	7.75	3		mg/L
Chloride	MW-19	8/1/2023	7.84	3		mg/L
Chloride	MW-19	9/1/2023	7.46	3		mg/L
Chloride	MW-19	10/3/2023	7.79	3		mg/L
Chloride	MW-1N	10/22/1997	4.3	1		mg/L
Chloride	MW-1N	1/20/1998	7.2	1		mg/L
Chloride	MW-1N	4/28/1998	6.3	1		mg/L
Chloride	MW-1N	7/23/1998	4.3	1		mg/L
Chloride	MW-1N	10/14/1998	4	1		mg/L
Chloride	MW-1N	1/13/1999	4.6	1		mg/L
Chloride	MW-1N	7/15/1999	4.9	1		mg/L
Chloride	MW-1N	10/19/1999	4	1		mg/L
Chloride	MW-1N	1/14/2000	3.5	1		mg/L
Chloride	MW-1N	4/25/2000	3.9	1		mg/L
Chloride	MW-1N	7/12/2000	16	0.5		mg/L
Chloride	MW-1N	10/18/2000	11.4	0.5		mg/L
Chloride	MW-1N	1/24/2001	6.2	0.5		mg/L
Chloride	MW-1N	4/12/2001	37.9	0.5		mg/L
Chloride	MW-1N	7/9/2002	29.6	0.5		mg/L
Chloride	MW-1N	10/3/2002	38.5	0.5		mg/L
Chloride	MW-1N	1/22/2003	31.2	0.5		mg/L
Chloride	MW-1N	4/15/2003	29	0.5		mg/L
Chloride	MW-1N	7/8/2003	29.9	0.5		mg/L
Chloride	MW-1N	1/28/2004	25.3	0.5		mg/L
Chloride	MW-1N	7/27/2004	14.1	0.5		mg/L
Chloride	MW-1N	1/12/2005	11.2	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-1N	7/20/2005	7.5	0.5		mg/L
Chloride	MW-1N	1/18/2006	5.7	0.5		mg/L
Chloride	MW-1N	7/18/2006	4.8	3		mg/L
Chloride	MW-1N	7/18/2006	4.8	3		mg/L
Chloride	MW-1N	10/24/2006	4.7	3		mg/L
Chloride	MW-1N	1/26/2007	4.5	3		mg/L
Chloride	MW-1N	7/11/2007	4.2	3		mg/L
Chloride	MW-1N	1/24/2008	3.8	3		mg/L
Chloride	MW-1N	7/21/2008	4.5	3		mg/L
Chloride	MW-1N	2/5/2009	3.9	3		mg/L
Chloride	MW-1N	7/31/2009	4.2	3		mg/L
Chloride	MW-1N	1/26/2010	3.9	3		mg/L
Chloride	MW-1N	7/13/2010	4	3		mg/L
Chloride	MW-1N	1/20/2011	3.5	3		mg/L
Chloride	MW-1N	7/13/2011	7.7	3		mg/L
Chloride	MW-1N	1/5/2012	6	3		mg/L
Chloride	MW-1N	7/10/2012	4.6	3		mg/L
Chloride	MW-1N	5/1/2013	4.1	3		mg/L
Chloride	MW-1N	7/16/2013	3.7	3		mg/L
Chloride	MW-1N	1/24/2014	3.7	3		mg/L
Chloride	MW-1N	7/9/2014	3.6	3		mg/L
Chloride	MW-1N	2/10/2015	3.7	3		mg/L
Chloride	MW-1N	7/14/2015	8.5	3		mg/L
Chloride	MW-1N	1/6/2016	9.5	3		mg/L
Chloride	MW-1N	7/21/2016	4.8	3		mg/L
Chloride	MW-1N	1/12/2017	4.1	3		mg/L
Chloride	MW-1N	7/19/2017	4.7	3		mg/L
Chloride	MW-1N	1/23/2018	3.7	3		mg/L
Chloride	MW-1N	7/10/2018	3.8	3		mg/L
Chloride	MW-1N	1/3/2019	3.3	3		mg/L
Chloride	MW-1N	7/11/2019	4.5	3		mg/L
Chloride	MW-1N	1/23/2020	5.28	3		mg/L
Chloride	MW-1N	4/2/2020	3.68	3		mg/L
Chloride	MW-1N	7/6/2020	3.52	3		mg/L
Chloride	MW-1N	1/14/2021	3.45	3		mg/L
Chloride	MW-1N	7/4/2021	3.21	3		mg/L
Chloride	MW-1N	7/4/2021	4	2		mg/L
Chloride	MW-1N	1/11/2023	3.31	3		mg/L
Chloride	MW-1N	7/8/2023	3.4	3		mg/L
Chloride	MW-20	6/2/2015	5.4	3		mg/L
Chloride	MW-20	6/5/2015	5.6	3		mg/L
Chloride	MW-20	7/14/2015	5	3		mg/L
Chloride	MW-20	8/4/2015	4.6	3		mg/L
Chloride	MW-20	9/2/2015	5.5	3		mg/L
Chloride	MW-20	10/5/2015	5.4	3		mg/L
Chloride	MW-20	1/7/2016	19	3		mg/L
Chloride	MW-20	4/5/2016	4.9	3		mg/L
Chloride	MW-20	7/20/2016	5.4	3		mg/L
Chloride	MW-20	10/5/2016	6.5	3		mg/L
Chloride	MW-20	1/12/2017	6.4	3		mg/L
Chloride	MW-20	7/18/2017	4.3	3		mg/L
Chloride	MW-20	1/26/2018	5	3		mg/L
Chloride	MW-20	7/12/2018	4.7	3		mg/L
Chloride	MW-20	7/11/2019	4	3		mg/L
Chloride	MW-20	1/14/2020	4.82	3		mg/L
Chloride	MW-20	7/7/2020	4.9	3		mg/L
Chloride	MW-20	1/17/2021	3.45	3		mg/L
Chloride	MW-20	7/4/2021	3.3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-20	7/4/2021	3.82	2		mg/L
Chloride	MW-20	1/11/2023	4.57	3		mg/L
Chloride	MW-21	6/2/2015	22	3		mg/L
Chloride	MW-21	6/5/2015	21	3		mg/L
Chloride	MW-21	7/14/2015	20	3		mg/L
Chloride	MW-21	8/4/2015	19	3		mg/L
Chloride	MW-21	9/2/2015	21	3		mg/L
Chloride	MW-21	10/5/2015	21	3		mg/L
Chloride	MW-21	1/7/2016	9.8	3		mg/L
Chloride	MW-21	2/10/2016	20	3		mg/L
Chloride	MW-21	4/5/2016	17	3		mg/L
Chloride	MW-21	7/20/2016	19	3		mg/L
Chloride	MW-21	10/5/2016	14	3		mg/L
Chloride	MW-21	10/5/2016	15	3		mg/L
Chloride	MW-21	1/10/2017	17	3		mg/L
Chloride	MW-21	4/5/2017	20	3		mg/L
Chloride	MW-21	7/19/2017	21	3		mg/L
Chloride	MW-21	10/6/2017	21	3		mg/L
Chloride	MW-21	1/24/2018	14	3		mg/L
Chloride	MW-21	4/11/2018	29	3		mg/L
Chloride	MW-21	7/11/2018	21	3		mg/L
Chloride	MW-21	10/4/2018	18	3		mg/L
Chloride	MW-21	1/3/2019	24	3		mg/L
Chloride	MW-21	4/3/2019	22	3		mg/L
Chloride	MW-21	7/11/2019	21	3		mg/L
Chloride	MW-21	10/2/2019	23	3		mg/L
Chloride	MW-21	1/16/2020	18.8	3		mg/L
Chloride	MW-21	4/2/2020	16.6	3		mg/L
Chloride	MW-21	7/8/2020	15.7	3		mg/L
Chloride	MW-21	10/7/2020	13.8	3		mg/L
Chloride	MW-21	1/13/2021	19.5	3		mg/L
Chloride	MW-21	4/6/2021	15.6	3		mg/L
Chloride	MW-21	7/5/2021	16.5	3		mg/L
Chloride	MW-21	7/5/2021	17.4	2		mg/L
Chloride	MW-21	10/6/2021	13.2	3		mg/L
Chloride	MW-21	1/11/2023	17.7	3		mg/L
Chloride	MW-21	4/8/2023	16	3		mg/L
Chloride	MW-21	7/7/2023	17.4	3		mg/L
Chloride	MW-21	10/6/2023	27.1	3		mg/L
Chloride	MW-2N	10/22/1997	13.7	1		mg/L
Chloride	MW-2N	1/21/1998	12.5	1		mg/L
Chloride	MW-2N	4/28/1998	12.4	1		mg/L
Chloride	MW-2N	7/22/1998	11.3	1		mg/L
Chloride	MW-2N	1/13/1999	12	1		mg/L
Chloride	MW-2N	7/14/1999	11.5	1		mg/L
Chloride	MW-2N	10/20/1999	13.4	1		mg/L
Chloride	MW-2N	1/14/2000	10.9	1		mg/L
Chloride	MW-2N	4/25/2000	12.4	1		mg/L
Chloride	MW-2N	10/17/2000	13	0.5		mg/L
Chloride	MW-2N	1/24/2001	13.6	0.5		mg/L
Chloride	MW-2N	4/11/2001	12.4	0.5		mg/L
Chloride	MW-2N	7/10/2002	12.8	0.5		mg/L
Chloride	MW-2N	10/2/2002	11.8	0.5		mg/L
Chloride	MW-2N	1/22/2003	11.9	0.5		mg/L
Chloride	MW-2N	4/14/2003	11.7	0.5		mg/L
Chloride	MW-2N	7/7/2003	18.7	0.5		mg/L
Chloride	MW-2N	1/28/2004	9.7	0.5		mg/L
Chloride	MW-2N	7/27/2004	9.4	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-2N	1/12/2005	10.3	0.5		mg/L
Chloride	MW-2N	7/20/2005	9.9	0.5		mg/L
Chloride	MW-2N	1/19/2006	9.2	0.5		mg/L
Chloride	MW-2N	7/19/2006	9.3	3		mg/L
Chloride	MW-2N	7/19/2006	9.3	3		mg/L
Chloride	MW-2N	10/25/2006	9.8	3		mg/L
Chloride	MW-2N	1/26/2007	8.9	3		mg/L
Chloride	MW-2N	7/11/2007	9.3	3		mg/L
Chloride	MW-2N	1/24/2008	9	3		mg/L
Chloride	MW-2N	7/22/2008	9.3	3		mg/L
Chloride	MW-2N	2/4/2009	9.1	3		mg/L
Chloride	MW-2N	7/31/2009	9.5	3		mg/L
Chloride	MW-2N	1/26/2010	8.8	3		mg/L
Chloride	MW-2N	7/13/2010	8.7	3		mg/L
Chloride	MW-2N	1/20/2011	9	3		mg/L
Chloride	MW-2N	7/13/2011	8.7	3		mg/L
Chloride	MW-2N	1/5/2012	8.8	3		mg/L
Chloride	MW-2N	7/10/2012	9.3	3		mg/L
Chloride	MW-2N	5/1/2013	8.8	3		mg/L
Chloride	MW-2N	7/16/2013	8.6	3		mg/L
Chloride	MW-2N	1/24/2014	9.1	3		mg/L
Chloride	MW-2N	7/9/2014	8.6	3		mg/L
Chloride	MW-2N	2/12/2015	9	3		mg/L
Chloride	MW-2N	7/14/2015	7.2	3		mg/L
Chloride	MW-2N	1/6/2016	8.2	3		mg/L
Chloride	MW-2N	7/21/2016	7.6	3		mg/L
Chloride	MW-2N	1/11/2017	7	3		mg/L
Chloride	MW-2N	7/19/2017	8.5	3		mg/L
Chloride	MW-2N	1/23/2018	6.8	3		mg/L
Chloride	MW-2N	7/12/2018	7.6	3		mg/L
Chloride	MW-2N	1/3/2019	7.1	3		mg/L
Chloride	MW-2N	8/7/2019	6.3	3		mg/L
Chloride	MW-2N	1/23/2020	7.72	3		mg/L
Chloride	MW-2N	7/7/2020	11.3	3		mg/L
Chloride	MW-2N	1/14/2021	7.37	3		mg/L
Chloride	MW-2N	7/5/2021	6.92	3		mg/L
Chloride	MW-2N	7/5/2021	7.86	2		mg/L
Chloride	MW-2N	1/11/2023	6.88	3		mg/L
Chloride	MW-2N	7/8/2023	7.02	3		mg/L
Chloride	MW-3N	10/21/1997	2	1		mg/L
Chloride	MW-3N	1/21/1998	2.2	1		mg/L
Chloride	MW-3N	4/28/1998	2.4	1		mg/L
Chloride	MW-3N	7/23/1998	2.4	1		mg/L
Chloride	MW-3N	1/13/1999	2.6	1		mg/L
Chloride	MW-3N	7/14/1999	1.6	1		mg/L
Chloride	MW-3N	10/20/1999	1.6	1		mg/L
Chloride	MW-3N	1/14/2000	1.7	1		mg/L
Chloride	MW-3N	4/24/2000	2.2	1		mg/L
Chloride	MW-3N	7/11/2000	2.3	0.5		mg/L
Chloride	MW-3N	10/17/2000	2.6	0.5		mg/L
Chloride	MW-3N	1/23/2001	2.1	0.5		mg/L
Chloride	MW-3N	4/11/2001	2.2	0.5		mg/L
Chloride	MW-3N	7/9/2002	2.1	0.5		mg/L
Chloride	MW-3N	10/2/2002	2.3	0.5		mg/L
Chloride	MW-3N	1/22/2003	2.2	0.5		mg/L
Chloride	MW-3N	4/14/2003	3.7	0.5		mg/L
Chloride	MW-3N	7/7/2003	2.4	0.5		mg/L
Chloride	MW-3N	1/28/2004	2.4	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-3N	7/27/2004	2.6	0.5		mg/L
Chloride	MW-3N	1/12/2005	2.4	0.5		mg/L
Chloride	MW-3N	7/20/2005	1.7	0.5		mg/L
Chloride	MW-3N	1/18/2006	1.5	0.5		mg/L
Chloride	MW-3N	7/19/2006	1.7	3	ND	mg/L
Chloride	MW-3N	7/19/2006	1.7	3	ND	mg/L
Chloride	MW-3N	10/25/2006	1.8	3	ND	mg/L
Chloride	MW-3N	1/26/2007	3.2	3		mg/L
Chloride	MW-3N	7/11/2007	1.7	3	ND	mg/L
Chloride	MW-3N	1/24/2008	1.8	3	ND	mg/L
Chloride	MW-3N	7/22/2008	2	3	ND	mg/L
Chloride	MW-3N	2/4/2009	1.8	3	ND	mg/L
Chloride	MW-3N	7/31/2009	1.9	3	ND	mg/L
Chloride	MW-3N	1/26/2010	2.2	3	ND	mg/L
Chloride	MW-3N	7/13/2010	2	3	ND	mg/L
Chloride	MW-3N	1/20/2011	2.4	3	ND	mg/L
Chloride	MW-3N	7/14/2011	2.5	3	ND	mg/L
Chloride	MW-3N	1/5/2012	2.7	3	ND	mg/L
Chloride	MW-3N	7/11/2012	3	3		mg/L
Chloride	MW-3N	5/1/2013	3.6	3		mg/L
Chloride	MW-3N	6/4/2013	4.1	3		mg/L
Chloride	MW-3N	7/16/2013	3.2	3		mg/L
Chloride	MW-3N	1/24/2014	3.5	3		mg/L
Chloride	MW-3N	7/9/2014	3.5	3		mg/L
Chloride	MW-3N	2/12/2015	4.5	3		mg/L
Chloride	MW-3N	4/1/2015	3.1	3		mg/L
Chloride	MW-3N	7/14/2015	3.1	3		mg/L
Chloride	MW-3N	10/5/2015	3.9	3		mg/L
Chloride	MW-3N	1/6/2016	3.6	3		mg/L
Chloride	MW-3N	4/6/2016	4.1	3		mg/L
Chloride	MW-3N	7/21/2016	3.8	3		mg/L
Chloride	MW-3N	10/6/2016	4.7	3		mg/L
Chloride	MW-3N	1/11/2017	6.2	3		mg/L
Chloride	MW-3N	4/4/2017	7.1	3		mg/L
Chloride	MW-3N	7/19/2017	4.7	3		mg/L
Chloride	MW-3N	10/9/2017	4.5	3		mg/L
Chloride	MW-3N	1/24/2018	5.9	3		mg/L
Chloride	MW-3N	4/10/2018	5.2	3		mg/L
Chloride	MW-3N	7/13/2018	4.5	3		mg/L
Chloride	MW-3N	10/3/2018	5.1	3		mg/L
Chloride	MW-3N	10/3/2018	5.3	3		mg/L
Chloride	MW-3N	1/7/2019	7.2	3		mg/L
Chloride	MW-3N	4/3/2019	6.1	3		mg/L
Chloride	MW-3N	7/11/2019	5.8	3		mg/L
Chloride	MW-3N	10/2/2019	7.7	3		mg/L
Chloride	MW-3N	1/15/2020	6.03	3		mg/L
Chloride	MW-3N	4/2/2020	4.91	3		mg/L
Chloride	MW-3N	7/7/2020	5.03	3		mg/L
Chloride	MW-3N	10/7/2020	4.74	3		mg/L
Chloride	MW-3N	1/13/2021	7.18	3		mg/L
Chloride	MW-3N	4/6/2021	5.1	3		mg/L
Chloride	MW-3N	7/5/2021	5.7	2		mg/L
Chloride	MW-3N	7/5/2021	4.97	3		mg/L
Chloride	MW-3N	10/6/2021	5.04	3		mg/L
Chloride	MW-3N	1/11/2023	5.95	3		mg/L
Chloride	MW-3N	7/7/2023	5.83	3		mg/L
Chloride	MW-3N	10/6/2023	7.18	3		mg/L
Chloride	MW-7N	10/21/1997	14	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	1/21/1998	30.1	1		mg/L
Chloride	MW-7N	7/22/1998	11.3	1		mg/L
Chloride	MW-7N	8/18/1998	11.5	1		mg/L
Chloride	MW-7N	9/17/1998	10.8	1		mg/L
Chloride	MW-7N	10/15/1998	10.8	1		mg/L
Chloride	MW-7N	11/9/1998	11	1		mg/L
Chloride	MW-7N	1/14/1999	11.3	1		mg/L
Chloride	MW-7N	7/14/1999	9.8	1		mg/L
Chloride	MW-7N	10/19/1999	13	1		mg/L
Chloride	MW-7N	1/13/2000	10.7	1		mg/L
Chloride	MW-7N	4/25/2000	10.9	1		mg/L
Chloride	MW-7N	10/17/2000	14.4	0.5		mg/L
Chloride	MW-7N	1/23/2001	15.2	0.5		mg/L
Chloride	MW-7N	4/10/2001	13.6	0.5		mg/L
Chloride	MW-7N	7/9/2002	12.6	0.5		mg/L
Chloride	MW-7N	10/2/2002	12.5	0.5		mg/L
Chloride	MW-7N	1/23/2003	10.9	0.5		mg/L
Chloride	MW-7N	4/14/2003	10.7	0.5		mg/L
Chloride	MW-7N	7/7/2003	12.1	0.5		mg/L
Chloride	MW-7N	1/27/2004	9.1	0.5		mg/L
Chloride	MW-7N	4/8/2004	11	0.5		mg/L
Chloride	MW-7N	7/26/2004	10.4	0.5		mg/L
Chloride	MW-7N	10/5/2004	10.3	0.5		mg/L
Chloride	MW-7N	1/12/2005	9.7	0.5		mg/L
Chloride	MW-7N	7/19/2005	9	0.5		mg/L
Chloride	MW-7N	1/19/2006	7.8	0.5		mg/L
Chloride	MW-7N	7/19/2006	9.6	3		mg/L
Chloride	MW-7N	9/28/2006	8.6	3		mg/L
Chloride	MW-7N	10/24/2006	9.2	3		mg/L
Chloride	MW-7N	11/21/2006	9.1	3		mg/L
Chloride	MW-7N	12/21/2006	9.2	3		mg/L
Chloride	MW-7N	1/26/2007	9.3	3		mg/L
Chloride	MW-7N	2/27/2007	9.2	3		mg/L
Chloride	MW-7N	3/27/2007	8.5	3		mg/L
Chloride	MW-7N	4/25/2007	8.3	3		mg/L
Chloride	MW-7N	6/1/2007	9.3	3		mg/L
Chloride	MW-7N	6/28/2007	8.4	3		mg/L
Chloride	MW-7N	7/10/2007	8.8	3		mg/L
Chloride	MW-7N	8/29/2007	9.6	3		mg/L
Chloride	MW-7N	9/28/2007	10	3		mg/L
Chloride	MW-7N	10/24/2007	9.8	3		mg/L
Chloride	MW-7N	11/27/2007	9.8	3		mg/L
Chloride	MW-7N	12/27/2007	10	3		mg/L
Chloride	MW-7N	1/25/2008	9.5	3		mg/L
Chloride	MW-7N	2/28/2008	10	3		mg/L
Chloride	MW-7N	3/24/2008	10	3		mg/L
Chloride	MW-7N	5/3/2008	9.4	3		mg/L
Chloride	MW-7N	5/29/2008	9.9	3		mg/L
Chloride	MW-7N	6/26/2008	10	3		mg/L
Chloride	MW-7N	7/21/2008	11	3		mg/L
Chloride	MW-7N	8/29/2008	12	3		mg/L
Chloride	MW-7N	9/25/2008	12	3		mg/L
Chloride	MW-7N	10/21/2008	13	3		mg/L
Chloride	MW-7N	11/24/2008	13	3		mg/L
Chloride	MW-7N	12/18/2008	14	3		mg/L
Chloride	MW-7N	2/6/2009	13	3		mg/L
Chloride	MW-7N	3/25/2009	13	3		mg/L
Chloride	MW-7N	4/15/2009	14	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	6/25/2009	15	3		mg/L
Chloride	MW-7N	7/29/2009	14	3		mg/L
Chloride	MW-7N	8/28/2009	14	3		mg/L
Chloride	MW-7N	9/29/2009	16	3		mg/L
Chloride	MW-7N	10/21/2009	16	3		mg/L
Chloride	MW-7N	11/24/2009	16	3		mg/L
Chloride	MW-7N	12/17/2009	16	3		mg/L
Chloride	MW-7N	1/26/2010	15	3		mg/L
Chloride	MW-7N	2/15/2010	17	3		mg/L
Chloride	MW-7N	3/3/2010	16	3		mg/L
Chloride	MW-7N	4/8/2010	17	3		mg/L
Chloride	MW-7N	5/6/2010	17	3		mg/L
Chloride	MW-7N	6/16/2010	13	3		mg/L
Chloride	MW-7N	7/14/2010	16	3		mg/L
Chloride	MW-7N	8/11/2010	15	3		mg/L
Chloride	MW-7N	9/2/2010	14	3		mg/L
Chloride	MW-7N	9/29/2010	14	3		mg/L
Chloride	MW-7N	11/3/2010	12	3		mg/L
Chloride	MW-7N	12/2/2010	14	3		mg/L
Chloride	MW-7N	1/20/2011	13	3		mg/L
Chloride	MW-7N	2/7/2011	13	3		mg/L
Chloride	MW-7N	3/3/2011	13	3		mg/L
Chloride	MW-7N	4/5/2011	13	3		mg/L
Chloride	MW-7N	5/10/2011	19	3		mg/L
Chloride	MW-7N	6/1/2011	14	3		mg/L
Chloride	MW-7N	7/12/2011	14	3		mg/L
Chloride	MW-7N	8/4/2011	15	3		mg/L
Chloride	MW-7N	9/7/2011	13	3		mg/L
Chloride	MW-7N	10/5/2011	15	3		mg/L
Chloride	MW-7N	11/1/2011	11	3		mg/L
Chloride	MW-7N	12/8/2011	13	3		mg/L
Chloride	MW-7N	1/5/2012	14	3		mg/L
Chloride	MW-7N	2/1/2012	12	3		mg/L
Chloride	MW-7N	3/7/2012	12	3		mg/L
Chloride	MW-7N	4/5/2012	11	3		mg/L
Chloride	MW-7N	5/1/2012	11	3		mg/L
Chloride	MW-7N	6/5/2012	11	3		mg/L
Chloride	MW-7N	7/10/2012	13	3		mg/L
Chloride	MW-7N	8/9/2012	10	3		mg/L
Chloride	MW-7N	9/4/2012	10	3		mg/L
Chloride	MW-7N	10/7/2012	11	3		mg/L
Chloride	MW-7N	5/1/2013	18	3		mg/L
Chloride	MW-7N	6/4/2013	14	3		mg/L
Chloride	MW-7N	6/4/2013	15	3		mg/L
Chloride	MW-7N	7/15/2013	12	3		mg/L
Chloride	MW-7N	8/8/2013	12	3		mg/L
Chloride	MW-7N	9/10/2013	11	3		mg/L
Chloride	MW-7N	10/1/2013	10	3		mg/L
Chloride	MW-7N	11/6/2013	11	3		mg/L
Chloride	MW-7N	12/2/2013	11	3		mg/L
Chloride	MW-7N	1/30/2014	13	3		mg/L
Chloride	MW-7N	2/13/2014	11	3		mg/L
Chloride	MW-7N	3/11/2014	11	3		mg/L
Chloride	MW-7N	4/2/2014	12	3		mg/L
Chloride	MW-7N	5/7/2014	9.5	3		mg/L
Chloride	MW-7N	6/3/2014	9.5	3		mg/L
Chloride	MW-7N	7/9/2014	12	3		mg/L
Chloride	MW-7N	8/5/2014	9.9	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	9/4/2014	9.1	3		mg/L
Chloride	MW-7N	10/9/2014	9.3	3		mg/L
Chloride	MW-7N	11/3/2014	11	3		mg/L
Chloride	MW-7N	1/14/2015	9.5	3		mg/L
Chloride	MW-7N	2/12/2015	15	3		mg/L
Chloride	MW-7N	3/3/2015	13	3		mg/L
Chloride	MW-7N	4/1/2015	14	3		mg/L
Chloride	MW-7N	5/7/2015	11	3		mg/L
Chloride	MW-7N	6/3/2015	15	3		mg/L
Chloride	MW-7N	7/13/2015	12	3		mg/L
Chloride	MW-7N	8/4/2015	12	3		mg/L
Chloride	MW-7N	9/3/2015	11	3		mg/L
Chloride	MW-7N	10/6/2015	14	3		mg/L
Chloride	MW-7N	11/4/2015	14	3		mg/L
Chloride	MW-7N	12/3/2015	17	3		mg/L
Chloride	MW-7N	1/5/2016	14	3		mg/L
Chloride	MW-7N	2/3/2016	14	3		mg/L
Chloride	MW-7N	3/2/2016	21	3		mg/L
Chloride	MW-7N	4/5/2016	27	3		mg/L
Chloride	MW-7N	5/11/2016	23	3		mg/L
Chloride	MW-7N	6/1/2016	25	3		mg/L
Chloride	MW-7N	7/21/2016	29	3		mg/L
Chloride	MW-7N	8/10/2016	29	3		mg/L
Chloride	MW-7N	9/6/2016	30	3		mg/L
Chloride	MW-7N	10/6/2016	31	3		mg/L
Chloride	MW-7N	11/2/2016	47	3		mg/L
Chloride	MW-7N	12/1/2016	44	1		mg/L
Chloride	MW-7N	1/11/2017	54	3		mg/L
Chloride	MW-7N	2/7/2017	34	3		mg/L
Chloride	MW-7N	3/2/2017	41	3		mg/L
Chloride	MW-7N	4/4/2017	35	3		mg/L
Chloride	MW-7N	5/16/2017	42	3		mg/L
Chloride	MW-7N	6/6/2017	55	3		mg/L
Chloride	MW-7N	7/19/2017	34	3		mg/L
Chloride	MW-7N	8/1/2017	42	3		mg/L
Chloride	MW-7N	9/5/2017	52	3		mg/L
Chloride	MW-7N	10/5/2017	47	3		mg/L
Chloride	MW-7N	11/1/2017	47	3		mg/L
Chloride	MW-7N	1/25/2018	38	3		mg/L
Chloride	MW-7N	2/22/2018	33	3		mg/L
Chloride	MW-7N	3/20/2018	40	3		mg/L
Chloride	MW-7N	4/11/2018	45	3		mg/L
Chloride	MW-7N	4/11/2018	44	3		mg/L
Chloride	MW-7N	6/5/2018	44	3		mg/L
Chloride	MW-7N	7/13/2018	43	3		mg/L
Chloride	MW-7N	8/1/2018	45	3		mg/L
Chloride	MW-7N	9/5/2018	49	3		mg/L
Chloride	MW-7N	10/4/2018	43	3		mg/L
Chloride	MW-7N	11/6/2018	37	3		mg/L
Chloride	MW-7N	12/4/2018	41	3		mg/L
Chloride	MW-7N	1/4/2019	42	3		mg/L
Chloride	MW-7N	2/5/2019	43	3		mg/L
Chloride	MW-7N	3/5/2019	42	3		mg/L
Chloride	MW-7N	4/3/2019	43	3		mg/L
Chloride	MW-7N	5/3/2019	42	3		mg/L
Chloride	MW-7N	6/4/2019	38	3		mg/L
Chloride	MW-7N	7/10/2019	40	3		mg/L
Chloride	MW-7N	7/10/2019	43	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-7N	8/8/2019	38	3		mg/L
Chloride	MW-7N	9/4/2019	43	3		mg/L
Chloride	MW-7N	10/3/2019	43	3		mg/L
Chloride	MW-7N	11/6/2019	42	3		mg/L
Chloride	MW-7N	12/3/2019	45	3		mg/L
Chloride	MW-7N	1/16/2020	45.3	3		mg/L
Chloride	MW-7N	2/4/2020	42.5	1		mg/L
Chloride	MW-7N	3/4/2020	41.8	3		mg/L
Chloride	MW-7N	4/2/2020	40.2	3		mg/L
Chloride	MW-7N	5/5/2020	40.6	3		mg/L
Chloride	MW-7N	6/2/2020	39.9	3		mg/L
Chloride	MW-7N	7/7/2020	41.5	3		mg/L
Chloride	MW-7N	7/7/2020	39.3	3		mg/L
Chloride	MW-7N	8/3/2020	40.4	3		mg/L
Chloride	MW-7N	9/2/2020	40.5	3		mg/L
Chloride	MW-7N	10/6/2020	41	3		mg/L
Chloride	MW-7N	11/3/2020	40.8	3		mg/L
Chloride	MW-7N	12/2/2020	41.3	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	1/16/2021	41.2	3		mg/L
Chloride	MW-7N	2/9/2021	42.4	3		mg/L
Chloride	MW-7N	3/2/2021	40.4	3		mg/L
Chloride	MW-7N	4/7/2021	41.5	3		mg/L
Chloride	MW-7N	5/5/2021	41.7	3		mg/L
Chloride	MW-7N	6/2/2021	45.1	3		mg/L
Chloride	MW-7N	7/5/2021	47.2	3		mg/L
Chloride	MW-7N	7/5/2021	46.5	2		mg/L
Chloride	MW-7N	7/5/2021	47.5	3		mg/L
Chloride	MW-7N	8/3/2021	46	3		mg/L
Chloride	MW-7N	9/2/2021	46.7	3		mg/L
Chloride	MW-7N	10/5/2021	45.6	3		mg/L
Chloride	MW-7N	11/1/2021	44.3	3		mg/L
Chloride	MW-7N	12/8/2021	42.4	3		mg/L
Chloride	MW-7N	1/12/2022	44	3		mg/L
Chloride	MW-7N	1/12/2022	43.5	3		mg/L
Chloride	MW-7N	1/12/2022	42	2		mg/L
Chloride	MW-7N	2/9/2022	41	3		mg/L
Chloride	MW-7N	3/1/2022	41.7	3		mg/L
Chloride	MW-7N	4/4/2022	40.6	3		mg/L
Chloride	MW-7N	5/7/2022	41.6	3		mg/L
Chloride	MW-7N	6/3/2022	41.4	3		mg/L
Chloride	MW-7N	7/10/2022	39.8	3		mg/L
Chloride	MW-7N	8/10/2022	39.5	3		mg/L
Chloride	MW-7N	9/8/2022	40.7	3		mg/L
Chloride	MW-7N	10/6/2022	37.4	3		mg/L
Chloride	MW-7N	11/3/2022	36.2	3		mg/L
Chloride	MW-7N	12/7/2022	36.2	3		mg/L
Chloride	MW-7N	1/10/2023	33.3	3		mg/L
Chloride	MW-7N	2/3/2023	34.8	3		mg/L
Chloride	MW-7N	3/1/2023	33.9	3		mg/L
Chloride	MW-7N	4/5/2023	31.7	3		mg/L
Chloride	MW-7N	5/10/2023	31.4	3		mg/L
Chloride	MW-7N	6/8/2023	32.5	3		mg/L
Chloride	MW-7N	7/7/2023	31.6	3		mg/L
Chloride	MW-7N	8/1/2023	31.5	3		mg/L
Chloride	MW-7N	9/2/2023	29.5	3		mg/L
Chloride	MW-7N	10/4/2023	30.1	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-8N	10/21/1997	19.2	1		mg/L
Chloride	MW-8N	1/22/1998	24.5	1		mg/L
Chloride	MW-8N	4/28/1998	31.5	1		mg/L
Chloride	MW-8N	7/22/1998	29.6	1		mg/L
Chloride	MW-8N	1/12/1999	32.3	1		mg/L
Chloride	MW-8N	7/14/1999	38.9	1		mg/L
Chloride	MW-8N	10/19/1999	33.7	1		mg/L
Chloride	MW-8N	1/14/2000	25.7	1		mg/L
Chloride	MW-8N	4/25/2000	28	1		mg/L
Chloride	MW-8N	10/17/2000	30.7	0.5		mg/L
Chloride	MW-8N	1/23/2001	29.8	0.5		mg/L
Chloride	MW-8N	4/11/2001	36.1	0.5		mg/L
Chloride	MW-8N	7/9/2002	30.5	0.5		mg/L
Chloride	MW-8N	10/2/2002	32.2	0.5		mg/L
Chloride	MW-8N	1/23/2003	26.9	0.5		mg/L
Chloride	MW-8N	4/14/2003	30.1	0.5		mg/L
Chloride	MW-8N	7/7/2003	27.1	0.5		mg/L
Chloride	MW-8N	1/28/2004	25.1	0.5		mg/L
Chloride	MW-8N	7/27/2004	33.1	0.5		mg/L
Chloride	MW-8N	1/12/2005	37.8	0.5		mg/L
Chloride	MW-8N	7/20/2005	33	0.5		mg/L
Chloride	MW-8N	1/19/2006	28.3	0.5		mg/L
Chloride	MW-8N	7/19/2006	33	3		mg/L
Chloride	MW-8N	7/19/2006	33	3		mg/L
Chloride	MW-8N	10/24/2006	34	3		mg/L
Chloride	MW-8N	1/26/2007	33	3		mg/L
Chloride	MW-8N	4/25/2007	28	3		mg/L
Chloride	MW-8N	7/10/2007	28	3		mg/L
Chloride	MW-8N	10/24/2007	27	3		mg/L
Chloride	MW-8N	1/24/2008	25	3		mg/L
Chloride	MW-8N	7/23/2008	19	3		mg/L
Chloride	MW-8N	2/4/2009	18	3		mg/L
Chloride	MW-8N	7/31/2009	17	3		mg/L
Chloride	MW-8N	1/26/2010	18	3		mg/L
Chloride	MW-8N	7/16/2010	17	3		mg/L
Chloride	MW-8N	1/19/2011	17	3		mg/L
Chloride	MW-8N	5/10/2011	18	3		mg/L
Chloride	MW-8N	7/14/2011	18	3		mg/L
Chloride	MW-8N	1/6/2012	17	3		mg/L
Chloride	MW-8N	4/5/2012	17	3		mg/L
Chloride	MW-8N	7/11/2012	18	3		mg/L
Chloride	MW-8N	10/3/2012	17	3		mg/L
Chloride	MW-8N	5/1/2013	17	3		mg/L
Chloride	MW-8N	6/4/2013	15	3		mg/L
Chloride	MW-8N	7/16/2013	16	3		mg/L
Chloride	MW-8N	10/2/2013	17	3		mg/L
Chloride	MW-8N	1/30/2014	17	3		mg/L
Chloride	MW-8N	4/3/2014	17	3		mg/L
Chloride	MW-8N	7/9/2014	18	3		mg/L
Chloride	MW-8N	10/8/2014	15	3		mg/L
Chloride	MW-8N	2/12/2015	19	3		mg/L
Chloride	MW-8N	4/1/2015	15	3		mg/L
Chloride	MW-8N	7/14/2015	19	3		mg/L
Chloride	MW-8N	10/5/2015	21	3		mg/L
Chloride	MW-8N	1/5/2016	29	3		mg/L
Chloride	MW-8N	4/6/2016	28	3		mg/L
Chloride	MW-8N	7/21/2016	36	3		mg/L
Chloride	MW-8N	10/6/2016	39	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	MW-8N	1/11/2017	31	3		mg/L
Chloride	MW-8N	4/4/2017	32	3		mg/L
Chloride	MW-8N	7/19/2017	46	3		mg/L
Chloride	MW-8N	10/6/2017	47	3		mg/L
Chloride	MW-8N	1/25/2018	40	3		mg/L
Chloride	MW-8N	4/10/2018	47	3		mg/L
Chloride	MW-8N	7/16/2018	43	3		mg/L
Chloride	MW-8N	10/2/2018	42	3		mg/L
Chloride	MW-8N	1/7/2019	40	3		mg/L
Chloride	MW-8N	4/3/2019	41	3		mg/L
Chloride	MW-8N	7/11/2019	40	3		mg/L
Chloride	MW-8N	10/3/2019	35	3		mg/L
Chloride	MW-8N	1/15/2020	32.5	3		mg/L
Chloride	MW-8N	4/2/2020	30.9	3		mg/L
Chloride	MW-8N	7/9/2020	30.9	3		mg/L
Chloride	MW-8N	10/6/2020	30.6	3		mg/L
Chloride	MW-8N	1/15/2021	30.5	3		mg/L
Chloride	MW-8N	4/6/2021	31.8	3		mg/L
Chloride	MW-8N	7/5/2021	31.5	2		mg/L
Chloride	MW-8N	7/5/2021	31.3	3		mg/L
Chloride	MW-8N	10/6/2021	31.3	3		mg/L
Chloride	MW-8N	1/18/2022	30.8	3		mg/L
Chloride	MW-8N	1/18/2022	30.5	2		mg/L
Chloride	MW-8N	4/4/2022	31.1	3		mg/L
Chloride	MW-8N	7/12/2022	30.2	3		mg/L
Chloride	MW-8N	10/6/2022	29.7	3		mg/L
Chloride	MW-8N	1/11/2023	28.6	3		mg/L
Chloride	MW-8N	4/8/2023	29.9	3		mg/L
Chloride	MW-8N	7/7/2023	29.6	3		mg/L
Chloride	MW-8N	10/5/2023	30.5	3		mg/L
Chloride	NE-1	7/10/2002	6.5	0.5		mg/L
Chloride	NE-1	8/6/2002	7.2	0.5		mg/L
Chloride	NE-1	9/4/2002	6.5	0.5		mg/L
Chloride	NE-1	10/2/2002	7.5	0.5		mg/L
Chloride	NE-1	7/8/2003	5.9	0.5		mg/L
Chloride	NE-1	1/27/2004	5.3	0.5		mg/L
Chloride	NE-1	1/12/2005	6	0.5		mg/L
Chloride	NE-1	7/19/2006	6.1	3		mg/L
Chloride	NE-1	7/19/2006	6.1	3		mg/L
Chloride	NE-1	10/25/2006	4.4	3		mg/L
Chloride	NE-1	1/24/2007	5.5	3		mg/L
Chloride	NE-1	7/10/2007	5.8	3		mg/L
Chloride	NE-1	10/24/2007	5.8	3		mg/L
Chloride	NE-1	1/24/2008	5.6	3		mg/L
Chloride	NE-1	7/21/2008	6.4	3		mg/L
Chloride	NE-1	2/7/2009	8.4	3		mg/L
Chloride	NE-1	7/31/2009	11	3		mg/L
Chloride	NE-1	1/26/2010	13	3		mg/L
Chloride	NE-1	7/14/2010	14	3		mg/L
Chloride	NE-1	1/19/2011	14	3		mg/L
Chloride	NE-1	7/13/2011	13	3		mg/L
Chloride	NE-1	1/5/2012	12	3		mg/L
Chloride	NE-1	7/10/2012	12	3		mg/L
Chloride	NE-1	4/30/2013	10	3		mg/L
Chloride	NE-1	7/16/2013	8.4	3		mg/L
Chloride	NE-1	1/23/2014	13	3		mg/L
Chloride	NE-1	7/9/2014	17	3		mg/L
Chloride	NE-1	2/11/2015	18	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-1	7/8/2015	18	3		mg/L
Chloride	NE-1	1/6/2016	41	3		mg/L
Chloride	NE-1	7/20/2016	36	3		mg/L
Chloride	NE-1	1/11/2017	37	3		mg/L
Chloride	NE-1	7/19/2017	29	3		mg/L
Chloride	NE-1	1/24/2018	20	3		mg/L
Chloride	NE-1	4/11/2018	24	3		mg/L
Chloride	NE-1	7/18/2018	20	3		mg/L
Chloride	NE-1	10/2/2018	18	3		mg/L
Chloride	NE-1	1/4/2019	24	3		mg/L
Chloride	NE-1	4/2/2019	21	3		mg/L
Chloride	NE-1	7/10/2019	21	3		mg/L
Chloride	NE-1	7/10/2019	21	3		mg/L
Chloride	NE-1	10/2/2019	18	3		mg/L
Chloride	NE-1	1/15/2020	23.2	3		mg/L
Chloride	NE-1	4/2/2020	23.6	3		mg/L
Chloride	NE-1	7/8/2020	23.4	3		mg/L
Chloride	NE-1	10/7/2020	25.5	3		mg/L
Chloride	NE-1	1/13/2021	25.6	3		mg/L
Chloride	NE-1	4/9/2021	23.4	3		mg/L
Chloride	NE-1	7/2/2021	23.1	3		mg/L
Chloride	NE-1	7/2/2021	22.7	2		mg/L
Chloride	NE-1	10/6/2021	24.9	3		mg/L
Chloride	NE-1	1/17/2022	24.8	3		mg/L
Chloride	NE-1	1/17/2022	24.3	2		mg/L
Chloride	NE-1	4/6/2022	23.2	3		mg/L
Chloride	NE-1	7/13/2022	20.8	3		mg/L
Chloride	NE-1	10/6/2022	20.7	3		mg/L
Chloride	NE-1	1/5/2023	21.1	3		mg/L
Chloride	NE-1	4/7/2023	17.9	3		mg/L
Chloride	NE-1	7/5/2023	20.4	3		mg/L
Chloride	NE-1	10/5/2023	19.1	3		mg/L
Chloride	NE-10D	11/6/2019	4.4	3		mg/L
Chloride	NE-10D	1/16/2020	4.6	3		mg/L
Chloride	NE-10D	4/2/2020	4.47	3		mg/L
Chloride	NE-10D	7/8/2020	3.76	3		mg/L
Chloride	NE-10D	10/7/2020	3.03	3		mg/L
Chloride	NE-10D	1/13/2021	3.49	3		mg/L
Chloride	NE-10D	4/9/2021	3.21	3		mg/L
Chloride	NE-10D	7/2/2021	3.36	3		mg/L
Chloride	NE-10D	7/2/2021	3.37	2		mg/L
Chloride	NE-10D	10/7/2021	3.28	3		mg/L
Chloride	NE-10D	1/6/2023	3.62	3		mg/L
Chloride	NE-10D	4/6/2023	4.53	3		mg/L
Chloride	NE-10D	7/8/2023	3.5	3		mg/L
Chloride	NE-10D	10/3/2023	3.66	3		mg/L
Chloride	NE-11	3/1/2017	8.1	3		mg/L
Chloride	NE-11	4/6/2017	9.8	3		mg/L
Chloride	NE-11	7/20/2017	10	3		mg/L
Chloride	NE-11	10/9/2017	11	3		mg/L
Chloride	NE-11	9/30/2019	10	3		mg/L
Chloride	NE-11	1/14/2020	16	3		mg/L
Chloride	NE-11	7/7/2020	16.4	3		mg/L
Chloride	NE-11	1/16/2021	15.7	3		mg/L
Chloride	NE-11	1/16/2021	16.2	3		mg/L
Chloride	NE-11	7/1/2021	14.6	1		mg/L
Chloride	NE-11	7/1/2021	14.5	2		mg/L
Chloride	NE-11	7/1/2021	14.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-11	1/17/2022	16.9	3		mg/L
Chloride	NE-11	1/17/2022	16.6	2		mg/L
Chloride	NE-11	1/17/2022	16.6	3		mg/L
Chloride	NE-11	7/12/2022	17.7	3		mg/L
Chloride	NE-11	1/6/2023	20.8	3		mg/L
Chloride	NE-11	7/6/2023	22.8	3		mg/L
Chloride	NE-12	3/1/2017	5.3	3		mg/L
Chloride	NE-12	4/6/2017	21	3		mg/L
Chloride	NE-12	7/20/2017	12	3		mg/L
Chloride	NE-12	10/6/2017	9.6	3		mg/L
Chloride	NE-12	8/5/2019	4.5	3		mg/L
Chloride	NE-12	1/13/2020	17.1	3		mg/L
Chloride	NE-12	7/7/2020	4.24	3		mg/L
Chloride	NE-12	1/15/2021	30.5	3		mg/L
Chloride	NE-12	1/15/2021	28.6	3		mg/L
Chloride	NE-12	7/1/2021	16	1		mg/L
Chloride	NE-12	7/1/2021	16	1		mg/L
Chloride	NE-12	7/1/2021	16.5	2		mg/L
Chloride	NE-12	1/17/2022	17.5	3		mg/L
Chloride	NE-12	1/17/2022	17.4	2		mg/L
Chloride	NE-12	1/17/2022	17.7	3		mg/L
Chloride	NE-12	7/12/2022	5.62	3		mg/L
Chloride	NE-12	1/6/2023	14.5	3		mg/L
Chloride	NE-12	7/5/2023	5.05	3		mg/L
Chloride	NE-13	2/5/2019	2.1	3	ND	mg/L
Chloride	NE-13	8/7/2019	4.7	3		mg/L
Chloride	NE-13	1/15/2020	3	3	ND	mg/L
Chloride	NE-13	7/8/2020	7.22	3		mg/L
Chloride	NE-13	1/17/2021	3.68	3		mg/L
Chloride	NE-13	1/17/2021	4.01	3		mg/L
Chloride	NE-13	7/1/2021	27.6	1		mg/L
Chloride	NE-13	7/1/2021	27.6	1		mg/L
Chloride	NE-13	7/1/2021	26.5	2		mg/L
Chloride	NE-14D	10/2/2019	13	3		mg/L
Chloride	NE-14D	1/16/2020	13.5	3		mg/L
Chloride	NE-14D	4/3/2020	13.1	3		mg/L
Chloride	NE-14D	7/7/2020	13.7	3		mg/L
Chloride	NE-14D	10/6/2020	13.3	3		mg/L
Chloride	NE-14D	1/17/2021	13.3	3		mg/L
Chloride	NE-14D	4/9/2021	13.3	3		mg/L
Chloride	NE-14D	7/2/2021	13.4	3		mg/L
Chloride	NE-14D	7/2/2021	13.2	2		mg/L
Chloride	NE-14D	10/7/2021	13.4	3		mg/L
Chloride	NE-14D	1/18/2022	13.9	3		mg/L
Chloride	NE-14D	1/18/2022	13.7	2		mg/L
Chloride	NE-14D	4/6/2022	13.7	3		mg/L
Chloride	NE-14D	7/13/2022	13.9	3		mg/L
Chloride	NE-14D	10/7/2022	12.9	3		mg/L
Chloride	NE-14D	1/6/2023	14.3	3		mg/L
Chloride	NE-14D	4/6/2023	13	3		mg/L
Chloride	NE-14D	7/5/2023	13.5	3		mg/L
Chloride	NE-14D	10/4/2023	14.1	3		mg/L
Chloride	NE-14S	10/2/2019	6	3		mg/L
Chloride	NE-14S	1/16/2020	4.52	3		mg/L
Chloride	NE-14S	4/3/2020	4.38	3		mg/L
Chloride	NE-14S	7/7/2020	6.42	3		mg/L
Chloride	NE-14S	10/6/2020	12.2	3		mg/L
Chloride	NE-14S	1/17/2021	6.2	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-14S	4/9/2021	6.26	3		mg/L
Chloride	NE-14S	7/2/2021	5.68	3		mg/L
Chloride	NE-14S	7/2/2021	5.76	2		mg/L
Chloride	NE-14S	10/7/2021	7.66	3		mg/L
Chloride	NE-14S	1/18/2022	7.03	2		mg/L
Chloride	NE-14S	1/18/2022	7.04	3		mg/L
Chloride	NE-14S	4/6/2022	5.82	3		mg/L
Chloride	NE-14S	7/13/2022	6.97	3		mg/L
Chloride	NE-14S	10/7/2022	7.43	3		mg/L
Chloride	NE-14S	1/6/2023	8.58	3		mg/L
Chloride	NE-14S	4/6/2023	5.4	3		mg/L
Chloride	NE-14S	7/5/2023	7.87	3		mg/L
Chloride	NE-14S	10/4/2023	8.66	3		mg/L
Chloride	NE-15D	9/30/2019	13	3		mg/L
Chloride	NE-15D	1/16/2020	13.2	3		mg/L
Chloride	NE-15D	4/3/2020	12.9	3		mg/L
Chloride	NE-15D	7/7/2020	13.3	3		mg/L
Chloride	NE-15D	10/6/2020	13.3	3		mg/L
Chloride	NE-15D	1/17/2021	13.3	3		mg/L
Chloride	NE-15D	4/9/2021	13.1	3		mg/L
Chloride	NE-15D	7/2/2021	12.9	3		mg/L
Chloride	NE-15D	7/2/2021	12.9	2		mg/L
Chloride	NE-15D	10/7/2021	13	3		mg/L
Chloride	NE-15D	1/17/2022	13.7	3		mg/L
Chloride	NE-15D	1/17/2022	13.4	2		mg/L
Chloride	NE-15D	4/6/2022	13.5	3		mg/L
Chloride	NE-15D	7/13/2022	13.8	3		mg/L
Chloride	NE-15D	10/7/2022	12.5	3		mg/L
Chloride	NE-15D	1/6/2023	13.5	3		mg/L
Chloride	NE-15D	4/6/2023	13	3		mg/L
Chloride	NE-15D	7/6/2023	13.1	3		mg/L
Chloride	NE-15D	10/6/2023	13.4	3		mg/L
Chloride	NE-15S	4/3/2020	4.11	3		mg/L
Chloride	NE-2	7/9/2002	45.8	0.5		mg/L
Chloride	NE-2	8/6/2002	17.1	0.5		mg/L
Chloride	NE-2	9/4/2002	36.2	0.5		mg/L
Chloride	NE-2	10/2/2002	24.9	0.5		mg/L
Chloride	NE-2	10/1/2013	52	15		mg/L
Chloride	NE-2	10/8/2014	31	3		mg/L
Chloride	NE-2	10/5/2015	32	3		mg/L
Chloride	NE-2	10/6/2016	29	3		mg/L
Chloride	NE-2	10/5/2017	37	3		mg/L
Chloride	NE-2	1/25/2018	51	3		mg/L
Chloride	NE-2	4/10/2018	29	3		mg/L
Chloride	NE-2	7/10/2018	53	3		mg/L
Chloride	NE-2	10/1/2018	51	3		mg/L
Chloride	NE-2	1/4/2019	46	3		mg/L
Chloride	NE-2	4/2/2019	57	3		mg/L
Chloride	NE-2	7/9/2019	37	3		mg/L
Chloride	NE-2	7/9/2019	37	3		mg/L
Chloride	NE-2	10/2/2019	29	3		mg/L
Chloride	NE-2	1/14/2020	25.1	3		mg/L
Chloride	NE-2	4/1/2020	28.3	3		mg/L
Chloride	NE-2	7/7/2020	44.1	3		mg/L
Chloride	NE-2	10/6/2020	21	3		mg/L
Chloride	NE-2	1/14/2021	39.5	3		mg/L
Chloride	NE-2	4/9/2021	38.1	3		mg/L
Chloride	NE-2	7/2/2021	31.7	2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-2	7/2/2021	32.9	3		mg/L
Chloride	NE-2	10/6/2021	21.1	3		mg/L
Chloride	NE-2	1/18/2022	34	2		mg/L
Chloride	NE-2	1/18/2022	34.7	3		mg/L
Chloride	NE-2	4/6/2022	29.4	3		mg/L
Chloride	NE-2	7/13/2022	25.3	3		mg/L
Chloride	NE-2	10/7/2022	19.2	3		mg/L
Chloride	NE-2	1/5/2023	49.9	3		mg/L
Chloride	NE-2	4/5/2023	33.3	3		mg/L
Chloride	NE-2	7/5/2023	27.1	3		mg/L
Chloride	NE-2	10/4/2023	26	3		mg/L
Chloride	NE-4	7/10/2002	30.5	0.5		mg/L
Chloride	NE-4	8/6/2002	28.5	0.5		mg/L
Chloride	NE-4	9/4/2002	37.8	0.5		mg/L
Chloride	NE-4	10/3/2002	31.3	0.5		mg/L
Chloride	NE-4	7/8/2003	32.4	0.5		mg/L
Chloride	NE-4	1/28/2004	24.4	0.5		mg/L
Chloride	NE-4	1/13/2005	17.5	0.5		mg/L
Chloride	NE-4	8/1/2006	9.2	3		mg/L
Chloride	NE-4	8/1/2006	9.2	3		mg/L
Chloride	NE-4	10/25/2006	8.9	3		mg/L
Chloride	NE-4	1/24/2007	23	3		mg/L
Chloride	NE-4	7/12/2007	10	3		mg/L
Chloride	NE-4	1/24/2008	7.7	3		mg/L
Chloride	NE-4	7/21/2008	21	3		mg/L
Chloride	NE-4	2/7/2009	8.8	3		mg/L
Chloride	NE-4	7/31/2009	10	3		mg/L
Chloride	NE-4	1/26/2010	6.7	3		mg/L
Chloride	NE-4	7/14/2010	12	3		mg/L
Chloride	NE-4	1/19/2011	6.3	3		mg/L
Chloride	NE-4	7/13/2011	12	3		mg/L
Chloride	NE-4	1/5/2012	6.7	3		mg/L
Chloride	NE-4	7/10/2012	6.1	3		mg/L
Chloride	NE-4	4/30/2013	6.5	3		mg/L
Chloride	NE-4	7/16/2013	5.6	3		mg/L
Chloride	NE-4	1/23/2014	5.1	3		mg/L
Chloride	NE-4	7/9/2014	5	3		mg/L
Chloride	NE-4	2/13/2015	4.8	3		mg/L
Chloride	NE-4	7/8/2015	19	3		mg/L
Chloride	NE-4	1/6/2016	14	3		mg/L
Chloride	NE-4	7/20/2016	7.6	3		mg/L
Chloride	NE-4	1/11/2017	7.3	3		mg/L
Chloride	NE-4	7/19/2017	11	3		mg/L
Chloride	NE-4	1/26/2018	7.1	3		mg/L
Chloride	NE-4	4/10/2018	16	3		mg/L
Chloride	NE-4	7/12/2018	7.1	3		mg/L
Chloride	NE-4	10/3/2018	6.3	3		mg/L
Chloride	NE-4	1/7/2019	7.1	3		mg/L
Chloride	NE-4	4/2/2019	6.4	3		mg/L
Chloride	NE-4	7/8/2019	13	3		mg/L
Chloride	NE-4	7/8/2019	13	3		mg/L
Chloride	NE-4	10/1/2019	5	3		mg/L
Chloride	NE-4	1/13/2020	13.4	3		mg/L
Chloride	NE-4	4/1/2020	9.62	3		mg/L
Chloride	NE-4	7/6/2020	12.9	3		mg/L
Chloride	NE-4	10/5/2020	6.47	3		mg/L
Chloride	NE-4	1/15/2021	5.75	3		mg/L
Chloride	NE-4	4/9/2021	5.08	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-4	7/2/2021	7.8	3		mg/L
Chloride	NE-4	7/2/2021	6.18	2		mg/L
Chloride	NE-4	10/6/2021	6.52	3		mg/L
Chloride	NE-4	1/5/2023	4.97	3		mg/L
Chloride	NE-4	4/6/2023	4.7	3		mg/L
Chloride	NE-4	7/5/2023	4.79	3		mg/L
Chloride	NE-4	10/4/2023	4.52	3		mg/L
Chloride	NE-5	7/9/2002	3.7	0.5		mg/L
Chloride	NE-5	8/6/2002	4	0.5		mg/L
Chloride	NE-5	9/4/2002	3.5	0.5		mg/L
Chloride	NE-5	10/2/2002	3.8	0.5		mg/L
Chloride	NE-5	7/8/2003	3.6	0.5		mg/L
Chloride	NE-5	1/27/2004	3.7	0.5		mg/L
Chloride	NE-5	1/12/2005	3.5	0.5		mg/L
Chloride	NE-5	7/19/2006	3.6	3		mg/L
Chloride	NE-5	7/19/2006	3.6	3		mg/L
Chloride	NE-5	10/25/2006	3.4	3		mg/L
Chloride	NE-5	1/24/2007	3.2	3		mg/L
Chloride	NE-5	7/12/2007	3.5	3		mg/L
Chloride	NE-5	7/22/2008	3.4	3		mg/L
Chloride	NE-5	2/6/2009	3.5	3		mg/L
Chloride	NE-5	7/31/2009	3.6	3		mg/L
Chloride	NE-5	1/26/2010	3.7	3		mg/L
Chloride	NE-5	7/16/2010	3.4	3		mg/L
Chloride	NE-5	1/19/2011	3.8	3		mg/L
Chloride	NE-5	7/13/2011	3.5	3		mg/L
Chloride	NE-5	1/5/2012	3.1	3		mg/L
Chloride	NE-5	7/10/2012	4.3	3		mg/L
Chloride	NE-5	4/30/2013	3.3	3		mg/L
Chloride	NE-5	7/16/2013	4.4	3		mg/L
Chloride	NE-5	1/23/2014	3.6	3		mg/L
Chloride	NE-5	7/9/2014	4.1	3		mg/L
Chloride	NE-5	2/11/2015	4	3		mg/L
Chloride	NE-5	7/14/2015	2.8	3	ND	mg/L
Chloride	NE-5	1/6/2016	3.8	3		mg/L
Chloride	NE-5	7/20/2016	5.6	3		mg/L
Chloride	NE-5	1/11/2017	4.8	3		mg/L
Chloride	NE-5	7/19/2017	3.5	3		mg/L
Chloride	NE-5	1/25/2018	5.1	3		mg/L
Chloride	NE-5	4/10/2018	3.8	3		mg/L
Chloride	NE-5	7/17/2018	4.2	3		mg/L
Chloride	NE-5	10/3/2018	4	3		mg/L
Chloride	NE-5	1/4/2019	5	3		mg/L
Chloride	NE-5	4/2/2019	5.1	3		mg/L
Chloride	NE-5	4/2/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	7/9/2019	5.1	3		mg/L
Chloride	NE-5	10/3/2019	6.6	3		mg/L
Chloride	NE-5	1/16/2020	5.62	3		mg/L
Chloride	NE-5	4/2/2020	6.38	3		mg/L
Chloride	NE-5	7/8/2020	7.48	3		mg/L
Chloride	NE-5	10/6/2020	8.28	3		mg/L
Chloride	NE-5	1/15/2021	6.33	3		mg/L
Chloride	NE-5	4/9/2021	6.06	3		mg/L
Chloride	NE-5	7/2/2021	6.81	2		mg/L
Chloride	NE-5	7/2/2021	6.78	3		mg/L
Chloride	NE-5	10/6/2021	7.99	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-5	1/18/2022	7.49	2		mg/L
Chloride	NE-5	1/18/2022	7.32	3		mg/L
Chloride	NE-5	4/6/2022	7.67	3		mg/L
Chloride	NE-5	7/13/2022	9.27	3		mg/L
Chloride	NE-5	10/7/2022	7.96	3		mg/L
Chloride	NE-5	1/5/2023	8.1	3		mg/L
Chloride	NE-5	4/7/2023	8.03	3		mg/L
Chloride	NE-5	7/6/2023	8.43	3		mg/L
Chloride	NE-5	10/4/2023	9.86	3		mg/L
Chloride	NE-5E	9/30/2019	6.3	3		mg/L
Chloride	NE-5E	1/16/2020	13.4	3		mg/L
Chloride	NE-5E	4/1/2020	9.81	3		mg/L
Chloride	NE-5E	7/8/2020	11.9	3		mg/L
Chloride	NE-5E	10/6/2020	10.7	3		mg/L
Chloride	NE-5E	1/15/2021	10.1	3		mg/L
Chloride	NE-5E	4/9/2021	9.9	3		mg/L
Chloride	NE-5E	7/2/2021	9.87	3		mg/L
Chloride	NE-5E	7/2/2021	9.68	2		mg/L
Chloride	NE-5E	10/6/2021	11.1	3		mg/L
Chloride	NE-5E	1/18/2022	11.2	3		mg/L
Chloride	NE-5E	1/18/2022	11	2		mg/L
Chloride	NE-5E	4/6/2022	14.4	3		mg/L
Chloride	NE-5E	7/13/2022	28	3		mg/L
Chloride	NE-5E	10/7/2022	22.4	3		mg/L
Chloride	NE-5E	1/5/2023	26	3		mg/L
Chloride	NE-5E	4/7/2023	17.8	3		mg/L
Chloride	NE-5E	7/6/2023	19.3	3		mg/L
Chloride	NE-5E	10/4/2023	21.2	3		mg/L
Chloride	NE-5W	9/30/2019	4	3		mg/L
Chloride	NE-5W	1/16/2020	6.74	3		mg/L
Chloride	NE-5W	4/2/2020	5.13	3		mg/L
Chloride	NE-5W	7/8/2020	5.46	3		mg/L
Chloride	NE-5W	10/6/2020	5.24	3		mg/L
Chloride	NE-5W	1/15/2021	5.15	3		mg/L
Chloride	NE-5W	4/9/2021	4.59	3		mg/L
Chloride	NE-5W	7/2/2021	5.4	2		mg/L
Chloride	NE-5W	7/2/2021	5.42	3		mg/L
Chloride	NE-5W	10/6/2021	6.31	3		mg/L
Chloride	NE-5W	1/18/2022	6.13	2		mg/L
Chloride	NE-5W	1/18/2022	6.11	3		mg/L
Chloride	NE-5W	4/6/2022	6.86	3		mg/L
Chloride	NE-5W	7/13/2022	7.43	3		mg/L
Chloride	NE-5W	10/7/2022	7.63	3		mg/L
Chloride	NE-5W	1/5/2023	10.5	3		mg/L
Chloride	NE-5W	4/7/2023	11.2	3		mg/L
Chloride	NE-5W	7/6/2023	11.9	3		mg/L
Chloride	NE-5W	10/4/2023	13.7	3		mg/L
Chloride	NE-6	1/12/2017	23	3		mg/L
Chloride	NE-6	4/5/2017	19	3		mg/L
Chloride	NE-6	7/19/2017	19	3		mg/L
Chloride	NE-6	10/6/2017	20	3		mg/L
Chloride	NE-6	2/4/2019	20	3		mg/L
Chloride	NE-6	8/6/2019	18	3		mg/L
Chloride	NE-6	1/15/2020	19.9	3		mg/L
Chloride	NE-6	7/9/2020	20.7	3		mg/L
Chloride	NE-6	1/16/2021	21.3	3		mg/L
Chloride	NE-6	1/16/2021	3	3	ND	mg/L
Chloride	NE-6	7/1/2021	21.4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-6	7/1/2021	21.4	1		mg/L
Chloride	NE-6	7/1/2021	21.4	2		mg/L
Chloride	NE-6	1/17/2022	21.8	3		mg/L
Chloride	NE-6	1/17/2022	21.4	3		mg/L
Chloride	NE-6	1/17/2022	21.2	2		mg/L
Chloride	NE-6	7/12/2022	21.2	3		mg/L
Chloride	NE-6	1/5/2023	22	3		mg/L
Chloride	NE-6	7/6/2023	21.7	3		mg/L
Chloride	NE-6D	10/2/2019	33	3		mg/L
Chloride	NE-6D	1/15/2020	32.4	3		mg/L
Chloride	NE-6D	4/2/2020	32.3	3		mg/L
Chloride	NE-6D	7/9/2020	31.6	3		mg/L
Chloride	NE-6D	10/7/2020	30.2	3		mg/L
Chloride	NE-6D	1/15/2021	30.4	3		mg/L
Chloride	NE-6D	4/9/2021	30.1	3		mg/L
Chloride	NE-6D	7/2/2021	31	3		mg/L
Chloride	NE-6D	7/2/2021	30.2	2		mg/L
Chloride	NE-6D	10/7/2021	30.2	3		mg/L
Chloride	NE-6D	1/17/2022	30.9	3		mg/L
Chloride	NE-6D	1/17/2022	30.1	2		mg/L
Chloride	NE-6D	4/6/2022	30.8	3		mg/L
Chloride	NE-6D	7/12/2022	27.6	3		mg/L
Chloride	NE-6D	10/7/2022	29.5	3		mg/L
Chloride	NE-6D	1/5/2023	30.5	3		mg/L
Chloride	NE-6D	4/7/2023	28.7	3		mg/L
Chloride	NE-6D	7/6/2023	29	3		mg/L
Chloride	NE-6D	10/4/2023	29.9	3		mg/L
Chloride	NE-7	3/1/2017	15	3		mg/L
Chloride	NE-7	4/6/2017	12	3		mg/L
Chloride	NE-7	7/20/2017	16	3		mg/L
Chloride	NE-7	10/5/2017	16	3		mg/L
Chloride	NE-7	2/6/2019	19	3		mg/L
Chloride	NE-7	8/6/2019	13	3		mg/L
Chloride	NE-7	1/16/2020	17.5	3		mg/L
Chloride	NE-7	7/7/2020	16.2	3		mg/L
Chloride	NE-7	1/16/2021	24.7	3		mg/L
Chloride	NE-7	1/16/2021	24.4	3		mg/L
Chloride	NE-7	7/1/2021	17.7	1		mg/L
Chloride	NE-7	7/1/2021	17.7	1		mg/L
Chloride	NE-7	7/1/2021	17.6	2		mg/L
Chloride	NE-7	1/17/2022	20.7	2		mg/L
Chloride	NE-7	1/17/2022	20.5	3		mg/L
Chloride	NE-7	1/17/2022	21.2	3		mg/L
Chloride	NE-7	7/12/2022	19.8	3		mg/L
Chloride	NE-7	1/5/2023	21.9	3		mg/L
Chloride	NE-7	7/6/2023	22.9	3		mg/L
Chloride	NE-8	1/12/2017	11	3		mg/L
Chloride	NE-8	4/5/2017	9.9	3		mg/L
Chloride	NE-8	7/20/2017	25	3		mg/L
Chloride	NE-8	10/6/2017	26	3		mg/L
Chloride	NE-8	2/4/2019	13	3		mg/L
Chloride	NE-8	8/5/2019	17	3		mg/L
Chloride	NE-8	1/15/2020	21	3		mg/L
Chloride	NE-8	7/8/2020	21.5	3		mg/L
Chloride	NE-8	1/13/2021	16	3		mg/L
Chloride	NE-8	1/13/2021	16.1	3		mg/L
Chloride	NE-8	4/9/2021	18.8	3		mg/L
Chloride	NE-8	7/1/2021	20.8	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloride	NE-8	7/1/2021	20.5	1		mg/L
Chloride	NE-8	7/1/2021	20.5	1		mg/L
Chloride	NE-8	7/1/2021	20.5	2		mg/L
Chloride	NE-8	10/7/2021	20.8	3		mg/L
Chloride	NE-8	1/6/2023	14.9	3		mg/L
Chloride	NE-8	7/5/2023	24.1	3		mg/L
Chloride	NE-9	1/12/2017	10	3		mg/L
Chloride	NE-9	4/5/2017	7.7	3		mg/L
Chloride	NE-9	7/20/2017	8.3	3		mg/L
Chloride	NE-9	10/5/2017	8.9	3		mg/L
Chloride	NE-9	2/5/2019	12	3		mg/L
Chloride	NE-9	8/7/2019	11	3		mg/L
Chloride	NE-9	1/15/2020	10.3	3		mg/L
Chloride	NE-9	7/7/2020	7.5	3		mg/L
Chloride	NE-9	1/17/2021	12.8	3		mg/L
Chloride	NE-9	1/17/2021	13.1	3		mg/L
Chloride	NE-9	7/1/2021	17.7	1		mg/L
Chloride	NE-9	7/1/2021	17.7	1		mg/L
Chloride	NE-9	7/1/2021	17.6	2		mg/L
Chloride	NE-9	1/17/2022	17.4	3		mg/L
Chloride	NE-9	1/17/2022	17.3	2		mg/L
Chloride	NE-9	1/17/2022	17	3		mg/L
Chloride	NE-9	7/13/2022	21.8	3		mg/L
Chloride	NE-9	1/6/2023	24	3		mg/L
Chloride	NE-9	4/8/2023	23.6	3		mg/L
Chloride	NE-9	7/5/2023	25.6	3		mg/L
Chloride	NE-9	10/6/2023	27	3		mg/L
Chlorobenzene	LGW-10	1/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/16/2010	0.76	1	ND	ug/L
Chlorobenzene	LGW-10	1/19/2011	0.43	1	ND	ug/L
Chlorobenzene	LGW-10	7/12/2011	0.97	1	ND	ug/L
Chlorobenzene	LGW-10	1/5/2012	0.84	1	ND	ug/L
Chlorobenzene	LGW-10	7/9/2012	0.78	1	ND	ug/L
Chlorobenzene	LGW-10	5/1/2013	1.1	1		ug/L
Chlorobenzene	LGW-10	1/30/2014	0.95	1	ND	ug/L
Chlorobenzene	LGW-10	7/9/2014	0.93	1	ND	ug/L
Chlorobenzene	LGW-10	2/12/2015	0.91	1	ND	ug/L
Chlorobenzene	LGW-10	7/13/2015	1.3	1		ug/L
Chlorobenzene	LGW-10	1/5/2016	1	1		ug/L
Chlorobenzene	LGW-10	2/10/2016	0.71	1	ND	ug/L
Chlorobenzene	LGW-10	4/6/2016	0.93	1	ND	ug/L
Chlorobenzene	LGW-10	7/21/2016	1.3	1		ug/L
Chlorobenzene	LGW-10	10/6/2016	1	1		ug/L
Chlorobenzene	LGW-10	1/11/2017	0.66	1	ND	ug/L
Chlorobenzene	LGW-10	4/4/2017	1.2	1		ug/L
Chlorobenzene	LGW-10	7/19/2017	1.3	1		ug/L
Chlorobenzene	LGW-10	10/9/2017	1.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-10	1/24/2018	0.44	1	ND	ug/L
Chlorobenzene	LGW-10	4/11/2018	0.74	1	ND	ug/L
Chlorobenzene	LGW-10	7/16/2018	0.74	1	ND	ug/L
Chlorobenzene	LGW-10	10/4/2018	0.58	1	ND	ug/L
Chlorobenzene	LGW-10	1/4/2019	0.52	1	ND	ug/L
Chlorobenzene	LGW-10	4/3/2019	0.75	1	ND	ug/L
Chlorobenzene	LGW-10	7/11/2019	1.1	1		ug/L
Chlorobenzene	LGW-10	10/2/2019	0.92	1	ND	ug/L
Chlorobenzene	LGW-10	1/15/2020	1.13	1		ug/L
Chlorobenzene	LGW-10	4/2/2020	1.13	1		ug/L
Chlorobenzene	LGW-10	7/9/2020	1.05	1		ug/L
Chlorobenzene	LGW-10	10/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/7/2022	1	1	ND	ug/L
Chlorobenzene	LGW-10	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-10	4/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-10	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-10	10/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-14R	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/10/2007	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/26/2008	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/6/2009	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/30/2009	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/30/2014	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-2	2/13/2015	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/13/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	4/1/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/8/2020	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/4/2021	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/10/2022	1	1	ND	ug/L
Chlorobenzene	LGW-2	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-2	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Chlorobenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-3R	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2009	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/16/2010	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/13/2011	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/4/2012	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-4	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-4	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-4	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-4	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-4	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-5	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/8/2015	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/6/2022	1	1	ND	ug/L
Chlorobenzene	LGW-5	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-5	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-5	10/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-6	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/26/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/11/2007	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/23/2008	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/5/2009	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/19/2011	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-6	2/10/2015	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/19/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	5/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/23/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/10/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/17/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/16/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/2/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2020	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/12/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/6/2022	1	1	ND	ug/L
Chlorobenzene	LGW-6	1/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	4/6/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-6	10/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-7	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-7	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/31/2009	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2010	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/10/2012	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-7	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/20/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/4/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/24/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/12/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	4/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/15/2020	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/18/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-7	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-7	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Chlorobenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Chlorobenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-8R	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/25/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/26/2006	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/25/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2007	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/22/2008	1	1	ND	ug/L
Chlorobenzene	LGW-9	2/4/2009	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/29/2009	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/27/2010	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/14/2010	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/20/2011	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/12/2011	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/5/2012	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2012	1	1	ND	ug/L
Chlorobenzene	LGW-9	5/1/2013	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/15/2013	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/23/2014	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/8/2014	1	1	ND	ug/L
Chlorobenzene	LGW-9	2/11/2015	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/13/2015	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/5/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/21/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/6/2016	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/11/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	5/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/18/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/5/2017	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/24/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/11/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/13/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/2/2018	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/7/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/3/2019	0.18	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/3/2019	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	LGW-9	4/2/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/9/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/7/2020	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/6/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/7/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/5/2021	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/13/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/4/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/11/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/7/2022	1	1	ND	ug/L
Chlorobenzene	LGW-9	1/11/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	4/5/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	7/10/2023	1	1	ND	ug/L
Chlorobenzene	LGW-9	10/5/2023	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/28/1998	5	5	ND	ug/L
Chlorobenzene	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-10N	7/11/2000	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-10N	4/10/2001	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2002	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-10N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/8/2003	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2007	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-10N	2/13/2009	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/27/2010	1	1	ND	ug/L
Chlorobenzene	MW-10N	8/10/2010	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/14/2011	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-10N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-10N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-10N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/8/2020	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/13/2021	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-10N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-10N	7/7/2023	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-11N	7/10/2000	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/10/2001	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/8/2003	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/29/2004	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/13/2005	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/24/2007	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2009	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/16/2010	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/4/2012	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2012	1	1	ND	ug/L
Chlorobenzene	MW-11N	4/30/2013	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/15/2013	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-11N	7/8/2014	1	1	ND	ug/L
Chlorobenzene	MW-11N	2/10/2015	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2015	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/17/2018	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/18/2021	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/18/2022	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/13/2022	1	1	ND	ug/L
Chlorobenzene	MW-11N	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-11N	7/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-15	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	7/15/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-15	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	7/20/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-15	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-15	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-15	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-15	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-15	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-15	7/9/2019	1	1	ND	ug/L
Chlorobenzene	MW-15	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-15	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-15	1/18/2021	1	1	ND	ug/L
Chlorobenzene	MW-15	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-15	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-15	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-15	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-15	7/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-16	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	7/16/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-16	1/8/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-16	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-16	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-16	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-16	7/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-16	1/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-16	7/10/2019	1	1	ND	ug/L
Chlorobenzene	MW-16	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-16	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-16	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-16	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-16	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-16	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-16	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-16	7/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-17	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	7/15/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	8/4/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	9/2/2015	1	1	ND	ug/L
Chlorobenzene	MW-17	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	7/20/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-17	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-17	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-17	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-17	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-17	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-17	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-17	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-17	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-17	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-17	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-17	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-17	7/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-19	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	7/16/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	8/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	9/3/2015	1	1	ND	ug/L
Chlorobenzene	MW-19	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-19	1/10/2017	1	1	ND	ug/L
Chlorobenzene	MW-19	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-19	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-19	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-19	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-19	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-19	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-19	8/3/2020	1	1	ND	ug/L
Chlorobenzene	MW-19	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-19	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-19	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-19	7/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	7/12/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-1N	10/18/2000	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/12/2001	0.45	1		ug/L
Chlorobenzene	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-1N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/3/2002	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/15/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/8/2003	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-1N	2/5/2009	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/13/2010	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-1N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-1N	2/10/2015	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/12/2017	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/23/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-1N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-1N	7/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-20	6/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	8/4/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	9/2/2015	1	1	ND	ug/L
Chlorobenzene	MW-20	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	4/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-20	10/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-20	1/12/2017	1	1	ND	ug/L
Chlorobenzene	MW-20	7/18/2017	1	1	ND	ug/L
Chlorobenzene	MW-20	1/26/2018	1	1	ND	ug/L
Chlorobenzene	MW-20	7/12/2018	1	1	ND	ug/L
Chlorobenzene	MW-20	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-20	1/14/2020	1	1	ND	ug/L
Chlorobenzene	MW-20	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-20	1/17/2021	1	1	ND	ug/L
Chlorobenzene	MW-20	7/4/2021	1	1	ND	ug/L
Chlorobenzene	MW-20	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	6/5/2015	0.78	1	ND	ug/L
Chlorobenzene	MW-21	7/14/2015	0.73	1	ND	ug/L
Chlorobenzene	MW-21	8/4/2015	0.83	1	ND	ug/L
Chlorobenzene	MW-21	9/2/2015	0.73	1	ND	ug/L
Chlorobenzene	MW-21	1/7/2016	1	1	ND	ug/L
Chlorobenzene	MW-21	4/5/2016	0.7	1	ND	ug/L
Chlorobenzene	MW-21	7/20/2016	0.52	1	ND	ug/L
Chlorobenzene	MW-21	10/5/2016	0.21	1	ND	ug/L
Chlorobenzene	MW-21	10/5/2016	0.2	1	ND	ug/L
Chlorobenzene	MW-21	1/10/2017	0.33	1	ND	ug/L
Chlorobenzene	MW-21	4/5/2017	0.48	1	ND	ug/L
Chlorobenzene	MW-21	7/19/2017	0.71	1	ND	ug/L
Chlorobenzene	MW-21	10/6/2017	0.69	1	ND	ug/L
Chlorobenzene	MW-21	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-21	4/11/2018	1.8	1		ug/L
Chlorobenzene	MW-21	7/11/2018	0.83	1	ND	ug/L
Chlorobenzene	MW-21	10/4/2018	0.55	1	ND	ug/L
Chlorobenzene	MW-21	1/3/2019	1.1	1		ug/L
Chlorobenzene	MW-21	4/3/2019	0.86	1	ND	ug/L
Chlorobenzene	MW-21	7/11/2019	0.81	1	ND	ug/L
Chlorobenzene	MW-21	10/2/2019	0.95	1	ND	ug/L
Chlorobenzene	MW-21	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	7/8/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	10/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-21	1/13/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-21	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	4/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	7/7/2023	1	1	ND	ug/L
Chlorobenzene	MW-21	10/6/2023	1	1	ND	ug/L
Chlorobenzene	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-2N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2001	1	1	ND	ug/L
Chlorobenzene	MW-2N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-2N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	3/27/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-2N	2/4/2009	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/13/2010	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/13/2011	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-2N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-2N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/23/2018	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/12/2018	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-2N	8/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/23/2020	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/14/2021	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-2N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-2N	7/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	10/20/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/11/2000	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/23/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-3N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-3N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-3N	7/9/2002	0.2	1		ug/L
Chlorobenzene	MW-3N	10/2/2002	0.27	1		ug/L
Chlorobenzene	MW-3N	1/22/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/18/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/25/2006	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2007	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/22/2008	1	1	ND	ug/L
Chlorobenzene	MW-3N	2/4/2009	0.4	1	ND	ug/L
Chlorobenzene	MW-3N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/13/2010	0.25	1	ND	ug/L
Chlorobenzene	MW-3N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/14/2011	0.33	1	ND	ug/L
Chlorobenzene	MW-3N	1/5/2012	0.28	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2012	0.3	1	ND	ug/L
Chlorobenzene	MW-3N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	6/4/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2014	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-3N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/1/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/4/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/9/2017	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/24/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/3/2018	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/2/2019	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/15/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-3N	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-3N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-3N	7/7/2023	1	1	ND	ug/L
Chlorobenzene	MW-3N	10/6/2023	1	1	ND	ug/L
Chlorobenzene	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	7/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	10/19/1999	0.34	2.5		ug/L
Chlorobenzene	MW-7N	1/13/2000	0.31	2.5		ug/L
Chlorobenzene	MW-7N	4/25/2000	0.27	2.5		ug/L
Chlorobenzene	MW-7N	10/17/2000	0.4	1		ug/L
Chlorobenzene	MW-7N	1/23/2001	0.31	1		ug/L
Chlorobenzene	MW-7N	4/10/2001	0.48	1		ug/L
Chlorobenzene	MW-7N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-7N	7/9/2002	0.51	1		ug/L
Chlorobenzene	MW-7N	10/2/2002	0.48	1		ug/L
Chlorobenzene	MW-7N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/8/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/26/2004	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2005	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/21/2008	1	1	ND	ug/L
Chlorobenzene	MW-7N	2/6/2009	0.34	1	ND	ug/L
Chlorobenzene	MW-7N	7/29/2009	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/14/2010	0.32	1	ND	ug/L
Chlorobenzene	MW-7N	9/2/2010	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/20/2011	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/12/2011	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2012	1	1	ND	ug/L
Chlorobenzene	MW-7N	5/1/2013	0.79	1	ND	ug/L
Chlorobenzene	MW-7N	6/4/2013	0.34	1	ND	ug/L
Chlorobenzene	MW-7N	7/15/2013	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/30/2014	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-7N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/13/2015	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-7N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/11/2017	0.21	1	ND	ug/L
Chlorobenzene	MW-7N	4/4/2017	0.39	1	ND	ug/L
Chlorobenzene	MW-7N	7/19/2017	0.28	1	ND	ug/L
Chlorobenzene	MW-7N	10/5/2017	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/25/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	4/11/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/13/2018	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/4/2019	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2019	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/16/2020	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/7/2020	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/16/2021	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/10/2022	1	1	ND	ug/L
Chlorobenzene	MW-7N	1/10/2023	1	1	ND	ug/L
Chlorobenzene	MW-7N	7/7/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	10/17/2000	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/23/2001	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/11/2001	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/29/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Chlorobenzene	MW-8N	7/9/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2002	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/23/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/14/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/7/2003	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/28/2004	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/27/2004	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/12/2005	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/20/2005	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/24/2006	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/26/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/25/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/10/2007	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/24/2008	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/23/2008	1	1	ND	ug/L
Chlorobenzene	MW-8N	2/4/2009	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/31/2009	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/26/2010	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2010	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/19/2011	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/10/2011	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/14/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	MW-8N	1/6/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/5/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/11/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/3/2012	1	1	ND	ug/L
Chlorobenzene	MW-8N	5/1/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	6/4/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2013	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/30/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/3/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/9/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/8/2014	1	1	ND	ug/L
Chlorobenzene	MW-8N	2/12/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/1/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/14/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/5/2015	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/5/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/21/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2016	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/11/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/4/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/19/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2017	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/25/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/10/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/16/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/2/2018	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/7/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/11/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/3/2019	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/15/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/2/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/9/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2020	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/15/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/5/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2021	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/18/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/4/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/12/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/6/2022	1	1	ND	ug/L
Chlorobenzene	MW-8N	1/11/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	4/8/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	7/7/2023	1	1	ND	ug/L
Chlorobenzene	MW-8N	10/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-1	1/27/2004	1	1	ND	ug/L
Chlorobenzene	NE-1	1/12/2005	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-1	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-1	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2007	1	1	ND	ug/L
Chlorobenzene	NE-1	1/24/2008	1	1	ND	ug/L
Chlorobenzene	NE-1	7/21/2008	1	1	ND	ug/L
Chlorobenzene	NE-1	2/7/2009	1	1	ND	ug/L
Chlorobenzene	NE-1	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-1	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	7/14/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	9/2/2010	1	1	ND	ug/L
Chlorobenzene	NE-1	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-1	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-1	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-1	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-1	7/16/2013	1	1	ND	ug/L
Chlorobenzene	NE-1	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-1	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-1	2/11/2015	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2015	1	1	ND	ug/L
Chlorobenzene	NE-1	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-1	7/20/2016	1	1	ND	ug/L
Chlorobenzene	NE-1	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-1	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-1	1/24/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	4/11/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	7/18/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2018	1	1	ND	ug/L
Chlorobenzene	NE-1	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	7/10/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-1	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-1	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-1	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	10/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-1	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-1	10/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-10D	11/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-10D	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-10D	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-10D	7/8/2023	1	1	ND	ug/L
Chlorobenzene	NE-10D	10/3/2023	1	1	ND	ug/L
Chlorobenzene	NE-11	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	10/9/2017	1	1	ND	ug/L
Chlorobenzene	NE-11	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-11	1/14/2020	1	1	ND	ug/L
Chlorobenzene	NE-11	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-11	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-11	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-12	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-12	8/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-12	1/13/2020	1	1	ND	ug/L
Chlorobenzene	NE-12	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-12	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-12	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-13	2/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-13	8/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-13	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-13	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-13	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-14D	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14D	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-14D	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-14D	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-14S	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-14S	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-15D	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15D	10/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-15S	4/3/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-2	10/1/2013	1	1	ND	ug/L
Chlorobenzene	NE-2	10/8/2014	1	1	ND	ug/L
Chlorobenzene	NE-2	10/5/2015	1	1	ND	ug/L
Chlorobenzene	NE-2	10/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-2	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-2	1/25/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	7/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	10/1/2018	1	1	ND	ug/L
Chlorobenzene	NE-2	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-2	1/14/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-2	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-2	1/14/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-2	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-2	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-2	4/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-2	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-2	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-4	7/10/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	10/3/2002	1	1	ND	ug/L
Chlorobenzene	NE-4	4/15/2003	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-4	1/28/2004	1	1	ND	ug/L
Chlorobenzene	NE-4	1/13/2005	1	1	ND	ug/L
Chlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	8/1/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	10/25/2006	1	1	ND	ug/L
Chlorobenzene	NE-4	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-4	7/12/2007	1	1	ND	ug/L
Chlorobenzene	NE-4	1/24/2008	1	1	ND	ug/L
Chlorobenzene	NE-4	7/21/2008	1	1	ND	ug/L
Chlorobenzene	NE-4	2/7/2009	1	1	ND	ug/L
Chlorobenzene	NE-4	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-4	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-4	7/14/2010	1	1	ND	ug/L
Chlorobenzene	NE-4	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-4	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-4	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-4	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-4	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-4	7/16/2013	1	1	ND	ug/L
Chlorobenzene	NE-4	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-4	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-4	2/13/2015	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2015	1	1	ND	ug/L
Chlorobenzene	NE-4	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-4	7/20/2016	1	1	ND	ug/L
Chlorobenzene	NE-4	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-4	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-4	1/26/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	7/12/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	10/3/2018	1	1	ND	ug/L
Chlorobenzene	NE-4	1/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	7/8/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	10/1/2019	1	1	ND	ug/L
Chlorobenzene	NE-4	1/13/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-4	10/5/2020	1	1	ND	ug/L
Chlorobenzene	NE-4	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-4	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-4	4/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-4	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-4	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	8/6/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	9/4/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	10/2/2002	1	1	ND	ug/L
Chlorobenzene	NE-5	4/15/2003	1	1	ND	ug/L
Chlorobenzene	NE-5	7/8/2003	1	1	ND	ug/L
Chlorobenzene	NE-5	1/27/2004	1	1	ND	ug/L
Chlorobenzene	NE-5	1/12/2005	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	10/25/2006	1	1	ND	ug/L
Chlorobenzene	NE-5	1/24/2007	1	1	ND	ug/L
Chlorobenzene	NE-5	7/12/2007	1	1	ND	ug/L
Chlorobenzene	NE-5	7/22/2008	1	1	ND	ug/L
Chlorobenzene	NE-5	2/6/2009	1	1	ND	ug/L
Chlorobenzene	NE-5	7/31/2009	1	1	ND	ug/L
Chlorobenzene	NE-5	1/26/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	7/16/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	9/2/2010	1	1	ND	ug/L
Chlorobenzene	NE-5	1/19/2011	1	1	ND	ug/L
Chlorobenzene	NE-5	7/13/2011	1	1	ND	ug/L
Chlorobenzene	NE-5	1/5/2012	1	1	ND	ug/L
Chlorobenzene	NE-5	7/10/2012	1	1	ND	ug/L
Chlorobenzene	NE-5	4/30/2013	1	1	ND	ug/L
Chlorobenzene	NE-5	7/16/2013	1	1	ND	ug/L
Chlorobenzene	NE-5	1/23/2014	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2014	1	1	ND	ug/L
Chlorobenzene	NE-5	2/11/2015	1	1	ND	ug/L
Chlorobenzene	NE-5	7/14/2015	1	1	ND	ug/L
Chlorobenzene	NE-5	1/6/2016	1	1	ND	ug/L
Chlorobenzene	NE-5	7/20/2016	1	1	ND	ug/L
Chlorobenzene	NE-5	1/11/2017	1	1	ND	ug/L
Chlorobenzene	NE-5	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-5	1/25/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	4/10/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	7/17/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	10/3/2018	1	1	ND	ug/L
Chlorobenzene	NE-5	1/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	7/9/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	10/3/2019	1	1	ND	ug/L
Chlorobenzene	NE-5	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-5	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-5	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/1/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5E	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-5E	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	9/30/2019	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/6/2020	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/6/2021	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/18/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-5W	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-5W	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-6	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	7/19/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-6	2/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-6	8/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-6	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-6	7/9/2020	1	1	ND	ug/L
Chlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-6	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-6	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-6	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-6	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/2/2019	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/2/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/9/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/15/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/2/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/6/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/7/2022	1	1	ND	ug/L
Chlorobenzene	NE-6D	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	4/7/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-6D	10/4/2023	1	1	ND	ug/L
Chlorobenzene	NE-7	3/1/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	4/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-7	2/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-7	8/6/2019	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2020	1	1	ND	ug/L
Chlorobenzene	NE-7	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	1/16/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	7/12/2022	1	1	ND	ug/L
Chlorobenzene	NE-7	1/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-7	7/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-8	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	7/20/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	10/6/2017	1	1	ND	ug/L
Chlorobenzene	NE-8	2/4/2019	1	1	ND	ug/L
Chlorobenzene	NE-8	8/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-8	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-8	7/8/2020	1	1	ND	ug/L
Chlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	1/13/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	4/9/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	10/7/2021	1	1	ND	ug/L
Chlorobenzene	NE-8	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-8	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	1/12/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	4/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzene	NE-9	10/5/2017	1	1	ND	ug/L
Chlorobenzene	NE-9	2/5/2019	1	1	ND	ug/L
Chlorobenzene	NE-9	8/7/2019	1	1	ND	ug/L
Chlorobenzene	NE-9	1/15/2020	1	1	ND	ug/L
Chlorobenzene	NE-9	7/7/2020	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	7/1/2021	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	1/17/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	7/13/2022	1	1	ND	ug/L
Chlorobenzene	NE-9	1/6/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	4/8/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	7/5/2023	1	1	ND	ug/L
Chlorobenzene	NE-9	10/6/2023	1	1	ND	ug/L
Chlorobenzilate	LGW-10	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-10	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-10	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-10	10/5/2023	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	10/27/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	2/6/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-14R	7/17/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-14R	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-2	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-2	2/13/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-2	2/13/2015	13	13	ND	ug/L
Chlorobenzilate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-2	7/8/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-2	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-3R	7/11/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-3R	7/6/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-4	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-4	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-4	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-5	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-5	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-5	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-5	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-5	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	LGW-6	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-6	2/5/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-6	2/10/2015	10	10	ND	ug/L
Chlorobenzilate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Chlorobenzilate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Chlorobenzilate	LGW-6	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-6	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-6	10/5/2023	10	10	ND	ug/L
Chlorobenzilate	LGW-7	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-7	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-7	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-7	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-7	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-8R	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-9	10/26/2006	10	10	ND	ug/L
Chlorobenzilate	LGW-9	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	LGW-9	7/10/2019	10	10	ND	ug/L
Chlorobenzilate	LGW-9	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	LGW-9	7/7/2021	10	10	ND	ug/L
Chlorobenzilate	LGW-9	10/5/2023	10	10	ND	ug/L
Chlorobenzilate	MW-10N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-10N	2/13/2009	10	10	ND	ug/L
Chlorobenzilate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-10N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-11N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-11N	2/3/2009	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-11N	2/10/2015	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/17/2018	10	10	ND	ug/L
Chlorobenzilate	MW-11N	7/6/2021	10	10	ND	ug/L
Chlorobenzilate	MW-15	7/10/2018	10	10	ND	ug/L
Chlorobenzilate	MW-15	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-16	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-17	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	MW-1N	10/14/1998	10	10	ND	ug/L
Chlorobenzilate	MW-1N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-1N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-1N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-1N	2/5/2009	10	10	ND	ug/L
Chlorobenzilate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Chlorobenzilate	MW-1N	7/6/2020	50	50	ND	ug/L
Chlorobenzilate	MW-1N	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-20	7/4/2021	10	10	ND	ug/L
Chlorobenzilate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-21	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-21	7/8/2020	50	50	ND	ug/L
Chlorobenzilate	MW-21	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-2N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-2N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-2N	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	MW-2N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-3N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-3N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-3N	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	MW-3N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Chlorobenzilate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Chlorobenzilate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-3N	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-3N	7/7/2020	50	50	ND	ug/L
Chlorobenzilate	MW-3N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-7N	10/15/1998	10	10	ND	ug/L
Chlorobenzilate	MW-7N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-7N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-7N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-7N	2/6/2009	10	10	ND	ug/L
Chlorobenzilate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Chlorobenzilate	MW-7N	7/13/2018	10	10	ND	ug/L
Chlorobenzilate	MW-7N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-8N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-8N	5/29/2002	20	20	ND	ug/L
Chlorobenzilate	MW-8N	10/24/2006	10	10	ND	ug/L
Chlorobenzilate	MW-8N	1/24/2008	10	10	ND	ug/L
Chlorobenzilate	MW-8N	2/4/2009	10	10	ND	ug/L
Chlorobenzilate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Chlorobenzilate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Chlorobenzilate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Chlorobenzilate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chlorobenzilate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Chlorobenzilate	MW-8N	7/11/2019	10	10	ND	ug/L
Chlorobenzilate	MW-8N	7/9/2020	50	50	ND	ug/L
Chlorobenzilate	MW-8N	7/5/2021	10	10	ND	ug/L
Chlorobenzilate	MW-8N	10/5/2023	10	10	ND	ug/L
Chlorobenzilate	NE-1	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-1	2/7/2009	10	10	ND	ug/L
Chlorobenzilate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-4	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-4	2/7/2009	10	10	ND	ug/L
Chlorobenzilate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Chlorobenzilate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-4	7/12/2018	10	10	ND	ug/L
Chlorobenzilate	NE-5	10/25/2006	10	10	ND	ug/L
Chlorobenzilate	NE-5	2/6/2009	10	10	ND	ug/L
Chlorobenzilate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Chlorobenzilate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Chlorobenzilate	NE-5	7/9/2019	10	10	ND	ug/L
Chloroethane	LGW-10	1/26/2006	1	1	ND	ug/L
Chloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-10	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-10	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-10	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-10	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-10	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-10	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-10	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-10	7/16/2010	0.6	1	ND	ug/L
Chloroethane	LGW-10	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-10	7/12/2011	1.6	1		ug/L
Chloroethane	LGW-10	1/5/2012	0.45	1	ND	ug/L
Chloroethane	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-10	5/1/2013	0.44	1	ND	ug/L
Chloroethane	LGW-10	1/30/2014	0.64	1	ND	ug/L
Chloroethane	LGW-10	7/9/2014	0.47	1	ND	ug/L
Chloroethane	LGW-10	2/12/2015	0.41	1	ND	ug/L
Chloroethane	LGW-10	7/13/2015	0.42	1	ND	ug/L
Chloroethane	LGW-10	1/5/2016	0.48	1	ND	ug/L
Chloroethane	LGW-10	4/6/2016	1	1	ND	ug/L
Chloroethane	LGW-10	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-10	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-10	4/4/2017	0.42	1	ND	ug/L
Chloroethane	LGW-10	7/19/2017	1	1	ND	ug/L
Chloroethane	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroethane	LGW-10	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-10	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroethane	LGW-10	10/4/2018	1	1	ND	ug/L
Chloroethane	LGW-10	1/4/2019	1	1	ND	ug/L
Chloroethane	LGW-10	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroethane	LGW-10	10/2/2019	1	1	ND	ug/L
Chloroethane	LGW-10	1/15/2020	1	1	ND	ug/L
Chloroethane	LGW-10	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-10	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-10	10/7/2020	1	1	ND	ug/L
Chloroethane	LGW-10	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-10	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-10	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-10	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-10	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-10	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-10	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-10	10/7/2022	1	1	ND	ug/L
Chloroethane	LGW-10	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-10	4/5/2023	1	1	ND	ug/L
Chloroethane	LGW-10	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-10	10/5/2023	1	1	ND	ug/L
Chloroethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Chloroethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Chloroethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloroethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloroethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-2	1/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-2	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-2	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-2	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-2	7/10/2007	1	1	ND	ug/L
Chloroethane	LGW-2	1/26/2008	1	1	ND	ug/L
Chloroethane	LGW-2	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-2	2/6/2009	1	1	ND	ug/L
Chloroethane	LGW-2	7/30/2009	1	1	ND	ug/L
Chloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-2	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-2	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-2	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-2	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-2	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-2	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-2	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-2	1/30/2014	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-2	2/13/2015	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-2	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-2	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-2	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-2	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-2	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-2	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-2	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-2	1/13/2020	1	1	ND	ug/L
Chloroethane	LGW-2	4/1/2020	1	1	ND	ug/L
Chloroethane	LGW-2	7/8/2020	1	1	ND	ug/L
Chloroethane	LGW-2	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-2	7/4/2021	1	1	ND	ug/L
Chloroethane	LGW-2	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-2	7/10/2022	1	1	ND	ug/L
Chloroethane	LGW-2	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-2	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Chloroethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloroethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloroethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-3R	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloroethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloroethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloroethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloroethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloroethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloroethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-4	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-4	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-4	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-4	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-4	1/22/2008	1	1	ND	ug/L
Chloroethane	LGW-4	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2009	1	1	ND	ug/L
Chloroethane	LGW-4	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-4	7/16/2010	1	1	ND	ug/L
Chloroethane	LGW-4	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-4	7/13/2011	1	1	ND	ug/L
Chloroethane	LGW-4	1/4/2012	1	1	ND	ug/L
Chloroethane	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-4	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-4	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-4	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-4	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-4	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-4	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-4	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-4	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-4	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-4	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2018	1	1	ND	ug/L
Chloroethane	LGW-4	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-4	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-4	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-4	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-4	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-4	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-4	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-4	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-4	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-4	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-5	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-5	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-5	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-5	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-5	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-5	7/23/2008	1	1	ND	ug/L
Chloroethane	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-5	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-5	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-5	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-5	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-5	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-5	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-5	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-5	7/8/2015	1	1	ND	ug/L
Chloroethane	LGW-5	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-5	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-5	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-5	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-5	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-5	1/3/2019	1	1	ND	ug/L
Chloroethane	LGW-5	7/9/2019	1	1	ND	ug/L
Chloroethane	LGW-5	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-5	7/6/2020	1	1	ND	ug/L
Chloroethane	LGW-5	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-5	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-5	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-5	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-5	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-5	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-5	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-5	10/6/2022	1	1	ND	ug/L
Chloroethane	LGW-5	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-5	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-5	10/5/2023	1	1	ND	ug/L
Chloroethane	LGW-6	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-6	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-6	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-6	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-6	7/11/2007	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2008	1	1	ND	ug/L
Chloroethane	LGW-6	7/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroethane	LGW-6	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroethane	LGW-6	7/12/2010	1	1	ND	ug/L
Chloroethane	LGW-6	1/19/2011	1	1	ND	ug/L
Chloroethane	LGW-6	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-6	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-6	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-6	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-6	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroethane	LGW-6	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-6	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-6	7/19/2016	1	1	ND	ug/L
Chloroethane	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-6	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-6	5/5/2017	1	1	ND	ug/L
Chloroethane	LGW-6	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-6	1/23/2018	1	1	ND	ug/L
Chloroethane	LGW-6	4/10/2018	1	1	ND	ug/L
Chloroethane	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroethane	LGW-6	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-6	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-6	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-6	10/3/2019	1	1	ND	ug/L
Chloroethane	LGW-6	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-6	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-6	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-6	10/6/2020	1	1	ND	ug/L
Chloroethane	LGW-6	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-6	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-6	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-6	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-6	1/12/2022	1	1	ND	ug/L
Chloroethane	LGW-6	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-6	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-6	10/6/2022	1	1	ND	ug/L
Chloroethane	LGW-6	1/10/2023	1	1	ND	ug/L
Chloroethane	LGW-6	4/6/2023	1	1	ND	ug/L
Chloroethane	LGW-6	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-6	10/5/2023	1	1	ND	ug/L
Chloroethane	LGW-7	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroethane	LGW-7	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-7	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-7	4/26/2007	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-7	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-7	7/31/2009	1	1	ND	ug/L
Chloroethane	LGW-7	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-7	1/20/2011	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-7	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroethane	LGW-7	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-7	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-7	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-7	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-7	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-7	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-7	4/6/2016	1	1	ND	ug/L
Chloroethane	LGW-7	7/20/2016	1	1	ND	ug/L
Chloroethane	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-7	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-7	4/4/2017	1	1	ND	ug/L
Chloroethane	LGW-7	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-7	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-7	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroethane	LGW-7	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-7	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-7	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-7	10/3/2019	1	1	ND	ug/L
Chloroethane	LGW-7	1/15/2020	1	1	ND	ug/L
Chloroethane	LGW-7	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-7	1/18/2021	1	1	ND	ug/L
Chloroethane	LGW-7	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-7	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-7	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-7	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-7	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-7	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloroethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloroethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Chloroethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloroethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloroethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloroethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloroethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-8R	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloroethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloroethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloroethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloroethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloroethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-9	1/25/2006	1	1	ND	ug/L
Chloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroethane	LGW-9	10/26/2006	2	2	ND	ug/L
Chloroethane	LGW-9	1/25/2007	1	1	ND	ug/L
Chloroethane	LGW-9	4/25/2007	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2007	1	1	ND	ug/L
Chloroethane	LGW-9	7/22/2008	1	1	ND	ug/L
Chloroethane	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroethane	LGW-9	7/29/2009	1	1	ND	ug/L
Chloroethane	LGW-9	1/27/2010	1	1	ND	ug/L
Chloroethane	LGW-9	7/14/2010	1	1	ND	ug/L
Chloroethane	LGW-9	1/20/2011	1	1	ND	ug/L
Chloroethane	LGW-9	7/12/2011	1	1	ND	ug/L
Chloroethane	LGW-9	1/5/2012	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroethane	LGW-9	5/1/2013	1	1	ND	ug/L
Chloroethane	LGW-9	7/15/2013	1	1	ND	ug/L
Chloroethane	LGW-9	1/23/2014	1	1	ND	ug/L
Chloroethane	LGW-9	7/8/2014	1	1	ND	ug/L
Chloroethane	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroethane	LGW-9	7/13/2015	1	1	ND	ug/L
Chloroethane	LGW-9	1/5/2016	1	1	ND	ug/L
Chloroethane	LGW-9	7/21/2016	1	1	ND	ug/L
Chloroethane	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroethane	LGW-9	1/11/2017	1	1	ND	ug/L
Chloroethane	LGW-9	5/5/2017	1	1	ND	ug/L
Chloroethane	LGW-9	7/18/2017	1	1	ND	ug/L
Chloroethane	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroethane	LGW-9	1/24/2018	1	1	ND	ug/L
Chloroethane	LGW-9	4/11/2018	1	1	ND	ug/L
Chloroethane	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroethane	LGW-9	10/2/2018	1	1	ND	ug/L
Chloroethane	LGW-9	1/7/2019	1	1	ND	ug/L
Chloroethane	LGW-9	4/3/2019	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroethane	LGW-9	10/3/2019	1	1	ND	ug/L
Chloroethane	LGW-9	1/16/2020	1	1	ND	ug/L
Chloroethane	LGW-9	4/2/2020	1	1	ND	ug/L
Chloroethane	LGW-9	7/9/2020	1	1	ND	ug/L
Chloroethane	LGW-9	10/7/2020	1	1	ND	ug/L
Chloroethane	LGW-9	1/17/2021	1	1	ND	ug/L
Chloroethane	LGW-9	4/6/2021	1	1	ND	ug/L
Chloroethane	LGW-9	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	LGW-9	10/5/2021	1	1	ND	ug/L
Chloroethane	LGW-9	1/13/2022	1	1	ND	ug/L
Chloroethane	LGW-9	4/4/2022	1	1	ND	ug/L
Chloroethane	LGW-9	7/11/2022	1	1	ND	ug/L
Chloroethane	LGW-9	10/7/2022	1	1	ND	ug/L
Chloroethane	LGW-9	1/11/2023	1	1	ND	ug/L
Chloroethane	LGW-9	4/5/2023	1	1	ND	ug/L
Chloroethane	LGW-9	7/10/2023	1	1	ND	ug/L
Chloroethane	LGW-9	10/5/2023	1	1	ND	ug/L
Chloroethane	MW-10N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/28/1998	12	12	ND	ug/L
Chloroethane	MW-10N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	7/15/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-10N	7/11/2000	1	1	ND	ug/L
Chloroethane	MW-10N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-10N	4/10/2001	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2002	1	1	ND	ug/L
Chloroethane	MW-10N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-10N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-10N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-10N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-10N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-10N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-10N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-10N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-10N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-10N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-10N	1/24/2007	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-10N	1/23/2008	1	1	ND	ug/L
Chloroethane	MW-10N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroethane	MW-10N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-10N	1/27/2010	1	1	ND	ug/L
Chloroethane	MW-10N	8/10/2010	1	1	ND	ug/L
Chloroethane	MW-10N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-10N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-10N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-10N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-10N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-10N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-10N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-10N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-10N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-10N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-10N	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-10N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-10N	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-10N	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-10N	7/8/2020	1	1	ND	ug/L
Chloroethane	MW-10N	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-10N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-10N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-10N	7/7/2023	1	1	ND	ug/L
Chloroethane	MW-11N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	1/13/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-11N	7/10/2000	1	1	ND	ug/L
Chloroethane	MW-11N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-11N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-11N	4/10/2001	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2002	1	1	ND	ug/L
Chloroethane	MW-11N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2003	1	1	ND	ug/L
Chloroethane	MW-11N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-11N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-11N	1/29/2004	1	1	ND	ug/L
Chloroethane	MW-11N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-11N	1/13/2005	1	1	ND	ug/L
Chloroethane	MW-11N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-11N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-11N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-11N	1/24/2007	1	1	ND	ug/L
Chloroethane	MW-11N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-11N	1/22/2008	1	1	ND	ug/L
Chloroethane	MW-11N	7/23/2008	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2009	1	1	ND	ug/L
Chloroethane	MW-11N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroethane	MW-11N	7/16/2010	1	1	ND	ug/L
Chloroethane	MW-11N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-11N	1/4/2012	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2012	1	1	ND	ug/L
Chloroethane	MW-11N	4/30/2013	1	1	ND	ug/L
Chloroethane	MW-11N	7/15/2013	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2014	1	1	ND	ug/L
Chloroethane	MW-11N	7/8/2014	1	1	ND	ug/L
Chloroethane	MW-11N	2/10/2015	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2015	1	1	ND	ug/L
Chloroethane	MW-11N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-11N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-11N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-11N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-11N	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-11N	7/17/2018	1	1	ND	ug/L
Chloroethane	MW-11N	1/2/2019	1	1	ND	ug/L
Chloroethane	MW-11N	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-11N	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-11N	7/6/2020	1	1	ND	ug/L
Chloroethane	MW-11N	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-11N	7/6/2021	1	1	ND	ug/L
Chloroethane	MW-11N	1/18/2022	1	1	ND	ug/L
Chloroethane	MW-11N	7/13/2022	1	1	ND	ug/L
Chloroethane	MW-11N	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-11N	7/8/2023	1	1	ND	ug/L
Chloroethane	MW-15	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-15	7/15/2015	1	1	ND	ug/L
Chloroethane	MW-15	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-15	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-15	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-15	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-15	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-15	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-15	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-15	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-15	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-15	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-15	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-15	7/9/2019	1	1	ND	ug/L
Chloroethane	MW-15	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-15	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-15	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-15	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-15	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-15	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-15	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-15	7/10/2023	1	1	ND	ug/L
Chloroethane	MW-16	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-16	7/16/2015	1	1	ND	ug/L
Chloroethane	MW-16	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-16	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-16	1/8/2016	1	1	ND	ug/L
Chloroethane	MW-16	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-16	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-16	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-16	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-16	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-16	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-16	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-16	1/2/2019	1	1	ND	ug/L
Chloroethane	MW-16	7/10/2019	1	1	ND	ug/L
Chloroethane	MW-16	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-16	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-16	1/18/2021	1	1	ND	ug/L
Chloroethane	MW-16	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-16	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-16	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-16	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-16	7/10/2023	1	1	ND	ug/L
Chloroethane	MW-17	6/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-17	7/15/2015	1	1	ND	ug/L
Chloroethane	MW-17	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-17	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-17	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-17	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-17	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-17	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-17	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-17	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-17	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-17	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-17	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-17	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-17	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-17	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-17	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-17	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-17	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-17	7/8/2023	1	1	ND	ug/L
Chloroethane	MW-19	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-19	7/16/2015	1	1	ND	ug/L
Chloroethane	MW-19	8/5/2015	1	1	ND	ug/L
Chloroethane	MW-19	9/3/2015	1	1	ND	ug/L
Chloroethane	MW-19	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-19	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-19	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-19	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-19	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-19	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-19	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-19	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-19	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-19	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-19	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-19	8/3/2020	1	1	ND	ug/L
Chloroethane	MW-19	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-19	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-19	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-19	7/10/2023	1	1	ND	ug/L
Chloroethane	MW-1N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/20/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	10/14/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	5/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/15/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	10/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/12/2000	1.9	1		ug/L
Chloroethane	MW-1N	10/18/2000	1.4	1		ug/L
Chloroethane	MW-1N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-1N	4/12/2001	2.5	1		ug/L
Chloroethane	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroethane	MW-1N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-1N	7/9/2002	0.24	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-1N	10/3/2002	0.21	1		ug/L
Chloroethane	MW-1N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-1N	4/15/2003	1	1	ND	ug/L
Chloroethane	MW-1N	7/8/2003	1	1	ND	ug/L
Chloroethane	MW-1N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-1N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-1N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-1N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-1N	1/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroethane	MW-1N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-1N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-1N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-1N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-1N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroethane	MW-1N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-1N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-1N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-1N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-1N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-1N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-1N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-1N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-1N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-1N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-1N	2/10/2015	1	1	ND	ug/L
Chloroethane	MW-1N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-1N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-1N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-1N	1/12/2017	1	1	ND	ug/L
Chloroethane	MW-1N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-1N	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-1N	7/10/2018	1	1	ND	ug/L
Chloroethane	MW-1N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-1N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-1N	1/23/2020	1	1	ND	ug/L
Chloroethane	MW-1N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-1N	7/6/2020	1	1	ND	ug/L
Chloroethane	MW-1N	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-1N	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-1N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-1N	7/8/2023	1	1	ND	ug/L
Chloroethane	MW-20	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-20	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-20	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-20	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-20	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-20	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-20	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-20	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-20	1/12/2017	1	1	ND	ug/L
Chloroethane	MW-20	7/18/2017	1	1	ND	ug/L
Chloroethane	MW-20	1/26/2018	1	1	ND	ug/L
Chloroethane	MW-20	7/12/2018	1	1	ND	ug/L
Chloroethane	MW-20	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-20	1/14/2020	1	1	ND	ug/L
Chloroethane	MW-20	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-20	1/17/2021	1	1	ND	ug/L
Chloroethane	MW-20	7/4/2021	1	1	ND	ug/L
Chloroethane	MW-20	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-21	6/5/2015	1	1	ND	ug/L
Chloroethane	MW-21	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-21	8/4/2015	1	1	ND	ug/L
Chloroethane	MW-21	9/2/2015	1	1	ND	ug/L
Chloroethane	MW-21	1/7/2016	1	1	ND	ug/L
Chloroethane	MW-21	4/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	7/20/2016	1	1	ND	ug/L
Chloroethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloroethane	MW-21	1/10/2017	1	1	ND	ug/L
Chloroethane	MW-21	4/5/2017	1	1	ND	ug/L
Chloroethane	MW-21	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-21	10/6/2017	1	1	ND	ug/L
Chloroethane	MW-21	1/24/2018	1	1	ND	ug/L
Chloroethane	MW-21	4/11/2018	1	1	ND	ug/L
Chloroethane	MW-21	7/11/2018	1	1	ND	ug/L
Chloroethane	MW-21	10/4/2018	1	1	ND	ug/L
Chloroethane	MW-21	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-21	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-21	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-21	10/2/2019	1	1	ND	ug/L
Chloroethane	MW-21	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-21	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-21	7/8/2020	1	1	ND	ug/L
Chloroethane	MW-21	10/7/2020	1	1	ND	ug/L
Chloroethane	MW-21	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-21	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-21	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-21	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-21	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-21	4/8/2023	1	1	ND	ug/L
Chloroethane	MW-21	7/7/2023	1	1	ND	ug/L
Chloroethane	MW-21	10/6/2023	1	1	ND	ug/L
Chloroethane	MW-2N	10/22/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	10/20/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-2N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2001	1	1	ND	ug/L
Chloroethane	MW-2N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-2N	7/10/2002	1	1	ND	ug/L
Chloroethane	MW-2N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-2N	1/22/2003	1	1	ND	ug/L
Chloroethane	MW-2N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-2N	7/7/2003	1	1	ND	ug/L
Chloroethane	MW-2N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-2N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-2N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-2N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-2N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-2N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-2N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-2N	3/27/2007	1	1	ND	ug/L
Chloroethane	MW-2N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-2N	7/22/2008	1	1	ND	ug/L
Chloroethane	MW-2N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-2N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-2N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-2N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-2N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-2N	7/13/2011	1	1	ND	ug/L
Chloroethane	MW-2N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-2N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-2N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-2N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-2N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-2N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-2N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-2N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-2N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-2N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-2N	1/23/2018	1	1	ND	ug/L
Chloroethane	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroethane	MW-2N	1/3/2019	1	1	ND	ug/L
Chloroethane	MW-2N	8/7/2019	1	1	ND	ug/L
Chloroethane	MW-2N	1/23/2020	1	1	ND	ug/L
Chloroethane	MW-2N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-2N	1/14/2021	1	1	ND	ug/L
Chloroethane	MW-2N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-2N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-2N	7/8/2023	1	1	ND	ug/L
Chloroethane	MW-3N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	4/28/1998	0.44	5.9		ug/L
Chloroethane	MW-3N	7/23/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	1/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	10/20/1999	0.43	5.9		ug/L
Chloroethane	MW-3N	1/14/2000	0.24	5.9		ug/L
Chloroethane	MW-3N	4/24/2000	0.34	5.9		ug/L
Chloroethane	MW-3N	7/11/2000	1	1	ND	ug/L
Chloroethane	MW-3N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-3N	1/23/2001	1	1	ND	ug/L
Chloroethane	MW-3N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-3N	5/29/2002	1	1		ug/L
Chloroethane	MW-3N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-3N	7/9/2002	0.83	1		ug/L
Chloroethane	MW-3N	10/2/2002	1	1		ug/L
Chloroethane	MW-3N	1/22/2003	1.1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-3N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-3N	7/7/2003	1	1		ug/L
Chloroethane	MW-3N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-3N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-3N	1/12/2005	1.2	1		ug/L
Chloroethane	MW-3N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-3N	1/18/2006	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-3N	10/25/2006	2	2	ND	ug/L
Chloroethane	MW-3N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2007	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-3N	7/22/2008	1	1	ND	ug/L
Chloroethane	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-3N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-3N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-3N	7/13/2010	1	1	ND	ug/L
Chloroethane	MW-3N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-3N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-3N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroethane	MW-3N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-3N	6/4/2013	1	1	ND	ug/L
Chloroethane	MW-3N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2014	1	1	ND	ug/L
Chloroethane	MW-3N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-3N	4/1/2015	1	1	ND	ug/L
Chloroethane	MW-3N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-3N	10/5/2015	1	1	ND	ug/L
Chloroethane	MW-3N	1/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	4/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-3N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-3N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-3N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroethane	MW-3N	1/24/2018	1	1	ND	ug/L
Chloroethane	MW-3N	4/10/2018	1	1	ND	ug/L
Chloroethane	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-3N	10/3/2018	1	1	ND	ug/L
Chloroethane	MW-3N	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-3N	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-3N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-3N	10/2/2019	1	1	ND	ug/L
Chloroethane	MW-3N	1/15/2020	1	1	ND	ug/L
Chloroethane	MW-3N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-3N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-3N	10/7/2020	1	1	ND	ug/L
Chloroethane	MW-3N	1/13/2021	1	1	ND	ug/L
Chloroethane	MW-3N	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-3N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-3N	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-3N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-3N	7/7/2023	1	1	ND	ug/L
Chloroethane	MW-3N	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-7N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	1/21/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	8/18/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	9/17/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	10/15/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	11/9/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	1/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	4/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	10/19/1999	3	5.9		ug/L
Chloroethane	MW-7N	1/13/2000	2.6	5.9		ug/L
Chloroethane	MW-7N	4/25/2000	2.6	5.9		ug/L
Chloroethane	MW-7N	10/17/2000	2.3	1		ug/L
Chloroethane	MW-7N	1/23/2001	2.2	1		ug/L
Chloroethane	MW-7N	4/10/2001	2.2	1		ug/L
Chloroethane	MW-7N	5/29/2002	2.4	1		ug/L
Chloroethane	MW-7N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-7N	7/9/2002	1.9	1		ug/L
Chloroethane	MW-7N	10/2/2002	1.7	1		ug/L
Chloroethane	MW-7N	1/23/2003	1.9	1		ug/L
Chloroethane	MW-7N	4/14/2003	1.4	1		ug/L
Chloroethane	MW-7N	7/7/2003	1.8	1		ug/L
Chloroethane	MW-7N	1/27/2004	1.6	1		ug/L
Chloroethane	MW-7N	4/8/2004	1.3	1		ug/L
Chloroethane	MW-7N	7/26/2004	1	1	ND	ug/L
Chloroethane	MW-7N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2005	1	1	ND	ug/L
Chloroethane	MW-7N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-7N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-7N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-7N	7/21/2008	1	1	ND	ug/L
Chloroethane	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroethane	MW-7N	7/29/2009	1	1	ND	ug/L
Chloroethane	MW-7N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-7N	7/14/2010	1	1	ND	ug/L
Chloroethane	MW-7N	9/2/2010	1	1	ND	ug/L
Chloroethane	MW-7N	1/20/2011	1	1	ND	ug/L
Chloroethane	MW-7N	7/12/2011	1	1	ND	ug/L
Chloroethane	MW-7N	1/5/2012	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroethane	MW-7N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-7N	6/4/2013	1	1	ND	ug/L
Chloroethane	MW-7N	7/15/2013	1	1	ND	ug/L
Chloroethane	MW-7N	1/30/2014	1	1	ND	ug/L
Chloroethane	MW-7N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-7N	7/13/2015	1	1	ND	ug/L
Chloroethane	MW-7N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-7N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-7N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-7N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-7N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroethane	MW-7N	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-7N	4/11/2018	1	1	ND	ug/L
Chloroethane	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroethane	MW-7N	1/4/2019	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2019	1	1	ND	ug/L
Chloroethane	MW-7N	1/16/2020	1	1	ND	ug/L
Chloroethane	MW-7N	7/7/2020	1	1	ND	ug/L
Chloroethane	MW-7N	1/16/2021	1	1	ND	ug/L
Chloroethane	MW-7N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-7N	1/12/2022	1	1	ND	ug/L
Chloroethane	MW-7N	7/10/2022	1	1	ND	ug/L
Chloroethane	MW-7N	1/10/2023	1	1	ND	ug/L
Chloroethane	MW-7N	7/7/2023	1	1	ND	ug/L
Chloroethane	MW-8N	10/21/1997	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/28/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	7/22/1998	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/12/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/13/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	7/14/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	10/19/1999	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	1/14/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	4/25/2000	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	10/17/2000	1	1	ND	ug/L
Chloroethane	MW-8N	1/23/2001	1	1	ND	ug/L
Chloroethane	MW-8N	4/11/2001	1	1	ND	ug/L
Chloroethane	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroethane	MW-8N	5/29/2002	5.9	5.9	ND	ug/L
Chloroethane	MW-8N	7/9/2002	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2002	1	1	ND	ug/L
Chloroethane	MW-8N	1/23/2003	1	1	ND	ug/L
Chloroethane	MW-8N	4/14/2003	1	1	ND	ug/L
Chloroethane	MW-8N	7/7/2003	1	1	ND	ug/L
Chloroethane	MW-8N	1/28/2004	1	1	ND	ug/L
Chloroethane	MW-8N	7/27/2004	1	1	ND	ug/L
Chloroethane	MW-8N	1/12/2005	1	1	ND	ug/L
Chloroethane	MW-8N	7/20/2005	1	1	ND	ug/L
Chloroethane	MW-8N	1/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroethane	MW-8N	10/24/2006	2	2	ND	ug/L
Chloroethane	MW-8N	1/26/2007	1	1	ND	ug/L
Chloroethane	MW-8N	4/25/2007	1	1	ND	ug/L
Chloroethane	MW-8N	7/10/2007	1	1	ND	ug/L
Chloroethane	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroethane	MW-8N	7/23/2008	1	1	ND	ug/L
Chloroethane	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroethane	MW-8N	7/31/2009	1	1	ND	ug/L
Chloroethane	MW-8N	1/26/2010	1	1	ND	ug/L
Chloroethane	MW-8N	7/16/2010	1	1	ND	ug/L
Chloroethane	MW-8N	1/19/2011	1	1	ND	ug/L
Chloroethane	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroethane	MW-8N	7/14/2011	1	1	ND	ug/L
Chloroethane	MW-8N	1/6/2012	1	1	ND	ug/L
Chloroethane	MW-8N	4/5/2012	1	1	ND	ug/L
Chloroethane	MW-8N	7/11/2012	1	1	ND	ug/L
Chloroethane	MW-8N	10/3/2012	1	1	ND	ug/L
Chloroethane	MW-8N	5/1/2013	1	1	ND	ug/L
Chloroethane	MW-8N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	MW-8N	7/16/2013	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroethane	MW-8N	1/30/2014	1	1	ND	ug/L
Chloroethane	MW-8N	4/3/2014	1	1	ND	ug/L
Chloroethane	MW-8N	7/9/2014	1	1	ND	ug/L
Chloroethane	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroethane	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroethane	MW-8N	4/1/2015	1	1	ND	ug/L
Chloroethane	MW-8N	7/14/2015	1	1	ND	ug/L
Chloroethane	MW-8N	10/5/2015	1	1	ND	ug/L
Chloroethane	MW-8N	1/5/2016	1	1	ND	ug/L
Chloroethane	MW-8N	4/6/2016	1	1	ND	ug/L
Chloroethane	MW-8N	7/21/2016	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroethane	MW-8N	1/11/2017	1	1	ND	ug/L
Chloroethane	MW-8N	4/4/2017	1	1	ND	ug/L
Chloroethane	MW-8N	7/19/2017	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroethane	MW-8N	1/25/2018	1	1	ND	ug/L
Chloroethane	MW-8N	4/10/2018	1	1	ND	ug/L
Chloroethane	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroethane	MW-8N	10/2/2018	1	1	ND	ug/L
Chloroethane	MW-8N	1/7/2019	1	1	ND	ug/L
Chloroethane	MW-8N	4/3/2019	1	1	ND	ug/L
Chloroethane	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroethane	MW-8N	10/3/2019	1	1	ND	ug/L
Chloroethane	MW-8N	1/15/2020	1	1	ND	ug/L
Chloroethane	MW-8N	4/2/2020	1	1	ND	ug/L
Chloroethane	MW-8N	7/9/2020	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2020	1	1	ND	ug/L
Chloroethane	MW-8N	1/15/2021	1	1	ND	ug/L
Chloroethane	MW-8N	4/6/2021	1	1	ND	ug/L
Chloroethane	MW-8N	7/5/2021	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2021	1	1	ND	ug/L
Chloroethane	MW-8N	1/18/2022	1	1	ND	ug/L
Chloroethane	MW-8N	4/4/2022	1	1	ND	ug/L
Chloroethane	MW-8N	7/12/2022	1	1	ND	ug/L
Chloroethane	MW-8N	10/6/2022	1	1	ND	ug/L
Chloroethane	MW-8N	1/11/2023	1	1	ND	ug/L
Chloroethane	MW-8N	4/8/2023	1	1	ND	ug/L
Chloroethane	MW-8N	7/7/2023	1	1	ND	ug/L
Chloroethane	MW-8N	10/5/2023	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2002	1	1	ND	ug/L
Chloroethane	NE-1	8/6/2002	1	1	ND	ug/L
Chloroethane	NE-1	9/4/2002	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2002	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-1	1/27/2004	1	1	ND	ug/L
Chloroethane	NE-1	1/12/2005	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-1	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-1	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2007	1	1	ND	ug/L
Chloroethane	NE-1	1/24/2008	1	1	ND	ug/L
Chloroethane	NE-1	7/21/2008	1	1	ND	ug/L
Chloroethane	NE-1	2/7/2009	1	1	ND	ug/L
Chloroethane	NE-1	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-1	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-1	7/14/2010	1	1	ND	ug/L
Chloroethane	NE-1	9/2/2010	1	1	ND	ug/L
Chloroethane	NE-1	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-1	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-1	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-1	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-1	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-1	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-1	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-1	2/11/2015	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2015	1	1	ND	ug/L
Chloroethane	NE-1	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-1	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-1	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-1	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-1	1/24/2018	1	1	ND	ug/L
Chloroethane	NE-1	4/11/2018	1	1	ND	ug/L
Chloroethane	NE-1	7/18/2018	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2018	1	1	ND	ug/L
Chloroethane	NE-1	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-1	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloroethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloroethane	NE-1	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-1	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-1	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-1	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-1	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-1	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-1	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-1	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-1	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-1	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-1	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-1	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-1	10/6/2022	1	1	ND	ug/L
Chloroethane	NE-1	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-1	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-1	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-1	10/5/2023	1	1	ND	ug/L
Chloroethane	NE-10D	11/6/2019	1	1	ND	ug/L
Chloroethane	NE-10D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-10D	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-10D	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-10D	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-10D	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-10D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-10D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-10D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-10D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-10D	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-10D	7/8/2023	1	1	ND	ug/L
Chloroethane	NE-10D	10/3/2023	1	1	ND	ug/L
Chloroethane	NE-11	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-11	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-11	7/20/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-11	10/9/2017	1	1	ND	ug/L
Chloroethane	NE-11	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-11	1/14/2020	1	1	ND	ug/L
Chloroethane	NE-11	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-11	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-11	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-11	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-12	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-12	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-12	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-12	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-12	8/5/2019	1	1	ND	ug/L
Chloroethane	NE-12	1/13/2020	1	1	ND	ug/L
Chloroethane	NE-12	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-12	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-12	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-12	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-13	2/5/2019	1	1	ND	ug/L
Chloroethane	NE-13	8/7/2019	1	1	ND	ug/L
Chloroethane	NE-13	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-13	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-14D	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-14D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-14D	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-14D	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-14D	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-14D	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-14D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-14D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-14D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-14D	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-14D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-14D	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-14D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-14D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-14D	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-14D	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-14D	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-14S	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-14S	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-14S	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-14S	7/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-14S	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-14S	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-14S	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-14S	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-14S	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-14S	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-14S	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-14S	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-14S	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-14S	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-14S	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-14S	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-14S	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-15D	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-15D	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-15D	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-15D	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-15D	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-15D	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-15D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-15D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-15D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-15D	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-15D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-15D	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-15D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-15D	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-15D	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-15D	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-15D	10/6/2023	1	1	ND	ug/L
Chloroethane	NE-15S	4/3/2020	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2002	0.24	1		ug/L
Chloroethane	NE-2	8/6/2002	1	1	ND	ug/L
Chloroethane	NE-2	9/4/2002	1	1	ND	ug/L
Chloroethane	NE-2	10/2/2002	1	1	ND	ug/L
Chloroethane	NE-2	10/1/2013	1	1	ND	ug/L
Chloroethane	NE-2	10/8/2014	1	1	ND	ug/L
Chloroethane	NE-2	10/5/2015	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2016	1	1	ND	ug/L
Chloroethane	NE-2	10/5/2017	1	1	ND	ug/L
Chloroethane	NE-2	1/25/2018	1	1	ND	ug/L
Chloroethane	NE-2	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-2	7/10/2018	1	1	ND	ug/L
Chloroethane	NE-2	10/1/2018	1	1	ND	ug/L
Chloroethane	NE-2	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-2	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-2	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-2	1/14/2020	1	1	ND	ug/L
Chloroethane	NE-2	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-2	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-2	1/14/2021	1	1	ND	ug/L
Chloroethane	NE-2	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-2	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-2	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-2	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-2	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-2	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-2	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-2	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-2	4/5/2023	1	1	ND	ug/L
Chloroethane	NE-2	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-2	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-4	7/10/2002	0.56	1		ug/L
Chloroethane	NE-4	8/6/2002	0.82	1		ug/L
Chloroethane	NE-4	9/4/2002	0.4	1		ug/L
Chloroethane	NE-4	10/3/2002	0.68	1		ug/L
Chloroethane	NE-4	4/15/2003	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-4	1/28/2004	1	1	ND	ug/L
Chloroethane	NE-4	1/13/2005	1	1	ND	ug/L
Chloroethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloroethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloroethane	NE-4	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-4	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-4	7/12/2007	1	1	ND	ug/L
Chloroethane	NE-4	1/24/2008	1	1	ND	ug/L
Chloroethane	NE-4	7/21/2008	1	1	ND	ug/L
Chloroethane	NE-4	2/7/2009	1	1	ND	ug/L
Chloroethane	NE-4	7/31/2009	1	1	ND	ug/L
Chloroethane	NE-4	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-4	7/14/2010	1	1	ND	ug/L
Chloroethane	NE-4	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-4	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-4	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-4	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-4	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-4	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-4	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-4	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-4	2/13/2015	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2015	1	1	ND	ug/L
Chloroethane	NE-4	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-4	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-4	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-4	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-4	1/26/2018	1	1	ND	ug/L
Chloroethane	NE-4	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-4	7/12/2018	1	1	ND	ug/L
Chloroethane	NE-4	10/3/2018	1	1	ND	ug/L
Chloroethane	NE-4	1/7/2019	1	1	ND	ug/L
Chloroethane	NE-4	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloroethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloroethane	NE-4	10/1/2019	1	1	ND	ug/L
Chloroethane	NE-4	1/13/2020	1	1	ND	ug/L
Chloroethane	NE-4	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-4	7/6/2020	1	1	ND	ug/L
Chloroethane	NE-4	10/5/2020	1	1	ND	ug/L
Chloroethane	NE-4	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-4	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-4	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-4	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-4	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-4	4/6/2023	1	1	ND	ug/L
Chloroethane	NE-4	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-4	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2002	0.62	1		ug/L
Chloroethane	NE-5	8/6/2002	1.1	1		ug/L
Chloroethane	NE-5	9/4/2002	0.62	1		ug/L
Chloroethane	NE-5	10/2/2002	0.99	1		ug/L
Chloroethane	NE-5	4/15/2003	1	1	ND	ug/L
Chloroethane	NE-5	7/8/2003	1	1	ND	ug/L
Chloroethane	NE-5	1/27/2004	1	1	ND	ug/L
Chloroethane	NE-5	1/12/2005	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloroethane	NE-5	10/25/2006	2	2	ND	ug/L
Chloroethane	NE-5	1/24/2007	1	1	ND	ug/L
Chloroethane	NE-5	7/12/2007	1	1	ND	ug/L
Chloroethane	NE-5	7/22/2008	1	1	ND	ug/L
Chloroethane	NE-5	2/6/2009	1	1	ND	ug/L
Chloroethane	NE-5	7/31/2009	1	1	ND	ug/L
Chloroethane	NE-5	1/26/2010	1	1	ND	ug/L
Chloroethane	NE-5	7/16/2010	1	1	ND	ug/L
Chloroethane	NE-5	9/2/2010	1	1	ND	ug/L
Chloroethane	NE-5	1/19/2011	1	1	ND	ug/L
Chloroethane	NE-5	7/13/2011	1	1	ND	ug/L
Chloroethane	NE-5	1/5/2012	1	1	ND	ug/L
Chloroethane	NE-5	7/10/2012	1	1	ND	ug/L
Chloroethane	NE-5	4/30/2013	1	1	ND	ug/L
Chloroethane	NE-5	7/16/2013	1	1	ND	ug/L
Chloroethane	NE-5	1/23/2014	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2014	1	1	ND	ug/L
Chloroethane	NE-5	2/11/2015	1	1	ND	ug/L
Chloroethane	NE-5	7/14/2015	1	1	ND	ug/L
Chloroethane	NE-5	1/6/2016	1	1	ND	ug/L
Chloroethane	NE-5	7/20/2016	1	1	ND	ug/L
Chloroethane	NE-5	1/11/2017	1	1	ND	ug/L
Chloroethane	NE-5	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-5	1/25/2018	1	1	ND	ug/L
Chloroethane	NE-5	4/10/2018	1	1	ND	ug/L
Chloroethane	NE-5	7/17/2018	1	1	ND	ug/L
Chloroethane	NE-5	10/3/2018	1	1	ND	ug/L
Chloroethane	NE-5	1/4/2019	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloroethane	NE-5	10/3/2019	1	1	ND	ug/L
Chloroethane	NE-5	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-5	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-5	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-5	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-5	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-5	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-5E	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-5E	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5E	4/1/2020	1	1	ND	ug/L
Chloroethane	NE-5E	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-5E	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5E	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5E	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5E	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5E	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5E	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5E	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5E	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-5E	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5E	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5E	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-5E	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-5E	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-5W	9/30/2019	1	1	ND	ug/L
Chloroethane	NE-5W	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-5W	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-5W	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-5W	10/6/2020	1	1	ND	ug/L
Chloroethane	NE-5W	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-5W	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-5W	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-5W	10/6/2021	1	1	ND	ug/L
Chloroethane	NE-5W	1/18/2022	1	1	ND	ug/L
Chloroethane	NE-5W	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-5W	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-5W	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-5W	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-5W	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-5W	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-5W	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-6	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-6	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-6	7/19/2017	1	1	ND	ug/L
Chloroethane	NE-6	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-6	2/4/2019	1	1	ND	ug/L
Chloroethane	NE-6	8/6/2019	1	1	ND	ug/L
Chloroethane	NE-6	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-6	7/9/2020	1	1	ND	ug/L
Chloroethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-6	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-6	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-6D	10/2/2019	1	1	ND	ug/L
Chloroethane	NE-6D	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-6D	4/2/2020	1	1	ND	ug/L
Chloroethane	NE-6D	7/9/2020	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2020	1	1	ND	ug/L
Chloroethane	NE-6D	1/15/2021	1	1	ND	ug/L
Chloroethane	NE-6D	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-6D	7/2/2021	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-6D	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-6D	4/6/2022	1	1	ND	ug/L
Chloroethane	NE-6D	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-6D	10/7/2022	1	1	ND	ug/L
Chloroethane	NE-6D	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-6D	4/7/2023	1	1	ND	ug/L
Chloroethane	NE-6D	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-6D	10/4/2023	1	1	ND	ug/L
Chloroethane	NE-7	3/1/2017	1	1	ND	ug/L
Chloroethane	NE-7	4/6/2017	1	1	ND	ug/L
Chloroethane	NE-7	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-7	10/5/2017	1	1	ND	ug/L
Chloroethane	NE-7	2/6/2019	1	1	ND	ug/L
Chloroethane	NE-7	8/6/2019	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2020	1	1	ND	ug/L
Chloroethane	NE-7	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloroethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-7	7/12/2022	1	1	ND	ug/L
Chloroethane	NE-7	1/5/2023	1	1	ND	ug/L
Chloroethane	NE-7	7/6/2023	1	1	ND	ug/L
Chloroethane	NE-8	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-8	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-8	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-8	10/6/2017	1	1	ND	ug/L
Chloroethane	NE-8	2/4/2019	1	1	ND	ug/L
Chloroethane	NE-8	8/5/2019	1	1	ND	ug/L
Chloroethane	NE-8	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-8	7/8/2020	1	1	ND	ug/L
Chloroethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloroethane	NE-8	4/9/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-8	10/7/2021	1	1	ND	ug/L
Chloroethane	NE-8	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-8	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-9	1/12/2017	1	1	ND	ug/L
Chloroethane	NE-9	4/5/2017	1	1	ND	ug/L
Chloroethane	NE-9	7/20/2017	1	1	ND	ug/L
Chloroethane	NE-9	10/5/2017	1	1	ND	ug/L
Chloroethane	NE-9	2/5/2019	1	1	ND	ug/L
Chloroethane	NE-9	8/7/2019	1	1	ND	ug/L
Chloroethane	NE-9	1/15/2020	1	1	ND	ug/L
Chloroethane	NE-9	7/7/2020	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloroethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloroethane	NE-9	7/13/2022	1	1	ND	ug/L
Chloroethane	NE-9	1/6/2023	1	1	ND	ug/L
Chloroethane	NE-9	4/8/2023	1	1	ND	ug/L
Chloroethane	NE-9	7/5/2023	1	1	ND	ug/L
Chloroethane	NE-9	10/6/2023	1	1	ND	ug/L
Chloroform	LGW-10	1/26/2006	1	1	ND	ug/L
Chloroform	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-10	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-10	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-10	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-10	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-10	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-10	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-10	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-10	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-10	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-10	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-10	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-10	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-10	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-10	5/1/2013	1	1	ND	ug/L
Chloroform	LGW-10	1/30/2014	1	1	ND	ug/L
Chloroform	LGW-10	7/9/2014	1	1	ND	ug/L
Chloroform	LGW-10	2/12/2015	1	1	ND	ug/L
Chloroform	LGW-10	7/13/2015	1	1	ND	ug/L
Chloroform	LGW-10	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-10	4/6/2016	1	1	ND	ug/L
Chloroform	LGW-10	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-10	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-10	4/4/2017	1	1	ND	ug/L
Chloroform	LGW-10	7/19/2017	1	1	ND	ug/L
Chloroform	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroform	LGW-10	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-10	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroform	LGW-10	10/4/2018	1	1	ND	ug/L
Chloroform	LGW-10	1/4/2019	1	1	ND	ug/L
Chloroform	LGW-10	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroform	LGW-10	10/2/2019	1	1	ND	ug/L
Chloroform	LGW-10	1/15/2020	1	1	ND	ug/L
Chloroform	LGW-10	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-10	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-10	10/7/2020	1	1	ND	ug/L
Chloroform	LGW-10	1/17/2021	1	1	ND	ug/L
Chloroform	LGW-10	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-10	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-10	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-10	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-10	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-10	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-10	10/7/2022	1	1	ND	ug/L
Chloroform	LGW-10	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-10	4/5/2023	1	1	ND	ug/L
Chloroform	LGW-10	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-10	10/5/2023	1	1	ND	ug/L
Chloroform	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroform	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloroform	LGW-14R	10/27/2006	1	1	ND	ug/L
Chloroform	LGW-14R	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-14R	4/24/2007	1	1	ND	ug/L
Chloroform	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloroform	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-14R	1/5/2012	0.18	1	ND	ug/L
Chloroform	LGW-14R	7/9/2012	0.19	1	ND	ug/L
Chloroform	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-14R	1/23/2014	0.17	1	ND	ug/L
Chloroform	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-14R	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloroform	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroform	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-14R	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-2	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-2	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-2	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-2	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-2	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-2	7/10/2007	1	1	ND	ug/L
Chloroform	LGW-2	1/26/2008	1	1	ND	ug/L
Chloroform	LGW-2	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-2	2/6/2009	0.34	1	ND	ug/L
Chloroform	LGW-2	7/30/2009	1	1	ND	ug/L
Chloroform	LGW-2	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-2	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-2	7/12/2010	0.27	1	ND	ug/L
Chloroform	LGW-2	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-2	7/13/2011	0.38	1	ND	ug/L
Chloroform	LGW-2	1/4/2012	0.28	1	ND	ug/L
Chloroform	LGW-2	7/9/2012	0.29	1	ND	ug/L
Chloroform	LGW-2	4/30/2013	0.32	1	ND	ug/L
Chloroform	LGW-2	7/15/2013	0.22	1	ND	ug/L
Chloroform	LGW-2	1/30/2014	0.25	1	ND	ug/L
Chloroform	LGW-2	7/8/2014	0.25	1	ND	ug/L
Chloroform	LGW-2	2/13/2015	0.17	1	ND	ug/L
Chloroform	LGW-2	7/8/2015	0.26	1	ND	ug/L
Chloroform	LGW-2	1/5/2016	0.27	1	ND	ug/L
Chloroform	LGW-2	7/19/2016	0.3	1	ND	ug/L
Chloroform	LGW-2	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-2	7/18/2017	0.25	1	ND	ug/L
Chloroform	LGW-2	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-2	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-2	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-2	1/13/2020	1	1	ND	ug/L
Chloroform	LGW-2	4/1/2020	1	1	ND	ug/L
Chloroform	LGW-2	7/8/2020	1	1	ND	ug/L
Chloroform	LGW-2	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-2	7/4/2021	1	1	ND	ug/L
Chloroform	LGW-2	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-2	7/10/2022	1	1	ND	ug/L
Chloroform	LGW-2	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-2	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-3R	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-3R	1/26/2008	1	1	ND	ug/L
Chloroform	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2009	0.17	1	ND	ug/L
Chloroform	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloroform	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloroform	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloroform	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroform	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloroform	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloroform	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-3R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-3R	7/11/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloroform	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloroform	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-3R	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-4	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-4	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-4	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-4	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-4	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-4	1/22/2008	1	1	ND	ug/L
Chloroform	LGW-4	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2009	1	1	ND	ug/L
Chloroform	LGW-4	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-4	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-4	7/16/2010	1	1	ND	ug/L
Chloroform	LGW-4	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-4	7/13/2011	1	1	ND	ug/L
Chloroform	LGW-4	1/4/2012	1	1	ND	ug/L
Chloroform	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-4	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-4	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-4	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-4	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-4	7/8/2015	1	1	ND	ug/L
Chloroform	LGW-4	1/5/2016	0.22	1	ND	ug/L
Chloroform	LGW-4	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-4	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-4	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-4	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2018	1	1	ND	ug/L
Chloroform	LGW-4	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-4	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-4	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-4	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-4	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-4	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-4	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-4	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-4	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-4	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-5	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-5	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-5	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-5	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-5	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-5	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-5	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-5	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-5	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-5	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-5	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-5	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-5	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-5	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-5	2/10/2015	0.22	1	ND	ug/L
Chloroform	LGW-5	7/8/2015	1	1	ND	ug/L
Chloroform	LGW-5	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-5	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-5	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-5	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-5	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-5	1/3/2019	1	1	ND	ug/L
Chloroform	LGW-5	7/9/2019	1	1	ND	ug/L
Chloroform	LGW-5	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-5	7/6/2020	1	1	ND	ug/L
Chloroform	LGW-5	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-5	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-5	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-5	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-5	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-5	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-5	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-5	10/6/2022	1	1	ND	ug/L
Chloroform	LGW-5	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-5	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-5	10/5/2023	1	1	ND	ug/L
Chloroform	LGW-6	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-6	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-6	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-6	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-6	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-6	7/11/2007	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2008	1	1	ND	ug/L
Chloroform	LGW-6	7/23/2008	1	1	ND	ug/L
Chloroform	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroform	LGW-6	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-6	2/3/2010	1	1	ND	ug/L
Chloroform	LGW-6	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-6	1/19/2011	1	1	ND	ug/L
Chloroform	LGW-6	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-6	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-6	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-6	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-6	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroform	LGW-6	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-6	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-6	7/19/2016	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-6	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-6	5/5/2017	1	1	ND	ug/L
Chloroform	LGW-6	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-6	1/23/2018	1	1	ND	ug/L
Chloroform	LGW-6	4/10/2018	1	1	ND	ug/L
Chloroform	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroform	LGW-6	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-6	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-6	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-6	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-6	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-6	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-6	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2020	1	1	ND	ug/L
Chloroform	LGW-6	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-6	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-6	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-6	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-6	1/12/2022	1	1	ND	ug/L
Chloroform	LGW-6	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-6	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-6	10/6/2022	1	1	ND	ug/L
Chloroform	LGW-6	1/10/2023	1	1	ND	ug/L
Chloroform	LGW-6	4/6/2023	1	1	ND	ug/L
Chloroform	LGW-6	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-6	10/5/2023	1	1	ND	ug/L
Chloroform	LGW-7	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-7	8/1/2006	1	1	ND	ug/L
Chloroform	LGW-7	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-7	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-7	4/26/2007	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-7	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-7	7/31/2009	1	1	ND	ug/L
Chloroform	LGW-7	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2010	1	1	ND	ug/L
Chloroform	LGW-7	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-7	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroform	LGW-7	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-7	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-7	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-7	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-7	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-7	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-7	4/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-7	7/20/2016	1	1	ND	ug/L
Chloroform	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-7	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-7	4/4/2017	1	1	ND	ug/L
Chloroform	LGW-7	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-7	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-7	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroform	LGW-7	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-7	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-7	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-7	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-7	1/15/2020	1	1	ND	ug/L
Chloroform	LGW-7	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-7	1/18/2021	1	1	ND	ug/L
Chloroform	LGW-7	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-7	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-7	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-7	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-7	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-7	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-8R	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloroform	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloroform	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloroform	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloroform	LGW-8R	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloroform	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloroform	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloroform	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloroform	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-8R	7/20/2016	1	1	ND	ug/L
Chloroform	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloroform	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroform	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloroform	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloroform	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloroform	LGW-8R	1/17/2021	1	1	ND	ug/L
Chloroform	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-8R	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-8R	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-9	1/25/2006	1	1	ND	ug/L
Chloroform	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-9	7/20/2006	1	1	ND	ug/L
Chloroform	LGW-9	10/26/2006	1	1	ND	ug/L
Chloroform	LGW-9	1/25/2007	1	1	ND	ug/L
Chloroform	LGW-9	4/25/2007	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2007	1	1	ND	ug/L
Chloroform	LGW-9	7/22/2008	1	1	ND	ug/L
Chloroform	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroform	LGW-9	7/29/2009	1	1	ND	ug/L
Chloroform	LGW-9	1/27/2010	1	1	ND	ug/L
Chloroform	LGW-9	7/14/2010	1	1	ND	ug/L
Chloroform	LGW-9	1/20/2011	1	1	ND	ug/L
Chloroform	LGW-9	7/12/2011	1	1	ND	ug/L
Chloroform	LGW-9	1/5/2012	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroform	LGW-9	5/1/2013	1	1	ND	ug/L
Chloroform	LGW-9	7/15/2013	1	1	ND	ug/L
Chloroform	LGW-9	1/23/2014	1	1	ND	ug/L
Chloroform	LGW-9	7/8/2014	1	1	ND	ug/L
Chloroform	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroform	LGW-9	7/13/2015	1	1	ND	ug/L
Chloroform	LGW-9	1/5/2016	1	1	ND	ug/L
Chloroform	LGW-9	7/21/2016	1	1	ND	ug/L
Chloroform	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroform	LGW-9	1/11/2017	1	1	ND	ug/L
Chloroform	LGW-9	5/5/2017	1	1	ND	ug/L
Chloroform	LGW-9	7/18/2017	1	1	ND	ug/L
Chloroform	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroform	LGW-9	1/24/2018	1	1	ND	ug/L
Chloroform	LGW-9	4/11/2018	1	1	ND	ug/L
Chloroform	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroform	LGW-9	10/2/2018	1	1	ND	ug/L
Chloroform	LGW-9	1/7/2019	1	1	ND	ug/L
Chloroform	LGW-9	4/3/2019	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroform	LGW-9	10/3/2019	1	1	ND	ug/L
Chloroform	LGW-9	1/16/2020	1	1	ND	ug/L
Chloroform	LGW-9	4/2/2020	1	1	ND	ug/L
Chloroform	LGW-9	7/9/2020	1	1	ND	ug/L
Chloroform	LGW-9	10/7/2020	1	1	ND	ug/L
Chloroform	LGW-9	1/17/2021	1	1	ND	ug/L
Chloroform	LGW-9	4/6/2021	1	1	ND	ug/L
Chloroform	LGW-9	7/7/2021	1	1	ND	ug/L
Chloroform	LGW-9	10/5/2021	1	1	ND	ug/L
Chloroform	LGW-9	1/13/2022	1	1	ND	ug/L
Chloroform	LGW-9	4/4/2022	1	1	ND	ug/L
Chloroform	LGW-9	7/11/2022	1	1	ND	ug/L
Chloroform	LGW-9	10/7/2022	1	1	ND	ug/L
Chloroform	LGW-9	1/11/2023	1	1	ND	ug/L
Chloroform	LGW-9	4/5/2023	1	1	ND	ug/L
Chloroform	LGW-9	7/10/2023	1	1	ND	ug/L
Chloroform	LGW-9	10/5/2023	1	1	ND	ug/L
Chloroform	MW-10N	10/22/1997	8.3	2.7		ug/L
Chloroform	MW-10N	1/22/1998	3.8	2.7		ug/L
Chloroform	MW-10N	4/28/1998	0.84	5.4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-10N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-10N	1/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	7/15/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-10N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-10N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-10N	7/11/2000	1	1	ND	ug/L
Chloroform	MW-10N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-10N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2002	1	1	ND	ug/L
Chloroform	MW-10N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-10N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-10N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-10N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-10N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-10N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-10N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-10N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-10N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-10N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2007	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-10N	1/23/2008	1	1	ND	ug/L
Chloroform	MW-10N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroform	MW-10N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-10N	1/27/2010	1	1	ND	ug/L
Chloroform	MW-10N	8/10/2010	1	1	ND	ug/L
Chloroform	MW-10N	1/19/2011	1	1	ND	ug/L
Chloroform	MW-10N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-10N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-10N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-10N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-10N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-10N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-10N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-10N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-10N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-10N	1/24/2018	1	1	ND	ug/L
Chloroform	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroform	MW-10N	1/3/2019	1	1	ND	ug/L
Chloroform	MW-10N	7/9/2019	1	1	ND	ug/L
Chloroform	MW-10N	1/16/2020	1	1	ND	ug/L
Chloroform	MW-10N	7/8/2020	1	1	ND	ug/L
Chloroform	MW-10N	1/13/2021	1	1	ND	ug/L
Chloroform	MW-10N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-10N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-10N	7/7/2023	1	1	ND	ug/L
Chloroform	MW-11N	10/22/1997	9.4	2.7		ug/L
Chloroform	MW-11N	1/21/1998	4.8	2.7		ug/L
Chloroform	MW-11N	4/28/1998	0.39	2.7		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-11N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-11N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-11N	1/13/2000	2.7	2.7	ND	ug/L
Chloroform	MW-11N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-11N	7/10/2000	1	1	ND	ug/L
Chloroform	MW-11N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-11N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-11N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-11N	7/9/2002	0.31	1		ug/L
Chloroform	MW-11N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-11N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-11N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-11N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-11N	1/29/2004	1	1	ND	ug/L
Chloroform	MW-11N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-11N	1/13/2005	1	1	ND	ug/L
Chloroform	MW-11N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-11N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-11N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-11N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-11N	1/24/2007	1	1	ND	ug/L
Chloroform	MW-11N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-11N	1/22/2008	1	1	ND	ug/L
Chloroform	MW-11N	7/23/2008	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2009	0.49	1	ND	ug/L
Chloroform	MW-11N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroform	MW-11N	2/3/2010	1	1	ND	ug/L
Chloroform	MW-11N	7/16/2010	0.49	1	ND	ug/L
Chloroform	MW-11N	1/19/2011	0.55	1	ND	ug/L
Chloroform	MW-11N	7/13/2011	0.67	1	ND	ug/L
Chloroform	MW-11N	1/4/2012	0.42	1	ND	ug/L
Chloroform	MW-11N	7/9/2012	0.43	1	ND	ug/L
Chloroform	MW-11N	4/30/2013	0.53	1	ND	ug/L
Chloroform	MW-11N	7/15/2013	0.38	1	ND	ug/L
Chloroform	MW-11N	1/23/2014	0.28	1	ND	ug/L
Chloroform	MW-11N	7/8/2014	0.44	1	ND	ug/L
Chloroform	MW-11N	2/10/2015	0.42	1	ND	ug/L
Chloroform	MW-11N	7/13/2015	0.33	1	ND	ug/L
Chloroform	MW-11N	1/5/2016	0.46	1	ND	ug/L
Chloroform	MW-11N	7/21/2016	0.41	1	ND	ug/L
Chloroform	MW-11N	1/11/2017	0.2	1	ND	ug/L
Chloroform	MW-11N	7/19/2017	0.47	1	ND	ug/L
Chloroform	MW-11N	1/23/2018	0.46	1	ND	ug/L
Chloroform	MW-11N	7/17/2018	0.41	1	ND	ug/L
Chloroform	MW-11N	1/2/2019	0.42	1	ND	ug/L
Chloroform	MW-11N	7/9/2019	0.62	1	ND	ug/L
Chloroform	MW-11N	1/14/2020	1	1	ND	ug/L
Chloroform	MW-11N	7/6/2020	1	1	ND	ug/L
Chloroform	MW-11N	1/18/2021	1	1	ND	ug/L
Chloroform	MW-11N	7/6/2021	1	1	ND	ug/L
Chloroform	MW-11N	1/18/2022	1	1	ND	ug/L
Chloroform	MW-11N	7/13/2022	1	1	ND	ug/L
Chloroform	MW-11N	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-11N	7/8/2023	1	1	ND	ug/L
Chloroform	MW-15	6/5/2015	1	1	ND	ug/L
Chloroform	MW-15	7/15/2015	1	1	ND	ug/L
Chloroform	MW-15	8/5/2015	1	1	ND	ug/L
Chloroform	MW-15	9/3/2015	1	1	ND	ug/L
Chloroform	MW-15	1/7/2016	1	1	ND	ug/L
Chloroform	MW-15	4/5/2016	1	1	ND	ug/L
Chloroform	MW-15	7/20/2016	1	1	ND	ug/L
Chloroform	MW-15	10/6/2016	1	1	ND	ug/L
Chloroform	MW-15	1/10/2017	1	1	ND	ug/L
Chloroform	MW-15	7/18/2017	1	1	ND	ug/L
Chloroform	MW-15	1/23/2018	1	1	ND	ug/L
Chloroform	MW-15	7/10/2018	1	1	ND	ug/L
Chloroform	MW-15	1/3/2019	1	1	ND	ug/L
Chloroform	MW-15	7/9/2019	1	1	ND	ug/L
Chloroform	MW-15	1/14/2020	1	1	ND	ug/L
Chloroform	MW-15	8/3/2020	1	1	ND	ug/L
Chloroform	MW-15	1/18/2021	1	1	ND	ug/L
Chloroform	MW-15	7/4/2021	1	1	ND	ug/L
Chloroform	MW-15	1/12/2022	1	1	ND	ug/L
Chloroform	MW-15	7/10/2022	1	1	ND	ug/L
Chloroform	MW-15	1/10/2023	1	1	ND	ug/L
Chloroform	MW-15	7/10/2023	1	1	ND	ug/L
Chloroform	MW-16	6/5/2015	0.55	1	ND	ug/L
Chloroform	MW-16	7/16/2015	0.45	1	ND	ug/L
Chloroform	MW-16	8/5/2015	0.56	1	ND	ug/L
Chloroform	MW-16	9/3/2015	0.47	1	ND	ug/L
Chloroform	MW-16	1/8/2016	0.56	1	ND	ug/L
Chloroform	MW-16	4/5/2016	0.42	1	ND	ug/L
Chloroform	MW-16	7/21/2016	0.5	1	ND	ug/L
Chloroform	MW-16	10/5/2016	0.52	1	ND	ug/L
Chloroform	MW-16	1/10/2017	0.44	1	ND	ug/L
Chloroform	MW-16	7/18/2017	0.43	1	ND	ug/L
Chloroform	MW-16	1/23/2018	0.65	1	ND	ug/L
Chloroform	MW-16	7/11/2018	0.56	1	ND	ug/L
Chloroform	MW-16	1/2/2019	0.56	1	ND	ug/L
Chloroform	MW-16	7/10/2019	0.65	1	ND	ug/L
Chloroform	MW-16	1/14/2020	1	1	ND	ug/L
Chloroform	MW-16	8/3/2020	1	1	ND	ug/L
Chloroform	MW-16	1/18/2021	1	1	ND	ug/L
Chloroform	MW-16	7/4/2021	1	1	ND	ug/L
Chloroform	MW-16	1/12/2022	1	1	ND	ug/L
Chloroform	MW-16	7/10/2022	1	1	ND	ug/L
Chloroform	MW-16	1/10/2023	1	1	ND	ug/L
Chloroform	MW-16	7/10/2023	1	1	ND	ug/L
Chloroform	MW-17	6/5/2015	0.22	1	ND	ug/L
Chloroform	MW-17	7/15/2015	1	1	ND	ug/L
Chloroform	MW-17	8/4/2015	1	1	ND	ug/L
Chloroform	MW-17	9/2/2015	1	1	ND	ug/L
Chloroform	MW-17	1/7/2016	1	1	ND	ug/L
Chloroform	MW-17	4/5/2016	1	1	ND	ug/L
Chloroform	MW-17	7/20/2016	1	1	ND	ug/L
Chloroform	MW-17	10/6/2016	1	1	ND	ug/L
Chloroform	MW-17	1/10/2017	0.16	1	ND	ug/L
Chloroform	MW-17	7/18/2017	1	1	ND	ug/L
Chloroform	MW-17	1/23/2018	1	1	ND	ug/L
Chloroform	MW-17	7/10/2018	1	1	ND	ug/L
Chloroform	MW-17	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-17	7/11/2019	1	1	ND	ug/L
Chloroform	MW-17	1/14/2020	1	1	ND	ug/L
Chloroform	MW-17	8/3/2020	1	1	ND	ug/L
Chloroform	MW-17	1/14/2021	1	1	ND	ug/L
Chloroform	MW-17	7/4/2021	1	1	ND	ug/L
Chloroform	MW-17	1/10/2023	1	1	ND	ug/L
Chloroform	MW-17	7/8/2023	1	1	ND	ug/L
Chloroform	MW-19	6/5/2015	1	1	ND	ug/L
Chloroform	MW-19	7/16/2015	1	1	ND	ug/L
Chloroform	MW-19	8/5/2015	1	1	ND	ug/L
Chloroform	MW-19	9/3/2015	1	1	ND	ug/L
Chloroform	MW-19	1/7/2016	1	1	ND	ug/L
Chloroform	MW-19	4/5/2016	1	1	ND	ug/L
Chloroform	MW-19	7/21/2016	1	1	ND	ug/L
Chloroform	MW-19	10/5/2016	1	1	ND	ug/L
Chloroform	MW-19	1/10/2017	1	1	ND	ug/L
Chloroform	MW-19	7/18/2017	1	1	ND	ug/L
Chloroform	MW-19	1/23/2018	1	1	ND	ug/L
Chloroform	MW-19	7/13/2018	1	1	ND	ug/L
Chloroform	MW-19	1/7/2019	1	1	ND	ug/L
Chloroform	MW-19	7/11/2019	1	1	ND	ug/L
Chloroform	MW-19	1/14/2020	1	1	ND	ug/L
Chloroform	MW-19	8/3/2020	1	1	ND	ug/L
Chloroform	MW-19	1/14/2021	1	1	ND	ug/L
Chloroform	MW-19	7/4/2021	1	1	ND	ug/L
Chloroform	MW-19	1/11/2023	1	1	ND	ug/L
Chloroform	MW-19	7/10/2023	1	1	ND	ug/L
Chloroform	MW-1N	10/22/1997	2.7	2.7	ND	ug/L
Chloroform	MW-1N	1/20/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	4/28/1998	0.41	2.7		ug/L
Chloroform	MW-1N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	10/14/1998	2.7	2.7	ND	ug/L
Chloroform	MW-1N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	5/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	7/15/1999	2.7	2.7	ND	ug/L
Chloroform	MW-1N	10/19/1999	0.39	2.7		ug/L
Chloroform	MW-1N	1/14/2000	0.21	2.7		ug/L
Chloroform	MW-1N	4/25/2000	0.42	2.7		ug/L
Chloroform	MW-1N	7/12/2000	1	1	ND	ug/L
Chloroform	MW-1N	10/18/2000	1	1	ND	ug/L
Chloroform	MW-1N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-1N	4/12/2001	1	1	ND	ug/L
Chloroform	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-1N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-1N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-1N	10/3/2002	1	1	ND	ug/L
Chloroform	MW-1N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-1N	4/15/2003	1	1	ND	ug/L
Chloroform	MW-1N	7/8/2003	1	1	ND	ug/L
Chloroform	MW-1N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-1N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-1N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-1N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-1N	1/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	7/18/2006	1	1	ND	ug/L
Chloroform	MW-1N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-1N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-1N	7/11/2007	1	1	ND	ug/L
Chloroform	MW-1N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-1N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroform	MW-1N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-1N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-1N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-1N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-1N	7/13/2011	1	1	ND	ug/L
Chloroform	MW-1N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-1N	5/1/2013	0.19	1	ND	ug/L
Chloroform	MW-1N	7/16/2013	0.17	1	ND	ug/L
Chloroform	MW-1N	1/24/2014	0.27	1	ND	ug/L
Chloroform	MW-1N	7/9/2014	0.34	1	ND	ug/L
Chloroform	MW-1N	2/10/2015	0.28	1	ND	ug/L
Chloroform	MW-1N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-1N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-1N	7/21/2016	0.3	1	ND	ug/L
Chloroform	MW-1N	1/12/2017	1	1	ND	ug/L
Chloroform	MW-1N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-1N	1/23/2018	0.34	1	ND	ug/L
Chloroform	MW-1N	7/10/2018	0.27	1	ND	ug/L
Chloroform	MW-1N	1/3/2019	0.34	1	ND	ug/L
Chloroform	MW-1N	7/11/2019	1	1	ND	ug/L
Chloroform	MW-1N	1/23/2020	1	1	ND	ug/L
Chloroform	MW-1N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-1N	7/6/2020	1	1	ND	ug/L
Chloroform	MW-1N	1/14/2021	1	1	ND	ug/L
Chloroform	MW-1N	7/4/2021	1	1	ND	ug/L
Chloroform	MW-1N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-1N	7/8/2023	1	1	ND	ug/L
Chloroform	MW-20	6/5/2015	1	1	ND	ug/L
Chloroform	MW-20	7/14/2015	1	1	ND	ug/L
Chloroform	MW-20	8/4/2015	1	1	ND	ug/L
Chloroform	MW-20	9/2/2015	1	1	ND	ug/L
Chloroform	MW-20	1/7/2016	1	1	ND	ug/L
Chloroform	MW-20	4/5/2016	1	1	ND	ug/L
Chloroform	MW-20	7/20/2016	1	1	ND	ug/L
Chloroform	MW-20	10/5/2016	1	1	ND	ug/L
Chloroform	MW-20	1/12/2017	1	1	ND	ug/L
Chloroform	MW-20	7/18/2017	1	1	ND	ug/L
Chloroform	MW-20	1/26/2018	1	1	ND	ug/L
Chloroform	MW-20	7/12/2018	1	1	ND	ug/L
Chloroform	MW-20	7/11/2019	1	1	ND	ug/L
Chloroform	MW-20	1/14/2020	1	1	ND	ug/L
Chloroform	MW-20	7/7/2020	1	1	ND	ug/L
Chloroform	MW-20	1/17/2021	1	1	ND	ug/L
Chloroform	MW-20	7/4/2021	1	1	ND	ug/L
Chloroform	MW-20	1/11/2023	1	1	ND	ug/L
Chloroform	MW-21	6/5/2015	1	1	ND	ug/L
Chloroform	MW-21	7/14/2015	1	1	ND	ug/L
Chloroform	MW-21	8/4/2015	1	1	ND	ug/L
Chloroform	MW-21	9/2/2015	1	1	ND	ug/L
Chloroform	MW-21	1/7/2016	1	1	ND	ug/L
Chloroform	MW-21	4/5/2016	1	1	ND	ug/L
Chloroform	MW-21	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-21	10/5/2016	1	1	ND	ug/L
Chloroform	MW-21	10/5/2016	1	1	ND	ug/L
Chloroform	MW-21	1/10/2017	1	1	ND	ug/L
Chloroform	MW-21	4/5/2017	1	1	ND	ug/L
Chloroform	MW-21	7/19/2017	1	1	ND	ug/L
Chloroform	MW-21	10/6/2017	1	1	ND	ug/L
Chloroform	MW-21	1/24/2018	1	1	ND	ug/L
Chloroform	MW-21	4/11/2018	1	1	ND	ug/L
Chloroform	MW-21	7/11/2018	1	1	ND	ug/L
Chloroform	MW-21	10/4/2018	1	1	ND	ug/L
Chloroform	MW-21	1/3/2019	1	1	ND	ug/L
Chloroform	MW-21	4/3/2019	1	1	ND	ug/L
Chloroform	MW-21	7/11/2019	1	1	ND	ug/L
Chloroform	MW-21	10/2/2019	1	1	ND	ug/L
Chloroform	MW-21	1/16/2020	1	1	ND	ug/L
Chloroform	MW-21	4/2/2020	1	1	ND	ug/L
Chloroform	MW-21	7/8/2020	1	1	ND	ug/L
Chloroform	MW-21	10/7/2020	1	1	ND	ug/L
Chloroform	MW-21	1/13/2021	1	1	ND	ug/L
Chloroform	MW-21	4/6/2021	1	1	ND	ug/L
Chloroform	MW-21	7/5/2021	1	1	ND	ug/L
Chloroform	MW-21	10/6/2021	1	1	ND	ug/L
Chloroform	MW-21	1/11/2023	1	1	ND	ug/L
Chloroform	MW-21	4/8/2023	1	1	ND	ug/L
Chloroform	MW-21	7/7/2023	1	1	ND	ug/L
Chloroform	MW-21	10/6/2023	1	1	ND	ug/L
Chloroform	MW-2N	10/22/1997	2.7	2.7	ND	ug/L
Chloroform	MW-2N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/28/1998	0.49	2.7		ug/L
Chloroform	MW-2N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-2N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-2N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-2N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-2N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-2N	1/24/2001	1	1	ND	ug/L
Chloroform	MW-2N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-2N	7/10/2002	1	1	ND	ug/L
Chloroform	MW-2N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-2N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-2N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-2N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-2N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-2N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-2N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-2N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-2N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-2N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-2N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-2N	3/27/2007	1	1	ND	ug/L
Chloroform	MW-2N	7/11/2007	1	1	ND	ug/L
Chloroform	MW-2N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-2N	7/22/2008	1	1	ND	ug/L
Chloroform	MW-2N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-2N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-2N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-2N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-2N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-2N	7/13/2011	1	1	ND	ug/L
Chloroform	MW-2N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-2N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-2N	7/16/2013	0.35	1	ND	ug/L
Chloroform	MW-2N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-2N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-2N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-2N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-2N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-2N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-2N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-2N	1/23/2018	1	1	ND	ug/L
Chloroform	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroform	MW-2N	1/3/2019	1	1	ND	ug/L
Chloroform	MW-2N	8/7/2019	1	1	ND	ug/L
Chloroform	MW-2N	1/23/2020	1	1	ND	ug/L
Chloroform	MW-2N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-2N	1/14/2021	1	1	ND	ug/L
Chloroform	MW-2N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-2N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-2N	7/8/2023	1	1	ND	ug/L
Chloroform	MW-3N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-3N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/28/1998	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/23/1998	2.7	2.7	ND	ug/L
Chloroform	MW-3N	1/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	10/20/1999	2.7	2.7	ND	ug/L
Chloroform	MW-3N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-3N	4/24/2000	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/11/2000	1	1	ND	ug/L
Chloroform	MW-3N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-3N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-3N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-3N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-3N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-3N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-3N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-3N	1/22/2003	1	1	ND	ug/L
Chloroform	MW-3N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-3N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-3N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-3N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-3N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-3N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-3N	1/18/2006	1	1	ND	ug/L
Chloroform	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-3N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-3N	10/25/2006	1	1	ND	ug/L
Chloroform	MW-3N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-3N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-3N	7/22/2008	1	1	ND	ug/L
Chloroform	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroform	MW-3N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-3N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-3N	7/13/2010	1	1	ND	ug/L
Chloroform	MW-3N	1/20/2011	0.84	1	ND	ug/L
Chloroform	MW-3N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-3N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroform	MW-3N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-3N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-3N	7/16/2013	1	1	ND	ug/L
Chloroform	MW-3N	1/24/2014	1	1	ND	ug/L
Chloroform	MW-3N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-3N	4/1/2015	1	1	ND	ug/L
Chloroform	MW-3N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-3N	10/5/2015	1	1	ND	ug/L
Chloroform	MW-3N	1/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	4/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroform	MW-3N	1/11/2017	0.18	1	ND	ug/L
Chloroform	MW-3N	4/4/2017	0.19	1	ND	ug/L
Chloroform	MW-3N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroform	MW-3N	1/24/2018	1	1	ND	ug/L
Chloroform	MW-3N	4/10/2018	1	1	ND	ug/L
Chloroform	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroform	MW-3N	10/3/2018	1	1	ND	ug/L
Chloroform	MW-3N	1/7/2019	0.18	1	ND	ug/L
Chloroform	MW-3N	4/3/2019	1	1	ND	ug/L
Chloroform	MW-3N	7/11/2019	1	1	ND	ug/L
Chloroform	MW-3N	10/2/2019	1	1	ND	ug/L
Chloroform	MW-3N	1/15/2020	1	1	ND	ug/L
Chloroform	MW-3N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-3N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-3N	10/7/2020	1	1	ND	ug/L
Chloroform	MW-3N	1/13/2021	1	1	ND	ug/L
Chloroform	MW-3N	4/6/2021	1	1	ND	ug/L
Chloroform	MW-3N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-3N	10/6/2021	1	1	ND	ug/L
Chloroform	MW-3N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-3N	7/7/2023	1	1	ND	ug/L
Chloroform	MW-3N	10/6/2023	1	1	ND	ug/L
Chloroform	MW-7N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/21/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	8/18/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	9/17/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/15/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	11/9/1998	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	4/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-7N	1/13/2000	2.7	2.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-7N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-7N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-7N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-7N	4/10/2001	1	1	ND	ug/L
Chloroform	MW-7N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-7N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-7N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-7N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-7N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-7N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-7N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-7N	1/27/2004	1	1	ND	ug/L
Chloroform	MW-7N	4/8/2004	1	1	ND	ug/L
Chloroform	MW-7N	7/26/2004	1	1	ND	ug/L
Chloroform	MW-7N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2005	1	1	ND	ug/L
Chloroform	MW-7N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-7N	10/24/2006	1	1	ND	ug/L
Chloroform	MW-7N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-7N	7/21/2008	1	1	ND	ug/L
Chloroform	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroform	MW-7N	7/29/2009	1	1	ND	ug/L
Chloroform	MW-7N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-7N	7/14/2010	1	1	ND	ug/L
Chloroform	MW-7N	9/2/2010	1	1	ND	ug/L
Chloroform	MW-7N	1/20/2011	1	1	ND	ug/L
Chloroform	MW-7N	7/12/2011	1	1	ND	ug/L
Chloroform	MW-7N	1/5/2012	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroform	MW-7N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-7N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-7N	7/15/2013	1	1	ND	ug/L
Chloroform	MW-7N	1/30/2014	1	1	ND	ug/L
Chloroform	MW-7N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-7N	7/13/2015	1	1	ND	ug/L
Chloroform	MW-7N	1/5/2016	1	1	ND	ug/L
Chloroform	MW-7N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-7N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-7N	4/4/2017	1	1	ND	ug/L
Chloroform	MW-7N	7/19/2017	0.16	1	ND	ug/L
Chloroform	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroform	MW-7N	1/25/2018	1	1	ND	ug/L
Chloroform	MW-7N	4/11/2018	1	1	ND	ug/L
Chloroform	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroform	MW-7N	1/4/2019	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2019	1	1	ND	ug/L
Chloroform	MW-7N	1/16/2020	1	1	ND	ug/L
Chloroform	MW-7N	7/7/2020	1	1	ND	ug/L
Chloroform	MW-7N	1/16/2021	1	1	ND	ug/L
Chloroform	MW-7N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-7N	1/12/2022	1	1	ND	ug/L
Chloroform	MW-7N	7/10/2022	1	1	ND	ug/L
Chloroform	MW-7N	1/10/2023	1	1	ND	ug/L
Chloroform	MW-7N	7/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-8N	10/21/1997	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/22/1998	3.2	2.7		ug/L
Chloroform	MW-8N	4/28/1998	0.36	2.7		ug/L
Chloroform	MW-8N	7/22/1998	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/12/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	4/13/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	7/14/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	10/19/1999	2.7	2.7	ND	ug/L
Chloroform	MW-8N	1/14/2000	2.7	2.7	ND	ug/L
Chloroform	MW-8N	4/25/2000	2.7	2.7	ND	ug/L
Chloroform	MW-8N	10/17/2000	1	1	ND	ug/L
Chloroform	MW-8N	1/23/2001	1	1	ND	ug/L
Chloroform	MW-8N	4/11/2001	1	1	ND	ug/L
Chloroform	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroform	MW-8N	5/29/2002	2.7	2.7	ND	ug/L
Chloroform	MW-8N	7/9/2002	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2002	1	1	ND	ug/L
Chloroform	MW-8N	1/23/2003	1	1	ND	ug/L
Chloroform	MW-8N	4/14/2003	1	1	ND	ug/L
Chloroform	MW-8N	7/7/2003	1	1	ND	ug/L
Chloroform	MW-8N	1/28/2004	1	1	ND	ug/L
Chloroform	MW-8N	7/27/2004	1	1	ND	ug/L
Chloroform	MW-8N	1/12/2005	1	1	ND	ug/L
Chloroform	MW-8N	7/20/2005	1	1	ND	ug/L
Chloroform	MW-8N	1/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2006	1	1	ND	ug/L
Chloroform	MW-8N	10/24/2006	1	1	ND	ug/L
Chloroform	MW-8N	1/26/2007	1	1	ND	ug/L
Chloroform	MW-8N	4/25/2007	1	1	ND	ug/L
Chloroform	MW-8N	7/10/2007	1	1	ND	ug/L
Chloroform	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroform	MW-8N	7/23/2008	1	1	ND	ug/L
Chloroform	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroform	MW-8N	7/31/2009	1	1	ND	ug/L
Chloroform	MW-8N	1/26/2010	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2010	1	1	ND	ug/L
Chloroform	MW-8N	1/19/2011	1	1	ND	ug/L
Chloroform	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroform	MW-8N	7/14/2011	1	1	ND	ug/L
Chloroform	MW-8N	1/6/2012	1	1	ND	ug/L
Chloroform	MW-8N	4/5/2012	1	1	ND	ug/L
Chloroform	MW-8N	7/11/2012	1	1	ND	ug/L
Chloroform	MW-8N	10/3/2012	1	1	ND	ug/L
Chloroform	MW-8N	5/1/2013	1	1	ND	ug/L
Chloroform	MW-8N	6/4/2013	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2013	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroform	MW-8N	1/30/2014	1	1	ND	ug/L
Chloroform	MW-8N	4/3/2014	1	1	ND	ug/L
Chloroform	MW-8N	7/9/2014	1	1	ND	ug/L
Chloroform	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroform	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroform	MW-8N	4/1/2015	1	1	ND	ug/L
Chloroform	MW-8N	7/14/2015	1	1	ND	ug/L
Chloroform	MW-8N	10/5/2015	1	1	ND	ug/L
Chloroform	MW-8N	1/5/2016	1	1	ND	ug/L
Chloroform	MW-8N	4/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	MW-8N	7/21/2016	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroform	MW-8N	1/11/2017	1	1	ND	ug/L
Chloroform	MW-8N	4/4/2017	1	1	ND	ug/L
Chloroform	MW-8N	7/19/2017	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroform	MW-8N	1/25/2018	1	1	ND	ug/L
Chloroform	MW-8N	4/10/2018	1	1	ND	ug/L
Chloroform	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroform	MW-8N	10/2/2018	1	1	ND	ug/L
Chloroform	MW-8N	1/7/2019	1	1	ND	ug/L
Chloroform	MW-8N	4/3/2019	1	1	ND	ug/L
Chloroform	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroform	MW-8N	10/3/2019	1	1	ND	ug/L
Chloroform	MW-8N	1/15/2020	1	1	ND	ug/L
Chloroform	MW-8N	4/2/2020	1	1	ND	ug/L
Chloroform	MW-8N	7/9/2020	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2020	1	1	ND	ug/L
Chloroform	MW-8N	1/15/2021	1	1	ND	ug/L
Chloroform	MW-8N	4/6/2021	1	1	ND	ug/L
Chloroform	MW-8N	7/5/2021	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2021	1	1	ND	ug/L
Chloroform	MW-8N	1/18/2022	1	1	ND	ug/L
Chloroform	MW-8N	4/4/2022	1	1	ND	ug/L
Chloroform	MW-8N	7/12/2022	1	1	ND	ug/L
Chloroform	MW-8N	10/6/2022	1	1	ND	ug/L
Chloroform	MW-8N	1/11/2023	1	1	ND	ug/L
Chloroform	MW-8N	4/8/2023	1	1	ND	ug/L
Chloroform	MW-8N	7/7/2023	1	1	ND	ug/L
Chloroform	MW-8N	10/5/2023	1	1	ND	ug/L
Chloroform	NE-1	7/10/2002	1	1	ND	ug/L
Chloroform	NE-1	8/6/2002	1	1	ND	ug/L
Chloroform	NE-1	9/4/2002	1	1	ND	ug/L
Chloroform	NE-1	10/2/2002	1	1	ND	ug/L
Chloroform	NE-1	7/8/2003	1	1	ND	ug/L
Chloroform	NE-1	1/27/2004	1	1	ND	ug/L
Chloroform	NE-1	1/12/2005	1	1	ND	ug/L
Chloroform	NE-1	7/19/2006	1	1	ND	ug/L
Chloroform	NE-1	7/19/2006	1	1	ND	ug/L
Chloroform	NE-1	10/25/2006	1	1	ND	ug/L
Chloroform	NE-1	1/24/2007	1	1	ND	ug/L
Chloroform	NE-1	7/10/2007	1	1	ND	ug/L
Chloroform	NE-1	1/24/2008	1	1	ND	ug/L
Chloroform	NE-1	7/21/2008	1	1	ND	ug/L
Chloroform	NE-1	2/7/2009	1	1	ND	ug/L
Chloroform	NE-1	7/31/2009	1	1	ND	ug/L
Chloroform	NE-1	1/26/2010	1	1	ND	ug/L
Chloroform	NE-1	7/14/2010	1	1	ND	ug/L
Chloroform	NE-1	9/2/2010	1	1	ND	ug/L
Chloroform	NE-1	1/19/2011	1	1	ND	ug/L
Chloroform	NE-1	7/13/2011	1	1	ND	ug/L
Chloroform	NE-1	1/5/2012	1	1	ND	ug/L
Chloroform	NE-1	7/10/2012	1	1	ND	ug/L
Chloroform	NE-1	4/30/2013	1	1	ND	ug/L
Chloroform	NE-1	7/16/2013	1	1	ND	ug/L
Chloroform	NE-1	1/23/2014	1	1	ND	ug/L
Chloroform	NE-1	7/9/2014	1	1	ND	ug/L
Chloroform	NE-1	2/11/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-1	7/8/2015	1	1	ND	ug/L
Chloroform	NE-1	1/6/2016	1	1	ND	ug/L
Chloroform	NE-1	7/20/2016	1	1	ND	ug/L
Chloroform	NE-1	1/11/2017	1	1	ND	ug/L
Chloroform	NE-1	7/19/2017	1	1	ND	ug/L
Chloroform	NE-1	1/24/2018	1	1	ND	ug/L
Chloroform	NE-1	4/11/2018	1	1	ND	ug/L
Chloroform	NE-1	7/18/2018	1	1	ND	ug/L
Chloroform	NE-1	10/2/2018	1	1	ND	ug/L
Chloroform	NE-1	1/4/2019	1	1	ND	ug/L
Chloroform	NE-1	4/2/2019	1	1	ND	ug/L
Chloroform	NE-1	7/10/2019	1	1	ND	ug/L
Chloroform	NE-1	7/10/2019	1	1	ND	ug/L
Chloroform	NE-1	10/2/2019	1	1	ND	ug/L
Chloroform	NE-1	1/15/2020	1	1	ND	ug/L
Chloroform	NE-1	4/2/2020	1	1	ND	ug/L
Chloroform	NE-1	7/8/2020	1	1	ND	ug/L
Chloroform	NE-1	10/7/2020	1	1	ND	ug/L
Chloroform	NE-1	1/13/2021	1	1	ND	ug/L
Chloroform	NE-1	4/9/2021	1	1	ND	ug/L
Chloroform	NE-1	7/2/2021	1	1	ND	ug/L
Chloroform	NE-1	10/6/2021	1	1	ND	ug/L
Chloroform	NE-1	1/17/2022	1	1	ND	ug/L
Chloroform	NE-1	4/6/2022	1	1	ND	ug/L
Chloroform	NE-1	7/13/2022	1	1	ND	ug/L
Chloroform	NE-1	10/6/2022	1	1	ND	ug/L
Chloroform	NE-1	1/5/2023	1	1	ND	ug/L
Chloroform	NE-1	4/7/2023	1	1	ND	ug/L
Chloroform	NE-1	7/5/2023	1	1	ND	ug/L
Chloroform	NE-1	10/5/2023	1	1	ND	ug/L
Chloroform	NE-10D	11/6/2019	0.24	1	ND	ug/L
Chloroform	NE-10D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-10D	4/2/2020	1	1	ND	ug/L
Chloroform	NE-10D	7/8/2020	1	1	ND	ug/L
Chloroform	NE-10D	10/7/2020	1	1	ND	ug/L
Chloroform	NE-10D	1/13/2021	1	1	ND	ug/L
Chloroform	NE-10D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-10D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-10D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-10D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-10D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-10D	7/8/2023	1	1	ND	ug/L
Chloroform	NE-10D	10/3/2023	1	1	ND	ug/L
Chloroform	NE-11	3/1/2017	1	1	ND	ug/L
Chloroform	NE-11	4/6/2017	1	1	ND	ug/L
Chloroform	NE-11	7/20/2017	1	1	ND	ug/L
Chloroform	NE-11	10/9/2017	1	1	ND	ug/L
Chloroform	NE-11	9/30/2019	1	1	ND	ug/L
Chloroform	NE-11	1/14/2020	1	1	ND	ug/L
Chloroform	NE-11	7/7/2020	1	1	ND	ug/L
Chloroform	NE-11	1/16/2021	1	1	ND	ug/L
Chloroform	NE-11	1/16/2021	1	1	ND	ug/L
Chloroform	NE-11	7/1/2021	1	1	ND	ug/L
Chloroform	NE-11	7/1/2021	1	1	ND	ug/L
Chloroform	NE-11	1/17/2022	1	1	ND	ug/L
Chloroform	NE-11	1/17/2022	1	1	ND	ug/L
Chloroform	NE-11	7/12/2022	1	1	ND	ug/L
Chloroform	NE-11	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-11	7/6/2023	1	1	ND	ug/L
Chloroform	NE-12	3/1/2017	1	1	ND	ug/L
Chloroform	NE-12	4/6/2017	1	1	ND	ug/L
Chloroform	NE-12	7/20/2017	1	1	ND	ug/L
Chloroform	NE-12	10/6/2017	1	1	ND	ug/L
Chloroform	NE-12	8/5/2019	1	1	ND	ug/L
Chloroform	NE-12	1/13/2020	1	1	ND	ug/L
Chloroform	NE-12	7/7/2020	1	1	ND	ug/L
Chloroform	NE-12	1/15/2021	1	1	ND	ug/L
Chloroform	NE-12	1/15/2021	1	1	ND	ug/L
Chloroform	NE-12	7/1/2021	1	1	ND	ug/L
Chloroform	NE-12	7/1/2021	1	1	ND	ug/L
Chloroform	NE-12	1/17/2022	1	1	ND	ug/L
Chloroform	NE-12	1/17/2022	1	1	ND	ug/L
Chloroform	NE-12	7/12/2022	1	1	ND	ug/L
Chloroform	NE-12	1/6/2023	1	1	ND	ug/L
Chloroform	NE-12	7/5/2023	1	1	ND	ug/L
Chloroform	NE-13	2/5/2019	1	1	ND	ug/L
Chloroform	NE-13	8/7/2019	1	1	ND	ug/L
Chloroform	NE-13	1/15/2020	1	1	ND	ug/L
Chloroform	NE-13	7/8/2020	1	1	ND	ug/L
Chloroform	NE-13	1/17/2021	1	1	ND	ug/L
Chloroform	NE-13	1/17/2021	1	1	ND	ug/L
Chloroform	NE-13	7/1/2021	1	1	ND	ug/L
Chloroform	NE-13	7/1/2021	1	1	ND	ug/L
Chloroform	NE-14D	10/2/2019	1	1	ND	ug/L
Chloroform	NE-14D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-14D	4/3/2020	1	1	ND	ug/L
Chloroform	NE-14D	7/7/2020	1	1	ND	ug/L
Chloroform	NE-14D	10/6/2020	1	1	ND	ug/L
Chloroform	NE-14D	1/17/2021	1	1	ND	ug/L
Chloroform	NE-14D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-14D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-14D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-14D	1/18/2022	1	1	ND	ug/L
Chloroform	NE-14D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-14D	7/13/2022	1	1	ND	ug/L
Chloroform	NE-14D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-14D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-14D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-14D	7/5/2023	1	1	ND	ug/L
Chloroform	NE-14D	10/4/2023	1	1	ND	ug/L
Chloroform	NE-14S	10/2/2019	1	1	ND	ug/L
Chloroform	NE-14S	1/16/2020	1	1	ND	ug/L
Chloroform	NE-14S	4/3/2020	1	1	ND	ug/L
Chloroform	NE-14S	7/7/2020	1	1	ND	ug/L
Chloroform	NE-14S	10/6/2020	1	1	ND	ug/L
Chloroform	NE-14S	1/17/2021	1	1	ND	ug/L
Chloroform	NE-14S	4/9/2021	1	1	ND	ug/L
Chloroform	NE-14S	7/2/2021	1	1	ND	ug/L
Chloroform	NE-14S	10/7/2021	1	1	ND	ug/L
Chloroform	NE-14S	1/18/2022	1	1	ND	ug/L
Chloroform	NE-14S	4/6/2022	1	1	ND	ug/L
Chloroform	NE-14S	7/13/2022	1	1	ND	ug/L
Chloroform	NE-14S	10/7/2022	1	1	ND	ug/L
Chloroform	NE-14S	1/6/2023	1	1	ND	ug/L
Chloroform	NE-14S	4/6/2023	1	1	ND	ug/L
Chloroform	NE-14S	7/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-14S	10/4/2023	1	1	ND	ug/L
Chloroform	NE-15D	9/30/2019	0.73	1	ND	ug/L
Chloroform	NE-15D	1/16/2020	1	1	ND	ug/L
Chloroform	NE-15D	4/3/2020	1	1	ND	ug/L
Chloroform	NE-15D	7/7/2020	1	1	ND	ug/L
Chloroform	NE-15D	10/6/2020	1	1	ND	ug/L
Chloroform	NE-15D	1/17/2021	1	1	ND	ug/L
Chloroform	NE-15D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-15D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-15D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-15D	1/17/2022	1	1	ND	ug/L
Chloroform	NE-15D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-15D	7/13/2022	1	1	ND	ug/L
Chloroform	NE-15D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-15D	1/6/2023	1	1	ND	ug/L
Chloroform	NE-15D	4/6/2023	1	1	ND	ug/L
Chloroform	NE-15D	7/6/2023	1	1	ND	ug/L
Chloroform	NE-15D	10/6/2023	1	1	ND	ug/L
Chloroform	NE-15S	4/3/2020	1	1	ND	ug/L
Chloroform	NE-2	7/9/2002	1	1	ND	ug/L
Chloroform	NE-2	8/6/2002	1	1	ND	ug/L
Chloroform	NE-2	9/4/2002	0.22	1		ug/L
Chloroform	NE-2	10/2/2002	0.58	1		ug/L
Chloroform	NE-2	10/1/2013	1	1	ND	ug/L
Chloroform	NE-2	10/8/2014	1	1	ND	ug/L
Chloroform	NE-2	10/5/2015	1	1	ND	ug/L
Chloroform	NE-2	10/6/2016	1	1	ND	ug/L
Chloroform	NE-2	10/5/2017	1	1	ND	ug/L
Chloroform	NE-2	1/25/2018	1	1	ND	ug/L
Chloroform	NE-2	4/10/2018	1	1	ND	ug/L
Chloroform	NE-2	7/10/2018	1	1	ND	ug/L
Chloroform	NE-2	10/1/2018	1	1	ND	ug/L
Chloroform	NE-2	1/4/2019	1	1	ND	ug/L
Chloroform	NE-2	4/2/2019	1	1	ND	ug/L
Chloroform	NE-2	7/9/2019	1	1	ND	ug/L
Chloroform	NE-2	7/9/2019	1	1	ND	ug/L
Chloroform	NE-2	10/2/2019	1	1	ND	ug/L
Chloroform	NE-2	1/14/2020	1	1	ND	ug/L
Chloroform	NE-2	4/1/2020	1	1	ND	ug/L
Chloroform	NE-2	7/7/2020	1	1	ND	ug/L
Chloroform	NE-2	10/6/2020	1	1	ND	ug/L
Chloroform	NE-2	1/14/2021	1	1	ND	ug/L
Chloroform	NE-2	4/9/2021	1	1	ND	ug/L
Chloroform	NE-2	7/2/2021	1	1	ND	ug/L
Chloroform	NE-2	10/6/2021	1	1	ND	ug/L
Chloroform	NE-2	1/18/2022	1	1	ND	ug/L
Chloroform	NE-2	4/6/2022	1	1	ND	ug/L
Chloroform	NE-2	7/13/2022	1	1	ND	ug/L
Chloroform	NE-2	10/7/2022	1	1	ND	ug/L
Chloroform	NE-2	1/5/2023	1	1	ND	ug/L
Chloroform	NE-2	4/5/2023	1	1	ND	ug/L
Chloroform	NE-2	7/5/2023	1	1	ND	ug/L
Chloroform	NE-2	10/4/2023	1	1	ND	ug/L
Chloroform	NE-4	7/10/2002	0.35	1		ug/L
Chloroform	NE-4	8/6/2002	0.23	1		ug/L
Chloroform	NE-4	9/4/2002	1	1	ND	ug/L
Chloroform	NE-4	10/3/2002	0.42	1		ug/L
Chloroform	NE-4	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-4	7/8/2003	1	1	ND	ug/L
Chloroform	NE-4	1/28/2004	1	1	ND	ug/L
Chloroform	NE-4	1/13/2005	1	1	ND	ug/L
Chloroform	NE-4	8/1/2006	1	1	ND	ug/L
Chloroform	NE-4	8/1/2006	1	1	ND	ug/L
Chloroform	NE-4	10/25/2006	1	1	ND	ug/L
Chloroform	NE-4	1/24/2007	1	1	ND	ug/L
Chloroform	NE-4	7/12/2007	1	1	ND	ug/L
Chloroform	NE-4	1/24/2008	1	1	ND	ug/L
Chloroform	NE-4	7/21/2008	1	1	ND	ug/L
Chloroform	NE-4	2/7/2009	1	1	ND	ug/L
Chloroform	NE-4	7/31/2009	1	1	ND	ug/L
Chloroform	NE-4	1/26/2010	1	1	ND	ug/L
Chloroform	NE-4	7/14/2010	1	1	ND	ug/L
Chloroform	NE-4	1/19/2011	1	1	ND	ug/L
Chloroform	NE-4	7/13/2011	1	1	ND	ug/L
Chloroform	NE-4	1/5/2012	1	1	ND	ug/L
Chloroform	NE-4	7/10/2012	1	1	ND	ug/L
Chloroform	NE-4	4/30/2013	1	1	ND	ug/L
Chloroform	NE-4	7/16/2013	1	1	ND	ug/L
Chloroform	NE-4	1/23/2014	1	1	ND	ug/L
Chloroform	NE-4	7/9/2014	1	1	ND	ug/L
Chloroform	NE-4	2/13/2015	1	1	ND	ug/L
Chloroform	NE-4	7/8/2015	1	1	ND	ug/L
Chloroform	NE-4	1/6/2016	1	1	ND	ug/L
Chloroform	NE-4	7/20/2016	1	1	ND	ug/L
Chloroform	NE-4	1/11/2017	1	1	ND	ug/L
Chloroform	NE-4	7/19/2017	1	1	ND	ug/L
Chloroform	NE-4	1/26/2018	1	1	ND	ug/L
Chloroform	NE-4	4/10/2018	1	1	ND	ug/L
Chloroform	NE-4	7/12/2018	1	1	ND	ug/L
Chloroform	NE-4	10/3/2018	1	1	ND	ug/L
Chloroform	NE-4	1/7/2019	1	1	ND	ug/L
Chloroform	NE-4	4/2/2019	1	1	ND	ug/L
Chloroform	NE-4	7/8/2019	1	1	ND	ug/L
Chloroform	NE-4	7/8/2019	1	1	ND	ug/L
Chloroform	NE-4	10/1/2019	1	1	ND	ug/L
Chloroform	NE-4	1/13/2020	1	1	ND	ug/L
Chloroform	NE-4	4/1/2020	1	1	ND	ug/L
Chloroform	NE-4	7/6/2020	1	1	ND	ug/L
Chloroform	NE-4	10/5/2020	1	1	ND	ug/L
Chloroform	NE-4	1/15/2021	1	1	ND	ug/L
Chloroform	NE-4	4/9/2021	1	1	ND	ug/L
Chloroform	NE-4	7/2/2021	1	1	ND	ug/L
Chloroform	NE-4	10/6/2021	1	1	ND	ug/L
Chloroform	NE-4	1/5/2023	1	1	ND	ug/L
Chloroform	NE-4	4/6/2023	1	1	ND	ug/L
Chloroform	NE-4	7/5/2023	1	1	ND	ug/L
Chloroform	NE-4	10/4/2023	1	1	ND	ug/L
Chloroform	NE-5	7/9/2002	1	1	ND	ug/L
Chloroform	NE-5	8/6/2002	1	1	ND	ug/L
Chloroform	NE-5	9/4/2002	1	1	ND	ug/L
Chloroform	NE-5	10/2/2002	1	1	ND	ug/L
Chloroform	NE-5	4/15/2003	1	1	ND	ug/L
Chloroform	NE-5	7/8/2003	1	1	ND	ug/L
Chloroform	NE-5	1/27/2004	1	1	ND	ug/L
Chloroform	NE-5	1/12/2005	1	1	ND	ug/L
Chloroform	NE-5	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-5	7/19/2006	1	1	ND	ug/L
Chloroform	NE-5	10/25/2006	1	1	ND	ug/L
Chloroform	NE-5	1/24/2007	1	1	ND	ug/L
Chloroform	NE-5	7/12/2007	1	1	ND	ug/L
Chloroform	NE-5	7/22/2008	1	1	ND	ug/L
Chloroform	NE-5	2/6/2009	1	1	ND	ug/L
Chloroform	NE-5	7/31/2009	1	1	ND	ug/L
Chloroform	NE-5	1/26/2010	1	1	ND	ug/L
Chloroform	NE-5	7/16/2010	1	1	ND	ug/L
Chloroform	NE-5	9/2/2010	1	1	ND	ug/L
Chloroform	NE-5	1/19/2011	1	1	ND	ug/L
Chloroform	NE-5	7/13/2011	1	1	ND	ug/L
Chloroform	NE-5	1/5/2012	1	1	ND	ug/L
Chloroform	NE-5	7/10/2012	1	1	ND	ug/L
Chloroform	NE-5	4/30/2013	1	1	ND	ug/L
Chloroform	NE-5	7/16/2013	1	1	ND	ug/L
Chloroform	NE-5	1/23/2014	1	1	ND	ug/L
Chloroform	NE-5	7/9/2014	1	1	ND	ug/L
Chloroform	NE-5	2/11/2015	1	1	ND	ug/L
Chloroform	NE-5	7/14/2015	1	1	ND	ug/L
Chloroform	NE-5	1/6/2016	1	1	ND	ug/L
Chloroform	NE-5	7/20/2016	1	1	ND	ug/L
Chloroform	NE-5	1/11/2017	1	1	ND	ug/L
Chloroform	NE-5	7/19/2017	1	1	ND	ug/L
Chloroform	NE-5	1/25/2018	1	1	ND	ug/L
Chloroform	NE-5	4/10/2018	1	1	ND	ug/L
Chloroform	NE-5	7/17/2018	1	1	ND	ug/L
Chloroform	NE-5	10/3/2018	1	1	ND	ug/L
Chloroform	NE-5	1/4/2019	1	1	ND	ug/L
Chloroform	NE-5	4/2/2019	1	1	ND	ug/L
Chloroform	NE-5	4/2/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	7/9/2019	1	1	ND	ug/L
Chloroform	NE-5	10/3/2019	1	1	ND	ug/L
Chloroform	NE-5	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5	4/2/2020	1	1	ND	ug/L
Chloroform	NE-5	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5	4/9/2021	1	1	ND	ug/L
Chloroform	NE-5	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5	10/6/2021	1	1	ND	ug/L
Chloroform	NE-5	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5	4/7/2023	1	1	ND	ug/L
Chloroform	NE-5	7/6/2023	1	1	ND	ug/L
Chloroform	NE-5	10/4/2023	1	1	ND	ug/L
Chloroform	NE-5E	9/30/2019	0.24	1	ND	ug/L
Chloroform	NE-5E	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5E	4/1/2020	1	1	ND	ug/L
Chloroform	NE-5E	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5E	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5E	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5E	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-5E	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5E	10/6/2021	1	1	ND	ug/L
Chloroform	NE-5E	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5E	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5E	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5E	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5E	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5E	4/7/2023	1	1	ND	ug/L
Chloroform	NE-5E	7/6/2023	1	1	ND	ug/L
Chloroform	NE-5E	10/4/2023	1	1	ND	ug/L
Chloroform	NE-5W	9/30/2019	1.7	1		ug/L
Chloroform	NE-5W	1/16/2020	1	1	ND	ug/L
Chloroform	NE-5W	4/2/2020	1	1	ND	ug/L
Chloroform	NE-5W	7/8/2020	1	1	ND	ug/L
Chloroform	NE-5W	10/6/2020	1	1	ND	ug/L
Chloroform	NE-5W	1/15/2021	1	1	ND	ug/L
Chloroform	NE-5W	4/9/2021	1	1	ND	ug/L
Chloroform	NE-5W	7/2/2021	1	1	ND	ug/L
Chloroform	NE-5W	10/6/2021	1	1	ND	ug/L
Chloroform	NE-5W	1/18/2022	1	1	ND	ug/L
Chloroform	NE-5W	4/6/2022	1	1	ND	ug/L
Chloroform	NE-5W	7/13/2022	1	1	ND	ug/L
Chloroform	NE-5W	10/7/2022	1	1	ND	ug/L
Chloroform	NE-5W	1/5/2023	1	1	ND	ug/L
Chloroform	NE-5W	4/7/2023	1	1	ND	ug/L
Chloroform	NE-5W	7/6/2023	1	1	ND	ug/L
Chloroform	NE-5W	10/4/2023	1	1	ND	ug/L
Chloroform	NE-6	1/12/2017	1	1	ND	ug/L
Chloroform	NE-6	4/5/2017	1	1	ND	ug/L
Chloroform	NE-6	7/19/2017	1	1	ND	ug/L
Chloroform	NE-6	10/6/2017	1	1	ND	ug/L
Chloroform	NE-6	2/4/2019	1	1	ND	ug/L
Chloroform	NE-6	8/6/2019	1	1	ND	ug/L
Chloroform	NE-6	1/15/2020	1	1	ND	ug/L
Chloroform	NE-6	7/9/2020	1	1	ND	ug/L
Chloroform	NE-6	1/16/2021	1	1	ND	ug/L
Chloroform	NE-6	1/16/2021	1	1	ND	ug/L
Chloroform	NE-6	7/1/2021	1	1	ND	ug/L
Chloroform	NE-6	7/1/2021	1	1	ND	ug/L
Chloroform	NE-6	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6	7/12/2022	1	1	ND	ug/L
Chloroform	NE-6	1/5/2023	1	1	ND	ug/L
Chloroform	NE-6	7/6/2023	1	1	ND	ug/L
Chloroform	NE-6D	10/2/2019	1.2	1		ug/L
Chloroform	NE-6D	1/15/2020	1	1	ND	ug/L
Chloroform	NE-6D	4/2/2020	1	1	ND	ug/L
Chloroform	NE-6D	7/9/2020	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2020	1.29	1		ug/L
Chloroform	NE-6D	1/15/2021	1	1	ND	ug/L
Chloroform	NE-6D	4/9/2021	1	1	ND	ug/L
Chloroform	NE-6D	7/2/2021	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2021	1	1	ND	ug/L
Chloroform	NE-6D	1/17/2022	1	1	ND	ug/L
Chloroform	NE-6D	4/6/2022	1	1	ND	ug/L
Chloroform	NE-6D	7/12/2022	1	1	ND	ug/L
Chloroform	NE-6D	10/7/2022	1	1	ND	ug/L
Chloroform	NE-6D	1/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroform	NE-6D	4/7/2023	1	1	ND	ug/L
Chloroform	NE-6D	7/6/2023	1	1	ND	ug/L
Chloroform	NE-6D	10/4/2023	1	1	ND	ug/L
Chloroform	NE-7	3/1/2017	1	1	ND	ug/L
Chloroform	NE-7	4/6/2017	1	1	ND	ug/L
Chloroform	NE-7	7/20/2017	1	1	ND	ug/L
Chloroform	NE-7	10/5/2017	1	1	ND	ug/L
Chloroform	NE-7	2/6/2019	1	1	ND	ug/L
Chloroform	NE-7	8/6/2019	1	1	ND	ug/L
Chloroform	NE-7	1/16/2020	1	1	ND	ug/L
Chloroform	NE-7	7/7/2020	1	1	ND	ug/L
Chloroform	NE-7	1/16/2021	1	1	ND	ug/L
Chloroform	NE-7	1/16/2021	1	1	ND	ug/L
Chloroform	NE-7	7/1/2021	1	1	ND	ug/L
Chloroform	NE-7	7/1/2021	1	1	ND	ug/L
Chloroform	NE-7	1/17/2022	1	1	ND	ug/L
Chloroform	NE-7	1/17/2022	1	1	ND	ug/L
Chloroform	NE-7	7/12/2022	1	1	ND	ug/L
Chloroform	NE-7	1/5/2023	1	1	ND	ug/L
Chloroform	NE-7	7/6/2023	1	1	ND	ug/L
Chloroform	NE-8	1/12/2017	1	1	ND	ug/L
Chloroform	NE-8	4/5/2017	1	1	ND	ug/L
Chloroform	NE-8	7/20/2017	1	1	ND	ug/L
Chloroform	NE-8	10/6/2017	1	1	ND	ug/L
Chloroform	NE-8	2/4/2019	1	1	ND	ug/L
Chloroform	NE-8	8/5/2019	1	1	ND	ug/L
Chloroform	NE-8	1/15/2020	1	1	ND	ug/L
Chloroform	NE-8	7/8/2020	1	1	ND	ug/L
Chloroform	NE-8	1/13/2021	1	1	ND	ug/L
Chloroform	NE-8	1/13/2021	1	1	ND	ug/L
Chloroform	NE-8	4/9/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	7/1/2021	1	1	ND	ug/L
Chloroform	NE-8	10/7/2021	1	1	ND	ug/L
Chloroform	NE-8	1/6/2023	1	1	ND	ug/L
Chloroform	NE-8	7/5/2023	1	1	ND	ug/L
Chloroform	NE-9	1/12/2017	0.25	1	ND	ug/L
Chloroform	NE-9	4/5/2017	0.17	1	ND	ug/L
Chloroform	NE-9	7/20/2017	0.31	1	ND	ug/L
Chloroform	NE-9	10/5/2017	0.19	1	ND	ug/L
Chloroform	NE-9	2/5/2019	1	1	ND	ug/L
Chloroform	NE-9	8/7/2019	1	1	ND	ug/L
Chloroform	NE-9	1/15/2020	1	1	ND	ug/L
Chloroform	NE-9	7/7/2020	1	1	ND	ug/L
Chloroform	NE-9	1/17/2021	1	1	ND	ug/L
Chloroform	NE-9	1/17/2021	1	1	ND	ug/L
Chloroform	NE-9	7/1/2021	1	1	ND	ug/L
Chloroform	NE-9	7/1/2021	1	1	ND	ug/L
Chloroform	NE-9	1/17/2022	1	1	ND	ug/L
Chloroform	NE-9	1/17/2022	1	1	ND	ug/L
Chloroform	NE-9	7/13/2022	1	1	ND	ug/L
Chloroform	NE-9	1/6/2023	1	1	ND	ug/L
Chloroform	NE-9	4/8/2023	1	1	ND	ug/L
Chloroform	NE-9	7/5/2023	1	1	ND	ug/L
Chloroform	NE-9	10/6/2023	1	1	ND	ug/L
Chloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Chloromethane	LGW-10	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Chloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Chloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Chloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Chloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Chloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Chloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Chloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Chloromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Chloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Chloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Chloromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Chloromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Chloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Chloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Chloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Chloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Chloromethane	LGW-10	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-10	10/5/2023	1	1	ND	ug/L
Chloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Chloromethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Chloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Chloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Chloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Chloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Chloromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Chloromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Chloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-2	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Chloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Chloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Chloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Chloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Chloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-2	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Chloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Chloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Chloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Chloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Chloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Chloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-4	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Chloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Chloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Chloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Chloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Chloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Chloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-4	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-5	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Chloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Chloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Chloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Chloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Chloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-5	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-5	10/5/2023	1	1	ND	ug/L
Chloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Chloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Chloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Chloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Chloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Chloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Chloromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Chloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Chloromethane	LGW-6	4/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Chloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Chloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Chloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Chloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Chloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Chloromethane	LGW-6	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-6	10/5/2023	1	1	ND	ug/L
Chloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Chloromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Chloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Chloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Chloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Chloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Chloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Chloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Chloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-7	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Chloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Chloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-7	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Chloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Chloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Chloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Chloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Chloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Chloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Chloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Chloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Chloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Chloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Chloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Chloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Chloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Chloromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Chloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Chloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Chloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Chloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Chloromethane	LGW-9	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Chloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Chloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Chloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Chloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Chloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Chloromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Chloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Chloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Chloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Chloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Chloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Chloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Chloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Chloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Chloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Chloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Chloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Chloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Chloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Chloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Chloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Chloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Chloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Chloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Chloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Chloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Chloromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Chloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Chloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Chloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Chloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Chloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Chloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Chloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Chloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Chloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Chloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Chloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Chloromethane	LGW-9	7/10/2023	1	1	ND	ug/L
Chloromethane	LGW-9	10/5/2023	1	1	ND	ug/L
Chloromethane	MW-10N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-10N	1/22/1998	10	10	ND	ug/L
Chloromethane	MW-10N	4/28/1998	20	20	ND	ug/L
Chloromethane	MW-10N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-10N	1/14/1999	10	10	ND	ug/L
Chloromethane	MW-10N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-10N	7/15/1999	10	10	ND	ug/L
Chloromethane	MW-10N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-10N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-10N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Chloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Chloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Chloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Chloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Chloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Chloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-10N	7/7/2023	1	1	ND	ug/L
Chloromethane	MW-11N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-11N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-11N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-11N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-11N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-11N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-11N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-11N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-11N	1/13/2000	10	10	ND	ug/L
Chloromethane	MW-11N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Chloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Chloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Chloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Chloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Chloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Chloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Chloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Chloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Chloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Chloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Chloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Chloromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Chloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Chloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Chloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Chloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Chloromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Chloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Chloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-11N	7/8/2023	1	1	ND	ug/L
Chloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Chloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-15	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Chloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-15	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-15	7/10/2023	1	1	ND	ug/L
Chloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Chloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-16	1/8/2016	1	1	ND	ug/L
Chloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-16	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-16	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Chloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Chloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-16	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Chloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-16	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-16	7/10/2023	1	1	ND	ug/L
Chloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Chloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-17	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-17	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-17	7/8/2023	1	1	ND	ug/L
Chloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Chloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Chloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Chloromethane	MW-19	1/7/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-19	8/3/2020	1	1	ND	ug/L
Chloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-19	7/10/2023	1	1	ND	ug/L
Chloromethane	MW-1N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-1N	1/20/1998	10	10	ND	ug/L
Chloromethane	MW-1N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-1N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-1N	10/14/1998	10	10	ND	ug/L
Chloromethane	MW-1N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-1N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-1N	5/19/1999	10	10	ND	ug/L
Chloromethane	MW-1N	7/15/1999	10	10	ND	ug/L
Chloromethane	MW-1N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-1N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-1N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Chloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Chloromethane	MW-1N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Chloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Chloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Chloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Chloromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Chloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-1N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Chloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Chloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Chloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Chloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Chloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-1N	7/8/2023	1	1	ND	ug/L
Chloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-20	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-20	1/12/2017	1	1	ND	ug/L
Chloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Chloromethane	MW-20	1/26/2018	1	1	ND	ug/L
Chloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Chloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Chloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Chloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Chloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Chloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Chloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Chloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Chloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Chloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Chloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Chloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Chloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Chloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Chloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Chloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Chloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-21	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Chloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Chloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Chloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Chloromethane	MW-21	7/7/2023	1	1	ND	ug/L
Chloromethane	MW-21	10/6/2023	1	1	ND	ug/L
Chloromethane	MW-2N	10/22/1997	10	10	ND	ug/L
Chloromethane	MW-2N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-2N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-2N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-2N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-2N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-2N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-2N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-2N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-2N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Chloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Chloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Chloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Chloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Chloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-2N	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Chloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Chloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Chloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Chloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Chloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Chloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-2N	7/8/2023	1	1	ND	ug/L
Chloromethane	MW-3N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-3N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-3N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-3N	7/23/1998	10	10	ND	ug/L
Chloromethane	MW-3N	1/13/1999	10	10	ND	ug/L
Chloromethane	MW-3N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-3N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-3N	10/20/1999	10	10	ND	ug/L
Chloromethane	MW-3N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-3N	4/24/2000	10	10	ND	ug/L
Chloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Chloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Chloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-3N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Chloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Chloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Chloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Chloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Chloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-3N	6/4/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Chloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Chloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Chloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Chloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Chloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Chloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Chloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Chloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Chloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Chloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Chloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Chloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-3N	7/7/2023	1	1	ND	ug/L
Chloromethane	MW-3N	10/6/2023	1	1	ND	ug/L
Chloromethane	MW-7N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-7N	1/21/1998	10	10	ND	ug/L
Chloromethane	MW-7N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-7N	8/18/1998	10	10	ND	ug/L
Chloromethane	MW-7N	9/17/1998	10	10	ND	ug/L
Chloromethane	MW-7N	10/15/1998	10	10	ND	ug/L
Chloromethane	MW-7N	11/9/1998	10	10	ND	ug/L
Chloromethane	MW-7N	1/14/1999	10	10	ND	ug/L
Chloromethane	MW-7N	4/14/1999	10	10	ND	ug/L
Chloromethane	MW-7N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-7N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-7N	1/13/2000	10	10	ND	ug/L
Chloromethane	MW-7N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Chloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Chloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-7N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-7N	1/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Chloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Chloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Chloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Chloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Chloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Chloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Chloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Chloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Chloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Chloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Chloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Chloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Chloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Chloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Chloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Chloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Chloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Chloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Chloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Chloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Chloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Chloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Chloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Chloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Chloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Chloromethane	MW-7N	7/7/2023	1	1	ND	ug/L
Chloromethane	MW-8N	10/21/1997	10	10	ND	ug/L
Chloromethane	MW-8N	1/22/1998	10	10	ND	ug/L
Chloromethane	MW-8N	4/28/1998	10	10	ND	ug/L
Chloromethane	MW-8N	7/22/1998	10	10	ND	ug/L
Chloromethane	MW-8N	1/12/1999	10	10	ND	ug/L
Chloromethane	MW-8N	4/13/1999	10	10	ND	ug/L
Chloromethane	MW-8N	7/14/1999	10	10	ND	ug/L
Chloromethane	MW-8N	10/19/1999	10	10	ND	ug/L
Chloromethane	MW-8N	1/14/2000	10	10	ND	ug/L
Chloromethane	MW-8N	4/25/2000	10	10	ND	ug/L
Chloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Chloromethane	MW-8N	1/23/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Chloromethane	MW-8N	5/29/2002	10	10	ND	ug/L
Chloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Chloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Chloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Chloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Chloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Chloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Chloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Chloromethane	MW-8N	1/12/2005	1.1	1		ug/L
Chloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Chloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Chloromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Chloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Chloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Chloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Chloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Chloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Chloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Chloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Chloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Chloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Chloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Chloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Chloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Chloromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Chloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Chloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Chloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Chloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Chloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Chloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Chloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Chloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Chloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Chloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Chloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Chloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Chloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Chloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Chloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Chloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Chloromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Chloromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Chloromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Chloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Chloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Chloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Chloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Chloromethane	MW-8N	4/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Chloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Chloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Chloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Chloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Chloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Chloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Chloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Chloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Chloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Chloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Chloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Chloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Chloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Chloromethane	MW-8N	7/7/2023	1	1	ND	ug/L
Chloromethane	MW-8N	10/5/2023	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Chloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Chloromethane	NE-1	1/12/2005	1.1	1		ug/L
Chloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-1	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2007	1	1	ND	ug/L
Chloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Chloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Chloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Chloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Chloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Chloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Chloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Chloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Chloromethane	NE-1	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Chloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Chloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Chloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2018	1	1	ND	ug/L
Chloromethane	NE-1	1/4/2019	1	1	ND	ug/L
Chloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-1	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Chloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Chloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-1	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-1	10/5/2023	1	1	ND	ug/L
Chloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Chloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-10D	7/8/2023	1	1	ND	ug/L
Chloromethane	NE-10D	10/3/2023	1	1	ND	ug/L
Chloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Chloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Chloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-11	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-12	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Chloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Chloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-12	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-12	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-13	2/5/2019	1	1	ND	ug/L
Chloromethane	NE-13	8/7/2019	1	1	ND	ug/L
Chloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-13	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-14D	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-14D	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-14S	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-14S	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-15D	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-15D	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-15D	10/6/2023	1	1	ND	ug/L
Chloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Chloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Chloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Chloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2016	1	1	ND	ug/L
Chloromethane	NE-2	10/5/2017	1	1	ND	ug/L
Chloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Chloromethane	NE-2	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Chloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Chloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Chloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Chloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-2	1/14/2021	1	1	ND	ug/L
Chloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Chloromethane	NE-2	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-2	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Chloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Chloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-4	1/28/2004	1	1	ND	ug/L
Chloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Chloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Chloromethane	NE-4	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Chloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Chloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Chloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Chloromethane	NE-4	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Chloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Chloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Chloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-4	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-4	1/11/2017	1	1	ND	ug/L
Chloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-4	1/26/2018	1	1	ND	ug/L
Chloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Chloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Chloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Chloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Chloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Chloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Chloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Chloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Chloromethane	NE-4	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Chloromethane	NE-4	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-4	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Chloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Chloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Chloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Chloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Chloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Chloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Chloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Chloromethane	NE-5	10/25/2006	2	2	ND	ug/L
Chloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Chloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Chloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Chloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Chloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Chloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Chloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Chloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Chloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Chloromethane	NE-5	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Chloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Chloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Chloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Chloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Chloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Chloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Chloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Chloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Chloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Chloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Chloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Chloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Chloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Chloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Chloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Chloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-5	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-5	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Chloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-5E	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-5E	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Chloromethane	NE-5W	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Chloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Chloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Chloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-5W	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-5W	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Chloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Chloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Chloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Chloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-6	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-6	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-6	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Chloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Chloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Chloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Chloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Chloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Chloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Chloromethane	NE-6D	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-6D	10/4/2023	1	1	ND	ug/L
Chloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Chloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Chloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Chloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Chloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Chloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Chloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-7	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Chloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Chloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Chloromethane	NE-7	7/6/2023	1	1	ND	ug/L
Chloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Chloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Chloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Chloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Chloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Chloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Chloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-8	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Chloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Chloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Chloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Chloromethane	NE-9	2/5/2019	1	1	ND	ug/L
Chloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Chloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Chloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Chloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Chloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Chloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Chloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Chloromethane	NE-9	7/5/2023	1	1	ND	ug/L
Chloromethane	NE-9	10/6/2023	1	1	ND	ug/L
Chloroprene	LGW-10	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-10	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-10	2/12/2015	1	1	ND	ug/L
Chloroprene	LGW-10	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-10	10/9/2017	1	1	ND	ug/L
Chloroprene	LGW-10	7/16/2018	1	1	ND	ug/L
Chloroprene	LGW-10	7/11/2019	1	1	ND	ug/L
Chloroprene	LGW-10	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-10	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-10	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-10	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-10	10/5/2023	1.7	1.7	ND	ug/L
Chloroprene	LGW-14R	10/27/2006	1	1	ND	ug/L
Chloroprene	LGW-14R	2/6/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	LGW-14R	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-14R	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-14R	7/17/2018	1	1	ND	ug/L
Chloroprene	LGW-14R	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-2	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-2	2/6/2009	1	1	ND	ug/L
Chloroprene	LGW-2	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-2	2/13/2015	1	1	ND	ug/L
Chloroprene	LGW-2	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-2	7/8/2020	50	50	ND	ug/L
Chloroprene	LGW-2	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-3R	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-3R	2/3/2009	1	1	ND	ug/L
Chloroprene	LGW-3R	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-3R	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-3R	7/11/2018	1	1	ND	ug/L
Chloroprene	LGW-3R	7/6/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-4	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-4	2/3/2009	1	1	ND	ug/L
Chloroprene	LGW-4	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-4	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-4	7/11/2018	1	1	ND	ug/L
Chloroprene	LGW-4	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-5	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-5	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-5	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-5	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-5	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-5	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-5	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-5	10/5/2023	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-6	2/5/2009	1	1	ND	ug/L
Chloroprene	LGW-6	7/9/2012	1	1	ND	ug/L
Chloroprene	LGW-6	2/10/2015	1	1	ND	ug/L
Chloroprene	LGW-6	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-6	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-6	7/17/2018	1	1	ND	ug/L
Chloroprene	LGW-6	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-6	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-6	10/6/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-6	10/5/2023	1.7	1.7	ND	ug/L
Chloroprene	LGW-7	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-7	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-7	7/10/2012	1	1	ND	ug/L
Chloroprene	LGW-7	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-7	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-7	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-7	7/12/2018	1	1	ND	ug/L
Chloroprene	LGW-7	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-7	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-7	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-7	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-8R	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-8R	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-8R	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	LGW-8R	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-8R	7/13/2018	1	1	ND	ug/L
Chloroprene	LGW-8R	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	10/26/2006	1	1	ND	ug/L
Chloroprene	LGW-9	2/4/2009	1	1	ND	ug/L
Chloroprene	LGW-9	7/10/2012	1	1	ND	ug/L
Chloroprene	LGW-9	2/11/2015	1	1	ND	ug/L
Chloroprene	LGW-9	10/6/2016	1	1	ND	ug/L
Chloroprene	LGW-9	10/5/2017	1	1	ND	ug/L
Chloroprene	LGW-9	7/13/2018	1	1	ND	ug/L
Chloroprene	LGW-9	7/10/2019	1	1	ND	ug/L
Chloroprene	LGW-9	7/9/2020	50	50	ND	ug/L
Chloroprene	LGW-9	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	7/7/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	10/5/2021	1.7	1.7	ND	ug/L
Chloroprene	LGW-9	10/5/2023	1.7	1.7	ND	ug/L
Chloroprene	MW-10N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-10N	2/13/2009	1	1	ND	ug/L
Chloroprene	MW-10N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-10N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-10N	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-10N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-11N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-11N	2/3/2009	1	1	ND	ug/L
Chloroprene	MW-11N	7/9/2012	1	1	ND	ug/L
Chloroprene	MW-11N	2/10/2015	1	1	ND	ug/L
Chloroprene	MW-11N	7/17/2018	1	1	ND	ug/L
Chloroprene	MW-11N	7/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-15	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-15	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-16	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-16	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-17	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-17	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-19	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-19	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-1N	10/14/1998	5	5	ND	ug/L
Chloroprene	MW-1N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-1N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-1N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-1N	2/5/2009	1	1	ND	ug/L
Chloroprene	MW-1N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-1N	2/10/2015	1	1	ND	ug/L
Chloroprene	MW-1N	7/10/2018	1	1	ND	ug/L
Chloroprene	MW-1N	7/6/2020	50	50	ND	ug/L
Chloroprene	MW-1N	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-20	7/12/2018	1	1	ND	ug/L
Chloroprene	MW-20	7/4/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-21	10/5/2016	1	1	ND	ug/L
Chloroprene	MW-21	10/6/2017	1	1	ND	ug/L
Chloroprene	MW-21	7/11/2018	1	1	ND	ug/L
Chloroprene	MW-21	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-21	7/8/2020	50	50	ND	ug/L
Chloroprene	MW-21	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-21	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-21	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-2N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-2N	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	MW-2N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-2N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-2N	7/12/2018	1	1	ND	ug/L
Chloroprene	MW-2N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-3N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-3N	10/25/2006	1	1	ND	ug/L
Chloroprene	MW-3N	2/4/2009	1	1	ND	ug/L
Chloroprene	MW-3N	7/11/2012	1	1	ND	ug/L
Chloroprene	MW-3N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-3N	10/6/2016	1	1	ND	ug/L
Chloroprene	MW-3N	10/9/2017	1	1	ND	ug/L
Chloroprene	MW-3N	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-3N	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-3N	7/7/2020	50	50	ND	ug/L
Chloroprene	MW-3N	10/7/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-3N	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-7N	10/15/1998	5	5	ND	ug/L
Chloroprene	MW-7N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-7N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-7N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-7N	2/6/2009	1	1	ND	ug/L
Chloroprene	MW-7N	7/10/2012	1	1	ND	ug/L
Chloroprene	MW-7N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-7N	10/5/2017	1	1	ND	ug/L
Chloroprene	MW-7N	7/13/2018	1	1	ND	ug/L
Chloroprene	MW-7N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	5/29/2002	1	1	ND	ug/L
Chloroprene	MW-8N	5/29/2002	5	5	ND	ug/L
Chloroprene	MW-8N	10/24/2006	1	1	ND	ug/L
Chloroprene	MW-8N	1/24/2008	1	1	ND	ug/L
Chloroprene	MW-8N	2/4/2009	1	1	ND	ug/L
Chloroprene	MW-8N	5/10/2011	1	1	ND	ug/L
Chloroprene	MW-8N	7/11/2012	1	1	ND	ug/L
Chloroprene	MW-8N	10/2/2013	1	1	ND	ug/L
Chloroprene	MW-8N	10/8/2014	1	1	ND	ug/L
Chloroprene	MW-8N	2/12/2015	1	1	ND	ug/L
Chloroprene	MW-8N	10/6/2016	1	1	ND	ug/L
Chloroprene	MW-8N	10/6/2017	1	1	ND	ug/L
Chloroprene	MW-8N	7/16/2018	1	1	ND	ug/L
Chloroprene	MW-8N	7/11/2019	1	1	ND	ug/L
Chloroprene	MW-8N	7/9/2020	50	50	ND	ug/L
Chloroprene	MW-8N	10/6/2020	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	7/5/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	10/6/2021	1.7	1.7	ND	ug/L
Chloroprene	MW-8N	10/5/2023	1.7	1.7	ND	ug/L
Chloroprene	NE-1	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-1	2/7/2009	1	1	ND	ug/L
Chloroprene	NE-1	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-1	2/11/2015	1	1	ND	ug/L
Chloroprene	NE-1	7/18/2018	1	1	ND	ug/L
Chloroprene	NE-2	7/10/2018	1	1	ND	ug/L
Chloroprene	NE-4	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-4	2/7/2009	1	1	ND	ug/L
Chloroprene	NE-4	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-4	2/13/2015	1	1	ND	ug/L
Chloroprene	NE-4	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chloroprene	NE-5	10/25/2006	1	1	ND	ug/L
Chloroprene	NE-5	2/6/2009	1	1	ND	ug/L
Chloroprene	NE-5	7/10/2012	1	1	ND	ug/L
Chloroprene	NE-5	2/11/2015	1	1	ND	ug/L
Chloroprene	NE-5	7/17/2018	1	1	ND	ug/L
Chloroprene	NE-5	7/9/2019	1	1	ND	ug/L
Chromium, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Chromium, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Chromium, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Chromium, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Chromium, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Chromium, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-7N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-7N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-7N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Chromium, dissolved	MW-8N	7/11/2000	3	3	ND	ug/L
Chromium, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	MW-8N	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-1	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-2	10/2/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-4	10/3/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	8/6/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	9/4/2002	10	10	ND	ug/L
Chromium, dissolved	NE-5	10/2/2002	10	10	ND	ug/L
Chromium, total	LGW-10	1/26/2006	3	3	ND	ug/L
Chromium, total	LGW-10	8/1/2006	2.1	3	ND	ug/L
Chromium, total	LGW-10	8/1/2006	2.1	3	ND	ug/L
Chromium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-10	1/9/2007	0.8	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-10	1/25/2007	0.6	3	ND	ug/L
Chromium, total	LGW-10	4/26/2007	3	3	ND	ug/L
Chromium, total	LGW-10	7/12/2007	3	3	ND	ug/L
Chromium, total	LGW-10	1/23/2008	3	3	ND	ug/L
Chromium, total	LGW-10	7/22/2008	3	3	ND	ug/L
Chromium, total	LGW-10	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Chromium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Chromium, total	LGW-10	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-10	1/19/2011	3	3	ND	ug/L
Chromium, total	LGW-10	7/12/2011	3	3	ND	ug/L
Chromium, total	LGW-10	1/5/2012	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2012	3	3	ND	ug/L
Chromium, total	LGW-10	5/1/2013	3	3	ND	ug/L
Chromium, total	LGW-10	1/30/2014	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2014	3	3	ND	ug/L
Chromium, total	LGW-10	2/12/2015	3	3	ND	ug/L
Chromium, total	LGW-10	7/13/2015	3	3	ND	ug/L
Chromium, total	LGW-10	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-10	4/6/2016	1.6	3	ND	ug/L
Chromium, total	LGW-10	7/21/2016	3	3	ND	ug/L
Chromium, total	LGW-10	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-10	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-10	4/4/2017	3	3	ND	ug/L
Chromium, total	LGW-10	7/19/2017	3	3	ND	ug/L
Chromium, total	LGW-10	10/9/2017	3	3	ND	ug/L
Chromium, total	LGW-10	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-10	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-10	7/16/2018	3	3	ND	ug/L
Chromium, total	LGW-10	10/4/2018	3	3	ND	ug/L
Chromium, total	LGW-10	1/4/2019	3	3	ND	ug/L
Chromium, total	LGW-10	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-10	7/11/2019	6	6	ND	ug/L
Chromium, total	LGW-10	10/2/2019	3	3	ND	ug/L
Chromium, total	LGW-10	1/15/2020	3	3	ND	ug/L
Chromium, total	LGW-10	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-10	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-10	10/7/2020	3	3	ND	ug/L
Chromium, total	LGW-10	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-10	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-10	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-10	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-10	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-10	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-10	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-10	10/7/2022	3	3	ND	ug/L
Chromium, total	LGW-10	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-10	4/5/2023	3	3	ND	ug/L
Chromium, total	LGW-10	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-10	10/5/2023	3	3	ND	ug/L
Chromium, total	LGW-14R	1/25/2006	9.2	3		ug/L
Chromium, total	LGW-14R	8/2/2006	17	3		ug/L
Chromium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Chromium, total	LGW-14R	1/9/2007	4.3	3		ug/L
Chromium, total	LGW-14R	1/24/2007	2.2	3	ND	ug/L
Chromium, total	LGW-14R	4/24/2007	5.4	3		ug/L
Chromium, total	LGW-14R	7/11/2007	19	3		ug/L
Chromium, total	LGW-14R	1/23/2008	2.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-14R	7/22/2008	1.2	3	ND	ug/L
Chromium, total	LGW-14R	2/6/2009	43	3		ug/L
Chromium, total	LGW-14R	7/29/2009	0.8	3	ND	ug/L
Chromium, total	LGW-14R	2/3/2010	1	3	ND	ug/L
Chromium, total	LGW-14R	2/3/2010	1	3	ND	ug/L
Chromium, total	LGW-14R	7/12/2010	0.7	3	ND	ug/L
Chromium, total	LGW-14R	1/19/2011	1.3	3	ND	ug/L
Chromium, total	LGW-14R	7/12/2011	1.2	3	ND	ug/L
Chromium, total	LGW-14R	1/5/2012	1.3	3	ND	ug/L
Chromium, total	LGW-14R	7/9/2012	1.3	3	ND	ug/L
Chromium, total	LGW-14R	4/30/2013	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/23/2014	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/8/2014	0.8	3	ND	ug/L
Chromium, total	LGW-14R	2/11/2015	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/22/2015	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/5/2016	1.2	3	ND	ug/L
Chromium, total	LGW-14R	7/19/2016	0.9	3	ND	ug/L
Chromium, total	LGW-14R	1/11/2017	0.9	3	ND	ug/L
Chromium, total	LGW-14R	7/18/2017	0.8	3	ND	ug/L
Chromium, total	LGW-14R	1/25/2018	1.1	3	ND	ug/L
Chromium, total	LGW-14R	7/17/2018	1.1	3	ND	ug/L
Chromium, total	LGW-14R	1/3/2019	0.96	3	ND	ug/L
Chromium, total	LGW-14R	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-14R	1/18/2021	3.51	3		ug/L
Chromium, total	LGW-14R	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-14R	7/7/2021	3.48	3		ug/L
Chromium, total	LGW-14R	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-14R	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-2	1/25/2006	3.3	3		ug/L
Chromium, total	LGW-2	8/1/2006	3	3		ug/L
Chromium, total	LGW-2	8/1/2006	3	3		ug/L
Chromium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-2	1/9/2007	1.9	3	ND	ug/L
Chromium, total	LGW-2	1/25/2007	2	3	ND	ug/L
Chromium, total	LGW-2	4/26/2007	1.1	3	ND	ug/L
Chromium, total	LGW-2	7/10/2007	0.9	3	ND	ug/L
Chromium, total	LGW-2	1/26/2008	56	3		ug/L
Chromium, total	LGW-2	7/23/2008	2.2	3	ND	ug/L
Chromium, total	LGW-2	2/6/2009	13	3		ug/L
Chromium, total	LGW-2	7/30/2009	7.3	3		ug/L
Chromium, total	LGW-2	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-2	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-2	7/12/2010	1.3	3	ND	ug/L
Chromium, total	LGW-2	1/19/2011	2.7	3	ND	ug/L
Chromium, total	LGW-2	7/13/2011	0.9	3	ND	ug/L
Chromium, total	LGW-2	1/4/2012	0.8	3	ND	ug/L
Chromium, total	LGW-2	7/9/2012	0.8	3	ND	ug/L
Chromium, total	LGW-2	4/30/2013	1.5	3	ND	ug/L
Chromium, total	LGW-2	7/15/2013	1.2	3	ND	ug/L
Chromium, total	LGW-2	1/30/2014	1.7	3	ND	ug/L
Chromium, total	LGW-2	7/8/2014	0.7	3	ND	ug/L
Chromium, total	LGW-2	2/13/2015	1.8	3	ND	ug/L
Chromium, total	LGW-2	7/8/2015	1.2	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-2	1/5/2016	1.3	3	ND	ug/L
Chromium, total	LGW-2	7/19/2016	1	3	ND	ug/L
Chromium, total	LGW-2	1/11/2017	1.5	3	ND	ug/L
Chromium, total	LGW-2	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-2	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-2	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-2	1/3/2019	3	3	ND	ug/L
Chromium, total	LGW-2	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-2	1/13/2020	3	3	ND	ug/L
Chromium, total	LGW-2	4/1/2020	3	3	ND	ug/L
Chromium, total	LGW-2	7/8/2020	3	3	ND	ug/L
Chromium, total	LGW-2	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-2	7/4/2021	3	3	ND	ug/L
Chromium, total	LGW-2	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-2	7/10/2022	3	3	ND	ug/L
Chromium, total	LGW-2	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-2	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-3R	7/20/2006	4	3		ug/L
Chromium, total	LGW-3R	7/20/2006	4	3		ug/L
Chromium, total	LGW-3R	10/26/2006	11	10		ug/L
Chromium, total	LGW-3R	1/8/2007	3.5	3		ug/L
Chromium, total	LGW-3R	1/25/2007	1.4	3	ND	ug/L
Chromium, total	LGW-3R	4/26/2007	0.6	3	ND	ug/L
Chromium, total	LGW-3R	7/11/2007	0.9	3	ND	ug/L
Chromium, total	LGW-3R	1/26/2008	5.9	3		ug/L
Chromium, total	LGW-3R	7/23/2008	0.7	3	ND	ug/L
Chromium, total	LGW-3R	2/3/2009	1	3	ND	ug/L
Chromium, total	LGW-3R	7/31/2009	4.5	3		ug/L
Chromium, total	LGW-3R	2/3/2010	0.9	3	ND	ug/L
Chromium, total	LGW-3R	2/3/2010	0.9	3	ND	ug/L
Chromium, total	LGW-3R	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-3R	1/19/2011	0.7	3	ND	ug/L
Chromium, total	LGW-3R	7/13/2011	0.8	3	ND	ug/L
Chromium, total	LGW-3R	1/4/2012	1	3	ND	ug/L
Chromium, total	LGW-3R	7/9/2012	0.7	3	ND	ug/L
Chromium, total	LGW-3R	4/30/2013	2.1	3	ND	ug/L
Chromium, total	LGW-3R	7/15/2013	3.2	3		ug/L
Chromium, total	LGW-3R	1/22/2014	1.2	3	ND	ug/L
Chromium, total	LGW-3R	7/8/2014	1.2	3	ND	ug/L
Chromium, total	LGW-3R	2/10/2015	1.2	3	ND	ug/L
Chromium, total	LGW-3R	7/16/2015	0.7	3	ND	ug/L
Chromium, total	LGW-3R	1/8/2016	1	3	ND	ug/L
Chromium, total	LGW-3R	7/21/2016	5.3	3		ug/L
Chromium, total	LGW-3R	1/11/2017	1.5	3	ND	ug/L
Chromium, total	LGW-3R	7/18/2017	0.9	3	ND	ug/L
Chromium, total	LGW-3R	1/23/2018	0.66	3	ND	ug/L
Chromium, total	LGW-3R	7/11/2018	0.62	3	ND	ug/L
Chromium, total	LGW-3R	1/3/2019	0.55	3	ND	ug/L
Chromium, total	LGW-3R	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-3R	1/18/2021	3.06	3		ug/L
Chromium, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Chromium, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Chromium, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-3R	7/10/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-4	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-4	7/20/2006	3.5	3		ug/L
Chromium, total	LGW-4	7/20/2006	3.5	3		ug/L
Chromium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-4	1/9/2007	1.8	3	ND	ug/L
Chromium, total	LGW-4	1/25/2007	1.6	3	ND	ug/L
Chromium, total	LGW-4	4/26/2007	0.6	3	ND	ug/L
Chromium, total	LGW-4	7/11/2007	0.9	3	ND	ug/L
Chromium, total	LGW-4	1/22/2008	0.9	3	ND	ug/L
Chromium, total	LGW-4	7/23/2008	3	3	ND	ug/L
Chromium, total	LGW-4	2/3/2009	0.5	3	ND	ug/L
Chromium, total	LGW-4	7/31/2009	0.5	3	ND	ug/L
Chromium, total	LGW-4	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-4	2/3/2010	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/16/2010	3	3	ND	ug/L
Chromium, total	LGW-4	1/19/2011	0.9	3	ND	ug/L
Chromium, total	LGW-4	7/13/2011	1.1	3	ND	ug/L
Chromium, total	LGW-4	1/4/2012	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/9/2012	0.7	3	ND	ug/L
Chromium, total	LGW-4	4/30/2013	0.8	3	ND	ug/L
Chromium, total	LGW-4	7/15/2013	0.8	3	ND	ug/L
Chromium, total	LGW-4	1/23/2014	0.7	3	ND	ug/L
Chromium, total	LGW-4	7/8/2014	0.7	3	ND	ug/L
Chromium, total	LGW-4	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-4	7/8/2015	0.5	3	ND	ug/L
Chromium, total	LGW-4	1/5/2016	1	3	ND	ug/L
Chromium, total	LGW-4	7/19/2016	0.5	3	ND	ug/L
Chromium, total	LGW-4	1/11/2017	0.7	3	ND	ug/L
Chromium, total	LGW-4	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-4	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-4	7/11/2018	3	3	ND	ug/L
Chromium, total	LGW-4	1/3/2019	0.56	3	ND	ug/L
Chromium, total	LGW-4	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-4	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-4	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-4	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-4	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-4	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-4	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-4	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-4	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-5	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-5	8/1/2006	1.8	3	ND	ug/L
Chromium, total	LGW-5	8/1/2006	1.8	3	ND	ug/L
Chromium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-5	1/9/2007	1.4	3	ND	ug/L
Chromium, total	LGW-5	1/25/2007	1.3	3	ND	ug/L
Chromium, total	LGW-5	4/26/2007	3	3	ND	ug/L
Chromium, total	LGW-5	7/11/2007	0.5	3	ND	ug/L
Chromium, total	LGW-5	1/23/2008	3	3	ND	ug/L
Chromium, total	LGW-5	7/23/2008	3	3	ND	ug/L
Chromium, total	LGW-5	2/4/2009	0.6	3	ND	ug/L
Chromium, total	LGW-5	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-5	2/3/2010	0.6	3	ND	ug/L
Chromium, total	LGW-5	2/3/2010	0.6	3	ND	ug/L
Chromium, total	LGW-5	7/12/2010	3	3	ND	ug/L
Chromium, total	LGW-5	1/19/2011	0.7	3	ND	ug/L
Chromium, total	LGW-5	7/12/2011	0.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-5	1/5/2012	0.7	3	ND	ug/L
Chromium, total	LGW-5	7/9/2012	0.6	3	ND	ug/L
Chromium, total	LGW-5	4/30/2013	3	3	ND	ug/L
Chromium, total	LGW-5	7/15/2013	3	3	ND	ug/L
Chromium, total	LGW-5	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-5	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-5	2/10/2015	3	3	ND	ug/L
Chromium, total	LGW-5	7/8/2015	3	3	ND	ug/L
Chromium, total	LGW-5	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-5	7/19/2016	3	3	ND	ug/L
Chromium, total	LGW-5	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-5	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-5	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-5	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-5	1/3/2019	3	3	ND	ug/L
Chromium, total	LGW-5	7/9/2019	6	6	ND	ug/L
Chromium, total	LGW-5	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-5	7/6/2020	3	3	ND	ug/L
Chromium, total	LGW-5	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-5	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-5	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-5	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-5	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-5	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-5	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-5	10/6/2022	3	3	ND	ug/L
Chromium, total	LGW-5	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-5	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-5	10/5/2023	3	3	ND	ug/L
Chromium, total	LGW-6	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-6	7/20/2006	3.4	3		ug/L
Chromium, total	LGW-6	7/20/2006	3.4	3		ug/L
Chromium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-6	1/9/2007	1.8	3	ND	ug/L
Chromium, total	LGW-6	1/24/2007	1.9	3	ND	ug/L
Chromium, total	LGW-6	4/26/2007	1	3	ND	ug/L
Chromium, total	LGW-6	7/11/2007	1	3	ND	ug/L
Chromium, total	LGW-6	1/23/2008	0.9	3	ND	ug/L
Chromium, total	LGW-6	7/23/2008	0.8	3	ND	ug/L
Chromium, total	LGW-6	2/5/2009	1.5	3	ND	ug/L
Chromium, total	LGW-6	7/29/2009	0.9	3	ND	ug/L
Chromium, total	LGW-6	2/3/2010	1.1	3	ND	ug/L
Chromium, total	LGW-6	2/3/2010	1.1	3	ND	ug/L
Chromium, total	LGW-6	7/12/2010	0.6	3	ND	ug/L
Chromium, total	LGW-6	1/19/2011	0.9	3	ND	ug/L
Chromium, total	LGW-6	7/12/2011	1	3	ND	ug/L
Chromium, total	LGW-6	1/5/2012	1.1	3	ND	ug/L
Chromium, total	LGW-6	7/9/2012	0.9	3	ND	ug/L
Chromium, total	LGW-6	4/30/2013	0.6	3	ND	ug/L
Chromium, total	LGW-6	7/15/2013	0.9	3	ND	ug/L
Chromium, total	LGW-6	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-6	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-6	2/10/2015	3	3	ND	ug/L
Chromium, total	LGW-6	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-6	1/5/2016	0.6	3	ND	ug/L
Chromium, total	LGW-6	7/19/2016	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-6	1/11/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-6	5/5/2017	3	3	ND	ug/L
Chromium, total	LGW-6	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-6	10/5/2017	3	3	ND	ug/L
Chromium, total	LGW-6	1/23/2018	3	3	ND	ug/L
Chromium, total	LGW-6	4/10/2018	3	3	ND	ug/L
Chromium, total	LGW-6	7/17/2018	3	3	ND	ug/L
Chromium, total	LGW-6	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-6	1/7/2019	3	3	ND	ug/L
Chromium, total	LGW-6	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-6	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-6	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-6	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-6	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-6	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2020	3	3	ND	ug/L
Chromium, total	LGW-6	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-6	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-6	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-6	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-6	1/12/2022	3	3	ND	ug/L
Chromium, total	LGW-6	4/4/2022	3	3	ND	ug/L
Chromium, total	LGW-6	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-6	10/6/2022	3	3	ND	ug/L
Chromium, total	LGW-6	1/10/2023	3	3	ND	ug/L
Chromium, total	LGW-6	4/6/2023	3	3	ND	ug/L
Chromium, total	LGW-6	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-6	10/5/2023	3	3	ND	ug/L
Chromium, total	LGW-7	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-7	8/1/2006	2.6	3	ND	ug/L
Chromium, total	LGW-7	8/1/2006	2.6	3	ND	ug/L
Chromium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-7	1/9/2007	1.6	3	ND	ug/L
Chromium, total	LGW-7	1/24/2007	1.1	3	ND	ug/L
Chromium, total	LGW-7	4/26/2007	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2007	1.3	3	ND	ug/L
Chromium, total	LGW-7	7/22/2008	0.8	3	ND	ug/L
Chromium, total	LGW-7	2/4/2009	1	3	ND	ug/L
Chromium, total	LGW-7	7/31/2009	0.9	3	ND	ug/L
Chromium, total	LGW-7	1/27/2010	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2010	0.6	3	ND	ug/L
Chromium, total	LGW-7	1/20/2011	1	3	ND	ug/L
Chromium, total	LGW-7	7/12/2011	0.9	3	ND	ug/L
Chromium, total	LGW-7	1/5/2012	1.1	3	ND	ug/L
Chromium, total	LGW-7	7/10/2012	3	3	ND	ug/L
Chromium, total	LGW-7	4/30/2013	3	3	ND	ug/L
Chromium, total	LGW-7	7/15/2013	0.5	3	ND	ug/L
Chromium, total	LGW-7	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-7	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-7	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-7	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-7	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-7	4/6/2016	0.9	3	ND	ug/L
Chromium, total	LGW-7	7/20/2016	3	3	ND	ug/L
Chromium, total	LGW-7	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-7	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-7	4/4/2017	3	3	ND	ug/L
Chromium, total	LGW-7	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-7	10/5/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-7	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-7	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-7	7/12/2018	3	3	ND	ug/L
Chromium, total	LGW-7	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-7	1/7/2019	0.58	3	ND	ug/L
Chromium, total	LGW-7	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-7	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-7	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-7	1/15/2020	3	3	ND	ug/L
Chromium, total	LGW-7	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-7	1/18/2021	3	3	ND	ug/L
Chromium, total	LGW-7	7/7/2021	6.63	3		ug/L
Chromium, total	LGW-7	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-7	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-7	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-7	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-7	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2006	1.7	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2006	1.7	3	ND	ug/L
Chromium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-8R	1/9/2007	1	3	ND	ug/L
Chromium, total	LGW-8R	1/24/2007	0.7	3	ND	ug/L
Chromium, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Chromium, total	LGW-8R	7/12/2007	0.9	3	ND	ug/L
Chromium, total	LGW-8R	2/4/2009	0.8	3	ND	ug/L
Chromium, total	LGW-8R	7/29/2009	0.5	3	ND	ug/L
Chromium, total	LGW-8R	1/27/2010	0.6	3	ND	ug/L
Chromium, total	LGW-8R	7/14/2010	3	3	ND	ug/L
Chromium, total	LGW-8R	1/20/2011	0.7	3	ND	ug/L
Chromium, total	LGW-8R	7/12/2011	0.8	3	ND	ug/L
Chromium, total	LGW-8R	1/5/2012	0.9	3	ND	ug/L
Chromium, total	LGW-8R	7/9/2012	0.6	3	ND	ug/L
Chromium, total	LGW-8R	4/30/2013	0.7	3	ND	ug/L
Chromium, total	LGW-8R	7/15/2013	0.8	3	ND	ug/L
Chromium, total	LGW-8R	1/22/2014	0.6	3	ND	ug/L
Chromium, total	LGW-8R	7/8/2014	0.6	3	ND	ug/L
Chromium, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Chromium, total	LGW-8R	1/5/2016	0.8	3	ND	ug/L
Chromium, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Chromium, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-8R	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Chromium, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Chromium, total	LGW-8R	1/7/2019	0.54	3	ND	ug/L
Chromium, total	LGW-8R	7/8/2019	6	6	ND	ug/L
Chromium, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Chromium, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Chromium, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-8R	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-9	1/25/2006	3	3	ND	ug/L
Chromium, total	LGW-9	7/20/2006	2.1	3	ND	ug/L
Chromium, total	LGW-9	7/20/2006	2.1	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Chromium, total	LGW-9	1/9/2007	0.8	3	ND	ug/L
Chromium, total	LGW-9	1/25/2007	0.5	3	ND	ug/L
Chromium, total	LGW-9	4/25/2007	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2007	3	3	ND	ug/L
Chromium, total	LGW-9	7/22/2008	3	3	ND	ug/L
Chromium, total	LGW-9	2/4/2009	3	3	ND	ug/L
Chromium, total	LGW-9	7/29/2009	3	3	ND	ug/L
Chromium, total	LGW-9	1/27/2010	3	3	ND	ug/L
Chromium, total	LGW-9	7/14/2010	3	3	ND	ug/L
Chromium, total	LGW-9	1/20/2011	3	3	ND	ug/L
Chromium, total	LGW-9	7/12/2011	3	3	ND	ug/L
Chromium, total	LGW-9	1/5/2012	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2012	3	3	ND	ug/L
Chromium, total	LGW-9	5/1/2013	3	3	ND	ug/L
Chromium, total	LGW-9	7/15/2013	3	3	ND	ug/L
Chromium, total	LGW-9	1/23/2014	3	3	ND	ug/L
Chromium, total	LGW-9	7/8/2014	3	3	ND	ug/L
Chromium, total	LGW-9	2/11/2015	3	3	ND	ug/L
Chromium, total	LGW-9	7/13/2015	3	3	ND	ug/L
Chromium, total	LGW-9	1/5/2016	3	3	ND	ug/L
Chromium, total	LGW-9	7/21/2016	3	3	ND	ug/L
Chromium, total	LGW-9	10/6/2016	3	3	ND	ug/L
Chromium, total	LGW-9	1/11/2017	3	3	ND	ug/L
Chromium, total	LGW-9	5/5/2017	3	3	ND	ug/L
Chromium, total	LGW-9	7/18/2017	3	3	ND	ug/L
Chromium, total	LGW-9	10/5/2017	3	3	ND	ug/L
Chromium, total	LGW-9	1/24/2018	3	3	ND	ug/L
Chromium, total	LGW-9	4/11/2018	3	3	ND	ug/L
Chromium, total	LGW-9	7/13/2018	3	3	ND	ug/L
Chromium, total	LGW-9	10/2/2018	3	3	ND	ug/L
Chromium, total	LGW-9	1/7/2019	3	3	ND	ug/L
Chromium, total	LGW-9	4/3/2019	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2019	6	6	ND	ug/L
Chromium, total	LGW-9	10/3/2019	3	3	ND	ug/L
Chromium, total	LGW-9	1/16/2020	3	3	ND	ug/L
Chromium, total	LGW-9	4/2/2020	3	3	ND	ug/L
Chromium, total	LGW-9	7/9/2020	3	3	ND	ug/L
Chromium, total	LGW-9	10/7/2020	3	3	ND	ug/L
Chromium, total	LGW-9	1/17/2021	3	3	ND	ug/L
Chromium, total	LGW-9	4/6/2021	3	3	ND	ug/L
Chromium, total	LGW-9	7/7/2021	3	3	ND	ug/L
Chromium, total	LGW-9	10/5/2021	3	3	ND	ug/L
Chromium, total	LGW-9	1/13/2022	3	3	ND	ug/L
Chromium, total	LGW-9	4/4/2022	9.36	3		ug/L
Chromium, total	LGW-9	7/11/2022	3	3	ND	ug/L
Chromium, total	LGW-9	10/7/2022	3	3	ND	ug/L
Chromium, total	LGW-9	1/11/2023	3	3	ND	ug/L
Chromium, total	LGW-9	4/5/2023	3	3	ND	ug/L
Chromium, total	LGW-9	7/10/2023	3	3	ND	ug/L
Chromium, total	LGW-9	10/5/2023	3	3	ND	ug/L
Chromium, total	MW-10N	10/22/1997	3.2	3		ug/L
Chromium, total	MW-10N	1/22/1998	3	3	ND	ug/L
Chromium, total	MW-10N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-10N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-10N	1/14/1999	4.5	3		ug/L
Chromium, total	MW-10N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-10N	7/15/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-10N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-10N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-10N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-10N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-10N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-10N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-10N	7/10/2002	10	10	ND	ug/L
Chromium, total	MW-10N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-10N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-10N	4/15/2003	3	3	ND	ug/L
Chromium, total	MW-10N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-10N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-10N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-10N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-10N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-10N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-10N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-10N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-10N	1/10/2007	1.8	3	ND	ug/L
Chromium, total	MW-10N	1/24/2007	1.7	3	ND	ug/L
Chromium, total	MW-10N	7/10/2007	0.5	3	ND	ug/L
Chromium, total	MW-10N	1/23/2008	3	3	ND	ug/L
Chromium, total	MW-10N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-10N	2/13/2009	1	3	ND	ug/L
Chromium, total	MW-10N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-10N	1/27/2010	3	3	ND	ug/L
Chromium, total	MW-10N	8/10/2010	3	3	ND	ug/L
Chromium, total	MW-10N	1/19/2011	3	3	ND	ug/L
Chromium, total	MW-10N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-10N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-10N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-10N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-10N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-10N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-10N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-10N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-10N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-10N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-10N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-10N	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-10N	7/11/2018	3	3	ND	ug/L
Chromium, total	MW-10N	1/3/2019	3	3	ND	ug/L
Chromium, total	MW-10N	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-10N	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-10N	7/8/2020	3	3	ND	ug/L
Chromium, total	MW-10N	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-10N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-10N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-10N	7/7/2023	3	3	ND	ug/L
Chromium, total	MW-11N	10/22/1997	4	3		ug/L
Chromium, total	MW-11N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-11N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-11N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/1999	3	3	ND	ug/L
Chromium, total	MW-11N	4/13/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-11N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-11N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/2000	3	3	ND	ug/L
Chromium, total	MW-11N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-11N	7/10/2000	3	3	ND	ug/L
Chromium, total	MW-11N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-11N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-11N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-11N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-11N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-11N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-11N	4/15/2003	3	3	ND	ug/L
Chromium, total	MW-11N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-11N	1/29/2004	3	3	ND	ug/L
Chromium, total	MW-11N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-11N	1/13/2005	3	3	ND	ug/L
Chromium, total	MW-11N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-11N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-11N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-11N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-11N	1/9/2007	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/24/2007	0.6	3	ND	ug/L
Chromium, total	MW-11N	7/10/2007	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/22/2008	0.5	3	ND	ug/L
Chromium, total	MW-11N	7/23/2008	3	3	ND	ug/L
Chromium, total	MW-11N	2/3/2009	0.7	3	ND	ug/L
Chromium, total	MW-11N	7/31/2009	0.5	3	ND	ug/L
Chromium, total	MW-11N	2/3/2010	0.8	3	ND	ug/L
Chromium, total	MW-11N	2/3/2010	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/16/2010	3	3	ND	ug/L
Chromium, total	MW-11N	1/19/2011	0.7	3	ND	ug/L
Chromium, total	MW-11N	7/13/2011	0.9	3	ND	ug/L
Chromium, total	MW-11N	1/4/2012	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/9/2012	0.5	3	ND	ug/L
Chromium, total	MW-11N	4/30/2013	0.9	3	ND	ug/L
Chromium, total	MW-11N	7/15/2013	0.7	3	ND	ug/L
Chromium, total	MW-11N	1/23/2014	1.1	3	ND	ug/L
Chromium, total	MW-11N	7/8/2014	0.6	3	ND	ug/L
Chromium, total	MW-11N	2/10/2015	0.6	3	ND	ug/L
Chromium, total	MW-11N	7/13/2015	3	3	ND	ug/L
Chromium, total	MW-11N	1/5/2016	0.8	3	ND	ug/L
Chromium, total	MW-11N	7/21/2016	0.6	3	ND	ug/L
Chromium, total	MW-11N	1/11/2017	1.8	3	ND	ug/L
Chromium, total	MW-11N	7/19/2017	0.8	3	ND	ug/L
Chromium, total	MW-11N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-11N	7/17/2018	0.58	3	ND	ug/L
Chromium, total	MW-11N	1/2/2019	0.58	3	ND	ug/L
Chromium, total	MW-11N	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-11N	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-11N	7/6/2020	3	3	ND	ug/L
Chromium, total	MW-11N	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-11N	7/6/2021	3	3	ND	ug/L
Chromium, total	MW-11N	1/18/2022	3	3	ND	ug/L
Chromium, total	MW-11N	7/13/2022	3.29	3		ug/L
Chromium, total	MW-11N	10/6/2022	3	3	ND	ug/L
Chromium, total	MW-11N	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-11N	7/8/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-15	6/5/2015	0.5	3	ND	ug/L
Chromium, total	MW-15	7/15/2015	3	3	ND	ug/L
Chromium, total	MW-15	8/5/2015	4.8	3		ug/L
Chromium, total	MW-15	9/3/2015	3	3	ND	ug/L
Chromium, total	MW-15	1/7/2016	2.8	3	ND	ug/L
Chromium, total	MW-15	4/5/2016	2.6	3	ND	ug/L
Chromium, total	MW-15	7/20/2016	0.9	3	ND	ug/L
Chromium, total	MW-15	10/6/2016	1.4	3	ND	ug/L
Chromium, total	MW-15	1/10/2017	2.2	3	ND	ug/L
Chromium, total	MW-15	7/18/2017	3	3	ND	ug/L
Chromium, total	MW-15	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-15	7/10/2018	0.55	3	ND	ug/L
Chromium, total	MW-15	1/3/2019	0.86	3	ND	ug/L
Chromium, total	MW-15	7/9/2019	6	6	ND	ug/L
Chromium, total	MW-15	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-15	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-15	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-15	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-15	1/12/2022	3	3	ND	ug/L
Chromium, total	MW-15	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-15	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-15	7/10/2023	3	3	ND	ug/L
Chromium, total	MW-16	6/5/2015	1	3	ND	ug/L
Chromium, total	MW-16	7/16/2015	0.8	3	ND	ug/L
Chromium, total	MW-16	8/5/2015	1	3	ND	ug/L
Chromium, total	MW-16	9/3/2015	0.7	3	ND	ug/L
Chromium, total	MW-16	1/8/2016	1.9	3	ND	ug/L
Chromium, total	MW-16	4/5/2016	2.6	3	ND	ug/L
Chromium, total	MW-16	7/21/2016	0.7	3	ND	ug/L
Chromium, total	MW-16	10/5/2016	2.9	3	ND	ug/L
Chromium, total	MW-16	1/10/2017	1	3	ND	ug/L
Chromium, total	MW-16	7/18/2017	0.8	3	ND	ug/L
Chromium, total	MW-16	1/23/2018	0.85	3	ND	ug/L
Chromium, total	MW-16	7/11/2018	0.77	3	ND	ug/L
Chromium, total	MW-16	1/2/2019	1.3	3	ND	ug/L
Chromium, total	MW-16	7/10/2019	6	6	ND	ug/L
Chromium, total	MW-16	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-16	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-16	1/18/2021	3	3	ND	ug/L
Chromium, total	MW-16	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-16	1/12/2022	3	3	ND	ug/L
Chromium, total	MW-16	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-16	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-16	7/10/2023	3	3	ND	ug/L
Chromium, total	MW-17	6/5/2015	1.7	3	ND	ug/L
Chromium, total	MW-17	7/15/2015	3	3	ND	ug/L
Chromium, total	MW-17	8/4/2015	2.5	3	ND	ug/L
Chromium, total	MW-17	9/2/2015	1.5	3	ND	ug/L
Chromium, total	MW-17	1/7/2016	1.1	3	ND	ug/L
Chromium, total	MW-17	4/5/2016	1.7	3	ND	ug/L
Chromium, total	MW-17	7/20/2016	0.9	3	ND	ug/L
Chromium, total	MW-17	10/6/2016	0.9	3	ND	ug/L
Chromium, total	MW-17	1/10/2017	0.8	3	ND	ug/L
Chromium, total	MW-17	7/18/2017	0.7	3	ND	ug/L
Chromium, total	MW-17	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-17	7/10/2018	3	3	ND	ug/L
Chromium, total	MW-17	1/3/2019	0.91	3	ND	ug/L
Chromium, total	MW-17	7/11/2019	6	6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-17	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-17	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-17	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-17	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-17	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-17	7/8/2023	3	3	ND	ug/L
Chromium, total	MW-19	6/5/2015	2.8	3	ND	ug/L
Chromium, total	MW-19	7/16/2015	1.4	3	ND	ug/L
Chromium, total	MW-19	8/5/2015	2.5	3	ND	ug/L
Chromium, total	MW-19	9/3/2015	2.3	3	ND	ug/L
Chromium, total	MW-19	1/7/2016	1	3	ND	ug/L
Chromium, total	MW-19	4/5/2016	3.8	3		ug/L
Chromium, total	MW-19	7/21/2016	1.3	3	ND	ug/L
Chromium, total	MW-19	10/5/2016	2.3	3	ND	ug/L
Chromium, total	MW-19	1/10/2017	1.3	3	ND	ug/L
Chromium, total	MW-19	7/18/2017	0.6	3	ND	ug/L
Chromium, total	MW-19	1/23/2018	1.3	3	ND	ug/L
Chromium, total	MW-19	7/13/2018	1.6	3	ND	ug/L
Chromium, total	MW-19	1/7/2019	1.5	3	ND	ug/L
Chromium, total	MW-19	7/11/2019	1.3	6	ND	ug/L
Chromium, total	MW-19	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-19	8/3/2020	3	3	ND	ug/L
Chromium, total	MW-19	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-19	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-19	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-19	7/10/2023	3	3	ND	ug/L
Chromium, total	MW-1N	10/22/1997	3	3	ND	ug/L
Chromium, total	MW-1N	1/20/1998	3	3	ND	ug/L
Chromium, total	MW-1N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-1N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-1N	10/14/1998	3.2	3		ug/L
Chromium, total	MW-1N	1/13/1999	14	3		ug/L
Chromium, total	MW-1N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-1N	7/15/1999	3	3	ND	ug/L
Chromium, total	MW-1N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-1N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-1N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-1N	7/12/2000	3	3	ND	ug/L
Chromium, total	MW-1N	10/18/2000	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-1N	4/12/2001	3	3	ND	ug/L
Chromium, total	MW-1N	5/29/2002	17	10		ug/L
Chromium, total	MW-1N	5/29/2002	17	10		ug/L
Chromium, total	MW-1N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-1N	10/3/2002	10	10	ND	ug/L
Chromium, total	MW-1N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-1N	4/15/2003	3	3	ND	ug/L
Chromium, total	MW-1N	7/8/2003	3	3	ND	ug/L
Chromium, total	MW-1N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-1N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-1N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-1N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-1N	1/18/2006	3	3	ND	ug/L
Chromium, total	MW-1N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-1N	7/18/2006	1.2	3	ND	ug/L
Chromium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-1N	1/9/2007	0.7	3	ND	ug/L
Chromium, total	MW-1N	1/26/2007	0.8	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-1N	7/11/2007	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2008	3	3	ND	ug/L
Chromium, total	MW-1N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-1N	2/5/2009	3	3	ND	ug/L
Chromium, total	MW-1N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-1N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-1N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-1N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-1N	7/13/2011	3	3	ND	ug/L
Chromium, total	MW-1N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-1N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-1N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-1N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-1N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-1N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-1N	2/10/2015	3	3	ND	ug/L
Chromium, total	MW-1N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-1N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-1N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-1N	1/12/2017	3	3	ND	ug/L
Chromium, total	MW-1N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-1N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-1N	7/10/2018	0.55	3	ND	ug/L
Chromium, total	MW-1N	1/3/2019	0.61	3	ND	ug/L
Chromium, total	MW-1N	7/11/2019	7.3	6		ug/L
Chromium, total	MW-1N	10/2/2019	2.8	3	ND	ug/L
Chromium, total	MW-1N	1/23/2020	1410	3		ug/L
Chromium, total	MW-1N	4/2/2020	19.1	3		ug/L
Chromium, total	MW-1N	7/6/2020	3	3	ND	ug/L
Chromium, total	MW-1N	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-1N	7/4/2021	13.8	3		ug/L
Chromium, total	MW-1N	10/6/2021	4.32	3		ug/L
Chromium, total	MW-1N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-1N	7/8/2023	3	3	ND	ug/L
Chromium, total	MW-20	6/5/2015	1.7	3	ND	ug/L
Chromium, total	MW-20	7/14/2015	1.7	3	ND	ug/L
Chromium, total	MW-20	8/4/2015	1	3	ND	ug/L
Chromium, total	MW-20	9/2/2015	3.1	3		ug/L
Chromium, total	MW-20	1/7/2016	3.4	3		ug/L
Chromium, total	MW-20	4/5/2016	1.7	3	ND	ug/L
Chromium, total	MW-20	7/20/2016	3.4	3		ug/L
Chromium, total	MW-20	10/5/2016	4.1	3		ug/L
Chromium, total	MW-20	1/12/2017	11	3		ug/L
Chromium, total	MW-20	7/18/2017	0.8	3	ND	ug/L
Chromium, total	MW-20	1/26/2018	1.2	3	ND	ug/L
Chromium, total	MW-20	7/12/2018	2.1	3	ND	ug/L
Chromium, total	MW-20	7/11/2019	1.3	6	ND	ug/L
Chromium, total	MW-20	1/14/2020	3	3	ND	ug/L
Chromium, total	MW-20	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-20	1/17/2021	5.64	3		ug/L
Chromium, total	MW-20	7/4/2021	3	3	ND	ug/L
Chromium, total	MW-20	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-21	6/5/2015	3	3	ND	ug/L
Chromium, total	MW-21	7/14/2015	0.8	3	ND	ug/L
Chromium, total	MW-21	8/4/2015	0.7	3	ND	ug/L
Chromium, total	MW-21	9/2/2015	1.6	3	ND	ug/L
Chromium, total	MW-21	1/7/2016	3	3	ND	ug/L
Chromium, total	MW-21	4/5/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-21	7/20/2016	3	3	ND	ug/L
Chromium, total	MW-21	10/5/2016	1.3	3	ND	ug/L
Chromium, total	MW-21	10/5/2016	0.8	3	ND	ug/L
Chromium, total	MW-21	1/10/2017	1.7	3	ND	ug/L
Chromium, total	MW-21	4/5/2017	3	3	ND	ug/L
Chromium, total	MW-21	7/19/2017	0.8	3	ND	ug/L
Chromium, total	MW-21	10/6/2017	3	3	ND	ug/L
Chromium, total	MW-21	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-21	4/11/2018	3	3	ND	ug/L
Chromium, total	MW-21	7/11/2018	3	3	ND	ug/L
Chromium, total	MW-21	10/4/2018	3	3	ND	ug/L
Chromium, total	MW-21	1/3/2019	3	3	ND	ug/L
Chromium, total	MW-21	4/3/2019	0.57	3	ND	ug/L
Chromium, total	MW-21	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-21	10/2/2019	3	3	ND	ug/L
Chromium, total	MW-21	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-21	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-21	7/8/2020	3	3	ND	ug/L
Chromium, total	MW-21	10/7/2020	3	3	ND	ug/L
Chromium, total	MW-21	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-21	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-21	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-21	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-21	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-21	4/8/2023	3	3	ND	ug/L
Chromium, total	MW-21	7/7/2023	3	3	ND	ug/L
Chromium, total	MW-21	10/6/2023	3	3	ND	ug/L
Chromium, total	MW-2N	10/22/1997	13	3		ug/L
Chromium, total	MW-2N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-2N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-2N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-2N	1/13/1999	4.4	3		ug/L
Chromium, total	MW-2N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-2N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-2N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-2N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-2N	4/25/2000	3	3	ND	ug/L
Chromium, total	MW-2N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-2N	1/24/2001	3	3	ND	ug/L
Chromium, total	MW-2N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-2N	7/10/2002	10	10	ND	ug/L
Chromium, total	MW-2N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-2N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-2N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-2N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-2N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-2N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-2N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-2N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-2N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-2N	7/19/2006	1.6	3	ND	ug/L
Chromium, total	MW-2N	7/19/2006	1.6	3	ND	ug/L
Chromium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-2N	1/10/2007	1.8	3	ND	ug/L
Chromium, total	MW-2N	1/26/2007	1.1	3	ND	ug/L
Chromium, total	MW-2N	7/11/2007	3	3	ND	ug/L
Chromium, total	MW-2N	1/24/2008	1.2	3	ND	ug/L
Chromium, total	MW-2N	7/22/2008	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-2N	2/4/2009	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/31/2009	0.5	3	ND	ug/L
Chromium, total	MW-2N	1/26/2010	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-2N	1/20/2011	0.5	3	ND	ug/L
Chromium, total	MW-2N	7/13/2011	0.7	3	ND	ug/L
Chromium, total	MW-2N	1/5/2012	1.3	3	ND	ug/L
Chromium, total	MW-2N	7/10/2012	0.5	3	ND	ug/L
Chromium, total	MW-2N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-2N	7/16/2013	0.6	3	ND	ug/L
Chromium, total	MW-2N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-2N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-2N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-2N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-2N	1/6/2016	0.6	3	ND	ug/L
Chromium, total	MW-2N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-2N	1/11/2017	0.5	3	ND	ug/L
Chromium, total	MW-2N	7/19/2017	0.5	3	ND	ug/L
Chromium, total	MW-2N	1/23/2018	3	3	ND	ug/L
Chromium, total	MW-2N	7/12/2018	0.51	3	ND	ug/L
Chromium, total	MW-2N	1/3/2019	0.55	3	ND	ug/L
Chromium, total	MW-2N	8/7/2019	11	6		ug/L
Chromium, total	MW-2N	10/1/2019	3.9	3		ug/L
Chromium, total	MW-2N	1/23/2020	4.42	3		ug/L
Chromium, total	MW-2N	7/7/2020	4.57	3		ug/L
Chromium, total	MW-2N	1/14/2021	3	3	ND	ug/L
Chromium, total	MW-2N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-2N	1/11/2023	6.52	3		ug/L
Chromium, total	MW-2N	4/8/2023	3	3	ND	ug/L
Chromium, total	MW-2N	7/8/2023	3	3	ND	ug/L
Chromium, total	MW-3N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-3N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-3N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-3N	7/23/1998	3	3	ND	ug/L
Chromium, total	MW-3N	1/13/1999	3	3	ND	ug/L
Chromium, total	MW-3N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-3N	10/20/1999	3	3	ND	ug/L
Chromium, total	MW-3N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-3N	4/24/2000	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-3N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-3N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-3N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-3N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-3N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-3N	1/22/2003	3	3	ND	ug/L
Chromium, total	MW-3N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-3N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-3N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-3N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-3N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-3N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-3N	1/18/2006	3	3	ND	ug/L
Chromium, total	MW-3N	7/19/2006	1.2	3	ND	ug/L
Chromium, total	MW-3N	7/19/2006	1.2	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Chromium, total	MW-3N	1/10/2007	1.1	3	ND	ug/L
Chromium, total	MW-3N	1/26/2007	0.5	3	ND	ug/L
Chromium, total	MW-3N	7/11/2007	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2008	0.6	3	ND	ug/L
Chromium, total	MW-3N	7/22/2008	3	3	ND	ug/L
Chromium, total	MW-3N	2/4/2009	3	3	ND	ug/L
Chromium, total	MW-3N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-3N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-3N	7/13/2010	3	3	ND	ug/L
Chromium, total	MW-3N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-3N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2012	3	3	ND	ug/L
Chromium, total	MW-3N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-3N	6/4/2013	3	3	ND	ug/L
Chromium, total	MW-3N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2014	3	3	ND	ug/L
Chromium, total	MW-3N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-3N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-3N	4/1/2015	3	3	ND	ug/L
Chromium, total	MW-3N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-3N	10/5/2015	3	3	ND	ug/L
Chromium, total	MW-3N	1/6/2016	3	3	ND	ug/L
Chromium, total	MW-3N	4/6/2016	0.8	3	ND	ug/L
Chromium, total	MW-3N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-3N	10/6/2016	3	3	ND	ug/L
Chromium, total	MW-3N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-3N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-3N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-3N	10/9/2017	3	3	ND	ug/L
Chromium, total	MW-3N	1/24/2018	3	3	ND	ug/L
Chromium, total	MW-3N	4/10/2018	3	3	ND	ug/L
Chromium, total	MW-3N	7/13/2018	3	3	ND	ug/L
Chromium, total	MW-3N	10/3/2018	0.5	3	ND	ug/L
Chromium, total	MW-3N	1/7/2019	0.84	3	ND	ug/L
Chromium, total	MW-3N	4/3/2019	3	3	ND	ug/L
Chromium, total	MW-3N	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-3N	10/2/2019	3	3	ND	ug/L
Chromium, total	MW-3N	1/15/2020	3	3	ND	ug/L
Chromium, total	MW-3N	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-3N	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-3N	10/7/2020	3	3	ND	ug/L
Chromium, total	MW-3N	1/13/2021	3	3	ND	ug/L
Chromium, total	MW-3N	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-3N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-3N	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-3N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-3N	7/7/2023	3	3	ND	ug/L
Chromium, total	MW-3N	10/6/2023	3	3	ND	ug/L
Chromium, total	MW-7N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-7N	1/21/1998	3	3	ND	ug/L
Chromium, total	MW-7N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-7N	8/18/1998	3	3	ND	ug/L
Chromium, total	MW-7N	9/17/1998	3	3	ND	ug/L
Chromium, total	MW-7N	10/15/1998	3	3	ND	ug/L
Chromium, total	MW-7N	11/9/1998	3	3	ND	ug/L
Chromium, total	MW-7N	1/14/1999	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-7N	4/14/1999	3	3	ND	ug/L
Chromium, total	MW-7N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-7N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-7N	1/13/2000	3	3	ND	ug/L
Chromium, total	MW-7N	4/25/2000	27	3		ug/L
Chromium, total	MW-7N	7/11/2000	3	3	ND	ug/L
Chromium, total	MW-7N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-7N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-7N	4/10/2001	3	3	ND	ug/L
Chromium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-7N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-7N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-7N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-7N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-7N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-7N	1/27/2004	3	3	ND	ug/L
Chromium, total	MW-7N	4/8/2004	3	3	ND	ug/L
Chromium, total	MW-7N	7/26/2004	3	3	ND	ug/L
Chromium, total	MW-7N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2005	3	3	ND	ug/L
Chromium, total	MW-7N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-7N	7/19/2006	1.4	3	ND	ug/L
Chromium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-7N	1/10/2007	1	3	ND	ug/L
Chromium, total	MW-7N	1/26/2007	2.4	3	ND	ug/L
Chromium, total	MW-7N	7/10/2007	2.7	3	ND	ug/L
Chromium, total	MW-7N	7/21/2008	3	3	ND	ug/L
Chromium, total	MW-7N	2/6/2009	0.9	3	ND	ug/L
Chromium, total	MW-7N	7/29/2009	3	3	ND	ug/L
Chromium, total	MW-7N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-7N	7/14/2010	3	3	ND	ug/L
Chromium, total	MW-7N	1/20/2011	3	3	ND	ug/L
Chromium, total	MW-7N	7/12/2011	3	3	ND	ug/L
Chromium, total	MW-7N	1/5/2012	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2012	3	3	ND	ug/L
Chromium, total	MW-7N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-7N	6/4/2013	3	3	ND	ug/L
Chromium, total	MW-7N	7/15/2013	3	3	ND	ug/L
Chromium, total	MW-7N	1/30/2014	3	3	ND	ug/L
Chromium, total	MW-7N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-7N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-7N	7/13/2015	3	3	ND	ug/L
Chromium, total	MW-7N	1/5/2016	3	3	ND	ug/L
Chromium, total	MW-7N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-7N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-7N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-7N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-7N	10/5/2017	3	3	ND	ug/L
Chromium, total	MW-7N	1/25/2018	3	3	ND	ug/L
Chromium, total	MW-7N	4/11/2018	3	3	ND	ug/L
Chromium, total	MW-7N	7/13/2018	3	3	ND	ug/L
Chromium, total	MW-7N	1/4/2019	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2019	6	6	ND	ug/L
Chromium, total	MW-7N	1/16/2020	3	3	ND	ug/L
Chromium, total	MW-7N	7/7/2020	3	3	ND	ug/L
Chromium, total	MW-7N	1/16/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-7N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-7N	1/12/2022	3	3	ND	ug/L
Chromium, total	MW-7N	7/10/2022	3	3	ND	ug/L
Chromium, total	MW-7N	1/10/2023	3	3	ND	ug/L
Chromium, total	MW-7N	7/7/2023	3	3	ND	ug/L
Chromium, total	MW-8N	10/21/1997	3	3	ND	ug/L
Chromium, total	MW-8N	1/22/1998	3	3	ND	ug/L
Chromium, total	MW-8N	4/28/1998	3	3	ND	ug/L
Chromium, total	MW-8N	7/22/1998	3	3	ND	ug/L
Chromium, total	MW-8N	1/12/1999	3	3	ND	ug/L
Chromium, total	MW-8N	4/13/1999	3	3	ND	ug/L
Chromium, total	MW-8N	7/14/1999	3	3	ND	ug/L
Chromium, total	MW-8N	10/19/1999	3	3	ND	ug/L
Chromium, total	MW-8N	1/14/2000	3	3	ND	ug/L
Chromium, total	MW-8N	4/25/2000	8.2	3		ug/L
Chromium, total	MW-8N	10/17/2000	3	3	ND	ug/L
Chromium, total	MW-8N	1/23/2001	3	3	ND	ug/L
Chromium, total	MW-8N	4/11/2001	3	3	ND	ug/L
Chromium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Chromium, total	MW-8N	7/9/2002	10	10	ND	ug/L
Chromium, total	MW-8N	10/2/2002	10	10	ND	ug/L
Chromium, total	MW-8N	1/23/2003	3	3	ND	ug/L
Chromium, total	MW-8N	4/14/2003	3	3	ND	ug/L
Chromium, total	MW-8N	7/7/2003	3	3	ND	ug/L
Chromium, total	MW-8N	1/28/2004	3	3	ND	ug/L
Chromium, total	MW-8N	7/27/2004	3	3	ND	ug/L
Chromium, total	MW-8N	1/12/2005	3	3	ND	ug/L
Chromium, total	MW-8N	7/20/2005	3	3	ND	ug/L
Chromium, total	MW-8N	1/19/2006	3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2006	1.3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2006	1.3	3	ND	ug/L
Chromium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Chromium, total	MW-8N	1/10/2007	0.8	3	ND	ug/L
Chromium, total	MW-8N	1/26/2007	0.5	3	ND	ug/L
Chromium, total	MW-8N	4/25/2007	3	3	ND	ug/L
Chromium, total	MW-8N	7/10/2007	0.5	3	ND	ug/L
Chromium, total	MW-8N	1/24/2008	0.5	3	ND	ug/L
Chromium, total	MW-8N	7/23/2008	3	3	ND	ug/L
Chromium, total	MW-8N	2/4/2009	3	3	ND	ug/L
Chromium, total	MW-8N	7/31/2009	3	3	ND	ug/L
Chromium, total	MW-8N	1/26/2010	3	3	ND	ug/L
Chromium, total	MW-8N	7/16/2010	3	3	ND	ug/L
Chromium, total	MW-8N	1/19/2011	3	3	ND	ug/L
Chromium, total	MW-8N	5/10/2011	3	3	ND	ug/L
Chromium, total	MW-8N	7/14/2011	3	3	ND	ug/L
Chromium, total	MW-8N	1/6/2012	3	3	ND	ug/L
Chromium, total	MW-8N	4/5/2012	3	3	ND	ug/L
Chromium, total	MW-8N	7/11/2012	3	3	ND	ug/L
Chromium, total	MW-8N	10/3/2012	3	3	ND	ug/L
Chromium, total	MW-8N	5/1/2013	3	3	ND	ug/L
Chromium, total	MW-8N	6/4/2013	0.6	3	ND	ug/L
Chromium, total	MW-8N	7/16/2013	3	3	ND	ug/L
Chromium, total	MW-8N	10/2/2013	3	3	ND	ug/L
Chromium, total	MW-8N	1/30/2014	3	3	ND	ug/L
Chromium, total	MW-8N	4/3/2014	3	3	ND	ug/L
Chromium, total	MW-8N	7/9/2014	3	3	ND	ug/L
Chromium, total	MW-8N	10/8/2014	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	MW-8N	2/12/2015	3	3	ND	ug/L
Chromium, total	MW-8N	4/1/2015	3	3	ND	ug/L
Chromium, total	MW-8N	7/14/2015	3	3	ND	ug/L
Chromium, total	MW-8N	10/5/2015	3	3	ND	ug/L
Chromium, total	MW-8N	1/5/2016	3	3	ND	ug/L
Chromium, total	MW-8N	4/6/2016	0.7	3	ND	ug/L
Chromium, total	MW-8N	7/21/2016	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2016	3	3	ND	ug/L
Chromium, total	MW-8N	1/11/2017	3	3	ND	ug/L
Chromium, total	MW-8N	4/4/2017	3	3	ND	ug/L
Chromium, total	MW-8N	7/19/2017	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2017	3	3	ND	ug/L
Chromium, total	MW-8N	1/25/2018	3	3	ND	ug/L
Chromium, total	MW-8N	4/10/2018	3	3	ND	ug/L
Chromium, total	MW-8N	7/16/2018	3	3	ND	ug/L
Chromium, total	MW-8N	10/2/2018	3	3	ND	ug/L
Chromium, total	MW-8N	1/7/2019	3	3	ND	ug/L
Chromium, total	MW-8N	4/3/2019	3	3	ND	ug/L
Chromium, total	MW-8N	7/11/2019	6	6	ND	ug/L
Chromium, total	MW-8N	10/3/2019	3	3	ND	ug/L
Chromium, total	MW-8N	1/15/2020	3	3	ND	ug/L
Chromium, total	MW-8N	4/2/2020	3	3	ND	ug/L
Chromium, total	MW-8N	7/9/2020	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2020	3	3	ND	ug/L
Chromium, total	MW-8N	1/15/2021	3	3	ND	ug/L
Chromium, total	MW-8N	4/6/2021	3	3	ND	ug/L
Chromium, total	MW-8N	7/5/2021	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2021	3	3	ND	ug/L
Chromium, total	MW-8N	1/18/2022	3	3	ND	ug/L
Chromium, total	MW-8N	4/4/2022	3	3	ND	ug/L
Chromium, total	MW-8N	7/12/2022	3	3	ND	ug/L
Chromium, total	MW-8N	10/6/2022	3	3	ND	ug/L
Chromium, total	MW-8N	1/11/2023	3	3	ND	ug/L
Chromium, total	MW-8N	4/8/2023	3	3	ND	ug/L
Chromium, total	MW-8N	7/7/2023	3	3	ND	ug/L
Chromium, total	MW-8N	10/5/2023	3	3	ND	ug/L
Chromium, total	NE-1	7/10/2002	10	10	ND	ug/L
Chromium, total	NE-1	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-1	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-1	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-1	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-1	1/27/2004	3	3	ND	ug/L
Chromium, total	NE-1	1/12/2005	3	3	ND	ug/L
Chromium, total	NE-1	7/19/2006	3.2	3		ug/L
Chromium, total	NE-1	7/19/2006	3.2	3		ug/L
Chromium, total	NE-1	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-1	1/24/2007	2.4	3	ND	ug/L
Chromium, total	NE-1	7/10/2007	2.3	3	ND	ug/L
Chromium, total	NE-1	1/24/2008	3.8	3		ug/L
Chromium, total	NE-1	7/21/2008	3.5	3		ug/L
Chromium, total	NE-1	2/7/2009	20	3		ug/L
Chromium, total	NE-1	7/31/2009	1.1	3	ND	ug/L
Chromium, total	NE-1	1/26/2010	1.4	3	ND	ug/L
Chromium, total	NE-1	7/14/2010	2.3	3	ND	ug/L
Chromium, total	NE-1	1/19/2011	1	3	ND	ug/L
Chromium, total	NE-1	7/13/2011	2.7	3	ND	ug/L
Chromium, total	NE-1	1/5/2012	2	3	ND	ug/L
Chromium, total	NE-1	7/10/2012	1.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-1	4/30/2013	1.3	3	ND	ug/L
Chromium, total	NE-1	7/16/2013	2.2	3	ND	ug/L
Chromium, total	NE-1	1/23/2014	1.1	3	ND	ug/L
Chromium, total	NE-1	7/9/2014	0.8	3	ND	ug/L
Chromium, total	NE-1	2/11/2015	0.9	3	ND	ug/L
Chromium, total	NE-1	7/8/2015	1.3	3	ND	ug/L
Chromium, total	NE-1	1/6/2016	0.8	3	ND	ug/L
Chromium, total	NE-1	7/20/2016	3	3	ND	ug/L
Chromium, total	NE-1	1/11/2017	0.6	3	ND	ug/L
Chromium, total	NE-1	7/19/2017	0.8	3	ND	ug/L
Chromium, total	NE-1	1/24/2018	0.51	3	ND	ug/L
Chromium, total	NE-1	4/11/2018	0.72	3	ND	ug/L
Chromium, total	NE-1	7/18/2018	0.58	3	ND	ug/L
Chromium, total	NE-1	10/2/2018	0.66	3	ND	ug/L
Chromium, total	NE-1	1/4/2019	1.1	3	ND	ug/L
Chromium, total	NE-1	4/2/2019	0.7	3	ND	ug/L
Chromium, total	NE-1	7/10/2019	6	6	ND	ug/L
Chromium, total	NE-1	7/10/2019	6	6	ND	ug/L
Chromium, total	NE-1	10/2/2019	0.6	3	ND	ug/L
Chromium, total	NE-1	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-1	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-1	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-1	10/7/2020	3	3	ND	ug/L
Chromium, total	NE-1	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-1	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-1	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-1	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-1	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-1	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-1	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-1	10/6/2022	3	3	ND	ug/L
Chromium, total	NE-1	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-1	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-1	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-1	10/5/2023	3	3	ND	ug/L
Chromium, total	NE-10D	11/6/2019	2.8	3	ND	ug/L
Chromium, total	NE-10D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-10D	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-10D	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-10D	10/7/2020	3.91	3		ug/L
Chromium, total	NE-10D	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-10D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-10D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-10D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-10D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-10D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-10D	7/8/2023	3	3	ND	ug/L
Chromium, total	NE-10D	10/3/2023	3	3	ND	ug/L
Chromium, total	NE-11	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-11	4/6/2017	3	3	ND	ug/L
Chromium, total	NE-11	7/20/2017	0.5	3	ND	ug/L
Chromium, total	NE-11	10/9/2017	3	3	ND	ug/L
Chromium, total	NE-11	9/30/2019	0.63	3	ND	ug/L
Chromium, total	NE-11	1/14/2020	3	3	ND	ug/L
Chromium, total	NE-11	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-11	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-11	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-11	7/1/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-11	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-11	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-11	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-11	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-11	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-12	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-12	4/6/2017	1.2	3	ND	ug/L
Chromium, total	NE-12	7/20/2017	1.1	3	ND	ug/L
Chromium, total	NE-12	10/6/2017	0.7	3	ND	ug/L
Chromium, total	NE-12	8/5/2019	1.2	6	ND	ug/L
Chromium, total	NE-12	1/13/2020	3	3	ND	ug/L
Chromium, total	NE-12	7/7/2020	3.23	3		ug/L
Chromium, total	NE-12	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-12	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-12	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-12	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-12	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-12	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-12	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-12	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-13	2/5/2019	0.86	3	ND	ug/L
Chromium, total	NE-13	8/7/2019	6	6	ND	ug/L
Chromium, total	NE-13	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-13	7/8/2020	31	3		ug/L
Chromium, total	NE-13	1/17/2021	19	3		ug/L
Chromium, total	NE-13	1/17/2021	34	3		ug/L
Chromium, total	NE-13	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-14D	10/2/2019	0.62	3	ND	ug/L
Chromium, total	NE-14D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-14D	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-14D	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-14D	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-14D	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-14D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-14D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-14D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-14D	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-14D	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-14D	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-14D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-14D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-14D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-14D	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-14D	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-14S	10/2/2019	0.67	3	ND	ug/L
Chromium, total	NE-14S	1/16/2020	3.5	3		ug/L
Chromium, total	NE-14S	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-14S	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-14S	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-14S	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-14S	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-14S	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-14S	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-14S	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-14S	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-14S	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-14S	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-14S	1/6/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-14S	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-14S	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-14S	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-15D	9/30/2019	0.55	3	ND	ug/L
Chromium, total	NE-15D	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-15D	4/3/2020	3	3	ND	ug/L
Chromium, total	NE-15D	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-15D	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-15D	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-15D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-15D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-15D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-15D	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-15D	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-15D	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-15D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-15D	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-15D	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-15D	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-15D	10/6/2023	3	3	ND	ug/L
Chromium, total	NE-15S	4/3/2020	6.27	3		ug/L
Chromium, total	NE-2	7/9/2002	10	10	ND	ug/L
Chromium, total	NE-2	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-2	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-2	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-2	10/1/2013	3	3	ND	ug/L
Chromium, total	NE-2	10/8/2014	3	3	ND	ug/L
Chromium, total	NE-2	10/5/2015	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2016	3	3	ND	ug/L
Chromium, total	NE-2	10/5/2017	0.5	3	ND	ug/L
Chromium, total	NE-2	1/25/2018	3	3	ND	ug/L
Chromium, total	NE-2	4/10/2018	3	3	ND	ug/L
Chromium, total	NE-2	7/10/2018	0.51	3	ND	ug/L
Chromium, total	NE-2	10/1/2018	3	3	ND	ug/L
Chromium, total	NE-2	1/4/2019	0.55	3	ND	ug/L
Chromium, total	NE-2	4/2/2019	0.5	3	ND	ug/L
Chromium, total	NE-2	7/9/2019	6	6	ND	ug/L
Chromium, total	NE-2	7/9/2019	6	6	ND	ug/L
Chromium, total	NE-2	10/2/2019	3	3	ND	ug/L
Chromium, total	NE-2	1/14/2020	3	3	ND	ug/L
Chromium, total	NE-2	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-2	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-2	1/14/2021	3	3	ND	ug/L
Chromium, total	NE-2	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-2	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-2	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-2	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-2	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-2	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-2	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-2	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-2	4/5/2023	3	3	ND	ug/L
Chromium, total	NE-2	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-2	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-4	7/10/2002	10	10	ND	ug/L
Chromium, total	NE-4	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-4	9/4/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-4	10/3/2002	10	10	ND	ug/L
Chromium, total	NE-4	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-4	1/28/2004	3	3	ND	ug/L
Chromium, total	NE-4	1/13/2005	3	3	ND	ug/L
Chromium, total	NE-4	8/1/2006	2.6	3	ND	ug/L
Chromium, total	NE-4	8/1/2006	2.6	3	ND	ug/L
Chromium, total	NE-4	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-4	1/24/2007	1.1	3	ND	ug/L
Chromium, total	NE-4	7/12/2007	1.1	3	ND	ug/L
Chromium, total	NE-4	1/24/2008	5.9	3		ug/L
Chromium, total	NE-4	7/21/2008	1	3	ND	ug/L
Chromium, total	NE-4	2/7/2009	11	3		ug/L
Chromium, total	NE-4	7/31/2009	1.2	3	ND	ug/L
Chromium, total	NE-4	1/26/2010	1.1	3	ND	ug/L
Chromium, total	NE-4	7/14/2010	1.5	3	ND	ug/L
Chromium, total	NE-4	1/19/2011	1	3	ND	ug/L
Chromium, total	NE-4	7/13/2011	1.4	3	ND	ug/L
Chromium, total	NE-4	1/5/2012	1.3	3	ND	ug/L
Chromium, total	NE-4	7/10/2012	4.5	3		ug/L
Chromium, total	NE-4	4/30/2013	3	3	ND	ug/L
Chromium, total	NE-4	7/16/2013	1	3	ND	ug/L
Chromium, total	NE-4	1/23/2014	0.7	3	ND	ug/L
Chromium, total	NE-4	7/9/2014	1.3	3	ND	ug/L
Chromium, total	NE-4	2/13/2015	0.8	3	ND	ug/L
Chromium, total	NE-4	7/8/2015	1.3	3	ND	ug/L
Chromium, total	NE-4	1/6/2016	0.6	3	ND	ug/L
Chromium, total	NE-4	7/20/2016	1	3	ND	ug/L
Chromium, total	NE-4	1/11/2017	1.1	3	ND	ug/L
Chromium, total	NE-4	7/19/2017	1.4	3	ND	ug/L
Chromium, total	NE-4	1/26/2018	1.6	3	ND	ug/L
Chromium, total	NE-4	4/10/2018	1.1	3	ND	ug/L
Chromium, total	NE-4	7/12/2018	1.1	3	ND	ug/L
Chromium, total	NE-4	10/3/2018	1.5	3	ND	ug/L
Chromium, total	NE-4	1/7/2019	1.5	3	ND	ug/L
Chromium, total	NE-4	4/2/2019	1.5	3	ND	ug/L
Chromium, total	NE-4	7/8/2019	6	6	ND	ug/L
Chromium, total	NE-4	7/8/2019	6	6	ND	ug/L
Chromium, total	NE-4	10/1/2019	1.3	3	ND	ug/L
Chromium, total	NE-4	1/13/2020	3	3	ND	ug/L
Chromium, total	NE-4	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-4	7/6/2020	3	3	ND	ug/L
Chromium, total	NE-4	10/5/2020	3	3	ND	ug/L
Chromium, total	NE-4	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-4	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-4	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-4	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-4	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-4	4/6/2023	3	3	ND	ug/L
Chromium, total	NE-4	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-4	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2002	10	10	ND	ug/L
Chromium, total	NE-5	8/6/2002	10	10	ND	ug/L
Chromium, total	NE-5	9/4/2002	10	10	ND	ug/L
Chromium, total	NE-5	10/2/2002	10	10	ND	ug/L
Chromium, total	NE-5	7/8/2003	3	3	ND	ug/L
Chromium, total	NE-5	1/27/2004	8.6	3		ug/L
Chromium, total	NE-5	1/12/2005	3.5	3		ug/L
Chromium, total	NE-5	7/19/2006	1.5	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-5	7/19/2006	1.5	3	ND	ug/L
Chromium, total	NE-5	10/25/2006	10	10	ND	ug/L
Chromium, total	NE-5	1/10/2007	1.1	3	ND	ug/L
Chromium, total	NE-5	1/24/2007	3	3	ND	ug/L
Chromium, total	NE-5	7/12/2007	0.5	3	ND	ug/L
Chromium, total	NE-5	7/22/2008	0.9	3	ND	ug/L
Chromium, total	NE-5	2/6/2009	39	3		ug/L
Chromium, total	NE-5	7/31/2009	3	3	ND	ug/L
Chromium, total	NE-5	1/26/2010	0.7	3	ND	ug/L
Chromium, total	NE-5	7/16/2010	1.9	3	ND	ug/L
Chromium, total	NE-5	1/19/2011	3	3	ND	ug/L
Chromium, total	NE-5	7/13/2011	3	3	ND	ug/L
Chromium, total	NE-5	1/5/2012	3	3	ND	ug/L
Chromium, total	NE-5	7/10/2012	3	3	ND	ug/L
Chromium, total	NE-5	4/30/2013	1.4	3	ND	ug/L
Chromium, total	NE-5	7/16/2013	3	3	ND	ug/L
Chromium, total	NE-5	1/23/2014	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2014	3	3	ND	ug/L
Chromium, total	NE-5	2/11/2015	3	3	ND	ug/L
Chromium, total	NE-5	7/14/2015	3	3	ND	ug/L
Chromium, total	NE-5	1/6/2016	0.7	3	ND	ug/L
Chromium, total	NE-5	7/20/2016	3	3	ND	ug/L
Chromium, total	NE-5	1/11/2017	3	3	ND	ug/L
Chromium, total	NE-5	7/19/2017	3	3	ND	ug/L
Chromium, total	NE-5	1/25/2018	3	3	ND	ug/L
Chromium, total	NE-5	4/10/2018	3	3	ND	ug/L
Chromium, total	NE-5	7/17/2018	3	3	ND	ug/L
Chromium, total	NE-5	10/3/2018	3	3	ND	ug/L
Chromium, total	NE-5	1/4/2019	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2019	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2019	3	3	ND	ug/L
Chromium, total	NE-5	7/9/2019	6	6	ND	ug/L
Chromium, total	NE-5	10/3/2019	3	3	ND	ug/L
Chromium, total	NE-5	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-5	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-5	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-5	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-5	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-5	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-5	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-5E	9/30/2019	3	3	ND	ug/L
Chromium, total	NE-5E	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5E	4/1/2020	3	3	ND	ug/L
Chromium, total	NE-5E	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5E	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5E	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-5E	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5E	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5E	10/6/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-5E	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-5E	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5E	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5E	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5E	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5E	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-5E	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-5E	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-5W	9/30/2019	3	3	ND	ug/L
Chromium, total	NE-5W	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-5W	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-5W	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-5W	10/6/2020	3	3	ND	ug/L
Chromium, total	NE-5W	1/15/2021	5.12	3		ug/L
Chromium, total	NE-5W	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-5W	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-5W	10/6/2021	3	3	ND	ug/L
Chromium, total	NE-5W	1/18/2022	3	3	ND	ug/L
Chromium, total	NE-5W	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-5W	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-5W	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-5W	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-5W	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-5W	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-5W	10/4/2023	3	3	ND	ug/L
Chromium, total	NE-6	1/12/2017	3	3	ND	ug/L
Chromium, total	NE-6	4/5/2017	3	3	ND	ug/L
Chromium, total	NE-6	7/19/2017	3	3	ND	ug/L
Chromium, total	NE-6	10/6/2017	3	3	ND	ug/L
Chromium, total	NE-6	2/4/2019	3	3	ND	ug/L
Chromium, total	NE-6	8/6/2019	6	6	ND	ug/L
Chromium, total	NE-6	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-6	7/9/2020	3	3	ND	ug/L
Chromium, total	NE-6	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-6	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-6	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-6	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-6	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-6	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-6D	10/2/2019	3	3	ND	ug/L
Chromium, total	NE-6D	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-6D	4/2/2020	3	3	ND	ug/L
Chromium, total	NE-6D	7/9/2020	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2020	3	3	ND	ug/L
Chromium, total	NE-6D	1/15/2021	3	3	ND	ug/L
Chromium, total	NE-6D	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-6D	7/2/2021	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-6D	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-6D	4/6/2022	3	3	ND	ug/L
Chromium, total	NE-6D	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-6D	10/7/2022	3	3	ND	ug/L
Chromium, total	NE-6D	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-6D	4/7/2023	3	3	ND	ug/L
Chromium, total	NE-6D	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-6D	10/4/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chromium, total	NE-7	3/1/2017	3	3	ND	ug/L
Chromium, total	NE-7	4/6/2017	1.4	3	ND	ug/L
Chromium, total	NE-7	7/20/2017	0.8	3	ND	ug/L
Chromium, total	NE-7	10/5/2017	3	3	ND	ug/L
Chromium, total	NE-7	2/6/2019	1.4	3	ND	ug/L
Chromium, total	NE-7	8/6/2019	6	6	ND	ug/L
Chromium, total	NE-7	1/16/2020	3	3	ND	ug/L
Chromium, total	NE-7	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-7	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-7	1/16/2021	3	3	ND	ug/L
Chromium, total	NE-7	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-7	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-7	1/17/2022	11.2	3		ug/L
Chromium, total	NE-7	7/12/2022	3	3	ND	ug/L
Chromium, total	NE-7	1/5/2023	3	3	ND	ug/L
Chromium, total	NE-7	7/6/2023	3	3	ND	ug/L
Chromium, total	NE-8	1/12/2017	0.6	3	ND	ug/L
Chromium, total	NE-8	4/5/2017	0.7	3	ND	ug/L
Chromium, total	NE-8	7/20/2017	3	3	ND	ug/L
Chromium, total	NE-8	10/6/2017	3	3	ND	ug/L
Chromium, total	NE-8	2/4/2019	1.1	3	ND	ug/L
Chromium, total	NE-8	8/5/2019	6	6	ND	ug/L
Chromium, total	NE-8	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-8	7/8/2020	3	3	ND	ug/L
Chromium, total	NE-8	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-8	1/13/2021	3	3	ND	ug/L
Chromium, total	NE-8	4/9/2021	3	3	ND	ug/L
Chromium, total	NE-8	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-8	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-8	10/7/2021	3	3	ND	ug/L
Chromium, total	NE-8	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-8	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-9	1/12/2017	3	3	ND	ug/L
Chromium, total	NE-9	4/5/2017	3	3	ND	ug/L
Chromium, total	NE-9	7/20/2017	3	3	ND	ug/L
Chromium, total	NE-9	10/5/2017	3	3	ND	ug/L
Chromium, total	NE-9	2/5/2019	0.69	3	ND	ug/L
Chromium, total	NE-9	8/7/2019	6	6	ND	ug/L
Chromium, total	NE-9	1/15/2020	3	3	ND	ug/L
Chromium, total	NE-9	7/7/2020	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2021	3	3	ND	ug/L
Chromium, total	NE-9	7/1/2021	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-9	1/17/2022	3	3	ND	ug/L
Chromium, total	NE-9	7/13/2022	3	3	ND	ug/L
Chromium, total	NE-9	1/6/2023	3	3	ND	ug/L
Chromium, total	NE-9	4/8/2023	3	3	ND	ug/L
Chromium, total	NE-9	7/5/2023	3	3	ND	ug/L
Chromium, total	NE-9	10/6/2023	3	3	ND	ug/L
Chrysene	LGW-10	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Chrysene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Chrysene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Chrysene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Chrysene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Chrysene	LGW-10	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	LGW-10	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-10	10/5/2023	10	10	ND	ug/L
Chrysene	LGW-14R	10/27/2006	10	10	ND	ug/L
Chrysene	LGW-14R	2/6/2009	10	10	ND	ug/L
Chrysene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Chrysene	LGW-14R	7/17/2018	10	10	ND	ug/L
Chrysene	LGW-14R	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-2	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-2	2/13/2009	10	10	ND	ug/L
Chrysene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-2	2/13/2015	13	13	ND	ug/L
Chrysene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Chrysene	LGW-2	7/8/2020	1	1	ND	ug/L
Chrysene	LGW-2	7/4/2021	10	10	ND	ug/L
Chrysene	LGW-3R	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-3R	2/3/2009	0.81	10	ND	ug/L
Chrysene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Chrysene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Chrysene	LGW-3R	7/11/2018	10	10	ND	ug/L
Chrysene	LGW-3R	7/6/2021	10	10	ND	ug/L
Chrysene	LGW-4	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-4	2/3/2009	10	10	ND	ug/L
Chrysene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Chrysene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Chrysene	LGW-4	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-5	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-5	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Chrysene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Chrysene	LGW-5	7/12/2018	10	10	ND	ug/L
Chrysene	LGW-5	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-5	10/5/2023	10	10	ND	ug/L
Chrysene	LGW-6	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-6	2/5/2009	10	10	ND	ug/L
Chrysene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-6	2/10/2015	10	10	ND	ug/L
Chrysene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Chrysene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Chrysene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Chrysene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Chrysene	LGW-6	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-6	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-6	10/5/2023	10	10	ND	ug/L
Chrysene	LGW-7	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-7	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Chrysene	LGW-7	7/12/2018	10	10	ND	ug/L
Chrysene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Chrysene	LGW-7	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-7	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-8R	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-8R	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Chrysene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Chrysene	LGW-8R	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-9	10/26/2006	10	10	ND	ug/L
Chrysene	LGW-9	2/4/2009	10	10	ND	ug/L
Chrysene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Chrysene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Chrysene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Chrysene	LGW-9	7/10/2019	10	10	ND	ug/L
Chrysene	LGW-9	7/9/2020	1	1	ND	ug/L
Chrysene	LGW-9	7/7/2021	10	10	ND	ug/L
Chrysene	LGW-9	10/5/2023	10	10	ND	ug/L
Chrysene	MW-10N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-10N	2/13/2009	10	10	ND	ug/L
Chrysene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Chrysene	MW-10N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-11N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-11N	2/3/2009	10	10	ND	ug/L
Chrysene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Chrysene	MW-11N	2/10/2015	10	10	ND	ug/L
Chrysene	MW-11N	7/17/2018	10	10	ND	ug/L
Chrysene	MW-11N	7/6/2021	10	10	ND	ug/L
Chrysene	MW-15	7/10/2018	10	10	ND	ug/L
Chrysene	MW-15	7/4/2021	10	10	ND	ug/L
Chrysene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Chrysene	MW-16	7/4/2021	10	10	ND	ug/L
Chrysene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Chrysene	MW-17	7/4/2021	10	10	ND	ug/L
Chrysene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Chrysene	MW-19	7/4/2021	10	10	ND	ug/L
Chrysene	MW-1N	10/14/1998	10	10	ND	ug/L
Chrysene	MW-1N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-1N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-1N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-1N	2/5/2009	10	10	ND	ug/L
Chrysene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Chrysene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Chrysene	MW-1N	7/6/2020	1	1	ND	ug/L
Chrysene	MW-1N	7/4/2021	10	10	ND	ug/L
Chrysene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Chrysene	MW-20	7/4/2021	10	10	ND	ug/L
Chrysene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Chrysene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Chrysene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Chrysene	MW-21	7/11/2019	10	10	ND	ug/L
Chrysene	MW-21	7/8/2020	1	1	ND	ug/L
Chrysene	MW-21	7/5/2021	10	10	ND	ug/L
Chrysene	MW-2N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-2N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Chrysene	MW-2N	7/12/2018	10	10	ND	ug/L
Chrysene	MW-2N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Chrysene	MW-3N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-3N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-3N	10/25/2006	10	10	ND	ug/L
Chrysene	MW-3N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Chrysene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Chrysene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Chrysene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Chrysene	MW-3N	7/11/2019	10	10	ND	ug/L
Chrysene	MW-3N	7/7/2020	1	1	ND	ug/L
Chrysene	MW-3N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-7N	10/15/1998	10	10	ND	ug/L
Chrysene	MW-7N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-7N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-7N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-7N	2/6/2009	1.3	10	ND	ug/L
Chrysene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Chrysene	MW-7N	7/13/2018	10	10	ND	ug/L
Chrysene	MW-7N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-8N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-8N	5/29/2002	10	10	ND	ug/L
Chrysene	MW-8N	10/24/2006	10	10	ND	ug/L
Chrysene	MW-8N	1/24/2008	10	10	ND	ug/L
Chrysene	MW-8N	2/4/2009	10	10	ND	ug/L
Chrysene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Chrysene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Chrysene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Chrysene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Chrysene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Chrysene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Chrysene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Chrysene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Chrysene	MW-8N	7/11/2019	10	10	ND	ug/L
Chrysene	MW-8N	7/9/2020	1	1	ND	ug/L
Chrysene	MW-8N	7/5/2021	10	10	ND	ug/L
Chrysene	MW-8N	10/5/2023	10	10	ND	ug/L
Chrysene	NE-1	10/25/2006	10	10	ND	ug/L
Chrysene	NE-1	2/7/2009	10	10	ND	ug/L
Chrysene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Chrysene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Chrysene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Chrysene	NE-4	10/25/2006	10	10	ND	ug/L
Chrysene	NE-4	2/7/2009	10	10	ND	ug/L
Chrysene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Chrysene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Chrysene	NE-4	7/12/2018	10	10	ND	ug/L
Chrysene	NE-5	10/25/2006	10	10	ND	ug/L
Chrysene	NE-5	2/6/2009	10	10	ND	ug/L
Chrysene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Chrysene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Chrysene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Chrysene	NE-5	7/9/2019	10	10	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/26/2006	3.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	8/1/2006	4.5	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-10	8/1/2006	4.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/26/2006	2.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/25/2007	2.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/26/2007	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2007	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/23/2008	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/22/2008	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/29/2009	2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/3/2010	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/3/2010	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2010	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/19/2011	1.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2011	2.8	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/5/2012	2.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/9/2012	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	5/1/2013	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/30/2014	2.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/9/2014	2.6	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/12/2015	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/13/2015	3.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/5/2016	3.1	1		ug/L
Cis-1,2-dichloroethene	LGW-10	2/10/2016	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/6/2016	2.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/21/2016	3.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/6/2016	2.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2017	1.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/4/2017	3.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/19/2017	3.4	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/9/2017	3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/24/2018	1.3	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/11/2018	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2018	1.7	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/4/2018	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/4/2019	1.5	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/3/2019	1.9	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2019	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/2/2019	2.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/15/2020	2.56	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/2/2020	2.32	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/9/2020	2.57	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	4/6/2021	1.62	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/7/2021	2.43	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	1/13/2022	1.2	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/4/2022	1.78	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2022	1.95	1		ug/L
Cis-1,2-dichloroethene	LGW-10	10/7/2022	1.11	1		ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2023	1.38	1		ug/L
Cis-1,2-dichloroethene	LGW-10	4/5/2023	1.19	1		ug/L
Cis-1,2-dichloroethene	LGW-10	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-10	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-14R	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/13/2020	1.22	1		ug/L
Cis-1,2-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-2	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-3R	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-4	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/18/2017	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/23/2018	0.16	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/12/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-5	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/2/2018	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/3/2019	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/10/2019	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/3/2019	0.18	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-6	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/24/2018	0.22	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	4/11/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/12/2018	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/2/2018	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-7	4/3/2019	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/10/2019	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/3/2019	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-7	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-8R	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	2/4/2009	0.4	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/14/2010	0.44	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/20/2011	0.43	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/12/2011	0.41	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/5/2012	0.4	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2012	0.36	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	5/1/2013	0.24	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/15/2013	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	2/11/2015	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/6/2016	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/11/2017	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	5/5/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/18/2017	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/24/2018	0.17	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/11/2018	0.24	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/13/2018	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/2/2018	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/7/2019	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/3/2019	0.36	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2019	0.23	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/17/2021	2.19	1		ug/L
Cis-1,2-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	LGW-9	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/28/1998	5.4	5.4	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/15/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/20/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-10N	7/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/20/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-11N	7/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-15	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-16	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-17	7/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-19	7/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/20/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/14/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/19/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/15/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/19/1999	0.35	2.7		ug/L
Cis-1,2-dichloroethene	MW-1N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/12/2000	3.8	1		ug/L
Cis-1,2-dichloroethene	MW-1N	10/18/2000	2.2	1		ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2001	0.61	1		ug/L
Cis-1,2-dichloroethene	MW-1N	4/12/2001	7.4	1		ug/L
Cis-1,2-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/9/2002	0.96	1		ug/L
Cis-1,2-dichloroethene	MW-1N	10/3/2002	1.1	1		ug/L
Cis-1,2-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-1N	7/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	6/5/2015	0.46	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/14/2015	0.42	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	8/4/2015	0.45	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	9/2/2015	0.49	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/5/2016	0.33	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/20/2016	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/5/2016	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/10/2017	0.21	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/5/2017	0.32	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/19/2017	0.35	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/6/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/11/2018	0.58	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/11/2018	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/4/2018	0.23	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/3/2019	0.42	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-21	4/3/2019	0.25	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/11/2019	0.19	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/2/2019	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	7/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-21	10/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/22/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/20/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-2N	7/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/28/1998	0.62	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	7/23/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/20/1999	0.79	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	1/14/2000	0.35	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	4/24/2000	0.94	2.7		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2000	0.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/17/2000	0.68	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/23/2001	0.65	1		ug/L
Cis-1,2-dichloroethene	MW-3N	4/11/2001	0.99	1		ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002	2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/9/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/2/2002	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/22/2003	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	4/14/2003	1.7	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/7/2003	2.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/28/2004	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/27/2004	2.2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/12/2005	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/20/2005	1.8	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/18/2006	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	10/25/2006	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2007	1.2	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2007	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2008	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/22/2008	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	2/4/2009	1.9	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/31/2009	1.5	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2010	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2010	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2011	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	1/5/2012	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2012	1.3	1		ug/L
Cis-1,2-dichloroethene	MW-3N	5/1/2013	0.97	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-3N	6/4/2013	0.88	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/16/2013	0.7	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2014	0.73	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/9/2014	0.85	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	2/12/2015	0.7	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/1/2015	0.77	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2015	0.68	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/5/2015	0.75	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/6/2016	0.62	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/6/2016	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/21/2016	0.61	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/6/2016	0.5	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/11/2017	0.4	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/4/2017	0.47	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2017	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/9/2017	0.52	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/10/2018	0.46	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2018	0.38	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/3/2018	0.38	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/7/2019	0.25	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/3/2019	0.3	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2019	0.32	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/2/2019	0.35	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	7/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-3N	10/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/21/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/22/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	8/18/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	9/17/1998	11	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/15/1998	9.8	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	11/9/1998	12	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	1/14/1999	11	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/1999	9.8	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/1999	13	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/19/1999	14	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	1/13/2000	13	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	4/25/2000	18	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	10/17/2000	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2001	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/10/2001	13	1		ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002	15	2.7		ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002	15	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/9/2002	10	1		ug/L
Cis-1,2-dichloroethene	MW-7N	10/2/2002	8.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2003	6.4	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/2003	8.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/7/2003	9.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-7N	1/27/2004	7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	4/8/2004	7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/26/2004	3.9	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2005	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2005	3.5	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/19/2006	2.9	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006	3.3	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006	3.3	1		ug/L
Cis-1,2-dichloroethene	MW-7N	10/24/2006	2.7	1		ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2007	1.6	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	2/6/2009	0.84	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2010	1	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/2010	1.4	1		ug/L
Cis-1,2-dichloroethene	MW-7N	9/2/2010	0.73	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/20/2011	1	1		ug/L
Cis-1,2-dichloroethene	MW-7N	7/12/2011	0.59	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/5/2012	0.44	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2012	0.41	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	5/1/2013	0.99	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	6/4/2013	0.48	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/15/2013	0.2	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/11/2017	0.15	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	4/4/2017	0.27	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2017	0.26	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-7N	7/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/21/1997	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/28/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/22/1998	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/12/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/13/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/19/1999	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/14/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/25/2000	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/29/2002	2.7	2.7	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	7/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	MW-8N	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-1	10/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	7/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-10D	10/3/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-11	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-12	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14D	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-14S	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15D	10/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2002	2.8	1		ug/L
Cis-1,2-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-2	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/10/2002	1.7	1		ug/L
Cis-1,2-dichloroethene	NE-4	8/6/2002	2.2	1		ug/L
Cis-1,2-dichloroethene	NE-4	9/4/2002	1.5	1		ug/L
Cis-1,2-dichloroethene	NE-4	10/3/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-4	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2002	1.9	1		ug/L
Cis-1,2-dichloroethene	NE-5	8/6/2002	2.6	1		ug/L
Cis-1,2-dichloroethene	NE-5	9/4/2002	2	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/2/2002	1.8	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/15/2003	1.9	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/8/2003	1.7	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/27/2004	1.6	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2006	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2006	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/22/2008	1.4	1		ug/L
Cis-1,2-dichloroethene	NE-5	2/6/2009	0.92	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/31/2009	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/26/2010	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/16/2010	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	9/2/2010	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/19/2011	1	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-5	7/13/2011	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/5/2012	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/10/2012	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/30/2013	0.86	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/16/2013	0.98	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/23/2014	0.89	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2014	0.74	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	2/11/2015	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/14/2015	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/6/2016	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	2/11/2016	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/20/2016	0.54	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/11/2017	0.85	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/19/2017	0.8	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/25/2018	0.92	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/10/2018	0.96	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/17/2018	0.9	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/3/2018	1	1		ug/L
Cis-1,2-dichloroethene	NE-5	1/4/2019	1.2	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	7/9/2019	1.1	1		ug/L
Cis-1,2-dichloroethene	NE-5	10/3/2019	0.83	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	9/30/2019	0.43	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5E	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-5W	9/30/2019	0.51	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-5W	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-6D	10/4/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,2-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-7	7/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-8	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	7/5/2023	1	1	ND	ug/L
Cis-1,2-dichloroethene	NE-9	10/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-10	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	10/27/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-14R	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-2	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-2	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-3R	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-4	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-5	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-6	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-6	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-7	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-7	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-8R	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/26/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/11/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	LGW-9	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/28/1998	5.8	5.8	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/15/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/11/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-10N	7/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/10/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/29/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/13/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-11N	7/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-15	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-15	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/18/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-16	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-17	7/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-19	8/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-19	7/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/20/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/14/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/15/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/12/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/18/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/12/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/3/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/23/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-1N	7/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-20	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-21	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	7/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-21	10/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/22/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/23/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-2N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-2N	7/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/23/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/20/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/24/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/22/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/18/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	7/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-3N	10/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/21/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	8/18/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	9/17/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/15/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	11/9/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/13/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/10/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/8/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/26/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/10/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	1/10/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-7N	7/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/21/1997	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/28/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/22/1998	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/12/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/13/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/19/1999	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/14/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/25/2000	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/17/2000	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/23/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/11/2001	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/29/2002	2.9	2.9	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/23/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/14/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/7/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-8N	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/20/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/24/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	MW-8N	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/4/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	1/11/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	7/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	MW-8N	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-1	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-1	10/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	7/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-10D	10/3/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-11	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-12	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14D	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-14S	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15D	10/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-15S	4/3/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	9/4/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-2	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/14/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/14/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	4/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-2	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/10/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/3/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/28/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/13/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/13/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/5/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	4/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-4	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	8/6/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	9/4/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/2/2002	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/15/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/8/2003	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/27/2004	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/12/2005	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/25/2006	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/1/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5E	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/6/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/6/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/18/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-5W	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-5W	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/2/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/9/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/15/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/2/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/6/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/7/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	4/7/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-6D	10/4/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/12/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	1/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-7	7/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cis-1,3-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/8/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	4/9/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	10/7/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-8	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/15/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/7/2020	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/13/2022	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	1/6/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	4/8/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	7/5/2023	1	1	ND	ug/L
Cis-1,3-dichloropropene	NE-9	10/6/2023	1	1	ND	ug/L
Cobalt, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Cobalt, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Cobalt, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-10N	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-10N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-11N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-11N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Cobalt, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-1N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-1N	10/3/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-2N	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-2N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Cobalt, dissolved	MW-3N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-3N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-7N	10/19/1999	22	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, dissolved	MW-7N	7/11/2000	32	3		ug/L
Cobalt, dissolved	MW-7N	7/9/2002	42	7		ug/L
Cobalt, dissolved	MW-7N	10/2/2002	37	7		ug/L
Cobalt, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Cobalt, dissolved	MW-8N	7/11/2000	3.7	3		ug/L
Cobalt, dissolved	MW-8N	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	MW-8N	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	7/10/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	8/6/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	9/4/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-1	10/2/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-2	7/9/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-2	8/6/2002	15	7		ug/L
Cobalt, dissolved	NE-2	9/4/2002	10	7		ug/L
Cobalt, dissolved	NE-2	10/2/2002	12	7		ug/L
Cobalt, dissolved	NE-4	7/10/2002	11	7		ug/L
Cobalt, dissolved	NE-4	8/6/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-4	9/4/2002	7	7	ND	ug/L
Cobalt, dissolved	NE-4	10/3/2002	7.1	7		ug/L
Cobalt, dissolved	NE-5	7/9/2002	76	7		ug/L
Cobalt, dissolved	NE-5	8/6/2002	100	7		ug/L
Cobalt, dissolved	NE-5	9/4/2002	83	7		ug/L
Cobalt, dissolved	NE-5	10/2/2002	78	7		ug/L
Cobalt, dissolved	NE-5	10/3/2018	40	3		ug/L
Cobalt, total	LGW-10	1/26/2006	44	3		ug/L
Cobalt, total	LGW-10	8/1/2006	69	3		ug/L
Cobalt, total	LGW-10	8/1/2006	69	3		ug/L
Cobalt, total	LGW-10	10/26/2006	45	3		ug/L
Cobalt, total	LGW-10	1/25/2007	30	3		ug/L
Cobalt, total	LGW-10	4/26/2007	47	3		ug/L
Cobalt, total	LGW-10	7/12/2007	71	3		ug/L
Cobalt, total	LGW-10	1/23/2008	46	3		ug/L
Cobalt, total	LGW-10	7/22/2008	79	3		ug/L
Cobalt, total	LGW-10	7/29/2009	94	3		ug/L
Cobalt, total	LGW-10	2/3/2010	58	3		ug/L
Cobalt, total	LGW-10	2/3/2010	58	3		ug/L
Cobalt, total	LGW-10	7/16/2010	110	3		ug/L
Cobalt, total	LGW-10	1/19/2011	61	3		ug/L
Cobalt, total	LGW-10	7/12/2011	120	3		ug/L
Cobalt, total	LGW-10	1/5/2012	110	3		ug/L
Cobalt, total	LGW-10	7/9/2012	89	3		ug/L
Cobalt, total	LGW-10	5/1/2013	130	3		ug/L
Cobalt, total	LGW-10	1/30/2014	100	3		ug/L
Cobalt, total	LGW-10	7/9/2014	110	3		ug/L
Cobalt, total	LGW-10	2/12/2015	75	3		ug/L
Cobalt, total	LGW-10	7/13/2015	120	3		ug/L
Cobalt, total	LGW-10	1/5/2016	80	3		ug/L
Cobalt, total	LGW-10	2/10/2016	37	3		ug/L
Cobalt, total	LGW-10	4/6/2016	110	3		ug/L
Cobalt, total	LGW-10	7/21/2016	93	3		ug/L
Cobalt, total	LGW-10	10/6/2016	76	3		ug/L
Cobalt, total	LGW-10	1/11/2017	58	3		ug/L
Cobalt, total	LGW-10	4/4/2017	92	3		ug/L
Cobalt, total	LGW-10	7/19/2017	120	3		ug/L
Cobalt, total	LGW-10	10/9/2017	120	3		ug/L
Cobalt, total	LGW-10	1/24/2018	50	3		ug/L
Cobalt, total	LGW-10	4/11/2018	84	3		ug/L
Cobalt, total	LGW-10	7/16/2018	65	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-10	10/4/2018	45	3		ug/L
Cobalt, total	LGW-10	1/4/2019	65	3		ug/L
Cobalt, total	LGW-10	4/3/2019	56	3		ug/L
Cobalt, total	LGW-10	7/11/2019	23	3		ug/L
Cobalt, total	LGW-10	10/2/2019	62	3		ug/L
Cobalt, total	LGW-10	1/15/2020	92.6	3		ug/L
Cobalt, total	LGW-10	4/2/2020	65.2	3		ug/L
Cobalt, total	LGW-10	7/9/2020	68.5	3		ug/L
Cobalt, total	LGW-10	10/7/2020	32	3		ug/L
Cobalt, total	LGW-10	1/17/2021	4.1	3		ug/L
Cobalt, total	LGW-10	4/6/2021	53.3	3		ug/L
Cobalt, total	LGW-10	7/7/2021	80.6	3		ug/L
Cobalt, total	LGW-10	10/5/2021	42.4	3		ug/L
Cobalt, total	LGW-10	1/13/2022	52.4	3		ug/L
Cobalt, total	LGW-10	4/4/2022	59.4	3		ug/L
Cobalt, total	LGW-10	7/11/2022	78.8	3		ug/L
Cobalt, total	LGW-10	10/7/2022	47.8	3		ug/L
Cobalt, total	LGW-10	1/11/2023	62.5	3		ug/L
Cobalt, total	LGW-10	4/5/2023	70.6	3		ug/L
Cobalt, total	LGW-10	7/10/2023	27.3	3		ug/L
Cobalt, total	LGW-10	10/5/2023	35.1	3		ug/L
Cobalt, total	LGW-14R	1/25/2006	18	3		ug/L
Cobalt, total	LGW-14R	8/2/2006	4.1	3		ug/L
Cobalt, total	LGW-14R	8/2/2006	4.1	3		ug/L
Cobalt, total	LGW-14R	10/27/2006	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-14R	4/24/2007	2.5	3	ND	ug/L
Cobalt, total	LGW-14R	7/11/2007	4.9	3		ug/L
Cobalt, total	LGW-14R	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/6/2009	2.2	3	ND	ug/L
Cobalt, total	LGW-14R	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-14R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-14R	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/25/2018	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/17/2018	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/10/2019	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/11/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-14R	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-2	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-2	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	7/10/2007	3	3	ND	ug/L
Cobalt, total	LGW-2	1/26/2008	1.2	3	ND	ug/L
Cobalt, total	LGW-2	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-2	2/6/2009	1.2	3	ND	ug/L
Cobalt, total	LGW-2	7/30/2009	3	3	ND	ug/L
Cobalt, total	LGW-2	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-2	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-2	7/12/2010	0.2	3	ND	ug/L
Cobalt, total	LGW-2	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-2	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-2	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-2	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-2	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-2	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-2	1/30/2014	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-2	2/13/2015	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2015	3	3	ND	ug/L
Cobalt, total	LGW-2	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-2	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-2	1/11/2017	3.6	3		ug/L
Cobalt, total	LGW-2	7/18/2017	6.8	3		ug/L
Cobalt, total	LGW-2	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-2	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-2	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-2	7/9/2019	0.8	3	ND	ug/L
Cobalt, total	LGW-2	1/13/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	4/1/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	7/8/2020	3	3	ND	ug/L
Cobalt, total	LGW-2	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-2	7/4/2021	3	3	ND	ug/L
Cobalt, total	LGW-2	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-2	7/10/2022	3	3	ND	ug/L
Cobalt, total	LGW-2	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-2	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-3R	10/26/2006	10	3	ND	ug/L
Cobalt, total	LGW-3R	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/26/2008	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2009	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/31/2009	1.3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/16/2010	0.1	3	ND	ug/L
Cobalt, total	LGW-3R	1/19/2011	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-3R	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-3R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/22/2014	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-3R	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/16/2015	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/8/2016	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/21/2016	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/9/2019	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Cobalt, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-3R	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-4	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-4	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-4	1/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-4	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2009	3	3	ND	ug/L
Cobalt, total	LGW-4	7/31/2009	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-4	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-4	7/16/2010	0.2	3	ND	ug/L
Cobalt, total	LGW-4	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-4	7/13/2011	3	3	ND	ug/L
Cobalt, total	LGW-4	1/4/2012	3	3	ND	ug/L
Cobalt, total	LGW-4	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-4	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-4	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-4	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-4	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-4	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-4	7/8/2015	3	3	ND	ug/L
Cobalt, total	LGW-4	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-4	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-4	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-4	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-4	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-4	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-4	7/9/2019	3	3	ND	ug/L
Cobalt, total	LGW-4	1/14/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-4	7/6/2020	3	3	ND	ug/L
Cobalt, total	LGW-4	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-4	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-4	1/12/2022	3	3	ND	ug/L
Cobalt, total	LGW-4	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-4	1/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-4	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-5	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-5	1/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-5	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-5	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-5	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-5	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-5	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-5	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-5	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-5	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-5	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-5	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-5	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-5	7/8/2015	1.7	3	ND	ug/L
Cobalt, total	LGW-5	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-5	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-5	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-5	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-5	1/23/2018	3	3	ND	ug/L
Cobalt, total	LGW-5	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-5	1/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-5	7/9/2019	0.8	3	ND	ug/L
Cobalt, total	LGW-5	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-5	7/6/2020	4.71	3		ug/L
Cobalt, total	LGW-5	10/5/2020	7.29	2		ug/L
Cobalt, total	LGW-5	10/5/2020	7.29	2		ug/L
Cobalt, total	LGW-5	1/18/2021	9.2	3		ug/L
Cobalt, total	LGW-5	4/6/2021	8.37	3		ug/L
Cobalt, total	LGW-5	7/7/2021	10.3	3		ug/L
Cobalt, total	LGW-5	10/5/2021	11.5	3		ug/L
Cobalt, total	LGW-5	1/12/2022	10.8	3		ug/L
Cobalt, total	LGW-5	4/4/2022	10.9	3		ug/L
Cobalt, total	LGW-5	7/11/2022	10.5	3		ug/L
Cobalt, total	LGW-5	10/6/2022	10.9	3		ug/L
Cobalt, total	LGW-5	1/10/2023	4.1	3		ug/L
Cobalt, total	LGW-5	7/10/2023	9.86	3		ug/L
Cobalt, total	LGW-5	10/5/2023	3	3	ND	ug/L
Cobalt, total	LGW-6	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-6	10/26/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-6	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	7/11/2007	3	3	ND	ug/L
Cobalt, total	LGW-6	1/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-6	7/23/2008	3	3	ND	ug/L
Cobalt, total	LGW-6	2/5/2009	3	3	ND	ug/L
Cobalt, total	LGW-6	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-6	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	2/3/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-6	1/19/2011	3	3	ND	ug/L
Cobalt, total	LGW-6	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-6	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-6	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-6	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-6	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-6	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-6	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-6	2/10/2015	3	3	ND	ug/L
Cobalt, total	LGW-6	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-6	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	7/19/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	10/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-6	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-6	5/5/2017	15	15	ND	ug/L
Cobalt, total	LGW-6	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-6	10/5/2017	6	6	ND	ug/L
Cobalt, total	LGW-6	1/23/2018	15	15	ND	ug/L
Cobalt, total	LGW-6	4/10/2018	3	3	ND	ug/L
Cobalt, total	LGW-6	7/17/2018	3	3	ND	ug/L
Cobalt, total	LGW-6	10/2/2018	6	6	ND	ug/L
Cobalt, total	LGW-6	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-6	4/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-6	7/10/2019	0.6	3	ND	ug/L
Cobalt, total	LGW-6	10/3/2019	1.5	3	ND	ug/L
Cobalt, total	LGW-6	1/16/2020	3	3	ND	ug/L
Cobalt, total	LGW-6	4/2/2020	3	3	ND	ug/L
Cobalt, total	LGW-6	7/9/2020	4.49	3		ug/L
Cobalt, total	LGW-6	10/6/2020	6.48	3		ug/L
Cobalt, total	LGW-6	1/18/2021	8.99	3		ug/L
Cobalt, total	LGW-6	4/6/2021	10.4	3		ug/L
Cobalt, total	LGW-6	7/7/2021	16.3	3		ug/L
Cobalt, total	LGW-6	10/5/2021	18.9	3		ug/L
Cobalt, total	LGW-6	1/12/2022	19.6	3		ug/L
Cobalt, total	LGW-6	4/4/2022	20	3		ug/L
Cobalt, total	LGW-6	7/11/2022	18.4	3		ug/L
Cobalt, total	LGW-6	10/6/2022	22.3	3		ug/L
Cobalt, total	LGW-6	1/10/2023	21.1	3		ug/L
Cobalt, total	LGW-6	4/6/2023	25	3		ug/L
Cobalt, total	LGW-6	7/10/2023	24.5	3		ug/L
Cobalt, total	LGW-6	10/5/2023	24.8	3		ug/L
Cobalt, total	LGW-7	1/25/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	8/1/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-7	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-7	4/26/2007	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-7	7/22/2008	3	3	ND	ug/L
Cobalt, total	LGW-7	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-7	7/31/2009	3	3	ND	ug/L
Cobalt, total	LGW-7	1/27/2010	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2010	3	3	ND	ug/L
Cobalt, total	LGW-7	1/20/2011	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-7	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-7	7/10/2012	3	3	ND	ug/L
Cobalt, total	LGW-7	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-7	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-7	1/23/2014	3	3	ND	ug/L
Cobalt, total	LGW-7	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-7	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-7	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-7	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	4/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	7/20/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	10/6/2016	3	3	ND	ug/L
Cobalt, total	LGW-7	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	4/4/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-7	10/5/2017	6	6	ND	ug/L
Cobalt, total	LGW-7	1/24/2018	15	15	ND	ug/L
Cobalt, total	LGW-7	4/11/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	7/12/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	10/2/2018	3	3	ND	ug/L
Cobalt, total	LGW-7	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	4/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	7/10/2019	1.2	3	ND	ug/L
Cobalt, total	LGW-7	10/3/2019	3	3	ND	ug/L
Cobalt, total	LGW-7	1/15/2020	3	3	ND	ug/L
Cobalt, total	LGW-7	7/9/2020	3	3	ND	ug/L
Cobalt, total	LGW-7	1/18/2021	3	3	ND	ug/L
Cobalt, total	LGW-7	7/7/2021	4.53	3		ug/L
Cobalt, total	LGW-7	10/5/2021	3	3	ND	ug/L
Cobalt, total	LGW-7	1/13/2022	3	3	ND	ug/L
Cobalt, total	LGW-7	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-7	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-7	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	10/26/2006	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/24/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/12/2007	3	3	ND	ug/L
Cobalt, total	LGW-8R	2/4/2009	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/29/2009	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/27/2010	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/14/2010	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/20/2011	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/12/2011	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/5/2012	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/9/2012	3	3	ND	ug/L
Cobalt, total	LGW-8R	4/30/2013	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/15/2013	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/22/2014	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-8R	7/8/2014	3	3	ND	ug/L
Cobalt, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/5/2016	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/18/2017	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/7/2019	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/8/2019	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Cobalt, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-8R	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	1/25/2006	14	3		ug/L
Cobalt, total	LGW-9	7/20/2006	10	3		ug/L
Cobalt, total	LGW-9	7/20/2006	10	3		ug/L
Cobalt, total	LGW-9	10/26/2006	15	3		ug/L
Cobalt, total	LGW-9	1/25/2007	12	3		ug/L
Cobalt, total	LGW-9	4/25/2007	14	3		ug/L
Cobalt, total	LGW-9	7/10/2007	13	3		ug/L
Cobalt, total	LGW-9	7/22/2008	12	3		ug/L
Cobalt, total	LGW-9	2/4/2009	8.7	3		ug/L
Cobalt, total	LGW-9	7/29/2009	7.3	3		ug/L
Cobalt, total	LGW-9	1/27/2010	10	3		ug/L
Cobalt, total	LGW-9	7/14/2010	7.6	3		ug/L
Cobalt, total	LGW-9	1/20/2011	10	3		ug/L
Cobalt, total	LGW-9	7/12/2011	12	3		ug/L
Cobalt, total	LGW-9	1/5/2012	14	3		ug/L
Cobalt, total	LGW-9	7/10/2012	15	3		ug/L
Cobalt, total	LGW-9	5/1/2013	16	3		ug/L
Cobalt, total	LGW-9	7/15/2013	14	3		ug/L
Cobalt, total	LGW-9	1/23/2014	11	3		ug/L
Cobalt, total	LGW-9	7/8/2014	9	3		ug/L
Cobalt, total	LGW-9	2/11/2015	12	3		ug/L
Cobalt, total	LGW-9	7/13/2015	13	3		ug/L
Cobalt, total	LGW-9	1/5/2016	9.9	3		ug/L
Cobalt, total	LGW-9	7/21/2016	9	3		ug/L
Cobalt, total	LGW-9	10/6/2016	8.7	3		ug/L
Cobalt, total	LGW-9	1/11/2017	13	3		ug/L
Cobalt, total	LGW-9	5/5/2017	6.7	3		ug/L
Cobalt, total	LGW-9	7/18/2017	8.6	3		ug/L
Cobalt, total	LGW-9	10/5/2017	7.1	3		ug/L
Cobalt, total	LGW-9	1/24/2018	10	3		ug/L
Cobalt, total	LGW-9	4/11/2018	5.9	3		ug/L
Cobalt, total	LGW-9	7/13/2018	5.9	3		ug/L
Cobalt, total	LGW-9	10/2/2018	6.4	3		ug/L
Cobalt, total	LGW-9	1/7/2019	11	3		ug/L
Cobalt, total	LGW-9	4/3/2019	12	3		ug/L
Cobalt, total	LGW-9	7/10/2019	9.6	3		ug/L
Cobalt, total	LGW-9	10/3/2019	8.5	3		ug/L
Cobalt, total	LGW-9	1/16/2020	4.94	3		ug/L
Cobalt, total	LGW-9	4/2/2020	3.43	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	LGW-9	7/9/2020	3.95	3		ug/L
Cobalt, total	LGW-9	10/7/2020	4.59	3		ug/L
Cobalt, total	LGW-9	1/17/2021	85.6	3		ug/L
Cobalt, total	LGW-9	4/6/2021	3.86	3		ug/L
Cobalt, total	LGW-9	7/7/2021	4.45	3		ug/L
Cobalt, total	LGW-9	10/5/2021	6.85	3		ug/L
Cobalt, total	LGW-9	1/13/2022	3.95	3		ug/L
Cobalt, total	LGW-9	4/4/2022	3.77	3		ug/L
Cobalt, total	LGW-9	7/11/2022	3.48	3		ug/L
Cobalt, total	LGW-9	10/7/2022	4.01	3		ug/L
Cobalt, total	LGW-9	1/11/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	4/5/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	7/10/2023	3	3	ND	ug/L
Cobalt, total	LGW-9	10/5/2023	3	3	ND	ug/L
Cobalt, total	MW-10N	10/22/1997	3.2	3		ug/L
Cobalt, total	MW-10N	1/22/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-10N	1/14/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	7/15/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-10N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	7/11/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-10N	4/10/2001	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2002	7	7	ND	ug/L
Cobalt, total	MW-10N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-10N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	7/8/2003	3	3	ND	ug/L
Cobalt, total	MW-10N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-10N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-10N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-10N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-10N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2007	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2007	3	3	ND	ug/L
Cobalt, total	MW-10N	1/23/2008	3	3	ND	ug/L
Cobalt, total	MW-10N	7/21/2008	3	3	ND	ug/L
Cobalt, total	MW-10N	2/13/2009	3	3	ND	ug/L
Cobalt, total	MW-10N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-10N	1/27/2010	3	3	ND	ug/L
Cobalt, total	MW-10N	8/10/2010	3	3	ND	ug/L
Cobalt, total	MW-10N	1/19/2011	3	3	ND	ug/L
Cobalt, total	MW-10N	7/14/2011	3	3	ND	ug/L
Cobalt, total	MW-10N	1/5/2012	3	3	ND	ug/L
Cobalt, total	MW-10N	7/10/2012	3	3	ND	ug/L
Cobalt, total	MW-10N	5/1/2013	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-10N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-10N	2/12/2015	3	3	ND	ug/L
Cobalt, total	MW-10N	7/14/2015	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-10N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-10N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-10N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-10N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-10N	1/24/2018	3	3	ND	ug/L
Cobalt, total	MW-10N	7/11/2018	3	3	ND	ug/L
Cobalt, total	MW-10N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-10N	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-10N	1/16/2020	3	3	ND	ug/L
Cobalt, total	MW-10N	7/8/2020	3	3	ND	ug/L
Cobalt, total	MW-10N	1/13/2021	3	3	ND	ug/L
Cobalt, total	MW-10N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-10N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-10N	7/7/2023	3	3	ND	ug/L
Cobalt, total	MW-11N	10/22/1997	3.8	3		ug/L
Cobalt, total	MW-11N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-11N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-11N	7/23/1998	5.7	3		ug/L
Cobalt, total	MW-11N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-11N	1/13/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	7/10/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-11N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-11N	4/10/2001	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-11N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-11N	1/23/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	7/8/2003	3	3	ND	ug/L
Cobalt, total	MW-11N	1/29/2004	3	3	ND	ug/L
Cobalt, total	MW-11N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-11N	1/13/2005	3	3	ND	ug/L
Cobalt, total	MW-11N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-11N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-11N	1/24/2007	3	3	ND	ug/L
Cobalt, total	MW-11N	7/10/2007	3	3	ND	ug/L
Cobalt, total	MW-11N	1/22/2008	3	3	ND	ug/L
Cobalt, total	MW-11N	7/23/2008	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2009	3	3	ND	ug/L
Cobalt, total	MW-11N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	2/3/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	7/16/2010	3	3	ND	ug/L
Cobalt, total	MW-11N	1/19/2011	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2011	3	3	ND	ug/L
Cobalt, total	MW-11N	1/4/2012	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2012	3	3	ND	ug/L
Cobalt, total	MW-11N	4/30/2013	3	3	ND	ug/L
Cobalt, total	MW-11N	7/15/2013	3	3	ND	ug/L
Cobalt, total	MW-11N	1/23/2014	3	3	ND	ug/L
Cobalt, total	MW-11N	7/8/2014	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-11N	2/10/2015	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2015	3	3	ND	ug/L
Cobalt, total	MW-11N	1/5/2016	3	3	ND	ug/L
Cobalt, total	MW-11N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-11N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-11N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-11N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-11N	7/17/2018	3	3	ND	ug/L
Cobalt, total	MW-11N	1/2/2019	3	3	ND	ug/L
Cobalt, total	MW-11N	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-11N	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-11N	7/6/2020	3	3	ND	ug/L
Cobalt, total	MW-11N	1/18/2021	3	3	ND	ug/L
Cobalt, total	MW-11N	7/6/2021	3	3	ND	ug/L
Cobalt, total	MW-11N	1/18/2022	3	3	ND	ug/L
Cobalt, total	MW-11N	7/13/2022	3	3	ND	ug/L
Cobalt, total	MW-11N	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-11N	7/8/2023	3	3	ND	ug/L
Cobalt, total	MW-15	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-15	7/15/2015	3	3	ND	ug/L
Cobalt, total	MW-15	8/5/2015	1.5	3	ND	ug/L
Cobalt, total	MW-15	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-15	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-15	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-15	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-15	10/6/2016	3	3	ND	ug/L
Cobalt, total	MW-15	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-15	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-15	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-15	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-15	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-15	7/9/2019	3	3	ND	ug/L
Cobalt, total	MW-15	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-15	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-15	1/18/2021	3	3	ND	ug/L
Cobalt, total	MW-15	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-15	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-15	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-15	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-15	7/10/2023	3	3	ND	ug/L
Cobalt, total	MW-16	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-16	7/16/2015	3	3	ND	ug/L
Cobalt, total	MW-16	8/5/2015	3	3	ND	ug/L
Cobalt, total	MW-16	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-16	1/8/2016	3	3	ND	ug/L
Cobalt, total	MW-16	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-16	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-16	10/5/2016	3	3	ND	ug/L
Cobalt, total	MW-16	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-16	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-16	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-16	7/11/2018	3	3	ND	ug/L
Cobalt, total	MW-16	1/2/2019	3	3	ND	ug/L
Cobalt, total	MW-16	7/10/2019	3	3	ND	ug/L
Cobalt, total	MW-16	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-16	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-16	1/18/2021	3	3	ND	ug/L
Cobalt, total	MW-16	7/4/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-16	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-16	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-16	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-16	7/10/2023	3	3	ND	ug/L
Cobalt, total	MW-17	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-17	7/15/2015	3	3	ND	ug/L
Cobalt, total	MW-17	8/4/2015	3	3	ND	ug/L
Cobalt, total	MW-17	9/2/2015	3	3	ND	ug/L
Cobalt, total	MW-17	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-17	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-17	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-17	10/6/2016	3	3	ND	ug/L
Cobalt, total	MW-17	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-17	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-17	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-17	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-17	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-17	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-17	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-17	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-17	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-17	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-17	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-17	7/8/2023	3	3	ND	ug/L
Cobalt, total	MW-19	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-19	7/16/2015	3	3	ND	ug/L
Cobalt, total	MW-19	8/5/2015	3	3	ND	ug/L
Cobalt, total	MW-19	9/3/2015	3	3	ND	ug/L
Cobalt, total	MW-19	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-19	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-19	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-19	10/5/2016	3	3	ND	ug/L
Cobalt, total	MW-19	1/10/2017	3	3	ND	ug/L
Cobalt, total	MW-19	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-19	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-19	7/13/2018	3	3	ND	ug/L
Cobalt, total	MW-19	1/7/2019	3	3	ND	ug/L
Cobalt, total	MW-19	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-19	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-19	8/3/2020	3	3	ND	ug/L
Cobalt, total	MW-19	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-19	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-19	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-19	7/10/2023	3	3	ND	ug/L
Cobalt, total	MW-1N	10/22/1997	3	3	ND	ug/L
Cobalt, total	MW-1N	1/20/1998	5.4	3		ug/L
Cobalt, total	MW-1N	4/28/1998	5.6	3		ug/L
Cobalt, total	MW-1N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-1N	10/14/1998	3	3	ND	ug/L
Cobalt, total	MW-1N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-1N	4/13/1999	6.2	3		ug/L
Cobalt, total	MW-1N	7/15/1999	3	3	ND	ug/L
Cobalt, total	MW-1N	10/19/1999	3	3		ug/L
Cobalt, total	MW-1N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	4/25/2000	4.1	3		ug/L
Cobalt, total	MW-1N	7/12/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	10/18/2000	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2001	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-1N	4/12/2001	3	3	ND	ug/L
Cobalt, total	MW-1N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-1N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-1N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-1N	10/3/2002	7	7	ND	ug/L
Cobalt, total	MW-1N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-1N	4/15/2003	3	3	ND	ug/L
Cobalt, total	MW-1N	7/8/2003	3.3	3		ug/L
Cobalt, total	MW-1N	1/28/2004	7.8	3		ug/L
Cobalt, total	MW-1N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-1N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-1N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-1N	1/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	7/18/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	10/24/2006	3	3	ND	ug/L
Cobalt, total	MW-1N	1/26/2007	3	3	ND	ug/L
Cobalt, total	MW-1N	7/11/2007	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2008	4.2	3		ug/L
Cobalt, total	MW-1N	7/21/2008	1.4	3	ND	ug/L
Cobalt, total	MW-1N	2/5/2009	2.6	3	ND	ug/L
Cobalt, total	MW-1N	7/31/2009	2.5	3	ND	ug/L
Cobalt, total	MW-1N	1/26/2010	2.2	3	ND	ug/L
Cobalt, total	MW-1N	7/13/2010	1.3	3	ND	ug/L
Cobalt, total	MW-1N	1/20/2011	1.4	3	ND	ug/L
Cobalt, total	MW-1N	7/13/2011	3	3		ug/L
Cobalt, total	MW-1N	1/5/2012	3.7	3		ug/L
Cobalt, total	MW-1N	7/10/2012	2.5	3	ND	ug/L
Cobalt, total	MW-1N	5/1/2013	1.6	3	ND	ug/L
Cobalt, total	MW-1N	7/16/2013	3	3	ND	ug/L
Cobalt, total	MW-1N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-1N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-1N	2/10/2015	3	3	ND	ug/L
Cobalt, total	MW-1N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-1N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-1N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-1N	1/12/2017	3	3	ND	ug/L
Cobalt, total	MW-1N	7/19/2017	1.9	3	ND	ug/L
Cobalt, total	MW-1N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-1N	7/10/2018	3	3	ND	ug/L
Cobalt, total	MW-1N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-1N	7/11/2019	4.7	3		ug/L
Cobalt, total	MW-1N	10/2/2019	1.4	3	ND	ug/L
Cobalt, total	MW-1N	1/23/2020	20.8	3		ug/L
Cobalt, total	MW-1N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-1N	7/6/2020	3	3	ND	ug/L
Cobalt, total	MW-1N	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-1N	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-1N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-1N	7/8/2023	3	3	ND	ug/L
Cobalt, total	MW-20	6/5/2015	3	3	ND	ug/L
Cobalt, total	MW-20	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-20	8/4/2015	3	3	ND	ug/L
Cobalt, total	MW-20	9/2/2015	3	3	ND	ug/L
Cobalt, total	MW-20	1/7/2016	3	3	ND	ug/L
Cobalt, total	MW-20	4/5/2016	3	3	ND	ug/L
Cobalt, total	MW-20	7/20/2016	3	3	ND	ug/L
Cobalt, total	MW-20	10/5/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-20	1/12/2017	3	3	ND	ug/L
Cobalt, total	MW-20	7/18/2017	3	3	ND	ug/L
Cobalt, total	MW-20	1/26/2018	3	3	ND	ug/L
Cobalt, total	MW-20	7/12/2018	3	3	ND	ug/L
Cobalt, total	MW-20	7/11/2019	3	3	ND	ug/L
Cobalt, total	MW-20	1/14/2020	3	3	ND	ug/L
Cobalt, total	MW-20	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-20	1/17/2021	3.76	3		ug/L
Cobalt, total	MW-20	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-20	7/4/2021	3	3	ND	ug/L
Cobalt, total	MW-20	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-21	6/5/2015	34	3		ug/L
Cobalt, total	MW-21	7/14/2015	34	3		ug/L
Cobalt, total	MW-21	8/4/2015	35	3		ug/L
Cobalt, total	MW-21	9/2/2015	35	3		ug/L
Cobalt, total	MW-21	1/7/2016	34	3		ug/L
Cobalt, total	MW-21	2/10/2016	34	3		ug/L
Cobalt, total	MW-21	4/5/2016	33	3		ug/L
Cobalt, total	MW-21	7/20/2016	32	3		ug/L
Cobalt, total	MW-21	10/5/2016	26	3		ug/L
Cobalt, total	MW-21	10/5/2016	24	3		ug/L
Cobalt, total	MW-21	1/10/2017	24	3		ug/L
Cobalt, total	MW-21	4/5/2017	30	3		ug/L
Cobalt, total	MW-21	7/19/2017	23	3		ug/L
Cobalt, total	MW-21	10/6/2017	23	3		ug/L
Cobalt, total	MW-21	1/24/2018	15	3		ug/L
Cobalt, total	MW-21	4/11/2018	32	3		ug/L
Cobalt, total	MW-21	7/11/2018	21	3		ug/L
Cobalt, total	MW-21	10/4/2018	17	3		ug/L
Cobalt, total	MW-21	1/3/2019	29	3		ug/L
Cobalt, total	MW-21	4/3/2019	22	3		ug/L
Cobalt, total	MW-21	7/11/2019	20	3		ug/L
Cobalt, total	MW-21	10/2/2019	20	3		ug/L
Cobalt, total	MW-21	1/16/2020	18.3	3		ug/L
Cobalt, total	MW-21	4/2/2020	15.9	3		ug/L
Cobalt, total	MW-21	7/8/2020	14.6	3		ug/L
Cobalt, total	MW-21	10/7/2020	11.1	3		ug/L
Cobalt, total	MW-21	1/13/2021	19.5	3		ug/L
Cobalt, total	MW-21	4/6/2021	11.2	3		ug/L
Cobalt, total	MW-21	7/5/2021	12.7	3		ug/L
Cobalt, total	MW-21	10/6/2021	8.73	3		ug/L
Cobalt, total	MW-21	1/11/2023	12.7	3		ug/L
Cobalt, total	MW-21	4/8/2023	7.45	3		ug/L
Cobalt, total	MW-21	7/7/2023	13.2	3		ug/L
Cobalt, total	MW-21	10/6/2023	18.6	3		ug/L
Cobalt, total	MW-2N	10/22/1997	3	3	ND	ug/L
Cobalt, total	MW-2N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	7/22/1998	3	3	ND	ug/L
Cobalt, total	MW-2N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-2N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	4/25/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2001	3	3	ND	ug/L
Cobalt, total	MW-2N	4/11/2001	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-2N	7/10/2002	7	7	ND	ug/L
Cobalt, total	MW-2N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-2N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	4/14/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	7/7/2003	3	3	ND	ug/L
Cobalt, total	MW-2N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-2N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-2N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-2N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-2N	1/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-2N	1/26/2007	3	3	ND	ug/L
Cobalt, total	MW-2N	7/11/2007	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2008	3	3	ND	ug/L
Cobalt, total	MW-2N	7/22/2008	3	3	ND	ug/L
Cobalt, total	MW-2N	2/4/2009	3	3	ND	ug/L
Cobalt, total	MW-2N	7/31/2009	3	3	ND	ug/L
Cobalt, total	MW-2N	1/26/2010	3	3	ND	ug/L
Cobalt, total	MW-2N	7/13/2010	3	3	ND	ug/L
Cobalt, total	MW-2N	1/20/2011	3	3	ND	ug/L
Cobalt, total	MW-2N	7/13/2011	3	3	ND	ug/L
Cobalt, total	MW-2N	1/5/2012	3	3	ND	ug/L
Cobalt, total	MW-2N	7/10/2012	3	3	ND	ug/L
Cobalt, total	MW-2N	5/1/2013	3	3	ND	ug/L
Cobalt, total	MW-2N	7/16/2013	3	3	ND	ug/L
Cobalt, total	MW-2N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-2N	7/9/2014	3	3	ND	ug/L
Cobalt, total	MW-2N	2/12/2015	3	3	ND	ug/L
Cobalt, total	MW-2N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-2N	1/6/2016	3	3	ND	ug/L
Cobalt, total	MW-2N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-2N	1/11/2017	3	3	ND	ug/L
Cobalt, total	MW-2N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-2N	1/23/2018	3	3	ND	ug/L
Cobalt, total	MW-2N	7/12/2018	3	3	ND	ug/L
Cobalt, total	MW-2N	1/3/2019	3	3	ND	ug/L
Cobalt, total	MW-2N	8/7/2019	1.3	3	ND	ug/L
Cobalt, total	MW-2N	1/23/2020	3	3	ND	ug/L
Cobalt, total	MW-2N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-2N	1/14/2021	3	3	ND	ug/L
Cobalt, total	MW-2N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-2N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-2N	7/8/2023	3	3	ND	ug/L
Cobalt, total	MW-3N	10/21/1997	5	3		ug/L
Cobalt, total	MW-3N	1/21/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	4/28/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	7/23/1998	3	3	ND	ug/L
Cobalt, total	MW-3N	1/13/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	4/13/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	7/14/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	10/20/1999	3	3	ND	ug/L
Cobalt, total	MW-3N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	4/24/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	10/17/2000	3	3	ND	ug/L
Cobalt, total	MW-3N	1/23/2001	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-3N	4/11/2001	3	3	ND	ug/L
Cobalt, total	MW-3N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-3N	5/29/2002	3	3	ND	ug/L
Cobalt, total	MW-3N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-3N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-3N	1/22/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	4/14/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	7/7/2003	3	3	ND	ug/L
Cobalt, total	MW-3N	1/28/2004	3	3	ND	ug/L
Cobalt, total	MW-3N	7/27/2004	3	3	ND	ug/L
Cobalt, total	MW-3N	1/12/2005	3	3	ND	ug/L
Cobalt, total	MW-3N	7/20/2005	3	3	ND	ug/L
Cobalt, total	MW-3N	1/18/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	10/25/2006	3	3	ND	ug/L
Cobalt, total	MW-3N	1/26/2007	1.4	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2007	2.1	3	ND	ug/L
Cobalt, total	MW-3N	1/24/2008	1.5	3	ND	ug/L
Cobalt, total	MW-3N	7/22/2008	2	3	ND	ug/L
Cobalt, total	MW-3N	2/4/2009	1.8	3	ND	ug/L
Cobalt, total	MW-3N	7/31/2009	2.5	3	ND	ug/L
Cobalt, total	MW-3N	1/26/2010	2.2	3	ND	ug/L
Cobalt, total	MW-3N	7/13/2010	1.8	3	ND	ug/L
Cobalt, total	MW-3N	1/20/2011	1.9	3	ND	ug/L
Cobalt, total	MW-3N	7/14/2011	1.7	3	ND	ug/L
Cobalt, total	MW-3N	1/5/2012	1.7	3	ND	ug/L
Cobalt, total	MW-3N	7/11/2012	1.3	3	ND	ug/L
Cobalt, total	MW-3N	5/1/2013	1.4	3	ND	ug/L
Cobalt, total	MW-3N	6/4/2013	1.2	3	ND	ug/L
Cobalt, total	MW-3N	7/16/2013	1.4	3	ND	ug/L
Cobalt, total	MW-3N	1/24/2014	3	3	ND	ug/L
Cobalt, total	MW-3N	7/9/2014	1.8	3	ND	ug/L
Cobalt, total	MW-3N	2/12/2015	1.2	3	ND	ug/L
Cobalt, total	MW-3N	4/1/2015	1.3	3	ND	ug/L
Cobalt, total	MW-3N	7/14/2015	2.2	3	ND	ug/L
Cobalt, total	MW-3N	10/5/2015	3.3	3		ug/L
Cobalt, total	MW-3N	1/6/2016	2.8	3	ND	ug/L
Cobalt, total	MW-3N	4/6/2016	4.3	3		ug/L
Cobalt, total	MW-3N	7/21/2016	3.5	3		ug/L
Cobalt, total	MW-3N	10/6/2016	3.6	3		ug/L
Cobalt, total	MW-3N	1/11/2017	2.4	3	ND	ug/L
Cobalt, total	MW-3N	4/4/2017	1.6	3	ND	ug/L
Cobalt, total	MW-3N	7/19/2017	4.2	3		ug/L
Cobalt, total	MW-3N	10/9/2017	3.8	3		ug/L
Cobalt, total	MW-3N	1/24/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	4/10/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	7/13/2018	3	3	ND	ug/L
Cobalt, total	MW-3N	10/3/2018	4.1	3		ug/L
Cobalt, total	MW-3N	1/7/2019	4.4	3		ug/L
Cobalt, total	MW-3N	4/3/2019	3.3	3		ug/L
Cobalt, total	MW-3N	4/3/2019	7.1	3		ug/L
Cobalt, total	MW-3N	7/11/2019	3.3	3		ug/L
Cobalt, total	MW-3N	10/2/2019	3	3	ND	ug/L
Cobalt, total	MW-3N	1/15/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-3N	10/7/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-3N	1/13/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-3N	10/6/2021	3.31	3		ug/L
Cobalt, total	MW-3N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-3N	7/7/2023	3	3	ND	ug/L
Cobalt, total	MW-3N	10/6/2023	3	3	ND	ug/L
Cobalt, total	MW-7N	10/21/1997	3	3	ND	ug/L
Cobalt, total	MW-7N	1/21/1998	12	3		ug/L
Cobalt, total	MW-7N	7/22/1998	10	3		ug/L
Cobalt, total	MW-7N	8/18/1998	8.9	3		ug/L
Cobalt, total	MW-7N	9/17/1998	9.8	3		ug/L
Cobalt, total	MW-7N	10/15/1998	11	3		ug/L
Cobalt, total	MW-7N	11/9/1998	12	3		ug/L
Cobalt, total	MW-7N	1/14/1999	12	3		ug/L
Cobalt, total	MW-7N	4/14/1999	12	3		ug/L
Cobalt, total	MW-7N	7/14/1999	18	3		ug/L
Cobalt, total	MW-7N	10/19/1999	23	3		ug/L
Cobalt, total	MW-7N	1/13/2000	27	3		ug/L
Cobalt, total	MW-7N	4/25/2000	28	3		ug/L
Cobalt, total	MW-7N	7/11/2000	34	3		ug/L
Cobalt, total	MW-7N	10/17/2000	35	3		ug/L
Cobalt, total	MW-7N	1/23/2001	34	3		ug/L
Cobalt, total	MW-7N	4/10/2001	36	3		ug/L
Cobalt, total	MW-7N	5/29/2002	40	3		ug/L
Cobalt, total	MW-7N	5/29/2002	40	3		ug/L
Cobalt, total	MW-7N	7/9/2002	41	7		ug/L
Cobalt, total	MW-7N	10/2/2002	38	7		ug/L
Cobalt, total	MW-7N	1/23/2003	14	3		ug/L
Cobalt, total	MW-7N	4/14/2003	40	3		ug/L
Cobalt, total	MW-7N	7/7/2003	22	3		ug/L
Cobalt, total	MW-7N	1/27/2004	40	3		ug/L
Cobalt, total	MW-7N	4/8/2004	37	3		ug/L
Cobalt, total	MW-7N	7/26/2004	41	3		ug/L
Cobalt, total	MW-7N	1/12/2005	38	3		ug/L
Cobalt, total	MW-7N	7/19/2005	40	3		ug/L
Cobalt, total	MW-7N	1/19/2006	26	3		ug/L
Cobalt, total	MW-7N	7/19/2006	37	3		ug/L
Cobalt, total	MW-7N	7/19/2006	37	3		ug/L
Cobalt, total	MW-7N	10/24/2006	38	3		ug/L
Cobalt, total	MW-7N	1/26/2007	33	3		ug/L
Cobalt, total	MW-7N	7/10/2007	33	3		ug/L
Cobalt, total	MW-7N	7/21/2008	19	3		ug/L
Cobalt, total	MW-7N	2/6/2009	16	3		ug/L
Cobalt, total	MW-7N	7/29/2009	15	3		ug/L
Cobalt, total	MW-7N	1/26/2010	12	3		ug/L
Cobalt, total	MW-7N	7/14/2010	9.2	3		ug/L
Cobalt, total	MW-7N	1/20/2011	3.2	3		ug/L
Cobalt, total	MW-7N	7/12/2011	1.2	3	ND	ug/L
Cobalt, total	MW-7N	1/5/2012	2.1	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2012	1.4	3	ND	ug/L
Cobalt, total	MW-7N	5/1/2013	25	3		ug/L
Cobalt, total	MW-7N	6/4/2013	16	3		ug/L
Cobalt, total	MW-7N	7/15/2013	4.8	3		ug/L
Cobalt, total	MW-7N	1/30/2014	4	3		ug/L
Cobalt, total	MW-7N	7/9/2014	1.6	3	ND	ug/L
Cobalt, total	MW-7N	2/12/2015	3.4	3		ug/L
Cobalt, total	MW-7N	7/13/2015	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-7N	1/5/2016	3	3	ND	ug/L
Cobalt, total	MW-7N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-7N	1/11/2017	5.9	3		ug/L
Cobalt, total	MW-7N	4/4/2017	2	3	ND	ug/L
Cobalt, total	MW-7N	7/19/2017	6.2	3		ug/L
Cobalt, total	MW-7N	10/5/2017	4.6	3		ug/L
Cobalt, total	MW-7N	1/25/2018	7.4	3		ug/L
Cobalt, total	MW-7N	4/11/2018	5.9	3		ug/L
Cobalt, total	MW-7N	7/13/2018	1.5	3	ND	ug/L
Cobalt, total	MW-7N	1/4/2019	3	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2019	3	3	ND	ug/L
Cobalt, total	MW-7N	1/16/2020	3	3	ND	ug/L
Cobalt, total	MW-7N	7/7/2020	3	3	ND	ug/L
Cobalt, total	MW-7N	1/16/2021	3	3	ND	ug/L
Cobalt, total	MW-7N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-7N	1/12/2022	3	3	ND	ug/L
Cobalt, total	MW-7N	7/10/2022	3	3	ND	ug/L
Cobalt, total	MW-7N	1/10/2023	3	3	ND	ug/L
Cobalt, total	MW-7N	7/7/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	10/21/1997	3	3	ND	ug/L
Cobalt, total	MW-8N	1/22/1998	3	3	ND	ug/L
Cobalt, total	MW-8N	4/28/1998	7.4	3		ug/L
Cobalt, total	MW-8N	7/22/1998	3	3	ND	ug/L
Cobalt, total	MW-8N	1/12/1999	3.5	3		ug/L
Cobalt, total	MW-8N	4/13/1999	6.6	3		ug/L
Cobalt, total	MW-8N	7/14/1999	15	3		ug/L
Cobalt, total	MW-8N	10/19/1999	3	3	ND	ug/L
Cobalt, total	MW-8N	1/14/2000	3	3	ND	ug/L
Cobalt, total	MW-8N	4/25/2000	3.1	3		ug/L
Cobalt, total	MW-8N	10/17/2000	5.2	3		ug/L
Cobalt, total	MW-8N	1/23/2001	4.3	3		ug/L
Cobalt, total	MW-8N	4/11/2001	3.5	3		ug/L
Cobalt, total	MW-8N	5/29/2002	6.5	3		ug/L
Cobalt, total	MW-8N	5/29/2002	6.5	3		ug/L
Cobalt, total	MW-8N	7/9/2002	7	7	ND	ug/L
Cobalt, total	MW-8N	10/2/2002	7	7	ND	ug/L
Cobalt, total	MW-8N	1/23/2003	11	3		ug/L
Cobalt, total	MW-8N	4/14/2003	12	3		ug/L
Cobalt, total	MW-8N	7/7/2003	12	3		ug/L
Cobalt, total	MW-8N	1/28/2004	13	3		ug/L
Cobalt, total	MW-8N	7/27/2004	12	3		ug/L
Cobalt, total	MW-8N	1/12/2005	12	3		ug/L
Cobalt, total	MW-8N	7/20/2005	11	3		ug/L
Cobalt, total	MW-8N	1/19/2006	12	3		ug/L
Cobalt, total	MW-8N	7/19/2006	10	3		ug/L
Cobalt, total	MW-8N	7/19/2006	10	3		ug/L
Cobalt, total	MW-8N	10/24/2006	7.8	3	ND	ug/L
Cobalt, total	MW-8N	1/26/2007	7.8	3		ug/L
Cobalt, total	MW-8N	4/25/2007	5.7	3		ug/L
Cobalt, total	MW-8N	7/10/2007	4.1	3		ug/L
Cobalt, total	MW-8N	1/24/2008	3.1	3		ug/L
Cobalt, total	MW-8N	7/23/2008	2.4	3	ND	ug/L
Cobalt, total	MW-8N	2/4/2009	3	3	ND	ug/L
Cobalt, total	MW-8N	7/31/2009	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/26/2010	3	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2010	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/19/2011	1.2	3	ND	ug/L
Cobalt, total	MW-8N	5/10/2011	1.4	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	MW-8N	7/14/2011	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/6/2012	1.4	3	ND	ug/L
Cobalt, total	MW-8N	4/5/2012	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/11/2012	3	3	ND	ug/L
Cobalt, total	MW-8N	10/3/2012	2.8	3	ND	ug/L
Cobalt, total	MW-8N	5/1/2013	2.4	3	ND	ug/L
Cobalt, total	MW-8N	6/4/2013	2.9	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2013	1.5	3	ND	ug/L
Cobalt, total	MW-8N	10/2/2013	1.6	3	ND	ug/L
Cobalt, total	MW-8N	1/30/2014	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/3/2014	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/9/2014	1.7	3	ND	ug/L
Cobalt, total	MW-8N	10/8/2014	3	3	ND	ug/L
Cobalt, total	MW-8N	2/12/2015	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/1/2015	1.6	3	ND	ug/L
Cobalt, total	MW-8N	7/14/2015	3	3	ND	ug/L
Cobalt, total	MW-8N	10/5/2015	1.2	3	ND	ug/L
Cobalt, total	MW-8N	1/5/2016	1.5	3	ND	ug/L
Cobalt, total	MW-8N	4/6/2016	1.8	3	ND	ug/L
Cobalt, total	MW-8N	7/21/2016	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2016	1.4	3	ND	ug/L
Cobalt, total	MW-8N	1/11/2017	1.6	3	ND	ug/L
Cobalt, total	MW-8N	4/4/2017	1.4	3	ND	ug/L
Cobalt, total	MW-8N	7/19/2017	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2017	3	3	ND	ug/L
Cobalt, total	MW-8N	1/25/2018	3	3	ND	ug/L
Cobalt, total	MW-8N	4/10/2018	1.2	3	ND	ug/L
Cobalt, total	MW-8N	7/16/2018	3	3	ND	ug/L
Cobalt, total	MW-8N	10/2/2018	1.3	3	ND	ug/L
Cobalt, total	MW-8N	1/7/2019	3	3	ND	ug/L
Cobalt, total	MW-8N	4/3/2019	1.5	3	ND	ug/L
Cobalt, total	MW-8N	7/11/2019	1.8	3	ND	ug/L
Cobalt, total	MW-8N	10/3/2019	3	3	ND	ug/L
Cobalt, total	MW-8N	1/15/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	4/2/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	7/9/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2020	3	3	ND	ug/L
Cobalt, total	MW-8N	1/15/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	4/6/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	7/5/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2021	3	3	ND	ug/L
Cobalt, total	MW-8N	1/18/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	4/4/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	7/12/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	10/6/2022	3	3	ND	ug/L
Cobalt, total	MW-8N	1/11/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	4/8/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	7/7/2023	3	3	ND	ug/L
Cobalt, total	MW-8N	10/5/2023	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2002	7	7	ND	ug/L
Cobalt, total	NE-1	8/6/2002	7	7	ND	ug/L
Cobalt, total	NE-1	9/4/2002	7	7	ND	ug/L
Cobalt, total	NE-1	10/2/2002	7	7	ND	ug/L
Cobalt, total	NE-1	7/8/2003	3	3	ND	ug/L
Cobalt, total	NE-1	1/27/2004	3	3	ND	ug/L
Cobalt, total	NE-1	1/12/2005	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2006	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-1	10/25/2006	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2007	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2007	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2008	3	3	ND	ug/L
Cobalt, total	NE-1	7/21/2008	3	3	ND	ug/L
Cobalt, total	NE-1	2/7/2009	2	3	ND	ug/L
Cobalt, total	NE-1	7/31/2009	3	3	ND	ug/L
Cobalt, total	NE-1	1/26/2010	3	3	ND	ug/L
Cobalt, total	NE-1	7/14/2010	0.6	3	ND	ug/L
Cobalt, total	NE-1	1/19/2011	3	3	ND	ug/L
Cobalt, total	NE-1	7/13/2011	3	3	ND	ug/L
Cobalt, total	NE-1	1/5/2012	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2012	3	3	ND	ug/L
Cobalt, total	NE-1	4/30/2013	3	3	ND	ug/L
Cobalt, total	NE-1	7/16/2013	3	3	ND	ug/L
Cobalt, total	NE-1	1/23/2014	3	3	ND	ug/L
Cobalt, total	NE-1	7/9/2014	3	3	ND	ug/L
Cobalt, total	NE-1	2/11/2015	3	3	ND	ug/L
Cobalt, total	NE-1	7/8/2015	3	3	ND	ug/L
Cobalt, total	NE-1	1/6/2016	3	3	ND	ug/L
Cobalt, total	NE-1	7/20/2016	3	3	ND	ug/L
Cobalt, total	NE-1	1/11/2017	3	3	ND	ug/L
Cobalt, total	NE-1	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-1	1/24/2018	3	3	ND	ug/L
Cobalt, total	NE-1	4/11/2018	3	3	ND	ug/L
Cobalt, total	NE-1	7/18/2018	3	3	ND	ug/L
Cobalt, total	NE-1	10/2/2018	3	3	ND	ug/L
Cobalt, total	NE-1	1/4/2019	3	3	ND	ug/L
Cobalt, total	NE-1	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-1	7/10/2019	0.9	3	ND	ug/L
Cobalt, total	NE-1	7/10/2019	0.9	3	ND	ug/L
Cobalt, total	NE-1	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-1	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-1	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-1	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-1	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-1	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-1	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-1	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-1	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-1	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-1	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-1	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-1	10/6/2022	3	3	ND	ug/L
Cobalt, total	NE-1	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-1	4/7/2023	3	3	ND	ug/L
Cobalt, total	NE-1	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-1	10/5/2023	3	3	ND	ug/L
Cobalt, total	NE-10D	11/6/2019	3	3	ND	ug/L
Cobalt, total	NE-10D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-10D	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-10D	1/6/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-10D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-10D	7/8/2023	3	3	ND	ug/L
Cobalt, total	NE-10D	10/3/2023	3	3	ND	ug/L
Cobalt, total	NE-11	3/1/2017	1.2	3	ND	ug/L
Cobalt, total	NE-11	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-11	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-11	10/9/2017	3	3	ND	ug/L
Cobalt, total	NE-11	9/30/2019	3	3	ND	ug/L
Cobalt, total	NE-11	1/14/2020	3	3	ND	ug/L
Cobalt, total	NE-11	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-11	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-11	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-11	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-11	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-11	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-11	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-11	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-11	7/6/2023	3	3	ND	ug/L
Cobalt, total	NE-12	3/1/2017	6	3		ug/L
Cobalt, total	NE-12	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-12	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-12	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-12	8/5/2019	3	3	ND	ug/L
Cobalt, total	NE-12	1/13/2020	3	3	ND	ug/L
Cobalt, total	NE-12	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-12	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-12	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-12	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-12	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-12	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-12	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-12	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-12	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-13	2/5/2019	1.4	3	ND	ug/L
Cobalt, total	NE-13	8/7/2019	1	3	ND	ug/L
Cobalt, total	NE-13	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-13	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-13	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-13	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-13	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-14D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-14D	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-14D	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-14D	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14D	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-14D	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	10/2/2019	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-14S	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-14S	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-14S	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-14S	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-14S	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	9/30/2019	3	3	ND	ug/L
Cobalt, total	NE-15D	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-15D	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-15D	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-15D	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	7/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15D	10/6/2023	3	3	ND	ug/L
Cobalt, total	NE-15S	4/3/2020	3	3	ND	ug/L
Cobalt, total	NE-2	7/9/2002	7	7	ND	ug/L
Cobalt, total	NE-2	8/6/2002	18	7		ug/L
Cobalt, total	NE-2	9/4/2002	13	7		ug/L
Cobalt, total	NE-2	10/2/2002	13	7		ug/L
Cobalt, total	NE-2	10/1/2013	3	3	ND	ug/L
Cobalt, total	NE-2	10/8/2014	3	3	ND	ug/L
Cobalt, total	NE-2	10/5/2015	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2016	3	3	ND	ug/L
Cobalt, total	NE-2	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-2	1/25/2018	3	3	ND	ug/L
Cobalt, total	NE-2	4/10/2018	3	3	ND	ug/L
Cobalt, total	NE-2	7/10/2018	3	3	ND	ug/L
Cobalt, total	NE-2	10/1/2018	3	3	ND	ug/L
Cobalt, total	NE-2	1/4/2019	3	3	ND	ug/L
Cobalt, total	NE-2	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-2	7/9/2019	0.6	3	ND	ug/L
Cobalt, total	NE-2	7/9/2019	0.6	3	ND	ug/L
Cobalt, total	NE-2	10/2/2019	3	3	ND	ug/L
Cobalt, total	NE-2	1/14/2020	3	3	ND	ug/L
Cobalt, total	NE-2	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-2	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-2	1/14/2021	3	3	ND	ug/L
Cobalt, total	NE-2	4/9/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-2	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-2	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-2	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-2	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-2	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-2	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-2	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-2	4/5/2023	3	3	ND	ug/L
Cobalt, total	NE-2	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-2	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-4	7/10/2002	12	7		ug/L
Cobalt, total	NE-4	8/6/2002	7	7	ND	ug/L
Cobalt, total	NE-4	9/4/2002	7	7	ND	ug/L
Cobalt, total	NE-4	10/3/2002	7.5	7		ug/L
Cobalt, total	NE-4	7/8/2003	3	3	ND	ug/L
Cobalt, total	NE-4	1/28/2004	3	3	ND	ug/L
Cobalt, total	NE-4	1/13/2005	3	3	ND	ug/L
Cobalt, total	NE-4	8/1/2006	3	3	ND	ug/L
Cobalt, total	NE-4	8/1/2006	3	3	ND	ug/L
Cobalt, total	NE-4	10/25/2006	3	3	ND	ug/L
Cobalt, total	NE-4	1/24/2007	3	3	ND	ug/L
Cobalt, total	NE-4	7/12/2007	3	3	ND	ug/L
Cobalt, total	NE-4	1/24/2008	3	3	ND	ug/L
Cobalt, total	NE-4	7/21/2008	3	3	ND	ug/L
Cobalt, total	NE-4	2/7/2009	1.9	3	ND	ug/L
Cobalt, total	NE-4	7/31/2009	3	3	ND	ug/L
Cobalt, total	NE-4	1/26/2010	3	3	ND	ug/L
Cobalt, total	NE-4	7/14/2010	1.1	3	ND	ug/L
Cobalt, total	NE-4	1/19/2011	3	3	ND	ug/L
Cobalt, total	NE-4	7/13/2011	3	3	ND	ug/L
Cobalt, total	NE-4	1/5/2012	3	3	ND	ug/L
Cobalt, total	NE-4	7/10/2012	3.7	3		ug/L
Cobalt, total	NE-4	4/30/2013	3	3	ND	ug/L
Cobalt, total	NE-4	7/16/2013	3	3	ND	ug/L
Cobalt, total	NE-4	1/23/2014	3	3	ND	ug/L
Cobalt, total	NE-4	7/9/2014	3	3	ND	ug/L
Cobalt, total	NE-4	2/13/2015	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2015	3	3	ND	ug/L
Cobalt, total	NE-4	1/6/2016	3	3	ND	ug/L
Cobalt, total	NE-4	7/20/2016	3	3	ND	ug/L
Cobalt, total	NE-4	1/11/2017	3	3	ND	ug/L
Cobalt, total	NE-4	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-4	1/26/2018	3	3	ND	ug/L
Cobalt, total	NE-4	4/10/2018	3	3	ND	ug/L
Cobalt, total	NE-4	7/12/2018	3	3	ND	ug/L
Cobalt, total	NE-4	10/3/2018	3	3	ND	ug/L
Cobalt, total	NE-4	1/7/2019	3	3	ND	ug/L
Cobalt, total	NE-4	4/2/2019	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2019	3	3	ND	ug/L
Cobalt, total	NE-4	7/8/2019	3	3	ND	ug/L
Cobalt, total	NE-4	10/1/2019	3	3	ND	ug/L
Cobalt, total	NE-4	1/13/2020	3	3	ND	ug/L
Cobalt, total	NE-4	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-4	7/6/2020	3	3	ND	ug/L
Cobalt, total	NE-4	10/5/2020	3	3	ND	ug/L
Cobalt, total	NE-4	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-4	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-4	7/2/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-4	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-4	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-4	4/6/2023	3	3	ND	ug/L
Cobalt, total	NE-4	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-4	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-5	7/9/2002	78	7		ug/L
Cobalt, total	NE-5	8/6/2002	110	7		ug/L
Cobalt, total	NE-5	9/4/2002	90	7		ug/L
Cobalt, total	NE-5	10/2/2002	78	7		ug/L
Cobalt, total	NE-5	7/8/2003	87	3		ug/L
Cobalt, total	NE-5	1/27/2004	130	3		ug/L
Cobalt, total	NE-5	1/12/2005	50	3		ug/L
Cobalt, total	NE-5	7/19/2006	93	3		ug/L
Cobalt, total	NE-5	7/19/2006	93	3		ug/L
Cobalt, total	NE-5	10/25/2006	46	3		ug/L
Cobalt, total	NE-5	1/24/2007	41	3		ug/L
Cobalt, total	NE-5	7/12/2007	44	3		ug/L
Cobalt, total	NE-5	7/22/2008	47	3		ug/L
Cobalt, total	NE-5	2/6/2009	40	3		ug/L
Cobalt, total	NE-5	7/31/2009	54	3		ug/L
Cobalt, total	NE-5	1/26/2010	43	3		ug/L
Cobalt, total	NE-5	7/16/2010	71	3		ug/L
Cobalt, total	NE-5	1/19/2011	44	3		ug/L
Cobalt, total	NE-5	7/13/2011	53	3		ug/L
Cobalt, total	NE-5	1/5/2012	49	3		ug/L
Cobalt, total	NE-5	7/10/2012	44	3		ug/L
Cobalt, total	NE-5	4/30/2013	49	3		ug/L
Cobalt, total	NE-5	7/16/2013	57	3		ug/L
Cobalt, total	NE-5	1/23/2014	71	3		ug/L
Cobalt, total	NE-5	7/9/2014	48	3		ug/L
Cobalt, total	NE-5	2/11/2015	89	3		ug/L
Cobalt, total	NE-5	7/14/2015	38	3		ug/L
Cobalt, total	NE-5	1/6/2016	55	3		ug/L
Cobalt, total	NE-5	2/11/2016	61	3		ug/L
Cobalt, total	NE-5	7/20/2016	36	3		ug/L
Cobalt, total	NE-5	1/11/2017	50	3		ug/L
Cobalt, total	NE-5	7/19/2017	40	3		ug/L
Cobalt, total	NE-5	1/25/2018	50	3		ug/L
Cobalt, total	NE-5	4/10/2018	34	3		ug/L
Cobalt, total	NE-5	7/17/2018	42	3		ug/L
Cobalt, total	NE-5	10/3/2018	43	3		ug/L
Cobalt, total	NE-5	10/3/2018	39	3		ug/L
Cobalt, total	NE-5	1/4/2019	54	3		ug/L
Cobalt, total	NE-5	4/2/2019	53	3		ug/L
Cobalt, total	NE-5	4/2/2019	53	3		ug/L
Cobalt, total	NE-5	7/9/2019	52	3		ug/L
Cobalt, total	NE-5	7/9/2019	49	3		ug/L
Cobalt, total	NE-5	7/9/2019	49	3		ug/L
Cobalt, total	NE-5	10/3/2019	34	3		ug/L
Cobalt, total	NE-5	1/16/2020	41	3		ug/L
Cobalt, total	NE-5	4/2/2020	31.7	3		ug/L
Cobalt, total	NE-5	7/8/2020	27.1	3		ug/L
Cobalt, total	NE-5	10/6/2020	21.4	3		ug/L
Cobalt, total	NE-5	1/15/2021	31.5	3		ug/L
Cobalt, total	NE-5	4/9/2021	44.2	3		ug/L
Cobalt, total	NE-5	7/2/2021	30.4	3		ug/L
Cobalt, total	NE-5	10/6/2021	19.2	3		ug/L
Cobalt, total	NE-5	1/18/2022	32.1	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-5	4/6/2022	29	3		ug/L
Cobalt, total	NE-5	7/13/2022	23.7	3		ug/L
Cobalt, total	NE-5	10/7/2022	17.1	3		ug/L
Cobalt, total	NE-5	1/5/2023	39.7	3		ug/L
Cobalt, total	NE-5	4/7/2023	45.5	3		ug/L
Cobalt, total	NE-5	7/6/2023	27.6	3		ug/L
Cobalt, total	NE-5	10/4/2023	35.1	3		ug/L
Cobalt, total	NE-5E	9/30/2019	1.2	3	ND	ug/L
Cobalt, total	NE-5E	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	4/1/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	10/6/2020	3	3	ND	ug/L
Cobalt, total	NE-5E	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	7/2/2021	4.48	3		ug/L
Cobalt, total	NE-5E	10/6/2021	3	3	ND	ug/L
Cobalt, total	NE-5E	1/18/2022	3	3	ND	ug/L
Cobalt, total	NE-5E	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-5E	7/13/2022	9.91	3		ug/L
Cobalt, total	NE-5E	10/7/2022	23.9	3		ug/L
Cobalt, total	NE-5E	1/5/2023	11.9	3		ug/L
Cobalt, total	NE-5E	4/7/2023	15.6	3		ug/L
Cobalt, total	NE-5E	7/6/2023	24	3		ug/L
Cobalt, total	NE-5E	10/4/2023	14.4	3		ug/L
Cobalt, total	NE-5W	9/30/2019	15	3		ug/L
Cobalt, total	NE-5W	1/16/2020	9.17	3		ug/L
Cobalt, total	NE-5W	4/2/2020	48	3		ug/L
Cobalt, total	NE-5W	7/8/2020	43.2	3		ug/L
Cobalt, total	NE-5W	10/6/2020	39.5	3		ug/L
Cobalt, total	NE-5W	1/15/2021	5.67	3		ug/L
Cobalt, total	NE-5W	4/9/2021	5.93	3		ug/L
Cobalt, total	NE-5W	7/2/2021	27.7	3		ug/L
Cobalt, total	NE-5W	10/6/2021	25.7	3		ug/L
Cobalt, total	NE-5W	1/18/2022	10.2	3		ug/L
Cobalt, total	NE-5W	4/6/2022	16.9	3		ug/L
Cobalt, total	NE-5W	7/13/2022	27.6	3		ug/L
Cobalt, total	NE-5W	10/7/2022	25.6	3		ug/L
Cobalt, total	NE-5W	1/5/2023	4.86	3		ug/L
Cobalt, total	NE-5W	4/7/2023	3.16	3		ug/L
Cobalt, total	NE-5W	7/6/2023	20.4	3		ug/L
Cobalt, total	NE-5W	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-6	1/12/2017	9	3		ug/L
Cobalt, total	NE-6	4/5/2017	2.6	3	ND	ug/L
Cobalt, total	NE-6	7/19/2017	3	3	ND	ug/L
Cobalt, total	NE-6	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-6	2/4/2019	3	3	ND	ug/L
Cobalt, total	NE-6	8/6/2019	2	3	ND	ug/L
Cobalt, total	NE-6	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-6	7/9/2020	3	3	ND	ug/L
Cobalt, total	NE-6	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-6	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-6	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-6	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-6	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-6	7/6/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	10/2/2019	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-6D	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	4/2/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	7/9/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2020	3	3	ND	ug/L
Cobalt, total	NE-6D	1/15/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	7/2/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-6D	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	4/6/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	10/7/2022	3	3	ND	ug/L
Cobalt, total	NE-6D	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	4/7/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	7/6/2023	3	3	ND	ug/L
Cobalt, total	NE-6D	10/4/2023	3	3	ND	ug/L
Cobalt, total	NE-7	3/1/2017	2	3	ND	ug/L
Cobalt, total	NE-7	4/6/2017	3	3	ND	ug/L
Cobalt, total	NE-7	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-7	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-7	2/6/2019	3	3	ND	ug/L
Cobalt, total	NE-7	8/6/2019	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2020	3	3	ND	ug/L
Cobalt, total	NE-7	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-7	1/16/2021	3	3	ND	ug/L
Cobalt, total	NE-7	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-7	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-7	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-7	7/12/2022	3	3	ND	ug/L
Cobalt, total	NE-7	1/5/2023	3	3	ND	ug/L
Cobalt, total	NE-7	7/6/2023	3	3	ND	ug/L
Cobalt, total	NE-8	1/12/2017	6	3		ug/L
Cobalt, total	NE-8	4/5/2017	8.2	3		ug/L
Cobalt, total	NE-8	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-8	10/6/2017	3	3	ND	ug/L
Cobalt, total	NE-8	2/4/2019	3	3	ND	ug/L
Cobalt, total	NE-8	8/5/2019	3	3	ND	ug/L
Cobalt, total	NE-8	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-8	7/8/2020	3	3	ND	ug/L
Cobalt, total	NE-8	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-8	1/13/2021	3	3	ND	ug/L
Cobalt, total	NE-8	4/9/2021	3	3	ND	ug/L
Cobalt, total	NE-8	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-8	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-8	10/7/2021	3	3	ND	ug/L
Cobalt, total	NE-8	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-8	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-9	1/12/2017	3	3	ND	ug/L
Cobalt, total	NE-9	4/5/2017	3	3	ND	ug/L
Cobalt, total	NE-9	7/20/2017	3	3	ND	ug/L
Cobalt, total	NE-9	10/5/2017	3	3	ND	ug/L
Cobalt, total	NE-9	2/5/2019	3	3	ND	ug/L
Cobalt, total	NE-9	8/7/2019	3	3	ND	ug/L
Cobalt, total	NE-9	1/15/2020	3	3	ND	ug/L
Cobalt, total	NE-9	7/7/2020	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2021	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cobalt, total	NE-9	7/1/2021	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-9	1/17/2022	3	3	ND	ug/L
Cobalt, total	NE-9	7/13/2022	3	3	ND	ug/L
Cobalt, total	NE-9	1/6/2023	3	3	ND	ug/L
Cobalt, total	NE-9	4/8/2023	3	3	ND	ug/L
Cobalt, total	NE-9	7/5/2023	3	3	ND	ug/L
Cobalt, total	NE-9	10/6/2023	3	3	ND	ug/L
Copper, dissolved	LGW-14R	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-2	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-4	1/24/2006	4	4	ND	ug/L
Copper, dissolved	LGW-5	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-6	1/24/2006	4	4	ND	ug/L
Copper, dissolved	LGW-7	1/25/2006	4	4	ND	ug/L
Copper, dissolved	LGW-8R	1/24/2006	4	4	ND	ug/L
Copper, dissolved	MW-10N	7/11/2000	12	4		ug/L
Copper, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Copper, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-11N	7/10/2000	12	4		ug/L
Copper, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-1N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-1N	7/12/2000	4	4	ND	ug/L
Copper, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Copper, dissolved	MW-2N	7/11/2000	12	4		ug/L
Copper, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Copper, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-3N	7/11/2000	11	4		ug/L
Copper, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-7N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-7N	7/11/2000	9.4	4		ug/L
Copper, dissolved	MW-7N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-7N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	MW-8N	10/19/1999	4	4	ND	ug/L
Copper, dissolved	MW-8N	7/11/2000	7.5	4		ug/L
Copper, dissolved	MW-8N	7/9/2002	10	10	ND	ug/L
Copper, dissolved	MW-8N	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	7/10/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-1	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	7/9/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-2	10/2/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	7/10/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-4	10/3/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	7/9/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	8/6/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	9/4/2002	10	10	ND	ug/L
Copper, dissolved	NE-5	10/2/2002	10	10	ND	ug/L
Copper, total	LGW-10	1/26/2006	4	4	ND	ug/L
Copper, total	LGW-10	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-10	8/1/2006	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-10	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-10	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-10	1/25/2007	4	4	ND	ug/L
Copper, total	LGW-10	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-10	7/12/2007	4	4	ND	ug/L
Copper, total	LGW-10	1/23/2008	4	4	ND	ug/L
Copper, total	LGW-10	7/22/2008	4	4	ND	ug/L
Copper, total	LGW-10	7/29/2009	0.8	4	ND	ug/L
Copper, total	LGW-10	2/3/2010	1.8	4	ND	ug/L
Copper, total	LGW-10	2/3/2010	1.8	4	ND	ug/L
Copper, total	LGW-10	7/16/2010	0.6	4	ND	ug/L
Copper, total	LGW-10	1/19/2011	0.7	4	ND	ug/L
Copper, total	LGW-10	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-10	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-10	7/9/2012	2.3	4	ND	ug/L
Copper, total	LGW-10	5/1/2013	1.8	4	ND	ug/L
Copper, total	LGW-10	1/30/2014	3.7	4	ND	ug/L
Copper, total	LGW-10	7/9/2014	1.8	4	ND	ug/L
Copper, total	LGW-10	2/12/2015	1.7	4	ND	ug/L
Copper, total	LGW-10	7/13/2015	4	4	ND	ug/L
Copper, total	LGW-10	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-10	4/6/2016	4	4	ND	ug/L
Copper, total	LGW-10	7/21/2016	0.6	4	ND	ug/L
Copper, total	LGW-10	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-10	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-10	4/4/2017	1	4	ND	ug/L
Copper, total	LGW-10	7/19/2017	4	4	ND	ug/L
Copper, total	LGW-10	10/9/2017	1.4	4	ND	ug/L
Copper, total	LGW-10	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-10	4/11/2018	4	4	ND	ug/L
Copper, total	LGW-10	7/16/2018	4	4	ND	ug/L
Copper, total	LGW-10	10/4/2018	4	4	ND	ug/L
Copper, total	LGW-10	1/4/2019	4	4	ND	ug/L
Copper, total	LGW-10	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-10	7/11/2019	8	8	ND	ug/L
Copper, total	LGW-10	10/2/2019	4	4	ND	ug/L
Copper, total	LGW-10	1/15/2020	4	4	ND	ug/L
Copper, total	LGW-10	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-10	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-10	10/7/2020	4	4	ND	ug/L
Copper, total	LGW-10	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-10	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-10	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-10	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-10	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-10	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-10	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-10	10/7/2022	4	4	ND	ug/L
Copper, total	LGW-10	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-10	4/5/2023	4	4	ND	ug/L
Copper, total	LGW-10	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-10	10/5/2023	4	4	ND	ug/L
Copper, total	LGW-14R	1/25/2006	69	4		ug/L
Copper, total	LGW-14R	8/2/2006	19	4		ug/L
Copper, total	LGW-14R	8/2/2006	19	4		ug/L
Copper, total	LGW-14R	1/9/2007	33	4		ug/L
Copper, total	LGW-14R	1/24/2007	16	4		ug/L
Copper, total	LGW-14R	4/24/2007	16	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-14R	7/11/2007	28	4		ug/L
Copper, total	LGW-14R	1/23/2008	17	4		ug/L
Copper, total	LGW-14R	7/22/2008	1.1	4	ND	ug/L
Copper, total	LGW-14R	2/6/2009	1.4	4	ND	ug/L
Copper, total	LGW-14R	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-14R	2/3/2010	1.5	4	ND	ug/L
Copper, total	LGW-14R	2/3/2010	1.5	4	ND	ug/L
Copper, total	LGW-14R	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-14R	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-14R	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-14R	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-14R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-14R	4/30/2013	0.6	4	ND	ug/L
Copper, total	LGW-14R	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-14R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-14R	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-14R	7/22/2015	0.6	4	ND	ug/L
Copper, total	LGW-14R	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-14R	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-14R	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-14R	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-14R	1/25/2018	0.78	4	ND	ug/L
Copper, total	LGW-14R	7/17/2018	1.8	4	ND	ug/L
Copper, total	LGW-14R	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-14R	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-14R	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-14R	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-14R	1/18/2021	5.71	4		ug/L
Copper, total	LGW-14R	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-14R	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-14R	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-14R	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-14R	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-14R	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-2	1/25/2006	5.8	4		ug/L
Copper, total	LGW-2	8/1/2006	1.6	4	ND	ug/L
Copper, total	LGW-2	8/1/2006	1.6	4	ND	ug/L
Copper, total	LGW-2	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-2	1/9/2007	2	4	ND	ug/L
Copper, total	LGW-2	1/25/2007	2.1	4	ND	ug/L
Copper, total	LGW-2	4/26/2007	0.9	4	ND	ug/L
Copper, total	LGW-2	7/10/2007	1.7	4	ND	ug/L
Copper, total	LGW-2	1/26/2008	9.3	4		ug/L
Copper, total	LGW-2	7/23/2008	1.6	4	ND	ug/L
Copper, total	LGW-2	2/6/2009	3.1	4	ND	ug/L
Copper, total	LGW-2	7/30/2009	3.2	4	ND	ug/L
Copper, total	LGW-2	2/3/2010	2.6	4	ND	ug/L
Copper, total	LGW-2	2/3/2010	2.6	4	ND	ug/L
Copper, total	LGW-2	7/12/2010	2.5	4	ND	ug/L
Copper, total	LGW-2	1/19/2011	2.9	4	ND	ug/L
Copper, total	LGW-2	7/13/2011	0.9	4	ND	ug/L
Copper, total	LGW-2	1/4/2012	1	4	ND	ug/L
Copper, total	LGW-2	7/9/2012	0.7	4	ND	ug/L
Copper, total	LGW-2	4/30/2013	1.7	4	ND	ug/L
Copper, total	LGW-2	7/15/2013	1	4	ND	ug/L
Copper, total	LGW-2	1/30/2014	0.7	4	ND	ug/L
Copper, total	LGW-2	7/8/2014	1.5	4	ND	ug/L
Copper, total	LGW-2	2/13/2015	1.3	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-2	7/8/2015	2.2	4	ND	ug/L
Copper, total	LGW-2	1/5/2016	1.3	4	ND	ug/L
Copper, total	LGW-2	7/19/2016	0.7	4	ND	ug/L
Copper, total	LGW-2	1/11/2017	2	4	ND	ug/L
Copper, total	LGW-2	7/18/2017	0.7	4	ND	ug/L
Copper, total	LGW-2	1/23/2018	0.81	4	ND	ug/L
Copper, total	LGW-2	7/12/2018	4	4	ND	ug/L
Copper, total	LGW-2	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-2	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-2	1/13/2020	4	4	ND	ug/L
Copper, total	LGW-2	4/1/2020	4	4	ND	ug/L
Copper, total	LGW-2	7/8/2020	4	4	ND	ug/L
Copper, total	LGW-2	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-2	7/4/2021	4	4	ND	ug/L
Copper, total	LGW-2	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-2	7/10/2022	4	4	ND	ug/L
Copper, total	LGW-2	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-2	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-3R	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-3R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-3R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-3R	1/8/2007	1.8	4	ND	ug/L
Copper, total	LGW-3R	1/25/2007	0.9	4	ND	ug/L
Copper, total	LGW-3R	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-3R	7/11/2007	1	4	ND	ug/L
Copper, total	LGW-3R	1/26/2008	0.8	4	ND	ug/L
Copper, total	LGW-3R	7/23/2008	4	4	ND	ug/L
Copper, total	LGW-3R	2/3/2009	0.8	4	ND	ug/L
Copper, total	LGW-3R	7/31/2009	4.6	4		ug/L
Copper, total	LGW-3R	2/3/2010	0.6	4	ND	ug/L
Copper, total	LGW-3R	2/3/2010	0.6	4	ND	ug/L
Copper, total	LGW-3R	7/16/2010	4	4	ND	ug/L
Copper, total	LGW-3R	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-3R	7/13/2011	4	4	ND	ug/L
Copper, total	LGW-3R	1/4/2012	4	4	ND	ug/L
Copper, total	LGW-3R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-3R	4/30/2013	1.4	4	ND	ug/L
Copper, total	LGW-3R	7/15/2013	1	4	ND	ug/L
Copper, total	LGW-3R	1/22/2014	4	4	ND	ug/L
Copper, total	LGW-3R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-3R	2/10/2015	0.7	4	ND	ug/L
Copper, total	LGW-3R	7/16/2015	0.8	4	ND	ug/L
Copper, total	LGW-3R	1/8/2016	4	4	ND	ug/L
Copper, total	LGW-3R	7/21/2016	2.2	4	ND	ug/L
Copper, total	LGW-3R	1/11/2017	0.6	4	ND	ug/L
Copper, total	LGW-3R	7/18/2017	0.7	4	ND	ug/L
Copper, total	LGW-3R	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-3R	7/11/2018	4	4	ND	ug/L
Copper, total	LGW-3R	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-3R	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-3R	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-3R	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-3R	1/18/2021	12.7	4		ug/L
Copper, total	LGW-3R	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-3R	7/6/2021	4	4	ND	ug/L
Copper, total	LGW-3R	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-3R	7/10/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-3R	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-3R	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-4	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-4	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-4	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-4	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-4	1/9/2007	0.6	4	ND	ug/L
Copper, total	LGW-4	1/25/2007	1.1	4	ND	ug/L
Copper, total	LGW-4	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2007	0.7	4	ND	ug/L
Copper, total	LGW-4	1/22/2008	4	4	ND	ug/L
Copper, total	LGW-4	7/23/2008	0.6	4	ND	ug/L
Copper, total	LGW-4	2/3/2009	1	4	ND	ug/L
Copper, total	LGW-4	7/31/2009	0.6	4	ND	ug/L
Copper, total	LGW-4	2/3/2010	2.1	4	ND	ug/L
Copper, total	LGW-4	2/3/2010	2.1	4	ND	ug/L
Copper, total	LGW-4	7/16/2010	0.9	4	ND	ug/L
Copper, total	LGW-4	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-4	7/13/2011	4	4	ND	ug/L
Copper, total	LGW-4	1/4/2012	4	4	ND	ug/L
Copper, total	LGW-4	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-4	4/30/2013	0.8	4	ND	ug/L
Copper, total	LGW-4	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-4	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-4	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-4	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-4	7/8/2015	4	4	ND	ug/L
Copper, total	LGW-4	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-4	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-4	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-4	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-4	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2018	4	4	ND	ug/L
Copper, total	LGW-4	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-4	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-4	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-4	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-4	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-4	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-4	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-4	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-4	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-4	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-5	1/25/2006	4	4	ND	ug/L
Copper, total	LGW-5	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-5	8/1/2006	4	4	ND	ug/L
Copper, total	LGW-5	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-5	1/9/2007	0.6	4	ND	ug/L
Copper, total	LGW-5	1/25/2007	0.6	4	ND	ug/L
Copper, total	LGW-5	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-5	7/11/2007	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2008	4	4	ND	ug/L
Copper, total	LGW-5	7/23/2008	0.8	4	ND	ug/L
Copper, total	LGW-5	2/4/2009	4	4	ND	ug/L
Copper, total	LGW-5	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-5	2/3/2010	3.3	4	ND	ug/L
Copper, total	LGW-5	2/3/2010	3.3	4	ND	ug/L
Copper, total	LGW-5	7/12/2010	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-5	1/19/2011	1	4	ND	ug/L
Copper, total	LGW-5	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-5	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-5	7/9/2012	0.7	4	ND	ug/L
Copper, total	LGW-5	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-5	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2014	1.8	4	ND	ug/L
Copper, total	LGW-5	7/8/2014	4.8	4		ug/L
Copper, total	LGW-5	2/10/2015	0.8	4	ND	ug/L
Copper, total	LGW-5	7/8/2015	0.8	4	ND	ug/L
Copper, total	LGW-5	1/5/2016	0.7	4	ND	ug/L
Copper, total	LGW-5	7/19/2016	4	4	ND	ug/L
Copper, total	LGW-5	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-5	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-5	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-5	7/12/2018	4	4		ug/L
Copper, total	LGW-5	1/3/2019	4	4	ND	ug/L
Copper, total	LGW-5	7/9/2019	8	8	ND	ug/L
Copper, total	LGW-5	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-5	7/6/2020	4	4	ND	ug/L
Copper, total	LGW-5	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-5	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-5	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-5	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-5	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-5	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-5	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-5	10/6/2022	4	4	ND	ug/L
Copper, total	LGW-5	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-5	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-5	10/5/2023	4	4	ND	ug/L
Copper, total	LGW-6	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-6	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-6	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-6	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-6	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-6	1/24/2007	0.7	4	ND	ug/L
Copper, total	LGW-6	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-6	7/11/2007	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2008	4	4	ND	ug/L
Copper, total	LGW-6	7/23/2008	2.1	4	ND	ug/L
Copper, total	LGW-6	2/5/2009	4	4	ND	ug/L
Copper, total	LGW-6	7/29/2009	0.6	4	ND	ug/L
Copper, total	LGW-6	2/3/2010	1.9	4	ND	ug/L
Copper, total	LGW-6	2/3/2010	1.9	4	ND	ug/L
Copper, total	LGW-6	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-6	1/19/2011	4	4	ND	ug/L
Copper, total	LGW-6	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-6	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-6	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-6	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-6	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-6	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-6	2/10/2015	4	4	ND	ug/L
Copper, total	LGW-6	7/22/2015	3	4	ND	ug/L
Copper, total	LGW-6	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-6	7/19/2016	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-6	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-6	1/11/2017	0.6	4	ND	ug/L
Copper, total	LGW-6	5/5/2017	4	4	ND	ug/L
Copper, total	LGW-6	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-6	10/5/2017	4	4	ND	ug/L
Copper, total	LGW-6	1/23/2018	4	4	ND	ug/L
Copper, total	LGW-6	4/10/2018	4	4	ND	ug/L
Copper, total	LGW-6	7/17/2018	4	4	ND	ug/L
Copper, total	LGW-6	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-6	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-6	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-6	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-6	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-6	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-6	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-6	7/9/2020	10.4	4		ug/L
Copper, total	LGW-6	10/6/2020	4	4	ND	ug/L
Copper, total	LGW-6	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-6	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-6	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-6	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-6	1/12/2022	4	4	ND	ug/L
Copper, total	LGW-6	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-6	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-6	10/6/2022	4	4	ND	ug/L
Copper, total	LGW-6	1/10/2023	4	4	ND	ug/L
Copper, total	LGW-6	4/6/2023	4	4	ND	ug/L
Copper, total	LGW-6	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-6	10/5/2023	4	4	ND	ug/L
Copper, total	LGW-7	1/25/2006	4	4	ND	ug/L
Copper, total	LGW-7	8/1/2006	0.9	4	ND	ug/L
Copper, total	LGW-7	8/1/2006	0.9	4	ND	ug/L
Copper, total	LGW-7	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-7	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-7	1/24/2007	4	4	ND	ug/L
Copper, total	LGW-7	4/26/2007	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2007	4	4	ND	ug/L
Copper, total	LGW-7	7/22/2008	4	4	ND	ug/L
Copper, total	LGW-7	2/4/2009	4	4	ND	ug/L
Copper, total	LGW-7	7/31/2009	4	4	ND	ug/L
Copper, total	LGW-7	1/27/2010	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2010	4	4	ND	ug/L
Copper, total	LGW-7	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-7	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-7	7/10/2012	0.6	4	ND	ug/L
Copper, total	LGW-7	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-7	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-7	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-7	7/8/2014	2.7	4	ND	ug/L
Copper, total	LGW-7	2/11/2015	0.9	4	ND	ug/L
Copper, total	LGW-7	7/22/2015	4	4	ND	ug/L
Copper, total	LGW-7	1/5/2016	1.8	4	ND	ug/L
Copper, total	LGW-7	4/6/2016	4	4	ND	ug/L
Copper, total	LGW-7	7/20/2016	4	4	ND	ug/L
Copper, total	LGW-7	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-7	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-7	4/4/2017	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-7	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-7	10/5/2017	4	4	ND	ug/L
Copper, total	LGW-7	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-7	4/11/2018	4	4	ND	ug/L
Copper, total	LGW-7	7/12/2018	4	4	ND	ug/L
Copper, total	LGW-7	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-7	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-7	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-7	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-7	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-7	1/15/2020	4	4	ND	ug/L
Copper, total	LGW-7	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-7	1/18/2021	4	4	ND	ug/L
Copper, total	LGW-7	7/7/2021	7.44	4		ug/L
Copper, total	LGW-7	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-7	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-7	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-7	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-7	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-8R	1/24/2006	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-8R	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-8R	1/24/2007	4	4	ND	ug/L
Copper, total	LGW-8R	4/25/2007	4	4	ND	ug/L
Copper, total	LGW-8R	7/12/2007	1	4	ND	ug/L
Copper, total	LGW-8R	2/4/2009	1	4	ND	ug/L
Copper, total	LGW-8R	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-8R	1/27/2010	1.4	4	ND	ug/L
Copper, total	LGW-8R	7/14/2010	4	4	ND	ug/L
Copper, total	LGW-8R	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-8R	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-8R	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-8R	7/9/2012	4	4	ND	ug/L
Copper, total	LGW-8R	4/30/2013	4	4	ND	ug/L
Copper, total	LGW-8R	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-8R	1/22/2014	4	4	ND	ug/L
Copper, total	LGW-8R	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-8R	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-8R	7/22/2015	0.7	4	ND	ug/L
Copper, total	LGW-8R	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-8R	7/20/2016	4	4	ND	ug/L
Copper, total	LGW-8R	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-8R	7/18/2017	1.2	4	ND	ug/L
Copper, total	LGW-8R	1/25/2018	4	4	ND	ug/L
Copper, total	LGW-8R	7/13/2018	4	4	ND	ug/L
Copper, total	LGW-8R	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-8R	7/8/2019	8	8	ND	ug/L
Copper, total	LGW-8R	1/14/2020	4	4	ND	ug/L
Copper, total	LGW-8R	7/7/2020	4	4	ND	ug/L
Copper, total	LGW-8R	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-8R	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-8R	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-8R	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-8R	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-8R	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-9	1/25/2006	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	LGW-9	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-9	7/20/2006	4	4	ND	ug/L
Copper, total	LGW-9	10/26/2006	10	10	ND	ug/L
Copper, total	LGW-9	1/9/2007	4	4	ND	ug/L
Copper, total	LGW-9	1/25/2007	4	4	ND	ug/L
Copper, total	LGW-9	4/25/2007	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2007	4	4	ND	ug/L
Copper, total	LGW-9	7/22/2008	0.8	4	ND	ug/L
Copper, total	LGW-9	2/4/2009	4	4	ND	ug/L
Copper, total	LGW-9	7/29/2009	4	4	ND	ug/L
Copper, total	LGW-9	1/27/2010	4	4	ND	ug/L
Copper, total	LGW-9	7/14/2010	4	4	ND	ug/L
Copper, total	LGW-9	1/20/2011	4	4	ND	ug/L
Copper, total	LGW-9	7/12/2011	4	4	ND	ug/L
Copper, total	LGW-9	1/5/2012	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2012	4	4	ND	ug/L
Copper, total	LGW-9	5/1/2013	0.8	4	ND	ug/L
Copper, total	LGW-9	7/15/2013	4	4	ND	ug/L
Copper, total	LGW-9	1/23/2014	4	4	ND	ug/L
Copper, total	LGW-9	7/8/2014	4	4	ND	ug/L
Copper, total	LGW-9	2/11/2015	4	4	ND	ug/L
Copper, total	LGW-9	7/13/2015	4	4	ND	ug/L
Copper, total	LGW-9	1/5/2016	4	4	ND	ug/L
Copper, total	LGW-9	7/21/2016	4	4	ND	ug/L
Copper, total	LGW-9	10/6/2016	4	4	ND	ug/L
Copper, total	LGW-9	1/11/2017	4	4	ND	ug/L
Copper, total	LGW-9	5/5/2017	4	4	ND	ug/L
Copper, total	LGW-9	7/18/2017	4	4	ND	ug/L
Copper, total	LGW-9	10/5/2017	0.6	4	ND	ug/L
Copper, total	LGW-9	1/24/2018	4	4	ND	ug/L
Copper, total	LGW-9	4/11/2018	4	4	ND	ug/L
Copper, total	LGW-9	7/13/2018	4	4	ND	ug/L
Copper, total	LGW-9	10/2/2018	4	4	ND	ug/L
Copper, total	LGW-9	1/7/2019	4	4	ND	ug/L
Copper, total	LGW-9	4/3/2019	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2019	8	8	ND	ug/L
Copper, total	LGW-9	10/3/2019	4	4	ND	ug/L
Copper, total	LGW-9	1/16/2020	4	4	ND	ug/L
Copper, total	LGW-9	4/2/2020	4	4	ND	ug/L
Copper, total	LGW-9	7/9/2020	4	4	ND	ug/L
Copper, total	LGW-9	10/7/2020	4	4	ND	ug/L
Copper, total	LGW-9	1/17/2021	4	4	ND	ug/L
Copper, total	LGW-9	4/6/2021	4	4	ND	ug/L
Copper, total	LGW-9	7/7/2021	4	4	ND	ug/L
Copper, total	LGW-9	10/5/2021	4	4	ND	ug/L
Copper, total	LGW-9	1/13/2022	4	4	ND	ug/L
Copper, total	LGW-9	4/4/2022	4	4	ND	ug/L
Copper, total	LGW-9	7/11/2022	4	4	ND	ug/L
Copper, total	LGW-9	10/7/2022	4	4	ND	ug/L
Copper, total	LGW-9	1/11/2023	4	4	ND	ug/L
Copper, total	LGW-9	4/5/2023	4	4	ND	ug/L
Copper, total	LGW-9	7/10/2023	4	4	ND	ug/L
Copper, total	LGW-9	10/5/2023	4	4	ND	ug/L
Copper, total	MW-10N	10/22/1997	7.6	4		ug/L
Copper, total	MW-10N	1/22/1998	4.5	4		ug/L
Copper, total	MW-10N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-10N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-10N	1/14/1999	5.6	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-10N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-10N	7/15/1999	4	4	ND	ug/L
Copper, total	MW-10N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-10N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-10N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-10N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-10N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-10N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-10N	7/10/2002	10	10	ND	ug/L
Copper, total	MW-10N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-10N	1/22/2003	4	4	ND	ug/L
Copper, total	MW-10N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-10N	7/8/2003	4	4	ND	ug/L
Copper, total	MW-10N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-10N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-10N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-10N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-10N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-10N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-10N	1/10/2007	1.9	4	ND	ug/L
Copper, total	MW-10N	1/24/2007	4	4	ND	ug/L
Copper, total	MW-10N	7/10/2007	4	4	ND	ug/L
Copper, total	MW-10N	1/23/2008	4	4	ND	ug/L
Copper, total	MW-10N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-10N	2/13/2009	0.9	4	ND	ug/L
Copper, total	MW-10N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-10N	1/27/2010	4	4	ND	ug/L
Copper, total	MW-10N	8/10/2010	4	4	ND	ug/L
Copper, total	MW-10N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-10N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-10N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-10N	7/10/2012	0.8	4	ND	ug/L
Copper, total	MW-10N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-10N	7/9/2014	2.2	4	ND	ug/L
Copper, total	MW-10N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-10N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-10N	1/6/2016	4	4	ND	ug/L
Copper, total	MW-10N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-10N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-10N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-10N	1/24/2018	4	4	ND	ug/L
Copper, total	MW-10N	7/11/2018	4	4	ND	ug/L
Copper, total	MW-10N	1/3/2019	4	4	ND	ug/L
Copper, total	MW-10N	7/9/2019	8	8	ND	ug/L
Copper, total	MW-10N	1/16/2020	4	4	ND	ug/L
Copper, total	MW-10N	7/8/2020	4	4	ND	ug/L
Copper, total	MW-10N	1/13/2021	4	4	ND	ug/L
Copper, total	MW-10N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-10N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-10N	7/7/2023	4	4	ND	ug/L
Copper, total	MW-11N	10/22/1997	8	4		ug/L
Copper, total	MW-11N	1/21/1998	4.7	4		ug/L
Copper, total	MW-11N	4/28/1998	4.6	4		ug/L
Copper, total	MW-11N	7/23/1998	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-11N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-11N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-11N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-11N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-11N	1/13/2000	4	4	ND	ug/L
Copper, total	MW-11N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-11N	7/10/2000	4	4	ND	ug/L
Copper, total	MW-11N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-11N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-11N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-11N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-11N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-11N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-11N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-11N	7/8/2003	4.7	4		ug/L
Copper, total	MW-11N	1/29/2004	4	4	ND	ug/L
Copper, total	MW-11N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-11N	1/13/2005	4	4	ND	ug/L
Copper, total	MW-11N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-11N	1/19/2006	6.6	4		ug/L
Copper, total	MW-11N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-11N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-11N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-11N	1/9/2007	4	4	ND	ug/L
Copper, total	MW-11N	1/24/2007	4	4	ND	ug/L
Copper, total	MW-11N	7/10/2007	0.8	4	ND	ug/L
Copper, total	MW-11N	1/22/2008	4	4	ND	ug/L
Copper, total	MW-11N	7/23/2008	4	4	ND	ug/L
Copper, total	MW-11N	2/3/2009	4	4	ND	ug/L
Copper, total	MW-11N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-11N	2/3/2010	2.9	4	ND	ug/L
Copper, total	MW-11N	2/3/2010	2.9	4	ND	ug/L
Copper, total	MW-11N	7/16/2010	4	4	ND	ug/L
Copper, total	MW-11N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-11N	1/4/2012	4	4	ND	ug/L
Copper, total	MW-11N	7/9/2012	4	4	ND	ug/L
Copper, total	MW-11N	4/30/2013	1.5	4	ND	ug/L
Copper, total	MW-11N	7/15/2013	4	4	ND	ug/L
Copper, total	MW-11N	1/23/2014	4	4	ND	ug/L
Copper, total	MW-11N	7/8/2014	4	4	ND	ug/L
Copper, total	MW-11N	2/10/2015	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2015	4	4	ND	ug/L
Copper, total	MW-11N	1/5/2016	4	4	ND	ug/L
Copper, total	MW-11N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-11N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-11N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-11N	1/23/2018	1.4	4	ND	ug/L
Copper, total	MW-11N	7/17/2018	4	4	ND	ug/L
Copper, total	MW-11N	1/2/2019	4	4	ND	ug/L
Copper, total	MW-11N	7/9/2019	8	8	ND	ug/L
Copper, total	MW-11N	1/14/2020	4	4	ND	ug/L
Copper, total	MW-11N	7/6/2020	4	4	ND	ug/L
Copper, total	MW-11N	1/18/2021	6.15	4		ug/L
Copper, total	MW-11N	7/6/2021	4	4	ND	ug/L
Copper, total	MW-11N	1/18/2022	4	4	ND	ug/L
Copper, total	MW-11N	7/13/2022	4	4	ND	ug/L
Copper, total	MW-11N	1/10/2023	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-11N	7/8/2023	4	4	ND	ug/L
Copper, total	MW-15	6/5/2015	4	4	ND	ug/L
Copper, total	MW-15	7/15/2015	4	4	ND	ug/L
Copper, total	MW-15	8/5/2015	2.7	4	ND	ug/L
Copper, total	MW-15	9/3/2015	4	4	ND	ug/L
Copper, total	MW-15	1/7/2016	0.7	4	ND	ug/L
Copper, total	MW-15	4/5/2016	4	4	ND	ug/L
Copper, total	MW-15	7/20/2016	4	4	ND	ug/L
Copper, total	MW-15	10/6/2016	1	4	ND	ug/L
Copper, total	MW-15	1/10/2017	2.2	4	ND	ug/L
Copper, total	MW-15	7/18/2017	0.9	4	ND	ug/L
Copper, total	MW-15	1/23/2018	4	4	ND	ug/L
Copper, total	MW-15	7/10/2018	4	4	ND	ug/L
Copper, total	MW-15	1/3/2019	4	4	ND	ug/L
Copper, total	MW-15	7/9/2019	8	8	ND	ug/L
Copper, total	MW-15	1/14/2020	4	4	ND	ug/L
Copper, total	MW-15	8/3/2020	4	4	ND	ug/L
Copper, total	MW-15	1/18/2021	4	4	ND	ug/L
Copper, total	MW-15	7/4/2021	4	4	ND	ug/L
Copper, total	MW-15	1/12/2022	4	4	ND	ug/L
Copper, total	MW-15	7/10/2022	4	4	ND	ug/L
Copper, total	MW-15	1/10/2023	4	4	ND	ug/L
Copper, total	MW-15	7/10/2023	4	4	ND	ug/L
Copper, total	MW-16	6/5/2015	1.2	4	ND	ug/L
Copper, total	MW-16	7/16/2015	2.7	4	ND	ug/L
Copper, total	MW-16	8/5/2015	0.9	4	ND	ug/L
Copper, total	MW-16	9/3/2015	4	4	ND	ug/L
Copper, total	MW-16	1/8/2016	1.9	4	ND	ug/L
Copper, total	MW-16	4/5/2016	1.1	4	ND	ug/L
Copper, total	MW-16	7/21/2016	4	4	ND	ug/L
Copper, total	MW-16	10/5/2016	15	4		ug/L
Copper, total	MW-16	1/10/2017	1.8	4	ND	ug/L
Copper, total	MW-16	7/18/2017	4	4	ND	ug/L
Copper, total	MW-16	1/23/2018	4	4	ND	ug/L
Copper, total	MW-16	7/11/2018	4	4	ND	ug/L
Copper, total	MW-16	1/2/2019	4	4	ND	ug/L
Copper, total	MW-16	7/10/2019	8	8	ND	ug/L
Copper, total	MW-16	1/14/2020	4	4	ND	ug/L
Copper, total	MW-16	8/3/2020	4	4	ND	ug/L
Copper, total	MW-16	1/18/2021	5.03	4		ug/L
Copper, total	MW-16	7/4/2021	4	4	ND	ug/L
Copper, total	MW-16	1/12/2022	4	4	ND	ug/L
Copper, total	MW-16	7/10/2022	4	4	ND	ug/L
Copper, total	MW-16	1/10/2023	4	4	ND	ug/L
Copper, total	MW-16	7/10/2023	4	4	ND	ug/L
Copper, total	MW-17	6/5/2015	1.6	4	ND	ug/L
Copper, total	MW-17	7/15/2015	4	4	ND	ug/L
Copper, total	MW-17	8/4/2015	0.6	4	ND	ug/L
Copper, total	MW-17	9/2/2015	0.6	4	ND	ug/L
Copper, total	MW-17	1/7/2016	2.1	4	ND	ug/L
Copper, total	MW-17	4/5/2016	4	4	ND	ug/L
Copper, total	MW-17	7/20/2016	4	4	ND	ug/L
Copper, total	MW-17	10/6/2016	4	4	ND	ug/L
Copper, total	MW-17	1/10/2017	1.1	4	ND	ug/L
Copper, total	MW-17	7/18/2017	0.7	4	ND	ug/L
Copper, total	MW-17	1/23/2018	4	4	ND	ug/L
Copper, total	MW-17	7/10/2018	4	4	ND	ug/L
Copper, total	MW-17	1/3/2019	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-17	7/11/2019	8	8	ND	ug/L
Copper, total	MW-17	1/14/2020	4	4	ND	ug/L
Copper, total	MW-17	8/3/2020	4	4	ND	ug/L
Copper, total	MW-17	1/14/2021	4	4	ND	ug/L
Copper, total	MW-17	7/4/2021	4	4	ND	ug/L
Copper, total	MW-17	1/10/2023	4	4	ND	ug/L
Copper, total	MW-17	7/8/2023	4	4	ND	ug/L
Copper, total	MW-19	6/5/2015	1.7	4	ND	ug/L
Copper, total	MW-19	7/16/2015	1.9	4	ND	ug/L
Copper, total	MW-19	8/5/2015	0.6	4	ND	ug/L
Copper, total	MW-19	9/3/2015	4	4	ND	ug/L
Copper, total	MW-19	1/7/2016	1.5	4	ND	ug/L
Copper, total	MW-19	4/5/2016	1.3	4	ND	ug/L
Copper, total	MW-19	7/21/2016	4	4	ND	ug/L
Copper, total	MW-19	10/5/2016	2.9	4	ND	ug/L
Copper, total	MW-19	1/10/2017	0.7	4	ND	ug/L
Copper, total	MW-19	7/18/2017	0.9	4	ND	ug/L
Copper, total	MW-19	1/23/2018	4	4	ND	ug/L
Copper, total	MW-19	7/13/2018	4	4	ND	ug/L
Copper, total	MW-19	1/7/2019	4	4	ND	ug/L
Copper, total	MW-19	7/11/2019	8	8	ND	ug/L
Copper, total	MW-19	1/14/2020	4	4	ND	ug/L
Copper, total	MW-19	8/3/2020	4	4	ND	ug/L
Copper, total	MW-19	1/14/2021	4	4	ND	ug/L
Copper, total	MW-19	7/4/2021	4	4	ND	ug/L
Copper, total	MW-19	1/11/2023	4	4	ND	ug/L
Copper, total	MW-19	7/10/2023	4	4	ND	ug/L
Copper, total	MW-1N	10/22/1997	4	4	ND	ug/L
Copper, total	MW-1N	1/20/1998	4	4	ND	ug/L
Copper, total	MW-1N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-1N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-1N	10/14/1998	4	4	ND	ug/L
Copper, total	MW-1N	1/13/1999	4.6	4		ug/L
Copper, total	MW-1N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-1N	7/15/1999	4	4	ND	ug/L
Copper, total	MW-1N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-1N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-1N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-1N	7/12/2000	4	4	ND	ug/L
Copper, total	MW-1N	10/18/2000	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-1N	4/12/2001	8.2	8.2	ND	ug/L
Copper, total	MW-1N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-1N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-1N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-1N	10/3/2002	10	10	ND	ug/L
Copper, total	MW-1N	1/22/2003	4	4	ND	ug/L
Copper, total	MW-1N	4/15/2003	4	4	ND	ug/L
Copper, total	MW-1N	7/8/2003	4	4	ND	ug/L
Copper, total	MW-1N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-1N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-1N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-1N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-1N	1/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	7/18/2006	4	4	ND	ug/L
Copper, total	MW-1N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-1N	1/9/2007	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-1N	1/26/2007	4	4	ND	ug/L
Copper, total	MW-1N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-1N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-1N	2/5/2009	4	4	ND	ug/L
Copper, total	MW-1N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-1N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-1N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-1N	1/20/2011	4	4	ND	ug/L
Copper, total	MW-1N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-1N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-1N	7/10/2012	0.7	4	ND	ug/L
Copper, total	MW-1N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-1N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-1N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-1N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-1N	2/10/2015	4	4	ND	ug/L
Copper, total	MW-1N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-1N	1/6/2016	1.1	4	ND	ug/L
Copper, total	MW-1N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-1N	1/12/2017	0.9	4	ND	ug/L
Copper, total	MW-1N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-1N	1/23/2018	4	4	ND	ug/L
Copper, total	MW-1N	7/10/2018	4	4	ND	ug/L
Copper, total	MW-1N	1/3/2019	0.59	4	ND	ug/L
Copper, total	MW-1N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-1N	1/23/2020	46.1	4		ug/L
Copper, total	MW-1N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-1N	7/6/2020	4	4	ND	ug/L
Copper, total	MW-1N	1/14/2021	4	4	ND	ug/L
Copper, total	MW-1N	7/4/2021	4	4	ND	ug/L
Copper, total	MW-1N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-1N	7/8/2023	4	4	ND	ug/L
Copper, total	MW-20	6/5/2015	4	4	ND	ug/L
Copper, total	MW-20	7/14/2015	0.6	4	ND	ug/L
Copper, total	MW-20	8/4/2015	4	4	ND	ug/L
Copper, total	MW-20	9/2/2015	4	4	ND	ug/L
Copper, total	MW-20	1/7/2016	3	4	ND	ug/L
Copper, total	MW-20	4/5/2016	1.7	4	ND	ug/L
Copper, total	MW-20	7/20/2016	3.8	4	ND	ug/L
Copper, total	MW-20	10/5/2016	0.8	4	ND	ug/L
Copper, total	MW-20	1/12/2017	1.9	4	ND	ug/L
Copper, total	MW-20	7/18/2017	4	4	ND	ug/L
Copper, total	MW-20	1/26/2018	4	4	ND	ug/L
Copper, total	MW-20	7/12/2018	4	4	ND	ug/L
Copper, total	MW-20	7/11/2019	8	8	ND	ug/L
Copper, total	MW-20	1/14/2020	4	4	ND	ug/L
Copper, total	MW-20	7/7/2020	4	4	ND	ug/L
Copper, total	MW-20	1/17/2021	6.7	4		ug/L
Copper, total	MW-20	4/6/2021	4	4	ND	ug/L
Copper, total	MW-20	7/4/2021	4	4	ND	ug/L
Copper, total	MW-20	1/11/2023	4	4	ND	ug/L
Copper, total	MW-21	6/5/2015	4	4	ND	ug/L
Copper, total	MW-21	7/14/2015	4	4	ND	ug/L
Copper, total	MW-21	8/4/2015	4	4	ND	ug/L
Copper, total	MW-21	9/2/2015	0.7	4	ND	ug/L
Copper, total	MW-21	1/7/2016	0.8	4	ND	ug/L
Copper, total	MW-21	4/5/2016	0.7	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-21	7/20/2016	1.8	4	ND	ug/L
Copper, total	MW-21	10/5/2016	1	4	ND	ug/L
Copper, total	MW-21	10/5/2016	0.9	4	ND	ug/L
Copper, total	MW-21	1/10/2017	1	4	ND	ug/L
Copper, total	MW-21	4/5/2017	0.7	4	ND	ug/L
Copper, total	MW-21	7/19/2017	0.7	4	ND	ug/L
Copper, total	MW-21	10/6/2017	4	4	ND	ug/L
Copper, total	MW-21	1/24/2018	4	4	ND	ug/L
Copper, total	MW-21	4/11/2018	0.74	4	ND	ug/L
Copper, total	MW-21	7/11/2018	4	4	ND	ug/L
Copper, total	MW-21	10/4/2018	4	4	ND	ug/L
Copper, total	MW-21	1/3/2019	0.62	4	ND	ug/L
Copper, total	MW-21	4/3/2019	4	4	ND	ug/L
Copper, total	MW-21	7/11/2019	8	8	ND	ug/L
Copper, total	MW-21	10/2/2019	4	4	ND	ug/L
Copper, total	MW-21	1/16/2020	4	4	ND	ug/L
Copper, total	MW-21	4/2/2020	4	4	ND	ug/L
Copper, total	MW-21	7/8/2020	4	4	ND	ug/L
Copper, total	MW-21	10/7/2020	4	4	ND	ug/L
Copper, total	MW-21	1/13/2021	4	4	ND	ug/L
Copper, total	MW-21	4/6/2021	4	4	ND	ug/L
Copper, total	MW-21	7/5/2021	4	4	ND	ug/L
Copper, total	MW-21	10/6/2021	4	4	ND	ug/L
Copper, total	MW-21	1/11/2023	4	4	ND	ug/L
Copper, total	MW-21	4/8/2023	4	4	ND	ug/L
Copper, total	MW-21	7/7/2023	4	4	ND	ug/L
Copper, total	MW-21	10/6/2023	4	4	ND	ug/L
Copper, total	MW-2N	10/22/1997	11	4		ug/L
Copper, total	MW-2N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-2N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-2N	7/22/1998	10	4		ug/L
Copper, total	MW-2N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-2N	4/13/1999	4.1	4		ug/L
Copper, total	MW-2N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-2N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-2N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-2N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-2N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-2N	1/24/2001	8.2	8.2	ND	ug/L
Copper, total	MW-2N	4/11/2001	8.2	8.2	ND	ug/L
Copper, total	MW-2N	7/10/2002	10	10	ND	ug/L
Copper, total	MW-2N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-2N	1/22/2003	4.1	4		ug/L
Copper, total	MW-2N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-2N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-2N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-2N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-2N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-2N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-2N	1/19/2006	42	4		ug/L
Copper, total	MW-2N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-2N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-2N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-2N	1/10/2007	2	4	ND	ug/L
Copper, total	MW-2N	1/26/2007	1.3	4	ND	ug/L
Copper, total	MW-2N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-2N	1/24/2008	0.6	4	ND	ug/L
Copper, total	MW-2N	7/22/2008	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-2N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-2N	7/31/2009	1.6	4	ND	ug/L
Copper, total	MW-2N	1/26/2010	1.2	4	ND	ug/L
Copper, total	MW-2N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-2N	1/20/2011	1.2	4	ND	ug/L
Copper, total	MW-2N	7/13/2011	4	4	ND	ug/L
Copper, total	MW-2N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-2N	7/10/2012	1.5	4	ND	ug/L
Copper, total	MW-2N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-2N	7/16/2013	0.9	4	ND	ug/L
Copper, total	MW-2N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-2N	7/9/2014	0.7	4	ND	ug/L
Copper, total	MW-2N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-2N	7/14/2015	0.6	4	ND	ug/L
Copper, total	MW-2N	1/6/2016	3.8	4	ND	ug/L
Copper, total	MW-2N	7/21/2016	1.2	4	ND	ug/L
Copper, total	MW-2N	1/11/2017	1.3	4	ND	ug/L
Copper, total	MW-2N	7/19/2017	0.8	4	ND	ug/L
Copper, total	MW-2N	1/23/2018	4	4	ND	ug/L
Copper, total	MW-2N	7/12/2018	0.72	4	ND	ug/L
Copper, total	MW-2N	1/3/2019	4	4	ND	ug/L
Copper, total	MW-2N	8/7/2019	1.9	8	ND	ug/L
Copper, total	MW-2N	1/23/2020	4	4	ND	ug/L
Copper, total	MW-2N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-2N	1/14/2021	4	4	ND	ug/L
Copper, total	MW-2N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-2N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-2N	7/8/2023	4	4	ND	ug/L
Copper, total	MW-3N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-3N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-3N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-3N	7/23/1998	4	4	ND	ug/L
Copper, total	MW-3N	1/13/1999	4	4	ND	ug/L
Copper, total	MW-3N	4/13/1999	4	4	ND	ug/L
Copper, total	MW-3N	7/14/1999	4	4	ND	ug/L
Copper, total	MW-3N	10/20/1999	4	4	ND	ug/L
Copper, total	MW-3N	1/14/2000	22	4		ug/L
Copper, total	MW-3N	4/24/2000	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-3N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-3N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-3N	4/11/2001	8.2	8.2	ND	ug/L
Copper, total	MW-3N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-3N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-3N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-3N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-3N	1/22/2003	5	4		ug/L
Copper, total	MW-3N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-3N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-3N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-3N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-3N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-3N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-3N	1/18/2006	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-3N	10/25/2006	10	10	ND	ug/L
Copper, total	MW-3N	1/10/2007	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-3N	1/26/2007	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2007	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-3N	7/22/2008	4	4	ND	ug/L
Copper, total	MW-3N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-3N	7/31/2009	1.1	4	ND	ug/L
Copper, total	MW-3N	1/26/2010	1.2	4	ND	ug/L
Copper, total	MW-3N	7/13/2010	4	4	ND	ug/L
Copper, total	MW-3N	1/20/2011	0.9	4	ND	ug/L
Copper, total	MW-3N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-3N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2012	1.1	4	ND	ug/L
Copper, total	MW-3N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-3N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-3N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2014	4	4	ND	ug/L
Copper, total	MW-3N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-3N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-3N	4/1/2015	4	4	ND	ug/L
Copper, total	MW-3N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-3N	10/5/2015	4	4	ND	ug/L
Copper, total	MW-3N	1/6/2016	0.8	4	ND	ug/L
Copper, total	MW-3N	4/6/2016	4	4	ND	ug/L
Copper, total	MW-3N	7/21/2016	0.9	4	ND	ug/L
Copper, total	MW-3N	10/6/2016	0.7	4	ND	ug/L
Copper, total	MW-3N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-3N	4/4/2017	4	4	ND	ug/L
Copper, total	MW-3N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-3N	10/9/2017	4	4	ND	ug/L
Copper, total	MW-3N	1/24/2018	4	4	ND	ug/L
Copper, total	MW-3N	4/10/2018	4	4	ND	ug/L
Copper, total	MW-3N	7/13/2018	4	4	ND	ug/L
Copper, total	MW-3N	10/3/2018	4	4	ND	ug/L
Copper, total	MW-3N	1/7/2019	4	4	ND	ug/L
Copper, total	MW-3N	4/3/2019	4	4	ND	ug/L
Copper, total	MW-3N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-3N	10/2/2019	4	4	ND	ug/L
Copper, total	MW-3N	1/15/2020	4	4	ND	ug/L
Copper, total	MW-3N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-3N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-3N	10/7/2020	4	4	ND	ug/L
Copper, total	MW-3N	1/13/2021	4	4	ND	ug/L
Copper, total	MW-3N	4/6/2021	4	4	ND	ug/L
Copper, total	MW-3N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-3N	10/6/2021	4	4	ND	ug/L
Copper, total	MW-3N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-3N	7/7/2023	4	4	ND	ug/L
Copper, total	MW-3N	10/6/2023	4	4	ND	ug/L
Copper, total	MW-7N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-7N	1/21/1998	4	4	ND	ug/L
Copper, total	MW-7N	7/22/1998	4	4	ND	ug/L
Copper, total	MW-7N	8/18/1998	4	4	ND	ug/L
Copper, total	MW-7N	9/17/1998	4	4	ND	ug/L
Copper, total	MW-7N	10/15/1998	4	4	ND	ug/L
Copper, total	MW-7N	11/9/1998	6.1	4		ug/L
Copper, total	MW-7N	1/14/1999	4	4	ND	ug/L
Copper, total	MW-7N	4/14/1999	4	4	ND	ug/L
Copper, total	MW-7N	7/14/1999	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-7N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-7N	1/13/2000	4	4	ND	ug/L
Copper, total	MW-7N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-7N	7/11/2000	4	4	ND	ug/L
Copper, total	MW-7N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-7N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-7N	4/10/2001	8.2	8.2	ND	ug/L
Copper, total	MW-7N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-7N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-7N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-7N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-7N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-7N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-7N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-7N	1/27/2004	4	4	ND	ug/L
Copper, total	MW-7N	4/8/2004	4	4	ND	ug/L
Copper, total	MW-7N	7/26/2004	4	4	ND	ug/L
Copper, total	MW-7N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2005	4	4	ND	ug/L
Copper, total	MW-7N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2006	4	4	ND	ug/L
Copper, total	MW-7N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-7N	1/10/2007	4	4	ND	ug/L
Copper, total	MW-7N	1/26/2007	2.2	4	ND	ug/L
Copper, total	MW-7N	7/10/2007	1.9	4	ND	ug/L
Copper, total	MW-7N	7/21/2008	4	4	ND	ug/L
Copper, total	MW-7N	2/6/2009	4	4	ND	ug/L
Copper, total	MW-7N	7/29/2009	4	4	ND	ug/L
Copper, total	MW-7N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-7N	7/14/2010	4	4	ND	ug/L
Copper, total	MW-7N	1/20/2011	4	4	ND	ug/L
Copper, total	MW-7N	7/12/2011	4	4	ND	ug/L
Copper, total	MW-7N	1/5/2012	4	4	ND	ug/L
Copper, total	MW-7N	7/10/2012	4	4	ND	ug/L
Copper, total	MW-7N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-7N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-7N	7/15/2013	4	4	ND	ug/L
Copper, total	MW-7N	1/30/2014	4	4	ND	ug/L
Copper, total	MW-7N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-7N	2/12/2015	1.5	4	ND	ug/L
Copper, total	MW-7N	7/13/2015	4	4	ND	ug/L
Copper, total	MW-7N	1/5/2016	0.8	4	ND	ug/L
Copper, total	MW-7N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-7N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-7N	4/4/2017	4	4	ND	ug/L
Copper, total	MW-7N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-7N	10/5/2017	4	4	ND	ug/L
Copper, total	MW-7N	1/25/2018	4	4	ND	ug/L
Copper, total	MW-7N	4/11/2018	4	4	ND	ug/L
Copper, total	MW-7N	7/13/2018	4	4	ND	ug/L
Copper, total	MW-7N	1/4/2019	4	4	ND	ug/L
Copper, total	MW-7N	7/10/2019	8	8	ND	ug/L
Copper, total	MW-7N	1/16/2020	4	4	ND	ug/L
Copper, total	MW-7N	7/7/2020	4	4	ND	ug/L
Copper, total	MW-7N	1/16/2021	4	4	ND	ug/L
Copper, total	MW-7N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-7N	1/12/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-7N	7/10/2022	4	4	ND	ug/L
Copper, total	MW-7N	1/10/2023	4	4	ND	ug/L
Copper, total	MW-7N	7/7/2023	4	4	ND	ug/L
Copper, total	MW-8N	10/21/1997	4	4	ND	ug/L
Copper, total	MW-8N	1/22/1998	4	4	ND	ug/L
Copper, total	MW-8N	4/28/1998	4	4	ND	ug/L
Copper, total	MW-8N	7/22/1998	4	4	ND	ug/L
Copper, total	MW-8N	1/12/1999	4	4	ND	ug/L
Copper, total	MW-8N	4/13/1999	12	4		ug/L
Copper, total	MW-8N	7/14/1999	9.8	4		ug/L
Copper, total	MW-8N	10/19/1999	4	4	ND	ug/L
Copper, total	MW-8N	1/14/2000	4	4	ND	ug/L
Copper, total	MW-8N	4/25/2000	4	4	ND	ug/L
Copper, total	MW-8N	10/17/2000	4	4	ND	ug/L
Copper, total	MW-8N	1/23/2001	8.2	8.2	ND	ug/L
Copper, total	MW-8N	4/11/2001	8.2	8.2	ND	ug/L
Copper, total	MW-8N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-8N	5/29/2002	4	4	ND	ug/L
Copper, total	MW-8N	7/9/2002	10	10	ND	ug/L
Copper, total	MW-8N	10/2/2002	10	10	ND	ug/L
Copper, total	MW-8N	1/23/2003	4	4	ND	ug/L
Copper, total	MW-8N	4/14/2003	4	4	ND	ug/L
Copper, total	MW-8N	7/7/2003	4	4	ND	ug/L
Copper, total	MW-8N	1/28/2004	4	4	ND	ug/L
Copper, total	MW-8N	7/27/2004	4	4	ND	ug/L
Copper, total	MW-8N	1/12/2005	4	4	ND	ug/L
Copper, total	MW-8N	7/20/2005	4	4	ND	ug/L
Copper, total	MW-8N	1/19/2006	4	4	ND	ug/L
Copper, total	MW-8N	7/19/2006	0.8	4	ND	ug/L
Copper, total	MW-8N	7/19/2006	0.8	4	ND	ug/L
Copper, total	MW-8N	10/24/2006	10	10	ND	ug/L
Copper, total	MW-8N	1/10/2007	4	4	ND	ug/L
Copper, total	MW-8N	1/26/2007	1.2	4	ND	ug/L
Copper, total	MW-8N	4/25/2007	2.2	4	ND	ug/L
Copper, total	MW-8N	7/10/2007	4	4	ND	ug/L
Copper, total	MW-8N	1/24/2008	4	4	ND	ug/L
Copper, total	MW-8N	7/23/2008	4	4	ND	ug/L
Copper, total	MW-8N	2/4/2009	4	4	ND	ug/L
Copper, total	MW-8N	7/31/2009	4	4	ND	ug/L
Copper, total	MW-8N	1/26/2010	4	4	ND	ug/L
Copper, total	MW-8N	7/16/2010	4	4	ND	ug/L
Copper, total	MW-8N	1/19/2011	4	4	ND	ug/L
Copper, total	MW-8N	5/10/2011	4	4	ND	ug/L
Copper, total	MW-8N	7/14/2011	4	4	ND	ug/L
Copper, total	MW-8N	1/6/2012	4	4	ND	ug/L
Copper, total	MW-8N	4/5/2012	4	4	ND	ug/L
Copper, total	MW-8N	7/11/2012	4	4	ND	ug/L
Copper, total	MW-8N	10/3/2012	0.8	4	ND	ug/L
Copper, total	MW-8N	5/1/2013	4	4	ND	ug/L
Copper, total	MW-8N	6/4/2013	4	4	ND	ug/L
Copper, total	MW-8N	7/16/2013	4	4	ND	ug/L
Copper, total	MW-8N	10/2/2013	4	4	ND	ug/L
Copper, total	MW-8N	1/30/2014	4	4	ND	ug/L
Copper, total	MW-8N	4/3/2014	4	4	ND	ug/L
Copper, total	MW-8N	7/9/2014	4	4	ND	ug/L
Copper, total	MW-8N	10/8/2014	4	4	ND	ug/L
Copper, total	MW-8N	2/12/2015	4	4	ND	ug/L
Copper, total	MW-8N	4/1/2015	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	MW-8N	7/14/2015	4	4	ND	ug/L
Copper, total	MW-8N	10/5/2015	4	4	ND	ug/L
Copper, total	MW-8N	1/5/2016	4	4	ND	ug/L
Copper, total	MW-8N	4/6/2016	4	4	ND	ug/L
Copper, total	MW-8N	7/21/2016	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2016	4	4	ND	ug/L
Copper, total	MW-8N	1/11/2017	4	4	ND	ug/L
Copper, total	MW-8N	4/4/2017	0.9	4	ND	ug/L
Copper, total	MW-8N	7/19/2017	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2017	4	4	ND	ug/L
Copper, total	MW-8N	1/25/2018	1.8	4	ND	ug/L
Copper, total	MW-8N	4/10/2018	1.4	4	ND	ug/L
Copper, total	MW-8N	7/16/2018	0.65	4	ND	ug/L
Copper, total	MW-8N	10/2/2018	4	4	ND	ug/L
Copper, total	MW-8N	1/7/2019	2.2	4	ND	ug/L
Copper, total	MW-8N	4/3/2019	1.2	4	ND	ug/L
Copper, total	MW-8N	7/11/2019	8	8	ND	ug/L
Copper, total	MW-8N	10/3/2019	0.7	4	ND	ug/L
Copper, total	MW-8N	1/15/2020	4	4	ND	ug/L
Copper, total	MW-8N	4/2/2020	4	4	ND	ug/L
Copper, total	MW-8N	7/9/2020	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2020	4	4	ND	ug/L
Copper, total	MW-8N	1/15/2021	4	4	ND	ug/L
Copper, total	MW-8N	4/6/2021	4	4	ND	ug/L
Copper, total	MW-8N	7/5/2021	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2021	4	4	ND	ug/L
Copper, total	MW-8N	1/18/2022	4	4	ND	ug/L
Copper, total	MW-8N	4/4/2022	4	4	ND	ug/L
Copper, total	MW-8N	7/12/2022	4	4	ND	ug/L
Copper, total	MW-8N	10/6/2022	4	4	ND	ug/L
Copper, total	MW-8N	1/11/2023	4	4	ND	ug/L
Copper, total	MW-8N	4/8/2023	4	4	ND	ug/L
Copper, total	MW-8N	7/7/2023	4	4	ND	ug/L
Copper, total	MW-8N	10/5/2023	4	4	ND	ug/L
Copper, total	NE-1	7/10/2002	10	10	ND	ug/L
Copper, total	NE-1	8/6/2002	10	10	ND	ug/L
Copper, total	NE-1	9/4/2002	10	10	ND	ug/L
Copper, total	NE-1	10/2/2002	10	10	ND	ug/L
Copper, total	NE-1	7/8/2003	4	4	ND	ug/L
Copper, total	NE-1	1/27/2004	5.2	4		ug/L
Copper, total	NE-1	1/12/2005	6.7	4		ug/L
Copper, total	NE-1	7/19/2006	0.6	4	ND	ug/L
Copper, total	NE-1	7/19/2006	0.6	4	ND	ug/L
Copper, total	NE-1	10/25/2006	10	10	ND	ug/L
Copper, total	NE-1	1/24/2007	1	4	ND	ug/L
Copper, total	NE-1	7/10/2007	2	4	ND	ug/L
Copper, total	NE-1	1/24/2008	4	4	ND	ug/L
Copper, total	NE-1	7/21/2008	4	4	ND	ug/L
Copper, total	NE-1	2/7/2009	2.5	4	ND	ug/L
Copper, total	NE-1	7/31/2009	4	4	ND	ug/L
Copper, total	NE-1	1/26/2010	4	4	ND	ug/L
Copper, total	NE-1	7/14/2010	3	4	ND	ug/L
Copper, total	NE-1	1/19/2011	0.7	4	ND	ug/L
Copper, total	NE-1	7/13/2011	4	4	ND	ug/L
Copper, total	NE-1	1/5/2012	4	4	ND	ug/L
Copper, total	NE-1	7/10/2012	1.3	4	ND	ug/L
Copper, total	NE-1	4/30/2013	4	4	ND	ug/L
Copper, total	NE-1	7/16/2013	0.9	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-1	1/23/2014	0.9	4	ND	ug/L
Copper, total	NE-1	7/9/2014	0.8	4	ND	ug/L
Copper, total	NE-1	2/11/2015	1	4	ND	ug/L
Copper, total	NE-1	7/8/2015	1.7	4	ND	ug/L
Copper, total	NE-1	1/6/2016	4	4	ND	ug/L
Copper, total	NE-1	7/20/2016	1.4	4	ND	ug/L
Copper, total	NE-1	1/11/2017	4	4	ND	ug/L
Copper, total	NE-1	7/19/2017	1.2	4	ND	ug/L
Copper, total	NE-1	1/24/2018	4	4	ND	ug/L
Copper, total	NE-1	4/11/2018	4	4	ND	ug/L
Copper, total	NE-1	7/18/2018	1.6	4	ND	ug/L
Copper, total	NE-1	10/2/2018	4	4	ND	ug/L
Copper, total	NE-1	1/4/2019	4	4	ND	ug/L
Copper, total	NE-1	4/2/2019	4	4	ND	ug/L
Copper, total	NE-1	7/10/2019	8	8	ND	ug/L
Copper, total	NE-1	7/10/2019	8	8	ND	ug/L
Copper, total	NE-1	10/2/2019	4	4	ND	ug/L
Copper, total	NE-1	1/15/2020	4	4	ND	ug/L
Copper, total	NE-1	4/2/2020	4	4	ND	ug/L
Copper, total	NE-1	7/8/2020	4	4	ND	ug/L
Copper, total	NE-1	10/7/2020	4	4	ND	ug/L
Copper, total	NE-1	1/13/2021	4	4	ND	ug/L
Copper, total	NE-1	4/9/2021	4	4	ND	ug/L
Copper, total	NE-1	7/2/2021	4	4	ND	ug/L
Copper, total	NE-1	10/6/2021	4	4	ND	ug/L
Copper, total	NE-1	1/17/2022	5.52	4		ug/L
Copper, total	NE-1	4/6/2022	4	4	ND	ug/L
Copper, total	NE-1	7/13/2022	4	4	ND	ug/L
Copper, total	NE-1	10/6/2022	4	4	ND	ug/L
Copper, total	NE-1	1/5/2023	4	4	ND	ug/L
Copper, total	NE-1	4/7/2023	4	4	ND	ug/L
Copper, total	NE-1	7/5/2023	4	4	ND	ug/L
Copper, total	NE-1	10/5/2023	4	4	ND	ug/L
Copper, total	NE-10D	11/6/2019	4	4	ND	ug/L
Copper, total	NE-10D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-10D	4/2/2020	4	4	ND	ug/L
Copper, total	NE-10D	7/8/2020	4	4	ND	ug/L
Copper, total	NE-10D	10/7/2020	4	4	ND	ug/L
Copper, total	NE-10D	1/13/2021	4	4	ND	ug/L
Copper, total	NE-10D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-10D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-10D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-10D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-10D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-10D	7/8/2023	4	4	ND	ug/L
Copper, total	NE-10D	10/3/2023	4	4	ND	ug/L
Copper, total	NE-11	3/1/2017	4	4	ND	ug/L
Copper, total	NE-11	4/6/2017	4	4	ND	ug/L
Copper, total	NE-11	7/20/2017	4	4	ND	ug/L
Copper, total	NE-11	10/9/2017	2.7	4	ND	ug/L
Copper, total	NE-11	9/30/2019	0.58	4	ND	ug/L
Copper, total	NE-11	1/14/2020	4	4	ND	ug/L
Copper, total	NE-11	7/7/2020	4	4	ND	ug/L
Copper, total	NE-11	1/16/2021	4	4	ND	ug/L
Copper, total	NE-11	1/16/2021	4	4	ND	ug/L
Copper, total	NE-11	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-11	1/17/2022	4	4	ND	ug/L
Copper, total	NE-11	1/17/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-11	7/12/2022	4	4	ND	ug/L
Copper, total	NE-11	1/6/2023	4	4	ND	ug/L
Copper, total	NE-11	7/6/2023	4	4	ND	ug/L
Copper, total	NE-12	3/1/2017	4	4	ND	ug/L
Copper, total	NE-12	4/6/2017	0.6	4	ND	ug/L
Copper, total	NE-12	7/20/2017	1	4	ND	ug/L
Copper, total	NE-12	10/6/2017	4	4	ND	ug/L
Copper, total	NE-12	8/5/2019	8	8	ND	ug/L
Copper, total	NE-12	1/13/2020	4	4	ND	ug/L
Copper, total	NE-12	7/7/2020	4	4	ND	ug/L
Copper, total	NE-12	1/15/2021	4	4	ND	ug/L
Copper, total	NE-12	1/15/2021	4	4	ND	ug/L
Copper, total	NE-12	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-12	1/17/2022	4	4	ND	ug/L
Copper, total	NE-12	1/17/2022	4	4	ND	ug/L
Copper, total	NE-12	7/12/2022	4	4	ND	ug/L
Copper, total	NE-12	1/6/2023	4	4	ND	ug/L
Copper, total	NE-12	7/5/2023	4	4	ND	ug/L
Copper, total	NE-13	2/5/2019	0.68	4	ND	ug/L
Copper, total	NE-13	8/7/2019	1.1	8	ND	ug/L
Copper, total	NE-13	1/15/2020	4	4	ND	ug/L
Copper, total	NE-13	7/8/2020	4	4	ND	ug/L
Copper, total	NE-13	1/17/2021	4	4	ND	ug/L
Copper, total	NE-13	1/17/2021	4	4	ND	ug/L
Copper, total	NE-13	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-14D	10/2/2019	4	4	ND	ug/L
Copper, total	NE-14D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-14D	4/3/2020	4	4	ND	ug/L
Copper, total	NE-14D	7/7/2020	4	4	ND	ug/L
Copper, total	NE-14D	10/6/2020	4	4	ND	ug/L
Copper, total	NE-14D	1/17/2021	4	4	ND	ug/L
Copper, total	NE-14D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-14D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-14D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-14D	1/18/2022	4	4	ND	ug/L
Copper, total	NE-14D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-14D	7/13/2022	4	4	ND	ug/L
Copper, total	NE-14D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-14D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-14D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-14D	7/5/2023	4	4	ND	ug/L
Copper, total	NE-14D	10/4/2023	4	4	ND	ug/L
Copper, total	NE-14S	10/2/2019	4	4	ND	ug/L
Copper, total	NE-14S	1/16/2020	4	4	ND	ug/L
Copper, total	NE-14S	4/3/2020	4	4	ND	ug/L
Copper, total	NE-14S	7/7/2020	4	4	ND	ug/L
Copper, total	NE-14S	10/6/2020	4	4	ND	ug/L
Copper, total	NE-14S	1/17/2021	4	4	ND	ug/L
Copper, total	NE-14S	4/9/2021	4	4	ND	ug/L
Copper, total	NE-14S	7/2/2021	4	4	ND	ug/L
Copper, total	NE-14S	10/7/2021	4	4	ND	ug/L
Copper, total	NE-14S	1/18/2022	4	4	ND	ug/L
Copper, total	NE-14S	4/6/2022	4	4	ND	ug/L
Copper, total	NE-14S	7/13/2022	4	4	ND	ug/L
Copper, total	NE-14S	10/7/2022	4	4	ND	ug/L
Copper, total	NE-14S	1/6/2023	4	4	ND	ug/L
Copper, total	NE-14S	4/6/2023	4	4	ND	ug/L
Copper, total	NE-14S	7/5/2023	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-14S	10/4/2023	4	4	ND	ug/L
Copper, total	NE-15D	9/30/2019	4	4	ND	ug/L
Copper, total	NE-15D	1/16/2020	4	4	ND	ug/L
Copper, total	NE-15D	4/3/2020	4	4	ND	ug/L
Copper, total	NE-15D	7/7/2020	4	4	ND	ug/L
Copper, total	NE-15D	10/6/2020	4	4	ND	ug/L
Copper, total	NE-15D	1/17/2021	4	4	ND	ug/L
Copper, total	NE-15D	4/9/2021	6.49	4		ug/L
Copper, total	NE-15D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-15D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-15D	1/17/2022	4	4	ND	ug/L
Copper, total	NE-15D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-15D	7/13/2022	4	4	ND	ug/L
Copper, total	NE-15D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-15D	1/6/2023	4	4	ND	ug/L
Copper, total	NE-15D	4/6/2023	4	4	ND	ug/L
Copper, total	NE-15D	7/6/2023	4	4	ND	ug/L
Copper, total	NE-15D	10/6/2023	4	4	ND	ug/L
Copper, total	NE-15S	4/3/2020	4	4	ND	ug/L
Copper, total	NE-2	7/9/2002	10	10	ND	ug/L
Copper, total	NE-2	8/6/2002	10	10	ND	ug/L
Copper, total	NE-2	9/4/2002	10	10	ND	ug/L
Copper, total	NE-2	10/2/2002	10	10	ND	ug/L
Copper, total	NE-2	10/1/2013	0.8	4	ND	ug/L
Copper, total	NE-2	10/8/2014	1.2	4	ND	ug/L
Copper, total	NE-2	10/5/2015	4	4	ND	ug/L
Copper, total	NE-2	10/6/2016	4	4	ND	ug/L
Copper, total	NE-2	10/5/2017	1.3	4	ND	ug/L
Copper, total	NE-2	1/25/2018	4	4	ND	ug/L
Copper, total	NE-2	4/10/2018	0.75	4	ND	ug/L
Copper, total	NE-2	7/10/2018	4	4	ND	ug/L
Copper, total	NE-2	10/1/2018	4	4	ND	ug/L
Copper, total	NE-2	1/4/2019	0.78	4	ND	ug/L
Copper, total	NE-2	4/2/2019	4	4	ND	ug/L
Copper, total	NE-2	7/9/2019	8	8	ND	ug/L
Copper, total	NE-2	7/9/2019	8	8	ND	ug/L
Copper, total	NE-2	10/2/2019	4	4	ND	ug/L
Copper, total	NE-2	1/14/2020	4	4	ND	ug/L
Copper, total	NE-2	4/1/2020	4	4	ND	ug/L
Copper, total	NE-2	7/7/2020	4	4	ND	ug/L
Copper, total	NE-2	10/6/2020	4	4	ND	ug/L
Copper, total	NE-2	1/14/2021	4	4	ND	ug/L
Copper, total	NE-2	4/9/2021	4	4	ND	ug/L
Copper, total	NE-2	7/2/2021	4	4	ND	ug/L
Copper, total	NE-2	10/6/2021	4	4	ND	ug/L
Copper, total	NE-2	1/18/2022	5.55	4		ug/L
Copper, total	NE-2	4/6/2022	4	4	ND	ug/L
Copper, total	NE-2	7/13/2022	4	4	ND	ug/L
Copper, total	NE-2	10/7/2022	4	4	ND	ug/L
Copper, total	NE-2	1/5/2023	4	4	ND	ug/L
Copper, total	NE-2	4/5/2023	4	4	ND	ug/L
Copper, total	NE-2	7/5/2023	4	4	ND	ug/L
Copper, total	NE-2	10/4/2023	4	4	ND	ug/L
Copper, total	NE-4	7/10/2002	10	10	ND	ug/L
Copper, total	NE-4	8/6/2002	10	10	ND	ug/L
Copper, total	NE-4	9/4/2002	10	10	ND	ug/L
Copper, total	NE-4	10/3/2002	10	10	ND	ug/L
Copper, total	NE-4	7/8/2003	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-4	1/28/2004	4	4	ND	ug/L
Copper, total	NE-4	1/13/2005	5	4		ug/L
Copper, total	NE-4	8/1/2006	0.8	4	ND	ug/L
Copper, total	NE-4	8/1/2006	0.8	4	ND	ug/L
Copper, total	NE-4	10/25/2006	10	10	ND	ug/L
Copper, total	NE-4	1/24/2007	0.7	4	ND	ug/L
Copper, total	NE-4	7/12/2007	1.3	4	ND	ug/L
Copper, total	NE-4	1/24/2008	4	4	ND	ug/L
Copper, total	NE-4	7/21/2008	4	4	ND	ug/L
Copper, total	NE-4	2/7/2009	2	4	ND	ug/L
Copper, total	NE-4	7/31/2009	4	4	ND	ug/L
Copper, total	NE-4	1/26/2010	4	4	ND	ug/L
Copper, total	NE-4	7/14/2010	1.8	4	ND	ug/L
Copper, total	NE-4	1/19/2011	0.6	4	ND	ug/L
Copper, total	NE-4	7/13/2011	4	4	ND	ug/L
Copper, total	NE-4	1/5/2012	4	4	ND	ug/L
Copper, total	NE-4	7/10/2012	3.9	4	ND	ug/L
Copper, total	NE-4	4/30/2013	4	4	ND	ug/L
Copper, total	NE-4	7/16/2013	1	4	ND	ug/L
Copper, total	NE-4	1/23/2014	4	4	ND	ug/L
Copper, total	NE-4	7/9/2014	0.6	4	ND	ug/L
Copper, total	NE-4	2/13/2015	0.7	4	ND	ug/L
Copper, total	NE-4	7/8/2015	4	4	ND	ug/L
Copper, total	NE-4	1/6/2016	1.4	4	ND	ug/L
Copper, total	NE-4	7/20/2016	4	4	ND	ug/L
Copper, total	NE-4	1/11/2017	1.2	4	ND	ug/L
Copper, total	NE-4	7/19/2017	0.9	4	ND	ug/L
Copper, total	NE-4	1/26/2018	4	4	ND	ug/L
Copper, total	NE-4	4/10/2018	4	4	ND	ug/L
Copper, total	NE-4	7/12/2018	4	4	ND	ug/L
Copper, total	NE-4	10/3/2018	4	4	ND	ug/L
Copper, total	NE-4	1/7/2019	4	4	ND	ug/L
Copper, total	NE-4	4/2/2019	4	4	ND	ug/L
Copper, total	NE-4	7/8/2019	8	8	ND	ug/L
Copper, total	NE-4	7/8/2019	8	8	ND	ug/L
Copper, total	NE-4	10/1/2019	4	4	ND	ug/L
Copper, total	NE-4	1/13/2020	4	4	ND	ug/L
Copper, total	NE-4	4/1/2020	4	4	ND	ug/L
Copper, total	NE-4	7/6/2020	4	4	ND	ug/L
Copper, total	NE-4	10/5/2020	4	4	ND	ug/L
Copper, total	NE-4	1/15/2021	4	4	ND	ug/L
Copper, total	NE-4	4/9/2021	4	4	ND	ug/L
Copper, total	NE-4	7/2/2021	4	4	ND	ug/L
Copper, total	NE-4	10/6/2021	4	4	ND	ug/L
Copper, total	NE-4	1/5/2023	4	4	ND	ug/L
Copper, total	NE-4	4/6/2023	4	4	ND	ug/L
Copper, total	NE-4	7/5/2023	4	4	ND	ug/L
Copper, total	NE-4	10/4/2023	4	4	ND	ug/L
Copper, total	NE-5	7/9/2002	10	10	ND	ug/L
Copper, total	NE-5	8/6/2002	10	10	ND	ug/L
Copper, total	NE-5	9/4/2002	10	10	ND	ug/L
Copper, total	NE-5	10/2/2002	10	10	ND	ug/L
Copper, total	NE-5	7/8/2003	4	4	ND	ug/L
Copper, total	NE-5	1/27/2004	7.3	4		ug/L
Copper, total	NE-5	1/12/2005	7.4	4		ug/L
Copper, total	NE-5	7/19/2006	4	4	ND	ug/L
Copper, total	NE-5	7/19/2006	4	4	ND	ug/L
Copper, total	NE-5	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-5	1/10/2007	0.7	4	ND	ug/L
Copper, total	NE-5	1/24/2007	4	4	ND	ug/L
Copper, total	NE-5	7/12/2007	4	4	ND	ug/L
Copper, total	NE-5	7/22/2008	4	4	ND	ug/L
Copper, total	NE-5	2/6/2009	2.7	4	ND	ug/L
Copper, total	NE-5	7/31/2009	4	4	ND	ug/L
Copper, total	NE-5	1/26/2010	4	4	ND	ug/L
Copper, total	NE-5	7/16/2010	5.5	4		ug/L
Copper, total	NE-5	1/19/2011	4	4	ND	ug/L
Copper, total	NE-5	7/13/2011	4	4	ND	ug/L
Copper, total	NE-5	1/5/2012	4	4	ND	ug/L
Copper, total	NE-5	7/10/2012	1.8	4	ND	ug/L
Copper, total	NE-5	4/30/2013	1.2	4	ND	ug/L
Copper, total	NE-5	7/16/2013	1.4	4	ND	ug/L
Copper, total	NE-5	1/23/2014	4	4	ND	ug/L
Copper, total	NE-5	7/9/2014	0.8	4	ND	ug/L
Copper, total	NE-5	2/11/2015	4	4	ND	ug/L
Copper, total	NE-5	7/14/2015	4	4	ND	ug/L
Copper, total	NE-5	1/6/2016	0.7	4	ND	ug/L
Copper, total	NE-5	7/20/2016	4.1	4		ug/L
Copper, total	NE-5	1/11/2017	1.5	4	ND	ug/L
Copper, total	NE-5	7/19/2017	4	4	ND	ug/L
Copper, total	NE-5	1/25/2018	4	4	ND	ug/L
Copper, total	NE-5	4/10/2018	4	4	ND	ug/L
Copper, total	NE-5	7/17/2018	4	4	ND	ug/L
Copper, total	NE-5	10/3/2018	4	4	ND	ug/L
Copper, total	NE-5	1/4/2019	4	4	ND	ug/L
Copper, total	NE-5	4/2/2019	4	4	ND	ug/L
Copper, total	NE-5	4/2/2019	4	4	ND	ug/L
Copper, total	NE-5	7/9/2019	8	8	ND	ug/L
Copper, total	NE-5	10/3/2019	4	4	ND	ug/L
Copper, total	NE-5	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5	4/2/2020	4	4	ND	ug/L
Copper, total	NE-5	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5	1/15/2021	4	4	ND	ug/L
Copper, total	NE-5	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5	4/6/2022	4	4	ND	ug/L
Copper, total	NE-5	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5	4/7/2023	4	4	ND	ug/L
Copper, total	NE-5	7/6/2023	4	4	ND	ug/L
Copper, total	NE-5	10/4/2023	4	4	ND	ug/L
Copper, total	NE-5E	9/30/2019	4	4	ND	ug/L
Copper, total	NE-5E	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5E	4/1/2020	4	4	ND	ug/L
Copper, total	NE-5E	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5E	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5E	1/15/2021	4	4	ND	ug/L
Copper, total	NE-5E	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5E	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5E	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5E	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5E	4/6/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-5E	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5E	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5E	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5E	4/7/2023	4	4	ND	ug/L
Copper, total	NE-5E	7/6/2023	4	4	ND	ug/L
Copper, total	NE-5E	10/4/2023	4	4	ND	ug/L
Copper, total	NE-5W	9/30/2019	4	4	ND	ug/L
Copper, total	NE-5W	1/16/2020	4	4	ND	ug/L
Copper, total	NE-5W	4/2/2020	4	4	ND	ug/L
Copper, total	NE-5W	7/8/2020	4	4	ND	ug/L
Copper, total	NE-5W	10/6/2020	4	4	ND	ug/L
Copper, total	NE-5W	1/15/2021	6.26	4		ug/L
Copper, total	NE-5W	4/9/2021	4	4	ND	ug/L
Copper, total	NE-5W	7/2/2021	4	4	ND	ug/L
Copper, total	NE-5W	10/6/2021	4	4	ND	ug/L
Copper, total	NE-5W	1/18/2022	4	4	ND	ug/L
Copper, total	NE-5W	4/6/2022	4	4	ND	ug/L
Copper, total	NE-5W	7/13/2022	4	4	ND	ug/L
Copper, total	NE-5W	10/7/2022	4	4	ND	ug/L
Copper, total	NE-5W	1/5/2023	4	4	ND	ug/L
Copper, total	NE-5W	4/7/2023	4	4	ND	ug/L
Copper, total	NE-5W	7/6/2023	4	4	ND	ug/L
Copper, total	NE-5W	10/4/2023	4	4	ND	ug/L
Copper, total	NE-6	1/12/2017	1	4	ND	ug/L
Copper, total	NE-6	4/5/2017	4	4	ND	ug/L
Copper, total	NE-6	7/19/2017	0.8	4	ND	ug/L
Copper, total	NE-6	10/6/2017	1.7	4	ND	ug/L
Copper, total	NE-6	2/4/2019	4	4	ND	ug/L
Copper, total	NE-6	8/6/2019	1	8	ND	ug/L
Copper, total	NE-6	1/15/2020	4	4	ND	ug/L
Copper, total	NE-6	7/9/2020	4	4	ND	ug/L
Copper, total	NE-6	1/16/2021	4	4	ND	ug/L
Copper, total	NE-6	1/16/2021	4	4	ND	ug/L
Copper, total	NE-6	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-6	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6	7/12/2022	4	4	ND	ug/L
Copper, total	NE-6	1/5/2023	4	4	ND	ug/L
Copper, total	NE-6	7/6/2023	4	4	ND	ug/L
Copper, total	NE-6D	10/2/2019	0.61	4	ND	ug/L
Copper, total	NE-6D	1/15/2020	4	4	ND	ug/L
Copper, total	NE-6D	4/2/2020	4	4	ND	ug/L
Copper, total	NE-6D	7/9/2020	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2020	4	4	ND	ug/L
Copper, total	NE-6D	1/15/2021	4	4	ND	ug/L
Copper, total	NE-6D	4/9/2021	4	4	ND	ug/L
Copper, total	NE-6D	7/2/2021	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2021	4	4	ND	ug/L
Copper, total	NE-6D	1/17/2022	4	4	ND	ug/L
Copper, total	NE-6D	4/6/2022	4	4	ND	ug/L
Copper, total	NE-6D	7/12/2022	4	4	ND	ug/L
Copper, total	NE-6D	10/7/2022	4	4	ND	ug/L
Copper, total	NE-6D	1/5/2023	4	4	ND	ug/L
Copper, total	NE-6D	4/7/2023	4	4	ND	ug/L
Copper, total	NE-6D	7/6/2023	4	4	ND	ug/L
Copper, total	NE-6D	10/4/2023	4	4	ND	ug/L
Copper, total	NE-7	3/1/2017	4	4	ND	ug/L
Copper, total	NE-7	4/6/2017	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Copper, total	NE-7	7/20/2017	4	4	ND	ug/L
Copper, total	NE-7	10/5/2017	1.1	4	ND	ug/L
Copper, total	NE-7	2/6/2019	0.56	4	ND	ug/L
Copper, total	NE-7	8/6/2019	8	8	ND	ug/L
Copper, total	NE-7	1/16/2020	4	4	ND	ug/L
Copper, total	NE-7	7/7/2020	4	4	ND	ug/L
Copper, total	NE-7	1/16/2021	4	4	ND	ug/L
Copper, total	NE-7	1/16/2021	4	4	ND	ug/L
Copper, total	NE-7	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-7	1/17/2022	4	4	ND	ug/L
Copper, total	NE-7	1/17/2022	4	4	ND	ug/L
Copper, total	NE-7	7/12/2022	4	4	ND	ug/L
Copper, total	NE-7	1/5/2023	4	4	ND	ug/L
Copper, total	NE-7	7/6/2023	4	4	ND	ug/L
Copper, total	NE-8	1/12/2017	4	4	ND	ug/L
Copper, total	NE-8	4/5/2017	4	4	ND	ug/L
Copper, total	NE-8	7/20/2017	1.1	4	ND	ug/L
Copper, total	NE-8	10/6/2017	4	4	ND	ug/L
Copper, total	NE-8	2/4/2019	4	4	ND	ug/L
Copper, total	NE-8	8/5/2019	1	8	ND	ug/L
Copper, total	NE-8	1/15/2020	4	4	ND	ug/L
Copper, total	NE-8	7/8/2020	4	4	ND	ug/L
Copper, total	NE-8	1/13/2021	4	4	ND	ug/L
Copper, total	NE-8	1/13/2021	4	4	ND	ug/L
Copper, total	NE-8	4/9/2021	4	4	ND	ug/L
Copper, total	NE-8	7/1/2021	4	4	ND	ug/L
Copper, total	NE-8	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-8	10/7/2021	4	4	ND	ug/L
Copper, total	NE-8	1/6/2023	4	4	ND	ug/L
Copper, total	NE-8	7/5/2023	4	4	ND	ug/L
Copper, total	NE-9	1/12/2017	4	4	ND	ug/L
Copper, total	NE-9	4/5/2017	4	4	ND	ug/L
Copper, total	NE-9	7/20/2017	4	4	ND	ug/L
Copper, total	NE-9	10/5/2017	4	4	ND	ug/L
Copper, total	NE-9	2/5/2019	4	4	ND	ug/L
Copper, total	NE-9	8/7/2019	8	8	ND	ug/L
Copper, total	NE-9	1/15/2020	4	4	ND	ug/L
Copper, total	NE-9	7/7/2020	4	4	ND	ug/L
Copper, total	NE-9	1/17/2021	4	4	ND	ug/L
Copper, total	NE-9	1/17/2021	4	4	ND	ug/L
Copper, total	NE-9	7/1/2021	5.3	5.3	ND	ug/L
Copper, total	NE-9	1/17/2022	4	4	ND	ug/L
Copper, total	NE-9	1/17/2022	4	4	ND	ug/L
Copper, total	NE-9	7/13/2022	4	4	ND	ug/L
Copper, total	NE-9	1/6/2023	4	4	ND	ug/L
Copper, total	NE-9	4/8/2023	4	4	ND	ug/L
Copper, total	NE-9	7/5/2023	4	4	ND	ug/L
Copper, total	NE-9	10/6/2023	4	4	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/6/2016	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	10/9/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/16/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-10	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	10/27/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	7/9/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, 4,6-dinitro-o-	LGW-14R	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-14R	7/17/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	2/13/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	2/13/2015	65	65	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-2	7/12/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	2/3/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	2/10/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-3R	7/11/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	2/3/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-4	7/11/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	2/10/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-5	7/12/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	2/5/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	2/10/2015	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/17/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-6	7/10/2019	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/12/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-7	7/10/2019	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-8R	7/13/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/26/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	2/11/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	10/5/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/13/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	LGW-9	7/10/2019	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	2/13/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-10N	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, 4,6-dinitro-o-	MW-11N	7/9/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	2/10/2015	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-11N	7/17/2018	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-15	7/10/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-16	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-17	7/10/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-19	7/13/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	10/14/1998	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	2/5/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	2/10/2015	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-1N	7/10/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-20	7/12/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	10/5/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	10/6/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	7/11/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-21	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-2N	7/12/2018	51	51	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/11/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	2/12/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	10/9/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/13/2018	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-3N	7/11/2019	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/15/1998	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	2/12/2015	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	10/5/2017	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-7N	7/13/2018	52	52	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	5/29/2002	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/24/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	1/24/2008	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	2/4/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	5/10/2011	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/11/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/2/2013	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/8/2014	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	2/12/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/6/2016	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	10/6/2017	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/16/2018	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	MW-8N	7/11/2019	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, 4,6-dinitro-o-	NE-1	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	2/7/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	7/10/2012	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-1	7/18/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-2	7/10/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	2/7/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	7/10/2012	49	49	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	2/13/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-4	7/12/2018	52	52	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	10/25/2006	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	2/6/2009	50	50	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/10/2012	47	47	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	2/11/2015	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/17/2018	48	48	ND	ug/L
Cresol, 4,6-dinitro-o-	NE-5	7/9/2019	50	50	ND	ug/L
Cresol, m-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	LGW-10	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Cresol, o-	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Cresol, o-	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Cresol, o-	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Cresol, o-	LGW-14R	10/27/2006	10	10	ND	ug/L
Cresol, o-	LGW-14R	2/6/2009	10	10	ND	ug/L
Cresol, o-	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Cresol, o-	LGW-14R	7/17/2018	10	10	ND	ug/L
Cresol, o-	LGW-2	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-2	2/13/2009	10	10	ND	ug/L
Cresol, o-	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-2	2/13/2015	13	13	ND	ug/L
Cresol, o-	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Cresol, o-	LGW-3R	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-3R	2/3/2009	10	10	ND	ug/L
Cresol, o-	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Cresol, o-	LGW-3R	7/11/2018	10	10	ND	ug/L
Cresol, o-	LGW-4	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-4	2/3/2009	10	10	ND	ug/L
Cresol, o-	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Cresol, o-	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Cresol, o-	LGW-5	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-5	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-5	2/10/2015	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, o-	LGW-5	7/12/2018	10	10	ND	ug/L
Cresol, o-	LGW-6	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-6	2/5/2009	10	10	ND	ug/L
Cresol, o-	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-6	2/10/2015	10	10	ND	ug/L
Cresol, o-	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Cresol, o-	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Cresol, o-	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Cresol, o-	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Cresol, o-	LGW-7	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-7	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Cresol, o-	LGW-7	7/12/2018	10	10	ND	ug/L
Cresol, o-	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Cresol, o-	LGW-8R	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-8R	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, o-	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Cresol, o-	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Cresol, o-	LGW-9	10/26/2006	10	10	ND	ug/L
Cresol, o-	LGW-9	2/4/2009	10	10	ND	ug/L
Cresol, o-	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Cresol, o-	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Cresol, o-	LGW-9	7/10/2019	10	10	ND	ug/L
Cresol, o-	MW-10N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-10N	2/13/2009	10	10	ND	ug/L
Cresol, o-	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Cresol, o-	MW-11N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-11N	2/3/2009	10	10	ND	ug/L
Cresol, o-	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-11N	2/10/2015	10	10	ND	ug/L
Cresol, o-	MW-11N	7/17/2018	10	10	ND	ug/L
Cresol, o-	MW-15	7/10/2018	10	10	ND	ug/L
Cresol, o-	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Cresol, o-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, o-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-1N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-1N	2/5/2009	10	10	ND	ug/L
Cresol, o-	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Cresol, o-	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Cresol, o-	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Cresol, o-	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-21	7/11/2019	10	10	ND	ug/L
Cresol, o-	MW-2N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, o-	MW-2N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Cresol, o-	MW-2N	7/12/2018	10	10	ND	ug/L
Cresol, o-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-3N	10/25/2006	10	10	ND	ug/L
Cresol, o-	MW-3N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Cresol, o-	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Cresol, o-	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Cresol, o-	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Cresol, o-	MW-3N	7/11/2019	10	10	ND	ug/L
Cresol, o-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, o-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-7N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-7N	2/6/2009	10	10	ND	ug/L
Cresol, o-	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Cresol, o-	MW-7N	7/13/2018	10	10	ND	ug/L
Cresol, o-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, o-	MW-8N	10/24/2006	10	10	ND	ug/L
Cresol, o-	MW-8N	1/24/2008	10	10	ND	ug/L
Cresol, o-	MW-8N	2/4/2009	10	10	ND	ug/L
Cresol, o-	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Cresol, o-	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Cresol, o-	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, o-	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, o-	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Cresol, o-	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Cresol, o-	MW-8N	7/11/2019	10	10	ND	ug/L
Cresol, o-	NE-1	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-1	2/7/2009	10	10	ND	ug/L
Cresol, o-	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Cresol, o-	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Cresol, o-	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Cresol, o-	NE-4	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-4	2/7/2009	10	10	ND	ug/L
Cresol, o-	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Cresol, o-	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Cresol, o-	NE-4	7/12/2018	10	10	ND	ug/L
Cresol, o-	NE-5	10/25/2006	10	10	ND	ug/L
Cresol, o-	NE-5	2/6/2009	10	10	ND	ug/L
Cresol, o-	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Cresol, o-	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Cresol, o-	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Cresol, o-	NE-5	7/9/2019	10	10	ND	ug/L
Cresol, p-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, p-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, p-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	10/27/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-14R	7/17/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	2/13/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-2	2/13/2015	13	13	ND	ug/L
Cresol, p-chloro-m-	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-3R	7/11/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-5	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-5	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-5	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	2/5/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-6	2/10/2015	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-chloro-m-	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/26/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-9	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	LGW-9	7/10/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	2/13/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-11N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	2/3/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-11N	2/10/2015	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-11N	7/17/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-15	7/10/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-1N	10/14/1998	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	2/5/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-21	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-2N	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Cresol, p-chloro-m-	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-3N	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	10/15/1998	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-7N	2/12/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cresol, p-chloro-m-	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Cresol, p-chloro-m-	MW-7N	7/13/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/29/2002	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/24/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	1/24/2008	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	2/4/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	MW-8N	7/11/2019	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	2/7/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-4	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-4	2/7/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Cresol, p-chloro-m-	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-4	7/12/2018	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	10/25/2006	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	2/6/2009	10	10	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Cresol, p-chloro-m-	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Cresol, p-chloro-m-	NE-5	7/9/2019	10	10	ND	ug/L
Cyanide, total	LGW-10	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	10/9/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/16/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	10/27/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-14R	2/11/2015	0.0025	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/17/2018	0.0073	0.01	ND	mg/L
Cyanide, total	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	2/13/2015	0.0054	0.01	ND	mg/L
Cyanide, total	LGW-2	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-2	7/8/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-2	7/4/2021	0.0183	0.01		mg/L
Cyanide, total	LGW-3R	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-3R	2/3/2009	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	LGW-3R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-3R	2/10/2015	0.0026	0.01	ND	mg/L
Cyanide, total	LGW-3R	7/11/2018	0.002	0.01	ND	mg/L
Cyanide, total	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	2/3/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-4	2/11/2015	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-4	7/11/2018	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	2/10/2015	0.0021	0.01	ND	mg/L
Cyanide, total	LGW-5	7/12/2018	0.0028	0.01	ND	mg/L
Cyanide, total	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	2/5/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	2/10/2015	0.0042	0.01	ND	mg/L
Cyanide, total	LGW-6	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/17/2018	0.0025	0.01	ND	mg/L
Cyanide, total	LGW-6	7/10/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	10/6/2016	0.002	0.01	ND	mg/L
Cyanide, total	LGW-7	10/5/2017	0.0031	0.01	ND	mg/L
Cyanide, total	LGW-7	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/10/2019	0.01	0.01	ND	mg/L
Cyanide, total	LGW-7	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/9/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/26/2006	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	7/13/2018	0.003	0.01	ND	mg/L
Cyanide, total	LGW-9	7/10/2019	0.0069	0.01	ND	mg/L
Cyanide, total	LGW-9	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Cyanide, total	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/23/1998	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	MW-10N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	2/13/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/11/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/23/1998	0.016	0.01		mg/L
Cyanide, total	MW-11N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	2/3/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/9/2012	0.0031	0.01	ND	mg/L
Cyanide, total	MW-11N	2/10/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/17/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-15	7/10/2018	0.0026	0.01	ND	mg/L
Cyanide, total	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-16	7/11/2018	0.0032	0.01	ND	mg/L
Cyanide, total	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-17	7/10/2018	0.0023	0.01	ND	mg/L
Cyanide, total	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-19	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-19	7/4/2021	0.0249	0.01		mg/L
Cyanide, total	MW-1N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/23/1998	0.017	0.01		mg/L
Cyanide, total	MW-1N	10/14/1998	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-1N	10/24/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	2/5/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	2/10/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-1N	7/10/2018	0.0026	0.01	ND	mg/L
Cyanide, total	MW-1N	7/6/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-20	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-21	10/5/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-21	10/6/2017	0.01	0.01		mg/L
Cyanide, total	MW-21	7/11/2018	0.007	0.02	ND	mg/L
Cyanide, total	MW-21	7/11/2019	0.02	0.02	ND	mg/L
Cyanide, total	MW-21	7/8/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	10/22/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/22/1998	0.012	0.01		mg/L
Cyanide, total	MW-2N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/10/2012	0.0026	0.01	ND	mg/L
Cyanide, total	MW-2N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-2N	7/12/2018	0.0026	0.01	ND	mg/L
Cyanide, total	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/23/1998	0.012	0.01		mg/L
Cyanide, total	MW-3N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-3N	5/29/2002	0.2	0.2	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	MW-3N	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/11/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	10/9/2017	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	MW-3N	7/7/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/22/1998	0.03	0.01		mg/L
Cyanide, total	MW-7N	8/18/1998	0.01	0.01		mg/L
Cyanide, total	MW-7N	9/17/1998	0.012	0.01		mg/L
Cyanide, total	MW-7N	10/15/1998	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	11/9/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-7N	10/24/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	2/6/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	2/12/2015	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	10/5/2017	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/13/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/21/1997	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	4/28/1998	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/22/1998	0.016	0.01		mg/L
Cyanide, total	MW-8N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-8N	5/29/2002	0.2	0.2	ND	mg/L
Cyanide, total	MW-8N	10/24/2006	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	1/24/2008	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	2/4/2009	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	5/10/2011	0.0027	0.01	ND	mg/L
Cyanide, total	MW-8N	7/11/2012	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/2/2013	0.0075	0.01	ND	mg/L
Cyanide, total	MW-8N	10/8/2014	0.0032	0.01	ND	mg/L
Cyanide, total	MW-8N	2/12/2015	0.0034	0.01	ND	mg/L
Cyanide, total	MW-8N	10/6/2016	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/6/2017	0.0044	0.01	ND	mg/L
Cyanide, total	MW-8N	7/16/2018	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/11/2019	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	7/9/2020	0.005	0.005	ND	mg/L
Cyanide, total	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Cyanide, total	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	2/7/2009	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	2/11/2015	0.01	0.01	ND	mg/L
Cyanide, total	NE-1	7/18/2018	0.0058	0.01	ND	mg/L
Cyanide, total	NE-2	7/10/2018	0.0029	0.01	ND	mg/L
Cyanide, total	NE-4	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	2/7/2009	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-4	2/13/2015	0.0046	0.01	ND	mg/L
Cyanide, total	NE-4	7/12/2018	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	10/25/2006	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	2/6/2009	0.01	0.01	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Cyanide, total	NE-5	7/10/2012	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	2/11/2015	0.0023	0.01	ND	mg/L
Cyanide, total	NE-5	7/17/2018	0.01	0.01	ND	mg/L
Cyanide, total	NE-5	7/9/2019	0.01	0.01	ND	mg/L
Delta-bhc	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Delta-bhc	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Delta-bhc	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Delta-bhc	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Delta-bhc	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Delta-bhc	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Delta-bhc	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Delta-bhc	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	10/26/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Delta-bhc	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Delta-bhc	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Delta-bhc	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Delta-bhc	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Delta-bhc	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Delta-bhc	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Delta-bhc	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Delta-bhc	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Delta-bhc	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Delta-bhc	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Delta-bhc	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Delta-bhc	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-20	7/12/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Delta-bhc	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Delta-bhc	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Delta-bhc	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Delta-bhc	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Delta-bhc	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Delta-bhc	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Delta-bhc	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Delta-bhc	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Delta-bhc	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Delta-bhc	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Delta-bhc	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Delta-bhc	NE-2	7/10/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Delta-bhc	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Delta-bhc	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Delta-bhc	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Delta-bhc	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Delta-bhc	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Delta-bhc	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Delta-bhc	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Delta-bhc	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Depth to water	LGW-10	7/22/2008	58.85	0		FT
Depth to water	LGW-10	8/29/2008	59.13	0		FT
Depth to water	LGW-10	9/26/2008	58.98	0		FT
Depth to water	LGW-10	11/25/2008	59.39	0		FT
Depth to water	LGW-10	12/19/2008	59.58	0		FT
Depth to water	LGW-10	3/26/2009	60.56	0		FT
Depth to water	LGW-10	4/16/2009	59.49	0		FT
Depth to water	LGW-10	5/29/2009	59	0		FT
Depth to water	LGW-10	6/24/2009	58.92	0		FT
Depth to water	LGW-10	7/29/2009	59.19	0		FT
Depth to water	LGW-10	8/28/2009	59.28	0		FT
Depth to water	LGW-10	10/21/2009	59.05	0		FT
Depth to water	LGW-10	2/3/2010	59.37	0		FT
Depth to water	LGW-10	2/3/2010	59.37	0		FT
Depth to water	LGW-10	2/16/2010	59.27	0		FT
Depth to water	LGW-10	5/6/2010	59.17	0		FT
Depth to water	LGW-10	6/15/2010	58.97	0		FT
Depth to water	LGW-10	7/16/2010	59.03	0		FT
Depth to water	LGW-10	8/10/2010	58.89	0		FT
Depth to water	LGW-10	9/1/2010	59.06	0		FT
Depth to water	LGW-10	9/29/2010	58.99	0		FT
Depth to water	LGW-10	11/3/2010	59.28	0		FT
Depth to water	LGW-10	12/2/2010	59.35	0		FT
Depth to water	LGW-10	1/19/2011	59.64	0		FT
Depth to water	LGW-10	2/7/2011	59.79	0		FT
Depth to water	LGW-10	3/3/2011	59.49	0		FT
Depth to water	LGW-10	4/5/2011	59.59	0		FT
Depth to water	LGW-10	5/10/2011	58.67	0		FT
Depth to water	LGW-10	6/1/2011	58.61	0		FT
Depth to water	LGW-10	7/12/2011	59.19	0		FT
Depth to water	LGW-10	8/3/2011	59.13	0		FT
Depth to water	LGW-10	9/7/2011	59.44	0		FT
Depth to water	LGW-10	10/5/2011	59.38	0		FT
Depth to water	LGW-10	11/1/2011	59.44	0		FT
Depth to water	LGW-10	12/7/2011	59.13	0		FT
Depth to water	LGW-10	1/5/2012	59.23	0		FT
Depth to water	LGW-10	2/1/2012	59.23	0		FT
Depth to water	LGW-10	3/6/2012	59.31	0		FT
Depth to water	LGW-10	4/5/2012	59.13	0		FT
Depth to water	LGW-10	5/1/2012	59.13	0		FT
Depth to water	LGW-10	6/5/2012	59.55	0		FT
Depth to water	LGW-10	7/9/2012	59.7	0		FT
Depth to water	LGW-10	9/4/2012	59.73	0		FT
Depth to water	LGW-10	10/7/2012	59.82	0		FT
Depth to water	LGW-10	5/1/2013	59.08	0		FT
Depth to water	LGW-10	6/4/2013	59.03	0		FT
Depth to water	LGW-10	8/8/2013	59.34	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-10	9/10/2013	59.4	0		FT
Depth to water	LGW-10	10/1/2013	59.52	0		FT
Depth to water	LGW-10	11/6/2013	59.5	0		FT
Depth to water	LGW-10	12/2/2013	59.3	0		FT
Depth to water	LGW-10	1/30/2014	59.2	0		FT
Depth to water	LGW-10	2/13/2014	59.35	0		FT
Depth to water	LGW-10	3/12/2014	59.7	0		FT
Depth to water	LGW-10	4/2/2014	56.1	0		FT
Depth to water	LGW-10	5/7/2014	59.35	0		FT
Depth to water	LGW-10	6/3/2014	59.28	0		FT
Depth to water	LGW-10	7/9/2014	59.47	0		FT
Depth to water	LGW-10	8/5/2014	59.65	0		FT
Depth to water	LGW-10	9/4/2014	59.63	0		FT
Depth to water	LGW-10	10/9/2014	59.72	0		FT
Depth to water	LGW-10	11/3/2014	59.75	0		FT
Depth to water	LGW-10	1/14/2015	59.56	0		FT
Depth to water	LGW-10	2/12/2015	59.8	0		FT
Depth to water	LGW-10	3/3/2015	59.61	0		FT
Depth to water	LGW-10	4/1/2015	59.33	0		FT
Depth to water	LGW-10	5/7/2015	60.03	0		FT
Depth to water	LGW-10	6/3/2015	60.12	0		FT
Depth to water	LGW-10	7/13/2015	58.62	0		FT
Depth to water	LGW-10	8/5/2015	58.98	0		FT
Depth to water	LGW-10	9/3/2015	58.99	0		FT
Depth to water	LGW-10	10/6/2015	59.34	0		FT
Depth to water	LGW-10	11/4/2015	59.47	0		FT
Depth to water	LGW-10	12/3/2015	59.2	0		FT
Depth to water	LGW-10	1/5/2016	58.56	0		FT
Depth to water	LGW-10	2/3/2016	58.55	0		FT
Depth to water	LGW-10	2/10/2016	58.94	0		FT
Depth to water	LGW-10	3/2/2016	59.22	0		FT
Depth to water	LGW-10	4/6/2016	59.18	0		FT
Depth to water	LGW-10	5/11/2016	59.35	0		FT
Depth to water	LGW-10	6/1/2016	59.36	0		FT
Depth to water	LGW-10	7/21/2016	59.33	0		FT
Depth to water	LGW-10	8/10/2016	59.44	0		FT
Depth to water	LGW-10	9/6/2016	59.53	0		FT
Depth to water	LGW-10	10/6/2016	59.7	0		FT
Depth to water	LGW-10	11/2/2016	59.84	0		FT
Depth to water	LGW-10	12/1/2016	59.87	0		FT
Depth to water	LGW-10	1/11/2017	59.9	0		FT
Depth to water	LGW-10	2/7/2017	59.92	0		FT
Depth to water	LGW-10	3/2/2017	59.93	0		FT
Depth to water	LGW-10	4/4/2017	59.55	0		FT
Depth to water	LGW-10	5/16/2017	58.72	0		FT
Depth to water	LGW-10	6/6/2017	58.7	0		FT
Depth to water	LGW-10	7/19/2017	59	0		FT
Depth to water	LGW-10	8/1/2017	59.15	0		FT
Depth to water	LGW-10	9/5/2017	59.13	0		FT
Depth to water	LGW-10	10/9/2017	59.35	0		FT
Depth to water	LGW-10	11/1/2017	59.25	0		FT
Depth to water	LGW-10	6/6/2018	59.04	0		FT
Depth to water	LGW-10	9/4/2018	59.4	0		FT
Depth to water	LGW-10	10/4/2018	59.61	0		FT
Depth to water	LGW-10	10/4/2018	59.61	0		FT
Depth to water	LGW-10	2/6/2019	59.26	0		FT
Depth to water	LGW-10	6/4/2019	58.96	0		FT
Depth to water	LGW-10	7/11/2019	58.81	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-10	1/15/2020	58.6	0		FT
Depth to water	LGW-10	6/2/2020	59.34	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	7/9/2020	58.7	0		FT
Depth to water	LGW-10	8/3/2020	58.1	0		FT
Depth to water	LGW-10	11/4/2020	59.41	0		FT
Depth to water	LGW-10	12/3/2020	59.18	0		FT
Depth to water	LGW-10	1/17/2021	55	0		FT
Depth to water	LGW-10	2/9/2021	59.1	0		FT
Depth to water	LGW-10	3/2/2021	59.15	0		FT
Depth to water	LGW-10	4/6/2021	58.86	0		FT
Depth to water	LGW-10	4/6/2021	58.86	0		FT
Depth to water	LGW-10	5/5/2021	58.78	0		FT
Depth to water	LGW-10	6/1/2021	58.52	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	7/7/2021	58.8	0		FT
Depth to water	LGW-10	8/4/2021	59.05	0		FT
Depth to water	LGW-10	9/2/2021	59.31	0		FT
Depth to water	LGW-10	10/5/2021	59.59	0		FT
Depth to water	LGW-10	10/5/2021	59.59	0		FT
Depth to water	LGW-10	11/2/2021	59.45	0		FT
Depth to water	LGW-10	12/9/2021	59.48	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	1/13/2022	59.15	0		FT
Depth to water	LGW-10	2/10/2022	59.5	0		FT
Depth to water	LGW-10	3/2/2022	58.96	0		FT
Depth to water	LGW-10	4/4/2022	58.81	0		FT
Depth to water	LGW-10	4/4/2022	58.81	0		FT
Depth to water	LGW-10	5/7/2022	57.97	0		FT
Depth to water	LGW-10	6/3/2022	58.63	0		FT
Depth to water	LGW-10	7/11/2022	59	0		FT
Depth to water	LGW-10	8/10/2022	59.32	0		FT
Depth to water	LGW-10	9/8/2022	59.4	0		FT
Depth to water	LGW-10	10/7/2022	59.75	0		FT
Depth to water	LGW-10	10/7/2022	59.75	0		FT
Depth to water	LGW-10	11/3/2022	59.76	0		FT
Depth to water	LGW-10	12/7/2022	59.53	0		FT
Depth to water	LGW-10	1/11/2023	59.2	0		FT
Depth to water	LGW-10	2/3/2023	59.25	0		FT
Depth to water	LGW-10	3/1/2023	58.77	0		FT
Depth to water	LGW-10	4/5/2023	58.83	0		FT
Depth to water	LGW-10	5/10/2023	59.15	0		FT
Depth to water	LGW-10	6/8/2023	59.39	0		FT
Depth to water	LGW-10	7/10/2023	59.55	0		FT
Depth to water	LGW-10	8/1/2023	59.54	0		FT
Depth to water	LGW-10	9/2/2023	59.49	0		FT
Depth to water	LGW-10	10/5/2023	59.58	0		FT
Depth to water	LGW-14R	7/22/2008	60.45	0		FT
Depth to water	LGW-14R	8/29/2008	59.91	0		FT
Depth to water	LGW-14R	9/26/2008	59.63	0		FT
Depth to water	LGW-14R	11/25/2008	59.82	0		FT
Depth to water	LGW-14R	12/19/2008	61.18	0		FT
Depth to water	LGW-14R	2/6/2009	61.05	0		FT
Depth to water	LGW-14R	3/26/2009	60.53	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-14R	6/25/2009	59.25	0		FT
Depth to water	LGW-14R	7/29/2009	60.8	0		FT
Depth to water	LGW-14R	8/28/2009	60.32	0		FT
Depth to water	LGW-14R	10/22/2009	60	0		FT
Depth to water	LGW-14R	12/18/2009	59.71	0		FT
Depth to water	LGW-14R	2/3/2010	60.85	0		FT
Depth to water	LGW-14R	2/3/2010	60.85	0		FT
Depth to water	LGW-14R	2/16/2010	60.54	0		FT
Depth to water	LGW-14R	3/3/2010	60.61	0		FT
Depth to water	LGW-14R	4/7/2010	59.55	0		FT
Depth to water	LGW-14R	5/6/2010	59.59	0		FT
Depth to water	LGW-14R	6/16/2010	59.42	0		FT
Depth to water	LGW-14R	7/12/2010	59.8	0		FT
Depth to water	LGW-14R	8/10/2010	59.18	0		FT
Depth to water	LGW-14R	9/2/2010	59.52	0		FT
Depth to water	LGW-14R	9/29/2010	59.53	0		FT
Depth to water	LGW-14R	11/3/2010	59.81	0		FT
Depth to water	LGW-14R	12/2/2010	60.63	0		FT
Depth to water	LGW-14R	1/19/2011	61.24	0		FT
Depth to water	LGW-14R	2/7/2011	66.44	0		FT
Depth to water	LGW-14R	3/3/2011	61.54	0		FT
Depth to water	LGW-14R	4/5/2011	61.62	0		FT
Depth to water	LGW-14R	5/10/2011	58.44	0		FT
Depth to water	LGW-14R	6/1/2011	57.33	0		FT
Depth to water	LGW-14R	7/12/2011	58.98	0		FT
Depth to water	LGW-14R	8/3/2011	59.29	0		FT
Depth to water	LGW-14R	9/7/2011	60.11	0		FT
Depth to water	LGW-14R	10/5/2011	60.66	0		FT
Depth to water	LGW-14R	11/1/2011	60.81	0		FT
Depth to water	LGW-14R	12/7/2011	61.01	0		FT
Depth to water	LGW-14R	1/5/2012	60.66	0		FT
Depth to water	LGW-14R	2/1/2012	60.63	0		FT
Depth to water	LGW-14R	3/6/2012	60.55	0		FT
Depth to water	LGW-14R	4/5/2012	59.96	0		FT
Depth to water	LGW-14R	5/1/2012	60.21	0		FT
Depth to water	LGW-14R	6/5/2012	60.79	0		FT
Depth to water	LGW-14R	7/9/2012	61.16	0		FT
Depth to water	LGW-14R	8/9/2012	61.46	0		FT
Depth to water	LGW-14R	9/4/2012	61.65	0		FT
Depth to water	LGW-14R	10/7/2012	61.65	0		FT
Depth to water	LGW-14R	11/6/2012	67.72	0		FT
Depth to water	LGW-14R	11/6/2012	67.72	0		FT
Depth to water	LGW-14R	12/6/2012	61.81	0		FT
Depth to water	LGW-14R	12/6/2012	61.81	0		FT
Depth to water	LGW-14R	1/23/2013	62.01	0		FT
Depth to water	LGW-14R	1/23/2013	62.01	0		FT
Depth to water	LGW-14R	2/5/2013	62.1	0		FT
Depth to water	LGW-14R	2/5/2013	62.1	0		FT
Depth to water	LGW-14R	3/5/2013	62.1	0		FT
Depth to water	LGW-14R	3/5/2013	62.1	0		FT
Depth to water	LGW-14R	4/30/2013	59.22	0		FT
Depth to water	LGW-14R	6/4/2013	60.2	0		FT
Depth to water	LGW-14R	8/8/2013	61.13	0		FT
Depth to water	LGW-14R	9/10/2013	60.93	0		FT
Depth to water	LGW-14R	10/1/2013	60.82	0		FT
Depth to water	LGW-14R	11/6/2013	60.87	0		FT
Depth to water	LGW-14R	12/2/2013	60.8	0		FT
Depth to water	LGW-14R	1/23/2014	60.14	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-14R	2/12/2014	59.96	0		FT
Depth to water	LGW-14R	3/11/2014	59.84	0		FT
Depth to water	LGW-14R	4/2/2014	56.7	0		FT
Depth to water	LGW-14R	5/7/2014	59.65	0		FT
Depth to water	LGW-14R	6/3/2014	59.68	0		FT
Depth to water	LGW-14R	7/8/2014	59.75	0		FT
Depth to water	LGW-14R	8/5/2014	59.86	0		FT
Depth to water	LGW-14R	9/4/2014	59.84	0		FT
Depth to water	LGW-14R	10/9/2014	60.01	0		FT
Depth to water	LGW-14R	11/3/2014	60.1	0		FT
Depth to water	LGW-14R	1/14/2015	60.15	0		FT
Depth to water	LGW-14R	2/11/2015	60.09	0		FT
Depth to water	LGW-14R	3/3/2015	60.03	0		FT
Depth to water	LGW-14R	4/1/2015	59.87	0		FT
Depth to water	LGW-14R	5/6/2015	59.76	0		FT
Depth to water	LGW-14R	6/3/2015	59.43	0		FT
Depth to water	LGW-14R	7/22/2015	59.13	0		FT
Depth to water	LGW-14R	8/4/2015	59.19	0		FT
Depth to water	LGW-14R	9/3/2015	59.3	0		FT
Depth to water	LGW-14R	10/6/2015	59.42	0		FT
Depth to water	LGW-14R	11/4/2015	59.53	0		FT
Depth to water	LGW-14R	12/3/2015	59.14	0		FT
Depth to water	LGW-14R	1/5/2016	56.96	0		FT
Depth to water	LGW-14R	2/3/2016	56.94	0		FT
Depth to water	LGW-14R	3/2/2016	58.94	0		FT
Depth to water	LGW-14R	4/5/2016	59.09	0		FT
Depth to water	LGW-14R	5/11/2016	59.24	0		FT
Depth to water	LGW-14R	6/1/2016	59.23	0		FT
Depth to water	LGW-14R	7/19/2016	59.26	0		FT
Depth to water	LGW-14R	8/10/2016	59.29	0		FT
Depth to water	LGW-14R	9/6/2016	59.3	0		FT
Depth to water	LGW-14R	10/6/2016	59.37	0		FT
Depth to water	LGW-14R	11/2/2016	59.36	0		FT
Depth to water	LGW-14R	12/1/2016	59.4	0		FT
Depth to water	LGW-14R	1/11/2017	59.35	0		FT
Depth to water	LGW-14R	2/7/2017	59.34	0		FT
Depth to water	LGW-14R	3/2/2017	59.41	0		FT
Depth to water	LGW-14R	4/4/2017	59.33	0		FT
Depth to water	LGW-14R	5/2/2017	52.31	0		FT
Depth to water	LGW-14R	6/6/2017	56.4	0		FT
Depth to water	LGW-14R	7/18/2017	56.44	0		FT
Depth to water	LGW-14R	8/1/2017	58.22	0		FT
Depth to water	LGW-14R	9/5/2017	58.13	0		FT
Depth to water	LGW-14R	10/5/2017	58.13	0		FT
Depth to water	LGW-14R	11/1/2017	58.16	0		FT
Depth to water	LGW-14R	6/5/2018	57.32	0		FT
Depth to water	LGW-14R	6/21/2018	57.34	0		FT
Depth to water	LGW-14R	9/4/2018	57.51	0		FT
Depth to water	LGW-14R	10/2/2018	57.51	0		FT
Depth to water	LGW-14R	10/2/2018	57.51	0		FT
Depth to water	LGW-14R	2/6/2019	57.2	0		FT
Depth to water	LGW-14R	6/4/2019	56.66	0		FT
Depth to water	LGW-14R	1/16/2020	54	0		FT
Depth to water	LGW-14R	6/2/2020	52.5	0		FT
Depth to water	LGW-14R	7/9/2020	55.15	0		FT
Depth to water	LGW-14R	7/9/2020	55.15	0		FT
Depth to water	LGW-14R	7/9/2020	55.15	0		FT
Depth to water	LGW-14R	8/3/2020	55.65	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-14R	11/3/2020	55.85	0		FT
Depth to water	LGW-14R	12/3/2020	56.25	0		FT
Depth to water	LGW-14R	1/18/2021	56.26	0		FT
Depth to water	LGW-14R	1/18/2021	56.26	0		FT
Depth to water	LGW-14R	2/9/2021	56.09	0		FT
Depth to water	LGW-14R	3/2/2021	56.26	0		FT
Depth to water	LGW-14R	4/6/2021	55.87	0		FT
Depth to water	LGW-14R	4/6/2021	55.87	0		FT
Depth to water	LGW-14R	5/4/2021	52.15	0		FT
Depth to water	LGW-14R	6/1/2021	54.85	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	7/7/2021	55.6	0		FT
Depth to water	LGW-14R	8/3/2021	55.82	0		FT
Depth to water	LGW-14R	9/2/2021	56.16	0		FT
Depth to water	LGW-14R	10/5/2021	56.45	0		FT
Depth to water	LGW-14R	10/5/2021	56.45	0		FT
Depth to water	LGW-14R	11/2/2021	56.57	0		FT
Depth to water	LGW-14R	12/9/2021	56.73	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	1/12/2022	57.77	0		FT
Depth to water	LGW-14R	2/10/2022	56.64	0		FT
Depth to water	LGW-14R	3/1/2022	55.93	0		FT
Depth to water	LGW-14R	4/5/2022	55.64	0		FT
Depth to water	LGW-14R	5/7/2022	49.32	0		FT
Depth to water	LGW-14R	6/3/2022	55.11	0		FT
Depth to water	LGW-14R	7/11/2022	55.6	0		FT
Depth to water	LGW-14R	8/10/2022	56.05	0		FT
Depth to water	LGW-14R	9/8/2022	56.16	0		FT
Depth to water	LGW-14R	10/6/2022	56.36	0		FT
Depth to water	LGW-14R	11/3/2022	56.56	0		FT
Depth to water	LGW-14R	12/7/2022	56.7	0		FT
Depth to water	LGW-14R	1/10/2023	56.51	0		FT
Depth to water	LGW-14R	2/3/2023	56.48	0		FT
Depth to water	LGW-14R	3/1/2023	55.9	0		FT
Depth to water	LGW-14R	4/5/2023	55.5	0		FT
Depth to water	LGW-14R	5/10/2023	55.72	0		FT
Depth to water	LGW-14R	6/8/2023	55.61	0		FT
Depth to water	LGW-14R	7/10/2023	56.15	0		FT
Depth to water	LGW-14R	8/2/2023	56.3	0		FT
Depth to water	LGW-14R	9/2/2023	56.46	0		FT
Depth to water	LGW-14R	10/5/2023	56.6	0		FT
Depth to water	LGW-2	7/23/2008	70.74	0		FT
Depth to water	LGW-2	8/29/2008	71.23	0		FT
Depth to water	LGW-2	9/26/2008	70.84	0		FT
Depth to water	LGW-2	9/26/2008	70.84	0		FT
Depth to water	LGW-2	10/21/2008	71.71	0		FT
Depth to water	LGW-2	11/25/2008	72.32	0		FT
Depth to water	LGW-2	12/19/2008	74.69	0		FT
Depth to water	LGW-2	2/6/2009	73.93	0		FT
Depth to water	LGW-2	2/13/2009	81.13	0		FT
Depth to water	LGW-2	3/26/2009	75.1	0		FT
Depth to water	LGW-2	4/16/2009	74.45	0		FT
Depth to water	LGW-2	5/29/2009	70.23	0		FT
Depth to water	LGW-2	6/25/2009	70.56	0		FT
Depth to water	LGW-2	7/30/2009	70.55	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	8/29/2009	73	0		FT
Depth to water	LGW-2	9/30/2009	74.07	0		FT
Depth to water	LGW-2	10/22/2009	74.63	0		FT
Depth to water	LGW-2	11/24/2009	71.5	0		FT
Depth to water	LGW-2	12/18/2009	73.47	0		FT
Depth to water	LGW-2	2/3/2010	73.45	0		FT
Depth to water	LGW-2	2/3/2010	73.45	0		FT
Depth to water	LGW-2	2/17/2010	75.54	0		FT
Depth to water	LGW-2	3/4/2010	76.05	0		FT
Depth to water	LGW-2	4/8/2010	71.69	0		FT
Depth to water	LGW-2	5/6/2010	72	0		FT
Depth to water	LGW-2	6/15/2010	71.74	0		FT
Depth to water	LGW-2	7/12/2010	72.63	0		FT
Depth to water	LGW-2	8/10/2010	71.67	0		FT
Depth to water	LGW-2	9/1/2010	72.47	0		FT
Depth to water	LGW-2	9/29/2010	71.44	0		FT
Depth to water	LGW-2	11/3/2010	72.8	0		FT
Depth to water	LGW-2	12/2/2010	73.78	0		FT
Depth to water	LGW-2	1/19/2011	75.22	0		FT
Depth to water	LGW-2	2/7/2011	78.28	0		FT
Depth to water	LGW-2	3/3/2011	77.01	0		FT
Depth to water	LGW-2	4/5/2011	75.81	0		FT
Depth to water	LGW-2	5/10/2011	69.34	0		FT
Depth to water	LGW-2	6/1/2011	68.47	0		FT
Depth to water	LGW-2	7/13/2011	79.16	0		FT
Depth to water	LGW-2	8/3/2011	71.73	0		FT
Depth to water	LGW-2	9/7/2011	73.08	0		FT
Depth to water	LGW-2	10/5/2011	72.85	0		FT
Depth to water	LGW-2	11/1/2011	74.01	0		FT
Depth to water	LGW-2	12/7/2011	72.51	0		FT
Depth to water	LGW-2	1/4/2012	72.31	0		FT
Depth to water	LGW-2	2/1/2012	73.01	0		FT
Depth to water	LGW-2	3/6/2012	72.88	0		FT
Depth to water	LGW-2	4/5/2012	7.91	0		FT
Depth to water	LGW-2	5/1/2012	72.54	0		FT
Depth to water	LGW-2	6/5/2012	73.13	0		FT
Depth to water	LGW-2	7/9/2012	74.59	0		FT
Depth to water	LGW-2	8/9/2012	76.61	0		FT
Depth to water	LGW-2	9/4/2012	76.41	0		FT
Depth to water	LGW-2	10/7/2012	76	0		FT
Depth to water	LGW-2	4/30/2013	74.03	0		FT
Depth to water	LGW-2	6/4/2013	71.66	0		FT
Depth to water	LGW-2	7/15/2013	72.69	0		FT
Depth to water	LGW-2	8/8/2013	73.8	0		FT
Depth to water	LGW-2	9/10/2013	72.97	0		FT
Depth to water	LGW-2	10/1/2013	74	0		FT
Depth to water	LGW-2	11/6/2013	73.11	0		FT
Depth to water	LGW-2	12/2/2013	73.78	0		FT
Depth to water	LGW-2	1/30/2014	72.84	0		FT
Depth to water	LGW-2	2/13/2014	76.18	0		FT
Depth to water	LGW-2	3/12/2014	75.3	0		FT
Depth to water	LGW-2	4/3/2014	12.45	0		FT
Depth to water	LGW-2	5/7/2014	74.11	0		FT
Depth to water	LGW-2	6/3/2014	74.23	0		FT
Depth to water	LGW-2	7/8/2014	74.73	0		FT
Depth to water	LGW-2	8/5/2014	75.91	0		FT
Depth to water	LGW-2	9/4/2014	75.95	0		FT
Depth to water	LGW-2	10/9/2014	76.25	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	11/3/2014	76.2	0		FT
Depth to water	LGW-2	1/14/2015	75.51	0		FT
Depth to water	LGW-2	2/13/2015	75.71	0		FT
Depth to water	LGW-2	3/3/2015	78.78	0		FT
Depth to water	LGW-2	4/1/2015	75.49	0		FT
Depth to water	LGW-2	5/6/2015	75.21	0		FT
Depth to water	LGW-2	6/3/2015	73.71	0		FT
Depth to water	LGW-2	7/8/2015	71.03	0		FT
Depth to water	LGW-2	8/4/2015	70.96	0		FT
Depth to water	LGW-2	9/2/2015	71.77	0		FT
Depth to water	LGW-2	10/5/2015	72.43	0		FT
Depth to water	LGW-2	11/4/2015	73.06	0		FT
Depth to water	LGW-2	12/3/2015	72.51	0		FT
Depth to water	LGW-2	1/5/2016	68.83	0		FT
Depth to water	LGW-2	2/3/2016	68.61	0		FT
Depth to water	LGW-2	3/2/2016	70.5	0		FT
Depth to water	LGW-2	4/5/2016	71.18	0		FT
Depth to water	LGW-2	5/11/2016	72.5	0		FT
Depth to water	LGW-2	6/1/2016	72.21	0		FT
Depth to water	LGW-2	7/19/2016	72.1	0		FT
Depth to water	LGW-2	8/10/2016	72.53	0		FT
Depth to water	LGW-2	9/6/2016	72.94	0		FT
Depth to water	LGW-2	10/6/2016	73.2	0		FT
Depth to water	LGW-2	11/2/2016	73.39	0		FT
Depth to water	LGW-2	12/1/2016	74.28	0		FT
Depth to water	LGW-2	1/11/2017	76.45	0		FT
Depth to water	LGW-2	2/7/2017	76.44	0		FT
Depth to water	LGW-2	3/2/2017	78.35	0		FT
Depth to water	LGW-2	4/4/2017	78.65	0		FT
Depth to water	LGW-2	5/16/2017	70.22	0		FT
Depth to water	LGW-2	6/6/2017	70.06	0		FT
Depth to water	LGW-2	7/18/2017	71.4	0		FT
Depth to water	LGW-2	8/1/2017	72.3	0		FT
Depth to water	LGW-2	9/5/2017	72.4	0		FT
Depth to water	LGW-2	10/6/2017	72.79	0		FT
Depth to water	LGW-2	11/1/2017	73.95	0		FT
Depth to water	LGW-2	6/5/2018	72.36	0		FT
Depth to water	LGW-2	6/21/2018	72.92	0		FT
Depth to water	LGW-2	9/4/2018	74.04	0		FT
Depth to water	LGW-2	10/2/2018	74.32	0		FT
Depth to water	LGW-2	10/2/2018	74.32	0		FT
Depth to water	LGW-2	2/5/2019	73.74	0		FT
Depth to water	LGW-2	6/5/2019	71.96	0		FT
Depth to water	LGW-2	1/13/2020	70.71	0		FT
Depth to water	LGW-2	6/2/2020	68.73	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	7/8/2020	69.4	0		FT
Depth to water	LGW-2	8/3/2020	70.08	0		FT
Depth to water	LGW-2	11/3/2020	72.19	0		FT
Depth to water	LGW-2	12/4/2020	72.05	0		FT
Depth to water	LGW-2	1/18/2021	71.94	0		FT
Depth to water	LGW-2	1/18/2021	71.94	0		FT
Depth to water	LGW-2	2/10/2021	72.1	0		FT
Depth to water	LGW-2	3/2/2021	72.25	0		FT
Depth to water	LGW-2	4/7/2021	71.86	0		FT
Depth to water	LGW-2	5/4/2021	71.34	0		FT
Depth to water	LGW-2	6/1/2021	70.21	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	7/4/2021	70.4	0		FT
Depth to water	LGW-2	8/3/2021	70.73	0		FT
Depth to water	LGW-2	9/2/2021	71.61	0		FT
Depth to water	LGW-2	10/5/2021	72.2	0		FT
Depth to water	LGW-2	10/5/2021	72.2	0		FT
Depth to water	LGW-2	11/1/2021	72.31	0		FT
Depth to water	LGW-2	12/8/2021	72.37	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT
Depth to water	LGW-2	1/12/2022	71.85	0		FT
Depth to water	LGW-2	2/9/2022	72.25	0		FT
Depth to water	LGW-2	3/1/2022	71.71	0		FT
Depth to water	LGW-2	4/5/2022	71.46	0		FT
Depth to water	LGW-2	5/7/2022	70.17	0		FT
Depth to water	LGW-2	6/3/2022	69.41	0		FT
Depth to water	LGW-2	7/10/2022	70.25	0		FT
Depth to water	LGW-2	8/10/2022	71.15	0		FT
Depth to water	LGW-2	9/8/2022	71.55	0		FT
Depth to water	LGW-2	10/6/2022	71.92	0		FT
Depth to water	LGW-2	11/3/2022	72.17	0		FT
Depth to water	LGW-2	12/7/2022	72.2	0		FT
Depth to water	LGW-2	1/10/2023	71.84	0		FT
Depth to water	LGW-2	2/3/2023	72.09	0		FT
Depth to water	LGW-2	3/1/2023	71.17	0		FT
Depth to water	LGW-2	4/6/2023	70.15	0		FT
Depth to water	LGW-2	5/11/2023	70.77	0		FT
Depth to water	LGW-2	6/8/2023	71.58	0		FT
Depth to water	LGW-2	7/10/2023	72.17	0		FT
Depth to water	LGW-2	8/1/2023	72.45	0		FT
Depth to water	LGW-2	9/1/2023	72.45	0		FT
Depth to water	LGW-2	10/4/2023	72.78	0		FT
Depth to water	LGW-3R	7/23/2008	53.71	0		FT
Depth to water	LGW-3R	8/29/2008	55.36	0		FT
Depth to water	LGW-3R	9/26/2008	54.57	0		FT
Depth to water	LGW-3R	9/26/2008	54.57	0		FT
Depth to water	LGW-3R	10/22/2008	55.82	0		FT
Depth to water	LGW-3R	11/25/2008	57.76	0		FT
Depth to water	LGW-3R	12/19/2008	59.08	0		FT
Depth to water	LGW-3R	2/3/2009	59.22	0		FT
Depth to water	LGW-3R	3/26/2009	59.2	0		FT
Depth to water	LGW-3R	4/16/2009	57.83	0		FT
Depth to water	LGW-3R	5/28/2009	53.26	0		FT
Depth to water	LGW-3R	6/25/2009	54.38	0		FT
Depth to water	LGW-3R	7/31/2009	56.48	0		FT
Depth to water	LGW-3R	8/29/2009	57.98	0		FT
Depth to water	LGW-3R	9/30/2009	59	0		FT
Depth to water	LGW-3R	10/22/2009	57.44	0		FT
Depth to water	LGW-3R	11/24/2009	56.52	0		FT
Depth to water	LGW-3R	12/18/2009	57.98	0		FT
Depth to water	LGW-3R	2/3/2010	60.14	0		FT
Depth to water	LGW-3R	2/3/2010	60.14	0		FT
Depth to water	LGW-3R	2/17/2010	59.24	0		FT
Depth to water	LGW-3R	3/3/2010	59.3	0		FT
Depth to water	LGW-3R	4/8/2010	47.23	0		FT
Depth to water	LGW-3R	5/5/2010	58.08	0		FT
Depth to water	LGW-3R	6/15/2010	57.53	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-3R	7/16/2010	55.97	0		FT
Depth to water	LGW-3R	8/11/2010	55.79	0		FT
Depth to water	LGW-3R	9/1/2010	57.53	0		FT
Depth to water	LGW-3R	9/29/2010	57.28	0		FT
Depth to water	LGW-3R	11/3/2010	59.46	0		FT
Depth to water	LGW-3R	12/3/2010	60.79	0		FT
Depth to water	LGW-3R	1/19/2011	63.71	0		FT
Depth to water	LGW-3R	2/7/2011	64.97	0		FT
Depth to water	LGW-3R	3/3/2011	64.49	0		FT
Depth to water	LGW-3R	4/5/2011	65.17	0		FT
Depth to water	LGW-3R	5/10/2011	53.21	0		FT
Depth to water	LGW-3R	6/1/2011	52.41	0		FT
Depth to water	LGW-3R	7/13/2011	55.18	0		FT
Depth to water	LGW-3R	8/3/2011	56.95	0		FT
Depth to water	LGW-3R	9/7/2011	59.11	0		FT
Depth to water	LGW-3R	10/5/2011	59.61	0		FT
Depth to water	LGW-3R	11/1/2011	61.12	0		FT
Depth to water	LGW-3R	12/7/2011	59.94	0		FT
Depth to water	LGW-3R	1/4/2012	69.69	0		FT
Depth to water	LGW-3R	2/1/2012	60.43	0		FT
Depth to water	LGW-3R	3/6/2012	60.74	0		FT
Depth to water	LGW-3R	4/5/2012	58.34	0		FT
Depth to water	LGW-3R	5/1/2012	59.53	0		FT
Depth to water	LGW-3R	6/5/2012	61.28	0		FT
Depth to water	LGW-3R	7/9/2012	63.51	0		FT
Depth to water	LGW-3R	8/9/2012	65.23	0		FT
Depth to water	LGW-3R	9/4/2012	63.48	0		FT
Depth to water	LGW-3R	4/30/2013	58.51	0		FT
Depth to water	LGW-3R	6/4/2013	55.02	0		FT
Depth to water	LGW-3R	8/8/2013	60.15	0		FT
Depth to water	LGW-3R	9/10/2013	60.53	0		FT
Depth to water	LGW-3R	10/1/2013	61.28	0		FT
Depth to water	LGW-3R	11/6/2013	62.25	0		FT
Depth to water	LGW-3R	12/2/2013	63.3	0		FT
Depth to water	LGW-3R	1/22/2014	61.82	0		FT
Depth to water	LGW-3R	2/12/2014	63.3	0		FT
Depth to water	LGW-3R	3/11/2014	65.02	0		FT
Depth to water	LGW-3R	4/2/2014	59.9	0		FT
Depth to water	LGW-3R	5/7/2014	64.57	0		FT
Depth to water	LGW-3R	6/3/2014	65.15	0		FT
Depth to water	LGW-3R	7/8/2014	66.13	0		FT
Depth to water	LGW-3R	8/5/2014	66.63	0		FT
Depth to water	LGW-3R	9/4/2014	66.76	0		FT
Depth to water	LGW-3R	10/9/2014	66.21	0		FT
Depth to water	LGW-3R	11/3/2014	66.42	0		FT
Depth to water	LGW-3R	1/14/2015	66.68	0		FT
Depth to water	LGW-3R	2/10/2015	66.9	0		FT
Depth to water	LGW-3R	3/3/2015	66.94	0		FT
Depth to water	LGW-3R	4/1/2015	65.03	0		FT
Depth to water	LGW-3R	5/6/2015	66.68	0		FT
Depth to water	LGW-3R	6/3/2015	63.71	0		FT
Depth to water	LGW-3R	7/16/2015	58.69	0		FT
Depth to water	LGW-3R	8/5/2015	59.22	0		FT
Depth to water	LGW-3R	9/3/2015	59.58	0		FT
Depth to water	LGW-3R	10/6/2015	60.84	0		FT
Depth to water	LGW-3R	11/5/2015	61.51	0		FT
Depth to water	LGW-3R	12/4/2015	59.51	0		FT
Depth to water	LGW-3R	1/8/2016	54.87	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-3R	2/4/2016	54.85	0		FT
Depth to water	LGW-3R	3/3/2016	54.79	0		FT
Depth to water	LGW-3R	4/6/2016	54.62	0		FT
Depth to water	LGW-3R	5/12/2016	54.39	0		FT
Depth to water	LGW-3R	6/2/2016	54.41	0		FT
Depth to water	LGW-3R	7/21/2016	54.4	0		FT
Depth to water	LGW-3R	8/11/2016	54.36	0		FT
Depth to water	LGW-3R	9/7/2016	61.64	0		FT
Depth to water	LGW-3R	10/7/2016	62.38	0		FT
Depth to water	LGW-3R	11/3/2016	63.05	0		FT
Depth to water	LGW-3R	12/2/2016	63.02	0		FT
Depth to water	LGW-3R	1/11/2017	55.3	0		FT
Depth to water	LGW-3R	2/7/2017	55.31	0		FT
Depth to water	LGW-3R	3/2/2017	56.15	0		FT
Depth to water	LGW-3R	4/4/2017	56.17	0		FT
Depth to water	LGW-3R	5/2/2017	57.81	0		FT
Depth to water	LGW-3R	6/6/2017	58.48	0		FT
Depth to water	LGW-3R	7/18/2017	60.33	0		FT
Depth to water	LGW-3R	8/1/2017	60.93	0		FT
Depth to water	LGW-3R	9/5/2017	60.28	0		FT
Depth to water	LGW-3R	10/6/2017	61.71	0		FT
Depth to water	LGW-3R	11/1/2017	60.42	0		FT
Depth to water	LGW-3R	6/5/2018	61.35	0		FT
Depth to water	LGW-3R	9/5/2018	63.53	0		FT
Depth to water	LGW-3R	10/3/2018	64.21	0		FT
Depth to water	LGW-3R	2/5/2019	62.5	0		FT
Depth to water	LGW-3R	6/5/2019	59.88	0		FT
Depth to water	LGW-3R	1/14/2020	53.99	0		FT
Depth to water	LGW-3R	6/3/2020	52.46	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	7/6/2020	53.14	0		FT
Depth to water	LGW-3R	8/3/2020	54.04	0		FT
Depth to water	LGW-3R	11/3/2020	56.85	0		FT
Depth to water	LGW-3R	12/4/2020	57.38	0		FT
Depth to water	LGW-3R	1/18/2021	57.05	0		FT
Depth to water	LGW-3R	1/18/2021	57.05	0		FT
Depth to water	LGW-3R	2/9/2021	56.67	0		FT
Depth to water	LGW-3R	3/2/2021	57.2	0		FT
Depth to water	LGW-3R	4/6/2021	56.89	0		FT
Depth to water	LGW-3R	4/6/2021	56.89	0		FT
Depth to water	LGW-3R	5/4/2021	55.75	0		FT
Depth to water	LGW-3R	6/2/2021	54.84	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	7/6/2021	55.05	0		FT
Depth to water	LGW-3R	8/3/2021	55.7	0		FT
Depth to water	LGW-3R	9/2/2021	56.9	0		FT
Depth to water	LGW-3R	10/5/2021	58.18	0		FT
Depth to water	LGW-3R	11/2/2021	56.2	0		FT
Depth to water	LGW-3R	12/9/2021	57.52	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	1/12/2022	55.57	0		FT
Depth to water	LGW-3R	2/10/2022	56.65	0		FT
Depth to water	LGW-3R	3/1/2022	54.94	0		FT
Depth to water	LGW-3R	4/5/2022	54.28	0		FT
Depth to water	LGW-3R	5/7/2022	52.52	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-3R	6/3/2022	52.72	0		FT
Depth to water	LGW-3R	7/10/2022	53.53	0		FT
Depth to water	LGW-3R	8/10/2022	54.41	0		FT
Depth to water	LGW-3R	9/8/2022	54.82	0		FT
Depth to water	LGW-3R	10/6/2022	55.81	0		FT
Depth to water	LGW-3R	11/3/2022	56.1	0		FT
Depth to water	LGW-3R	12/7/2022	55.9	0		FT
Depth to water	LGW-3R	1/10/2023	55.45	0		FT
Depth to water	LGW-3R	2/3/2023	55.65	0		FT
Depth to water	LGW-3R	3/1/2023	54.35	0		FT
Depth to water	LGW-3R	4/6/2023	53.08	0		FT
Depth to water	LGW-3R	5/10/2023	53.75	0		FT
Depth to water	LGW-3R	6/8/2023	54.4	0		FT
Depth to water	LGW-3R	7/10/2023	55.19	0		FT
Depth to water	LGW-3R	8/2/2023	55.55	0		FT
Depth to water	LGW-3R	9/2/2023	56	0		FT
Depth to water	LGW-3R	10/4/2023	56.68	0		FT
Depth to water	LGW-4	7/23/2008	59.3	0		FT
Depth to water	LGW-4	8/29/2008	59.91	0		FT
Depth to water	LGW-4	9/26/2008	59.45	0		FT
Depth to water	LGW-4	9/26/2008	59.45	0		FT
Depth to water	LGW-4	10/22/2008	60.1	0		FT
Depth to water	LGW-4	11/25/2008	61.05	0		FT
Depth to water	LGW-4	12/19/2008	61.51	0		FT
Depth to water	LGW-4	2/3/2009	61.79	0		FT
Depth to water	LGW-4	3/26/2009	61.76	0		FT
Depth to water	LGW-4	4/16/2009	58.36	0		FT
Depth to water	LGW-4	5/28/2009	58.79	0		FT
Depth to water	LGW-4	6/25/2009	59.49	0		FT
Depth to water	LGW-4	7/31/2009	60.31	0		FT
Depth to water	LGW-4	8/29/2009	60.71	0		FT
Depth to water	LGW-4	10/22/2009	59.28	0		FT
Depth to water	LGW-4	11/24/2009	59.36	0		FT
Depth to water	LGW-4	2/3/2010	61.48	0		FT
Depth to water	LGW-4	2/3/2010	61.48	0		FT
Depth to water	LGW-4	2/17/2010	61.04	0		FT
Depth to water	LGW-4	3/3/2010	60.86	0		FT
Depth to water	LGW-4	4/8/2010	59.93	0		FT
Depth to water	LGW-4	5/5/2010	60.32	0		FT
Depth to water	LGW-4	6/15/2010	59.68	0		FT
Depth to water	LGW-4	7/16/2010	58.77	0		FT
Depth to water	LGW-4	8/11/2010	59.11	0		FT
Depth to water	LGW-4	9/1/2010	60.19	0		FT
Depth to water	LGW-4	9/29/2010	59.24	0		FT
Depth to water	LGW-4	11/3/2010	60.66	0		FT
Depth to water	LGW-4	12/3/2010	61.32	0		FT
Depth to water	LGW-4	1/19/2011	62.34	0		FT
Depth to water	LGW-4	2/7/2011	62.78	0		FT
Depth to water	LGW-4	3/3/2011	62.84	0		FT
Depth to water	LGW-4	4/5/2011	62.95	0		FT
Depth to water	LGW-4	5/10/2011	57.18	0		FT
Depth to water	LGW-4	6/1/2011	56.44	0		FT
Depth to water	LGW-4	7/13/2011	59.29	0		FT
Depth to water	LGW-4	8/3/2011	60.08	0		FT
Depth to water	LGW-4	9/7/2011	60.82	0		FT
Depth to water	LGW-4	10/5/2011	60.62	0		FT
Depth to water	LGW-4	11/1/2011	61.24	0		FT
Depth to water	LGW-4	12/7/2011	60.64	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	1/4/2012	60.46	0		FT
Depth to water	LGW-4	2/1/2012	60.88	0		FT
Depth to water	LGW-4	3/6/2012	61	0		FT
Depth to water	LGW-4	4/5/2012	60.25	0		FT
Depth to water	LGW-4	5/1/2012	60.74	0		FT
Depth to water	LGW-4	6/5/2012	61.65	0		FT
Depth to water	LGW-4	7/9/2012	62.4	0		FT
Depth to water	LGW-4	8/9/2012	62.91	0		FT
Depth to water	LGW-4	9/4/2012	62.35	0		FT
Depth to water	LGW-4	10/7/2012	62.59	0		FT
Depth to water	LGW-4	4/30/2013	60.9	0		FT
Depth to water	LGW-4	6/4/2013	59.11	0		FT
Depth to water	LGW-4	7/15/2013	60.94	0		FT
Depth to water	LGW-4	8/8/2013	60.94	0		FT
Depth to water	LGW-4	9/10/2013	61.23	0		FT
Depth to water	LGW-4	10/1/2013	61.33	0		FT
Depth to water	LGW-4	11/6/2013	62	0		FT
Depth to water	LGW-4	12/2/2013	62.4	0		FT
Depth to water	LGW-4	1/23/2014	62.14	0		FT
Depth to water	LGW-4	2/12/2014	62.5	0		FT
Depth to water	LGW-4	3/11/2014	62.82	0		FT
Depth to water	LGW-4	4/2/2014	59.53	0		FT
Depth to water	LGW-4	5/7/2014	52.9	0		FT
Depth to water	LGW-4	6/3/2014	63.13	0		FT
Depth to water	LGW-4	7/8/2014	63.35	0		FT
Depth to water	LGW-4	8/5/2014	63.55	0		FT
Depth to water	LGW-4	9/4/2014	63.51	0		FT
Depth to water	LGW-4	10/9/2014	63.75	0		FT
Depth to water	LGW-4	11/3/2014	63.66	0		FT
Depth to water	LGW-4	1/14/2015	63.76	0		FT
Depth to water	LGW-4	2/11/2015	63.85	0		FT
Depth to water	LGW-4	3/3/2015	63.84	0		FT
Depth to water	LGW-4	4/1/2015	63.62	0		FT
Depth to water	LGW-4	5/6/2015	63.67	0		FT
Depth to water	LGW-4	6/3/2015	63.28	0		FT
Depth to water	LGW-4	7/8/2015	62.14	0		FT
Depth to water	LGW-4	8/4/2015	61.52	0		FT
Depth to water	LGW-4	9/2/2015	61.7	0		FT
Depth to water	LGW-4	10/5/2015	62.01	0		FT
Depth to water	LGW-4	11/4/2015	62.21	0		FT
Depth to water	LGW-4	12/3/2015	62.24	0		FT
Depth to water	LGW-4	1/5/2016	60.8	0		FT
Depth to water	LGW-4	2/3/2016	60.78	0		FT
Depth to water	LGW-4	3/2/2016	61.23	0		FT
Depth to water	LGW-4	4/5/2016	61.54	0		FT
Depth to water	LGW-4	5/11/2016	61.86	0		FT
Depth to water	LGW-4	6/1/2016	61.91	0		FT
Depth to water	LGW-4	7/19/2016	61.9	0		FT
Depth to water	LGW-4	8/10/2016	61.9	0		FT
Depth to water	LGW-4	9/6/2016	62	0		FT
Depth to water	LGW-4	10/6/2016	62.26	0		FT
Depth to water	LGW-4	11/2/2016	62.42	0		FT
Depth to water	LGW-4	12/1/2016	62.55	0		FT
Depth to water	LGW-4	1/11/2017	62.72	0		FT
Depth to water	LGW-4	2/7/2017	62.74	0		FT
Depth to water	LGW-4	3/2/2017	62.92	0		FT
Depth to water	LGW-4	4/4/2017	63.03	0		FT
Depth to water	LGW-4	5/2/2017	62.23	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	5/16/2017	61.15	0		FT
Depth to water	LGW-4	6/6/2017	60.81	0		FT
Depth to water	LGW-4	7/18/2017	60.88	0		FT
Depth to water	LGW-4	8/1/2017	61	0		FT
Depth to water	LGW-4	9/5/2017	61	0		FT
Depth to water	LGW-4	10/6/2017	61.28	0		FT
Depth to water	LGW-4	11/1/2017	61.6	0		FT
Depth to water	LGW-4	6/5/2018	61.02	0		FT
Depth to water	LGW-4	9/5/2018	61.68	0		FT
Depth to water	LGW-4	10/3/2018	61.8	0		FT
Depth to water	LGW-4	2/5/2019	61.7	0		FT
Depth to water	LGW-4	6/5/2019	60.89	0		FT
Depth to water	LGW-4	1/14/2020	60.36	0		FT
Depth to water	LGW-4	6/3/2020	59.1	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	7/6/2020	59.45	0		FT
Depth to water	LGW-4	8/3/2020	60.29	0		FT
Depth to water	LGW-4	11/3/2020	61.58	0		FT
Depth to water	LGW-4	12/4/2020	61.68	0		FT
Depth to water	LGW-4	1/18/2021	61.52	0		FT
Depth to water	LGW-4	1/18/2021	61.52	0		FT
Depth to water	LGW-4	2/9/2021	61.37	0		FT
Depth to water	LGW-4	3/2/2021	61.37	0		FT
Depth to water	LGW-4	4/6/2021	61.29	0		FT
Depth to water	LGW-4	4/6/2021	61.29	0		FT
Depth to water	LGW-4	5/4/2021	61.1	0		FT
Depth to water	LGW-4	6/2/2021	60.4	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	7/7/2021	60.26	0		FT
Depth to water	LGW-4	8/3/2021	60.44	0		FT
Depth to water	LGW-4	9/2/2021	60.86	0		FT
Depth to water	LGW-4	10/5/2021	61.35	0		FT
Depth to water	LGW-4	10/5/2021	61.35	0		FT
Depth to water	LGW-4	11/2/2021	61.31	0		FT
Depth to water	LGW-4	12/9/2021	61.26	0		FT
Depth to water	LGW-4	1/12/2022	60.59	0		FT
Depth to water	LGW-4	1/12/2022	60.59	0		FT
Depth to water	LGW-4	1/12/2022	60.59	0		FT
Depth to water	LGW-4	2/10/2022	61.05	0		FT
Depth to water	LGW-4	3/1/2022	60.45	0		FT
Depth to water	LGW-4	4/5/2022	59.95	0		FT
Depth to water	LGW-4	5/7/2022	58.45	0		FT
Depth to water	LGW-4	6/3/2022	58.43	0		FT
Depth to water	LGW-4	7/11/2022	59.44	0		FT
Depth to water	LGW-4	8/10/2022	60.07	0		FT
Depth to water	LGW-4	9/8/2022	60.16	0		FT
Depth to water	LGW-4	10/6/2022	60.67	0		FT
Depth to water	LGW-4	11/3/2022	60.89	0		FT
Depth to water	LGW-4	12/7/2022	60.3	0		FT
Depth to water	LGW-4	1/10/2023	60.15	0		FT
Depth to water	LGW-4	2/3/2023	60.32	0		FT
Depth to water	LGW-4	3/1/2023	59.02	0		FT
Depth to water	LGW-4	4/6/2023	58.18	0		FT
Depth to water	LGW-4	5/10/2023	59.42	0		FT
Depth to water	LGW-4	6/8/2023	58.85	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-4	7/10/2023	60.44	0		FT
Depth to water	LGW-4	8/2/2023	60.64	0		FT
Depth to water	LGW-4	9/2/2023	60.71	0		FT
Depth to water	LGW-4	10/4/2023	60.95	0		FT
Depth to water	LGW-5	7/23/2008	67.94	0		FT
Depth to water	LGW-5	9/26/2008	68.9	0		FT
Depth to water	LGW-5	9/26/2008	68.9	0		FT
Depth to water	LGW-5	10/21/2008	69.68	0		FT
Depth to water	LGW-5	11/25/2008	70.64	0		FT
Depth to water	LGW-5	12/19/2008	71.19	0		FT
Depth to water	LGW-5	2/4/2009	71.37	0		FT
Depth to water	LGW-5	3/26/2009	71.13	0		FT
Depth to water	LGW-5	4/16/2009	20.66	0		FT
Depth to water	LGW-5	5/29/2009	68.08	0		FT
Depth to water	LGW-5	6/24/2009	68.52	0		FT
Depth to water	LGW-5	7/29/2009	69.1	0		FT
Depth to water	LGW-5	8/28/2009	69.19	0		FT
Depth to water	LGW-5	9/29/2009	69.12	0		FT
Depth to water	LGW-5	10/21/2009	67.65	0		FT
Depth to water	LGW-5	11/24/2009	68.05	0		FT
Depth to water	LGW-5	12/17/2009	69.02	0		FT
Depth to water	LGW-5	2/3/2010	69.9	0		FT
Depth to water	LGW-5	2/3/2010	69.9	0		FT
Depth to water	LGW-5	2/16/2010	69.45	0		FT
Depth to water	LGW-5	3/3/2010	69.37	0		FT
Depth to water	LGW-5	5/5/2010	68.75	0		FT
Depth to water	LGW-5	6/15/2010	68.04	0		FT
Depth to water	LGW-5	7/12/2010	68.57	0		FT
Depth to water	LGW-5	8/10/2010	67.58	0		FT
Depth to water	LGW-5	9/2/2010	68.76	0		FT
Depth to water	LGW-5	9/29/2010	67.49	0		FT
Depth to water	LGW-5	11/3/2010	68.91	0		FT
Depth to water	LGW-5	12/2/2010	69.46	0		FT
Depth to water	LGW-5	1/19/2011	70.53	0		FT
Depth to water	LGW-5	2/7/2011	70.99	0		FT
Depth to water	LGW-5	3/3/2011	70.9	0		FT
Depth to water	LGW-5	4/5/2011	71.09	0		FT
Depth to water	LGW-5	5/10/2011	66.57	0		FT
Depth to water	LGW-5	6/1/2011	65.64	0		FT
Depth to water	LGW-5	7/12/2011	68.4	0		FT
Depth to water	LGW-5	8/3/2011	68.69	0		FT
Depth to water	LGW-5	9/7/2011	69.39	0		FT
Depth to water	LGW-5	10/5/2011	69.31	0		FT
Depth to water	LGW-5	11/1/2011	69.54	0		FT
Depth to water	LGW-5	12/7/2011	69.01	0		FT
Depth to water	LGW-5	1/5/2012	68.86	0		FT
Depth to water	LGW-5	2/1/2012	69.34	0		FT
Depth to water	LGW-5	3/6/2012	69.28	0		FT
Depth to water	LGW-5	4/5/2012	68.84	0		FT
Depth to water	LGW-5	5/1/2012	69.24	0		FT
Depth to water	LGW-5	6/5/2012	70.01	0		FT
Depth to water	LGW-5	7/9/2012	70.57	0		FT
Depth to water	LGW-5	8/9/2012	71.13	0		FT
Depth to water	LGW-5	9/4/2012	71.12	0		FT
Depth to water	LGW-5	10/7/2012	70.8	0		FT
Depth to water	LGW-5	4/30/2013	70.84	0		FT
Depth to water	LGW-5	6/4/2013	69.7	0		FT
Depth to water	LGW-5	7/15/2013	70.03	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-5	8/8/2013	70.21	0		FT
Depth to water	LGW-5	9/10/2013	70.36	0		FT
Depth to water	LGW-5	10/1/2013	70.47	0		FT
Depth to water	LGW-5	11/6/2013	70.93	0		FT
Depth to water	LGW-5	12/3/2013	71.02	0		FT
Depth to water	LGW-5	1/23/2014	71.02	0		FT
Depth to water	LGW-5	2/12/2014	70.96	0		FT
Depth to water	LGW-5	3/11/2014	71.16	0		FT
Depth to water	LGW-5	4/2/2014	67.85	0		FT
Depth to water	LGW-5	5/7/2014	71.04	0		FT
Depth to water	LGW-5	6/3/2014	71.35	0		FT
Depth to water	LGW-5	7/8/2014	71.73	0		FT
Depth to water	LGW-5	8/5/2014	71.94	0		FT
Depth to water	LGW-5	9/4/2014	71.98	0		FT
Depth to water	LGW-5	10/9/2014	72.14	0		FT
Depth to water	LGW-5	11/3/2014	72.1	0		FT
Depth to water	LGW-5	1/14/2015	72.11	0		FT
Depth to water	LGW-5	2/10/2015	72.05	0		FT
Depth to water	LGW-5	3/3/2015	72.05	0		FT
Depth to water	LGW-5	4/1/2015	70.99	0		FT
Depth to water	LGW-5	5/6/2015	70.92	0		FT
Depth to water	LGW-5	6/3/2015	70.33	0		FT
Depth to water	LGW-5	7/8/2015	69.51	0		FT
Depth to water	LGW-5	8/4/2015	68.91	0		FT
Depth to water	LGW-5	9/2/2015	68.76	0		FT
Depth to water	LGW-5	10/5/2015	68.8	0		FT
Depth to water	LGW-5	11/4/2015	68.91	0		FT
Depth to water	LGW-5	12/3/2015	68.96	0		FT
Depth to water	LGW-5	1/5/2016	68.16	0		FT
Depth to water	LGW-5	2/3/2016	68.12	0		FT
Depth to water	LGW-5	3/2/2016	68.29	0		FT
Depth to water	LGW-5	4/5/2016	68.51	0		FT
Depth to water	LGW-5	5/11/2016	68.7	0		FT
Depth to water	LGW-5	6/1/2016	68.84	0		FT
Depth to water	LGW-5	7/19/2016	68.88	0		FT
Depth to water	LGW-5	8/10/2016	68.95	0		FT
Depth to water	LGW-5	9/6/2016	69.08	0		FT
Depth to water	LGW-5	10/6/2016	69.23	0		FT
Depth to water	LGW-5	11/2/2016	69.33	0		FT
Depth to water	LGW-5	12/1/2016	69.43	0		FT
Depth to water	LGW-5	1/11/2017	69.55	0		FT
Depth to water	LGW-5	2/7/2017	69.54	0		FT
Depth to water	LGW-5	3/2/2017	69.77	0		FT
Depth to water	LGW-5	4/4/2017	69.8	0		FT
Depth to water	LGW-5	5/16/2017	68.9	0		FT
Depth to water	LGW-5	6/6/2017	68.58	0		FT
Depth to water	LGW-5	7/18/2017	68.5	0		FT
Depth to water	LGW-5	8/1/2017	68.55	0		FT
Depth to water	LGW-5	9/5/2017	68.61	0		FT
Depth to water	LGW-5	10/5/2017	68.69	0		FT
Depth to water	LGW-5	11/1/2017	68.8	0		FT
Depth to water	LGW-5	6/5/2018	68.47	0		FT
Depth to water	LGW-5	9/4/2018	68.97	0		FT
Depth to water	LGW-5	10/3/2018	69.08	0		FT
Depth to water	LGW-5	2/5/2019	69.08	0		FT
Depth to water	LGW-5	6/4/2019	68.51	0		FT
Depth to water	LGW-5	1/14/2020	68.06	0		FT
Depth to water	LGW-5	6/1/2020	67.71	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	7/6/2020	67.71	0		FT
Depth to water	LGW-5	8/3/2020	68.26	0		FT
Depth to water	LGW-5	11/3/2020	69.1	0		FT
Depth to water	LGW-5	12/3/2020	69.19	0		FT
Depth to water	LGW-5	1/18/2021	69.21	0		FT
Depth to water	LGW-5	1/18/2021	69.21	0		FT
Depth to water	LGW-5	2/9/2021	69.13	0		FT
Depth to water	LGW-5	3/2/2021	69.07	0		FT
Depth to water	LGW-5	4/6/2021	69.06	0		FT
Depth to water	LGW-5	4/6/2021	69.06	0		FT
Depth to water	LGW-5	5/4/2021	69.12	0		FT
Depth to water	LGW-5	6/2/2021	68.71	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	7/7/2021	68.68	0		FT
Depth to water	LGW-5	8/3/2021	68.96	0		FT
Depth to water	LGW-5	9/2/2021	69.29	0		FT
Depth to water	LGW-5	10/5/2021	69.78	0		FT
Depth to water	LGW-5	10/5/2021	69.78	0		FT
Depth to water	LGW-5	11/2/2021	70.16	0		FT
Depth to water	LGW-5	12/9/2021	70.17	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	1/12/2022	69.96	0		FT
Depth to water	LGW-5	2/10/2022	70.27	0		FT
Depth to water	LGW-5	3/1/2022	70.12	0		FT
Depth to water	LGW-5	4/4/2022	69.86	0		FT
Depth to water	LGW-5	4/4/2022	69.86	0		FT
Depth to water	LGW-5	5/7/2022	69.07	0		FT
Depth to water	LGW-5	6/3/2022	68.68	0		FT
Depth to water	LGW-5	7/11/2022	69.26	0		FT
Depth to water	LGW-5	8/10/2022	69.95	0		FT
Depth to water	LGW-5	9/8/2022	70.31	0		FT
Depth to water	LGW-5	10/6/2022	70.91	0		FT
Depth to water	LGW-5	10/6/2022	70.91	0		FT
Depth to water	LGW-5	11/3/2022	71.38	0		FT
Depth to water	LGW-5	12/7/2022	71.59	0		FT
Depth to water	LGW-5	1/10/2023	70.72	0		FT
Depth to water	LGW-5	2/3/2023	71.28	0		FT
Depth to water	LGW-5	3/1/2023	70.18	0		FT
Depth to water	LGW-5	4/6/2023	69.41	0		FT
Depth to water	LGW-5	5/10/2023	69.74	0		FT
Depth to water	LGW-5	6/8/2023	70.24	0		FT
Depth to water	LGW-5	7/10/2023	70.92	0		FT
Depth to water	LGW-5	8/2/2023	70.31	0		FT
Depth to water	LGW-5	9/2/2023	71.57	0		FT
Depth to water	LGW-5	10/5/2023	71.98	0		FT
Depth to water	LGW-6	7/23/2008	51.86	0		FT
Depth to water	LGW-6	8/29/2008	52.22	0		FT
Depth to water	LGW-6	9/26/2008	52.06	0		FT
Depth to water	LGW-6	9/26/2008	52.06	0		FT
Depth to water	LGW-6	10/21/2008	52.13	0		FT
Depth to water	LGW-6	11/25/2008	52.16	0		FT
Depth to water	LGW-6	12/19/2008	52.98	0		FT
Depth to water	LGW-6	2/5/2009	53.19	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	3/26/2009	52.8	0		FT
Depth to water	LGW-6	5/29/2009	51.13	0		FT
Depth to water	LGW-6	6/24/2009	51.46	0		FT
Depth to water	LGW-6	7/29/2009	51.96	0		FT
Depth to water	LGW-6	8/28/2009	52.23	0		FT
Depth to water	LGW-6	9/29/2009	52.37	0		FT
Depth to water	LGW-6	10/22/2009	52.04	0		FT
Depth to water	LGW-6	11/24/2009	51.57	0		FT
Depth to water	LGW-6	12/17/2009	51.85	0		FT
Depth to water	LGW-6	2/3/2010	52.6	0		FT
Depth to water	LGW-6	2/3/2010	52.6	0		FT
Depth to water	LGW-6	2/16/2010	52.5	0		FT
Depth to water	LGW-6	3/3/2010	52.34	0		FT
Depth to water	LGW-6	4/7/2010	51.88	0		FT
Depth to water	LGW-6	5/5/2010	51.84	0		FT
Depth to water	LGW-6	6/15/2010	51.73	0		FT
Depth to water	LGW-6	7/12/2010	51.94	0		FT
Depth to water	LGW-6	8/10/2010	51.51	0		FT
Depth to water	LGW-6	9/2/2010	51.84	0		FT
Depth to water	LGW-6	9/29/2010	51.86	0		FT
Depth to water	LGW-6	11/3/2010	50.02	0		FT
Depth to water	LGW-6	12/2/2010	52.47	0		FT
Depth to water	LGW-6	1/19/2011	52.89	0		FT
Depth to water	LGW-6	2/7/2011	53.07	0		FT
Depth to water	LGW-6	3/3/2011	53.19	0		FT
Depth to water	LGW-6	4/5/2011	53.26	0		FT
Depth to water	LGW-6	5/10/2011	51.79	0		FT
Depth to water	LGW-6	6/1/2011	49.96	0		FT
Depth to water	LGW-6	7/12/2011	51.59	0		FT
Depth to water	LGW-6	8/3/2011	51.93	0		FT
Depth to water	LGW-6	9/7/2011	52.57	0		FT
Depth to water	LGW-6	10/5/2011	52.74	0		FT
Depth to water	LGW-6	11/1/2011	52.79	0		FT
Depth to water	LGW-6	12/7/2011	52.82	0		FT
Depth to water	LGW-6	1/5/2012	52.71	0		FT
Depth to water	LGW-6	2/1/2012	52.68	0		FT
Depth to water	LGW-6	3/6/2012	52.58	0		FT
Depth to water	LGW-6	4/5/2012	52.47	0		FT
Depth to water	LGW-6	5/1/2012	52.51	0		FT
Depth to water	LGW-6	6/5/2012	52.78	0		FT
Depth to water	LGW-6	7/9/2012	53.8	0		FT
Depth to water	LGW-6	8/9/2012	53.33	0		FT
Depth to water	LGW-6	9/4/2012	53.51	0		FT
Depth to water	LGW-6	10/7/2012	53.57	0		FT
Depth to water	LGW-6	11/6/2012	53.51	0		FT
Depth to water	LGW-6	11/6/2012	53.51	0		FT
Depth to water	LGW-6	12/6/2012	53.65	0		FT
Depth to water	LGW-6	12/6/2012	53.65	0		FT
Depth to water	LGW-6	1/23/2013	53.92	0		FT
Depth to water	LGW-6	1/23/2013	53.92	0		FT
Depth to water	LGW-6	2/5/2013	54.04	0		FT
Depth to water	LGW-6	2/5/2013	54.04	0		FT
Depth to water	LGW-6	3/5/2013	54.11	0		FT
Depth to water	LGW-6	3/5/2013	54.11	0		FT
Depth to water	LGW-6	4/30/2013	53.61	0		FT
Depth to water	LGW-6	6/4/2013	53.3	0		FT
Depth to water	LGW-6	7/15/2013	52.92	0		FT
Depth to water	LGW-6	8/8/2013	53.01	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	9/10/2013	53.05	0		FT
Depth to water	LGW-6	10/1/2013	53.11	0		FT
Depth to water	LGW-6	11/6/2013	53.3	0		FT
Depth to water	LGW-6	12/2/2013	53.23	0		FT
Depth to water	LGW-6	1/23/2014	53.16	0		FT
Depth to water	LGW-6	2/12/2014	53.13	0		FT
Depth to water	LGW-6	3/11/2014	53.11	0		FT
Depth to water	LGW-6	4/2/2014	50	0		FT
Depth to water	LGW-6	5/7/2014	52.93	0		FT
Depth to water	LGW-6	6/3/2014	52.98	0		FT
Depth to water	LGW-6	7/8/2014	53.21	0		FT
Depth to water	LGW-6	8/5/2014	53.38	0		FT
Depth to water	LGW-6	9/4/2014	53.32	0		FT
Depth to water	LGW-6	10/9/2014	53.7	0		FT
Depth to water	LGW-6	11/3/2014	53.77	0		FT
Depth to water	LGW-6	1/14/2015	53.76	0		FT
Depth to water	LGW-6	2/10/2015	53.69	0		FT
Depth to water	LGW-6	3/3/2015	53.71	0		FT
Depth to water	LGW-6	4/1/2015	53.55	0		FT
Depth to water	LGW-6	5/6/2015	53.33	0		FT
Depth to water	LGW-6	6/3/2015	53.14	0		FT
Depth to water	LGW-6	7/22/2015	52.49	0		FT
Depth to water	LGW-6	8/4/2015	52.48	0		FT
Depth to water	LGW-6	9/2/2015	52.61	0		FT
Depth to water	LGW-6	10/6/2015	52.83	0		FT
Depth to water	LGW-6	11/4/2015	52.94	0		FT
Depth to water	LGW-6	12/3/2015	52.95	0		FT
Depth to water	LGW-6	1/5/2016	52.02	0		FT
Depth to water	LGW-6	2/3/2016	52.09	0		FT
Depth to water	LGW-6	3/2/2016	52.23	0		FT
Depth to water	LGW-6	4/5/2016	52.43	0		FT
Depth to water	LGW-6	5/11/2016	52.65	0		FT
Depth to water	LGW-6	6/1/2016	52.78	0		FT
Depth to water	LGW-6	7/19/2016	52.9	0		FT
Depth to water	LGW-6	8/10/2016	52.94	0		FT
Depth to water	LGW-6	9/6/2016	53	0		FT
Depth to water	LGW-6	9/6/2016	53	0		FT
Depth to water	LGW-6	10/6/2016	53.12	0		FT
Depth to water	LGW-6	11/2/2016	53.16	0		FT
Depth to water	LGW-6	12/1/2016	53.25	0		FT
Depth to water	LGW-6	1/11/2017	53.36	0		FT
Depth to water	LGW-6	2/7/2017	53.33	0		FT
Depth to water	LGW-6	3/2/2017	53.41	0		FT
Depth to water	LGW-6	4/4/2017	53.37	0		FT
Depth to water	LGW-6	5/2/2017	53.2	0		FT
Depth to water	LGW-6	5/5/2017	53.3	0		FT
Depth to water	LGW-6	6/6/2017	52.05	0		FT
Depth to water	LGW-6	7/18/2017	52	0		FT
Depth to water	LGW-6	8/1/2017	53.27	0		FT
Depth to water	LGW-6	9/5/2017	51.94	0		FT
Depth to water	LGW-6	10/5/2017	52.42	0		FT
Depth to water	LGW-6	11/1/2017	52.34	0		FT
Depth to water	LGW-6	6/5/2018	51.65	0		FT
Depth to water	LGW-6	6/5/2018	51.65	0		FT
Depth to water	LGW-6	9/5/2018	52.29	0		FT
Depth to water	LGW-6	10/2/2018	52.39	0		FT
Depth to water	LGW-6	10/2/2018	52.39	0		FT
Depth to water	LGW-6	2/5/2019	52.2	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-6	6/4/2019	51.36	0		FT
Depth to water	LGW-6	7/10/2019	51.22	0		FT
Depth to water	LGW-6	1/16/2020	50.33	0		FT
Depth to water	LGW-6	6/2/2020	48.88	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	7/9/2020	49.72	0		FT
Depth to water	LGW-6	8/3/2020	50.18	0		FT
Depth to water	LGW-6	11/3/2020	50.96	0		FT
Depth to water	LGW-6	12/3/2020	51.02	0		FT
Depth to water	LGW-6	1/18/2021	50.9	0		FT
Depth to water	LGW-6	2/9/2021	50.71	0		FT
Depth to water	LGW-6	3/2/2021	50.73	0		FT
Depth to water	LGW-6	4/6/2021	50.47	0		FT
Depth to water	LGW-6	4/6/2021	50.47	0		FT
Depth to water	LGW-6	5/5/2021	50.22	0		FT
Depth to water	LGW-6	6/1/2021	49.74	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	7/7/2021	49.89	0		FT
Depth to water	LGW-6	8/3/2021	50.17	0		FT
Depth to water	LGW-6	9/2/2021	50.5	0		FT
Depth to water	LGW-6	10/5/2021	50.89	0		FT
Depth to water	LGW-6	10/5/2021	50.89	0		FT
Depth to water	LGW-6	11/2/2021	51.15	0		FT
Depth to water	LGW-6	12/9/2021	51.28	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	1/12/2022	51	0		FT
Depth to water	LGW-6	2/10/2022	51.09	0		FT
Depth to water	LGW-6	3/1/2022	50.8	0		FT
Depth to water	LGW-6	4/4/2022	50.45	0		FT
Depth to water	LGW-6	4/4/2022	50.45	0		FT
Depth to water	LGW-6	5/7/2022	49.33	0		FT
Depth to water	LGW-6	6/3/2022	49.17	0		FT
Depth to water	LGW-6	7/11/2022	49.63	0		FT
Depth to water	LGW-6	8/10/2022	50.09	0		FT
Depth to water	LGW-6	9/8/2022	50.4	0		FT
Depth to water	LGW-6	10/6/2022	50.74	0		FT
Depth to water	LGW-6	10/6/2022	50.74	0		FT
Depth to water	LGW-6	11/3/2022	50.98	0		FT
Depth to water	LGW-6	12/7/2022	51.19	0		FT
Depth to water	LGW-6	1/10/2023	51.08	0		FT
Depth to water	LGW-6	2/3/2023	51	0		FT
Depth to water	LGW-6	3/1/2023	50.65	0		FT
Depth to water	LGW-6	4/6/2023	49.68	0		FT
Depth to water	LGW-6	5/10/2023	49.78	0		FT
Depth to water	LGW-6	6/8/2023	51.1	0		FT
Depth to water	LGW-6	7/10/2023	50.4	0		FT
Depth to water	LGW-6	8/2/2023	50.65	0		FT
Depth to water	LGW-6	9/2/2023	50.95	0		FT
Depth to water	LGW-6	10/5/2023	51.1	0		FT
Depth to water	LGW-7	7/22/2008	42.1	0		FT
Depth to water	LGW-7	9/26/2008	42.98	0		FT
Depth to water	LGW-7	9/26/2008	42.98	0		FT
Depth to water	LGW-7	10/21/2008	43.9	0		FT
Depth to water	LGW-7	11/25/2008	44.4	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	12/19/2008	44.83	0		FT
Depth to water	LGW-7	2/4/2009	43.9	0		FT
Depth to water	LGW-7	3/26/2009	43.93	0		FT
Depth to water	LGW-7	4/16/2009	42.49	0		FT
Depth to water	LGW-7	5/28/2009	41.8	0		FT
Depth to water	LGW-7	6/25/2009	42.71	0		FT
Depth to water	LGW-7	7/31/2009	43.91	0		FT
Depth to water	LGW-7	8/29/2009	44.36	0		FT
Depth to water	LGW-7	9/30/2009	44.55	0		FT
Depth to water	LGW-7	10/21/2009	43.28	0		FT
Depth to water	LGW-7	11/24/2009	43.6	0		FT
Depth to water	LGW-7	12/17/2009	43.38	0		FT
Depth to water	LGW-7	1/27/2010	44.1	0		FT
Depth to water	LGW-7	2/16/2010	43.4	0		FT
Depth to water	LGW-7	3/3/2010	43.75	0		FT
Depth to water	LGW-7	4/7/2010	42.48	0		FT
Depth to water	LGW-7	5/5/2010	43.76	0		FT
Depth to water	LGW-7	6/16/2010	43.71	0		FT
Depth to water	LGW-7	7/12/2010	43.9	0		FT
Depth to water	LGW-7	8/10/2010	43.02	0		FT
Depth to water	LGW-7	9/2/2010	43.87	0		FT
Depth to water	LGW-7	9/29/2010	43.9	0		FT
Depth to water	LGW-7	11/3/2010	44.33	0		FT
Depth to water	LGW-7	12/2/2010	44.66	0		FT
Depth to water	LGW-7	1/20/2011	45.48	0		FT
Depth to water	LGW-7	2/8/2011	45.84	0		FT
Depth to water	LGW-7	3/3/2011	45.25	0		FT
Depth to water	LGW-7	4/5/2011	45.64	0		FT
Depth to water	LGW-7	5/10/2011	39.76	0		FT
Depth to water	LGW-7	6/1/2011	49.21	0		FT
Depth to water	LGW-7	7/12/2011	42.66	0		FT
Depth to water	LGW-7	8/3/2011	43.43	0		FT
Depth to water	LGW-7	9/7/2011	44.44	0		FT
Depth to water	LGW-7	10/5/2011	44.65	0		FT
Depth to water	LGW-7	11/1/2011	45.13	0		FT
Depth to water	LGW-7	12/8/2011	44.51	0		FT
Depth to water	LGW-7	1/5/2012	44.51	0		FT
Depth to water	LGW-7	2/1/2012	44.25	0		FT
Depth to water	LGW-7	3/6/2012	44.61	0		FT
Depth to water	LGW-7	4/5/2012	43.4	0		FT
Depth to water	LGW-7	5/1/2012	44.25	0		FT
Depth to water	LGW-7	6/5/2012	44.81	0		FT
Depth to water	LGW-7	7/10/2012	45.63	0		FT
Depth to water	LGW-7	8/9/2012	46.18	0		FT
Depth to water	LGW-7	9/4/2012	46.33	0		FT
Depth to water	LGW-7	10/7/2012	46.61	0		FT
Depth to water	LGW-7	4/30/2013	42.64	0		FT
Depth to water	LGW-7	6/4/2013	43.18	0		FT
Depth to water	LGW-7	7/15/2013	49.71	0		FT
Depth to water	LGW-7	8/8/2013	44.74	0		FT
Depth to water	LGW-7	9/10/2013	45.11	0		FT
Depth to water	LGW-7	10/1/2013	45.34	0		FT
Depth to water	LGW-7	11/6/2013	45.5	0		FT
Depth to water	LGW-7	12/2/2013	45.32	0		FT
Depth to water	LGW-7	1/23/2014	44.13	0		FT
Depth to water	LGW-7	2/13/2014	45.01	0		FT
Depth to water	LGW-7	3/11/2014	45.25	0		FT
Depth to water	LGW-7	4/2/2014	41.13	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	5/7/2014	44.66	0		FT
Depth to water	LGW-7	6/3/2014	44.76	0		FT
Depth to water	LGW-7	7/8/2014	45.28	0		FT
Depth to water	LGW-7	8/5/2014	45.85	0		FT
Depth to water	LGW-7	9/4/2014	45.81	0		FT
Depth to water	LGW-7	10/9/2014	46.02	0		FT
Depth to water	LGW-7	11/3/2014	46.1	0		FT
Depth to water	LGW-7	1/14/2015	45.98	0		FT
Depth to water	LGW-7	2/11/2015	46.42	0		FT
Depth to water	LGW-7	3/3/2015	46.01	0		FT
Depth to water	LGW-7	4/1/2015	44.84	0		FT
Depth to water	LGW-7	5/6/2015	45.83	0		FT
Depth to water	LGW-7	6/3/2015	43.14	0		FT
Depth to water	LGW-7	7/22/2015	42.58	0		FT
Depth to water	LGW-7	8/4/2015	43.53	0		FT
Depth to water	LGW-7	9/3/2015	44.31	0		FT
Depth to water	LGW-7	10/6/2015	44.93	0		FT
Depth to water	LGW-7	11/4/2015	45.31	0		FT
Depth to water	LGW-7	12/3/2015	42.82	0		FT
Depth to water	LGW-7	1/5/2016	40.95	0		FT
Depth to water	LGW-7	2/3/2016	46.83	0		FT
Depth to water	LGW-7	2/10/2016	42.86	0		FT
Depth to water	LGW-7	3/2/2016	43.57	0		FT
Depth to water	LGW-7	4/6/2016	44.14	0		FT
Depth to water	LGW-7	5/11/2016	44.5	0		FT
Depth to water	LGW-7	6/1/2016	44.55	0		FT
Depth to water	LGW-7	7/20/2016	44.74	0		FT
Depth to water	LGW-7	8/10/2016	45.37	0		FT
Depth to water	LGW-7	9/6/2016	45.75	0		FT
Depth to water	LGW-7	9/6/2016	45.75	0		FT
Depth to water	LGW-7	10/6/2016	46.21	0		FT
Depth to water	LGW-7	11/2/2016	46.34	0		FT
Depth to water	LGW-7	12/1/2016	46.55	0		FT
Depth to water	LGW-7	1/11/2017	46.61	0		FT
Depth to water	LGW-7	2/7/2017	46.63	0		FT
Depth to water	LGW-7	3/2/2017	46.63	0		FT
Depth to water	LGW-7	4/4/2017	45.51	0		FT
Depth to water	LGW-7	5/2/2017	40.1	0		FT
Depth to water	LGW-7	6/6/2017	41.7	0		FT
Depth to water	LGW-7	7/18/2017	43.58	0		FT
Depth to water	LGW-7	8/1/2017	43.9	0		FT
Depth to water	LGW-7	9/5/2017	43.15	0		FT
Depth to water	LGW-7	10/5/2017	44.03	0		FT
Depth to water	LGW-7	11/1/2017	44.2	0		FT
Depth to water	LGW-7	6/5/2018	42.9	0		FT
Depth to water	LGW-7	6/5/2018	42.9	0		FT
Depth to water	LGW-7	9/5/2018	44.18	0		FT
Depth to water	LGW-7	10/2/2018	44.49	0		FT
Depth to water	LGW-7	2/5/2019	43.11	0		FT
Depth to water	LGW-7	6/4/2019	42.37	0		FT
Depth to water	LGW-7	7/10/2019	41.6	0		FT
Depth to water	LGW-7	1/15/2020	40.57	0		FT
Depth to water	LGW-7	6/2/2020	39.61	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	7/9/2020	41.1	0		FT
Depth to water	LGW-7	8/3/2020	42.11	0		FT
Depth to water	LGW-7	11/4/2020	43.25	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-7	12/3/2020	43.33	0		FT
Depth to water	LGW-7	1/18/2021	42.64	0		FT
Depth to water	LGW-7	2/9/2021	42.42	0		FT
Depth to water	LGW-7	3/2/2021	42.76	0		FT
Depth to water	LGW-7	4/7/2021	41.97	0		FT
Depth to water	LGW-7	5/5/2021	40.27	0		FT
Depth to water	LGW-7	6/2/2021	40.81	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	7/7/2021	41.54	0		FT
Depth to water	LGW-7	8/3/2021	42.02	0		FT
Depth to water	LGW-7	9/2/2021	42.72	0		FT
Depth to water	LGW-7	10/5/2021	43.5	0		FT
Depth to water	LGW-7	10/5/2021	43.5	0		FT
Depth to water	LGW-7	11/2/2021	43.5	0		FT
Depth to water	LGW-7	12/9/2021	43.55	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	1/13/2022	42.67	0		FT
Depth to water	LGW-7	2/10/2022	43.1	0		FT
Depth to water	LGW-7	3/2/2022	42.05	0		FT
Depth to water	LGW-7	4/4/2022	41.65	0		FT
Depth to water	LGW-7	4/4/2022	41.65	0		FT
Depth to water	LGW-7	5/7/2022	38.51	0		FT
Depth to water	LGW-7	6/3/2022	40.44	0		FT
Depth to water	LGW-7	7/11/2022	41.5	0		FT
Depth to water	LGW-7	8/10/2022	42.25	0		FT
Depth to water	LGW-7	9/8/2022	43.05	0		FT
Depth to water	LGW-7	10/6/2022	43.62	0		FT
Depth to water	LGW-7	11/3/2022	43.86	0		FT
Depth to water	LGW-7	12/7/2022	43.67	0		FT
Depth to water	LGW-7	1/11/2023	43.2	0		FT
Depth to water	LGW-7	2/3/2023	43.05	0		FT
Depth to water	LGW-7	3/1/2023	41.91	0		FT
Depth to water	LGW-7	4/6/2023	41.05	0		FT
Depth to water	LGW-7	5/10/2023	42.13	0		FT
Depth to water	LGW-7	6/8/2023	42.68	0		FT
Depth to water	LGW-7	7/10/2023	43.17	0		FT
Depth to water	LGW-7	8/1/2023	43.4	0		FT
Depth to water	LGW-7	9/2/2023	43.43	0		FT
Depth to water	LGW-7	10/5/2023	43.65	0		FT
Depth to water	LGW-8R	8/29/2008	10	0		FT
Depth to water	LGW-8R	9/25/2008	9.54	0		FT
Depth to water	LGW-8R	9/25/2008	9.54	9.54	ND	FT
Depth to water	LGW-8R	10/21/2008	10.3	0		FT
Depth to water	LGW-8R	11/25/2008	10.68	0		FT
Depth to water	LGW-8R	12/19/2008	11.72	0		FT
Depth to water	LGW-8R	2/4/2009	9.83	9.83	ND	FT
Depth to water	LGW-8R	3/26/2009	10.05	0		FT
Depth to water	LGW-8R	4/16/2009	9.28	0		FT
Depth to water	LGW-8R	5/28/2009	9.02	0		FT
Depth to water	LGW-8R	6/25/2009	9.63	0		FT
Depth to water	LGW-8R	7/29/2009	10.32	0		FT
Depth to water	LGW-8R	8/28/2009	10.67	0		FT
Depth to water	LGW-8R	9/29/2009	10.8	10.8	ND	FT
Depth to water	LGW-8R	10/21/2009	9.94	0		FT
Depth to water	LGW-8R	11/24/2009	10.13	10.13	ND	FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-8R	12/17/2009	10.34	0		FT
Depth to water	LGW-8R	1/27/2010	10.4	0		FT
Depth to water	LGW-8R	2/15/2010	10.05	0		FT
Depth to water	LGW-8R	3/3/2010	10.35	0		FT
Depth to water	LGW-8R	4/7/2010	9.47	0		FT
Depth to water	LGW-8R	5/5/2010	10.32	0		FT
Depth to water	LGW-8R	6/16/2010	10.25	0		FT
Depth to water	LGW-8R	7/14/2010	7.69	0		FT
Depth to water	LGW-8R	8/10/2010	9.73	0		FT
Depth to water	LGW-8R	9/2/2010	10.22	0		FT
Depth to water	LGW-8R	9/29/2010	10.15	0		FT
Depth to water	LGW-8R	11/3/2010	10.58	0		FT
Depth to water	LGW-8R	12/2/2010	10.71	0		FT
Depth to water	LGW-8R	1/20/2011	11.72	0		FT
Depth to water	LGW-8R	2/7/2011	11.81	0		FT
Depth to water	LGW-8R	3/3/2011	11.39	0		FT
Depth to water	LGW-8R	5/10/2011	8.33	0		FT
Depth to water	LGW-8R	6/1/2011	7.86	0		FT
Depth to water	LGW-8R	7/12/2011	9.61	0		FT
Depth to water	LGW-8R	8/3/2011	10.19	0		FT
Depth to water	LGW-8R	9/7/2011	10.84	0		FT
Depth to water	LGW-8R	10/5/2011	11.21	0		FT
Depth to water	LGW-8R	11/1/2011	11.45	0		FT
Depth to water	LGW-8R	12/8/2011	10.91	0		FT
Depth to water	LGW-8R	1/5/2012	10.89	0		FT
Depth to water	LGW-8R	2/1/2012	10.74	0		FT
Depth to water	LGW-8R	3/7/2012	11.04	0		FT
Depth to water	LGW-8R	4/5/2012	10.31	0		FT
Depth to water	LGW-8R	6/5/2012	11.13	0		FT
Depth to water	LGW-8R	7/9/2012	11.83	0		FT
Depth to water	LGW-8R	8/9/2012	12.41	0		FT
Depth to water	LGW-8R	9/4/2012	12.59	0		FT
Depth to water	LGW-8R	10/7/2012	12.89	0		FT
Depth to water	LGW-8R	4/30/2013	9.45	9.45	ND	FT
Depth to water	LGW-8R	6/4/2013	9.21	0		FT
Depth to water	LGW-8R	8/8/2013	10.33	0		FT
Depth to water	LGW-8R	9/10/2013	11.81	0		FT
Depth to water	LGW-8R	10/1/2013	11.97	0		FT
Depth to water	LGW-8R	11/6/2013	11.8	0		FT
Depth to water	LGW-8R	12/2/2013	12	0		FT
Depth to water	LGW-8R	1/22/2014	11.13	0		FT
Depth to water	LGW-8R	2/12/2014	11.55	0		FT
Depth to water	LGW-8R	3/11/2014	11.76	0		FT
Depth to water	LGW-8R	4/2/2014	7.84	0		FT
Depth to water	LGW-8R	5/7/2014	11.38	0		FT
Depth to water	LGW-8R	6/3/2014	11.45	0		FT
Depth to water	LGW-8R	7/8/2014	11.82	0		FT
Depth to water	LGW-8R	8/5/2014	12.53	0		FT
Depth to water	LGW-8R	9/4/2014	12.5	0		FT
Depth to water	LGW-8R	10/9/2014	13.35	0		FT
Depth to water	LGW-8R	11/3/2014	13.4	0		FT
Depth to water	LGW-8R	1/14/2015	12.71	0		FT
Depth to water	LGW-8R	2/11/2015	13.2	0		FT
Depth to water	LGW-8R	3/3/2015	12.86	0		FT
Depth to water	LGW-8R	4/1/2015	11.44	0		FT
Depth to water	LGW-8R	5/6/2015	12.39	0		FT
Depth to water	LGW-8R	6/3/2015	10.2	0		FT
Depth to water	LGW-8R	7/22/2015	9.53	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-8R	8/4/2015	10.49	0		FT
Depth to water	LGW-8R	9/3/2015	10.95	0		FT
Depth to water	LGW-8R	10/6/2015	11.5	0		FT
Depth to water	LGW-8R	11/4/2015	11.77	0		FT
Depth to water	LGW-8R	12/3/2015	9.76	0		FT
Depth to water	LGW-8R	1/5/2016	8.68	0		FT
Depth to water	LGW-8R	2/3/2016	8.64	0		FT
Depth to water	LGW-8R	3/2/2016	10.36	0		FT
Depth to water	LGW-8R	4/5/2016	10.81	0		FT
Depth to water	LGW-8R	5/11/2016	10.61	0		FT
Depth to water	LGW-8R	6/1/2016	10.64	0		FT
Depth to water	LGW-8R	7/20/2016	10.6	0		FT
Depth to water	LGW-8R	8/10/2016	11.93	0		FT
Depth to water	LGW-8R	9/6/2016	12.28	0		FT
Depth to water	LGW-8R	10/6/2016	12.8	0		FT
Depth to water	LGW-8R	11/2/2016	12.93	0		FT
Depth to water	LGW-8R	12/1/2016	13.3	0		FT
Depth to water	LGW-8R	1/11/2017	13.1	0		FT
Depth to water	LGW-8R	2/7/2017	13.11	0		FT
Depth to water	LGW-8R	3/2/2017	13.44	0		FT
Depth to water	LGW-8R	4/4/2017	11.9	0		FT
Depth to water	LGW-8R	5/2/2017	7.55	0		FT
Depth to water	LGW-8R	6/6/2017	8.9	0		FT
Depth to water	LGW-8R	7/18/2017	10.57	0		FT
Depth to water	LGW-8R	8/1/2017	11.2	0		FT
Depth to water	LGW-8R	9/5/2017	10.51	0		FT
Depth to water	LGW-8R	10/5/2017	11.09	0		FT
Depth to water	LGW-8R	11/1/2017	11.18	0		FT
Depth to water	LGW-8R	6/5/2018	10.31	0		FT
Depth to water	LGW-8R	6/21/2018	10.74	0		FT
Depth to water	LGW-8R	9/5/2018	11.26	0		FT
Depth to water	LGW-8R	10/2/2018	11.71	0		FT
Depth to water	LGW-8R	2/5/2019	10.55	0		FT
Depth to water	LGW-8R	6/4/2019	9.99	0		FT
Depth to water	LGW-8R	1/14/2020	8.18	0		FT
Depth to water	LGW-8R	6/1/2020	8.22	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	7/7/2020	9.1	0		FT
Depth to water	LGW-8R	8/3/2020	9.72	0		FT
Depth to water	LGW-8R	11/2/2020	10.55	0		FT
Depth to water	LGW-8R	12/1/2020	10.7	0		FT
Depth to water	LGW-8R	1/17/2021	10.55	0		FT
Depth to water	LGW-8R	2/9/2021	10.11	0		FT
Depth to water	LGW-8R	3/2/2021	10.4	0		FT
Depth to water	LGW-8R	4/7/2021	9.97	0		FT
Depth to water	LGW-8R	5/5/2021	7.74	0		FT
Depth to water	LGW-8R	6/2/2021	8.78	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	7/7/2021	9.5	0		FT
Depth to water	LGW-8R	8/3/2021	9.89	0		FT
Depth to water	LGW-8R	9/2/2021	10.43	0		FT
Depth to water	LGW-8R	10/5/2021	10.99	0		FT
Depth to water	LGW-8R	11/2/2021	10.8	0		FT
Depth to water	LGW-8R	12/9/2021	10.95	0		FT
Depth to water	LGW-8R	1/13/2022	10.3	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-8R	1/13/2022	10.3	0		FT
Depth to water	LGW-8R	1/13/2022	10.3	0		FT
Depth to water	LGW-8R	2/10/2022	10.69	0		FT
Depth to water	LGW-8R	3/2/2022	9.77	0		FT
Depth to water	LGW-8R	4/5/2022	9.47	0		FT
Depth to water	LGW-8R	5/7/2022	6.59	0		FT
Depth to water	LGW-8R	6/3/2022	8.9	0		FT
Depth to water	LGW-8R	7/11/2022	9.52	0		FT
Depth to water	LGW-8R	8/10/2022	10.12	0		FT
Depth to water	LGW-8R	9/8/2022	10.55	0		FT
Depth to water	LGW-8R	10/6/2022	10.98	0		FT
Depth to water	LGW-8R	10/6/2022	10.98	0		FT
Depth to water	LGW-8R	11/3/2022	11.14	0		FT
Depth to water	LGW-8R	12/7/2022	10.95	0		FT
Depth to water	LGW-8R	1/11/2023	10.6	0		FT
Depth to water	LGW-8R	2/3/2023	10.5	0		FT
Depth to water	LGW-8R	3/1/2023	9.55	0		FT
Depth to water	LGW-8R	4/6/2023	9.32	0		FT
Depth to water	LGW-8R	5/10/2023	10.12	0		FT
Depth to water	LGW-8R	6/8/2023	10.45	0		FT
Depth to water	LGW-8R	7/10/2023	10.78	0		FT
Depth to water	LGW-8R	8/1/2023	10.95	0		FT
Depth to water	LGW-8R	9/2/2023	10.98	0		FT
Depth to water	LGW-8R	10/5/2023	10.9	0		FT
Depth to water	LGW-9	7/22/2008	54.12	0		FT
Depth to water	LGW-9	8/29/2008	54.68	0		FT
Depth to water	LGW-9	9/26/2008	54.43	0		FT
Depth to water	LGW-9	9/26/2008	54.43	0		FT
Depth to water	LGW-9	10/22/2008	54.77	0		FT
Depth to water	LGW-9	11/24/2008	55.15	0		FT
Depth to water	LGW-9	12/19/2008	55.38	0		FT
Depth to water	LGW-9	2/4/2009	55.51	0		FT
Depth to water	LGW-9	3/26/2009	55.48	0		FT
Depth to water	LGW-9	4/15/2009	55.26	0		FT
Depth to water	LGW-9	5/28/2009	54.48	0		FT
Depth to water	LGW-9	6/24/2009	54.81	0		FT
Depth to water	LGW-9	7/29/2009	55.25	0		FT
Depth to water	LGW-9	8/28/2009	55.44	0		FT
Depth to water	LGW-9	9/29/2009	55.51	0		FT
Depth to water	LGW-9	10/22/2009	55.15	0		FT
Depth to water	LGW-9	11/24/2009	55.25	0		FT
Depth to water	LGW-9	12/17/2009	55.35	0		FT
Depth to water	LGW-9	1/27/2010	55.69	0		FT
Depth to water	LGW-9	2/15/2010	55.4	0		FT
Depth to water	LGW-9	3/3/2010	55.31	0		FT
Depth to water	LGW-9	4/8/2010	55	0		FT
Depth to water	LGW-9	5/6/2010	55.22	0		FT
Depth to water	LGW-9	6/16/2010	55.04	0		FT
Depth to water	LGW-9	7/14/2010	55.23	0		FT
Depth to water	LGW-9	8/11/2010	54.81	0		FT
Depth to water	LGW-9	9/1/2010	55.11	0		FT
Depth to water	LGW-9	9/29/2010	54.93	0		FT
Depth to water	LGW-9	11/3/2010	55.37	0		FT
Depth to water	LGW-9	12/2/2010	55.59	0		FT
Depth to water	LGW-9	1/20/2011	55.89	0		FT
Depth to water	LGW-9	2/7/2011	56.03	0		FT
Depth to water	LGW-9	3/3/2011	55.81	0		FT
Depth to water	LGW-9	4/5/2011	55.78	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	5/10/2011	51.19	0		FT
Depth to water	LGW-9	6/1/2011	53.18	0		FT
Depth to water	LGW-9	7/12/2011	54.76	0		FT
Depth to water	LGW-9	8/4/2011	55.14	0		FT
Depth to water	LGW-9	10/5/2011	55.24	0		FT
Depth to water	LGW-9	11/1/2011	55.58	0		FT
Depth to water	LGW-9	12/8/2011	54.55	0		FT
Depth to water	LGW-9	1/5/2012	54.54	0		FT
Depth to water	LGW-9	2/1/2012	54.99	0		FT
Depth to water	LGW-9	3/7/2012	55.03	0		FT
Depth to water	LGW-9	4/5/2012	54.13	0		FT
Depth to water	LGW-9	5/1/2012	54.81	0		FT
Depth to water	LGW-9	6/5/2012	55.34	0		FT
Depth to water	LGW-9	7/10/2012	55.77	0		FT
Depth to water	LGW-9	8/9/2012	56	0		FT
Depth to water	LGW-9	9/4/2012	55.57	0		FT
Depth to water	LGW-9	10/7/2012	55.75	0		FT
Depth to water	LGW-9	5/1/2013	53.06	0		FT
Depth to water	LGW-9	6/4/2013	52.93	0		FT
Depth to water	LGW-9	7/15/2013	54.42	0		FT
Depth to water	LGW-9	8/8/2013	54.45	0		FT
Depth to water	LGW-9	9/10/2013	54.32	0		FT
Depth to water	LGW-9	10/1/2013	54.64	0		FT
Depth to water	LGW-9	11/6/2013	54.73	0		FT
Depth to water	LGW-9	12/2/2013	54.49	0		FT
Depth to water	LGW-9	1/23/2014	53.88	0		FT
Depth to water	LGW-9	2/13/2014	54.48	0		FT
Depth to water	LGW-9	3/11/2014	54.94	0		FT
Depth to water	LGW-9	4/2/2014	50.85	0		FT
Depth to water	LGW-9	6/3/2014	54.3	0		FT
Depth to water	LGW-9	7/8/2014	64.63	0		FT
Depth to water	LGW-9	8/5/2014	55.28	0		FT
Depth to water	LGW-9	9/4/2014	55.3	0		FT
Depth to water	LGW-9	10/9/2014	55.43	0		FT
Depth to water	LGW-9	11/3/2014	55.5	0		FT
Depth to water	LGW-9	1/14/2015	55.12	0		FT
Depth to water	LGW-9	2/11/2015	55.76	0		FT
Depth to water	LGW-9	3/3/2015	55.86	0		FT
Depth to water	LGW-9	4/1/2015	54.21	0		FT
Depth to water	LGW-9	5/7/2015	55.35	0		FT
Depth to water	LGW-9	6/3/2015	53.72	0		FT
Depth to water	LGW-9	7/13/2015	52.38	0		FT
Depth to water	LGW-9	8/4/2015	53.85	0		FT
Depth to water	LGW-9	9/3/2015	54.55	0		FT
Depth to water	LGW-9	10/6/2015	55.03	0		FT
Depth to water	LGW-9	11/4/2015	55.45	0		FT
Depth to water	LGW-9	12/3/2015	53.11	0		FT
Depth to water	LGW-9	1/5/2016	51.82	0		FT
Depth to water	LGW-9	2/3/2016	51.8	0		FT
Depth to water	LGW-9	3/2/2016	54.64	0		FT
Depth to water	LGW-9	4/5/2016	54.55	0		FT
Depth to water	LGW-9	5/11/2016	54.81	0		FT
Depth to water	LGW-9	6/1/2016	54.8	0		FT
Depth to water	LGW-9	7/21/2016	54.04	0		FT
Depth to water	LGW-9	8/10/2016	54.93	0		FT
Depth to water	LGW-9	9/6/2016	55.4	0		FT
Depth to water	LGW-9	9/6/2016	55.4	0		FT
Depth to water	LGW-9	10/6/2016	55.84	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	11/2/2016	56.02	0		FT
Depth to water	LGW-9	12/1/2016	56.25	0		FT
Depth to water	LGW-9	1/11/2017	56.59	0		FT
Depth to water	LGW-9	2/7/2017	56.62	0		FT
Depth to water	LGW-9	3/2/2017	56.36	0		FT
Depth to water	LGW-9	4/4/2017	54.74	0		FT
Depth to water	LGW-9	5/5/2017	50.2	0		FT
Depth to water	LGW-9	5/16/2017	52.16	0		FT
Depth to water	LGW-9	6/6/2017	52.71	0		FT
Depth to water	LGW-9	7/18/2017	54	0		FT
Depth to water	LGW-9	8/1/2017	54.55	0		FT
Depth to water	LGW-9	9/5/2017	53.55	0		FT
Depth to water	LGW-9	10/5/2017	54.89	0		FT
Depth to water	LGW-9	11/1/2017	55.13	0		FT
Depth to water	LGW-9	6/5/2018	53.8	0		FT
Depth to water	LGW-9	6/5/2018	53.8	0		FT
Depth to water	LGW-9	9/5/2018	54.37	0		FT
Depth to water	LGW-9	10/2/2018	55.21	0		FT
Depth to water	LGW-9	10/2/2018	55.21	0		FT
Depth to water	LGW-9	2/6/2019	53.83	0		FT
Depth to water	LGW-9	6/4/2019	53.41	0		FT
Depth to water	LGW-9	7/10/2019	52.5	0		FT
Depth to water	LGW-9	1/16/2020	52.31	0		FT
Depth to water	LGW-9	6/2/2020	51.24	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	7/9/2020	53.35	0		FT
Depth to water	LGW-9	8/3/2020	53.82	0		FT
Depth to water	LGW-9	11/3/2020	54.09	0		FT
Depth to water	LGW-9	12/2/2020	53.12	0		FT
Depth to water	LGW-9	1/17/2021	58.96	0		FT
Depth to water	LGW-9	2/9/2021	52.79	0		FT
Depth to water	LGW-9	3/2/2021	53.52	0		FT
Depth to water	LGW-9	4/6/2021	52.25	0		FT
Depth to water	LGW-9	4/6/2021	52.25	0		FT
Depth to water	LGW-9	5/5/2021	49.93	0		FT
Depth to water	LGW-9	6/2/2021	51.09	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	7/7/2021	52.94	0		FT
Depth to water	LGW-9	8/4/2021	53.54	0		FT
Depth to water	LGW-9	9/2/2021	54.34	0		FT
Depth to water	LGW-9	10/5/2021	54.99	0		FT
Depth to water	LGW-9	10/5/2021	54.99	0		FT
Depth to water	LGW-9	11/2/2021	53	0		FT
Depth to water	LGW-9	12/9/2021	54.39	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT
Depth to water	LGW-9	1/13/2022	53.03	0		FT
Depth to water	LGW-9	2/10/2022	54.26	0		FT
Depth to water	LGW-9	3/2/2022	51.84	0		FT
Depth to water	LGW-9	4/4/2022	51.5	0		FT
Depth to water	LGW-9	4/4/2022	51.5	0		FT
Depth to water	LGW-9	5/7/2022	48.2	0		FT
Depth to water	LGW-9	6/3/2022	52.25	0		FT
Depth to water	LGW-9	7/11/2022	53.45	0		FT
Depth to water	LGW-9	8/10/2022	54.1	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	LGW-9	9/8/2022	54.3	0		FT
Depth to water	LGW-9	10/7/2022	54.87	0		FT
Depth to water	LGW-9	10/7/2022	54.87	0		FT
Depth to water	LGW-9	11/3/2022	55.02	0		FT
Depth to water	LGW-9	12/7/2022	53.3	0		FT
Depth to water	LGW-9	1/11/2023	53.2	0		FT
Depth to water	LGW-9	2/3/2023	52.56	0		FT
Depth to water	LGW-9	3/1/2023	50.38	0		FT
Depth to water	LGW-9	4/5/2023	51.4	0		FT
Depth to water	LGW-9	5/10/2023	53.5	0		FT
Depth to water	LGW-9	6/8/2023	54	0		FT
Depth to water	LGW-9	7/10/2023	54.44	0		FT
Depth to water	LGW-9	8/1/2023	54.48	0		FT
Depth to water	LGW-9	9/2/2023	53.95	0		FT
Depth to water	LGW-9	10/5/2023	54.24	0		FT
Depth to water	MW-10N	7/21/2008	31.16	0		FT
Depth to water	MW-10N	2/13/2009	37.45	0		FT
Depth to water	MW-10N	7/31/2009	31.98	0		FT
Depth to water	MW-10N	1/27/2010	33.53	0		FT
Depth to water	MW-10N	8/10/2010	29.15	0		FT
Depth to water	MW-10N	1/19/2011	37.27	0		FT
Depth to water	MW-10N	7/14/2011	29.79	0		FT
Depth to water	MW-10N	1/5/2012	30.93	0		FT
Depth to water	MW-10N	7/10/2012	35.28	0		FT
Depth to water	MW-10N	5/1/2013	30.81	0		FT
Depth to water	MW-10N	1/24/2014	30.51	0		FT
Depth to water	MW-10N	7/9/2014	35.1	0		FT
Depth to water	MW-10N	2/12/2015	55.09	0		FT
Depth to water	MW-10N	7/14/2015	26.91	0		FT
Depth to water	MW-10N	1/6/2016	25.55	0		FT
Depth to water	MW-10N	7/21/2016	25.5	0		FT
Depth to water	MW-10N	1/11/2017	39.31	0		FT
Depth to water	MW-10N	7/19/2017	28.8	0		FT
Depth to water	MW-10N	1/16/2020	25.49	0		FT
Depth to water	MW-10N	7/8/2020	24.8	0		FT
Depth to water	MW-10N	7/8/2020	24.8	0		FT
Depth to water	MW-10N	7/5/2021	26.72	0		FT
Depth to water	MW-10N	7/5/2021	26.72	0		FT
Depth to water	MW-10N	1/11/2023	30.1	0		FT
Depth to water	MW-10N	4/8/2023	27.72	0		FT
Depth to water	MW-10N	7/7/2023	30.25	0		FT
Depth to water	MW-11N	7/23/2008	55.75	0		FT
Depth to water	MW-11N	2/3/2009	59.77	0		FT
Depth to water	MW-11N	7/31/2009	57.68	0		FT
Depth to water	MW-11N	2/3/2010	60.37	0		FT
Depth to water	MW-11N	2/3/2010	60.37	0		FT
Depth to water	MW-11N	7/16/2010	57.04	0		FT
Depth to water	MW-11N	1/19/2011	63.29	0		FT
Depth to water	MW-11N	7/13/2011	57.37	0		FT
Depth to water	MW-11N	1/4/2012	59.88	0		FT
Depth to water	MW-11N	7/9/2012	62.82	0		FT
Depth to water	MW-11N	4/30/2013	59.36	0		FT
Depth to water	MW-11N	7/15/2013	59.7	0		FT
Depth to water	MW-11N	1/23/2014	60.79	0		FT
Depth to water	MW-11N	7/8/2014	63.71	0		FT
Depth to water	MW-11N	2/10/2015	64.63	0		FT
Depth to water	MW-11N	7/13/2015	58.88	0		FT
Depth to water	MW-11N	1/5/2016	55.78	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-11N	7/21/2016	60.78	0		FT
Depth to water	MW-11N	1/11/2017	64.22	0		FT
Depth to water	MW-11N	7/19/2017	60.44	0		FT
Depth to water	MW-11N	1/14/2020	56.08	0		FT
Depth to water	MW-11N	7/6/2020	55.68	0		FT
Depth to water	MW-11N	7/6/2020	55.68	0		FT
Depth to water	MW-11N	1/18/2021	59.05	0		FT
Depth to water	MW-11N	7/6/2021	57.17	0		FT
Depth to water	MW-11N	7/6/2021	57.17	0		FT
Depth to water	MW-11N	1/18/2022	58.48	0		FT
Depth to water	MW-11N	1/18/2022	58.48	0		FT
Depth to water	MW-11N	7/13/2022	56.62	0		FT
Depth to water	MW-11N	10/6/2022	58.75	0		FT
Depth to water	MW-11N	1/10/2023	58.5	0		FT
Depth to water	MW-11N	7/8/2023	58.32	0		FT
Depth to water	MW-15	6/2/2015	58.33	0		FT
Depth to water	MW-15	6/5/2015	58.34	0		FT
Depth to water	MW-15	7/15/2015	56.92	0		FT
Depth to water	MW-15	8/5/2015	57.48	0		FT
Depth to water	MW-15	9/3/2015	58.1	0		FT
Depth to water	MW-15	10/6/2015	58.51	0		FT
Depth to water	MW-15	11/5/2015	58.86	0		FT
Depth to water	MW-15	12/4/2015	57.81	0		FT
Depth to water	MW-15	1/7/2016	52.51	0		FT
Depth to water	MW-15	2/4/2016	52.5	0		FT
Depth to water	MW-15	3/2/2016	58.13	0		FT
Depth to water	MW-15	4/5/2016	58.61	0		FT
Depth to water	MW-15	5/11/2016	58.82	0		FT
Depth to water	MW-15	6/1/2016	58.65	0		FT
Depth to water	MW-15	7/20/2016	58.42	0		FT
Depth to water	MW-15	8/10/2016	58.74	0		FT
Depth to water	MW-15	9/6/2016	58.48	0		FT
Depth to water	MW-15	10/6/2016	59.18	0		FT
Depth to water	MW-15	11/2/2016	58.88	0		FT
Depth to water	MW-15	12/1/2016	59.14	0		FT
Depth to water	MW-15	1/10/2017	59.65	0		FT
Depth to water	MW-15	2/7/2017	59.57	0		FT
Depth to water	MW-15	3/2/2017	59.72	0		FT
Depth to water	MW-15	4/4/2017	58.76	0		FT
Depth to water	MW-15	5/2/2017	52.5	0		FT
Depth to water	MW-15	6/6/2017	54.75	0		FT
Depth to water	MW-15	7/18/2017	57.8	0		FT
Depth to water	MW-15	8/1/2017	58.18	0		FT
Depth to water	MW-15	9/5/2017	57.38	0		FT
Depth to water	MW-15	10/6/2017	58.35	0		FT
Depth to water	MW-15	11/1/2017	58.47	0		FT
Depth to water	MW-15	6/5/2018	58.36	0		FT
Depth to water	MW-15	9/4/2018	58.8	0		FT
Depth to water	MW-15	10/2/2018	58.85	0		FT
Depth to water	MW-15	10/2/2018	58.85	0		FT
Depth to water	MW-15	2/5/2019	58.7	0		FT
Depth to water	MW-15	6/4/2019	58.03	0		FT
Depth to water	MW-15	1/14/2020	56.6	0		FT
Depth to water	MW-15	6/2/2020	54.55	0		FT
Depth to water	MW-15	7/7/2020	56.42	0		FT
Depth to water	MW-15	7/7/2020	56.42	0		FT
Depth to water	MW-15	8/3/2020	57.51	0		FT
Depth to water	MW-15	8/3/2020	57.51	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-15	11/4/2020	57.75	0		FT
Depth to water	MW-15	12/2/2020	57.69	0		FT
Depth to water	MW-15	1/18/2021	57.76	0		FT
Depth to water	MW-15	1/18/2021	57.76	0		FT
Depth to water	MW-15	2/10/2021	57.78	0		FT
Depth to water	MW-15	3/2/2021	57.86	0		FT
Depth to water	MW-15	4/7/2021	57.79	0		FT
Depth to water	MW-15	5/4/2021	57.77	0		FT
Depth to water	MW-15	6/1/2021	57.28	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	7/4/2021	57.4	0		FT
Depth to water	MW-15	8/3/2021	57.62	0		FT
Depth to water	MW-15	9/2/2021	58	0		FT
Depth to water	MW-15	10/5/2021	58.28	0		FT
Depth to water	MW-15	10/5/2021	58.28	0		FT
Depth to water	MW-15	11/1/2021	58.44	0		FT
Depth to water	MW-15	12/8/2021	58.35	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	1/12/2022	58.2	0		FT
Depth to water	MW-15	2/9/2022	58.21	0		FT
Depth to water	MW-15	3/1/2022	58.2	0		FT
Depth to water	MW-15	4/5/2022	58.16	0		FT
Depth to water	MW-15	5/7/2022	57.78	0		FT
Depth to water	MW-15	6/3/2022	55.83	0		FT
Depth to water	MW-15	7/10/2022	57.7	0		FT
Depth to water	MW-15	8/10/2022	58.19	0		FT
Depth to water	MW-15	9/8/2022	58.38	0		FT
Depth to water	MW-15	10/6/2022	58.46	0		FT
Depth to water	MW-15	10/6/2022	58.46	0		FT
Depth to water	MW-15	11/3/2022	58.52	0		FT
Depth to water	MW-15	12/7/2022	58.55	0		FT
Depth to water	MW-15	1/10/2023	58.35	0		FT
Depth to water	MW-15	2/3/2023	58.44	0		FT
Depth to water	MW-15	3/1/2023	58.28	0		FT
Depth to water	MW-15	4/5/2023	57.92	0		FT
Depth to water	MW-15	5/11/2023	58.18	0		FT
Depth to water	MW-15	6/8/2023	58.35	0		FT
Depth to water	MW-15	7/10/2023	58.58	0		FT
Depth to water	MW-15	8/1/2023	58.63	0		FT
Depth to water	MW-15	9/1/2023	58.67	0		FT
Depth to water	MW-15	10/4/2023	58.8	0		FT
Depth to water	MW-16	6/2/2015	67.51	0		FT
Depth to water	MW-16	6/5/2015	67.5	0		FT
Depth to water	MW-16	7/16/2015	63.36	0		FT
Depth to water	MW-16	8/5/2015	63.76	0		FT
Depth to water	MW-16	9/3/2015	65.84	0		FT
Depth to water	MW-16	10/6/2015	69.11	0		FT
Depth to water	MW-16	11/5/2015	70.46	0		FT
Depth to water	MW-16	12/4/2015	67.66	0		FT
Depth to water	MW-16	1/8/2016	60.5	0		FT
Depth to water	MW-16	2/4/2016	60.49	0		FT
Depth to water	MW-16	3/2/2016	64.66	0		FT
Depth to water	MW-16	4/5/2016	67.97	0		FT
Depth to water	MW-16	5/11/2016	70.3	0		FT
Depth to water	MW-16	6/2/2016	70.71	0		FT
Depth to water	MW-16	8/10/2016	71.55	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-16	9/6/2016	71.65	0		FT
Depth to water	MW-16	10/5/2016	71.8	0		FT
Depth to water	MW-16	11/2/2016	71.91	0		FT
Depth to water	MW-16	12/1/2016	75.45	0		FT
Depth to water	MW-16	1/10/2017	78	0		FT
Depth to water	MW-16	2/7/2017	78.15	0		FT
Depth to water	MW-16	3/2/2017	80.35	0		FT
Depth to water	MW-16	4/4/2017	73.77	0		FT
Depth to water	MW-16	5/2/2017	65.6	0		FT
Depth to water	MW-16	6/6/2017	62.01	0		FT
Depth to water	MW-16	7/18/2017	65.95	0		FT
Depth to water	MW-16	8/1/2017	67.25	0		FT
Depth to water	MW-16	9/5/2017	66.82	0		FT
Depth to water	MW-16	10/6/2017	70.31	0		FT
Depth to water	MW-16	11/1/2017	71.52	0		FT
Depth to water	MW-16	6/5/2018	69.31	0		FT
Depth to water	MW-16	9/5/2018	72.17	0		FT
Depth to water	MW-16	10/2/2018	72.46	0		FT
Depth to water	MW-16	2/5/2019	71.46	0		FT
Depth to water	MW-16	6/4/2019	67.75	0		FT
Depth to water	MW-16	1/14/2020	63.51	0		FT
Depth to water	MW-16	6/3/2020	60.75	0		FT
Depth to water	MW-16	7/7/2020	63.25	0		FT
Depth to water	MW-16	7/7/2020	63.25	0		FT
Depth to water	MW-16	8/3/2020	65.9	0		FT
Depth to water	MW-16	8/3/2020	65.9	0		FT
Depth to water	MW-16	11/4/2020	72.18	0		FT
Depth to water	MW-16	12/3/2020	72.45	0		FT
Depth to water	MW-16	1/18/2021	71.9	0		FT
Depth to water	MW-16	1/18/2021	71.9	0		FT
Depth to water	MW-16	2/10/2021	71.21	0		FT
Depth to water	MW-16	3/2/2021	71.77	0		FT
Depth to water	MW-16	4/7/2021	71.05	0		FT
Depth to water	MW-16	5/4/2021	68.13	0		FT
Depth to water	MW-16	6/1/2021	64.98	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	7/4/2021	67.22	0		FT
Depth to water	MW-16	8/3/2021	68	0		FT
Depth to water	MW-16	9/2/2021	71.92	0		FT
Depth to water	MW-16	10/5/2021	73.46	0		FT
Depth to water	MW-16	11/1/2021	73.29	0		FT
Depth to water	MW-16	12/8/2021	73.74	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	1/12/2022	72.02	0		FT
Depth to water	MW-16	2/9/2022	73.04	0		FT
Depth to water	MW-16	3/1/2022	71.91	0		FT
Depth to water	MW-16	4/5/2022	71.33	0		FT
Depth to water	MW-16	5/7/2022	65.36	0		FT
Depth to water	MW-16	6/3/2022	63.1	0		FT
Depth to water	MW-16	7/10/2022	66.85	0		FT
Depth to water	MW-16	8/10/2022	71.07	0		FT
Depth to water	MW-16	9/8/2022	72.11	0		FT
Depth to water	MW-16	10/6/2022	73.08	0		FT
Depth to water	MW-16	11/3/2022	73.07	0		FT
Depth to water	MW-16	12/7/2022	73.65	0		FT
Depth to water	MW-16	1/10/2023	73.85	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-16	2/3/2023	72.78	0		FT
Depth to water	MW-16	3/1/2023	70.52	0		FT
Depth to water	MW-16	4/5/2023	65.53	0		FT
Depth to water	MW-16	5/11/2023	69.18	0		FT
Depth to water	MW-16	6/8/2023	72.08	0		FT
Depth to water	MW-16	7/10/2023	73.34	0		FT
Depth to water	MW-16	8/1/2023	73.52	0		FT
Depth to water	MW-16	9/1/2023	73.7	0		FT
Depth to water	MW-16	10/4/2023	73.84	0		FT
Depth to water	MW-17	6/2/2015	57.31	0		FT
Depth to water	MW-17	6/5/2015	57.28	0		FT
Depth to water	MW-17	7/15/2015	55.72	0		FT
Depth to water	MW-17	8/4/2015	57.23	0		FT
Depth to water	MW-17	9/2/2015	58.06	0		FT
Depth to water	MW-17	10/5/2015	59.93	0		FT
Depth to water	MW-17	11/5/2015	61.11	0		FT
Depth to water	MW-17	12/3/2015	56.95	0		FT
Depth to water	MW-17	1/7/2016	51.84	0		FT
Depth to water	MW-17	2/3/2016	51.83	0		FT
Depth to water	MW-17	3/2/2016	51.8	0		FT
Depth to water	MW-17	4/5/2016	60.9	0		FT
Depth to water	MW-17	5/12/2016	61.33	0		FT
Depth to water	MW-17	6/1/2016	60.85	0		FT
Depth to water	MW-17	7/20/2016	60.58	0		FT
Depth to water	MW-17	8/11/2016	61.5	0		FT
Depth to water	MW-17	9/6/2016	60.82	0		FT
Depth to water	MW-17	10/6/2016	61.6	0		FT
Depth to water	MW-17	11/3/2016	61.63	0		FT
Depth to water	MW-17	12/2/2016	61.63	0		FT
Depth to water	MW-17	1/10/2017	61.6	0		FT
Depth to water	MW-17	2/7/2017	61.61	0		FT
Depth to water	MW-17	3/2/2017	61.66	0		FT
Depth to water	MW-17	4/4/2017	59.7	0		FT
Depth to water	MW-17	5/2/2017	50.49	0		FT
Depth to water	MW-17	5/16/2017	52.65	0		FT
Depth to water	MW-17	6/6/2017	54.15	0		FT
Depth to water	MW-17	7/18/2017	58.66	0		FT
Depth to water	MW-17	8/1/2017	59.71	0		FT
Depth to water	MW-17	9/5/2017	57.08	0		FT
Depth to water	MW-17	10/6/2017	57.35	0		FT
Depth to water	MW-17	11/1/2017	58.33	0		FT
Depth to water	MW-17	6/5/2018	58.63	0		FT
Depth to water	MW-17	9/5/2018	58.95	0		FT
Depth to water	MW-17	10/1/2018	59.01	0		FT
Depth to water	MW-17	10/1/2018	59.01	0		FT
Depth to water	MW-17	2/5/2019	58.97	0		FT
Depth to water	MW-17	6/5/2019	68.44	0		FT
Depth to water	MW-17	1/14/2020	56.19	0		FT
Depth to water	MW-17	6/2/2020	52.3	0		FT
Depth to water	MW-17	7/6/2020	56.66	0		FT
Depth to water	MW-17	7/6/2020	56.66	0		FT
Depth to water	MW-17	8/3/2020	58.38	0		FT
Depth to water	MW-17	8/3/2020	58.38	0		FT
Depth to water	MW-17	11/4/2020	59.81	0		FT
Depth to water	MW-17	12/3/2020	57.38	0		FT
Depth to water	MW-17	1/14/2021	59.37	0		FT
Depth to water	MW-17	2/10/2021	59.22	0		FT
Depth to water	MW-17	3/2/2021	59.64	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-17	4/7/2021	59.35	0		FT
Depth to water	MW-17	5/4/2021	57.83	0		FT
Depth to water	MW-17	6/1/2021	56.96	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	7/4/2021	57.87	0		FT
Depth to water	MW-17	8/3/2021	58.91	0		FT
Depth to water	MW-17	9/2/2021	59.81	0		FT
Depth to water	MW-17	10/5/2021	60.1	0		FT
Depth to water	MW-17	10/5/2021	60.1	0		FT
Depth to water	MW-17	11/1/2021	60.13	0		FT
Depth to water	MW-17	12/8/2021	60.04	0		FT
Depth to water	MW-17	1/10/2023	60.05	0		FT
Depth to water	MW-17	2/4/2023	60.24	0		FT
Depth to water	MW-17	3/1/2023	59.96	0		FT
Depth to water	MW-17	4/5/2023	58.17	0		FT
Depth to water	MW-17	5/10/2023	59.73	0		FT
Depth to water	MW-17	6/8/2023	60.15	0		FT
Depth to water	MW-17	7/8/2023	60.3	0		FT
Depth to water	MW-17	8/2/2023	60.31	0		FT
Depth to water	MW-17	9/1/2023	60.34	0		FT
Depth to water	MW-17	10/3/2023	60.4	0		FT
Depth to water	MW-19	6/2/2015	67.52	0		FT
Depth to water	MW-19	6/5/2015	67.46	0		FT
Depth to water	MW-19	7/16/2015	62.42	0		FT
Depth to water	MW-19	8/5/2015	66.91	0		FT
Depth to water	MW-19	9/3/2015	66.41	0		FT
Depth to water	MW-19	10/6/2015	67.55	0		FT
Depth to water	MW-19	11/5/2015	67.61	0		FT
Depth to water	MW-19	12/4/2015	66.36	0		FT
Depth to water	MW-19	1/7/2016	58.02	0		FT
Depth to water	MW-19	2/3/2016	58.03	0		FT
Depth to water	MW-19	3/3/2016	67.38	0		FT
Depth to water	MW-19	4/5/2016	67.4	0		FT
Depth to water	MW-19	5/12/2016	67.56	0		FT
Depth to water	MW-19	6/2/2016	67.61	0		FT
Depth to water	MW-19	7/21/2016	67.6	0		FT
Depth to water	MW-19	8/11/2016	67.58	0		FT
Depth to water	MW-19	9/6/2016	67.65	0		FT
Depth to water	MW-19	10/5/2016	67.95	0		FT
Depth to water	MW-19	11/3/2016	68.14	0		FT
Depth to water	MW-19	12/1/2016	68.24	0		FT
Depth to water	MW-19	1/10/2017	68.3	0		FT
Depth to water	MW-19	2/7/2017	68.32	0		FT
Depth to water	MW-19	3/2/2017	68.45	0		FT
Depth to water	MW-19	4/4/2017	67.6	0		FT
Depth to water	MW-19	5/2/2017	54.95	0		FT
Depth to water	MW-19	6/6/2017	59.95	0		FT
Depth to water	MW-19	7/18/2017	66.55	0		FT
Depth to water	MW-19	8/1/2017	67.32	0		FT
Depth to water	MW-19	9/5/2017	67.38	0		FT
Depth to water	MW-19	10/6/2017	67.44	0		FT
Depth to water	MW-19	11/1/2017	67.52	0		FT
Depth to water	MW-19	6/5/2018	67.51	0		FT
Depth to water	MW-19	9/5/2018	68.6	0		FT
Depth to water	MW-19	10/2/2018	67.8	0		FT
Depth to water	MW-19	10/2/2018	67.8	0		FT
Depth to water	MW-19	2/6/2019	67.57	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-19	6/4/2019	67.54	0		FT
Depth to water	MW-19	1/14/2020	61.31	0		FT
Depth to water	MW-19	6/2/2020	57.49	0		FT
Depth to water	MW-19	7/6/2020	62.43	0		FT
Depth to water	MW-19	7/6/2020	62.43	0		FT
Depth to water	MW-19	8/3/2020	67.32	0		FT
Depth to water	MW-19	8/3/2020	67.32	0		FT
Depth to water	MW-19	11/3/2020	67.62	0		FT
Depth to water	MW-19	12/3/2020	67.52	0		FT
Depth to water	MW-19	1/14/2021	68.3	0		FT
Depth to water	MW-19	2/10/2021	68.38	0		FT
Depth to water	MW-19	3/2/2021	68.33	0		FT
Depth to water	MW-19	4/7/2021	68.35	0		FT
Depth to water	MW-19	5/4/2021	63.71	0		FT
Depth to water	MW-19	6/1/2021	63.81	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	7/4/2021	67.05	0		FT
Depth to water	MW-19	8/3/2021	67.65	0		FT
Depth to water	MW-19	9/2/2021	67.9	0		FT
Depth to water	MW-19	10/5/2021	68.1	0		FT
Depth to water	MW-19	11/1/2021	67.65	0		FT
Depth to water	MW-19	12/8/2021	68.05	0		FT
Depth to water	MW-19	12/7/2022	68.65	0		FT
Depth to water	MW-19	1/11/2023	67.85	0		FT
Depth to water	MW-19	2/3/2023	67.57	0		FT
Depth to water	MW-19	3/1/2023	67.55	0		FT
Depth to water	MW-19	4/6/2023	67.35	0		FT
Depth to water	MW-19	5/10/2023	67.75	0		FT
Depth to water	MW-19	6/8/2023	67.9	0		FT
Depth to water	MW-19	7/10/2023	68.15	0		FT
Depth to water	MW-19	8/1/2023	68.1	0		FT
Depth to water	MW-19	9/1/2023	68.2	0		FT
Depth to water	MW-19	10/3/2023	68.15	0		FT
Depth to water	MW-1N	7/21/2008	75.08	0		FT
Depth to water	MW-1N	2/5/2009	79.27	0		FT
Depth to water	MW-1N	7/31/2009	77.35	0		FT
Depth to water	MW-1N	1/26/2010	78.83	0		FT
Depth to water	MW-1N	7/13/2010	77.56	0		FT
Depth to water	MW-1N	1/20/2011	80.09	0		FT
Depth to water	MW-1N	7/13/2011	74.84	0		FT
Depth to water	MW-1N	1/5/2012	77.84	0		FT
Depth to water	MW-1N	7/10/2012	79.57	0		FT
Depth to water	MW-1N	5/1/2013	78.42	0		FT
Depth to water	MW-1N	7/16/2013	78.43	0		FT
Depth to water	MW-1N	1/24/2014	77.79	0		FT
Depth to water	MW-1N	7/9/2014	79.47	0		FT
Depth to water	MW-1N	2/10/2015	79.58	0		FT
Depth to water	MW-1N	7/14/2015	74.03	0		FT
Depth to water	MW-1N	1/6/2016	71.29	0		FT
Depth to water	MW-1N	7/21/2016	71.06	0		FT
Depth to water	MW-1N	1/12/2017	81.51	0		FT
Depth to water	MW-1N	7/19/2017	75.66	0		FT
Depth to water	MW-1N	10/3/2018	79.87	0		FT
Depth to water	MW-1N	7/6/2020	72.6	0		FT
Depth to water	MW-1N	7/6/2020	72.6	0		FT
Depth to water	MW-1N	7/4/2021	75.72	0		FT
Depth to water	MW-1N	7/4/2021	75.72	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-1N	10/6/2021	80.24	0		FT
Depth to water	MW-1N	1/11/2023	79.53	0		FT
Depth to water	MW-1N	7/8/2023	80.33	0		FT
Depth to water	MW-20	6/2/2015	67.53	0		FT
Depth to water	MW-20	6/5/2015	67.42	0		FT
Depth to water	MW-20	7/14/2015	64.69	0		FT
Depth to water	MW-20	8/4/2015	64.46	0		FT
Depth to water	MW-20	9/2/2015	65.76	0		FT
Depth to water	MW-20	10/5/2015	67.08	0		FT
Depth to water	MW-20	1/7/2016	58.7	0		FT
Depth to water	MW-20	4/5/2016	66.14	0		FT
Depth to water	MW-20	7/20/2016	58.68	0		FT
Depth to water	MW-20	10/5/2016	68.7	0		FT
Depth to water	MW-20	1/12/2017	69.55	0		FT
Depth to water	MW-20	7/18/2017	64.2	0		FT
Depth to water	MW-20	1/14/2020	61.87	0		FT
Depth to water	MW-20	7/7/2020	60.49	0		FT
Depth to water	MW-20	7/7/2020	60.49	0		FT
Depth to water	MW-20	7/4/2021	63.39	0		FT
Depth to water	MW-20	7/4/2021	63.39	0		FT
Depth to water	MW-20	1/11/2023	65.7	0		FT
Depth to water	MW-21	6/2/2015	22.87	0		FT
Depth to water	MW-21	6/5/2015	22.82	0		FT
Depth to water	MW-21	7/14/2015	19.64	0		FT
Depth to water	MW-21	8/4/2015	20.21	0		FT
Depth to water	MW-21	9/2/2015	21.31	0		FT
Depth to water	MW-21	10/5/2015	23.05	0		FT
Depth to water	MW-21	1/7/2016	16.94	0		FT
Depth to water	MW-21	2/10/2016	20.48	0		FT
Depth to water	MW-21	4/5/2016	22.89	0		FT
Depth to water	MW-21	7/20/2016	22.85	0		FT
Depth to water	MW-21	10/5/2016	31.54	0		FT
Depth to water	MW-21	1/10/2017	35.26	0		FT
Depth to water	MW-21	4/5/2017	29.9	0		FT
Depth to water	MW-21	7/19/2017	21.5	0		FT
Depth to water	MW-21	10/6/2017	23.24	0		FT
Depth to water	MW-21	10/4/2018	26.57	0		FT
Depth to water	MW-21	7/11/2019	19.57	0		FT
Depth to water	MW-21	1/16/2020	18.45	0		FT
Depth to water	MW-21	7/8/2020	17.55	0		FT
Depth to water	MW-21	7/8/2020	17.55	0		FT
Depth to water	MW-21	4/6/2021	21.05	0		FT
Depth to water	MW-21	7/5/2021	19.59	0		FT
Depth to water	MW-21	7/5/2021	19.59	0		FT
Depth to water	MW-21	10/6/2021	23.9	0		FT
Depth to water	MW-21	1/11/2023	23.35	0		FT
Depth to water	MW-21	4/8/2023	20.45	0		FT
Depth to water	MW-21	7/7/2023	23.51	0		FT
Depth to water	MW-21	10/6/2023	23.79	0		FT
Depth to water	MW-2N	7/22/2008	66.79	0		FT
Depth to water	MW-2N	2/4/2009	69.97	0		FT
Depth to water	MW-2N	7/31/2009	68.24	0		FT
Depth to water	MW-2N	1/26/2010	69.86	0		FT
Depth to water	MW-2N	7/13/2010	68.67	0		FT
Depth to water	MW-2N	1/20/2011	70.19	0		FT
Depth to water	MW-2N	7/13/2011	66.03	0		FT
Depth to water	MW-2N	1/5/2012	68.86	0		FT
Depth to water	MW-2N	7/10/2012	69.8	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-2N	5/1/2013	69.14	0		FT
Depth to water	MW-2N	7/16/2013	69.05	0		FT
Depth to water	MW-2N	1/24/2014	68.92	0		FT
Depth to water	MW-2N	7/9/2014	69.33	0		FT
Depth to water	MW-2N	2/12/2015	70.14	0		FT
Depth to water	MW-2N	7/14/2015	65.9	0		FT
Depth to water	MW-2N	1/6/2016	61.08	0		FT
Depth to water	MW-2N	7/21/2016	61.01	0		FT
Depth to water	MW-2N	1/11/2017	70.43	0		FT
Depth to water	MW-2N	7/19/2017	65.96	0		FT
Depth to water	MW-2N	6/21/2018	68.11	0		FT
Depth to water	MW-2N	7/7/2020	62.54	0		FT
Depth to water	MW-2N	7/7/2020	62.54	0		FT
Depth to water	MW-2N	7/5/2021	65.19	0		FT
Depth to water	MW-2N	7/5/2021	65.19	0		FT
Depth to water	MW-2N	10/6/2021	69.1	0		FT
Depth to water	MW-2N	1/11/2023	68.2	0		FT
Depth to water	MW-2N	4/8/2023	65.07	0		FT
Depth to water	MW-2N	7/8/2023	68.95	0		FT
Depth to water	MW-3N	7/22/2008	41.92	0		FT
Depth to water	MW-3N	2/4/2009	50.32	0		FT
Depth to water	MW-3N	7/31/2009	47.08	0		FT
Depth to water	MW-3N	1/26/2010	50.39	0		FT
Depth to water	MW-3N	7/13/2010	41.89	0		FT
Depth to water	MW-3N	1/20/2011	52.21	0		FT
Depth to water	MW-3N	7/14/2011	34.8	0		FT
Depth to water	MW-3N	1/5/2012	42.29	0		FT
Depth to water	MW-3N	7/11/2012	51.45	0		FT
Depth to water	MW-3N	5/1/2013	40.03	0		FT
Depth to water	MW-3N	6/4/2013	39.04	0		FT
Depth to water	MW-3N	7/16/2013	46.03	0		FT
Depth to water	MW-3N	1/24/2014	42.81	0		FT
Depth to water	MW-3N	7/9/2014	50.71	0		FT
Depth to water	MW-3N	2/12/2015	51.56	0		FT
Depth to water	MW-3N	4/1/2015	44.94	0		FT
Depth to water	MW-3N	7/14/2015	35.34	0		FT
Depth to water	MW-3N	10/5/2015	46.19	0		FT
Depth to water	MW-3N	1/6/2016	31.03	0		FT
Depth to water	MW-3N	4/6/2016	44.66	0		FT
Depth to water	MW-3N	7/21/2016	31.08	0		FT
Depth to water	MW-3N	10/6/2016	51.11	0		FT
Depth to water	MW-3N	1/11/2017	51.25	0		FT
Depth to water	MW-3N	4/4/2017	48.26	0		FT
Depth to water	MW-3N	7/19/2017	43.02	0		FT
Depth to water	MW-3N	10/9/2017	48	0		FT
Depth to water	MW-3N	6/6/2018	41.85	0		FT
Depth to water	MW-3N	10/3/2018	50.67	0		FT
Depth to water	MW-3N	10/3/2018	50.67	0		FT
Depth to water	MW-3N	7/11/2019	36.88	0		FT
Depth to water	MW-3N	1/15/2020	35.01	0		FT
Depth to water	MW-3N	7/7/2020	38.31	0		FT
Depth to water	MW-3N	7/7/2020	38.31	0		FT
Depth to water	MW-3N	4/6/2021	40.26	0		FT
Depth to water	MW-3N	7/5/2021	40.19	0		FT
Depth to water	MW-3N	7/5/2021	40.19	0		FT
Depth to water	MW-3N	10/6/2021	49.05	0		FT
Depth to water	MW-3N	1/11/2023	45.46	0		FT
Depth to water	MW-3N	7/7/2023	44.61	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-3N	10/6/2023	43.88	0		FT
Depth to water	MW-7N	7/21/2008	89.22	0		FT
Depth to water	MW-7N	8/29/2008	89.85	0		FT
Depth to water	MW-7N	9/25/2008	89.4	0		FT
Depth to water	MW-7N	9/25/2008	89.4	0		FT
Depth to water	MW-7N	10/21/2008	90.25	0		FT
Depth to water	MW-7N	11/24/2008	91.23	0		FT
Depth to water	MW-7N	12/18/2008	91.83	0		FT
Depth to water	MW-7N	2/6/2009	92.08	0		FT
Depth to water	MW-7N	3/25/2009	91.5	0		FT
Depth to water	MW-7N	4/15/2009	90.98	0		FT
Depth to water	MW-7N	6/25/2009	89.84	0		FT
Depth to water	MW-7N	7/29/2009	90.29	0		FT
Depth to water	MW-7N	8/28/2009	90.78	0		FT
Depth to water	MW-7N	9/29/2009	91.41	0		FT
Depth to water	MW-7N	10/21/2009	90.12	0		FT
Depth to water	MW-7N	10/26/2009	90.3	0		FT
Depth to water	MW-7N	11/24/2009	90.22	0		FT
Depth to water	MW-7N	12/17/2009	90.48	0		FT
Depth to water	MW-7N	1/26/2010	91.24	0		FT
Depth to water	MW-7N	2/15/2010	90.87	0		FT
Depth to water	MW-7N	3/3/2010	90.84	0		FT
Depth to water	MW-7N	4/8/2010	90.25	0		FT
Depth to water	MW-7N	5/6/2010	90.38	0		FT
Depth to water	MW-7N	6/16/2010	89.95	0		FT
Depth to water	MW-7N	7/14/2010	89.4	0		FT
Depth to water	MW-7N	8/11/2010	89.53	0		FT
Depth to water	MW-7N	9/2/2010	90.18	0		FT
Depth to water	MW-7N	9/2/2010	90.18	0		FT
Depth to water	MW-7N	9/29/2010	89.93	0		FT
Depth to water	MW-7N	11/3/2010	90.48	0		FT
Depth to water	MW-7N	12/2/2010	91.01	0		FT
Depth to water	MW-7N	1/20/2011	91.88	0		FT
Depth to water	MW-7N	2/7/2011	92.17	0		FT
Depth to water	MW-7N	3/3/2011	92.08	0		FT
Depth to water	MW-7N	4/5/2011	91.97	0		FT
Depth to water	MW-7N	5/10/2011	87.94	0		FT
Depth to water	MW-7N	6/1/2011	87.73	0		FT
Depth to water	MW-7N	7/12/2011	89.27	0		FT
Depth to water	MW-7N	8/4/2011	89.86	0		FT
Depth to water	MW-7N	9/7/2011	90.56	0		FT
Depth to water	MW-7N	10/5/2011	90.44	0		FT
Depth to water	MW-7N	11/1/2011	91.14	0		FT
Depth to water	MW-7N	12/8/2011	90.05	0		FT
Depth to water	MW-7N	1/5/2012	89.92	0		FT
Depth to water	MW-7N	2/1/2012	90.21	0		FT
Depth to water	MW-7N	3/7/2012	90.3	0		FT
Depth to water	MW-7N	4/5/2012	89.23	0		FT
Depth to water	MW-7N	5/1/2012	90	0		FT
Depth to water	MW-7N	5/10/2012	90.28	0		FT
Depth to water	MW-7N	6/5/2012	91.04	0		FT
Depth to water	MW-7N	7/10/2012	91.19	0		FT
Depth to water	MW-7N	8/9/2012	93	0		FT
Depth to water	MW-7N	9/4/2012	93.41	0		FT
Depth to water	MW-7N	10/7/2012	93.34	0		FT
Depth to water	MW-7N	5/1/2013	88.78	0		FT
Depth to water	MW-7N	6/4/2013	88.03	0		FT
Depth to water	MW-7N	6/4/2013	88.03	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-7N	7/15/2013	89.77	0		FT
Depth to water	MW-7N	8/8/2013	90.25	0		FT
Depth to water	MW-7N	9/10/2013	89.94	0		FT
Depth to water	MW-7N	10/1/2013	90.6	0		FT
Depth to water	MW-7N	11/6/2013	90.83	0		FT
Depth to water	MW-7N	12/2/2013	90.64	0		FT
Depth to water	MW-7N	1/30/2014	89.68	0		FT
Depth to water	MW-7N	2/13/2014	90.15	0		FT
Depth to water	MW-7N	3/11/2014	90.81	0		FT
Depth to water	MW-7N	4/2/2014	86.9	0		FT
Depth to water	MW-7N	5/7/2014	89.85	0		FT
Depth to water	MW-7N	6/3/2014	89.84	0		FT
Depth to water	MW-7N	7/9/2014	90.02	0		FT
Depth to water	MW-7N	8/5/2014	91.4	0		FT
Depth to water	MW-7N	9/4/2014	91.2	0		FT
Depth to water	MW-7N	10/9/2014	91.33	0		FT
Depth to water	MW-7N	11/3/2014	91.37	0		FT
Depth to water	MW-7N	1/14/2015	91.64	0		FT
Depth to water	MW-7N	2/12/2015	92.21	0		FT
Depth to water	MW-7N	3/3/2015	92.58	0		FT
Depth to water	MW-7N	4/1/2015	91.04	0		FT
Depth to water	MW-7N	5/7/2015	91.43	0		FT
Depth to water	MW-7N	6/3/2015	89.54	0		FT
Depth to water	MW-7N	7/13/2015	88.25	0		FT
Depth to water	MW-7N	8/4/2015	88.21	0		FT
Depth to water	MW-7N	9/3/2015	88.53	0		FT
Depth to water	MW-7N	10/6/2015	89.73	0		FT
Depth to water	MW-7N	11/4/2015	90.44	0		FT
Depth to water	MW-7N	12/3/2015	89.32	0		FT
Depth to water	MW-7N	1/5/2016	87.68	0		FT
Depth to water	MW-7N	2/3/2016	87.65	0		FT
Depth to water	MW-7N	3/2/2016	88.94	0		FT
Depth to water	MW-7N	4/5/2016	89.11	0		FT
Depth to water	MW-7N	5/11/2016	89.01	0		FT
Depth to water	MW-7N	6/1/2016	89.9	0		FT
Depth to water	MW-7N	7/21/2016	87.66	0		FT
Depth to water	MW-7N	8/10/2016	90.83	0		FT
Depth to water	MW-7N	9/6/2016	91.7	0		FT
Depth to water	MW-7N	10/6/2016	92.52	0		FT
Depth to water	MW-7N	11/2/2016	93.1	0		FT
Depth to water	MW-7N	12/1/2016	93.61	0		FT
Depth to water	MW-7N	1/11/2017	94.35	0		FT
Depth to water	MW-7N	2/7/2017	94.34	0		FT
Depth to water	MW-7N	3/2/2017	94.53	0		FT
Depth to water	MW-7N	3/2/2017	94.33	0		FT
Depth to water	MW-7N	4/4/2017	94.53	0		FT
Depth to water	MW-7N	5/16/2017	88.52	0		FT
Depth to water	MW-7N	6/6/2017	93.91	0		FT
Depth to water	MW-7N	7/19/2017	94.03	0		FT
Depth to water	MW-7N	8/1/2017	89.12	0		FT
Depth to water	MW-7N	9/5/2017	91.94	0		FT
Depth to water	MW-7N	10/5/2017	89.49	0		FT
Depth to water	MW-7N	11/1/2017	95.44	0		FT
Depth to water	MW-7N	6/5/2018	88.44	0		FT
Depth to water	MW-7N	6/5/2018	88.44	0		FT
Depth to water	MW-7N	9/5/2018	90.53	0		FT
Depth to water	MW-7N	10/4/2018	91.38	0		FT
Depth to water	MW-7N	2/5/2019	89.59	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-7N	6/4/2019	88.2	0		FT
Depth to water	MW-7N	1/16/2020	86.47	0		FT
Depth to water	MW-7N	6/2/2020	84.8	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	7/7/2020	85.45	0		FT
Depth to water	MW-7N	8/3/2020	86.2	0		FT
Depth to water	MW-7N	11/3/2020	89.07	0		FT
Depth to water	MW-7N	12/2/2020	88.34	0		FT
Depth to water	MW-7N	1/16/2021	87.48	0		FT
Depth to water	MW-7N	2/9/2021	87.19	0		FT
Depth to water	MW-7N	3/2/2021	87.54	0		FT
Depth to water	MW-7N	4/7/2021	86.74	0		FT
Depth to water	MW-7N	5/5/2021	86.18	0		FT
Depth to water	MW-7N	6/2/2021	85.18	0		FT
Depth to water	MW-7N	7/5/2021	85.25	0		FT
Depth to water	MW-7N	7/5/2021	85.25	0		FT
Depth to water	MW-7N	7/5/2021	85.25	0		FT
Depth to water	MW-7N	8/3/2021	85.55	0		FT
Depth to water	MW-7N	9/2/2021	86.67	0		FT
Depth to water	MW-7N	10/5/2021	87.95	0		FT
Depth to water	MW-7N	10/5/2021	87.95	0		FT
Depth to water	MW-7N	11/1/2021	88.25	0		FT
Depth to water	MW-7N	12/8/2021	87.75	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	1/12/2022	86.76	0		FT
Depth to water	MW-7N	2/9/2022	87.06	0		FT
Depth to water	MW-7N	3/1/2022	86.52	0		FT
Depth to water	MW-7N	4/4/2022	85.82	0		FT
Depth to water	MW-7N	4/4/2022	85.82	0		FT
Depth to water	MW-7N	5/7/2022	83.86	0		FT
Depth to water	MW-7N	6/3/2022	83.4	0		FT
Depth to water	MW-7N	7/10/2022	84.1	0		FT
Depth to water	MW-7N	8/10/2022	85.35	0		FT
Depth to water	MW-7N	9/8/2022	86.28	0		FT
Depth to water	MW-7N	10/6/2022	87.24	0		FT
Depth to water	MW-7N	10/6/2022	87.24	0		FT
Depth to water	MW-7N	11/3/2022	88.12	0		FT
Depth to water	MW-7N	12/7/2022	87.9	0		FT
Depth to water	MW-7N	1/10/2023	86.76	0		FT
Depth to water	MW-7N	2/3/2023	86.98	0		FT
Depth to water	MW-7N	3/1/2023	85.62	0		FT
Depth to water	MW-7N	4/5/2023	84.17	0		FT
Depth to water	MW-7N	5/10/2023	85.16	0		FT
Depth to water	MW-7N	6/8/2023	86.28	0		FT
Depth to water	MW-7N	7/7/2023	87.1	0		FT
Depth to water	MW-7N	8/1/2023	87.5	0		FT
Depth to water	MW-7N	9/2/2023	87.48	0		FT
Depth to water	MW-7N	10/4/2023	87.91	0		FT
Depth to water	MW-8N	7/23/2008	28.99	0		FT
Depth to water	MW-8N	10/21/2008	20.9	0		FT
Depth to water	MW-8N	2/4/2009	34.73	0		FT
Depth to water	MW-8N	4/16/2009	32.91	0		FT
Depth to water	MW-8N	7/31/2009	31.61	0		FT
Depth to water	MW-8N	10/26/2009	30.5	0		FT
Depth to water	MW-8N	1/26/2010	32.63	0		FT
Depth to water	MW-8N	4/8/2010	31.17	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	MW-8N	7/16/2010	29.68	0		FT
Depth to water	MW-8N	9/2/2010	31.98	0		FT
Depth to water	MW-8N	9/30/2010	31.48	0		FT
Depth to water	MW-8N	1/19/2011	34.34	0		FT
Depth to water	MW-8N	5/10/2011	29.48	0		FT
Depth to water	MW-8N	7/14/2011	31.54	0		FT
Depth to water	MW-8N	1/6/2012	32.24	0		FT
Depth to water	MW-8N	4/5/2012	31.06	0		FT
Depth to water	MW-8N	7/11/2012	34.73	0		FT
Depth to water	MW-8N	10/3/2012	36.63	0		FT
Depth to water	MW-8N	5/1/2013	29.9	0		FT
Depth to water	MW-8N	6/4/2013	28.61	0		FT
Depth to water	MW-8N	7/16/2013	31.09	0		FT
Depth to water	MW-8N	10/2/2013	31.68	0		FT
Depth to water	MW-8N	1/30/2014	30.53	0		FT
Depth to water	MW-8N	4/3/2014	27.9	0		FT
Depth to water	MW-8N	7/9/2014	32.5	0		FT
Depth to water	MW-8N	10/8/2014	36.07	0		FT
Depth to water	MW-8N	2/12/2015	33.84	0		FT
Depth to water	MW-8N	4/1/2015	32.55	0		FT
Depth to water	MW-8N	7/14/2015	28.35	0		FT
Depth to water	MW-8N	10/5/2015	30.32	0		FT
Depth to water	MW-8N	1/5/2016	27.76	0		FT
Depth to water	MW-8N	4/6/2016	30.38	0		FT
Depth to water	MW-8N	7/21/2016	27.73	0		FT
Depth to water	MW-8N	10/6/2016	34.75	0		FT
Depth to water	MW-8N	1/11/2017	37.7	0		FT
Depth to water	MW-8N	4/4/2017	36.22	0		FT
Depth to water	MW-8N	7/19/2017	30.28	0		FT
Depth to water	MW-8N	10/6/2017	30.72	0		FT
Depth to water	MW-8N	6/6/2018	30.1	0		FT
Depth to water	MW-8N	10/2/2018	33.37	0		FT
Depth to water	MW-8N	7/11/2019	28.67	0		FT
Depth to water	MW-8N	1/15/2020	25.01	0		FT
Depth to water	MW-8N	7/9/2020	25.01	0		FT
Depth to water	MW-8N	7/9/2020	25.01	0		FT
Depth to water	MW-8N	4/6/2021	26.58	0		FT
Depth to water	MW-8N	7/5/2021	25.14	0		FT
Depth to water	MW-8N	7/5/2021	25.14	0		FT
Depth to water	MW-8N	10/6/2021	29.43	0		FT
Depth to water	MW-8N	1/18/2022	26.56	0		FT
Depth to water	MW-8N	1/18/2022	26.56	0		FT
Depth to water	MW-8N	7/12/2022	25.12	0		FT
Depth to water	MW-8N	10/6/2022	29.45	0		FT
Depth to water	MW-8N	1/11/2023	29	0		FT
Depth to water	MW-8N	4/8/2023	26.74	0		FT
Depth to water	MW-8N	7/7/2023	29.89	0		FT
Depth to water	MW-8N	10/5/2023	29.98	0		FT
Depth to water	NE-1	7/21/2008	45.15	0		FT
Depth to water	NE-1	2/7/2009	47.16	0		FT
Depth to water	NE-1	7/31/2009	46.16	0		FT
Depth to water	NE-1	1/26/2010	46.43	0		FT
Depth to water	NE-1	7/14/2010	43.05	0		FT
Depth to water	NE-1	9/2/2010	46.49	0		FT
Depth to water	NE-1	9/30/2010	45.61	0		FT
Depth to water	NE-1	1/19/2011	47.19	0		FT
Depth to water	NE-1	7/13/2011	48.07	0		FT
Depth to water	NE-1	1/5/2012	45.74	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-1	7/10/2012	47.3	0		FT
Depth to water	NE-1	4/30/2013	46.02	0		FT
Depth to water	NE-1	7/16/2013	44.91	0		FT
Depth to water	NE-1	1/23/2014	43.43	0		FT
Depth to water	NE-1	7/9/2014	45.6	0		FT
Depth to water	NE-1	2/11/2015	46.36	0		FT
Depth to water	NE-1	7/8/2015	43.48	0		FT
Depth to water	NE-1	1/6/2016	41.11	0		FT
Depth to water	NE-1	7/20/2016	44.5	0		FT
Depth to water	NE-1	1/11/2017	48.3	0		FT
Depth to water	NE-1	7/19/2017	45.1	0		FT
Depth to water	NE-1	10/2/2018	46.99	0		FT
Depth to water	NE-1	7/10/2019	42.75	0		FT
Depth to water	NE-1	7/10/2019	42.75	0		FT
Depth to water	NE-1	7/8/2020	44.85	0		FT
Depth to water	NE-1	7/8/2020	44.85	0		FT
Depth to water	NE-1	4/9/2021	44.35	0		FT
Depth to water	NE-1	7/2/2021	44.51	0		FT
Depth to water	NE-1	7/2/2021	44.51	0		FT
Depth to water	NE-1	10/6/2021	46.85	0		FT
Depth to water	NE-1	1/17/2022	44.44	0		FT
Depth to water	NE-1	1/17/2022	44.44	0		FT
Depth to water	NE-1	4/6/2022	43.35	0		FT
Depth to water	NE-1	7/13/2022	44.73	0		FT
Depth to water	NE-1	10/6/2022	46.72	0		FT
Depth to water	NE-1	1/5/2023	46.38	0		FT
Depth to water	NE-1	4/7/2023	44.89	0		FT
Depth to water	NE-1	7/5/2023	46.92	0		FT
Depth to water	NE-1	10/5/2023	46.41	0		FT
Depth to water	NE-10D	11/6/2019	97.4	0		FT
Depth to water	NE-10D	7/8/2020	95.32	0		FT
Depth to water	NE-10D	7/8/2020	95.32	0		FT
Depth to water	NE-10D	4/9/2021	99.89	0		FT
Depth to water	NE-10D	7/2/2021	98.32	0		FT
Depth to water	NE-10D	7/2/2021	98.32	0		FT
Depth to water	NE-10D	10/7/2021	101.09	0		FT
Depth to water	NE-10D	1/6/2023	102.1	0		FT
Depth to water	NE-10D	4/6/2023	100.25	0		FT
Depth to water	NE-10D	7/8/2023	101.28	0		FT
Depth to water	NE-10D	10/3/2023	101.85	0		FT
Depth to water	NE-11	3/1/2017	53	0		FT
Depth to water	NE-11	4/6/2017	52.87	0		FT
Depth to water	NE-11	7/20/2017	50.05	0		FT
Depth to water	NE-11	10/9/2017	49.74	0		FT
Depth to water	NE-11	1/14/2020	39.61	0		FT
Depth to water	NE-11	7/7/2020	48.48	0		FT
Depth to water	NE-11	7/7/2020	48.48	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	7/1/2021	48.7	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	1/17/2022	49.58	0		FT
Depth to water	NE-11	7/12/2022	48.25	0		FT
Depth to water	NE-11	1/6/2023	49.72	0		FT
Depth to water	NE-11	7/6/2023	49.46	0		FT
Depth to water	NE-12	3/1/2017	60.62	0		FT
Depth to water	NE-12	4/6/2017	57.91	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-12	7/20/2017	58.5	0		FT
Depth to water	NE-12	10/6/2017	58.73	0		FT
Depth to water	NE-12	7/9/2019	55.7	0		FT
Depth to water	NE-12	1/13/2020	53.34	0		FT
Depth to water	NE-12	7/7/2020	57.19	0		FT
Depth to water	NE-12	7/7/2020	57.19	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	7/1/2021	56.83	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	1/17/2022	56.61	0		FT
Depth to water	NE-12	7/12/2022	57.85	0		FT
Depth to water	NE-12	1/6/2023	58.57	0		FT
Depth to water	NE-12	7/5/2023	59.24	0		FT
Depth to water	NE-13	2/5/2019	39.18	0		FT
Depth to water	NE-13	7/11/2019	34.68	0		FT
Depth to water	NE-13	1/15/2020	32.91	0		FT
Depth to water	NE-13	7/8/2020	36.4	0		FT
Depth to water	NE-13	7/8/2020	36.4	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-13	7/1/2021	37.91	0		FT
Depth to water	NE-14D	7/7/2020	14.4	0		FT
Depth to water	NE-14D	7/7/2020	14.4	0		FT
Depth to water	NE-14D	4/9/2021	16.64	0		FT
Depth to water	NE-14D	7/2/2021	15.19	0		FT
Depth to water	NE-14D	7/2/2021	15.19	0		FT
Depth to water	NE-14D	10/7/2021	17.24	0		FT
Depth to water	NE-14D	1/18/2022	17.08	0		FT
Depth to water	NE-14D	1/18/2022	17.08	0		FT
Depth to water	NE-14D	4/6/2022	16.3	0		FT
Depth to water	NE-14D	7/13/2022	15.4	0		FT
Depth to water	NE-14D	10/7/2022	17.34	0		FT
Depth to water	NE-14D	1/6/2023	17.27	0		FT
Depth to water	NE-14D	4/6/2023	15.69	0		FT
Depth to water	NE-14D	7/5/2023	17.15	0		FT
Depth to water	NE-14D	10/4/2023	17.41	0		FT
Depth to water	NE-14S	7/7/2020	16.6	0		FT
Depth to water	NE-14S	7/7/2020	16.6	0		FT
Depth to water	NE-14S	4/9/2021	18.85	0		FT
Depth to water	NE-14S	7/2/2021	17.19	0		FT
Depth to water	NE-14S	7/2/2021	17.19	0		FT
Depth to water	NE-14S	10/7/2021	19.03	0		FT
Depth to water	NE-14S	1/18/2022	19.15	0		FT
Depth to water	NE-14S	1/18/2022	19.15	0		FT
Depth to water	NE-14S	4/6/2022	18.15	0		FT
Depth to water	NE-14S	7/13/2022	17.6	0		FT
Depth to water	NE-14S	10/7/2022	19.59	0		FT
Depth to water	NE-14S	1/6/2023	19.45	0		FT
Depth to water	NE-14S	4/6/2023	17.91	0		FT
Depth to water	NE-14S	7/5/2023	19.62	0		FT
Depth to water	NE-14S	10/4/2023	19.7	0		FT
Depth to water	NE-15D	7/7/2020	44.66	0		FT
Depth to water	NE-15D	7/7/2020	44.66	0		FT
Depth to water	NE-15D	4/9/2021	45.97	0		FT
Depth to water	NE-15D	7/2/2021	45.08	0		FT
Depth to water	NE-15D	7/2/2021	45.08	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-15D	10/7/2021	47.49	0		FT
Depth to water	NE-15D	1/17/2022	46.97	0		FT
Depth to water	NE-15D	1/17/2022	46.97	0		FT
Depth to water	NE-15D	4/6/2022	46.02	0		FT
Depth to water	NE-15D	7/13/2022	45.5	0		FT
Depth to water	NE-15D	10/7/2022	47.54	0		FT
Depth to water	NE-15D	1/6/2023	47.08	0		FT
Depth to water	NE-15D	4/6/2023	44.9	0		FT
Depth to water	NE-15D	7/6/2023	47.32	0		FT
Depth to water	NE-15D	10/6/2023	47.64	0		FT
Depth to water	NE-2	12/19/2008	23.44	0		FT
Depth to water	NE-2	10/26/2009	22.12	0		FT
Depth to water	NE-2	9/2/2010	22.39	0		FT
Depth to water	NE-2	9/30/2010	21.85	0		FT
Depth to water	NE-2	4/5/2012	20.01	0		FT
Depth to water	NE-2	10/1/2013	20.9	0		FT
Depth to water	NE-2	10/8/2014	23.5	0		FT
Depth to water	NE-2	10/5/2015	20.96	0		FT
Depth to water	NE-2	10/6/2016	22.11	0		FT
Depth to water	NE-2	10/5/2017	21.33	0		FT
Depth to water	NE-2	10/1/2018	22.25	0		FT
Depth to water	NE-2	7/9/2019	18.24	0		FT
Depth to water	NE-2	7/9/2019	18.24	0		FT
Depth to water	NE-2	7/7/2020	19.75	0		FT
Depth to water	NE-2	7/7/2020	19.75	0		FT
Depth to water	NE-2	4/9/2021	19.45	0		FT
Depth to water	NE-2	7/2/2021	19.48	0		FT
Depth to water	NE-2	7/2/2021	19.48	0		FT
Depth to water	NE-2	10/6/2021	21.4	0		FT
Depth to water	NE-2	1/18/2022	18.51	0		FT
Depth to water	NE-2	1/18/2022	18.51	0		FT
Depth to water	NE-2	4/6/2022	18.05	0		FT
Depth to water	NE-2	7/13/2022	20.43	0		FT
Depth to water	NE-2	10/7/2022	21.61	0		FT
Depth to water	NE-2	1/5/2023	20.85	0		FT
Depth to water	NE-2	4/5/2023	19.84	0		FT
Depth to water	NE-2	7/5/2023	21.88	0		FT
Depth to water	NE-2	10/4/2023	21.6	0		FT
Depth to water	NE-4	7/21/2008	60.91	0		FT
Depth to water	NE-4	2/7/2009	64.53	0		FT
Depth to water	NE-4	7/31/2009	64.5	0		FT
Depth to water	NE-4	1/26/2010	64.55	0		FT
Depth to water	NE-4	1/19/2011	64.57	0		FT
Depth to water	NE-4	7/13/2011	64.49	0		FT
Depth to water	NE-4	1/5/2012	64.53	0		FT
Depth to water	NE-4	7/10/2012	64.6	0		FT
Depth to water	NE-4	4/30/2013	64.7	0		FT
Depth to water	NE-4	7/16/2013	6.49	0		FT
Depth to water	NE-4	1/23/2014	64.64	0		FT
Depth to water	NE-4	7/9/2014	64.63	0		FT
Depth to water	NE-4	2/13/2015	64.67	0		FT
Depth to water	NE-4	7/8/2015	64.48	0		FT
Depth to water	NE-4	1/6/2016	57.69	0		FT
Depth to water	NE-4	7/20/2016	64.56	0		FT
Depth to water	NE-4	1/11/2017	64.61	0		FT
Depth to water	NE-4	7/19/2017	64.65	0		FT
Depth to water	NE-4	10/3/2018	64.77	0		FT
Depth to water	NE-4	7/8/2019	64.21	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-4	7/8/2019	64.21	0		FT
Depth to water	NE-4	7/6/2020	62.08	0		FT
Depth to water	NE-4	7/6/2020	62.08	0		FT
Depth to water	NE-4	4/9/2021	64.71	0		FT
Depth to water	NE-4	7/2/2021	64.67	0		FT
Depth to water	NE-4	7/2/2021	64.67	0		FT
Depth to water	NE-4	10/6/2021	64.74	0		FT
Depth to water	NE-4	1/5/2023	64.75	0		FT
Depth to water	NE-4	4/6/2023	64.7	0		FT
Depth to water	NE-4	7/5/2023	64.75	0		FT
Depth to water	NE-4	10/4/2023	64.73	0		FT
Depth to water	NE-5	7/22/2008	69.77	0		FT
Depth to water	NE-5	2/6/2009	71.79	0		FT
Depth to water	NE-5	7/31/2009	70.37	0		FT
Depth to water	NE-5	1/26/2010	71.11	0		FT
Depth to water	NE-5	7/16/2010	70.39	0		FT
Depth to water	NE-5	9/2/2010	70.22	0		FT
Depth to water	NE-5	1/19/2011	71.51	0		FT
Depth to water	NE-5	7/13/2011	71.51	0		FT
Depth to water	NE-5	1/5/2012	70.46	0		FT
Depth to water	NE-5	7/10/2012	71.61	0		FT
Depth to water	NE-5	7/16/2013	70.07	0		FT
Depth to water	NE-5	1/23/2014	69.9	0		FT
Depth to water	NE-5	7/9/2014	70.55	0		FT
Depth to water	NE-5	2/11/2015	72.08	0		FT
Depth to water	NE-5	7/14/2015	69.63	0		FT
Depth to water	NE-5	1/6/2016	68.47	0		FT
Depth to water	NE-5	2/11/2016	68.76	0		FT
Depth to water	NE-5	7/20/2016	10.73	0		FT
Depth to water	NE-5	1/11/2017	73.45	0		FT
Depth to water	NE-5	7/19/2017	69.79	0		FT
Depth to water	NE-5	10/3/2018	71.74	0		FT
Depth to water	NE-5	7/9/2019	64.24	0		FT
Depth to water	NE-5	7/9/2019	69.24	0		FT
Depth to water	NE-5	7/9/2019	69.24	0		FT
Depth to water	NE-5	7/8/2020	68.1	0		FT
Depth to water	NE-5	7/8/2020	68.1	0		FT
Depth to water	NE-5	4/9/2021	69.33	0		FT
Depth to water	NE-5	7/2/2021	68.17	0		FT
Depth to water	NE-5	7/2/2021	68.17	0		FT
Depth to water	NE-5	10/6/2021	69.7	0		FT
Depth to water	NE-5	1/18/2022	69.29	0		FT
Depth to water	NE-5	1/18/2022	69.29	0		FT
Depth to water	NE-5	4/6/2022	68.5	0		FT
Depth to water	NE-5	7/13/2022	67.5	0		FT
Depth to water	NE-5	10/7/2022	69.95	0		FT
Depth to water	NE-5	1/5/2023	69.89	0		FT
Depth to water	NE-5	4/7/2023	68.18	0		FT
Depth to water	NE-5	7/6/2023	69.53	0		FT
Depth to water	NE-5	10/4/2023	70.45	0		FT
Depth to water	NE-5E	7/8/2020	65.35	0		FT
Depth to water	NE-5E	7/8/2020	65.35	0		FT
Depth to water	NE-5E	4/9/2021	66.6	0		FT
Depth to water	NE-5E	7/2/2021	65.5	0		FT
Depth to water	NE-5E	7/2/2021	65.5	0		FT
Depth to water	NE-5E	10/6/2021	67	0		FT
Depth to water	NE-5E	1/18/2022	66.57	0		FT
Depth to water	NE-5E	1/18/2022	66.57	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-5E	4/6/2022	65.76	0		FT
Depth to water	NE-5E	7/13/2022	64.9	0		FT
Depth to water	NE-5E	10/7/2022	66.9	0		FT
Depth to water	NE-5E	1/5/2023	67.15	0		FT
Depth to water	NE-5E	4/7/2023	65.51	0		FT
Depth to water	NE-5E	7/6/2023	66.88	0		FT
Depth to water	NE-5E	10/4/2023	67.71	0		FT
Depth to water	NE-5W	7/8/2020	69.8	0		FT
Depth to water	NE-5W	7/8/2020	69.8	0		FT
Depth to water	NE-5W	4/9/2021	70.78	0		FT
Depth to water	NE-5W	7/2/2021	69.76	0		FT
Depth to water	NE-5W	7/2/2021	69.76	0		FT
Depth to water	NE-5W	10/6/2021	71.22	0		FT
Depth to water	NE-5W	1/18/2022	70.68	0		FT
Depth to water	NE-5W	1/18/2022	70.68	0		FT
Depth to water	NE-5W	4/6/2022	69.92	0		FT
Depth to water	NE-5W	7/13/2022	69.2	0		FT
Depth to water	NE-5W	10/7/2022	71.04	0		FT
Depth to water	NE-5W	1/5/2023	71.22	0		FT
Depth to water	NE-5W	4/7/2023	69.56	0		FT
Depth to water	NE-5W	7/6/2023	70.92	0		FT
Depth to water	NE-5W	10/4/2023	71.85	0		FT
Depth to water	NE-6	1/12/2017	33.39	0		FT
Depth to water	NE-6	4/5/2017	34.42	0		FT
Depth to water	NE-6	7/19/2017	21.15	0		FT
Depth to water	NE-6	10/6/2017	27.4	0		FT
Depth to water	NE-6	2/4/2019	28.8	0		FT
Depth to water	NE-6	7/9/2019	25.93	0		FT
Depth to water	NE-6	1/15/2020	25.28	0		FT
Depth to water	NE-6	7/9/2020	25.2	0		FT
Depth to water	NE-6	7/9/2020	25.2	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	7/1/2021	25.06	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	1/17/2022	26.79	0		FT
Depth to water	NE-6	7/12/2022	25.18	0		FT
Depth to water	NE-6	1/5/2023	29.14	0		FT
Depth to water	NE-6	7/6/2023	30.1	0		FT
Depth to water	NE-6D	7/9/2020	28.81	0		FT
Depth to water	NE-6D	7/9/2020	28.81	0		FT
Depth to water	NE-6D	4/9/2021	30.06	0		FT
Depth to water	NE-6D	7/2/2021	25.87	0		FT
Depth to water	NE-6D	7/2/2021	25.87	0		FT
Depth to water	NE-6D	10/7/2021	32.6	0		FT
Depth to water	NE-6D	1/17/2022	30.23	0		FT
Depth to water	NE-6D	1/17/2022	30.23	0		FT
Depth to water	NE-6D	4/6/2022	29.45	0		FT
Depth to water	NE-6D	7/12/2022	28.9	0		FT
Depth to water	NE-6D	10/7/2022	32.67	0		FT
Depth to water	NE-6D	1/5/2023	32.02	0		FT
Depth to water	NE-6D	4/7/2023	29.93	0		FT
Depth to water	NE-6D	7/6/2023	32.8	0		FT
Depth to water	NE-6D	10/4/2023	32.79	0		FT
Depth to water	NE-7	3/1/2017	64.4	0		FT
Depth to water	NE-7	4/6/2017	62.76	0		FT
Depth to water	NE-7	7/20/2017	60.54	0		FT

Constituent	Sample Point	Date	Result	Limit	ND	Units
Depth to water	NE-7	10/5/2017	60.82	0		FT
Depth to water	NE-7	2/6/2019	60.9	0		FT
Depth to water	NE-7	7/10/2019	58.69	0		FT
Depth to water	NE-7	1/16/2020	57.36	0		FT
Depth to water	NE-7	7/7/2020	58.46	0		FT
Depth to water	NE-7	7/7/2020	58.46	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	7/1/2021	58.3	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	1/17/2022	59.13	0		FT
Depth to water	NE-7	7/12/2022	58.7	0		FT
Depth to water	NE-7	1/5/2023	60.69	0		FT
Depth to water	NE-7	7/6/2023	60.72	0		FT
Depth to water	NE-8	1/12/2017	17.59	0		FT
Depth to water	NE-8	4/5/2017	16.12	0		FT
Depth to water	NE-8	7/20/2017	11.02	0		FT
Depth to water	NE-8	10/6/2017	11.4	0		FT
Depth to water	NE-8	2/4/2019	11.54	0		FT
Depth to water	NE-8	7/11/2019	9	0		FT
Depth to water	NE-8	1/15/2020	7.87	0		FT
Depth to water	NE-8	7/8/2020	8.04	0		FT
Depth to water	NE-8	7/8/2020	8.04	0		FT
Depth to water	NE-8	4/9/2021	10.7	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	7/1/2021	9.61	0		FT
Depth to water	NE-8	10/7/2021	12.28	0		FT
Depth to water	NE-8	1/6/2023	12.95	0		FT
Depth to water	NE-8	7/5/2023	12.82	0		FT
Depth to water	NE-9	1/12/2017	9.8	0		FT
Depth to water	NE-9	4/5/2017	9.02	0		FT
Depth to water	NE-9	7/20/2017	7.23	0		FT
Depth to water	NE-9	10/5/2017	8.24	0		FT
Depth to water	NE-9	2/5/2019	9.69	0		FT
Depth to water	NE-9	7/8/2019	8.38	0		FT
Depth to water	NE-9	1/15/2020	8.18	0		FT
Depth to water	NE-9	7/7/2020	8.61	0		FT
Depth to water	NE-9	7/7/2020	8.61	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	7/1/2021	8.91	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	1/17/2022	9.46	0		FT
Depth to water	NE-9	7/13/2022	9.03	0		FT
Depth to water	NE-9	1/6/2023	9.58	0		FT
Depth to water	NE-9	4/8/2023	9.02	0		FT
Depth to water	NE-9	7/5/2023	9.52	0		FT
Depth to water	NE-9	10/6/2023	9.65	0		FT
Diallate	LGW-10	10/26/2006	20	20	ND	ug/L
Diallate	LGW-10	7/9/2012	19	19	ND	ug/L
Diallate	LGW-10	2/12/2015	19	19	ND	ug/L
Diallate	LGW-10	10/6/2016	19	19	ND	ug/L
Diallate	LGW-10	10/9/2017	19	19	ND	ug/L
Diallate	LGW-10	7/16/2018	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	LGW-10	7/11/2019	20	20	ND	ug/L
Diallate	LGW-10	7/9/2020	10	10	ND	ug/L
Diallate	LGW-10	7/7/2021	20	20	ND	ug/L
Diallate	LGW-10	10/5/2023	20	20	ND	ug/L
Diallate	LGW-14R	10/27/2006	20	20	ND	ug/L
Diallate	LGW-14R	2/6/2009	20	20	ND	ug/L
Diallate	LGW-14R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-14R	2/11/2015	20	20	ND	ug/L
Diallate	LGW-14R	7/17/2018	20	20	ND	ug/L
Diallate	LGW-14R	7/7/2021	20	20	ND	ug/L
Diallate	LGW-2	10/26/2006	20	20	ND	ug/L
Diallate	LGW-2	2/13/2009	20	20	ND	ug/L
Diallate	LGW-2	7/9/2012	19	19	ND	ug/L
Diallate	LGW-2	2/13/2015	26	26	ND	ug/L
Diallate	LGW-2	7/12/2018	19	19	ND	ug/L
Diallate	LGW-2	7/8/2020	10	10	ND	ug/L
Diallate	LGW-2	7/4/2021	20	20	ND	ug/L
Diallate	LGW-3R	10/26/2006	20	20	ND	ug/L
Diallate	LGW-3R	2/3/2009	20	20	ND	ug/L
Diallate	LGW-3R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-3R	2/10/2015	19	19	ND	ug/L
Diallate	LGW-3R	7/11/2018	20	20	ND	ug/L
Diallate	LGW-3R	7/6/2021	20	20	ND	ug/L
Diallate	LGW-4	10/26/2006	20	20	ND	ug/L
Diallate	LGW-4	2/3/2009	20	20	ND	ug/L
Diallate	LGW-4	7/9/2012	19	19	ND	ug/L
Diallate	LGW-4	2/11/2015	19	19	ND	ug/L
Diallate	LGW-4	7/11/2018	20	20	ND	ug/L
Diallate	LGW-4	7/7/2021	20	20	ND	ug/L
Diallate	LGW-5	10/26/2006	20	20	ND	ug/L
Diallate	LGW-5	2/4/2009	20	20	ND	ug/L
Diallate	LGW-5	7/9/2012	19	19	ND	ug/L
Diallate	LGW-5	2/10/2015	19	19	ND	ug/L
Diallate	LGW-5	7/12/2018	20	20	ND	ug/L
Diallate	LGW-5	7/7/2021	20	20	ND	ug/L
Diallate	LGW-5	10/5/2023	20	20	ND	ug/L
Diallate	LGW-6	10/26/2006	20	20	ND	ug/L
Diallate	LGW-6	2/5/2009	20	20	ND	ug/L
Diallate	LGW-6	7/9/2012	19	19	ND	ug/L
Diallate	LGW-6	2/10/2015	20	20	ND	ug/L
Diallate	LGW-6	10/6/2016	19	19	ND	ug/L
Diallate	LGW-6	10/5/2017	19	19	ND	ug/L
Diallate	LGW-6	7/17/2018	20	20	ND	ug/L
Diallate	LGW-6	7/10/2019	20	20	ND	ug/L
Diallate	LGW-6	7/9/2020	10	10	ND	ug/L
Diallate	LGW-6	7/7/2021	20	20	ND	ug/L
Diallate	LGW-6	10/5/2023	20	20	ND	ug/L
Diallate	LGW-7	10/26/2006	20	20	ND	ug/L
Diallate	LGW-7	2/4/2009	20	20	ND	ug/L
Diallate	LGW-7	7/10/2012	19	19	ND	ug/L
Diallate	LGW-7	2/11/2015	19	19	ND	ug/L
Diallate	LGW-7	10/6/2016	19	19	ND	ug/L
Diallate	LGW-7	10/5/2017	19	19	ND	ug/L
Diallate	LGW-7	7/12/2018	20	20	ND	ug/L
Diallate	LGW-7	7/10/2019	20	20	ND	ug/L
Diallate	LGW-7	7/9/2020	10	10	ND	ug/L
Diallate	LGW-7	7/7/2021	20	20	ND	ug/L
Diallate	LGW-8R	10/26/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	LGW-8R	2/4/2009	20	20	ND	ug/L
Diallate	LGW-8R	7/9/2012	19	19	ND	ug/L
Diallate	LGW-8R	2/11/2015	20	20	ND	ug/L
Diallate	LGW-8R	7/13/2018	20	20	ND	ug/L
Diallate	LGW-8R	7/7/2021	20	20	ND	ug/L
Diallate	LGW-9	10/26/2006	20	20	ND	ug/L
Diallate	LGW-9	2/4/2009	20	20	ND	ug/L
Diallate	LGW-9	7/10/2012	19	19	ND	ug/L
Diallate	LGW-9	2/11/2015	20	20	ND	ug/L
Diallate	LGW-9	10/6/2016	19	19	ND	ug/L
Diallate	LGW-9	10/5/2017	19	19	ND	ug/L
Diallate	LGW-9	7/13/2018	19	19	ND	ug/L
Diallate	LGW-9	7/10/2019	20	20	ND	ug/L
Diallate	LGW-9	7/9/2020	10	10	ND	ug/L
Diallate	LGW-9	7/7/2021	20	20	ND	ug/L
Diallate	LGW-9	10/5/2023	20	20	ND	ug/L
Diallate	MW-10N	10/25/2006	20	20	ND	ug/L
Diallate	MW-10N	2/13/2009	20	20	ND	ug/L
Diallate	MW-10N	7/10/2012	19	19	ND	ug/L
Diallate	MW-10N	2/12/2015	19	19	ND	ug/L
Diallate	MW-10N	7/11/2018	19	19	ND	ug/L
Diallate	MW-10N	7/5/2021	20	20	ND	ug/L
Diallate	MW-11N	10/25/2006	20	20	ND	ug/L
Diallate	MW-11N	2/3/2009	20	20	ND	ug/L
Diallate	MW-11N	7/9/2012	19	19	ND	ug/L
Diallate	MW-11N	2/10/2015	20	20	ND	ug/L
Diallate	MW-11N	7/17/2018	20	20	ND	ug/L
Diallate	MW-11N	7/6/2021	20	20	ND	ug/L
Diallate	MW-15	7/10/2018	20	20	ND	ug/L
Diallate	MW-15	7/4/2021	20	20	ND	ug/L
Diallate	MW-16	7/11/2018	19	19	ND	ug/L
Diallate	MW-16	7/4/2021	20	20	ND	ug/L
Diallate	MW-17	7/10/2018	19	19	ND	ug/L
Diallate	MW-17	7/4/2021	20	20	ND	ug/L
Diallate	MW-19	7/13/2018	19	19	ND	ug/L
Diallate	MW-19	7/4/2021	20	20	ND	ug/L
Diallate	MW-1N	10/14/1998	10	10	ND	ug/L
Diallate	MW-1N	5/29/2002	10	10	ND	ug/L
Diallate	MW-1N	5/29/2002	10	10	ND	ug/L
Diallate	MW-1N	10/24/2006	20	20	ND	ug/L
Diallate	MW-1N	2/5/2009	20	20	ND	ug/L
Diallate	MW-1N	7/10/2012	19	19	ND	ug/L
Diallate	MW-1N	2/10/2015	19	19	ND	ug/L
Diallate	MW-1N	7/10/2018	20	20	ND	ug/L
Diallate	MW-1N	7/6/2020	10	10	ND	ug/L
Diallate	MW-1N	7/4/2021	20	20	ND	ug/L
Diallate	MW-20	7/12/2018	19	19	ND	ug/L
Diallate	MW-20	7/4/2021	20	20	ND	ug/L
Diallate	MW-21	10/5/2016	19	19	ND	ug/L
Diallate	MW-21	10/6/2017	19	19	ND	ug/L
Diallate	MW-21	7/11/2018	19	19	ND	ug/L
Diallate	MW-21	7/11/2019	20	20	ND	ug/L
Diallate	MW-21	7/8/2020	10	10	ND	ug/L
Diallate	MW-21	7/5/2021	20	20	ND	ug/L
Diallate	MW-2N	10/25/2006	20	20	ND	ug/L
Diallate	MW-2N	2/4/2009	20	20	ND	ug/L
Diallate	MW-2N	7/10/2012	19	19	ND	ug/L
Diallate	MW-2N	2/12/2015	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diallate	MW-2N	7/12/2018	20	20	ND	ug/L
Diallate	MW-2N	7/5/2021	20	20	ND	ug/L
Diallate	MW-3N	5/29/2002	10	10	ND	ug/L
Diallate	MW-3N	5/29/2002	10	10	ND	ug/L
Diallate	MW-3N	10/25/2006	20	20	ND	ug/L
Diallate	MW-3N	2/4/2009	20	20	ND	ug/L
Diallate	MW-3N	7/11/2012	19	19	ND	ug/L
Diallate	MW-3N	2/12/2015	20	20	ND	ug/L
Diallate	MW-3N	10/6/2016	19	19	ND	ug/L
Diallate	MW-3N	10/9/2017	19	19	ND	ug/L
Diallate	MW-3N	7/13/2018	19	19	ND	ug/L
Diallate	MW-3N	7/11/2019	20	20	ND	ug/L
Diallate	MW-3N	7/7/2020	10	10	ND	ug/L
Diallate	MW-3N	7/5/2021	20	20	ND	ug/L
Diallate	MW-7N	10/15/1998	10	10	ND	ug/L
Diallate	MW-7N	5/29/2002	10	10	ND	ug/L
Diallate	MW-7N	5/29/2002	10	10	ND	ug/L
Diallate	MW-7N	10/24/2006	20	20	ND	ug/L
Diallate	MW-7N	2/6/2009	20	20	ND	ug/L
Diallate	MW-7N	7/10/2012	19	19	ND	ug/L
Diallate	MW-7N	2/12/2015	19	19	ND	ug/L
Diallate	MW-7N	10/5/2017	20	20	ND	ug/L
Diallate	MW-7N	7/13/2018	21	21	ND	ug/L
Diallate	MW-7N	7/5/2021	20	20	ND	ug/L
Diallate	MW-8N	5/29/2002	10	10	ND	ug/L
Diallate	MW-8N	5/29/2002	10	10	ND	ug/L
Diallate	MW-8N	10/24/2006	20	20	ND	ug/L
Diallate	MW-8N	1/24/2008	20	20	ND	ug/L
Diallate	MW-8N	2/4/2009	20	20	ND	ug/L
Diallate	MW-8N	5/10/2011	19	19	ND	ug/L
Diallate	MW-8N	7/11/2012	19	19	ND	ug/L
Diallate	MW-8N	10/2/2013	19	19	ND	ug/L
Diallate	MW-8N	10/8/2014	19	19	ND	ug/L
Diallate	MW-8N	2/12/2015	19	19	ND	ug/L
Diallate	MW-8N	10/6/2016	19	19	ND	ug/L
Diallate	MW-8N	10/6/2017	19	19	ND	ug/L
Diallate	MW-8N	7/16/2018	20	20	ND	ug/L
Diallate	MW-8N	7/11/2019	20	20	ND	ug/L
Diallate	MW-8N	7/9/2020	10	10	ND	ug/L
Diallate	MW-8N	7/5/2021	20	20	ND	ug/L
Diallate	MW-8N	10/5/2023	20	20	ND	ug/L
Diallate	NE-1	10/25/2006	20	20	ND	ug/L
Diallate	NE-1	2/7/2009	20	20	ND	ug/L
Diallate	NE-1	7/10/2012	19	19	ND	ug/L
Diallate	NE-1	2/11/2015	19	19	ND	ug/L
Diallate	NE-1	7/18/2018	19	19	ND	ug/L
Diallate	NE-2	7/10/2018	19	19	ND	ug/L
Diallate	NE-4	10/25/2006	20	20	ND	ug/L
Diallate	NE-4	2/7/2009	20	20	ND	ug/L
Diallate	NE-4	7/10/2012	20	20	ND	ug/L
Diallate	NE-4	2/13/2015	19	19	ND	ug/L
Diallate	NE-4	7/12/2018	21	21	ND	ug/L
Diallate	NE-5	10/25/2006	20	20	ND	ug/L
Diallate	NE-5	2/6/2009	20	20	ND	ug/L
Diallate	NE-5	7/10/2012	19	19	ND	ug/L
Diallate	NE-5	2/11/2015	19	19	ND	ug/L
Diallate	NE-5	7/17/2018	19	19	ND	ug/L
Diallate	NE-5	7/9/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	LGW-10	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-10	10/5/2023	20	20	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	10/27/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	2/6/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/17/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-14R	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	2/13/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	2/13/2015	13	13	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/8/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-2	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/11/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-3R	7/6/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-4	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-5	10/5/2023	20	20	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	2/5/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	2/10/2015	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-6	10/5/2023	20	20	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-7	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-8R	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/26/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/10/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	7/7/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	LGW-9	10/5/2023	20	20	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	2/13/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-10N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	2/3/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	2/10/2015	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/17/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-11N	7/6/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-15	7/10/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-15	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-16	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-17	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-19	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	10/14/1998	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	2/5/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/6/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-1N	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-20	7/4/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/11/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	MW-21	7/8/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-21	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/12/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-2N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/11/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/7/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-3N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/15/1998	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	2/6/2009	2.6	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	7/13/2018	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-7N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/24/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	1/24/2008	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	2/4/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/11/2019	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/9/2020	1	1	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	7/5/2021	10	10	ND	ug/L
Dibenzo(a,h)anthracene	MW-8N	10/5/2023	20	20	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	2/7/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	2/7/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-4	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzo(a,h)anthracene	NE-5	10/25/2006	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	2/6/2009	10	10	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dibenzo(a,h)anthracene	NE-5	7/9/2019	10	10	ND	ug/L
Dibenzofuran	LGW-10	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-10	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-10	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-10	10/5/2023	10	10	ND	ug/L
Dibenzofuran	LGW-14R	10/27/2006	10	10	ND	ug/L
Dibenzofuran	LGW-14R	2/6/2009	10	10	ND	ug/L
Dibenzofuran	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-14R	7/17/2018	10	10	ND	ug/L
Dibenzofuran	LGW-14R	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-2	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-2	2/13/2009	10	10	ND	ug/L
Dibenzofuran	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-2	2/13/2015	13	13	ND	ug/L
Dibenzofuran	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-2	7/8/2020	10	10	ND	ug/L
Dibenzofuran	LGW-2	7/4/2021	10	10	ND	ug/L
Dibenzofuran	LGW-3R	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-3R	2/3/2009	10	10	ND	ug/L
Dibenzofuran	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-3R	7/11/2018	10	10	ND	ug/L
Dibenzofuran	LGW-3R	7/6/2021	10	10	ND	ug/L
Dibenzofuran	LGW-4	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-4	2/3/2009	10	10	ND	ug/L
Dibenzofuran	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-4	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-5	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-5	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-5	7/12/2018	10	10	ND	ug/L
Dibenzofuran	LGW-5	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-5	10/5/2023	10	10	ND	ug/L
Dibenzofuran	LGW-6	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-6	2/5/2009	10	10	ND	ug/L
Dibenzofuran	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-6	2/10/2015	10	10	ND	ug/L
Dibenzofuran	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dibenzofuran	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dibenzofuran	LGW-6	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-6	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	LGW-6	10/5/2023	10	10	ND	ug/L
Dibenzofuran	LGW-7	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-7	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-7	7/12/2018	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-7	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-7	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-8R	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-8R	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dibenzofuran	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-8R	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-9	10/26/2006	10	10	ND	ug/L
Dibenzofuran	LGW-9	2/4/2009	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dibenzofuran	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dibenzofuran	LGW-9	7/10/2019	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/9/2020	10	10	ND	ug/L
Dibenzofuran	LGW-9	7/7/2021	10	10	ND	ug/L
Dibenzofuran	LGW-9	10/5/2023	10	10	ND	ug/L
Dibenzofuran	MW-10N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-10N	2/13/2009	10	10	ND	ug/L
Dibenzofuran	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dibenzofuran	MW-10N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-11N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-11N	2/3/2009	10	10	ND	ug/L
Dibenzofuran	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-11N	2/10/2015	10	10	ND	ug/L
Dibenzofuran	MW-11N	7/17/2018	10	10	ND	ug/L
Dibenzofuran	MW-11N	7/6/2021	10	10	ND	ug/L
Dibenzofuran	MW-15	7/10/2018	10	10	ND	ug/L
Dibenzofuran	MW-15	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-16	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-17	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dibenzofuran	MW-19	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-1N	10/14/1998	10	10	ND	ug/L
Dibenzofuran	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-1N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-1N	10/24/2006	10	10	ND	ug/L
Dibenzofuran	MW-1N	2/5/2009	10	10	ND	ug/L
Dibenzofuran	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dibenzofuran	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dibenzofuran	MW-1N	7/6/2020	10	10	ND	ug/L
Dibenzofuran	MW-1N	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-20	7/4/2021	10	10	ND	ug/L
Dibenzofuran	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dibenzofuran	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-21	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-21	7/8/2020	10	10	ND	ug/L
Dibenzofuran	MW-21	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-2N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-2N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dibenzofuran	MW-2N	7/12/2018	10	10	ND	ug/L
Dibenzofuran	MW-2N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-3N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-3N	10/25/2006	10	10	ND	ug/L
Dibenzofuran	MW-3N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dibenzofuran	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dibenzofuran	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dibenzofuran	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dibenzofuran	MW-3N	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/7/2020	10	10	ND	ug/L
Dibenzofuran	MW-3N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-7N	10/15/1998	10	10	ND	ug/L
Dibenzofuran	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-7N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-7N	10/24/2006	10	10	ND	ug/L
Dibenzofuran	MW-7N	2/6/2009	10	10	ND	ug/L
Dibenzofuran	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dibenzofuran	MW-7N	7/13/2018	10	10	ND	ug/L
Dibenzofuran	MW-7N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/29/2002	10	10	ND	ug/L
Dibenzofuran	MW-8N	10/24/2006	10	10	ND	ug/L
Dibenzofuran	MW-8N	1/24/2008	10	10	ND	ug/L
Dibenzofuran	MW-8N	2/4/2009	10	10	ND	ug/L
Dibenzofuran	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dibenzofuran	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dibenzofuran	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dibenzofuran	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dibenzofuran	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dibenzofuran	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dibenzofuran	MW-8N	7/11/2019	10	10	ND	ug/L
Dibenzofuran	MW-8N	7/9/2020	10	10	ND	ug/L
Dibenzofuran	MW-8N	7/5/2021	10	10	ND	ug/L
Dibenzofuran	MW-8N	10/5/2023	10	10	ND	ug/L
Dibenzofuran	NE-1	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-1	2/7/2009	10	10	ND	ug/L
Dibenzofuran	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dibenzofuran	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	NE-1	7/18/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibenzofuran	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dibenzofuran	NE-4	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-4	2/7/2009	10	10	ND	ug/L
Dibenzofuran	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dibenzofuran	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dibenzofuran	NE-4	7/12/2018	10	10	ND	ug/L
Dibenzofuran	NE-5	10/25/2006	10	10	ND	ug/L
Dibenzofuran	NE-5	2/6/2009	10	10	ND	ug/L
Dibenzofuran	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dibenzofuran	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dibenzofuran	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dibenzofuran	NE-5	7/9/2019	10	10	ND	ug/L
Dibromochloromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-10	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-10	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/30/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-2	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-4	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-5	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-5	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-6	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-7	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	LGW-9	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/22/1997	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-10N	1/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/28/1998	6	6	ND	ug/L
Dibromochloromethane	MW-10N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-10N	1/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	7/15/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-10N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-10N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dibromochloromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-10N	7/7/2023	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/22/1997	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-11N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-11N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-11N	1/13/2000	3	3	ND	ug/L
Dibromochloromethane	MW-11N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dibromochloromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dibromochloromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-11N	7/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-15	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/15/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-15	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-15	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-16	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/8/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/18/2021	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-16	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-16	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-17	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/15/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-17	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-17	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-17	7/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-19	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/16/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	8/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	9/3/2015	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-19	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-19	7/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-1N	1/20/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	10/14/1998	3	3	ND	ug/L
Dibromochloromethane	MW-1N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	5/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/15/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	10/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-1N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-1N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-1N	7/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-20	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/18/2017	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/26/2018	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	MW-20	7/4/2021	1	1	ND	ug/L
Dibromochloromethane	MW-20	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	6/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	8/4/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	9/2/2015	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/7/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-21	1/10/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/4/2018	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-21	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	4/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	7/7/2023	1	1	ND	ug/L
Dibromochloromethane	MW-21	10/6/2023	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/22/1997	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-2N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-2N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dibromochloromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-2N	7/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/21/1997	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/23/1998	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	10/20/1999	3	3	ND	ug/L
Dibromochloromethane	MW-3N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-3N	4/24/2000	3	3	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-3N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dibromochloromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-3N	7/7/2023	1	1	ND	ug/L
Dibromochloromethane	MW-3N	10/6/2023	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/21/1997	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/21/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	8/18/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	9/17/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/15/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	11/9/1998	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	4/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-7N	1/13/2000	3	3	ND	ug/L
Dibromochloromethane	MW-7N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-7N	10/17/2000	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dibromochloromethane	MW-7N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dibromochloromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dibromochloromethane	MW-7N	7/7/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/21/1997	3	3	ND	ug/L
Dibromochloromethane	MW-8N	1/22/1998	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-8N	4/28/1998	3	3	ND	ug/L
Dibromochloromethane	MW-8N	7/22/1998	3	3	ND	ug/L
Dibromochloromethane	MW-8N	1/12/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	4/13/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	7/14/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	10/19/1999	3	3	ND	ug/L
Dibromochloromethane	MW-8N	1/14/2000	3	3	ND	ug/L
Dibromochloromethane	MW-8N	4/25/2000	3	3	ND	ug/L
Dibromochloromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/29/2002	3	3	ND	ug/L
Dibromochloromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dibromochloromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dibromochloromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dibromochloromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	7/7/2023	1	1	ND	ug/L
Dibromochloromethane	MW-8N	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2007	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	NE-1	2/7/2009	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-1	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-1	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/24/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/11/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/18/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2018	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-1	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-1	10/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	7/8/2023	1	1	ND	ug/L
Dibromochloromethane	NE-10D	10/3/2023	1	1	ND	ug/L
Dibromochloromethane	NE-11	3/1/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	10/9/2017	1	1	ND	ug/L
Dibromochloromethane	NE-11	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-11	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-11	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-12	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-12	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-12	8/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-12	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-12	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-13	2/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-13	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14D	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14D	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-14S	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	9/30/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15D	10/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/1/2013	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/8/2014	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/5/2015	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/1/2018	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/14/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/14/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-2	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-2	4/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-2	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-2	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/10/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/3/2002	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/28/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-4	1/13/2005	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/25/2006	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/24/2008	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/21/2008	1	1	ND	ug/L
Dibromochloromethane	NE-4	2/7/2009	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/14/2010	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-4	2/13/2015	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2015	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/26/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/12/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/1/2019	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/13/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/5/2020	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-4	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-4	4/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-4	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-4	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	8/6/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	9/4/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/2/2002	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/15/2003	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/8/2003	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/27/2004	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/12/2005	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-5	1/24/2007	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/12/2007	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/22/2008	1	1	ND	ug/L
Dibromochloromethane	NE-5	2/6/2009	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/31/2009	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/26/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/16/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	9/2/2010	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/19/2011	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/13/2011	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/5/2012	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/10/2012	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/30/2013	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/16/2013	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/23/2014	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2014	1	1	ND	ug/L
Dibromochloromethane	NE-5	2/11/2015	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/14/2015	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/6/2016	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/20/2016	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/11/2017	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/25/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/10/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/17/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/3/2018	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/3/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5E	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-5W	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/19/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-6	2/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6	8/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dibromochloromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dibromochloromethane	NE-6D	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromochloromethane	NE-6D	10/4/2023	1	1	ND	ug/L
Dibromochloromethane	NE-7	3/1/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	4/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-7	2/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-7	8/6/2019	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2020	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/12/2022	1	1	ND	ug/L
Dibromochloromethane	NE-7	1/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-7	7/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	10/6/2017	1	1	ND	ug/L
Dibromochloromethane	NE-8	2/4/2019	1	1	ND	ug/L
Dibromochloromethane	NE-8	8/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/8/2020	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	4/9/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	10/7/2021	1	1	ND	ug/L
Dibromochloromethane	NE-8	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-8	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/12/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	4/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/20/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	10/5/2017	1	1	ND	ug/L
Dibromochloromethane	NE-9	2/5/2019	1	1	ND	ug/L
Dibromochloromethane	NE-9	8/7/2019	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/15/2020	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/7/2020	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/13/2022	1	1	ND	ug/L
Dibromochloromethane	NE-9	1/6/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	4/8/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	7/5/2023	1	1	ND	ug/L
Dibromochloromethane	NE-9	10/6/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-10	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dibromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dibromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dibromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dibromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dibromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dibromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dibromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-10	10/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dibromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dibromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dibromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Dibromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-2	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dibromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dibromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dibromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Dibromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-2	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dibromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-4	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dibromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dibromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Dibromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dibromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-4	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-5	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dibromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Dibromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dibromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-5	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-5	10/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dibromomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dibromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dibromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dibromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dibromomethane	LGW-6	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dibromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dibromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-6	10/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dibromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dibromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dibromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dibromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-7	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dibromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-7	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dibromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dibromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dibromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dibromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dibromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dibromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dibromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Dibromomethane	LGW-9	7/14/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dibromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dibromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dibromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dibromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dibromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dibromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dibromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dibromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dibromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dibromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dibromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dibromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dibromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dibromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dibromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dibromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	7/10/2023	1	1	ND	ug/L
Dibromomethane	LGW-9	10/5/2023	1	1	ND	ug/L
Dibromomethane	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/28/1998	5	5	ND	ug/L
Dibromomethane	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dibromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dibromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-10N	1/22/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dibromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dibromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dibromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dibromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dibromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-10N	7/7/2023	1	1	ND	ug/L
Dibromomethane	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dibromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dibromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dibromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dibromomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dibromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dibromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dibromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dibromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dibromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dibromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dibromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dibromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dibromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dibromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dibromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dibromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Dibromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dibromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-11N	7/8/2023	1	1	ND	ug/L
Dibromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Dibromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-15	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-15	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-15	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-15	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Dibromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-15	7/10/2023	1	1	ND	ug/L
Dibromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Dibromomethane	MW-16	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Dibromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Dibromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Dibromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Dibromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-16	7/10/2023	1	1	ND	ug/L
Dibromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Dibromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-17	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-17	7/8/2023	1	1	ND	ug/L
Dibromomethane	MW-19	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Dibromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Dibromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Dibromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-19	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-19	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-19	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Dibromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-19	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-19	7/10/2023	1	1	ND	ug/L
Dibromomethane	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/15/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dibromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dibromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dibromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dibromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dibromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dibromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-1N	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dibromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dibromomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dibromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dibromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-1N	7/8/2023	1	1	ND	ug/L
Dibromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Dibromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Dibromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Dibromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Dibromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Dibromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Dibromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Dibromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Dibromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Dibromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Dibromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Dibromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Dibromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dibromomethane	MW-21	1/10/2017	1	1	ND	ug/L
Dibromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Dibromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Dibromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-21	4/11/2018	1	1	ND	ug/L
Dibromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Dibromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Dibromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-21	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Dibromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Dibromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-21	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Dibromomethane	MW-21	7/7/2023	1	1	ND	ug/L
Dibromomethane	MW-21	10/6/2023	1	1	ND	ug/L
Dibromomethane	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dibromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dibromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dibromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dibromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dibromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-2N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dibromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dibromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dibromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dibromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dibromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dibromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-2N	7/8/2023	1	1	ND	ug/L
Dibromomethane	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	10/20/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dibromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dibromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Dibromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dibromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dibromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Dibromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dibromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dibromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dibromomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dibromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dibromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-3N	7/7/2023	1	1	ND	ug/L
Dibromomethane	MW-3N	10/6/2023	1	1	ND	ug/L
Dibromomethane	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	1/13/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dibromomethane	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dibromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dibromomethane	MW-7N	7/26/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dibromomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dibromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dibromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dibromomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dibromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dibromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dibromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dibromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dibromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dibromomethane	MW-7N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dibromomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dibromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dibromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dibromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dibromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dibromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dibromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dibromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dibromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dibromomethane	MW-7N	7/7/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dibromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dibromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dibromomethane	MW-8N	5/29/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Dibromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dibromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dibromomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Dibromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dibromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dibromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dibromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dibromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dibromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dibromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dibromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dibromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dibromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dibromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dibromomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dibromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dibromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dibromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dibromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Dibromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dibromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dibromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dibromomethane	MW-8N	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dibromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dibromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Dibromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	7/7/2023	1	1	ND	ug/L
Dibromomethane	MW-8N	10/5/2023	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Dibromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Dibromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Dibromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Dibromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Dibromomethane	NE-1	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Dibromomethane	NE-1	9/2/2010	1	1	ND	ug/L
Dibromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Dibromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Dibromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Dibromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Dibromomethane	NE-1	7/18/2018	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Dibromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dibromomethane	NE-1	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-1	10/6/2022	1	1	ND	ug/L
Dibromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-1	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-1	10/5/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Dibromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	7/8/2023	1	1	ND	ug/L
Dibromomethane	NE-10D	10/3/2023	1	1	ND	ug/L
Dibromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Dibromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Dibromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Dibromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-11	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Dibromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Dibromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Dibromomethane	NE-12	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-12	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-12	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Dibromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Dibromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14D	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-14D	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-14S	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-15D	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15D	10/6/2023	1	1	ND	ug/L
Dibromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Dibromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Dibromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Dibromomethane	NE-2	10/5/2015	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Dibromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Dibromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Dibromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Dibromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Dibromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Dibromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-2	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Dibromomethane	NE-2	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-2	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Dibromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Dibromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Dibromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Dibromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dibromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-4	7/12/2007	1	1	ND	ug/L
Dibromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Dibromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Dibromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Dibromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-4	7/14/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Dibromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Dibromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-4	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Dibromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Dibromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Dibromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Dibromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dibromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Dibromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Dibromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Dibromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Dibromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-4	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Dibromomethane	NE-4	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-4	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Dibromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Dibromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Dibromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Dibromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Dibromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Dibromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Dibromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dibromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Dibromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Dibromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Dibromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Dibromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Dibromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Dibromomethane	NE-5	1/26/2010	1	1	ND	ug/L
Dibromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Dibromomethane	NE-5	9/2/2010	1	1	ND	ug/L
Dibromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Dibromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Dibromomethane	NE-5	1/5/2012	1	1	ND	ug/L
Dibromomethane	NE-5	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Dibromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Dibromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Dibromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Dibromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Dibromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Dibromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Dibromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Dibromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Dibromomethane	NE-5	4/10/2018	1	1	ND	ug/L
Dibromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Dibromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Dibromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dibromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Dibromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-5	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-5	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-5E	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dibromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dibromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dibromomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-5W	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Dibromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Dibromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Dibromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Dibromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-6	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dibromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dibromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dibromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-6D	10/4/2023	1	1	ND	ug/L
Dibromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Dibromomethane	NE-7	4/6/2017	1	1	ND	ug/L
Dibromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-7	2/6/2019	1	1	ND	ug/L
Dibromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Dibromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dibromomethane	NE-7	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dibromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Dibromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Dibromomethane	NE-7	7/6/2023	1	1	ND	ug/L
Dibromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Dibromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Dibromomethane	NE-8	8/5/2019	1	1	ND	ug/L
Dibromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Dibromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dibromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Dibromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-8	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Dibromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Dibromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Dibromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Dibromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Dibromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Dibromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Dibromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dibromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dibromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Dibromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Dibromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Dibromomethane	NE-9	7/5/2023	1	1	ND	ug/L
Dibromomethane	NE-9	10/6/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-10	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-2	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-4	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-5	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-6	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-7	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	LGW-9	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	1/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/28/1998	7.2	7.2	ND	ug/L
Dichlorobromomethane	MW-10N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	1/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	7/15/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-10N	7/7/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	1/13/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/8/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-11N	7/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-15	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/15/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	8/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-15	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-15	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-15	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-16	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-16	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/8/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-16	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/18/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-16	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-16	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-17	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/15/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-17	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-17	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-17	7/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-19	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/16/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	8/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	9/3/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-19	8/3/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-19	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-19	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-19	7/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/20/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	10/14/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	5/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/15/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-1N	1/23/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-1N	7/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-20	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/18/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/26/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-20	7/4/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-20	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-21	6/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	8/4/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	9/2/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/7/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/10/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/4/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-21	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-21	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-21	7/7/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-21	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-2N	10/22/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-2N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-2N	7/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/23/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	10/20/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	4/24/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	7/7/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-3N	10/6/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/21/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	8/18/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	9/17/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/15/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	11/9/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	4/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	1/13/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-7N	7/7/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/21/1997	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/28/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	7/22/1998	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/12/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/13/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	10/19/1999	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	1/14/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	4/25/2000	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/29/2002	3.6	3.6	ND	ug/L
Dichlorobromomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/5/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	7/7/2023	1	1	ND	ug/L
Dichlorobromomethane	MW-8N	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-1	2/7/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-1	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/24/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/11/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/18/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/10/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-1	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-1	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-1	10/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	7/8/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-10D	10/3/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-11	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	10/9/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-11	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-11	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-11	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-12	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-12	8/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-12	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-12	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-13	2/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-13	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-13	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14D	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-14S	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15D	10/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/1/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/8/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-2	10/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/1/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/14/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/14/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-2	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-2	4/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-2	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-2	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/10/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/3/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/28/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/13/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-4	8/1/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/24/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/21/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-4	2/7/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/14/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-4	2/13/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-4	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/26/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/10/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/12/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/8/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/1/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/13/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/5/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-4	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-4	4/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-4	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-4	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	8/6/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	9/4/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/2/2002	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/15/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/8/2003	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/27/2004	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/12/2005	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/25/2006	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/24/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/12/2007	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/22/2008	1	1	ND	ug/L
Dichlorobromomethane	NE-5	2/6/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/31/2009	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/26/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/16/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-5	9/2/2010	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/19/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/13/2011	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/5/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/10/2012	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/30/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/16/2013	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/23/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2014	1	1	ND	ug/L
Dichlorobromomethane	NE-5	2/11/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/14/2015	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/6/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/20/2016	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/11/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/25/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-5	7/17/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/3/2018	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/9/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/3/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5E	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-5W	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-5W	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/19/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-6	2/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6	8/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-6D	10/4/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-7	3/1/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	4/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-7	2/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-7	8/6/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/16/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/12/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-7	1/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-7	7/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	10/6/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-8	2/4/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-8	8/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorobromomethane	NE-8	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/8/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/13/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	4/9/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	10/7/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-8	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-8	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/12/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	4/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/20/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	10/5/2017	1	1	ND	ug/L
Dichlorobromomethane	NE-9	2/5/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-9	8/7/2019	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/15/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/7/2020	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/1/2021	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/17/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/13/2022	1	1	ND	ug/L
Dichlorobromomethane	NE-9	1/6/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	4/8/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	7/5/2023	1	1	ND	ug/L
Dichlorobromomethane	NE-9	10/6/2023	1	1	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/9/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/16/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-10	10/5/2023	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	10/27/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-14R	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	2/13/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/8/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-2	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/9/2012	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	LGW-3R	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-3R	7/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-4	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-5	10/5/2023	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	2/5/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/6/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-6	10/5/2023	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-7	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-7	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-8R	7/7/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/10/2019	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	7/7/2021	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	LGW-9	10/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	LGW-9	10/5/2023	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	2/13/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-10N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	1/13/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	2/3/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/9/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-11N	7/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-15	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-15	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-16	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-16	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-17	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-17	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-19	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-19	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	10/14/1998	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-1N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-1N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	2/5/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	2/10/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/6/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-1N	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-20	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-20	7/4/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/5/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/6/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/11/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/8/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-21	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-21	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	1/14/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/12/2018	0.34	2	ND	ug/L
Dichlorodifluoromethane	MW-2N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	1/14/2000	2.9	1		ug/L
Dichlorodifluoromethane	MW-3N	4/11/2001	2.3	1		ug/L
Dichlorodifluoromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-3N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	2/4/2009	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dichlorodifluoromethane	MW-3N	7/11/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/9/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/7/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/7/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-3N	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/15/1998	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-7N	1/13/2000	1	1	ND	ug/L
Dichlorodifluoromethane	MW-7N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	10/5/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	7/13/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-7N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	1/14/2000	0.42	1		ug/L
Dichlorodifluoromethane	MW-8N	5/29/2002	6.5	6.5	ND	ug/L
Dichlorodifluoromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	1/24/2008	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	2/4/2009	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	5/10/2011	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/11/2012	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/2/2013	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/8/2014	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	2/12/2015	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2016	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2017	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/16/2018	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/11/2019	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/9/2020	5	5	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2020	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	7/5/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/6/2021	2	2	ND	ug/L
Dichlorodifluoromethane	MW-8N	10/5/2023	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	2/7/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-1	7/18/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-2	7/10/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	2/7/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	2/13/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-4	7/12/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	10/25/2006	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	2/6/2009	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/10/2012	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	2/11/2015	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/17/2018	2	2	ND	ug/L
Dichlorodifluoromethane	NE-5	7/9/2019	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Dieldrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Dieldrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Dieldrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Dieldrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Dieldrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Dieldrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Dieldrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Dieldrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Dieldrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Dieldrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Dieldrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Dieldrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Dieldrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Dieldrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Dieldrin	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Dieldrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Dieldrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Dieldrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Dieldrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Dieldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Dieldrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Dieldrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Dieldrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Dieldrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Dieldrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Dieldrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Dieldrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Dieldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Dieldrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Dieldrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Dieldrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Dieldrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Dieldrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Dieldrin	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Dieldrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Dieldrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Dieldrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Dieldrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dieldrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Dieldrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Dieldrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Dieldrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Dieldrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Dieldrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Dieldrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Diethyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-10	10/5/2023	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Diethyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Diethyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Diethyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Diethyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-5	10/5/2023	10	10	ND	ug/L
Diethyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Diethyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Diethyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Diethyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-6	10/5/2023	10	10	ND	ug/L
Diethyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-7	7/12/2018	1.6	10	ND	ug/L
Diethyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Diethyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Diethyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Diethyl phthalate	LGW-9	10/5/2023	10	10	ND	ug/L
Diethyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Diethyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Diethyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Diethyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Diethyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Diethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Diethyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Diethyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Diethyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Diethyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-2N	7/12/2018	1.5	10	ND	ug/L
Diethyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Diethyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Diethyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Diethyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Diethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Diethyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Diethyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Diethyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Diethyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Diethyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Diethyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Diethyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Diethyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Diethyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Diethyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Diethyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Diethyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Diethyl phthalate	MW-8N	10/5/2023	10	10	ND	ug/L
Diethyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Diethyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diethyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Diethyl phthalate	NE-4	7/10/2012	0.37	9.8	ND	ug/L
Diethyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Diethyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Diethyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Diethyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Diethyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Diethyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dimethoate	LGW-10	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-10	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-10	2/12/2015	19	19	ND	ug/L
Dimethoate	LGW-10	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-10	10/9/2017	19	19	ND	ug/L
Dimethoate	LGW-10	7/16/2018	19	19	ND	ug/L
Dimethoate	LGW-10	7/11/2019	20	20	ND	ug/L
Dimethoate	LGW-10	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-10	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-10	10/5/2023	20	20	ND	ug/L
Dimethoate	LGW-14R	10/27/2006	20	20	ND	ug/L
Dimethoate	LGW-14R	2/6/2009	20	20	ND	ug/L
Dimethoate	LGW-14R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-14R	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-14R	7/17/2018	20	20	ND	ug/L
Dimethoate	LGW-14R	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-2	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-2	2/13/2009	20	20	ND	ug/L
Dimethoate	LGW-2	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-2	2/13/2015	26	26	ND	ug/L
Dimethoate	LGW-2	7/12/2018	19	19	ND	ug/L
Dimethoate	LGW-2	7/8/2020	50	50	ND	ug/L
Dimethoate	LGW-2	7/4/2021	20	20	ND	ug/L
Dimethoate	LGW-3R	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-3R	2/3/2009	20	20	ND	ug/L
Dimethoate	LGW-3R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-3R	2/10/2015	19	19	ND	ug/L
Dimethoate	LGW-3R	7/11/2018	20	20	ND	ug/L
Dimethoate	LGW-3R	7/6/2021	20	20	ND	ug/L
Dimethoate	LGW-4	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-4	2/3/2009	20	20	ND	ug/L
Dimethoate	LGW-4	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-4	2/11/2015	19	19	ND	ug/L
Dimethoate	LGW-4	7/11/2018	20	20	ND	ug/L
Dimethoate	LGW-4	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-5	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-5	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-5	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-5	2/10/2015	19	19	ND	ug/L
Dimethoate	LGW-5	7/12/2018	20	20	ND	ug/L
Dimethoate	LGW-5	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-5	10/5/2023	20	20	ND	ug/L
Dimethoate	LGW-6	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-6	2/5/2009	20	20	ND	ug/L
Dimethoate	LGW-6	7/9/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	LGW-6	2/10/2015	20	20	ND	ug/L
Dimethoate	LGW-6	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-6	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-6	7/17/2018	20	20	ND	ug/L
Dimethoate	LGW-6	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-6	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-6	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-6	10/5/2023	20	20	ND	ug/L
Dimethoate	LGW-7	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-7	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-7	7/10/2012	19	19	ND	ug/L
Dimethoate	LGW-7	2/11/2015	19	19	ND	ug/L
Dimethoate	LGW-7	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-7	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-7	7/12/2018	20	20	ND	ug/L
Dimethoate	LGW-7	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-7	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-7	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-8R	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-8R	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-8R	7/9/2012	19	19	ND	ug/L
Dimethoate	LGW-8R	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-8R	7/13/2018	20	20	ND	ug/L
Dimethoate	LGW-8R	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-9	10/26/2006	20	20	ND	ug/L
Dimethoate	LGW-9	2/4/2009	20	20	ND	ug/L
Dimethoate	LGW-9	7/10/2012	19	19	ND	ug/L
Dimethoate	LGW-9	2/11/2015	20	20	ND	ug/L
Dimethoate	LGW-9	10/6/2016	19	19	ND	ug/L
Dimethoate	LGW-9	10/5/2017	19	19	ND	ug/L
Dimethoate	LGW-9	7/13/2018	19	19	ND	ug/L
Dimethoate	LGW-9	7/10/2019	20	20	ND	ug/L
Dimethoate	LGW-9	7/9/2020	50	50	ND	ug/L
Dimethoate	LGW-9	7/7/2021	20	20	ND	ug/L
Dimethoate	LGW-9	10/5/2023	20	20	ND	ug/L
Dimethoate	MW-10N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-10N	2/13/2009	20	20	ND	ug/L
Dimethoate	MW-10N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-10N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-10N	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-10N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-11N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-11N	2/3/2009	20	20	ND	ug/L
Dimethoate	MW-11N	7/9/2012	19	19	ND	ug/L
Dimethoate	MW-11N	2/10/2015	20	20	ND	ug/L
Dimethoate	MW-11N	7/17/2018	20	20	ND	ug/L
Dimethoate	MW-11N	7/6/2021	20	20	ND	ug/L
Dimethoate	MW-15	7/10/2018	20	20	ND	ug/L
Dimethoate	MW-15	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-16	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-16	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-17	7/10/2018	19	19	ND	ug/L
Dimethoate	MW-17	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-19	7/13/2018	19	19	ND	ug/L
Dimethoate	MW-19	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-1N	10/14/1998	10	10	ND	ug/L
Dimethoate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-1N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	MW-1N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-1N	2/5/2009	20	20	ND	ug/L
Dimethoate	MW-1N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-1N	2/10/2015	19	19	ND	ug/L
Dimethoate	MW-1N	7/10/2018	20	20	ND	ug/L
Dimethoate	MW-1N	7/6/2020	50	50	ND	ug/L
Dimethoate	MW-1N	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-20	7/12/2018	19	19	ND	ug/L
Dimethoate	MW-20	7/4/2021	20	20	ND	ug/L
Dimethoate	MW-21	10/5/2016	19	19	ND	ug/L
Dimethoate	MW-21	10/6/2017	19	19	ND	ug/L
Dimethoate	MW-21	7/11/2018	19	19	ND	ug/L
Dimethoate	MW-21	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-21	7/8/2020	50	50	ND	ug/L
Dimethoate	MW-21	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-2N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-2N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-2N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-2N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-2N	7/12/2018	20	20	ND	ug/L
Dimethoate	MW-2N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-3N	10/25/2006	20	20	ND	ug/L
Dimethoate	MW-3N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-3N	7/11/2012	19	19	ND	ug/L
Dimethoate	MW-3N	2/12/2015	20	20	ND	ug/L
Dimethoate	MW-3N	10/6/2016	19	19	ND	ug/L
Dimethoate	MW-3N	10/9/2017	19	19	ND	ug/L
Dimethoate	MW-3N	7/13/2018	19	19	ND	ug/L
Dimethoate	MW-3N	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-3N	7/7/2020	50	50	ND	ug/L
Dimethoate	MW-3N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-7N	10/15/1998	10	10	ND	ug/L
Dimethoate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-7N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-7N	2/6/2009	20	20	ND	ug/L
Dimethoate	MW-7N	7/10/2012	19	19	ND	ug/L
Dimethoate	MW-7N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-7N	10/5/2017	20	20	ND	ug/L
Dimethoate	MW-7N	7/13/2018	21	21	ND	ug/L
Dimethoate	MW-7N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethoate	MW-8N	10/24/2006	20	20	ND	ug/L
Dimethoate	MW-8N	1/24/2008	20	20	ND	ug/L
Dimethoate	MW-8N	2/4/2009	20	20	ND	ug/L
Dimethoate	MW-8N	5/10/2011	19	19	ND	ug/L
Dimethoate	MW-8N	7/11/2012	19	19	ND	ug/L
Dimethoate	MW-8N	10/2/2013	19	19	ND	ug/L
Dimethoate	MW-8N	10/8/2014	19	19	ND	ug/L
Dimethoate	MW-8N	2/12/2015	19	19	ND	ug/L
Dimethoate	MW-8N	10/6/2016	19	19	ND	ug/L
Dimethoate	MW-8N	10/6/2017	19	19	ND	ug/L
Dimethoate	MW-8N	7/16/2018	20	20	ND	ug/L
Dimethoate	MW-8N	7/11/2019	20	20	ND	ug/L
Dimethoate	MW-8N	7/9/2020	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethoate	MW-8N	7/5/2021	20	20	ND	ug/L
Dimethoate	MW-8N	10/5/2023	20	20	ND	ug/L
Dimethoate	NE-1	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-1	2/7/2009	20	20	ND	ug/L
Dimethoate	NE-1	7/10/2012	19	19	ND	ug/L
Dimethoate	NE-1	2/11/2015	19	19	ND	ug/L
Dimethoate	NE-1	7/18/2018	19	19	ND	ug/L
Dimethoate	NE-2	7/10/2018	19	19	ND	ug/L
Dimethoate	NE-4	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-4	2/7/2009	20	20	ND	ug/L
Dimethoate	NE-4	7/10/2012	20	20	ND	ug/L
Dimethoate	NE-4	2/13/2015	19	19	ND	ug/L
Dimethoate	NE-4	7/12/2018	21	21	ND	ug/L
Dimethoate	NE-5	10/25/2006	20	20	ND	ug/L
Dimethoate	NE-5	2/6/2009	20	20	ND	ug/L
Dimethoate	NE-5	7/10/2012	19	19	ND	ug/L
Dimethoate	NE-5	2/11/2015	19	19	ND	ug/L
Dimethoate	NE-5	7/17/2018	19	19	ND	ug/L
Dimethoate	NE-5	7/9/2019	20	20	ND	ug/L
Dimethyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-10	10/5/2023	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-2	2/13/2015	0.31	13	ND	ug/L
Dimethyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-5	10/5/2023	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dimethyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dimethyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-6	10/5/2023	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Dimethyl phthalate	LGW-9	10/5/2023	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dimethyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dimethyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dimethyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dimethyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Dimethyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dimethyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dimethyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dimethyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dimethyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Dimethyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Dimethyl phthalate	MW-8N	10/5/2023	10	10	ND	ug/L
Dimethyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dimethyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Dimethyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Dimethyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Dimethyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dimethyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dimethyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dimethylbenz (A) Anthracene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-10	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-10	10/5/2023	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-14R	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-2	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-3R	7/6/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-4	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-5	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-5	10/5/2023	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-6	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-6	10/5/2023	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-7	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-8R	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-9	7/7/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	LGW-9	10/5/2023	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-10N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-11N	7/6/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-15	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-16	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-17	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-19	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-1N	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-20	7/4/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-21	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-2N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-3N	7/5/2021	0.02	0.02	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dimethylbenz (A) Anthracene	MW-7N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Dimethylbenz (A) Anthracene	MW-8N	7/5/2021	0.02	0.02	ND	mg/L
Dimethylbenz (A) Anthracene	MW-8N	10/5/2023	0.02	0.02	ND	mg/L
Di-n-butyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-10	10/5/2023	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-5	10/5/2023	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-6	10/5/2023	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Di-n-butyl phthalate	LGW-9	10/5/2023	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Di-n-butyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Di-n-butyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Di-n-butyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Di-n-butyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Di-n-butyl phthalate	MW-8N	10/5/2023	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-butyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Di-n-butyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Di-n-butyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Di-n-butyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Di-n-butyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-10	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-10	10/5/2023	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	10/27/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/17/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-14R	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	2/13/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-2	2/13/2015	13	13	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/8/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-2	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-3R	7/11/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-3R	7/6/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-4	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-5	10/5/2023	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	2/5/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-6	2/10/2015	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-6	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-6	10/5/2023	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-7	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-8R	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/26/2006	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/10/2019	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	LGW-9	7/7/2021	10	10	ND	ug/L
Di-n-octyl phthalate	LGW-9	10/5/2023	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	2/13/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-10N	2/12/2015	1.8	9.7	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-10N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	2/3/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-11N	2/10/2015	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/17/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-11N	7/6/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-15	7/10/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-15	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-16	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-17	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-19	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	10/14/1998	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	2/5/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/6/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-1N	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-20	7/4/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-21	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-21	7/8/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-21	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-2N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Di-n-octyl phthalate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/7/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-3N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/15/1998	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/13/2018	10	10	ND	ug/L
Di-n-octyl phthalate	MW-7N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/29/2002	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/24/2006	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	1/24/2008	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	2/4/2009	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/11/2019	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/9/2020	3	3	ND	ug/L
Di-n-octyl phthalate	MW-8N	7/5/2021	10	10	ND	ug/L
Di-n-octyl phthalate	MW-8N	10/5/2023	10	10	ND	ug/L
Di-n-octyl phthalate	NE-1	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Di-n-octyl phthalate	NE-1	2/7/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-4	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	NE-4	2/7/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Di-n-octyl phthalate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-4	7/12/2018	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	10/25/2006	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	2/6/2009	10	10	ND	ug/L
Di-n-octyl phthalate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Di-n-octyl phthalate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Di-n-octyl phthalate	NE-5	7/9/2019	10	10	ND	ug/L
Dinoseb	LGW-10	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Dinoseb	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Dinoseb	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Dinoseb	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Dinoseb	LGW-10	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-10	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-10	10/5/2023	17.9	17.9	ND	ug/L
Dinoseb	LGW-14R	10/27/2006	10	10	ND	ug/L
Dinoseb	LGW-14R	2/6/2009	10	10	ND	ug/L
Dinoseb	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Dinoseb	LGW-14R	7/17/2018	10	10	ND	ug/L
Dinoseb	LGW-14R	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-2	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-2	2/13/2009	10	10	ND	ug/L
Dinoseb	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-2	2/13/2015	13	13	ND	ug/L
Dinoseb	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Dinoseb	LGW-2	7/8/2020	50	50	ND	ug/L
Dinoseb	LGW-2	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-3R	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-3R	2/3/2009	10	10	ND	ug/L
Dinoseb	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Dinoseb	LGW-3R	7/11/2018	10	10	ND	ug/L
Dinoseb	LGW-3R	7/6/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-4	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-4	2/3/2009	10	10	ND	ug/L
Dinoseb	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Dinoseb	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Dinoseb	LGW-4	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-5	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-5	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Dinoseb	LGW-5	7/12/2018	10	10	ND	ug/L
Dinoseb	LGW-5	7/7/2021	18.8	18.8	ND	ug/L
Dinoseb	LGW-5	10/5/2023	17.9	17.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	LGW-6	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-6	2/5/2009	10	10	ND	ug/L
Dinoseb	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-6	2/10/2015	10	10	ND	ug/L
Dinoseb	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Dinoseb	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Dinoseb	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Dinoseb	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Dinoseb	LGW-6	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-6	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-6	10/5/2023	17.9	17.9	ND	ug/L
Dinoseb	LGW-7	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-7	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Dinoseb	LGW-7	7/12/2018	10	10	ND	ug/L
Dinoseb	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Dinoseb	LGW-7	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-7	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-8R	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-8R	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Dinoseb	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Dinoseb	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Dinoseb	LGW-8R	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-9	10/26/2006	10	10	ND	ug/L
Dinoseb	LGW-9	2/4/2009	10	10	ND	ug/L
Dinoseb	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Dinoseb	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Dinoseb	LGW-9	7/10/2019	10	10	ND	ug/L
Dinoseb	LGW-9	7/9/2020	50	50	ND	ug/L
Dinoseb	LGW-9	7/7/2021	17.9	17.9	ND	ug/L
Dinoseb	LGW-9	10/5/2023	17.9	17.9	ND	ug/L
Dinoseb	MW-10N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-10N	2/13/2009	10	10	ND	ug/L
Dinoseb	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Dinoseb	MW-10N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-11N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-11N	2/3/2009	10	10	ND	ug/L
Dinoseb	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-11N	2/10/2015	10	10	ND	ug/L
Dinoseb	MW-11N	7/17/2018	10	10	ND	ug/L
Dinoseb	MW-11N	7/6/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-15	7/10/2018	10	10	ND	ug/L
Dinoseb	MW-15	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-16	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-17	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Dinoseb	MW-19	7/4/2021	17.9	17.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	MW-1N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-1N	2/5/2009	10	10	ND	ug/L
Dinoseb	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Dinoseb	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Dinoseb	MW-1N	7/6/2020	50	50	ND	ug/L
Dinoseb	MW-1N	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-20	7/4/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Dinoseb	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-21	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-21	7/8/2020	50	50	ND	ug/L
Dinoseb	MW-21	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-2N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-2N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Dinoseb	MW-2N	7/12/2018	10	10	ND	ug/L
Dinoseb	MW-2N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-3N	10/25/2006	10	10	ND	ug/L
Dinoseb	MW-3N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Dinoseb	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Dinoseb	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Dinoseb	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Dinoseb	MW-3N	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-3N	7/7/2020	50	50	ND	ug/L
Dinoseb	MW-3N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-7N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-7N	2/6/2009	10	10	ND	ug/L
Dinoseb	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Dinoseb	MW-7N	7/13/2018	10	10	ND	ug/L
Dinoseb	MW-7N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-8N	10/24/2006	10	10	ND	ug/L
Dinoseb	MW-8N	1/24/2008	10	10	ND	ug/L
Dinoseb	MW-8N	2/4/2009	10	10	ND	ug/L
Dinoseb	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Dinoseb	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Dinoseb	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Dinoseb	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Dinoseb	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Dinoseb	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Dinoseb	MW-8N	7/11/2019	10	10	ND	ug/L
Dinoseb	MW-8N	7/9/2020	50	50	ND	ug/L
Dinoseb	MW-8N	7/5/2021	17.9	17.9	ND	ug/L
Dinoseb	MW-8N	10/5/2023	17.9	17.9	ND	ug/L
Dinoseb	NE-1	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-1	2/7/2009	10	10	ND	ug/L
Dinoseb	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Dinoseb	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	NE-1	7/18/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Dinoseb	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Dinoseb	NE-4	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-4	2/7/2009	10	10	ND	ug/L
Dinoseb	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Dinoseb	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Dinoseb	NE-4	7/12/2018	10	10	ND	ug/L
Dinoseb	NE-5	10/25/2006	10	10	ND	ug/L
Dinoseb	NE-5	2/6/2009	10	10	ND	ug/L
Dinoseb	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Dinoseb	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Dinoseb	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Dinoseb	NE-5	7/9/2019	10	10	ND	ug/L
Diphenylamine	LGW-10	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Diphenylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Diphenylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Diphenylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Diphenylamine	LGW-10	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-10	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-10	10/5/2023	10	10	ND	ug/L
Diphenylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
Diphenylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
Diphenylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Diphenylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
Diphenylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-2	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-2	2/13/2009	10	10	ND	ug/L
Diphenylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-2	2/13/2015	13	13	ND	ug/L
Diphenylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Diphenylamine	LGW-2	7/8/2020	10	10	ND	ug/L
Diphenylamine	LGW-2	7/4/2021	10	10	ND	ug/L
Diphenylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
Diphenylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Diphenylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
Diphenylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
Diphenylamine	LGW-4	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-4	2/3/2009	10	10	ND	ug/L
Diphenylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Diphenylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Diphenylamine	LGW-4	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-5	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-5	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Diphenylamine	LGW-5	7/12/2018	10	10	ND	ug/L
Diphenylamine	LGW-5	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-5	10/5/2023	10	10	ND	ug/L
Diphenylamine	LGW-6	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-6	2/5/2009	10	10	ND	ug/L
Diphenylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-6	2/10/2015	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diphenylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Diphenylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Diphenylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Diphenylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Diphenylamine	LGW-6	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-6	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-6	10/5/2023	10	10	ND	ug/L
Diphenylamine	LGW-7	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-7	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Diphenylamine	LGW-7	7/12/2018	10	10	ND	ug/L
Diphenylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Diphenylamine	LGW-7	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-7	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Diphenylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Diphenylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Diphenylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-9	10/26/2006	10	10	ND	ug/L
Diphenylamine	LGW-9	2/4/2009	10	10	ND	ug/L
Diphenylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Diphenylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Diphenylamine	LGW-9	7/10/2019	10	10	ND	ug/L
Diphenylamine	LGW-9	7/9/2020	10	10	ND	ug/L
Diphenylamine	LGW-9	7/7/2021	10	10	ND	ug/L
Diphenylamine	LGW-9	10/5/2023	10	10	ND	ug/L
Diphenylamine	MW-10N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-10N	2/13/2009	10	10	ND	ug/L
Diphenylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Diphenylamine	MW-10N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-11N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-11N	2/3/2009	10	10	ND	ug/L
Diphenylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-11N	2/10/2015	10	10	ND	ug/L
Diphenylamine	MW-11N	7/17/2018	10	10	ND	ug/L
Diphenylamine	MW-11N	7/6/2021	10	10	ND	ug/L
Diphenylamine	MW-15	7/10/2018	10	10	ND	ug/L
Diphenylamine	MW-15	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-16	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-17	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Diphenylamine	MW-19	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-1N	10/14/1998	10	10	ND	ug/L
Diphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-1N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diphenylamine	MW-1N	2/5/2009	10	10	ND	ug/L
Diphenylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Diphenylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Diphenylamine	MW-1N	7/6/2020	10	10	ND	ug/L
Diphenylamine	MW-1N	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-20	7/4/2021	10	10	ND	ug/L
Diphenylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Diphenylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-21	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-21	7/8/2020	10	10	ND	ug/L
Diphenylamine	MW-21	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-2N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-2N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Diphenylamine	MW-2N	7/12/2018	10	10	ND	ug/L
Diphenylamine	MW-2N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-3N	10/25/2006	10	10	ND	ug/L
Diphenylamine	MW-3N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Diphenylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Diphenylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Diphenylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Diphenylamine	MW-3N	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-3N	7/7/2020	10	10	ND	ug/L
Diphenylamine	MW-3N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-7N	10/15/1998	10	10	ND	ug/L
Diphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-7N	10/24/2006	10	10	ND	ug/L
Diphenylamine	MW-7N	2/6/2009	10	10	ND	ug/L
Diphenylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Diphenylamine	MW-7N	7/13/2018	10	10	ND	ug/L
Diphenylamine	MW-7N	7/5/2021	10	10	ND	ug/L
Diphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
Diphenylamine	MW-8N	10/24/2006	10	10	ND	ug/L
Diphenylamine	MW-8N	1/24/2008	10	10	ND	ug/L
Diphenylamine	MW-8N	2/4/2009	10	10	ND	ug/L
Diphenylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Diphenylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Diphenylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Diphenylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Diphenylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Diphenylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Diphenylamine	MW-8N	7/11/2019	10	10	ND	ug/L
Diphenylamine	MW-8N	7/9/2020	10	10	ND	ug/L
Diphenylamine	MW-8N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Diphenylamine	MW-8N	10/5/2023	10	10	ND	ug/L
Diphenylamine	NE-1	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-1	2/7/2009	10	10	ND	ug/L
Diphenylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Diphenylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Diphenylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Diphenylamine	NE-4	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-4	2/7/2009	10	10	ND	ug/L
Diphenylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Diphenylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Diphenylamine	NE-4	7/12/2018	10	10	ND	ug/L
Diphenylamine	NE-5	10/25/2006	10	10	ND	ug/L
Diphenylamine	NE-5	2/6/2009	10	10	ND	ug/L
Diphenylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Diphenylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Diphenylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Diphenylamine	NE-5	7/9/2019	10	10	ND	ug/L
Disulfoton	LGW-10	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-10	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-10	2/12/2015	48	48	ND	ug/L
Disulfoton	LGW-10	10/6/2016	47	47	ND	ug/L
Disulfoton	LGW-10	10/9/2017	48	48	ND	ug/L
Disulfoton	LGW-10	7/16/2018	48	48	ND	ug/L
Disulfoton	LGW-10	7/11/2019	50	50	ND	ug/L
Disulfoton	LGW-10	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-10	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-10	10/5/2023	50	50	ND	ug/L
Disulfoton	LGW-14R	10/27/2006	50	50	ND	ug/L
Disulfoton	LGW-14R	2/6/2009	50	50	ND	ug/L
Disulfoton	LGW-14R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-14R	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-14R	7/17/2018	51	51	ND	ug/L
Disulfoton	LGW-14R	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-2	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-2	2/13/2009	50	50	ND	ug/L
Disulfoton	LGW-2	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-2	2/13/2015	65	65	ND	ug/L
Disulfoton	LGW-2	7/12/2018	49	49	ND	ug/L
Disulfoton	LGW-2	7/8/2020	10	10	ND	ug/L
Disulfoton	LGW-2	7/4/2021	50	50	ND	ug/L
Disulfoton	LGW-3R	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-3R	2/3/2009	50	50	ND	ug/L
Disulfoton	LGW-3R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-3R	2/10/2015	49	49	ND	ug/L
Disulfoton	LGW-3R	7/11/2018	50	50	ND	ug/L
Disulfoton	LGW-3R	7/6/2021	50	50	ND	ug/L
Disulfoton	LGW-4	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-4	2/3/2009	50	50	ND	ug/L
Disulfoton	LGW-4	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-4	2/11/2015	48	48	ND	ug/L
Disulfoton	LGW-4	7/11/2018	50	50	ND	ug/L
Disulfoton	LGW-4	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-5	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-5	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-5	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-5	2/10/2015	48	48	ND	ug/L
Disulfoton	LGW-5	7/12/2018	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	LGW-5	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-5	10/5/2023	50	50	ND	ug/L
Disulfoton	LGW-6	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-6	2/5/2009	50	50	ND	ug/L
Disulfoton	LGW-6	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-6	2/10/2015	50	50	ND	ug/L
Disulfoton	LGW-6	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-6	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-6	7/17/2018	49	49	ND	ug/L
Disulfoton	LGW-6	7/10/2019	49	49	ND	ug/L
Disulfoton	LGW-6	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-6	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-6	10/5/2023	50	50	ND	ug/L
Disulfoton	LGW-7	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-7	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-7	7/10/2012	47	47	ND	ug/L
Disulfoton	LGW-7	2/11/2015	48	48	ND	ug/L
Disulfoton	LGW-7	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-7	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-7	7/12/2018	51	51	ND	ug/L
Disulfoton	LGW-7	7/10/2019	49	49	ND	ug/L
Disulfoton	LGW-7	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-7	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-8R	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-8R	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-8R	7/9/2012	47	47	ND	ug/L
Disulfoton	LGW-8R	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-8R	7/13/2018	49	49	ND	ug/L
Disulfoton	LGW-8R	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-9	10/26/2006	50	50	ND	ug/L
Disulfoton	LGW-9	2/4/2009	50	50	ND	ug/L
Disulfoton	LGW-9	7/10/2012	47	47	ND	ug/L
Disulfoton	LGW-9	2/11/2015	49	49	ND	ug/L
Disulfoton	LGW-9	10/6/2016	48	48	ND	ug/L
Disulfoton	LGW-9	10/5/2017	48	48	ND	ug/L
Disulfoton	LGW-9	7/13/2018	47	47	ND	ug/L
Disulfoton	LGW-9	7/10/2019	51	51	ND	ug/L
Disulfoton	LGW-9	7/9/2020	10	10	ND	ug/L
Disulfoton	LGW-9	7/7/2021	50	50	ND	ug/L
Disulfoton	LGW-9	10/5/2023	50	50	ND	ug/L
Disulfoton	MW-10N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-10N	2/13/2009	50	50	ND	ug/L
Disulfoton	MW-10N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-10N	2/12/2015	48	48	ND	ug/L
Disulfoton	MW-10N	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-10N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-11N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-11N	2/3/2009	50	50	ND	ug/L
Disulfoton	MW-11N	7/9/2012	47	47	ND	ug/L
Disulfoton	MW-11N	2/10/2015	50	50	ND	ug/L
Disulfoton	MW-11N	7/17/2018	50	50	ND	ug/L
Disulfoton	MW-11N	7/6/2021	50	50	ND	ug/L
Disulfoton	MW-15	7/10/2018	51	51	ND	ug/L
Disulfoton	MW-15	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-16	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-16	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-17	7/10/2018	47	47	ND	ug/L
Disulfoton	MW-17	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	MW-19	7/13/2018	48	48	ND	ug/L
Disulfoton	MW-19	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-1N	10/14/1998	10	10	ND	ug/L
Disulfoton	MW-1N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-1N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-1N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-1N	2/5/2009	50	50	ND	ug/L
Disulfoton	MW-1N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-1N	2/10/2015	47	47	ND	ug/L
Disulfoton	MW-1N	7/10/2018	49	49	ND	ug/L
Disulfoton	MW-1N	7/6/2020	10	10	ND	ug/L
Disulfoton	MW-1N	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-20	7/12/2018	47	47	ND	ug/L
Disulfoton	MW-20	7/4/2021	50	50	ND	ug/L
Disulfoton	MW-21	10/5/2016	48	48	ND	ug/L
Disulfoton	MW-21	10/6/2017	48	48	ND	ug/L
Disulfoton	MW-21	7/11/2018	48	48	ND	ug/L
Disulfoton	MW-21	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-21	7/8/2020	10	10	ND	ug/L
Disulfoton	MW-21	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-2N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-2N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-2N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-2N	2/12/2015	48	48	ND	ug/L
Disulfoton	MW-2N	7/12/2018	51	51	ND	ug/L
Disulfoton	MW-2N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-3N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-3N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-3N	10/25/2006	50	50	ND	ug/L
Disulfoton	MW-3N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-3N	7/11/2012	47	47	ND	ug/L
Disulfoton	MW-3N	2/12/2015	49	49	ND	ug/L
Disulfoton	MW-3N	10/6/2016	48	48	ND	ug/L
Disulfoton	MW-3N	10/9/2017	48	48	ND	ug/L
Disulfoton	MW-3N	7/13/2018	47	47	ND	ug/L
Disulfoton	MW-3N	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-3N	7/7/2020	10	10	ND	ug/L
Disulfoton	MW-3N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-7N	10/15/1998	10	10	ND	ug/L
Disulfoton	MW-7N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-7N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-7N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-7N	2/6/2009	50	50	ND	ug/L
Disulfoton	MW-7N	7/10/2012	47	47	ND	ug/L
Disulfoton	MW-7N	2/12/2015	49	49	ND	ug/L
Disulfoton	MW-7N	10/5/2017	49	49	ND	ug/L
Disulfoton	MW-7N	7/13/2018	52	52	ND	ug/L
Disulfoton	MW-7N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-8N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-8N	5/29/2002	10	10	ND	ug/L
Disulfoton	MW-8N	10/24/2006	50	50	ND	ug/L
Disulfoton	MW-8N	1/24/2008	50	50	ND	ug/L
Disulfoton	MW-8N	2/4/2009	50	50	ND	ug/L
Disulfoton	MW-8N	5/10/2011	48	48	ND	ug/L
Disulfoton	MW-8N	7/11/2012	47	47	ND	ug/L
Disulfoton	MW-8N	10/2/2013	48	48	ND	ug/L
Disulfoton	MW-8N	10/8/2014	48	48	ND	ug/L
Disulfoton	MW-8N	2/12/2015	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Disulfoton	MW-8N	10/6/2016	48	48	ND	ug/L
Disulfoton	MW-8N	10/6/2017	48	48	ND	ug/L
Disulfoton	MW-8N	7/16/2018	49	49	ND	ug/L
Disulfoton	MW-8N	7/11/2019	50	50	ND	ug/L
Disulfoton	MW-8N	7/9/2020	10	10	ND	ug/L
Disulfoton	MW-8N	7/5/2021	50	50	ND	ug/L
Disulfoton	MW-8N	10/5/2023	50	50	ND	ug/L
Disulfoton	NE-1	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-1	2/7/2009	50	50	ND	ug/L
Disulfoton	NE-1	7/10/2012	48	48	ND	ug/L
Disulfoton	NE-1	2/11/2015	48	48	ND	ug/L
Disulfoton	NE-1	7/18/2018	48	48	ND	ug/L
Disulfoton	NE-2	7/10/2018	48	48	ND	ug/L
Disulfoton	NE-4	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-4	2/7/2009	50	50	ND	ug/L
Disulfoton	NE-4	7/10/2012	49	49	ND	ug/L
Disulfoton	NE-4	2/13/2015	48	48	ND	ug/L
Disulfoton	NE-4	7/12/2018	52	52	ND	ug/L
Disulfoton	NE-5	10/25/2006	50	50	ND	ug/L
Disulfoton	NE-5	2/6/2009	50	50	ND	ug/L
Disulfoton	NE-5	7/10/2012	47	47	ND	ug/L
Disulfoton	NE-5	2/11/2015	48	48	ND	ug/L
Disulfoton	NE-5	7/17/2018	48	48	ND	ug/L
Disulfoton	NE-5	7/9/2019	50	50	ND	ug/L
Do (field)	LGW-10	9/30/2005	76.4	0		mg/L
Do (field)	LGW-10	7/20/2006	11.1	0		mg/L
Do (field)	LGW-10	7/20/2006	11	0		mg/L
Do (field)	LGW-10	7/31/2006	13.7	0		mg/L
Do (field)	LGW-10	8/1/2006	13.7	0		mg/L
Do (field)	LGW-10	9/27/2006	46.4	0		mg/L
Do (field)	LGW-10	9/28/2006	46.4	0		mg/L
Do (field)	LGW-10	10/26/2006	8.3	0		mg/L
Do (field)	LGW-10	10/26/2006	8.3	0		mg/L
Do (field)	LGW-10	11/20/2006	29.7	0		mg/L
Do (field)	LGW-10	11/20/2006	29.7	0		mg/L
Do (field)	LGW-10	12/21/2006	2.7	0		mg/L
Do (field)	LGW-10	12/21/2006	2.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	1/25/2007	3.7	0		mg/L
Do (field)	LGW-10	2/7/2007	2	0		mg/L
Do (field)	LGW-10	2/27/2007	2	0		mg/L
Do (field)	LGW-10	2/27/2007	2	0		mg/L
Do (field)	LGW-10	3/26/2007	2.7	0		mg/L
Do (field)	LGW-10	3/27/2007	2.7	0		mg/L
Do (field)	LGW-10	3/27/2007	2.7	0		mg/L
Do (field)	LGW-10	4/26/2007	2	0		mg/L
Do (field)	LGW-10	4/26/2007	2	0		mg/L
Do (field)	LGW-10	5/31/2007	2.72	0		mg/L
Do (field)	LGW-10	6/1/2007	3.99	0		mg/L
Do (field)	LGW-10	6/28/2007	0.6	0		mg/L
Do (field)	LGW-10	6/28/2007	0.6	0		mg/L
Do (field)	LGW-10	7/11/2007	1.29	0		mg/L
Do (field)	LGW-10	7/12/2007	1.29	0		mg/L
Do (field)	LGW-10	10/23/2007	12.35	0		mg/L
Do (field)	LGW-10	10/23/2007	12.35	0		mg/L
Do (field)	LGW-10	5/30/2008	2.85	0		mg/L
Do (field)	LGW-10	7/22/2008	0.24	0.5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	8/29/2008	0.28	0.5	ND	mg/L
Do (field)	LGW-10	9/26/2008	0.58	0.5		mg/L
Do (field)	LGW-10	11/25/2008	0.43	0.5	ND	mg/L
Do (field)	LGW-10	12/19/2008	0.29	0.5	ND	mg/L
Do (field)	LGW-10	3/26/2009	0.59	0.5		mg/L
Do (field)	LGW-10	4/16/2009	0.19	0.5	ND	mg/L
Do (field)	LGW-10	5/29/2009	0.3	0.5	ND	mg/L
Do (field)	LGW-10	6/24/2009	0.29	0.5	ND	mg/L
Do (field)	LGW-10	7/29/2009	0.16	0.5	ND	mg/L
Do (field)	LGW-10	8/28/2009	0.14	0.5	ND	mg/L
Do (field)	LGW-10	10/21/2009	0.05	0.5	ND	mg/L
Do (field)	LGW-10	12/17/2009	0.18	0.5	ND	mg/L
Do (field)	LGW-10	2/3/2010	0.21	0.5	ND	mg/L
Do (field)	LGW-10	2/3/2010	0.21	0.5	ND	mg/L
Do (field)	LGW-10	2/16/2010	0.32	0		mg/L
Do (field)	LGW-10	3/3/2010	0.29	0		mg/L
Do (field)	LGW-10	4/8/2010	0.18	0		mg/L
Do (field)	LGW-10	5/6/2010	0.29	0		mg/L
Do (field)	LGW-10	6/15/2010	6.1	0		mg/L
Do (field)	LGW-10	7/16/2010	3.6	0		mg/L
Do (field)	LGW-10	8/10/2010	3.3	0		mg/L
Do (field)	LGW-10	9/1/2010	3	0		mg/L
Do (field)	LGW-10	9/29/2010	4.8	0		mg/L
Do (field)	LGW-10	11/3/2010	3.4	0		mg/L
Do (field)	LGW-10	12/2/2010	4.6	0		mg/L
Do (field)	LGW-10	1/19/2011	4.5	0		mg/L
Do (field)	LGW-10	2/7/2011	0.5	0		mg/L
Do (field)	LGW-10	3/3/2011	1.42	0		mg/L
Do (field)	LGW-10	4/5/2011	0.59	0		mg/L
Do (field)	LGW-10	5/10/2011	0.45	0		mg/L
Do (field)	LGW-10	6/1/2011	1.02	0		mg/L
Do (field)	LGW-10	7/12/2011	0.22	0		mg/L
Do (field)	LGW-10	8/3/2011	0.34	0		mg/L
Do (field)	LGW-10	9/7/2011	0.41	0		mg/L
Do (field)	LGW-10	10/5/2011	0.99	0		mg/L
Do (field)	LGW-10	11/1/2011	0.42	0		mg/L
Do (field)	LGW-10	12/7/2011	0.44	0		mg/L
Do (field)	LGW-10	1/5/2012	0.41	0		mg/L
Do (field)	LGW-10	2/1/2012	0.3	0		mg/L
Do (field)	LGW-10	3/6/2012	0.7	0		mg/L
Do (field)	LGW-10	4/5/2012	0.76	0		mg/L
Do (field)	LGW-10	5/1/2012	0.03	0		mg/L
Do (field)	LGW-10	7/9/2012	0.01	0		mg/L
Do (field)	LGW-10	8/9/2012	0.01	0		mg/L
Do (field)	LGW-10	9/4/2012	0.02	0		mg/L
Do (field)	LGW-10	10/7/2012	0	0		mg/L
Do (field)	LGW-10	5/1/2013	0.78	0		mg/L
Do (field)	LGW-10	6/4/2013	0.57	0		mg/L
Do (field)	LGW-10	8/8/2013	0.89	0		mg/L
Do (field)	LGW-10	9/10/2013	0.98	0		mg/L
Do (field)	LGW-10	10/1/2013	0.65	0		mg/L
Do (field)	LGW-10	11/6/2013	0.49	0		mg/L
Do (field)	LGW-10	12/2/2013	0.22	0		mg/L
Do (field)	LGW-10	1/30/2014	0.11	0		mg/L
Do (field)	LGW-10	2/13/2014	0.18	0		mg/L
Do (field)	LGW-10	3/12/2014	0.49	0		mg/L
Do (field)	LGW-10	4/2/2014	1.93	0		mg/L
Do (field)	LGW-10	5/7/2014	0.89	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	6/3/2014	1.68	0		mg/L
Do (field)	LGW-10	7/9/2014	2.2	0		mg/L
Do (field)	LGW-10	8/5/2014	4.6	0		mg/L
Do (field)	LGW-10	9/4/2014	3.21	0		mg/L
Do (field)	LGW-10	10/9/2014	1.53	0		mg/L
Do (field)	LGW-10	11/3/2014	3.4	0		mg/L
Do (field)	LGW-10	1/14/2015	2.24	0		mg/L
Do (field)	LGW-10	2/12/2015	0.79	0		mg/L
Do (field)	LGW-10	3/3/2015	2.12	0		mg/L
Do (field)	LGW-10	4/1/2015	4.58	0		mg/L
Do (field)	LGW-10	5/7/2015	0.75	0		mg/L
Do (field)	LGW-10	6/3/2015	0.97	0		mg/L
Do (field)	LGW-10	7/13/2015	0.82	0		mg/L
Do (field)	LGW-10	8/5/2015	0.84	0		mg/L
Do (field)	LGW-10	9/3/2015	1.02	0		mg/L
Do (field)	LGW-10	10/6/2015	1.3	0		mg/L
Do (field)	LGW-10	11/4/2015	1.81	0		mg/L
Do (field)	LGW-10	12/3/2015	0.94	0		mg/L
Do (field)	LGW-10	1/5/2016	1.09	0		mg/L
Do (field)	LGW-10	2/3/2016	1.27	0		mg/L
Do (field)	LGW-10	2/10/2016	1.15	0		mg/L
Do (field)	LGW-10	3/2/2016	1.15	0		mg/L
Do (field)	LGW-10	4/6/2016	1.35	0		mg/L
Do (field)	LGW-10	5/11/2016	1.28	0		mg/L
Do (field)	LGW-10	6/1/2016	1.16	0		mg/L
Do (field)	LGW-10	7/21/2016	0.81	0		mg/L
Do (field)	LGW-10	8/10/2016	1.82	0		mg/L
Do (field)	LGW-10	9/6/2016	1.61	0		mg/L
Do (field)	LGW-10	10/6/2016	2.14	0		mg/L
Do (field)	LGW-10	11/2/2016	1.28	0		mg/L
Do (field)	LGW-10	12/1/2016	4.31	0		mg/L
Do (field)	LGW-10	1/11/2017	6.71	0		mg/L
Do (field)	LGW-10	2/7/2017	1.03	0		mg/L
Do (field)	LGW-10	3/2/2017	23	0		mg/L
Do (field)	LGW-10	4/4/2017	0.64	0		mg/L
Do (field)	LGW-10	5/16/2017	0.61	0		mg/L
Do (field)	LGW-10	6/6/2017	0.23	0		mg/L
Do (field)	LGW-10	7/19/2017	0.14	0		mg/L
Do (field)	LGW-10	8/1/2017	0.14	0		mg/L
Do (field)	LGW-10	9/5/2017	0.03	0		mg/L
Do (field)	LGW-10	10/9/2017	0.01	0		mg/L
Do (field)	LGW-10	11/1/2017	0.36	0		mg/L
Do (field)	LGW-10	1/24/2018	0.83	0.01		mg/L
Do (field)	LGW-10	2/23/2018	6.61	0.01		mg/L
Do (field)	LGW-10	3/21/2018	0.16	0.01		mg/L
Do (field)	LGW-10	4/11/2018	0.23	0.01		mg/L
Do (field)	LGW-10	4/11/2018	0.23	0.01		mg/L
Do (field)	LGW-10	6/6/2018	1.82	0		mg/L
Do (field)	LGW-10	7/16/2018	0.97	0.01		mg/L
Do (field)	LGW-10	8/2/2018	1.91	0.01		mg/L
Do (field)	LGW-10	9/4/2018	1.07	0		mg/L
Do (field)	LGW-10	10/4/2018	1.19	0		mg/L
Do (field)	LGW-10	10/4/2018	1.19	0		mg/L
Do (field)	LGW-10	11/6/2018	1.22	0.01		mg/L
Do (field)	LGW-10	12/4/2018	0.67	0.01		mg/L
Do (field)	LGW-10	1/4/2019	0.76	0.01		mg/L
Do (field)	LGW-10	2/6/2019	1.99	0		mg/L
Do (field)	LGW-10	3/5/2019	0.6	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	4/3/2019	1.1	0.01		mg/L
Do (field)	LGW-10	4/3/2019	1.1	0.01		mg/L
Do (field)	LGW-10	5/3/2019	2.5	0.01		mg/L
Do (field)	LGW-10	6/4/2019	0.67	0		mg/L
Do (field)	LGW-10	7/11/2019	1.25	0		mg/L
Do (field)	LGW-10	7/11/2019	1.25	0.01		mg/L
Do (field)	LGW-10	8/7/2019	1.55	0.01		mg/L
Do (field)	LGW-10	9/4/2019	1.21	0.01		mg/L
Do (field)	LGW-10	10/2/2019	1.07	0.01		mg/L
Do (field)	LGW-10	10/2/2019	1.07	0.01		mg/L
Do (field)	LGW-10	11/5/2019	0.56	0.01		mg/L
Do (field)	LGW-10	12/3/2019	0.21	0.01		mg/L
Do (field)	LGW-10	1/15/2020	0.44	0		mg/L
Do (field)	LGW-10	3/4/2020	0.26	0.01		mg/L
Do (field)	LGW-10	4/2/2020	0.33	0.01		mg/L
Do (field)	LGW-10	4/2/2020	0.33	0.01		mg/L
Do (field)	LGW-10	5/5/2020	1.34	0.01		mg/L
Do (field)	LGW-10	6/2/2020	0.34	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	7/9/2020	0.52	0		mg/L
Do (field)	LGW-10	8/3/2020	0.71	0		mg/L
Do (field)	LGW-10	9/2/2020	0.24	0.01		mg/L
Do (field)	LGW-10	10/7/2020	0.88	0.01		mg/L
Do (field)	LGW-10	10/7/2020	0.88	0.01		mg/L
Do (field)	LGW-10	11/4/2020	0.53	0		mg/L
Do (field)	LGW-10	12/3/2020	0.76	0		mg/L
Do (field)	LGW-10	1/17/2021	0.18	0		mg/L
Do (field)	LGW-10	2/9/2021	0.4	0		mg/L
Do (field)	LGW-10	3/2/2021	1	0		mg/L
Do (field)	LGW-10	4/6/2021	0.8	0		mg/L
Do (field)	LGW-10	4/6/2021	0.8	0		mg/L
Do (field)	LGW-10	5/5/2021	0.5	0		mg/L
Do (field)	LGW-10	6/1/2021	0.1	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	7/7/2021	0.2	0		mg/L
Do (field)	LGW-10	8/4/2021	0.3	0		mg/L
Do (field)	LGW-10	9/2/2021	0.2	0		mg/L
Do (field)	LGW-10	10/5/2021	0.2	0		mg/L
Do (field)	LGW-10	10/5/2021	0.2	0		mg/L
Do (field)	LGW-10	11/2/2021	0.9	0		mg/L
Do (field)	LGW-10	12/9/2021	0.3	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	1/13/2022	0.8	0		mg/L
Do (field)	LGW-10	2/10/2022	0.4	0		mg/L
Do (field)	LGW-10	3/2/2022	0.3	0		mg/L
Do (field)	LGW-10	4/4/2022	0.2	0		mg/L
Do (field)	LGW-10	4/4/2022	0.2	0		mg/L
Do (field)	LGW-10	5/7/2022	0.3	0		mg/L
Do (field)	LGW-10	6/3/2022	0.2	0		mg/L
Do (field)	LGW-10	7/11/2022	0.2	0		mg/L
Do (field)	LGW-10	8/10/2022	0.2	0		mg/L
Do (field)	LGW-10	9/8/2022	0.3	0		mg/L
Do (field)	LGW-10	10/7/2022	0.9	0		mg/L
Do (field)	LGW-10	10/7/2022	0.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-10	11/3/2022	0.4	0		mg/L
Do (field)	LGW-10	12/7/2022	0.3	0		mg/L
Do (field)	LGW-10	1/11/2023	0.3	0		mg/L
Do (field)	LGW-10	2/3/2023	0.8	0		mg/L
Do (field)	LGW-10	3/1/2023	0.2	0		mg/L
Do (field)	LGW-10	4/5/2023	0.3	0		mg/L
Do (field)	LGW-10	5/10/2023	0.5	0		mg/L
Do (field)	LGW-10	6/8/2023	0.4	0		mg/L
Do (field)	LGW-10	7/10/2023	0.3	0		mg/L
Do (field)	LGW-10	8/1/2023	0.4	0		mg/L
Do (field)	LGW-10	9/2/2023	0.4	0		mg/L
Do (field)	LGW-10	10/5/2023	0.3	0		mg/L
Do (field)	LGW-14R	9/28/2005	59.6	0		mg/L
Do (field)	LGW-14R	7/21/2006	18.5	0		mg/L
Do (field)	LGW-14R	7/21/2006	18.5	0		mg/L
Do (field)	LGW-14R	8/1/2006	21.9	0		mg/L
Do (field)	LGW-14R	8/2/2006	21.9	0		mg/L
Do (field)	LGW-14R	9/28/2006	38.1	0		mg/L
Do (field)	LGW-14R	9/28/2006	38.1	0		mg/L
Do (field)	LGW-14R	10/27/2006	3.1	0		mg/L
Do (field)	LGW-14R	10/27/2006	3.1	0		mg/L
Do (field)	LGW-14R	11/21/2006	36.3	0		mg/L
Do (field)	LGW-14R	11/21/2006	36.3	0		mg/L
Do (field)	LGW-14R	12/21/2006	13.8	0		mg/L
Do (field)	LGW-14R	12/21/2006	13.8	0		mg/L
Do (field)	LGW-14R	1/24/2007	12.4	0		mg/L
Do (field)	LGW-14R	1/24/2007	12.4	0		mg/L
Do (field)	LGW-14R	1/25/2007	1000	0		mg/L
Do (field)	LGW-14R	2/7/2007	9.9	0		mg/L
Do (field)	LGW-14R	2/26/2007	9.9	0		mg/L
Do (field)	LGW-14R	2/26/2007	9.9	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	3/26/2007	9.1	0		mg/L
Do (field)	LGW-14R	4/24/2007	6.5	0		mg/L
Do (field)	LGW-14R	4/26/2007	6.5	0		mg/L
Do (field)	LGW-14R	5/31/2007	5.5	0		mg/L
Do (field)	LGW-14R	6/1/2007	5.5	0		mg/L
Do (field)	LGW-14R	6/28/2007	1.64	0		mg/L
Do (field)	LGW-14R	6/28/2007	1.46	0		mg/L
Do (field)	LGW-14R	7/11/2007	2.76	0		mg/L
Do (field)	LGW-14R	7/11/2007	2.76	0		mg/L
Do (field)	LGW-14R	10/23/2007	14.2	0		mg/L
Do (field)	LGW-14R	10/23/2007	14.2	0		mg/L
Do (field)	LGW-14R	11/27/2007	12.59	0		mg/L
Do (field)	LGW-14R	3/25/2008	9.66	0		mg/L
Do (field)	LGW-14R	5/3/2008	5.67	0		mg/L
Do (field)	LGW-14R	5/30/2008	14.77	0		mg/L
Do (field)	LGW-14R	7/22/2008	9.44	0.5		mg/L
Do (field)	LGW-14R	8/29/2008	5.23	0.5		mg/L
Do (field)	LGW-14R	9/26/2008	4.48	0.5		mg/L
Do (field)	LGW-14R	11/25/2008	4.63	0.5		mg/L
Do (field)	LGW-14R	12/19/2008	4.35	0.5		mg/L
Do (field)	LGW-14R	2/6/2009	3.46	0.5		mg/L
Do (field)	LGW-14R	3/26/2009	5.19	0.5		mg/L
Do (field)	LGW-14R	6/25/2009	4.15	0.5		mg/L
Do (field)	LGW-14R	7/29/2009	3.86	0.5		mg/L
Do (field)	LGW-14R	8/28/2009	1.64	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	10/22/2009	1.25	0.5		mg/L
Do (field)	LGW-14R	12/18/2009	1.5	0.5		mg/L
Do (field)	LGW-14R	2/3/2010	4.96	0.5		mg/L
Do (field)	LGW-14R	2/3/2010	4.96	0.5		mg/L
Do (field)	LGW-14R	2/16/2010	586	0		mg/L
Do (field)	LGW-14R	3/3/2010	3.03	0		mg/L
Do (field)	LGW-14R	4/7/2010	3.69	0		mg/L
Do (field)	LGW-14R	5/6/2010	7.79	0		mg/L
Do (field)	LGW-14R	6/16/2010	63.6	0		mg/L
Do (field)	LGW-14R	7/12/2010	75.4	0		mg/L
Do (field)	LGW-14R	8/10/2010	80.4	0		mg/L
Do (field)	LGW-14R	9/2/2010	15.3	0		mg/L
Do (field)	LGW-14R	9/29/2010	23.3	0		mg/L
Do (field)	LGW-14R	11/3/2010	42.2	0		mg/L
Do (field)	LGW-14R	12/2/2010	35.5	0		mg/L
Do (field)	LGW-14R	1/19/2011	30.6	0		mg/L
Do (field)	LGW-14R	2/7/2011	2.9	0		mg/L
Do (field)	LGW-14R	3/3/2011	2.96	0		mg/L
Do (field)	LGW-14R	4/5/2011	5.59	0		mg/L
Do (field)	LGW-14R	5/10/2011	3.88	0		mg/L
Do (field)	LGW-14R	6/1/2011	3.41	0		mg/L
Do (field)	LGW-14R	7/12/2011	3.05	0		mg/L
Do (field)	LGW-14R	8/3/2011	4.79	0		mg/L
Do (field)	LGW-14R	9/7/2011	4.51	0		mg/L
Do (field)	LGW-14R	10/5/2011	3.95	0		mg/L
Do (field)	LGW-14R	11/1/2011	4.54	0		mg/L
Do (field)	LGW-14R	12/7/2011	5.71	0		mg/L
Do (field)	LGW-14R	1/5/2012	6.95	0		mg/L
Do (field)	LGW-14R	2/1/2012	6.42	0		mg/L
Do (field)	LGW-14R	3/6/2012	5.55	0		mg/L
Do (field)	LGW-14R	4/5/2012	6.08	0		mg/L
Do (field)	LGW-14R	5/1/2012	0.02	0		mg/L
Do (field)	LGW-14R	7/9/2012	0.01	0		mg/L
Do (field)	LGW-14R	8/9/2012	0.01	0		mg/L
Do (field)	LGW-14R	9/4/2012	0.02	0		mg/L
Do (field)	LGW-14R	10/7/2012	0	0		mg/L
Do (field)	LGW-14R	12/6/2012	8.51	0		mg/L
Do (field)	LGW-14R	12/6/2012	8.51	0		mg/L
Do (field)	LGW-14R	1/23/2013	8.27	0		mg/L
Do (field)	LGW-14R	1/23/2013	8.27	0		mg/L
Do (field)	LGW-14R	2/5/2013	8.59	0		mg/L
Do (field)	LGW-14R	2/5/2013	8.59	0		mg/L
Do (field)	LGW-14R	3/5/2013	8.35	0		mg/L
Do (field)	LGW-14R	3/5/2013	8.35	0		mg/L
Do (field)	LGW-14R	4/30/2013	8.27	0		mg/L
Do (field)	LGW-14R	6/4/2013	7.78	0		mg/L
Do (field)	LGW-14R	8/8/2013	7.17	0		mg/L
Do (field)	LGW-14R	9/10/2013	7.72	0		mg/L
Do (field)	LGW-14R	10/1/2013	8.29	0		mg/L
Do (field)	LGW-14R	11/6/2013	6.64	0		mg/L
Do (field)	LGW-14R	12/2/2013	6.07	0		mg/L
Do (field)	LGW-14R	1/23/2014	6.56	0		mg/L
Do (field)	LGW-14R	2/12/2014	6.1	0		mg/L
Do (field)	LGW-14R	3/11/2014	4.08	0		mg/L
Do (field)	LGW-14R	4/2/2014	5.57	0		mg/L
Do (field)	LGW-14R	5/7/2014	5.89	0		mg/L
Do (field)	LGW-14R	6/3/2014	3.7	0		mg/L
Do (field)	LGW-14R	7/8/2014	4.54	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	8/5/2014	6.9	0		mg/L
Do (field)	LGW-14R	9/4/2014	5.39	0		mg/L
Do (field)	LGW-14R	10/9/2014	5.62	0		mg/L
Do (field)	LGW-14R	11/3/2014	6.4	0		mg/L
Do (field)	LGW-14R	1/14/2015	4.78	0		mg/L
Do (field)	LGW-14R	2/11/2015	4.2	0		mg/L
Do (field)	LGW-14R	3/3/2015	3.73	0		mg/L
Do (field)	LGW-14R	4/1/2015	7.37	0		mg/L
Do (field)	LGW-14R	5/6/2015	7.41	0		mg/L
Do (field)	LGW-14R	6/3/2015	7.84	0		mg/L
Do (field)	LGW-14R	7/22/2015	7.73	0		mg/L
Do (field)	LGW-14R	8/4/2015	8.41	0		mg/L
Do (field)	LGW-14R	9/3/2015	7.67	0		mg/L
Do (field)	LGW-14R	10/6/2015	7.18	0		mg/L
Do (field)	LGW-14R	11/4/2015	9.2	0		mg/L
Do (field)	LGW-14R	12/3/2015	7.74	0		mg/L
Do (field)	LGW-14R	1/5/2016	7.4	0		mg/L
Do (field)	LGW-14R	2/3/2016	6.79	0		mg/L
Do (field)	LGW-14R	3/2/2016	7.3	0		mg/L
Do (field)	LGW-14R	4/5/2016	7.23	0		mg/L
Do (field)	LGW-14R	5/11/2016	7.41	0		mg/L
Do (field)	LGW-14R	6/1/2016	7.2	0		mg/L
Do (field)	LGW-14R	7/19/2016	6.85	0		mg/L
Do (field)	LGW-14R	8/10/2016	7.86	0		mg/L
Do (field)	LGW-14R	9/6/2016	7.43	0		mg/L
Do (field)	LGW-14R	10/6/2016	6.25	0		mg/L
Do (field)	LGW-14R	11/2/2016	6.35	0		mg/L
Do (field)	LGW-14R	12/1/2016	6.1	0		mg/L
Do (field)	LGW-14R	1/11/2017	9.39	0		mg/L
Do (field)	LGW-14R	2/7/2017	8.22	0		mg/L
Do (field)	LGW-14R	3/2/2017	7.56	0		mg/L
Do (field)	LGW-14R	4/4/2017	7.19	0		mg/L
Do (field)	LGW-14R	5/2/2017	6.83	0		mg/L
Do (field)	LGW-14R	6/6/2017	6.81	0		mg/L
Do (field)	LGW-14R	7/18/2017	4.2	0		mg/L
Do (field)	LGW-14R	8/1/2017	1.16	0		mg/L
Do (field)	LGW-14R	9/5/2017	0.02	0		mg/L
Do (field)	LGW-14R	10/5/2017	0.01	0		mg/L
Do (field)	LGW-14R	11/1/2017	6.81	0		mg/L
Do (field)	LGW-14R	1/25/2018	6.45	0.01		mg/L
Do (field)	LGW-14R	2/22/2018	6.05	0.01		mg/L
Do (field)	LGW-14R	3/20/2018	5.68	0.01		mg/L
Do (field)	LGW-14R	4/10/2018	6.45	0.01		mg/L
Do (field)	LGW-14R	6/5/2018	5	0		mg/L
Do (field)	LGW-14R	6/21/2018	4.08	0		mg/L
Do (field)	LGW-14R	7/17/2018	5	0.01		mg/L
Do (field)	LGW-14R	8/1/2018	4.99	0.01		mg/L
Do (field)	LGW-14R	9/4/2018	5.31	0		mg/L
Do (field)	LGW-14R	10/2/2018	3.97	0		mg/L
Do (field)	LGW-14R	10/2/2018	3.97	0		mg/L
Do (field)	LGW-14R	11/6/2018	5.67	0.01		mg/L
Do (field)	LGW-14R	12/4/2018	6.95	0.01		mg/L
Do (field)	LGW-14R	1/3/2019	6.3	0.01		mg/L
Do (field)	LGW-14R	2/6/2019	6.08	0		mg/L
Do (field)	LGW-14R	3/5/2019	6.3	0.01		mg/L
Do (field)	LGW-14R	4/3/2019	6.41	0.01		mg/L
Do (field)	LGW-14R	5/2/2019	5.33	0.01		mg/L
Do (field)	LGW-14R	6/4/2019	4.35	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	7/10/2019	5.31	0.01		mg/L
Do (field)	LGW-14R	7/10/2019	5.31	0.01		mg/L
Do (field)	LGW-14R	8/7/2019	4.97	0.01		mg/L
Do (field)	LGW-14R	9/5/2019	5.12	0.01		mg/L
Do (field)	LGW-14R	10/3/2019	5.8	0.01		mg/L
Do (field)	LGW-14R	11/5/2019	5.72	0.01		mg/L
Do (field)	LGW-14R	12/4/2019	7.22	0.01		mg/L
Do (field)	LGW-14R	1/16/2020	6.32	0		mg/L
Do (field)	LGW-14R	3/3/2020	5.7	0.01		mg/L
Do (field)	LGW-14R	4/3/2020	6.06	0.01		mg/L
Do (field)	LGW-14R	5/5/2020	5.55	0.01		mg/L
Do (field)	LGW-14R	6/2/2020	5.35	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	7/9/2020	5.36	0		mg/L
Do (field)	LGW-14R	8/3/2020	5.92	0		mg/L
Do (field)	LGW-14R	9/2/2020	5.99	0.01		mg/L
Do (field)	LGW-14R	10/7/2020	6.07	0.01		mg/L
Do (field)	LGW-14R	11/3/2020	9.74	0		mg/L
Do (field)	LGW-14R	12/3/2020	5.99	0		mg/L
Do (field)	LGW-14R	1/18/2021	6.67	0		mg/L
Do (field)	LGW-14R	1/18/2021	6.67	0		mg/L
Do (field)	LGW-14R	2/9/2021	6.38	0		mg/L
Do (field)	LGW-14R	3/2/2021	6.7	0		mg/L
Do (field)	LGW-14R	4/6/2021	6.3	0		mg/L
Do (field)	LGW-14R	4/6/2021	6.3	0		mg/L
Do (field)	LGW-14R	5/4/2021	6.2	0		mg/L
Do (field)	LGW-14R	6/1/2021	6.1	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	7/7/2021	6	0		mg/L
Do (field)	LGW-14R	8/3/2021	6	0		mg/L
Do (field)	LGW-14R	9/2/2021	6.1	0		mg/L
Do (field)	LGW-14R	10/5/2021	5.9	0		mg/L
Do (field)	LGW-14R	10/5/2021	5.9	0		mg/L
Do (field)	LGW-14R	11/2/2021	5.8	0		mg/L
Do (field)	LGW-14R	12/9/2021	6.1	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	1/12/2022	5.8	0		mg/L
Do (field)	LGW-14R	2/10/2022	5.4	0		mg/L
Do (field)	LGW-14R	3/1/2022	5.8	0		mg/L
Do (field)	LGW-14R	4/5/2022	5.8	0		mg/L
Do (field)	LGW-14R	5/7/2022	5.6	0		mg/L
Do (field)	LGW-14R	6/3/2022	5.5	0		mg/L
Do (field)	LGW-14R	7/11/2022	4.5	0		mg/L
Do (field)	LGW-14R	8/10/2022	5.4	0		mg/L
Do (field)	LGW-14R	9/8/2022	5.3	0		mg/L
Do (field)	LGW-14R	10/6/2022	5.2	0		mg/L
Do (field)	LGW-14R	11/3/2022	5.4	0		mg/L
Do (field)	LGW-14R	12/7/2022	5.2	0		mg/L
Do (field)	LGW-14R	1/10/2023	5.3	0		mg/L
Do (field)	LGW-14R	2/3/2023	5.3	0		mg/L
Do (field)	LGW-14R	3/1/2023	4.8	0		mg/L
Do (field)	LGW-14R	4/5/2023	5	0		mg/L
Do (field)	LGW-14R	5/10/2023	4.7	0		mg/L
Do (field)	LGW-14R	6/8/2023	4.8	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-14R	7/10/2023	4.6	0		mg/L
Do (field)	LGW-14R	8/2/2023	4.9	0		mg/L
Do (field)	LGW-14R	9/2/2023	4.6	0		mg/L
Do (field)	LGW-14R	10/5/2023	3.8	0		mg/L
Do (field)	LGW-2	9/30/2005	68.1	0		mg/L
Do (field)	LGW-2	7/31/2006	56.5	0		mg/L
Do (field)	LGW-2	7/31/2006	56.5	0		mg/L
Do (field)	LGW-2	8/1/2006	56.5	0		mg/L
Do (field)	LGW-2	9/20/2006	48.4	0		mg/L
Do (field)	LGW-2	9/26/2006	57.1	0		mg/L
Do (field)	LGW-2	9/26/2006	27.1	0		mg/L
Do (field)	LGW-2	10/26/2006	6.4	0		mg/L
Do (field)	LGW-2	10/26/2006	8.8	0		mg/L
Do (field)	LGW-2	11/3/2006	8.4	0		mg/L
Do (field)	LGW-2	11/3/2006	8.4	0		mg/L
Do (field)	LGW-2	11/21/2006	30.2	0		mg/L
Do (field)	LGW-2	11/21/2006	30.2	0		mg/L
Do (field)	LGW-2	12/21/2006	9.6	0		mg/L
Do (field)	LGW-2	12/21/2006	9.6	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	1/25/2007	9.3	0		mg/L
Do (field)	LGW-2	2/7/2007	10	0		mg/L
Do (field)	LGW-2	2/27/2007	10	0		mg/L
Do (field)	LGW-2	2/27/2007	10	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	3/26/2007	10.3	0		mg/L
Do (field)	LGW-2	4/26/2007	5.8	0		mg/L
Do (field)	LGW-2	4/26/2007	5.8	0		mg/L
Do (field)	LGW-2	6/1/2007	5.07	0		mg/L
Do (field)	LGW-2	6/1/2007	5.07	0		mg/L
Do (field)	LGW-2	6/28/2007	1.33	0		mg/L
Do (field)	LGW-2	6/28/2007	1.33	0		mg/L
Do (field)	LGW-2	7/10/2007	2.1	0		mg/L
Do (field)	LGW-2	7/11/2007	2.1	0		mg/L
Do (field)	LGW-2	10/24/2007	11.37	0		mg/L
Do (field)	LGW-2	10/24/2007	11.37	0		mg/L
Do (field)	LGW-2	1/26/2008	6.1	0		mg/L
Do (field)	LGW-2	3/24/2008	8.45	0		mg/L
Do (field)	LGW-2	5/3/2008	5.15	0		mg/L
Do (field)	LGW-2	5/30/2008	15.06	0		mg/L
Do (field)	LGW-2	6/26/2008	4.5	0		mg/L
Do (field)	LGW-2	7/23/2008	6.08	0.5		mg/L
Do (field)	LGW-2	8/29/2008	7.04	0.5		mg/L
Do (field)	LGW-2	9/26/2008	65.5	0.5		mg/L
Do (field)	LGW-2	9/26/2008	65.5	0.5		mg/L
Do (field)	LGW-2	10/21/2008	3.98	0.5		mg/L
Do (field)	LGW-2	11/25/2008	5.33	0.5		mg/L
Do (field)	LGW-2	12/19/2008	4.55	0.5		mg/L
Do (field)	LGW-2	2/6/2009	3.6	0.5		mg/L
Do (field)	LGW-2	2/13/2009	3.45	0.5		mg/L
Do (field)	LGW-2	3/26/2009	5.44	0.5		mg/L
Do (field)	LGW-2	4/16/2009	4.58	0.5		mg/L
Do (field)	LGW-2	5/29/2009	4.33	0.5		mg/L
Do (field)	LGW-2	6/25/2009	4.81	0.5		mg/L
Do (field)	LGW-2	7/30/2009	3.31	0.5		mg/L
Do (field)	LGW-2	8/29/2009	1.51	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	9/30/2009	2.29	0.5		mg/L
Do (field)	LGW-2	10/22/2009	1.44	0.5		mg/L
Do (field)	LGW-2	11/24/2009	0.69	0.5		mg/L
Do (field)	LGW-2	12/18/2009	1.77	0.5		mg/L
Do (field)	LGW-2	2/3/2010	4.82	0.5		mg/L
Do (field)	LGW-2	2/3/2010	4.82	0.5		mg/L
Do (field)	LGW-2	2/17/2010	3.88	0		mg/L
Do (field)	LGW-2	3/4/2010	3.26	0		mg/L
Do (field)	LGW-2	4/8/2010	4.19	0		mg/L
Do (field)	LGW-2	5/6/2010	7.86	0		mg/L
Do (field)	LGW-2	6/15/2010	63.5	0		mg/L
Do (field)	LGW-2	7/12/2010	81.7	0		mg/L
Do (field)	LGW-2	8/10/2010	90.6	0		mg/L
Do (field)	LGW-2	9/1/2010	24.1	0		mg/L
Do (field)	LGW-2	9/29/2010	36.9	0		mg/L
Do (field)	LGW-2	11/3/2010	44.3	0		mg/L
Do (field)	LGW-2	12/2/2010	47.9	0		mg/L
Do (field)	LGW-2	1/19/2011	30.3	0		mg/L
Do (field)	LGW-2	2/7/2011	3.4	0		mg/L
Do (field)	LGW-2	3/3/2011	2.4	0		mg/L
Do (field)	LGW-2	4/5/2011	4.24	0		mg/L
Do (field)	LGW-2	5/10/2011	3.27	0		mg/L
Do (field)	LGW-2	6/1/2011	4.46	0		mg/L
Do (field)	LGW-2	7/13/2011	3.46	0		mg/L
Do (field)	LGW-2	8/3/2011	6.19	0		mg/L
Do (field)	LGW-2	9/7/2011	5.44	0		mg/L
Do (field)	LGW-2	10/5/2011	3.82	0		mg/L
Do (field)	LGW-2	11/1/2011	5.18	0		mg/L
Do (field)	LGW-2	12/7/2011	5.67	0		mg/L
Do (field)	LGW-2	1/4/2012	5.18	0		mg/L
Do (field)	LGW-2	2/1/2012	5.99	0		mg/L
Do (field)	LGW-2	3/6/2012	6.35	0		mg/L
Do (field)	LGW-2	4/5/2012	7.78	0		mg/L
Do (field)	LGW-2	5/1/2012	6.34	0		mg/L
Do (field)	LGW-2	6/5/2012	0.04	0		mg/L
Do (field)	LGW-2	7/9/2012	8.05	0		mg/L
Do (field)	LGW-2	8/9/2012	0	0		mg/L
Do (field)	LGW-2	9/4/2012	0	0		mg/L
Do (field)	LGW-2	10/7/2012	0	0		mg/L
Do (field)	LGW-2	4/30/2013	7.55	0		mg/L
Do (field)	LGW-2	6/4/2013	6.92	0		mg/L
Do (field)	LGW-2	7/15/2013	6.61	0		mg/L
Do (field)	LGW-2	8/8/2013	7.34	0		mg/L
Do (field)	LGW-2	9/10/2013	8.16	0		mg/L
Do (field)	LGW-2	10/1/2013	9.39	0		mg/L
Do (field)	LGW-2	11/6/2013	8.21	0		mg/L
Do (field)	LGW-2	12/2/2013	7.92	0		mg/L
Do (field)	LGW-2	1/30/2014	7.56	0		mg/L
Do (field)	LGW-2	2/13/2014	7.3	0		mg/L
Do (field)	LGW-2	3/12/2014	6.35	0		mg/L
Do (field)	LGW-2	4/3/2014	5.89	0		mg/L
Do (field)	LGW-2	5/7/2014	7.92	0		mg/L
Do (field)	LGW-2	6/3/2014	7.21	0		mg/L
Do (field)	LGW-2	7/8/2014	5.41	0		mg/L
Do (field)	LGW-2	8/5/2014	6.62	0		mg/L
Do (field)	LGW-2	9/4/2014	6.4	0		mg/L
Do (field)	LGW-2	10/9/2014	5.4	0		mg/L
Do (field)	LGW-2	11/3/2014	5.73	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	1/14/2015	6.74	0		mg/L
Do (field)	LGW-2	2/13/2015	5.29	0		mg/L
Do (field)	LGW-2	3/3/2015	4.14	0		mg/L
Do (field)	LGW-2	4/1/2015	8.2	0		mg/L
Do (field)	LGW-2	5/6/2015	8.1	0		mg/L
Do (field)	LGW-2	6/3/2015	8.55	0		mg/L
Do (field)	LGW-2	7/8/2015	8.21	0		mg/L
Do (field)	LGW-2	8/4/2015	9.85	0		mg/L
Do (field)	LGW-2	9/2/2015	8.68	0		mg/L
Do (field)	LGW-2	10/5/2015	7.86	0		mg/L
Do (field)	LGW-2	11/4/2015	9.94	0		mg/L
Do (field)	LGW-2	12/3/2015	8.8	0		mg/L
Do (field)	LGW-2	1/5/2016	8.02	0		mg/L
Do (field)	LGW-2	2/3/2016	7.34	0		mg/L
Do (field)	LGW-2	3/2/2016	8.2	0		mg/L
Do (field)	LGW-2	4/5/2016	7.39	0		mg/L
Do (field)	LGW-2	5/11/2016	7.3	0		mg/L
Do (field)	LGW-2	6/1/2016	6.38	0		mg/L
Do (field)	LGW-2	7/19/2016	5.91	0		mg/L
Do (field)	LGW-2	8/10/2016	6.36	0		mg/L
Do (field)	LGW-2	9/6/2016	5.79	0		mg/L
Do (field)	LGW-2	10/6/2016	5.71	0		mg/L
Do (field)	LGW-2	11/2/2016	3.8	0		mg/L
Do (field)	LGW-2	12/1/2016	1.88	0		mg/L
Do (field)	LGW-2	1/11/2017	4.16	0		mg/L
Do (field)	LGW-2	2/7/2017	2.18	0		mg/L
Do (field)	LGW-2	3/2/2017	6.76	0		mg/L
Do (field)	LGW-2	4/4/2017	0.05	0		mg/L
Do (field)	LGW-2	5/16/2017	0.51	0		mg/L
Do (field)	LGW-2	6/6/2017	0.4	0		mg/L
Do (field)	LGW-2	7/18/2017	0.13	0		mg/L
Do (field)	LGW-2	8/1/2017	0.02	0		mg/L
Do (field)	LGW-2	9/5/2017	0.02	0		mg/L
Do (field)	LGW-2	10/6/2017	0.01	0		mg/L
Do (field)	LGW-2	11/1/2017	0.83	0		mg/L
Do (field)	LGW-2	1/23/2018	9.72	0.01		mg/L
Do (field)	LGW-2	2/22/2018	1.65	0.01		mg/L
Do (field)	LGW-2	3/21/2018	0.21	0.01		mg/L
Do (field)	LGW-2	4/10/2018	0.67	0.01		mg/L
Do (field)	LGW-2	6/5/2018	2.25	0		mg/L
Do (field)	LGW-2	6/21/2018	0.23	0		mg/L
Do (field)	LGW-2	7/12/2018	0.94	0.01		mg/L
Do (field)	LGW-2	8/1/2018	0.62	0.01		mg/L
Do (field)	LGW-2	9/4/2018	0.43	0		mg/L
Do (field)	LGW-2	10/2/2018	0.55	0		mg/L
Do (field)	LGW-2	10/2/2018	0.55	0		mg/L
Do (field)	LGW-2	11/6/2018	1.31	0.01		mg/L
Do (field)	LGW-2	12/4/2018	4.54	0.01		mg/L
Do (field)	LGW-2	1/3/2019	0.46	0.01		mg/L
Do (field)	LGW-2	2/5/2019	2.03	0		mg/L
Do (field)	LGW-2	3/6/2019	0.3	0.01		mg/L
Do (field)	LGW-2	4/3/2019	1.78	0.01		mg/L
Do (field)	LGW-2	5/2/2019	0.3	0.01		mg/L
Do (field)	LGW-2	6/5/2019	0.32	0		mg/L
Do (field)	LGW-2	7/9/2019	1.3	0.01		mg/L
Do (field)	LGW-2	7/9/2019	1.3	0.01		mg/L
Do (field)	LGW-2	8/6/2019	3.29	0.01		mg/L
Do (field)	LGW-2	9/4/2019	2.51	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-2	10/1/2019	0.4	0.01		mg/L
Do (field)	LGW-2	11/6/2019	0.18	0.01		mg/L
Do (field)	LGW-2	12/3/2019	0.35	0.01		mg/L
Do (field)	LGW-2	1/13/2020	0.48	0		mg/L
Do (field)	LGW-2	3/3/2020	0.46	0.01		mg/L
Do (field)	LGW-2	4/1/2020	0.47	0.01		mg/L
Do (field)	LGW-2	4/1/2020	0.47	0.01		mg/L
Do (field)	LGW-2	5/5/2020	0.68	0.01		mg/L
Do (field)	LGW-2	6/2/2020	0.79	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	7/8/2020	1.54	0		mg/L
Do (field)	LGW-2	8/3/2020	6.45	0		mg/L
Do (field)	LGW-2	9/3/2020	0.55	0.01		mg/L
Do (field)	LGW-2	10/7/2020	1.25	0.01		mg/L
Do (field)	LGW-2	11/3/2020	0.83	0		mg/L
Do (field)	LGW-2	12/4/2020	5.1	0		mg/L
Do (field)	LGW-2	1/18/2021	0.54	0		mg/L
Do (field)	LGW-2	1/18/2021	0.54	0		mg/L
Do (field)	LGW-2	2/10/2021	1.6	0		mg/L
Do (field)	LGW-2	3/2/2021	1.3	0		mg/L
Do (field)	LGW-2	4/7/2021	2.6	0		mg/L
Do (field)	LGW-2	5/4/2021	2.2	0		mg/L
Do (field)	LGW-2	6/1/2021	1.3	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	7/4/2021	1.1	0		mg/L
Do (field)	LGW-2	8/3/2021	2.1	0		mg/L
Do (field)	LGW-2	9/2/2021	2.8	0		mg/L
Do (field)	LGW-2	10/5/2021	3	0		mg/L
Do (field)	LGW-2	10/5/2021	3	0		mg/L
Do (field)	LGW-2	11/1/2021	3.4	0		mg/L
Do (field)	LGW-2	12/8/2021	3.1	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	1/12/2022	2.8	0		mg/L
Do (field)	LGW-2	2/9/2022	3.3	0		mg/L
Do (field)	LGW-2	3/1/2022	3.5	0		mg/L
Do (field)	LGW-2	4/5/2022	3.3	0		mg/L
Do (field)	LGW-2	5/7/2022	3.3	0		mg/L
Do (field)	LGW-2	6/3/2022	2.9	0		mg/L
Do (field)	LGW-2	7/10/2022	2.9	0		mg/L
Do (field)	LGW-2	8/10/2022	4.6	0		mg/L
Do (field)	LGW-2	9/8/2022	4.6	0		mg/L
Do (field)	LGW-2	10/6/2022	5.1	0		mg/L
Do (field)	LGW-2	11/3/2022	5.6	0		mg/L
Do (field)	LGW-2	12/7/2022	5.6	0		mg/L
Do (field)	LGW-2	1/10/2023	5.9	0		mg/L
Do (field)	LGW-2	2/3/2023	6.7	0		mg/L
Do (field)	LGW-2	3/1/2023	6.5	0		mg/L
Do (field)	LGW-2	4/6/2023	4.2	0		mg/L
Do (field)	LGW-2	5/11/2023	4.3	0		mg/L
Do (field)	LGW-2	6/8/2023	4.1	0		mg/L
Do (field)	LGW-2	7/10/2023	5.8	0		mg/L
Do (field)	LGW-2	8/1/2023	6.6	0		mg/L
Do (field)	LGW-2	9/1/2023	6.7	0		mg/L
Do (field)	LGW-2	10/4/2023	7	0		mg/L
Do (field)	LGW-3R	9/28/2005	67.4	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	7/20/2006	53.4	0		mg/L
Do (field)	LGW-3R	7/20/2006	53.4	0		mg/L
Do (field)	LGW-3R	9/26/2006	55.5	0		mg/L
Do (field)	LGW-3R	9/26/2006	55.5	0		mg/L
Do (field)	LGW-3R	10/26/2006	2.1	0		mg/L
Do (field)	LGW-3R	10/26/2006	2.1	0		mg/L
Do (field)	LGW-3R	11/21/2006	48.7	0		mg/L
Do (field)	LGW-3R	11/21/2006	48.7	0		mg/L
Do (field)	LGW-3R	12/21/2006	8	0		mg/L
Do (field)	LGW-3R	12/21/2006	8	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	1/25/2007	9.4	0		mg/L
Do (field)	LGW-3R	2/7/2007	8.8	0		mg/L
Do (field)	LGW-3R	2/27/2007	8.8	0		mg/L
Do (field)	LGW-3R	2/27/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	3/26/2007	8.8	0		mg/L
Do (field)	LGW-3R	4/26/2007	6.4	0		mg/L
Do (field)	LGW-3R	4/26/2007	6.4	0		mg/L
Do (field)	LGW-3R	6/1/2007	3.98	0		mg/L
Do (field)	LGW-3R	6/1/2007	3.98	0		mg/L
Do (field)	LGW-3R	6/28/2007	1.35	0		mg/L
Do (field)	LGW-3R	6/28/2007	1.35	0		mg/L
Do (field)	LGW-3R	7/11/2007	4.31	0		mg/L
Do (field)	LGW-3R	7/11/2007	4.31	0		mg/L
Do (field)	LGW-3R	10/24/2007	13.4	0		mg/L
Do (field)	LGW-3R	10/24/2007	13.4	0		mg/L
Do (field)	LGW-3R	1/26/2008	6	0		mg/L
Do (field)	LGW-3R	3/24/2008	7.94	0		mg/L
Do (field)	LGW-3R	5/3/2008	6.19	0		mg/L
Do (field)	LGW-3R	5/30/2008	14.02	0		mg/L
Do (field)	LGW-3R	6/26/2008	6.12	0		mg/L
Do (field)	LGW-3R	7/23/2008	7.71	0.5		mg/L
Do (field)	LGW-3R	8/29/2008	68.1	0.5		mg/L
Do (field)	LGW-3R	9/26/2008	6.37	0.5		mg/L
Do (field)	LGW-3R	9/26/2008	6.37	0.5		mg/L
Do (field)	LGW-3R	10/22/2008	3.54	0.5		mg/L
Do (field)	LGW-3R	11/25/2008	5.22	0.5		mg/L
Do (field)	LGW-3R	12/19/2008	4.61	0.5		mg/L
Do (field)	LGW-3R	2/3/2009	4.72	0.5		mg/L
Do (field)	LGW-3R	3/26/2009	4.95	0.5		mg/L
Do (field)	LGW-3R	4/16/2009	4.68	0.5		mg/L
Do (field)	LGW-3R	5/28/2009	5.31	0.5		mg/L
Do (field)	LGW-3R	6/25/2009	4.47	0.5		mg/L
Do (field)	LGW-3R	7/31/2009	3.42	0.5		mg/L
Do (field)	LGW-3R	8/29/2009	1.51	0.5		mg/L
Do (field)	LGW-3R	9/30/2009	2.08	0.5		mg/L
Do (field)	LGW-3R	10/22/2009	1.08	0.5		mg/L
Do (field)	LGW-3R	11/24/2009	0.8	0.5		mg/L
Do (field)	LGW-3R	12/18/2009	1.44	0.5		mg/L
Do (field)	LGW-3R	2/3/2010	4.21	0.5		mg/L
Do (field)	LGW-3R	2/3/2010	4.21	0.5		mg/L
Do (field)	LGW-3R	2/17/2010	2.9	0		mg/L
Do (field)	LGW-3R	3/3/2010	3.29	0		mg/L
Do (field)	LGW-3R	4/8/2010	3.1	0		mg/L
Do (field)	LGW-3R	5/5/2010	7.46	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	6/15/2010	62.8	0		mg/L
Do (field)	LGW-3R	7/16/2010	26.5	0		mg/L
Do (field)	LGW-3R	8/11/2010	47.9	0		mg/L
Do (field)	LGW-3R	9/1/2010	55.6	0		mg/L
Do (field)	LGW-3R	9/29/2010	24.6	0		mg/L
Do (field)	LGW-3R	11/3/2010	28.5	0		mg/L
Do (field)	LGW-3R	12/3/2010	26.6	0		mg/L
Do (field)	LGW-3R	1/19/2011	35.9	0		mg/L
Do (field)	LGW-3R	2/7/2011	4.1	0		mg/L
Do (field)	LGW-3R	3/3/2011	2.81	0		mg/L
Do (field)	LGW-3R	4/5/2011	3.94	0		mg/L
Do (field)	LGW-3R	5/10/2011	2.87	0		mg/L
Do (field)	LGW-3R	6/1/2011	3.16	0		mg/L
Do (field)	LGW-3R	7/13/2011	3.06	0		mg/L
Do (field)	LGW-3R	8/3/2011	5.15	0		mg/L
Do (field)	LGW-3R	9/7/2011	5.18	0		mg/L
Do (field)	LGW-3R	10/5/2011	4	0		mg/L
Do (field)	LGW-3R	11/1/2011	4.95	0		mg/L
Do (field)	LGW-3R	12/7/2011	6.15	0		mg/L
Do (field)	LGW-3R	1/4/2012	5.78	0		mg/L
Do (field)	LGW-3R	2/1/2012	6.01	0		mg/L
Do (field)	LGW-3R	3/6/2012	6.61	0		mg/L
Do (field)	LGW-3R	4/5/2012	6.95	0		mg/L
Do (field)	LGW-3R	5/1/2012	0.01	0		mg/L
Do (field)	LGW-3R	7/9/2012	0	0		mg/L
Do (field)	LGW-3R	8/9/2012	0	0		mg/L
Do (field)	LGW-3R	9/4/2012	0.01	0		mg/L
Do (field)	LGW-3R	12/6/2012	7.86	0		mg/L
Do (field)	LGW-3R	12/6/2012	7.86	0		mg/L
Do (field)	LGW-3R	1/23/2013	8.04	0		mg/L
Do (field)	LGW-3R	1/23/2013	8.04	0		mg/L
Do (field)	LGW-3R	2/5/2013	8.07	0		mg/L
Do (field)	LGW-3R	2/5/2013	8.07	0		mg/L
Do (field)	LGW-3R	3/5/2013	8.09	0		mg/L
Do (field)	LGW-3R	3/5/2013	8.09	0		mg/L
Do (field)	LGW-3R	4/30/2013	8.6	0		mg/L
Do (field)	LGW-3R	6/4/2013	6.76	0		mg/L
Do (field)	LGW-3R	7/15/2013	6.43	0		mg/L
Do (field)	LGW-3R	8/8/2013	6.15	0		mg/L
Do (field)	LGW-3R	9/10/2013	7.06	0		mg/L
Do (field)	LGW-3R	10/1/2013	6.83	0		mg/L
Do (field)	LGW-3R	11/6/2013	4.5	0		mg/L
Do (field)	LGW-3R	12/2/2013	5.45	0		mg/L
Do (field)	LGW-3R	1/22/2014	6.46	0		mg/L
Do (field)	LGW-3R	2/12/2014	6.74	0		mg/L
Do (field)	LGW-3R	3/11/2014	3.98	0		mg/L
Do (field)	LGW-3R	4/2/2014	5.14	0		mg/L
Do (field)	LGW-3R	5/7/2014	7.02	0		mg/L
Do (field)	LGW-3R	6/3/2014	6.26	0		mg/L
Do (field)	LGW-3R	7/8/2014	5.8	0		mg/L
Do (field)	LGW-3R	8/5/2014	6.34	0		mg/L
Do (field)	LGW-3R	9/4/2014	6.19	0		mg/L
Do (field)	LGW-3R	10/9/2014	5.17	0		mg/L
Do (field)	LGW-3R	11/3/2014	5.17	0		mg/L
Do (field)	LGW-3R	1/14/2015	4.53	0		mg/L
Do (field)	LGW-3R	2/10/2015	4.42	0		mg/L
Do (field)	LGW-3R	3/3/2015	4.48	0		mg/L
Do (field)	LGW-3R	4/1/2015	7.56	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	5/6/2015	7.54	0		mg/L
Do (field)	LGW-3R	6/3/2015	3.72	0		mg/L
Do (field)	LGW-3R	7/16/2015	3.79	0		mg/L
Do (field)	LGW-3R	8/5/2015	8.67	0		mg/L
Do (field)	LGW-3R	9/3/2015	7.61	0		mg/L
Do (field)	LGW-3R	10/6/2015	5.75	0		mg/L
Do (field)	LGW-3R	11/5/2015	7.61	0		mg/L
Do (field)	LGW-3R	12/4/2015	6.33	0		mg/L
Do (field)	LGW-3R	1/8/2016	7.91	0		mg/L
Do (field)	LGW-3R	2/4/2016	8.67	0		mg/L
Do (field)	LGW-3R	3/3/2016	8.17	0		mg/L
Do (field)	LGW-3R	4/6/2016	7.39	0		mg/L
Do (field)	LGW-3R	5/12/2016	7.64	0		mg/L
Do (field)	LGW-3R	6/2/2016	7.92	0		mg/L
Do (field)	LGW-3R	7/21/2016	6.8	0		mg/L
Do (field)	LGW-3R	8/11/2016	7.62	0		mg/L
Do (field)	LGW-3R	9/7/2016	6.32	0		mg/L
Do (field)	LGW-3R	10/7/2016	6.08	0		mg/L
Do (field)	LGW-3R	11/3/2016	5.39	0		mg/L
Do (field)	LGW-3R	12/2/2016	4.33	0		mg/L
Do (field)	LGW-3R	1/11/2017	4.95	0		mg/L
Do (field)	LGW-3R	2/7/2017	8.33	0		mg/L
Do (field)	LGW-3R	3/2/2017	6.57	0		mg/L
Do (field)	LGW-3R	4/4/2017	3.35	0		mg/L
Do (field)	LGW-3R	5/2/2017	2.64	0		mg/L
Do (field)	LGW-3R	6/6/2017	4.61	0		mg/L
Do (field)	LGW-3R	7/18/2017	2.38	0		mg/L
Do (field)	LGW-3R	8/1/2017	0.24	0		mg/L
Do (field)	LGW-3R	9/5/2017	0.03	0		mg/L
Do (field)	LGW-3R	10/6/2017	0.01	0		mg/L
Do (field)	LGW-3R	11/1/2017	2.1	0		mg/L
Do (field)	LGW-3R	1/23/2018	1.32	0.01		mg/L
Do (field)	LGW-3R	2/22/2018	0.65	0.01		mg/L
Do (field)	LGW-3R	3/19/2018	0.93	0.01		mg/L
Do (field)	LGW-3R	4/10/2018	1.38	0.01		mg/L
Do (field)	LGW-3R	6/5/2018	1.92	0		mg/L
Do (field)	LGW-3R	7/11/2018	3.95	0.01		mg/L
Do (field)	LGW-3R	8/1/2018	2.76	0.01		mg/L
Do (field)	LGW-3R	9/5/2018	1.88	0		mg/L
Do (field)	LGW-3R	10/3/2018	1.33	0		mg/L
Do (field)	LGW-3R	11/7/2018	1.51	0.01		mg/L
Do (field)	LGW-3R	12/4/2018	1.56	0.01		mg/L
Do (field)	LGW-3R	1/3/2019	1	0.01		mg/L
Do (field)	LGW-3R	2/5/2019	1.69	0		mg/L
Do (field)	LGW-3R	3/4/2019	1.8	0.01		mg/L
Do (field)	LGW-3R	4/3/2019	3.92	0.01		mg/L
Do (field)	LGW-3R	5/1/2019	3.17	0.01		mg/L
Do (field)	LGW-3R	6/5/2019	3.3	0		mg/L
Do (field)	LGW-3R	7/9/2019	3.41	0.01		mg/L
Do (field)	LGW-3R	7/9/2019	3.41	0.01		mg/L
Do (field)	LGW-3R	8/5/2019	4.04	0.01		mg/L
Do (field)	LGW-3R	9/3/2019	3.34	0.01		mg/L
Do (field)	LGW-3R	10/1/2019	3.32	0.01		mg/L
Do (field)	LGW-3R	11/6/2019	3.21	0.01		mg/L
Do (field)	LGW-3R	12/2/2019	3	0.01		mg/L
Do (field)	LGW-3R	1/14/2020	5.42	0		mg/L
Do (field)	LGW-3R	3/2/2020	1.8	0.01		mg/L
Do (field)	LGW-3R	4/1/2020	0.76	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-3R	5/5/2020	0.6	0.01		mg/L
Do (field)	LGW-3R	6/3/2020	3.8	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	7/6/2020	0.55	0		mg/L
Do (field)	LGW-3R	8/3/2020	2.12	0		mg/L
Do (field)	LGW-3R	9/2/2020	2.43	0.01		mg/L
Do (field)	LGW-3R	10/5/2020	3.3	0.01		mg/L
Do (field)	LGW-3R	11/3/2020	6.2	0		mg/L
Do (field)	LGW-3R	12/4/2020	8.81	0		mg/L
Do (field)	LGW-3R	1/18/2021	3.3	0		mg/L
Do (field)	LGW-3R	1/18/2021	3.3	0		mg/L
Do (field)	LGW-3R	2/9/2021	3.69	0		mg/L
Do (field)	LGW-3R	3/2/2021	3.7	0		mg/L
Do (field)	LGW-3R	4/6/2021	3.7	0		mg/L
Do (field)	LGW-3R	4/6/2021	3.7	0		mg/L
Do (field)	LGW-3R	5/4/2021	3.6	0		mg/L
Do (field)	LGW-3R	6/2/2021	4	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	7/6/2021	3.9	0		mg/L
Do (field)	LGW-3R	8/3/2021	3.9	0		mg/L
Do (field)	LGW-3R	9/2/2021	3.7	0		mg/L
Do (field)	LGW-3R	10/5/2021	3.7	0		mg/L
Do (field)	LGW-3R	11/2/2021	1	0		mg/L
Do (field)	LGW-3R	12/9/2021	3.9	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	1/12/2022	4.5	0		mg/L
Do (field)	LGW-3R	2/10/2022	4.2	0		mg/L
Do (field)	LGW-3R	3/1/2022	4.9	0		mg/L
Do (field)	LGW-3R	4/5/2022	5.3	0		mg/L
Do (field)	LGW-3R	5/7/2022	6.7	0		mg/L
Do (field)	LGW-3R	6/3/2022	6.1	0		mg/L
Do (field)	LGW-3R	7/10/2022	6.2	0		mg/L
Do (field)	LGW-3R	8/10/2022	5.6	0		mg/L
Do (field)	LGW-3R	9/8/2022	5.5	0		mg/L
Do (field)	LGW-3R	10/6/2022	5.3	0		mg/L
Do (field)	LGW-3R	11/3/2022	5	0		mg/L
Do (field)	LGW-3R	12/7/2022	5.3	0		mg/L
Do (field)	LGW-3R	1/10/2023	5.6	0		mg/L
Do (field)	LGW-3R	2/3/2023	5.6	0		mg/L
Do (field)	LGW-3R	3/1/2023	6	0		mg/L
Do (field)	LGW-3R	4/6/2023	7.4	0		mg/L
Do (field)	LGW-3R	5/10/2023	6.4	0		mg/L
Do (field)	LGW-3R	6/8/2023	6.1	0		mg/L
Do (field)	LGW-3R	7/10/2023	5.9	0		mg/L
Do (field)	LGW-3R	8/2/2023	5.9	0		mg/L
Do (field)	LGW-3R	9/2/2023	5.7	0		mg/L
Do (field)	LGW-3R	10/4/2023	5.5	0		mg/L
Do (field)	LGW-4	9/28/2005	51.1	0		mg/L
Do (field)	LGW-4	7/20/2006	51.3	0		mg/L
Do (field)	LGW-4	7/20/2006	51.3	0		mg/L
Do (field)	LGW-4	9/26/2006	51.3	0		mg/L
Do (field)	LGW-4	9/26/2006	51.3	0		mg/L
Do (field)	LGW-4	10/26/2006	8.6	0		mg/L
Do (field)	LGW-4	10/26/2006	8.6	0		mg/L
Do (field)	LGW-4	11/21/2006	52.4	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	11/21/2006	52.4	0		mg/L
Do (field)	LGW-4	12/21/2006	7.9	0		mg/L
Do (field)	LGW-4	12/21/2006	7.9	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	1/25/2007	11.3	0		mg/L
Do (field)	LGW-4	2/7/2007	6.5	0		mg/L
Do (field)	LGW-4	2/27/2007	6.5	0		mg/L
Do (field)	LGW-4	2/27/2007	6.5	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	3/26/2007	6.4	0		mg/L
Do (field)	LGW-4	4/26/2007	4.8	0		mg/L
Do (field)	LGW-4	4/26/2007	4.8	0		mg/L
Do (field)	LGW-4	5/31/2007	4.29	0		mg/L
Do (field)	LGW-4	6/1/2007	4.29	0		mg/L
Do (field)	LGW-4	6/28/2007	1.75	0		mg/L
Do (field)	LGW-4	6/28/2007	1.75	0		mg/L
Do (field)	LGW-4	7/11/2007	3.96	0		mg/L
Do (field)	LGW-4	7/11/2007	3.96	0		mg/L
Do (field)	LGW-4	10/24/2007	11.13	0		mg/L
Do (field)	LGW-4	10/24/2007	11.13	0		mg/L
Do (field)	LGW-4	3/25/2008	9.31	0		mg/L
Do (field)	LGW-4	5/3/2008	5.24	0		mg/L
Do (field)	LGW-4	5/30/2008	11.89	0		mg/L
Do (field)	LGW-4	7/23/2008	5.94	0.5		mg/L
Do (field)	LGW-4	8/29/2008	6.04	0.5		mg/L
Do (field)	LGW-4	9/26/2008	4.2	0.5		mg/L
Do (field)	LGW-4	9/26/2008	4.2	0.5		mg/L
Do (field)	LGW-4	10/22/2008	3.42	0.5		mg/L
Do (field)	LGW-4	11/25/2008	4.41	0.5		mg/L
Do (field)	LGW-4	12/19/2008	4.18	0.5		mg/L
Do (field)	LGW-4	2/3/2009	3.94	0.5		mg/L
Do (field)	LGW-4	3/26/2009	4.31	0.5		mg/L
Do (field)	LGW-4	4/16/2009	4.69	0.5		mg/L
Do (field)	LGW-4	5/28/2009	4.14	0.5		mg/L
Do (field)	LGW-4	6/25/2009	3.74	0.5		mg/L
Do (field)	LGW-4	7/31/2009	3.08	0.5		mg/L
Do (field)	LGW-4	8/29/2009	1.34	0.5		mg/L
Do (field)	LGW-4	10/22/2009	1.02	0.5		mg/L
Do (field)	LGW-4	11/24/2009	0.49	0.5	ND	mg/L
Do (field)	LGW-4	2/3/2010	3.96	0.5		mg/L
Do (field)	LGW-4	2/3/2010	3.96	0.5		mg/L
Do (field)	LGW-4	2/17/2010	3.07	0		mg/L
Do (field)	LGW-4	3/3/2010	2.7	0		mg/L
Do (field)	LGW-4	4/8/2010	3.18	0		mg/L
Do (field)	LGW-4	5/5/2010	6.95	0		mg/L
Do (field)	LGW-4	6/15/2010	58.4	0		mg/L
Do (field)	LGW-4	7/16/2010	72.3	0		mg/L
Do (field)	LGW-4	8/11/2010	61.7	0		mg/L
Do (field)	LGW-4	9/1/2010	55.2	0		mg/L
Do (field)	LGW-4	9/29/2010	21.7	0		mg/L
Do (field)	LGW-4	11/3/2010	38.9	0		mg/L
Do (field)	LGW-4	12/3/2010	23.4	0		mg/L
Do (field)	LGW-4	1/19/2011	31.9	0		mg/L
Do (field)	LGW-4	2/7/2011	3.6	0		mg/L
Do (field)	LGW-4	3/3/2011	2.36	0		mg/L
Do (field)	LGW-4	4/5/2011	4.64	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	5/10/2011	2.91	0		mg/L
Do (field)	LGW-4	6/1/2011	28.5	0		mg/L
Do (field)	LGW-4	7/13/2011	2.5	0		mg/L
Do (field)	LGW-4	8/3/2011	5.22	0		mg/L
Do (field)	LGW-4	9/7/2011	5.31	0		mg/L
Do (field)	LGW-4	10/5/2011	3.77	0		mg/L
Do (field)	LGW-4	11/1/2011	5.21	0		mg/L
Do (field)	LGW-4	12/7/2011	5.8	0		mg/L
Do (field)	LGW-4	1/4/2012	5.82	0		mg/L
Do (field)	LGW-4	2/1/2012	5.9	0		mg/L
Do (field)	LGW-4	3/6/2012	6.42	0		mg/L
Do (field)	LGW-4	4/5/2012	6.68	0		mg/L
Do (field)	LGW-4	5/1/2012	0.01	0		mg/L
Do (field)	LGW-4	7/9/2012	0	0		mg/L
Do (field)	LGW-4	8/9/2012	0.1	0		mg/L
Do (field)	LGW-4	9/4/2012	0.01	0		mg/L
Do (field)	LGW-4	10/7/2012	0	0		mg/L
Do (field)	LGW-4	4/30/2013	8.54	0		mg/L
Do (field)	LGW-4	6/4/2013	7.24	0		mg/L
Do (field)	LGW-4	7/15/2013	5.71	0		mg/L
Do (field)	LGW-4	8/8/2013	6.08	0		mg/L
Do (field)	LGW-4	9/10/2013	6.66	0		mg/L
Do (field)	LGW-4	10/1/2013	6.03	0		mg/L
Do (field)	LGW-4	11/6/2013	4.67	0		mg/L
Do (field)	LGW-4	12/2/2013	5.88	0		mg/L
Do (field)	LGW-4	1/23/2014	6.14	0		mg/L
Do (field)	LGW-4	2/12/2014	6.47	0		mg/L
Do (field)	LGW-4	3/11/2014	5.15	0		mg/L
Do (field)	LGW-4	4/2/2014	5.59	0		mg/L
Do (field)	LGW-4	5/7/2014	6.7	0		mg/L
Do (field)	LGW-4	6/3/2014	5.83	0		mg/L
Do (field)	LGW-4	7/8/2014	4.71	0		mg/L
Do (field)	LGW-4	8/5/2014	5.91	0		mg/L
Do (field)	LGW-4	9/4/2014	6.38	0		mg/L
Do (field)	LGW-4	10/9/2014	5.68	0		mg/L
Do (field)	LGW-4	11/3/2014	4.75	0		mg/L
Do (field)	LGW-4	1/14/2015	4.98	0		mg/L
Do (field)	LGW-4	2/11/2015	3.15	0		mg/L
Do (field)	LGW-4	3/3/2015	3.19	0		mg/L
Do (field)	LGW-4	4/1/2015	6.2	0		mg/L
Do (field)	LGW-4	5/6/2015	6.07	0		mg/L
Do (field)	LGW-4	6/3/2015	7.96	0		mg/L
Do (field)	LGW-4	7/8/2015	5.19	0		mg/L
Do (field)	LGW-4	8/4/2015	6.89	0		mg/L
Do (field)	LGW-4	9/2/2015	5.63	0		mg/L
Do (field)	LGW-4	10/5/2015	5.55	0		mg/L
Do (field)	LGW-4	11/4/2015	7.72	0		mg/L
Do (field)	LGW-4	12/3/2015	6.69	0		mg/L
Do (field)	LGW-4	1/5/2016	7.09	0		mg/L
Do (field)	LGW-4	2/3/2016	5.41	0		mg/L
Do (field)	LGW-4	3/2/2016	6.76	0		mg/L
Do (field)	LGW-4	4/5/2016	5.35	0		mg/L
Do (field)	LGW-4	5/11/2016	5.69	0		mg/L
Do (field)	LGW-4	6/1/2016	5.43	0		mg/L
Do (field)	LGW-4	7/19/2016	4.51	0		mg/L
Do (field)	LGW-4	8/10/2016	4.85	0		mg/L
Do (field)	LGW-4	9/6/2016	3.6	0		mg/L
Do (field)	LGW-4	10/6/2016	3.28	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	11/2/2016	3.41	0		mg/L
Do (field)	LGW-4	12/1/2016	4.51	0		mg/L
Do (field)	LGW-4	1/11/2017	4.02	0		mg/L
Do (field)	LGW-4	2/7/2017	4.15	0		mg/L
Do (field)	LGW-4	3/2/2017	7.21	0		mg/L
Do (field)	LGW-4	4/4/2017	4.68	0		mg/L
Do (field)	LGW-4	5/2/2017	4	0		mg/L
Do (field)	LGW-4	5/16/2017	2.97	0		mg/L
Do (field)	LGW-4	6/6/2017	2.36	0		mg/L
Do (field)	LGW-4	7/18/2017	1.38	0		mg/L
Do (field)	LGW-4	8/1/2017	0.02	0		mg/L
Do (field)	LGW-4	9/5/2017	0.02	0		mg/L
Do (field)	LGW-4	10/6/2017	0.01	0		mg/L
Do (field)	LGW-4	11/1/2017	1.9	0		mg/L
Do (field)	LGW-4	1/23/2018	0.83	0.01		mg/L
Do (field)	LGW-4	2/22/2018	0.78	0.01		mg/L
Do (field)	LGW-4	3/19/2018	0.76	0.01		mg/L
Do (field)	LGW-4	4/10/2018	0.71	0.01		mg/L
Do (field)	LGW-4	6/5/2018	0.7	0		mg/L
Do (field)	LGW-4	7/11/2018	3.08	0.01		mg/L
Do (field)	LGW-4	8/1/2018	1.78	0.01		mg/L
Do (field)	LGW-4	9/5/2018	1.11	0		mg/L
Do (field)	LGW-4	10/3/2018	1.15	0		mg/L
Do (field)	LGW-4	11/7/2018	0.96	0.01		mg/L
Do (field)	LGW-4	12/4/2018	1.42	0.01		mg/L
Do (field)	LGW-4	1/3/2019	1.5	0.01		mg/L
Do (field)	LGW-4	2/5/2019	1.54	0		mg/L
Do (field)	LGW-4	3/4/2019	3	0.01		mg/L
Do (field)	LGW-4	4/3/2019	1.15	0.01		mg/L
Do (field)	LGW-4	4/3/2019	1.15	0.01		mg/L
Do (field)	LGW-4	5/1/2019	2.58	0.01		mg/L
Do (field)	LGW-4	6/5/2019	3.26	0		mg/L
Do (field)	LGW-4	7/9/2019	4.6	0.01		mg/L
Do (field)	LGW-4	7/9/2019	4.6	0.01		mg/L
Do (field)	LGW-4	8/5/2019	2.97	0.01		mg/L
Do (field)	LGW-4	9/3/2019	1.4	0.01		mg/L
Do (field)	LGW-4	10/1/2019	2.72	0.01		mg/L
Do (field)	LGW-4	11/6/2019	0.9	0.01		mg/L
Do (field)	LGW-4	12/4/2019	5.7	0.01		mg/L
Do (field)	LGW-4	1/14/2020	5.74	0		mg/L
Do (field)	LGW-4	3/2/2020	6.41	0.01		mg/L
Do (field)	LGW-4	4/1/2020	6.3	0.01		mg/L
Do (field)	LGW-4	5/5/2020	5.47	0.01		mg/L
Do (field)	LGW-4	6/3/2020	8.08	0		mg/L
Do (field)	LGW-4	7/6/2020	5.77	0		mg/L
Do (field)	LGW-4	7/6/2020	5.77	0		mg/L
Do (field)	LGW-4	7/6/2020	57.7	0		mg/L
Do (field)	LGW-4	8/3/2020	6.14	0		mg/L
Do (field)	LGW-4	9/2/2020	5.51	0.01		mg/L
Do (field)	LGW-4	10/5/2020	5.45	0.01		mg/L
Do (field)	LGW-4	11/3/2020	6.75	0		mg/L
Do (field)	LGW-4	12/4/2020	6.65	0		mg/L
Do (field)	LGW-4	1/18/2021	1.45	0		mg/L
Do (field)	LGW-4	1/18/2021	1.45	0		mg/L
Do (field)	LGW-4	2/9/2021	5.93	0		mg/L
Do (field)	LGW-4	3/2/2021	5.1	0		mg/L
Do (field)	LGW-4	4/6/2021	6.3	0		mg/L
Do (field)	LGW-4	4/6/2021	6.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-4	5/4/2021	5.9	0		mg/L
Do (field)	LGW-4	6/2/2021	6.2	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	7/7/2021	3.8	0		mg/L
Do (field)	LGW-4	8/3/2021	5.7	0		mg/L
Do (field)	LGW-4	9/2/2021	5.4	0		mg/L
Do (field)	LGW-4	10/5/2021	5.5	0		mg/L
Do (field)	LGW-4	10/5/2021	5.5	0		mg/L
Do (field)	LGW-4	11/2/2021	5.4	0		mg/L
Do (field)	LGW-4	12/9/2021	5.2	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	1/12/2022	4.8	0		mg/L
Do (field)	LGW-4	2/10/2022	5.1	0		mg/L
Do (field)	LGW-4	3/1/2022	5.1	0		mg/L
Do (field)	LGW-4	4/5/2022	4.5	0		mg/L
Do (field)	LGW-4	5/7/2022	4.2	0		mg/L
Do (field)	LGW-4	6/3/2022	3.4	0		mg/L
Do (field)	LGW-4	7/11/2022	4.5	0		mg/L
Do (field)	LGW-4	8/10/2022	3.7	0		mg/L
Do (field)	LGW-4	9/8/2022	3.6	0		mg/L
Do (field)	LGW-4	10/6/2022	3.1	0		mg/L
Do (field)	LGW-4	11/3/2022	1.9	0		mg/L
Do (field)	LGW-4	12/7/2022	1.3	0		mg/L
Do (field)	LGW-4	1/10/2023	1.3	0		mg/L
Do (field)	LGW-4	2/3/2023	1.4	0		mg/L
Do (field)	LGW-4	3/1/2023	0.5	0		mg/L
Do (field)	LGW-4	4/6/2023	1.3	0		mg/L
Do (field)	LGW-4	5/10/2023	0.7	0		mg/L
Do (field)	LGW-4	6/8/2023	0.9	0		mg/L
Do (field)	LGW-4	7/10/2023	2.5	0		mg/L
Do (field)	LGW-4	8/2/2023	2	0		mg/L
Do (field)	LGW-4	9/2/2023	1.8	0		mg/L
Do (field)	LGW-4	10/4/2023	1.8	0		mg/L
Do (field)	LGW-5	9/29/2005	79.3	0		mg/L
Do (field)	LGW-5	7/20/2006	29.4	0		mg/L
Do (field)	LGW-5	7/20/2006	29.4	0		mg/L
Do (field)	LGW-5	7/31/2006	20.4	0		mg/L
Do (field)	LGW-5	8/1/2006	20.4	0		mg/L
Do (field)	LGW-5	9/27/2006	69	0		mg/L
Do (field)	LGW-5	9/27/2006	69	0		mg/L
Do (field)	LGW-5	10/26/2006	7	0		mg/L
Do (field)	LGW-5	10/26/2006	7	0		mg/L
Do (field)	LGW-5	11/21/2006	62.4	0		mg/L
Do (field)	LGW-5	11/21/2006	62.4	0		mg/L
Do (field)	LGW-5	12/21/2006	6.5	0		mg/L
Do (field)	LGW-5	12/21/2006	6.5	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	1/25/2007	7.6	0		mg/L
Do (field)	LGW-5	2/7/2007	6.5	0		mg/L
Do (field)	LGW-5	2/26/2007	6.5	0		mg/L
Do (field)	LGW-5	2/27/2007	6.5	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L
Do (field)	LGW-5	3/26/2007	6.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	4/26/2007	5.3	0		mg/L
Do (field)	LGW-5	4/26/2007	5.3	0		mg/L
Do (field)	LGW-5	5/31/2007	3.41	0		mg/L
Do (field)	LGW-5	6/1/2007	3.41	0		mg/L
Do (field)	LGW-5	6/28/2007	1.8	0		mg/L
Do (field)	LGW-5	6/28/2007	1.8	0		mg/L
Do (field)	LGW-5	7/11/2007	3.32	0		mg/L
Do (field)	LGW-5	7/11/2007	3.32	0		mg/L
Do (field)	LGW-5	10/24/2007	10.7	0		mg/L
Do (field)	LGW-5	10/24/2007	10.7	0		mg/L
Do (field)	LGW-5	3/25/2008	6.8	0		mg/L
Do (field)	LGW-5	5/3/2008	4.93	0		mg/L
Do (field)	LGW-5	5/30/2008	11.13	0		mg/L
Do (field)	LGW-5	6/26/2008	4.59	0		mg/L
Do (field)	LGW-5	7/23/2008	5.72	0.5		mg/L
Do (field)	LGW-5	9/26/2008	5.09	0.5		mg/L
Do (field)	LGW-5	9/26/2008	5.09	0.5		mg/L
Do (field)	LGW-5	10/21/2008	4.57	0.5		mg/L
Do (field)	LGW-5	11/25/2008	4.32	0.5		mg/L
Do (field)	LGW-5	12/19/2008	3.9	0.5		mg/L
Do (field)	LGW-5	2/4/2009	4.96	0.5		mg/L
Do (field)	LGW-5	3/26/2009	3.99	0.5		mg/L
Do (field)	LGW-5	4/16/2009	3.55	0.5		mg/L
Do (field)	LGW-5	5/29/2009	4.17	0.5		mg/L
Do (field)	LGW-5	6/24/2009	3.71	0.5		mg/L
Do (field)	LGW-5	7/29/2009	3.1	0.5		mg/L
Do (field)	LGW-5	8/28/2009	1.27	0.5		mg/L
Do (field)	LGW-5	9/29/2009	1.81	0.5		mg/L
Do (field)	LGW-5	10/21/2009	1.06	0.5		mg/L
Do (field)	LGW-5	11/24/2009	0.48	0.5	ND	mg/L
Do (field)	LGW-5	12/17/2009	1.17	0.5		mg/L
Do (field)	LGW-5	2/3/2010	3.57	0.5		mg/L
Do (field)	LGW-5	2/3/2010	3.57	0.5		mg/L
Do (field)	LGW-5	2/16/2010	422	0		mg/L
Do (field)	LGW-5	3/3/2010	2.96	0		mg/L
Do (field)	LGW-5	4/7/2010	2.94	0		mg/L
Do (field)	LGW-5	5/5/2010	6.5	0		mg/L
Do (field)	LGW-5	6/15/2010	51	0		mg/L
Do (field)	LGW-5	7/12/2010	67.2	0		mg/L
Do (field)	LGW-5	8/10/2010	65.9	0		mg/L
Do (field)	LGW-5	9/2/2010	23.5	0		mg/L
Do (field)	LGW-5	9/29/2010	18.8	0		mg/L
Do (field)	LGW-5	11/3/2010	34.1	0		mg/L
Do (field)	LGW-5	12/2/2010	22.3	0		mg/L
Do (field)	LGW-5	1/19/2011	23.3	0		mg/L
Do (field)	LGW-5	2/7/2011	3	0		mg/L
Do (field)	LGW-5	3/3/2011	2.7	0		mg/L
Do (field)	LGW-5	4/5/2011	5.12	0		mg/L
Do (field)	LGW-5	5/10/2011	3.25	0		mg/L
Do (field)	LGW-5	6/1/2011	2.95	0		mg/L
Do (field)	LGW-5	7/12/2011	2.74	0		mg/L
Do (field)	LGW-5	8/3/2011	4.32	0		mg/L
Do (field)	LGW-5	9/7/2011	4.39	0		mg/L
Do (field)	LGW-5	10/5/2011	3.38	0		mg/L
Do (field)	LGW-5	11/1/2011	4.38	0		mg/L
Do (field)	LGW-5	12/7/2011	4.75	0		mg/L
Do (field)	LGW-5	1/5/2012	5.5	0		mg/L
Do (field)	LGW-5	2/1/2012	4.65	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	3/6/2012	4.83	0		mg/L
Do (field)	LGW-5	4/5/2012	5.81	0		mg/L
Do (field)	LGW-5	5/1/2012	0.1	0		mg/L
Do (field)	LGW-5	7/9/2012	0.01	0		mg/L
Do (field)	LGW-5	8/9/2012	0	0		mg/L
Do (field)	LGW-5	9/4/2012	0.02	0		mg/L
Do (field)	LGW-5	10/7/2012	0	0		mg/L
Do (field)	LGW-5	4/30/2013	1.52	0		mg/L
Do (field)	LGW-5	6/4/2013	0.53	0		mg/L
Do (field)	LGW-5	7/15/2013	0.46	0		mg/L
Do (field)	LGW-5	8/8/2013	0.92	0		mg/L
Do (field)	LGW-5	9/10/2013	0.73	0		mg/L
Do (field)	LGW-5	10/1/2013	0.56	0		mg/L
Do (field)	LGW-5	11/6/2013	0.39	0		mg/L
Do (field)	LGW-5	12/3/2013	0.18	0		mg/L
Do (field)	LGW-5	1/23/2014	1.18	0		mg/L
Do (field)	LGW-5	2/12/2014	0.46	0		mg/L
Do (field)	LGW-5	3/11/2014	0.41	0		mg/L
Do (field)	LGW-5	4/2/2014	139.7	0		mg/L
Do (field)	LGW-5	5/7/2014	1.04	0		mg/L
Do (field)	LGW-5	6/3/2014	0.58	0		mg/L
Do (field)	LGW-5	7/8/2014	0.64	0		mg/L
Do (field)	LGW-5	8/5/2014	1.14	0		mg/L
Do (field)	LGW-5	9/4/2014	0.48	0		mg/L
Do (field)	LGW-5	10/9/2014	1.05	0		mg/L
Do (field)	LGW-5	11/3/2014	2.78	0		mg/L
Do (field)	LGW-5	1/14/2015	2.14	0		mg/L
Do (field)	LGW-5	2/10/2015	0.44	0		mg/L
Do (field)	LGW-5	3/3/2015	1.83	0		mg/L
Do (field)	LGW-5	4/1/2015	1.36	0		mg/L
Do (field)	LGW-5	5/6/2015	0.54	0		mg/L
Do (field)	LGW-5	6/3/2015	0.8	0		mg/L
Do (field)	LGW-5	7/8/2015	0.31	0		mg/L
Do (field)	LGW-5	8/4/2015	0.87	0		mg/L
Do (field)	LGW-5	9/2/2015	1.37	0		mg/L
Do (field)	LGW-5	10/5/2015	1.62	0		mg/L
Do (field)	LGW-5	11/4/2015	0.76	0		mg/L
Do (field)	LGW-5	12/3/2015	1.36	0		mg/L
Do (field)	LGW-5	1/5/2016	1.72	0		mg/L
Do (field)	LGW-5	2/3/2016	33.1	0		mg/L
Do (field)	LGW-5	3/2/2016	1.99	0		mg/L
Do (field)	LGW-5	4/5/2016	1.2	0		mg/L
Do (field)	LGW-5	5/11/2016	1.01	0		mg/L
Do (field)	LGW-5	6/1/2016	0.78	0		mg/L
Do (field)	LGW-5	7/19/2016	0.93	0		mg/L
Do (field)	LGW-5	8/10/2016	1.23	0		mg/L
Do (field)	LGW-5	9/6/2016	1.13	0		mg/L
Do (field)	LGW-5	10/6/2016	1.12	0		mg/L
Do (field)	LGW-5	11/2/2016	1.38	0		mg/L
Do (field)	LGW-5	12/1/2016	1.35	0		mg/L
Do (field)	LGW-5	1/11/2017	2.76	0		mg/L
Do (field)	LGW-5	2/7/2017	2.84	0		mg/L
Do (field)	LGW-5	3/2/2017	1.29	0		mg/L
Do (field)	LGW-5	4/4/2017	1.13	0		mg/L
Do (field)	LGW-5	5/16/2017	0.65	0		mg/L
Do (field)	LGW-5	6/6/2017	4.19	0		mg/L
Do (field)	LGW-5	7/18/2017	0.61	0		mg/L
Do (field)	LGW-5	8/1/2017	1.16	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	9/5/2017	0.02	0		mg/L
Do (field)	LGW-5	10/5/2017	0	0		mg/L
Do (field)	LGW-5	11/1/2017	4.37	0		mg/L
Do (field)	LGW-5	1/23/2018	0.35	0.01		mg/L
Do (field)	LGW-5	2/23/2018	0.28	0.01		mg/L
Do (field)	LGW-5	3/20/2018	0.31	0.01		mg/L
Do (field)	LGW-5	4/10/2018	0.29	0.01		mg/L
Do (field)	LGW-5	6/5/2018	0.31	0		mg/L
Do (field)	LGW-5	7/12/2018	0.59	0.01		mg/L
Do (field)	LGW-5	8/1/2018	0.43	0.01		mg/L
Do (field)	LGW-5	9/4/2018	2.65	0		mg/L
Do (field)	LGW-5	10/3/2018	0.26	0		mg/L
Do (field)	LGW-5	11/7/2018	0.28	0.01		mg/L
Do (field)	LGW-5	12/4/2018	0.47	0.01		mg/L
Do (field)	LGW-5	1/3/2019	0.5	0.01		mg/L
Do (field)	LGW-5	2/5/2019	0.33	0		mg/L
Do (field)	LGW-5	3/5/2019	0.7	0.01		mg/L
Do (field)	LGW-5	4/3/2019	0.71	0.01		mg/L
Do (field)	LGW-5	4/3/2019	0.71	0.01		mg/L
Do (field)	LGW-5	5/1/2019	0.53	0.01		mg/L
Do (field)	LGW-5	6/4/2019	0.57	0		mg/L
Do (field)	LGW-5	7/9/2019	0.4	0.01		mg/L
Do (field)	LGW-5	7/9/2019	0.4	0.01		mg/L
Do (field)	LGW-5	8/5/2019	0.72	0.01		mg/L
Do (field)	LGW-5	9/3/2019	0.48	0.01		mg/L
Do (field)	LGW-5	10/1/2019	0.54	0.01		mg/L
Do (field)	LGW-5	11/5/2019	0.57	0.01		mg/L
Do (field)	LGW-5	12/2/2019	0.54	0.01		mg/L
Do (field)	LGW-5	1/14/2020	11.8	0		mg/L
Do (field)	LGW-5	3/2/2020	0.81	0.01		mg/L
Do (field)	LGW-5	4/1/2020	0.78	0.01		mg/L
Do (field)	LGW-5	5/4/2020	1.72	0.01		mg/L
Do (field)	LGW-5	6/1/2020	0.22	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	7/6/2020	0.46	0		mg/L
Do (field)	LGW-5	8/3/2020	0.31	0		mg/L
Do (field)	LGW-5	9/1/2020	4.94	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	10/5/2020	0.15	0.01		mg/L
Do (field)	LGW-5	11/3/2020	4.84	0		mg/L
Do (field)	LGW-5	12/3/2020	0.57	0		mg/L
Do (field)	LGW-5	1/18/2021	0.38	0		mg/L
Do (field)	LGW-5	1/18/2021	0.38	0		mg/L
Do (field)	LGW-5	2/9/2021	0.59	0		mg/L
Do (field)	LGW-5	3/2/2021	0.7	0		mg/L
Do (field)	LGW-5	4/6/2021	0.3	0		mg/L
Do (field)	LGW-5	4/6/2021	0.3	0		mg/L
Do (field)	LGW-5	5/4/2021	0.6	0		mg/L
Do (field)	LGW-5	6/2/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	7/7/2021	0.2	0		mg/L
Do (field)	LGW-5	8/3/2021	0.6	0		mg/L
Do (field)	LGW-5	9/2/2021	0.6	0		mg/L
Do (field)	LGW-5	10/5/2021	0.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-5	10/5/2021	0.9	0		mg/L
Do (field)	LGW-5	11/2/2021	1	0		mg/L
Do (field)	LGW-5	12/9/2021	1.5	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	1/12/2022	1.2	0		mg/L
Do (field)	LGW-5	2/10/2022	1.3	0		mg/L
Do (field)	LGW-5	3/1/2022	1.5	0		mg/L
Do (field)	LGW-5	4/4/2022	1.3	0		mg/L
Do (field)	LGW-5	4/4/2022	1.3	0		mg/L
Do (field)	LGW-5	5/7/2022	0.4	0		mg/L
Do (field)	LGW-5	6/3/2022	0.2	0		mg/L
Do (field)	LGW-5	7/11/2022	0.4	0		mg/L
Do (field)	LGW-5	8/10/2022	0.4	0		mg/L
Do (field)	LGW-5	9/8/2022	0.5	0		mg/L
Do (field)	LGW-5	10/6/2022	0.6	0		mg/L
Do (field)	LGW-5	10/6/2022	0.6	0		mg/L
Do (field)	LGW-5	11/3/2022	1.6	0		mg/L
Do (field)	LGW-5	12/7/2022	1	0		mg/L
Do (field)	LGW-5	1/10/2023	1.1	0		mg/L
Do (field)	LGW-5	2/3/2023	3.4	0		mg/L
Do (field)	LGW-5	3/1/2023	0.9	0		mg/L
Do (field)	LGW-5	4/6/2023	0.7	0		mg/L
Do (field)	LGW-5	5/10/2023	0.9	0		mg/L
Do (field)	LGW-5	6/8/2023	0.8	0		mg/L
Do (field)	LGW-5	7/10/2023	1.1	0		mg/L
Do (field)	LGW-5	8/2/2023	1.6	0		mg/L
Do (field)	LGW-5	9/2/2023	1.7	0		mg/L
Do (field)	LGW-5	10/5/2023	1	0		mg/L
Do (field)	LGW-6	9/30/2005	62.4	0		mg/L
Do (field)	LGW-6	7/20/2006	50.6	0		mg/L
Do (field)	LGW-6	7/20/2006	50.6	0		mg/L
Do (field)	LGW-6	9/27/2006	45.5	0		mg/L
Do (field)	LGW-6	9/27/2006	45.5	0		mg/L
Do (field)	LGW-6	10/26/2006	9.8	0		mg/L
Do (field)	LGW-6	10/26/2006	9.8	0		mg/L
Do (field)	LGW-6	11/21/2006	38.5	0		mg/L
Do (field)	LGW-6	11/21/2006	38.5	0		mg/L
Do (field)	LGW-6	12/21/2006	7.6	0		mg/L
Do (field)	LGW-6	12/21/2006	7.6	0		mg/L
Do (field)	LGW-6	1/24/2007	8.7	0		mg/L
Do (field)	LGW-6	1/24/2007	8.7	0		mg/L
Do (field)	LGW-6	1/25/2007	8.7	0		mg/L
Do (field)	LGW-6	2/7/2007	4.4	0		mg/L
Do (field)	LGW-6	2/26/2007	4.4	0		mg/L
Do (field)	LGW-6	2/26/2007	4.4	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	3/26/2007	4.5	0		mg/L
Do (field)	LGW-6	4/26/2007	2.9	0		mg/L
Do (field)	LGW-6	4/26/2007	2.9	0		mg/L
Do (field)	LGW-6	5/31/2007	3.11	0		mg/L
Do (field)	LGW-6	6/1/2007	3.11	0		mg/L
Do (field)	LGW-6	6/28/2007	1.47	0		mg/L
Do (field)	LGW-6	6/28/2007	1.47	0		mg/L
Do (field)	LGW-6	7/11/2007	3.52	0		mg/L
Do (field)	LGW-6	7/11/2007	3.52	0		mg/L
Do (field)	LGW-6	10/23/2007	11.62	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	10/23/2007	11.62	0		mg/L
Do (field)	LGW-6	3/25/2008	7.25	0		mg/L
Do (field)	LGW-6	5/3/2008	4.53	0		mg/L
Do (field)	LGW-6	5/30/2008	12.5	0		mg/L
Do (field)	LGW-6	6/26/2008	4.73	0		mg/L
Do (field)	LGW-6	7/23/2008	6.63	0.5		mg/L
Do (field)	LGW-6	8/29/2008	2.65	0.5		mg/L
Do (field)	LGW-6	9/26/2008	3.88	0.5		mg/L
Do (field)	LGW-6	9/26/2008	3.88	0.5		mg/L
Do (field)	LGW-6	10/21/2008	5.29	0.5		mg/L
Do (field)	LGW-6	11/25/2008	5.09	0.5		mg/L
Do (field)	LGW-6	12/19/2008	3.68	0.5		mg/L
Do (field)	LGW-6	2/5/2009	3.45	0.5		mg/L
Do (field)	LGW-6	3/26/2009	4.55	0.5		mg/L
Do (field)	LGW-6	5/29/2009	3.98	0.5		mg/L
Do (field)	LGW-6	6/24/2009	2.34	0.5		mg/L
Do (field)	LGW-6	7/29/2009	3.41	0.5		mg/L
Do (field)	LGW-6	8/28/2009	1.4	0.5		mg/L
Do (field)	LGW-6	9/29/2009	1.94	0.5		mg/L
Do (field)	LGW-6	10/22/2009	1.09	0.5		mg/L
Do (field)	LGW-6	11/24/2009	0.53	0.5		mg/L
Do (field)	LGW-6	12/17/2009	1.31	0.5		mg/L
Do (field)	LGW-6	2/3/2010	4.11	0.5		mg/L
Do (field)	LGW-6	2/3/2010	4.11	0.5		mg/L
Do (field)	LGW-6	2/16/2010	4.05	0		mg/L
Do (field)	LGW-6	3/3/2010	2.83	0		mg/L
Do (field)	LGW-6	4/7/2010	3.18	0		mg/L
Do (field)	LGW-6	5/5/2010	6.56	0		mg/L
Do (field)	LGW-6	6/15/2010	45.6	0		mg/L
Do (field)	LGW-6	7/12/2010	63.5	0		mg/L
Do (field)	LGW-6	8/10/2010	66.1	0		mg/L
Do (field)	LGW-6	9/2/2010	24	0		mg/L
Do (field)	LGW-6	9/29/2010	18.9	0		mg/L
Do (field)	LGW-6	11/3/2010	28.4	0		mg/L
Do (field)	LGW-6	12/2/2010	23.2	0		mg/L
Do (field)	LGW-6	1/19/2011	22.8	0		mg/L
Do (field)	LGW-6	2/7/2011	3	0		mg/L
Do (field)	LGW-6	3/3/2011	1.85	0		mg/L
Do (field)	LGW-6	4/5/2011	3.63	0		mg/L
Do (field)	LGW-6	5/10/2011	2.77	0		mg/L
Do (field)	LGW-6	6/1/2011	2.63	0		mg/L
Do (field)	LGW-6	7/12/2011	2.53	0		mg/L
Do (field)	LGW-6	8/3/2011	3.14	0		mg/L
Do (field)	LGW-6	9/7/2011	3.3	0		mg/L
Do (field)	LGW-6	10/5/2011	2.92	0		mg/L
Do (field)	LGW-6	11/1/2011	4.2	0		mg/L
Do (field)	LGW-6	12/7/2011	4.42	0		mg/L
Do (field)	LGW-6	1/5/2012	4.47	0		mg/L
Do (field)	LGW-6	2/1/2012	3.98	0		mg/L
Do (field)	LGW-6	3/6/2012	0.01	0		mg/L
Do (field)	LGW-6	4/5/2012	5.13	0		mg/L
Do (field)	LGW-6	5/1/2012	3.46	0		mg/L
Do (field)	LGW-6	7/9/2012	0.02	0		mg/L
Do (field)	LGW-6	8/9/2012	0.01	0		mg/L
Do (field)	LGW-6	9/4/2012	0.02	0		mg/L
Do (field)	LGW-6	10/7/2012	0	0		mg/L
Do (field)	LGW-6	12/6/2012	4.66	0		mg/L
Do (field)	LGW-6	12/6/2012	4.66	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	1/23/2013	5.21	0		mg/L
Do (field)	LGW-6	1/23/2013	5.21	0		mg/L
Do (field)	LGW-6	2/5/2013	4.71	0		mg/L
Do (field)	LGW-6	2/5/2013	4.71	0		mg/L
Do (field)	LGW-6	3/5/2013	4.59	0		mg/L
Do (field)	LGW-6	3/5/2013	4.59	0		mg/L
Do (field)	LGW-6	4/30/2013	4.91	0		mg/L
Do (field)	LGW-6	6/4/2013	4.18	0		mg/L
Do (field)	LGW-6	7/15/2013	2.92	0		mg/L
Do (field)	LGW-6	8/8/2013	2.69	0		mg/L
Do (field)	LGW-6	9/10/2013	2.54	0		mg/L
Do (field)	LGW-6	10/1/2013	3.55	0		mg/L
Do (field)	LGW-6	11/6/2013	1.75	0		mg/L
Do (field)	LGW-6	12/2/2013	1.44	0		mg/L
Do (field)	LGW-6	1/23/2014	0.42	0		mg/L
Do (field)	LGW-6	2/12/2014	0.68	0		mg/L
Do (field)	LGW-6	3/11/2014	0.74	0		mg/L
Do (field)	LGW-6	4/2/2014	2.8	0		mg/L
Do (field)	LGW-6	5/7/2014	1.85	0		mg/L
Do (field)	LGW-6	6/3/2014	1.82	0		mg/L
Do (field)	LGW-6	7/8/2014	4.19	0		mg/L
Do (field)	LGW-6	8/5/2014	3.3	0		mg/L
Do (field)	LGW-6	9/4/2014	6.28	0		mg/L
Do (field)	LGW-6	10/9/2014	2.31	0		mg/L
Do (field)	LGW-6	11/3/2014	5.58	0		mg/L
Do (field)	LGW-6	1/14/2015	1.23	0		mg/L
Do (field)	LGW-6	2/10/2015	0.46	0		mg/L
Do (field)	LGW-6	3/3/2015	2.38	0		mg/L
Do (field)	LGW-6	4/1/2015	1.19	0		mg/L
Do (field)	LGW-6	5/6/2015	0.82	0		mg/L
Do (field)	LGW-6	6/3/2015	1.52	0		mg/L
Do (field)	LGW-6	7/22/2015	0.6	0		mg/L
Do (field)	LGW-6	8/4/2015	0.96	0		mg/L
Do (field)	LGW-6	9/2/2015	0.79	0		mg/L
Do (field)	LGW-6	10/6/2015	1.76	0		mg/L
Do (field)	LGW-6	11/4/2015	0.66	0		mg/L
Do (field)	LGW-6	12/3/2015	0.53	0		mg/L
Do (field)	LGW-6	1/5/2016	0.62	0		mg/L
Do (field)	LGW-6	2/3/2016	1.26	0		mg/L
Do (field)	LGW-6	3/2/2016	1.26	0		mg/L
Do (field)	LGW-6	4/5/2016	0.6	0		mg/L
Do (field)	LGW-6	5/11/2016	1.48	0		mg/L
Do (field)	LGW-6	6/1/2016	0.72	0		mg/L
Do (field)	LGW-6	7/19/2016	1.54	0		mg/L
Do (field)	LGW-6	8/10/2016	1.23	0		mg/L
Do (field)	LGW-6	9/6/2016	0.64	0		mg/L
Do (field)	LGW-6	9/6/2016	0.64	0		mg/L
Do (field)	LGW-6	10/6/2016	0.82	0		mg/L
Do (field)	LGW-6	11/2/2016	3.5	0		mg/L
Do (field)	LGW-6	12/1/2016	1.54	0		mg/L
Do (field)	LGW-6	1/11/2017	2.93	0		mg/L
Do (field)	LGW-6	2/7/2017	2.56	0		mg/L
Do (field)	LGW-6	3/2/2017	0.87	0		mg/L
Do (field)	LGW-6	4/4/2017	0.42	0		mg/L
Do (field)	LGW-6	5/2/2017	0.19	0		mg/L
Do (field)	LGW-6	5/5/2017	0.3	0		mg/L
Do (field)	LGW-6	6/6/2017	0.83	0		mg/L
Do (field)	LGW-6	7/18/2017	0.17	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	8/1/2017	1.18	0		mg/L
Do (field)	LGW-6	9/5/2017	0.01	0		mg/L
Do (field)	LGW-6	10/5/2017	0.03	0		mg/L
Do (field)	LGW-6	11/1/2017	0.9	0		mg/L
Do (field)	LGW-6	1/23/2018	0.48	0.01		mg/L
Do (field)	LGW-6	2/22/2018	0.91	0.01		mg/L
Do (field)	LGW-6	3/20/2018	0.25	0.01		mg/L
Do (field)	LGW-6	4/10/2018	0.2	0.01		mg/L
Do (field)	LGW-6	4/10/2018	0.2	0.01		mg/L
Do (field)	LGW-6	6/5/2018	0.25	0		mg/L
Do (field)	LGW-6	6/5/2018	0.25	0		mg/L
Do (field)	LGW-6	7/17/2018	3.57	0.01		mg/L
Do (field)	LGW-6	8/1/2018	0.34	0.01		mg/L
Do (field)	LGW-6	9/5/2018	0.33	0		mg/L
Do (field)	LGW-6	10/2/2018	0.37	0		mg/L
Do (field)	LGW-6	10/2/2018	0.37	0		mg/L
Do (field)	LGW-6	11/6/2018	0.26	0.01		mg/L
Do (field)	LGW-6	12/4/2018	0.21	0.01		mg/L
Do (field)	LGW-6	1/7/2019	0.3	0.01		mg/L
Do (field)	LGW-6	2/5/2019	0.87	0		mg/L
Do (field)	LGW-6	3/4/2019	0.3	0.01		mg/L
Do (field)	LGW-6	4/3/2019	0.33	0.01		mg/L
Do (field)	LGW-6	5/2/2019	0.27	0.01		mg/L
Do (field)	LGW-6	6/4/2019	0.38	0		mg/L
Do (field)	LGW-6	7/10/2019	0.28	0.01		mg/L
Do (field)	LGW-6	7/10/2019	0.28	0		mg/L
Do (field)	LGW-6	8/8/2019	1.64	0.01		mg/L
Do (field)	LGW-6	9/5/2019	0.34	0.01		mg/L
Do (field)	LGW-6	10/3/2019	0.48	0.01		mg/L
Do (field)	LGW-6	10/3/2019	0.48	0.01		mg/L
Do (field)	LGW-6	11/5/2019	0.32	0.01		mg/L
Do (field)	LGW-6	12/4/2019	0.51	0.01		mg/L
Do (field)	LGW-6	1/16/2020	0.44	0		mg/L
Do (field)	LGW-6	3/4/2020	0.48	0.01		mg/L
Do (field)	LGW-6	4/2/2020	0.32	0.01		mg/L
Do (field)	LGW-6	4/3/2020	0.32	0.01		mg/L
Do (field)	LGW-6	5/5/2020	0.32	0.01		mg/L
Do (field)	LGW-6	6/2/2020	0.48	0		mg/L
Do (field)	LGW-6	7/9/2020	24.3	0		mg/L
Do (field)	LGW-6	7/9/2020	2.43	0		mg/L
Do (field)	LGW-6	7/9/2020	2.43	0		mg/L
Do (field)	LGW-6	8/3/2020	3.35	0		mg/L
Do (field)	LGW-6	9/2/2020	3.84	0.01		mg/L
Do (field)	LGW-6	10/6/2020	0.3	0.01		mg/L
Do (field)	LGW-6	10/6/2020	0.3	0.01		mg/L
Do (field)	LGW-6	11/3/2020	0.81	0		mg/L
Do (field)	LGW-6	12/3/2020	2.46	0		mg/L
Do (field)	LGW-6	1/18/2021	0.35	0		mg/L
Do (field)	LGW-6	2/9/2021	0.3	0		mg/L
Do (field)	LGW-6	3/2/2021	0.9	0		mg/L
Do (field)	LGW-6	4/6/2021	0.5	0		mg/L
Do (field)	LGW-6	4/6/2021	0.5	0		mg/L
Do (field)	LGW-6	5/5/2021	1	0		mg/L
Do (field)	LGW-6	6/1/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L
Do (field)	LGW-6	7/7/2021	0.2	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-6	8/3/2021	0.6	0		mg/L
Do (field)	LGW-6	9/2/2021	0.4	0		mg/L
Do (field)	LGW-6	10/5/2021	0.3	0		mg/L
Do (field)	LGW-6	10/5/2021	0.3	0		mg/L
Do (field)	LGW-6	11/2/2021	0.2	0		mg/L
Do (field)	LGW-6	12/9/2021	0.4	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	1/12/2022	0.2	0		mg/L
Do (field)	LGW-6	2/10/2022	0.4	0		mg/L
Do (field)	LGW-6	3/1/2022	0.3	0		mg/L
Do (field)	LGW-6	4/4/2022	0.2	0		mg/L
Do (field)	LGW-6	4/4/2022	0.2	0		mg/L
Do (field)	LGW-6	5/7/2022	0.3	0		mg/L
Do (field)	LGW-6	6/3/2022	0.3	0		mg/L
Do (field)	LGW-6	7/11/2022	0.2	0		mg/L
Do (field)	LGW-6	8/10/2022	0.3	0		mg/L
Do (field)	LGW-6	9/8/2022	0.4	0		mg/L
Do (field)	LGW-6	10/6/2022	0.3	0		mg/L
Do (field)	LGW-6	10/6/2022	0.3	0		mg/L
Do (field)	LGW-6	11/3/2022	0.8	0		mg/L
Do (field)	LGW-6	12/7/2022	0.3	0		mg/L
Do (field)	LGW-6	1/10/2023	0.5	0		mg/L
Do (field)	LGW-6	2/3/2023	0.5	0		mg/L
Do (field)	LGW-6	3/1/2023	1.1	0		mg/L
Do (field)	LGW-6	4/6/2023	0.3	0		mg/L
Do (field)	LGW-6	5/10/2023	0.3	0		mg/L
Do (field)	LGW-6	6/8/2023	0.3	0		mg/L
Do (field)	LGW-6	7/10/2023	0.4	0		mg/L
Do (field)	LGW-6	8/2/2023	0.4	0		mg/L
Do (field)	LGW-6	9/2/2023	0.4	0		mg/L
Do (field)	LGW-6	10/5/2023	0.8	0		mg/L
Do (field)	LGW-7	9/30/2005	69	0		mg/L
Do (field)	LGW-7	7/20/2006	48.2	0		mg/L
Do (field)	LGW-7	7/20/2006	48.2	0		mg/L
Do (field)	LGW-7	7/31/2006	46.1	0		mg/L
Do (field)	LGW-7	8/1/2006	45.5	0		mg/L
Do (field)	LGW-7	9/27/2006	47.4	0		mg/L
Do (field)	LGW-7	9/27/2006	47.4	0		mg/L
Do (field)	LGW-7	10/26/2006	4	0		mg/L
Do (field)	LGW-7	10/26/2006	4	0		mg/L
Do (field)	LGW-7	11/21/2006	36.7	0		mg/L
Do (field)	LGW-7	11/21/2006	36.7	0		mg/L
Do (field)	LGW-7	12/22/2006	35	0		mg/L
Do (field)	LGW-7	12/22/2006	35	0		mg/L
Do (field)	LGW-7	1/24/2007	6.3	0		mg/L
Do (field)	LGW-7	1/24/2007	6.3	0		mg/L
Do (field)	LGW-7	1/25/2007	6.3	0		mg/L
Do (field)	LGW-7	2/7/2007	7.8	0		mg/L
Do (field)	LGW-7	2/26/2007	7.8	0		mg/L
Do (field)	LGW-7	2/26/2007	7.8	0		mg/L
Do (field)	LGW-7	3/26/2007	4.7	0		mg/L
Do (field)	LGW-7	3/27/2007	4.7	0		mg/L
Do (field)	LGW-7	3/27/2007	4.7	0		mg/L
Do (field)	LGW-7	4/26/2007	5.4	0		mg/L
Do (field)	LGW-7	4/26/2007	5.4	0		mg/L
Do (field)	LGW-7	6/1/2007	5.49	0		mg/L
Do (field)	LGW-7	6/1/2007	5.49	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	6/28/2007	0.95	0		mg/L
Do (field)	LGW-7	6/28/2007	0.95	0		mg/L
Do (field)	LGW-7	7/11/2007	2.94	0		mg/L
Do (field)	LGW-7	7/12/2007	2.94	0		mg/L
Do (field)	LGW-7	10/24/2007	13.69	0		mg/L
Do (field)	LGW-7	10/24/2007	13.69	0		mg/L
Do (field)	LGW-7	3/25/2008	6.87	0		mg/L
Do (field)	LGW-7	5/3/2008	3.58	0		mg/L
Do (field)	LGW-7	5/30/2008	11.09	0		mg/L
Do (field)	LGW-7	6/26/2008	3.94	0		mg/L
Do (field)	LGW-7	7/22/2008	4.96	0.5		mg/L
Do (field)	LGW-7	9/26/2008	4.86	0.5		mg/L
Do (field)	LGW-7	9/26/2008	4.86	0.5		mg/L
Do (field)	LGW-7	10/21/2008	4.78	0.5		mg/L
Do (field)	LGW-7	11/25/2008	4.27	0.5		mg/L
Do (field)	LGW-7	12/19/2008	3.73	0.5		mg/L
Do (field)	LGW-7	2/4/2009	4.26	0.5		mg/L
Do (field)	LGW-7	3/26/2009	3.84	0.5		mg/L
Do (field)	LGW-7	4/16/2009	3.49	0.5		mg/L
Do (field)	LGW-7	5/28/2009	3.72	0.5		mg/L
Do (field)	LGW-7	6/25/2009	3.15	0.5		mg/L
Do (field)	LGW-7	7/31/2009	2.5	0.5		mg/L
Do (field)	LGW-7	8/29/2009	1.09	0.5		mg/L
Do (field)	LGW-7	9/30/2009	1.48	0.5		mg/L
Do (field)	LGW-7	10/21/2009	0.84	0.5		mg/L
Do (field)	LGW-7	11/24/2009	0.38	0.5	ND	mg/L
Do (field)	LGW-7	12/17/2009	0.96	0.5		mg/L
Do (field)	LGW-7	1/27/2010	2.69	0.5		mg/L
Do (field)	LGW-7	2/16/2010	3.32	0		mg/L
Do (field)	LGW-7	3/3/2010	2.61	0		mg/L
Do (field)	LGW-7	4/7/2010	3.13	0		mg/L
Do (field)	LGW-7	5/5/2010	5.1	0		mg/L
Do (field)	LGW-7	6/16/2010	41.6	0		mg/L
Do (field)	LGW-7	7/12/2010	50.6	0		mg/L
Do (field)	LGW-7	8/10/2010	49	0		mg/L
Do (field)	LGW-7	9/2/2010	27.9	0		mg/L
Do (field)	LGW-7	9/29/2010	22.9	0		mg/L
Do (field)	LGW-7	11/3/2010	23.2	0		mg/L
Do (field)	LGW-7	12/2/2010	25.7	0		mg/L
Do (field)	LGW-7	1/20/2011	21.3	0		mg/L
Do (field)	LGW-7	2/8/2011	2.1	0		mg/L
Do (field)	LGW-7	3/3/2011	1.99	0		mg/L
Do (field)	LGW-7	4/5/2011	3.15	0		mg/L
Do (field)	LGW-7	5/10/2011	2.7	0		mg/L
Do (field)	LGW-7	6/1/2011	2.59	0		mg/L
Do (field)	LGW-7	7/12/2011	2.58	0		mg/L
Do (field)	LGW-7	8/3/2011	2.96	0		mg/L
Do (field)	LGW-7	9/7/2011	2.96	0		mg/L
Do (field)	LGW-7	10/5/2011	2.76	0		mg/L
Do (field)	LGW-7	11/1/2011	2.9	0		mg/L
Do (field)	LGW-7	12/8/2011	3	0		mg/L
Do (field)	LGW-7	1/5/2012	3.36	0		mg/L
Do (field)	LGW-7	2/1/2012	3.1	0		mg/L
Do (field)	LGW-7	3/6/2012	3.07	0		mg/L
Do (field)	LGW-7	4/5/2012	3.08	0		mg/L
Do (field)	LGW-7	5/1/2012	0.04	0		mg/L
Do (field)	LGW-7	7/10/2012	0	0		mg/L
Do (field)	LGW-7	8/9/2012	0.01	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	9/4/2012	0.02	0		mg/L
Do (field)	LGW-7	10/7/2012	0	0		mg/L
Do (field)	LGW-7	4/30/2013	1.48	0		mg/L
Do (field)	LGW-7	6/4/2013	1.43	0		mg/L
Do (field)	LGW-7	7/15/2013	1.72	0		mg/L
Do (field)	LGW-7	8/8/2013	2.41	0		mg/L
Do (field)	LGW-7	9/10/2013	2.58	0		mg/L
Do (field)	LGW-7	10/1/2013	1.97	0		mg/L
Do (field)	LGW-7	11/6/2013	2.47	0		mg/L
Do (field)	LGW-7	12/2/2013	1.55	0		mg/L
Do (field)	LGW-7	1/23/2014	0.91	0		mg/L
Do (field)	LGW-7	2/13/2014	1.41	0		mg/L
Do (field)	LGW-7	3/11/2014	3.09	0		mg/L
Do (field)	LGW-7	4/2/2014	1.92	0		mg/L
Do (field)	LGW-7	5/7/2014	3.73	0		mg/L
Do (field)	LGW-7	6/3/2014	2.3	0		mg/L
Do (field)	LGW-7	7/8/2014	3.15	0		mg/L
Do (field)	LGW-7	8/5/2014	2.12	0		mg/L
Do (field)	LGW-7	9/4/2014	5.7	0		mg/L
Do (field)	LGW-7	10/9/2014	1.9	0		mg/L
Do (field)	LGW-7	11/3/2014	2.24	0		mg/L
Do (field)	LGW-7	1/14/2015	1.66	0		mg/L
Do (field)	LGW-7	2/11/2015	2.15	0		mg/L
Do (field)	LGW-7	3/3/2015	1.47	0		mg/L
Do (field)	LGW-7	4/1/2015	2.36	0		mg/L
Do (field)	LGW-7	5/6/2015	3.86	0		mg/L
Do (field)	LGW-7	6/3/2015	1.94	0		mg/L
Do (field)	LGW-7	7/22/2015	1.78	0		mg/L
Do (field)	LGW-7	8/4/2015	2.64	0		mg/L
Do (field)	LGW-7	9/3/2015	1.87	0		mg/L
Do (field)	LGW-7	10/6/2015	1.68	0		mg/L
Do (field)	LGW-7	11/4/2015	2.81	0		mg/L
Do (field)	LGW-7	12/3/2015	2.48	0		mg/L
Do (field)	LGW-7	1/5/2016	1.81	0		mg/L
Do (field)	LGW-7	2/3/2016	1.5	0		mg/L
Do (field)	LGW-7	2/10/2016	1.33	0		mg/L
Do (field)	LGW-7	3/2/2016	1.87	0		mg/L
Do (field)	LGW-7	4/6/2016	1.54	0		mg/L
Do (field)	LGW-7	5/11/2016	2.17	0		mg/L
Do (field)	LGW-7	6/1/2016	1.8	0		mg/L
Do (field)	LGW-7	7/20/2016	2.01	0		mg/L
Do (field)	LGW-7	8/10/2016	2.42	0		mg/L
Do (field)	LGW-7	9/6/2016	1.98	0		mg/L
Do (field)	LGW-7	9/6/2016	1.98	0		mg/L
Do (field)	LGW-7	10/6/2016	2.58	0		mg/L
Do (field)	LGW-7	11/2/2016	2.6	0		mg/L
Do (field)	LGW-7	12/1/2016	3.1	0		mg/L
Do (field)	LGW-7	1/11/2017	6.17	0		mg/L
Do (field)	LGW-7	2/7/2017	6.04	0		mg/L
Do (field)	LGW-7	3/2/2017	7.68	0		mg/L
Do (field)	LGW-7	4/4/2017	3.09	0		mg/L
Do (field)	LGW-7	5/2/2017	1.6	0		mg/L
Do (field)	LGW-7	6/6/2017	3.01	0		mg/L
Do (field)	LGW-7	7/18/2017	3.11	0		mg/L
Do (field)	LGW-7	8/1/2017	0.2	0		mg/L
Do (field)	LGW-7	9/5/2017	0.02	0		mg/L
Do (field)	LGW-7	10/5/2017	0.01	0		mg/L
Do (field)	LGW-7	11/1/2017	3.61	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	1/24/2018	1.31	0.01		mg/L
Do (field)	LGW-7	2/22/2018	1.82	0.01		mg/L
Do (field)	LGW-7	3/20/2018	1.08	0.01		mg/L
Do (field)	LGW-7	4/11/2018	0.91	0.01		mg/L
Do (field)	LGW-7	4/11/2018	0.91	0.01		mg/L
Do (field)	LGW-7	6/5/2018	1.26	0		mg/L
Do (field)	LGW-7	6/5/2018	1.26	0		mg/L
Do (field)	LGW-7	7/12/2018	1.64	0.01		mg/L
Do (field)	LGW-7	8/2/2018	1.28	0.01		mg/L
Do (field)	LGW-7	9/5/2018	1.84	0		mg/L
Do (field)	LGW-7	10/2/2018	0.91	0		mg/L
Do (field)	LGW-7	10/2/2018	0.91	0		mg/L
Do (field)	LGW-7	11/7/2018	1.75	0.01		mg/L
Do (field)	LGW-7	12/4/2018	1.41	0.01		mg/L
Do (field)	LGW-7	1/7/2019	1.1	0.01		mg/L
Do (field)	LGW-7	2/5/2019	0.94	0		mg/L
Do (field)	LGW-7	3/5/2019	1	0.01		mg/L
Do (field)	LGW-7	4/3/2019	1.32	0.01		mg/L
Do (field)	LGW-7	5/2/2019	1.94	0.01		mg/L
Do (field)	LGW-7	6/4/2019	1.59	0		mg/L
Do (field)	LGW-7	7/10/2019	1.05	0		mg/L
Do (field)	LGW-7	7/10/2019	1.05	0.01		mg/L
Do (field)	LGW-7	8/7/2019	2.72	0.01		mg/L
Do (field)	LGW-7	9/5/2019	2.25	0.01		mg/L
Do (field)	LGW-7	10/3/2019	1.61	0.01		mg/L
Do (field)	LGW-7	10/3/2019	1.61	0.01		mg/L
Do (field)	LGW-7	11/6/2019	1.03	0.01		mg/L
Do (field)	LGW-7	12/3/2019	1.9	0.01		mg/L
Do (field)	LGW-7	1/15/2020	2.01	0		mg/L
Do (field)	LGW-7	3/3/2020	2.36	0.01		mg/L
Do (field)	LGW-7	4/3/2020	1.82	0.01		mg/L
Do (field)	LGW-7	5/5/2020	1.39	0.01		mg/L
Do (field)	LGW-7	6/2/2020	2.07	0		mg/L
Do (field)	LGW-7	7/9/2020	2.42	0		mg/L
Do (field)	LGW-7	7/9/2020	24.2	0		mg/L
Do (field)	LGW-7	7/9/2020	2.42	0		mg/L
Do (field)	LGW-7	8/3/2020	6.13	0		mg/L
Do (field)	LGW-7	9/2/2020	2.9	0.01		mg/L
Do (field)	LGW-7	10/6/2020	2.46	0.01		mg/L
Do (field)	LGW-7	11/4/2020	6.85	0		mg/L
Do (field)	LGW-7	12/3/2020	3.53	0		mg/L
Do (field)	LGW-7	1/18/2021	3.57	0		mg/L
Do (field)	LGW-7	2/9/2021	3.63	0		mg/L
Do (field)	LGW-7	3/2/2021	4.2	0		mg/L
Do (field)	LGW-7	4/7/2021	3.7	0		mg/L
Do (field)	LGW-7	5/5/2021	3.1	0		mg/L
Do (field)	LGW-7	6/2/2021	3.6	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	7/7/2021	3.1	0		mg/L
Do (field)	LGW-7	8/3/2021	2.8	0		mg/L
Do (field)	LGW-7	9/2/2021	3.6	0		mg/L
Do (field)	LGW-7	10/5/2021	2.9	0		mg/L
Do (field)	LGW-7	10/5/2021	2.9	0		mg/L
Do (field)	LGW-7	11/2/2021	3.1	0		mg/L
Do (field)	LGW-7	12/9/2021	3	0		mg/L
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L
Do (field)	LGW-7	1/13/2022	3.7	0		mg/L
Do (field)	LGW-7	2/10/2022	3.2	0		mg/L
Do (field)	LGW-7	3/2/2022	2.8	0		mg/L
Do (field)	LGW-7	4/4/2022	2	0		mg/L
Do (field)	LGW-7	4/4/2022	2	0		mg/L
Do (field)	LGW-7	5/7/2022	1.8	0		mg/L
Do (field)	LGW-7	6/3/2022	1.6	0		mg/L
Do (field)	LGW-7	7/11/2022	1	0		mg/L
Do (field)	LGW-7	8/10/2022	1.7	0		mg/L
Do (field)	LGW-7	9/8/2022	2	0		mg/L
Do (field)	LGW-7	10/6/2022	3.1	0		mg/L
Do (field)	LGW-7	11/3/2022	3.8	0		mg/L
Do (field)	LGW-7	12/7/2022	2.9	0		mg/L
Do (field)	LGW-7	1/11/2023	3.2	0		mg/L
Do (field)	LGW-7	2/3/2023	3.4	0		mg/L
Do (field)	LGW-7	3/1/2023	2.2	0		mg/L
Do (field)	LGW-7	4/6/2023	1.6	0		mg/L
Do (field)	LGW-7	5/10/2023	2.4	0		mg/L
Do (field)	LGW-7	6/8/2023	4	0		mg/L
Do (field)	LGW-7	7/10/2023	1.8	0		mg/L
Do (field)	LGW-7	8/1/2023	2.8	0		mg/L
Do (field)	LGW-7	9/2/2023	2.8	0		mg/L
Do (field)	LGW-7	10/5/2023	1.9	0		mg/L
Do (field)	LGW-8R	9/30/2005	22.5	0		mg/L
Do (field)	LGW-8R	7/20/2006	10.7	0		mg/L
Do (field)	LGW-8R	7/20/2006	10.7	0		mg/L
Do (field)	LGW-8R	9/26/2006	44.6	0		mg/L
Do (field)	LGW-8R	9/26/2006	44.6	0		mg/L
Do (field)	LGW-8R	10/26/2006	10.6	0		mg/L
Do (field)	LGW-8R	10/26/2006	10.6	0		mg/L
Do (field)	LGW-8R	11/21/2006	38.9	0		mg/L
Do (field)	LGW-8R	11/21/2006	38.9	0		mg/L
Do (field)	LGW-8R	12/21/2006	3.3	0		mg/L
Do (field)	LGW-8R	12/21/2006	3.3	0		mg/L
Do (field)	LGW-8R	1/24/2007	2.9	0		mg/L
Do (field)	LGW-8R	1/24/2007	2.9	0		mg/L
Do (field)	LGW-8R	1/25/2007	2.9	0		mg/L
Do (field)	LGW-8R	2/7/2007	3.1	0		mg/L
Do (field)	LGW-8R	2/26/2007	3.1	0		mg/L
Do (field)	LGW-8R	2/26/2007	3.1	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	3/26/2007	3.5	0		mg/L
Do (field)	LGW-8R	4/26/2007	2.2	0		mg/L
Do (field)	LGW-8R	4/26/2007	2.2	0		mg/L
Do (field)	LGW-8R	6/1/2007	2.19	0		mg/L
Do (field)	LGW-8R	6/1/2007	2.19	0		mg/L
Do (field)	LGW-8R	6/28/2007	1.06	0		mg/L
Do (field)	LGW-8R	6/28/2007	1.06	0		mg/L
Do (field)	LGW-8R	7/11/2007	1.56	0		mg/L
Do (field)	LGW-8R	7/12/2007	1.56	0		mg/L
Do (field)	LGW-8R	10/23/2007	9.44	0		mg/L
Do (field)	LGW-8R	10/23/2007	9.44	0		mg/L
Do (field)	LGW-8R	8/29/2008	2.58	0.5		mg/L
Do (field)	LGW-8R	9/25/2008	2.08	0.5	ND	mg/L
Do (field)	LGW-8R	9/25/2008	2.08	0.5		mg/L
Do (field)	LGW-8R	10/21/2008	6.62	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	11/25/2008	2.31	0.5		mg/L
Do (field)	LGW-8R	12/19/2008	2.89	0.5		mg/L
Do (field)	LGW-8R	2/4/2009	2.01	0.5	ND	mg/L
Do (field)	LGW-8R	3/26/2009	2.29	0.5		mg/L
Do (field)	LGW-8R	4/16/2009	2.19	0.5		mg/L
Do (field)	LGW-8R	5/28/2009	2.37	0.5		mg/L
Do (field)	LGW-8R	6/25/2009	1.91	0.5		mg/L
Do (field)	LGW-8R	7/29/2009	1.58	0.5		mg/L
Do (field)	LGW-8R	8/28/2009	0.68	0.5		mg/L
Do (field)	LGW-8R	9/29/2009	0.86	0.5	ND	mg/L
Do (field)	LGW-8R	10/21/2009	0.51	0.5		mg/L
Do (field)	LGW-8R	11/24/2009	0.27	0.5	ND	mg/L
Do (field)	LGW-8R	12/17/2009	0.65	0.5		mg/L
Do (field)	LGW-8R	1/27/2010	2	0.5		mg/L
Do (field)	LGW-8R	2/15/2010	2.53	0		mg/L
Do (field)	LGW-8R	3/3/2010	1.98	0		mg/L
Do (field)	LGW-8R	4/7/2010	2.16	0		mg/L
Do (field)	LGW-8R	5/5/2010	3.65	0		mg/L
Do (field)	LGW-8R	6/16/2010	28.2	0		mg/L
Do (field)	LGW-8R	7/14/2010	52.6	0		mg/L
Do (field)	LGW-8R	8/10/2010	50.9	0		mg/L
Do (field)	LGW-8R	9/2/2010	25.3	0		mg/L
Do (field)	LGW-8R	9/29/2010	18.1	0		mg/L
Do (field)	LGW-8R	11/3/2010	18.4	0		mg/L
Do (field)	LGW-8R	12/2/2010	21.3	0		mg/L
Do (field)	LGW-8R	1/20/2011	17.4	0		mg/L
Do (field)	LGW-8R	2/7/2011	2.2	0		mg/L
Do (field)	LGW-8R	3/3/2011	1.68	0		mg/L
Do (field)	LGW-8R	4/5/2011	2.56	0		mg/L
Do (field)	LGW-8R	5/10/2011	2.42	0		mg/L
Do (field)	LGW-8R	6/1/2011	2.18	0		mg/L
Do (field)	LGW-8R	7/12/2011	2.22	0		mg/L
Do (field)	LGW-8R	8/3/2011	2.52	0		mg/L
Do (field)	LGW-8R	9/7/2011	2.4	0		mg/L
Do (field)	LGW-8R	10/5/2011	2.33	0		mg/L
Do (field)	LGW-8R	11/1/2011	2.54	0		mg/L
Do (field)	LGW-8R	12/8/2011	2.57	0		mg/L
Do (field)	LGW-8R	1/5/2012	2.84	0		mg/L
Do (field)	LGW-8R	2/1/2012	2.9	0		mg/L
Do (field)	LGW-8R	3/7/2012	2.71	0		mg/L
Do (field)	LGW-8R	4/5/2012	3.24	0		mg/L
Do (field)	LGW-8R	5/1/2012	4.11	0		mg/L
Do (field)	LGW-8R	7/9/2012	0	0		mg/L
Do (field)	LGW-8R	8/9/2012	0.01	0		mg/L
Do (field)	LGW-8R	9/4/2012	0.02	0		mg/L
Do (field)	LGW-8R	10/7/2012	0	0		mg/L
Do (field)	LGW-8R	4/30/2013	3.12	3.12	ND	mg/L
Do (field)	LGW-8R	6/4/2013	5.06	0		mg/L
Do (field)	LGW-8R	7/15/2013	5.19	5.19	ND	mg/L
Do (field)	LGW-8R	8/8/2013	3.19	0		mg/L
Do (field)	LGW-8R	9/10/2013	3.25	0		mg/L
Do (field)	LGW-8R	10/1/2013	3.64	0		mg/L
Do (field)	LGW-8R	11/6/2013	4.1	0		mg/L
Do (field)	LGW-8R	12/2/2013	3.86	0		mg/L
Do (field)	LGW-8R	1/22/2014	5.04	0		mg/L
Do (field)	LGW-8R	2/12/2014	6.29	0		mg/L
Do (field)	LGW-8R	3/11/2014	5.69	0		mg/L
Do (field)	LGW-8R	4/2/2014	2.59	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	5/7/2014	5.36	0		mg/L
Do (field)	LGW-8R	6/3/2014	2.63	0		mg/L
Do (field)	LGW-8R	7/8/2014	3.48	0		mg/L
Do (field)	LGW-8R	8/5/2014	3.78	0		mg/L
Do (field)	LGW-8R	9/4/2014	3.28	0		mg/L
Do (field)	LGW-8R	10/9/2014	2.15	0		mg/L
Do (field)	LGW-8R	11/3/2014	5.01	0		mg/L
Do (field)	LGW-8R	1/14/2015	4.81	0		mg/L
Do (field)	LGW-8R	2/11/2015	1.45	0		mg/L
Do (field)	LGW-8R	3/3/2015	2.01	0		mg/L
Do (field)	LGW-8R	4/1/2015	4.92	0		mg/L
Do (field)	LGW-8R	5/6/2015	2.56	0		mg/L
Do (field)	LGW-8R	6/3/2015	2.5	0		mg/L
Do (field)	LGW-8R	7/22/2015	4.13	0		mg/L
Do (field)	LGW-8R	8/4/2015	2.55	0		mg/L
Do (field)	LGW-8R	9/3/2015	3.48	0		mg/L
Do (field)	LGW-8R	10/6/2015	2.71	0		mg/L
Do (field)	LGW-8R	11/4/2015	4.98	0		mg/L
Do (field)	LGW-8R	12/3/2015	3.69	0		mg/L
Do (field)	LGW-8R	1/5/2016	4.41	0		mg/L
Do (field)	LGW-8R	2/3/2016	4.53	0		mg/L
Do (field)	LGW-8R	3/2/2016	31.2	0		mg/L
Do (field)	LGW-8R	4/5/2016	3.6	0		mg/L
Do (field)	LGW-8R	5/11/2016	3.78	0		mg/L
Do (field)	LGW-8R	6/1/2016	26.4	0		mg/L
Do (field)	LGW-8R	7/20/2016	2.04	0		mg/L
Do (field)	LGW-8R	8/10/2016	2.31	0		mg/L
Do (field)	LGW-8R	9/6/2016	4.27	0		mg/L
Do (field)	LGW-8R	10/6/2016	3.2	0		mg/L
Do (field)	LGW-8R	11/2/2016	1.55	0		mg/L
Do (field)	LGW-8R	12/1/2016	1.95	0		mg/L
Do (field)	LGW-8R	1/11/2017	2.88	0		mg/L
Do (field)	LGW-8R	2/7/2017	1.46	0		mg/L
Do (field)	LGW-8R	3/2/2017	5.26	0		mg/L
Do (field)	LGW-8R	4/4/2017	4.42	0		mg/L
Do (field)	LGW-8R	5/2/2017	4.57	0		mg/L
Do (field)	LGW-8R	6/6/2017	3.01	0		mg/L
Do (field)	LGW-8R	7/18/2017	3.58	0		mg/L
Do (field)	LGW-8R	8/1/2017	0.19	0		mg/L
Do (field)	LGW-8R	9/5/2017	0.02	0		mg/L
Do (field)	LGW-8R	10/5/2017	0	0		mg/L
Do (field)	LGW-8R	11/1/2017	0.76	0		mg/L
Do (field)	LGW-8R	1/25/2018	0.21	0.01		mg/L
Do (field)	LGW-8R	2/23/2018	0.4	0.01		mg/L
Do (field)	LGW-8R	3/19/2018	0.31	0.01		mg/L
Do (field)	LGW-8R	4/11/2018	2.74	0.01		mg/L
Do (field)	LGW-8R	6/5/2018	0.2	0		mg/L
Do (field)	LGW-8R	6/21/2018	0.32	0		mg/L
Do (field)	LGW-8R	7/13/2018	0.5	0.01		mg/L
Do (field)	LGW-8R	8/2/2018	3.23	0.01		mg/L
Do (field)	LGW-8R	9/5/2018	0.53	0		mg/L
Do (field)	LGW-8R	10/2/2018	0.4	0		mg/L
Do (field)	LGW-8R	11/7/2018	0.35	0.01		mg/L
Do (field)	LGW-8R	12/4/2018	0.51	0.01		mg/L
Do (field)	LGW-8R	1/7/2019	0.5	0.01		mg/L
Do (field)	LGW-8R	2/5/2019	0.38	0		mg/L
Do (field)	LGW-8R	3/5/2019	0.4	0.01		mg/L
Do (field)	LGW-8R	4/3/2019	0.56	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	5/1/2019	0.52	0.01		mg/L
Do (field)	LGW-8R	6/4/2019	0.15	0		mg/L
Do (field)	LGW-8R	7/8/2019	0.27	0.01		mg/L
Do (field)	LGW-8R	7/8/2019	0.27	0.01		mg/L
Do (field)	LGW-8R	8/7/2019	0.2	0.01		mg/L
Do (field)	LGW-8R	9/5/2019	0.3	0.01		mg/L
Do (field)	LGW-8R	10/1/2019	0.22	0.01		mg/L
Do (field)	LGW-8R	11/5/2019	0.57	0.01		mg/L
Do (field)	LGW-8R	12/4/2019	3.42	0.01		mg/L
Do (field)	LGW-8R	1/14/2020	0.46	0		mg/L
Do (field)	LGW-8R	3/3/2020	0.4	0.01		mg/L
Do (field)	LGW-8R	4/2/2020	0.37	0.01		mg/L
Do (field)	LGW-8R	5/4/2020	1.05	0.01		mg/L
Do (field)	LGW-8R	6/1/2020	0.8	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	7/7/2020	0.31	0		mg/L
Do (field)	LGW-8R	8/3/2020	0.34	0		mg/L
Do (field)	LGW-8R	9/1/2020	0.35	0.01		mg/L
Do (field)	LGW-8R	10/6/2020	0.41	0.01		mg/L
Do (field)	LGW-8R	11/2/2020	0.53	0		mg/L
Do (field)	LGW-8R	12/1/2020	7.31	0		mg/L
Do (field)	LGW-8R	1/17/2021	0.14	0		mg/L
Do (field)	LGW-8R	2/9/2021	0.19	0		mg/L
Do (field)	LGW-8R	3/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	4/7/2021	0.3	0		mg/L
Do (field)	LGW-8R	5/5/2021	0.2	0		mg/L
Do (field)	LGW-8R	6/2/2021	0.3	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	7/7/2021	0.1	0		mg/L
Do (field)	LGW-8R	8/3/2021	0.2	0		mg/L
Do (field)	LGW-8R	9/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	10/5/2021	0.2	0		mg/L
Do (field)	LGW-8R	11/2/2021	0.2	0		mg/L
Do (field)	LGW-8R	12/9/2021	0.4	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/13/2022	0.3	0		mg/L
Do (field)	LGW-8R	2/10/2022	0.3	0		mg/L
Do (field)	LGW-8R	3/2/2022	0.3	0		mg/L
Do (field)	LGW-8R	4/5/2022	0.3	0		mg/L
Do (field)	LGW-8R	5/7/2022	0.2	0		mg/L
Do (field)	LGW-8R	6/3/2022	0.2	0		mg/L
Do (field)	LGW-8R	7/11/2022	0.2	0		mg/L
Do (field)	LGW-8R	8/10/2022	0.2	0		mg/L
Do (field)	LGW-8R	9/8/2022	0.3	0		mg/L
Do (field)	LGW-8R	10/6/2022	0.3	0		mg/L
Do (field)	LGW-8R	10/6/2022	0.3	0		mg/L
Do (field)	LGW-8R	11/3/2022	0.3	0		mg/L
Do (field)	LGW-8R	12/7/2022	0.3	0		mg/L
Do (field)	LGW-8R	1/11/2023	0.3	0		mg/L
Do (field)	LGW-8R	2/3/2023	0.3	0		mg/L
Do (field)	LGW-8R	3/1/2023	0.3	0		mg/L
Do (field)	LGW-8R	4/6/2023	0.3	0		mg/L
Do (field)	LGW-8R	5/10/2023	0.4	0		mg/L
Do (field)	LGW-8R	6/8/2023	0.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-8R	7/10/2023	0.2	0		mg/L
Do (field)	LGW-8R	8/1/2023	0.3	0		mg/L
Do (field)	LGW-8R	9/2/2023	0.3	0		mg/L
Do (field)	LGW-8R	10/5/2023	0.4	0		mg/L
Do (field)	LGW-9	9/30/2005	25	0		mg/L
Do (field)	LGW-9	7/20/2006	9.7	0		mg/L
Do (field)	LGW-9	7/20/2006	9.7	0		mg/L
Do (field)	LGW-9	9/27/2006	57.8	0		mg/L
Do (field)	LGW-9	9/27/2006	57.8	0		mg/L
Do (field)	LGW-9	10/26/2006	11.7	0		mg/L
Do (field)	LGW-9	10/26/2006	11.7	0		mg/L
Do (field)	LGW-9	11/21/2006	62.3	0		mg/L
Do (field)	LGW-9	11/21/2006	62.3	0		mg/L
Do (field)	LGW-9	12/21/2006	2.3	0		mg/L
Do (field)	LGW-9	12/21/2006	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	1/25/2007	2.3	0		mg/L
Do (field)	LGW-9	2/7/2007	2.1	0		mg/L
Do (field)	LGW-9	2/27/2007	2.1	0		mg/L
Do (field)	LGW-9	2/27/2007	2.1	0		mg/L
Do (field)	LGW-9	3/26/2007	2.1	0		mg/L
Do (field)	LGW-9	3/26/2007	2.1	0		mg/L
Do (field)	LGW-9	3/26/2007	2.1	0		mg/L
Do (field)	LGW-9	4/25/2007	1.8	0		mg/L
Do (field)	LGW-9	4/26/2007	1.8	0		mg/L
Do (field)	LGW-9	5/31/2007	3.15	0		mg/L
Do (field)	LGW-9	6/1/2007	3.15	0		mg/L
Do (field)	LGW-9	6/28/2007	0.66	0		mg/L
Do (field)	LGW-9	6/28/2007	0.66	0		mg/L
Do (field)	LGW-9	7/10/2007	0.75	0		mg/L
Do (field)	LGW-9	7/11/2007	0.75	0		mg/L
Do (field)	LGW-9	10/23/2007	9.53	0		mg/L
Do (field)	LGW-9	10/23/2007	9.53	0		mg/L
Do (field)	LGW-9	3/25/2008	6.11	0		mg/L
Do (field)	LGW-9	5/3/2008	0.62	0		mg/L
Do (field)	LGW-9	5/30/2008	3.39	0		mg/L
Do (field)	LGW-9	7/22/2008	0.53	0.5		mg/L
Do (field)	LGW-9	8/29/2008	0.14	0.5	ND	mg/L
Do (field)	LGW-9	9/26/2008	0.34	0.5	ND	mg/L
Do (field)	LGW-9	10/22/2008	0.18	0.5	ND	mg/L
Do (field)	LGW-9	11/24/2008	0.72	0.5		mg/L
Do (field)	LGW-9	12/19/2008	0.44	0.5	ND	mg/L
Do (field)	LGW-9	2/4/2009	0.18	0.5	ND	mg/L
Do (field)	LGW-9	3/26/2009	0.55	0.5		mg/L
Do (field)	LGW-9	4/15/2009	0.34	0.5	ND	mg/L
Do (field)	LGW-9	5/28/2009	0.22	0.5	ND	mg/L
Do (field)	LGW-9	6/24/2009	0.24	0.5	ND	mg/L
Do (field)	LGW-9	7/29/2009	0.12	0.5	ND	mg/L
Do (field)	LGW-9	8/28/2009	0.09	0.5	ND	mg/L
Do (field)	LGW-9	9/29/2009	0.07	0.5	ND	mg/L
Do (field)	LGW-9	10/22/2009	0.09	0.5	ND	mg/L
Do (field)	LGW-9	11/24/2009	0.07	0.5	ND	mg/L
Do (field)	LGW-9	12/17/2009	0.11	0.5	ND	mg/L
Do (field)	LGW-9	1/27/2010	0.13	0.5	ND	mg/L
Do (field)	LGW-9	2/15/2010	0.1	0		mg/L
Do (field)	LGW-9	3/3/2010	0.12	0		mg/L
Do (field)	LGW-9	4/8/2010	0.12	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	5/6/2010	0.45	0		mg/L
Do (field)	LGW-9	6/16/2010	11.3	0		mg/L
Do (field)	LGW-9	7/14/2010	4.9	0		mg/L
Do (field)	LGW-9	8/11/2010	3.5	0		mg/L
Do (field)	LGW-9	9/1/2010	6.2	0		mg/L
Do (field)	LGW-9	9/29/2010	6.4	0		mg/L
Do (field)	LGW-9	11/3/2010	11.3	0		mg/L
Do (field)	LGW-9	12/2/2010	8.6	0		mg/L
Do (field)	LGW-9	1/20/2011	4.5	0		mg/L
Do (field)	LGW-9	2/7/2011	0.5	0		mg/L
Do (field)	LGW-9	3/3/2011	1.04	0		mg/L
Do (field)	LGW-9	4/5/2011	0.28	0		mg/L
Do (field)	LGW-9	5/10/2011	0.53	0		mg/L
Do (field)	LGW-9	6/1/2011	0.71	0		mg/L
Do (field)	LGW-9	7/12/2011	0.24	0		mg/L
Do (field)	LGW-9	8/4/2011	0.34	0		mg/L
Do (field)	LGW-9	9/7/2011	0.32	0		mg/L
Do (field)	LGW-9	10/5/2011	0.72	0		mg/L
Do (field)	LGW-9	11/1/2011	0.44	0		mg/L
Do (field)	LGW-9	12/8/2011	0.53	0		mg/L
Do (field)	LGW-9	1/5/2012	0.29	0		mg/L
Do (field)	LGW-9	2/1/2012	0.68	0		mg/L
Do (field)	LGW-9	3/7/2012	0.45	0		mg/L
Do (field)	LGW-9	4/5/2012	0.53	0		mg/L
Do (field)	LGW-9	5/1/2012	1.2	0		mg/L
Do (field)	LGW-9	7/10/2012	0.42	0		mg/L
Do (field)	LGW-9	8/9/2012	0.44	0		mg/L
Do (field)	LGW-9	9/4/2012	0.03	0		mg/L
Do (field)	LGW-9	10/7/2012	0	0		mg/L
Do (field)	LGW-9	5/1/2013	0.24	0		mg/L
Do (field)	LGW-9	6/4/2013	0.49	0		mg/L
Do (field)	LGW-9	7/15/2013	0.45	0		mg/L
Do (field)	LGW-9	8/8/2013	0.46	0		mg/L
Do (field)	LGW-9	9/10/2013	0.55	0		mg/L
Do (field)	LGW-9	10/1/2013	0.67	0		mg/L
Do (field)	LGW-9	11/6/2013	0.33	0		mg/L
Do (field)	LGW-9	12/2/2013	0.22	0		mg/L
Do (field)	LGW-9	1/23/2014	0.18	0		mg/L
Do (field)	LGW-9	2/13/2014	0.49	0		mg/L
Do (field)	LGW-9	3/11/2014	0.58	0		mg/L
Do (field)	LGW-9	4/2/2014	0.23	0		mg/L
Do (field)	LGW-9	5/7/2014	0.42	0		mg/L
Do (field)	LGW-9	6/3/2014	0.93	0		mg/L
Do (field)	LGW-9	7/8/2014	1.64	0		mg/L
Do (field)	LGW-9	8/5/2014	0.38	0		mg/L
Do (field)	LGW-9	9/4/2014	0.6	0		mg/L
Do (field)	LGW-9	10/9/2014	0.88	0		mg/L
Do (field)	LGW-9	11/3/2014	3.34	0		mg/L
Do (field)	LGW-9	1/14/2015	1.5	0		mg/L
Do (field)	LGW-9	2/11/2015	0.46	0		mg/L
Do (field)	LGW-9	3/3/2015	0.87	0		mg/L
Do (field)	LGW-9	4/1/2015	1.7	0		mg/L
Do (field)	LGW-9	5/7/2015	0.7	0		mg/L
Do (field)	LGW-9	6/3/2015	0.49	0		mg/L
Do (field)	LGW-9	7/13/2015	0.53	0		mg/L
Do (field)	LGW-9	8/4/2015	1.4	0		mg/L
Do (field)	LGW-9	9/3/2015	0.66	0		mg/L
Do (field)	LGW-9	10/6/2015	0.76	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	11/4/2015	0.68	0		mg/L
Do (field)	LGW-9	12/3/2015	0.86	0		mg/L
Do (field)	LGW-9	1/5/2016	0.61	0		mg/L
Do (field)	LGW-9	2/3/2016	0.76	0		mg/L
Do (field)	LGW-9	3/2/2016	0.73	0		mg/L
Do (field)	LGW-9	4/5/2016	0.59	0		mg/L
Do (field)	LGW-9	5/11/2016	1.06	0		mg/L
Do (field)	LGW-9	6/1/2016	0.63	0		mg/L
Do (field)	LGW-9	7/21/2016	1.15	0		mg/L
Do (field)	LGW-9	8/10/2016	1.37	0		mg/L
Do (field)	LGW-9	9/6/2016	0.76	0		mg/L
Do (field)	LGW-9	9/6/2016	0.76	0		mg/L
Do (field)	LGW-9	10/6/2016	1.36	0		mg/L
Do (field)	LGW-9	11/2/2016	1.78	0		mg/L
Do (field)	LGW-9	12/1/2016	2.1	0		mg/L
Do (field)	LGW-9	1/11/2017	3.1	0		mg/L
Do (field)	LGW-9	2/7/2017	1.74	0		mg/L
Do (field)	LGW-9	3/2/2017	2.99	0		mg/L
Do (field)	LGW-9	4/4/2017	0.38	0		mg/L
Do (field)	LGW-9	5/5/2017	0.38	0		mg/L
Do (field)	LGW-9	5/16/2017	0.35	0		mg/L
Do (field)	LGW-9	6/6/2017	0.46	0		mg/L
Do (field)	LGW-9	7/18/2017	0.4	0		mg/L
Do (field)	LGW-9	8/1/2017	0.08	0		mg/L
Do (field)	LGW-9	9/5/2017	0.01	0		mg/L
Do (field)	LGW-9	10/5/2017	0.01	0		mg/L
Do (field)	LGW-9	11/1/2017	0.55	0		mg/L
Do (field)	LGW-9	1/24/2018	0.39	0.01		mg/L
Do (field)	LGW-9	2/22/2018	0.52	0.01		mg/L
Do (field)	LGW-9	3/20/2018	0.73	0.01		mg/L
Do (field)	LGW-9	4/11/2018	0.49	0.01		mg/L
Do (field)	LGW-9	4/11/2018	0.49	0.01		mg/L
Do (field)	LGW-9	6/5/2018	1.26	0		mg/L
Do (field)	LGW-9	6/5/2018	1.26	0		mg/L
Do (field)	LGW-9	7/13/2018	0.39	0.01		mg/L
Do (field)	LGW-9	8/2/2018	0.64	0.01		mg/L
Do (field)	LGW-9	9/5/2018	1.85	0		mg/L
Do (field)	LGW-9	10/2/2018	0.68	0		mg/L
Do (field)	LGW-9	10/2/2018	0.68	0		mg/L
Do (field)	LGW-9	11/6/2018	0.58	0.01		mg/L
Do (field)	LGW-9	12/4/2018	0.58	0.01		mg/L
Do (field)	LGW-9	1/7/2019	0.74	0.01		mg/L
Do (field)	LGW-9	2/6/2019	0.86	0		mg/L
Do (field)	LGW-9	3/5/2019	0.6	0.01		mg/L
Do (field)	LGW-9	4/3/2019	0.49	0.01		mg/L
Do (field)	LGW-9	5/3/2019	0.5	0.01		mg/L
Do (field)	LGW-9	6/4/2019	0.35	0		mg/L
Do (field)	LGW-9	7/10/2019	0.5	0		mg/L
Do (field)	LGW-9	7/10/2019	0.5	0.01		mg/L
Do (field)	LGW-9	8/8/2019	0.46	0.01		mg/L
Do (field)	LGW-9	9/4/2019	1.2	0.01		mg/L
Do (field)	LGW-9	10/3/2019	0.96	0.01		mg/L
Do (field)	LGW-9	10/3/2019	0.96	0.01		mg/L
Do (field)	LGW-9	11/6/2019	0.45	0.01		mg/L
Do (field)	LGW-9	12/3/2019	1.12	0.01		mg/L
Do (field)	LGW-9	1/16/2020	0.46	0		mg/L
Do (field)	LGW-9	3/4/2020	0.32	0.01		mg/L
Do (field)	LGW-9	4/2/2020	0.35	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	LGW-9	4/2/2020	0.35	0.01		mg/L
Do (field)	LGW-9	5/5/2020	3.44	0.01		mg/L
Do (field)	LGW-9	6/2/2020	2.89	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	7/9/2020	0.62	0		mg/L
Do (field)	LGW-9	8/3/2020	1.07	0		mg/L
Do (field)	LGW-9	9/2/2020	6.45	0.01		mg/L
Do (field)	LGW-9	10/7/2020	0.32	0.01		mg/L
Do (field)	LGW-9	10/7/2020	0.32	0.01		mg/L
Do (field)	LGW-9	11/3/2020	3.79	0		mg/L
Do (field)	LGW-9	12/2/2020	1.56	0		mg/L
Do (field)	LGW-9	1/17/2021	0.26	0		mg/L
Do (field)	LGW-9	2/9/2021	0.59	0		mg/L
Do (field)	LGW-9	3/2/2021	0.5	0		mg/L
Do (field)	LGW-9	4/6/2021	0.4	0		mg/L
Do (field)	LGW-9	4/6/2021	0.4	0		mg/L
Do (field)	LGW-9	5/5/2021	0.4	0		mg/L
Do (field)	LGW-9	6/2/2021	0.4	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	7/7/2021	0.3	0		mg/L
Do (field)	LGW-9	8/4/2021	0.4	0		mg/L
Do (field)	LGW-9	9/2/2021	0.4	0		mg/L
Do (field)	LGW-9	10/5/2021	0.4	0		mg/L
Do (field)	LGW-9	10/5/2021	0.4	0		mg/L
Do (field)	LGW-9	11/2/2021	0.5	0		mg/L
Do (field)	LGW-9	12/9/2021	0.3	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	1/13/2022	0.4	0		mg/L
Do (field)	LGW-9	2/10/2022	0.4	0		mg/L
Do (field)	LGW-9	3/2/2022	0.4	0		mg/L
Do (field)	LGW-9	4/4/2022	0.3	0		mg/L
Do (field)	LGW-9	4/4/2022	0.3	0		mg/L
Do (field)	LGW-9	5/7/2022	0.2	0		mg/L
Do (field)	LGW-9	6/3/2022	0.3	0		mg/L
Do (field)	LGW-9	7/11/2022	0.3	0		mg/L
Do (field)	LGW-9	8/10/2022	0.3	0		mg/L
Do (field)	LGW-9	9/8/2022	0.3	0		mg/L
Do (field)	LGW-9	10/7/2022	0.4	0		mg/L
Do (field)	LGW-9	10/7/2022	0.4	0		mg/L
Do (field)	LGW-9	11/3/2022	0.3	0		mg/L
Do (field)	LGW-9	12/7/2022	0.5	0		mg/L
Do (field)	LGW-9	1/11/2023	0.4	0		mg/L
Do (field)	LGW-9	2/3/2023	0.6	0		mg/L
Do (field)	LGW-9	3/1/2023	0.3	0		mg/L
Do (field)	LGW-9	4/5/2023	0.6	0		mg/L
Do (field)	LGW-9	5/10/2023	0.5	0		mg/L
Do (field)	LGW-9	6/8/2023	0.7	0		mg/L
Do (field)	LGW-9	7/10/2023	0.4	0		mg/L
Do (field)	LGW-9	8/1/2023	0.5	0		mg/L
Do (field)	LGW-9	9/2/2023	0.6	0		mg/L
Do (field)	LGW-9	10/5/2023	0.4	0		mg/L
Do (field)	MW-10N	1/18/2006	34.8	0		mg/L
Do (field)	MW-10N	7/19/2006	8.8	0		mg/L
Do (field)	MW-10N	7/19/2006	8.8	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-10N	10/24/2006	5.5	0		mg/L
Do (field)	MW-10N	10/24/2006	5.5	0		mg/L
Do (field)	MW-10N	1/23/2007	10.4	0		mg/L
Do (field)	MW-10N	1/23/2007	10.4	0		mg/L
Do (field)	MW-10N	7/10/2007	1.05	0		mg/L
Do (field)	MW-10N	7/11/2007	1.05	0		mg/L
Do (field)	MW-10N	7/21/2008	0.12	0.5	ND	mg/L
Do (field)	MW-10N	2/13/2009	1.84	0.5		mg/L
Do (field)	MW-10N	7/31/2009	0.05	0.5	ND	mg/L
Do (field)	MW-10N	1/27/2010	1.51	0.5		mg/L
Do (field)	MW-10N	8/10/2010	1	0		mg/L
Do (field)	MW-10N	1/19/2011	2.4	0		mg/L
Do (field)	MW-10N	7/14/2011	0.14	0		mg/L
Do (field)	MW-10N	1/5/2012	0.64	0		mg/L
Do (field)	MW-10N	7/10/2012	0.64	0		mg/L
Do (field)	MW-10N	5/1/2013	0.72	0		mg/L
Do (field)	MW-10N	1/24/2014	0.19	0		mg/L
Do (field)	MW-10N	7/9/2014	1.68	0		mg/L
Do (field)	MW-10N	2/12/2015	0.99	0		mg/L
Do (field)	MW-10N	7/14/2015	0.69	0		mg/L
Do (field)	MW-10N	1/6/2016	0.43	0		mg/L
Do (field)	MW-10N	7/21/2016	0.86	0		mg/L
Do (field)	MW-10N	1/11/2017	5.72	0		mg/L
Do (field)	MW-10N	7/19/2017	1.68	0		mg/L
Do (field)	MW-10N	1/24/2018	1.04	0.01		mg/L
Do (field)	MW-10N	7/11/2018	0.66	0.01		mg/L
Do (field)	MW-10N	1/3/2019	1.6	0.01		mg/L
Do (field)	MW-10N	7/9/2019	0.6	0.01		mg/L
Do (field)	MW-10N	1/16/2020	0.49	0		mg/L
Do (field)	MW-10N	7/8/2020	0.49	0		mg/L
Do (field)	MW-10N	7/8/2020	0.49	0		mg/L
Do (field)	MW-10N	7/5/2021	0.1	0		mg/L
Do (field)	MW-10N	7/5/2021	0.1	0		mg/L
Do (field)	MW-10N	1/11/2023	0.2	0		mg/L
Do (field)	MW-10N	4/8/2023	0.2	0		mg/L
Do (field)	MW-10N	7/7/2023	0.3	0		mg/L
Do (field)	MW-11N	1/18/2006	45.1	0		mg/L
Do (field)	MW-11N	7/18/2006	8.2	0		mg/L
Do (field)	MW-11N	7/18/2006	8.2	0		mg/L
Do (field)	MW-11N	10/24/2006	5.3	0		mg/L
Do (field)	MW-11N	10/24/2006	1.18	0		mg/L
Do (field)	MW-11N	1/23/2007	9.6	0		mg/L
Do (field)	MW-11N	1/23/2007	9.6	0		mg/L
Do (field)	MW-11N	7/10/2007	1.76	0		mg/L
Do (field)	MW-11N	7/11/2007	1.76	0		mg/L
Do (field)	MW-11N	7/23/2008	4.5	0.5		mg/L
Do (field)	MW-11N	2/3/2009	3.22	0.5		mg/L
Do (field)	MW-11N	7/31/2009	2.12	0.5		mg/L
Do (field)	MW-11N	2/3/2010	3.14	0.5		mg/L
Do (field)	MW-11N	2/3/2010	3.14	0.5		mg/L
Do (field)	MW-11N	7/16/2010	56.7	0		mg/L
Do (field)	MW-11N	1/19/2011	25.5	0		mg/L
Do (field)	MW-11N	7/13/2011	2.16	0		mg/L
Do (field)	MW-11N	1/4/2012	4.44	0		mg/L
Do (field)	MW-11N	7/9/2012	0.01	0		mg/L
Do (field)	MW-11N	4/30/2013	5.14	0		mg/L
Do (field)	MW-11N	7/15/2013	5.19	0		mg/L
Do (field)	MW-11N	1/23/2014	5.71	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-11N	7/8/2014	4.51	0		mg/L
Do (field)	MW-11N	2/10/2015	3.3	0		mg/L
Do (field)	MW-11N	7/13/2015	1.55	0		mg/L
Do (field)	MW-11N	1/5/2016	4.2	0		mg/L
Do (field)	MW-11N	7/21/2016	4.75	0		mg/L
Do (field)	MW-11N	1/11/2017	6.4	0		mg/L
Do (field)	MW-11N	7/19/2017	3.63	0		mg/L
Do (field)	MW-11N	1/23/2018	5.21	0.01		mg/L
Do (field)	MW-11N	7/17/2018	4.31	0.01		mg/L
Do (field)	MW-11N	1/2/2019	5.6	0.01		mg/L
Do (field)	MW-11N	7/9/2019	4.25	0.01		mg/L
Do (field)	MW-11N	1/14/2020	5.12	0		mg/L
Do (field)	MW-11N	7/6/2020	4.68	0		mg/L
Do (field)	MW-11N	7/6/2020	4.68	0		mg/L
Do (field)	MW-11N	1/18/2021	5.92	0		mg/L
Do (field)	MW-11N	7/6/2021	5.8	0		mg/L
Do (field)	MW-11N	7/6/2021	5.8	0		mg/L
Do (field)	MW-11N	1/18/2022	6.4	0		mg/L
Do (field)	MW-11N	1/18/2022	6.4	0		mg/L
Do (field)	MW-11N	7/13/2022	6.4	0		mg/L
Do (field)	MW-11N	10/6/2022	6.7	0		mg/L
Do (field)	MW-11N	1/10/2023	6.9	0		mg/L
Do (field)	MW-11N	7/8/2023	6.5	0		mg/L
Do (field)	MW-15	6/2/2015	8.52	0		mg/L
Do (field)	MW-15	6/5/2015	8.51	0		mg/L
Do (field)	MW-15	7/15/2015	6.95	0		mg/L
Do (field)	MW-15	8/5/2015	7.92	0		mg/L
Do (field)	MW-15	9/3/2015	8.21	0		mg/L
Do (field)	MW-15	10/6/2015	7.85	0		mg/L
Do (field)	MW-15	11/5/2015	7.9	0		mg/L
Do (field)	MW-15	12/4/2015	8.94	0		mg/L
Do (field)	MW-15	1/7/2016	8.13	0		mg/L
Do (field)	MW-15	2/4/2016	7	0		mg/L
Do (field)	MW-15	3/2/2016	7.35	0		mg/L
Do (field)	MW-15	4/5/2016	7.14	0		mg/L
Do (field)	MW-15	5/11/2016	7.21	0		mg/L
Do (field)	MW-15	6/1/2016	6.48	0		mg/L
Do (field)	MW-15	7/20/2016	6	0		mg/L
Do (field)	MW-15	8/10/2016	6.39	0		mg/L
Do (field)	MW-15	9/6/2016	6.13	0		mg/L
Do (field)	MW-15	10/6/2016	6.32	0		mg/L
Do (field)	MW-15	11/2/2016	5.55	0		mg/L
Do (field)	MW-15	12/1/2016	6.68	0		mg/L
Do (field)	MW-15	1/10/2017	8.18	0		mg/L
Do (field)	MW-15	2/7/2017	8.92	0		mg/L
Do (field)	MW-15	3/2/2017	9.03	0		mg/L
Do (field)	MW-15	4/4/2017	6.56	0		mg/L
Do (field)	MW-15	5/2/2017	5.88	0		mg/L
Do (field)	MW-15	6/6/2017	1.6	0		mg/L
Do (field)	MW-15	7/18/2017	0.64	0		mg/L
Do (field)	MW-15	8/1/2017	1.76	0		mg/L
Do (field)	MW-15	9/5/2017	0.01	0		mg/L
Do (field)	MW-15	10/6/2017	0	0		mg/L
Do (field)	MW-15	11/1/2017	1.68	0		mg/L
Do (field)	MW-15	1/23/2018	3.81	0.01		mg/L
Do (field)	MW-15	2/22/2018	2.42	0.01		mg/L
Do (field)	MW-15	3/21/2018	1.56	0.01		mg/L
Do (field)	MW-15	4/10/2018	2.62	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-15	6/5/2018	4.09	0		mg/L
Do (field)	MW-15	7/10/2018	2.68	0.01		mg/L
Do (field)	MW-15	8/1/2018	3.02	0.01		mg/L
Do (field)	MW-15	9/4/2018	6.68	0		mg/L
Do (field)	MW-15	10/2/2018	3.04	0		mg/L
Do (field)	MW-15	10/2/2018	3.04	0		mg/L
Do (field)	MW-15	11/6/2018	2.85	0.01		mg/L
Do (field)	MW-15	12/5/2018	2.68	0.01		mg/L
Do (field)	MW-15	1/3/2019	3.46	0.01		mg/L
Do (field)	MW-15	2/5/2019	3.71	0		mg/L
Do (field)	MW-15	3/6/2019	4.3	0.01		mg/L
Do (field)	MW-15	4/3/2019	4.99	0.01		mg/L
Do (field)	MW-15	5/2/2019	4.65	0.01		mg/L
Do (field)	MW-15	6/4/2019	4.43	0		mg/L
Do (field)	MW-15	7/9/2019	5.4	0.01		mg/L
Do (field)	MW-15	7/9/2019	5.4	0.01		mg/L
Do (field)	MW-15	8/6/2019	7.58	0.01		mg/L
Do (field)	MW-15	9/4/2019	6.06	0.01		mg/L
Do (field)	MW-15	10/1/2019	5.06	0.01		mg/L
Do (field)	MW-15	11/5/2019	6	0.01		mg/L
Do (field)	MW-15	12/3/2019	5.22	0.01		mg/L
Do (field)	MW-15	1/14/2020	5.57	0		mg/L
Do (field)	MW-15	3/3/2020	4.16	0.01		mg/L
Do (field)	MW-15	4/1/2020	5.42	0.01		mg/L
Do (field)	MW-15	5/4/2020	4.01	0.01		mg/L
Do (field)	MW-15	6/2/2020	3.87	0		mg/L
Do (field)	MW-15	7/7/2020	3.97	0		mg/L
Do (field)	MW-15	7/7/2020	3.97	0		mg/L
Do (field)	MW-15	8/3/2020	3.73	0		mg/L
Do (field)	MW-15	8/3/2020	3.73	0		mg/L
Do (field)	MW-15	9/3/2020	5.63	0.01		mg/L
Do (field)	MW-15	10/6/2020	7.68	0.01		mg/L
Do (field)	MW-15	11/4/2020	8.39	0		mg/L
Do (field)	MW-15	12/2/2020	6.7	0		mg/L
Do (field)	MW-15	1/18/2021	7.34	0		mg/L
Do (field)	MW-15	1/18/2021	7.34	0		mg/L
Do (field)	MW-15	2/10/2021	7.4	0		mg/L
Do (field)	MW-15	3/2/2021	7.9	0		mg/L
Do (field)	MW-15	4/7/2021	6.8	0		mg/L
Do (field)	MW-15	5/4/2021	8.2	0		mg/L
Do (field)	MW-15	6/1/2021	6.3	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	7/4/2021	6.9	0		mg/L
Do (field)	MW-15	8/3/2021	6.8	0		mg/L
Do (field)	MW-15	9/2/2021	6.6	0		mg/L
Do (field)	MW-15	10/5/2021	6.1	0		mg/L
Do (field)	MW-15	10/5/2021	6.1	0		mg/L
Do (field)	MW-15	11/1/2021	5.6	0		mg/L
Do (field)	MW-15	12/8/2021	5.2	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	1/12/2022	5.3	0		mg/L
Do (field)	MW-15	2/9/2022	5.2	0		mg/L
Do (field)	MW-15	3/1/2022	5.6	0		mg/L
Do (field)	MW-15	4/5/2022	6.1	0		mg/L
Do (field)	MW-15	5/7/2022	8.7	0		mg/L
Do (field)	MW-15	6/3/2022	6.7	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-15	7/10/2022	6.7	0		mg/L
Do (field)	MW-15	8/10/2022	6.2	0		mg/L
Do (field)	MW-15	9/8/2022	5.8	0		mg/L
Do (field)	MW-15	10/6/2022	5.7	0		mg/L
Do (field)	MW-15	10/6/2022	5.7	0		mg/L
Do (field)	MW-15	11/3/2022	5.2	0		mg/L
Do (field)	MW-15	12/7/2022	5.2	0		mg/L
Do (field)	MW-15	1/10/2023	5.5	0		mg/L
Do (field)	MW-15	2/3/2023	5.7	0		mg/L
Do (field)	MW-15	3/1/2023	5.9	0		mg/L
Do (field)	MW-15	4/5/2023	6.1	0		mg/L
Do (field)	MW-15	5/11/2023	6.2	0		mg/L
Do (field)	MW-15	6/8/2023	6	0		mg/L
Do (field)	MW-15	7/10/2023	5.6	0		mg/L
Do (field)	MW-15	8/1/2023	5.6	0		mg/L
Do (field)	MW-15	9/1/2023	5.6	0		mg/L
Do (field)	MW-15	10/4/2023	5.6	0		mg/L
Do (field)	MW-16	6/2/2015	8.15	0		mg/L
Do (field)	MW-16	6/5/2015	8.27	0		mg/L
Do (field)	MW-16	7/16/2015	9.9	0		mg/L
Do (field)	MW-16	8/5/2015	6.96	0		mg/L
Do (field)	MW-16	9/3/2015	5.69	0		mg/L
Do (field)	MW-16	10/6/2015	7.29	0		mg/L
Do (field)	MW-16	11/5/2015	7.56	0		mg/L
Do (field)	MW-16	12/4/2015	7.61	0		mg/L
Do (field)	MW-16	1/8/2016	5.97	0		mg/L
Do (field)	MW-16	2/4/2016	8.63	0		mg/L
Do (field)	MW-16	3/2/2016	2.65	0		mg/L
Do (field)	MW-16	4/5/2016	1.76	0		mg/L
Do (field)	MW-16	5/11/2016	3.52	0		mg/L
Do (field)	MW-16	6/2/2016	5.67	0		mg/L
Do (field)	MW-16	7/21/2016	4.5	0		mg/L
Do (field)	MW-16	8/10/2016	4.3	0		mg/L
Do (field)	MW-16	9/6/2016	4.51	0		mg/L
Do (field)	MW-16	10/5/2016	4.43	0		mg/L
Do (field)	MW-16	11/2/2016	4.12	0		mg/L
Do (field)	MW-16	12/1/2016	6.14	0		mg/L
Do (field)	MW-16	1/10/2017	5.01	0		mg/L
Do (field)	MW-16	2/7/2017	6.25	0		mg/L
Do (field)	MW-16	3/2/2017	8.46	0		mg/L
Do (field)	MW-16	4/4/2017	8.15	0		mg/L
Do (field)	MW-16	5/2/2017	3.65	0		mg/L
Do (field)	MW-16	6/6/2017	3.32	0		mg/L
Do (field)	MW-16	7/18/2017	2.76	0		mg/L
Do (field)	MW-16	8/1/2017	3	0		mg/L
Do (field)	MW-16	9/5/2017	0.02	0		mg/L
Do (field)	MW-16	10/6/2017	0	0		mg/L
Do (field)	MW-16	11/1/2017	3.09	0		mg/L
Do (field)	MW-16	1/23/2018	4.65	0.01		mg/L
Do (field)	MW-16	2/22/2018	6.63	0.01		mg/L
Do (field)	MW-16	3/21/2018	4.6	0.01		mg/L
Do (field)	MW-16	4/10/2018	4.76	0.01		mg/L
Do (field)	MW-16	6/5/2018	3.9	0		mg/L
Do (field)	MW-16	7/11/2018	3.03	0.01		mg/L
Do (field)	MW-16	8/1/2018	4.41	0.01		mg/L
Do (field)	MW-16	9/5/2018	4.09	0		mg/L
Do (field)	MW-16	10/2/2018	4.55	0		mg/L
Do (field)	MW-16	11/6/2018	6.48	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-16	12/5/2018	3.81	0.01		mg/L
Do (field)	MW-16	1/2/2019	4.9	0.01		mg/L
Do (field)	MW-16	2/5/2019	4.3	0		mg/L
Do (field)	MW-16	3/6/2019	5.2	0.01		mg/L
Do (field)	MW-16	4/3/2019	5.31	0.01		mg/L
Do (field)	MW-16	5/2/2019	3.94	0.01		mg/L
Do (field)	MW-16	6/4/2019	3.46	0		mg/L
Do (field)	MW-16	7/10/2019	4.2	0.01		mg/L
Do (field)	MW-16	7/10/2019	4.2	0.01		mg/L
Do (field)	MW-16	8/6/2019	4.17	0.01		mg/L
Do (field)	MW-16	9/4/2019	3.66	0.01		mg/L
Do (field)	MW-16	10/1/2019	4.28	0.01		mg/L
Do (field)	MW-16	11/5/2019	5.38	0.01		mg/L
Do (field)	MW-16	12/3/2019	4.14	0.01		mg/L
Do (field)	MW-16	1/14/2020	4.49	0		mg/L
Do (field)	MW-16	3/3/2020	4.55	0.01		mg/L
Do (field)	MW-16	4/1/2020	4.38	0.01		mg/L
Do (field)	MW-16	5/4/2020	4.47	0.01		mg/L
Do (field)	MW-16	6/3/2020	8.5	0		mg/L
Do (field)	MW-16	7/7/2020	4.06	0		mg/L
Do (field)	MW-16	7/7/2020	4.06	0		mg/L
Do (field)	MW-16	8/3/2020	3.44	0		mg/L
Do (field)	MW-16	8/3/2020	3.44	0		mg/L
Do (field)	MW-16	9/3/2020	4.98	0.01		mg/L
Do (field)	MW-16	10/6/2020	7.24	0.01		mg/L
Do (field)	MW-16	11/4/2020	7.48	0		mg/L
Do (field)	MW-16	12/3/2020	5.77	0		mg/L
Do (field)	MW-16	1/18/2021	6.71	0		mg/L
Do (field)	MW-16	1/18/2021	6.71	0		mg/L
Do (field)	MW-16	2/10/2021	6.7	0		mg/L
Do (field)	MW-16	3/2/2021	6.4	0		mg/L
Do (field)	MW-16	4/7/2021	5.7	0		mg/L
Do (field)	MW-16	5/4/2021	5.6	0		mg/L
Do (field)	MW-16	6/1/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	7/4/2021	5.4	0		mg/L
Do (field)	MW-16	8/3/2021	5.6	0		mg/L
Do (field)	MW-16	9/2/2021	5.8	0		mg/L
Do (field)	MW-16	10/5/2021	6.3	0		mg/L
Do (field)	MW-16	11/1/2021	6.5	0		mg/L
Do (field)	MW-16	12/8/2021	6.7	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	1/12/2022	6.6	0		mg/L
Do (field)	MW-16	2/9/2022	6.7	0		mg/L
Do (field)	MW-16	3/1/2022	6.7	0		mg/L
Do (field)	MW-16	4/5/2022	6.6	0		mg/L
Do (field)	MW-16	5/7/2022	6.6	0		mg/L
Do (field)	MW-16	6/3/2022	5.5	0		mg/L
Do (field)	MW-16	7/10/2022	5.5	0		mg/L
Do (field)	MW-16	8/10/2022	5.9	0		mg/L
Do (field)	MW-16	9/8/2022	6.5	0		mg/L
Do (field)	MW-16	10/6/2022	6.5	0		mg/L
Do (field)	MW-16	11/3/2022	6.7	0		mg/L
Do (field)	MW-16	12/7/2022	6.8	0		mg/L
Do (field)	MW-16	1/10/2023	6.8	0		mg/L
Do (field)	MW-16	2/3/2023	6.5	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-16	3/1/2023	6.7	0		mg/L
Do (field)	MW-16	4/5/2023	6.4	0		mg/L
Do (field)	MW-16	5/11/2023	5.9	0		mg/L
Do (field)	MW-16	6/8/2023	6.2	0		mg/L
Do (field)	MW-16	7/10/2023	6.6	0		mg/L
Do (field)	MW-16	8/1/2023	6.8	0		mg/L
Do (field)	MW-16	9/1/2023	6.8	0		mg/L
Do (field)	MW-16	10/4/2023	6.7	0		mg/L
Do (field)	MW-17	6/2/2015	9.35	0		mg/L
Do (field)	MW-17	6/5/2015	9.67	0		mg/L
Do (field)	MW-17	7/15/2015	7.29	0		mg/L
Do (field)	MW-17	8/4/2015	8.49	0		mg/L
Do (field)	MW-17	9/2/2015	8.25	0		mg/L
Do (field)	MW-17	10/5/2015	7.72	0		mg/L
Do (field)	MW-17	11/5/2015	4.76	0		mg/L
Do (field)	MW-17	12/3/2015	9.15	0		mg/L
Do (field)	MW-17	1/7/2016	7.88	0		mg/L
Do (field)	MW-17	2/3/2016	7.82	0		mg/L
Do (field)	MW-17	3/2/2016	7.87	0		mg/L
Do (field)	MW-17	4/5/2016	7.88	0		mg/L
Do (field)	MW-17	5/12/2016	8.33	0		mg/L
Do (field)	MW-17	6/1/2016	8.32	0		mg/L
Do (field)	MW-17	7/20/2016	7.66	0		mg/L
Do (field)	MW-17	8/11/2016	8.27	0		mg/L
Do (field)	MW-17	9/6/2016	7.37	0		mg/L
Do (field)	MW-17	10/6/2016	6.43	0		mg/L
Do (field)	MW-17	11/3/2016	6.85	0		mg/L
Do (field)	MW-17	12/2/2016	7.28	0		mg/L
Do (field)	MW-17	1/10/2017	9.58	0		mg/L
Do (field)	MW-17	2/7/2017	9.55	0		mg/L
Do (field)	MW-17	3/2/2017	8.88	0		mg/L
Do (field)	MW-17	4/4/2017	6.79	0		mg/L
Do (field)	MW-17	5/2/2017	5.6	0		mg/L
Do (field)	MW-17	5/16/2017	6.55	0		mg/L
Do (field)	MW-17	6/6/2017	5.34	0		mg/L
Do (field)	MW-17	7/18/2017	4.22	0		mg/L
Do (field)	MW-17	8/1/2017	2.45	0		mg/L
Do (field)	MW-17	9/5/2017	0.02	0		mg/L
Do (field)	MW-17	10/6/2017	0	0		mg/L
Do (field)	MW-17	11/1/2017	3.81	0		mg/L
Do (field)	MW-17	1/23/2018	4.6	0.01		mg/L
Do (field)	MW-17	2/22/2018	4.51	0.01		mg/L
Do (field)	MW-17	3/21/2018	3.6	0.01		mg/L
Do (field)	MW-17	4/10/2018	5.23	0.01		mg/L
Do (field)	MW-17	6/5/2018	3.37	0		mg/L
Do (field)	MW-17	7/10/2018	3.27	0.01		mg/L
Do (field)	MW-17	8/1/2018	3.16	0.01		mg/L
Do (field)	MW-17	9/5/2018	4.61	0		mg/L
Do (field)	MW-17	10/1/2018	4.96	0		mg/L
Do (field)	MW-17	10/1/2018	4.96	0		mg/L
Do (field)	MW-17	11/7/2018	2.12	0.01		mg/L
Do (field)	MW-17	12/5/2018	2.32	0.01		mg/L
Do (field)	MW-17	1/3/2019	5.88	0.01		mg/L
Do (field)	MW-17	2/5/2019	5.63	0		mg/L
Do (field)	MW-17	3/6/2019	6.3	0.01		mg/L
Do (field)	MW-17	4/3/2019	6.69	0.01		mg/L
Do (field)	MW-17	5/2/2019	3.4	0.01		mg/L
Do (field)	MW-17	6/5/2019	4.21	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-17	7/11/2019	4.9	0.01		mg/L
Do (field)	MW-17	7/11/2019	4.9	0.01		mg/L
Do (field)	MW-17	8/6/2019	5.02	0.01		mg/L
Do (field)	MW-17	9/4/2019	5.14	0.01		mg/L
Do (field)	MW-17	10/1/2019	5	0.01		mg/L
Do (field)	MW-17	11/5/2019	7.09	0.01		mg/L
Do (field)	MW-17	12/3/2019	6.21	0.01		mg/L
Do (field)	MW-17	1/14/2020	5.38	0		mg/L
Do (field)	MW-17	3/3/2020	5.13	0.01		mg/L
Do (field)	MW-17	4/1/2020	3.98	0.01		mg/L
Do (field)	MW-17	5/5/2020	3.7	0.01		mg/L
Do (field)	MW-17	6/2/2020	3.75	0		mg/L
Do (field)	MW-17	7/6/2020	3.56	0		mg/L
Do (field)	MW-17	7/6/2020	3.56	0		mg/L
Do (field)	MW-17	8/3/2020	3.92	0		mg/L
Do (field)	MW-17	8/3/2020	3.92	0		mg/L
Do (field)	MW-17	9/3/2020	3.95	0.01		mg/L
Do (field)	MW-17	10/6/2020	4.53	0.01		mg/L
Do (field)	MW-17	11/4/2020	6.67	0		mg/L
Do (field)	MW-17	12/3/2020	8.44	0		mg/L
Do (field)	MW-17	1/14/2021	7.38	0		mg/L
Do (field)	MW-17	2/10/2021	5.3	0		mg/L
Do (field)	MW-17	3/2/2021	6.7	0		mg/L
Do (field)	MW-17	4/7/2021	5.2	0		mg/L
Do (field)	MW-17	5/4/2021	5.3	0		mg/L
Do (field)	MW-17	6/1/2021	6.3	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	7/4/2021	6	0		mg/L
Do (field)	MW-17	8/3/2021	5.1	0		mg/L
Do (field)	MW-17	9/2/2021	7.2	0		mg/L
Do (field)	MW-17	10/5/2021	5.2	0		mg/L
Do (field)	MW-17	10/5/2021	5.2	0		mg/L
Do (field)	MW-17	11/1/2021	5.3	0		mg/L
Do (field)	MW-17	12/8/2021	6.2	0		mg/L
Do (field)	MW-17	1/10/2023	8.5	0		mg/L
Do (field)	MW-17	2/4/2023	7.8	0		mg/L
Do (field)	MW-17	3/1/2023	8	0		mg/L
Do (field)	MW-17	4/5/2023	7.4	0		mg/L
Do (field)	MW-17	5/10/2023	7.6	0		mg/L
Do (field)	MW-17	6/8/2023	7.4	0		mg/L
Do (field)	MW-17	7/8/2023	7.4	0		mg/L
Do (field)	MW-17	8/2/2023	7.5	0		mg/L
Do (field)	MW-17	9/1/2023	7.8	0		mg/L
Do (field)	MW-17	10/3/2023	7.7	0		mg/L
Do (field)	MW-19	6/2/2015	2.69	0		mg/L
Do (field)	MW-19	6/5/2015	7.73	0		mg/L
Do (field)	MW-19	7/16/2015	3.67	0		mg/L
Do (field)	MW-19	8/5/2015	7.13	0		mg/L
Do (field)	MW-19	9/3/2015	7.12	0		mg/L
Do (field)	MW-19	10/6/2015	8.21	0		mg/L
Do (field)	MW-19	11/5/2015	8.61	0		mg/L
Do (field)	MW-19	12/4/2015	8.24	0		mg/L
Do (field)	MW-19	1/7/2016	7.66	0		mg/L
Do (field)	MW-19	2/3/2016	7.22	0		mg/L
Do (field)	MW-19	3/3/2016	6.88	0		mg/L
Do (field)	MW-19	4/5/2016	4.98	0		mg/L
Do (field)	MW-19	5/12/2016	7.62	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-19	6/2/2016	7.62	0		mg/L
Do (field)	MW-19	7/21/2016	6.28	0		mg/L
Do (field)	MW-19	8/11/2016	7.75	0		mg/L
Do (field)	MW-19	9/6/2016	4.82	0		mg/L
Do (field)	MW-19	10/5/2016	4.44	0		mg/L
Do (field)	MW-19	11/3/2016	5.87	0		mg/L
Do (field)	MW-19	12/1/2016	6.27	0		mg/L
Do (field)	MW-19	1/10/2017	6.99	0		mg/L
Do (field)	MW-19	2/7/2017	6.15	0		mg/L
Do (field)	MW-19	3/2/2017	6.93	0		mg/L
Do (field)	MW-19	4/4/2017	6.2	0		mg/L
Do (field)	MW-19	5/2/2017	4	0		mg/L
Do (field)	MW-19	6/6/2017	1.74	0		mg/L
Do (field)	MW-19	7/18/2017	2.7	0		mg/L
Do (field)	MW-19	8/1/2017	1.73	0		mg/L
Do (field)	MW-19	9/5/2017	0.02	0		mg/L
Do (field)	MW-19	10/6/2017	0	0		mg/L
Do (field)	MW-19	11/1/2017	4.64	0		mg/L
Do (field)	MW-19	1/23/2018	6.89	0.01		mg/L
Do (field)	MW-19	2/22/2018	5.27	0.01		mg/L
Do (field)	MW-19	3/20/2018	3.59	0.01		mg/L
Do (field)	MW-19	4/11/2018	3.79	0.01		mg/L
Do (field)	MW-19	6/5/2018	6.69	0		mg/L
Do (field)	MW-19	7/13/2018	5.67	0.01		mg/L
Do (field)	MW-19	8/2/2018	6.16	0.01		mg/L
Do (field)	MW-19	9/5/2018	6.62	0		mg/L
Do (field)	MW-19	10/2/2018	7.18	0		mg/L
Do (field)	MW-19	10/2/2018	7.18	0		mg/L
Do (field)	MW-19	11/7/2018	5.96	0.01		mg/L
Do (field)	MW-19	12/5/2018	5.65	0.01		mg/L
Do (field)	MW-19	1/7/2019	3.36	0.01		mg/L
Do (field)	MW-19	2/6/2019	3.01	0		mg/L
Do (field)	MW-19	3/6/2019	7.7	0.01		mg/L
Do (field)	MW-19	4/3/2019	7.46	0.01		mg/L
Do (field)	MW-19	5/2/2019	5.08	0.01		mg/L
Do (field)	MW-19	6/4/2019	5.5	0		mg/L
Do (field)	MW-19	7/11/2019	6.1	0.01		mg/L
Do (field)	MW-19	7/11/2019	6.1	0.01		mg/L
Do (field)	MW-19	8/6/2019	6.94	0.01		mg/L
Do (field)	MW-19	9/4/2019	5.82	0.01		mg/L
Do (field)	MW-19	10/1/2019	4.74	0.01		mg/L
Do (field)	MW-19	11/5/2019	1.44	0.01		mg/L
Do (field)	MW-19	12/3/2019	1.4	0.01		mg/L
Do (field)	MW-19	3/3/2020	5.54	0.01		mg/L
Do (field)	MW-19	4/2/2020	3.37	0.01		mg/L
Do (field)	MW-19	5/5/2020	4.59	0.01		mg/L
Do (field)	MW-19	6/2/2020	1.85	0		mg/L
Do (field)	MW-19	7/6/2020	3.43	0		mg/L
Do (field)	MW-19	7/6/2020	3.43	0		mg/L
Do (field)	MW-19	8/3/2020	0.53	0		mg/L
Do (field)	MW-19	8/3/2020	0.53	0		mg/L
Do (field)	MW-19	9/3/2020	6.47	0.01		mg/L
Do (field)	MW-19	10/6/2020	8.15	0.01		mg/L
Do (field)	MW-19	11/3/2020	5.24	0		mg/L
Do (field)	MW-19	12/3/2020	6.6	0		mg/L
Do (field)	MW-19	1/14/2021	7.97	0		mg/L
Do (field)	MW-19	2/10/2021	3	0		mg/L
Do (field)	MW-19	3/2/2021	4.8	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-19	4/7/2021	2.8	0		mg/L
Do (field)	MW-19	5/4/2021	6.7	0		mg/L
Do (field)	MW-19	6/1/2021	3.3	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	7/4/2021	5.4	0		mg/L
Do (field)	MW-19	8/3/2021	1.9	0		mg/L
Do (field)	MW-19	9/2/2021	7.6	0		mg/L
Do (field)	MW-19	10/5/2021	7	0		mg/L
Do (field)	MW-19	11/1/2021	5.1	0		mg/L
Do (field)	MW-19	12/8/2021	4.3	0		mg/L
Do (field)	MW-19	12/7/2022	9.1	0		mg/L
Do (field)	MW-19	1/11/2023	7.9	0		mg/L
Do (field)	MW-19	2/3/2023	7.9	0		mg/L
Do (field)	MW-19	3/1/2023	6.5	0		mg/L
Do (field)	MW-19	4/6/2023	6.2	0		mg/L
Do (field)	MW-19	5/10/2023	4.4	0		mg/L
Do (field)	MW-19	6/8/2023	8.3	0		mg/L
Do (field)	MW-19	7/10/2023	6.7	0		mg/L
Do (field)	MW-19	8/1/2023	8	0		mg/L
Do (field)	MW-19	9/1/2023	8.3	0		mg/L
Do (field)	MW-19	10/3/2023	7.9	0		mg/L
Do (field)	MW-1N	1/18/2006	25.4	0		mg/L
Do (field)	MW-1N	7/18/2006	18.3	0		mg/L
Do (field)	MW-1N	7/18/2006	18.3	0		mg/L
Do (field)	MW-1N	10/24/2006	5.1	0		mg/L
Do (field)	MW-1N	10/24/2006	5.1	0		mg/L
Do (field)	MW-1N	1/9/2007	0.65	0		mg/L
Do (field)	MW-1N	1/26/2007	5.2	0		mg/L
Do (field)	MW-1N	1/26/2007	5.2	0		mg/L
Do (field)	MW-1N	7/11/2007	1.23	0		mg/L
Do (field)	MW-1N	7/11/2007	1.23	0		mg/L
Do (field)	MW-1N	7/21/2008	0.25	0.5	ND	mg/L
Do (field)	MW-1N	2/5/2009	0.59	0.5		mg/L
Do (field)	MW-1N	7/31/2009	0.19	0.5	ND	mg/L
Do (field)	MW-1N	1/26/2010	0.31	0.5	ND	mg/L
Do (field)	MW-1N	7/13/2010	5.6	0		mg/L
Do (field)	MW-1N	1/20/2011	6.7	0		mg/L
Do (field)	MW-1N	7/13/2011	0.24	0		mg/L
Do (field)	MW-1N	1/5/2012	0.61	0		mg/L
Do (field)	MW-1N	7/10/2012	5.75	0		mg/L
Do (field)	MW-1N	5/1/2013	1.36	0		mg/L
Do (field)	MW-1N	7/16/2013	1.75	0		mg/L
Do (field)	MW-1N	1/24/2014	2.71	0		mg/L
Do (field)	MW-1N	7/9/2014	4.42	0		mg/L
Do (field)	MW-1N	2/10/2015	3.25	0		mg/L
Do (field)	MW-1N	7/14/2015	3.13	0		mg/L
Do (field)	MW-1N	1/6/2016	2.67	0		mg/L
Do (field)	MW-1N	7/21/2016	4.61	0		mg/L
Do (field)	MW-1N	1/12/2017	3.47	0		mg/L
Do (field)	MW-1N	7/19/2017	1.76	0		mg/L
Do (field)	MW-1N	1/23/2018	2.06	0.01		mg/L
Do (field)	MW-1N	7/10/2018	1.71	0.01		mg/L
Do (field)	MW-1N	10/3/2018	3.64	0		mg/L
Do (field)	MW-1N	1/3/2019	2.62	0.01		mg/L
Do (field)	MW-1N	7/11/2019	0.92	0.01		mg/L
Do (field)	MW-1N	10/2/2019	1.73	0.01		mg/L
Do (field)	MW-1N	4/2/2020	1.8	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-1N	7/6/2020	0.75	0		mg/L
Do (field)	MW-1N	7/6/2020	0.75	0		mg/L
Do (field)	MW-1N	7/4/2021	6.8	0		mg/L
Do (field)	MW-1N	7/4/2021	6.8	0		mg/L
Do (field)	MW-1N	10/6/2021	3.2	0		mg/L
Do (field)	MW-1N	1/11/2023	1.8	0		mg/L
Do (field)	MW-1N	7/8/2023	1.9	0		mg/L
Do (field)	MW-20	6/2/2015	3.37	0		mg/L
Do (field)	MW-20	6/5/2015	2.73	0		mg/L
Do (field)	MW-20	7/14/2015	1.5	0		mg/L
Do (field)	MW-20	8/4/2015	2.38	0		mg/L
Do (field)	MW-20	9/2/2015	2.09	0		mg/L
Do (field)	MW-20	10/5/2015	1.69	0		mg/L
Do (field)	MW-20	1/7/2016	4.65	0		mg/L
Do (field)	MW-20	4/5/2016	1.58	0		mg/L
Do (field)	MW-20	7/20/2016	1.87	0		mg/L
Do (field)	MW-20	10/5/2016	1.41	0		mg/L
Do (field)	MW-20	1/12/2017	2.09	0		mg/L
Do (field)	MW-20	7/18/2017	0.86	0		mg/L
Do (field)	MW-20	1/26/2018	1.65	0.01		mg/L
Do (field)	MW-20	7/12/2018	1.24	0.01		mg/L
Do (field)	MW-20	7/11/2019	2.41	0.01		mg/L
Do (field)	MW-20	1/14/2020	2.33	0		mg/L
Do (field)	MW-20	7/7/2020	2.41	0		mg/L
Do (field)	MW-20	7/7/2020	2.41	0		mg/L
Do (field)	MW-20	4/6/2021	4.9	0		mg/L
Do (field)	MW-20	7/4/2021	3.5	0		mg/L
Do (field)	MW-20	7/4/2021	3.5	0		mg/L
Do (field)	MW-20	1/11/2023	3.1	0		mg/L
Do (field)	MW-21	6/2/2015	0.14	0		mg/L
Do (field)	MW-21	6/5/2015	0.19	0		mg/L
Do (field)	MW-21	7/14/2015	0.2	0		mg/L
Do (field)	MW-21	8/4/2015	0.51	0		mg/L
Do (field)	MW-21	9/2/2015	0.29	0		mg/L
Do (field)	MW-21	10/5/2015	0.68	0		mg/L
Do (field)	MW-21	1/7/2016	2.41	0		mg/L
Do (field)	MW-21	2/10/2016	0.57	0		mg/L
Do (field)	MW-21	4/5/2016	0.39	0		mg/L
Do (field)	MW-21	7/20/2016	0.38	0		mg/L
Do (field)	MW-21	10/5/2016	0.29	0		mg/L
Do (field)	MW-21	1/10/2017	0.41	0		mg/L
Do (field)	MW-21	4/5/2017	0.62	0		mg/L
Do (field)	MW-21	7/19/2017	0.1	0		mg/L
Do (field)	MW-21	10/6/2017	0	0		mg/L
Do (field)	MW-21	1/24/2018	0.38	0.01		mg/L
Do (field)	MW-21	4/11/2018	0.49	0.01		mg/L
Do (field)	MW-21	7/11/2018	0.13	0.01		mg/L
Do (field)	MW-21	10/4/2018	0.2	0		mg/L
Do (field)	MW-21	1/3/2019	0.4	0.01		mg/L
Do (field)	MW-21	4/3/2019	0.48	0.01		mg/L
Do (field)	MW-21	4/3/2019	0.48	0.01		mg/L
Do (field)	MW-21	7/11/2019	0.2	0		mg/L
Do (field)	MW-21	10/2/2019	0.11	0.01		mg/L
Do (field)	MW-21	1/16/2020	0.39	0		mg/L
Do (field)	MW-21	4/2/2020	0.2	0.01		mg/L
Do (field)	MW-21	7/8/2020	0.28	0		mg/L
Do (field)	MW-21	7/8/2020	0.28	0		mg/L
Do (field)	MW-21	10/7/2020	0.28	0.01		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-21	4/6/2021	0.2	0		mg/L
Do (field)	MW-21	7/5/2021	0.1	0		mg/L
Do (field)	MW-21	7/5/2021	0.1	0		mg/L
Do (field)	MW-21	10/6/2021	0.9	0		mg/L
Do (field)	MW-21	1/11/2023	0.5	0		mg/L
Do (field)	MW-21	4/8/2023	0.3	0		mg/L
Do (field)	MW-21	7/7/2023	0.3	0		mg/L
Do (field)	MW-21	10/6/2023	0.3	0		mg/L
Do (field)	MW-2N	1/19/2006	66	0		mg/L
Do (field)	MW-2N	7/19/2006	95.6	0		mg/L
Do (field)	MW-2N	7/19/2006	95.6	0		mg/L
Do (field)	MW-2N	10/25/2006	4.6	0		mg/L
Do (field)	MW-2N	10/25/2006	4.6	0		mg/L
Do (field)	MW-2N	1/26/2007	4.7	0		mg/L
Do (field)	MW-2N	1/26/2007	4.7	0		mg/L
Do (field)	MW-2N	3/26/2007	12.1	0		mg/L
Do (field)	MW-2N	3/27/2007	12.1	0		mg/L
Do (field)	MW-2N	3/27/2007	12.1	0		mg/L
Do (field)	MW-2N	7/11/2007	1.21	0		mg/L
Do (field)	MW-2N	7/11/2007	1.21	0		mg/L
Do (field)	MW-2N	7/22/2008	7.01	0.5		mg/L
Do (field)	MW-2N	2/4/2009	6.59	0.5		mg/L
Do (field)	MW-2N	7/31/2009	3.98	0.5		mg/L
Do (field)	MW-2N	1/26/2010	5.66	0.5		mg/L
Do (field)	MW-2N	7/13/2010	70.8	0		mg/L
Do (field)	MW-2N	1/20/2011	47.8	0		mg/L
Do (field)	MW-2N	7/13/2011	5.78	0		mg/L
Do (field)	MW-2N	1/5/2012	9.2	0		mg/L
Do (field)	MW-2N	7/10/2012	11.76	0		mg/L
Do (field)	MW-2N	5/1/2013	12.17	0		mg/L
Do (field)	MW-2N	7/16/2013	9.21	0		mg/L
Do (field)	MW-2N	1/24/2014	7.33	0		mg/L
Do (field)	MW-2N	7/9/2014	4.9	0		mg/L
Do (field)	MW-2N	2/12/2015	4.11	0		mg/L
Do (field)	MW-2N	7/14/2015	7.2	0		mg/L
Do (field)	MW-2N	1/6/2016	5.76	0		mg/L
Do (field)	MW-2N	7/21/2016	6.78	0		mg/L
Do (field)	MW-2N	1/11/2017	7.54	0		mg/L
Do (field)	MW-2N	7/19/2017	2.91	0		mg/L
Do (field)	MW-2N	1/23/2018	6.18	0.01		mg/L
Do (field)	MW-2N	6/21/2018	4.74	0		mg/L
Do (field)	MW-2N	7/12/2018	5.3	0.01		mg/L
Do (field)	MW-2N	1/3/2019	6.85	0.01		mg/L
Do (field)	MW-2N	4/3/2019	5.3	0.01		mg/L
Do (field)	MW-2N	8/7/2019	2.1	0.01		mg/L
Do (field)	MW-2N	10/1/2019	1.56	0.01		mg/L
Do (field)	MW-2N	7/7/2020	2.28	0		mg/L
Do (field)	MW-2N	7/7/2020	2.28	0		mg/L
Do (field)	MW-2N	10/6/2020	6.03	0.01		mg/L
Do (field)	MW-2N	10/6/2020	6.03	0.01		mg/L
Do (field)	MW-2N	7/5/2021	3	0		mg/L
Do (field)	MW-2N	7/5/2021	3	0		mg/L
Do (field)	MW-2N	10/6/2021	4	0		mg/L
Do (field)	MW-2N	1/11/2023	3.1	0		mg/L
Do (field)	MW-2N	4/8/2023	2.7	0		mg/L
Do (field)	MW-2N	7/8/2023	2.9	0		mg/L
Do (field)	MW-3N	1/19/2006	32.7	0		mg/L
Do (field)	MW-3N	7/19/2006	10.6	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-3N	7/19/2006	10.6	0		mg/L
Do (field)	MW-3N	10/25/2006	2.1	0		mg/L
Do (field)	MW-3N	10/25/2006	2.1	0		mg/L
Do (field)	MW-3N	1/26/2007	2.3	0		mg/L
Do (field)	MW-3N	1/26/2007	2.3	0		mg/L
Do (field)	MW-3N	7/11/2007	1.72	0		mg/L
Do (field)	MW-3N	7/11/2007	1.72	0		mg/L
Do (field)	MW-3N	5/3/2008	2.15	0		mg/L
Do (field)	MW-3N	7/22/2008	0.54	0.5		mg/L
Do (field)	MW-3N	2/4/2009	0.18	0.5	ND	mg/L
Do (field)	MW-3N	7/31/2009	0.14	0.5	ND	mg/L
Do (field)	MW-3N	1/26/2010	0.19	0.5	ND	mg/L
Do (field)	MW-3N	7/13/2010	2.5	0		mg/L
Do (field)	MW-3N	1/20/2011	1.7	0		mg/L
Do (field)	MW-3N	7/14/2011	0.21	0		mg/L
Do (field)	MW-3N	1/5/2012	0.32	0		mg/L
Do (field)	MW-3N	7/11/2012	0	0	ND	mg/L
Do (field)	MW-3N	5/1/2013	0.39	0		mg/L
Do (field)	MW-3N	6/4/2013	0.26	0		mg/L
Do (field)	MW-3N	7/16/2013	1.23	0		mg/L
Do (field)	MW-3N	1/24/2014	5.3	0		mg/L
Do (field)	MW-3N	7/9/2014	3.96	0		mg/L
Do (field)	MW-3N	2/12/2015	0.53	0		mg/L
Do (field)	MW-3N	4/1/2015	2.89	0		mg/L
Do (field)	MW-3N	7/14/2015	0.65	0		mg/L
Do (field)	MW-3N	10/5/2015	99.1	0		mg/L
Do (field)	MW-3N	1/6/2016	0.82	0		mg/L
Do (field)	MW-3N	4/6/2016	0.91	0		mg/L
Do (field)	MW-3N	7/21/2016	0.77	0		mg/L
Do (field)	MW-3N	10/6/2016	1.7	0		mg/L
Do (field)	MW-3N	1/11/2017	1.88	0		mg/L
Do (field)	MW-3N	4/4/2017	0.35	0		mg/L
Do (field)	MW-3N	7/19/2017	1.41	0		mg/L
Do (field)	MW-3N	10/9/2017	0.01	0		mg/L
Do (field)	MW-3N	1/24/2018	1.92	0.01		mg/L
Do (field)	MW-3N	4/10/2018	0.57	0.01		mg/L
Do (field)	MW-3N	6/6/2018	1.25	0		mg/L
Do (field)	MW-3N	7/13/2018	0.24	0.01		mg/L
Do (field)	MW-3N	10/3/2018	0.55	0		mg/L
Do (field)	MW-3N	10/3/2018	0.55	0		mg/L
Do (field)	MW-3N	1/7/2019	0.8	0.01		mg/L
Do (field)	MW-3N	4/3/2019	0.36	0.01		mg/L
Do (field)	MW-3N	7/11/2019	0.2	0		mg/L
Do (field)	MW-3N	10/2/2019	0.22	0.01		mg/L
Do (field)	MW-3N	1/15/2020	0.64	0		mg/L
Do (field)	MW-3N	4/2/2020	0.74	0.01		mg/L
Do (field)	MW-3N	7/7/2020	0.5	0		mg/L
Do (field)	MW-3N	7/7/2020	0.5	0		mg/L
Do (field)	MW-3N	10/7/2020	0.67	0.01		mg/L
Do (field)	MW-3N	4/6/2021	0.5	0		mg/L
Do (field)	MW-3N	7/5/2021	0.3	0		mg/L
Do (field)	MW-3N	7/5/2021	0.3	0		mg/L
Do (field)	MW-3N	10/6/2021	0.3	0		mg/L
Do (field)	MW-3N	1/11/2023	0.5	0		mg/L
Do (field)	MW-3N	7/7/2023	0.9	0		mg/L
Do (field)	MW-3N	10/6/2023	0.5	0		mg/L
Do (field)	MW-7N	1/19/2006	33.4	0		mg/L
Do (field)	MW-7N	7/19/2006	10.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	7/19/2006	10.3	0		mg/L
Do (field)	MW-7N	9/28/2006	43.9	0		mg/L
Do (field)	MW-7N	9/28/2006	43.9	0		mg/L
Do (field)	MW-7N	10/24/2006	2	0		mg/L
Do (field)	MW-7N	10/24/2006	2	0		mg/L
Do (field)	MW-7N	11/21/2006	52.9	0		mg/L
Do (field)	MW-7N	11/21/2006	52.9	0		mg/L
Do (field)	MW-7N	12/22/2006	13.1	0		mg/L
Do (field)	MW-7N	12/22/2006	13.1	0		mg/L
Do (field)	MW-7N	1/25/2007	4.97	0		mg/L
Do (field)	MW-7N	1/26/2007	7.6	0		mg/L
Do (field)	MW-7N	1/26/2007	7.6	0		mg/L
Do (field)	MW-7N	2/7/2007	9.2	0		mg/L
Do (field)	MW-7N	2/27/2007	9.2	0		mg/L
Do (field)	MW-7N	2/27/2007	9.2	0		mg/L
Do (field)	MW-7N	3/26/2007	2.9	0		mg/L
Do (field)	MW-7N	3/27/2007	2.9	0		mg/L
Do (field)	MW-7N	3/27/2007	2.9	0		mg/L
Do (field)	MW-7N	4/25/2007	1	0		mg/L
Do (field)	MW-7N	4/26/2007	1	0		mg/L
Do (field)	MW-7N	6/1/2007	2.9	0		mg/L
Do (field)	MW-7N	6/1/2007	2.9	0		mg/L
Do (field)	MW-7N	6/28/2007	1.03	0		mg/L
Do (field)	MW-7N	6/28/2007	1.03	0		mg/L
Do (field)	MW-7N	7/10/2007	0.97	0		mg/L
Do (field)	MW-7N	7/11/2007	0.97	0		mg/L
Do (field)	MW-7N	10/24/2007	11.9	0		mg/L
Do (field)	MW-7N	10/24/2007	11.9	0		mg/L
Do (field)	MW-7N	3/24/2008	3.58	0		mg/L
Do (field)	MW-7N	5/3/2008	0.98	0		mg/L
Do (field)	MW-7N	5/30/2008	2.19	0		mg/L
Do (field)	MW-7N	7/21/2008	0.66	0.5		mg/L
Do (field)	MW-7N	8/29/2008	0.41	0.5	ND	mg/L
Do (field)	MW-7N	9/25/2008	0.4	0.5	ND	mg/L
Do (field)	MW-7N	10/21/2008	0.58	0.5		mg/L
Do (field)	MW-7N	11/24/2008	0.37	0.5	ND	mg/L
Do (field)	MW-7N	12/18/2008	0.33	0.5	ND	mg/L
Do (field)	MW-7N	2/6/2009	0.46	0.5	ND	mg/L
Do (field)	MW-7N	3/25/2009	0.27	0.5	ND	mg/L
Do (field)	MW-7N	4/15/2009	0.09	0.5	ND	mg/L
Do (field)	MW-7N	6/25/2009	0.18	0.5	ND	mg/L
Do (field)	MW-7N	7/29/2009	0.17	0.5	ND	mg/L
Do (field)	MW-7N	8/28/2009	0.15	0.5	ND	mg/L
Do (field)	MW-7N	9/29/2009	0.2	0.5	ND	mg/L
Do (field)	MW-7N	10/21/2009	0.1	0.5	ND	mg/L
Do (field)	MW-7N	10/26/2009	0.5	0.5	ND	mg/L
Do (field)	MW-7N	11/24/2009	0.1	0.5	ND	mg/L
Do (field)	MW-7N	12/17/2009	0.15	0.5	ND	mg/L
Do (field)	MW-7N	1/26/2010	0.32	0.5	ND	mg/L
Do (field)	MW-7N	2/15/2010	0.38	0		mg/L
Do (field)	MW-7N	3/3/2010	0.41	0		mg/L
Do (field)	MW-7N	4/8/2010	0.34	0		mg/L
Do (field)	MW-7N	5/6/2010	0.7	0		mg/L
Do (field)	MW-7N	6/16/2010	14.2	0		mg/L
Do (field)	MW-7N	7/14/2010	21.1	0		mg/L
Do (field)	MW-7N	8/11/2010	13.7	0		mg/L
Do (field)	MW-7N	9/2/2010	18.6	0		mg/L
Do (field)	MW-7N	9/2/2010	18.6	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	9/29/2010	12.6	0		mg/L
Do (field)	MW-7N	11/3/2010	15.8	0		mg/L
Do (field)	MW-7N	12/2/2010	19.9	0		mg/L
Do (field)	MW-7N	1/20/2011	12.2	0		mg/L
Do (field)	MW-7N	2/7/2011	1.2	0		mg/L
Do (field)	MW-7N	3/3/2011	1.12	0		mg/L
Do (field)	MW-7N	4/5/2011	0.95	0		mg/L
Do (field)	MW-7N	5/10/2011	1.4	0		mg/L
Do (field)	MW-7N	6/1/2011	0.81	0		mg/L
Do (field)	MW-7N	7/12/2011	0.99	0		mg/L
Do (field)	MW-7N	8/4/2011	0.91	0		mg/L
Do (field)	MW-7N	9/7/2011	1.12	0		mg/L
Do (field)	MW-7N	10/5/2011	1.15	0		mg/L
Do (field)	MW-7N	11/1/2011	1.52	0		mg/L
Do (field)	MW-7N	12/8/2011	1.58	0		mg/L
Do (field)	MW-7N	1/5/2012	1.86	0		mg/L
Do (field)	MW-7N	2/1/2012	0	0		mg/L
Do (field)	MW-7N	3/7/2012	2.21	0		mg/L
Do (field)	MW-7N	4/5/2012	2.16	0		mg/L
Do (field)	MW-7N	5/1/2012	3.42	0		mg/L
Do (field)	MW-7N	5/10/2012	2.46	0		mg/L
Do (field)	MW-7N	7/10/2012	2.69	0		mg/L
Do (field)	MW-7N	8/9/2012	0.01	0		mg/L
Do (field)	MW-7N	9/4/2012	0.01	0		mg/L
Do (field)	MW-7N	10/7/2012	0	0		mg/L
Do (field)	MW-7N	5/1/2013	0.7	0		mg/L
Do (field)	MW-7N	6/4/2013	2	0		mg/L
Do (field)	MW-7N	6/4/2013	2	0		mg/L
Do (field)	MW-7N	7/15/2013	4.16	0		mg/L
Do (field)	MW-7N	8/8/2013	3.99	0		mg/L
Do (field)	MW-7N	9/10/2013	6.8	0		mg/L
Do (field)	MW-7N	10/1/2013	5.49	0		mg/L
Do (field)	MW-7N	11/6/2013	4.2	0		mg/L
Do (field)	MW-7N	12/2/2013	4.39	0		mg/L
Do (field)	MW-7N	1/30/2014	5.37	0		mg/L
Do (field)	MW-7N	2/13/2014	4.96	0		mg/L
Do (field)	MW-7N	3/11/2014	4.12	0		mg/L
Do (field)	MW-7N	4/2/2014	4.24	0		mg/L
Do (field)	MW-7N	5/7/2014	5.75	0		mg/L
Do (field)	MW-7N	6/3/2014	3.76	0		mg/L
Do (field)	MW-7N	7/9/2014	4.25	0		mg/L
Do (field)	MW-7N	8/5/2014	4.36	0		mg/L
Do (field)	MW-7N	9/4/2014	4.82	0		mg/L
Do (field)	MW-7N	10/9/2014	4.22	0		mg/L
Do (field)	MW-7N	11/3/2014	4.3	0		mg/L
Do (field)	MW-7N	1/14/2015	5.26	0		mg/L
Do (field)	MW-7N	2/12/2015	2.46	0		mg/L
Do (field)	MW-7N	3/3/2015	4.42	0		mg/L
Do (field)	MW-7N	4/1/2015	9.41	0		mg/L
Do (field)	MW-7N	5/7/2015	8.21	0		mg/L
Do (field)	MW-7N	6/3/2015	5.46	0		mg/L
Do (field)	MW-7N	7/13/2015	4.98	0		mg/L
Do (field)	MW-7N	8/4/2015	7.31	0		mg/L
Do (field)	MW-7N	9/3/2015	6.99	0		mg/L
Do (field)	MW-7N	10/6/2015	4.86	0		mg/L
Do (field)	MW-7N	11/4/2015	7.22	0		mg/L
Do (field)	MW-7N	12/3/2015	6.52	0		mg/L
Do (field)	MW-7N	1/5/2016	7.23	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	2/3/2016	7.43	0		mg/L
Do (field)	MW-7N	3/2/2016	6.73	0		mg/L
Do (field)	MW-7N	4/5/2016	4.88	0		mg/L
Do (field)	MW-7N	5/11/2016	5.19	0		mg/L
Do (field)	MW-7N	6/1/2016	6.21	0		mg/L
Do (field)	MW-7N	7/21/2016	6.58	0		mg/L
Do (field)	MW-7N	8/10/2016	6.28	0		mg/L
Do (field)	MW-7N	9/6/2016	7.8	0		mg/L
Do (field)	MW-7N	10/6/2016	6.43	0		mg/L
Do (field)	MW-7N	11/2/2016	2.65	0		mg/L
Do (field)	MW-7N	12/1/2016	2.46	0		mg/L
Do (field)	MW-7N	1/11/2017	3.66	0		mg/L
Do (field)	MW-7N	2/7/2017	3.81	0		mg/L
Do (field)	MW-7N	3/2/2017	1.81	0		mg/L
Do (field)	MW-7N	3/2/2017	1.81	0		mg/L
Do (field)	MW-7N	4/4/2017	3.04	0		mg/L
Do (field)	MW-7N	5/16/2017	1.62	0		mg/L
Do (field)	MW-7N	6/6/2017	1.57	0		mg/L
Do (field)	MW-7N	7/19/2017	0.84	0		mg/L
Do (field)	MW-7N	8/1/2017	0.12	0		mg/L
Do (field)	MW-7N	9/5/2017	0.02	0		mg/L
Do (field)	MW-7N	10/5/2017	0.01	0		mg/L
Do (field)	MW-7N	11/1/2017	8.1	0		mg/L
Do (field)	MW-7N	1/25/2018	1.42	0.01		mg/L
Do (field)	MW-7N	2/22/2018	2.53	0.01		mg/L
Do (field)	MW-7N	3/20/2018	1.3	0.01		mg/L
Do (field)	MW-7N	4/11/2018	1.69	0.01		mg/L
Do (field)	MW-7N	4/11/2018	1.69	0.01		mg/L
Do (field)	MW-7N	6/5/2018	2.87	0		mg/L
Do (field)	MW-7N	6/5/2018	2.87	0		mg/L
Do (field)	MW-7N	7/13/2018	2.24	0.01		mg/L
Do (field)	MW-7N	8/1/2018	2.55	0.01		mg/L
Do (field)	MW-7N	9/5/2018	2.81	0		mg/L
Do (field)	MW-7N	10/4/2018	2.12	0		mg/L
Do (field)	MW-7N	11/6/2018	2.2	0.01		mg/L
Do (field)	MW-7N	12/4/2018	2.4	0.01		mg/L
Do (field)	MW-7N	1/4/2019	3.12	0.01		mg/L
Do (field)	MW-7N	2/5/2019	4.23	0		mg/L
Do (field)	MW-7N	3/5/2019	2.2	0.01		mg/L
Do (field)	MW-7N	4/3/2019	2.34	0.01		mg/L
Do (field)	MW-7N	5/3/2019	2.27	0.01		mg/L
Do (field)	MW-7N	6/4/2019	2.31	0		mg/L
Do (field)	MW-7N	7/10/2019	2.68	0.01		mg/L
Do (field)	MW-7N	7/10/2019	2.68	0.01		mg/L
Do (field)	MW-7N	8/8/2019	2.65	0.01		mg/L
Do (field)	MW-7N	9/4/2019	3.61	0.01		mg/L
Do (field)	MW-7N	10/3/2019	2.1	0.01		mg/L
Do (field)	MW-7N	11/6/2019	2.18	0.01		mg/L
Do (field)	MW-7N	12/3/2019	3.05	0.01		mg/L
Do (field)	MW-7N	1/16/2020	4.05	0		mg/L
Do (field)	MW-7N	3/4/2020	3.47	0.01		mg/L
Do (field)	MW-7N	4/2/2020	3.32	0.01		mg/L
Do (field)	MW-7N	5/5/2020	3.34	0.01		mg/L
Do (field)	MW-7N	6/2/2020	3.15	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	7/7/2020	2.63	0		mg/L
Do (field)	MW-7N	8/3/2020	3.02	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-7N	9/2/2020	2.67	0.01		mg/L
Do (field)	MW-7N	10/6/2020	2.57	0.01		mg/L
Do (field)	MW-7N	11/3/2020	3.04	0		mg/L
Do (field)	MW-7N	12/2/2020	9.58	0		mg/L
Do (field)	MW-7N	1/16/2021	1.59	0		mg/L
Do (field)	MW-7N	2/9/2021	1.96	0		mg/L
Do (field)	MW-7N	3/2/2021	2	0		mg/L
Do (field)	MW-7N	4/7/2021	2.7	0		mg/L
Do (field)	MW-7N	5/5/2021	3.2	0		mg/L
Do (field)	MW-7N	6/2/2021	3.2	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	7/5/2021	2.8	0		mg/L
Do (field)	MW-7N	8/3/2021	3.7	0		mg/L
Do (field)	MW-7N	9/2/2021	3.3	0		mg/L
Do (field)	MW-7N	10/5/2021	3.9	0		mg/L
Do (field)	MW-7N	10/5/2021	3.9	0		mg/L
Do (field)	MW-7N	11/1/2021	3.6	0		mg/L
Do (field)	MW-7N	12/8/2021	3.1	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	1/12/2022	2.9	0		mg/L
Do (field)	MW-7N	2/9/2022	3.5	0		mg/L
Do (field)	MW-7N	3/1/2022	3.8	0		mg/L
Do (field)	MW-7N	4/4/2022	2.8	0		mg/L
Do (field)	MW-7N	4/4/2022	2.8	0		mg/L
Do (field)	MW-7N	5/7/2022	3.5	0		mg/L
Do (field)	MW-7N	6/3/2022	3.5	0		mg/L
Do (field)	MW-7N	7/10/2022	3.9	0		mg/L
Do (field)	MW-7N	8/10/2022	4.2	0		mg/L
Do (field)	MW-7N	9/8/2022	3.8	0		mg/L
Do (field)	MW-7N	10/6/2022	3.5	0		mg/L
Do (field)	MW-7N	10/6/2022	3.5	0		mg/L
Do (field)	MW-7N	11/3/2022	3	0		mg/L
Do (field)	MW-7N	12/7/2022	2.8	0		mg/L
Do (field)	MW-7N	1/10/2023	3.2	0		mg/L
Do (field)	MW-7N	2/3/2023	2.6	0		mg/L
Do (field)	MW-7N	3/1/2023	2.2	0		mg/L
Do (field)	MW-7N	4/5/2023	3.8	0		mg/L
Do (field)	MW-7N	5/10/2023	4	0		mg/L
Do (field)	MW-7N	6/8/2023	3.5	0		mg/L
Do (field)	MW-7N	7/7/2023	4.4	0		mg/L
Do (field)	MW-7N	8/1/2023	5	0		mg/L
Do (field)	MW-7N	9/2/2023	4.1	0		mg/L
Do (field)	MW-7N	10/4/2023	3.8	0		mg/L
Do (field)	MW-8N	1/19/2006	39.4	0		mg/L
Do (field)	MW-8N	7/19/2006	13.4	0		mg/L
Do (field)	MW-8N	7/19/2006	13.4	0		mg/L
Do (field)	MW-8N	10/24/2006	2.7	0		mg/L
Do (field)	MW-8N	10/24/2006	2.7	0		mg/L
Do (field)	MW-8N	12/22/2006	3	0		mg/L
Do (field)	MW-8N	12/22/2006	3	0		mg/L
Do (field)	MW-8N	1/26/2007	3.3	0		mg/L
Do (field)	MW-8N	1/26/2007	3.3	0		mg/L
Do (field)	MW-8N	4/25/2007	1.9	0		mg/L
Do (field)	MW-8N	4/26/2007	1.9	0		mg/L
Do (field)	MW-8N	7/10/2007	1.09	0		mg/L
Do (field)	MW-8N	7/11/2007	1.09	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-8N	10/24/2007	17.36	0		mg/L
Do (field)	MW-8N	10/24/2007	17.36	0		mg/L
Do (field)	MW-8N	5/3/2008	1.89	0		mg/L
Do (field)	MW-8N	7/23/2008	1.35	0.5		mg/L
Do (field)	MW-8N	10/21/2008	2.02	0.5		mg/L
Do (field)	MW-8N	2/4/2009	0.76	0.5		mg/L
Do (field)	MW-8N	4/16/2009	0.23	0.5	ND	mg/L
Do (field)	MW-8N	7/31/2009	0.87	0.5		mg/L
Do (field)	MW-8N	10/26/2009	0.14	0.5	ND	mg/L
Do (field)	MW-8N	1/26/2010	1.29	0.5		mg/L
Do (field)	MW-8N	4/8/2010	0.36	0		mg/L
Do (field)	MW-8N	7/16/2010	12.1	0		mg/L
Do (field)	MW-8N	9/2/2010	9.6	0		mg/L
Do (field)	MW-8N	9/30/2010	4.5	0		mg/L
Do (field)	MW-8N	1/19/2011	2	0		mg/L
Do (field)	MW-8N	5/10/2011	1.58	0		mg/L
Do (field)	MW-8N	7/14/2011	0.75	0		mg/L
Do (field)	MW-8N	1/6/2012	0.69	0		mg/L
Do (field)	MW-8N	4/5/2012	0.83	0		mg/L
Do (field)	MW-8N	7/11/2012	1.28	0		mg/L
Do (field)	MW-8N	10/3/2012	0.01	0		mg/L
Do (field)	MW-8N	5/1/2013	1.9	0		mg/L
Do (field)	MW-8N	6/4/2013	0.79	0		mg/L
Do (field)	MW-8N	7/16/2013	0.8	0		mg/L
Do (field)	MW-8N	10/2/2013	0.71	0		mg/L
Do (field)	MW-8N	1/30/2014	1.39	0		mg/L
Do (field)	MW-8N	4/3/2014	4.21	0		mg/L
Do (field)	MW-8N	7/9/2014	2.41	0		mg/L
Do (field)	MW-8N	10/8/2014	2.68	0		mg/L
Do (field)	MW-8N	2/12/2015	1.03	0		mg/L
Do (field)	MW-8N	4/1/2015	0.98	0		mg/L
Do (field)	MW-8N	7/14/2015	2.92	0		mg/L
Do (field)	MW-8N	10/5/2015	1.6	0		mg/L
Do (field)	MW-8N	1/5/2016	1.48	0		mg/L
Do (field)	MW-8N	4/6/2016	2.4	0		mg/L
Do (field)	MW-8N	7/21/2016	1.4	0		mg/L
Do (field)	MW-8N	10/6/2016	1.69	0		mg/L
Do (field)	MW-8N	1/11/2017	2.8	0		mg/L
Do (field)	MW-8N	4/4/2017	0.76	0		mg/L
Do (field)	MW-8N	7/19/2017	2.14	0		mg/L
Do (field)	MW-8N	10/6/2017	0.01	0		mg/L
Do (field)	MW-8N	1/25/2018	0.55	0.01		mg/L
Do (field)	MW-8N	4/10/2018	0.52	0.01		mg/L
Do (field)	MW-8N	6/6/2018	1.68	0		mg/L
Do (field)	MW-8N	7/16/2018	0.42	0.01		mg/L
Do (field)	MW-8N	10/2/2018	0.85	0		mg/L
Do (field)	MW-8N	1/7/2019	0.5	0.01		mg/L
Do (field)	MW-8N	4/3/2019	0.62	0.01		mg/L
Do (field)	MW-8N	7/11/2019	0.3	0		mg/L
Do (field)	MW-8N	10/3/2019	0.22	0.01		mg/L
Do (field)	MW-8N	1/15/2020	0.3	0		mg/L
Do (field)	MW-8N	4/2/2020	0.35	0.01		mg/L
Do (field)	MW-8N	7/9/2020	0.3	0		mg/L
Do (field)	MW-8N	7/9/2020	0.3	0		mg/L
Do (field)	MW-8N	10/6/2020	0.43	0.01		mg/L
Do (field)	MW-8N	4/6/2021	0.8	0		mg/L
Do (field)	MW-8N	7/5/2021	0.3	0		mg/L
Do (field)	MW-8N	7/5/2021	0.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	MW-8N	10/6/2021	0.4	0		mg/L
Do (field)	MW-8N	1/18/2022	0.3	0		mg/L
Do (field)	MW-8N	1/18/2022	0.3	0		mg/L
Do (field)	MW-8N	4/4/2022	0.3	0		mg/L
Do (field)	MW-8N	7/12/2022	0.4	0		mg/L
Do (field)	MW-8N	10/6/2022	0.4	0		mg/L
Do (field)	MW-8N	1/11/2023	0.3	0		mg/L
Do (field)	MW-8N	4/8/2023	0.3	0		mg/L
Do (field)	MW-8N	7/7/2023	0.5	0		mg/L
Do (field)	MW-8N	10/5/2023	0.3	0		mg/L
Do (field)	NE-1	7/18/2006	74.8	0		mg/L
Do (field)	NE-1	7/18/2006	74.8	0		mg/L
Do (field)	NE-1	10/24/2006	3.8	0		mg/L
Do (field)	NE-1	10/24/2006	3.8	0		mg/L
Do (field)	NE-1	1/23/2007	14.5	0		mg/L
Do (field)	NE-1	1/23/2007	14.5	0		mg/L
Do (field)	NE-1	4/23/2007	6.1	0		mg/L
Do (field)	NE-1	4/26/2007	6.1	0		mg/L
Do (field)	NE-1	7/10/2007	1.79	0		mg/L
Do (field)	NE-1	7/11/2007	1.79	0		mg/L
Do (field)	NE-1	10/24/2007	13.65	0		mg/L
Do (field)	NE-1	10/24/2007	13.65	0		mg/L
Do (field)	NE-1	7/21/2008	7.52	0.5		mg/L
Do (field)	NE-1	2/7/2009	4.03	0.5		mg/L
Do (field)	NE-1	7/31/2009	3.64	0.5		mg/L
Do (field)	NE-1	1/26/2010	5.35	0.5		mg/L
Do (field)	NE-1	7/14/2010	83.5	0		mg/L
Do (field)	NE-1	9/2/2010	22.4	0		mg/L
Do (field)	NE-1	9/30/2010	29.2	0		mg/L
Do (field)	NE-1	1/19/2011	24.3	0		mg/L
Do (field)	NE-1	7/13/2011	4.2	0		mg/L
Do (field)	NE-1	1/5/2012	5.25	0		mg/L
Do (field)	NE-1	7/10/2012	0	0		mg/L
Do (field)	NE-1	4/30/2013	9.73	0		mg/L
Do (field)	NE-1	7/16/2013	3.62	0		mg/L
Do (field)	NE-1	1/23/2014	9.69	0		mg/L
Do (field)	NE-1	7/9/2014	5.8	0		mg/L
Do (field)	NE-1	2/11/2015	5.64	0		mg/L
Do (field)	NE-1	7/8/2015	8.92	0		mg/L
Do (field)	NE-1	1/6/2016	6.82	0		mg/L
Do (field)	NE-1	7/20/2016	3.06	0		mg/L
Do (field)	NE-1	1/11/2017	6.61	0		mg/L
Do (field)	NE-1	7/19/2017	3.96	0		mg/L
Do (field)	NE-1	1/24/2018	3.93	0.01		mg/L
Do (field)	NE-1	4/11/2018	6.05	0.01		mg/L
Do (field)	NE-1	7/18/2018	5.12	0.01		mg/L
Do (field)	NE-1	10/2/2018	5.32	0		mg/L
Do (field)	NE-1	1/4/2019	5.2	0.01		mg/L
Do (field)	NE-1	4/2/2019	7.31	0.01		mg/L
Do (field)	NE-1	7/10/2019	4.7	0		mg/L
Do (field)	NE-1	7/10/2019	4.7	0		mg/L
Do (field)	NE-1	10/2/2019	4.68	0.01		mg/L
Do (field)	NE-1	4/2/2020	4.08	0.01		mg/L
Do (field)	NE-1	7/8/2020	2.75	0		mg/L
Do (field)	NE-1	7/8/2020	2.75	0		mg/L
Do (field)	NE-1	10/7/2020	3.39	0.01		mg/L
Do (field)	NE-1	4/9/2021	4.7	0		mg/L
Do (field)	NE-1	7/2/2021	5.6	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-1	7/2/2021	5.6	0		mg/L
Do (field)	NE-1	10/6/2021	4.6	0		mg/L
Do (field)	NE-1	1/17/2022	6.9	0		mg/L
Do (field)	NE-1	1/17/2022	6.9	0		mg/L
Do (field)	NE-1	4/6/2022	7	0		mg/L
Do (field)	NE-1	7/13/2022	6.7	0		mg/L
Do (field)	NE-1	10/6/2022	5.8	0		mg/L
Do (field)	NE-1	1/5/2023	7.3	0		mg/L
Do (field)	NE-1	4/7/2023	8.4	0		mg/L
Do (field)	NE-1	7/5/2023	4.7	0		mg/L
Do (field)	NE-1	10/5/2023	4.7	0		mg/L
Do (field)	NE-10D	11/6/2019	7.01	0		mg/L
Do (field)	NE-10D	4/2/2020	5.8	0.01		mg/L
Do (field)	NE-10D	7/8/2020	6.48	0		mg/L
Do (field)	NE-10D	7/8/2020	6.48	0		mg/L
Do (field)	NE-10D	10/7/2020	6.76	0.01		mg/L
Do (field)	NE-10D	4/9/2021	8.5	0		mg/L
Do (field)	NE-10D	7/2/2021	8	0		mg/L
Do (field)	NE-10D	7/2/2021	8	0		mg/L
Do (field)	NE-10D	10/7/2021	8.6	0		mg/L
Do (field)	NE-10D	1/6/2023	8.4	0		mg/L
Do (field)	NE-10D	4/6/2023	7.5	0		mg/L
Do (field)	NE-10D	7/8/2023	8.1	0		mg/L
Do (field)	NE-10D	10/3/2023	8.3	0		mg/L
Do (field)	NE-11	3/1/2017	2.13	0		mg/L
Do (field)	NE-11	4/6/2017	1.28	0		mg/L
Do (field)	NE-11	7/20/2017	0.7	0		mg/L
Do (field)	NE-11	10/9/2017	0.01	0		mg/L
Do (field)	NE-11	9/30/2019	4.64	0.01		mg/L
Do (field)	NE-11	1/14/2020	2.53	0		mg/L
Do (field)	NE-11	7/7/2020	1.78	0		mg/L
Do (field)	NE-11	7/7/2020	1.78	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	7/1/2021	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	1/17/2022	2.1	0		mg/L
Do (field)	NE-11	7/12/2022	2.7	0		mg/L
Do (field)	NE-11	1/6/2023	2.5	0		mg/L
Do (field)	NE-11	7/6/2023	2.5	0		mg/L
Do (field)	NE-12	3/1/2017	8.67	0		mg/L
Do (field)	NE-12	4/6/2017	6.55	0		mg/L
Do (field)	NE-12	7/20/2017	0.4	0		mg/L
Do (field)	NE-12	10/6/2017	0.02	0		mg/L
Do (field)	NE-12	7/9/2019	4.41	0		mg/L
Do (field)	NE-12	8/5/2019	6.67	0.01		mg/L
Do (field)	NE-12	1/13/2020	4.95	0		mg/L
Do (field)	NE-12	7/7/2020	6.22	0		mg/L
Do (field)	NE-12	7/7/2020	6.22	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	7/1/2021	1.4	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	1/17/2022	2	0		mg/L
Do (field)	NE-12	7/12/2022	5.5	0		mg/L
Do (field)	NE-12	1/6/2023	4.5	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-12	7/5/2023	6.6	0		mg/L
Do (field)	NE-13	2/5/2019	6.61	0		mg/L
Do (field)	NE-13	7/11/2019	6.1	0		mg/L
Do (field)	NE-13	8/7/2019	4.5	0.01		mg/L
Do (field)	NE-13	1/15/2020	7.49	0		mg/L
Do (field)	NE-13	7/8/2020	25.2	0		mg/L
Do (field)	NE-13	7/8/2020	2.52	0		mg/L
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-13	7/1/2021	1.3	0		mg/L
Do (field)	NE-14D	10/2/2019	2.94	0.01		mg/L
Do (field)	NE-14D	4/3/2020	3.29	0.01		mg/L
Do (field)	NE-14D	7/7/2020	28.3	0		mg/L
Do (field)	NE-14D	7/7/2020	2.83	0		mg/L
Do (field)	NE-14D	10/6/2020	2.15	0.01		mg/L
Do (field)	NE-14D	4/9/2021	2.3	0		mg/L
Do (field)	NE-14D	7/2/2021	2.3	0		mg/L
Do (field)	NE-14D	7/2/2021	2.3	0		mg/L
Do (field)	NE-14D	10/7/2021	1.8	0		mg/L
Do (field)	NE-14D	1/18/2022	1.9	0		mg/L
Do (field)	NE-14D	1/18/2022	1.9	0		mg/L
Do (field)	NE-14D	4/6/2022	1.8	0		mg/L
Do (field)	NE-14D	7/13/2022	2	0		mg/L
Do (field)	NE-14D	10/7/2022	1.4	0		mg/L
Do (field)	NE-14D	1/6/2023	1.3	0		mg/L
Do (field)	NE-14D	4/6/2023	2.1	0		mg/L
Do (field)	NE-14D	7/5/2023	1.1	0		mg/L
Do (field)	NE-14D	10/4/2023	1.4	0		mg/L
Do (field)	NE-14S	10/2/2019	4.84	0.01		mg/L
Do (field)	NE-14S	4/3/2020	5.46	0.01		mg/L
Do (field)	NE-14S	7/7/2020	3.41	0		mg/L
Do (field)	NE-14S	7/7/2020	3.41	0		mg/L
Do (field)	NE-14S	10/6/2020	3.43	0.01		mg/L
Do (field)	NE-14S	4/9/2021	4.2	0		mg/L
Do (field)	NE-14S	7/2/2021	3.3	0		mg/L
Do (field)	NE-14S	7/2/2021	3.3	0		mg/L
Do (field)	NE-14S	10/7/2021	3.4	0		mg/L
Do (field)	NE-14S	1/18/2022	5.1	0		mg/L
Do (field)	NE-14S	1/18/2022	5.1	0		mg/L
Do (field)	NE-14S	4/6/2022	4.3	0		mg/L
Do (field)	NE-14S	7/13/2022	3.1	0		mg/L
Do (field)	NE-14S	10/7/2022	2.8	0		mg/L
Do (field)	NE-14S	1/6/2023	3.4	0		mg/L
Do (field)	NE-14S	4/6/2023	4.5	0		mg/L
Do (field)	NE-14S	7/5/2023	3.1	0		mg/L
Do (field)	NE-14S	10/4/2023	3.4	0		mg/L
Do (field)	NE-15D	9/30/2019	1.24	0.01		mg/L
Do (field)	NE-15D	4/3/2020	4.76	0.01		mg/L
Do (field)	NE-15D	7/7/2020	3.34	0		mg/L
Do (field)	NE-15D	7/7/2020	3.34	0		mg/L
Do (field)	NE-15D	10/6/2020	0.6	0.01		mg/L
Do (field)	NE-15D	4/9/2021	0.7	0		mg/L
Do (field)	NE-15D	7/2/2021	0.7	0		mg/L
Do (field)	NE-15D	7/2/2021	0.7	0		mg/L
Do (field)	NE-15D	10/7/2021	0.5	0		mg/L
Do (field)	NE-15D	1/17/2022	0.6	0		mg/L
Do (field)	NE-15D	1/17/2022	0.6	0		mg/L
Do (field)	NE-15D	4/6/2022	0.8	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-15D	7/13/2022	0.4	0		mg/L
Do (field)	NE-15D	10/7/2022	0.5	0		mg/L
Do (field)	NE-15D	1/6/2023	0.6	0		mg/L
Do (field)	NE-15D	4/6/2023	0.9	0		mg/L
Do (field)	NE-15D	7/6/2023	0.9	0		mg/L
Do (field)	NE-15D	10/6/2023	1	0		mg/L
Do (field)	NE-15S	4/3/2020	7.19	0.01		mg/L
Do (field)	NE-2	4/24/2007	1.6	0		mg/L
Do (field)	NE-2	4/26/2007	1.6	0		mg/L
Do (field)	NE-2	12/19/2008	2.54	0.5		mg/L
Do (field)	NE-2	10/26/2009	0.15	0.5	ND	mg/L
Do (field)	NE-2	9/2/2010	5.8	0		mg/L
Do (field)	NE-2	9/30/2010	16.6	0		mg/L
Do (field)	NE-2	4/5/2012	2.49	0		mg/L
Do (field)	NE-2	10/1/2013	1.68	0		mg/L
Do (field)	NE-2	10/5/2015	2.66	0		mg/L
Do (field)	NE-2	10/6/2016	3.49	0		mg/L
Do (field)	NE-2	10/5/2017	0.01	0		mg/L
Do (field)	NE-2	1/25/2018	2.6	0.01		mg/L
Do (field)	NE-2	4/10/2018	0.88	0.01		mg/L
Do (field)	NE-2	7/10/2018	2.83	0.01		mg/L
Do (field)	NE-2	10/1/2018	1.98	0		mg/L
Do (field)	NE-2	1/4/2019	3.2	0.01		mg/L
Do (field)	NE-2	4/2/2019	4.6	0.01		mg/L
Do (field)	NE-2	7/9/2019	1.97	0		mg/L
Do (field)	NE-2	7/9/2019	1.97	0		mg/L
Do (field)	NE-2	10/2/2019	2.05	0.01		mg/L
Do (field)	NE-2	4/1/2020	0.76	0.01		mg/L
Do (field)	NE-2	7/7/2020	1.59	0		mg/L
Do (field)	NE-2	7/7/2020	1.59	0		mg/L
Do (field)	NE-2	10/6/2020	1.87	0.01		mg/L
Do (field)	NE-2	4/9/2021	1.7	0		mg/L
Do (field)	NE-2	7/2/2021	0.3	0		mg/L
Do (field)	NE-2	7/2/2021	0.3	0		mg/L
Do (field)	NE-2	10/6/2021	2.4	0		mg/L
Do (field)	NE-2	1/18/2022	0.4	0		mg/L
Do (field)	NE-2	1/18/2022	0.4	0		mg/L
Do (field)	NE-2	4/6/2022	2.6	0		mg/L
Do (field)	NE-2	7/13/2022	1.5	0		mg/L
Do (field)	NE-2	10/7/2022	2.6	0		mg/L
Do (field)	NE-2	1/5/2023	5.9	0		mg/L
Do (field)	NE-2	4/5/2023	2.9	0		mg/L
Do (field)	NE-2	7/5/2023	2.6	0		mg/L
Do (field)	NE-2	10/4/2023	3.3	0		mg/L
Do (field)	NE-4	7/18/2006	34.5	0		mg/L
Do (field)	NE-4	7/18/2006	31.5	0		mg/L
Do (field)	NE-4	7/31/2006	50.2	0		mg/L
Do (field)	NE-4	8/1/2006	50.2	0		mg/L
Do (field)	NE-4	10/24/2006	2.1	0		mg/L
Do (field)	NE-4	10/24/2006	2.1	0		mg/L
Do (field)	NE-4	1/23/2007	11.7	0		mg/L
Do (field)	NE-4	1/23/2007	11.7	0		mg/L
Do (field)	NE-4	2/24/2007	3.4	0		mg/L
Do (field)	NE-4	4/26/2007	3.4	0		mg/L
Do (field)	NE-4	7/11/2007	3.99	0		mg/L
Do (field)	NE-4	7/12/2007	3.99	0		mg/L
Do (field)	NE-4	7/21/2008	5.81	0.5		mg/L
Do (field)	NE-4	2/7/2009	3.49	0.5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-4	7/31/2009	3.93	0.5		mg/L
Do (field)	NE-4	1/26/2010	4.47	0.5		mg/L
Do (field)	NE-4	7/14/2010	92.2	0		mg/L
Do (field)	NE-4	1/19/2011	22.1	0		mg/L
Do (field)	NE-4	7/13/2011	5.67	0		mg/L
Do (field)	NE-4	1/5/2012	3.97	0		mg/L
Do (field)	NE-4	7/10/2012	0	0		mg/L
Do (field)	NE-4	4/30/2013	3.59	0		mg/L
Do (field)	NE-4	7/16/2013	2.56	0		mg/L
Do (field)	NE-4	1/23/2014	6.69	0		mg/L
Do (field)	NE-4	7/9/2014	4.04	0		mg/L
Do (field)	NE-4	2/13/2015	5.08	0		mg/L
Do (field)	NE-4	7/8/2015	8.76	0		mg/L
Do (field)	NE-4	1/6/2016	8.25	0		mg/L
Do (field)	NE-4	7/20/2016	6.98	0		mg/L
Do (field)	NE-4	1/11/2017	7.85	0		mg/L
Do (field)	NE-4	7/19/2017	4.28	0		mg/L
Do (field)	NE-4	1/26/2018	6.93	0.01		mg/L
Do (field)	NE-4	4/10/2018	5.95	0.01		mg/L
Do (field)	NE-4	7/12/2018	5.91	0.01		mg/L
Do (field)	NE-4	10/3/2018	6.39	0		mg/L
Do (field)	NE-4	1/7/2019	6.53	0.01		mg/L
Do (field)	NE-4	4/2/2019	7.92	0.01		mg/L
Do (field)	NE-4	7/8/2019	6.6	0		mg/L
Do (field)	NE-4	7/8/2019	6.6	0		mg/L
Do (field)	NE-4	10/1/2019	5.87	0.01		mg/L
Do (field)	NE-4	4/1/2020	7.43	0.01		mg/L
Do (field)	NE-4	7/6/2020	8.68	0		mg/L
Do (field)	NE-4	7/6/2020	8.68	0		mg/L
Do (field)	NE-4	10/5/2020	6.37	0.01		mg/L
Do (field)	NE-4	4/9/2021	7.1	0		mg/L
Do (field)	NE-4	7/2/2021	8.7	0		mg/L
Do (field)	NE-4	7/2/2021	8.7	0		mg/L
Do (field)	NE-4	10/6/2021	8.5	0		mg/L
Do (field)	NE-4	1/5/2023	8.2	0		mg/L
Do (field)	NE-4	4/6/2023	8.2	0		mg/L
Do (field)	NE-4	7/5/2023	7.8	0		mg/L
Do (field)	NE-4	10/4/2023	8.6	0		mg/L
Do (field)	NE-5	7/18/2006	21.3	0		mg/L
Do (field)	NE-5	7/18/2006	21.3	0		mg/L
Do (field)	NE-5	10/24/2006	6.9	0		mg/L
Do (field)	NE-5	10/24/2006	6.9	0		mg/L
Do (field)	NE-5	1/23/2007	7.7	0		mg/L
Do (field)	NE-5	1/23/2007	7.7	0		mg/L
Do (field)	NE-5	2/24/2007	2.4	0		mg/L
Do (field)	NE-5	4/26/2007	2.4	0		mg/L
Do (field)	NE-5	7/11/2007	2.59	0		mg/L
Do (field)	NE-5	7/12/2007	2.59	0		mg/L
Do (field)	NE-5	5/3/2008	1.76	0		mg/L
Do (field)	NE-5	7/22/2008	0.51	0.5		mg/L
Do (field)	NE-5	2/6/2009	3.33	0.5		mg/L
Do (field)	NE-5	7/31/2009	1.27	0.5		mg/L
Do (field)	NE-5	1/26/2010	1.76	0.5		mg/L
Do (field)	NE-5	7/16/2010	57.6	0		mg/L
Do (field)	NE-5	9/2/2010	15.6	0		mg/L
Do (field)	NE-5	1/19/2011	19.9	0		mg/L
Do (field)	NE-5	7/13/2011	2.12	0		mg/L
Do (field)	NE-5	1/5/2012	4.06	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-5	7/10/2012	0.1	0		mg/L
Do (field)	NE-5	4/30/2013	27.3	0		mg/L
Do (field)	NE-5	7/16/2013	2.56	0		mg/L
Do (field)	NE-5	1/23/2014	4.99	0		mg/L
Do (field)	NE-5	7/9/2014	2.45	0		mg/L
Do (field)	NE-5	2/11/2015	2.88	0		mg/L
Do (field)	NE-5	7/14/2015	1.54	0		mg/L
Do (field)	NE-5	1/6/2016	2.57	0		mg/L
Do (field)	NE-5	2/11/2016	1.8	0		mg/L
Do (field)	NE-5	7/20/2016	3.38	0		mg/L
Do (field)	NE-5	1/11/2017	2.44	0		mg/L
Do (field)	NE-5	7/19/2017	0.75	0		mg/L
Do (field)	NE-5	1/25/2018	0.71	0.01		mg/L
Do (field)	NE-5	4/10/2018	2.38	0.01		mg/L
Do (field)	NE-5	7/17/2018	1.87	0.01		mg/L
Do (field)	NE-5	10/3/2018	1.59	0		mg/L
Do (field)	NE-5	10/3/2018	1.59	0.01		mg/L
Do (field)	NE-5	1/4/2019	1.6	0.01		mg/L
Do (field)	NE-5	4/2/2019	1.52	0.01		mg/L
Do (field)	NE-5	4/2/2019	1.57	0.01		mg/L
Do (field)	NE-5	7/9/2019	0.4	0		mg/L
Do (field)	NE-5	7/9/2019	0.4	0		mg/L
Do (field)	NE-5	7/9/2019	0.4	0		mg/L
Do (field)	NE-5	10/3/2019	0.76	0.01		mg/L
Do (field)	NE-5	4/2/2020	1.65	0.01		mg/L
Do (field)	NE-5	7/8/2020	1.33	0		mg/L
Do (field)	NE-5	7/8/2020	1.33	0		mg/L
Do (field)	NE-5	10/6/2020	1.46	0.01		mg/L
Do (field)	NE-5	4/9/2021	0.5	0		mg/L
Do (field)	NE-5	7/2/2021	0.5	0		mg/L
Do (field)	NE-5	7/2/2021	0.5	0		mg/L
Do (field)	NE-5	10/6/2021	0.7	0		mg/L
Do (field)	NE-5	1/18/2022	0.4	0		mg/L
Do (field)	NE-5	1/18/2022	0.4	0		mg/L
Do (field)	NE-5	4/6/2022	0.6	0		mg/L
Do (field)	NE-5	7/13/2022	1.1	0		mg/L
Do (field)	NE-5	10/7/2022	0.5	0		mg/L
Do (field)	NE-5	1/5/2023	1	0		mg/L
Do (field)	NE-5	4/7/2023	0.4	0		mg/L
Do (field)	NE-5	7/6/2023	0.6	0		mg/L
Do (field)	NE-5	10/4/2023	0.8	0		mg/L
Do (field)	NE-5E	9/30/2019	2.07	0.01		mg/L
Do (field)	NE-5E	4/1/2020	4.3	0.01		mg/L
Do (field)	NE-5E	7/8/2020	3.84	0		mg/L
Do (field)	NE-5E	7/8/2020	3.84	0		mg/L
Do (field)	NE-5E	10/6/2020	3.12	0.01		mg/L
Do (field)	NE-5E	4/9/2021	4.2	0		mg/L
Do (field)	NE-5E	7/2/2021	3.4	0		mg/L
Do (field)	NE-5E	7/2/2021	3.4	0		mg/L
Do (field)	NE-5E	10/6/2021	3.5	0		mg/L
Do (field)	NE-5E	1/18/2022	3.6	0		mg/L
Do (field)	NE-5E	1/18/2022	3.6	0		mg/L
Do (field)	NE-5E	4/6/2022	3.7	0		mg/L
Do (field)	NE-5E	7/13/2022	1.6	0		mg/L
Do (field)	NE-5E	10/7/2022	0.9	0		mg/L
Do (field)	NE-5E	1/5/2023	1.8	0		mg/L
Do (field)	NE-5E	4/7/2023	1.3	0		mg/L
Do (field)	NE-5E	7/6/2023	0.9	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-5E	10/4/2023	2.1	0		mg/L
Do (field)	NE-5W	9/30/2019	1.49	0.01		mg/L
Do (field)	NE-5W	4/2/2020	0.81	0.01		mg/L
Do (field)	NE-5W	7/8/2020	0.4	0		mg/L
Do (field)	NE-5W	7/8/2020	0.4	0		mg/L
Do (field)	NE-5W	10/6/2020	0.7	0.01		mg/L
Do (field)	NE-5W	4/9/2021	1.3	0		mg/L
Do (field)	NE-5W	7/2/2021	0.4	0		mg/L
Do (field)	NE-5W	7/2/2021	0.4	0		mg/L
Do (field)	NE-5W	10/6/2021	0.9	0		mg/L
Do (field)	NE-5W	1/18/2022	0.7	0		mg/L
Do (field)	NE-5W	1/18/2022	0.7	0		mg/L
Do (field)	NE-5W	4/6/2022	0.7	0		mg/L
Do (field)	NE-5W	7/13/2022	0.6	0		mg/L
Do (field)	NE-5W	10/7/2022	0.6	0		mg/L
Do (field)	NE-5W	1/5/2023	1.3	0		mg/L
Do (field)	NE-5W	4/7/2023	1.9	0		mg/L
Do (field)	NE-5W	7/6/2023	0.7	0		mg/L
Do (field)	NE-5W	10/4/2023	1.6	0		mg/L
Do (field)	NE-6	1/12/2017	5.75	0		mg/L
Do (field)	NE-6	4/5/2017	1.96	0		mg/L
Do (field)	NE-6	7/19/2017	2.15	0		mg/L
Do (field)	NE-6	10/6/2017	0.01	0		mg/L
Do (field)	NE-6	2/4/2019	1.11	0		mg/L
Do (field)	NE-6	7/9/2019	1	0		mg/L
Do (field)	NE-6	8/6/2019	5.03	0.01		mg/L
Do (field)	NE-6	1/15/2020	0.96	0		mg/L
Do (field)	NE-6	7/9/2020	6.88	0		mg/L
Do (field)	NE-6	7/9/2020	6.88	0		mg/L
Do (field)	NE-6	7/1/2021	1	0		mg/L
Do (field)	NE-6	7/1/2021	1	0		mg/L
Do (field)	NE-6	7/1/2021	1	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	1/17/2022	0.3	0		mg/L
Do (field)	NE-6	7/12/2022	0.3	0		mg/L
Do (field)	NE-6	1/5/2023	0.4	0		mg/L
Do (field)	NE-6	7/6/2023	2.5	0		mg/L
Do (field)	NE-6D	10/2/2019	1.52	0.01		mg/L
Do (field)	NE-6D	4/2/2020	0.35	0.01		mg/L
Do (field)	NE-6D	7/9/2020	4.69	0		mg/L
Do (field)	NE-6D	7/9/2020	4.69	0		mg/L
Do (field)	NE-6D	10/7/2020	0.47	0.01		mg/L
Do (field)	NE-6D	4/9/2021	2	0		mg/L
Do (field)	NE-6D	7/2/2021	0.3	0		mg/L
Do (field)	NE-6D	7/2/2021	0.3	0		mg/L
Do (field)	NE-6D	10/7/2021	0.8	0		mg/L
Do (field)	NE-6D	1/17/2022	0.3	0		mg/L
Do (field)	NE-6D	1/17/2022	0.3	0		mg/L
Do (field)	NE-6D	4/6/2022	0.4	0		mg/L
Do (field)	NE-6D	7/12/2022	0.8	0		mg/L
Do (field)	NE-6D	10/7/2022	0.7	0		mg/L
Do (field)	NE-6D	1/5/2023	0.6	0		mg/L
Do (field)	NE-6D	4/7/2023	0.6	0		mg/L
Do (field)	NE-6D	7/6/2023	0.8	0		mg/L
Do (field)	NE-6D	10/4/2023	0.5	0		mg/L
Do (field)	NE-7	3/1/2017	8.85	0		mg/L
Do (field)	NE-7	4/6/2017	7.36	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Do (field)	NE-7	7/20/2017	2.23	0		mg/L
Do (field)	NE-7	10/5/2017	0	0		mg/L
Do (field)	NE-7	2/6/2019	4.09	0		mg/L
Do (field)	NE-7	7/10/2019	3.7	0		mg/L
Do (field)	NE-7	8/6/2019	5.94	0.01		mg/L
Do (field)	NE-7	1/16/2020	5.34	0		mg/L
Do (field)	NE-7	7/7/2020	5.24	0		mg/L
Do (field)	NE-7	7/7/2020	5.24	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	7/1/2021	5.2	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	1/17/2022	4.5	0		mg/L
Do (field)	NE-7	7/12/2022	4.7	0		mg/L
Do (field)	NE-7	1/5/2023	3.8	0		mg/L
Do (field)	NE-7	7/6/2023	3.4	0		mg/L
Do (field)	NE-8	1/12/2017	3.38	0		mg/L
Do (field)	NE-8	4/5/2017	15.2	0		mg/L
Do (field)	NE-8	7/20/2017	0.17	0		mg/L
Do (field)	NE-8	10/6/2017	0	0		mg/L
Do (field)	NE-8	2/4/2019	0.76	0		mg/L
Do (field)	NE-8	7/11/2019	0.2	0		mg/L
Do (field)	NE-8	8/5/2019	0.56	0.01		mg/L
Do (field)	NE-8	1/15/2020	1.05	0		mg/L
Do (field)	NE-8	7/8/2020	0.42	0		mg/L
Do (field)	NE-8	7/8/2020	0.42	0		mg/L
Do (field)	NE-8	10/7/2020	0.8	0.01		mg/L
Do (field)	NE-8	10/7/2020	0.8	0.01		mg/L
Do (field)	NE-8	4/9/2021	0.4	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	7/1/2021	0.5	0		mg/L
Do (field)	NE-8	10/7/2021	0.4	0		mg/L
Do (field)	NE-8	1/6/2023	0.4	0		mg/L
Do (field)	NE-8	7/5/2023	0.4	0		mg/L
Do (field)	NE-9	1/12/2017	4.97	0		mg/L
Do (field)	NE-9	4/5/2017	4.96	0		mg/L
Do (field)	NE-9	7/20/2017	0.34	0		mg/L
Do (field)	NE-9	10/5/2017	0	0		mg/L
Do (field)	NE-9	2/5/2019	1.78	0		mg/L
Do (field)	NE-9	7/8/2019	1.75	0		mg/L
Do (field)	NE-9	8/7/2019	0.55	0.01		mg/L
Do (field)	NE-9	1/15/2020	2.05	0		mg/L
Do (field)	NE-9	7/7/2020	4.33	0		mg/L
Do (field)	NE-9	7/7/2020	4.33	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	7/1/2021	0.6	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	1/17/2022	0.5	0		mg/L
Do (field)	NE-9	7/13/2022	0.3	0		mg/L
Do (field)	NE-9	1/6/2023	0.4	0		mg/L
Do (field)	NE-9	4/8/2023	0.4	0		mg/L
Do (field)	NE-9	7/5/2023	0.2	0		mg/L
Do (field)	NE-9	10/6/2023	0.3	0		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-10	8/28/2007	0	0	ND	MV
Eh (redox)	LGW-10	11/28/2007	136	0		MV
Eh (redox)	LGW-10	12/28/2007	137	0		MV
Eh (redox)	LGW-10	5/30/2008	95	0		MV
Eh (redox)	LGW-10	6/25/2008	170.2	0		MV
Eh (redox)	LGW-10	1/15/2020	13.2	0		MV
Eh (redox)	LGW-10	6/2/2020	-26.6	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	7/9/2020	-28.2	0		MV
Eh (redox)	LGW-10	8/3/2020	-21.8	0		MV
Eh (redox)	LGW-10	11/4/2020	-36.1	0		MV
Eh (redox)	LGW-10	12/3/2020	2	0		MV
Eh (redox)	LGW-10	1/17/2021	37.9	0		MV
Eh (redox)	LGW-10	2/9/2021	49.7	0		MV
Eh (redox)	LGW-10	3/2/2021	30.8	0		MV
Eh (redox)	LGW-10	4/6/2021	0.7	0		MV
Eh (redox)	LGW-10	4/6/2021	0.7	0		MV
Eh (redox)	LGW-10	5/5/2021	-42.1	0		MV
Eh (redox)	LGW-10	6/1/2021	12.3	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	7/7/2021	-45	0		MV
Eh (redox)	LGW-10	8/4/2021	-5.9	0		MV
Eh (redox)	LGW-10	9/2/2021	-2.9	0		MV
Eh (redox)	LGW-10	10/5/2021	-12.7	0		MV
Eh (redox)	LGW-10	10/5/2021	-12.7	0		MV
Eh (redox)	LGW-10	11/2/2021	112	0		MV
Eh (redox)	LGW-10	12/9/2021	95.9	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	1/13/2022	186.6	0		MV
Eh (redox)	LGW-10	2/10/2022	44.8	0		MV
Eh (redox)	LGW-10	3/2/2022	51.2	0		MV
Eh (redox)	LGW-10	4/4/2022	161.3	0		MV
Eh (redox)	LGW-10	4/4/2022	161.3	0		MV
Eh (redox)	LGW-10	5/7/2022	101.3	0		MV
Eh (redox)	LGW-10	6/3/2022	38.6	0		MV
Eh (redox)	LGW-10	7/11/2022	142.3	0		MV
Eh (redox)	LGW-10	8/10/2022	169.8	0		MV
Eh (redox)	LGW-10	9/8/2022	191.7	0		MV
Eh (redox)	LGW-10	10/7/2022	180.9	0		MV
Eh (redox)	LGW-10	10/7/2022	180.9	0		MV
Eh (redox)	LGW-10	11/3/2022	183.2	0		MV
Eh (redox)	LGW-10	12/7/2022	183.8	0		MV
Eh (redox)	LGW-10	1/11/2023	132.1	0		MV
Eh (redox)	LGW-10	2/3/2023	142.9	0		MV
Eh (redox)	LGW-10	3/1/2023	173.1	0		MV
Eh (redox)	LGW-10	4/5/2023	191.3	0		MV
Eh (redox)	LGW-10	5/10/2023	189.6	0		MV
Eh (redox)	LGW-10	6/8/2023	193.6	0		MV
Eh (redox)	LGW-10	7/10/2023	171.6	0		MV
Eh (redox)	LGW-10	8/1/2023	196	0		MV
Eh (redox)	LGW-10	9/2/2023	-9.1	0		MV
Eh (redox)	LGW-10	10/5/2023	-37	0		MV
Eh (redox)	LGW-14R	8/29/2007	62.59	0		MV
Eh (redox)	LGW-14R	11/27/2007	59	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-14R	12/27/2007	57	0		MV
Eh (redox)	LGW-14R	3/25/2008	17	0		MV
Eh (redox)	LGW-14R	5/3/2008	143.1	0		MV
Eh (redox)	LGW-14R	5/30/2008	139	0		MV
Eh (redox)	LGW-14R	6/25/2008	16.1	0		MV
Eh (redox)	LGW-14R	1/16/2020	137.3	0		MV
Eh (redox)	LGW-14R	6/2/2020	-19.6	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	7/9/2020	131	0		MV
Eh (redox)	LGW-14R	8/3/2020	48.9	0		MV
Eh (redox)	LGW-14R	11/3/2020	-43.6	0		MV
Eh (redox)	LGW-14R	12/3/2020	83.3	0		MV
Eh (redox)	LGW-14R	1/18/2021	29.1	0		MV
Eh (redox)	LGW-14R	1/18/2021	29.1	0		MV
Eh (redox)	LGW-14R	2/9/2021	150.2	0		MV
Eh (redox)	LGW-14R	3/2/2021	102.4	0		MV
Eh (redox)	LGW-14R	4/6/2021	118.2	0		MV
Eh (redox)	LGW-14R	4/6/2021	118.2	0		MV
Eh (redox)	LGW-14R	5/4/2021	58.2	0		MV
Eh (redox)	LGW-14R	6/1/2021	64.6	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	7/7/2021	87.2	0		MV
Eh (redox)	LGW-14R	8/3/2021	100.2	0		MV
Eh (redox)	LGW-14R	9/2/2021	61.1	0		MV
Eh (redox)	LGW-14R	10/5/2021	44.5	0		MV
Eh (redox)	LGW-14R	10/5/2021	44.5	0		MV
Eh (redox)	LGW-14R	11/2/2021	148.1	0		MV
Eh (redox)	LGW-14R	12/9/2021	116.9	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	1/12/2022	158.4	0		MV
Eh (redox)	LGW-14R	2/10/2022	123.9	0		MV
Eh (redox)	LGW-14R	3/1/2022	106.4	0		MV
Eh (redox)	LGW-14R	4/5/2022	221.1	0		MV
Eh (redox)	LGW-14R	5/7/2022	79.4	0		MV
Eh (redox)	LGW-14R	6/3/2022	127.6	0		MV
Eh (redox)	LGW-14R	7/11/2022	153.5	0		MV
Eh (redox)	LGW-14R	8/10/2022	164.2	0		MV
Eh (redox)	LGW-14R	9/8/2022	179.7	0		MV
Eh (redox)	LGW-14R	10/6/2022	165.4	0		MV
Eh (redox)	LGW-14R	11/3/2022	157.8	0		MV
Eh (redox)	LGW-14R	12/7/2022	153.5	0		MV
Eh (redox)	LGW-14R	1/10/2023	135	0		MV
Eh (redox)	LGW-14R	2/3/2023	128.5	0		MV
Eh (redox)	LGW-14R	3/1/2023	151.1	0		MV
Eh (redox)	LGW-14R	4/5/2023	167.6	0		MV
Eh (redox)	LGW-14R	5/10/2023	160.1	0		MV
Eh (redox)	LGW-14R	6/8/2023	170.6	0		MV
Eh (redox)	LGW-14R	7/10/2023	158.6	0		MV
Eh (redox)	LGW-14R	8/2/2023	165.5	0		MV
Eh (redox)	LGW-14R	9/2/2023	75	0		MV
Eh (redox)	LGW-14R	10/5/2023	64.3	0		MV
Eh (redox)	LGW-2	8/28/2007	11.8	0		MV
Eh (redox)	LGW-2	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-2	1/26/2008	3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-2	3/24/2008	49	0		MV
Eh (redox)	LGW-2	5/3/2008	141.2	0		MV
Eh (redox)	LGW-2	5/30/2008	111	0		MV
Eh (redox)	LGW-2	6/26/2008	27.7	0		MV
Eh (redox)	LGW-2	1/13/2020	39.5	0		MV
Eh (redox)	LGW-2	6/2/2020	-33.4	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	7/8/2020	49.2	0		MV
Eh (redox)	LGW-2	8/3/2020	-70.1	0		MV
Eh (redox)	LGW-2	11/3/2020	-80.1	0		MV
Eh (redox)	LGW-2	12/4/2020	-33.7	0		MV
Eh (redox)	LGW-2	1/18/2021	-74.9	0		MV
Eh (redox)	LGW-2	1/18/2021	-74.9	0		MV
Eh (redox)	LGW-2	2/10/2021	162.7	0		MV
Eh (redox)	LGW-2	3/2/2021	34.8	0		MV
Eh (redox)	LGW-2	4/7/2021	109.3	0		MV
Eh (redox)	LGW-2	5/4/2021	124.4	0		MV
Eh (redox)	LGW-2	6/1/2021	129.8	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	7/4/2021	120	0		MV
Eh (redox)	LGW-2	8/3/2021	168.6	0		MV
Eh (redox)	LGW-2	9/2/2021	154.8	0		MV
Eh (redox)	LGW-2	10/5/2021	123.5	0		MV
Eh (redox)	LGW-2	10/5/2021	123.5	0		MV
Eh (redox)	LGW-2	11/1/2021	73	0		MV
Eh (redox)	LGW-2	12/8/2021	152.9	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	1/12/2022	194.2	0		MV
Eh (redox)	LGW-2	2/9/2022	150.2	0		MV
Eh (redox)	LGW-2	3/1/2022	164.8	0		MV
Eh (redox)	LGW-2	4/5/2022	225.2	0		MV
Eh (redox)	LGW-2	5/7/2022	134.1	0		MV
Eh (redox)	LGW-2	6/3/2022	177.2	0		MV
Eh (redox)	LGW-2	7/10/2022	256.3	0		MV
Eh (redox)	LGW-2	8/10/2022	183.2	0		MV
Eh (redox)	LGW-2	9/8/2022	195.3	0		MV
Eh (redox)	LGW-2	10/6/2022	176.6	0		MV
Eh (redox)	LGW-2	11/3/2022	155.3	0		MV
Eh (redox)	LGW-2	12/7/2022	153.3	0		MV
Eh (redox)	LGW-2	1/10/2023	148.7	0		MV
Eh (redox)	LGW-2	2/3/2023	128.9	0		MV
Eh (redox)	LGW-2	3/1/2023	147.2	0		MV
Eh (redox)	LGW-2	4/6/2023	156.5	0		MV
Eh (redox)	LGW-2	5/11/2023	173.1	0		MV
Eh (redox)	LGW-2	6/8/2023	167.8	0		MV
Eh (redox)	LGW-2	7/10/2023	157.6	0		MV
Eh (redox)	LGW-2	8/1/2023	178.5	0		MV
Eh (redox)	LGW-2	9/1/2023	98.6	0		MV
Eh (redox)	LGW-2	10/4/2023	159	0		MV
Eh (redox)	LGW-3R	8/28/2007	10.5	0		MV
Eh (redox)	LGW-3R	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-3R	12/27/2007	47	0		MV
Eh (redox)	LGW-3R	1/26/2008	29	0		MV
Eh (redox)	LGW-3R	3/24/2008	41	0		MV
Eh (redox)	LGW-3R	5/3/2008	174.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-3R	5/30/2008	130	0		MV
Eh (redox)	LGW-3R	6/26/2008	56.6	0		MV
Eh (redox)	LGW-3R	1/14/2020	64.8	0		MV
Eh (redox)	LGW-3R	6/3/2020	-3.3	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	7/6/2020	194.4	0		MV
Eh (redox)	LGW-3R	8/3/2020	49.9	0		MV
Eh (redox)	LGW-3R	11/3/2020	-46.1	0		MV
Eh (redox)	LGW-3R	12/4/2020	117	0		MV
Eh (redox)	LGW-3R	1/18/2021	43.3	0		MV
Eh (redox)	LGW-3R	1/18/2021	43.3	0		MV
Eh (redox)	LGW-3R	2/9/2021	187.4	0		MV
Eh (redox)	LGW-3R	3/2/2021	179.5	0		MV
Eh (redox)	LGW-3R	4/6/2021	192.7	0		MV
Eh (redox)	LGW-3R	4/6/2021	192.7	0		MV
Eh (redox)	LGW-3R	5/4/2021	182.3	0		MV
Eh (redox)	LGW-3R	6/2/2021	182.3	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	7/6/2021	182.8	0		MV
Eh (redox)	LGW-3R	8/3/2021	210.9	0		MV
Eh (redox)	LGW-3R	9/2/2021	180	0		MV
Eh (redox)	LGW-3R	10/5/2021	154.9	0		MV
Eh (redox)	LGW-3R	11/2/2021	184.6	0		MV
Eh (redox)	LGW-3R	12/9/2021	202.4	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	1/12/2022	218.6	0		MV
Eh (redox)	LGW-3R	2/10/2022	225.6	0		MV
Eh (redox)	LGW-3R	3/1/2022	182.7	0		MV
Eh (redox)	LGW-3R	4/5/2022	269	0		MV
Eh (redox)	LGW-3R	5/7/2022	146.9	0		MV
Eh (redox)	LGW-3R	6/3/2022	186.9	0		MV
Eh (redox)	LGW-3R	7/10/2022	287.3	0		MV
Eh (redox)	LGW-3R	8/10/2022	226.5	0		MV
Eh (redox)	LGW-3R	9/8/2022	244.4	0		MV
Eh (redox)	LGW-3R	10/6/2022	227.9	0		MV
Eh (redox)	LGW-3R	11/3/2022	213	0		MV
Eh (redox)	LGW-3R	12/7/2022	210.5	0		MV
Eh (redox)	LGW-3R	1/10/2023	199.7	0		MV
Eh (redox)	LGW-3R	2/3/2023	184.6	0		MV
Eh (redox)	LGW-3R	3/1/2023	215	0		MV
Eh (redox)	LGW-3R	4/6/2023	201.1	0		MV
Eh (redox)	LGW-3R	5/10/2023	190.2	0		MV
Eh (redox)	LGW-3R	6/8/2023	239.5	0		MV
Eh (redox)	LGW-3R	7/10/2023	244.9	0		MV
Eh (redox)	LGW-3R	8/2/2023	260.9	0		MV
Eh (redox)	LGW-3R	9/2/2023	147.4	0		MV
Eh (redox)	LGW-3R	10/4/2023	194.4	0		MV
Eh (redox)	LGW-4	8/28/2007	80	0		MV
Eh (redox)	LGW-4	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-4	12/27/2007	61	0		MV
Eh (redox)	LGW-4	3/25/2008	5	0		MV
Eh (redox)	LGW-4	5/3/2008	144.4	0		MV
Eh (redox)	LGW-4	5/30/2008	115	0		MV
Eh (redox)	LGW-4	1/14/2020	48.2	0		MV
Eh (redox)	LGW-4	6/3/2020	-2.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	7/6/2020	266.9	0		MV
Eh (redox)	LGW-4	8/3/2020	42.6	0		MV
Eh (redox)	LGW-4	11/3/2020	-35.5	0		MV
Eh (redox)	LGW-4	12/4/2020	122.3	0		MV
Eh (redox)	LGW-4	1/18/2021	-3.1	0		MV
Eh (redox)	LGW-4	1/18/2021	-3.1	0		MV
Eh (redox)	LGW-4	2/9/2021	117	0		MV
Eh (redox)	LGW-4	3/2/2021	181.3	0		MV
Eh (redox)	LGW-4	4/6/2021	129.4	0		MV
Eh (redox)	LGW-4	4/6/2021	129.4	0		MV
Eh (redox)	LGW-4	5/4/2021	140.5	0		MV
Eh (redox)	LGW-4	6/2/2021	144	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	7/7/2021	154.7	0		MV
Eh (redox)	LGW-4	8/3/2021	161	0		MV
Eh (redox)	LGW-4	9/2/2021	157	0		MV
Eh (redox)	LGW-4	10/5/2021	122.4	0		MV
Eh (redox)	LGW-4	10/5/2021	122.4	0		MV
Eh (redox)	LGW-4	11/2/2021	165.8	0		MV
Eh (redox)	LGW-4	12/9/2021	165.4	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	1/12/2022	193.9	0		MV
Eh (redox)	LGW-4	2/10/2022	189.5	0		MV
Eh (redox)	LGW-4	3/1/2022	159.7	0		MV
Eh (redox)	LGW-4	4/5/2022	224.4	0		MV
Eh (redox)	LGW-4	5/7/2022	130.8	0		MV
Eh (redox)	LGW-4	6/3/2022	177.5	0		MV
Eh (redox)	LGW-4	7/11/2022	174.6	0		MV
Eh (redox)	LGW-4	8/10/2022	183.9	0		MV
Eh (redox)	LGW-4	9/8/2022	198.1	0		MV
Eh (redox)	LGW-4	10/6/2022	173.1	0		MV
Eh (redox)	LGW-4	11/3/2022	157.8	0		MV
Eh (redox)	LGW-4	12/7/2022	163.6	0		MV
Eh (redox)	LGW-4	1/10/2023	157.7	0		MV
Eh (redox)	LGW-4	2/3/2023	135.6	0		MV
Eh (redox)	LGW-4	3/1/2023	157.9	0		MV
Eh (redox)	LGW-4	4/6/2023	161.8	0		MV
Eh (redox)	LGW-4	5/10/2023	165.1	0		MV
Eh (redox)	LGW-4	6/8/2023	162.1	0		MV
Eh (redox)	LGW-4	7/10/2023	183.7	0		MV
Eh (redox)	LGW-4	8/2/2023	179.6	0		MV
Eh (redox)	LGW-4	9/2/2023	34.2	0		MV
Eh (redox)	LGW-4	10/4/2023	162	0		MV
Eh (redox)	LGW-5	8/28/2007	31.9	0		MV
Eh (redox)	LGW-5	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-5	12/27/2007	162	0		MV
Eh (redox)	LGW-5	3/25/2008	24	0		MV
Eh (redox)	LGW-5	5/3/2008	135.7	0		MV
Eh (redox)	LGW-5	5/30/2008	68	0		MV
Eh (redox)	LGW-5	6/26/2008	43.3	0		MV
Eh (redox)	LGW-5	1/14/2020	22.5	0		MV
Eh (redox)	LGW-5	6/1/2020	-28.9	0		MV
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV
Eh (redox)	LGW-5	7/6/2020	35.6	0		MV
Eh (redox)	LGW-5	8/3/2020	42.2	0		MV
Eh (redox)	LGW-5	11/3/2020	-13.9	0		MV
Eh (redox)	LGW-5	12/3/2020	38.2	0		MV
Eh (redox)	LGW-5	1/18/2021	-46.1	0		MV
Eh (redox)	LGW-5	1/18/2021	-46.1	0		MV
Eh (redox)	LGW-5	2/9/2021	72.9	0		MV
Eh (redox)	LGW-5	3/2/2021	62.2	0		MV
Eh (redox)	LGW-5	4/6/2021	30	0		MV
Eh (redox)	LGW-5	4/6/2021	30	0		MV
Eh (redox)	LGW-5	5/4/2021	41.7	0		MV
Eh (redox)	LGW-5	6/2/2021	55.8	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	7/7/2021	14.2	0		MV
Eh (redox)	LGW-5	8/3/2021	63.3	0		MV
Eh (redox)	LGW-5	9/2/2021	51.8	0		MV
Eh (redox)	LGW-5	10/5/2021	50.9	0		MV
Eh (redox)	LGW-5	10/5/2021	50.9	0		MV
Eh (redox)	LGW-5	11/2/2021	166.8	0		MV
Eh (redox)	LGW-5	12/9/2021	134.8	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	1/12/2022	181.2	0		MV
Eh (redox)	LGW-5	2/10/2022	124	0		MV
Eh (redox)	LGW-5	3/1/2022	112.1	0		MV
Eh (redox)	LGW-5	4/4/2022	194.6	0		MV
Eh (redox)	LGW-5	4/4/2022	194.6	0		MV
Eh (redox)	LGW-5	5/7/2022	78.6	0		MV
Eh (redox)	LGW-5	6/3/2022	129.8	0		MV
Eh (redox)	LGW-5	7/11/2022	185.4	0		MV
Eh (redox)	LGW-5	8/10/2022	191.2	0		MV
Eh (redox)	LGW-5	9/8/2022	210	0		MV
Eh (redox)	LGW-5	10/6/2022	192.2	0		MV
Eh (redox)	LGW-5	10/6/2022	192.2	0		MV
Eh (redox)	LGW-5	11/3/2022	185.1	0		MV
Eh (redox)	LGW-5	12/7/2022	181.7	0		MV
Eh (redox)	LGW-5	1/10/2023	160.8	0		MV
Eh (redox)	LGW-5	2/3/2023	152.2	0		MV
Eh (redox)	LGW-5	3/1/2023	178.4	0		MV
Eh (redox)	LGW-5	4/6/2023	174	0		MV
Eh (redox)	LGW-5	5/10/2023	183	0		MV
Eh (redox)	LGW-5	6/8/2023	199.4	0		MV
Eh (redox)	LGW-5	7/10/2023	192.5	0		MV
Eh (redox)	LGW-5	8/2/2023	193.9	0		MV
Eh (redox)	LGW-5	9/2/2023	-113.6	0		MV
Eh (redox)	LGW-5	10/5/2023	-112.1	0		MV
Eh (redox)	LGW-6	8/28/2007	28	0		MV
Eh (redox)	LGW-6	11/27/2007	0	0	ND	MV
Eh (redox)	LGW-6	12/27/2007	12	0		MV
Eh (redox)	LGW-6	3/25/2008	5	0		MV
Eh (redox)	LGW-6	5/3/2008	138.5	0		MV
Eh (redox)	LGW-6	5/30/2008	126	0		MV
Eh (redox)	LGW-6	6/26/2008	35.3	0		MV
Eh (redox)	LGW-6	1/16/2020	104.8	0		MV
Eh (redox)	LGW-6	6/2/2020	-21.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-6	7/9/2020	68.7	0		MV
Eh (redox)	LGW-6	7/9/2020	66.7	0		MV
Eh (redox)	LGW-6	7/9/2020	66.7	0		MV
Eh (redox)	LGW-6	8/3/2020	52.2	0		MV
Eh (redox)	LGW-6	11/3/2020	-56.2	0		MV
Eh (redox)	LGW-6	12/3/2020	82.5	0		MV
Eh (redox)	LGW-6	1/18/2021	-16.6	0		MV
Eh (redox)	LGW-6	2/9/2021	137.2	0		MV
Eh (redox)	LGW-6	3/2/2021	112.2	0		MV
Eh (redox)	LGW-6	4/6/2021	50.9	0		MV
Eh (redox)	LGW-6	4/6/2021	50.9	0		MV
Eh (redox)	LGW-6	5/5/2021	99.1	0		MV
Eh (redox)	LGW-6	6/1/2021	57.3	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	7/7/2021	34.2	0		MV
Eh (redox)	LGW-6	8/3/2021	101.7	0		MV
Eh (redox)	LGW-6	9/2/2021	92.1	0		MV
Eh (redox)	LGW-6	10/5/2021	67.4	0		MV
Eh (redox)	LGW-6	10/5/2021	67.4	0		MV
Eh (redox)	LGW-6	11/2/2021	162.2	0		MV
Eh (redox)	LGW-6	12/9/2021	133.2	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	1/12/2022	169.8	0		MV
Eh (redox)	LGW-6	2/10/2022	113.2	0		MV
Eh (redox)	LGW-6	3/1/2022	107.2	0		MV
Eh (redox)	LGW-6	4/4/2022	179	0		MV
Eh (redox)	LGW-6	4/4/2022	179	0		MV
Eh (redox)	LGW-6	5/7/2022	81.6	0		MV
Eh (redox)	LGW-6	6/3/2022	137.3	0		MV
Eh (redox)	LGW-6	7/11/2022	172.2	0		MV
Eh (redox)	LGW-6	8/10/2022	180.2	0		MV
Eh (redox)	LGW-6	9/8/2022	198.9	0		MV
Eh (redox)	LGW-6	10/6/2022	182.7	0		MV
Eh (redox)	LGW-6	10/6/2022	182.7	0		MV
Eh (redox)	LGW-6	11/3/2022	183.1	0		MV
Eh (redox)	LGW-6	12/7/2022	176.7	0		MV
Eh (redox)	LGW-6	1/10/2023	151.4	0		MV
Eh (redox)	LGW-6	2/3/2023	157.2	0		MV
Eh (redox)	LGW-6	3/1/2023	172.9	0		MV
Eh (redox)	LGW-6	4/6/2023	161.2	0		MV
Eh (redox)	LGW-6	5/10/2023	175.2	0		MV
Eh (redox)	LGW-6	6/8/2023	190.5	0		MV
Eh (redox)	LGW-6	7/10/2023	179.4	0		MV
Eh (redox)	LGW-6	8/2/2023	186.6	0		MV
Eh (redox)	LGW-6	9/2/2023	29.7	0		MV
Eh (redox)	LGW-6	10/5/2023	-9.3	0		MV
Eh (redox)	LGW-7	8/29/2007	102	0		MV
Eh (redox)	LGW-7	11/27/2007	27	0		MV
Eh (redox)	LGW-7	12/27/2007	25	0		MV
Eh (redox)	LGW-7	3/25/2008	31	0		MV
Eh (redox)	LGW-7	5/3/2008	141.6	0		MV
Eh (redox)	LGW-7	5/30/2008	125	0		MV
Eh (redox)	LGW-7	6/26/2008	24.6	0		MV
Eh (redox)	LGW-7	1/15/2020	46.6	0		MV
Eh (redox)	LGW-7	6/2/2020	-304	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	7/9/2020	244.7	0		MV
Eh (redox)	LGW-7	8/3/2020	24.7	0		MV
Eh (redox)	LGW-7	11/4/2020	-42.5	0		MV
Eh (redox)	LGW-7	12/3/2020	65.2	0		MV
Eh (redox)	LGW-7	1/18/2021	18.4	0		MV
Eh (redox)	LGW-7	2/9/2021	157.7	0		MV
Eh (redox)	LGW-7	3/2/2021	126.8	0		MV
Eh (redox)	LGW-7	4/7/2021	188.8	0		MV
Eh (redox)	LGW-7	5/5/2021	91	0		MV
Eh (redox)	LGW-7	6/2/2021	70.4	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	7/7/2021	120.7	0		MV
Eh (redox)	LGW-7	8/3/2021	104.2	0		MV
Eh (redox)	LGW-7	9/2/2021	74.1	0		MV
Eh (redox)	LGW-7	10/5/2021	57.2	0		MV
Eh (redox)	LGW-7	10/5/2021	57.2	0		MV
Eh (redox)	LGW-7	11/2/2021	149.9	0		MV
Eh (redox)	LGW-7	12/9/2021	118.6	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	1/13/2022	243.7	0		MV
Eh (redox)	LGW-7	2/10/2022	113.1	0		MV
Eh (redox)	LGW-7	3/2/2022	180.2	0		MV
Eh (redox)	LGW-7	4/4/2022	171.9	0		MV
Eh (redox)	LGW-7	4/4/2022	171.9	0		MV
Eh (redox)	LGW-7	5/7/2022	92.5	0		MV
Eh (redox)	LGW-7	6/3/2022	138.1	0		MV
Eh (redox)	LGW-7	7/11/2022	165.7	0		MV
Eh (redox)	LGW-7	8/10/2022	172	0		MV
Eh (redox)	LGW-7	9/8/2022	182.4	0		MV
Eh (redox)	LGW-7	10/6/2022	162.5	0		MV
Eh (redox)	LGW-7	11/3/2022	158.8	0		MV
Eh (redox)	LGW-7	12/7/2022	161.9	0		MV
Eh (redox)	LGW-7	1/11/2023	121.8	0		MV
Eh (redox)	LGW-7	2/3/2023	139.4	0		MV
Eh (redox)	LGW-7	3/1/2023	163.8	0		MV
Eh (redox)	LGW-7	4/6/2023	155.9	0		MV
Eh (redox)	LGW-7	5/10/2023	171.6	0		MV
Eh (redox)	LGW-7	6/8/2023	182.6	0		MV
Eh (redox)	LGW-7	7/10/2023	179.2	0		MV
Eh (redox)	LGW-7	8/1/2023	184.7	0		MV
Eh (redox)	LGW-7	9/2/2023	80.1	0		MV
Eh (redox)	LGW-7	10/5/2023	91	0		MV
Eh (redox)	LGW-8R	8/29/2007	134	0		MV
Eh (redox)	LGW-8R	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-8R	1/14/2020	20.3	0		MV
Eh (redox)	LGW-8R	6/1/2020	-26.5	0		MV
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV
Eh (redox)	LGW-8R	7/7/2020	275.1	0		MV
Eh (redox)	LGW-8R	8/3/2020	43.2	0		MV
Eh (redox)	LGW-8R	11/2/2020	-54.3	0		MV
Eh (redox)	LGW-8R	12/1/2020	62.5	0		MV
Eh (redox)	LGW-8R	1/17/2021	-13	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-8R	2/9/2021	176.9	0		MV
Eh (redox)	LGW-8R	3/2/2021	140.7	0		MV
Eh (redox)	LGW-8R	4/7/2021	180.2	0		MV
Eh (redox)	LGW-8R	5/5/2021	91.9	0		MV
Eh (redox)	LGW-8R	6/2/2021	91.1	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	7/7/2021	123.7	0		MV
Eh (redox)	LGW-8R	8/3/2021	112	0		MV
Eh (redox)	LGW-8R	9/2/2021	85.5	0		MV
Eh (redox)	LGW-8R	10/5/2021	65.8	0		MV
Eh (redox)	LGW-8R	11/2/2021	152.9	0		MV
Eh (redox)	LGW-8R	12/9/2021	123.9	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	1/13/2022	240	0		MV
Eh (redox)	LGW-8R	2/10/2022	123.6	0		MV
Eh (redox)	LGW-8R	3/2/2022	169.4	0		MV
Eh (redox)	LGW-8R	4/5/2022	230.2	0		MV
Eh (redox)	LGW-8R	5/7/2022	95.5	0		MV
Eh (redox)	LGW-8R	6/3/2022	139.1	0		MV
Eh (redox)	LGW-8R	7/11/2022	156.6	0		MV
Eh (redox)	LGW-8R	8/10/2022	165.9	0		MV
Eh (redox)	LGW-8R	9/8/2022	185	0		MV
Eh (redox)	LGW-8R	10/6/2022	167.8	0		MV
Eh (redox)	LGW-8R	10/6/2022	167.8	0		MV
Eh (redox)	LGW-8R	11/3/2022	171.2	0		MV
Eh (redox)	LGW-8R	12/7/2022	167.5	0		MV
Eh (redox)	LGW-8R	1/11/2023	129.8	0		MV
Eh (redox)	LGW-8R	2/3/2023	153.7	0		MV
Eh (redox)	LGW-8R	3/1/2023	161.5	0		MV
Eh (redox)	LGW-8R	4/6/2023	148.6	0		MV
Eh (redox)	LGW-8R	5/10/2023	173.9	0		MV
Eh (redox)	LGW-8R	6/8/2023	184.2	0		MV
Eh (redox)	LGW-8R	7/10/2023	172.2	0		MV
Eh (redox)	LGW-8R	8/1/2023	187.6	0		MV
Eh (redox)	LGW-8R	9/2/2023	94.9	0		MV
Eh (redox)	LGW-8R	10/5/2023	95.9	0		MV
Eh (redox)	LGW-9	8/28/2007	0	0	ND	MV
Eh (redox)	LGW-9	11/28/2007	0	0	ND	MV
Eh (redox)	LGW-9	12/27/2007	163	0		MV
Eh (redox)	LGW-9	3/25/2008	173	0		MV
Eh (redox)	LGW-9	5/3/2008	25.1	0		MV
Eh (redox)	LGW-9	5/30/2008	54	0		MV
Eh (redox)	LGW-9	6/25/2008	71.6	0		MV
Eh (redox)	LGW-9	1/16/2020	99.5	0		MV
Eh (redox)	LGW-9	6/2/2020	-18.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	7/9/2020	67.8	0		MV
Eh (redox)	LGW-9	8/3/2020	227.9	0		MV
Eh (redox)	LGW-9	11/3/2020	-52.8	0		MV
Eh (redox)	LGW-9	12/2/2020	55.5	0		MV
Eh (redox)	LGW-9	1/17/2021	-56	0		MV
Eh (redox)	LGW-9	2/9/2021	137.5	0		MV
Eh (redox)	LGW-9	3/2/2021	154.6	0		MV
Eh (redox)	LGW-9	4/6/2021	123.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	LGW-9	4/6/2021	123.7	0		MV
Eh (redox)	LGW-9	5/5/2021	87.8	0		MV
Eh (redox)	LGW-9	6/2/2021	113.8	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	7/7/2021	132.9	0		MV
Eh (redox)	LGW-9	8/4/2021	73.3	0		MV
Eh (redox)	LGW-9	9/2/2021	85.2	0		MV
Eh (redox)	LGW-9	10/5/2021	39	0		MV
Eh (redox)	LGW-9	10/5/2021	39	0		MV
Eh (redox)	LGW-9	11/2/2021	145	0		MV
Eh (redox)	LGW-9	12/9/2021	128.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	1/13/2022	237.5	0		MV
Eh (redox)	LGW-9	2/10/2022	131.6	0		MV
Eh (redox)	LGW-9	3/2/2022	166.9	0		MV
Eh (redox)	LGW-9	4/4/2022	179.8	0		MV
Eh (redox)	LGW-9	4/4/2022	179.8	0		MV
Eh (redox)	LGW-9	5/7/2022	108.4	0		MV
Eh (redox)	LGW-9	6/3/2022	154	0		MV
Eh (redox)	LGW-9	7/11/2022	161.3	0		MV
Eh (redox)	LGW-9	8/10/2022	172.1	0		MV
Eh (redox)	LGW-9	9/8/2022	192.9	0		MV
Eh (redox)	LGW-9	10/7/2022	191.1	0		MV
Eh (redox)	LGW-9	10/7/2022	191.1	0		MV
Eh (redox)	LGW-9	11/3/2022	193.3	0		MV
Eh (redox)	LGW-9	12/7/2022	191.5	0		MV
Eh (redox)	LGW-9	1/11/2023	134.4	0		MV
Eh (redox)	LGW-9	2/3/2023	148.1	0		MV
Eh (redox)	LGW-9	3/1/2023	179.1	0		MV
Eh (redox)	LGW-9	4/5/2023	192.6	0		MV
Eh (redox)	LGW-9	5/10/2023	184.4	0		MV
Eh (redox)	LGW-9	6/8/2023	206.5	0		MV
Eh (redox)	LGW-9	7/10/2023	181	0		MV
Eh (redox)	LGW-9	8/1/2023	201.9	0		MV
Eh (redox)	LGW-9	9/2/2023	143.4	0		MV
Eh (redox)	LGW-9	10/5/2023	79.7	0		MV
Eh (redox)	MW-10N	1/16/2020	111.9	0		MV
Eh (redox)	MW-10N	7/8/2020	24.4	0		MV
Eh (redox)	MW-10N	7/8/2020	24.4	0		MV
Eh (redox)	MW-10N	7/5/2021	-175.5	0		MV
Eh (redox)	MW-10N	7/5/2021	-175.5	0		MV
Eh (redox)	MW-10N	1/11/2023	97.4	0		MV
Eh (redox)	MW-10N	4/8/2023	135.6	0		MV
Eh (redox)	MW-10N	7/7/2023	141.1	0		MV
Eh (redox)	MW-11N	1/14/2020	46.4	0		MV
Eh (redox)	MW-11N	7/6/2020	226.8	0		MV
Eh (redox)	MW-11N	7/6/2020	226.8	0		MV
Eh (redox)	MW-11N	1/18/2021	14.3	0		MV
Eh (redox)	MW-11N	7/6/2021	172.3	0		MV
Eh (redox)	MW-11N	7/6/2021	172.3	0		MV
Eh (redox)	MW-11N	1/18/2022	261.2	0		MV
Eh (redox)	MW-11N	1/18/2022	261.2	0		MV
Eh (redox)	MW-11N	7/13/2022	162.3	0		MV
Eh (redox)	MW-11N	10/6/2022	165.6	0		MV
Eh (redox)	MW-11N	1/10/2023	132.4	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-11N	7/8/2023	166.3	0		MV
Eh (redox)	MW-15	1/14/2020	203.6	0		MV
Eh (redox)	MW-15	6/2/2020	-25.1	0		MV
Eh (redox)	MW-15	7/7/2020	70.2	0		MV
Eh (redox)	MW-15	7/7/2020	70.2	0		MV
Eh (redox)	MW-15	8/3/2020	121.7	0		MV
Eh (redox)	MW-15	8/3/2020	121.7	0		MV
Eh (redox)	MW-15	11/4/2020	39.4	0		MV
Eh (redox)	MW-15	12/2/2020	105.7	0		MV
Eh (redox)	MW-15	1/18/2021	50.5	0		MV
Eh (redox)	MW-15	1/18/2021	50.5	0		MV
Eh (redox)	MW-15	2/10/2021	252.1	0		MV
Eh (redox)	MW-15	3/2/2021	230.2	0		MV
Eh (redox)	MW-15	4/7/2021	172.6	0		MV
Eh (redox)	MW-15	5/4/2021	181.4	0		MV
Eh (redox)	MW-15	6/1/2021	139.9	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	7/4/2021	162.2	0		MV
Eh (redox)	MW-15	8/3/2021	183.2	0		MV
Eh (redox)	MW-15	9/2/2021	163.3	0		MV
Eh (redox)	MW-15	10/5/2021	131.9	0		MV
Eh (redox)	MW-15	10/5/2021	131.9	0		MV
Eh (redox)	MW-15	11/1/2021	78.1	0		MV
Eh (redox)	MW-15	12/8/2021	160.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	1/12/2022	203.2	0		MV
Eh (redox)	MW-15	2/9/2022	156.7	0		MV
Eh (redox)	MW-15	3/1/2022	173.9	0		MV
Eh (redox)	MW-15	4/5/2022	233.4	0		MV
Eh (redox)	MW-15	5/7/2022	128.2	0		MV
Eh (redox)	MW-15	6/3/2022	182.1	0		MV
Eh (redox)	MW-15	7/10/2022	272.5	0		MV
Eh (redox)	MW-15	8/10/2022	195.6	0		MV
Eh (redox)	MW-15	9/8/2022	206.8	0		MV
Eh (redox)	MW-15	10/6/2022	189.6	0		MV
Eh (redox)	MW-15	10/6/2022	189.6	0		MV
Eh (redox)	MW-15	11/3/2022	167.3	0		MV
Eh (redox)	MW-15	12/7/2022	163.1	0		MV
Eh (redox)	MW-15	1/10/2023	163	0		MV
Eh (redox)	MW-15	2/3/2023	139.9	0		MV
Eh (redox)	MW-15	3/1/2023	164.1	0		MV
Eh (redox)	MW-15	4/5/2023	178.2	0		MV
Eh (redox)	MW-15	5/11/2023	180.2	0		MV
Eh (redox)	MW-15	6/8/2023	183.8	0		MV
Eh (redox)	MW-15	7/10/2023	178.1	0		MV
Eh (redox)	MW-15	8/1/2023	196.7	0		MV
Eh (redox)	MW-15	9/1/2023	108.1	0		MV
Eh (redox)	MW-15	10/4/2023	151.8	0		MV
Eh (redox)	MW-16	1/14/2020	172.8	0		MV
Eh (redox)	MW-16	6/3/2020	0.7	0		MV
Eh (redox)	MW-16	7/7/2020	65.3	0		MV
Eh (redox)	MW-16	7/7/2020	65.3	0		MV
Eh (redox)	MW-16	8/3/2020	189.5	0		MV
Eh (redox)	MW-16	8/3/2020	189.5	0		MV
Eh (redox)	MW-16	11/4/2020	-2.1	0		MV
Eh (redox)	MW-16	12/3/2020	76.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-16	1/18/2021	18.1	0		MV
Eh (redox)	MW-16	1/18/2021	18.1	0		MV
Eh (redox)	MW-16	2/10/2021	215	0		MV
Eh (redox)	MW-16	3/2/2021	211.9	0		MV
Eh (redox)	MW-16	4/7/2021	148	0		MV
Eh (redox)	MW-16	5/4/2021	135.7	0		MV
Eh (redox)	MW-16	6/1/2021	125.5	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	7/4/2021	128.4	0		MV
Eh (redox)	MW-16	8/3/2021	164.4	0		MV
Eh (redox)	MW-16	9/2/2021	143.9	0		MV
Eh (redox)	MW-16	10/5/2021	110.2	0		MV
Eh (redox)	MW-16	11/1/2021	55.6	0		MV
Eh (redox)	MW-16	12/8/2021	141.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	1/12/2022	186.3	0		MV
Eh (redox)	MW-16	2/9/2022	124.3	0		MV
Eh (redox)	MW-16	3/1/2022	168	0		MV
Eh (redox)	MW-16	4/5/2022	200.4	0		MV
Eh (redox)	MW-16	5/7/2022	124.2	0		MV
Eh (redox)	MW-16	6/3/2022	165.7	0		MV
Eh (redox)	MW-16	7/10/2022	239.2	0		MV
Eh (redox)	MW-16	8/10/2022	182.9	0		MV
Eh (redox)	MW-16	9/8/2022	182.6	0		MV
Eh (redox)	MW-16	10/6/2022	170.2	0		MV
Eh (redox)	MW-16	11/3/2022	141	0		MV
Eh (redox)	MW-16	12/7/2022	136.8	0		MV
Eh (redox)	MW-16	1/10/2023	140.1	0		MV
Eh (redox)	MW-16	2/3/2023	118.2	0		MV
Eh (redox)	MW-16	3/1/2023	133.5	0		MV
Eh (redox)	MW-16	4/5/2023	151.2	0		MV
Eh (redox)	MW-16	5/11/2023	168.6	0		MV
Eh (redox)	MW-16	6/8/2023	144.4	0		MV
Eh (redox)	MW-16	7/10/2023	148.6	0		MV
Eh (redox)	MW-16	8/1/2023	177.4	0		MV
Eh (redox)	MW-16	9/1/2023	82	0		MV
Eh (redox)	MW-16	10/4/2023	129.2	0		MV
Eh (redox)	MW-17	1/14/2020	199.1	0		MV
Eh (redox)	MW-17	6/2/2020	-30.3	0		MV
Eh (redox)	MW-17	7/6/2020	85.7	0		MV
Eh (redox)	MW-17	7/6/2020	85.7	0		MV
Eh (redox)	MW-17	8/3/2020	234.8	0		MV
Eh (redox)	MW-17	8/3/2020	234.8	0		MV
Eh (redox)	MW-17	11/4/2020	-23	0		MV
Eh (redox)	MW-17	12/3/2020	119.3	0		MV
Eh (redox)	MW-17	1/14/2021	75.3	0		MV
Eh (redox)	MW-17	2/10/2021	236.6	0		MV
Eh (redox)	MW-17	3/2/2021	192.5	0		MV
Eh (redox)	MW-17	4/7/2021	154.9	0		MV
Eh (redox)	MW-17	5/4/2021	147.3	0		MV
Eh (redox)	MW-17	6/1/2021	137.2	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	7/4/2021	128.3	0		MV
Eh (redox)	MW-17	8/3/2021	180.5	0		MV
Eh (redox)	MW-17	9/2/2021	152.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-17	10/5/2021	122	0		MV
Eh (redox)	MW-17	10/5/2021	122	0		MV
Eh (redox)	MW-17	11/1/2021	58.8	0		MV
Eh (redox)	MW-17	12/8/2021	152.9	0		MV
Eh (redox)	MW-17	1/10/2023	160.4	0		MV
Eh (redox)	MW-17	2/4/2023	775.3	0		MV
Eh (redox)	MW-17	3/1/2023	165.2	0		MV
Eh (redox)	MW-17	4/5/2023	184	0		MV
Eh (redox)	MW-17	5/10/2023	192.6	0		MV
Eh (redox)	MW-17	6/8/2023	167.9	0		MV
Eh (redox)	MW-17	7/8/2023	181	0		MV
Eh (redox)	MW-17	8/2/2023	165.2	0		MV
Eh (redox)	MW-17	9/1/2023	88.5	0		MV
Eh (redox)	MW-17	10/3/2023	53.6	0		MV
Eh (redox)	MW-19	1/14/2020	178.6	0		MV
Eh (redox)	MW-19	6/2/2020	-20.3	0		MV
Eh (redox)	MW-19	7/6/2020	79.8	0		MV
Eh (redox)	MW-19	7/6/2020	79.8	0		MV
Eh (redox)	MW-19	8/3/2020	207.7	0		MV
Eh (redox)	MW-19	8/3/2020	207.7	0		MV
Eh (redox)	MW-19	11/3/2020	-46.1	0		MV
Eh (redox)	MW-19	12/3/2020	109.3	0		MV
Eh (redox)	MW-19	1/14/2021	43.6	0		MV
Eh (redox)	MW-19	2/10/2021	254.6	0		MV
Eh (redox)	MW-19	3/2/2021	190.4	0		MV
Eh (redox)	MW-19	4/7/2021	138.3	0		MV
Eh (redox)	MW-19	5/4/2021	149	0		MV
Eh (redox)	MW-19	6/1/2021	126.6	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	7/4/2021	132.3	0		MV
Eh (redox)	MW-19	8/3/2021	187.9	0		MV
Eh (redox)	MW-19	9/2/2021	130.9	0		MV
Eh (redox)	MW-19	10/5/2021	128.2	0		MV
Eh (redox)	MW-19	11/1/2021	56.3	0		MV
Eh (redox)	MW-19	12/8/2021	174.7	0		MV
Eh (redox)	MW-19	12/7/2022	128.9	0		MV
Eh (redox)	MW-19	1/11/2023	99.1	0		MV
Eh (redox)	MW-19	2/3/2023	116.5	0		MV
Eh (redox)	MW-19	3/1/2023	134.8	0		MV
Eh (redox)	MW-19	4/6/2023	130.2	0		MV
Eh (redox)	MW-19	5/10/2023	166.1	0		MV
Eh (redox)	MW-19	6/8/2023	138.9	0		MV
Eh (redox)	MW-19	7/10/2023	141.1	0		MV
Eh (redox)	MW-19	8/1/2023	152.4	0		MV
Eh (redox)	MW-19	9/1/2023	64.8	0		MV
Eh (redox)	MW-19	10/3/2023	135.6	0		MV
Eh (redox)	MW-1N	7/6/2020	89.3	0		MV
Eh (redox)	MW-1N	7/6/2020	89.3	0		MV
Eh (redox)	MW-1N	7/4/2021	93.5	0		MV
Eh (redox)	MW-1N	7/4/2021	93.5	0		MV
Eh (redox)	MW-1N	10/6/2021	100.6	0		MV
Eh (redox)	MW-1N	1/11/2023	105.9	0		MV
Eh (redox)	MW-1N	7/8/2023	168.9	0		MV
Eh (redox)	MW-20	1/14/2020	187.8	0		MV
Eh (redox)	MW-20	7/7/2020	103.1	0		MV
Eh (redox)	MW-20	7/7/2020	103.1	0		MV
Eh (redox)	MW-20	4/6/2021	89.2	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-20	7/4/2021	189.9	0		MV
Eh (redox)	MW-20	7/4/2021	189.9	0		MV
Eh (redox)	MW-20	1/11/2023	139.5	0		MV
Eh (redox)	MW-21	1/16/2020	58	0		MV
Eh (redox)	MW-21	7/8/2020	58.5	0		MV
Eh (redox)	MW-21	7/8/2020	58.5	0		MV
Eh (redox)	MW-21	4/6/2021	95.4	0		MV
Eh (redox)	MW-21	7/5/2021	89.8	0		MV
Eh (redox)	MW-21	7/5/2021	89.8	0		MV
Eh (redox)	MW-21	10/6/2021	156.8	0		MV
Eh (redox)	MW-21	1/11/2023	163.3	0		MV
Eh (redox)	MW-21	4/8/2023	195.9	0		MV
Eh (redox)	MW-21	7/7/2023	185.7	0		MV
Eh (redox)	MW-21	10/6/2023	26.9	0		MV
Eh (redox)	MW-2N	7/7/2020	65.5	0		MV
Eh (redox)	MW-2N	7/7/2020	65.5	0		MV
Eh (redox)	MW-2N	7/5/2021	195.8	0		MV
Eh (redox)	MW-2N	7/5/2021	195.8	0		MV
Eh (redox)	MW-2N	10/6/2021	107.5	0		MV
Eh (redox)	MW-2N	1/11/2023	115.9	0		MV
Eh (redox)	MW-2N	4/8/2023	150.9	0		MV
Eh (redox)	MW-2N	7/8/2023	175.4	0		MV
Eh (redox)	MW-3N	5/3/2008	92.3	0		MV
Eh (redox)	MW-3N	1/15/2020	37.4	0		MV
Eh (redox)	MW-3N	7/7/2020	95.9	0		MV
Eh (redox)	MW-3N	7/7/2020	95.9	0		MV
Eh (redox)	MW-3N	4/6/2021	134.8	0		MV
Eh (redox)	MW-3N	7/5/2021	183.4	0		MV
Eh (redox)	MW-3N	7/5/2021	183.4	0		MV
Eh (redox)	MW-3N	10/6/2021	133.2	0		MV
Eh (redox)	MW-3N	1/11/2023	134.4	0		MV
Eh (redox)	MW-3N	7/7/2023	166.3	0		MV
Eh (redox)	MW-3N	10/6/2023	110.5	0		MV
Eh (redox)	MW-7N	8/29/2007	0	0	ND	MV
Eh (redox)	MW-7N	11/27/2007	152	0		MV
Eh (redox)	MW-7N	12/27/2007	152	0		MV
Eh (redox)	MW-7N	3/24/2008	209	0		MV
Eh (redox)	MW-7N	5/3/2008	25.6	0		MV
Eh (redox)	MW-7N	5/30/2008	51	0		MV
Eh (redox)	MW-7N	6/25/2008	31.9	0		MV
Eh (redox)	MW-7N	1/16/2020	85.5	0		MV
Eh (redox)	MW-7N	6/2/2020	-24.7	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	7/7/2020	280.3	0		MV
Eh (redox)	MW-7N	8/3/2020	282.9	0		MV
Eh (redox)	MW-7N	11/3/2020	-47.2	0		MV
Eh (redox)	MW-7N	12/2/2020	38.4	0		MV
Eh (redox)	MW-7N	1/16/2021	40.2	0		MV
Eh (redox)	MW-7N	2/9/2021	161.4	0		MV
Eh (redox)	MW-7N	3/2/2021	162.7	0		MV
Eh (redox)	MW-7N	4/7/2021	164.8	0		MV
Eh (redox)	MW-7N	5/5/2021	93.9	0		MV
Eh (redox)	MW-7N	6/2/2021	111.5	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	7/5/2021	65.8	0		MV
Eh (redox)	MW-7N	8/3/2021	126.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	MW-7N	9/2/2021	160.8	0		MV
Eh (redox)	MW-7N	10/5/2021	146.8	0		MV
Eh (redox)	MW-7N	10/5/2021	146.8	0		MV
Eh (redox)	MW-7N	11/1/2021	50.5	0		MV
Eh (redox)	MW-7N	12/8/2021	186.2	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	1/12/2022	206	0		MV
Eh (redox)	MW-7N	2/9/2022	129.6	0		MV
Eh (redox)	MW-7N	3/1/2022	206.7	0		MV
Eh (redox)	MW-7N	4/4/2022	201.6	0		MV
Eh (redox)	MW-7N	4/4/2022	201.6	0		MV
Eh (redox)	MW-7N	5/7/2022	144.1	0		MV
Eh (redox)	MW-7N	6/3/2022	184.9	0		MV
Eh (redox)	MW-7N	7/10/2022	251.8	0		MV
Eh (redox)	MW-7N	8/10/2022	160.9	0		MV
Eh (redox)	MW-7N	9/8/2022	207.8	0		MV
Eh (redox)	MW-7N	10/6/2022	181.4	0		MV
Eh (redox)	MW-7N	10/6/2022	181.4	0		MV
Eh (redox)	MW-7N	11/3/2022	190.4	0		MV
Eh (redox)	MW-7N	12/7/2022	183.6	0		MV
Eh (redox)	MW-7N	1/10/2023	165.2	0		MV
Eh (redox)	MW-7N	2/3/2023	158.2	0		MV
Eh (redox)	MW-7N	3/1/2023	173.8	0		MV
Eh (redox)	MW-7N	4/5/2023	184.9	0		MV
Eh (redox)	MW-7N	5/10/2023	175.9	0		MV
Eh (redox)	MW-7N	6/8/2023	195.1	0		MV
Eh (redox)	MW-7N	7/7/2023	165.9	0		MV
Eh (redox)	MW-7N	8/1/2023	186	0		MV
Eh (redox)	MW-7N	9/2/2023	146.2	0		MV
Eh (redox)	MW-7N	10/4/2023	139.9	0		MV
Eh (redox)	MW-8N	5/3/2008	142.6	0		MV
Eh (redox)	MW-8N	1/15/2020	132.1	0		MV
Eh (redox)	MW-8N	7/9/2020	60.8	0		MV
Eh (redox)	MW-8N	7/9/2020	60.8	0		MV
Eh (redox)	MW-8N	4/6/2021	106.2	0		MV
Eh (redox)	MW-8N	7/5/2021	84.5	0		MV
Eh (redox)	MW-8N	7/5/2021	84.5	0		MV
Eh (redox)	MW-8N	10/6/2021	124.3	0		MV
Eh (redox)	MW-8N	1/18/2022	264.7	0		MV
Eh (redox)	MW-8N	1/18/2022	264.7	0		MV
Eh (redox)	MW-8N	4/4/2022	199.3	0		MV
Eh (redox)	MW-8N	7/12/2022	276.4	0		MV
Eh (redox)	MW-8N	10/6/2022	187.3	0		MV
Eh (redox)	MW-8N	1/11/2023	146.9	0		MV
Eh (redox)	MW-8N	4/8/2023	163.4	0		MV
Eh (redox)	MW-8N	7/7/2023	182.7	0		MV
Eh (redox)	MW-8N	10/5/2023	91.8	0		MV
Eh (redox)	NE-1	7/8/2020	61.9	0		MV
Eh (redox)	NE-1	7/8/2020	61.9	0		MV
Eh (redox)	NE-1	4/9/2021	168.6	0		MV
Eh (redox)	NE-1	7/2/2021	206.2	0		MV
Eh (redox)	NE-1	7/2/2021	206.2	0		MV
Eh (redox)	NE-1	10/6/2021	100.2	0		MV
Eh (redox)	NE-1	1/17/2022	254	0		MV
Eh (redox)	NE-1	1/17/2022	254	0		MV
Eh (redox)	NE-1	4/6/2022	180.5	0		MV
Eh (redox)	NE-1	7/13/2022	219.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-1	10/6/2022	160.6	0		MV
Eh (redox)	NE-1	1/5/2023	134.8	0		MV
Eh (redox)	NE-1	4/7/2023	151.7	0		MV
Eh (redox)	NE-1	7/5/2023	182.7	0		MV
Eh (redox)	NE-1	10/5/2023	-16.8	0		MV
Eh (redox)	NE-10D	7/8/2020	68.2	0		MV
Eh (redox)	NE-10D	7/8/2020	68.2	0		MV
Eh (redox)	NE-10D	4/9/2021	176.1	0		MV
Eh (redox)	NE-10D	7/2/2021	118.2	0		MV
Eh (redox)	NE-10D	7/2/2021	118.2	0		MV
Eh (redox)	NE-10D	10/7/2021	136.2	0		MV
Eh (redox)	NE-10D	1/6/2023	128	0		MV
Eh (redox)	NE-10D	4/6/2023	177.3	0		MV
Eh (redox)	NE-10D	7/8/2023	161.5	0		MV
Eh (redox)	NE-10D	10/3/2023	97.5	0		MV
Eh (redox)	NE-11	1/14/2020	42.1	0		MV
Eh (redox)	NE-11	7/7/2020	174.5	0		MV
Eh (redox)	NE-11	7/7/2020	174.5	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	7/1/2021	132.8	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	1/17/2022	240.5	0		MV
Eh (redox)	NE-11	7/12/2022	269.1	0		MV
Eh (redox)	NE-11	1/6/2023	138.3	0		MV
Eh (redox)	NE-11	7/6/2023	203.8	0		MV
Eh (redox)	NE-12	1/13/2020	42.9	0		MV
Eh (redox)	NE-12	7/7/2020	272.6	0		MV
Eh (redox)	NE-12	7/7/2020	272.6	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	7/1/2021	127	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	1/17/2022	238.6	0		MV
Eh (redox)	NE-12	7/12/2022	261.5	0		MV
Eh (redox)	NE-12	1/6/2023	128.3	0		MV
Eh (redox)	NE-12	7/5/2023	182.7	0		MV
Eh (redox)	NE-13	1/15/2020	116.9	0		MV
Eh (redox)	NE-13	7/8/2020	211.7	0		MV
Eh (redox)	NE-13	7/8/2020	211.7	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-13	7/1/2021	178.2	0		MV
Eh (redox)	NE-14D	7/7/2020	285	0		MV
Eh (redox)	NE-14D	7/7/2020	285	0		MV
Eh (redox)	NE-14D	4/9/2021	106.1	0		MV
Eh (redox)	NE-14D	7/2/2021	71.7	0		MV
Eh (redox)	NE-14D	7/2/2021	71.7	0		MV
Eh (redox)	NE-14D	10/7/2021	145.9	0		MV
Eh (redox)	NE-14D	1/18/2022	261.6	0		MV
Eh (redox)	NE-14D	1/18/2022	261.6	0		MV
Eh (redox)	NE-14D	4/6/2022	111.1	0		MV
Eh (redox)	NE-14D	7/13/2022	186.3	0		MV
Eh (redox)	NE-14D	10/7/2022	171.7	0		MV
Eh (redox)	NE-14D	1/6/2023	150.7	0		MV
Eh (redox)	NE-14D	4/6/2023	153.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-14D	7/5/2023	185.1	0		MV
Eh (redox)	NE-14D	10/4/2023	145.8	0		MV
Eh (redox)	NE-14S	7/7/2020	294	0		MV
Eh (redox)	NE-14S	7/7/2020	294	0		MV
Eh (redox)	NE-14S	4/9/2021	114.1	0		MV
Eh (redox)	NE-14S	7/2/2021	117.7	0		MV
Eh (redox)	NE-14S	7/2/2021	117.7	0		MV
Eh (redox)	NE-14S	10/7/2021	143.1	0		MV
Eh (redox)	NE-14S	1/18/2022	269.8	0		MV
Eh (redox)	NE-14S	1/18/2022	269.8	0		MV
Eh (redox)	NE-14S	4/6/2022	129.9	0		MV
Eh (redox)	NE-14S	7/13/2022	205.3	0		MV
Eh (redox)	NE-14S	10/7/2022	176.8	0		MV
Eh (redox)	NE-14S	1/6/2023	154.8	0		MV
Eh (redox)	NE-14S	4/6/2023	172.6	0		MV
Eh (redox)	NE-14S	7/5/2023	187.1	0		MV
Eh (redox)	NE-14S	10/4/2023	129.1	0		MV
Eh (redox)	NE-15D	7/7/2020	155.1	0		MV
Eh (redox)	NE-15D	7/7/2020	155.1	0		MV
Eh (redox)	NE-15D	4/9/2021	89	0		MV
Eh (redox)	NE-15D	7/2/2021	57.8	0		MV
Eh (redox)	NE-15D	7/2/2021	57.8	0		MV
Eh (redox)	NE-15D	10/7/2021	136	0		MV
Eh (redox)	NE-15D	1/17/2022	228.4	0		MV
Eh (redox)	NE-15D	1/17/2022	228.4	0		MV
Eh (redox)	NE-15D	4/6/2022	104.9	0		MV
Eh (redox)	NE-15D	7/13/2022	155	0		MV
Eh (redox)	NE-15D	10/7/2022	170.2	0		MV
Eh (redox)	NE-15D	1/6/2023	138.3	0		MV
Eh (redox)	NE-15D	4/6/2023	149.3	0		MV
Eh (redox)	NE-15D	7/6/2023	193.1	0		MV
Eh (redox)	NE-15D	10/6/2023	52.7	0		MV
Eh (redox)	NE-2	7/7/2020	271.9	0		MV
Eh (redox)	NE-2	7/7/2020	271.9	0		MV
Eh (redox)	NE-2	4/9/2021	165.1	0		MV
Eh (redox)	NE-2	7/2/2021	209.4	0		MV
Eh (redox)	NE-2	7/2/2021	209.4	0		MV
Eh (redox)	NE-2	10/6/2021	111.7	0		MV
Eh (redox)	NE-2	1/18/2022	252.9	0		MV
Eh (redox)	NE-2	1/18/2022	252.9	0		MV
Eh (redox)	NE-2	4/6/2022	184.9	0		MV
Eh (redox)	NE-2	7/13/2022	135.8	0		MV
Eh (redox)	NE-2	10/7/2022	177	0		MV
Eh (redox)	NE-2	1/5/2023	166.1	0		MV
Eh (redox)	NE-2	4/5/2023	202.1	0		MV
Eh (redox)	NE-2	7/5/2023	193.7	0		MV
Eh (redox)	NE-2	10/4/2023	134.1	0		MV
Eh (redox)	NE-4	7/6/2020	153.6	0		MV
Eh (redox)	NE-4	7/6/2020	153.6	0		MV
Eh (redox)	NE-4	4/9/2021	199	0		MV
Eh (redox)	NE-4	7/2/2021	107.6	0		MV
Eh (redox)	NE-4	7/2/2021	107.6	0		MV
Eh (redox)	NE-4	10/6/2021	100.3	0		MV
Eh (redox)	NE-4	1/5/2023	138.1	0		MV
Eh (redox)	NE-4	4/6/2023	135.9	0		MV
Eh (redox)	NE-4	7/5/2023	199.7	0		MV
Eh (redox)	NE-4	10/4/2023	127.6	0		MV
Eh (redox)	NE-5	5/3/2008	40.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-5	7/8/2020	-93.5	0		MV
Eh (redox)	NE-5	7/8/2020	-93.5	0		MV
Eh (redox)	NE-5	4/9/2021	-74.8	0		MV
Eh (redox)	NE-5	7/2/2021	-77.3	0		MV
Eh (redox)	NE-5	7/2/2021	-77.3	0		MV
Eh (redox)	NE-5	10/6/2021	-42.7	0		MV
Eh (redox)	NE-5	1/18/2022	177.6	0		MV
Eh (redox)	NE-5	1/18/2022	177.6	0		MV
Eh (redox)	NE-5	4/6/2022	50.6	0		MV
Eh (redox)	NE-5	7/13/2022	156.9	0		MV
Eh (redox)	NE-5	10/7/2022	183.8	0		MV
Eh (redox)	NE-5	1/5/2023	161.1	0		MV
Eh (redox)	NE-5	4/7/2023	169.5	0		MV
Eh (redox)	NE-5	7/6/2023	196	0		MV
Eh (redox)	NE-5	10/4/2023	-75.3	0		MV
Eh (redox)	NE-5E	7/8/2020	157.6	0		MV
Eh (redox)	NE-5E	7/8/2020	157.6	0		MV
Eh (redox)	NE-5E	4/9/2021	49.3	0		MV
Eh (redox)	NE-5E	7/2/2021	33.4	0		MV
Eh (redox)	NE-5E	7/2/2021	33.4	0		MV
Eh (redox)	NE-5E	10/6/2021	13.9	0		MV
Eh (redox)	NE-5E	1/18/2022	184.6	0		MV
Eh (redox)	NE-5E	1/18/2022	184.6	0		MV
Eh (redox)	NE-5E	4/6/2022	79.1	0		MV
Eh (redox)	NE-5E	7/13/2022	182.3	0		MV
Eh (redox)	NE-5E	10/7/2022	187	0		MV
Eh (redox)	NE-5E	1/5/2023	155.2	0		MV
Eh (redox)	NE-5E	4/7/2023	167.8	0		MV
Eh (redox)	NE-5E	7/6/2023	199.8	0		MV
Eh (redox)	NE-5E	10/4/2023	10.8	0		MV
Eh (redox)	NE-5W	7/8/2020	-118.9	0		MV
Eh (redox)	NE-5W	7/8/2020	-118.9	0		MV
Eh (redox)	NE-5W	4/9/2021	81.4	0		MV
Eh (redox)	NE-5W	7/2/2021	-54.9	0		MV
Eh (redox)	NE-5W	7/2/2021	-54.9	0		MV
Eh (redox)	NE-5W	10/6/2021	-24.6	0		MV
Eh (redox)	NE-5W	1/18/2022	243.2	0		MV
Eh (redox)	NE-5W	1/18/2022	243.2	0		MV
Eh (redox)	NE-5W	4/6/2022	137.3	0		MV
Eh (redox)	NE-5W	7/13/2022	121.9	0		MV
Eh (redox)	NE-5W	10/7/2022	190.1	0		MV
Eh (redox)	NE-5W	1/5/2023	161.6	0		MV
Eh (redox)	NE-5W	4/7/2023	163.9	0		MV
Eh (redox)	NE-5W	7/6/2023	199.6	0		MV
Eh (redox)	NE-5W	10/4/2023	49.3	0		MV
Eh (redox)	NE-6	1/15/2020	130.2	0		MV
Eh (redox)	NE-6	7/9/2020	64.7	0		MV
Eh (redox)	NE-6	7/9/2020	64.7	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	7/1/2021	31.3	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	1/17/2022	244	0		MV
Eh (redox)	NE-6	7/12/2022	255.5	0		MV
Eh (redox)	NE-6	1/5/2023	150.4	0		MV
Eh (redox)	NE-6	7/6/2023	185.9	0		MV
Eh (redox)	NE-6D	7/9/2020	68.7	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Eh (redox)	NE-6D	7/9/2020	68.7	0		MV
Eh (redox)	NE-6D	4/9/2021	166.8	0		MV
Eh (redox)	NE-6D	7/2/2021	174.6	0		MV
Eh (redox)	NE-6D	7/2/2021	174.6	0		MV
Eh (redox)	NE-6D	10/7/2021	173.5	0		MV
Eh (redox)	NE-6D	1/17/2022	255.2	0		MV
Eh (redox)	NE-6D	1/17/2022	255.2	0		MV
Eh (redox)	NE-6D	4/6/2022	183.6	0		MV
Eh (redox)	NE-6D	7/12/2022	259.1	0		MV
Eh (redox)	NE-6D	10/7/2022	171.2	0		MV
Eh (redox)	NE-6D	1/5/2023	146.8	0		MV
Eh (redox)	NE-6D	4/7/2023	164.7	0		MV
Eh (redox)	NE-6D	7/6/2023	191	0		MV
Eh (redox)	NE-6D	10/4/2023	137	0		MV
Eh (redox)	NE-7	1/16/2020	138.2	0		MV
Eh (redox)	NE-7	7/7/2020	310.1	0		MV
Eh (redox)	NE-7	7/7/2020	310.1	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	7/1/2021	139.7	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	1/17/2022	253	0		MV
Eh (redox)	NE-7	7/12/2022	288.1	0		MV
Eh (redox)	NE-7	1/5/2023	164.6	0		MV
Eh (redox)	NE-7	7/6/2023	216.2	0		MV
Eh (redox)	NE-8	1/15/2020	13.1	0		MV
Eh (redox)	NE-8	7/8/2020	47	0		MV
Eh (redox)	NE-8	7/8/2020	47	0		MV
Eh (redox)	NE-8	4/9/2021	180.3	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	7/1/2021	129.6	0		MV
Eh (redox)	NE-8	10/7/2021	159.1	0		MV
Eh (redox)	NE-8	1/6/2023	160.4	0		MV
Eh (redox)	NE-8	7/5/2023	197.8	0		MV
Eh (redox)	NE-9	1/15/2020	45.9	0		MV
Eh (redox)	NE-9	7/7/2020	283.8	0		MV
Eh (redox)	NE-9	7/7/2020	283.8	0		MV
Eh (redox)	NE-9	7/1/2021	137.1	0		MV
Eh (redox)	NE-9	7/1/2021	137.1	0		MV
Eh (redox)	NE-9	7/1/2021	137.1	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	1/17/2022	242.9	0		MV
Eh (redox)	NE-9	7/13/2022	212	0		MV
Eh (redox)	NE-9	1/6/2023	154.5	0		MV
Eh (redox)	NE-9	4/8/2023	164.9	0		MV
Eh (redox)	NE-9	7/5/2023	206.7	0		MV
Eh (redox)	NE-9	10/6/2023	108	0		MV
Endosulfan i	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-10	7/11/2019	0.051	0.051	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan i	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan i	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan i	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan i	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan i	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan i	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan i	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan i	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endosulfan i	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan i	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan i	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan i	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan i	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan i	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan i	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan i	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan i	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan i	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan i	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan i	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan i	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan i	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan i	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-2N	2/12/2015	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan i	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan i	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan i	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan i	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan i	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan i	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan i	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan i	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/11/2012	0.34	0.047		ug/L
Endosulfan i	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan i	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan i	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan i	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan i	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan i	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan i	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan i	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endosulfan i	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan i	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan i	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan i	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan i	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan i	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan i	NE-5	7/9/2019	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan ii	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan ii	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endosulfan ii	LGW-7	10/6/2016	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan ii	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan ii	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan ii	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan ii	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan ii	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan ii	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan ii	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan ii	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan ii	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-21	7/11/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan ii	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan ii	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan ii	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan ii	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan ii	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan ii	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan ii	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan ii	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan ii	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan ii	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan ii	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan ii	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan ii	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan ii	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-4	2/13/2015	0.047	0.047	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan ii	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan ii	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan ii	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan ii	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan ii	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan ii	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan ii	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan sulfate	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endosulfan sulfate	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endosulfan sulfate	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endosulfan sulfate	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	7/9/2020	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endosulfan sulfate	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endosulfan sulfate	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endosulfan sulfate	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endosulfan sulfate	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	10/14/1998	0.1	0.1	ND	ug/L
Endosulfan sulfate	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-1N	7/10/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endosulfan sulfate	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endosulfan sulfate	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endosulfan sulfate	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endosulfan sulfate	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endosulfan sulfate	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endosulfan sulfate	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endosulfan sulfate	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-1	7/10/2012	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endosulfan sulfate	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endosulfan sulfate	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endosulfan sulfate	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endosulfan sulfate	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endosulfan sulfate	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endosulfan sulfate	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endosulfan sulfate	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endrin	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endrin	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endrin	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endrin	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Endrin	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endrin	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endrin	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endrin	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endrin	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endrin	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endrin	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endrin	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endrin	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endrin	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endrin	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endrin	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endrin	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endrin	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endrin	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Endrin	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-6	2/5/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endrin	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endrin	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endrin	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endrin	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Endrin	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endrin	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endrin	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endrin	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endrin	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endrin	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endrin	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endrin	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endrin	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endrin	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endrin	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endrin	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endrin	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endrin	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endrin	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endrin	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endrin	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endrin	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endrin	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Endrin	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endrin	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endrin	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endrin	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endrin	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endrin	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endrin	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endrin	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endrin	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endrin	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endrin	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-1N	10/14/1998	0.1	0.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endrin	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endrin	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endrin	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endrin	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endrin	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endrin	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endrin	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endrin	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endrin	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endrin	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endrin	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endrin	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endrin	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endrin	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endrin	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endrin	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endrin	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endrin	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endrin	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endrin	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endrin	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-7N	10/15/1998	0.1	0.1	ND	ug/L
Endrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endrin	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endrin	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endrin	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endrin	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endrin	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endrin	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endrin	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endrin	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Endrin	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endrin	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endrin	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endrin	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endrin	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endrin	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endrin	MW-8N	7/16/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endrin	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endrin	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endrin	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Endrin	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endrin	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endrin	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endrin	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endrin	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endrin	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endrin	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endrin	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endrin	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endrin	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endrin	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endrin	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endrin	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Endrin aldehyde	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Endrin aldehyde	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	2/4/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Endrin aldehyde	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Endrin aldehyde	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Endrin aldehyde	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Endrin aldehyde	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-15	7/4/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	10/14/1998	0.2	0.2	ND	ug/L
Endrin aldehyde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Endrin aldehyde	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/15/1998	0.2	0.2	ND	ug/L
Endrin aldehyde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	5/10/2011	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Endrin aldehyde	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Endrin aldehyde	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Endrin aldehyde	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Endrin aldehyde	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Endrin aldehyde	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Endrin aldehyde	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Endrin aldehyde	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Endrin aldehyde	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Endrin aldehyde	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Endrin aldehyde	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Endrin aldehyde	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Endrin aldehyde	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Endrin ketone	LGW-10	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-2	7/8/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-6	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-7	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	LGW-9	7/9/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-1N	7/6/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-21	7/8/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-3N	7/7/2020	0.00005	0.00005	ND	mg/L
Endrin ketone	MW-8N	7/9/2020	0.00005	0.00005	ND	mg/L
Ethyl methacrylate	LGW-10	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/9/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/16/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-10	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-10	10/5/2023	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	10/27/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-14R	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	7/9/2012	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	LGW-2	2/13/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-2	7/8/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-2	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-3R	7/6/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-4	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	2/4/2009	1.7	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-5	10/5/2023	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	2/5/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/10/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-6	10/6/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-6	10/5/2023	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/10/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-7	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-7	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-8R	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/26/2006	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	2/11/2015	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	LGW-9	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/10/2019	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	LGW-9	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	7/7/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/5/2021	3	3	ND	ug/L
Ethyl methacrylate	LGW-9	10/5/2023	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	2/13/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-10N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	2/3/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/9/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-11N	7/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-15	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-15	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-16	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-16	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-17	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-17	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-19	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-19	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	10/14/1998	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-1N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	2/5/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	2/10/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-1N	7/6/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-1N	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-20	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-20	7/4/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/5/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/6/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/11/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/8/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-21	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-21	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-21	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-2N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-3N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-3N	10/25/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methacrylate	MW-3N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/11/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/9/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/7/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-3N	10/7/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-3N	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	10/15/1998	5	5	ND	ug/L
Ethyl methacrylate	MW-7N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-7N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-7N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	10/5/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/13/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-7N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	5/29/2002	5	5	ND	ug/L
Ethyl methacrylate	MW-8N	5/29/2002	1	1	ND	ug/L
Ethyl methacrylate	MW-8N	10/24/2006	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	1/24/2008	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	2/4/2009	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	5/10/2011	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/11/2012	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/2/2013	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/8/2014	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	2/12/2015	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2016	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2017	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/16/2018	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/11/2019	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/9/2020	5	5	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2020	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	7/5/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/6/2021	3	3	ND	ug/L
Ethyl methacrylate	MW-8N	10/5/2023	3	3	ND	ug/L
Ethyl methacrylate	NE-1	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-1	2/7/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-1	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-1	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-1	7/18/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-2	7/10/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-4	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-4	2/7/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-4	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-4	2/13/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-4	7/12/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-5	10/25/2006	3	3	ND	ug/L
Ethyl methacrylate	NE-5	2/6/2009	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/10/2012	3	3	ND	ug/L
Ethyl methacrylate	NE-5	2/11/2015	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/17/2018	3	3	ND	ug/L
Ethyl methacrylate	NE-5	7/9/2019	3	3	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-10	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-10	10/5/2023	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	10/27/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-14R	7/17/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-14R	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	2/13/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-2	2/13/2015	13	13	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/8/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-2	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/11/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-3R	7/6/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-4	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-5	10/5/2023	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	2/5/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-6	2/10/2015	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-6	10/5/2023	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	LGW-7	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-7	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-8R	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/26/2006	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/10/2019	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	7/7/2021	10	10	ND	ug/L
Ethyl methane sulfonate	LGW-9	10/5/2023	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	2/13/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-10N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	2/3/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-11N	2/10/2015	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/17/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-11N	7/6/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-15	7/10/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-15	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-16	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-17	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-19	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	10/14/1998	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	2/5/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/6/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-1N	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-20	7/4/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-21	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-21	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	MW-21	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-2N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Ethyl methane sulfonate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/7/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-3N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	10/15/1998	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/13/2018	10	10	ND	ug/L
Ethyl methane sulfonate	MW-7N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/24/2006	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	1/24/2008	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	2/4/2009	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/11/2019	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/9/2020	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	7/5/2021	10	10	ND	ug/L
Ethyl methane sulfonate	MW-8N	10/5/2023	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	2/7/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-4	10/25/2006	10	10	ND	ug/L
Ethyl methane sulfonate	NE-4	2/7/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Ethyl methane sulfonate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-4	7/12/2018	10	10	ND	ug/L
Ethyl methane sulfonate	NE-5	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethyl methane sulfonate	NE-5	2/6/2009	10	10	ND	ug/L
Ethyl methane sulfonate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Ethyl methane sulfonate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Ethyl methane sulfonate	NE-5	7/9/2019	10	10	ND	ug/L
Ethyl Parathion	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-10	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-10	10/5/2023	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-14R	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-2	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-3R	7/6/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-4	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-5	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-5	10/5/2023	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-6	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-6	10/5/2023	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-7	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-8R	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	LGW-9	7/7/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	LGW-9	10/5/2023	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-10N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-11N	7/6/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-15	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-16	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-17	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-19	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-1N	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-20	7/4/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-21	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-2N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-3N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-7N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Ethyl Parathion	MW-8N	7/5/2021	0.05	0.05	ND	mg/L
Ethyl Parathion	MW-8N	10/5/2023	0.05	0.05	ND	mg/L
Ethylbenzene	LGW-10	1/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-10	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-10	5/1/2013	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/30/2014	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/9/2014	1	1	ND	ug/L
Ethylbenzene	LGW-10	2/12/2015	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/21/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/4/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/19/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/9/2017	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/24/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/16/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/4/2018	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/4/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/11/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/2/2019	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/15/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/7/2022	1	1	ND	ug/L
Ethylbenzene	LGW-10	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-10	4/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-10	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-10	10/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	8/2/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	10/27/2006	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	4/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/6/2009	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-14R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-14R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-14R	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/25/2018	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/17/2018	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-14R	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-14R	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/10/2007	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/26/2008	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/6/2009	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/30/2009	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/13/2011	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/30/2014	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-2	2/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/13/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	4/1/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/8/2020	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/4/2021	1	1	ND	ug/L
Ethylbenzene	LGW-2	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-2	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-2	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/26/2008	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2009	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/13/2011	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-3R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/22/2014	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-3R	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/16/2015	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/8/2016	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/21/2016	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/10/2022	1	1	ND	ug/L
Ethylbenzene	LGW-3R	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-3R	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2009	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/16/2010	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-4	1/4/2012	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-4	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-4	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-4	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-4	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-5	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/8/2015	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-5	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/6/2022	1	1	ND	ug/L
Ethylbenzene	LGW-5	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-5	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-5	10/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/11/2007	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/23/2008	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/5/2009	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/3/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/19/2011	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-6	2/10/2015	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/19/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	5/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/23/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/10/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/17/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2020	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-6	1/12/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/6/2022	1	1	ND	ug/L
Ethylbenzene	LGW-6	1/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	4/6/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-6	10/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	8/1/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/26/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-7	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/31/2009	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2010	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/10/2012	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-7	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/20/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/4/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/24/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/12/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/15/2020	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/18/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-7	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-7	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/24/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-8R	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/24/2007	1	1	ND	ug/L
Ethylbenzene	LGW-8R	4/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/12/2007	1	1	ND	ug/L
Ethylbenzene	LGW-8R	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/14/2010	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/9/2012	1	1	ND	ug/L
Ethylbenzene	LGW-8R	4/30/2013	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/22/2014	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-8R	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/22/2015	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/20/2016	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/25/2018	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/13/2018	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/8/2019	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/14/2020	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-8R	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-8R	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/25/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/20/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/26/2006	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/25/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2007	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/22/2008	1	1	ND	ug/L
Ethylbenzene	LGW-9	2/4/2009	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/29/2009	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/27/2010	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/14/2010	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/20/2011	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/12/2011	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/5/2012	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2012	1	1	ND	ug/L
Ethylbenzene	LGW-9	5/1/2013	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/15/2013	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/23/2014	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/8/2014	1	1	ND	ug/L
Ethylbenzene	LGW-9	2/11/2015	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/13/2015	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/5/2016	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	LGW-9	10/6/2016	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/11/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	5/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/18/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/5/2017	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/24/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/11/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/13/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/2/2018	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/7/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/3/2019	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/16/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/2/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/9/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/7/2020	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/6/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/7/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/5/2021	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/13/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/4/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/11/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/7/2022	1	1	ND	ug/L
Ethylbenzene	LGW-9	1/11/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	4/5/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	7/10/2023	1	1	ND	ug/L
Ethylbenzene	LGW-9	10/5/2023	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/28/1998	12	12	ND	ug/L
Ethylbenzene	MW-10N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	7/15/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-10N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-10N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-10N	7/11/2000	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-10N	4/10/2001	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2002	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2007	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-10N	1/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-10N	2/13/2009	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/27/2010	1	1	ND	ug/L
Ethylbenzene	MW-10N	8/10/2010	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-10N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-10N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/8/2020	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-10N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-10N	7/7/2023	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-11N	1/13/2000	6	6	ND	ug/L
Ethylbenzene	MW-11N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-11N	7/10/2000	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/10/2001	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/29/2004	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/13/2005	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/24/2007	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-11N	1/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2009	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/3/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/16/2010	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/4/2012	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2012	1	1	ND	ug/L
Ethylbenzene	MW-11N	4/30/2013	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/15/2013	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2014	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/8/2014	1	1	ND	ug/L
Ethylbenzene	MW-11N	2/10/2015	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2015	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/17/2018	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/18/2022	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/13/2022	1	1	ND	ug/L
Ethylbenzene	MW-11N	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-11N	7/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-15	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	7/15/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	8/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-15	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-15	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-15	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-15	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-15	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-15	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-15	7/9/2019	1	1	ND	ug/L
Ethylbenzene	MW-15	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-15	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-15	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-15	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-15	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-15	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-15	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-15	7/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-16	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	7/16/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-16	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-16	1/8/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-16	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-16	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-16	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-16	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-16	1/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-16	7/10/2019	1	1	ND	ug/L
Ethylbenzene	MW-16	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-16	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-16	1/18/2021	1	1	ND	ug/L
Ethylbenzene	MW-16	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-16	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-16	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-16	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-16	7/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-17	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	7/15/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-17	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-17	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-17	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-17	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-17	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-17	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-17	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-17	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-17	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-17	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-17	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-17	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-17	7/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-19	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	7/16/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	8/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	9/3/2015	1	1	ND	ug/L
Ethylbenzene	MW-19	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-19	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-19	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-19	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-19	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-19	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-19	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-19	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-19	8/3/2020	1	1	ND	ug/L
Ethylbenzene	MW-19	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-19	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-19	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-19	7/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/20/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	10/14/1998	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	5/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/15/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-1N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-1N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-1N	7/12/2000	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/18/2000	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/12/2001	1	1	ND	ug/L
Ethylbenzene	MW-1N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-1N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/3/2002	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/15/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/8/2003	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-1N	2/5/2009	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/13/2010	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-1N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-1N	2/10/2015	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/12/2017	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-1N	1/23/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-1N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-1N	7/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-20	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-20	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-20	1/12/2017	1	1	ND	ug/L
Ethylbenzene	MW-20	7/18/2017	1	1	ND	ug/L
Ethylbenzene	MW-20	1/26/2018	1	1	ND	ug/L
Ethylbenzene	MW-20	7/12/2018	1	1	ND	ug/L
Ethylbenzene	MW-20	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-20	1/14/2020	1	1	ND	ug/L
Ethylbenzene	MW-20	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-20	1/17/2021	1	1	ND	ug/L
Ethylbenzene	MW-20	7/4/2021	1	1	ND	ug/L
Ethylbenzene	MW-20	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	6/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	8/4/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	9/2/2015	1	1	ND	ug/L
Ethylbenzene	MW-21	1/7/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	4/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	7/20/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	10/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-21	1/10/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	4/5/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	10/6/2017	1	1	ND	ug/L
Ethylbenzene	MW-21	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	4/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	7/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	10/4/2018	1	1	ND	ug/L
Ethylbenzene	MW-21	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	10/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-21	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	7/8/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	10/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-21	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-21	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	4/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	7/7/2023	1	1	ND	ug/L
Ethylbenzene	MW-21	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-2N	10/22/1997	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-2N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-2N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-2N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2001	1	1	ND	ug/L
Ethylbenzene	MW-2N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/10/2002	1.1	1		ug/L
Ethylbenzene	MW-2N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	3/27/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-2N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/13/2010	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/13/2011	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-2N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-2N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/23/2018	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/12/2018	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-2N	8/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/23/2020	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/14/2021	1	1	ND	ug/L
Ethylbenzene	MW-2N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-2N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-2N	7/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/23/1998	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	10/20/1999	6	6	ND	ug/L
Ethylbenzene	MW-3N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-3N	4/24/2000	6	6	ND	ug/L
Ethylbenzene	MW-3N	7/11/2000	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-3N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-3N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/22/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/18/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/25/2006	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2007	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/22/2008	1	1	ND	ug/L
Ethylbenzene	MW-3N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/13/2010	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2012	1	1	ND	ug/L
Ethylbenzene	MW-3N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2014	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-3N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/1/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-3N	10/9/2017	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/24/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/3/2018	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/2/2019	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/15/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/13/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-3N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-3N	7/7/2023	1	1	ND	ug/L
Ethylbenzene	MW-3N	10/6/2023	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/21/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	8/18/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	9/17/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/15/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	11/9/1998	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	4/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-7N	1/13/2000	6	6	ND	ug/L
Ethylbenzene	MW-7N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-7N	10/17/2000	1	1		ug/L
Ethylbenzene	MW-7N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/10/2001	0.2	1		ug/L
Ethylbenzene	MW-7N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-7N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-7N	7/9/2002	0.3	1		ug/L
Ethylbenzene	MW-7N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/8/2004	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/26/2004	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2005	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/21/2008	1	1	ND	ug/L
Ethylbenzene	MW-7N	2/6/2009	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/29/2009	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-7N	7/14/2010	1	1	ND	ug/L
Ethylbenzene	MW-7N	9/2/2010	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/20/2011	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/12/2011	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2012	1	1	ND	ug/L
Ethylbenzene	MW-7N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/15/2013	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/30/2014	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-7N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/13/2015	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	10/5/2017	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/25/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	4/11/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/13/2018	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/4/2019	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2019	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/16/2020	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/7/2020	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/16/2021	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/10/2022	1	1	ND	ug/L
Ethylbenzene	MW-7N	1/10/2023	1	1	ND	ug/L
Ethylbenzene	MW-7N	7/7/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/21/1997	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/28/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	7/22/1998	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/12/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/13/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	7/14/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	10/19/1999	6	6	ND	ug/L
Ethylbenzene	MW-8N	1/14/2000	6	6	ND	ug/L
Ethylbenzene	MW-8N	4/25/2000	6	6	ND	ug/L
Ethylbenzene	MW-8N	10/17/2000	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/23/2001	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/11/2001	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/29/2002	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/29/2002	6	6	ND	ug/L
Ethylbenzene	MW-8N	7/9/2002	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/2/2002	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/23/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/14/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/7/2003	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/28/2004	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/27/2004	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/12/2005	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/20/2005	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-8N	7/19/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/24/2006	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/26/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/25/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/10/2007	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/24/2008	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/23/2008	1	1	ND	ug/L
Ethylbenzene	MW-8N	2/4/2009	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/31/2009	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/26/2010	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2010	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/19/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/10/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/14/2011	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/6/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/5/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/11/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/3/2012	1	1	ND	ug/L
Ethylbenzene	MW-8N	5/1/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	6/4/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/2/2013	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/30/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/3/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/9/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/8/2014	1	1	ND	ug/L
Ethylbenzene	MW-8N	2/12/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/1/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/14/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/5/2015	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/5/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/21/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2016	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/11/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/4/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/19/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2017	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/25/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/10/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/16/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/2/2018	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/7/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/11/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/3/2019	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/15/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/2/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/9/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2020	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/15/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/5/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2021	1	1	ND	ug/L
Ethylbenzene	MW-8N	1/18/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/4/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/12/2022	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	MW-8N	1/11/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	4/8/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	7/7/2023	1	1	ND	ug/L
Ethylbenzene	MW-8N	10/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-1	1/27/2004	1	1	ND	ug/L
Ethylbenzene	NE-1	1/12/2005	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2007	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2008	1	1	ND	ug/L
Ethylbenzene	NE-1	7/21/2008	1	1	ND	ug/L
Ethylbenzene	NE-1	2/7/2009	1	1	ND	ug/L
Ethylbenzene	NE-1	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-1	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	7/14/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	9/2/2010	1	1	ND	ug/L
Ethylbenzene	NE-1	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-1	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-1	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-1	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-1	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-1	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-1	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-1	2/11/2015	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2015	1	1	ND	ug/L
Ethylbenzene	NE-1	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-1	7/20/2016	1	1	ND	ug/L
Ethylbenzene	NE-1	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-1	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-1	1/24/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	4/11/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	7/18/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2018	1	1	ND	ug/L
Ethylbenzene	NE-1	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	7/10/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-1	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-1	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-1	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-1	10/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-1	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-1	10/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	11/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-10D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	7/8/2023	1	1	ND	ug/L
Ethylbenzene	NE-10D	10/3/2023	1	1	ND	ug/L
Ethylbenzene	NE-11	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	10/9/2017	1	1	ND	ug/L
Ethylbenzene	NE-11	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-11	1/14/2020	1	1	ND	ug/L
Ethylbenzene	NE-11	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-11	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-11	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-11	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-11	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-12	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-12	8/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-12	1/13/2020	1	1	ND	ug/L
Ethylbenzene	NE-12	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-12	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-12	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-12	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-12	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-13	2/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-13	8/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-13	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-13	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-13	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-13	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-14D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-14D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14D	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-14D	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-14S	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-14S	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-15D	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15D	10/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-15S	4/3/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-2	10/1/2013	1	1	ND	ug/L
Ethylbenzene	NE-2	10/8/2014	1	1	ND	ug/L
Ethylbenzene	NE-2	10/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-2	10/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-2	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-2	1/25/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	4/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	7/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	10/1/2018	1	1	ND	ug/L
Ethylbenzene	NE-2	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-2	1/14/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-2	1/14/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-2	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-2	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-2	4/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-2	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-2	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-4	7/10/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	10/3/2002	1	1	ND	ug/L
Ethylbenzene	NE-4	4/15/2003	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-4	1/28/2004	1	1	ND	ug/L
Ethylbenzene	NE-4	1/13/2005	1	1	ND	ug/L
Ethylbenzene	NE-4	8/1/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	8/1/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-4	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-4	7/12/2007	1	1	ND	ug/L
Ethylbenzene	NE-4	1/24/2008	1	1	ND	ug/L
Ethylbenzene	NE-4	7/21/2008	1	1	ND	ug/L
Ethylbenzene	NE-4	2/7/2009	1	1	ND	ug/L
Ethylbenzene	NE-4	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-4	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-4	7/14/2010	1	1	ND	ug/L
Ethylbenzene	NE-4	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-4	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-4	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-4	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-4	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-4	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-4	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-4	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-4	2/13/2015	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2015	1	1	ND	ug/L
Ethylbenzene	NE-4	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-4	7/20/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-4	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-4	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-4	1/26/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	4/10/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	7/12/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	10/3/2018	1	1	ND	ug/L
Ethylbenzene	NE-4	1/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	7/8/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	10/1/2019	1	1	ND	ug/L
Ethylbenzene	NE-4	1/13/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	7/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	10/5/2020	1	1	ND	ug/L
Ethylbenzene	NE-4	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-4	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-4	4/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-4	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-4	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	8/6/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	9/4/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	10/2/2002	1	1	ND	ug/L
Ethylbenzene	NE-5	4/15/2003	1	1	ND	ug/L
Ethylbenzene	NE-5	7/8/2003	1	1	ND	ug/L
Ethylbenzene	NE-5	1/27/2004	1	1	ND	ug/L
Ethylbenzene	NE-5	1/12/2005	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	10/25/2006	1	1	ND	ug/L
Ethylbenzene	NE-5	1/24/2007	1	1	ND	ug/L
Ethylbenzene	NE-5	7/12/2007	1	1	ND	ug/L
Ethylbenzene	NE-5	7/22/2008	1	1	ND	ug/L
Ethylbenzene	NE-5	2/6/2009	1	1	ND	ug/L
Ethylbenzene	NE-5	7/31/2009	1	1	ND	ug/L
Ethylbenzene	NE-5	1/26/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	7/16/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	9/2/2010	1	1	ND	ug/L
Ethylbenzene	NE-5	1/19/2011	1	1	ND	ug/L
Ethylbenzene	NE-5	7/13/2011	1	1	ND	ug/L
Ethylbenzene	NE-5	1/5/2012	1	1	ND	ug/L
Ethylbenzene	NE-5	7/10/2012	1	1	ND	ug/L
Ethylbenzene	NE-5	4/30/2013	1	1	ND	ug/L
Ethylbenzene	NE-5	7/16/2013	1	1	ND	ug/L
Ethylbenzene	NE-5	1/23/2014	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2014	1	1	ND	ug/L
Ethylbenzene	NE-5	2/11/2015	1	1	ND	ug/L
Ethylbenzene	NE-5	7/14/2015	1	1	ND	ug/L
Ethylbenzene	NE-5	1/6/2016	1	1	ND	ug/L
Ethylbenzene	NE-5	7/20/2016	1	1	ND	ug/L
Ethylbenzene	NE-5	1/11/2017	1	1	ND	ug/L
Ethylbenzene	NE-5	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-5	1/25/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	4/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-5	7/17/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	10/3/2018	1	1	ND	ug/L
Ethylbenzene	NE-5	1/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	7/9/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	10/3/2019	1	1	ND	ug/L
Ethylbenzene	NE-5	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-5	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/1/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5E	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-5E	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-5W	9/30/2019	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/6/2020	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/6/2021	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/18/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-5W	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-5W	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-5W	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-5W	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-6	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	7/19/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-6	2/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-6	8/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-6	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-6	7/9/2020	1	1	ND	ug/L
Ethylbenzene	NE-6	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-6	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-6	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-6	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/2/2019	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/2/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/9/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/15/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/2/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/6/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/7/2022	1	1	ND	ug/L
Ethylbenzene	NE-6D	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	4/7/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-6D	10/4/2023	1	1	ND	ug/L
Ethylbenzene	NE-7	3/1/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	4/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-7	2/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-7	8/6/2019	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2020	1	1	ND	ug/L
Ethylbenzene	NE-7	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	1/16/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-7	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	7/12/2022	1	1	ND	ug/L
Ethylbenzene	NE-7	1/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-7	7/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-8	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	10/6/2017	1	1	ND	ug/L
Ethylbenzene	NE-8	2/4/2019	1	1	ND	ug/L
Ethylbenzene	NE-8	8/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Ethylbenzene	NE-8	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-8	7/8/2020	1	1	ND	ug/L
Ethylbenzene	NE-8	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	1/13/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	4/9/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	10/7/2021	1	1	ND	ug/L
Ethylbenzene	NE-8	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-8	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	1/12/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	4/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	7/20/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	10/5/2017	1	1	ND	ug/L
Ethylbenzene	NE-9	2/5/2019	1	1	ND	ug/L
Ethylbenzene	NE-9	8/7/2019	1	1	ND	ug/L
Ethylbenzene	NE-9	1/15/2020	1	1	ND	ug/L
Ethylbenzene	NE-9	7/7/2020	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	7/1/2021	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	1/17/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	7/13/2022	1	1	ND	ug/L
Ethylbenzene	NE-9	1/6/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	4/8/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	7/5/2023	1	1	ND	ug/L
Ethylbenzene	NE-9	10/6/2023	1	1	ND	ug/L
Famphur	LGW-10	10/26/2006	200	200	ND	ug/L
Famphur	LGW-10	7/9/2012	190	190	ND	ug/L
Famphur	LGW-10	2/12/2015	190	190	ND	ug/L
Famphur	LGW-10	10/6/2016	190	190	ND	ug/L
Famphur	LGW-10	10/9/2017	190	190	ND	ug/L
Famphur	LGW-10	7/16/2018	190	190	ND	ug/L
Famphur	LGW-10	7/11/2019	200	200	ND	ug/L
Famphur	LGW-10	7/9/2020	20	20	ND	ug/L
Famphur	LGW-10	7/7/2021	200	200	ND	ug/L
Famphur	LGW-10	10/5/2023	200	200	ND	ug/L
Famphur	LGW-14R	10/27/2006	200	200	ND	ug/L
Famphur	LGW-14R	2/6/2009	200	200	ND	ug/L
Famphur	LGW-14R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-14R	2/11/2015	200	200	ND	ug/L
Famphur	LGW-14R	7/17/2018	200	200	ND	ug/L
Famphur	LGW-14R	7/7/2021	200	200	ND	ug/L
Famphur	LGW-2	10/26/2006	200	200	ND	ug/L
Famphur	LGW-2	2/13/2009	200	200	ND	ug/L
Famphur	LGW-2	7/9/2012	190	190	ND	ug/L
Famphur	LGW-2	2/13/2015	260	260	ND	ug/L
Famphur	LGW-2	7/12/2018	190	190	ND	ug/L
Famphur	LGW-2	7/8/2020	20	20	ND	ug/L
Famphur	LGW-2	7/4/2021	200	200	ND	ug/L
Famphur	LGW-3R	10/26/2006	200	200	ND	ug/L
Famphur	LGW-3R	2/3/2009	200	200	ND	ug/L
Famphur	LGW-3R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-3R	2/10/2015	190	190	ND	ug/L
Famphur	LGW-3R	7/11/2018	200	200	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	LGW-3R	7/6/2021	200	200	ND	ug/L
Famphur	LGW-4	10/26/2006	200	200	ND	ug/L
Famphur	LGW-4	2/3/2009	200	200	ND	ug/L
Famphur	LGW-4	7/9/2012	190	190	ND	ug/L
Famphur	LGW-4	2/11/2015	190	190	ND	ug/L
Famphur	LGW-4	7/11/2018	200	200	ND	ug/L
Famphur	LGW-4	7/7/2021	200	200	ND	ug/L
Famphur	LGW-5	10/26/2006	200	200	ND	ug/L
Famphur	LGW-5	2/4/2009	200	200	ND	ug/L
Famphur	LGW-5	7/9/2012	190	190	ND	ug/L
Famphur	LGW-5	2/10/2015	190	190	ND	ug/L
Famphur	LGW-5	7/12/2018	200	200	ND	ug/L
Famphur	LGW-5	7/7/2021	200	200	ND	ug/L
Famphur	LGW-5	10/5/2023	200	200	ND	ug/L
Famphur	LGW-6	10/26/2006	200	200	ND	ug/L
Famphur	LGW-6	2/5/2009	200	200	ND	ug/L
Famphur	LGW-6	7/9/2012	190	190	ND	ug/L
Famphur	LGW-6	2/10/2015	200	200	ND	ug/L
Famphur	LGW-6	10/6/2016	190	190	ND	ug/L
Famphur	LGW-6	10/5/2017	190	190	ND	ug/L
Famphur	LGW-6	7/17/2018	200	200	ND	ug/L
Famphur	LGW-6	7/10/2019	200	200	ND	ug/L
Famphur	LGW-6	7/9/2020	20	20	ND	ug/L
Famphur	LGW-6	7/7/2021	200	200	ND	ug/L
Famphur	LGW-6	10/5/2023	200	200	ND	ug/L
Famphur	LGW-7	10/26/2006	200	200	ND	ug/L
Famphur	LGW-7	2/4/2009	200	200	ND	ug/L
Famphur	LGW-7	7/10/2012	190	190	ND	ug/L
Famphur	LGW-7	2/11/2015	190	190	ND	ug/L
Famphur	LGW-7	10/6/2016	190	190	ND	ug/L
Famphur	LGW-7	10/5/2017	190	190	ND	ug/L
Famphur	LGW-7	7/12/2018	200	200	ND	ug/L
Famphur	LGW-7	7/10/2019	200	200	ND	ug/L
Famphur	LGW-7	7/9/2020	20	20	ND	ug/L
Famphur	LGW-7	7/7/2021	200	200	ND	ug/L
Famphur	LGW-8R	10/26/2006	200	200	ND	ug/L
Famphur	LGW-8R	2/4/2009	200	200	ND	ug/L
Famphur	LGW-8R	7/9/2012	190	190	ND	ug/L
Famphur	LGW-8R	2/11/2015	200	200	ND	ug/L
Famphur	LGW-8R	7/13/2018	200	200	ND	ug/L
Famphur	LGW-8R	7/7/2021	200	200	ND	ug/L
Famphur	LGW-9	10/26/2006	200	200	ND	ug/L
Famphur	LGW-9	2/4/2009	200	200	ND	ug/L
Famphur	LGW-9	7/10/2012	190	190	ND	ug/L
Famphur	LGW-9	2/11/2015	200	200	ND	ug/L
Famphur	LGW-9	10/6/2016	190	190	ND	ug/L
Famphur	LGW-9	10/5/2017	190	190	ND	ug/L
Famphur	LGW-9	7/13/2018	190	190	ND	ug/L
Famphur	LGW-9	7/10/2019	200	200	ND	ug/L
Famphur	LGW-9	7/9/2020	20	20	ND	ug/L
Famphur	LGW-9	7/7/2021	200	200	ND	ug/L
Famphur	LGW-9	10/5/2023	200	200	ND	ug/L
Famphur	MW-10N	10/25/2006	200	200	ND	ug/L
Famphur	MW-10N	2/13/2009	200	200	ND	ug/L
Famphur	MW-10N	7/10/2012	190	190	ND	ug/L
Famphur	MW-10N	2/12/2015	190	190	ND	ug/L
Famphur	MW-10N	7/11/2018	190	190	ND	ug/L
Famphur	MW-10N	7/5/2021	200	200	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	MW-11N	10/25/2006	200	200	ND	ug/L
Famphur	MW-11N	2/3/2009	200	200	ND	ug/L
Famphur	MW-11N	7/9/2012	190	190	ND	ug/L
Famphur	MW-11N	2/10/2015	200	200	ND	ug/L
Famphur	MW-11N	7/17/2018	200	200	ND	ug/L
Famphur	MW-11N	7/6/2021	200	200	ND	ug/L
Famphur	MW-15	7/10/2018	200	200	ND	ug/L
Famphur	MW-15	7/4/2021	200	200	ND	ug/L
Famphur	MW-16	7/11/2018	190	190	ND	ug/L
Famphur	MW-16	7/4/2021	200	200	ND	ug/L
Famphur	MW-17	7/10/2018	190	190	ND	ug/L
Famphur	MW-17	7/4/2021	200	200	ND	ug/L
Famphur	MW-19	7/13/2018	190	190	ND	ug/L
Famphur	MW-19	7/4/2021	200	200	ND	ug/L
Famphur	MW-1N	10/14/1998	10	10	ND	ug/L
Famphur	MW-1N	5/29/2002	10	10	ND	ug/L
Famphur	MW-1N	5/29/2002	10	10	ND	ug/L
Famphur	MW-1N	10/24/2006	200	200	ND	ug/L
Famphur	MW-1N	2/5/2009	200	200	ND	ug/L
Famphur	MW-1N	7/10/2012	190	190	ND	ug/L
Famphur	MW-1N	2/10/2015	190	190	ND	ug/L
Famphur	MW-1N	7/10/2018	200	200	ND	ug/L
Famphur	MW-1N	7/6/2020	20	20	ND	ug/L
Famphur	MW-1N	7/4/2021	200	200	ND	ug/L
Famphur	MW-20	7/12/2018	190	190	ND	ug/L
Famphur	MW-20	7/4/2021	200	200	ND	ug/L
Famphur	MW-21	10/5/2016	190	190	ND	ug/L
Famphur	MW-21	10/6/2017	190	190	ND	ug/L
Famphur	MW-21	7/11/2018	190	190	ND	ug/L
Famphur	MW-21	7/11/2019	200	200	ND	ug/L
Famphur	MW-21	7/8/2020	20	20	ND	ug/L
Famphur	MW-21	7/5/2021	200	200	ND	ug/L
Famphur	MW-2N	10/25/2006	200	200	ND	ug/L
Famphur	MW-2N	2/4/2009	200	200	ND	ug/L
Famphur	MW-2N	7/10/2012	190	190	ND	ug/L
Famphur	MW-2N	2/12/2015	190	190	ND	ug/L
Famphur	MW-2N	7/12/2018	200	200	ND	ug/L
Famphur	MW-2N	7/5/2021	200	200	ND	ug/L
Famphur	MW-3N	5/29/2002	10	10	ND	ug/L
Famphur	MW-3N	5/29/2002	10	10	ND	ug/L
Famphur	MW-3N	10/25/2006	200	200	ND	ug/L
Famphur	MW-3N	2/4/2009	200	200	ND	ug/L
Famphur	MW-3N	7/11/2012	190	190	ND	ug/L
Famphur	MW-3N	2/12/2015	200	200	ND	ug/L
Famphur	MW-3N	10/6/2016	190	190	ND	ug/L
Famphur	MW-3N	10/9/2017	190	190	ND	ug/L
Famphur	MW-3N	7/13/2018	190	190	ND	ug/L
Famphur	MW-3N	7/11/2019	200	200	ND	ug/L
Famphur	MW-3N	7/7/2020	20	20	ND	ug/L
Famphur	MW-3N	7/5/2021	200	200	ND	ug/L
Famphur	MW-7N	10/15/1998	10	10	ND	ug/L
Famphur	MW-7N	5/29/2002	10	10	ND	ug/L
Famphur	MW-7N	5/29/2002	10	10	ND	ug/L
Famphur	MW-7N	10/24/2006	200	200	ND	ug/L
Famphur	MW-7N	2/6/2009	200	200	ND	ug/L
Famphur	MW-7N	7/10/2012	190	190	ND	ug/L
Famphur	MW-7N	2/12/2015	190	190	ND	ug/L
Famphur	MW-7N	10/5/2017	200	200	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Famphur	MW-7N	7/13/2018	210	210	ND	ug/L
Famphur	MW-7N	7/5/2021	200	200	ND	ug/L
Famphur	MW-8N	5/29/2002	10	10	ND	ug/L
Famphur	MW-8N	5/29/2002	10	10	ND	ug/L
Famphur	MW-8N	10/24/2006	200	200	ND	ug/L
Famphur	MW-8N	1/24/2008	200	200	ND	ug/L
Famphur	MW-8N	2/4/2009	200	200	ND	ug/L
Famphur	MW-8N	5/10/2011	190	190	ND	ug/L
Famphur	MW-8N	7/11/2012	190	190	ND	ug/L
Famphur	MW-8N	10/2/2013	190	190	ND	ug/L
Famphur	MW-8N	10/8/2014	190	190	ND	ug/L
Famphur	MW-8N	2/12/2015	190	190	ND	ug/L
Famphur	MW-8N	10/6/2016	190	190	ND	ug/L
Famphur	MW-8N	10/6/2017	190	190	ND	ug/L
Famphur	MW-8N	7/16/2018	200	200	ND	ug/L
Famphur	MW-8N	7/11/2019	200	200	ND	ug/L
Famphur	MW-8N	7/9/2020	20	20	ND	ug/L
Famphur	MW-8N	7/5/2021	200	200	ND	ug/L
Famphur	MW-8N	10/5/2023	200	200	ND	ug/L
Famphur	NE-1	10/25/2006	200	200	ND	ug/L
Famphur	NE-1	2/7/2009	200	200	ND	ug/L
Famphur	NE-1	7/10/2012	190	190	ND	ug/L
Famphur	NE-1	2/11/2015	190	190	ND	ug/L
Famphur	NE-1	7/18/2018	190	190	ND	ug/L
Famphur	NE-2	7/10/2018	190	190	ND	ug/L
Famphur	NE-4	10/25/2006	200	200	ND	ug/L
Famphur	NE-4	2/7/2009	200	200	ND	ug/L
Famphur	NE-4	7/10/2012	200	200	ND	ug/L
Famphur	NE-4	2/13/2015	190	190	ND	ug/L
Famphur	NE-4	7/12/2018	210	210	ND	ug/L
Famphur	NE-5	10/25/2006	200	200	ND	ug/L
Famphur	NE-5	2/6/2009	200	200	ND	ug/L
Famphur	NE-5	7/10/2012	190	190	ND	ug/L
Famphur	NE-5	2/11/2015	190	190	ND	ug/L
Famphur	NE-5	7/17/2018	190	190	ND	ug/L
Famphur	NE-5	7/9/2019	200	200	ND	ug/L
Fluoranthene	LGW-10	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Fluoranthene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Fluoranthene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Fluoranthene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Fluoranthene	LGW-10	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-10	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-10	10/5/2023	1	1	ND	ug/L
Fluoranthene	LGW-14R	10/27/2006	10	10	ND	ug/L
Fluoranthene	LGW-14R	2/6/2009	10	10	ND	ug/L
Fluoranthene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Fluoranthene	LGW-14R	7/17/2018	10	10	ND	ug/L
Fluoranthene	LGW-14R	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-2	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-2	2/13/2009	10	10	ND	ug/L
Fluoranthene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-2	2/13/2015	13	13	ND	ug/L
Fluoranthene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Fluoranthene	LGW-2	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	LGW-2	7/4/2021	10	10	ND	ug/L
Fluoranthene	LGW-3R	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-3R	2/3/2009	3.2	10	ND	ug/L
Fluoranthene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Fluoranthene	LGW-3R	7/11/2018	10	10	ND	ug/L
Fluoranthene	LGW-3R	7/6/2021	10	10	ND	ug/L
Fluoranthene	LGW-4	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-4	2/3/2009	10	10	ND	ug/L
Fluoranthene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Fluoranthene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Fluoranthene	LGW-4	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-5	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-5	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Fluoranthene	LGW-5	7/12/2018	10	10	ND	ug/L
Fluoranthene	LGW-5	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-5	10/5/2023	1	1	ND	ug/L
Fluoranthene	LGW-6	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-6	2/5/2009	10	10	ND	ug/L
Fluoranthene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-6	2/10/2015	10	10	ND	ug/L
Fluoranthene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Fluoranthene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Fluoranthene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Fluoranthene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Fluoranthene	LGW-6	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-6	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-6	10/5/2023	1	1	ND	ug/L
Fluoranthene	LGW-7	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-7	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Fluoranthene	LGW-7	7/12/2018	10	10	ND	ug/L
Fluoranthene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Fluoranthene	LGW-7	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-7	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-8R	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-8R	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Fluoranthene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Fluoranthene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Fluoranthene	LGW-8R	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-9	10/26/2006	10	10	ND	ug/L
Fluoranthene	LGW-9	2/4/2009	10	10	ND	ug/L
Fluoranthene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Fluoranthene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Fluoranthene	LGW-9	7/10/2019	10	10	ND	ug/L
Fluoranthene	LGW-9	7/9/2020	1	1	ND	ug/L
Fluoranthene	LGW-9	7/7/2021	10	10	ND	ug/L
Fluoranthene	LGW-9	10/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	MW-10N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-10N	2/13/2009	10	10	ND	ug/L
Fluoranthene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Fluoranthene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Fluoranthene	MW-10N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-11N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-11N	2/3/2009	10	10	ND	ug/L
Fluoranthene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-11N	2/10/2015	10	10	ND	ug/L
Fluoranthene	MW-11N	7/17/2018	10	10	ND	ug/L
Fluoranthene	MW-11N	7/6/2021	10	10	ND	ug/L
Fluoranthene	MW-15	7/10/2018	10	10	ND	ug/L
Fluoranthene	MW-15	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-16	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-17	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Fluoranthene	MW-19	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-1N	10/14/1998	10	10	ND	ug/L
Fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-1N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-1N	2/5/2009	10	10	ND	ug/L
Fluoranthene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Fluoranthene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Fluoranthene	MW-1N	7/6/2020	1	1	ND	ug/L
Fluoranthene	MW-1N	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-20	7/4/2021	10	10	ND	ug/L
Fluoranthene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Fluoranthene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-21	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-21	7/8/2020	1	1	ND	ug/L
Fluoranthene	MW-21	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-2N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-2N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Fluoranthene	MW-2N	7/12/2018	10	10	ND	ug/L
Fluoranthene	MW-2N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-3N	10/25/2006	10	10	ND	ug/L
Fluoranthene	MW-3N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Fluoranthene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Fluoranthene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Fluoranthene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Fluoranthene	MW-3N	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-3N	7/7/2020	1	1	ND	ug/L
Fluoranthene	MW-3N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-7N	10/15/1998	10	10	ND	ug/L
Fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluoranthene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-7N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-7N	2/6/2009	0.34	10	ND	ug/L
Fluoranthene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Fluoranthene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Fluoranthene	MW-7N	7/13/2018	10	10	ND	ug/L
Fluoranthene	MW-7N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluoranthene	MW-8N	10/24/2006	10	10	ND	ug/L
Fluoranthene	MW-8N	1/24/2008	10	10	ND	ug/L
Fluoranthene	MW-8N	2/4/2009	10	10	ND	ug/L
Fluoranthene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Fluoranthene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Fluoranthene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Fluoranthene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Fluoranthene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Fluoranthene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Fluoranthene	MW-8N	7/11/2019	10	10	ND	ug/L
Fluoranthene	MW-8N	7/9/2020	1	1	ND	ug/L
Fluoranthene	MW-8N	7/5/2021	10	10	ND	ug/L
Fluoranthene	MW-8N	10/5/2023	1	1	ND	ug/L
Fluoranthene	NE-1	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-1	2/7/2009	10	10	ND	ug/L
Fluoranthene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Fluoranthene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Fluoranthene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Fluoranthene	NE-4	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-4	2/7/2009	10	10	ND	ug/L
Fluoranthene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Fluoranthene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Fluoranthene	NE-4	7/12/2018	10	10	ND	ug/L
Fluoranthene	NE-5	10/25/2006	10	10	ND	ug/L
Fluoranthene	NE-5	2/6/2009	10	10	ND	ug/L
Fluoranthene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Fluoranthene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Fluoranthene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Fluoranthene	NE-5	7/9/2019	10	10	ND	ug/L
Fluorene	LGW-10	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Fluorene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Fluorene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Fluorene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Fluorene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Fluorene	LGW-10	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-10	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-10	10/5/2023	10	10	ND	ug/L
Fluorene	LGW-14R	10/27/2006	10	10	ND	ug/L
Fluorene	LGW-14R	2/6/2009	10	10	ND	ug/L
Fluorene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Fluorene	LGW-14R	7/17/2018	10	10	ND	ug/L
Fluorene	LGW-14R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	LGW-2	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-2	2/13/2009	10	10	ND	ug/L
Fluorene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-2	2/13/2015	13	13	ND	ug/L
Fluorene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Fluorene	LGW-2	7/8/2020	1	1	ND	ug/L
Fluorene	LGW-2	7/4/2021	10	10	ND	ug/L
Fluorene	LGW-3R	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-3R	2/3/2009	10	10	ND	ug/L
Fluorene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Fluorene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Fluorene	LGW-3R	7/11/2018	10	10	ND	ug/L
Fluorene	LGW-3R	7/6/2021	10	10	ND	ug/L
Fluorene	LGW-4	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-4	2/3/2009	10	10	ND	ug/L
Fluorene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Fluorene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Fluorene	LGW-4	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-5	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-5	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Fluorene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Fluorene	LGW-5	7/12/2018	10	10	ND	ug/L
Fluorene	LGW-5	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-5	10/5/2023	10	10	ND	ug/L
Fluorene	LGW-6	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-6	2/5/2009	10	10	ND	ug/L
Fluorene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-6	2/10/2015	10	10	ND	ug/L
Fluorene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Fluorene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Fluorene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Fluorene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Fluorene	LGW-6	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-6	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-6	10/5/2023	10	10	ND	ug/L
Fluorene	LGW-7	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-7	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Fluorene	LGW-7	7/12/2018	10	10	ND	ug/L
Fluorene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Fluorene	LGW-7	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-7	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-8R	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-8R	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Fluorene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Fluorene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Fluorene	LGW-8R	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-9	10/26/2006	10	10	ND	ug/L
Fluorene	LGW-9	2/4/2009	10	10	ND	ug/L
Fluorene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Fluorene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Fluorene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Fluorene	LGW-9	7/10/2019	10	10	ND	ug/L
Fluorene	LGW-9	7/9/2020	1	1	ND	ug/L
Fluorene	LGW-9	7/7/2021	10	10	ND	ug/L
Fluorene	LGW-9	10/5/2023	10	10	ND	ug/L
Fluorene	MW-10N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-10N	2/13/2009	10	10	ND	ug/L
Fluorene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Fluorene	MW-10N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-11N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-11N	2/3/2009	10	10	ND	ug/L
Fluorene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Fluorene	MW-11N	2/10/2015	10	10	ND	ug/L
Fluorene	MW-11N	7/17/2018	10	10	ND	ug/L
Fluorene	MW-11N	7/6/2021	10	10	ND	ug/L
Fluorene	MW-15	7/10/2018	10	10	ND	ug/L
Fluorene	MW-15	7/4/2021	10	10	ND	ug/L
Fluorene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Fluorene	MW-16	7/4/2021	10	10	ND	ug/L
Fluorene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Fluorene	MW-17	7/4/2021	10	10	ND	ug/L
Fluorene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Fluorene	MW-19	7/4/2021	10	10	ND	ug/L
Fluorene	MW-1N	10/14/1998	10	10	ND	ug/L
Fluorene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-1N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-1N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-1N	2/5/2009	10	10	ND	ug/L
Fluorene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Fluorene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Fluorene	MW-1N	7/6/2020	1	1	ND	ug/L
Fluorene	MW-1N	7/4/2021	10	10	ND	ug/L
Fluorene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Fluorene	MW-20	7/4/2021	10	10	ND	ug/L
Fluorene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Fluorene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Fluorene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Fluorene	MW-21	7/11/2019	10	10	ND	ug/L
Fluorene	MW-21	7/8/2020	1	1	ND	ug/L
Fluorene	MW-21	7/5/2021	10	10	ND	ug/L
Fluorene	MW-2N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-2N	2/4/2009	10	10	ND	ug/L
Fluorene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Fluorene	MW-2N	7/12/2018	10	10	ND	ug/L
Fluorene	MW-2N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-3N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-3N	10/25/2006	10	10	ND	ug/L
Fluorene	MW-3N	2/4/2009	10	10	ND	ug/L
Fluorene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Fluorene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Fluorene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Fluorene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Fluorene	MW-3N	7/11/2019	10	10	ND	ug/L
Fluorene	MW-3N	7/7/2020	1	1	ND	ug/L
Fluorene	MW-3N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-7N	10/15/1998	10	10	ND	ug/L
Fluorene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-7N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-7N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-7N	2/6/2009	10	10	ND	ug/L
Fluorene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Fluorene	MW-7N	7/13/2018	10	10	ND	ug/L
Fluorene	MW-7N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-8N	5/29/2002	10	10	ND	ug/L
Fluorene	MW-8N	10/24/2006	10	10	ND	ug/L
Fluorene	MW-8N	1/24/2008	10	10	ND	ug/L
Fluorene	MW-8N	2/4/2009	10	10	ND	ug/L
Fluorene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Fluorene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Fluorene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Fluorene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Fluorene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Fluorene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Fluorene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Fluorene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Fluorene	MW-8N	7/11/2019	10	10	ND	ug/L
Fluorene	MW-8N	7/9/2020	1	1	ND	ug/L
Fluorene	MW-8N	7/5/2021	10	10	ND	ug/L
Fluorene	MW-8N	10/5/2023	10	10	ND	ug/L
Fluorene	NE-1	10/25/2006	10	10	ND	ug/L
Fluorene	NE-1	2/7/2009	10	10	ND	ug/L
Fluorene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Fluorene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Fluorene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Fluorene	NE-4	10/25/2006	10	10	ND	ug/L
Fluorene	NE-4	2/7/2009	10	10	ND	ug/L
Fluorene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Fluorene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Fluorene	NE-4	7/12/2018	10	10	ND	ug/L
Fluorene	NE-5	10/25/2006	10	10	ND	ug/L
Fluorene	NE-5	2/6/2009	10	10	ND	ug/L
Fluorene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Fluorene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Fluorene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Fluorene	NE-5	7/9/2019	10	10	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/16/2018	0.0072	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-10	10/5/2023	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Gamma-bhc (lindane)	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Gamma-bhc (lindane)	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Gamma-bhc (lindane)	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	5/29/2002	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Gamma-bhc (lindane)	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Gamma-bhc (lindane)	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Gamma-bhc (lindane)	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Gamma-bhc (lindane)	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Gamma-bhc (lindane)	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-10	2/12/2015	0.048	0.048	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Heptachlor	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Heptachlor	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Heptachlor	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Heptachlor	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Heptachlor	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Heptachlor	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Heptachlor	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-7	7/10/2019	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Heptachlor	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Heptachlor	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Heptachlor	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Heptachlor	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-20	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Heptachlor	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Heptachlor	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-21	7/5/2021	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Heptachlor	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Heptachlor	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Heptachlor	NE-2	7/10/2018	0.049	0.049	ND	ug/L
Heptachlor	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Heptachlor	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Heptachlor	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor	NE-5	2/6/2009	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Heptachlor	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Heptachlor	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-10	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-10	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-10	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-10	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	10/27/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-14R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-14R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-14R	7/17/2018	0.054	0.054	ND	ug/L
Heptachlor epoxide	LGW-14R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-2	2/13/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-2	7/12/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-2	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-3R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-3R	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-3R	7/11/2018	0.052	0.052	ND	ug/L
Heptachlor epoxide	LGW-3R	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-4	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-4	7/11/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-4	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-5	2/10/2015	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-5	7/12/2018	0.053	0.053	ND	ug/L
Heptachlor epoxide	LGW-5	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-5	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-6	2/10/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-6	7/17/2018	0.053	0.053	ND	ug/L
Heptachlor epoxide	LGW-6	7/10/2019	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-6	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	10/26/2006	0.05	0.05	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	LGW-7	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-7	2/11/2015	0.051	0.051	ND	ug/L
Heptachlor epoxide	LGW-7	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-7	10/5/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-7	7/12/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-7	7/10/2019	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-7	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-8R	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-8R	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-8R	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-8R	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	10/26/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	LGW-9	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	LGW-9	10/6/2016	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	10/5/2017	0.049	0.049	ND	ug/L
Heptachlor epoxide	LGW-9	7/13/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/10/2019	0.053	0.053	ND	ug/L
Heptachlor epoxide	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	7/7/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	LGW-9	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	2/13/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-10N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-10N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-10N	7/11/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-10N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	2/3/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-11N	7/9/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-11N	2/10/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-11N	7/17/2018	0.052	0.052	ND	ug/L
Heptachlor epoxide	MW-11N	7/6/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-15	7/10/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-15	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-16	7/11/2018	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-16	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-17	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-17	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-19	7/13/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-19	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	10/14/1998	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	2/5/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-1N	2/10/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-1N	7/10/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-1N	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-20	7/12/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	MW-20	7/4/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-21	10/5/2016	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	7/11/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-21	7/11/2019	0.053	0.053	ND	ug/L
Heptachlor epoxide	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-21	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-2N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-2N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-2N	7/12/2018	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-2N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-3N	2/12/2015	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-3N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-3N	10/9/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-3N	7/13/2018	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-3N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-3N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/15/1998	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	7/10/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-7N	2/12/2015	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	10/5/2017	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-7N	7/13/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-7N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	10/24/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	1/24/2008	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	2/4/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	5/10/2011	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/11/2012	0.047	0.047	ND	ug/L
Heptachlor epoxide	MW-8N	10/2/2013	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	10/8/2014	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	2/12/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	10/6/2016	0.049	0.049	ND	ug/L
Heptachlor epoxide	MW-8N	10/6/2017	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/16/2018	0.048	0.048	ND	ug/L
Heptachlor epoxide	MW-8N	7/11/2019	0.051	0.051	ND	ug/L
Heptachlor epoxide	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	7/5/2021	0.05	0.05	ND	ug/L
Heptachlor epoxide	MW-8N	10/5/2023	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-1	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-1	2/11/2015	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-1	7/18/2018	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-2	7/10/2018	0.049	0.049	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Heptachlor epoxide	NE-4	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-4	2/7/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-4	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-4	2/13/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	NE-4	7/12/2018	0.054	0.054	ND	ug/L
Heptachlor epoxide	NE-5	10/25/2006	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-5	2/6/2009	0.05	0.05	ND	ug/L
Heptachlor epoxide	NE-5	7/10/2012	0.048	0.048	ND	ug/L
Heptachlor epoxide	NE-5	2/11/2015	0.047	0.047	ND	ug/L
Heptachlor epoxide	NE-5	7/17/2018	0.051	0.051	ND	ug/L
Heptachlor epoxide	NE-5	7/9/2019	0.05	0.05	ND	ug/L
Hexachloro-1,3-butadiene	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-10	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-10	10/5/2023	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-14R	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-2	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-3R	7/6/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-4	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-5	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-5	10/5/2023	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-6	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-6	10/5/2023	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-7	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-8R	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-9	7/7/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	LGW-9	10/5/2023	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-10N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-11N	7/6/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-15	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-16	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-17	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-19	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-1N	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-20	7/4/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-21	7/8/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-21	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-2N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-3N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-7N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-8N	7/5/2021	0.01	0.01	ND	mg/L
Hexachloro-1,3-butadiene	MW-8N	10/5/2023	0.01	0.01	ND	mg/L
Hexachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-10	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-5	10/5/2023	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachlorobenzene	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-6	10/5/2023	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Hexachlorobenzene	LGW-9	10/5/2023	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachlorobenzene	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Hexachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Hexachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Hexachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Hexachlorobenzene	MW-8N	10/5/2023	10	10	ND	ug/L
Hexachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Hexachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Hexachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L
Hexachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Hexachlorobutadiene	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobutadiene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	2/13/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachlorobutadiene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachlorobutadiene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachlorobutadiene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachlorobutadiene	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachlorobutadiene	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-10N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobutadiene	MW-10N	2/13/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-11N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachlorobutadiene	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-15	7/10/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachlorobutadiene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-21	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachlorobutadiene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachlorobutadiene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachlorobutadiene	MW-7N	7/13/2018	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachlorobutadiene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorobutadiene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachlorobutadiene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachlorobutadiene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachlorobutadiene	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	2/7/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-4	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-4	2/7/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachlorobutadiene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-4	7/12/2018	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	10/25/2006	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	2/6/2009	10	10	ND	ug/L
Hexachlorobutadiene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachlorobutadiene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachlorobutadiene	NE-5	7/9/2019	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/6/2016	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/9/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/16/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-10	10/5/2023	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	10/27/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	2/11/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/17/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-14R	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	2/13/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	2/13/2015	65	65	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/12/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/8/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-2	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	2/10/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/11/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-3R	7/6/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/11/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-4	7/7/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	LGW-5	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	2/10/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/12/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-5	10/5/2023	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	2/5/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	2/10/2015	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/17/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/10/2019	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-6	10/5/2023	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/12/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/10/2019	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-7	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	2/11/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/13/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-8R	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/26/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	2/11/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/5/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/13/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/10/2019	51	51	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	7/7/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	LGW-9	10/5/2023	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	2/13/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-10N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	2/3/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/9/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	2/10/2015	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/17/2018	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-11N	7/6/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-15	7/10/2018	51	51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	MW-15	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-16	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-16	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-17	7/10/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-17	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-19	7/13/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-19	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	2/5/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	2/10/2015	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/10/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/6/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-1N	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-20	7/12/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-20	7/4/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-21	10/5/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	10/6/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/11/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/8/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-21	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/12/2018	51	51	ND	ug/L
Hexachlorocyclopentadiene	MW-2N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	2/4/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/11/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	2/12/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	10/9/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/13/2018	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/7/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-3N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	2/12/2015	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	10/5/2017	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/13/2018	52	52	ND	ug/L
Hexachlorocyclopentadiene	MW-7N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/24/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	1/24/2008	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	2/4/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachlorocyclopentadiene	MW-8N	5/10/2011	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/11/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/2/2013	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/8/2014	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	2/12/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/6/2016	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/6/2017	48	48	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/16/2018	49	49	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/11/2019	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/9/2020	10	10	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	7/5/2021	50	50	ND	ug/L
Hexachlorocyclopentadiene	MW-8N	10/5/2023	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	2/7/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-1	7/10/2012	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-1	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-1	7/18/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-2	7/10/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-4	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-4	2/7/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-4	7/10/2012	49	49	ND	ug/L
Hexachlorocyclopentadiene	NE-4	2/13/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-4	7/12/2018	52	52	ND	ug/L
Hexachlorocyclopentadiene	NE-5	10/25/2006	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-5	2/6/2009	50	50	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/10/2012	47	47	ND	ug/L
Hexachlorocyclopentadiene	NE-5	2/11/2015	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/17/2018	48	48	ND	ug/L
Hexachlorocyclopentadiene	NE-5	7/9/2019	50	50	ND	ug/L
Hexachloroethane	LGW-10	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-10	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-10	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-10	10/5/2023	10	10	ND	ug/L
Hexachloroethane	LGW-14R	10/27/2006	10	10	ND	ug/L
Hexachloroethane	LGW-14R	2/6/2009	10	10	ND	ug/L
Hexachloroethane	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-14R	7/17/2018	10	10	ND	ug/L
Hexachloroethane	LGW-14R	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-2	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-2	2/13/2009	10	10	ND	ug/L
Hexachloroethane	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-2	2/13/2015	13	13	ND	ug/L
Hexachloroethane	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-2	7/8/2020	10	10	ND	ug/L
Hexachloroethane	LGW-2	7/4/2021	10	10	ND	ug/L
Hexachloroethane	LGW-3R	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-3R	2/3/2009	10	10	ND	ug/L
Hexachloroethane	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-3R	7/11/2018	10	10	ND	ug/L
Hexachloroethane	LGW-3R	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	LGW-4	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-4	2/3/2009	10	10	ND	ug/L
Hexachloroethane	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-4	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-5	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-5	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-5	7/12/2018	10	10	ND	ug/L
Hexachloroethane	LGW-5	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-5	10/5/2023	10	10	ND	ug/L
Hexachloroethane	LGW-6	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-6	2/5/2009	10	10	ND	ug/L
Hexachloroethane	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-6	2/10/2015	10	10	ND	ug/L
Hexachloroethane	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Hexachloroethane	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Hexachloroethane	LGW-6	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-6	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-6	10/5/2023	10	10	ND	ug/L
Hexachloroethane	LGW-7	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-7	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-7	7/12/2018	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-7	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-7	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-8R	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-8R	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Hexachloroethane	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-8R	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-9	10/26/2006	10	10	ND	ug/L
Hexachloroethane	LGW-9	2/4/2009	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Hexachloroethane	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Hexachloroethane	LGW-9	7/10/2019	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/9/2020	10	10	ND	ug/L
Hexachloroethane	LGW-9	7/7/2021	10	10	ND	ug/L
Hexachloroethane	LGW-9	10/5/2023	10	10	ND	ug/L
Hexachloroethane	MW-10N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-10N	2/13/2009	10	10	ND	ug/L
Hexachloroethane	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Hexachloroethane	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Hexachloroethane	MW-10N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	MW-11N	2/3/2009	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-11N	2/10/2015	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/17/2018	10	10	ND	ug/L
Hexachloroethane	MW-11N	7/6/2021	10	10	ND	ug/L
Hexachloroethane	MW-15	7/10/2018	10	10	ND	ug/L
Hexachloroethane	MW-15	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-16	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-17	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Hexachloroethane	MW-19	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachloroethane	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-1N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-1N	2/5/2009	10	10	ND	ug/L
Hexachloroethane	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Hexachloroethane	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Hexachloroethane	MW-1N	7/6/2020	10	10	ND	ug/L
Hexachloroethane	MW-1N	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-20	7/4/2021	10	10	ND	ug/L
Hexachloroethane	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Hexachloroethane	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-21	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-21	7/8/2020	10	10	ND	ug/L
Hexachloroethane	MW-21	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-2N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-2N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Hexachloroethane	MW-2N	7/12/2018	10	10	ND	ug/L
Hexachloroethane	MW-2N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-3N	10/25/2006	10	10	ND	ug/L
Hexachloroethane	MW-3N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Hexachloroethane	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Hexachloroethane	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Hexachloroethane	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Hexachloroethane	MW-3N	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/7/2020	10	10	ND	ug/L
Hexachloroethane	MW-3N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachloroethane	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-7N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-7N	2/6/2009	10	10	ND	ug/L
Hexachloroethane	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Hexachloroethane	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Hexachloroethane	MW-7N	7/13/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloroethane	MW-7N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloroethane	MW-8N	10/24/2006	10	10	ND	ug/L
Hexachloroethane	MW-8N	1/24/2008	10	10	ND	ug/L
Hexachloroethane	MW-8N	2/4/2009	10	10	ND	ug/L
Hexachloroethane	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Hexachloroethane	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Hexachloroethane	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Hexachloroethane	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Hexachloroethane	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Hexachloroethane	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Hexachloroethane	MW-8N	7/11/2019	10	10	ND	ug/L
Hexachloroethane	MW-8N	7/9/2020	10	10	ND	ug/L
Hexachloroethane	MW-8N	7/5/2021	10	10	ND	ug/L
Hexachloroethane	MW-8N	10/5/2023	10	10	ND	ug/L
Hexachloroethane	NE-1	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-1	2/7/2009	10	10	ND	ug/L
Hexachloroethane	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Hexachloroethane	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Hexachloroethane	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Hexachloroethane	NE-4	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-4	2/7/2009	10	10	ND	ug/L
Hexachloroethane	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Hexachloroethane	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Hexachloroethane	NE-4	7/12/2018	10	10	ND	ug/L
Hexachloroethane	NE-5	10/25/2006	10	10	ND	ug/L
Hexachloroethane	NE-5	2/6/2009	10	10	ND	ug/L
Hexachloroethane	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Hexachloroethane	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Hexachloroethane	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Hexachloroethane	NE-5	7/9/2019	10	10	ND	ug/L
Hexachloropropene	LGW-10	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-10	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-10	2/12/2015	96	96	ND	ug/L
Hexachloropropene	LGW-10	10/6/2016	95	95	ND	ug/L
Hexachloropropene	LGW-10	10/9/2017	96	96	ND	ug/L
Hexachloropropene	LGW-10	7/16/2018	95	95	ND	ug/L
Hexachloropropene	LGW-10	7/11/2019	99	99	ND	ug/L
Hexachloropropene	LGW-10	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-10	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-10	10/5/2023	100	100	ND	ug/L
Hexachloropropene	LGW-14R	10/27/2006	100	100	ND	ug/L
Hexachloropropene	LGW-14R	2/6/2009	100	100	ND	ug/L
Hexachloropropene	LGW-14R	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-14R	2/11/2015	99	99	ND	ug/L
Hexachloropropene	LGW-14R	7/17/2018	100	100	ND	ug/L
Hexachloropropene	LGW-14R	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-2	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-2	2/13/2009	100	100	ND	ug/L
Hexachloropropene	LGW-2	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-2	2/13/2015	130	130	ND	ug/L
Hexachloropropene	LGW-2	7/12/2018	97	97	ND	ug/L
Hexachloropropene	LGW-2	7/8/2020	50	50	ND	ug/L
Hexachloropropene	LGW-2	7/4/2021	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	LGW-3R	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-3R	2/3/2009	100	100	ND	ug/L
Hexachloropropene	LGW-3R	7/9/2012	94	94	ND	ug/L
Hexachloropropene	LGW-3R	2/10/2015	97	97	ND	ug/L
Hexachloropropene	LGW-3R	7/11/2018	100	100	ND	ug/L
Hexachloropropene	LGW-3R	7/6/2021	100	100	ND	ug/L
Hexachloropropene	LGW-4	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-4	2/3/2009	100	100	ND	ug/L
Hexachloropropene	LGW-4	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-4	2/11/2015	97	97	ND	ug/L
Hexachloropropene	LGW-4	7/11/2018	99	99	ND	ug/L
Hexachloropropene	LGW-4	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-5	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-5	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-5	7/9/2012	94	94	ND	ug/L
Hexachloropropene	LGW-5	2/10/2015	95	95	ND	ug/L
Hexachloropropene	LGW-5	7/12/2018	100	100	ND	ug/L
Hexachloropropene	LGW-5	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-5	10/5/2023	100	100	ND	ug/L
Hexachloropropene	LGW-6	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-6	2/5/2009	100	100	ND	ug/L
Hexachloropropene	LGW-6	7/9/2012	95	95	ND	ug/L
Hexachloropropene	LGW-6	2/10/2015	100	100	ND	ug/L
Hexachloropropene	LGW-6	10/6/2016	97	97	ND	ug/L
Hexachloropropene	LGW-6	10/5/2017	95	95	ND	ug/L
Hexachloropropene	LGW-6	7/17/2018	99	99	ND	ug/L
Hexachloropropene	LGW-6	7/10/2019	99	99	ND	ug/L
Hexachloropropene	LGW-6	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-6	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-6	10/5/2023	100	100	ND	ug/L
Hexachloropropene	LGW-7	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-7	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-7	7/10/2012	95	95	ND	ug/L
Hexachloropropene	LGW-7	2/11/2015	96	96	ND	ug/L
Hexachloropropene	LGW-7	10/6/2016	96	96	ND	ug/L
Hexachloropropene	LGW-7	10/5/2017	96	96	ND	ug/L
Hexachloropropene	LGW-7	7/12/2018	100	100	ND	ug/L
Hexachloropropene	LGW-7	7/10/2019	98	98	ND	ug/L
Hexachloropropene	LGW-7	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-7	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-8R	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-8R	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-8R	7/9/2012	94	94	ND	ug/L
Hexachloropropene	LGW-8R	2/11/2015	98	98	ND	ug/L
Hexachloropropene	LGW-8R	7/13/2018	98	98	ND	ug/L
Hexachloropropene	LGW-8R	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-9	10/26/2006	100	100	ND	ug/L
Hexachloropropene	LGW-9	2/4/2009	100	100	ND	ug/L
Hexachloropropene	LGW-9	7/10/2012	95	95	ND	ug/L
Hexachloropropene	LGW-9	2/11/2015	98	98	ND	ug/L
Hexachloropropene	LGW-9	10/6/2016	96	96	ND	ug/L
Hexachloropropene	LGW-9	10/5/2017	95	95	ND	ug/L
Hexachloropropene	LGW-9	7/13/2018	95	95	ND	ug/L
Hexachloropropene	LGW-9	7/10/2019	100	100	ND	ug/L
Hexachloropropene	LGW-9	7/9/2020	50	50	ND	ug/L
Hexachloropropene	LGW-9	7/7/2021	100	100	ND	ug/L
Hexachloropropene	LGW-9	10/5/2023	100	100	ND	ug/L
Hexachloropropene	MW-10N	10/25/2006	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	MW-10N	2/13/2009	100	100	ND	ug/L
Hexachloropropene	MW-10N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-10N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-10N	7/11/2018	97	97	ND	ug/L
Hexachloropropene	MW-10N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-11N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-11N	2/3/2009	100	100	ND	ug/L
Hexachloropropene	MW-11N	7/9/2012	95	95	ND	ug/L
Hexachloropropene	MW-11N	2/10/2015	100	100	ND	ug/L
Hexachloropropene	MW-11N	7/17/2018	100	100	ND	ug/L
Hexachloropropene	MW-11N	7/6/2021	100	100	ND	ug/L
Hexachloropropene	MW-15	7/10/2018	100	100	ND	ug/L
Hexachloropropene	MW-15	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-16	7/11/2018	95	95	ND	ug/L
Hexachloropropene	MW-16	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-17	7/10/2018	95	95	ND	ug/L
Hexachloropropene	MW-17	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-19	7/13/2018	96	96	ND	ug/L
Hexachloropropene	MW-19	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-1N	10/14/1998	10	10	ND	ug/L
Hexachloropropene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-1N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-1N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-1N	2/5/2009	100	100	ND	ug/L
Hexachloropropene	MW-1N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-1N	2/10/2015	95	95	ND	ug/L
Hexachloropropene	MW-1N	7/10/2018	99	99	ND	ug/L
Hexachloropropene	MW-1N	7/6/2020	50	50	ND	ug/L
Hexachloropropene	MW-1N	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-20	7/12/2018	95	95	ND	ug/L
Hexachloropropene	MW-20	7/4/2021	100	100	ND	ug/L
Hexachloropropene	MW-21	10/5/2016	96	96	ND	ug/L
Hexachloropropene	MW-21	10/6/2017	96	96	ND	ug/L
Hexachloropropene	MW-21	7/11/2018	95	95	ND	ug/L
Hexachloropropene	MW-21	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-21	7/8/2020	50	50	ND	ug/L
Hexachloropropene	MW-21	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-2N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-2N	2/4/2009	100	100	ND	ug/L
Hexachloropropene	MW-2N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-2N	2/12/2015	96	96	ND	ug/L
Hexachloropropene	MW-2N	7/12/2018	100	100	ND	ug/L
Hexachloropropene	MW-2N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-3N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-3N	10/25/2006	100	100	ND	ug/L
Hexachloropropene	MW-3N	2/4/2009	100	100	ND	ug/L
Hexachloropropene	MW-3N	7/11/2012	94	94	ND	ug/L
Hexachloropropene	MW-3N	2/12/2015	98	98	ND	ug/L
Hexachloropropene	MW-3N	10/6/2016	96	96	ND	ug/L
Hexachloropropene	MW-3N	10/9/2017	95	95	ND	ug/L
Hexachloropropene	MW-3N	7/13/2018	95	95	ND	ug/L
Hexachloropropene	MW-3N	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-3N	7/7/2020	50	50	ND	ug/L
Hexachloropropene	MW-3N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-7N	10/15/1998	10	10	ND	ug/L
Hexachloropropene	MW-7N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Hexachloropropene	MW-7N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-7N	2/6/2009	100	100	ND	ug/L
Hexachloropropene	MW-7N	7/10/2012	95	95	ND	ug/L
Hexachloropropene	MW-7N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-7N	10/5/2017	99	99	ND	ug/L
Hexachloropropene	MW-7N	7/13/2018	100	100	ND	ug/L
Hexachloropropene	MW-7N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-8N	5/29/2002	10	10	ND	ug/L
Hexachloropropene	MW-8N	10/24/2006	100	100	ND	ug/L
Hexachloropropene	MW-8N	1/24/2008	100	100	ND	ug/L
Hexachloropropene	MW-8N	2/4/2009	100	100	ND	ug/L
Hexachloropropene	MW-8N	5/10/2011	96	96	ND	ug/L
Hexachloropropene	MW-8N	7/11/2012	95	95	ND	ug/L
Hexachloropropene	MW-8N	10/2/2013	95	95	ND	ug/L
Hexachloropropene	MW-8N	10/8/2014	96	96	ND	ug/L
Hexachloropropene	MW-8N	2/12/2015	97	97	ND	ug/L
Hexachloropropene	MW-8N	10/6/2016	96	96	ND	ug/L
Hexachloropropene	MW-8N	10/6/2017	97	97	ND	ug/L
Hexachloropropene	MW-8N	7/16/2018	98	98	ND	ug/L
Hexachloropropene	MW-8N	7/11/2019	100	100	ND	ug/L
Hexachloropropene	MW-8N	7/9/2020	50	50	ND	ug/L
Hexachloropropene	MW-8N	7/5/2021	100	100	ND	ug/L
Hexachloropropene	MW-8N	10/5/2023	100	100	ND	ug/L
Hexachloropropene	NE-1	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-1	2/7/2009	100	100	ND	ug/L
Hexachloropropene	NE-1	7/10/2012	96	96	ND	ug/L
Hexachloropropene	NE-1	2/11/2015	96	96	ND	ug/L
Hexachloropropene	NE-1	7/18/2018	96	96	ND	ug/L
Hexachloropropene	NE-2	7/10/2018	95	95	ND	ug/L
Hexachloropropene	NE-4	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-4	2/7/2009	100	100	ND	ug/L
Hexachloropropene	NE-4	7/10/2012	98	98	ND	ug/L
Hexachloropropene	NE-4	2/13/2015	95	95	ND	ug/L
Hexachloropropene	NE-4	7/12/2018	100	100	ND	ug/L
Hexachloropropene	NE-5	10/25/2006	100	100	ND	ug/L
Hexachloropropene	NE-5	2/6/2009	100	100	ND	ug/L
Hexachloropropene	NE-5	7/10/2012	95	95	ND	ug/L
Hexachloropropene	NE-5	2/11/2015	96	96	ND	ug/L
Hexachloropropene	NE-5	7/17/2018	96	96	ND	ug/L
Hexachloropropene	NE-5	7/9/2019	100	100	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-10	10/5/2023	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-4	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-5	10/5/2023	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-6	10/5/2023	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	LGW-9	10/5/2023	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-15	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-17	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Indeno(1,2,3-cd)pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-7N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/11/2019	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	MW-8N	10/5/2023	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	2/7/2009	2.7	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Indeno(1,2,3-cd)pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Iodomethane	LGW-10	1/26/2006	1	1	ND	ug/L
Iodomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-10	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-10	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-10	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-10	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-10	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-10	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-10	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-10	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-10	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-10	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-10	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-10	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-10	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-10	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-10	5/1/2013	1	1	ND	ug/L
Iodomethane	LGW-10	1/30/2014	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2014	0.4	1	ND	ug/L
Iodomethane	LGW-10	2/12/2015	1	1	ND	ug/L
Iodomethane	LGW-10	7/13/2015	1	1	ND	ug/L
Iodomethane	LGW-10	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-10	4/6/2016	1	1	ND	ug/L
Iodomethane	LGW-10	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-10	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-10	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-10	4/4/2017	1	1	ND	ug/L
Iodomethane	LGW-10	7/19/2017	1	1	ND	ug/L
Iodomethane	LGW-10	10/9/2017	1	1	ND	ug/L
Iodomethane	LGW-10	1/24/2018	1.4	1		ug/L
Iodomethane	LGW-10	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-10	7/16/2018	1	1	ND	ug/L
Iodomethane	LGW-10	10/4/2018	1	1	ND	ug/L
Iodomethane	LGW-10	1/4/2019	1	1	ND	ug/L
Iodomethane	LGW-10	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-10	7/11/2019	1	1	ND	ug/L
Iodomethane	LGW-10	10/2/2019	1	1	ND	ug/L
Iodomethane	LGW-10	1/15/2020	1	1	ND	ug/L
Iodomethane	LGW-10	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-10	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-10	10/7/2020	1	1	ND	ug/L
Iodomethane	LGW-10	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-10	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-10	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-10	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-10	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-10	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-10	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-10	10/7/2022	1	1	ND	ug/L
Iodomethane	LGW-10	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-10	4/5/2023	1	1	ND	ug/L
Iodomethane	LGW-10	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-10	10/5/2023	1	1	ND	ug/L
Iodomethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	10/27/2006	1	1	ND	ug/L
Iodomethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Iodomethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-14R	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Iodomethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Iodomethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-2	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-2	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-2	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-2	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-2	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-2	7/10/2007	1	1	ND	ug/L
Iodomethane	LGW-2	1/26/2008	1	1	ND	ug/L
Iodomethane	LGW-2	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-2	2/6/2009	1	1	ND	ug/L
Iodomethane	LGW-2	7/30/2009	1	1	ND	ug/L
Iodomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-2	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-2	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-2	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-2	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-2	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-2	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-2	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-2	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-2	1/30/2014	1	1	ND	ug/L
Iodomethane	LGW-2	7/8/2014	0.31	1	ND	ug/L
Iodomethane	LGW-2	2/13/2015	1	1	ND	ug/L
Iodomethane	LGW-2	7/8/2015	0.29	1	ND	ug/L
Iodomethane	LGW-2	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-2	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-2	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-2	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-2	1/23/2018	0.27	1	ND	ug/L
Iodomethane	LGW-2	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-2	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-2	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-2	1/13/2020	1	1	ND	ug/L
Iodomethane	LGW-2	4/1/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-2	7/8/2020	1	1	ND	ug/L
Iodomethane	LGW-2	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-2	7/4/2021	1	1	ND	ug/L
Iodomethane	LGW-2	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-2	7/10/2022	1	1	ND	ug/L
Iodomethane	LGW-2	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-2	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Iodomethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Iodomethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Iodomethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Iodomethane	LGW-3R	7/8/2014	0.29	1	ND	ug/L
Iodomethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Iodomethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Iodomethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-3R	1/23/2018	0.24	1	ND	ug/L
Iodomethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Iodomethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Iodomethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Iodomethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-3R	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-4	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-4	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-4	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-4	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-4	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-4	1/22/2008	1	1	ND	ug/L
Iodomethane	LGW-4	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-4	2/3/2009	1	1	ND	ug/L
Iodomethane	LGW-4	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-4	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-4	7/16/2010	1	1	ND	ug/L
Iodomethane	LGW-4	1/19/2011	1	1		ug/L
Iodomethane	LGW-4	7/13/2011	1	1	ND	ug/L
Iodomethane	LGW-4	1/4/2012	1	1	ND	ug/L
Iodomethane	LGW-4	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-4	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-4	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-4	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-4	7/8/2014	0.26	1	ND	ug/L
Iodomethane	LGW-4	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-4	7/8/2015	0.31	1	ND	ug/L
Iodomethane	LGW-4	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-4	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-4	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-4	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-4	1/23/2018	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2018	1	1	ND	ug/L
Iodomethane	LGW-4	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-4	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-4	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-4	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-4	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-4	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-4	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-4	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-4	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-4	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-5	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-5	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-5	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-5	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-5	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-5	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-5	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-5	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-5	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-5	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-5	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-5	1/19/2011	0.97	1	ND	ug/L
Iodomethane	LGW-5	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-5	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-5	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-5	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-5	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-5	7/8/2014	0.29	1	ND	ug/L
Iodomethane	LGW-5	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-5	7/8/2015	0.33	1	ND	ug/L
Iodomethane	LGW-5	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-5	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-5	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-5	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-5	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-5	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-5	1/3/2019	1	1	ND	ug/L
Iodomethane	LGW-5	7/9/2019	1	1	ND	ug/L
Iodomethane	LGW-5	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-5	7/6/2020	1	1	ND	ug/L
Iodomethane	LGW-5	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-5	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-5	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-5	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-5	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-5	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-5	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-5	10/6/2022	1	1	ND	ug/L
Iodomethane	LGW-5	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-5	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-5	10/5/2023	1	1	ND	ug/L
Iodomethane	LGW-6	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-6	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-6	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-6	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-6	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-6	7/11/2007	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2008	1	1	ND	ug/L
Iodomethane	LGW-6	7/23/2008	1	1	ND	ug/L
Iodomethane	LGW-6	2/5/2009	1	1	ND	ug/L
Iodomethane	LGW-6	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-6	2/3/2010	1	1	ND	ug/L
Iodomethane	LGW-6	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-6	1/19/2011	0.74	1	ND	ug/L
Iodomethane	LGW-6	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-6	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-6	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-6	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-6	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-6	7/8/2014	0.28	1	ND	ug/L
Iodomethane	LGW-6	2/10/2015	1	1	ND	ug/L
Iodomethane	LGW-6	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-6	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-6	7/19/2016	1	1	ND	ug/L
Iodomethane	LGW-6	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-6	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-6	5/5/2017	1	1	ND	ug/L
Iodomethane	LGW-6	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-6	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-6	1/23/2018	0.25	1	ND	ug/L
Iodomethane	LGW-6	4/10/2018	1	1	ND	ug/L
Iodomethane	LGW-6	7/17/2018	1	1	ND	ug/L
Iodomethane	LGW-6	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-6	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-6	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-6	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-6	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-6	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-6	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-6	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-6	10/6/2020	1	1	ND	ug/L
Iodomethane	LGW-6	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-6	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-6	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-6	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-6	1/12/2022	1	1	ND	ug/L
Iodomethane	LGW-6	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-6	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-6	10/6/2022	1	1	ND	ug/L
Iodomethane	LGW-6	1/10/2023	1	1	ND	ug/L
Iodomethane	LGW-6	4/6/2023	1	1	ND	ug/L
Iodomethane	LGW-6	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-6	10/5/2023	1	1	ND	ug/L
Iodomethane	LGW-7	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-7	8/1/2006	1	1	ND	ug/L
Iodomethane	LGW-7	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-7	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-7	4/26/2007	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-7	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-7	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-7	7/31/2009	1	1	ND	ug/L
Iodomethane	LGW-7	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2010	1	1	ND	ug/L
Iodomethane	LGW-7	1/20/2011	0.61	1	ND	ug/L
Iodomethane	LGW-7	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-7	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-7	7/10/2012	1	1	ND	ug/L
Iodomethane	LGW-7	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-7	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-7	1/23/2014	1	1	ND	ug/L
Iodomethane	LGW-7	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-7	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-7	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-7	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-7	4/6/2016	1	1	ND	ug/L
Iodomethane	LGW-7	7/20/2016	1	1	ND	ug/L
Iodomethane	LGW-7	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-7	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-7	4/4/2017	1	1	ND	ug/L
Iodomethane	LGW-7	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-7	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-7	1/24/2018	1	1	ND	ug/L
Iodomethane	LGW-7	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-7	7/12/2018	1	1	ND	ug/L
Iodomethane	LGW-7	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-7	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-7	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-7	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-7	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-7	1/15/2020	1	1	ND	ug/L
Iodomethane	LGW-7	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-7	1/18/2021	1	1	ND	ug/L
Iodomethane	LGW-7	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-7	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-7	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-7	7/11/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-7	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-7	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Iodomethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Iodomethane	LGW-8R	1/20/2011	0.46	1	ND	ug/L
Iodomethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Iodomethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Iodomethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Iodomethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Iodomethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Iodomethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Iodomethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Iodomethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Iodomethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Iodomethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Iodomethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-9	1/25/2006	1	1	ND	ug/L
Iodomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-9	7/20/2006	1	1	ND	ug/L
Iodomethane	LGW-9	10/26/2006	1	1	ND	ug/L
Iodomethane	LGW-9	1/25/2007	1	1	ND	ug/L
Iodomethane	LGW-9	4/25/2007	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2007	1	1	ND	ug/L
Iodomethane	LGW-9	7/22/2008	1	1	ND	ug/L
Iodomethane	LGW-9	2/4/2009	1	1	ND	ug/L
Iodomethane	LGW-9	7/29/2009	1	1	ND	ug/L
Iodomethane	LGW-9	1/27/2010	1	1	ND	ug/L
Iodomethane	LGW-9	7/14/2010	1	1	ND	ug/L
Iodomethane	LGW-9	1/20/2011	0.34	1	ND	ug/L
Iodomethane	LGW-9	7/12/2011	1	1	ND	ug/L
Iodomethane	LGW-9	1/5/2012	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2012	1	1	ND	ug/L
Iodomethane	LGW-9	5/1/2013	1	1	ND	ug/L
Iodomethane	LGW-9	7/15/2013	1	1	ND	ug/L
Iodomethane	LGW-9	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	LGW-9	7/8/2014	1	1	ND	ug/L
Iodomethane	LGW-9	2/11/2015	1	1	ND	ug/L
Iodomethane	LGW-9	7/13/2015	0.81	1	ND	ug/L
Iodomethane	LGW-9	1/5/2016	1	1	ND	ug/L
Iodomethane	LGW-9	7/21/2016	1	1	ND	ug/L
Iodomethane	LGW-9	10/6/2016	1	1	ND	ug/L
Iodomethane	LGW-9	1/11/2017	1	1	ND	ug/L
Iodomethane	LGW-9	5/5/2017	1	1	ND	ug/L
Iodomethane	LGW-9	7/18/2017	1	1	ND	ug/L
Iodomethane	LGW-9	10/5/2017	1	1	ND	ug/L
Iodomethane	LGW-9	1/24/2018	1	1	ND	ug/L
Iodomethane	LGW-9	4/11/2018	1	1	ND	ug/L
Iodomethane	LGW-9	7/13/2018	1	1	ND	ug/L
Iodomethane	LGW-9	10/2/2018	1	1	ND	ug/L
Iodomethane	LGW-9	1/7/2019	1	1	ND	ug/L
Iodomethane	LGW-9	4/3/2019	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2019	1	1	ND	ug/L
Iodomethane	LGW-9	10/3/2019	1	1	ND	ug/L
Iodomethane	LGW-9	1/16/2020	1	1	ND	ug/L
Iodomethane	LGW-9	4/2/2020	1	1	ND	ug/L
Iodomethane	LGW-9	7/9/2020	1	1	ND	ug/L
Iodomethane	LGW-9	10/7/2020	1	1	ND	ug/L
Iodomethane	LGW-9	1/17/2021	1	1	ND	ug/L
Iodomethane	LGW-9	4/6/2021	1	1	ND	ug/L
Iodomethane	LGW-9	7/7/2021	1	1	ND	ug/L
Iodomethane	LGW-9	10/5/2021	1	1	ND	ug/L
Iodomethane	LGW-9	1/13/2022	1	1	ND	ug/L
Iodomethane	LGW-9	4/4/2022	1	1	ND	ug/L
Iodomethane	LGW-9	7/11/2022	1	1	ND	ug/L
Iodomethane	LGW-9	10/7/2022	1	1	ND	ug/L
Iodomethane	LGW-9	1/11/2023	1	1	ND	ug/L
Iodomethane	LGW-9	4/5/2023	1	1	ND	ug/L
Iodomethane	LGW-9	7/10/2023	1	1	ND	ug/L
Iodomethane	LGW-9	10/5/2023	1	1	ND	ug/L
Iodomethane	MW-10N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-10N	1/22/1998	10	10	ND	ug/L
Iodomethane	MW-10N	4/28/1998	20	20	ND	ug/L
Iodomethane	MW-10N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-10N	1/14/1999	10	10	ND	ug/L
Iodomethane	MW-10N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-10N	7/15/1999	10	10	ND	ug/L
Iodomethane	MW-10N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-10N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-10N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-10N	7/11/2000	1	1	ND	ug/L
Iodomethane	MW-10N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-10N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2002	1	1	ND	ug/L
Iodomethane	MW-10N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-10N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-10N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-10N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-10N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-10N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-10N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-10N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-10N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-10N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-10N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2007	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-10N	1/23/2008	1	1	ND	ug/L
Iodomethane	MW-10N	7/21/2008	1	1	ND	ug/L
Iodomethane	MW-10N	2/13/2009	1	1	ND	ug/L
Iodomethane	MW-10N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-10N	1/27/2010	1	1	ND	ug/L
Iodomethane	MW-10N	8/10/2010	1	1	ND	ug/L
Iodomethane	MW-10N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-10N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-10N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-10N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-10N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-10N	7/9/2014	0.42	1	ND	ug/L
Iodomethane	MW-10N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-10N	7/14/2015	0.51	1	ND	ug/L
Iodomethane	MW-10N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-10N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-10N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-10N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-10N	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-10N	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-10N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-10N	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-10N	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-10N	7/8/2020	1	1	ND	ug/L
Iodomethane	MW-10N	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-10N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-10N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-10N	7/7/2023	1	1	ND	ug/L
Iodomethane	MW-11N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-11N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-11N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-11N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-11N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-11N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-11N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-11N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-11N	1/13/2000	10	10	ND	ug/L
Iodomethane	MW-11N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-11N	7/10/2000	1	1	ND	ug/L
Iodomethane	MW-11N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-11N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-11N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-11N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-11N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-11N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-11N	1/29/2004	1	1	ND	ug/L
Iodomethane	MW-11N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-11N	1/13/2005	1	1	ND	ug/L
Iodomethane	MW-11N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-11N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-11N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-11N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-11N	1/24/2007	1	1	ND	ug/L
Iodomethane	MW-11N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-11N	1/22/2008	1	1	ND	ug/L
Iodomethane	MW-11N	7/23/2008	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2009	1	1	ND	ug/L
Iodomethane	MW-11N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Iodomethane	MW-11N	2/3/2010	1	1	ND	ug/L
Iodomethane	MW-11N	7/16/2010	1	1	ND	ug/L
Iodomethane	MW-11N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-11N	1/4/2012	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2012	1	1	ND	ug/L
Iodomethane	MW-11N	4/30/2013	1	1	ND	ug/L
Iodomethane	MW-11N	7/15/2013	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2014	1	1	ND	ug/L
Iodomethane	MW-11N	7/8/2014	0.28	1	ND	ug/L
Iodomethane	MW-11N	2/10/2015	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2015	0.31	1	ND	ug/L
Iodomethane	MW-11N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-11N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-11N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-11N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-11N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-11N	7/17/2018	1	1	ND	ug/L
Iodomethane	MW-11N	1/2/2019	1	1	ND	ug/L
Iodomethane	MW-11N	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-11N	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-11N	7/6/2020	1	1	ND	ug/L
Iodomethane	MW-11N	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-11N	7/6/2021	1	1	ND	ug/L
Iodomethane	MW-11N	1/18/2022	1	1	ND	ug/L
Iodomethane	MW-11N	7/13/2022	1	1	ND	ug/L
Iodomethane	MW-11N	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-11N	7/8/2023	1	1	ND	ug/L
Iodomethane	MW-15	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-15	7/15/2015	0.58	1	ND	ug/L
Iodomethane	MW-15	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-15	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-15	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-15	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-15	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-15	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-15	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-15	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-15	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-15	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-15	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-15	7/9/2019	1	1	ND	ug/L
Iodomethane	MW-15	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-15	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-15	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-15	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-15	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-15	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-15	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-15	7/10/2023	1	1	ND	ug/L
Iodomethane	MW-16	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-16	7/16/2015	0.66	1	ND	ug/L
Iodomethane	MW-16	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-16	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-16	1/8/2016	1	1	ND	ug/L
Iodomethane	MW-16	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-16	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-16	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-16	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-16	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-16	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-16	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-16	1/2/2019	1	1	ND	ug/L
Iodomethane	MW-16	7/10/2019	1	1	ND	ug/L
Iodomethane	MW-16	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-16	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-16	1/18/2021	1	1	ND	ug/L
Iodomethane	MW-16	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-16	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-16	7/10/2022	1	1	ND	ug/L
Iodomethane	MW-16	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-16	7/10/2023	1	1	ND	ug/L
Iodomethane	MW-17	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-17	7/15/2015	0.62	1	ND	ug/L
Iodomethane	MW-17	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-17	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-17	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-17	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-17	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-17	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-17	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-17	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-17	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-17	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-17	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-17	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-17	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-17	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-17	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-17	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-17	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-17	7/8/2023	1	1	ND	ug/L
Iodomethane	MW-19	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-19	7/16/2015	1	1	ND	ug/L
Iodomethane	MW-19	8/5/2015	1	1	ND	ug/L
Iodomethane	MW-19	9/3/2015	1	1	ND	ug/L
Iodomethane	MW-19	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-19	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-19	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-19	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-19	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-19	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-19	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-19	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-19	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-19	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-19	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-19	8/3/2020	1	1	ND	ug/L
Iodomethane	MW-19	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-19	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-19	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-19	7/10/2023	1	1	ND	ug/L
Iodomethane	MW-1N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-1N	1/20/1998	10	10	ND	ug/L
Iodomethane	MW-1N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-1N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-1N	10/14/1998	10	10	ND	ug/L
Iodomethane	MW-1N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-1N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-1N	5/19/1999	10	10	ND	ug/L
Iodomethane	MW-1N	7/15/1999	10	10	ND	ug/L
Iodomethane	MW-1N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-1N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-1N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-1N	7/12/2000	1	1	ND	ug/L
Iodomethane	MW-1N	10/18/2000	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-1N	4/12/2001	1	1	ND	ug/L
Iodomethane	MW-1N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-1N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-1N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-1N	10/3/2002	1	1	ND	ug/L
Iodomethane	MW-1N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-1N	4/15/2003	1	1	ND	ug/L
Iodomethane	MW-1N	7/8/2003	1	1	ND	ug/L
Iodomethane	MW-1N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-1N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-1N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-1N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-1N	1/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	7/18/2006	1	1	ND	ug/L
Iodomethane	MW-1N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-1N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-1N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-1N	7/21/2008	1	1	ND	ug/L
Iodomethane	MW-1N	2/5/2009	1	1	ND	ug/L
Iodomethane	MW-1N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-1N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-1N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-1N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-1N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-1N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-1N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-1N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-1N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-1N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-1N	7/9/2014	0.33	1	ND	ug/L
Iodomethane	MW-1N	2/10/2015	1	1	ND	ug/L
Iodomethane	MW-1N	7/14/2015	0.67	1	ND	ug/L
Iodomethane	MW-1N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-1N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-1N	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-1N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-1N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-1N	7/10/2018	1	1	ND	ug/L
Iodomethane	MW-1N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-1N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-1N	1/23/2020	1.89	1.89	ND	ug/L
Iodomethane	MW-1N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-1N	7/6/2020	1	1	ND	ug/L
Iodomethane	MW-1N	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-1N	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-1N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-1N	7/8/2023	1	1	ND	ug/L
Iodomethane	MW-20	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-20	7/14/2015	0.44	1	ND	ug/L
Iodomethane	MW-20	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-20	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-20	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-20	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-20	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-20	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-20	1/12/2017	1	1	ND	ug/L
Iodomethane	MW-20	7/18/2017	1	1	ND	ug/L
Iodomethane	MW-20	1/26/2018	1	1	ND	ug/L
Iodomethane	MW-20	7/12/2018	1	1	ND	ug/L
Iodomethane	MW-20	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-20	1/14/2020	1	1	ND	ug/L
Iodomethane	MW-20	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-20	1/17/2021	1	1	ND	ug/L
Iodomethane	MW-20	7/4/2021	1	1	ND	ug/L
Iodomethane	MW-20	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-21	6/5/2015	1	1	ND	ug/L
Iodomethane	MW-21	7/14/2015	0.44	1	ND	ug/L
Iodomethane	MW-21	8/4/2015	1	1	ND	ug/L
Iodomethane	MW-21	9/2/2015	1	1	ND	ug/L
Iodomethane	MW-21	1/7/2016	1	1	ND	ug/L
Iodomethane	MW-21	4/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	7/20/2016	1	1	ND	ug/L
Iodomethane	MW-21	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	10/5/2016	1	1	ND	ug/L
Iodomethane	MW-21	1/10/2017	1	1	ND	ug/L
Iodomethane	MW-21	4/5/2017	1	1	ND	ug/L
Iodomethane	MW-21	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-21	10/6/2017	1	1	ND	ug/L
Iodomethane	MW-21	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-21	4/11/2018	1	1	ND	ug/L
Iodomethane	MW-21	7/11/2018	1	1	ND	ug/L
Iodomethane	MW-21	10/4/2018	1	1	ND	ug/L
Iodomethane	MW-21	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-21	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-21	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-21	10/2/2019	1	1	ND	ug/L
Iodomethane	MW-21	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-21	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-21	7/8/2020	1	1	ND	ug/L
Iodomethane	MW-21	10/7/2020	1	1	ND	ug/L
Iodomethane	MW-21	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-21	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-21	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-21	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-21	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-21	4/8/2023	1	1	ND	ug/L
Iodomethane	MW-21	7/7/2023	1	1	ND	ug/L
Iodomethane	MW-21	10/6/2023	1	1	ND	ug/L
Iodomethane	MW-2N	10/22/1997	10	10	ND	ug/L
Iodomethane	MW-2N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-2N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-2N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-2N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-2N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-2N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-2N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-2N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-2N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-2N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2001	1	1	ND	ug/L
Iodomethane	MW-2N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-2N	7/10/2002	1	1	ND	ug/L
Iodomethane	MW-2N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-2N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-2N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-2N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-2N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-2N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-2N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-2N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-2N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-2N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-2N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-2N	3/27/2007	1	1	ND	ug/L
Iodomethane	MW-2N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-2N	7/22/2008	1	1	ND	ug/L
Iodomethane	MW-2N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-2N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-2N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-2N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-2N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-2N	7/13/2011	1	1	ND	ug/L
Iodomethane	MW-2N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-2N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-2N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-2N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-2N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-2N	7/9/2014	0.46	1	ND	ug/L
Iodomethane	MW-2N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-2N	7/14/2015	0.55	1	ND	ug/L
Iodomethane	MW-2N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-2N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-2N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-2N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-2N	1/23/2018	1	1	ND	ug/L
Iodomethane	MW-2N	7/12/2018	1	1	ND	ug/L
Iodomethane	MW-2N	1/3/2019	1	1	ND	ug/L
Iodomethane	MW-2N	8/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-2N	1/23/2020	1	1	ND	ug/L
Iodomethane	MW-2N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-2N	1/14/2021	1	1	ND	ug/L
Iodomethane	MW-2N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-2N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-2N	7/8/2023	1	1	ND	ug/L
Iodomethane	MW-3N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-3N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-3N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-3N	7/23/1998	10	10	ND	ug/L
Iodomethane	MW-3N	1/13/1999	10	10	ND	ug/L
Iodomethane	MW-3N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-3N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-3N	10/20/1999	10	10	ND	ug/L
Iodomethane	MW-3N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-3N	4/24/2000	10	10	ND	ug/L
Iodomethane	MW-3N	7/11/2000	1	1	ND	ug/L
Iodomethane	MW-3N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-3N	1/23/2001	1	1	ND	ug/L
Iodomethane	MW-3N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-3N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-3N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-3N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-3N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-3N	1/22/2003	1	1	ND	ug/L
Iodomethane	MW-3N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-3N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-3N	1/28/2004	1	1	ND	ug/L
Iodomethane	MW-3N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-3N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-3N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-3N	1/18/2006	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-3N	10/25/2006	1	1	ND	ug/L
Iodomethane	MW-3N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2007	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-3N	7/22/2008	1	1	ND	ug/L
Iodomethane	MW-3N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-3N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-3N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-3N	7/13/2010	1	1	ND	ug/L
Iodomethane	MW-3N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-3N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-3N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2012	1	1	ND	ug/L
Iodomethane	MW-3N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-3N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-3N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2014	1	1	ND	ug/L
Iodomethane	MW-3N	7/9/2014	0.51	1	ND	ug/L
Iodomethane	MW-3N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-3N	4/1/2015	1	1	ND	ug/L
Iodomethane	MW-3N	7/14/2015	0.53	1	ND	ug/L
Iodomethane	MW-3N	10/5/2015	1	1	ND	ug/L
Iodomethane	MW-3N	1/6/2016	1	1	ND	ug/L
Iodomethane	MW-3N	4/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-3N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-3N	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-3N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-3N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-3N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-3N	10/9/2017	1	1	ND	ug/L
Iodomethane	MW-3N	1/24/2018	1	1	ND	ug/L
Iodomethane	MW-3N	4/10/2018	1	1	ND	ug/L
Iodomethane	MW-3N	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-3N	10/3/2018	1	1	ND	ug/L
Iodomethane	MW-3N	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-3N	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-3N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-3N	10/2/2019	1	1	ND	ug/L
Iodomethane	MW-3N	1/15/2020	1	1	ND	ug/L
Iodomethane	MW-3N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-3N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-3N	10/7/2020	1	1	ND	ug/L
Iodomethane	MW-3N	1/13/2021	1	1	ND	ug/L
Iodomethane	MW-3N	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-3N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-3N	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-3N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-3N	7/7/2023	1	1	ND	ug/L
Iodomethane	MW-3N	10/6/2023	1	1	ND	ug/L
Iodomethane	MW-7N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-7N	1/21/1998	10	10	ND	ug/L
Iodomethane	MW-7N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-7N	8/18/1998	10	10	ND	ug/L
Iodomethane	MW-7N	9/17/1998	10	10	ND	ug/L
Iodomethane	MW-7N	10/15/1998	10	10	ND	ug/L
Iodomethane	MW-7N	11/9/1998	10	10	ND	ug/L
Iodomethane	MW-7N	1/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	4/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-7N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-7N	1/13/2000	10	10	ND	ug/L
Iodomethane	MW-7N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-7N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-7N	1/23/2001	1	1	ND	ug/L
Iodomethane	MW-7N	4/10/2001	1	1	ND	ug/L
Iodomethane	MW-7N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-7N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-7N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-7N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-7N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-7N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-7N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-7N	1/27/2004	1	1	ND	ug/L
Iodomethane	MW-7N	4/8/2004	1	1	ND	ug/L
Iodomethane	MW-7N	7/26/2004	1	1	ND	ug/L
Iodomethane	MW-7N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2005	1	1	ND	ug/L
Iodomethane	MW-7N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-7N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-7N	1/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-7N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-7N	7/21/2008	1	1	ND	ug/L
Iodomethane	MW-7N	2/6/2009	1	1	ND	ug/L
Iodomethane	MW-7N	7/29/2009	1	1	ND	ug/L
Iodomethane	MW-7N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-7N	7/14/2010	1	1	ND	ug/L
Iodomethane	MW-7N	9/2/2010	1	1	ND	ug/L
Iodomethane	MW-7N	1/20/2011	1	1	ND	ug/L
Iodomethane	MW-7N	7/12/2011	1	1	ND	ug/L
Iodomethane	MW-7N	1/5/2012	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2012	1	1	ND	ug/L
Iodomethane	MW-7N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-7N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-7N	7/15/2013	1	1	ND	ug/L
Iodomethane	MW-7N	1/30/2014	1	1	ND	ug/L
Iodomethane	MW-7N	7/9/2014	0.3	1	ND	ug/L
Iodomethane	MW-7N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-7N	7/13/2015	1	1	ND	ug/L
Iodomethane	MW-7N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-7N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-7N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-7N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-7N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-7N	10/5/2017	1	1	ND	ug/L
Iodomethane	MW-7N	1/25/2018	1	1	ND	ug/L
Iodomethane	MW-7N	4/11/2018	1	1	ND	ug/L
Iodomethane	MW-7N	7/13/2018	1	1	ND	ug/L
Iodomethane	MW-7N	1/4/2019	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2019	1	1	ND	ug/L
Iodomethane	MW-7N	1/16/2020	1	1	ND	ug/L
Iodomethane	MW-7N	7/7/2020	1	1	ND	ug/L
Iodomethane	MW-7N	1/16/2021	1	1	ND	ug/L
Iodomethane	MW-7N	7/5/2021	1	1	ND	ug/L
Iodomethane	MW-7N	1/12/2022	1	1	ND	ug/L
Iodomethane	MW-7N	7/10/2022	1	1	ND	ug/L
Iodomethane	MW-7N	1/10/2023	1	1	ND	ug/L
Iodomethane	MW-7N	7/7/2023	1	1	ND	ug/L
Iodomethane	MW-8N	10/21/1997	10	10	ND	ug/L
Iodomethane	MW-8N	1/22/1998	10	10	ND	ug/L
Iodomethane	MW-8N	4/28/1998	10	10	ND	ug/L
Iodomethane	MW-8N	7/22/1998	10	10	ND	ug/L
Iodomethane	MW-8N	1/12/1999	10	10	ND	ug/L
Iodomethane	MW-8N	4/13/1999	10	10	ND	ug/L
Iodomethane	MW-8N	7/14/1999	10	10	ND	ug/L
Iodomethane	MW-8N	10/19/1999	10	10	ND	ug/L
Iodomethane	MW-8N	1/14/2000	10	10	ND	ug/L
Iodomethane	MW-8N	4/25/2000	10	10	ND	ug/L
Iodomethane	MW-8N	10/17/2000	1	1	ND	ug/L
Iodomethane	MW-8N	1/23/2001	1	1	ND	ug/L
Iodomethane	MW-8N	4/11/2001	1	1	ND	ug/L
Iodomethane	MW-8N	5/29/2002	1	1	ND	ug/L
Iodomethane	MW-8N	5/29/2002	10	10	ND	ug/L
Iodomethane	MW-8N	7/9/2002	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2002	1	1	ND	ug/L
Iodomethane	MW-8N	1/23/2003	1	1	ND	ug/L
Iodomethane	MW-8N	4/14/2003	1	1	ND	ug/L
Iodomethane	MW-8N	7/7/2003	1	1	ND	ug/L
Iodomethane	MW-8N	1/28/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-8N	7/27/2004	1	1	ND	ug/L
Iodomethane	MW-8N	1/12/2005	1	1	ND	ug/L
Iodomethane	MW-8N	7/20/2005	1	1	ND	ug/L
Iodomethane	MW-8N	1/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2006	1	1	ND	ug/L
Iodomethane	MW-8N	10/24/2006	1	1	ND	ug/L
Iodomethane	MW-8N	1/26/2007	1	1	ND	ug/L
Iodomethane	MW-8N	4/25/2007	1	1	ND	ug/L
Iodomethane	MW-8N	7/10/2007	1	1	ND	ug/L
Iodomethane	MW-8N	1/24/2008	1	1	ND	ug/L
Iodomethane	MW-8N	7/23/2008	1	1	ND	ug/L
Iodomethane	MW-8N	2/4/2009	1	1	ND	ug/L
Iodomethane	MW-8N	7/31/2009	1	1	ND	ug/L
Iodomethane	MW-8N	1/26/2010	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2010	1	1	ND	ug/L
Iodomethane	MW-8N	1/19/2011	1	1	ND	ug/L
Iodomethane	MW-8N	5/10/2011	1	1	ND	ug/L
Iodomethane	MW-8N	7/14/2011	1	1	ND	ug/L
Iodomethane	MW-8N	1/6/2012	1	1	ND	ug/L
Iodomethane	MW-8N	4/5/2012	1	1	ND	ug/L
Iodomethane	MW-8N	7/11/2012	1	1	ND	ug/L
Iodomethane	MW-8N	10/3/2012	1	1	ND	ug/L
Iodomethane	MW-8N	5/1/2013	1	1	ND	ug/L
Iodomethane	MW-8N	6/4/2013	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2013	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2013	1	1	ND	ug/L
Iodomethane	MW-8N	1/30/2014	1	1	ND	ug/L
Iodomethane	MW-8N	4/3/2014	1	1	ND	ug/L
Iodomethane	MW-8N	7/9/2014	0.42	1	ND	ug/L
Iodomethane	MW-8N	10/8/2014	1	1	ND	ug/L
Iodomethane	MW-8N	2/12/2015	1	1	ND	ug/L
Iodomethane	MW-8N	4/1/2015	1	1	ND	ug/L
Iodomethane	MW-8N	7/14/2015	0.52	1	ND	ug/L
Iodomethane	MW-8N	10/5/2015	1	1	ND	ug/L
Iodomethane	MW-8N	1/5/2016	1	1	ND	ug/L
Iodomethane	MW-8N	4/6/2016	1	1	ND	ug/L
Iodomethane	MW-8N	7/21/2016	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2016	1	1	ND	ug/L
Iodomethane	MW-8N	1/11/2017	1	1	ND	ug/L
Iodomethane	MW-8N	4/4/2017	1	1	ND	ug/L
Iodomethane	MW-8N	7/19/2017	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2017	1	1	ND	ug/L
Iodomethane	MW-8N	1/25/2018	1	1	ND	ug/L
Iodomethane	MW-8N	4/10/2018	1	1	ND	ug/L
Iodomethane	MW-8N	7/16/2018	1	1	ND	ug/L
Iodomethane	MW-8N	10/2/2018	1	1	ND	ug/L
Iodomethane	MW-8N	1/7/2019	1	1	ND	ug/L
Iodomethane	MW-8N	4/3/2019	1	1	ND	ug/L
Iodomethane	MW-8N	7/11/2019	1	1	ND	ug/L
Iodomethane	MW-8N	10/3/2019	1	1	ND	ug/L
Iodomethane	MW-8N	1/15/2020	1	1	ND	ug/L
Iodomethane	MW-8N	4/2/2020	1	1	ND	ug/L
Iodomethane	MW-8N	7/9/2020	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2020	1	1	ND	ug/L
Iodomethane	MW-8N	1/15/2021	1	1	ND	ug/L
Iodomethane	MW-8N	4/6/2021	1	1	ND	ug/L
Iodomethane	MW-8N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	MW-8N	10/6/2021	1	1	ND	ug/L
Iodomethane	MW-8N	1/18/2022	1	1	ND	ug/L
Iodomethane	MW-8N	4/4/2022	1	1	ND	ug/L
Iodomethane	MW-8N	7/12/2022	1	1	ND	ug/L
Iodomethane	MW-8N	10/6/2022	1	1	ND	ug/L
Iodomethane	MW-8N	1/11/2023	1	1	ND	ug/L
Iodomethane	MW-8N	4/8/2023	1	1	ND	ug/L
Iodomethane	MW-8N	7/7/2023	1	1	ND	ug/L
Iodomethane	MW-8N	10/5/2023	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2002	1	1	ND	ug/L
Iodomethane	NE-1	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-1	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-1	1/27/2004	1	1	ND	ug/L
Iodomethane	NE-1	1/12/2005	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-1	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2007	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2008	1	1	ND	ug/L
Iodomethane	NE-1	7/21/2008	1	1	ND	ug/L
Iodomethane	NE-1	2/7/2009	1	1	ND	ug/L
Iodomethane	NE-1	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-1	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-1	7/14/2010	1	1	ND	ug/L
Iodomethane	NE-1	9/2/2010	1	1	ND	ug/L
Iodomethane	NE-1	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-1	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-1	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-1	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-1	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-1	1/23/2014	1	1	ND	ug/L
Iodomethane	NE-1	7/9/2014	0.44	1	ND	ug/L
Iodomethane	NE-1	2/11/2015	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2015	0.25	1	ND	ug/L
Iodomethane	NE-1	1/6/2016	1	1	ND	ug/L
Iodomethane	NE-1	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-1	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-1	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-1	1/24/2018	1	1	ND	ug/L
Iodomethane	NE-1	4/11/2018	1	1	ND	ug/L
Iodomethane	NE-1	7/18/2018	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2018	1	1	ND	ug/L
Iodomethane	NE-1	1/4/2019	1	1	ND	ug/L
Iodomethane	NE-1	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2019	1	1	ND	ug/L
Iodomethane	NE-1	7/10/2019	1	1	ND	ug/L
Iodomethane	NE-1	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-1	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-1	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-1	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-1	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-1	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-1	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-1	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-1	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-1	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-1	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-1	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-1	10/6/2022	1	1	ND	ug/L
Iodomethane	NE-1	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-1	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-1	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-1	10/5/2023	1	1	ND	ug/L
Iodomethane	NE-10D	11/6/2019	1	1	ND	ug/L
Iodomethane	NE-10D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-10D	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-10D	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-10D	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-10D	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-10D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-10D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-10D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-10D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-10D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-10D	7/8/2023	1	1	ND	ug/L
Iodomethane	NE-10D	10/3/2023	1	1	ND	ug/L
Iodomethane	NE-11	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-11	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-11	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-11	10/9/2017	1	1	ND	ug/L
Iodomethane	NE-11	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-11	1/14/2020	1	1	ND	ug/L
Iodomethane	NE-11	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-11	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-11	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-11	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-11	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-11	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-11	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-11	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-11	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-11	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-12	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-12	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-12	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-12	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-12	8/5/2019	1	1	ND	ug/L
Iodomethane	NE-12	1/13/2020	1	1	ND	ug/L
Iodomethane	NE-12	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-12	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-12	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-12	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-12	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-12	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-12	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-12	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-12	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-12	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-13	2/5/2019	1	1	ND	ug/L
Iodomethane	NE-13	8/7/2019	1	1	ND	ug/L
Iodomethane	NE-13	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-13	7/8/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-13	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-13	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-13	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-13	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-14D	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-14D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-14D	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-14D	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-14D	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-14D	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-14D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-14D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-14D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-14D	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-14D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-14D	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-14D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-14D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-14D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-14D	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-14D	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-14S	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-14S	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-14S	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-14S	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-14S	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-14S	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-14S	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-14S	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-14S	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-14S	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-14S	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-14S	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-14S	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-14S	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-14S	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-14S	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-14S	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-15D	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-15D	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-15D	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-15D	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-15D	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-15D	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-15D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-15D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-15D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-15D	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-15D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-15D	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-15D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-15D	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-15D	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-15D	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-15D	10/6/2023	1	1	ND	ug/L
Iodomethane	NE-15S	4/3/2020	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2002	1	1	ND	ug/L
Iodomethane	NE-2	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-2	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-2	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-2	10/1/2013	1	1	ND	ug/L
Iodomethane	NE-2	10/8/2014	1	1	ND	ug/L
Iodomethane	NE-2	10/5/2015	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2016	1	1	ND	ug/L
Iodomethane	NE-2	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-2	1/25/2018	1	1	ND	ug/L
Iodomethane	NE-2	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-2	7/10/2018	1	1	ND	ug/L
Iodomethane	NE-2	10/1/2018	1	1	ND	ug/L
Iodomethane	NE-2	1/4/2019	1	1	ND	ug/L
Iodomethane	NE-2	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-2	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-2	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-2	1/14/2020	1	1	ND	ug/L
Iodomethane	NE-2	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-2	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-2	1/14/2021	1	1	ND	ug/L
Iodomethane	NE-2	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-2	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-2	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-2	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-2	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-2	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-2	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-2	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-2	4/5/2023	1	1	ND	ug/L
Iodomethane	NE-2	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-2	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-4	7/10/2002	1	1	ND	ug/L
Iodomethane	NE-4	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-4	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-4	10/3/2002	1	1	ND	ug/L
Iodomethane	NE-4	4/15/2003	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-4	1/28/2004	1	1	ND	ug/L
Iodomethane	NE-4	1/13/2005	1	1	ND	ug/L
Iodomethane	NE-4	8/1/2006	1	1	ND	ug/L
Iodomethane	NE-4	8/1/2006	1	1	ND	ug/L
Iodomethane	NE-4	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-4	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-4	7/12/2007	1	1	ND	ug/L
Iodomethane	NE-4	1/24/2008	1	1	ND	ug/L
Iodomethane	NE-4	7/21/2008	1	1	ND	ug/L
Iodomethane	NE-4	2/7/2009	1	1	ND	ug/L
Iodomethane	NE-4	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-4	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-4	7/14/2010	1	1	ND	ug/L
Iodomethane	NE-4	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-4	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-4	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-4	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-4	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-4	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-4	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-4	7/9/2014	1	1	ND	ug/L
Iodomethane	NE-4	2/13/2015	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2015	1	1	ND	ug/L
Iodomethane	NE-4	1/6/2016	1	1	ND	ug/L
Iodomethane	NE-4	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-4	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-4	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-4	1/26/2018	0.28	1	ND	ug/L
Iodomethane	NE-4	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-4	7/12/2018	1	1	ND	ug/L
Iodomethane	NE-4	10/3/2018	1	1	ND	ug/L
Iodomethane	NE-4	1/7/2019	1	1	ND	ug/L
Iodomethane	NE-4	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2019	1	1	ND	ug/L
Iodomethane	NE-4	7/8/2019	1	1	ND	ug/L
Iodomethane	NE-4	10/1/2019	1	1	ND	ug/L
Iodomethane	NE-4	1/13/2020	1	1	ND	ug/L
Iodomethane	NE-4	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-4	7/6/2020	1	1	ND	ug/L
Iodomethane	NE-4	10/5/2020	1	1	ND	ug/L
Iodomethane	NE-4	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-4	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-4	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-4	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-4	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-4	4/6/2023	1	1	ND	ug/L
Iodomethane	NE-4	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-4	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2002	1	1	ND	ug/L
Iodomethane	NE-5	8/6/2002	1	1	ND	ug/L
Iodomethane	NE-5	9/4/2002	1	1	ND	ug/L
Iodomethane	NE-5	10/2/2002	1	1	ND	ug/L
Iodomethane	NE-5	4/15/2003	1	1	ND	ug/L
Iodomethane	NE-5	7/8/2003	1	1	ND	ug/L
Iodomethane	NE-5	1/27/2004	1	1	ND	ug/L
Iodomethane	NE-5	1/12/2005	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2006	1	1	ND	ug/L
Iodomethane	NE-5	10/25/2006	1	1	ND	ug/L
Iodomethane	NE-5	1/24/2007	1	1	ND	ug/L
Iodomethane	NE-5	7/12/2007	1	1	ND	ug/L
Iodomethane	NE-5	7/22/2008	1	1	ND	ug/L
Iodomethane	NE-5	2/6/2009	1	1	ND	ug/L
Iodomethane	NE-5	7/31/2009	1	1	ND	ug/L
Iodomethane	NE-5	1/26/2010	1	1	ND	ug/L
Iodomethane	NE-5	7/16/2010	1	1	ND	ug/L
Iodomethane	NE-5	9/2/2010	1	1	ND	ug/L
Iodomethane	NE-5	1/19/2011	1	1	ND	ug/L
Iodomethane	NE-5	7/13/2011	1	1	ND	ug/L
Iodomethane	NE-5	1/5/2012	1	1	ND	ug/L
Iodomethane	NE-5	7/10/2012	1	1	ND	ug/L
Iodomethane	NE-5	4/30/2013	1	1	ND	ug/L
Iodomethane	NE-5	7/16/2013	1	1	ND	ug/L
Iodomethane	NE-5	1/23/2014	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2014	0.25	1	ND	ug/L
Iodomethane	NE-5	2/11/2015	1	1	ND	ug/L
Iodomethane	NE-5	7/14/2015	0.35	1	ND	ug/L
Iodomethane	NE-5	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-5	7/20/2016	1	1	ND	ug/L
Iodomethane	NE-5	1/11/2017	1	1	ND	ug/L
Iodomethane	NE-5	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-5	1/25/2018	1	1	ND	ug/L
Iodomethane	NE-5	4/10/2018	1	1	ND	ug/L
Iodomethane	NE-5	7/17/2018	1	1	ND	ug/L
Iodomethane	NE-5	10/3/2018	1	1	ND	ug/L
Iodomethane	NE-5	1/4/2019	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	7/9/2019	1	1	ND	ug/L
Iodomethane	NE-5	10/3/2019	1	1	ND	ug/L
Iodomethane	NE-5	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-5	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-5	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-5	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-5	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-5E	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-5E	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5E	4/1/2020	1	1	ND	ug/L
Iodomethane	NE-5E	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5E	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5E	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5E	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5E	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5E	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5E	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5E	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-5E	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5E	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5E	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5E	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-5E	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-5E	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-5W	9/30/2019	1	1	ND	ug/L
Iodomethane	NE-5W	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-5W	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-5W	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-5W	10/6/2020	1	1	ND	ug/L
Iodomethane	NE-5W	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-5W	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-5W	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-5W	10/6/2021	1	1	ND	ug/L
Iodomethane	NE-5W	1/18/2022	1	1	ND	ug/L
Iodomethane	NE-5W	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-5W	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-5W	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-5W	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-5W	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-5W	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-5W	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-6	1/12/2017	1	1	ND	ug/L
Iodomethane	NE-6	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-6	7/19/2017	1	1	ND	ug/L
Iodomethane	NE-6	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-6	2/4/2019	1	1	ND	ug/L
Iodomethane	NE-6	8/6/2019	1	1	ND	ug/L
Iodomethane	NE-6	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-6	7/9/2020	1	1	ND	ug/L
Iodomethane	NE-6	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-6	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-6	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-6	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-6	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-6	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-6	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-6D	10/2/2019	1	1	ND	ug/L
Iodomethane	NE-6D	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-6D	4/2/2020	1	1	ND	ug/L
Iodomethane	NE-6D	7/9/2020	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2020	1	1	ND	ug/L
Iodomethane	NE-6D	1/15/2021	1	1	ND	ug/L
Iodomethane	NE-6D	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-6D	7/2/2021	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-6D	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-6D	4/6/2022	1	1	ND	ug/L
Iodomethane	NE-6D	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-6D	10/7/2022	1	1	ND	ug/L
Iodomethane	NE-6D	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-6D	4/7/2023	1	1	ND	ug/L
Iodomethane	NE-6D	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-6D	10/4/2023	1	1	ND	ug/L
Iodomethane	NE-7	3/1/2017	1	1	ND	ug/L
Iodomethane	NE-7	4/6/2017	1	1	ND	ug/L
Iodomethane	NE-7	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-7	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-7	2/6/2019	1	1	ND	ug/L
Iodomethane	NE-7	8/6/2019	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2020	1	1	ND	ug/L
Iodomethane	NE-7	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-7	1/16/2021	1	1	ND	ug/L
Iodomethane	NE-7	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-7	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-7	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-7	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-7	7/12/2022	1	1	ND	ug/L
Iodomethane	NE-7	1/5/2023	1	1	ND	ug/L
Iodomethane	NE-7	7/6/2023	1	1	ND	ug/L
Iodomethane	NE-8	1/12/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iodomethane	NE-8	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-8	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-8	10/6/2017	1	1	ND	ug/L
Iodomethane	NE-8	2/4/2019	1	1	ND	ug/L
Iodomethane	NE-8	8/5/2019	1	1	ND	ug/L
Iodomethane	NE-8	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-8	7/8/2020	1	1	ND	ug/L
Iodomethane	NE-8	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-8	1/13/2021	1	1	ND	ug/L
Iodomethane	NE-8	4/9/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-8	10/7/2021	1	1	ND	ug/L
Iodomethane	NE-8	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-8	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-9	1/12/2017	1	1	ND	ug/L
Iodomethane	NE-9	4/5/2017	1	1	ND	ug/L
Iodomethane	NE-9	7/20/2017	1	1	ND	ug/L
Iodomethane	NE-9	10/5/2017	1	1	ND	ug/L
Iodomethane	NE-9	2/5/2019	1	1	ND	ug/L
Iodomethane	NE-9	8/7/2019	1	1	ND	ug/L
Iodomethane	NE-9	1/15/2020	1	1	ND	ug/L
Iodomethane	NE-9	7/7/2020	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2021	1	1	ND	ug/L
Iodomethane	NE-9	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-9	7/1/2021	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-9	1/17/2022	1	1	ND	ug/L
Iodomethane	NE-9	7/13/2022	1	1	ND	ug/L
Iodomethane	NE-9	1/6/2023	1	1	ND	ug/L
Iodomethane	NE-9	4/8/2023	1	1	ND	ug/L
Iodomethane	NE-9	7/5/2023	1	1	ND	ug/L
Iodomethane	NE-9	10/6/2023	1	1	ND	ug/L
Iron, dissolved	LGW-14R	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-2	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-4	1/24/2006	60	60	ND	ug/L
Iron, dissolved	LGW-5	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-6	1/24/2006	60	60	ND	ug/L
Iron, dissolved	LGW-7	1/25/2006	60	60	ND	ug/L
Iron, dissolved	LGW-8R	1/24/2006	60	60	ND	ug/L
Iron, dissolved	MW-10N	7/11/2000	96	60		ug/L
Iron, dissolved	MW-10N	7/10/2002	120	50		ug/L
Iron, dissolved	MW-10N	10/2/2002	190	50		ug/L
Iron, dissolved	MW-11N	7/10/2000	500	60		ug/L
Iron, dissolved	MW-11N	7/9/2002	230	50		ug/L
Iron, dissolved	MW-11N	10/2/2002	180	50		ug/L
Iron, dissolved	MW-1N	10/19/1999	3700	60		ug/L
Iron, dissolved	MW-1N	7/12/2000	2700	60		ug/L
Iron, dissolved	MW-1N	7/9/2002	2000	50		ug/L
Iron, dissolved	MW-1N	10/3/2002	740	50		ug/L
Iron, dissolved	MW-2N	7/11/2000	60	60	ND	ug/L
Iron, dissolved	MW-2N	7/10/2002	50	50	ND	ug/L
Iron, dissolved	MW-2N	10/2/2002	50	50	ND	ug/L
Iron, dissolved	MW-3N	7/11/2000	950	60		ug/L
Iron, dissolved	MW-3N	7/9/2002	1900	50		ug/L
Iron, dissolved	MW-3N	10/2/2002	3400	50		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, dissolved	MW-7N	10/19/1999	790	60		ug/L
Iron, dissolved	MW-7N	7/11/2000	3400	60		ug/L
Iron, dissolved	MW-7N	7/9/2002	4300	50		ug/L
Iron, dissolved	MW-7N	10/2/2002	4800	50		ug/L
Iron, dissolved	MW-7N	9/2/2010	1200	60		ug/L
Iron, dissolved	MW-8N	10/19/1999	7400	60		ug/L
Iron, dissolved	MW-8N	7/11/2000	13100	60		ug/L
Iron, dissolved	MW-8N	7/9/2002	16300	50		ug/L
Iron, dissolved	MW-8N	10/2/2002	15300	50		ug/L
Iron, dissolved	MW-8N	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-1	7/10/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	8/6/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	10/2/2002	50	50	ND	ug/L
Iron, dissolved	NE-1	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-2	7/9/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	8/6/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	10/2/2002	50	50	ND	ug/L
Iron, dissolved	NE-2	9/2/2010	60	60	ND	ug/L
Iron, dissolved	NE-4	7/10/2002	380	50		ug/L
Iron, dissolved	NE-4	8/6/2002	93	50		ug/L
Iron, dissolved	NE-4	9/4/2002	50	50	ND	ug/L
Iron, dissolved	NE-4	10/3/2002	340	50		ug/L
Iron, dissolved	NE-5	7/9/2002	3600	50		ug/L
Iron, dissolved	NE-5	8/6/2002	4900	50		ug/L
Iron, dissolved	NE-5	9/4/2002	6200	50		ug/L
Iron, dissolved	NE-5	10/2/2002	2600	50		ug/L
Iron, dissolved	NE-5	9/2/2010	21000	60		ug/L
Iron, total	LGW-10	1/26/2006	950	60		ug/L
Iron, total	LGW-10	8/1/2006	5100	60		ug/L
Iron, total	LGW-10	8/1/2006	5100	60		ug/L
Iron, total	LGW-10	10/26/2006	5200	60		ug/L
Iron, total	LGW-10	1/25/2007	3700	60		ug/L
Iron, total	LGW-10	4/26/2007	1800	60		ug/L
Iron, total	LGW-10	7/12/2007	4700	60		ug/L
Iron, total	LGW-10	1/23/2008	2400	60		ug/L
Iron, total	LGW-10	7/22/2008	8900	60		ug/L
Iron, total	LGW-10	7/29/2009	7300	60		ug/L
Iron, total	LGW-10	2/3/2010	7600	60		ug/L
Iron, total	LGW-10	2/3/2010	7600	60		ug/L
Iron, total	LGW-10	7/16/2010	17000	60		ug/L
Iron, total	LGW-10	1/19/2011	5500	60		ug/L
Iron, total	LGW-10	7/12/2011	14000	60		ug/L
Iron, total	LGW-10	1/5/2012	28000	60		ug/L
Iron, total	LGW-10	7/9/2012	13000	60		ug/L
Iron, total	LGW-10	5/1/2013	18000	60		ug/L
Iron, total	LGW-10	1/30/2014	17000	60		ug/L
Iron, total	LGW-10	7/9/2014	21000	60		ug/L
Iron, total	LGW-10	2/12/2015	21000	60		ug/L
Iron, total	LGW-10	7/13/2015	16000	60		ug/L
Iron, total	LGW-10	1/5/2016	6200	60		ug/L
Iron, total	LGW-10	4/6/2016	16000	60		ug/L
Iron, total	LGW-10	7/21/2016	15000	60		ug/L
Iron, total	LGW-10	10/6/2016	10000	60		ug/L
Iron, total	LGW-10	1/11/2017	7500	60		ug/L
Iron, total	LGW-10	4/4/2017	7400	60		ug/L
Iron, total	LGW-10	7/19/2017	33000	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-10	10/9/2017	19000	60		ug/L
Iron, total	LGW-10	1/24/2018	3100	60		ug/L
Iron, total	LGW-10	4/11/2018	9400	60		ug/L
Iron, total	LGW-10	7/16/2018	7600	60		ug/L
Iron, total	LGW-10	10/4/2018	4000	60		ug/L
Iron, total	LGW-10	1/4/2019	5700	60		ug/L
Iron, total	LGW-10	4/3/2019	4300	60		ug/L
Iron, total	LGW-10	7/11/2019	880	60		ug/L
Iron, total	LGW-10	10/2/2019	9300	60		ug/L
Iron, total	LGW-10	1/15/2020	21100	60		ug/L
Iron, total	LGW-10	4/2/2020	12000	60		ug/L
Iron, total	LGW-10	7/9/2020	11600	60		ug/L
Iron, total	LGW-10	10/7/2020	2370	60		ug/L
Iron, total	LGW-10	1/17/2021	136	60		ug/L
Iron, total	LGW-10	4/6/2021	6820	60		ug/L
Iron, total	LGW-10	7/7/2021	12400	60		ug/L
Iron, total	LGW-10	10/5/2021	4580	60		ug/L
Iron, total	LGW-10	1/13/2022	6600	60		ug/L
Iron, total	LGW-10	4/4/2022	6280	60		ug/L
Iron, total	LGW-10	7/11/2022	15300	60		ug/L
Iron, total	LGW-10	10/7/2022	5500	60		ug/L
Iron, total	LGW-10	1/11/2023	7440	60		ug/L
Iron, total	LGW-10	4/5/2023	12400	60		ug/L
Iron, total	LGW-10	7/10/2023	2370	60		ug/L
Iron, total	LGW-10	10/5/2023	3820	60		ug/L
Iron, total	LGW-14R	1/25/2006	54700	60		ug/L
Iron, total	LGW-14R	8/2/2006	13000	60		ug/L
Iron, total	LGW-14R	8/2/2006	13000	60		ug/L
Iron, total	LGW-14R	10/27/2006	610	60		ug/L
Iron, total	LGW-14R	1/24/2007	730	60		ug/L
Iron, total	LGW-14R	4/24/2007	5400	60		ug/L
Iron, total	LGW-14R	7/11/2007	17000	60		ug/L
Iron, total	LGW-14R	1/23/2008	280	60		ug/L
Iron, total	LGW-14R	7/22/2008	33	60	ND	ug/L
Iron, total	LGW-14R	2/6/2009	1300	60		ug/L
Iron, total	LGW-14R	7/29/2009	32	60	ND	ug/L
Iron, total	LGW-14R	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-14R	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-14R	7/12/2010	60	60	ND	ug/L
Iron, total	LGW-14R	1/19/2011	34	60	ND	ug/L
Iron, total	LGW-14R	7/12/2011	120	60		ug/L
Iron, total	LGW-14R	1/5/2012	30	60	ND	ug/L
Iron, total	LGW-14R	7/9/2012	46	60	ND	ug/L
Iron, total	LGW-14R	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-14R	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-14R	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-14R	2/11/2015	35	60	ND	ug/L
Iron, total	LGW-14R	7/22/2015	57	60	ND	ug/L
Iron, total	LGW-14R	1/5/2016	60	60	ND	ug/L
Iron, total	LGW-14R	7/19/2016	31	60	ND	ug/L
Iron, total	LGW-14R	1/11/2017	60	60	ND	ug/L
Iron, total	LGW-14R	7/18/2017	47	60	ND	ug/L
Iron, total	LGW-14R	1/25/2018	48	60	ND	ug/L
Iron, total	LGW-14R	7/17/2018	43	60	ND	ug/L
Iron, total	LGW-14R	1/3/2019	60	60	ND	ug/L
Iron, total	LGW-14R	7/10/2019	60	60	ND	ug/L
Iron, total	LGW-14R	1/16/2020	60	60	ND	ug/L
Iron, total	LGW-14R	7/9/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-14R	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-14R	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-14R	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-14R	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-14R	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-14R	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-2	1/25/2006	1500	60		ug/L
Iron, total	LGW-2	8/1/2006	260	60		ug/L
Iron, total	LGW-2	8/1/2006	260	60		ug/L
Iron, total	LGW-2	10/26/2006	150	60		ug/L
Iron, total	LGW-2	1/25/2007	340	60		ug/L
Iron, total	LGW-2	4/26/2007	210	60		ug/L
Iron, total	LGW-2	7/10/2007	63	60		ug/L
Iron, total	LGW-2	1/26/2008	680	60		ug/L
Iron, total	LGW-2	7/23/2008	170	60		ug/L
Iron, total	LGW-2	2/6/2009	1000	60		ug/L
Iron, total	LGW-2	7/30/2009	510	60		ug/L
Iron, total	LGW-2	2/3/2010	40	60	ND	ug/L
Iron, total	LGW-2	2/3/2010	40	60	ND	ug/L
Iron, total	LGW-2	7/12/2010	120	60		ug/L
Iron, total	LGW-2	1/19/2011	110	60		ug/L
Iron, total	LGW-2	7/13/2011	64	60		ug/L
Iron, total	LGW-2	1/4/2012	86	60		ug/L
Iron, total	LGW-2	7/9/2012	130	60		ug/L
Iron, total	LGW-2	4/30/2013	82	60		ug/L
Iron, total	LGW-2	7/15/2013	170	60		ug/L
Iron, total	LGW-2	1/30/2014	200	60		ug/L
Iron, total	LGW-2	7/8/2014	70	60		ug/L
Iron, total	LGW-2	2/13/2015	250	60		ug/L
Iron, total	LGW-2	7/8/2015	140	60		ug/L
Iron, total	LGW-2	1/5/2016	100	60		ug/L
Iron, total	LGW-2	7/19/2016	130	60		ug/L
Iron, total	LGW-2	1/11/2017	460	60		ug/L
Iron, total	LGW-2	7/18/2017	7800	60		ug/L
Iron, total	LGW-2	1/23/2018	4200	60		ug/L
Iron, total	LGW-2	6/21/2018	10000	60		ug/L
Iron, total	LGW-2	7/12/2018	17000	60		ug/L
Iron, total	LGW-2	1/3/2019	5600	60		ug/L
Iron, total	LGW-2	7/9/2019	3100	60		ug/L
Iron, total	LGW-2	1/13/2020	4680	60		ug/L
Iron, total	LGW-2	4/1/2020	2320	60		ug/L
Iron, total	LGW-2	7/8/2020	1160	60		ug/L
Iron, total	LGW-2	1/18/2021	149	60		ug/L
Iron, total	LGW-2	7/4/2021	60	60	ND	ug/L
Iron, total	LGW-2	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-2	7/10/2022	60	60	ND	ug/L
Iron, total	LGW-2	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-2	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-3R	1/24/2006	60	60	ND	ug/L
Iron, total	LGW-3R	7/20/2006	240	60		ug/L
Iron, total	LGW-3R	7/20/2006	240	60		ug/L
Iron, total	LGW-3R	10/26/2006	7500	60		ug/L
Iron, total	LGW-3R	1/25/2007	190	60		ug/L
Iron, total	LGW-3R	4/26/2007	250	60		ug/L
Iron, total	LGW-3R	7/11/2007	210	60		ug/L
Iron, total	LGW-3R	1/26/2008	1100	60		ug/L
Iron, total	LGW-3R	7/23/2008	290	60		ug/L
Iron, total	LGW-3R	2/3/2009	420	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-3R	7/31/2009	3700	60		ug/L
Iron, total	LGW-3R	2/3/2010	150	60		ug/L
Iron, total	LGW-3R	2/3/2010	150	60		ug/L
Iron, total	LGW-3R	7/16/2010	95	60		ug/L
Iron, total	LGW-3R	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-3R	7/13/2011	120	60		ug/L
Iron, total	LGW-3R	1/4/2012	120	60		ug/L
Iron, total	LGW-3R	7/9/2012	83	60		ug/L
Iron, total	LGW-3R	4/30/2013	1200	60		ug/L
Iron, total	LGW-3R	7/15/2013	540	60		ug/L
Iron, total	LGW-3R	1/22/2014	260	60		ug/L
Iron, total	LGW-3R	7/8/2014	84	60		ug/L
Iron, total	LGW-3R	2/10/2015	320	60		ug/L
Iron, total	LGW-3R	7/16/2015	580	60		ug/L
Iron, total	LGW-3R	1/8/2016	62	60		ug/L
Iron, total	LGW-3R	7/21/2016	3600	60		ug/L
Iron, total	LGW-3R	1/11/2017	590	60		ug/L
Iron, total	LGW-3R	7/18/2017	210	60		ug/L
Iron, total	LGW-3R	1/23/2018	290	60		ug/L
Iron, total	LGW-3R	7/11/2018	29	60	ND	ug/L
Iron, total	LGW-3R	1/3/2019	60	60	ND	ug/L
Iron, total	LGW-3R	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-3R	1/14/2020	769	60		ug/L
Iron, total	LGW-3R	7/6/2020	308	60		ug/L
Iron, total	LGW-3R	1/18/2021	389	60		ug/L
Iron, total	LGW-3R	7/6/2021	898	60		ug/L
Iron, total	LGW-3R	1/12/2022	164	60		ug/L
Iron, total	LGW-3R	7/10/2022	621	60		ug/L
Iron, total	LGW-3R	1/10/2023	127	60		ug/L
Iron, total	LGW-3R	7/10/2023	159	60		ug/L
Iron, total	LGW-4	1/24/2006	260	60		ug/L
Iron, total	LGW-4	7/20/2006	200	60		ug/L
Iron, total	LGW-4	7/20/2006	200	60		ug/L
Iron, total	LGW-4	10/26/2006	1400	60		ug/L
Iron, total	LGW-4	1/25/2007	260	60		ug/L
Iron, total	LGW-4	4/26/2007	260	60		ug/L
Iron, total	LGW-4	7/11/2007	150	60		ug/L
Iron, total	LGW-4	1/22/2008	150	60		ug/L
Iron, total	LGW-4	7/23/2008	38	60	ND	ug/L
Iron, total	LGW-4	2/3/2009	70	60		ug/L
Iron, total	LGW-4	7/31/2009	42	60	ND	ug/L
Iron, total	LGW-4	2/3/2010	27	60	ND	ug/L
Iron, total	LGW-4	2/3/2010	27	60	ND	ug/L
Iron, total	LGW-4	7/16/2010	110	60		ug/L
Iron, total	LGW-4	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-4	7/13/2011	110	60		ug/L
Iron, total	LGW-4	1/4/2012	36	60	ND	ug/L
Iron, total	LGW-4	7/9/2012	55	60	ND	ug/L
Iron, total	LGW-4	4/30/2013	72	60		ug/L
Iron, total	LGW-4	7/15/2013	150	60		ug/L
Iron, total	LGW-4	1/23/2014	100	60		ug/L
Iron, total	LGW-4	7/8/2014	44	60	ND	ug/L
Iron, total	LGW-4	2/11/2015	110	60		ug/L
Iron, total	LGW-4	7/8/2015	41	60	ND	ug/L
Iron, total	LGW-4	1/5/2016	63	60		ug/L
Iron, total	LGW-4	7/19/2016	50	60	ND	ug/L
Iron, total	LGW-4	1/11/2017	74	60		ug/L
Iron, total	LGW-4	7/18/2017	48	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-4	1/23/2018	30	60	ND	ug/L
Iron, total	LGW-4	7/11/2018	60	60	ND	ug/L
Iron, total	LGW-4	1/3/2019	24	60	ND	ug/L
Iron, total	LGW-4	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-4	1/14/2020	60	60	ND	ug/L
Iron, total	LGW-4	7/6/2020	60	60	ND	ug/L
Iron, total	LGW-4	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-4	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-4	1/12/2022	60	60	ND	ug/L
Iron, total	LGW-4	7/11/2022	66	60		ug/L
Iron, total	LGW-4	1/10/2023	60	60	ND	ug/L
Iron, total	LGW-4	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-5	1/25/2006	200	60		ug/L
Iron, total	LGW-5	8/1/2006	620	60		ug/L
Iron, total	LGW-5	10/26/2006	850	60		ug/L
Iron, total	LGW-5	1/25/2007	210	60		ug/L
Iron, total	LGW-5	4/26/2007	25	60	ND	ug/L
Iron, total	LGW-5	7/11/2007	26	60	ND	ug/L
Iron, total	LGW-5	1/23/2008	60	60	ND	ug/L
Iron, total	LGW-5	7/23/2008	60	60	ND	ug/L
Iron, total	LGW-5	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-5	7/29/2009	60	60	ND	ug/L
Iron, total	LGW-5	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-5	2/3/2010	60	60	ND	ug/L
Iron, total	LGW-5	7/12/2010	35	60	ND	ug/L
Iron, total	LGW-5	1/19/2011	23	60	ND	ug/L
Iron, total	LGW-5	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-5	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-5	7/9/2012	53	60	ND	ug/L
Iron, total	LGW-5	4/30/2013	43	60	ND	ug/L
Iron, total	LGW-5	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-5	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-5	7/8/2014	43	60	ND	ug/L
Iron, total	LGW-5	2/10/2015	60	60	ND	ug/L
Iron, total	LGW-5	7/8/2015	180	60		ug/L
Iron, total	LGW-5	1/5/2016	79	60		ug/L
Iron, total	LGW-5	7/19/2016	40	60	ND	ug/L
Iron, total	LGW-5	1/11/2017	23	60	ND	ug/L
Iron, total	LGW-5	7/18/2017	89	60		ug/L
Iron, total	LGW-5	1/23/2018	60	60	ND	ug/L
Iron, total	LGW-5	7/12/2018	33	60	ND	ug/L
Iron, total	LGW-5	1/3/2019	220	60		ug/L
Iron, total	LGW-5	4/3/2019	230	60		ug/L
Iron, total	LGW-5	7/9/2019	60	60	ND	ug/L
Iron, total	LGW-5	1/14/2020	121	60		ug/L
Iron, total	LGW-5	7/6/2020	760	60		ug/L
Iron, total	LGW-5	1/18/2021	1140	60		ug/L
Iron, total	LGW-5	4/6/2021	1010	60		ug/L
Iron, total	LGW-5	7/7/2021	1230	60		ug/L
Iron, total	LGW-5	10/5/2021	1510	60		ug/L
Iron, total	LGW-5	1/12/2022	1470	60		ug/L
Iron, total	LGW-5	4/4/2022	1570	60		ug/L
Iron, total	LGW-5	7/11/2022	1760	60		ug/L
Iron, total	LGW-5	10/6/2022	2650	60		ug/L
Iron, total	LGW-5	1/10/2023	392	60		ug/L
Iron, total	LGW-5	7/10/2023	1480	60		ug/L
Iron, total	LGW-5	10/5/2023	2410	60		ug/L
Iron, total	LGW-6	1/24/2006	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-6	7/20/2006	56	60	ND	ug/L
Iron, total	LGW-6	7/20/2006	56	60	ND	ug/L
Iron, total	LGW-6	10/26/2006	1200	60		ug/L
Iron, total	LGW-6	1/24/2007	230	60		ug/L
Iron, total	LGW-6	4/26/2007	61	60		ug/L
Iron, total	LGW-6	7/11/2007	33	60	ND	ug/L
Iron, total	LGW-6	1/23/2008	60	60	ND	ug/L
Iron, total	LGW-6	7/23/2008	60	60	ND	ug/L
Iron, total	LGW-6	2/5/2009	160	60		ug/L
Iron, total	LGW-6	7/29/2009	33	60	ND	ug/L
Iron, total	LGW-6	2/3/2010	29	60	ND	ug/L
Iron, total	LGW-6	2/3/2010	29	60	ND	ug/L
Iron, total	LGW-6	7/12/2010	60	60	ND	ug/L
Iron, total	LGW-6	1/19/2011	60	60	ND	ug/L
Iron, total	LGW-6	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-6	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-6	7/9/2012	43	60	ND	ug/L
Iron, total	LGW-6	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-6	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-6	1/23/2014	60	60	ND	ug/L
Iron, total	LGW-6	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-6	2/10/2015	60	60	ND	ug/L
Iron, total	LGW-6	7/22/2015	120	60		ug/L
Iron, total	LGW-6	1/5/2016	27	60	ND	ug/L
Iron, total	LGW-6	7/19/2016	28	60	ND	ug/L
Iron, total	LGW-6	10/6/2016	41	60	ND	ug/L
Iron, total	LGW-6	1/11/2017	60	60	ND	ug/L
Iron, total	LGW-6	5/5/2017	34	60	ND	ug/L
Iron, total	LGW-6	7/18/2017	57	60	ND	ug/L
Iron, total	LGW-6	10/5/2017	26	60	ND	ug/L
Iron, total	LGW-6	1/23/2018	34	60	ND	ug/L
Iron, total	LGW-6	4/10/2018	60	60	ND	ug/L
Iron, total	LGW-6	7/17/2018	28	60	ND	ug/L
Iron, total	LGW-6	10/2/2018	27	60	ND	ug/L
Iron, total	LGW-6	1/7/2019	34	60	ND	ug/L
Iron, total	LGW-6	4/3/2019	34	60	ND	ug/L
Iron, total	LGW-6	7/10/2019	41	60	ND	ug/L
Iron, total	LGW-6	10/3/2019	26	60	ND	ug/L
Iron, total	LGW-6	1/16/2020	68.4	60		ug/L
Iron, total	LGW-6	4/2/2020	60	60	ND	ug/L
Iron, total	LGW-6	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-6	10/6/2020	182	70.5		ug/L
Iron, total	LGW-6	1/18/2021	111	60		ug/L
Iron, total	LGW-6	4/6/2021	125	60		ug/L
Iron, total	LGW-6	7/7/2021	326	60		ug/L
Iron, total	LGW-6	10/5/2021	474	60		ug/L
Iron, total	LGW-6	1/12/2022	652	60		ug/L
Iron, total	LGW-6	4/4/2022	742	60		ug/L
Iron, total	LGW-6	7/11/2022	682	60		ug/L
Iron, total	LGW-6	10/6/2022	1010	60		ug/L
Iron, total	LGW-6	1/10/2023	897	60		ug/L
Iron, total	LGW-6	4/6/2023	1410	60		ug/L
Iron, total	LGW-6	7/10/2023	1200	60		ug/L
Iron, total	LGW-6	10/5/2023	1290	60		ug/L
Iron, total	LGW-7	1/25/2006	66	60		ug/L
Iron, total	LGW-7	8/1/2006	320	60		ug/L
Iron, total	LGW-7	10/26/2006	600	60		ug/L
Iron, total	LGW-7	1/24/2007	27	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-7	4/26/2007	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2007	60	60	ND	ug/L
Iron, total	LGW-7	7/22/2008	60	60	ND	ug/L
Iron, total	LGW-7	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-7	7/31/2009	60	60	ND	ug/L
Iron, total	LGW-7	1/27/2010	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2010	28	60	ND	ug/L
Iron, total	LGW-7	1/20/2011	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-7	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-7	7/10/2012	50	60	ND	ug/L
Iron, total	LGW-7	4/30/2013	60	60	ND	ug/L
Iron, total	LGW-7	7/15/2013	39	60	ND	ug/L
Iron, total	LGW-7	1/23/2014	52	60	ND	ug/L
Iron, total	LGW-7	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-7	2/11/2015	33	60	ND	ug/L
Iron, total	LGW-7	7/22/2015	60	60	ND	ug/L
Iron, total	LGW-7	1/5/2016	60	60	ND	ug/L
Iron, total	LGW-7	4/6/2016	60	60	ND	ug/L
Iron, total	LGW-7	7/20/2016	60	60	ND	ug/L
Iron, total	LGW-7	10/6/2016	60	60	ND	ug/L
Iron, total	LGW-7	1/11/2017	25	60	ND	ug/L
Iron, total	LGW-7	4/4/2017	60	60	ND	ug/L
Iron, total	LGW-7	7/18/2017	50	60	ND	ug/L
Iron, total	LGW-7	10/5/2017	60	60	ND	ug/L
Iron, total	LGW-7	1/24/2018	60	60	ND	ug/L
Iron, total	LGW-7	4/11/2018	60	60	ND	ug/L
Iron, total	LGW-7	7/12/2018	60	60	ND	ug/L
Iron, total	LGW-7	10/2/2018	60	60	ND	ug/L
Iron, total	LGW-7	1/7/2019	60	60	ND	ug/L
Iron, total	LGW-7	4/3/2019	60	60	ND	ug/L
Iron, total	LGW-7	7/10/2019	60	60	ND	ug/L
Iron, total	LGW-7	10/3/2019	60	60	ND	ug/L
Iron, total	LGW-7	1/15/2020	60	60	ND	ug/L
Iron, total	LGW-7	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-7	1/18/2021	60	60	ND	ug/L
Iron, total	LGW-7	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-7	10/5/2021	60	60	ND	ug/L
Iron, total	LGW-7	1/13/2022	98.3	60		ug/L
Iron, total	LGW-7	4/4/2022	60	60	ND	ug/L
Iron, total	LGW-7	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-7	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-7	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-8R	1/24/2006	400	60		ug/L
Iron, total	LGW-8R	7/20/2006	77	60		ug/L
Iron, total	LGW-8R	7/20/2006	77	60		ug/L
Iron, total	LGW-8R	10/26/2006	930	60		ug/L
Iron, total	LGW-8R	1/24/2007	210	60		ug/L
Iron, total	LGW-8R	4/25/2007	67	60		ug/L
Iron, total	LGW-8R	7/12/2007	52	60	ND	ug/L
Iron, total	LGW-8R	2/4/2009	60	60	ND	ug/L
Iron, total	LGW-8R	7/29/2009	60	60	ND	ug/L
Iron, total	LGW-8R	1/27/2010	60	60	ND	ug/L
Iron, total	LGW-8R	7/14/2010	60	60	ND	ug/L
Iron, total	LGW-8R	1/20/2011	60	60	ND	ug/L
Iron, total	LGW-8R	7/12/2011	60	60	ND	ug/L
Iron, total	LGW-8R	1/5/2012	60	60	ND	ug/L
Iron, total	LGW-8R	7/9/2012	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-8R	4/30/2013	49	60	ND	ug/L
Iron, total	LGW-8R	7/15/2013	60	60	ND	ug/L
Iron, total	LGW-8R	1/22/2014	60	60	ND	ug/L
Iron, total	LGW-8R	7/8/2014	60	60	ND	ug/L
Iron, total	LGW-8R	2/11/2015	60	60	ND	ug/L
Iron, total	LGW-8R	7/22/2015	45	60	ND	ug/L
Iron, total	LGW-8R	1/5/2016	33	60	ND	ug/L
Iron, total	LGW-8R	7/20/2016	60	60	ND	ug/L
Iron, total	LGW-8R	1/11/2017	22	60	ND	ug/L
Iron, total	LGW-8R	7/18/2017	52	60	ND	ug/L
Iron, total	LGW-8R	1/25/2018	60	60	ND	ug/L
Iron, total	LGW-8R	7/13/2018	60	60	ND	ug/L
Iron, total	LGW-8R	1/7/2019	60	60	ND	ug/L
Iron, total	LGW-8R	7/8/2019	60	60	ND	ug/L
Iron, total	LGW-8R	1/14/2020	60	60	ND	ug/L
Iron, total	LGW-8R	7/7/2020	60	60	ND	ug/L
Iron, total	LGW-8R	1/17/2021	60	60	ND	ug/L
Iron, total	LGW-8R	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-8R	1/13/2022	60	60	ND	ug/L
Iron, total	LGW-8R	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-8R	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-8R	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-9	1/25/2006	7800	60		ug/L
Iron, total	LGW-9	7/20/2006	5800	60		ug/L
Iron, total	LGW-9	7/20/2006	5800	60		ug/L
Iron, total	LGW-9	10/26/2006	4800	60		ug/L
Iron, total	LGW-9	1/25/2007	5700	60		ug/L
Iron, total	LGW-9	4/25/2007	5800	60		ug/L
Iron, total	LGW-9	7/10/2007	4600	60		ug/L
Iron, total	LGW-9	7/22/2008	4400	60		ug/L
Iron, total	LGW-9	2/4/2009	2500	60		ug/L
Iron, total	LGW-9	7/29/2009	550	60		ug/L
Iron, total	LGW-9	1/27/2010	540	60		ug/L
Iron, total	LGW-9	7/14/2010	1200	60		ug/L
Iron, total	LGW-9	1/20/2011	2400	60		ug/L
Iron, total	LGW-9	7/12/2011	5400	60		ug/L
Iron, total	LGW-9	1/5/2012	8300	60		ug/L
Iron, total	LGW-9	7/10/2012	11000	60		ug/L
Iron, total	LGW-9	5/1/2013	13000	60		ug/L
Iron, total	LGW-9	7/15/2013	11000	60		ug/L
Iron, total	LGW-9	1/23/2014	8300	60		ug/L
Iron, total	LGW-9	7/8/2014	6200	60		ug/L
Iron, total	LGW-9	2/11/2015	7100	60		ug/L
Iron, total	LGW-9	7/13/2015	9200	60		ug/L
Iron, total	LGW-9	1/5/2016	6400	60		ug/L
Iron, total	LGW-9	7/21/2016	57	60	ND	ug/L
Iron, total	LGW-9	10/6/2016	40	60	ND	ug/L
Iron, total	LGW-9	1/11/2017	930	60		ug/L
Iron, total	LGW-9	5/5/2017	59	60	ND	ug/L
Iron, total	LGW-9	7/18/2017	47	60	ND	ug/L
Iron, total	LGW-9	10/5/2017	60	60	ND	ug/L
Iron, total	LGW-9	1/24/2018	24	60	ND	ug/L
Iron, total	LGW-9	4/11/2018	60	60	ND	ug/L
Iron, total	LGW-9	7/13/2018	60	60	ND	ug/L
Iron, total	LGW-9	10/2/2018	60	60	ND	ug/L
Iron, total	LGW-9	1/7/2019	850	60		ug/L
Iron, total	LGW-9	4/3/2019	6900	60		ug/L
Iron, total	LGW-9	7/10/2019	6800	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	LGW-9	10/3/2019	5300	60		ug/L
Iron, total	LGW-9	1/16/2020	60	60	ND	ug/L
Iron, total	LGW-9	4/2/2020	60	60	ND	ug/L
Iron, total	LGW-9	7/9/2020	60	60	ND	ug/L
Iron, total	LGW-9	10/7/2020	60	60	ND	ug/L
Iron, total	LGW-9	1/17/2021	10500	60		ug/L
Iron, total	LGW-9	4/6/2021	60	60	ND	ug/L
Iron, total	LGW-9	7/7/2021	60	60	ND	ug/L
Iron, total	LGW-9	10/5/2021	1120	60		ug/L
Iron, total	LGW-9	1/13/2022	60	60	ND	ug/L
Iron, total	LGW-9	4/4/2022	60	60	ND	ug/L
Iron, total	LGW-9	7/11/2022	60	60	ND	ug/L
Iron, total	LGW-9	10/7/2022	60	60	ND	ug/L
Iron, total	LGW-9	1/11/2023	60	60	ND	ug/L
Iron, total	LGW-9	4/5/2023	60	60	ND	ug/L
Iron, total	LGW-9	7/10/2023	60	60	ND	ug/L
Iron, total	LGW-9	10/5/2023	60	60	ND	ug/L
Iron, total	MW-10N	10/22/1997	5000	60		ug/L
Iron, total	MW-10N	1/22/1998	1600	60		ug/L
Iron, total	MW-10N	4/28/1998	1900	60		ug/L
Iron, total	MW-10N	7/23/1998	310	60		ug/L
Iron, total	MW-10N	1/14/1999	1400	60		ug/L
Iron, total	MW-10N	4/13/1999	700	60		ug/L
Iron, total	MW-10N	7/15/1999	250	60		ug/L
Iron, total	MW-10N	10/20/1999	1300	60		ug/L
Iron, total	MW-10N	1/14/2000	1400	60		ug/L
Iron, total	MW-10N	4/25/2000	1400	60		ug/L
Iron, total	MW-10N	7/11/2000	630	60		ug/L
Iron, total	MW-10N	10/17/2000	1500	60		ug/L
Iron, total	MW-10N	1/24/2001	1800	60		ug/L
Iron, total	MW-10N	4/10/2001	700	60		ug/L
Iron, total	MW-10N	7/10/2002	660	50		ug/L
Iron, total	MW-10N	10/2/2002	580	50		ug/L
Iron, total	MW-10N	1/22/2003	3000	60		ug/L
Iron, total	MW-10N	4/15/2003	840	60		ug/L
Iron, total	MW-10N	7/8/2003	350	60		ug/L
Iron, total	MW-10N	1/28/2004	610	60		ug/L
Iron, total	MW-10N	7/27/2004	2300	60		ug/L
Iron, total	MW-10N	1/12/2005	390	60		ug/L
Iron, total	MW-10N	7/20/2005	580	60		ug/L
Iron, total	MW-10N	1/19/2006	2000	60		ug/L
Iron, total	MW-10N	7/19/2006	1400	60		ug/L
Iron, total	MW-10N	7/19/2006	1400	60		ug/L
Iron, total	MW-10N	10/25/2006	2100	60		ug/L
Iron, total	MW-10N	1/24/2007	1200	60		ug/L
Iron, total	MW-10N	7/10/2007	170	60		ug/L
Iron, total	MW-10N	1/23/2008	300	60		ug/L
Iron, total	MW-10N	7/21/2008	610	60		ug/L
Iron, total	MW-10N	2/13/2009	1000	60		ug/L
Iron, total	MW-10N	7/31/2009	200	60		ug/L
Iron, total	MW-10N	1/27/2010	380	60		ug/L
Iron, total	MW-10N	8/10/2010	780	60		ug/L
Iron, total	MW-10N	1/19/2011	510	60		ug/L
Iron, total	MW-10N	7/14/2011	360	60		ug/L
Iron, total	MW-10N	1/5/2012	680	60		ug/L
Iron, total	MW-10N	7/10/2012	200	60		ug/L
Iron, total	MW-10N	5/1/2013	900	60		ug/L
Iron, total	MW-10N	1/24/2014	840	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-10N	7/9/2014	320	60		ug/L
Iron, total	MW-10N	2/12/2015	440	60		ug/L
Iron, total	MW-10N	7/14/2015	1200	60		ug/L
Iron, total	MW-10N	1/6/2016	1000	60		ug/L
Iron, total	MW-10N	7/21/2016	260	60		ug/L
Iron, total	MW-10N	1/11/2017	510	60		ug/L
Iron, total	MW-10N	7/19/2017	970	60		ug/L
Iron, total	MW-10N	1/24/2018	960	60		ug/L
Iron, total	MW-10N	7/11/2018	240	60		ug/L
Iron, total	MW-10N	1/3/2019	930	60		ug/L
Iron, total	MW-10N	7/9/2019	320	60		ug/L
Iron, total	MW-10N	1/16/2020	1760	60		ug/L
Iron, total	MW-10N	7/8/2020	691	60		ug/L
Iron, total	MW-10N	1/13/2021	551	60		ug/L
Iron, total	MW-10N	7/5/2021	478	60		ug/L
Iron, total	MW-10N	1/11/2023	992	60		ug/L
Iron, total	MW-10N	7/7/2023	1140	60		ug/L
Iron, total	MW-11N	10/22/1997	4000	60		ug/L
Iron, total	MW-11N	1/21/1998	2600	60		ug/L
Iron, total	MW-11N	4/28/1998	1500	60		ug/L
Iron, total	MW-11N	7/23/1998	1700	60		ug/L
Iron, total	MW-11N	1/13/1999	680	60		ug/L
Iron, total	MW-11N	4/13/1999	600	60		ug/L
Iron, total	MW-11N	7/14/1999	310	60		ug/L
Iron, total	MW-11N	10/20/1999	610	60		ug/L
Iron, total	MW-11N	1/13/2000	500	60		ug/L
Iron, total	MW-11N	4/25/2000	460	60		ug/L
Iron, total	MW-11N	7/10/2000	630	60		ug/L
Iron, total	MW-11N	10/17/2000	510	60		ug/L
Iron, total	MW-11N	1/24/2001	480	60		ug/L
Iron, total	MW-11N	4/10/2001	930	60		ug/L
Iron, total	MW-11N	7/9/2002	600	50		ug/L
Iron, total	MW-11N	10/2/2002	520	50		ug/L
Iron, total	MW-11N	1/23/2003	870	60		ug/L
Iron, total	MW-11N	4/15/2003	60	60	ND	ug/L
Iron, total	MW-11N	7/8/2003	1100	60		ug/L
Iron, total	MW-11N	1/29/2004	700	60		ug/L
Iron, total	MW-11N	7/27/2004	320	60		ug/L
Iron, total	MW-11N	1/13/2005	60	60	ND	ug/L
Iron, total	MW-11N	7/20/2005	150	60		ug/L
Iron, total	MW-11N	1/19/2006	460	60		ug/L
Iron, total	MW-11N	7/18/2006	130	60		ug/L
Iron, total	MW-11N	7/18/2006	130	60		ug/L
Iron, total	MW-11N	10/25/2006	61	60		ug/L
Iron, total	MW-11N	1/24/2007	120	60		ug/L
Iron, total	MW-11N	7/10/2007	47	60	ND	ug/L
Iron, total	MW-11N	1/22/2008	60	60	ND	ug/L
Iron, total	MW-11N	7/23/2008	60	60	ND	ug/L
Iron, total	MW-11N	2/3/2009	60	60	ND	ug/L
Iron, total	MW-11N	7/31/2009	60	60	ND	ug/L
Iron, total	MW-11N	2/3/2010	33	60	ND	ug/L
Iron, total	MW-11N	2/3/2010	33	60	ND	ug/L
Iron, total	MW-11N	7/16/2010	60	60	ND	ug/L
Iron, total	MW-11N	1/19/2011	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2011	60	60	ND	ug/L
Iron, total	MW-11N	1/4/2012	60	60	ND	ug/L
Iron, total	MW-11N	7/9/2012	60	60	ND	ug/L
Iron, total	MW-11N	4/30/2013	190	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-11N	7/15/2013	60	60	ND	ug/L
Iron, total	MW-11N	1/23/2014	160	60		ug/L
Iron, total	MW-11N	7/8/2014	60	60	ND	ug/L
Iron, total	MW-11N	2/10/2015	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2015	140	60		ug/L
Iron, total	MW-11N	1/5/2016	60	60	ND	ug/L
Iron, total	MW-11N	7/21/2016	60	60	ND	ug/L
Iron, total	MW-11N	1/11/2017	60	60	ND	ug/L
Iron, total	MW-11N	7/19/2017	81	60		ug/L
Iron, total	MW-11N	1/23/2018	60	60	ND	ug/L
Iron, total	MW-11N	7/17/2018	60	60	ND	ug/L
Iron, total	MW-11N	1/2/2019	23	60	ND	ug/L
Iron, total	MW-11N	7/9/2019	60	60	ND	ug/L
Iron, total	MW-11N	1/14/2020	60	60	ND	ug/L
Iron, total	MW-11N	7/6/2020	60	60	ND	ug/L
Iron, total	MW-11N	1/18/2021	60	60	ND	ug/L
Iron, total	MW-11N	7/6/2021	60	60	ND	ug/L
Iron, total	MW-11N	1/18/2022	60	60	ND	ug/L
Iron, total	MW-11N	7/13/2022	60	60	ND	ug/L
Iron, total	MW-11N	1/10/2023	60	60	ND	ug/L
Iron, total	MW-11N	7/8/2023	60	60	ND	ug/L
Iron, total	MW-15	6/5/2015	60	60	ND	ug/L
Iron, total	MW-15	7/15/2015	86	60		ug/L
Iron, total	MW-15	8/5/2015	1200	60		ug/L
Iron, total	MW-15	9/3/2015	60	60	ND	ug/L
Iron, total	MW-15	1/7/2016	130	60		ug/L
Iron, total	MW-15	4/5/2016	34	60	ND	ug/L
Iron, total	MW-15	7/20/2016	35	60	ND	ug/L
Iron, total	MW-15	10/6/2016	37	60	ND	ug/L
Iron, total	MW-15	1/10/2017	440	60		ug/L
Iron, total	MW-15	7/18/2017	120	60		ug/L
Iron, total	MW-15	1/23/2018	36	60	ND	ug/L
Iron, total	MW-15	7/10/2018	60	60	ND	ug/L
Iron, total	MW-15	1/3/2019	150	60		ug/L
Iron, total	MW-15	7/9/2019	60	60	ND	ug/L
Iron, total	MW-15	1/14/2020	60	60	ND	ug/L
Iron, total	MW-15	8/3/2020	60	60	ND	ug/L
Iron, total	MW-15	1/18/2021	60	60	ND	ug/L
Iron, total	MW-15	7/4/2021	60	60	ND	ug/L
Iron, total	MW-15	1/12/2022	60	60	ND	ug/L
Iron, total	MW-15	7/10/2022	60	60	ND	ug/L
Iron, total	MW-15	1/10/2023	60	60	ND	ug/L
Iron, total	MW-15	7/10/2023	60	60	ND	ug/L
Iron, total	MW-16	6/5/2015	150	60		ug/L
Iron, total	MW-16	7/16/2015	79	60		ug/L
Iron, total	MW-16	8/5/2015	43	60	ND	ug/L
Iron, total	MW-16	9/3/2015	60	60	ND	ug/L
Iron, total	MW-16	1/8/2016	93	60		ug/L
Iron, total	MW-16	4/5/2016	38	60	ND	ug/L
Iron, total	MW-16	7/21/2016	44	60	ND	ug/L
Iron, total	MW-16	10/5/2016	270	60		ug/L
Iron, total	MW-16	1/10/2017	37	60	ND	ug/L
Iron, total	MW-16	7/18/2017	60	60	ND	ug/L
Iron, total	MW-16	1/23/2018	23	60	ND	ug/L
Iron, total	MW-16	7/11/2018	60	60	ND	ug/L
Iron, total	MW-16	1/2/2019	60	60	ND	ug/L
Iron, total	MW-16	7/10/2019	60	60	ND	ug/L
Iron, total	MW-16	1/14/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-16	8/3/2020	60	60	ND	ug/L
Iron, total	MW-16	1/18/2021	60	60	ND	ug/L
Iron, total	MW-16	7/4/2021	60	60	ND	ug/L
Iron, total	MW-16	1/12/2022	60	60	ND	ug/L
Iron, total	MW-16	7/10/2022	60	60	ND	ug/L
Iron, total	MW-16	1/10/2023	60	60	ND	ug/L
Iron, total	MW-16	7/10/2023	60	60	ND	ug/L
Iron, total	MW-17	6/5/2015	590	60		ug/L
Iron, total	MW-17	7/15/2015	76	60		ug/L
Iron, total	MW-17	8/4/2015	58	60	ND	ug/L
Iron, total	MW-17	9/2/2015	39	60	ND	ug/L
Iron, total	MW-17	1/7/2016	330	60		ug/L
Iron, total	MW-17	4/5/2016	48	60	ND	ug/L
Iron, total	MW-17	7/20/2016	120	60		ug/L
Iron, total	MW-17	10/6/2016	49	60	ND	ug/L
Iron, total	MW-17	1/10/2017	260	60		ug/L
Iron, total	MW-17	7/18/2017	37	60	ND	ug/L
Iron, total	MW-17	1/23/2018	60	60	ND	ug/L
Iron, total	MW-17	7/10/2018	60	60	ND	ug/L
Iron, total	MW-17	1/3/2019	60	60	ND	ug/L
Iron, total	MW-17	7/11/2019	60	60	ND	ug/L
Iron, total	MW-17	1/14/2020	60	60	ND	ug/L
Iron, total	MW-17	8/3/2020	60	60	ND	ug/L
Iron, total	MW-17	1/14/2021	60	60	ND	ug/L
Iron, total	MW-17	7/4/2021	60	60	ND	ug/L
Iron, total	MW-17	1/10/2023	159	60		ug/L
Iron, total	MW-17	7/8/2023	60	60	ND	ug/L
Iron, total	MW-19	6/5/2015	720	60		ug/L
Iron, total	MW-19	7/16/2015	420	60		ug/L
Iron, total	MW-19	8/5/2015	78	60		ug/L
Iron, total	MW-19	9/3/2015	60	60	ND	ug/L
Iron, total	MW-19	1/7/2016	86	60		ug/L
Iron, total	MW-19	4/5/2016	430	60		ug/L
Iron, total	MW-19	7/21/2016	37	60	ND	ug/L
Iron, total	MW-19	10/5/2016	170	60		ug/L
Iron, total	MW-19	1/10/2017	64	60		ug/L
Iron, total	MW-19	7/18/2017	190	60		ug/L
Iron, total	MW-19	1/23/2018	87	60		ug/L
Iron, total	MW-19	7/13/2018	34	60	ND	ug/L
Iron, total	MW-19	1/7/2019	60	60	ND	ug/L
Iron, total	MW-19	7/11/2019	60	60	ND	ug/L
Iron, total	MW-19	1/14/2020	60	60	ND	ug/L
Iron, total	MW-19	8/3/2020	60	60	ND	ug/L
Iron, total	MW-19	1/14/2021	60	60	ND	ug/L
Iron, total	MW-19	7/4/2021	60	60	ND	ug/L
Iron, total	MW-19	1/11/2023	60	60	ND	ug/L
Iron, total	MW-19	7/10/2023	60	60	ND	ug/L
Iron, total	MW-1N	10/22/1997	720	60		ug/L
Iron, total	MW-1N	1/20/1998	920	60		ug/L
Iron, total	MW-1N	4/28/1998	470	60		ug/L
Iron, total	MW-1N	7/23/1998	1200	60		ug/L
Iron, total	MW-1N	1/13/1999	1400	60		ug/L
Iron, total	MW-1N	4/13/1999	6300	60		ug/L
Iron, total	MW-1N	7/15/1999	4000	60		ug/L
Iron, total	MW-1N	10/19/1999	4200	60		ug/L
Iron, total	MW-1N	1/14/2000	2900	60		ug/L
Iron, total	MW-1N	4/25/2000	2000	60		ug/L
Iron, total	MW-1N	7/12/2000	2800	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-1N	10/18/2000	8000	60		ug/L
Iron, total	MW-1N	1/24/2001	450	60		ug/L
Iron, total	MW-1N	4/12/2001	2700	60		ug/L
Iron, total	MW-1N	5/29/2002	2100	60		ug/L
Iron, total	MW-1N	5/29/2002	2100	60		ug/L
Iron, total	MW-1N	7/9/2002	1900	50		ug/L
Iron, total	MW-1N	10/3/2002	830	50		ug/L
Iron, total	MW-1N	1/22/2003	860	60		ug/L
Iron, total	MW-1N	4/15/2003	1500	60		ug/L
Iron, total	MW-1N	7/8/2003	2200	60		ug/L
Iron, total	MW-1N	1/28/2004	3900	60		ug/L
Iron, total	MW-1N	7/27/2004	6400	60		ug/L
Iron, total	MW-1N	1/12/2005	3400	60		ug/L
Iron, total	MW-1N	7/20/2005	2000	60		ug/L
Iron, total	MW-1N	1/18/2006	1400	60		ug/L
Iron, total	MW-1N	7/18/2006	880	60		ug/L
Iron, total	MW-1N	7/18/2006	880	60		ug/L
Iron, total	MW-1N	10/24/2006	810	60		ug/L
Iron, total	MW-1N	1/26/2007	350	60		ug/L
Iron, total	MW-1N	7/11/2007	470	60		ug/L
Iron, total	MW-1N	1/24/2008	350	60		ug/L
Iron, total	MW-1N	7/21/2008	380	60		ug/L
Iron, total	MW-1N	2/5/2009	280	60		ug/L
Iron, total	MW-1N	7/31/2009	390	60		ug/L
Iron, total	MW-1N	1/26/2010	340	60		ug/L
Iron, total	MW-1N	7/13/2010	400	60		ug/L
Iron, total	MW-1N	1/20/2011	55	60	ND	ug/L
Iron, total	MW-1N	7/13/2011	390	60		ug/L
Iron, total	MW-1N	1/5/2012	300	60		ug/L
Iron, total	MW-1N	7/10/2012	170	60		ug/L
Iron, total	MW-1N	5/1/2013	150	60		ug/L
Iron, total	MW-1N	7/16/2013	99	60		ug/L
Iron, total	MW-1N	1/24/2014	71	60		ug/L
Iron, total	MW-1N	7/9/2014	60	60	ND	ug/L
Iron, total	MW-1N	2/10/2015	60	60	ND	ug/L
Iron, total	MW-1N	7/14/2015	180	60		ug/L
Iron, total	MW-1N	1/6/2016	60	60	ND	ug/L
Iron, total	MW-1N	7/21/2016	36	60	ND	ug/L
Iron, total	MW-1N	1/12/2017	34	60	ND	ug/L
Iron, total	MW-1N	7/19/2017	300	60		ug/L
Iron, total	MW-1N	1/23/2018	220	60		ug/L
Iron, total	MW-1N	7/10/2018	60	60	ND	ug/L
Iron, total	MW-1N	1/3/2019	60	60	ND	ug/L
Iron, total	MW-1N	7/11/2019	1600	60		ug/L
Iron, total	MW-1N	1/23/2020	9260	60		ug/L
Iron, total	MW-1N	4/2/2020	196	60		ug/L
Iron, total	MW-1N	7/6/2020	60	60	ND	ug/L
Iron, total	MW-1N	1/14/2021	60	60	ND	ug/L
Iron, total	MW-1N	7/4/2021	172	60		ug/L
Iron, total	MW-1N	1/11/2023	88.1	60		ug/L
Iron, total	MW-1N	7/8/2023	60	60	ND	ug/L
Iron, total	MW-20	6/5/2015	460	60		ug/L
Iron, total	MW-20	7/14/2015	440	60		ug/L
Iron, total	MW-20	8/4/2015	160	60		ug/L
Iron, total	MW-20	9/2/2015	330	60		ug/L
Iron, total	MW-20	1/7/2016	3100	60		ug/L
Iron, total	MW-20	4/5/2016	230	60		ug/L
Iron, total	MW-20	7/20/2016	410	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-20	10/5/2016	780	60		ug/L
Iron, total	MW-20	1/12/2017	1400	60		ug/L
Iron, total	MW-20	7/18/2017	100	60		ug/L
Iron, total	MW-20	1/26/2018	72	60		ug/L
Iron, total	MW-20	7/12/2018	58	60	ND	ug/L
Iron, total	MW-20	7/11/2019	82	60		ug/L
Iron, total	MW-20	1/14/2020	393	60		ug/L
Iron, total	MW-20	7/7/2020	598	60		ug/L
Iron, total	MW-20	1/17/2021	2320	60		ug/L
Iron, total	MW-20	7/4/2021	623	60		ug/L
Iron, total	MW-20	1/11/2023	60	60	ND	ug/L
Iron, total	MW-21	6/5/2015	12000	60		ug/L
Iron, total	MW-21	7/14/2015	12000	60		ug/L
Iron, total	MW-21	8/4/2015	11000	60		ug/L
Iron, total	MW-21	9/2/2015	11000	60		ug/L
Iron, total	MW-21	1/7/2016	170	60		ug/L
Iron, total	MW-21	4/5/2016	11000	60		ug/L
Iron, total	MW-21	7/20/2016	9200	60		ug/L
Iron, total	MW-21	10/5/2016	1400	60		ug/L
Iron, total	MW-21	10/5/2016	1400	60		ug/L
Iron, total	MW-21	1/10/2017	3900	60		ug/L
Iron, total	MW-21	4/5/2017	6400	60		ug/L
Iron, total	MW-21	7/19/2017	9400	60		ug/L
Iron, total	MW-21	10/6/2017	7400	60		ug/L
Iron, total	MW-21	1/24/2018	870	60		ug/L
Iron, total	MW-21	4/11/2018	18000	60		ug/L
Iron, total	MW-21	7/11/2018	7600	60		ug/L
Iron, total	MW-21	10/4/2018	2600	60		ug/L
Iron, total	MW-21	1/3/2019	15000	60		ug/L
Iron, total	MW-21	4/3/2019	10000	60		ug/L
Iron, total	MW-21	7/11/2019	7600	60		ug/L
Iron, total	MW-21	10/2/2019	9700	60		ug/L
Iron, total	MW-21	1/16/2020	8340	60		ug/L
Iron, total	MW-21	4/2/2020	6620	60		ug/L
Iron, total	MW-21	7/8/2020	2150	60		ug/L
Iron, total	MW-21	10/7/2020	1100	60		ug/L
Iron, total	MW-21	1/13/2021	10500	60		ug/L
Iron, total	MW-21	4/6/2021	1420	60		ug/L
Iron, total	MW-21	7/5/2021	4540	60		ug/L
Iron, total	MW-21	10/6/2021	387	60		ug/L
Iron, total	MW-21	1/11/2023	1150	60		ug/L
Iron, total	MW-21	4/8/2023	893	60		ug/L
Iron, total	MW-21	7/7/2023	1190	60		ug/L
Iron, total	MW-21	10/6/2023	4910	60		ug/L
Iron, total	MW-2N	10/22/1997	500	60		ug/L
Iron, total	MW-2N	1/21/1998	320	60		ug/L
Iron, total	MW-2N	4/28/1998	160	60		ug/L
Iron, total	MW-2N	7/22/1998	96	60		ug/L
Iron, total	MW-2N	1/13/1999	140	60		ug/L
Iron, total	MW-2N	4/13/1999	190	60		ug/L
Iron, total	MW-2N	7/14/1999	60	60	ND	ug/L
Iron, total	MW-2N	10/20/1999	60	60	ND	ug/L
Iron, total	MW-2N	1/14/2000	60	60	ND	ug/L
Iron, total	MW-2N	4/25/2000	60	60	ND	ug/L
Iron, total	MW-2N	10/17/2000	60	60	ND	ug/L
Iron, total	MW-2N	1/24/2001	60	60	ND	ug/L
Iron, total	MW-2N	4/11/2001	60	60	ND	ug/L
Iron, total	MW-2N	7/10/2002	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-2N	10/2/2002	50	50	ND	ug/L
Iron, total	MW-2N	1/22/2003	60	60	ND	ug/L
Iron, total	MW-2N	4/14/2003	60	60	ND	ug/L
Iron, total	MW-2N	7/7/2003	60	60	ND	ug/L
Iron, total	MW-2N	1/28/2004	60	60	ND	ug/L
Iron, total	MW-2N	7/27/2004	60	60	ND	ug/L
Iron, total	MW-2N	1/12/2005	60	60	ND	ug/L
Iron, total	MW-2N	7/20/2005	60	60	ND	ug/L
Iron, total	MW-2N	1/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	7/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	7/19/2006	60	60	ND	ug/L
Iron, total	MW-2N	10/25/2006	60	60	ND	ug/L
Iron, total	MW-2N	1/26/2007	520	60		ug/L
Iron, total	MW-2N	7/11/2007	29	60		ug/L
Iron, total	MW-2N	1/24/2008	60	60	ND	ug/L
Iron, total	MW-2N	7/22/2008	60	60	ND	ug/L
Iron, total	MW-2N	2/4/2009	60	60	ND	ug/L
Iron, total	MW-2N	7/31/2009	24	60	ND	ug/L
Iron, total	MW-2N	1/26/2010	60	60	ND	ug/L
Iron, total	MW-2N	7/13/2010	44	60	ND	ug/L
Iron, total	MW-2N	1/20/2011	60	60	ND	ug/L
Iron, total	MW-2N	7/13/2011	60	60	ND	ug/L
Iron, total	MW-2N	1/5/2012	60	60	ND	ug/L
Iron, total	MW-2N	7/10/2012	60	60	ND	ug/L
Iron, total	MW-2N	5/1/2013	60	60	ND	ug/L
Iron, total	MW-2N	7/16/2013	60	60	ND	ug/L
Iron, total	MW-2N	1/24/2014	60	60	ND	ug/L
Iron, total	MW-2N	7/9/2014	60	60	ND	ug/L
Iron, total	MW-2N	2/12/2015	60	60	ND	ug/L
Iron, total	MW-2N	7/14/2015	80	60		ug/L
Iron, total	MW-2N	1/6/2016	60	60	ND	ug/L
Iron, total	MW-2N	7/21/2016	39	60	ND	ug/L
Iron, total	MW-2N	1/11/2017	31	60	ND	ug/L
Iron, total	MW-2N	7/19/2017	60	60	ND	ug/L
Iron, total	MW-2N	1/23/2018	60	60	ND	ug/L
Iron, total	MW-2N	7/12/2018	60	60	ND	ug/L
Iron, total	MW-2N	1/3/2019	60	60	ND	ug/L
Iron, total	MW-2N	8/7/2019	610	60		ug/L
Iron, total	MW-2N	10/1/2019	520	60		ug/L
Iron, total	MW-2N	1/23/2020	495	60		ug/L
Iron, total	MW-2N	7/7/2020	199	60		ug/L
Iron, total	MW-2N	1/14/2021	60	60	ND	ug/L
Iron, total	MW-2N	7/5/2021	60	60	ND	ug/L
Iron, total	MW-2N	1/11/2023	62.5	60		ug/L
Iron, total	MW-2N	7/8/2023	60	60	ND	ug/L
Iron, total	MW-3N	10/21/1997	820	60		ug/L
Iron, total	MW-3N	1/21/1998	990	60		ug/L
Iron, total	MW-3N	4/28/1998	1800	60		ug/L
Iron, total	MW-3N	7/23/1998	2400	60		ug/L
Iron, total	MW-3N	1/13/1999	2200	60		ug/L
Iron, total	MW-3N	4/13/1999	2200	60		ug/L
Iron, total	MW-3N	7/14/1999	1700	60		ug/L
Iron, total	MW-3N	10/20/1999	1200	60		ug/L
Iron, total	MW-3N	1/14/2000	1300	60		ug/L
Iron, total	MW-3N	4/24/2000	1000	60		ug/L
Iron, total	MW-3N	7/11/2000	1100	60		ug/L
Iron, total	MW-3N	10/17/2000	740	60		ug/L
Iron, total	MW-3N	1/23/2001	68	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-3N	4/11/2001	4300	60		ug/L
Iron, total	MW-3N	5/29/2002	1500	60		ug/L
Iron, total	MW-3N	5/29/2002	1500	60		ug/L
Iron, total	MW-3N	7/9/2002	2100	50		ug/L
Iron, total	MW-3N	10/2/2002	3500	50		ug/L
Iron, total	MW-3N	1/22/2003	1600	60		ug/L
Iron, total	MW-3N	4/14/2003	2100	60		ug/L
Iron, total	MW-3N	7/7/2003	2900	60		ug/L
Iron, total	MW-3N	1/28/2004	2000	60		ug/L
Iron, total	MW-3N	7/27/2004	2100	60		ug/L
Iron, total	MW-3N	1/12/2005	1200	60		ug/L
Iron, total	MW-3N	7/20/2005	1400	60		ug/L
Iron, total	MW-3N	1/18/2006	1400	60		ug/L
Iron, total	MW-3N	7/19/2006	890	60		ug/L
Iron, total	MW-3N	7/19/2006	890	60		ug/L
Iron, total	MW-3N	10/25/2006	1000	60		ug/L
Iron, total	MW-3N	1/26/2007	850	60		ug/L
Iron, total	MW-3N	7/11/2007	1700	60		ug/L
Iron, total	MW-3N	1/24/2008	1500	60		ug/L
Iron, total	MW-3N	7/22/2008	980	60		ug/L
Iron, total	MW-3N	2/4/2009	1100	60		ug/L
Iron, total	MW-3N	7/31/2009	1900	60		ug/L
Iron, total	MW-3N	1/26/2010	1700	60		ug/L
Iron, total	MW-3N	7/13/2010	2900	60		ug/L
Iron, total	MW-3N	1/20/2011	1300	60		ug/L
Iron, total	MW-3N	7/14/2011	1500	60		ug/L
Iron, total	MW-3N	1/5/2012	550	60		ug/L
Iron, total	MW-3N	7/11/2012	670	60		ug/L
Iron, total	MW-3N	5/1/2013	720	60		ug/L
Iron, total	MW-3N	6/4/2013	540	60		ug/L
Iron, total	MW-3N	7/16/2013	1300	60		ug/L
Iron, total	MW-3N	1/24/2014	660	60		ug/L
Iron, total	MW-3N	7/9/2014	930	60		ug/L
Iron, total	MW-3N	2/12/2015	980	60		ug/L
Iron, total	MW-3N	4/1/2015	840	60		ug/L
Iron, total	MW-3N	7/14/2015	1100	60		ug/L
Iron, total	MW-3N	10/5/2015	570	60		ug/L
Iron, total	MW-3N	1/6/2016	680	60		ug/L
Iron, total	MW-3N	4/6/2016	200	60		ug/L
Iron, total	MW-3N	7/21/2016	650	60		ug/L
Iron, total	MW-3N	10/6/2016	1200	60		ug/L
Iron, total	MW-3N	1/11/2017	360	60		ug/L
Iron, total	MW-3N	4/4/2017	550	60		ug/L
Iron, total	MW-3N	7/19/2017	630	60		ug/L
Iron, total	MW-3N	10/9/2017	240	60		ug/L
Iron, total	MW-3N	1/24/2018	150	60		ug/L
Iron, total	MW-3N	4/10/2018	29	60	ND	ug/L
Iron, total	MW-3N	7/13/2018	32	60	ND	ug/L
Iron, total	MW-3N	10/3/2018	870	60		ug/L
Iron, total	MW-3N	1/7/2019	1100	60		ug/L
Iron, total	MW-3N	4/3/2019	370	60		ug/L
Iron, total	MW-3N	7/11/2019	280	60		ug/L
Iron, total	MW-3N	10/2/2019	32	60	ND	ug/L
Iron, total	MW-3N	1/15/2020	60	60	ND	ug/L
Iron, total	MW-3N	4/2/2020	61.2	60		ug/L
Iron, total	MW-3N	7/7/2020	60	60	ND	ug/L
Iron, total	MW-3N	10/7/2020	83.6	60		ug/L
Iron, total	MW-3N	1/13/2021	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-3N	4/6/2021	60	60	ND	ug/L
Iron, total	MW-3N	7/5/2021	220	60		ug/L
Iron, total	MW-3N	10/6/2021	366	60		ug/L
Iron, total	MW-3N	1/11/2023	70	60		ug/L
Iron, total	MW-3N	7/7/2023	60	60	ND	ug/L
Iron, total	MW-3N	10/6/2023	60	60	ND	ug/L
Iron, total	MW-7N	10/21/1997	110	60		ug/L
Iron, total	MW-7N	1/21/1998	360	60		ug/L
Iron, total	MW-7N	7/22/1998	460	60		ug/L
Iron, total	MW-7N	8/18/1998	500	60		ug/L
Iron, total	MW-7N	9/17/1998	620	60		ug/L
Iron, total	MW-7N	11/9/1998	820	60		ug/L
Iron, total	MW-7N	1/14/1999	940	60		ug/L
Iron, total	MW-7N	4/14/1999	1100	60		ug/L
Iron, total	MW-7N	7/14/1999	320	60		ug/L
Iron, total	MW-7N	10/19/1999	860	60		ug/L
Iron, total	MW-7N	1/13/2000	2600	60		ug/L
Iron, total	MW-7N	4/25/2000	3500	60		ug/L
Iron, total	MW-7N	7/11/2000	2900	60		ug/L
Iron, total	MW-7N	10/17/2000	3300	60		ug/L
Iron, total	MW-7N	1/23/2001	1300	60		ug/L
Iron, total	MW-7N	4/10/2001	3600	60		ug/L
Iron, total	MW-7N	5/29/2002	4000	60		ug/L
Iron, total	MW-7N	5/29/2002	4000	60		ug/L
Iron, total	MW-7N	7/9/2002	4300	50		ug/L
Iron, total	MW-7N	10/2/2002	5000	50		ug/L
Iron, total	MW-7N	1/23/2003	5900	60		ug/L
Iron, total	MW-7N	4/14/2003	8200	60		ug/L
Iron, total	MW-7N	7/7/2003	7400	60		ug/L
Iron, total	MW-7N	1/27/2004	10300	60		ug/L
Iron, total	MW-7N	4/8/2004	9300	60		ug/L
Iron, total	MW-7N	7/26/2004	7100	60		ug/L
Iron, total	MW-7N	1/12/2005	7800	60		ug/L
Iron, total	MW-7N	7/19/2005	11800	60		ug/L
Iron, total	MW-7N	1/19/2006	12900	60		ug/L
Iron, total	MW-7N	7/19/2006	14000	60		ug/L
Iron, total	MW-7N	7/19/2006	14000	60		ug/L
Iron, total	MW-7N	10/24/2006	14000	60		ug/L
Iron, total	MW-7N	1/26/2007	13000	60		ug/L
Iron, total	MW-7N	7/10/2007	8300	60		ug/L
Iron, total	MW-7N	7/21/2008	7200	60		ug/L
Iron, total	MW-7N	2/6/2009	7700	60		ug/L
Iron, total	MW-7N	7/29/2009	60	60	ND	ug/L
Iron, total	MW-7N	1/26/2010	4600	60		ug/L
Iron, total	MW-7N	7/14/2010	3800	60		ug/L
Iron, total	MW-7N	1/20/2011	1200	60		ug/L
Iron, total	MW-7N	7/12/2011	450	60		ug/L
Iron, total	MW-7N	1/5/2012	610	60		ug/L
Iron, total	MW-7N	7/10/2012	440	60		ug/L
Iron, total	MW-7N	5/1/2013	11000	60		ug/L
Iron, total	MW-7N	6/4/2013	7600	60		ug/L
Iron, total	MW-7N	7/15/2013	2000	60		ug/L
Iron, total	MW-7N	1/30/2014	1700	60		ug/L
Iron, total	MW-7N	7/9/2014	670	60		ug/L
Iron, total	MW-7N	2/12/2015	3200	60		ug/L
Iron, total	MW-7N	7/13/2015	440	60		ug/L
Iron, total	MW-7N	1/5/2016	200	60		ug/L
Iron, total	MW-7N	7/21/2016	110	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-7N	1/11/2017	1300	60		ug/L
Iron, total	MW-7N	4/4/2017	470	60		ug/L
Iron, total	MW-7N	7/19/2017	2800	60		ug/L
Iron, total	MW-7N	10/5/2017	1500	60		ug/L
Iron, total	MW-7N	1/25/2018	2200	60		ug/L
Iron, total	MW-7N	4/11/2018	2400	60		ug/L
Iron, total	MW-7N	7/13/2018	320	60		ug/L
Iron, total	MW-7N	1/4/2019	450	60		ug/L
Iron, total	MW-7N	7/10/2019	40	60	ND	ug/L
Iron, total	MW-7N	1/16/2020	554	60		ug/L
Iron, total	MW-7N	7/7/2020	176	60		ug/L
Iron, total	MW-7N	1/16/2021	310	60		ug/L
Iron, total	MW-7N	7/5/2021	252	60		ug/L
Iron, total	MW-7N	1/12/2022	60	60	ND	ug/L
Iron, total	MW-7N	7/10/2022	121	60		ug/L
Iron, total	MW-7N	1/10/2023	60	60	ND	ug/L
Iron, total	MW-7N	7/7/2023	60	60	ND	ug/L
Iron, total	MW-8N	10/21/1997	440	60		ug/L
Iron, total	MW-8N	1/22/1998	2800	60		ug/L
Iron, total	MW-8N	4/28/1998	3500	60		ug/L
Iron, total	MW-8N	7/22/1998	3000	60		ug/L
Iron, total	MW-8N	1/12/1999	2200	60		ug/L
Iron, total	MW-8N	4/13/1999	9500	60		ug/L
Iron, total	MW-8N	7/14/1999	18100	60		ug/L
Iron, total	MW-8N	10/19/1999	10800	60		ug/L
Iron, total	MW-8N	1/14/2000	10100	60		ug/L
Iron, total	MW-8N	4/25/2000	6500	60		ug/L
Iron, total	MW-8N	10/17/2000	8000	60		ug/L
Iron, total	MW-8N	1/23/2001	8500	60		ug/L
Iron, total	MW-8N	4/11/2001	15100	60		ug/L
Iron, total	MW-8N	5/29/2002	15400	60		ug/L
Iron, total	MW-8N	5/29/2002	15400	60		ug/L
Iron, total	MW-8N	7/9/2002	14800	50		ug/L
Iron, total	MW-8N	10/2/2002	16300	50		ug/L
Iron, total	MW-8N	1/23/2003	20400	60		ug/L
Iron, total	MW-8N	4/14/2003	21000	60		ug/L
Iron, total	MW-8N	7/7/2003	21100	60		ug/L
Iron, total	MW-8N	1/28/2004	20600	60		ug/L
Iron, total	MW-8N	7/27/2004	23600	60		ug/L
Iron, total	MW-8N	1/12/2005	23800	60		ug/L
Iron, total	MW-8N	7/20/2005	16000	60		ug/L
Iron, total	MW-8N	1/19/2006	14300	60		ug/L
Iron, total	MW-8N	7/19/2006	14000	60		ug/L
Iron, total	MW-8N	7/19/2006	14000	60		ug/L
Iron, total	MW-8N	10/24/2006	2900	60		ug/L
Iron, total	MW-8N	1/26/2007	250	60		ug/L
Iron, total	MW-8N	4/25/2007	42	60	ND	ug/L
Iron, total	MW-8N	7/10/2007	120	60		ug/L
Iron, total	MW-8N	1/24/2008	70	60		ug/L
Iron, total	MW-8N	7/23/2008	90	60		ug/L
Iron, total	MW-8N	2/4/2009	67	60		ug/L
Iron, total	MW-8N	7/31/2009	50	60	ND	ug/L
Iron, total	MW-8N	1/26/2010	60	60	ND	ug/L
Iron, total	MW-8N	7/16/2010	43	60	ND	ug/L
Iron, total	MW-8N	1/19/2011	60	60	ND	ug/L
Iron, total	MW-8N	5/10/2011	38	60	ND	ug/L
Iron, total	MW-8N	7/14/2011	210	60		ug/L
Iron, total	MW-8N	1/6/2012	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	MW-8N	4/5/2012	60	60	ND	ug/L
Iron, total	MW-8N	7/11/2012	60	60	ND	ug/L
Iron, total	MW-8N	10/3/2012	1400	60		ug/L
Iron, total	MW-8N	5/1/2013	220	60		ug/L
Iron, total	MW-8N	6/4/2013	130	60		ug/L
Iron, total	MW-8N	7/16/2013	270	60		ug/L
Iron, total	MW-8N	10/2/2013	330	60		ug/L
Iron, total	MW-8N	1/30/2014	350	60		ug/L
Iron, total	MW-8N	4/3/2014	27	60	ND	ug/L
Iron, total	MW-8N	7/9/2014	130	60		ug/L
Iron, total	MW-8N	10/8/2014	59	60	ND	ug/L
Iron, total	MW-8N	2/12/2015	90	60		ug/L
Iron, total	MW-8N	4/1/2015	63	60		ug/L
Iron, total	MW-8N	7/14/2015	160	60		ug/L
Iron, total	MW-8N	10/5/2015	220	60		ug/L
Iron, total	MW-8N	1/5/2016	260	60		ug/L
Iron, total	MW-8N	4/6/2016	170	60		ug/L
Iron, total	MW-8N	7/21/2016	150	60		ug/L
Iron, total	MW-8N	10/6/2016	190	60		ug/L
Iron, total	MW-8N	1/11/2017	120	60		ug/L
Iron, total	MW-8N	4/4/2017	320	60		ug/L
Iron, total	MW-8N	7/19/2017	240	60		ug/L
Iron, total	MW-8N	10/6/2017	97	60		ug/L
Iron, total	MW-8N	1/25/2018	110	60		ug/L
Iron, total	MW-8N	4/10/2018	60	60	ND	ug/L
Iron, total	MW-8N	7/16/2018	60	60	ND	ug/L
Iron, total	MW-8N	10/2/2018	30	60	ND	ug/L
Iron, total	MW-8N	1/7/2019	80	60		ug/L
Iron, total	MW-8N	4/3/2019	500	60		ug/L
Iron, total	MW-8N	7/11/2019	34	60	ND	ug/L
Iron, total	MW-8N	10/3/2019	37	60	ND	ug/L
Iron, total	MW-8N	1/15/2020	60	60	ND	ug/L
Iron, total	MW-8N	4/2/2020	60	60	ND	ug/L
Iron, total	MW-8N	7/9/2020	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2020	60	60	ND	ug/L
Iron, total	MW-8N	1/15/2021	60	60	ND	ug/L
Iron, total	MW-8N	4/6/2021	60	60	ND	ug/L
Iron, total	MW-8N	7/5/2021	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2021	60	60	ND	ug/L
Iron, total	MW-8N	1/18/2022	60	60	ND	ug/L
Iron, total	MW-8N	4/4/2022	60	60	ND	ug/L
Iron, total	MW-8N	7/12/2022	60	60	ND	ug/L
Iron, total	MW-8N	10/6/2022	60	60	ND	ug/L
Iron, total	MW-8N	1/11/2023	60	60	ND	ug/L
Iron, total	MW-8N	4/8/2023	60	60	ND	ug/L
Iron, total	MW-8N	7/7/2023	60	60	ND	ug/L
Iron, total	MW-8N	10/5/2023	60	60	ND	ug/L
Iron, total	NE-1	7/10/2002	57	50		ug/L
Iron, total	NE-1	8/6/2002	250	50		ug/L
Iron, total	NE-1	9/4/2002	50	50	ND	ug/L
Iron, total	NE-1	10/2/2002	50	50	ND	ug/L
Iron, total	NE-1	7/8/2003	60	60	ND	ug/L
Iron, total	NE-1	1/27/2004	640	60		ug/L
Iron, total	NE-1	1/12/2005	140	60		ug/L
Iron, total	NE-1	7/19/2006	250	60		ug/L
Iron, total	NE-1	7/19/2006	250	60		ug/L
Iron, total	NE-1	10/25/2006	60	60	ND	ug/L
Iron, total	NE-1	1/24/2007	59	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-1	7/10/2007	430	60		ug/L
Iron, total	NE-1	1/24/2008	30	60	ND	ug/L
Iron, total	NE-1	7/21/2008	92	60		ug/L
Iron, total	NE-1	2/7/2009	550	60		ug/L
Iron, total	NE-1	7/31/2009	38	60	ND	ug/L
Iron, total	NE-1	1/26/2010	40	60	ND	ug/L
Iron, total	NE-1	7/14/2010	840	60		ug/L
Iron, total	NE-1	1/19/2011	60	60	ND	ug/L
Iron, total	NE-1	7/13/2011	37	60	ND	ug/L
Iron, total	NE-1	1/5/2012	25	60	ND	ug/L
Iron, total	NE-1	7/10/2012	260	60		ug/L
Iron, total	NE-1	4/30/2013	36	60	ND	ug/L
Iron, total	NE-1	7/16/2013	60	60	ND	ug/L
Iron, total	NE-1	1/23/2014	90	60		ug/L
Iron, total	NE-1	7/9/2014	58	60	ND	ug/L
Iron, total	NE-1	2/11/2015	60	60	ND	ug/L
Iron, total	NE-1	7/8/2015	30	60	ND	ug/L
Iron, total	NE-1	1/6/2016	60	60	ND	ug/L
Iron, total	NE-1	7/20/2016	34	60	ND	ug/L
Iron, total	NE-1	1/11/2017	39	60	ND	ug/L
Iron, total	NE-1	7/19/2017	73	60		ug/L
Iron, total	NE-1	1/24/2018	60	60	ND	ug/L
Iron, total	NE-1	4/11/2018	60	60	ND	ug/L
Iron, total	NE-1	7/18/2018	60	60	ND	ug/L
Iron, total	NE-1	10/2/2018	67	60		ug/L
Iron, total	NE-1	1/4/2019	26	60	ND	ug/L
Iron, total	NE-1	4/2/2019	60	60	ND	ug/L
Iron, total	NE-1	7/10/2019	60	60	ND	ug/L
Iron, total	NE-1	7/10/2019	60	60	ND	ug/L
Iron, total	NE-1	10/2/2019	60	60	ND	ug/L
Iron, total	NE-1	1/15/2020	60	60	ND	ug/L
Iron, total	NE-1	4/2/2020	60	60	ND	ug/L
Iron, total	NE-1	7/8/2020	60	60	ND	ug/L
Iron, total	NE-1	10/7/2020	431	60		ug/L
Iron, total	NE-1	1/13/2021	60	60	ND	ug/L
Iron, total	NE-1	4/9/2021	60	60	ND	ug/L
Iron, total	NE-1	7/2/2021	60	60	ND	ug/L
Iron, total	NE-1	10/6/2021	60	60	ND	ug/L
Iron, total	NE-1	1/17/2022	60	60	ND	ug/L
Iron, total	NE-1	4/6/2022	60	60	ND	ug/L
Iron, total	NE-1	7/13/2022	60	60	ND	ug/L
Iron, total	NE-1	10/6/2022	60	60	ND	ug/L
Iron, total	NE-1	1/5/2023	60	60	ND	ug/L
Iron, total	NE-1	4/7/2023	60	60	ND	ug/L
Iron, total	NE-1	7/5/2023	60	60	ND	ug/L
Iron, total	NE-1	10/5/2023	60	60	ND	ug/L
Iron, total	NE-10D	11/6/2019	280	60		ug/L
Iron, total	NE-10D	1/16/2020	194	60		ug/L
Iron, total	NE-10D	4/2/2020	60	60	ND	ug/L
Iron, total	NE-10D	7/8/2020	97.1	60		ug/L
Iron, total	NE-10D	10/7/2020	60	60	ND	ug/L
Iron, total	NE-10D	1/13/2021	60	60	ND	ug/L
Iron, total	NE-10D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-10D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-10D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-10D	1/6/2023	651	60		ug/L
Iron, total	NE-10D	4/6/2023	187	60		ug/L
Iron, total	NE-10D	7/8/2023	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-10D	10/3/2023	60	60	ND	ug/L
Iron, total	NE-11	3/1/2017	55	60	ND	ug/L
Iron, total	NE-11	4/6/2017	570	60		ug/L
Iron, total	NE-11	7/20/2017	270	60		ug/L
Iron, total	NE-11	10/9/2017	310	60		ug/L
Iron, total	NE-11	9/30/2019	150	60		ug/L
Iron, total	NE-11	1/14/2020	79.7	60		ug/L
Iron, total	NE-11	7/7/2020	60	60	ND	ug/L
Iron, total	NE-11	1/16/2021	60	60	ND	ug/L
Iron, total	NE-11	1/16/2021	60	60	ND	ug/L
Iron, total	NE-11	7/1/2021	60	60	ND	ug/L
Iron, total	NE-11	1/17/2022	60	60	ND	ug/L
Iron, total	NE-11	1/17/2022	60	60	ND	ug/L
Iron, total	NE-11	7/12/2022	60	60	ND	ug/L
Iron, total	NE-11	1/6/2023	60	60	ND	ug/L
Iron, total	NE-11	7/6/2023	60	60	ND	ug/L
Iron, total	NE-12	3/1/2017	150	60		ug/L
Iron, total	NE-12	4/6/2017	160	60		ug/L
Iron, total	NE-12	7/20/2017	110	60		ug/L
Iron, total	NE-12	10/6/2017	91	60		ug/L
Iron, total	NE-12	8/5/2019	60	60	ND	ug/L
Iron, total	NE-12	1/13/2020	60	60	ND	ug/L
Iron, total	NE-12	7/7/2020	60	60	ND	ug/L
Iron, total	NE-12	1/15/2021	60	60	ND	ug/L
Iron, total	NE-12	1/15/2021	60	60	ND	ug/L
Iron, total	NE-12	7/1/2021	60	60	ND	ug/L
Iron, total	NE-12	1/17/2022	60	60	ND	ug/L
Iron, total	NE-12	1/17/2022	60	60	ND	ug/L
Iron, total	NE-12	7/12/2022	60	60	ND	ug/L
Iron, total	NE-12	1/6/2023	60	60	ND	ug/L
Iron, total	NE-12	7/5/2023	60	60	ND	ug/L
Iron, total	NE-13	2/5/2019	44	60	ND	ug/L
Iron, total	NE-13	8/7/2019	73	60		ug/L
Iron, total	NE-13	1/15/2020	94.2	60		ug/L
Iron, total	NE-13	7/8/2020	447	60		ug/L
Iron, total	NE-13	1/17/2021	549	60		ug/L
Iron, total	NE-13	1/17/2021	253	60		ug/L
Iron, total	NE-13	7/1/2021	60	60	ND	ug/L
Iron, total	NE-14D	10/2/2019	60	60	ND	ug/L
Iron, total	NE-14D	1/16/2020	60	60	ND	ug/L
Iron, total	NE-14D	4/3/2020	60	60	ND	ug/L
Iron, total	NE-14D	7/7/2020	60	60	ND	ug/L
Iron, total	NE-14D	10/6/2020	60	60	ND	ug/L
Iron, total	NE-14D	1/17/2021	60	60	ND	ug/L
Iron, total	NE-14D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-14D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-14D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-14D	1/18/2022	60	60	ND	ug/L
Iron, total	NE-14D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-14D	7/13/2022	60	60	ND	ug/L
Iron, total	NE-14D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-14D	1/6/2023	60	60	ND	ug/L
Iron, total	NE-14D	4/6/2023	60	60	ND	ug/L
Iron, total	NE-14D	7/5/2023	60	60	ND	ug/L
Iron, total	NE-14D	10/4/2023	60	60	ND	ug/L
Iron, total	NE-14S	10/2/2019	60	60	ND	ug/L
Iron, total	NE-14S	1/16/2020	60	60	ND	ug/L
Iron, total	NE-14S	4/3/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-14S	7/7/2020	60	60	ND	ug/L
Iron, total	NE-14S	10/6/2020	60	60	ND	ug/L
Iron, total	NE-14S	1/17/2021	60	60	ND	ug/L
Iron, total	NE-14S	4/9/2021	60	60	ND	ug/L
Iron, total	NE-14S	7/2/2021	60	60	ND	ug/L
Iron, total	NE-14S	10/7/2021	60	60	ND	ug/L
Iron, total	NE-14S	1/18/2022	60	60	ND	ug/L
Iron, total	NE-14S	4/6/2022	60	60	ND	ug/L
Iron, total	NE-14S	7/13/2022	60	60	ND	ug/L
Iron, total	NE-14S	10/7/2022	60	60	ND	ug/L
Iron, total	NE-14S	1/6/2023	60	60	ND	ug/L
Iron, total	NE-14S	4/6/2023	60	60	ND	ug/L
Iron, total	NE-14S	7/5/2023	60	60	ND	ug/L
Iron, total	NE-14S	10/4/2023	60	60	ND	ug/L
Iron, total	NE-15D	9/30/2019	72	60		ug/L
Iron, total	NE-15D	1/16/2020	60	60	ND	ug/L
Iron, total	NE-15D	4/3/2020	61.7	60		ug/L
Iron, total	NE-15D	7/7/2020	60	60	ND	ug/L
Iron, total	NE-15D	10/6/2020	60	60	ND	ug/L
Iron, total	NE-15D	1/17/2021	60	60	ND	ug/L
Iron, total	NE-15D	4/9/2021	62.3	60		ug/L
Iron, total	NE-15D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-15D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-15D	1/17/2022	60	60	ND	ug/L
Iron, total	NE-15D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-15D	7/13/2022	60	60	ND	ug/L
Iron, total	NE-15D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-15D	1/6/2023	60	60	ND	ug/L
Iron, total	NE-15D	4/6/2023	60	60	ND	ug/L
Iron, total	NE-15D	7/6/2023	60	60	ND	ug/L
Iron, total	NE-15D	10/6/2023	60	60	ND	ug/L
Iron, total	NE-15S	4/3/2020	679	60		ug/L
Iron, total	NE-2	7/9/2002	3400	50		ug/L
Iron, total	NE-2	8/6/2002	110	50		ug/L
Iron, total	NE-2	9/4/2002	50	50	ND	ug/L
Iron, total	NE-2	10/2/2002	56	50		ug/L
Iron, total	NE-2	10/1/2013	60	60	ND	ug/L
Iron, total	NE-2	10/8/2014	240	60		ug/L
Iron, total	NE-2	10/5/2015	100	60		ug/L
Iron, total	NE-2	10/6/2016	60	60	ND	ug/L
Iron, total	NE-2	10/5/2017	200	60		ug/L
Iron, total	NE-2	1/25/2018	83	60		ug/L
Iron, total	NE-2	4/10/2018	110	60		ug/L
Iron, total	NE-2	7/10/2018	60	60	ND	ug/L
Iron, total	NE-2	10/1/2018	60	60	ND	ug/L
Iron, total	NE-2	1/4/2019	45	60	ND	ug/L
Iron, total	NE-2	4/2/2019	60	60	ND	ug/L
Iron, total	NE-2	7/9/2019	60	60	ND	ug/L
Iron, total	NE-2	7/9/2019	60	60	ND	ug/L
Iron, total	NE-2	10/2/2019	60	60	ND	ug/L
Iron, total	NE-2	1/14/2020	84.1	60		ug/L
Iron, total	NE-2	4/1/2020	60	60	ND	ug/L
Iron, total	NE-2	7/7/2020	60	60	ND	ug/L
Iron, total	NE-2	10/6/2020	60	60	ND	ug/L
Iron, total	NE-2	1/14/2021	60	60	ND	ug/L
Iron, total	NE-2	4/9/2021	60	60	ND	ug/L
Iron, total	NE-2	7/2/2021	60	60	ND	ug/L
Iron, total	NE-2	10/6/2021	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-2	1/18/2022	60	60	ND	ug/L
Iron, total	NE-2	4/6/2022	60	60	ND	ug/L
Iron, total	NE-2	7/13/2022	60	60	ND	ug/L
Iron, total	NE-2	10/7/2022	154	60		ug/L
Iron, total	NE-2	1/5/2023	60	60	ND	ug/L
Iron, total	NE-2	4/5/2023	60	60	ND	ug/L
Iron, total	NE-2	7/5/2023	60	60	ND	ug/L
Iron, total	NE-2	10/4/2023	60	60	ND	ug/L
Iron, total	NE-4	7/10/2002	410	50		ug/L
Iron, total	NE-4	8/6/2002	110	50		ug/L
Iron, total	NE-4	9/4/2002	50	50	ND	ug/L
Iron, total	NE-4	10/3/2002	340	50		ug/L
Iron, total	NE-4	7/8/2003	290	60		ug/L
Iron, total	NE-4	1/28/2004	90	60		ug/L
Iron, total	NE-4	1/13/2005	160	60		ug/L
Iron, total	NE-4	8/1/2006	670	60		ug/L
Iron, total	NE-4	8/1/2006	670	60		ug/L
Iron, total	NE-4	10/25/2006	60	60	ND	ug/L
Iron, total	NE-4	1/24/2007	210	60		ug/L
Iron, total	NE-4	7/12/2007	280	60		ug/L
Iron, total	NE-4	1/24/2008	170	60		ug/L
Iron, total	NE-4	7/21/2008	37	60	ND	ug/L
Iron, total	NE-4	2/7/2009	950	60		ug/L
Iron, total	NE-4	7/31/2009	63	60		ug/L
Iron, total	NE-4	1/26/2010	54	60	ND	ug/L
Iron, total	NE-4	7/14/2010	950	60		ug/L
Iron, total	NE-4	1/19/2011	25	60	ND	ug/L
Iron, total	NE-4	7/13/2011	28	60	ND	ug/L
Iron, total	NE-4	1/5/2012	78	60		ug/L
Iron, total	NE-4	7/10/2012	3000	60		ug/L
Iron, total	NE-4	4/30/2013	230	60		ug/L
Iron, total	NE-4	7/16/2013	94	60		ug/L
Iron, total	NE-4	1/23/2014	200	60		ug/L
Iron, total	NE-4	7/9/2014	130	60		ug/L
Iron, total	NE-4	2/13/2015	250	60		ug/L
Iron, total	NE-4	7/8/2015	23	60	ND	ug/L
Iron, total	NE-4	1/6/2016	39	60	ND	ug/L
Iron, total	NE-4	7/20/2016	150	60		ug/L
Iron, total	NE-4	1/11/2017	160	60		ug/L
Iron, total	NE-4	7/19/2017	260	60		ug/L
Iron, total	NE-4	1/26/2018	23	60	ND	ug/L
Iron, total	NE-4	4/10/2018	23	60	ND	ug/L
Iron, total	NE-4	7/12/2018	24	60	ND	ug/L
Iron, total	NE-4	10/3/2018	31	60	ND	ug/L
Iron, total	NE-4	1/7/2019	60	60	ND	ug/L
Iron, total	NE-4	4/2/2019	60	60	ND	ug/L
Iron, total	NE-4	7/8/2019	60	60	ND	ug/L
Iron, total	NE-4	7/8/2019	60	60	ND	ug/L
Iron, total	NE-4	10/1/2019	60	60	ND	ug/L
Iron, total	NE-4	1/13/2020	60	60	ND	ug/L
Iron, total	NE-4	4/1/2020	60	60	ND	ug/L
Iron, total	NE-4	7/6/2020	60	60	ND	ug/L
Iron, total	NE-4	10/5/2020	60	60	ND	ug/L
Iron, total	NE-4	1/15/2021	63.3	60		ug/L
Iron, total	NE-4	4/9/2021	60	60	ND	ug/L
Iron, total	NE-4	7/2/2021	92.4	60		ug/L
Iron, total	NE-4	10/6/2021	60	60	ND	ug/L
Iron, total	NE-4	1/5/2023	78.7	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-4	4/6/2023	98.4	60		ug/L
Iron, total	NE-4	7/5/2023	60	60	ND	ug/L
Iron, total	NE-4	10/4/2023	60	60	ND	ug/L
Iron, total	NE-5	7/9/2002	5800	50		ug/L
Iron, total	NE-5	8/6/2002	8900	50		ug/L
Iron, total	NE-5	9/4/2002	10900	50		ug/L
Iron, total	NE-5	10/2/2002	4800	50		ug/L
Iron, total	NE-5	7/8/2003	5000	60		ug/L
Iron, total	NE-5	1/27/2004	40700	60		ug/L
Iron, total	NE-5	1/12/2005	5200	60		ug/L
Iron, total	NE-5	7/19/2006	35000	60		ug/L
Iron, total	NE-5	7/19/2006	35000	60		ug/L
Iron, total	NE-5	10/25/2006	12000	60		ug/L
Iron, total	NE-5	1/24/2007	2800	60		ug/L
Iron, total	NE-5	7/12/2007	1900	60		ug/L
Iron, total	NE-5	7/22/2008	3000	60		ug/L
Iron, total	NE-5	2/6/2009	5600	60		ug/L
Iron, total	NE-5	7/31/2009	8100	60		ug/L
Iron, total	NE-5	1/26/2010	2900	60		ug/L
Iron, total	NE-5	7/16/2010	14000	60		ug/L
Iron, total	NE-5	1/19/2011	6200	60		ug/L
Iron, total	NE-5	7/13/2011	14000	60		ug/L
Iron, total	NE-5	1/5/2012	8900	60		ug/L
Iron, total	NE-5	7/10/2012	6300	60		ug/L
Iron, total	NE-5	4/30/2013	13000	60		ug/L
Iron, total	NE-5	7/16/2013	9300	60		ug/L
Iron, total	NE-5	1/23/2014	11000	60		ug/L
Iron, total	NE-5	7/9/2014	12000	60		ug/L
Iron, total	NE-5	2/11/2015	14000	60		ug/L
Iron, total	NE-5	7/14/2015	10000	60		ug/L
Iron, total	NE-5	1/6/2016	12000	60		ug/L
Iron, total	NE-5	7/20/2016	3700	60		ug/L
Iron, total	NE-5	1/11/2017	4200	60		ug/L
Iron, total	NE-5	7/19/2017	11000	60		ug/L
Iron, total	NE-5	1/25/2018	16000	60		ug/L
Iron, total	NE-5	4/10/2018	13000	60		ug/L
Iron, total	NE-5	7/17/2018	14000	60		ug/L
Iron, total	NE-5	10/3/2018	15000	60		ug/L
Iron, total	NE-5	1/4/2019	20000	60		ug/L
Iron, total	NE-5	4/2/2019	19000	60		ug/L
Iron, total	NE-5	4/2/2019	19000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	7/9/2019	17000	60		ug/L
Iron, total	NE-5	10/3/2019	11000	60		ug/L
Iron, total	NE-5	1/16/2020	12900	60		ug/L
Iron, total	NE-5	4/2/2020	9270	60		ug/L
Iron, total	NE-5	7/8/2020	9040	60		ug/L
Iron, total	NE-5	10/6/2020	7230	60		ug/L
Iron, total	NE-5	1/15/2021	9260	60		ug/L
Iron, total	NE-5	4/9/2021	11900	60		ug/L
Iron, total	NE-5	7/2/2021	8740	60		ug/L
Iron, total	NE-5	10/6/2021	5470	60		ug/L
Iron, total	NE-5	1/18/2022	9540	60		ug/L
Iron, total	NE-5	4/6/2022	8400	60		ug/L
Iron, total	NE-5	7/13/2022	7040	60		ug/L
Iron, total	NE-5	10/7/2022	4470	60		ug/L
Iron, total	NE-5	1/5/2023	10400	60		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-5	4/7/2023	12300	60		ug/L
Iron, total	NE-5	7/6/2023	7340	60		ug/L
Iron, total	NE-5	10/4/2023	9150	60		ug/L
Iron, total	NE-5E	9/30/2019	39	60	ND	ug/L
Iron, total	NE-5E	1/16/2020	436	60		ug/L
Iron, total	NE-5E	4/1/2020	425	60		ug/L
Iron, total	NE-5E	7/8/2020	208	60		ug/L
Iron, total	NE-5E	10/6/2020	60	60	ND	ug/L
Iron, total	NE-5E	1/15/2021	60	60	ND	ug/L
Iron, total	NE-5E	4/9/2021	60	60	ND	ug/L
Iron, total	NE-5E	7/2/2021	227	60		ug/L
Iron, total	NE-5E	10/6/2021	144	60		ug/L
Iron, total	NE-5E	1/18/2022	60	60	ND	ug/L
Iron, total	NE-5E	4/6/2022	75.4	60		ug/L
Iron, total	NE-5E	7/13/2022	2020	60		ug/L
Iron, total	NE-5E	10/7/2022	3410	60		ug/L
Iron, total	NE-5E	1/5/2023	1950	60		ug/L
Iron, total	NE-5E	4/7/2023	3210	60		ug/L
Iron, total	NE-5E	7/6/2023	3900	60		ug/L
Iron, total	NE-5E	10/4/2023	4040	60		ug/L
Iron, total	NE-5W	9/30/2019	180	60		ug/L
Iron, total	NE-5W	1/16/2020	1700	60		ug/L
Iron, total	NE-5W	4/2/2020	13800	60		ug/L
Iron, total	NE-5W	7/8/2020	8940	60		ug/L
Iron, total	NE-5W	10/6/2020	9090	60		ug/L
Iron, total	NE-5W	1/15/2021	570	60		ug/L
Iron, total	NE-5W	4/9/2021	635	60		ug/L
Iron, total	NE-5W	7/2/2021	4870	60		ug/L
Iron, total	NE-5W	10/6/2021	4970	60		ug/L
Iron, total	NE-5W	1/18/2022	770	60		ug/L
Iron, total	NE-5W	4/6/2022	2940	60		ug/L
Iron, total	NE-5W	7/13/2022	5430	60		ug/L
Iron, total	NE-5W	10/7/2022	4210	60		ug/L
Iron, total	NE-5W	1/5/2023	391	60		ug/L
Iron, total	NE-5W	4/7/2023	491	60		ug/L
Iron, total	NE-5W	7/6/2023	3100	60		ug/L
Iron, total	NE-5W	10/4/2023	1870	60		ug/L
Iron, total	NE-6	1/12/2017	210	60		ug/L
Iron, total	NE-6	4/5/2017	57	60	ND	ug/L
Iron, total	NE-6	7/19/2017	32	60	ND	ug/L
Iron, total	NE-6	10/6/2017	190	60		ug/L
Iron, total	NE-6	2/4/2019	160	60		ug/L
Iron, total	NE-6	8/6/2019	55	60	ND	ug/L
Iron, total	NE-6	1/15/2020	91.6	60		ug/L
Iron, total	NE-6	7/9/2020	69.3	60		ug/L
Iron, total	NE-6	1/16/2021	618	60		ug/L
Iron, total	NE-6	1/16/2021	530	60		ug/L
Iron, total	NE-6	7/1/2021	61.2	60		ug/L
Iron, total	NE-6	1/17/2022	289	60		ug/L
Iron, total	NE-6	1/17/2022	331	60		ug/L
Iron, total	NE-6	7/12/2022	60	60	ND	ug/L
Iron, total	NE-6	1/5/2023	60	60	ND	ug/L
Iron, total	NE-6	7/6/2023	60	60	ND	ug/L
Iron, total	NE-6D	10/2/2019	60	60	ND	ug/L
Iron, total	NE-6D	1/15/2020	70.5	60		ug/L
Iron, total	NE-6D	4/2/2020	60	60	ND	ug/L
Iron, total	NE-6D	7/9/2020	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2020	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-6D	1/15/2021	60	60	ND	ug/L
Iron, total	NE-6D	4/9/2021	60	60	ND	ug/L
Iron, total	NE-6D	7/2/2021	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2021	60	60	ND	ug/L
Iron, total	NE-6D	1/17/2022	60	60	ND	ug/L
Iron, total	NE-6D	4/6/2022	60	60	ND	ug/L
Iron, total	NE-6D	7/12/2022	60	60	ND	ug/L
Iron, total	NE-6D	10/7/2022	60	60	ND	ug/L
Iron, total	NE-6D	1/5/2023	60	60	ND	ug/L
Iron, total	NE-6D	4/7/2023	60	60	ND	ug/L
Iron, total	NE-6D	7/6/2023	60	60	ND	ug/L
Iron, total	NE-6D	10/4/2023	60	60	ND	ug/L
Iron, total	NE-7	3/1/2017	78	60		ug/L
Iron, total	NE-7	4/6/2017	420	60		ug/L
Iron, total	NE-7	7/20/2017	130	60		ug/L
Iron, total	NE-7	10/5/2017	290	60		ug/L
Iron, total	NE-7	2/6/2019	170	60		ug/L
Iron, total	NE-7	8/6/2019	380	60		ug/L
Iron, total	NE-7	1/16/2020	248	60		ug/L
Iron, total	NE-7	7/7/2020	67	60		ug/L
Iron, total	NE-7	1/16/2021	77.8	60		ug/L
Iron, total	NE-7	1/16/2021	217	60		ug/L
Iron, total	NE-7	7/1/2021	158	60		ug/L
Iron, total	NE-7	1/17/2022	295	60		ug/L
Iron, total	NE-7	1/17/2022	87.6	60		ug/L
Iron, total	NE-7	7/12/2022	60	60	ND	ug/L
Iron, total	NE-7	1/5/2023	99.7	60		ug/L
Iron, total	NE-7	7/6/2023	160	60		ug/L
Iron, total	NE-8	1/12/2017	38	60	ND	ug/L
Iron, total	NE-8	4/5/2017	54	60	ND	ug/L
Iron, total	NE-8	7/20/2017	42	60	ND	ug/L
Iron, total	NE-8	10/6/2017	60	60	ND	ug/L
Iron, total	NE-8	2/4/2019	60	60	ND	ug/L
Iron, total	NE-8	8/5/2019	60	60	ND	ug/L
Iron, total	NE-8	1/15/2020	60	60	ND	ug/L
Iron, total	NE-8	7/8/2020	60	60	ND	ug/L
Iron, total	NE-8	1/13/2021	60	60	ND	ug/L
Iron, total	NE-8	1/13/2021	60	60	ND	ug/L
Iron, total	NE-8	4/9/2021	60	60	ND	ug/L
Iron, total	NE-8	7/1/2021	60	60	ND	ug/L
Iron, total	NE-8	7/1/2021	60	60	ND	ug/L
Iron, total	NE-8	10/7/2021	60	60	ND	ug/L
Iron, total	NE-8	1/6/2023	60	60	ND	ug/L
Iron, total	NE-8	7/5/2023	60	60	ND	ug/L
Iron, total	NE-9	1/12/2017	57	60	ND	ug/L
Iron, total	NE-9	4/5/2017	43	60	ND	ug/L
Iron, total	NE-9	7/20/2017	26	60	ND	ug/L
Iron, total	NE-9	10/5/2017	60	60	ND	ug/L
Iron, total	NE-9	2/5/2019	60	60	ND	ug/L
Iron, total	NE-9	8/7/2019	60	60	ND	ug/L
Iron, total	NE-9	1/15/2020	60	60	ND	ug/L
Iron, total	NE-9	7/7/2020	60	60	ND	ug/L
Iron, total	NE-9	1/17/2021	60	60	ND	ug/L
Iron, total	NE-9	1/17/2021	60	60	ND	ug/L
Iron, total	NE-9	7/1/2021	60	60	ND	ug/L
Iron, total	NE-9	1/17/2022	60	60	ND	ug/L
Iron, total	NE-9	1/17/2022	60	60	ND	ug/L
Iron, total	NE-9	7/13/2022	60	60	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Iron, total	NE-9	1/6/2023	60	60	ND	ug/L
Iron, total	NE-9	4/8/2023	60	60	ND	ug/L
Iron, total	NE-9	7/5/2023	60	60	ND	ug/L
Iron, total	NE-9	10/6/2023	60	60	ND	ug/L
Isobutanol	LGW-10	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-10	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-10	2/12/2015	110	110	ND	ug/L
Isobutanol	LGW-10	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-10	10/9/2017	110	110	ND	ug/L
Isobutanol	LGW-10	7/16/2018	110	110	ND	ug/L
Isobutanol	LGW-10	7/11/2019	110	110	ND	ug/L
Isobutanol	LGW-10	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-10	10/7/2020	110	110	ND	ug/L
Isobutanol	LGW-10	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-10	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-10	10/5/2023	110	110	ND	ug/L
Isobutanol	LGW-14R	10/27/2006	110	110	ND	ug/L
Isobutanol	LGW-14R	2/6/2009	110	110	ND	ug/L
Isobutanol	LGW-14R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-14R	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-14R	7/17/2018	110	110	ND	ug/L
Isobutanol	LGW-14R	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-2	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-2	2/6/2009	110	110	ND	ug/L
Isobutanol	LGW-2	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-2	2/13/2015	110	110	ND	ug/L
Isobutanol	LGW-2	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-2	7/8/2020	100	100	ND	ug/L
Isobutanol	LGW-2	7/4/2021	110	110	ND	ug/L
Isobutanol	LGW-3R	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-3R	2/3/2009	110	110	ND	ug/L
Isobutanol	LGW-3R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-3R	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-3R	7/11/2018	110	110	ND	ug/L
Isobutanol	LGW-3R	7/6/2021	110	110	ND	ug/L
Isobutanol	LGW-4	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-4	2/3/2009	110	110	ND	ug/L
Isobutanol	LGW-4	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-4	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-4	7/11/2018	110	110	ND	ug/L
Isobutanol	LGW-4	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-5	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-5	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-5	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-5	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-5	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-5	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-5	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-5	10/5/2023	110	110	ND	ug/L
Isobutanol	LGW-6	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-6	2/5/2009	110	110	ND	ug/L
Isobutanol	LGW-6	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-6	2/10/2015	110	110	ND	ug/L
Isobutanol	LGW-6	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-6	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-6	7/17/2018	110	110	ND	ug/L
Isobutanol	LGW-6	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-6	7/9/2020	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	LGW-6	10/6/2020	110	110	ND	ug/L
Isobutanol	LGW-6	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-6	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-6	10/5/2023	110	110	ND	ug/L
Isobutanol	LGW-7	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-7	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-7	7/10/2012	110	110	ND	ug/L
Isobutanol	LGW-7	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-7	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-7	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-7	7/12/2018	110	110	ND	ug/L
Isobutanol	LGW-7	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-7	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-7	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-7	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-8R	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-8R	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-8R	7/9/2012	110	110	ND	ug/L
Isobutanol	LGW-8R	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-8R	7/13/2018	110	110	ND	ug/L
Isobutanol	LGW-8R	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-9	10/26/2006	110	110	ND	ug/L
Isobutanol	LGW-9	2/4/2009	110	110	ND	ug/L
Isobutanol	LGW-9	7/10/2012	110	110	ND	ug/L
Isobutanol	LGW-9	2/11/2015	110	110	ND	ug/L
Isobutanol	LGW-9	10/6/2016	110	110	ND	ug/L
Isobutanol	LGW-9	10/5/2017	110	110	ND	ug/L
Isobutanol	LGW-9	7/13/2018	110	110	ND	ug/L
Isobutanol	LGW-9	7/10/2019	110	110	ND	ug/L
Isobutanol	LGW-9	7/9/2020	100	100	ND	ug/L
Isobutanol	LGW-9	10/7/2020	110	110	ND	ug/L
Isobutanol	LGW-9	7/7/2021	110	110	ND	ug/L
Isobutanol	LGW-9	10/5/2021	110	110	ND	ug/L
Isobutanol	LGW-9	10/5/2023	110	110	ND	ug/L
Isobutanol	MW-10N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-10N	2/13/2009	110	110	ND	ug/L
Isobutanol	MW-10N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-10N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-10N	7/11/2018	110	110	ND	ug/L
Isobutanol	MW-10N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-11N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-11N	2/3/2009	110	110	ND	ug/L
Isobutanol	MW-11N	7/9/2012	110	110	ND	ug/L
Isobutanol	MW-11N	2/10/2015	110	110	ND	ug/L
Isobutanol	MW-11N	7/17/2018	110	110	ND	ug/L
Isobutanol	MW-11N	7/6/2021	110	110	ND	ug/L
Isobutanol	MW-15	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-15	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-16	7/11/2018	110	110	ND	ug/L
Isobutanol	MW-16	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-17	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-17	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-19	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-19	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-1N	10/14/1998	200	200	ND	ug/L
Isobutanol	MW-1N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-1N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-1N	10/24/2006	110	110	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	MW-1N	2/5/2009	110	110	ND	ug/L
Isobutanol	MW-1N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-1N	2/10/2015	110	110	ND	ug/L
Isobutanol	MW-1N	7/10/2018	110	110	ND	ug/L
Isobutanol	MW-1N	7/6/2020	100	100	ND	ug/L
Isobutanol	MW-1N	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-20	7/12/2018	110	110	ND	ug/L
Isobutanol	MW-20	7/4/2021	110	110	ND	ug/L
Isobutanol	MW-21	10/5/2016	110	110	ND	ug/L
Isobutanol	MW-21	10/6/2017	110	110	ND	ug/L
Isobutanol	MW-21	7/11/2018	110	110	ND	ug/L
Isobutanol	MW-21	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-21	7/8/2020	100	100	ND	ug/L
Isobutanol	MW-21	10/7/2020	110	110	ND	ug/L
Isobutanol	MW-21	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-21	10/6/2021	110	110	ND	ug/L
Isobutanol	MW-2N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-2N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-2N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-2N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-2N	7/12/2018	110	110	ND	ug/L
Isobutanol	MW-2N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-3N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-3N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-3N	10/25/2006	110	110	ND	ug/L
Isobutanol	MW-3N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-3N	7/11/2012	110	110	ND	ug/L
Isobutanol	MW-3N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-3N	10/6/2016	110	110	ND	ug/L
Isobutanol	MW-3N	10/9/2017	110	110	ND	ug/L
Isobutanol	MW-3N	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-3N	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-3N	7/7/2020	100	100	ND	ug/L
Isobutanol	MW-3N	10/7/2020	110	110	ND	ug/L
Isobutanol	MW-3N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-3N	10/6/2021	110	110	ND	ug/L
Isobutanol	MW-7N	10/15/1998	200	200	ND	ug/L
Isobutanol	MW-7N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-7N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-7N	10/24/2006	110	110	ND	ug/L
Isobutanol	MW-7N	2/6/2009	110	110	ND	ug/L
Isobutanol	MW-7N	7/10/2012	110	110	ND	ug/L
Isobutanol	MW-7N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-7N	10/5/2017	110	110	ND	ug/L
Isobutanol	MW-7N	7/13/2018	110	110	ND	ug/L
Isobutanol	MW-7N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-8N	5/29/2002	1	1	ND	ug/L
Isobutanol	MW-8N	5/29/2002	200	200	ND	ug/L
Isobutanol	MW-8N	10/24/2006	110	110	ND	ug/L
Isobutanol	MW-8N	1/24/2008	110	110	ND	ug/L
Isobutanol	MW-8N	2/4/2009	110	110	ND	ug/L
Isobutanol	MW-8N	5/10/2011	110	110	ND	ug/L
Isobutanol	MW-8N	7/11/2012	110	110	ND	ug/L
Isobutanol	MW-8N	10/2/2013	110	110	ND	ug/L
Isobutanol	MW-8N	10/8/2014	110	110	ND	ug/L
Isobutanol	MW-8N	2/12/2015	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2016	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2017	110	110	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isobutanol	MW-8N	7/16/2018	110	110	ND	ug/L
Isobutanol	MW-8N	7/11/2019	110	110	ND	ug/L
Isobutanol	MW-8N	7/9/2020	100	100	ND	ug/L
Isobutanol	MW-8N	10/6/2020	110	110	ND	ug/L
Isobutanol	MW-8N	7/5/2021	110	110	ND	ug/L
Isobutanol	MW-8N	10/6/2021	110	110	ND	ug/L
Isobutanol	MW-8N	10/5/2023	110	110	ND	ug/L
Isobutanol	NE-1	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-1	2/7/2009	110	110	ND	ug/L
Isobutanol	NE-1	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-1	2/11/2015	110	110	ND	ug/L
Isobutanol	NE-1	7/18/2018	110	110	ND	ug/L
Isobutanol	NE-2	7/10/2018	110	110	ND	ug/L
Isobutanol	NE-4	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-4	2/7/2009	110	110	ND	ug/L
Isobutanol	NE-4	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-4	2/13/2015	110	110	ND	ug/L
Isobutanol	NE-4	7/12/2018	110	110	ND	ug/L
Isobutanol	NE-5	10/25/2006	110	110	ND	ug/L
Isobutanol	NE-5	2/6/2009	110	110	ND	ug/L
Isobutanol	NE-5	7/10/2012	110	110	ND	ug/L
Isobutanol	NE-5	2/11/2015	110	110	ND	ug/L
Isobutanol	NE-5	7/17/2018	110	110	ND	ug/L
Isobutanol	NE-5	7/9/2019	110	110	ND	ug/L
Isodrin	LGW-10	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Isodrin	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Isodrin	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Isodrin	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Isodrin	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Isodrin	LGW-10	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-10	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-10	10/5/2023	10	10	ND	ug/L
Isodrin	LGW-14R	10/27/2006	10	10	ND	ug/L
Isodrin	LGW-14R	2/6/2009	10	10	ND	ug/L
Isodrin	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Isodrin	LGW-14R	7/17/2018	10	10	ND	ug/L
Isodrin	LGW-14R	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-2	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-2	2/13/2009	10	10	ND	ug/L
Isodrin	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-2	2/13/2015	13	13	ND	ug/L
Isodrin	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Isodrin	LGW-2	7/8/2020	10	10	ND	ug/L
Isodrin	LGW-2	7/4/2021	10	10	ND	ug/L
Isodrin	LGW-3R	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-3R	2/3/2009	10	10	ND	ug/L
Isodrin	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Isodrin	LGW-3R	7/11/2018	10	10	ND	ug/L
Isodrin	LGW-3R	7/6/2021	10	10	ND	ug/L
Isodrin	LGW-4	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-4	2/3/2009	10	10	ND	ug/L
Isodrin	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Isodrin	LGW-4	7/11/2018	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	LGW-4	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-5	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-5	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Isodrin	LGW-5	7/12/2018	10	10	ND	ug/L
Isodrin	LGW-5	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-5	10/5/2023	10	10	ND	ug/L
Isodrin	LGW-6	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-6	2/5/2009	10	10	ND	ug/L
Isodrin	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-6	2/10/2015	10	10	ND	ug/L
Isodrin	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Isodrin	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Isodrin	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Isodrin	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Isodrin	LGW-6	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-6	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-6	10/5/2023	10	10	ND	ug/L
Isodrin	LGW-7	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-7	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Isodrin	LGW-7	7/12/2018	10	10	ND	ug/L
Isodrin	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Isodrin	LGW-7	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-7	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-8R	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-8R	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Isodrin	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Isodrin	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Isodrin	LGW-8R	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-9	10/26/2006	10	10	ND	ug/L
Isodrin	LGW-9	2/4/2009	10	10	ND	ug/L
Isodrin	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Isodrin	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Isodrin	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Isodrin	LGW-9	7/10/2019	10	10	ND	ug/L
Isodrin	LGW-9	7/9/2020	10	10	ND	ug/L
Isodrin	LGW-9	7/7/2021	10	10	ND	ug/L
Isodrin	LGW-9	10/5/2023	10	10	ND	ug/L
Isodrin	MW-10N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-10N	2/13/2009	10	10	ND	ug/L
Isodrin	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Isodrin	MW-10N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-11N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-11N	2/3/2009	10	10	ND	ug/L
Isodrin	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Isodrin	MW-11N	2/10/2015	10	10	ND	ug/L
Isodrin	MW-11N	7/17/2018	10	10	ND	ug/L
Isodrin	MW-11N	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	MW-15	7/10/2018	10	10	ND	ug/L
Isodrin	MW-15	7/4/2021	10	10	ND	ug/L
Isodrin	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Isodrin	MW-16	7/4/2021	10	10	ND	ug/L
Isodrin	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Isodrin	MW-17	7/4/2021	10	10	ND	ug/L
Isodrin	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Isodrin	MW-19	7/4/2021	10	10	ND	ug/L
Isodrin	MW-1N	10/14/1998	10	10	ND	ug/L
Isodrin	MW-1N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-1N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-1N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-1N	2/5/2009	10	10	ND	ug/L
Isodrin	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Isodrin	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Isodrin	MW-1N	7/6/2020	10	10	ND	ug/L
Isodrin	MW-1N	7/4/2021	10	10	ND	ug/L
Isodrin	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Isodrin	MW-20	7/4/2021	10	10	ND	ug/L
Isodrin	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Isodrin	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Isodrin	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Isodrin	MW-21	7/11/2019	10	10	ND	ug/L
Isodrin	MW-21	7/8/2020	10	10	ND	ug/L
Isodrin	MW-21	7/5/2021	10	10	ND	ug/L
Isodrin	MW-2N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-2N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Isodrin	MW-2N	7/12/2018	10	10	ND	ug/L
Isodrin	MW-2N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-3N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-3N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-3N	10/25/2006	10	10	ND	ug/L
Isodrin	MW-3N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Isodrin	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Isodrin	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Isodrin	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Isodrin	MW-3N	7/11/2019	10	10	ND	ug/L
Isodrin	MW-3N	7/7/2020	10	10	ND	ug/L
Isodrin	MW-3N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-7N	10/15/1998	10	10	ND	ug/L
Isodrin	MW-7N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-7N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-7N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-7N	2/6/2009	10	10	ND	ug/L
Isodrin	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Isodrin	MW-7N	7/13/2018	10	10	ND	ug/L
Isodrin	MW-7N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-8N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-8N	5/29/2002	10	10	ND	ug/L
Isodrin	MW-8N	10/24/2006	10	10	ND	ug/L
Isodrin	MW-8N	1/24/2008	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isodrin	MW-8N	2/4/2009	10	10	ND	ug/L
Isodrin	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Isodrin	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Isodrin	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Isodrin	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Isodrin	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Isodrin	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Isodrin	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Isodrin	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Isodrin	MW-8N	7/11/2019	10	10	ND	ug/L
Isodrin	MW-8N	7/9/2020	10	10	ND	ug/L
Isodrin	MW-8N	7/5/2021	10	10	ND	ug/L
Isodrin	MW-8N	10/5/2023	10	10	ND	ug/L
Isodrin	NE-1	10/25/2006	10	10	ND	ug/L
Isodrin	NE-1	2/7/2009	10	10	ND	ug/L
Isodrin	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Isodrin	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Isodrin	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Isodrin	NE-4	10/25/2006	10	10	ND	ug/L
Isodrin	NE-4	2/7/2009	10	10	ND	ug/L
Isodrin	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Isodrin	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Isodrin	NE-4	7/12/2018	10	10	ND	ug/L
Isodrin	NE-5	10/25/2006	10	10	ND	ug/L
Isodrin	NE-5	2/6/2009	10	10	ND	ug/L
Isodrin	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Isodrin	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Isodrin	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Isodrin	NE-5	7/9/2019	10	10	ND	ug/L
Isophorone	LGW-10	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Isophorone	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Isophorone	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Isophorone	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Isophorone	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Isophorone	LGW-10	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-10	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-10	10/5/2023	10	10	ND	ug/L
Isophorone	LGW-14R	10/27/2006	10	10	ND	ug/L
Isophorone	LGW-14R	2/6/2009	10	10	ND	ug/L
Isophorone	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Isophorone	LGW-14R	7/17/2018	10	10	ND	ug/L
Isophorone	LGW-14R	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-2	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-2	2/13/2009	10	10	ND	ug/L
Isophorone	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-2	2/13/2015	13	13	ND	ug/L
Isophorone	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Isophorone	LGW-2	7/8/2020	10	10	ND	ug/L
Isophorone	LGW-2	7/4/2021	10	10	ND	ug/L
Isophorone	LGW-3R	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-3R	2/3/2009	10	10	ND	ug/L
Isophorone	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Isophorone	LGW-3R	7/11/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	LGW-3R	7/6/2021	10	10	ND	ug/L
Isophorone	LGW-4	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-4	2/3/2009	10	10	ND	ug/L
Isophorone	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Isophorone	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Isophorone	LGW-4	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-5	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-5	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Isophorone	LGW-5	7/12/2018	10	10	ND	ug/L
Isophorone	LGW-5	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-5	10/5/2023	10	10	ND	ug/L
Isophorone	LGW-6	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-6	2/5/2009	10	10	ND	ug/L
Isophorone	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-6	2/10/2015	10	10	ND	ug/L
Isophorone	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Isophorone	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Isophorone	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Isophorone	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Isophorone	LGW-6	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-6	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-6	10/5/2023	10	10	ND	ug/L
Isophorone	LGW-7	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-7	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Isophorone	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Isophorone	LGW-7	7/12/2018	10	10	ND	ug/L
Isophorone	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Isophorone	LGW-7	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-7	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-8R	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-8R	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Isophorone	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Isophorone	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Isophorone	LGW-8R	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-9	10/26/2006	10	10	ND	ug/L
Isophorone	LGW-9	2/4/2009	10	10	ND	ug/L
Isophorone	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Isophorone	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Isophorone	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Isophorone	LGW-9	7/10/2019	10	10	ND	ug/L
Isophorone	LGW-9	7/9/2020	10	10	ND	ug/L
Isophorone	LGW-9	7/7/2021	10	10	ND	ug/L
Isophorone	LGW-9	10/5/2023	10	10	ND	ug/L
Isophorone	MW-10N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-10N	2/13/2009	10	10	ND	ug/L
Isophorone	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Isophorone	MW-10N	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	MW-11N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-11N	2/3/2009	10	10	ND	ug/L
Isophorone	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Isophorone	MW-11N	2/10/2015	10	10	ND	ug/L
Isophorone	MW-11N	7/17/2018	10	10	ND	ug/L
Isophorone	MW-11N	7/6/2021	10	10	ND	ug/L
Isophorone	MW-15	7/10/2018	10	10	ND	ug/L
Isophorone	MW-15	7/4/2021	10	10	ND	ug/L
Isophorone	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Isophorone	MW-16	7/4/2021	10	10	ND	ug/L
Isophorone	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Isophorone	MW-17	7/4/2021	10	10	ND	ug/L
Isophorone	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Isophorone	MW-19	7/4/2021	10	10	ND	ug/L
Isophorone	MW-1N	10/14/1998	10	10	ND	ug/L
Isophorone	MW-1N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-1N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-1N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-1N	2/5/2009	10	10	ND	ug/L
Isophorone	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Isophorone	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Isophorone	MW-1N	7/6/2020	10	10	ND	ug/L
Isophorone	MW-1N	7/4/2021	10	10	ND	ug/L
Isophorone	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Isophorone	MW-20	7/4/2021	10	10	ND	ug/L
Isophorone	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Isophorone	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Isophorone	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Isophorone	MW-21	7/11/2019	10	10	ND	ug/L
Isophorone	MW-21	7/8/2020	10	10	ND	ug/L
Isophorone	MW-21	7/5/2021	10	10	ND	ug/L
Isophorone	MW-2N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-2N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Isophorone	MW-2N	7/12/2018	10	10	ND	ug/L
Isophorone	MW-2N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-3N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-3N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-3N	10/25/2006	10	10	ND	ug/L
Isophorone	MW-3N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Isophorone	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Isophorone	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Isophorone	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Isophorone	MW-3N	7/11/2019	10	10	ND	ug/L
Isophorone	MW-3N	7/7/2020	10	10	ND	ug/L
Isophorone	MW-3N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-7N	10/15/1998	10	10	ND	ug/L
Isophorone	MW-7N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-7N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-7N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-7N	2/6/2009	10	10	ND	ug/L
Isophorone	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-7N	10/5/2017	9.9	9.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isophorone	MW-7N	7/13/2018	10	10	ND	ug/L
Isophorone	MW-7N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-8N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-8N	5/29/2002	10	10	ND	ug/L
Isophorone	MW-8N	10/24/2006	10	10	ND	ug/L
Isophorone	MW-8N	1/24/2008	10	10	ND	ug/L
Isophorone	MW-8N	2/4/2009	10	10	ND	ug/L
Isophorone	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Isophorone	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Isophorone	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Isophorone	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Isophorone	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Isophorone	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Isophorone	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Isophorone	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Isophorone	MW-8N	7/11/2019	10	10	ND	ug/L
Isophorone	MW-8N	7/9/2020	10	10	ND	ug/L
Isophorone	MW-8N	7/5/2021	10	10	ND	ug/L
Isophorone	MW-8N	10/5/2023	10	10	ND	ug/L
Isophorone	NE-1	10/25/2006	10	10	ND	ug/L
Isophorone	NE-1	2/7/2009	10	10	ND	ug/L
Isophorone	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Isophorone	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Isophorone	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Isophorone	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Isophorone	NE-4	10/25/2006	10	10	ND	ug/L
Isophorone	NE-4	2/7/2009	10	10	ND	ug/L
Isophorone	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Isophorone	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Isophorone	NE-4	7/12/2018	10	10	ND	ug/L
Isophorone	NE-5	10/25/2006	10	10	ND	ug/L
Isophorone	NE-5	2/6/2009	10	10	ND	ug/L
Isophorone	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Isophorone	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Isophorone	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Isophorone	NE-5	7/9/2019	10	10	ND	ug/L
Isosafrole	LGW-10	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-10	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-10	2/12/2015	19	19	ND	ug/L
Isosafrole	LGW-10	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-10	10/9/2017	19	19	ND	ug/L
Isosafrole	LGW-10	7/16/2018	19	19	ND	ug/L
Isosafrole	LGW-10	7/11/2019	20	20	ND	ug/L
Isosafrole	LGW-10	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-10	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-10	10/5/2023	20	20	ND	ug/L
Isosafrole	LGW-14R	10/27/2006	20	20	ND	ug/L
Isosafrole	LGW-14R	2/6/2009	20	20	ND	ug/L
Isosafrole	LGW-14R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-14R	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-14R	7/17/2018	20	20	ND	ug/L
Isosafrole	LGW-14R	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-2	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-2	2/13/2009	20	20	ND	ug/L
Isosafrole	LGW-2	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-2	2/13/2015	26	26	ND	ug/L
Isosafrole	LGW-2	7/12/2018	19	19	ND	ug/L
Isosafrole	LGW-2	7/8/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	LGW-2	7/4/2021	20	20	ND	ug/L
Isosafrole	LGW-3R	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-3R	2/3/2009	20	20	ND	ug/L
Isosafrole	LGW-3R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-3R	2/10/2015	19	19	ND	ug/L
Isosafrole	LGW-3R	7/11/2018	20	20	ND	ug/L
Isosafrole	LGW-3R	7/6/2021	20	20	ND	ug/L
Isosafrole	LGW-4	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-4	2/3/2009	20	20	ND	ug/L
Isosafrole	LGW-4	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-4	2/11/2015	19	19	ND	ug/L
Isosafrole	LGW-4	7/11/2018	20	20	ND	ug/L
Isosafrole	LGW-4	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-5	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-5	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-5	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-5	2/10/2015	19	19	ND	ug/L
Isosafrole	LGW-5	7/12/2018	20	20	ND	ug/L
Isosafrole	LGW-5	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-5	10/5/2023	20	20	ND	ug/L
Isosafrole	LGW-6	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-6	2/5/2009	20	20	ND	ug/L
Isosafrole	LGW-6	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-6	2/10/2015	20	20	ND	ug/L
Isosafrole	LGW-6	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-6	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-6	7/17/2018	20	20	ND	ug/L
Isosafrole	LGW-6	7/10/2019	20	20	ND	ug/L
Isosafrole	LGW-6	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-6	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-6	10/5/2023	20	20	ND	ug/L
Isosafrole	LGW-7	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-7	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-7	7/10/2012	19	19	ND	ug/L
Isosafrole	LGW-7	2/11/2015	19	19	ND	ug/L
Isosafrole	LGW-7	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-7	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-7	7/12/2018	20	20	ND	ug/L
Isosafrole	LGW-7	7/10/2019	20	20	ND	ug/L
Isosafrole	LGW-7	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-7	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-8R	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-8R	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-8R	7/9/2012	19	19	ND	ug/L
Isosafrole	LGW-8R	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-8R	7/13/2018	20	20	ND	ug/L
Isosafrole	LGW-8R	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-9	10/26/2006	20	20	ND	ug/L
Isosafrole	LGW-9	2/4/2009	20	20	ND	ug/L
Isosafrole	LGW-9	7/10/2012	19	19	ND	ug/L
Isosafrole	LGW-9	2/11/2015	20	20	ND	ug/L
Isosafrole	LGW-9	10/6/2016	19	19	ND	ug/L
Isosafrole	LGW-9	10/5/2017	19	19	ND	ug/L
Isosafrole	LGW-9	7/13/2018	19	19	ND	ug/L
Isosafrole	LGW-9	7/10/2019	20	20	ND	ug/L
Isosafrole	LGW-9	7/9/2020	10	10	ND	ug/L
Isosafrole	LGW-9	7/7/2021	20	20	ND	ug/L
Isosafrole	LGW-9	10/5/2023	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	MW-10N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-10N	2/13/2009	20	20	ND	ug/L
Isosafrole	MW-10N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-10N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-10N	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-10N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-11N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-11N	2/3/2009	20	20	ND	ug/L
Isosafrole	MW-11N	7/9/2012	19	19	ND	ug/L
Isosafrole	MW-11N	2/10/2015	20	20	ND	ug/L
Isosafrole	MW-11N	7/17/2018	20	20	ND	ug/L
Isosafrole	MW-11N	7/6/2021	20	20	ND	ug/L
Isosafrole	MW-15	7/10/2018	20	20	ND	ug/L
Isosafrole	MW-15	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-16	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-16	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-17	7/10/2018	19	19	ND	ug/L
Isosafrole	MW-17	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-19	7/13/2018	19	19	ND	ug/L
Isosafrole	MW-19	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-1N	10/14/1998	10	10	ND	ug/L
Isosafrole	MW-1N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-1N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-1N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-1N	2/5/2009	20	20	ND	ug/L
Isosafrole	MW-1N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-1N	2/10/2015	19	19	ND	ug/L
Isosafrole	MW-1N	7/10/2018	20	20	ND	ug/L
Isosafrole	MW-1N	7/6/2020	10	10	ND	ug/L
Isosafrole	MW-1N	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-20	7/12/2018	19	19	ND	ug/L
Isosafrole	MW-20	7/4/2021	20	20	ND	ug/L
Isosafrole	MW-21	10/5/2016	19	19	ND	ug/L
Isosafrole	MW-21	10/6/2017	19	19	ND	ug/L
Isosafrole	MW-21	7/11/2018	19	19	ND	ug/L
Isosafrole	MW-21	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-21	7/8/2020	10	10	ND	ug/L
Isosafrole	MW-21	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-2N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-2N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-2N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-2N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-2N	7/12/2018	20	20	ND	ug/L
Isosafrole	MW-2N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-3N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-3N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-3N	10/25/2006	20	20	ND	ug/L
Isosafrole	MW-3N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-3N	7/11/2012	19	19	ND	ug/L
Isosafrole	MW-3N	2/12/2015	20	20	ND	ug/L
Isosafrole	MW-3N	10/6/2016	19	19	ND	ug/L
Isosafrole	MW-3N	10/9/2017	19	19	ND	ug/L
Isosafrole	MW-3N	7/13/2018	19	19	ND	ug/L
Isosafrole	MW-3N	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-3N	7/7/2020	10	10	ND	ug/L
Isosafrole	MW-3N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-7N	10/15/1998	10	10	ND	ug/L
Isosafrole	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Isosafrole	MW-7N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-7N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-7N	2/6/2009	20	20	ND	ug/L
Isosafrole	MW-7N	7/10/2012	19	19	ND	ug/L
Isosafrole	MW-7N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-7N	10/5/2017	20	20	ND	ug/L
Isosafrole	MW-7N	7/13/2018	21	21	ND	ug/L
Isosafrole	MW-7N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-8N	5/29/2002	10	10	ND	ug/L
Isosafrole	MW-8N	10/24/2006	20	20	ND	ug/L
Isosafrole	MW-8N	1/24/2008	20	20	ND	ug/L
Isosafrole	MW-8N	2/4/2009	20	20	ND	ug/L
Isosafrole	MW-8N	5/10/2011	19	19	ND	ug/L
Isosafrole	MW-8N	7/11/2012	19	19	ND	ug/L
Isosafrole	MW-8N	10/2/2013	19	19	ND	ug/L
Isosafrole	MW-8N	10/8/2014	19	19	ND	ug/L
Isosafrole	MW-8N	2/12/2015	19	19	ND	ug/L
Isosafrole	MW-8N	10/6/2016	19	19	ND	ug/L
Isosafrole	MW-8N	10/6/2017	19	19	ND	ug/L
Isosafrole	MW-8N	7/16/2018	20	20	ND	ug/L
Isosafrole	MW-8N	7/11/2019	20	20	ND	ug/L
Isosafrole	MW-8N	7/9/2020	10	10	ND	ug/L
Isosafrole	MW-8N	7/5/2021	20	20	ND	ug/L
Isosafrole	MW-8N	10/5/2023	20	20	ND	ug/L
Isosafrole	NE-1	10/25/2006	20	20	ND	ug/L
Isosafrole	NE-1	2/7/2009	20	20	ND	ug/L
Isosafrole	NE-1	7/10/2012	19	19	ND	ug/L
Isosafrole	NE-1	2/11/2015	19	19	ND	ug/L
Isosafrole	NE-1	7/18/2018	19	19	ND	ug/L
Isosafrole	NE-2	7/10/2018	19	19	ND	ug/L
Isosafrole	NE-4	10/25/2006	20	20	ND	ug/L
Isosafrole	NE-4	2/7/2009	20	20	ND	ug/L
Isosafrole	NE-4	7/10/2012	20	20	ND	ug/L
Isosafrole	NE-4	2/13/2015	19	19	ND	ug/L
Isosafrole	NE-4	7/12/2018	21	21	ND	ug/L
Isosafrole	NE-5	10/25/2006	20	20	ND	ug/L
Isosafrole	NE-5	2/6/2009	20	20	ND	ug/L
Isosafrole	NE-5	7/10/2012	19	19	ND	ug/L
Isosafrole	NE-5	2/11/2015	19	19	ND	ug/L
Isosafrole	NE-5	7/17/2018	19	19	ND	ug/L
Isosafrole	NE-5	7/9/2019	20	20	ND	ug/L
Kepone	LGW-10	10/26/2006	1	1	ND	ug/L
Kepone	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Kepone	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Kepone	LGW-10	10/9/2017	0.96	0.96	ND	ug/L
Kepone	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Kepone	LGW-10	7/11/2019	1	1	ND	ug/L
Kepone	LGW-10	7/9/2020	20	20	ND	ug/L
Kepone	LGW-10	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-10	10/5/2023	1.88	1.88	ND	ug/L
Kepone	LGW-14R	10/27/2006	1	1	ND	ug/L
Kepone	LGW-14R	2/6/2009	1	1	ND	ug/L
Kepone	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Kepone	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Kepone	LGW-14R	7/7/2021	1.88	1.88	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Kepone	LGW-2	10/26/2006	1	1	ND	ug/L
Kepone	LGW-2	2/6/2009	1	1	ND	ug/L
Kepone	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Kepone	LGW-2	7/12/2018	1	1	ND	ug/L
Kepone	LGW-2	7/8/2020	20	20	ND	ug/L
Kepone	LGW-2	7/4/2021	1.88	1.88	ND	ug/L
Kepone	LGW-3R	10/26/2006	1	1	ND	ug/L
Kepone	LGW-3R	2/3/2009	1	1	ND	ug/L
Kepone	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Kepone	LGW-3R	7/11/2018	1	1	ND	ug/L
Kepone	LGW-3R	7/6/2021	1.88	1.88	ND	ug/L
Kepone	LGW-4	10/26/2006	1	1	ND	ug/L
Kepone	LGW-4	2/3/2009	1	1	ND	ug/L
Kepone	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Kepone	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Kepone	LGW-4	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-5	10/26/2006	1	1	ND	ug/L
Kepone	LGW-5	2/4/2009	1	1	ND	ug/L
Kepone	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-5	2/10/2015	1	1	ND	ug/L
Kepone	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Kepone	LGW-5	7/7/2021	1.97	1.97	ND	ug/L
Kepone	LGW-5	10/5/2023	1.88	1.88	ND	ug/L
Kepone	LGW-6	10/26/2006	1	1	ND	ug/L
Kepone	LGW-6	2/5/2009	1	1	ND	ug/L
Kepone	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Kepone	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Kepone	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Kepone	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Kepone	LGW-6	7/10/2019	0.99	0.99	ND	ug/L
Kepone	LGW-6	7/9/2020	20	20	ND	ug/L
Kepone	LGW-6	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-6	10/5/2023	1.88	1.88	ND	ug/L
Kepone	LGW-7	10/26/2006	1	1	ND	ug/L
Kepone	LGW-7	2/4/2009	1	1	ND	ug/L
Kepone	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Kepone	LGW-7	2/11/2015	1	1	ND	ug/L
Kepone	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Kepone	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Kepone	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Kepone	LGW-7	7/10/2019	0.98	0.98	ND	ug/L
Kepone	LGW-7	7/9/2020	20	20	ND	ug/L
Kepone	LGW-7	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-8R	10/26/2006	1	1	ND	ug/L
Kepone	LGW-8R	2/4/2009	1	1	ND	ug/L
Kepone	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Kepone	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Kepone	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Kepone	LGW-8R	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-9	10/26/2006	1	1	ND	ug/L
Kepone	LGW-9	2/4/2009	1	1	ND	ug/L
Kepone	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Kepone	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Kepone	LGW-9	10/6/2016	0.99	0.99	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Kepone	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Kepone	LGW-9	7/13/2018	1	1	ND	ug/L
Kepone	LGW-9	7/10/2019	1.1	1.1	ND	ug/L
Kepone	LGW-9	7/9/2020	20	20	ND	ug/L
Kepone	LGW-9	7/7/2021	1.88	1.88	ND	ug/L
Kepone	LGW-9	10/5/2023	1.88	1.88	ND	ug/L
Kepone	MW-10N	10/25/2006	1	1	ND	ug/L
Kepone	MW-10N	2/13/2009	1	1	ND	ug/L
Kepone	MW-10N	2/13/2009	1	1	ND	ug/L
Kepone	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Kepone	MW-10N	7/11/2018	1	1	ND	ug/L
Kepone	MW-10N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-11N	10/25/2006	1	1	ND	ug/L
Kepone	MW-11N	2/3/2009	1	1	ND	ug/L
Kepone	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Kepone	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Kepone	MW-11N	7/17/2018	1	1	ND	ug/L
Kepone	MW-11N	7/6/2021	1.88	1.88	ND	ug/L
Kepone	MW-15	7/10/2018	1	1	ND	ug/L
Kepone	MW-15	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Kepone	MW-16	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Kepone	MW-17	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-19	7/13/2018	1	1	ND	ug/L
Kepone	MW-19	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-1N	10/14/1998	10	10	ND	ug/L
Kepone	MW-1N	5/29/2002	10	10	ND	ug/L
Kepone	MW-1N	5/29/2002	10	10	ND	ug/L
Kepone	MW-1N	10/24/2006	1	1	ND	ug/L
Kepone	MW-1N	2/5/2009	1	1	ND	ug/L
Kepone	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Kepone	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Kepone	MW-1N	7/6/2020	20	20	ND	ug/L
Kepone	MW-1N	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Kepone	MW-20	7/4/2021	1.88	1.88	ND	ug/L
Kepone	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Kepone	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Kepone	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Kepone	MW-21	7/11/2019	1.1	1.1	ND	ug/L
Kepone	MW-21	7/8/2020	20	20	ND	ug/L
Kepone	MW-21	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-2N	10/25/2006	1	1	ND	ug/L
Kepone	MW-2N	2/4/2009	1	1	ND	ug/L
Kepone	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Kepone	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Kepone	MW-2N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-3N	5/29/2002	10	10	ND	ug/L
Kepone	MW-3N	5/29/2002	10	10	ND	ug/L
Kepone	MW-3N	10/25/2006	1	1	ND	ug/L
Kepone	MW-3N	2/4/2009	1	1	ND	ug/L
Kepone	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Kepone	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Kepone	MW-3N	10/6/2016	0.99	0.99	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Kepone	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Kepone	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Kepone	MW-3N	7/11/2019	1	1	ND	ug/L
Kepone	MW-3N	7/7/2020	20	20	ND	ug/L
Kepone	MW-3N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-7N	10/15/1998	10	10	ND	ug/L
Kepone	MW-7N	5/29/2002	10	10	ND	ug/L
Kepone	MW-7N	5/29/2002	10	10	ND	ug/L
Kepone	MW-7N	10/24/2006	1	1	ND	ug/L
Kepone	MW-7N	2/6/2009	1	1	ND	ug/L
Kepone	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Kepone	MW-7N	2/12/2015	1	1	ND	ug/L
Kepone	MW-7N	10/5/2017	1	1	ND	ug/L
Kepone	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Kepone	MW-7N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-8N	5/29/2002	10	10	ND	ug/L
Kepone	MW-8N	5/29/2002	10	10	ND	ug/L
Kepone	MW-8N	10/24/2006	1	1	ND	ug/L
Kepone	MW-8N	1/24/2008	1	1	ND	ug/L
Kepone	MW-8N	2/4/2009	1	1	ND	ug/L
Kepone	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Kepone	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Kepone	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Kepone	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Kepone	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Kepone	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Kepone	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Kepone	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Kepone	MW-8N	7/11/2019	1	1	ND	ug/L
Kepone	MW-8N	7/9/2020	20	20	ND	ug/L
Kepone	MW-8N	7/5/2021	1.88	1.88	ND	ug/L
Kepone	MW-8N	10/5/2023	1.88	1.88	ND	ug/L
Kepone	NE-1	10/25/2006	1	1	ND	ug/L
Kepone	NE-1	2/7/2009	1	1	ND	ug/L
Kepone	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Kepone	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Kepone	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Kepone	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Kepone	NE-4	10/25/2006	1	1	ND	ug/L
Kepone	NE-4	2/7/2009	1	1	ND	ug/L
Kepone	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Kepone	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Kepone	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Kepone	NE-5	10/25/2006	1	1	ND	ug/L
Kepone	NE-5	2/6/2009	1	1	ND	ug/L
Kepone	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Kepone	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Kepone	NE-5	7/17/2018	1	1	ND	ug/L
Kepone	NE-5	7/9/2019	1	1	ND	ug/L
Lead, dissolved	LGW-14R	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-14R	8/24/2007	5	5	ND	ug/L
Lead, dissolved	LGW-2	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-4	1/24/2006	5	5	ND	ug/L
Lead, dissolved	LGW-5	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-6	1/24/2006	5	5	ND	ug/L
Lead, dissolved	LGW-7	1/25/2006	5	5	ND	ug/L
Lead, dissolved	LGW-8R	1/24/2006	5	5	ND	ug/L
Lead, dissolved	MW-10N	7/11/2000	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, dissolved	MW-10N	7/10/2002	5	5	ND	ug/L
Lead, dissolved	MW-10N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-11N	7/10/2000	5	5	ND	ug/L
Lead, dissolved	MW-11N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-11N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-1N	10/19/1999	5	5	ND	ug/L
Lead, dissolved	MW-1N	7/12/2000	5	5	ND	ug/L
Lead, dissolved	MW-1N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-1N	10/3/2002	1	1	ND	ug/L
Lead, dissolved	MW-2N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-2N	7/10/2002	5	5	ND	ug/L
Lead, dissolved	MW-2N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-3N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-3N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-3N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-7N	10/19/1999	5.9	5		ug/L
Lead, dissolved	MW-7N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-7N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-7N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	MW-8N	10/19/1999	5	5	ND	ug/L
Lead, dissolved	MW-8N	7/11/2000	5	5	ND	ug/L
Lead, dissolved	MW-8N	7/9/2002	5	5	ND	ug/L
Lead, dissolved	MW-8N	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-1	7/10/2002	5	5	ND	ug/L
Lead, dissolved	NE-1	8/6/2002	3.2	1		ug/L
Lead, dissolved	NE-1	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-1	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	7/9/2002	5	5	ND	ug/L
Lead, dissolved	NE-2	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-2	10/2/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	7/10/2002	5	5	ND	ug/L
Lead, dissolved	NE-4	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-4	10/3/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	7/9/2002	5	5	ND	ug/L
Lead, dissolved	NE-5	8/6/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	9/4/2002	1	1	ND	ug/L
Lead, dissolved	NE-5	10/2/2002	1	1	ND	ug/L
Lead, total	LGW-10	1/26/2006	5	5	ND	ug/L
Lead, total	LGW-10	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-10	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-10	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-10	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-10	4/26/2007	3.1	5	ND	ug/L
Lead, total	LGW-10	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-10	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-10	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-10	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-10	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-10	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-10	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-10	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-10	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-10	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-10	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-10	5/1/2013	5	5	ND	ug/L
Lead, total	LGW-10	1/30/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-10	7/9/2014	5	5	ND	ug/L
Lead, total	LGW-10	2/12/2015	5	5	ND	ug/L
Lead, total	LGW-10	7/13/2015	5	5	ND	ug/L
Lead, total	LGW-10	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-10	4/6/2016	5	5	ND	ug/L
Lead, total	LGW-10	7/21/2016	3.3	5	ND	ug/L
Lead, total	LGW-10	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-10	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-10	4/4/2017	3	5	ND	ug/L
Lead, total	LGW-10	7/19/2017	5	5	ND	ug/L
Lead, total	LGW-10	10/9/2017	5	5	ND	ug/L
Lead, total	LGW-10	1/24/2018	5	5	ND	ug/L
Lead, total	LGW-10	4/11/2018	5	5	ND	ug/L
Lead, total	LGW-10	7/16/2018	5	5	ND	ug/L
Lead, total	LGW-10	10/4/2018	5	5	ND	ug/L
Lead, total	LGW-10	1/4/2019	5	5	ND	ug/L
Lead, total	LGW-10	4/3/2019	5	5	ND	ug/L
Lead, total	LGW-10	7/11/2019	3.1	5	ND	ug/L
Lead, total	LGW-10	10/2/2019	3.2	5	ND	ug/L
Lead, total	LGW-10	1/15/2020	5	5	ND	ug/L
Lead, total	LGW-10	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-10	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-10	10/7/2020	5	5	ND	ug/L
Lead, total	LGW-10	1/17/2021	5	5	ND	ug/L
Lead, total	LGW-10	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-10	7/7/2021	5.58	5		ug/L
Lead, total	LGW-10	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-10	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-10	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-10	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-10	10/7/2022	5	5	ND	ug/L
Lead, total	LGW-10	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-10	4/5/2023	5	5	ND	ug/L
Lead, total	LGW-10	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-10	10/5/2023	5	5	ND	ug/L
Lead, total	LGW-14R	1/25/2006	49	5		ug/L
Lead, total	LGW-14R	8/2/2006	21	5		ug/L
Lead, total	LGW-14R	10/27/2006	5	5	ND	ug/L
Lead, total	LGW-14R	1/24/2007	2.9	5	ND	ug/L
Lead, total	LGW-14R	4/24/2007	12	5		ug/L
Lead, total	LGW-14R	7/11/2007	15	5		ug/L
Lead, total	LGW-14R	8/24/2007	3.9	5	ND	ug/L
Lead, total	LGW-14R	10/23/2007	5	5	ND	ug/L
Lead, total	LGW-14R	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-14R	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-14R	2/6/2009	5	5	ND	ug/L
Lead, total	LGW-14R	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-14R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-14R	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-14R	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-14R	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-14R	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-14R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-14R	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-14R	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-14R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-14R	2/11/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-14R	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-14R	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-14R	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-14R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-14R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-14R	1/25/2018	5	5	ND	ug/L
Lead, total	LGW-14R	7/17/2018	5	5	ND	ug/L
Lead, total	LGW-14R	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-14R	7/10/2019	3.3	5	ND	ug/L
Lead, total	LGW-14R	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-14R	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-14R	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-14R	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-14R	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-14R	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-14R	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-2	1/25/2006	12	5		ug/L
Lead, total	LGW-2	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-2	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-2	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-2	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-2	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-2	7/10/2007	5	5	ND	ug/L
Lead, total	LGW-2	1/26/2008	3.6	5	ND	ug/L
Lead, total	LGW-2	7/23/2008	3.2	5	ND	ug/L
Lead, total	LGW-2	2/6/2009	3.4	5	ND	ug/L
Lead, total	LGW-2	7/30/2009	5	5	ND	ug/L
Lead, total	LGW-2	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-2	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-2	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-2	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-2	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-2	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-2	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-2	4/30/2013	2.8	5	ND	ug/L
Lead, total	LGW-2	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-2	1/30/2014	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-2	2/13/2015	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2015	5	5	ND	ug/L
Lead, total	LGW-2	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-2	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-2	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-2	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-2	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-2	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-2	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-2	7/9/2019	3.7	5	ND	ug/L
Lead, total	LGW-2	1/13/2020	5	5	ND	ug/L
Lead, total	LGW-2	4/1/2020	5	5	ND	ug/L
Lead, total	LGW-2	7/8/2020	5	5	ND	ug/L
Lead, total	LGW-2	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-2	7/4/2021	5	5	ND	ug/L
Lead, total	LGW-2	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-2	7/10/2022	5	5	ND	ug/L
Lead, total	LGW-2	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-2	7/10/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-3R	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-3R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-3R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-3R	10/26/2006	7.7	5		ug/L
Lead, total	LGW-3R	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-3R	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-3R	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-3R	1/26/2008	5	5	ND	ug/L
Lead, total	LGW-3R	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-3R	2/3/2009	5	5	ND	ug/L
Lead, total	LGW-3R	7/31/2009	4.1	5	ND	ug/L
Lead, total	LGW-3R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-3R	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-3R	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-3R	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-3R	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-3R	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-3R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-3R	4/30/2013	3.1	5	ND	ug/L
Lead, total	LGW-3R	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-3R	1/22/2014	5	5	ND	ug/L
Lead, total	LGW-3R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-3R	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-3R	7/16/2015	5	5	ND	ug/L
Lead, total	LGW-3R	1/8/2016	5	5	ND	ug/L
Lead, total	LGW-3R	7/21/2016	4.7	5	ND	ug/L
Lead, total	LGW-3R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-3R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-3R	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-3R	7/11/2018	5	5	ND	ug/L
Lead, total	LGW-3R	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-3R	7/9/2019	5	5	ND	ug/L
Lead, total	LGW-3R	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-3R	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-3R	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-3R	7/6/2021	5	5	ND	ug/L
Lead, total	LGW-3R	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-3R	7/10/2022	5	5	ND	ug/L
Lead, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-3R	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-4	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-4	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-4	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-4	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-4	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-4	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-4	1/22/2008	5	5	ND	ug/L
Lead, total	LGW-4	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2009	5	5	ND	ug/L
Lead, total	LGW-4	7/31/2009	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-4	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-4	7/16/2010	5	5	ND	ug/L
Lead, total	LGW-4	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-4	7/13/2011	5	5	ND	ug/L
Lead, total	LGW-4	1/4/2012	5	5	ND	ug/L
Lead, total	LGW-4	7/9/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-4	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-4	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-4	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-4	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-4	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-4	7/8/2015	5	5	ND	ug/L
Lead, total	LGW-4	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-4	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-4	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-4	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-4	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2018	5	5	ND	ug/L
Lead, total	LGW-4	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-4	7/9/2019	2.3	5	ND	ug/L
Lead, total	LGW-4	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-4	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-4	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-4	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-4	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-4	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-4	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-4	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-5	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-5	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-5	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-5	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-5	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-5	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-5	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-5	7/23/2008	5	5	ND	ug/L
Lead, total	LGW-5	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-5	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-5	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-5	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-5	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-5	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-5	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-5	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-5	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-5	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-5	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-5	7/8/2015	5	5	ND	ug/L
Lead, total	LGW-5	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-5	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-5	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-5	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-5	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-5	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-5	1/3/2019	5	5	ND	ug/L
Lead, total	LGW-5	7/9/2019	2.8	5	ND	ug/L
Lead, total	LGW-5	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-5	7/6/2020	5	5	ND	ug/L
Lead, total	LGW-5	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-5	4/6/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-5	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-5	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-5	1/12/2022	5	5	ND	ug/L
Lead, total	LGW-5	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-5	7/11/2022	5.37	5		ug/L
Lead, total	LGW-5	10/6/2022	5	5	ND	ug/L
Lead, total	LGW-5	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-5	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-5	10/5/2023	5	5	ND	ug/L
Lead, total	LGW-6	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-6	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-6	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-6	10/26/2006	6.2	5		ug/L
Lead, total	LGW-6	1/24/2007	5	5	ND	ug/L
Lead, total	LGW-6	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-6	7/11/2007	5	5	ND	ug/L
Lead, total	LGW-6	1/23/2008	5	5	ND	ug/L
Lead, total	LGW-6	7/23/2008	2.6	5	ND	ug/L
Lead, total	LGW-6	2/5/2009	5	5	ND	ug/L
Lead, total	LGW-6	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-6	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-6	2/3/2010	5	5	ND	ug/L
Lead, total	LGW-6	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-6	1/19/2011	5	5	ND	ug/L
Lead, total	LGW-6	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-6	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-6	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-6	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-6	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-6	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-6	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-6	2/10/2015	5	5	ND	ug/L
Lead, total	LGW-6	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-6	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-6	7/19/2016	5	5	ND	ug/L
Lead, total	LGW-6	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-6	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-6	5/5/2017	3.1	5	ND	ug/L
Lead, total	LGW-6	7/18/2017	3.1	5	ND	ug/L
Lead, total	LGW-6	10/5/2017	4.3	5	ND	ug/L
Lead, total	LGW-6	1/23/2018	5	5	ND	ug/L
Lead, total	LGW-6	4/10/2018	3.2	5	ND	ug/L
Lead, total	LGW-6	7/17/2018	4.4	5	ND	ug/L
Lead, total	LGW-6	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-6	1/7/2019	3.7	5	ND	ug/L
Lead, total	LGW-6	4/3/2019	3.3	5	ND	ug/L
Lead, total	LGW-6	7/10/2019	4.3	5	ND	ug/L
Lead, total	LGW-6	10/3/2019	4.3	5	ND	ug/L
Lead, total	LGW-6	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-6	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-6	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-6	10/6/2020	9.5	9.5	ND	ug/L
Lead, total	LGW-6	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-6	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-6	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-6	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-6	1/12/2022	5.67	5		ug/L
Lead, total	LGW-6	4/4/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-6	7/11/2022	5.72	5		ug/L
Lead, total	LGW-6	10/6/2022	5	5	ND	ug/L
Lead, total	LGW-6	1/10/2023	5	5	ND	ug/L
Lead, total	LGW-6	4/6/2023	5	5	ND	ug/L
Lead, total	LGW-6	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-6	10/5/2023	5	5	ND	ug/L
Lead, total	LGW-7	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-7	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-7	8/1/2006	5	5	ND	ug/L
Lead, total	LGW-7	10/26/2006	3.8	5	ND	ug/L
Lead, total	LGW-7	1/24/2007	5	5	ND	ug/L
Lead, total	LGW-7	4/26/2007	5	5	ND	ug/L
Lead, total	LGW-7	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-7	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-7	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-7	7/31/2009	5	5	ND	ug/L
Lead, total	LGW-7	1/27/2010	5	5	ND	ug/L
Lead, total	LGW-7	7/12/2010	5	5	ND	ug/L
Lead, total	LGW-7	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-7	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-7	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-7	7/10/2012	5	5	ND	ug/L
Lead, total	LGW-7	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-7	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-7	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-7	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-7	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-7	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-7	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-7	4/6/2016	5	5	ND	ug/L
Lead, total	LGW-7	7/20/2016	5	5	ND	ug/L
Lead, total	LGW-7	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-7	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-7	4/4/2017	3.3	5	ND	ug/L
Lead, total	LGW-7	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-7	10/5/2017	4.3	5	ND	ug/L
Lead, total	LGW-7	1/24/2018	4.7	5	ND	ug/L
Lead, total	LGW-7	4/11/2018	2.8	5	ND	ug/L
Lead, total	LGW-7	7/12/2018	5	5	ND	ug/L
Lead, total	LGW-7	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-7	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-7	4/3/2019	5	5	ND	ug/L
Lead, total	LGW-7	7/10/2019	4	5	ND	ug/L
Lead, total	LGW-7	10/3/2019	5	5	ND	ug/L
Lead, total	LGW-7	1/15/2020	5	5	ND	ug/L
Lead, total	LGW-7	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-7	1/18/2021	5	5	ND	ug/L
Lead, total	LGW-7	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-7	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-7	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-7	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-7	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-7	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-8R	1/24/2006	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-8R	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-8R	1/24/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-8R	4/25/2007	5	5	ND	ug/L
Lead, total	LGW-8R	7/12/2007	5	5	ND	ug/L
Lead, total	LGW-8R	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-8R	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-8R	1/27/2010	5	5	ND	ug/L
Lead, total	LGW-8R	7/14/2010	5	5	ND	ug/L
Lead, total	LGW-8R	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-8R	1/5/2012	5	5	ND	ug/L
Lead, total	LGW-8R	7/9/2012	5	5	ND	ug/L
Lead, total	LGW-8R	4/30/2013	5	5	ND	ug/L
Lead, total	LGW-8R	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-8R	1/22/2014	5	5	ND	ug/L
Lead, total	LGW-8R	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-8R	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-8R	7/22/2015	5	5	ND	ug/L
Lead, total	LGW-8R	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-8R	7/20/2016	5	5	ND	ug/L
Lead, total	LGW-8R	1/11/2017	5	5	ND	ug/L
Lead, total	LGW-8R	7/18/2017	5	5	ND	ug/L
Lead, total	LGW-8R	1/25/2018	5	5	ND	ug/L
Lead, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Lead, total	LGW-8R	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-8R	7/8/2019	5	5	ND	ug/L
Lead, total	LGW-8R	1/14/2020	5	5	ND	ug/L
Lead, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Lead, total	LGW-8R	1/17/2021	5	5	ND	ug/L
Lead, total	LGW-8R	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-8R	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-8R	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-8R	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-9	1/25/2006	5	5	ND	ug/L
Lead, total	LGW-9	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-9	7/20/2006	5	5	ND	ug/L
Lead, total	LGW-9	10/26/2006	5	5	ND	ug/L
Lead, total	LGW-9	1/25/2007	5	5	ND	ug/L
Lead, total	LGW-9	4/25/2007	5	5	ND	ug/L
Lead, total	LGW-9	7/10/2007	5	5	ND	ug/L
Lead, total	LGW-9	7/22/2008	5	5	ND	ug/L
Lead, total	LGW-9	2/4/2009	5	5	ND	ug/L
Lead, total	LGW-9	7/29/2009	5	5	ND	ug/L
Lead, total	LGW-9	1/27/2010	5	5	ND	ug/L
Lead, total	LGW-9	7/14/2010	5	5	ND	ug/L
Lead, total	LGW-9	1/20/2011	5	5	ND	ug/L
Lead, total	LGW-9	7/12/2011	5	5	ND	ug/L
Lead, total	LGW-9	1/5/2012	2.7	5	ND	ug/L
Lead, total	LGW-9	7/10/2012	5	5	ND	ug/L
Lead, total	LGW-9	5/1/2013	4.3	5	ND	ug/L
Lead, total	LGW-9	7/15/2013	5	5	ND	ug/L
Lead, total	LGW-9	1/23/2014	5	5	ND	ug/L
Lead, total	LGW-9	7/8/2014	5	5	ND	ug/L
Lead, total	LGW-9	2/11/2015	5	5	ND	ug/L
Lead, total	LGW-9	7/13/2015	5	5	ND	ug/L
Lead, total	LGW-9	1/5/2016	5	5	ND	ug/L
Lead, total	LGW-9	7/21/2016	5	5	ND	ug/L
Lead, total	LGW-9	10/6/2016	5	5	ND	ug/L
Lead, total	LGW-9	1/11/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	LGW-9	5/5/2017	5	5	ND	ug/L
Lead, total	LGW-9	7/18/2017	3.8	5	ND	ug/L
Lead, total	LGW-9	10/5/2017	3.3	5	ND	ug/L
Lead, total	LGW-9	1/24/2018	5	5	ND	ug/L
Lead, total	LGW-9	4/11/2018	5	5	ND	ug/L
Lead, total	LGW-9	7/13/2018	5	5	ND	ug/L
Lead, total	LGW-9	10/2/2018	5	5	ND	ug/L
Lead, total	LGW-9	1/7/2019	5	5	ND	ug/L
Lead, total	LGW-9	4/3/2019	3.4	5	ND	ug/L
Lead, total	LGW-9	7/10/2019	5	5	ND	ug/L
Lead, total	LGW-9	10/3/2019	2.7	5	ND	ug/L
Lead, total	LGW-9	1/16/2020	5	5	ND	ug/L
Lead, total	LGW-9	4/2/2020	5	5	ND	ug/L
Lead, total	LGW-9	7/9/2020	5	5	ND	ug/L
Lead, total	LGW-9	10/7/2020	5	5	ND	ug/L
Lead, total	LGW-9	1/17/2021	5.46	5		ug/L
Lead, total	LGW-9	4/6/2021	5	5	ND	ug/L
Lead, total	LGW-9	7/7/2021	5	5	ND	ug/L
Lead, total	LGW-9	10/5/2021	5	5	ND	ug/L
Lead, total	LGW-9	1/13/2022	5	5	ND	ug/L
Lead, total	LGW-9	4/4/2022	5	5	ND	ug/L
Lead, total	LGW-9	7/11/2022	5	5	ND	ug/L
Lead, total	LGW-9	10/7/2022	5	5	ND	ug/L
Lead, total	LGW-9	1/11/2023	5	5	ND	ug/L
Lead, total	LGW-9	4/5/2023	5	5	ND	ug/L
Lead, total	LGW-9	7/10/2023	5	5	ND	ug/L
Lead, total	LGW-9	10/5/2023	5	5	ND	ug/L
Lead, total	MW-10N	10/22/1997	19	5		ug/L
Lead, total	MW-10N	1/22/1998	5	5	ND	ug/L
Lead, total	MW-10N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-10N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-10N	1/14/1999	5	5	ND	ug/L
Lead, total	MW-10N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-10N	7/15/1999	5	5	ND	ug/L
Lead, total	MW-10N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-10N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-10N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-10N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-10N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-10N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2002	5	5	ND	ug/L
Lead, total	MW-10N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-10N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-10N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-10N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-10N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-10N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-10N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-10N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-10N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-10N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2007	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-10N	1/23/2008	5	5	ND	ug/L
Lead, total	MW-10N	7/21/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-10N	2/13/2009	5	5	ND	ug/L
Lead, total	MW-10N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-10N	1/27/2010	5	5	ND	ug/L
Lead, total	MW-10N	8/10/2010	5	5	ND	ug/L
Lead, total	MW-10N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-10N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-10N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-10N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-10N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-10N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-10N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-10N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-10N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-10N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-10N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-10N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-10N	1/24/2018	5	5	ND	ug/L
Lead, total	MW-10N	7/11/2018	5	5	ND	ug/L
Lead, total	MW-10N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-10N	7/9/2019	2.9	5	ND	ug/L
Lead, total	MW-10N	1/16/2020	5	5	ND	ug/L
Lead, total	MW-10N	7/8/2020	5	5	ND	ug/L
Lead, total	MW-10N	1/13/2021	5	5	ND	ug/L
Lead, total	MW-10N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-10N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-10N	7/7/2023	5	5	ND	ug/L
Lead, total	MW-11N	10/22/1997	14	5		ug/L
Lead, total	MW-11N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-11N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-11N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-11N	1/13/1999	6.4	5		ug/L
Lead, total	MW-11N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-11N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-11N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-11N	1/13/2000	5	5	ND	ug/L
Lead, total	MW-11N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-11N	7/10/2000	5	5	ND	ug/L
Lead, total	MW-11N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-11N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-11N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-11N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-11N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-11N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-11N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-11N	1/29/2004	5	5	ND	ug/L
Lead, total	MW-11N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-11N	1/13/2005	5	5	ND	ug/L
Lead, total	MW-11N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-11N	1/19/2006	16	5		ug/L
Lead, total	MW-11N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-11N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-11N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-11N	1/24/2007	5	5	ND	ug/L
Lead, total	MW-11N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-11N	1/22/2008	5	5	ND	ug/L
Lead, total	MW-11N	7/23/2008	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-11N	2/3/2009	5	5	ND	ug/L
Lead, total	MW-11N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-11N	2/3/2010	5	5	ND	ug/L
Lead, total	MW-11N	2/3/2010	5	5	ND	ug/L
Lead, total	MW-11N	7/16/2010	5	5	ND	ug/L
Lead, total	MW-11N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-11N	1/4/2012	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2012	5	5	ND	ug/L
Lead, total	MW-11N	4/30/2013	5	5	ND	ug/L
Lead, total	MW-11N	7/15/2013	5	5	ND	ug/L
Lead, total	MW-11N	1/23/2014	5	5	ND	ug/L
Lead, total	MW-11N	7/8/2014	5	5	ND	ug/L
Lead, total	MW-11N	2/10/2015	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2015	5	5	ND	ug/L
Lead, total	MW-11N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-11N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-11N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-11N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-11N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-11N	7/17/2018	5	5	ND	ug/L
Lead, total	MW-11N	1/2/2019	5	5	ND	ug/L
Lead, total	MW-11N	7/9/2019	5	5	ND	ug/L
Lead, total	MW-11N	1/14/2020	5	5	ND	ug/L
Lead, total	MW-11N	7/6/2020	5	5	ND	ug/L
Lead, total	MW-11N	1/18/2021	5	5	ND	ug/L
Lead, total	MW-11N	7/6/2021	5	5	ND	ug/L
Lead, total	MW-11N	1/18/2022	5	5	ND	ug/L
Lead, total	MW-11N	7/13/2022	5	5	ND	ug/L
Lead, total	MW-11N	1/10/2023	5	5	ND	ug/L
Lead, total	MW-11N	7/8/2023	5	5	ND	ug/L
Lead, total	MW-15	6/5/2015	5	5	ND	ug/L
Lead, total	MW-15	7/15/2015	5	5	ND	ug/L
Lead, total	MW-15	8/5/2015	5	5	ND	ug/L
Lead, total	MW-15	9/3/2015	5	5	ND	ug/L
Lead, total	MW-15	1/7/2016	5	5	ND	ug/L
Lead, total	MW-15	4/5/2016	5	5	ND	ug/L
Lead, total	MW-15	7/20/2016	5	5	ND	ug/L
Lead, total	MW-15	10/6/2016	5	5	ND	ug/L
Lead, total	MW-15	1/10/2017	5	5	ND	ug/L
Lead, total	MW-15	7/18/2017	5	5	ND	ug/L
Lead, total	MW-15	1/23/2018	5	5	ND	ug/L
Lead, total	MW-15	7/10/2018	5	5	ND	ug/L
Lead, total	MW-15	1/3/2019	5	5	ND	ug/L
Lead, total	MW-15	7/9/2019	2.3	5	ND	ug/L
Lead, total	MW-15	1/14/2020	5	5	ND	ug/L
Lead, total	MW-15	8/3/2020	5	5	ND	ug/L
Lead, total	MW-15	1/18/2021	5	5	ND	ug/L
Lead, total	MW-15	7/4/2021	5	5	ND	ug/L
Lead, total	MW-15	1/12/2022	5	5	ND	ug/L
Lead, total	MW-15	7/10/2022	5	5	ND	ug/L
Lead, total	MW-15	1/10/2023	5	5	ND	ug/L
Lead, total	MW-15	7/10/2023	5	5	ND	ug/L
Lead, total	MW-16	6/5/2015	5	5	ND	ug/L
Lead, total	MW-16	7/16/2015	5	5	ND	ug/L
Lead, total	MW-16	8/5/2015	5	5	ND	ug/L
Lead, total	MW-16	9/3/2015	5	5	ND	ug/L
Lead, total	MW-16	1/8/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-16	4/5/2016	5	5	ND	ug/L
Lead, total	MW-16	7/21/2016	5	5	ND	ug/L
Lead, total	MW-16	10/5/2016	2.7	5	ND	ug/L
Lead, total	MW-16	1/10/2017	5	5	ND	ug/L
Lead, total	MW-16	7/18/2017	5	5	ND	ug/L
Lead, total	MW-16	1/23/2018	5	5	ND	ug/L
Lead, total	MW-16	7/11/2018	5	5	ND	ug/L
Lead, total	MW-16	1/2/2019	5	5	ND	ug/L
Lead, total	MW-16	7/10/2019	2.4	5	ND	ug/L
Lead, total	MW-16	1/14/2020	5	5	ND	ug/L
Lead, total	MW-16	8/3/2020	5	5	ND	ug/L
Lead, total	MW-16	1/18/2021	5	5	ND	ug/L
Lead, total	MW-16	7/4/2021	5	5	ND	ug/L
Lead, total	MW-16	1/12/2022	5	5	ND	ug/L
Lead, total	MW-16	7/10/2022	5	5	ND	ug/L
Lead, total	MW-16	1/10/2023	5	5	ND	ug/L
Lead, total	MW-16	7/10/2023	5	5	ND	ug/L
Lead, total	MW-17	6/5/2015	5	5	ND	ug/L
Lead, total	MW-17	7/15/2015	5	5	ND	ug/L
Lead, total	MW-17	8/4/2015	5	5	ND	ug/L
Lead, total	MW-17	9/2/2015	5	5	ND	ug/L
Lead, total	MW-17	1/7/2016	5	5	ND	ug/L
Lead, total	MW-17	4/5/2016	5	5	ND	ug/L
Lead, total	MW-17	7/20/2016	5	5	ND	ug/L
Lead, total	MW-17	10/6/2016	5	5	ND	ug/L
Lead, total	MW-17	1/10/2017	5	5	ND	ug/L
Lead, total	MW-17	7/18/2017	5	5	ND	ug/L
Lead, total	MW-17	1/23/2018	5	5	ND	ug/L
Lead, total	MW-17	7/10/2018	5	5	ND	ug/L
Lead, total	MW-17	1/3/2019	5	5	ND	ug/L
Lead, total	MW-17	7/11/2019	2.6	5	ND	ug/L
Lead, total	MW-17	1/14/2020	5	5	ND	ug/L
Lead, total	MW-17	8/3/2020	5	5	ND	ug/L
Lead, total	MW-17	1/14/2021	5	5	ND	ug/L
Lead, total	MW-17	7/4/2021	5	5	ND	ug/L
Lead, total	MW-17	1/10/2023	5	5	ND	ug/L
Lead, total	MW-17	7/8/2023	5	5	ND	ug/L
Lead, total	MW-19	6/5/2015	5	5	ND	ug/L
Lead, total	MW-19	7/16/2015	5	5	ND	ug/L
Lead, total	MW-19	8/5/2015	5	5	ND	ug/L
Lead, total	MW-19	9/3/2015	5	5	ND	ug/L
Lead, total	MW-19	1/7/2016	5	5	ND	ug/L
Lead, total	MW-19	4/5/2016	5	5	ND	ug/L
Lead, total	MW-19	7/21/2016	5	5	ND	ug/L
Lead, total	MW-19	10/5/2016	5	5	ND	ug/L
Lead, total	MW-19	1/10/2017	5	5	ND	ug/L
Lead, total	MW-19	7/18/2017	5	5	ND	ug/L
Lead, total	MW-19	1/23/2018	5	5	ND	ug/L
Lead, total	MW-19	7/13/2018	5	5	ND	ug/L
Lead, total	MW-19	1/7/2019	5	5	ND	ug/L
Lead, total	MW-19	7/11/2019	2.7	5	ND	ug/L
Lead, total	MW-19	1/14/2020	5	5	ND	ug/L
Lead, total	MW-19	8/3/2020	5	5	ND	ug/L
Lead, total	MW-19	1/14/2021	5	5	ND	ug/L
Lead, total	MW-19	7/4/2021	5	5	ND	ug/L
Lead, total	MW-19	1/11/2023	5	5	ND	ug/L
Lead, total	MW-19	7/10/2023	5	5	ND	ug/L
Lead, total	MW-1N	10/22/1997	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-1N	1/20/1998	5	5	ND	ug/L
Lead, total	MW-1N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-1N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-1N	10/14/1998	5	5	ND	ug/L
Lead, total	MW-1N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-1N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-1N	7/15/1999	5	5	ND	ug/L
Lead, total	MW-1N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-1N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-1N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-1N	7/12/2000	5	5	ND	ug/L
Lead, total	MW-1N	10/18/2000	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-1N	4/12/2001	5	5	ND	ug/L
Lead, total	MW-1N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-1N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-1N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-1N	10/3/2002	1	1	ND	ug/L
Lead, total	MW-1N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-1N	4/15/2003	5	5	ND	ug/L
Lead, total	MW-1N	7/8/2003	5	5	ND	ug/L
Lead, total	MW-1N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-1N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-1N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-1N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-1N	1/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	7/18/2006	5	5	ND	ug/L
Lead, total	MW-1N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-1N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-1N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2008	3.5	5	ND	ug/L
Lead, total	MW-1N	7/21/2008	5	5	ND	ug/L
Lead, total	MW-1N	2/5/2009	5	5	ND	ug/L
Lead, total	MW-1N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-1N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-1N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-1N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-1N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-1N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-1N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-1N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-1N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-1N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-1N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-1N	2/10/2015	5	5	ND	ug/L
Lead, total	MW-1N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-1N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-1N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-1N	1/12/2017	5	5	ND	ug/L
Lead, total	MW-1N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-1N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-1N	7/10/2018	5	5	ND	ug/L
Lead, total	MW-1N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-1N	7/11/2019	3.2	5	ND	ug/L
Lead, total	MW-1N	1/23/2020	5.82	5		ug/L
Lead, total	MW-1N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-1N	7/6/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-1N	1/14/2021	5	5	ND	ug/L
Lead, total	MW-1N	7/4/2021	5	5	ND	ug/L
Lead, total	MW-1N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-1N	7/8/2023	5	5	ND	ug/L
Lead, total	MW-20	6/5/2015	5	5	ND	ug/L
Lead, total	MW-20	7/14/2015	5	5	ND	ug/L
Lead, total	MW-20	8/4/2015	5	5	ND	ug/L
Lead, total	MW-20	9/2/2015	5	5	ND	ug/L
Lead, total	MW-20	1/7/2016	7.3	5		ug/L
Lead, total	MW-20	4/5/2016	5	5	ND	ug/L
Lead, total	MW-20	7/20/2016	5	5	ND	ug/L
Lead, total	MW-20	10/5/2016	5	5	ND	ug/L
Lead, total	MW-20	1/12/2017	5	5	ND	ug/L
Lead, total	MW-20	7/18/2017	5	5	ND	ug/L
Lead, total	MW-20	1/26/2018	5	5	ND	ug/L
Lead, total	MW-20	7/12/2018	5	5	ND	ug/L
Lead, total	MW-20	7/11/2019	4.2	5	ND	ug/L
Lead, total	MW-20	1/14/2020	5	5	ND	ug/L
Lead, total	MW-20	7/7/2020	5	5	ND	ug/L
Lead, total	MW-20	1/17/2021	6.33	5		ug/L
Lead, total	MW-20	7/4/2021	5	5	ND	ug/L
Lead, total	MW-20	1/11/2023	5	5	ND	ug/L
Lead, total	MW-21	6/5/2015	5	5	ND	ug/L
Lead, total	MW-21	7/14/2015	3.1	5	ND	ug/L
Lead, total	MW-21	8/4/2015	5	5	ND	ug/L
Lead, total	MW-21	9/2/2015	5	5	ND	ug/L
Lead, total	MW-21	1/7/2016	5	5	ND	ug/L
Lead, total	MW-21	4/5/2016	5	5	ND	ug/L
Lead, total	MW-21	7/20/2016	5	5	ND	ug/L
Lead, total	MW-21	10/5/2016	5	5	ND	ug/L
Lead, total	MW-21	10/5/2016	5	5	ND	ug/L
Lead, total	MW-21	1/10/2017	5	5	ND	ug/L
Lead, total	MW-21	4/5/2017	5	5	ND	ug/L
Lead, total	MW-21	7/19/2017	5	5	ND	ug/L
Lead, total	MW-21	10/6/2017	2.9	5	ND	ug/L
Lead, total	MW-21	1/24/2018	5	5	ND	ug/L
Lead, total	MW-21	4/11/2018	5	5	ND	ug/L
Lead, total	MW-21	7/11/2018	5	5	ND	ug/L
Lead, total	MW-21	10/4/2018	5	5	ND	ug/L
Lead, total	MW-21	1/3/2019	5	5	ND	ug/L
Lead, total	MW-21	4/3/2019	5	5	ND	ug/L
Lead, total	MW-21	7/11/2019	5	5	ND	ug/L
Lead, total	MW-21	10/2/2019	5	5	ND	ug/L
Lead, total	MW-21	1/16/2020	5	5	ND	ug/L
Lead, total	MW-21	4/2/2020	5	5	ND	ug/L
Lead, total	MW-21	7/8/2020	5	5	ND	ug/L
Lead, total	MW-21	10/7/2020	5	5	ND	ug/L
Lead, total	MW-21	1/13/2021	5	5	ND	ug/L
Lead, total	MW-21	4/6/2021	5	5	ND	ug/L
Lead, total	MW-21	7/5/2021	5	5	ND	ug/L
Lead, total	MW-21	10/6/2021	5	5	ND	ug/L
Lead, total	MW-21	1/11/2023	5	5	ND	ug/L
Lead, total	MW-21	4/8/2023	5	5	ND	ug/L
Lead, total	MW-21	7/7/2023	5	5	ND	ug/L
Lead, total	MW-21	10/6/2023	5	5	ND	ug/L
Lead, total	MW-2N	10/22/1997	5	5	ND	ug/L
Lead, total	MW-2N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-2N	4/28/1998	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-2N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-2N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-2N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-2N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-2N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-2N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-2N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-2N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2001	5	5	ND	ug/L
Lead, total	MW-2N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-2N	7/10/2002	5	5	ND	ug/L
Lead, total	MW-2N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-2N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-2N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-2N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-2N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-2N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-2N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-2N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-2N	1/19/2006	120	5		ug/L
Lead, total	MW-2N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-2N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-2N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-2N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-2N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-2N	7/22/2008	5	5	ND	ug/L
Lead, total	MW-2N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-2N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-2N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-2N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-2N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-2N	7/13/2011	5	5	ND	ug/L
Lead, total	MW-2N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-2N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-2N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-2N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-2N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-2N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-2N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-2N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-2N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-2N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-2N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-2N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-2N	1/23/2018	5	5	ND	ug/L
Lead, total	MW-2N	7/12/2018	5	5	ND	ug/L
Lead, total	MW-2N	1/3/2019	5	5	ND	ug/L
Lead, total	MW-2N	8/7/2019	5	5	ND	ug/L
Lead, total	MW-2N	1/23/2020	5	5	ND	ug/L
Lead, total	MW-2N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-2N	1/14/2021	5	5	ND	ug/L
Lead, total	MW-2N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-2N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-2N	7/8/2023	5	5	ND	ug/L
Lead, total	MW-3N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-3N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-3N	4/28/1998	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-3N	7/23/1998	5	5	ND	ug/L
Lead, total	MW-3N	1/13/1999	5	5	ND	ug/L
Lead, total	MW-3N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-3N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-3N	10/20/1999	5	5	ND	ug/L
Lead, total	MW-3N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-3N	4/24/2000	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-3N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-3N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-3N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-3N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-3N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-3N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-3N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-3N	1/22/2003	5	5	ND	ug/L
Lead, total	MW-3N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-3N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-3N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-3N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-3N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-3N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-3N	1/18/2006	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-3N	10/25/2006	5	5	ND	ug/L
Lead, total	MW-3N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2007	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-3N	7/22/2008	5	5	ND	ug/L
Lead, total	MW-3N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-3N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-3N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-3N	7/13/2010	5	5	ND	ug/L
Lead, total	MW-3N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-3N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-3N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2012	5	5	ND	ug/L
Lead, total	MW-3N	5/1/2013	5	5	ND	ug/L
Lead, total	MW-3N	6/4/2013	5	5	ND	ug/L
Lead, total	MW-3N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2014	5	5	ND	ug/L
Lead, total	MW-3N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-3N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-3N	4/1/2015	5	5	ND	ug/L
Lead, total	MW-3N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-3N	10/5/2015	5	5	ND	ug/L
Lead, total	MW-3N	1/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	4/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-3N	10/6/2016	5	5	ND	ug/L
Lead, total	MW-3N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-3N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-3N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-3N	10/9/2017	5	5	ND	ug/L
Lead, total	MW-3N	1/24/2018	5	5	ND	ug/L
Lead, total	MW-3N	4/10/2018	5	5	ND	ug/L
Lead, total	MW-3N	7/13/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-3N	10/3/2018	5	5	ND	ug/L
Lead, total	MW-3N	1/7/2019	5	5	ND	ug/L
Lead, total	MW-3N	4/3/2019	5	5	ND	ug/L
Lead, total	MW-3N	7/11/2019	5	5	ND	ug/L
Lead, total	MW-3N	10/2/2019	5	5	ND	ug/L
Lead, total	MW-3N	1/15/2020	5	5	ND	ug/L
Lead, total	MW-3N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-3N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-3N	10/7/2020	5	5	ND	ug/L
Lead, total	MW-3N	1/13/2021	5	5	ND	ug/L
Lead, total	MW-3N	4/6/2021	5	5	ND	ug/L
Lead, total	MW-3N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-3N	10/6/2021	5	5	ND	ug/L
Lead, total	MW-3N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-3N	7/7/2023	5	5	ND	ug/L
Lead, total	MW-3N	10/6/2023	5	5	ND	ug/L
Lead, total	MW-7N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-7N	1/21/1998	5	5	ND	ug/L
Lead, total	MW-7N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-7N	8/18/1998	5	5	ND	ug/L
Lead, total	MW-7N	9/17/1998	5	5	ND	ug/L
Lead, total	MW-7N	10/15/1998	5	5	ND	ug/L
Lead, total	MW-7N	11/9/1998	7.6	5		ug/L
Lead, total	MW-7N	1/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	4/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	7/14/1999	5	5	ND	ug/L
Lead, total	MW-7N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-7N	1/13/2000	5	5	ND	ug/L
Lead, total	MW-7N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-7N	7/11/2000	5	5	ND	ug/L
Lead, total	MW-7N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-7N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-7N	4/10/2001	5	5	ND	ug/L
Lead, total	MW-7N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-7N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-7N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-7N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-7N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-7N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-7N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-7N	1/27/2004	5	5	ND	ug/L
Lead, total	MW-7N	4/8/2004	5	5	ND	ug/L
Lead, total	MW-7N	7/26/2004	5	5	ND	ug/L
Lead, total	MW-7N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2005	5	5	ND	ug/L
Lead, total	MW-7N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-7N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-7N	1/26/2007	3.2	5	ND	ug/L
Lead, total	MW-7N	7/10/2007	3.3	5	ND	ug/L
Lead, total	MW-7N	7/21/2008	5	5	ND	ug/L
Lead, total	MW-7N	2/6/2009	5	5	ND	ug/L
Lead, total	MW-7N	7/29/2009	5	5	ND	ug/L
Lead, total	MW-7N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-7N	7/14/2010	5	5	ND	ug/L
Lead, total	MW-7N	1/20/2011	5	5	ND	ug/L
Lead, total	MW-7N	7/12/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-7N	1/5/2012	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2012	5	5	ND	ug/L
Lead, total	MW-7N	5/1/2013	4.1	5	ND	ug/L
Lead, total	MW-7N	6/4/2013	5	5	ND	ug/L
Lead, total	MW-7N	7/15/2013	5	5	ND	ug/L
Lead, total	MW-7N	1/30/2014	5	5	ND	ug/L
Lead, total	MW-7N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-7N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-7N	7/13/2015	5	5	ND	ug/L
Lead, total	MW-7N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-7N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-7N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-7N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-7N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-7N	10/5/2017	3.5	5	ND	ug/L
Lead, total	MW-7N	1/25/2018	5	5	ND	ug/L
Lead, total	MW-7N	4/11/2018	5	5	ND	ug/L
Lead, total	MW-7N	7/13/2018	5	5	ND	ug/L
Lead, total	MW-7N	1/4/2019	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2019	4	5	ND	ug/L
Lead, total	MW-7N	1/16/2020	5	5	ND	ug/L
Lead, total	MW-7N	7/7/2020	5	5	ND	ug/L
Lead, total	MW-7N	1/16/2021	5	5	ND	ug/L
Lead, total	MW-7N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-7N	1/12/2022	5	5	ND	ug/L
Lead, total	MW-7N	7/10/2022	5	5	ND	ug/L
Lead, total	MW-7N	1/10/2023	5	5	ND	ug/L
Lead, total	MW-7N	7/7/2023	5	5	ND	ug/L
Lead, total	MW-8N	10/21/1997	5	5	ND	ug/L
Lead, total	MW-8N	1/22/1998	5	5	ND	ug/L
Lead, total	MW-8N	4/28/1998	5	5	ND	ug/L
Lead, total	MW-8N	7/22/1998	5	5	ND	ug/L
Lead, total	MW-8N	1/12/1999	5	5	ND	ug/L
Lead, total	MW-8N	4/13/1999	5	5	ND	ug/L
Lead, total	MW-8N	7/14/1999	13	5		ug/L
Lead, total	MW-8N	10/19/1999	5	5	ND	ug/L
Lead, total	MW-8N	1/14/2000	5	5	ND	ug/L
Lead, total	MW-8N	4/25/2000	5	5	ND	ug/L
Lead, total	MW-8N	10/17/2000	5	5	ND	ug/L
Lead, total	MW-8N	1/23/2001	5	5	ND	ug/L
Lead, total	MW-8N	4/11/2001	5	5	ND	ug/L
Lead, total	MW-8N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-8N	5/29/2002	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2002	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2002	1	1	ND	ug/L
Lead, total	MW-8N	1/23/2003	5	5	ND	ug/L
Lead, total	MW-8N	4/14/2003	5	5	ND	ug/L
Lead, total	MW-8N	7/7/2003	5	5	ND	ug/L
Lead, total	MW-8N	1/28/2004	5	5	ND	ug/L
Lead, total	MW-8N	7/27/2004	5	5	ND	ug/L
Lead, total	MW-8N	1/12/2005	5	5	ND	ug/L
Lead, total	MW-8N	7/20/2005	5	5	ND	ug/L
Lead, total	MW-8N	1/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2006	5	5	ND	ug/L
Lead, total	MW-8N	10/24/2006	5	5	ND	ug/L
Lead, total	MW-8N	1/26/2007	5	5	ND	ug/L
Lead, total	MW-8N	4/25/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	MW-8N	7/10/2007	5	5	ND	ug/L
Lead, total	MW-8N	1/24/2008	5	5	ND	ug/L
Lead, total	MW-8N	7/23/2008	5	5	ND	ug/L
Lead, total	MW-8N	2/4/2009	5	5	ND	ug/L
Lead, total	MW-8N	7/31/2009	5	5	ND	ug/L
Lead, total	MW-8N	1/26/2010	5	5	ND	ug/L
Lead, total	MW-8N	7/16/2010	5	5	ND	ug/L
Lead, total	MW-8N	1/19/2011	5	5	ND	ug/L
Lead, total	MW-8N	5/10/2011	5	5	ND	ug/L
Lead, total	MW-8N	7/14/2011	5	5	ND	ug/L
Lead, total	MW-8N	1/6/2012	5	5	ND	ug/L
Lead, total	MW-8N	4/5/2012	5	5	ND	ug/L
Lead, total	MW-8N	7/11/2012	5	5	ND	ug/L
Lead, total	MW-8N	10/3/2012	5	5	ND	ug/L
Lead, total	MW-8N	5/1/2013	4.8	5	ND	ug/L
Lead, total	MW-8N	6/4/2013	3.2	5	ND	ug/L
Lead, total	MW-8N	7/16/2013	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2013	5	5	ND	ug/L
Lead, total	MW-8N	1/30/2014	5	5	ND	ug/L
Lead, total	MW-8N	4/3/2014	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2014	5	5	ND	ug/L
Lead, total	MW-8N	10/8/2014	5	5	ND	ug/L
Lead, total	MW-8N	2/12/2015	5	5	ND	ug/L
Lead, total	MW-8N	4/1/2015	5	5	ND	ug/L
Lead, total	MW-8N	7/14/2015	5	5	ND	ug/L
Lead, total	MW-8N	10/5/2015	5	5	ND	ug/L
Lead, total	MW-8N	1/5/2016	5	5	ND	ug/L
Lead, total	MW-8N	4/6/2016	5	5	ND	ug/L
Lead, total	MW-8N	7/21/2016	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2016	5	5	ND	ug/L
Lead, total	MW-8N	1/11/2017	5	5	ND	ug/L
Lead, total	MW-8N	4/4/2017	5	5	ND	ug/L
Lead, total	MW-8N	7/19/2017	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2017	5	5	ND	ug/L
Lead, total	MW-8N	1/25/2018	5	5	ND	ug/L
Lead, total	MW-8N	4/10/2018	5	5	ND	ug/L
Lead, total	MW-8N	7/16/2018	5	5	ND	ug/L
Lead, total	MW-8N	10/2/2018	5	5	ND	ug/L
Lead, total	MW-8N	1/7/2019	5	5	ND	ug/L
Lead, total	MW-8N	4/3/2019	3.2	5	ND	ug/L
Lead, total	MW-8N	7/11/2019	5	5	ND	ug/L
Lead, total	MW-8N	10/3/2019	5	5	ND	ug/L
Lead, total	MW-8N	1/15/2020	5	5	ND	ug/L
Lead, total	MW-8N	4/2/2020	5	5	ND	ug/L
Lead, total	MW-8N	7/9/2020	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2020	5	5	ND	ug/L
Lead, total	MW-8N	1/15/2021	5	5	ND	ug/L
Lead, total	MW-8N	4/6/2021	5	5	ND	ug/L
Lead, total	MW-8N	7/5/2021	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2021	5	5	ND	ug/L
Lead, total	MW-8N	1/18/2022	5	5	ND	ug/L
Lead, total	MW-8N	4/4/2022	5	5	ND	ug/L
Lead, total	MW-8N	7/12/2022	5	5	ND	ug/L
Lead, total	MW-8N	10/6/2022	5	5	ND	ug/L
Lead, total	MW-8N	1/11/2023	5	5	ND	ug/L
Lead, total	MW-8N	4/8/2023	5	5	ND	ug/L
Lead, total	MW-8N	7/7/2023	5	5	ND	ug/L
Lead, total	MW-8N	10/5/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-1	7/10/2002	5	5	ND	ug/L
Lead, total	NE-1	8/6/2002	1	1	ND	ug/L
Lead, total	NE-1	9/4/2002	1	1	ND	ug/L
Lead, total	NE-1	10/2/2002	1	1	ND	ug/L
Lead, total	NE-1	7/8/2003	5	5	ND	ug/L
Lead, total	NE-1	1/27/2004	5	5	ND	ug/L
Lead, total	NE-1	1/12/2005	5	5	ND	ug/L
Lead, total	NE-1	7/19/2006	5	5	ND	ug/L
Lead, total	NE-1	7/19/2006	5	5	ND	ug/L
Lead, total	NE-1	10/25/2006	5	5	ND	ug/L
Lead, total	NE-1	1/24/2007	5	5	ND	ug/L
Lead, total	NE-1	7/10/2007	5	5	ND	ug/L
Lead, total	NE-1	1/24/2008	5	5	ND	ug/L
Lead, total	NE-1	7/21/2008	5	5	ND	ug/L
Lead, total	NE-1	2/7/2009	5	5	ND	ug/L
Lead, total	NE-1	7/31/2009	5	5	ND	ug/L
Lead, total	NE-1	1/26/2010	5	5	ND	ug/L
Lead, total	NE-1	7/14/2010	3.6	5	ND	ug/L
Lead, total	NE-1	1/19/2011	5	5	ND	ug/L
Lead, total	NE-1	7/13/2011	5	5	ND	ug/L
Lead, total	NE-1	1/5/2012	5	5	ND	ug/L
Lead, total	NE-1	7/10/2012	5	5	ND	ug/L
Lead, total	NE-1	4/30/2013	5	5	ND	ug/L
Lead, total	NE-1	7/16/2013	5	5	ND	ug/L
Lead, total	NE-1	1/23/2014	5	5	ND	ug/L
Lead, total	NE-1	7/9/2014	5	5	ND	ug/L
Lead, total	NE-1	2/11/2015	5	5	ND	ug/L
Lead, total	NE-1	7/8/2015	5	5	ND	ug/L
Lead, total	NE-1	1/6/2016	5	5	ND	ug/L
Lead, total	NE-1	7/20/2016	5	5	ND	ug/L
Lead, total	NE-1	1/11/2017	5	5	ND	ug/L
Lead, total	NE-1	7/19/2017	5	5	ND	ug/L
Lead, total	NE-1	1/24/2018	5	5	ND	ug/L
Lead, total	NE-1	4/11/2018	5	5	ND	ug/L
Lead, total	NE-1	7/18/2018	5	5	ND	ug/L
Lead, total	NE-1	10/2/2018	5	5	ND	ug/L
Lead, total	NE-1	1/4/2019	5	5	ND	ug/L
Lead, total	NE-1	4/2/2019	5	5	ND	ug/L
Lead, total	NE-1	7/10/2019	5	5	ND	ug/L
Lead, total	NE-1	7/10/2019	5	5	ND	ug/L
Lead, total	NE-1	10/2/2019	5	5	ND	ug/L
Lead, total	NE-1	1/15/2020	5	5	ND	ug/L
Lead, total	NE-1	4/2/2020	5	5	ND	ug/L
Lead, total	NE-1	7/8/2020	5	5	ND	ug/L
Lead, total	NE-1	10/7/2020	5	5	ND	ug/L
Lead, total	NE-1	1/13/2021	5	5	ND	ug/L
Lead, total	NE-1	4/9/2021	5	5	ND	ug/L
Lead, total	NE-1	7/2/2021	5	5	ND	ug/L
Lead, total	NE-1	10/6/2021	5	5	ND	ug/L
Lead, total	NE-1	1/17/2022	5	5	ND	ug/L
Lead, total	NE-1	4/6/2022	5	5	ND	ug/L
Lead, total	NE-1	7/13/2022	5	5	ND	ug/L
Lead, total	NE-1	10/6/2022	5	5	ND	ug/L
Lead, total	NE-1	1/5/2023	5	5	ND	ug/L
Lead, total	NE-1	4/7/2023	5	5	ND	ug/L
Lead, total	NE-1	7/5/2023	5	5	ND	ug/L
Lead, total	NE-1	10/5/2023	5	5	ND	ug/L
Lead, total	NE-10D	11/6/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-10D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-10D	4/2/2020	5	5	ND	ug/L
Lead, total	NE-10D	7/8/2020	5	5	ND	ug/L
Lead, total	NE-10D	10/7/2020	5	5	ND	ug/L
Lead, total	NE-10D	1/13/2021	5	5	ND	ug/L
Lead, total	NE-10D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-10D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-10D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-10D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-10D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-10D	7/8/2023	5	5	ND	ug/L
Lead, total	NE-10D	10/3/2023	5	5	ND	ug/L
Lead, total	NE-11	3/1/2017	5	5	ND	ug/L
Lead, total	NE-11	4/6/2017	5	5	ND	ug/L
Lead, total	NE-11	7/20/2017	5	5	ND	ug/L
Lead, total	NE-11	10/9/2017	5	5	ND	ug/L
Lead, total	NE-11	9/30/2019	5	5	ND	ug/L
Lead, total	NE-11	1/14/2020	5	5	ND	ug/L
Lead, total	NE-11	7/7/2020	5	5	ND	ug/L
Lead, total	NE-11	1/16/2021	8.68	5		ug/L
Lead, total	NE-11	1/16/2021	5	5	ND	ug/L
Lead, total	NE-11	7/1/2021	5	5	ND	ug/L
Lead, total	NE-11	1/17/2022	5	5	ND	ug/L
Lead, total	NE-11	1/17/2022	5	5	ND	ug/L
Lead, total	NE-11	7/12/2022	5	5	ND	ug/L
Lead, total	NE-11	1/6/2023	5	5	ND	ug/L
Lead, total	NE-11	7/6/2023	5	5	ND	ug/L
Lead, total	NE-12	3/1/2017	5	5	ND	ug/L
Lead, total	NE-12	4/6/2017	5	5	ND	ug/L
Lead, total	NE-12	7/20/2017	5	5	ND	ug/L
Lead, total	NE-12	10/6/2017	5	5	ND	ug/L
Lead, total	NE-12	8/5/2019	5	5	ND	ug/L
Lead, total	NE-12	1/13/2020	5	5	ND	ug/L
Lead, total	NE-12	7/7/2020	5	5	ND	ug/L
Lead, total	NE-12	1/15/2021	5	5	ND	ug/L
Lead, total	NE-12	1/15/2021	5	5	ND	ug/L
Lead, total	NE-12	7/1/2021	5	5	ND	ug/L
Lead, total	NE-12	1/17/2022	5	5	ND	ug/L
Lead, total	NE-12	1/17/2022	5	5	ND	ug/L
Lead, total	NE-12	7/12/2022	5	5	ND	ug/L
Lead, total	NE-12	1/6/2023	5	5	ND	ug/L
Lead, total	NE-12	7/5/2023	5	5	ND	ug/L
Lead, total	NE-13	2/5/2019	5	5	ND	ug/L
Lead, total	NE-13	8/7/2019	5	5	ND	ug/L
Lead, total	NE-13	1/15/2020	5	5	ND	ug/L
Lead, total	NE-13	7/8/2020	5	5	ND	ug/L
Lead, total	NE-13	1/17/2021	5	5	ND	ug/L
Lead, total	NE-13	1/17/2021	5	5	ND	ug/L
Lead, total	NE-13	7/1/2021	5	5	ND	ug/L
Lead, total	NE-14D	10/2/2019	5	5	ND	ug/L
Lead, total	NE-14D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-14D	4/3/2020	5	5	ND	ug/L
Lead, total	NE-14D	7/7/2020	5	5	ND	ug/L
Lead, total	NE-14D	10/6/2020	5	5	ND	ug/L
Lead, total	NE-14D	1/17/2021	5	5	ND	ug/L
Lead, total	NE-14D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-14D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-14D	10/7/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-14D	1/18/2022	5	5	ND	ug/L
Lead, total	NE-14D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-14D	7/13/2022	5	5	ND	ug/L
Lead, total	NE-14D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-14D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-14D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-14D	7/5/2023	5	5	ND	ug/L
Lead, total	NE-14D	10/4/2023	5	5	ND	ug/L
Lead, total	NE-14S	10/2/2019	5	5	ND	ug/L
Lead, total	NE-14S	1/16/2020	5	5	ND	ug/L
Lead, total	NE-14S	4/3/2020	5	5	ND	ug/L
Lead, total	NE-14S	7/7/2020	5	5	ND	ug/L
Lead, total	NE-14S	10/6/2020	5	5	ND	ug/L
Lead, total	NE-14S	1/17/2021	5	5	ND	ug/L
Lead, total	NE-14S	4/9/2021	5	5	ND	ug/L
Lead, total	NE-14S	7/2/2021	5	5	ND	ug/L
Lead, total	NE-14S	10/7/2021	5	5	ND	ug/L
Lead, total	NE-14S	1/18/2022	5	5	ND	ug/L
Lead, total	NE-14S	4/6/2022	5	5	ND	ug/L
Lead, total	NE-14S	7/13/2022	5	5	ND	ug/L
Lead, total	NE-14S	10/7/2022	5	5	ND	ug/L
Lead, total	NE-14S	1/6/2023	5	5	ND	ug/L
Lead, total	NE-14S	4/6/2023	5	5	ND	ug/L
Lead, total	NE-14S	7/5/2023	5	5	ND	ug/L
Lead, total	NE-14S	10/4/2023	5	5	ND	ug/L
Lead, total	NE-15D	9/30/2019	5	5	ND	ug/L
Lead, total	NE-15D	1/16/2020	5	5	ND	ug/L
Lead, total	NE-15D	4/3/2020	5	5	ND	ug/L
Lead, total	NE-15D	7/7/2020	5	5	ND	ug/L
Lead, total	NE-15D	10/6/2020	5	5	ND	ug/L
Lead, total	NE-15D	1/17/2021	5	5	ND	ug/L
Lead, total	NE-15D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-15D	7/2/2021	11.4	5		ug/L
Lead, total	NE-15D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-15D	1/17/2022	5	5	ND	ug/L
Lead, total	NE-15D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-15D	7/13/2022	5	5	ND	ug/L
Lead, total	NE-15D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-15D	1/6/2023	5	5	ND	ug/L
Lead, total	NE-15D	4/6/2023	5	5	ND	ug/L
Lead, total	NE-15D	7/6/2023	5	5	ND	ug/L
Lead, total	NE-15D	10/6/2023	5	5	ND	ug/L
Lead, total	NE-15S	4/3/2020	5	5	ND	ug/L
Lead, total	NE-2	7/9/2002	5.3	5		ug/L
Lead, total	NE-2	8/6/2002	1	1	ND	ug/L
Lead, total	NE-2	9/4/2002	1	1	ND	ug/L
Lead, total	NE-2	10/2/2002	1	1	ND	ug/L
Lead, total	NE-2	10/1/2013	5	5	ND	ug/L
Lead, total	NE-2	10/8/2014	5	5	ND	ug/L
Lead, total	NE-2	10/5/2015	5	5	ND	ug/L
Lead, total	NE-2	10/6/2016	5	5	ND	ug/L
Lead, total	NE-2	10/5/2017	5	5	ND	ug/L
Lead, total	NE-2	1/25/2018	5	5	ND	ug/L
Lead, total	NE-2	4/10/2018	5	5	ND	ug/L
Lead, total	NE-2	7/10/2018	5	5	ND	ug/L
Lead, total	NE-2	10/1/2018	5	5	ND	ug/L
Lead, total	NE-2	1/4/2019	5	5	ND	ug/L
Lead, total	NE-2	4/2/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-2	7/9/2019	5	5	ND	ug/L
Lead, total	NE-2	7/9/2019	5	5	ND	ug/L
Lead, total	NE-2	10/2/2019	5	5	ND	ug/L
Lead, total	NE-2	1/14/2020	5	5	ND	ug/L
Lead, total	NE-2	4/1/2020	5	5	ND	ug/L
Lead, total	NE-2	7/7/2020	5	5	ND	ug/L
Lead, total	NE-2	10/6/2020	5	5	ND	ug/L
Lead, total	NE-2	1/14/2021	5	5	ND	ug/L
Lead, total	NE-2	4/9/2021	5	5	ND	ug/L
Lead, total	NE-2	7/2/2021	5	5	ND	ug/L
Lead, total	NE-2	10/6/2021	5	5	ND	ug/L
Lead, total	NE-2	1/18/2022	5	5	ND	ug/L
Lead, total	NE-2	4/6/2022	5	5	ND	ug/L
Lead, total	NE-2	7/13/2022	5	5	ND	ug/L
Lead, total	NE-2	10/7/2022	5	5	ND	ug/L
Lead, total	NE-2	1/5/2023	5	5	ND	ug/L
Lead, total	NE-2	4/5/2023	5	5	ND	ug/L
Lead, total	NE-2	7/5/2023	5	5	ND	ug/L
Lead, total	NE-2	10/4/2023	5	5	ND	ug/L
Lead, total	NE-4	7/10/2002	5	5	ND	ug/L
Lead, total	NE-4	8/6/2002	1	1	ND	ug/L
Lead, total	NE-4	9/4/2002	1	1	ND	ug/L
Lead, total	NE-4	10/3/2002	1	1	ND	ug/L
Lead, total	NE-4	7/8/2003	5	5	ND	ug/L
Lead, total	NE-4	1/28/2004	5	5	ND	ug/L
Lead, total	NE-4	1/13/2005	5	5	ND	ug/L
Lead, total	NE-4	8/1/2006	5	5	ND	ug/L
Lead, total	NE-4	8/1/2006	5	5	ND	ug/L
Lead, total	NE-4	10/25/2006	5	5	ND	ug/L
Lead, total	NE-4	1/24/2007	5	5	ND	ug/L
Lead, total	NE-4	7/12/2007	5	5	ND	ug/L
Lead, total	NE-4	1/24/2008	5	5	ND	ug/L
Lead, total	NE-4	7/21/2008	5	5	ND	ug/L
Lead, total	NE-4	2/7/2009	5	5	ND	ug/L
Lead, total	NE-4	7/31/2009	5	5	ND	ug/L
Lead, total	NE-4	1/26/2010	5	5	ND	ug/L
Lead, total	NE-4	7/14/2010	5	5	ND	ug/L
Lead, total	NE-4	1/19/2011	5	5	ND	ug/L
Lead, total	NE-4	7/13/2011	5	5	ND	ug/L
Lead, total	NE-4	1/5/2012	5	5	ND	ug/L
Lead, total	NE-4	7/10/2012	4.5	5	ND	ug/L
Lead, total	NE-4	4/30/2013	5	5	ND	ug/L
Lead, total	NE-4	7/16/2013	5	5	ND	ug/L
Lead, total	NE-4	1/23/2014	5	5	ND	ug/L
Lead, total	NE-4	7/9/2014	5	5	ND	ug/L
Lead, total	NE-4	2/13/2015	5	5	ND	ug/L
Lead, total	NE-4	7/8/2015	5	5	ND	ug/L
Lead, total	NE-4	1/6/2016	5	5	ND	ug/L
Lead, total	NE-4	7/20/2016	5	5	ND	ug/L
Lead, total	NE-4	1/11/2017	5	5	ND	ug/L
Lead, total	NE-4	7/19/2017	5	5	ND	ug/L
Lead, total	NE-4	1/26/2018	5	5	ND	ug/L
Lead, total	NE-4	4/10/2018	5	5	ND	ug/L
Lead, total	NE-4	7/12/2018	5	5	ND	ug/L
Lead, total	NE-4	10/3/2018	5	5	ND	ug/L
Lead, total	NE-4	1/7/2019	5	5	ND	ug/L
Lead, total	NE-4	4/2/2019	5	5	ND	ug/L
Lead, total	NE-4	7/8/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-4	7/8/2019	5	5	ND	ug/L
Lead, total	NE-4	10/1/2019	5	5	ND	ug/L
Lead, total	NE-4	1/13/2020	5	5	ND	ug/L
Lead, total	NE-4	4/1/2020	5	5	ND	ug/L
Lead, total	NE-4	7/6/2020	5	5	ND	ug/L
Lead, total	NE-4	10/5/2020	5	5	ND	ug/L
Lead, total	NE-4	1/15/2021	5	5	ND	ug/L
Lead, total	NE-4	4/9/2021	5	5	ND	ug/L
Lead, total	NE-4	7/2/2021	5	5	ND	ug/L
Lead, total	NE-4	10/6/2021	5	5	ND	ug/L
Lead, total	NE-4	1/5/2023	5	5	ND	ug/L
Lead, total	NE-4	4/6/2023	5	5	ND	ug/L
Lead, total	NE-4	7/5/2023	5	5	ND	ug/L
Lead, total	NE-4	10/4/2023	5	5	ND	ug/L
Lead, total	NE-5	7/9/2002	5	5	ND	ug/L
Lead, total	NE-5	8/6/2002	1.2	1		ug/L
Lead, total	NE-5	9/4/2002	2.1	1		ug/L
Lead, total	NE-5	10/2/2002	1	1	ND	ug/L
Lead, total	NE-5	7/8/2003	5	5	ND	ug/L
Lead, total	NE-5	1/27/2004	5	5	ND	ug/L
Lead, total	NE-5	1/12/2005	5	5	ND	ug/L
Lead, total	NE-5	7/19/2006	5	5	ND	ug/L
Lead, total	NE-5	7/19/2006	5	5	ND	ug/L
Lead, total	NE-5	10/25/2006	5	5	ND	ug/L
Lead, total	NE-5	1/24/2007	5	5	ND	ug/L
Lead, total	NE-5	7/12/2007	5	5	ND	ug/L
Lead, total	NE-5	7/22/2008	5	5	ND	ug/L
Lead, total	NE-5	2/6/2009	5	5	ND	ug/L
Lead, total	NE-5	7/31/2009	5	5	ND	ug/L
Lead, total	NE-5	1/26/2010	5	5	ND	ug/L
Lead, total	NE-5	7/16/2010	5	5	ND	ug/L
Lead, total	NE-5	1/19/2011	5	5	ND	ug/L
Lead, total	NE-5	7/13/2011	5	5	ND	ug/L
Lead, total	NE-5	1/5/2012	5	5	ND	ug/L
Lead, total	NE-5	7/10/2012	5	5	ND	ug/L
Lead, total	NE-5	4/30/2013	5	5	ND	ug/L
Lead, total	NE-5	7/16/2013	5	5	ND	ug/L
Lead, total	NE-5	1/23/2014	5	5	ND	ug/L
Lead, total	NE-5	7/9/2014	5	5	ND	ug/L
Lead, total	NE-5	2/11/2015	5	5	ND	ug/L
Lead, total	NE-5	7/14/2015	5	5	ND	ug/L
Lead, total	NE-5	1/6/2016	5	5	ND	ug/L
Lead, total	NE-5	7/20/2016	5	5	ND	ug/L
Lead, total	NE-5	1/11/2017	5	5	ND	ug/L
Lead, total	NE-5	7/19/2017	5	5	ND	ug/L
Lead, total	NE-5	1/25/2018	5	5	ND	ug/L
Lead, total	NE-5	4/10/2018	5	5	ND	ug/L
Lead, total	NE-5	7/17/2018	5	5	ND	ug/L
Lead, total	NE-5	10/3/2018	5	5	ND	ug/L
Lead, total	NE-5	1/4/2019	5	5	ND	ug/L
Lead, total	NE-5	4/2/2019	5	5	ND	ug/L
Lead, total	NE-5	4/2/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	7/9/2019	5	5	ND	ug/L
Lead, total	NE-5	10/3/2019	5	5	ND	ug/L
Lead, total	NE-5	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5	4/2/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-5	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5	7/6/2023	5	5	ND	ug/L
Lead, total	NE-5	10/4/2023	5	5	ND	ug/L
Lead, total	NE-5E	9/30/2019	5	5	ND	ug/L
Lead, total	NE-5E	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5E	4/1/2020	5	5	ND	ug/L
Lead, total	NE-5E	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5E	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5E	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5E	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5E	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5E	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5E	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5E	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5E	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5E	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5E	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5E	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5E	7/6/2023	5	5	ND	ug/L
Lead, total	NE-5E	10/4/2023	5	5	ND	ug/L
Lead, total	NE-5W	9/30/2019	5	5	ND	ug/L
Lead, total	NE-5W	1/16/2020	5	5	ND	ug/L
Lead, total	NE-5W	4/2/2020	5	5	ND	ug/L
Lead, total	NE-5W	7/8/2020	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2020	5	5	ND	ug/L
Lead, total	NE-5W	1/15/2021	5	5	ND	ug/L
Lead, total	NE-5W	4/9/2021	5	5	ND	ug/L
Lead, total	NE-5W	7/2/2021	5	5	ND	ug/L
Lead, total	NE-5W	10/6/2021	5	5	ND	ug/L
Lead, total	NE-5W	1/18/2022	5	5	ND	ug/L
Lead, total	NE-5W	4/6/2022	5	5	ND	ug/L
Lead, total	NE-5W	7/13/2022	5	5	ND	ug/L
Lead, total	NE-5W	10/7/2022	5	5	ND	ug/L
Lead, total	NE-5W	1/5/2023	5	5	ND	ug/L
Lead, total	NE-5W	4/7/2023	5	5	ND	ug/L
Lead, total	NE-5W	7/6/2023	5	5	ND	ug/L
Lead, total	NE-5W	10/4/2023	5	5	ND	ug/L
Lead, total	NE-6	1/12/2017	5	5	ND	ug/L
Lead, total	NE-6	4/5/2017	2.7	5	ND	ug/L
Lead, total	NE-6	7/19/2017	5	5	ND	ug/L
Lead, total	NE-6	10/6/2017	5	5	ND	ug/L
Lead, total	NE-6	2/4/2019	5	5	ND	ug/L
Lead, total	NE-6	8/6/2019	5	5	ND	ug/L
Lead, total	NE-6	1/15/2020	5	5	ND	ug/L
Lead, total	NE-6	7/9/2020	5	5	ND	ug/L
Lead, total	NE-6	1/16/2021	5	5	ND	ug/L
Lead, total	NE-6	1/16/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-6	7/1/2021	5	5	ND	ug/L
Lead, total	NE-6	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6	7/12/2022	5	5	ND	ug/L
Lead, total	NE-6	1/5/2023	5	5	ND	ug/L
Lead, total	NE-6	7/6/2023	5	5	ND	ug/L
Lead, total	NE-6D	10/2/2019	5	5	ND	ug/L
Lead, total	NE-6D	1/15/2020	5	5	ND	ug/L
Lead, total	NE-6D	4/2/2020	5	5	ND	ug/L
Lead, total	NE-6D	7/9/2020	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2020	5	5	ND	ug/L
Lead, total	NE-6D	1/15/2021	5	5	ND	ug/L
Lead, total	NE-6D	4/9/2021	5	5	ND	ug/L
Lead, total	NE-6D	7/2/2021	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2021	5	5	ND	ug/L
Lead, total	NE-6D	1/17/2022	5	5	ND	ug/L
Lead, total	NE-6D	4/6/2022	5	5	ND	ug/L
Lead, total	NE-6D	7/12/2022	5	5	ND	ug/L
Lead, total	NE-6D	10/7/2022	5	5	ND	ug/L
Lead, total	NE-6D	1/5/2023	5	5	ND	ug/L
Lead, total	NE-6D	4/7/2023	5	5	ND	ug/L
Lead, total	NE-6D	7/6/2023	5	5	ND	ug/L
Lead, total	NE-6D	10/4/2023	5	5	ND	ug/L
Lead, total	NE-7	3/1/2017	5	5	ND	ug/L
Lead, total	NE-7	4/6/2017	5	5	ND	ug/L
Lead, total	NE-7	7/20/2017	5	5	ND	ug/L
Lead, total	NE-7	10/5/2017	5	5	ND	ug/L
Lead, total	NE-7	2/6/2019	5	5	ND	ug/L
Lead, total	NE-7	8/6/2019	5	5	ND	ug/L
Lead, total	NE-7	1/16/2020	5	5	ND	ug/L
Lead, total	NE-7	7/7/2020	5	5	ND	ug/L
Lead, total	NE-7	1/16/2021	5	5	ND	ug/L
Lead, total	NE-7	1/16/2021	5	5	ND	ug/L
Lead, total	NE-7	7/1/2021	5	5	ND	ug/L
Lead, total	NE-7	1/17/2022	5	5	ND	ug/L
Lead, total	NE-7	1/17/2022	5	5	ND	ug/L
Lead, total	NE-7	7/12/2022	5	5	ND	ug/L
Lead, total	NE-7	1/5/2023	5	5	ND	ug/L
Lead, total	NE-7	7/6/2023	5	5	ND	ug/L
Lead, total	NE-8	1/12/2017	5	5	ND	ug/L
Lead, total	NE-8	4/5/2017	5	5	ND	ug/L
Lead, total	NE-8	7/20/2017	5	5	ND	ug/L
Lead, total	NE-8	10/6/2017	5	5	ND	ug/L
Lead, total	NE-8	2/4/2019	5	5	ND	ug/L
Lead, total	NE-8	8/5/2019	5	5	ND	ug/L
Lead, total	NE-8	1/15/2020	5	5	ND	ug/L
Lead, total	NE-8	7/8/2020	5	5	ND	ug/L
Lead, total	NE-8	1/13/2021	5	5	ND	ug/L
Lead, total	NE-8	1/13/2021	5	5	ND	ug/L
Lead, total	NE-8	4/9/2021	5	5	ND	ug/L
Lead, total	NE-8	7/1/2021	5	5	ND	ug/L
Lead, total	NE-8	7/1/2021	5	5	ND	ug/L
Lead, total	NE-8	10/7/2021	5	5	ND	ug/L
Lead, total	NE-8	1/6/2023	5	5	ND	ug/L
Lead, total	NE-8	7/5/2023	5	5	ND	ug/L
Lead, total	NE-9	1/12/2017	5	5	ND	ug/L
Lead, total	NE-9	4/5/2017	5	5	ND	ug/L
Lead, total	NE-9	7/20/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Lead, total	NE-9	10/5/2017	5	5	ND	ug/L
Lead, total	NE-9	2/5/2019	5	5	ND	ug/L
Lead, total	NE-9	8/7/2019	5	5	ND	ug/L
Lead, total	NE-9	1/15/2020	5	5	ND	ug/L
Lead, total	NE-9	7/7/2020	5	5	ND	ug/L
Lead, total	NE-9	1/17/2021	5	5	ND	ug/L
Lead, total	NE-9	1/17/2021	5	5	ND	ug/L
Lead, total	NE-9	7/1/2021	5	5	ND	ug/L
Lead, total	NE-9	1/17/2022	5	5	ND	ug/L
Lead, total	NE-9	1/17/2022	5	5	ND	ug/L
Lead, total	NE-9	7/13/2022	5	5	ND	ug/L
Lead, total	NE-9	1/6/2023	5	5	ND	ug/L
Lead, total	NE-9	4/8/2023	5	5	ND	ug/L
Lead, total	NE-9	7/5/2023	5	5	ND	ug/L
Lead, total	NE-9	10/6/2023	5	5	ND	ug/L
Magnesium, dissolved	LGW-14R	1/25/2006	1.2	0.05		mg/L
Magnesium, dissolved	LGW-2	1/25/2006	5.6	0.05		mg/L
Magnesium, dissolved	LGW-4	1/24/2006	1.9	0.05		mg/L
Magnesium, dissolved	LGW-5	1/25/2006	1.3	0.05		mg/L
Magnesium, dissolved	LGW-6	1/24/2006	2.2	0.05		mg/L
Magnesium, dissolved	LGW-7	1/25/2006	1.8	0.05		mg/L
Magnesium, dissolved	LGW-8R	1/24/2006	2.6	0.05		mg/L
Magnesium, dissolved	MW-10N	7/10/2002	15.5	0.05		mg/L
Magnesium, dissolved	MW-10N	10/2/2002	15.9	0.05		mg/L
Magnesium, dissolved	MW-11N	7/9/2002	0.9	0.05		mg/L
Magnesium, dissolved	MW-11N	10/2/2002	0.85	0.05		mg/L
Magnesium, dissolved	MW-1N	7/9/2002	5	0.05		mg/L
Magnesium, dissolved	MW-1N	10/3/2002	3.9	0.05		mg/L
Magnesium, dissolved	MW-2N	7/10/2002	0.72	0.05		mg/L
Magnesium, dissolved	MW-2N	10/2/2002	0.68	0.05		mg/L
Magnesium, dissolved	MW-3N	7/9/2002	4	0.05		mg/L
Magnesium, dissolved	MW-3N	10/2/2002	4.6	0.05		mg/L
Magnesium, dissolved	MW-7N	7/9/2002	4.2	0.05		mg/L
Magnesium, dissolved	MW-7N	10/2/2002	4.2	0.05		mg/L
Magnesium, dissolved	MW-8N	7/9/2002	3.9	0.05		mg/L
Magnesium, dissolved	MW-8N	10/2/2002	4.4	0.12		mg/L
Magnesium, dissolved	NE-1	7/10/2002	2	0.05		mg/L
Magnesium, dissolved	NE-1	8/6/2002	2	0.05		mg/L
Magnesium, dissolved	NE-1	9/4/2002	1.9	0.05		mg/L
Magnesium, dissolved	NE-1	10/2/2002	2.2	0.05		mg/L
Magnesium, dissolved	NE-2	7/9/2002	8.1	0.05		mg/L
Magnesium, dissolved	NE-2	8/6/2002	5.4	0.05		mg/L
Magnesium, dissolved	NE-2	9/4/2002	4.2	0.05		mg/L
Magnesium, dissolved	NE-2	10/2/2002	5.6	0.05		mg/L
Magnesium, dissolved	NE-4	7/10/2002	3.5	0.05		mg/L
Magnesium, dissolved	NE-4	8/6/2002	3.4	0.05		mg/L
Magnesium, dissolved	NE-4	9/4/2002	3.2	0.05		mg/L
Magnesium, dissolved	NE-4	10/3/2002	3.6	0.05		mg/L
Magnesium, dissolved	NE-5	7/9/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	8/6/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	9/4/2002	1.5	0.05		mg/L
Magnesium, dissolved	NE-5	10/2/2002	1.6	0.05		mg/L
Magnesium, total	LGW-10	1/26/2006	3.6	1		mg/L
Magnesium, total	LGW-10	8/1/2006	3.8	0.2		mg/L
Magnesium, total	LGW-10	8/1/2006	3.8	0.2		mg/L
Magnesium, total	LGW-10	1/25/2007	3.5	0.2		mg/L
Magnesium, total	LGW-10	4/26/2007	3.8	0.2		mg/L
Magnesium, total	LGW-10	7/12/2007	3.7	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-10	1/23/2008	3.7	0.2		mg/L
Magnesium, total	LGW-10	7/22/2008	3.9	0.2		mg/L
Magnesium, total	LGW-10	7/29/2009	4.5	0.2		mg/L
Magnesium, total	LGW-10	2/3/2010	4.3	0.2		mg/L
Magnesium, total	LGW-10	2/3/2010	4.3	0.2		mg/L
Magnesium, total	LGW-10	7/16/2010	4	0.2		mg/L
Magnesium, total	LGW-10	1/19/2011	4.7	0.2		mg/L
Magnesium, total	LGW-10	7/12/2011	4	0.2		mg/L
Magnesium, total	LGW-10	1/5/2012	4.5	0.2		mg/L
Magnesium, total	LGW-10	7/9/2012	4.5	0.2		mg/L
Magnesium, total	LGW-10	5/1/2013	4.3	0.2		mg/L
Magnesium, total	LGW-10	1/30/2014	4.4	0.2		mg/L
Magnesium, total	LGW-10	7/9/2014	4.2	0.2		mg/L
Magnesium, total	LGW-10	2/12/2015	4.3	0.2		mg/L
Magnesium, total	LGW-10	7/13/2015	3.9	0.2		mg/L
Magnesium, total	LGW-10	1/5/2016	4	0.2		mg/L
Magnesium, total	LGW-10	4/6/2016	4	0.2		mg/L
Magnesium, total	LGW-10	7/21/2016	3.6	0.2		mg/L
Magnesium, total	LGW-10	10/6/2016	4.1	0.2		mg/L
Magnesium, total	LGW-10	1/11/2017	3.8	0.2		mg/L
Magnesium, total	LGW-10	4/4/2017	3.7	0.2		mg/L
Magnesium, total	LGW-10	7/19/2017	3.9	0.2		mg/L
Magnesium, total	LGW-10	10/9/2017	3.7	0.2		mg/L
Magnesium, total	LGW-10	1/24/2018	4	0.2		mg/L
Magnesium, total	LGW-10	4/11/2018	4	0.2		mg/L
Magnesium, total	LGW-10	7/16/2018	3	0.2		mg/L
Magnesium, total	LGW-10	10/4/2018	3.7	0.2		mg/L
Magnesium, total	LGW-10	1/4/2019	4	0.2		mg/L
Magnesium, total	LGW-10	4/3/2019	3.6	0.2		mg/L
Magnesium, total	LGW-10	7/11/2019	3.4	0.2		mg/L
Magnesium, total	LGW-10	7/11/2019	3.6	0.2		mg/L
Magnesium, total	LGW-10	10/2/2019	3.3	0.2		mg/L
Magnesium, total	LGW-10	1/15/2020	3.67	0.2		mg/L
Magnesium, total	LGW-10	7/9/2020	3.56	0.2		mg/L
Magnesium, total	LGW-10	1/17/2021	9.38	0.2		mg/L
Magnesium, total	LGW-10	7/7/2021	3.46	0.2		mg/L
Magnesium, total	LGW-10	7/7/2021	3.43	0.2		mg/L
Magnesium, total	LGW-10	1/13/2022	3.63	0.2		mg/L
Magnesium, total	LGW-10	7/11/2022	3.42	0.2		mg/L
Magnesium, total	LGW-10	1/11/2023	3.6	0.2		mg/L
Magnesium, total	LGW-10	7/10/2023	3.66	0.2		mg/L
Magnesium, total	LGW-14R	1/25/2006	6.2	1		mg/L
Magnesium, total	LGW-14R	8/2/2006	2.4	0.2		mg/L
Magnesium, total	LGW-14R	8/2/2006	2.4	0.2		mg/L
Magnesium, total	LGW-14R	1/24/2007	1.1	0.2		mg/L
Magnesium, total	LGW-14R	4/24/2007	1.6	0.2		mg/L
Magnesium, total	LGW-14R	7/11/2007	2.7	0.2		mg/L
Magnesium, total	LGW-14R	1/23/2008	1.1	0.2		mg/L
Magnesium, total	LGW-14R	7/22/2008	1.2	0.2		mg/L
Magnesium, total	LGW-14R	2/6/2009	1.1	0.2		mg/L
Magnesium, total	LGW-14R	7/29/2009	0.83	0.2		mg/L
Magnesium, total	LGW-14R	2/3/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	2/3/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	7/12/2010	0.78	0.2		mg/L
Magnesium, total	LGW-14R	1/19/2011	0.88	0.2		mg/L
Magnesium, total	LGW-14R	7/12/2011	0.75	0.2		mg/L
Magnesium, total	LGW-14R	1/5/2012	0.81	0.2		mg/L
Magnesium, total	LGW-14R	7/9/2012	0.92	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-14R	4/30/2013	0.8	0.2		mg/L
Magnesium, total	LGW-14R	1/23/2014	0.77	0.2		mg/L
Magnesium, total	LGW-14R	7/8/2014	0.84	0.2		mg/L
Magnesium, total	LGW-14R	2/11/2015	0.87	0.2		mg/L
Magnesium, total	LGW-14R	7/22/2015	0.96	0.2		mg/L
Magnesium, total	LGW-14R	1/5/2016	0.95	0.2		mg/L
Magnesium, total	LGW-14R	7/19/2016	0.94	0.2		mg/L
Magnesium, total	LGW-14R	1/11/2017	0.94	0.2		mg/L
Magnesium, total	LGW-14R	7/18/2017	0.98	0.2		mg/L
Magnesium, total	LGW-14R	1/25/2018	0.95	0.2		mg/L
Magnesium, total	LGW-14R	7/17/2018	0.89	0.2		mg/L
Magnesium, total	LGW-14R	1/3/2019	1	0.2		mg/L
Magnesium, total	LGW-14R	7/10/2019	1.1	0.2		mg/L
Magnesium, total	LGW-14R	1/16/2020	1.04	0.2		mg/L
Magnesium, total	LGW-14R	7/9/2020	1.08	0.2		mg/L
Magnesium, total	LGW-14R	1/18/2021	1.14	0.2		mg/L
Magnesium, total	LGW-14R	1/18/2021	1.14	0.2		mg/L
Magnesium, total	LGW-14R	7/7/2021	1.16	0.2		mg/L
Magnesium, total	LGW-14R	7/7/2021	1.15	0.2		mg/L
Magnesium, total	LGW-14R	1/12/2022	1.25	0.2		mg/L
Magnesium, total	LGW-14R	7/11/2022	1.2	0.2		mg/L
Magnesium, total	LGW-14R	1/10/2023	1.33	0.2		mg/L
Magnesium, total	LGW-14R	7/10/2023	1.39	0.2		mg/L
Magnesium, total	LGW-2	1/25/2006	6.5	1		mg/L
Magnesium, total	LGW-2	8/1/2006	4.4	0.2		mg/L
Magnesium, total	LGW-2	8/1/2006	4.4	0.2		mg/L
Magnesium, total	LGW-2	1/25/2007	1.7	0.2		mg/L
Magnesium, total	LGW-2	4/26/2007	1.3	0.2		mg/L
Magnesium, total	LGW-2	7/10/2007	4.4	0.2		mg/L
Magnesium, total	LGW-2	1/26/2008	3.1	0.2		mg/L
Magnesium, total	LGW-2	7/23/2008	6.9	0.2		mg/L
Magnesium, total	LGW-2	2/6/2009	6.4	0.2		mg/L
Magnesium, total	LGW-2	7/30/2009	5.2	0.2		mg/L
Magnesium, total	LGW-2	2/3/2010	4.2	0.2		mg/L
Magnesium, total	LGW-2	2/3/2010	4.2	0.2		mg/L
Magnesium, total	LGW-2	7/12/2010	4.6	0.2		mg/L
Magnesium, total	LGW-2	1/19/2011	5.2	0.2		mg/L
Magnesium, total	LGW-2	7/13/2011	1.8	0.2		mg/L
Magnesium, total	LGW-2	1/4/2012	2.1	0.2		mg/L
Magnesium, total	LGW-2	7/9/2012	3.2	0.2		mg/L
Magnesium, total	LGW-2	4/30/2013	1.5	0.2		mg/L
Magnesium, total	LGW-2	7/15/2013	1.3	0.2		mg/L
Magnesium, total	LGW-2	1/30/2014	3.8	0.2		mg/L
Magnesium, total	LGW-2	7/8/2014	3.5	0.2		mg/L
Magnesium, total	LGW-2	2/13/2015	3.3	0.2		mg/L
Magnesium, total	LGW-2	7/8/2015	1.1	0.2		mg/L
Magnesium, total	LGW-2	1/5/2016	1.4	0.2		mg/L
Magnesium, total	LGW-2	7/19/2016	1.4	0.2		mg/L
Magnesium, total	LGW-2	1/11/2017	3.6	0.2		mg/L
Magnesium, total	LGW-2	7/18/2017	1.7	0.2		mg/L
Magnesium, total	LGW-2	1/23/2018	1.8	0.2		mg/L
Magnesium, total	LGW-2	7/12/2018	1.8	0.2		mg/L
Magnesium, total	LGW-2	1/3/2019	1.7	0.2		mg/L
Magnesium, total	LGW-2	7/9/2019	1.7	0.2		mg/L
Magnesium, total	LGW-2	1/13/2020	1.08	0.2		mg/L
Magnesium, total	LGW-2	7/8/2020	0.994	0.2		mg/L
Magnesium, total	LGW-2	1/18/2021	1.1	0.2		mg/L
Magnesium, total	LGW-2	1/18/2021	1.1	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-2	7/4/2021	1.18	0.2		mg/L
Magnesium, total	LGW-2	7/4/2021	1.06	0.2		mg/L
Magnesium, total	LGW-2	1/12/2022	1.12	0.2		mg/L
Magnesium, total	LGW-2	7/10/2022	1.09	0.2		mg/L
Magnesium, total	LGW-2	1/10/2023	0.994	0.2		mg/L
Magnesium, total	LGW-2	7/10/2023	1.01	0.2		mg/L
Magnesium, total	LGW-3R	1/24/2006	2.8	1		mg/L
Magnesium, total	LGW-3R	7/20/2006	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/20/2006	2.6	0.2		mg/L
Magnesium, total	LGW-3R	1/25/2007	1.6	0.2		mg/L
Magnesium, total	LGW-3R	4/26/2007	2.3	0.2		mg/L
Magnesium, total	LGW-3R	7/11/2007	2.2	0.2		mg/L
Magnesium, total	LGW-3R	1/26/2008	2.4	0.2		mg/L
Magnesium, total	LGW-3R	7/23/2008	1.3	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2009	2.2	0.2		mg/L
Magnesium, total	LGW-3R	7/31/2009	2	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2010	2.1	0.2		mg/L
Magnesium, total	LGW-3R	2/3/2010	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/16/2010	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/19/2011	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/13/2011	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/4/2012	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/9/2012	2.5	0.2		mg/L
Magnesium, total	LGW-3R	4/30/2013	1.4	0.2		mg/L
Magnesium, total	LGW-3R	7/15/2013	1.9	0.2		mg/L
Magnesium, total	LGW-3R	1/22/2014	2	0.2		mg/L
Magnesium, total	LGW-3R	7/8/2014	2.1	0.2		mg/L
Magnesium, total	LGW-3R	2/10/2015	2.1	0.2		mg/L
Magnesium, total	LGW-3R	7/16/2015	2	0.2		mg/L
Magnesium, total	LGW-3R	1/8/2016	0.82	0.2		mg/L
Magnesium, total	LGW-3R	7/21/2016	1.4	0.2		mg/L
Magnesium, total	LGW-3R	1/11/2017	2.4	0.2		mg/L
Magnesium, total	LGW-3R	7/18/2017	2.2	0.2		mg/L
Magnesium, total	LGW-3R	1/23/2018	2.6	0.2		mg/L
Magnesium, total	LGW-3R	7/11/2018	2.1	0.2		mg/L
Magnesium, total	LGW-3R	1/3/2019	2.5	0.2		mg/L
Magnesium, total	LGW-3R	7/9/2019	1.5	0.2		mg/L
Magnesium, total	LGW-3R	1/14/2020	1.29	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2020	1.53	0.2		mg/L
Magnesium, total	LGW-3R	1/18/2021	1.61	0.2		mg/L
Magnesium, total	LGW-3R	1/18/2021	1.61	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2021	1.56	0.2		mg/L
Magnesium, total	LGW-3R	7/6/2021	1.67	0.2		mg/L
Magnesium, total	LGW-3R	1/12/2022	1.44	0.2		mg/L
Magnesium, total	LGW-3R	7/10/2022	1.22	0.2		mg/L
Magnesium, total	LGW-3R	1/10/2023	1.07	0.2		mg/L
Magnesium, total	LGW-3R	7/10/2023	0.945	0.2		mg/L
Magnesium, total	LGW-4	1/24/2006	1.9	1		mg/L
Magnesium, total	LGW-4	7/20/2006	2	0.2		mg/L
Magnesium, total	LGW-4	7/20/2006	2	0.2		mg/L
Magnesium, total	LGW-4	1/25/2007	2	0.2		mg/L
Magnesium, total	LGW-4	4/26/2007	1.9	0.2		mg/L
Magnesium, total	LGW-4	7/11/2007	2.3	0.2		mg/L
Magnesium, total	LGW-4	1/22/2008	2	0.2		mg/L
Magnesium, total	LGW-4	7/23/2008	2.1	0.2		mg/L
Magnesium, total	LGW-4	2/3/2009	2.4	0.2		mg/L
Magnesium, total	LGW-4	7/31/2009	1.7	0.2		mg/L
Magnesium, total	LGW-4	2/3/2010	1.7	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-4	2/3/2010	1.7	0.2		mg/L
Magnesium, total	LGW-4	7/16/2010	1.6	0.2		mg/L
Magnesium, total	LGW-4	1/19/2011	1.8	0.2		mg/L
Magnesium, total	LGW-4	7/13/2011	0.81	0.2		mg/L
Magnesium, total	LGW-4	1/4/2012	1.6	0.2		mg/L
Magnesium, total	LGW-4	7/9/2012	1.8	0.2		mg/L
Magnesium, total	LGW-4	4/30/2013	1.1	0.2		mg/L
Magnesium, total	LGW-4	7/15/2013	1.2	0.2		mg/L
Magnesium, total	LGW-4	1/23/2014	1.4	0.2		mg/L
Magnesium, total	LGW-4	7/8/2014	1.6	0.2		mg/L
Magnesium, total	LGW-4	2/11/2015	1.7	0.2		mg/L
Magnesium, total	LGW-4	7/8/2015	1.5	0.2		mg/L
Magnesium, total	LGW-4	1/5/2016	1	0.2		mg/L
Magnesium, total	LGW-4	7/19/2016	1.5	0.2		mg/L
Magnesium, total	LGW-4	1/11/2017	1.8	0.2		mg/L
Magnesium, total	LGW-4	7/18/2017	1.9	0.2		mg/L
Magnesium, total	LGW-4	1/23/2018	2.4	0.2		mg/L
Magnesium, total	LGW-4	7/11/2018	2	0.2		mg/L
Magnesium, total	LGW-4	1/3/2019	2	0.2		mg/L
Magnesium, total	LGW-4	7/9/2019	1.4	0.2		mg/L
Magnesium, total	LGW-4	1/14/2020	1.02	0.2		mg/L
Magnesium, total	LGW-4	7/6/2020	0.973	0.2		mg/L
Magnesium, total	LGW-4	1/18/2021	2.13	0.2		mg/L
Magnesium, total	LGW-4	1/18/2021	2.13	0.2		mg/L
Magnesium, total	LGW-4	7/7/2021	2.07	0.2		mg/L
Magnesium, total	LGW-4	7/7/2021	2.02	0.2		mg/L
Magnesium, total	LGW-4	1/12/2022	1.43	0.2		mg/L
Magnesium, total	LGW-4	7/11/2022	1.37	0.2		mg/L
Magnesium, total	LGW-4	1/10/2023	2.28	0.2		mg/L
Magnesium, total	LGW-4	7/10/2023	2.17	0.2		mg/L
Magnesium, total	LGW-5	1/25/2006	1.3	1		mg/L
Magnesium, total	LGW-5	8/1/2006	1.1	0.2		mg/L
Magnesium, total	LGW-5	8/1/2006	1.1	0.2		mg/L
Magnesium, total	LGW-5	1/25/2007	1.8	0.2		mg/L
Magnesium, total	LGW-5	4/26/2007	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/11/2007	2.1	0.2		mg/L
Magnesium, total	LGW-5	1/23/2008	1.1	0.2		mg/L
Magnesium, total	LGW-5	7/23/2008	1.8	0.2		mg/L
Magnesium, total	LGW-5	2/4/2009	1.9	0.2		mg/L
Magnesium, total	LGW-5	7/29/2009	1.7	0.2		mg/L
Magnesium, total	LGW-5	2/3/2010	1.8	0.2		mg/L
Magnesium, total	LGW-5	2/3/2010	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/12/2010	1.6	0.2		mg/L
Magnesium, total	LGW-5	1/19/2011	1.8	0.2		mg/L
Magnesium, total	LGW-5	7/12/2011	1.4	0.2		mg/L
Magnesium, total	LGW-5	1/5/2012	1.5	0.2		mg/L
Magnesium, total	LGW-5	7/9/2012	1.7	0.2		mg/L
Magnesium, total	LGW-5	4/30/2013	1.6	0.2		mg/L
Magnesium, total	LGW-5	7/15/2013	1.4	0.2		mg/L
Magnesium, total	LGW-5	1/23/2014	1.4	0.2		mg/L
Magnesium, total	LGW-5	7/8/2014	2	0.2		mg/L
Magnesium, total	LGW-5	2/10/2015	2.6	0.2		mg/L
Magnesium, total	LGW-5	7/8/2015	2	0.2		mg/L
Magnesium, total	LGW-5	1/5/2016	2.1	0.2		mg/L
Magnesium, total	LGW-5	7/19/2016	2.4	0.2		mg/L
Magnesium, total	LGW-5	1/11/2017	2.5	0.2		mg/L
Magnesium, total	LGW-5	7/18/2017	2.4	0.2		mg/L
Magnesium, total	LGW-5	1/23/2018	2.7	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-5	7/12/2018	2.5	0.2		mg/L
Magnesium, total	LGW-5	1/3/2019	3	0.2		mg/L
Magnesium, total	LGW-5	7/9/2019	3	0.2		mg/L
Magnesium, total	LGW-5	1/14/2020	3.39	0.2		mg/L
Magnesium, total	LGW-5	7/6/2020	3.42	0.2		mg/L
Magnesium, total	LGW-5	1/18/2021	4.25	0.2		mg/L
Magnesium, total	LGW-5	1/18/2021	4.25	0.2		mg/L
Magnesium, total	LGW-5	7/7/2021	4.24	0.2		mg/L
Magnesium, total	LGW-5	7/7/2021	4.33	0.2		mg/L
Magnesium, total	LGW-5	1/12/2022	4.34	0.2		mg/L
Magnesium, total	LGW-5	7/11/2022	4.04	0.2		mg/L
Magnesium, total	LGW-5	1/10/2023	4.18	0.2		mg/L
Magnesium, total	LGW-5	7/10/2023	4.19	0.2		mg/L
Magnesium, total	LGW-6	1/24/2006	2.3	1		mg/L
Magnesium, total	LGW-6	7/20/2006	2.2	0.2		mg/L
Magnesium, total	LGW-6	7/20/2006	2.2	0.2		mg/L
Magnesium, total	LGW-6	1/24/2007	1.8	0.2		mg/L
Magnesium, total	LGW-6	4/26/2007	1.8	0.2		mg/L
Magnesium, total	LGW-6	7/11/2007	2.1	0.2		mg/L
Magnesium, total	LGW-6	1/23/2008	1.9	0.2		mg/L
Magnesium, total	LGW-6	7/23/2008	2	0.2		mg/L
Magnesium, total	LGW-6	2/5/2009	2.1	0.2		mg/L
Magnesium, total	LGW-6	7/29/2009	2.1	0.2		mg/L
Magnesium, total	LGW-6	2/3/2010	2	0.2		mg/L
Magnesium, total	LGW-6	2/3/2010	2	0.2		mg/L
Magnesium, total	LGW-6	7/12/2010	1.9	0.2		mg/L
Magnesium, total	LGW-6	1/19/2011	2	0.2		mg/L
Magnesium, total	LGW-6	7/12/2011	1.8	0.2		mg/L
Magnesium, total	LGW-6	1/5/2012	2	0.2		mg/L
Magnesium, total	LGW-6	7/9/2012	2	0.2		mg/L
Magnesium, total	LGW-6	4/30/2013	2	0.2		mg/L
Magnesium, total	LGW-6	7/15/2013	1.9	0.2		mg/L
Magnesium, total	LGW-6	1/23/2014	2	0.2		mg/L
Magnesium, total	LGW-6	7/8/2014	1.9	0.2		mg/L
Magnesium, total	LGW-6	2/10/2015	2.2	0.2		mg/L
Magnesium, total	LGW-6	7/22/2015	2.2	0.2		mg/L
Magnesium, total	LGW-6	1/5/2016	2.3	0.2		mg/L
Magnesium, total	LGW-6	7/19/2016	3	0.2		mg/L
Magnesium, total	LGW-6	10/6/2016	3.7	0.2		mg/L
Magnesium, total	LGW-6	1/11/2017	3.2	0.2		mg/L
Magnesium, total	LGW-6	5/5/2017	3.8	1		mg/L
Magnesium, total	LGW-6	7/18/2017	3.2	0.2		mg/L
Magnesium, total	LGW-6	10/5/2017	2.7	0.4		mg/L
Magnesium, total	LGW-6	1/23/2018	3.5	1		mg/L
Magnesium, total	LGW-6	4/10/2018	3.4	0.2		mg/L
Magnesium, total	LGW-6	7/17/2018	3.4	0.2		mg/L
Magnesium, total	LGW-6	10/2/2018	3.8	0.4		mg/L
Magnesium, total	LGW-6	1/7/2019	3.7	0.2		mg/L
Magnesium, total	LGW-6	4/3/2019	3.7	0.2		mg/L
Magnesium, total	LGW-6	7/10/2019	3.8	0.2		mg/L
Magnesium, total	LGW-6	7/10/2019	3.9	0.2		mg/L
Magnesium, total	LGW-6	10/3/2019	3.6	0.2		mg/L
Magnesium, total	LGW-6	1/16/2020	4.27	0.2		mg/L
Magnesium, total	LGW-6	7/9/2020	4.65	0.2		mg/L
Magnesium, total	LGW-6	1/18/2021	5.1	0.2		mg/L
Magnesium, total	LGW-6	7/7/2021	4.68	0.2		mg/L
Magnesium, total	LGW-6	7/7/2021	4.51	0.2		mg/L
Magnesium, total	LGW-6	1/12/2022	4.51	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-6	7/11/2022	4.44	0.2		mg/L
Magnesium, total	LGW-6	1/10/2023	4.46	0.2		mg/L
Magnesium, total	LGW-6	7/10/2023	4.46	0.2		mg/L
Magnesium, total	LGW-7	1/25/2006	1.8	1		mg/L
Magnesium, total	LGW-7	8/1/2006	1.6	0.2		mg/L
Magnesium, total	LGW-7	8/1/2006	1.6	0.2		mg/L
Magnesium, total	LGW-7	1/24/2007	2.2	0.2		mg/L
Magnesium, total	LGW-7	4/26/2007	2.1	0.2		mg/L
Magnesium, total	LGW-7	7/12/2007	2.3	0.2		mg/L
Magnesium, total	LGW-7	7/22/2008	2.1	0.2		mg/L
Magnesium, total	LGW-7	2/4/2009	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/31/2009	2	0.2		mg/L
Magnesium, total	LGW-7	1/27/2010	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/12/2010	1.9	0.2		mg/L
Magnesium, total	LGW-7	1/20/2011	2.4	0.2		mg/L
Magnesium, total	LGW-7	7/12/2011	1.9	0.2		mg/L
Magnesium, total	LGW-7	1/5/2012	2.3	0.2		mg/L
Magnesium, total	LGW-7	7/10/2012	2.5	0.2		mg/L
Magnesium, total	LGW-7	4/30/2013	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/15/2013	2.3	0.2		mg/L
Magnesium, total	LGW-7	1/23/2014	2.8	0.2		mg/L
Magnesium, total	LGW-7	7/8/2014	3.1	0.2		mg/L
Magnesium, total	LGW-7	2/11/2015	4	0.2		mg/L
Magnesium, total	LGW-7	7/22/2015	3.9	0.2		mg/L
Magnesium, total	LGW-7	1/5/2016	4.4	0.2		mg/L
Magnesium, total	LGW-7	4/6/2016	5.1	0.2		mg/L
Magnesium, total	LGW-7	7/20/2016	4.6	0.2		mg/L
Magnesium, total	LGW-7	10/6/2016	4.6	0.2		mg/L
Magnesium, total	LGW-7	1/11/2017	2.3	0.2		mg/L
Magnesium, total	LGW-7	4/4/2017	2.2	0.2		mg/L
Magnesium, total	LGW-7	7/18/2017	1.2	0.2		mg/L
Magnesium, total	LGW-7	10/5/2017	3.5	0.4		mg/L
Magnesium, total	LGW-7	1/24/2018	4	1		mg/L
Magnesium, total	LGW-7	4/11/2018	3.9	0.2		mg/L
Magnesium, total	LGW-7	7/12/2018	3.4	0.2		mg/L
Magnesium, total	LGW-7	10/2/2018	3.8	0.2		mg/L
Magnesium, total	LGW-7	1/7/2019	3.4	0.2		mg/L
Magnesium, total	LGW-7	4/3/2019	3.2	0.2		mg/L
Magnesium, total	LGW-7	7/10/2019	3.7	0.2		mg/L
Magnesium, total	LGW-7	7/10/2019	3.4	0.2		mg/L
Magnesium, total	LGW-7	10/3/2019	2.6	0.2		mg/L
Magnesium, total	LGW-7	1/15/2020	2.79	0.2		mg/L
Magnesium, total	LGW-7	7/9/2020	1.71	0.2		mg/L
Magnesium, total	LGW-7	1/18/2021	1.65	0.2		mg/L
Magnesium, total	LGW-7	7/7/2021	2.06	0.2		mg/L
Magnesium, total	LGW-7	7/7/2021	1.88	0.2		mg/L
Magnesium, total	LGW-7	1/13/2022	1.67	0.2		mg/L
Magnesium, total	LGW-7	7/11/2022	3.03	0.2		mg/L
Magnesium, total	LGW-7	1/11/2023	1.64	0.2		mg/L
Magnesium, total	LGW-7	7/10/2023	2.67	0.2		mg/L
Magnesium, total	LGW-8R	1/24/2006	2.7	1		mg/L
Magnesium, total	LGW-8R	7/20/2006	2.8	0.2		mg/L
Magnesium, total	LGW-8R	7/20/2006	2.8	0.2		mg/L
Magnesium, total	LGW-8R	1/24/2007	2.8	0.2		mg/L
Magnesium, total	LGW-8R	4/25/2007	2.9	0.2		mg/L
Magnesium, total	LGW-8R	7/12/2007	3.1	0.2		mg/L
Magnesium, total	LGW-8R	2/4/2009	2.1	0.2	ND	mg/L
Magnesium, total	LGW-8R	7/29/2009	2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-8R	1/27/2010	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/14/2010	1.9	0.2		mg/L
Magnesium, total	LGW-8R	1/20/2011	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/12/2011	1.8	0.2		mg/L
Magnesium, total	LGW-8R	1/5/2012	2.2	0.2		mg/L
Magnesium, total	LGW-8R	7/9/2012	2.1	0.2		mg/L
Magnesium, total	LGW-8R	4/30/2013	2.1	0.2	ND	mg/L
Magnesium, total	LGW-8R	7/15/2013	1.8	0.2	ND	mg/L
Magnesium, total	LGW-8R	1/22/2014	1.9	0.2		mg/L
Magnesium, total	LGW-8R	7/8/2014	1.9	0.2		mg/L
Magnesium, total	LGW-8R	2/11/2015	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/22/2015	2.2	0.2		mg/L
Magnesium, total	LGW-8R	1/5/2016	2.1	0.2		mg/L
Magnesium, total	LGW-8R	7/20/2016	2.3	0.2		mg/L
Magnesium, total	LGW-8R	1/11/2017	2.2	0.2		mg/L
Magnesium, total	LGW-8R	7/18/2017	2.5	0.2		mg/L
Magnesium, total	LGW-8R	1/25/2018	2.6	0.2		mg/L
Magnesium, total	LGW-8R	7/13/2018	2.4	0.2		mg/L
Magnesium, total	LGW-8R	1/7/2019	2.6	0.2		mg/L
Magnesium, total	LGW-8R	7/8/2019	2.7	0.2		mg/L
Magnesium, total	LGW-8R	1/14/2020	2.67	0.2		mg/L
Magnesium, total	LGW-8R	7/7/2020	2.68	0.2		mg/L
Magnesium, total	LGW-8R	1/17/2021	2.86	0.2		mg/L
Magnesium, total	LGW-8R	7/7/2021	3.05	0.2		mg/L
Magnesium, total	LGW-8R	7/7/2021	2.92	0.2		mg/L
Magnesium, total	LGW-8R	1/13/2022	3.07	0.2		mg/L
Magnesium, total	LGW-8R	7/11/2022	3.02	0.2		mg/L
Magnesium, total	LGW-8R	1/11/2023	3.1	0.2		mg/L
Magnesium, total	LGW-8R	7/10/2023	3.3	0.2		mg/L
Magnesium, total	LGW-9	1/25/2006	4.8	1		mg/L
Magnesium, total	LGW-9	7/20/2006	4.4	0.2		mg/L
Magnesium, total	LGW-9	7/20/2006	4.4	0.2		mg/L
Magnesium, total	LGW-9	1/25/2007	4	0.2		mg/L
Magnesium, total	LGW-9	4/25/2007	4.4	0.2		mg/L
Magnesium, total	LGW-9	7/10/2007	4.5	0.2		mg/L
Magnesium, total	LGW-9	7/22/2008	4.4	0.2		mg/L
Magnesium, total	LGW-9	2/4/2009	3.9	0.2		mg/L
Magnesium, total	LGW-9	7/29/2009	3.8	0.2		mg/L
Magnesium, total	LGW-9	1/27/2010	4.3	0.2		mg/L
Magnesium, total	LGW-9	7/14/2010	4.2	0.2		mg/L
Magnesium, total	LGW-9	1/20/2011	4.8	0.2		mg/L
Magnesium, total	LGW-9	7/12/2011	4.6	0.2		mg/L
Magnesium, total	LGW-9	1/5/2012	4.9	0.2		mg/L
Magnesium, total	LGW-9	7/10/2012	4.8	0.2		mg/L
Magnesium, total	LGW-9	5/1/2013	5.1	0.2		mg/L
Magnesium, total	LGW-9	7/15/2013	4	0.2		mg/L
Magnesium, total	LGW-9	1/23/2014	3.6	0.2		mg/L
Magnesium, total	LGW-9	7/8/2014	3.9	0.2		mg/L
Magnesium, total	LGW-9	2/11/2015	5.5	0.2		mg/L
Magnesium, total	LGW-9	7/13/2015	4.5	0.2		mg/L
Magnesium, total	LGW-9	1/5/2016	4.6	0.2		mg/L
Magnesium, total	LGW-9	7/21/2016	5.8	0.2		mg/L
Magnesium, total	LGW-9	10/6/2016	6.8	0.2		mg/L
Magnesium, total	LGW-9	1/11/2017	6.9	0.2		mg/L
Magnesium, total	LGW-9	5/5/2017	7.4	0.2		mg/L
Magnesium, total	LGW-9	7/18/2017	7.9	0.2		mg/L
Magnesium, total	LGW-9	10/5/2017	6.8	0.2		mg/L
Magnesium, total	LGW-9	1/24/2018	8	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	LGW-9	4/11/2018	9.8	0.2		mg/L
Magnesium, total	LGW-9	7/13/2018	9.1	0.2		mg/L
Magnesium, total	LGW-9	10/2/2018	8.9	0.2		mg/L
Magnesium, total	LGW-9	1/7/2019	8.5	0.2		mg/L
Magnesium, total	LGW-9	4/3/2019	9.7	0.2		mg/L
Magnesium, total	LGW-9	7/10/2019	7.8	0.2		mg/L
Magnesium, total	LGW-9	7/10/2019	7.9	0.2		mg/L
Magnesium, total	LGW-9	10/3/2019	6.1	0.2		mg/L
Magnesium, total	LGW-9	1/16/2020	6.75	0.2		mg/L
Magnesium, total	LGW-9	7/9/2020	6.67	0.2		mg/L
Magnesium, total	LGW-9	1/17/2021	3.72	0.2		mg/L
Magnesium, total	LGW-9	7/7/2021	9.45	0.2		mg/L
Magnesium, total	LGW-9	7/7/2021	9.68	0.2		mg/L
Magnesium, total	LGW-9	1/13/2022	7.92	0.2		mg/L
Magnesium, total	LGW-9	7/11/2022	8.13	0.2		mg/L
Magnesium, total	LGW-9	1/11/2023	7.45	0.2		mg/L
Magnesium, total	LGW-9	7/10/2023	8.25	0.2		mg/L
Magnesium, total	MW-10N	10/22/1997	15.3	0.05		mg/L
Magnesium, total	MW-10N	1/22/1998	13.9	0.05		mg/L
Magnesium, total	MW-10N	4/28/1998	15.2	0.05		mg/L
Magnesium, total	MW-10N	7/23/1998	16.1	0.05		mg/L
Magnesium, total	MW-10N	7/8/2003	15	1		mg/L
Magnesium, total	MW-10N	1/28/2004	15.7	1		mg/L
Magnesium, total	MW-10N	7/27/2004	15.9	1		mg/L
Magnesium, total	MW-10N	1/12/2005	14.4	1		mg/L
Magnesium, total	MW-10N	7/20/2005	11.9	1		mg/L
Magnesium, total	MW-10N	1/19/2006	16.2	1		mg/L
Magnesium, total	MW-10N	7/19/2006	14	0.2		mg/L
Magnesium, total	MW-10N	7/19/2006	14	0.2		mg/L
Magnesium, total	MW-10N	1/24/2007	14	0.2		mg/L
Magnesium, total	MW-10N	7/10/2007	11	0.2		mg/L
Magnesium, total	MW-10N	1/23/2008	12	0.2		mg/L
Magnesium, total	MW-10N	7/21/2008	12	0.2		mg/L
Magnesium, total	MW-10N	2/13/2009	14	0.2		mg/L
Magnesium, total	MW-10N	7/31/2009	13	0.2		mg/L
Magnesium, total	MW-10N	1/27/2010	14	0.2		mg/L
Magnesium, total	MW-10N	8/10/2010	13	0.2		mg/L
Magnesium, total	MW-10N	1/19/2011	13	0.2		mg/L
Magnesium, total	MW-10N	7/14/2011	11	0.2		mg/L
Magnesium, total	MW-10N	1/5/2012	12	0.2		mg/L
Magnesium, total	MW-10N	7/10/2012	11	0.2		mg/L
Magnesium, total	MW-10N	5/1/2013	12	0.2		mg/L
Magnesium, total	MW-10N	1/24/2014	11	0.2		mg/L
Magnesium, total	MW-10N	7/9/2014	12	0.2		mg/L
Magnesium, total	MW-10N	2/12/2015	12	0.2		mg/L
Magnesium, total	MW-10N	7/14/2015	12	0.2		mg/L
Magnesium, total	MW-10N	1/6/2016	12	0.2		mg/L
Magnesium, total	MW-10N	7/21/2016	12	0.2		mg/L
Magnesium, total	MW-10N	1/11/2017	12	0.2		mg/L
Magnesium, total	MW-10N	7/19/2017	11	0.2		mg/L
Magnesium, total	MW-10N	1/24/2018	13	0.2		mg/L
Magnesium, total	MW-10N	7/11/2018	11	0.2		mg/L
Magnesium, total	MW-10N	1/3/2019	12	0.2		mg/L
Magnesium, total	MW-10N	7/9/2019	11	0.2		mg/L
Magnesium, total	MW-10N	1/16/2020	11.7	0.2		mg/L
Magnesium, total	MW-10N	7/8/2020	10.3	0.2		mg/L
Magnesium, total	MW-10N	1/13/2021	10.3	0.2		mg/L
Magnesium, total	MW-10N	7/5/2021	10.2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-10N	7/5/2021	10.8	0.2		mg/L
Magnesium, total	MW-10N	1/11/2023	10.3	0.2		mg/L
Magnesium, total	MW-10N	7/7/2023	11.3	0.2		mg/L
Magnesium, total	MW-11N	10/22/1997	3.6	0.05		mg/L
Magnesium, total	MW-11N	1/21/1998	1.3	0.05		mg/L
Magnesium, total	MW-11N	4/28/1998	1.3	0.05		mg/L
Magnesium, total	MW-11N	7/23/1998	1	0.05		mg/L
Magnesium, total	MW-11N	7/8/2003	1	1		mg/L
Magnesium, total	MW-11N	1/29/2004	1	1		mg/L
Magnesium, total	MW-11N	7/27/2004	1	1		mg/L
Magnesium, total	MW-11N	1/13/2005	1	1	ND	mg/L
Magnesium, total	MW-11N	7/20/2005	1	1	ND	mg/L
Magnesium, total	MW-11N	1/19/2006	1.1	1		mg/L
Magnesium, total	MW-11N	7/18/2006	1	0.2		mg/L
Magnesium, total	MW-11N	7/18/2006	1	0.2		mg/L
Magnesium, total	MW-11N	1/24/2007	0.86	0.2		mg/L
Magnesium, total	MW-11N	7/10/2007	0.78	0.2		mg/L
Magnesium, total	MW-11N	1/22/2008	0.69	0.2		mg/L
Magnesium, total	MW-11N	7/23/2008	0.63	0.2		mg/L
Magnesium, total	MW-11N	2/3/2009	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/31/2009	0.69	0.2		mg/L
Magnesium, total	MW-11N	2/3/2010	0.63	0.2		mg/L
Magnesium, total	MW-11N	2/3/2010	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/16/2010	0.61	0.2		mg/L
Magnesium, total	MW-11N	1/19/2011	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/13/2011	0.58	0.2		mg/L
Magnesium, total	MW-11N	1/4/2012	0.63	0.2		mg/L
Magnesium, total	MW-11N	7/9/2012	0.7	0.2		mg/L
Magnesium, total	MW-11N	4/30/2013	0.73	0.2		mg/L
Magnesium, total	MW-11N	7/15/2013	0.62	0.2		mg/L
Magnesium, total	MW-11N	1/23/2014	0.64	0.2		mg/L
Magnesium, total	MW-11N	7/8/2014	0.74	0.2		mg/L
Magnesium, total	MW-11N	2/10/2015	0.66	0.2		mg/L
Magnesium, total	MW-11N	7/13/2015	0.72	0.2		mg/L
Magnesium, total	MW-11N	1/5/2016	0.65	0.2		mg/L
Magnesium, total	MW-11N	7/21/2016	0.7	0.2		mg/L
Magnesium, total	MW-11N	1/11/2017	0.69	0.2		mg/L
Magnesium, total	MW-11N	7/19/2017	0.75	0.2		mg/L
Magnesium, total	MW-11N	1/23/2018	0.71	0.2		mg/L
Magnesium, total	MW-11N	7/17/2018	0.66	0.2		mg/L
Magnesium, total	MW-11N	1/2/2019	0.73	0.2		mg/L
Magnesium, total	MW-11N	7/9/2019	0.7	0.2		mg/L
Magnesium, total	MW-11N	1/14/2020	0.66	0.2		mg/L
Magnesium, total	MW-11N	7/6/2020	0.658	0.2		mg/L
Magnesium, total	MW-11N	1/18/2021	0.622	0.2		mg/L
Magnesium, total	MW-11N	1/18/2021	0.622	0.2		mg/L
Magnesium, total	MW-11N	7/6/2021	0.68	0.2		mg/L
Magnesium, total	MW-11N	7/6/2021	0.661	0.2		mg/L
Magnesium, total	MW-11N	1/18/2022	0.664	0.2		mg/L
Magnesium, total	MW-11N	7/13/2022	0.66	0.2		mg/L
Magnesium, total	MW-11N	1/10/2023	0.604	0.2		mg/L
Magnesium, total	MW-11N	7/8/2023	0.572	0.2		mg/L
Magnesium, total	MW-15	6/5/2015	1.4	0.2		mg/L
Magnesium, total	MW-15	7/15/2015	1.1	0.2		mg/L
Magnesium, total	MW-15	8/5/2015	1.6	0.2		mg/L
Magnesium, total	MW-15	9/3/2015	1.3	0.2		mg/L
Magnesium, total	MW-15	1/7/2016	1.9	0.2		mg/L
Magnesium, total	MW-15	4/5/2016	1.5	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-15	7/20/2016	1.4	0.2		mg/L
Magnesium, total	MW-15	10/6/2016	1.3	0.2		mg/L
Magnesium, total	MW-15	1/10/2017	1.3	0.2		mg/L
Magnesium, total	MW-15	7/18/2017	2.2	0.2		mg/L
Magnesium, total	MW-15	1/23/2018	2.2	0.2		mg/L
Magnesium, total	MW-15	7/10/2018	2.1	0.2		mg/L
Magnesium, total	MW-15	1/3/2019	2.3	0.2		mg/L
Magnesium, total	MW-15	7/9/2019	1.6	0.2		mg/L
Magnesium, total	MW-15	1/14/2020	1.99	0.2		mg/L
Magnesium, total	MW-15	7/7/2020	2.19	0.2		mg/L
Magnesium, total	MW-15	1/18/2021	3.23	0.2		mg/L
Magnesium, total	MW-15	1/18/2021	3.23	0.2		mg/L
Magnesium, total	MW-15	7/4/2021	3.64	0.2		mg/L
Magnesium, total	MW-15	7/4/2021	3.74	0.2		mg/L
Magnesium, total	MW-15	1/12/2022	4.68	0.2		mg/L
Magnesium, total	MW-15	7/10/2022	3.99	0.2		mg/L
Magnesium, total	MW-15	1/10/2023	4.24	0.2		mg/L
Magnesium, total	MW-15	7/10/2023	4.33	0.2		mg/L
Magnesium, total	MW-16	6/5/2015	1.8	0.2		mg/L
Magnesium, total	MW-16	7/16/2015	1.6	0.2		mg/L
Magnesium, total	MW-16	8/5/2015	1.9	0.2		mg/L
Magnesium, total	MW-16	9/3/2015	2.3	0.2		mg/L
Magnesium, total	MW-16	1/8/2016	2.1	0.2		mg/L
Magnesium, total	MW-16	4/5/2016	2.4	0.2		mg/L
Magnesium, total	MW-16	7/21/2016	1.8	0.2		mg/L
Magnesium, total	MW-16	10/5/2016	1.6	0.2		mg/L
Magnesium, total	MW-16	1/10/2017	1.9	0.2		mg/L
Magnesium, total	MW-16	7/18/2017	2	0.2		mg/L
Magnesium, total	MW-16	1/23/2018	1.4	0.2		mg/L
Magnesium, total	MW-16	7/11/2018	1.4	0.2		mg/L
Magnesium, total	MW-16	1/2/2019	1.4	0.2		mg/L
Magnesium, total	MW-16	7/10/2019	1.3	0.2		mg/L
Magnesium, total	MW-16	1/14/2020	1.58	0.2		mg/L
Magnesium, total	MW-16	7/7/2020	1.46	0.2		mg/L
Magnesium, total	MW-16	1/18/2021	1.21	0.2		mg/L
Magnesium, total	MW-16	1/18/2021	1.21	0.2		mg/L
Magnesium, total	MW-16	7/4/2021	1.36	0.2		mg/L
Magnesium, total	MW-16	7/4/2021	1.31	0.2		mg/L
Magnesium, total	MW-16	1/12/2022	1.21	0.2		mg/L
Magnesium, total	MW-16	7/10/2022	1.39	0.2		mg/L
Magnesium, total	MW-16	1/10/2023	1.13	0.2		mg/L
Magnesium, total	MW-16	7/10/2023	1.23	0.2		mg/L
Magnesium, total	MW-17	6/5/2015	1.3	0.2		mg/L
Magnesium, total	MW-17	7/15/2015	1.2	0.2		mg/L
Magnesium, total	MW-17	8/4/2015	1.3	0.2		mg/L
Magnesium, total	MW-17	9/2/2015	1.4	0.2		mg/L
Magnesium, total	MW-17	1/7/2016	0.44	0.2		mg/L
Magnesium, total	MW-17	4/5/2016	1.1	0.2		mg/L
Magnesium, total	MW-17	7/20/2016	1.2	0.2		mg/L
Magnesium, total	MW-17	10/6/2016	3.1	0.2		mg/L
Magnesium, total	MW-17	1/10/2017	3	0.2		mg/L
Magnesium, total	MW-17	7/18/2017	3.3	0.2		mg/L
Magnesium, total	MW-17	1/23/2018	2.1	0.2		mg/L
Magnesium, total	MW-17	7/10/2018	2.5	0.2		mg/L
Magnesium, total	MW-17	1/3/2019	2.6	0.2		mg/L
Magnesium, total	MW-17	7/11/2019	3.1	0.2		mg/L
Magnesium, total	MW-17	1/14/2020	3.88	0.2		mg/L
Magnesium, total	MW-17	7/6/2020	3.89	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-17	1/14/2021	2.59	0.2		mg/L
Magnesium, total	MW-17	7/4/2021	4.32	0.2		mg/L
Magnesium, total	MW-17	7/4/2021	4.4	0.2		mg/L
Magnesium, total	MW-17	1/10/2023	3.05	0.2		mg/L
Magnesium, total	MW-17	7/8/2023	2.64	0.2		mg/L
Magnesium, total	MW-19	6/5/2015	2.2	0.2		mg/L
Magnesium, total	MW-19	7/16/2015	2.9	0.2		mg/L
Magnesium, total	MW-19	8/5/2015	1.9	0.2		mg/L
Magnesium, total	MW-19	9/3/2015	2	0.2		mg/L
Magnesium, total	MW-19	1/7/2016	2.1	0.2		mg/L
Magnesium, total	MW-19	4/5/2016	2.2	0.2		mg/L
Magnesium, total	MW-19	7/21/2016	1.5	0.2		mg/L
Magnesium, total	MW-19	10/5/2016	2	0.2		mg/L
Magnesium, total	MW-19	1/10/2017	1.8	0.2		mg/L
Magnesium, total	MW-19	7/18/2017	5.6	0.2		mg/L
Magnesium, total	MW-19	1/23/2018	2	0.2		mg/L
Magnesium, total	MW-19	7/13/2018	1.5	0.2		mg/L
Magnesium, total	MW-19	1/7/2019	1.5	0.2		mg/L
Magnesium, total	MW-19	7/11/2019	2.1	0.2		mg/L
Magnesium, total	MW-19	1/14/2020	3.53	0.2		mg/L
Magnesium, total	MW-19	7/6/2020	3.24	0.2		mg/L
Magnesium, total	MW-19	1/14/2021	3.34	0.2		mg/L
Magnesium, total	MW-19	7/4/2021	2.84	0.2		mg/L
Magnesium, total	MW-19	7/4/2021	2.96	0.2		mg/L
Magnesium, total	MW-19	1/11/2023	1.69	0.2		mg/L
Magnesium, total	MW-19	7/10/2023	1.54	0.2		mg/L
Magnesium, total	MW-1N	10/22/1997	2.8	0.05		mg/L
Magnesium, total	MW-1N	1/20/1998	3.7	0.05		mg/L
Magnesium, total	MW-1N	4/28/1998	3	0.05		mg/L
Magnesium, total	MW-1N	7/23/1998	3.8	0.05		mg/L
Magnesium, total	MW-1N	7/8/2003	2.5	1		mg/L
Magnesium, total	MW-1N	1/28/2004	3	1		mg/L
Magnesium, total	MW-1N	7/27/2004	3.3	1		mg/L
Magnesium, total	MW-1N	1/12/2005	3.2	1		mg/L
Magnesium, total	MW-1N	7/20/2005	3.1	1		mg/L
Magnesium, total	MW-1N	1/18/2006	3.6	1		mg/L
Magnesium, total	MW-1N	7/18/2006	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/18/2006	3.3	0.2		mg/L
Magnesium, total	MW-1N	1/26/2007	3.4	0.2		mg/L
Magnesium, total	MW-1N	7/11/2007	3.4	0.2		mg/L
Magnesium, total	MW-1N	1/24/2008	3.2	0.2		mg/L
Magnesium, total	MW-1N	7/21/2008	3.1	0.2		mg/L
Magnesium, total	MW-1N	2/5/2009	3.2	0.2		mg/L
Magnesium, total	MW-1N	7/31/2009	3.1	0.2		mg/L
Magnesium, total	MW-1N	1/26/2010	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/13/2010	2.9	0.2		mg/L
Magnesium, total	MW-1N	1/20/2011	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/13/2011	2.3	0.2		mg/L
Magnesium, total	MW-1N	1/5/2012	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/10/2012	2.8	0.2		mg/L
Magnesium, total	MW-1N	5/1/2013	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/16/2013	2.9	0.2		mg/L
Magnesium, total	MW-1N	1/24/2014	2.9	0.2		mg/L
Magnesium, total	MW-1N	7/9/2014	3.1	0.2		mg/L
Magnesium, total	MW-1N	2/10/2015	3.3	0.2		mg/L
Magnesium, total	MW-1N	7/14/2015	2.7	0.2		mg/L
Magnesium, total	MW-1N	1/6/2016	2.5	0.2		mg/L
Magnesium, total	MW-1N	7/21/2016	3	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-1N	1/12/2017	3.4	0.2		mg/L
Magnesium, total	MW-1N	7/19/2017	3.6	0.2		mg/L
Magnesium, total	MW-1N	1/23/2018	3.2	0.2		mg/L
Magnesium, total	MW-1N	7/10/2018	3	0.2		mg/L
Magnesium, total	MW-1N	1/3/2019	3.1	0.2		mg/L
Magnesium, total	MW-1N	7/11/2019	3.2	0.2		mg/L
Magnesium, total	MW-1N	1/23/2020	3.6	0.2		mg/L
Magnesium, total	MW-1N	7/6/2020	3.54	0.2		mg/L
Magnesium, total	MW-1N	1/14/2021	3.15	0.2		mg/L
Magnesium, total	MW-1N	7/4/2021	3.27	0.2		mg/L
Magnesium, total	MW-1N	7/4/2021	3.28	0.2		mg/L
Magnesium, total	MW-1N	1/11/2023	3.23	0.2		mg/L
Magnesium, total	MW-1N	7/8/2023	3.27	0.2		mg/L
Magnesium, total	MW-20	6/5/2015	3.1	0.2		mg/L
Magnesium, total	MW-20	7/14/2015	3	0.2		mg/L
Magnesium, total	MW-20	8/4/2015	3.3	0.2		mg/L
Magnesium, total	MW-20	9/2/2015	3.2	0.2		mg/L
Magnesium, total	MW-20	1/7/2016	4.4	0.2		mg/L
Magnesium, total	MW-20	4/5/2016	2.6	0.2		mg/L
Magnesium, total	MW-20	7/20/2016	2.3	0.2		mg/L
Magnesium, total	MW-20	10/5/2016	2.1	0.2		mg/L
Magnesium, total	MW-20	1/12/2017	2.2	0.2		mg/L
Magnesium, total	MW-20	7/18/2017	2.6	0.2		mg/L
Magnesium, total	MW-20	1/26/2018	2.8	0.2		mg/L
Magnesium, total	MW-20	7/12/2018	2.3	0.2		mg/L
Magnesium, total	MW-20	7/11/2019	3.2	0.2		mg/L
Magnesium, total	MW-20	1/14/2020	2.63	0.2		mg/L
Magnesium, total	MW-20	7/7/2020	2.61	0.2		mg/L
Magnesium, total	MW-20	1/17/2021	2.76	0.2		mg/L
Magnesium, total	MW-20	7/4/2021	2.9	0.2		mg/L
Magnesium, total	MW-20	7/4/2021	2.89	0.2		mg/L
Magnesium, total	MW-20	1/11/2023	2.69	0.2		mg/L
Magnesium, total	MW-21	6/5/2015	11	0.2		mg/L
Magnesium, total	MW-21	7/14/2015	11	0.2		mg/L
Magnesium, total	MW-21	8/4/2015	11	0.2		mg/L
Magnesium, total	MW-21	9/2/2015	11	0.2		mg/L
Magnesium, total	MW-21	1/7/2016	8	0.2		mg/L
Magnesium, total	MW-21	4/5/2016	9.8	0.2		mg/L
Magnesium, total	MW-21	7/20/2016	9.5	0.2		mg/L
Magnesium, total	MW-21	10/5/2016	8.2	0.2		mg/L
Magnesium, total	MW-21	10/5/2016	8.3	0.2		mg/L
Magnesium, total	MW-21	1/10/2017	8.5	0.2		mg/L
Magnesium, total	MW-21	4/5/2017	8.8	0.2		mg/L
Magnesium, total	MW-21	7/19/2017	9	0.2		mg/L
Magnesium, total	MW-21	10/6/2017	8.3	0.2		mg/L
Magnesium, total	MW-21	1/24/2018	8.1	0.2		mg/L
Magnesium, total	MW-21	4/11/2018	11	0.2		mg/L
Magnesium, total	MW-21	7/11/2018	8.7	0.2		mg/L
Magnesium, total	MW-21	10/4/2018	8.7	0.2		mg/L
Magnesium, total	MW-21	1/3/2019	11	0.2		mg/L
Magnesium, total	MW-21	4/3/2019	9.4	0.2		mg/L
Magnesium, total	MW-21	7/11/2019	8.8	0.2		mg/L
Magnesium, total	MW-21	7/11/2019	8.9	0.2		mg/L
Magnesium, total	MW-21	10/2/2019	8.3	0.2		mg/L
Magnesium, total	MW-21	1/16/2020	8.7	0.2		mg/L
Magnesium, total	MW-21	7/8/2020	8.35	0.2		mg/L
Magnesium, total	MW-21	1/13/2021	7.56	0.2		mg/L
Magnesium, total	MW-21	7/5/2021	7.26	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-21	7/5/2021	7.21	0.2		mg/L
Magnesium, total	MW-21	1/11/2023	5.69	0.2		mg/L
Magnesium, total	MW-21	7/7/2023	5.99	0.2		mg/L
Magnesium, total	MW-2N	10/22/1997	0.98	0.05		mg/L
Magnesium, total	MW-2N	1/21/1998	0.73	0.05		mg/L
Magnesium, total	MW-2N	4/28/1998	0.7	0.05		mg/L
Magnesium, total	MW-2N	7/22/1998	0.72	0.05		mg/L
Magnesium, total	MW-2N	7/7/2003	1	1	ND	mg/L
Magnesium, total	MW-2N	1/28/2004	1	1	ND	mg/L
Magnesium, total	MW-2N	7/27/2004	1	1	ND	mg/L
Magnesium, total	MW-2N	1/12/2005	1	1	ND	mg/L
Magnesium, total	MW-2N	7/20/2005	1	1	ND	mg/L
Magnesium, total	MW-2N	1/19/2006	1	1	ND	mg/L
Magnesium, total	MW-2N	7/19/2006	0.62	0.2		mg/L
Magnesium, total	MW-2N	7/19/2006	0.62	0.2		mg/L
Magnesium, total	MW-2N	1/26/2007	0.67	0.2		mg/L
Magnesium, total	MW-2N	7/11/2007	0.67	0.2		mg/L
Magnesium, total	MW-2N	1/24/2008	0.72	0.2		mg/L
Magnesium, total	MW-2N	7/22/2008	0.66	0.2		mg/L
Magnesium, total	MW-2N	2/4/2009	0.69	0.2		mg/L
Magnesium, total	MW-2N	7/31/2009	0.71	0.2		mg/L
Magnesium, total	MW-2N	1/26/2010	0.68	0.2		mg/L
Magnesium, total	MW-2N	7/13/2010	0.67	0.2		mg/L
Magnesium, total	MW-2N	1/20/2011	0.72	0.2		mg/L
Magnesium, total	MW-2N	7/13/2011	0.65	0.2		mg/L
Magnesium, total	MW-2N	1/5/2012	0.7	0.2		mg/L
Magnesium, total	MW-2N	7/10/2012	0.66	0.2		mg/L
Magnesium, total	MW-2N	5/1/2013	0.7	0.2		mg/L
Magnesium, total	MW-2N	7/16/2013	0.68	0.2		mg/L
Magnesium, total	MW-2N	1/24/2014	0.74	0.2		mg/L
Magnesium, total	MW-2N	7/9/2014	0.84	0.2		mg/L
Magnesium, total	MW-2N	2/12/2015	0.78	0.2		mg/L
Magnesium, total	MW-2N	7/14/2015	1.6	0.2		mg/L
Magnesium, total	MW-2N	1/6/2016	0.85	0.2		mg/L
Magnesium, total	MW-2N	7/21/2016	0.96	0.2		mg/L
Magnesium, total	MW-2N	1/11/2017	0.84	0.2		mg/L
Magnesium, total	MW-2N	7/19/2017	0.95	0.2		mg/L
Magnesium, total	MW-2N	1/23/2018	0.86	0.2		mg/L
Magnesium, total	MW-2N	7/12/2018	0.8	0.2		mg/L
Magnesium, total	MW-2N	1/3/2019	0.93	0.2		mg/L
Magnesium, total	MW-2N	7/11/2019	1	0.2		mg/L
Magnesium, total	MW-2N	1/24/2020	1.34	0.2		mg/L
Magnesium, total	MW-2N	7/7/2020	1.32	0.2		mg/L
Magnesium, total	MW-2N	1/14/2021	1.32	0.2		mg/L
Magnesium, total	MW-2N	7/5/2021	1.36	0.2		mg/L
Magnesium, total	MW-2N	7/5/2021	1.36	0.2		mg/L
Magnesium, total	MW-2N	1/11/2023	1.37	0.2		mg/L
Magnesium, total	MW-2N	7/8/2023	1.49	0.2		mg/L
Magnesium, total	MW-3N	10/21/1997	3.2	0.05		mg/L
Magnesium, total	MW-3N	1/21/1998	3.2	0.05		mg/L
Magnesium, total	MW-3N	4/28/1998	3.2	0.05		mg/L
Magnesium, total	MW-3N	7/23/1998	3.6	0.05		mg/L
Magnesium, total	MW-3N	7/7/2003	4.4	1		mg/L
Magnesium, total	MW-3N	1/28/2004	4.5	1		mg/L
Magnesium, total	MW-3N	7/27/2004	4.6	1		mg/L
Magnesium, total	MW-3N	1/12/2005	4.4	1		mg/L
Magnesium, total	MW-3N	7/20/2005	4.4	1		mg/L
Magnesium, total	MW-3N	1/18/2006	4.6	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-3N	7/19/2006	4.5	0.2		mg/L
Magnesium, total	MW-3N	7/19/2006	4.5	0.2		mg/L
Magnesium, total	MW-3N	1/26/2007	4.3	0.2		mg/L
Magnesium, total	MW-3N	7/11/2007	4.6	0.2		mg/L
Magnesium, total	MW-3N	1/24/2008	4.6	0.2		mg/L
Magnesium, total	MW-3N	7/22/2008	4.3	0.2		mg/L
Magnesium, total	MW-3N	2/4/2009	4.5	0.2		mg/L
Magnesium, total	MW-3N	7/31/2009	4.4	0.2		mg/L
Magnesium, total	MW-3N	1/26/2010	4.3	0.2		mg/L
Magnesium, total	MW-3N	7/13/2010	4.2	0.2		mg/L
Magnesium, total	MW-3N	1/20/2011	4.2	0.2		mg/L
Magnesium, total	MW-3N	7/14/2011	3.7	0.2		mg/L
Magnesium, total	MW-3N	1/5/2012	4.1	0.2		mg/L
Magnesium, total	MW-3N	7/11/2012	3.9	0.2		mg/L
Magnesium, total	MW-3N	5/1/2013	3.8	0.2		mg/L
Magnesium, total	MW-3N	6/4/2013	4.1	0.2		mg/L
Magnesium, total	MW-3N	7/16/2013	3.7	0.2		mg/L
Magnesium, total	MW-3N	1/24/2014	3.7	0.2		mg/L
Magnesium, total	MW-3N	7/9/2014	3.9	0.2		mg/L
Magnesium, total	MW-3N	2/12/2015	3.9	0.2		mg/L
Magnesium, total	MW-3N	4/1/2015	3.8	0.2		mg/L
Magnesium, total	MW-3N	7/14/2015	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/5/2015	3.9	0.2		mg/L
Magnesium, total	MW-3N	1/6/2016	3.8	0.2		mg/L
Magnesium, total	MW-3N	4/6/2016	3.9	0.2		mg/L
Magnesium, total	MW-3N	7/21/2016	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/6/2016	4	0.2		mg/L
Magnesium, total	MW-3N	1/11/2017	4.2	0.2		mg/L
Magnesium, total	MW-3N	4/4/2017	4	0.2		mg/L
Magnesium, total	MW-3N	7/19/2017	3.9	0.2		mg/L
Magnesium, total	MW-3N	10/9/2017	3.6	0.2		mg/L
Magnesium, total	MW-3N	1/24/2018	4.5	0.2		mg/L
Magnesium, total	MW-3N	4/10/2018	3.7	0.2		mg/L
Magnesium, total	MW-3N	7/13/2018	3.6	0.2		mg/L
Magnesium, total	MW-3N	10/3/2018	3.8	0.2		mg/L
Magnesium, total	MW-3N	1/7/2019	4	0.2		mg/L
Magnesium, total	MW-3N	4/3/2019	4	0.2		mg/L
Magnesium, total	MW-3N	7/11/2019	3.8	0.2		mg/L
Magnesium, total	MW-3N	7/11/2019	3.8	0.2		mg/L
Magnesium, total	MW-3N	10/2/2019	4.2	0.2		mg/L
Magnesium, total	MW-3N	1/21/2020	3.85	0.2		mg/L
Magnesium, total	MW-3N	7/7/2020	3.71	0.2		mg/L
Magnesium, total	MW-3N	1/13/2021	4.31	0.2		mg/L
Magnesium, total	MW-3N	7/5/2021	3.74	0.2		mg/L
Magnesium, total	MW-3N	7/5/2021	3.83	0.2		mg/L
Magnesium, total	MW-3N	1/11/2023	3.65	0.2		mg/L
Magnesium, total	MW-3N	7/7/2023	3.63	0.2		mg/L
Magnesium, total	MW-7N	10/21/1997	2.1	0.05		mg/L
Magnesium, total	MW-7N	1/21/1998	6.4	0.05		mg/L
Magnesium, total	MW-7N	7/22/1998	3.2	0.05		mg/L
Magnesium, total	MW-7N	8/18/1998	2.8	0.05		mg/L
Magnesium, total	MW-7N	9/17/1998	2.9	0.05		mg/L
Magnesium, total	MW-7N	11/9/1998	3	0.05		mg/L
Magnesium, total	MW-7N	7/7/2003	3.8	1		mg/L
Magnesium, total	MW-7N	1/27/2004	4.3	1		mg/L
Magnesium, total	MW-7N	4/8/2004	4	1		mg/L
Magnesium, total	MW-7N	7/26/2004	4.4	1		mg/L
Magnesium, total	MW-7N	1/12/2005	4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-7N	7/19/2005	4	1		mg/L
Magnesium, total	MW-7N	1/19/2006	4.1	1		mg/L
Magnesium, total	MW-7N	7/19/2006	4	0.2		mg/L
Magnesium, total	MW-7N	7/19/2006	4	0.2		mg/L
Magnesium, total	MW-7N	1/26/2007	3.3	0.2		mg/L
Magnesium, total	MW-7N	7/10/2007	3.4	0.2		mg/L
Magnesium, total	MW-7N	7/21/2008	2.1	0.2		mg/L
Magnesium, total	MW-7N	2/6/2009	2.2	0.2		mg/L
Magnesium, total	MW-7N	7/29/2009	0.85	0.2		mg/L
Magnesium, total	MW-7N	1/26/2010	2.6	0.2		mg/L
Magnesium, total	MW-7N	7/14/2010	2.7	0.2		mg/L
Magnesium, total	MW-7N	1/20/2011	2.8	0.2		mg/L
Magnesium, total	MW-7N	7/12/2011	3.2	0.2		mg/L
Magnesium, total	MW-7N	1/5/2012	3.6	0.2		mg/L
Magnesium, total	MW-7N	7/10/2012	3.9	0.2		mg/L
Magnesium, total	MW-7N	5/1/2013	4.1	0.2		mg/L
Magnesium, total	MW-7N	6/4/2013	4.3	0.2		mg/L
Magnesium, total	MW-7N	7/15/2013	3.6	0.2		mg/L
Magnesium, total	MW-7N	1/30/2014	4.1	0.2		mg/L
Magnesium, total	MW-7N	7/9/2014	4.2	0.2		mg/L
Magnesium, total	MW-7N	2/12/2015	4.5	0.2		mg/L
Magnesium, total	MW-7N	7/13/2015	4.7	0.2		mg/L
Magnesium, total	MW-7N	1/5/2016	5.3	0.2		mg/L
Magnesium, total	MW-7N	7/21/2016	5.4	0.2		mg/L
Magnesium, total	MW-7N	1/11/2017	4.6	0.2		mg/L
Magnesium, total	MW-7N	4/4/2017	2.9	0.2		mg/L
Magnesium, total	MW-7N	7/19/2017	2.8	0.2		mg/L
Magnesium, total	MW-7N	10/5/2017	5.3	0.2		mg/L
Magnesium, total	MW-7N	1/25/2018	5.5	0.2		mg/L
Magnesium, total	MW-7N	4/11/2018	5.3	0.2		mg/L
Magnesium, total	MW-7N	7/13/2018	5.7	0.2		mg/L
Magnesium, total	MW-7N	1/4/2019	4.8	0.2		mg/L
Magnesium, total	MW-7N	7/10/2019	6.7	0.2		mg/L
Magnesium, total	MW-7N	1/16/2020	7.09	0.2		mg/L
Magnesium, total	MW-7N	7/7/2020	7.65	0.2		mg/L
Magnesium, total	MW-7N	1/16/2021	7.84	0.2		mg/L
Magnesium, total	MW-7N	7/5/2021	7.34	0.2		mg/L
Magnesium, total	MW-7N	7/5/2021	7.17	0.2		mg/L
Magnesium, total	MW-7N	1/12/2022	6.06	0.2		mg/L
Magnesium, total	MW-7N	7/10/2022	5.1	0.2		mg/L
Magnesium, total	MW-7N	1/10/2023	4.54	0.2		mg/L
Magnesium, total	MW-7N	7/7/2023	4.48	0.2		mg/L
Magnesium, total	MW-8N	10/21/1997	2.5	0.05		mg/L
Magnesium, total	MW-8N	1/22/1998	3.4	0.05		mg/L
Magnesium, total	MW-8N	4/28/1998	3	0.05		mg/L
Magnesium, total	MW-8N	7/22/1998	2.9	0.05		mg/L
Magnesium, total	MW-8N	7/7/2003	4	1		mg/L
Magnesium, total	MW-8N	1/28/2004	4	1		mg/L
Magnesium, total	MW-8N	7/27/2004	4.8	1		mg/L
Magnesium, total	MW-8N	1/12/2005	5	1		mg/L
Magnesium, total	MW-8N	7/20/2005	4.9	1		mg/L
Magnesium, total	MW-8N	1/19/2006	4.5	1		mg/L
Magnesium, total	MW-8N	7/19/2006	4.7	0.2		mg/L
Magnesium, total	MW-8N	7/19/2006	4.7	0.2		mg/L
Magnesium, total	MW-8N	1/26/2007	5.2	0.2		mg/L
Magnesium, total	MW-8N	4/25/2007	4.8	0.2		mg/L
Magnesium, total	MW-8N	7/10/2007	4.8	0.2		mg/L
Magnesium, total	MW-8N	1/24/2008	4.8	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	MW-8N	7/23/2008	4.5	0.2		mg/L
Magnesium, total	MW-8N	2/4/2009	4.3	0.2		mg/L
Magnesium, total	MW-8N	7/31/2009	4.8	0.2		mg/L
Magnesium, total	MW-8N	1/26/2010	4.6	0.2		mg/L
Magnesium, total	MW-8N	7/16/2010	4.4	0.2		mg/L
Magnesium, total	MW-8N	1/19/2011	4.4	0.2		mg/L
Magnesium, total	MW-8N	5/10/2011	4.8	0.2		mg/L
Magnesium, total	MW-8N	7/14/2011	4.5	0.2		mg/L
Magnesium, total	MW-8N	1/6/2012	4.8	0.2		mg/L
Magnesium, total	MW-8N	4/5/2012	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/11/2012	4.6	0.2		mg/L
Magnesium, total	MW-8N	10/3/2012	4.6	0.2		mg/L
Magnesium, total	MW-8N	5/1/2013	5.3	0.2		mg/L
Magnesium, total	MW-8N	6/4/2013	5.1	0.2		mg/L
Magnesium, total	MW-8N	7/16/2013	4.7	0.2		mg/L
Magnesium, total	MW-8N	10/2/2013	4.7	0.2		mg/L
Magnesium, total	MW-8N	1/30/2014	5.3	0.2		mg/L
Magnesium, total	MW-8N	4/3/2014	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/9/2014	4.9	0.2		mg/L
Magnesium, total	MW-8N	10/8/2014	4.5	0.2		mg/L
Magnesium, total	MW-8N	2/12/2015	4.9	0.2		mg/L
Magnesium, total	MW-8N	4/1/2015	4.9	0.2		mg/L
Magnesium, total	MW-8N	7/14/2015	4.6	0.2		mg/L
Magnesium, total	MW-8N	10/5/2015	5.3	0.2		mg/L
Magnesium, total	MW-8N	1/5/2016	5.5	0.2		mg/L
Magnesium, total	MW-8N	4/6/2016	5.9	0.2		mg/L
Magnesium, total	MW-8N	7/21/2016	6	0.2		mg/L
Magnesium, total	MW-8N	10/6/2016	6.2	0.2		mg/L
Magnesium, total	MW-8N	1/11/2017	5.7	0.2		mg/L
Magnesium, total	MW-8N	4/4/2017	4.6	0.2		mg/L
Magnesium, total	MW-8N	7/19/2017	6.9	0.2		mg/L
Magnesium, total	MW-8N	10/6/2017	6.8	0.2		mg/L
Magnesium, total	MW-8N	1/25/2018	7.5	0.2		mg/L
Magnesium, total	MW-8N	4/10/2018	7.8	0.2		mg/L
Magnesium, total	MW-8N	7/16/2018	7	0.2		mg/L
Magnesium, total	MW-8N	10/2/2018	7.9	0.2		mg/L
Magnesium, total	MW-8N	1/7/2019	8	0.2		mg/L
Magnesium, total	MW-8N	4/3/2019	8.2	0.2		mg/L
Magnesium, total	MW-8N	7/11/2019	8.3	0.2		mg/L
Magnesium, total	MW-8N	7/11/2019	8.1	0.2		mg/L
Magnesium, total	MW-8N	10/3/2019	8.8	0.2		mg/L
Magnesium, total	MW-8N	1/15/2020	8.89	0.2		mg/L
Magnesium, total	MW-8N	7/9/2020	9.23	0.2		mg/L
Magnesium, total	MW-8N	1/15/2021	9.39	0.2		mg/L
Magnesium, total	MW-8N	7/5/2021	9.1	0.2		mg/L
Magnesium, total	MW-8N	7/5/2021	9	0.2		mg/L
Magnesium, total	MW-8N	1/18/2022	9.16	0.2		mg/L
Magnesium, total	MW-8N	7/12/2022	8.89	0.2		mg/L
Magnesium, total	MW-8N	1/11/2023	8.36	0.2		mg/L
Magnesium, total	MW-8N	7/7/2023	8.35	0.2		mg/L
Magnesium, total	NE-1	7/8/2003	1.3	1		mg/L
Magnesium, total	NE-1	1/27/2004	1.1	1		mg/L
Magnesium, total	NE-1	1/12/2005	1.1	1		mg/L
Magnesium, total	NE-1	7/19/2006	0.91	0.2		mg/L
Magnesium, total	NE-1	7/19/2006	0.91	0.2		mg/L
Magnesium, total	NE-1	1/24/2007	0.91	0.2		mg/L
Magnesium, total	NE-1	7/10/2007	1.2	0.2		mg/L
Magnesium, total	NE-1	1/24/2008	1.2	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-1	7/21/2008	0.79	0.2		mg/L
Magnesium, total	NE-1	2/7/2009	1.5	0.2		mg/L
Magnesium, total	NE-1	7/31/2009	1.3	0.2		mg/L
Magnesium, total	NE-1	1/26/2010	2.2	0.2		mg/L
Magnesium, total	NE-1	7/14/2010	2.5	0.2		mg/L
Magnesium, total	NE-1	1/19/2011	3	0.2		mg/L
Magnesium, total	NE-1	7/13/2011	2.2	0.2		mg/L
Magnesium, total	NE-1	1/5/2012	2.7	0.2		mg/L
Magnesium, total	NE-1	7/10/2012	2.6	0.2		mg/L
Magnesium, total	NE-1	4/30/2013	3	0.2		mg/L
Magnesium, total	NE-1	7/16/2013	1.6	0.2		mg/L
Magnesium, total	NE-1	1/23/2014	3.9	0.2		mg/L
Magnesium, total	NE-1	7/9/2014	4.9	0.2		mg/L
Magnesium, total	NE-1	2/11/2015	5.2	0.2		mg/L
Magnesium, total	NE-1	7/8/2015	4.5	0.2		mg/L
Magnesium, total	NE-1	1/6/2016	7.5	0.2		mg/L
Magnesium, total	NE-1	7/20/2016	8.5	0.2		mg/L
Magnesium, total	NE-1	1/11/2017	8.2	0.2		mg/L
Magnesium, total	NE-1	7/19/2017	7.9	0.2		mg/L
Magnesium, total	NE-1	1/24/2018	6.9	0.2		mg/L
Magnesium, total	NE-1	4/11/2018	6.9	0.2		mg/L
Magnesium, total	NE-1	7/18/2018	5.4	0.2		mg/L
Magnesium, total	NE-1	10/2/2018	6.5	0.2		mg/L
Magnesium, total	NE-1	1/4/2019	6.4	0.2		mg/L
Magnesium, total	NE-1	7/10/2019	5	0.2		mg/L
Magnesium, total	NE-1	1/15/2020	5.65	0.2		mg/L
Magnesium, total	NE-1	7/8/2020	6.22	0.2		mg/L
Magnesium, total	NE-1	1/13/2021	6.3	0.2		mg/L
Magnesium, total	NE-1	7/2/2021	5.55	0.2		mg/L
Magnesium, total	NE-1	1/17/2022	6.01	0.2		mg/L
Magnesium, total	NE-1	7/13/2022	4.95	0.2		mg/L
Magnesium, total	NE-1	1/5/2023	5.51	0.2		mg/L
Magnesium, total	NE-1	7/5/2023	4.81	0.2		mg/L
Magnesium, total	NE-10D	11/6/2019	1.5	0.2		mg/L
Magnesium, total	NE-10D	1/16/2020	1.29	0.2		mg/L
Magnesium, total	NE-10D	7/8/2020	1.18	0.2		mg/L
Magnesium, total	NE-10D	1/13/2021	1.05	0.2		mg/L
Magnesium, total	NE-10D	7/2/2021	1.11	0.2		mg/L
Magnesium, total	NE-10D	1/6/2023	1.08	0.2		mg/L
Magnesium, total	NE-10D	7/8/2023	1.08	0.2		mg/L
Magnesium, total	NE-11	3/1/2017	2.1	0.2		mg/L
Magnesium, total	NE-11	4/6/2017	2.8	0.2		mg/L
Magnesium, total	NE-11	7/20/2017	2.9	0.2		mg/L
Magnesium, total	NE-11	10/9/2017	3	0.2		mg/L
Magnesium, total	NE-11	9/30/2019	2	0.2		mg/L
Magnesium, total	NE-11	1/14/2020	3.82	0.2		mg/L
Magnesium, total	NE-11	7/7/2020	3.81	0.2		mg/L
Magnesium, total	NE-11	1/16/2021	3.91	0.2		mg/L
Magnesium, total	NE-11	1/16/2021	3.68	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.51	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.53	0.2		mg/L
Magnesium, total	NE-11	7/1/2021	3.51	0.2		mg/L
Magnesium, total	NE-11	1/17/2022	3.77	0.2		mg/L
Magnesium, total	NE-11	1/17/2022	3.75	0.2		mg/L
Magnesium, total	NE-11	7/12/2022	3.7	0.2		mg/L
Magnesium, total	NE-11	1/6/2023	3.71	0.2		mg/L
Magnesium, total	NE-11	7/6/2023	3.89	0.2		mg/L
Magnesium, total	NE-12	3/1/2017	2.5	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-12	4/6/2017	3.8	0.2		mg/L
Magnesium, total	NE-12	7/20/2017	2.4	0.2		mg/L
Magnesium, total	NE-12	10/6/2017	2	0.2		mg/L
Magnesium, total	NE-12	7/9/2019	3.4	0.2		mg/L
Magnesium, total	NE-12	8/5/2019	1.4	0.2		mg/L
Magnesium, total	NE-12	1/13/2020	2.67	0.2		mg/L
Magnesium, total	NE-12	7/7/2020	1.31	0.2		mg/L
Magnesium, total	NE-12	1/15/2021	3.61	0.2		mg/L
Magnesium, total	NE-12	1/15/2021	3.44	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.58	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.58	0.2		mg/L
Magnesium, total	NE-12	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-12	1/17/2022	2.75	0.2		mg/L
Magnesium, total	NE-12	1/17/2022	2.72	0.2		mg/L
Magnesium, total	NE-12	7/12/2022	1.45	0.2		mg/L
Magnesium, total	NE-12	1/6/2023	2.34	0.2		mg/L
Magnesium, total	NE-12	7/5/2023	1.13	0.2		mg/L
Magnesium, total	NE-13	2/5/2019	1.8	0.2		mg/L
Magnesium, total	NE-13	7/11/2019	1.6	0.2		mg/L
Magnesium, total	NE-13	8/7/2019	2.8	0.2		mg/L
Magnesium, total	NE-13	1/15/2020	2.33	0.2		mg/L
Magnesium, total	NE-13	7/8/2020	3.76	0.2		mg/L
Magnesium, total	NE-13	1/17/2021	3.37	0.2		mg/L
Magnesium, total	NE-13	1/17/2021	3.45	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	10.3	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	10.3	0.2		mg/L
Magnesium, total	NE-13	7/1/2021	9.91	0.2		mg/L
Magnesium, total	NE-14D	10/2/2019	1.5	0.2		mg/L
Magnesium, total	NE-14D	1/16/2020	1.54	0.2		mg/L
Magnesium, total	NE-14D	7/7/2020	1.61	0.2		mg/L
Magnesium, total	NE-14D	1/17/2021	1.82	0.2		mg/L
Magnesium, total	NE-14D	7/2/2021	1.82	0.2		mg/L
Magnesium, total	NE-14D	1/18/2022	2.02	0.2		mg/L
Magnesium, total	NE-14D	7/13/2022	1.94	0.2		mg/L
Magnesium, total	NE-14D	1/6/2023	2.03	0.2		mg/L
Magnesium, total	NE-14D	7/5/2023	2.05	0.2		mg/L
Magnesium, total	NE-14S	10/2/2019	2.8	0.2		mg/L
Magnesium, total	NE-14S	1/16/2020	2.38	0.2		mg/L
Magnesium, total	NE-14S	7/7/2020	3.36	0.2		mg/L
Magnesium, total	NE-14S	1/17/2021	3.36	0.2		mg/L
Magnesium, total	NE-14S	7/2/2021	3.41	0.2		mg/L
Magnesium, total	NE-14S	1/18/2022	3.46	0.2		mg/L
Magnesium, total	NE-14S	7/13/2022	3.88	0.2		mg/L
Magnesium, total	NE-14S	1/6/2023	2.75	0.2		mg/L
Magnesium, total	NE-14S	7/5/2023	2.86	0.2		mg/L
Magnesium, total	NE-15D	9/30/2019	1.7	0.2		mg/L
Magnesium, total	NE-15D	1/16/2020	1.89	0.2		mg/L
Magnesium, total	NE-15D	7/7/2020	1.96	0.2		mg/L
Magnesium, total	NE-15D	1/17/2021	2.02	0.2		mg/L
Magnesium, total	NE-15D	7/2/2021	1.99	0.2		mg/L
Magnesium, total	NE-15D	1/17/2022	70.7	0.2		mg/L
Magnesium, total	NE-15D	7/13/2022	2.14	0.2		mg/L
Magnesium, total	NE-15D	1/6/2023	2.02	0.2		mg/L
Magnesium, total	NE-15D	7/6/2023	1.97	0.2		mg/L
Magnesium, total	NE-2	10/1/2013	6.1	0.2		mg/L
Magnesium, total	NE-2	10/8/2014	6.2	0.2		mg/L
Magnesium, total	NE-2	10/5/2015	6.2	0.2		mg/L
Magnesium, total	NE-2	10/6/2016	5.4	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-2	10/5/2017	6.7	0.2		mg/L
Magnesium, total	NE-2	1/25/2018	6.1	0.2		mg/L
Magnesium, total	NE-2	4/10/2018	5.3	0.2		mg/L
Magnesium, total	NE-2	7/10/2018	6.6	0.2		mg/L
Magnesium, total	NE-2	10/1/2018	7.3	0.2		mg/L
Magnesium, total	NE-2	1/4/2019	5.9	0.2		mg/L
Magnesium, total	NE-2	7/9/2019	5.3	0.2		mg/L
Magnesium, total	NE-2	1/14/2020	4.67	0.2		mg/L
Magnesium, total	NE-2	7/7/2020	7.17	0.2		mg/L
Magnesium, total	NE-2	1/14/2021	5.69	0.2		mg/L
Magnesium, total	NE-2	7/2/2021	5.65	0.2		mg/L
Magnesium, total	NE-2	1/18/2022	5.83	0.2		mg/L
Magnesium, total	NE-2	7/13/2022	5.26	0.2		mg/L
Magnesium, total	NE-2	1/5/2023	6.2	0.2		mg/L
Magnesium, total	NE-2	7/5/2023	4.91	0.2		mg/L
Magnesium, total	NE-4	7/8/2003	2.6	1		mg/L
Magnesium, total	NE-4	1/28/2004	2.5	1		mg/L
Magnesium, total	NE-4	1/13/2005	1.5	1		mg/L
Magnesium, total	NE-4	8/1/2006	4	0.2		mg/L
Magnesium, total	NE-4	8/1/2006	4	0.2		mg/L
Magnesium, total	NE-4	1/24/2007	1.6	0.2		mg/L
Magnesium, total	NE-4	7/12/2007	3.5	0.2		mg/L
Magnesium, total	NE-4	1/24/2008	3.8	0.2		mg/L
Magnesium, total	NE-4	7/21/2008	1.5	0.2		mg/L
Magnesium, total	NE-4	2/7/2009	2.2	0.2		mg/L
Magnesium, total	NE-4	7/31/2009	2.2	0.2		mg/L
Magnesium, total	NE-4	1/26/2010	3.8	0.2		mg/L
Magnesium, total	NE-4	7/14/2010	5	0.2		mg/L
Magnesium, total	NE-4	1/19/2011	2.9	0.2		mg/L
Magnesium, total	NE-4	7/13/2011	1.5	0.2		mg/L
Magnesium, total	NE-4	1/5/2012	3.6	0.2		mg/L
Magnesium, total	NE-4	7/10/2012	4.3	0.2		mg/L
Magnesium, total	NE-4	4/30/2013	5.3	0.2		mg/L
Magnesium, total	NE-4	7/16/2013	4.5	0.2		mg/L
Magnesium, total	NE-4	1/23/2014	5.1	0.2		mg/L
Magnesium, total	NE-4	7/9/2014	3.4	0.2		mg/L
Magnesium, total	NE-4	2/13/2015	4.9	0.2		mg/L
Magnesium, total	NE-4	7/8/2015	2.3	0.2		mg/L
Magnesium, total	NE-4	1/6/2016	0.76	0.2		mg/L
Magnesium, total	NE-4	7/20/2016	5.2	0.2		mg/L
Magnesium, total	NE-4	1/11/2017	3.6	0.2		mg/L
Magnesium, total	NE-4	7/19/2017	1.8	0.2		mg/L
Magnesium, total	NE-4	1/26/2018	2	0.2		mg/L
Magnesium, total	NE-4	4/10/2018	2	0.2		mg/L
Magnesium, total	NE-4	7/12/2018	3.9	0.2		mg/L
Magnesium, total	NE-4	10/3/2018	2.2	0.2		mg/L
Magnesium, total	NE-4	1/7/2019	2.5	0.2		mg/L
Magnesium, total	NE-4	7/8/2019	1.1	0.2		mg/L
Magnesium, total	NE-4	1/13/2020	1.81	0.2		mg/L
Magnesium, total	NE-4	7/6/2020	1.54	0.2		mg/L
Magnesium, total	NE-4	1/15/2021	3.93	0.2		mg/L
Magnesium, total	NE-4	7/2/2021	3.29	0.2		mg/L
Magnesium, total	NE-4	1/5/2023	2.61	0.2		mg/L
Magnesium, total	NE-4	7/5/2023	3.72	0.2		mg/L
Magnesium, total	NE-5	7/8/2003	1.6	1		mg/L
Magnesium, total	NE-5	1/27/2004	2.2	1		mg/L
Magnesium, total	NE-5	1/12/2005	1.6	1		mg/L
Magnesium, total	NE-5	7/19/2006	1.5	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-5	7/19/2006	1.5	0.2		mg/L
Magnesium, total	NE-5	1/24/2007	1.2	0.2		mg/L
Magnesium, total	NE-5	7/12/2007	1.4	0.2		mg/L
Magnesium, total	NE-5	7/22/2008	1.4	0.2		mg/L
Magnesium, total	NE-5	2/6/2009	1.5	0.2		mg/L
Magnesium, total	NE-5	7/31/2009	1.4	0.2		mg/L
Magnesium, total	NE-5	1/26/2010	1.5	0.2		mg/L
Magnesium, total	NE-5	7/16/2010	1.4	0.2		mg/L
Magnesium, total	NE-5	1/19/2011	1.3	0.2		mg/L
Magnesium, total	NE-5	7/13/2011	1.3	0.2		mg/L
Magnesium, total	NE-5	1/5/2012	1.3	0.2		mg/L
Magnesium, total	NE-5	7/10/2012	1.3	0.2		mg/L
Magnesium, total	NE-5	4/30/2013	1.5	0.2		mg/L
Magnesium, total	NE-5	7/16/2013	1.4	0.2		mg/L
Magnesium, total	NE-5	1/23/2014	1.5	0.2		mg/L
Magnesium, total	NE-5	7/9/2014	1.5	0.2		mg/L
Magnesium, total	NE-5	2/11/2015	1.5	0.2		mg/L
Magnesium, total	NE-5	7/14/2015	1.5	0.2		mg/L
Magnesium, total	NE-5	1/6/2016	1.5	0.2		mg/L
Magnesium, total	NE-5	7/20/2016	1.4	0.2		mg/L
Magnesium, total	NE-5	1/11/2017	1.3	0.2		mg/L
Magnesium, total	NE-5	7/19/2017	1.7	0.2		mg/L
Magnesium, total	NE-5	1/25/2018	1.3	0.2		mg/L
Magnesium, total	NE-5	4/10/2018	1.4	0.2		mg/L
Magnesium, total	NE-5	7/17/2018	1.3	0.2		mg/L
Magnesium, total	NE-5	10/3/2018	1.5	0.2		mg/L
Magnesium, total	NE-5	1/4/2019	1.5	0.2		mg/L
Magnesium, total	NE-5	4/2/2019	1.5	0.2		mg/L
Magnesium, total	NE-5	7/9/2019	1.4	0.2		mg/L
Magnesium, total	NE-5	7/9/2019	1.3	0.2		mg/L
Magnesium, total	NE-5	1/16/2020	1.3	0.2		mg/L
Magnesium, total	NE-5	7/8/2020	1.27	0.2		mg/L
Magnesium, total	NE-5	1/15/2021	1.5	0.2		mg/L
Magnesium, total	NE-5	7/2/2021	1.34	0.2		mg/L
Magnesium, total	NE-5	1/18/2022	1.48	0.2		mg/L
Magnesium, total	NE-5	7/13/2022	1.55	0.2		mg/L
Magnesium, total	NE-5	1/5/2023	1.52	0.2		mg/L
Magnesium, total	NE-5	7/6/2023	1.4	0.2		mg/L
Magnesium, total	NE-5E	9/30/2019	1.3	0.2		mg/L
Magnesium, total	NE-5E	1/16/2020	1.61	0.2		mg/L
Magnesium, total	NE-5E	7/8/2020	1.99	0.2		mg/L
Magnesium, total	NE-5E	1/15/2021	1.83	0.2		mg/L
Magnesium, total	NE-5E	7/2/2021	1.63	0.2		mg/L
Magnesium, total	NE-5E	1/18/2022	1.87	0.2		mg/L
Magnesium, total	NE-5E	7/13/2022	4.04	0.2		mg/L
Magnesium, total	NE-5E	1/5/2023	3.63	0.2		mg/L
Magnesium, total	NE-5E	7/6/2023	2.91	0.2		mg/L
Magnesium, total	NE-5W	9/30/2019	1.5	0.2		mg/L
Magnesium, total	NE-5W	1/16/2020	1.55	0.2		mg/L
Magnesium, total	NE-5W	7/8/2020	1.45	0.2		mg/L
Magnesium, total	NE-5W	1/15/2021	1.65	0.2		mg/L
Magnesium, total	NE-5W	7/2/2021	1.55	0.2		mg/L
Magnesium, total	NE-5W	1/18/2022	1.67	0.2		mg/L
Magnesium, total	NE-5W	7/13/2022	1.64	0.2		mg/L
Magnesium, total	NE-5W	1/5/2023	1.78	0.2		mg/L
Magnesium, total	NE-5W	7/6/2023	1.84	0.2		mg/L
Magnesium, total	NE-6	1/12/2017	2.3	0.2		mg/L
Magnesium, total	NE-6	4/5/2017	1.9	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-6	7/19/2017	2.4	0.2		mg/L
Magnesium, total	NE-6	10/6/2017	1.9	0.2		mg/L
Magnesium, total	NE-6	2/4/2019	2.3	0.2		mg/L
Magnesium, total	NE-6	7/9/2019	2.4	0.2		mg/L
Magnesium, total	NE-6	8/6/2019	2.5	0.2		mg/L
Magnesium, total	NE-6	1/15/2020	1.89	0.2		mg/L
Magnesium, total	NE-6	7/9/2020	2.04	0.2		mg/L
Magnesium, total	NE-6	1/16/2021	2.31	0.2		mg/L
Magnesium, total	NE-6	1/16/2021	2.21	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.24	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.24	0.2		mg/L
Magnesium, total	NE-6	7/1/2021	2.19	0.2		mg/L
Magnesium, total	NE-6	1/17/2022	2.17	0.2		mg/L
Magnesium, total	NE-6	1/17/2022	2.29	0.2		mg/L
Magnesium, total	NE-6	7/12/2022	2.35	0.2		mg/L
Magnesium, total	NE-6	1/5/2023	2	0.2		mg/L
Magnesium, total	NE-6	7/6/2023	2.2	0.2		mg/L
Magnesium, total	NE-6D	10/2/2019	7.2	0.2		mg/L
Magnesium, total	NE-6D	1/15/2020	8.4	0.2		mg/L
Magnesium, total	NE-6D	7/9/2020	8.58	0.2		mg/L
Magnesium, total	NE-6D	1/15/2021	9.15	0.2		mg/L
Magnesium, total	NE-6D	7/2/2021	8.76	0.2		mg/L
Magnesium, total	NE-6D	1/17/2022	8.84	0.2		mg/L
Magnesium, total	NE-6D	7/12/2022	8.69	0.2		mg/L
Magnesium, total	NE-6D	1/5/2023	8.34	0.2		mg/L
Magnesium, total	NE-6D	7/6/2023	8.11	0.2		mg/L
Magnesium, total	NE-7	3/1/2017	4	0.2		mg/L
Magnesium, total	NE-7	4/6/2017	2	0.2		mg/L
Magnesium, total	NE-7	7/20/2017	3.5	0.2		mg/L
Magnesium, total	NE-7	10/5/2017	2.9	0.2		mg/L
Magnesium, total	NE-7	2/6/2019	2.9	0.2		mg/L
Magnesium, total	NE-7	7/10/2019	2.8	0.2		mg/L
Magnesium, total	NE-7	8/6/2019	2.8	0.2		mg/L
Magnesium, total	NE-7	1/16/2020	2.82	0.2		mg/L
Magnesium, total	NE-7	7/7/2020	2.43	0.2		mg/L
Magnesium, total	NE-7	1/16/2021	4.02	0.2		mg/L
Magnesium, total	NE-7	1/16/2021	3.83	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.57	0.2		mg/L
Magnesium, total	NE-7	7/1/2021	2.59	0.2		mg/L
Magnesium, total	NE-7	1/17/2022	2.94	0.2		mg/L
Magnesium, total	NE-7	1/17/2022	2.96	0.2		mg/L
Magnesium, total	NE-7	7/12/2022	2.86	0.2		mg/L
Magnesium, total	NE-7	1/5/2023	2.87	0.2		mg/L
Magnesium, total	NE-7	7/6/2023	3.37	0.2		mg/L
Magnesium, total	NE-8	1/12/2017	3.1	0.2		mg/L
Magnesium, total	NE-8	4/5/2017	3.2	0.2		mg/L
Magnesium, total	NE-8	7/20/2017	5.4	0.2		mg/L
Magnesium, total	NE-8	10/6/2017	5.1	0.2		mg/L
Magnesium, total	NE-8	2/4/2019	3.6	0.2		mg/L
Magnesium, total	NE-8	7/11/2019	4.7	0.2		mg/L
Magnesium, total	NE-8	8/5/2019	4.9	0.2		mg/L
Magnesium, total	NE-8	1/15/2020	5.26	0.2		mg/L
Magnesium, total	NE-8	7/8/2020	5.38	0.2		mg/L
Magnesium, total	NE-8	1/13/2021	4.17	0.2		mg/L
Magnesium, total	NE-8	1/13/2021	4.27	0.2		mg/L
Magnesium, total	NE-8	7/1/2021	5.19	0.2		mg/L
Magnesium, total	NE-8	7/1/2021	5.19	0.2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Magnesium, total	NE-8	7/1/2021	5.15	0.2		mg/L
Magnesium, total	NE-8	1/6/2023	4.04	0.2		mg/L
Magnesium, total	NE-8	7/5/2023	5.9	0.2		mg/L
Magnesium, total	NE-9	1/12/2017	2.2	0.2		mg/L
Magnesium, total	NE-9	4/5/2017	2.1	0.2		mg/L
Magnesium, total	NE-9	7/20/2017	2.5	0.2		mg/L
Magnesium, total	NE-9	10/5/2017	2.4	0.2		mg/L
Magnesium, total	NE-9	2/5/2019	2.7	0.2		mg/L
Magnesium, total	NE-9	7/8/2019	2.9	0.2		mg/L
Magnesium, total	NE-9	8/7/2019	2.8	0.2		mg/L
Magnesium, total	NE-9	1/15/2020	2.51	0.2		mg/L
Magnesium, total	NE-9	7/7/2020	2.15	0.2		mg/L
Magnesium, total	NE-9	1/17/2021	3.2	0.2		mg/L
Magnesium, total	NE-9	1/17/2021	3.26	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.54	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.54	0.2		mg/L
Magnesium, total	NE-9	7/1/2021	3.48	0.2		mg/L
Magnesium, total	NE-9	1/17/2022	3.68	0.2		mg/L
Magnesium, total	NE-9	1/17/2022	3.62	0.2		mg/L
Magnesium, total	NE-9	7/13/2022	3.93	0.2		mg/L
Magnesium, total	NE-9	1/6/2023	3.82	0.2		mg/L
Magnesium, total	NE-9	7/5/2023	3.92	0.2		mg/L
Manganese, dissolved	LGW-14R	1/25/2006	1	1	ND	ug/L
Manganese, dissolved	LGW-2	1/25/2006	42	1		ug/L
Manganese, dissolved	LGW-4	1/24/2006	4.4	1		ug/L
Manganese, dissolved	LGW-5	1/25/2006	87	1		ug/L
Manganese, dissolved	LGW-6	1/24/2006	4	1		ug/L
Manganese, dissolved	LGW-7	1/25/2006	2.3	1		ug/L
Manganese, dissolved	LGW-8R	1/24/2006	380	1		ug/L
Manganese, dissolved	MW-10N	7/10/2002	20	2		ug/L
Manganese, dissolved	MW-10N	10/2/2002	25	2		ug/L
Manganese, dissolved	MW-11N	7/9/2002	30	2		ug/L
Manganese, dissolved	MW-11N	10/2/2002	22	2		ug/L
Manganese, dissolved	MW-1N	10/19/1999	270	1		ug/L
Manganese, dissolved	MW-1N	7/9/2002	6000	2		ug/L
Manganese, dissolved	MW-1N	10/3/2002	5900	2		ug/L
Manganese, dissolved	MW-2N	7/10/2002	17	2		ug/L
Manganese, dissolved	MW-2N	10/2/2002	3	2		ug/L
Manganese, dissolved	MW-3N	7/9/2002	2100	2		ug/L
Manganese, dissolved	MW-3N	10/2/2002	3800	2		ug/L
Manganese, dissolved	MW-7N	10/19/1999	35900	10		ug/L
Manganese, dissolved	MW-7N	7/9/2002	37600	10		ug/L
Manganese, dissolved	MW-7N	10/2/2002	43000	4		ug/L
Manganese, dissolved	MW-7N	9/2/2010	3600	3		ug/L
Manganese, dissolved	MW-8N	10/19/1999	9900	1		ug/L
Manganese, dissolved	MW-8N	7/9/2002	18400	2		ug/L
Manganese, dissolved	MW-8N	10/2/2002	21600	4		ug/L
Manganese, dissolved	MW-8N	9/2/2010	7600	3		ug/L
Manganese, dissolved	NE-1	7/10/2002	23700	10		ug/L
Manganese, dissolved	NE-1	8/6/2002	25200	4		ug/L
Manganese, dissolved	NE-1	9/4/2002	23500	4		ug/L
Manganese, dissolved	NE-1	10/2/2002	26900	4		ug/L
Manganese, dissolved	NE-1	9/2/2010	4	3		ug/L
Manganese, dissolved	NE-2	7/9/2002	4500	2		ug/L
Manganese, dissolved	NE-2	8/6/2002	1600	2		ug/L
Manganese, dissolved	NE-2	9/4/2002	140	2		ug/L
Manganese, dissolved	NE-2	10/2/2002	120	2		ug/L
Manganese, dissolved	NE-2	9/2/2010	19000	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, dissolved	NE-4	7/10/2002	3600	2		ug/L
Manganese, dissolved	NE-4	8/6/2002	3400	2		ug/L
Manganese, dissolved	NE-4	9/4/2002	2800	2		ug/L
Manganese, dissolved	NE-4	10/3/2002	3400	2		ug/L
Manganese, dissolved	NE-5	7/9/2002	5700	2		ug/L
Manganese, dissolved	NE-5	8/6/2002	7100	2		ug/L
Manganese, dissolved	NE-5	9/4/2002	6400	2		ug/L
Manganese, dissolved	NE-5	10/2/2002	7100	2		ug/L
Manganese, dissolved	NE-5	9/2/2010	3600	3		ug/L
Manganese, total	LGW-10	1/26/2006	4500	1		ug/L
Manganese, total	LGW-10	8/1/2006	9600	3		ug/L
Manganese, total	LGW-10	8/1/2006	9600	3		ug/L
Manganese, total	LGW-10	10/26/2006	5000	3		ug/L
Manganese, total	LGW-10	1/25/2007	6300	3		ug/L
Manganese, total	LGW-10	4/26/2007	6900	3		ug/L
Manganese, total	LGW-10	7/12/2007	7100	3		ug/L
Manganese, total	LGW-10	1/23/2008	4000	3		ug/L
Manganese, total	LGW-10	7/22/2008	8900	3		ug/L
Manganese, total	LGW-10	7/29/2009	9400	3		ug/L
Manganese, total	LGW-10	2/3/2010	4800	3		ug/L
Manganese, total	LGW-10	2/3/2010	4800	3		ug/L
Manganese, total	LGW-10	7/16/2010	10000	3		ug/L
Manganese, total	LGW-10	1/19/2011	3900	3		ug/L
Manganese, total	LGW-10	7/12/2011	13000	3		ug/L
Manganese, total	LGW-10	1/5/2012	11000	3		ug/L
Manganese, total	LGW-10	7/9/2012	6700	3		ug/L
Manganese, total	LGW-10	5/1/2013	13000	3		ug/L
Manganese, total	LGW-10	1/30/2014	9800	3		ug/L
Manganese, total	LGW-10	7/9/2014	10000	3		ug/L
Manganese, total	LGW-10	2/12/2015	7500	3		ug/L
Manganese, total	LGW-10	7/13/2015	15000	3		ug/L
Manganese, total	LGW-10	1/5/2016	17000	3		ug/L
Manganese, total	LGW-10	4/6/2016	10000	3		ug/L
Manganese, total	LGW-10	7/21/2016	12000	3		ug/L
Manganese, total	LGW-10	10/6/2016	6900	3		ug/L
Manganese, total	LGW-10	1/11/2017	4400	3		ug/L
Manganese, total	LGW-10	4/4/2017	11000	3		ug/L
Manganese, total	LGW-10	7/19/2017	12000	3		ug/L
Manganese, total	LGW-10	10/9/2017	9200	3		ug/L
Manganese, total	LGW-10	1/24/2018	4500	3		ug/L
Manganese, total	LGW-10	4/11/2018	11000	3		ug/L
Manganese, total	LGW-10	7/16/2018	6900	3		ug/L
Manganese, total	LGW-10	10/4/2018	4600	3		ug/L
Manganese, total	LGW-10	1/4/2019	6500	3		ug/L
Manganese, total	LGW-10	4/3/2019	8800	3		ug/L
Manganese, total	LGW-10	7/11/2019	3300	3		ug/L
Manganese, total	LGW-10	10/2/2019	8500	3		ug/L
Manganese, total	LGW-10	1/15/2020	9520	3		ug/L
Manganese, total	LGW-10	4/2/2020	8280	3		ug/L
Manganese, total	LGW-10	7/9/2020	8870	3		ug/L
Manganese, total	LGW-10	10/7/2020	2550	3		ug/L
Manganese, total	LGW-10	1/17/2021	6200	3		ug/L
Manganese, total	LGW-10	4/6/2021	8020	3		ug/L
Manganese, total	LGW-10	7/7/2021	10400	6		ug/L
Manganese, total	LGW-10	10/5/2021	3370	3		ug/L
Manganese, total	LGW-10	1/13/2022	6050	3		ug/L
Manganese, total	LGW-10	4/4/2022	7930	3		ug/L
Manganese, total	LGW-10	7/11/2022	8800	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-10	10/7/2022	3160	3		ug/L
Manganese, total	LGW-10	1/11/2023	7720	3		ug/L
Manganese, total	LGW-10	4/5/2023	11000	3		ug/L
Manganese, total	LGW-10	7/10/2023	2730	3		ug/L
Manganese, total	LGW-10	10/5/2023	3020	3		ug/L
Manganese, total	LGW-14R	1/25/2006	7500	1		ug/L
Manganese, total	LGW-14R	8/2/2006	1900	3		ug/L
Manganese, total	LGW-14R	8/2/2006	1900	3		ug/L
Manganese, total	LGW-14R	10/27/2006	75	3		ug/L
Manganese, total	LGW-14R	1/24/2007	84	3		ug/L
Manganese, total	LGW-14R	4/24/2007	790	3		ug/L
Manganese, total	LGW-14R	7/11/2007	1800	3		ug/L
Manganese, total	LGW-14R	1/23/2008	28	3		ug/L
Manganese, total	LGW-14R	7/22/2008	6.9	3		ug/L
Manganese, total	LGW-14R	2/6/2009	120	3		ug/L
Manganese, total	LGW-14R	7/29/2009	2	3	ND	ug/L
Manganese, total	LGW-14R	2/3/2010	1.3	3	ND	ug/L
Manganese, total	LGW-14R	2/3/2010	1.3	3	ND	ug/L
Manganese, total	LGW-14R	7/12/2010	2.1	3	ND	ug/L
Manganese, total	LGW-14R	1/19/2011	4.4	3		ug/L
Manganese, total	LGW-14R	7/12/2011	2	3	ND	ug/L
Manganese, total	LGW-14R	1/5/2012	4.4	3		ug/L
Manganese, total	LGW-14R	7/9/2012	3	3		ug/L
Manganese, total	LGW-14R	4/30/2013	1.5	3	ND	ug/L
Manganese, total	LGW-14R	1/23/2014	1.6	3	ND	ug/L
Manganese, total	LGW-14R	7/8/2014	0.7	3	ND	ug/L
Manganese, total	LGW-14R	2/11/2015	1	3	ND	ug/L
Manganese, total	LGW-14R	7/22/2015	1.7	3	ND	ug/L
Manganese, total	LGW-14R	1/5/2016	2.3	3	ND	ug/L
Manganese, total	LGW-14R	7/19/2016	14	3		ug/L
Manganese, total	LGW-14R	1/11/2017	11	3		ug/L
Manganese, total	LGW-14R	7/18/2017	13	3		ug/L
Manganese, total	LGW-14R	1/25/2018	4.2	3		ug/L
Manganese, total	LGW-14R	7/17/2018	2	3	ND	ug/L
Manganese, total	LGW-14R	1/3/2019	2.1	3	ND	ug/L
Manganese, total	LGW-14R	7/10/2019	3	3	ND	ug/L
Manganese, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Manganese, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Manganese, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Manganese, total	LGW-14R	7/7/2021	3	3	ND	ug/L
Manganese, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Manganese, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Manganese, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Manganese, total	LGW-14R	7/10/2023	3	3	ND	ug/L
Manganese, total	LGW-2	1/25/2006	260	1		ug/L
Manganese, total	LGW-2	8/1/2006	40	3		ug/L
Manganese, total	LGW-2	8/1/2006	40	3		ug/L
Manganese, total	LGW-2	10/26/2006	16	3		ug/L
Manganese, total	LGW-2	1/25/2007	22	3		ug/L
Manganese, total	LGW-2	4/26/2007	16	3		ug/L
Manganese, total	LGW-2	7/10/2007	5.1	3		ug/L
Manganese, total	LGW-2	1/26/2008	61	3		ug/L
Manganese, total	LGW-2	7/23/2008	12	3		ug/L
Manganese, total	LGW-2	2/6/2009	92	3		ug/L
Manganese, total	LGW-2	7/30/2009	39	3		ug/L
Manganese, total	LGW-2	2/3/2010	4.9	3		ug/L
Manganese, total	LGW-2	2/3/2010	4.9	3		ug/L
Manganese, total	LGW-2	7/12/2010	8.9	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-2	1/19/2011	44	3		ug/L
Manganese, total	LGW-2	7/13/2011	6.9	3		ug/L
Manganese, total	LGW-2	1/4/2012	8.3	3		ug/L
Manganese, total	LGW-2	7/9/2012	12	3		ug/L
Manganese, total	LGW-2	4/30/2013	31	3		ug/L
Manganese, total	LGW-2	7/15/2013	17	3		ug/L
Manganese, total	LGW-2	1/30/2014	9.9	3		ug/L
Manganese, total	LGW-2	7/8/2014	8.6	3		ug/L
Manganese, total	LGW-2	2/13/2015	18	3		ug/L
Manganese, total	LGW-2	7/8/2015	12	3		ug/L
Manganese, total	LGW-2	1/5/2016	9.4	3		ug/L
Manganese, total	LGW-2	7/19/2016	10	3		ug/L
Manganese, total	LGW-2	1/11/2017	170	3		ug/L
Manganese, total	LGW-2	7/18/2017	440	3		ug/L
Manganese, total	LGW-2	1/23/2018	120	3		ug/L
Manganese, total	LGW-2	7/12/2018	200	3		ug/L
Manganese, total	LGW-2	1/3/2019	120	3		ug/L
Manganese, total	LGW-2	7/9/2019	89	3		ug/L
Manganese, total	LGW-2	1/13/2020	62.3	3		ug/L
Manganese, total	LGW-2	4/1/2020	46.5	3		ug/L
Manganese, total	LGW-2	7/8/2020	23.4	3		ug/L
Manganese, total	LGW-2	1/18/2021	5.44	3		ug/L
Manganese, total	LGW-2	7/4/2021	3	3	ND	ug/L
Manganese, total	LGW-2	1/12/2022	3	3	ND	ug/L
Manganese, total	LGW-2	7/10/2022	3	3	ND	ug/L
Manganese, total	LGW-2	1/10/2023	3	3	ND	ug/L
Manganese, total	LGW-2	7/10/2023	3	3	ND	ug/L
Manganese, total	LGW-3R	1/24/2006	12	1		ug/L
Manganese, total	LGW-3R	7/20/2006	19	3		ug/L
Manganese, total	LGW-3R	7/20/2006	19	3		ug/L
Manganese, total	LGW-3R	10/26/2006	630	3		ug/L
Manganese, total	LGW-3R	1/25/2007	19	3		ug/L
Manganese, total	LGW-3R	4/26/2007	23	3		ug/L
Manganese, total	LGW-3R	7/11/2007	22	3		ug/L
Manganese, total	LGW-3R	1/26/2008	91	3		ug/L
Manganese, total	LGW-3R	7/23/2008	36	3		ug/L
Manganese, total	LGW-3R	2/3/2009	40	3		ug/L
Manganese, total	LGW-3R	7/31/2009	360	3		ug/L
Manganese, total	LGW-3R	2/3/2010	32	3		ug/L
Manganese, total	LGW-3R	2/3/2010	32	3		ug/L
Manganese, total	LGW-3R	7/16/2010	5	3		ug/L
Manganese, total	LGW-3R	1/19/2011	10	3		ug/L
Manganese, total	LGW-3R	7/13/2011	17	3		ug/L
Manganese, total	LGW-3R	1/4/2012	17	3		ug/L
Manganese, total	LGW-3R	7/9/2012	9.4	3		ug/L
Manganese, total	LGW-3R	4/30/2013	120	3		ug/L
Manganese, total	LGW-3R	7/15/2013	120	3		ug/L
Manganese, total	LGW-3R	1/22/2014	28	3		ug/L
Manganese, total	LGW-3R	7/8/2014	36	3		ug/L
Manganese, total	LGW-3R	2/10/2015	22	3		ug/L
Manganese, total	LGW-3R	7/16/2015	400	3		ug/L
Manganese, total	LGW-3R	1/8/2016	11	3		ug/L
Manganese, total	LGW-3R	7/21/2016	370	3		ug/L
Manganese, total	LGW-3R	1/11/2017	41	3		ug/L
Manganese, total	LGW-3R	7/18/2017	23	3		ug/L
Manganese, total	LGW-3R	1/23/2018	11	3		ug/L
Manganese, total	LGW-3R	7/11/2018	1.2	3	ND	ug/L
Manganese, total	LGW-3R	1/3/2019	18	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-3R	7/9/2019	1.6	3	ND	ug/L
Manganese, total	LGW-3R	1/14/2020	42.9	3		ug/L
Manganese, total	LGW-3R	7/6/2020	22.1	3		ug/L
Manganese, total	LGW-3R	1/18/2021	59.8	3		ug/L
Manganese, total	LGW-3R	7/6/2021	77.5	3		ug/L
Manganese, total	LGW-3R	1/12/2022	25.6	3		ug/L
Manganese, total	LGW-3R	7/10/2022	53.6	3		ug/L
Manganese, total	LGW-3R	1/10/2023	26.4	3		ug/L
Manganese, total	LGW-3R	7/10/2023	21.9	3		ug/L
Manganese, total	LGW-4	1/24/2006	23	1		ug/L
Manganese, total	LGW-4	7/20/2006	14	3		ug/L
Manganese, total	LGW-4	7/20/2006	14	3		ug/L
Manganese, total	LGW-4	10/26/2006	110	3		ug/L
Manganese, total	LGW-4	1/25/2007	27	3		ug/L
Manganese, total	LGW-4	4/26/2007	22	3		ug/L
Manganese, total	LGW-4	7/11/2007	14	3		ug/L
Manganese, total	LGW-4	1/22/2008	20	3		ug/L
Manganese, total	LGW-4	7/23/2008	5.8	3		ug/L
Manganese, total	LGW-4	2/3/2009	6.5	3		ug/L
Manganese, total	LGW-4	7/31/2009	4.8	3		ug/L
Manganese, total	LGW-4	2/3/2010	5.4	3		ug/L
Manganese, total	LGW-4	2/3/2010	5.4	3		ug/L
Manganese, total	LGW-4	7/16/2010	5.1	3		ug/L
Manganese, total	LGW-4	1/19/2011	4.9	3		ug/L
Manganese, total	LGW-4	7/13/2011	8.6	3		ug/L
Manganese, total	LGW-4	1/4/2012	4.2	3		ug/L
Manganese, total	LGW-4	7/9/2012	6	3		ug/L
Manganese, total	LGW-4	4/30/2013	20	3		ug/L
Manganese, total	LGW-4	7/15/2013	12	3		ug/L
Manganese, total	LGW-4	1/23/2014	9.4	3		ug/L
Manganese, total	LGW-4	7/8/2014	8.8	3		ug/L
Manganese, total	LGW-4	2/11/2015	7.8	3		ug/L
Manganese, total	LGW-4	7/8/2015	3.3	3		ug/L
Manganese, total	LGW-4	1/5/2016	9.4	3		ug/L
Manganese, total	LGW-4	7/19/2016	6.7	3		ug/L
Manganese, total	LGW-4	1/11/2017	9.2	3		ug/L
Manganese, total	LGW-4	7/18/2017	10	3		ug/L
Manganese, total	LGW-4	1/23/2018	5.4	3		ug/L
Manganese, total	LGW-4	7/11/2018	38	3		ug/L
Manganese, total	LGW-4	1/3/2019	41	3		ug/L
Manganese, total	LGW-4	4/3/2019	240	3		ug/L
Manganese, total	LGW-4	7/9/2019	220	3		ug/L
Manganese, total	LGW-4	1/14/2020	66.7	3		ug/L
Manganese, total	LGW-4	7/6/2020	67.6	3		ug/L
Manganese, total	LGW-4	1/18/2021	1670	3		ug/L
Manganese, total	LGW-4	7/7/2021	236	3		ug/L
Manganese, total	LGW-4	1/12/2022	55.1	3		ug/L
Manganese, total	LGW-4	7/11/2022	50.4	3		ug/L
Manganese, total	LGW-4	1/10/2023	179	3		ug/L
Manganese, total	LGW-4	7/10/2023	135	3		ug/L
Manganese, total	LGW-5	1/25/2006	170	1		ug/L
Manganese, total	LGW-5	8/1/2006	110	3		ug/L
Manganese, total	LGW-5	8/1/2006	110	3		ug/L
Manganese, total	LGW-5	10/26/2006	48	3		ug/L
Manganese, total	LGW-5	1/25/2007	4.8	3		ug/L
Manganese, total	LGW-5	4/26/2007	3	3	ND	ug/L
Manganese, total	LGW-5	7/11/2007	1.9	3	ND	ug/L
Manganese, total	LGW-5	1/23/2008	3.4	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-5	7/23/2008	1.2	3	ND	ug/L
Manganese, total	LGW-5	2/4/2009	4.1	3		ug/L
Manganese, total	LGW-5	7/29/2009	0.4	3	ND	ug/L
Manganese, total	LGW-5	2/3/2010	1.7	3	ND	ug/L
Manganese, total	LGW-5	2/3/2010	1.7	3	ND	ug/L
Manganese, total	LGW-5	7/12/2010	1.2	3	ND	ug/L
Manganese, total	LGW-5	1/19/2011	1.7	3	ND	ug/L
Manganese, total	LGW-5	7/12/2011	3	3	ND	ug/L
Manganese, total	LGW-5	1/5/2012	3	3	ND	ug/L
Manganese, total	LGW-5	7/9/2012	2.5	3	ND	ug/L
Manganese, total	LGW-5	4/30/2013	2.9	3	ND	ug/L
Manganese, total	LGW-5	7/15/2013	51	3		ug/L
Manganese, total	LGW-5	1/23/2014	4.7	3		ug/L
Manganese, total	LGW-5	7/8/2014	79	3		ug/L
Manganese, total	LGW-5	2/10/2015	250	3		ug/L
Manganese, total	LGW-5	7/8/2015	2000	3		ug/L
Manganese, total	LGW-5	1/5/2016	950	3		ug/L
Manganese, total	LGW-5	7/19/2016	720	3		ug/L
Manganese, total	LGW-5	1/11/2017	630	3		ug/L
Manganese, total	LGW-5	7/18/2017	600	3		ug/L
Manganese, total	LGW-5	1/23/2018	830	3		ug/L
Manganese, total	LGW-5	7/12/2018	1100	3		ug/L
Manganese, total	LGW-5	1/3/2019	2400	3		ug/L
Manganese, total	LGW-5	4/3/2019	3200	3		ug/L
Manganese, total	LGW-5	7/9/2019	4200	3		ug/L
Manganese, total	LGW-5	1/14/2020	7110	3		ug/L
Manganese, total	LGW-5	7/6/2020	9960	3		ug/L
Manganese, total	LGW-5	1/18/2021	15900	3		ug/L
Manganese, total	LGW-5	4/6/2021	14900	3		ug/L
Manganese, total	LGW-5	7/7/2021	17700	3		ug/L
Manganese, total	LGW-5	10/5/2021	16600	6		ug/L
Manganese, total	LGW-5	1/12/2022	15800	3		ug/L
Manganese, total	LGW-5	4/4/2022	15600	3		ug/L
Manganese, total	LGW-5	7/11/2022	15700	3		ug/L
Manganese, total	LGW-5	10/6/2022	17600	12		ug/L
Manganese, total	LGW-5	1/10/2023	10900	12		ug/L
Manganese, total	LGW-5	7/10/2023	14700	3		ug/L
Manganese, total	LGW-5	10/5/2023	12700	3		ug/L
Manganese, total	LGW-6	1/24/2006	16	1		ug/L
Manganese, total	LGW-6	7/20/2006	7.8	3		ug/L
Manganese, total	LGW-6	7/20/2006	7.8	3		ug/L
Manganese, total	LGW-6	10/26/2006	310	3		ug/L
Manganese, total	LGW-6	1/24/2007	56	3		ug/L
Manganese, total	LGW-6	4/26/2007	20	3		ug/L
Manganese, total	LGW-6	7/11/2007	8.3	3		ug/L
Manganese, total	LGW-6	1/23/2008	3.3	3		ug/L
Manganese, total	LGW-6	7/23/2008	4.6	3		ug/L
Manganese, total	LGW-6	2/5/2009	40	3		ug/L
Manganese, total	LGW-6	7/29/2009	4.7	3		ug/L
Manganese, total	LGW-6	2/3/2010	17	3		ug/L
Manganese, total	LGW-6	2/3/2010	17	3		ug/L
Manganese, total	LGW-6	7/12/2010	5.5	3		ug/L
Manganese, total	LGW-6	1/19/2011	6.3	3		ug/L
Manganese, total	LGW-6	7/12/2011	4.6	3		ug/L
Manganese, total	LGW-6	1/5/2012	2.9	3	ND	ug/L
Manganese, total	LGW-6	7/9/2012	5.6	3		ug/L
Manganese, total	LGW-6	4/30/2013	2.9	3	ND	ug/L
Manganese, total	LGW-6	7/15/2013	4.2	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-6	1/23/2014	3.5	3		ug/L
Manganese, total	LGW-6	7/8/2014	5.9	3		ug/L
Manganese, total	LGW-6	2/10/2015	3.5	3		ug/L
Manganese, total	LGW-6	7/22/2015	6.7	3		ug/L
Manganese, total	LGW-6	1/5/2016	3.8	3		ug/L
Manganese, total	LGW-6	7/19/2016	4100	3		ug/L
Manganese, total	LGW-6	10/6/2016	18000	3		ug/L
Manganese, total	LGW-6	1/11/2017	16000	3		ug/L
Manganese, total	LGW-6	5/5/2017	24000	15		ug/L
Manganese, total	LGW-6	7/18/2017	20000	3		ug/L
Manganese, total	LGW-6	10/5/2017	23000	6		ug/L
Manganese, total	LGW-6	1/23/2018	26000	15		ug/L
Manganese, total	LGW-6	4/10/2018	22000	6		ug/L
Manganese, total	LGW-6	7/17/2018	18000	6		ug/L
Manganese, total	LGW-6	10/2/2018	25000	6		ug/L
Manganese, total	LGW-6	1/7/2019	28000	6		ug/L
Manganese, total	LGW-6	4/3/2019	24000	15		ug/L
Manganese, total	LGW-6	7/10/2019	27000	15		ug/L
Manganese, total	LGW-6	10/3/2019	30000	15		ug/L
Manganese, total	LGW-6	1/16/2020	30400	6		ug/L
Manganese, total	LGW-6	4/2/2020	30300	6		ug/L
Manganese, total	LGW-6	7/9/2020	36500	6		ug/L
Manganese, total	LGW-6	10/6/2020	34200	6		ug/L
Manganese, total	LGW-6	1/18/2021	40900	6		ug/L
Manganese, total	LGW-6	4/6/2021	38700	6		ug/L
Manganese, total	LGW-6	7/7/2021	38400	6		ug/L
Manganese, total	LGW-6	10/5/2021	42700	6		ug/L
Manganese, total	LGW-6	1/12/2022	43400	6		ug/L
Manganese, total	LGW-6	4/4/2022	42300	6		ug/L
Manganese, total	LGW-6	7/11/2022	34700	6		ug/L
Manganese, total	LGW-6	10/6/2022	44100	24		ug/L
Manganese, total	LGW-6	1/10/2023	34500	24		ug/L
Manganese, total	LGW-6	4/6/2023	38400	6		ug/L
Manganese, total	LGW-6	7/10/2023	37400	6		ug/L
Manganese, total	LGW-6	10/5/2023	32600	6		ug/L
Manganese, total	LGW-7	1/25/2006	21	1		ug/L
Manganese, total	LGW-7	8/1/2006	67	3		ug/L
Manganese, total	LGW-7	8/1/2006	67	3		ug/L
Manganese, total	LGW-7	10/26/2006	81	3		ug/L
Manganese, total	LGW-7	1/24/2007	5.4	3		ug/L
Manganese, total	LGW-7	4/26/2007	2.1	3	ND	ug/L
Manganese, total	LGW-7	7/12/2007	3	3		ug/L
Manganese, total	LGW-7	7/22/2008	0.8	3	ND	ug/L
Manganese, total	LGW-7	2/4/2009	0.9	3	ND	ug/L
Manganese, total	LGW-7	7/31/2009	0.6	3	ND	ug/L
Manganese, total	LGW-7	1/27/2010	0.6	3	ND	ug/L
Manganese, total	LGW-7	7/12/2010	6.6	3		ug/L
Manganese, total	LGW-7	1/20/2011	3	3		ug/L
Manganese, total	LGW-7	7/12/2011	3.8	3		ug/L
Manganese, total	LGW-7	1/5/2012	1.7	3	ND	ug/L
Manganese, total	LGW-7	7/10/2012	1.9	3	ND	ug/L
Manganese, total	LGW-7	4/30/2013	4.6	3		ug/L
Manganese, total	LGW-7	7/15/2013	4.3	3		ug/L
Manganese, total	LGW-7	1/23/2014	8.2	3		ug/L
Manganese, total	LGW-7	7/8/2014	4.3	3		ug/L
Manganese, total	LGW-7	2/11/2015	2.2	3	ND	ug/L
Manganese, total	LGW-7	7/22/2015	18	3		ug/L
Manganese, total	LGW-7	1/5/2016	2800	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-7	4/6/2016	6300	3		ug/L
Manganese, total	LGW-7	7/20/2016	12000	3		ug/L
Manganese, total	LGW-7	10/6/2016	19000	3		ug/L
Manganese, total	LGW-7	1/11/2017	3900	3		ug/L
Manganese, total	LGW-7	4/4/2017	7200	3		ug/L
Manganese, total	LGW-7	7/18/2017	130	3		ug/L
Manganese, total	LGW-7	10/5/2017	26000	6		ug/L
Manganese, total	LGW-7	1/24/2018	35000	15		ug/L
Manganese, total	LGW-7	4/11/2018	19000	3		ug/L
Manganese, total	LGW-7	7/12/2018	14000	3		ug/L
Manganese, total	LGW-7	10/2/2018	13000	6		ug/L
Manganese, total	LGW-7	1/7/2019	6400	3		ug/L
Manganese, total	LGW-7	4/3/2019	3100	3		ug/L
Manganese, total	LGW-7	7/10/2019	9800	3		ug/L
Manganese, total	LGW-7	10/3/2019	830	3		ug/L
Manganese, total	LGW-7	1/15/2020	76.2	3		ug/L
Manganese, total	LGW-7	7/9/2020	9.97	3		ug/L
Manganese, total	LGW-7	1/18/2021	14.2	3		ug/L
Manganese, total	LGW-7	7/7/2021	50.6	3		ug/L
Manganese, total	LGW-7	10/5/2021	15.2	3		ug/L
Manganese, total	LGW-7	1/13/2022	6.63	3		ug/L
Manganese, total	LGW-7	7/11/2022	103	3		ug/L
Manganese, total	LGW-7	1/11/2023	5.83	3		ug/L
Manganese, total	LGW-7	7/10/2023	127	3		ug/L
Manganese, total	LGW-7	10/5/2023	25.8	3		ug/L
Manganese, total	LGW-8R	1/24/2006	470	1		ug/L
Manganese, total	LGW-8R	7/20/2006	650	3		ug/L
Manganese, total	LGW-8R	7/20/2006	650	3		ug/L
Manganese, total	LGW-8R	10/26/2006	1700	3		ug/L
Manganese, total	LGW-8R	1/24/2007	1300	3		ug/L
Manganese, total	LGW-8R	4/25/2007	710	3		ug/L
Manganese, total	LGW-8R	7/12/2007	620	3		ug/L
Manganese, total	LGW-8R	2/4/2009	1.4	3	ND	ug/L
Manganese, total	LGW-8R	7/29/2009	0.4	3	ND	ug/L
Manganese, total	LGW-8R	1/27/2010	1	3	ND	ug/L
Manganese, total	LGW-8R	7/14/2010	0.4	3	ND	ug/L
Manganese, total	LGW-8R	1/20/2011	1.4	3	ND	ug/L
Manganese, total	LGW-8R	7/12/2011	3	3	ND	ug/L
Manganese, total	LGW-8R	1/5/2012	1.5	3	ND	ug/L
Manganese, total	LGW-8R	7/9/2012	0.3	3	ND	ug/L
Manganese, total	LGW-8R	4/30/2013	7.7	3	ND	ug/L
Manganese, total	LGW-8R	7/15/2013	1.2	3	ND	ug/L
Manganese, total	LGW-8R	1/22/2014	1.7	3	ND	ug/L
Manganese, total	LGW-8R	7/8/2014	1	3	ND	ug/L
Manganese, total	LGW-8R	2/11/2015	0.9	3	ND	ug/L
Manganese, total	LGW-8R	7/22/2015	1.8	3	ND	ug/L
Manganese, total	LGW-8R	1/5/2016	4.4	3		ug/L
Manganese, total	LGW-8R	7/20/2016	7	3		ug/L
Manganese, total	LGW-8R	1/11/2017	6.2	3		ug/L
Manganese, total	LGW-8R	7/18/2017	22	3		ug/L
Manganese, total	LGW-8R	1/25/2018	0.26	3	ND	ug/L
Manganese, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Manganese, total	LGW-8R	1/7/2019	1.1	3	ND	ug/L
Manganese, total	LGW-8R	7/8/2019	0.8	3	ND	ug/L
Manganese, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Manganese, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Manganese, total	LGW-8R	1/17/2021	3	3	ND	ug/L
Manganese, total	LGW-8R	7/7/2021	3.95	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Manganese, total	LGW-8R	7/11/2022	24	3		ug/L
Manganese, total	LGW-8R	10/6/2022	37.6	3		ug/L
Manganese, total	LGW-8R	1/11/2023	26.3	3		ug/L
Manganese, total	LGW-8R	7/10/2023	117	3		ug/L
Manganese, total	LGW-9	1/25/2006	15700	1		ug/L
Manganese, total	LGW-9	7/20/2006	12000	3		ug/L
Manganese, total	LGW-9	7/20/2006	12000	3		ug/L
Manganese, total	LGW-9	10/26/2006	11000	3		ug/L
Manganese, total	LGW-9	1/25/2007	11000	3		ug/L
Manganese, total	LGW-9	4/25/2007	11000	3		ug/L
Manganese, total	LGW-9	7/10/2007	10000	3		ug/L
Manganese, total	LGW-9	7/22/2008	10000	3		ug/L
Manganese, total	LGW-9	2/4/2009	8600	3		ug/L
Manganese, total	LGW-9	7/29/2009	7700	3		ug/L
Manganese, total	LGW-9	1/27/2010	8300	3		ug/L
Manganese, total	LGW-9	7/14/2010	8000	3		ug/L
Manganese, total	LGW-9	1/20/2011	10000	3		ug/L
Manganese, total	LGW-9	7/12/2011	11000	3		ug/L
Manganese, total	LGW-9	1/5/2012	12000	3		ug/L
Manganese, total	LGW-9	7/10/2012	12000	3		ug/L
Manganese, total	LGW-9	5/1/2013	15000	3		ug/L
Manganese, total	LGW-9	7/15/2013	12000	3		ug/L
Manganese, total	LGW-9	1/23/2014	9900	3		ug/L
Manganese, total	LGW-9	7/8/2014	7900	3		ug/L
Manganese, total	LGW-9	2/11/2015	11000	3		ug/L
Manganese, total	LGW-9	7/13/2015	9100	3		ug/L
Manganese, total	LGW-9	1/5/2016	9100	3		ug/L
Manganese, total	LGW-9	7/21/2016	9500	3		ug/L
Manganese, total	LGW-9	10/6/2016	11000	3		ug/L
Manganese, total	LGW-9	1/11/2017	12000	3		ug/L
Manganese, total	LGW-9	5/5/2017	12000	3		ug/L
Manganese, total	LGW-9	7/18/2017	12000	3		ug/L
Manganese, total	LGW-9	10/5/2017	11000	3		ug/L
Manganese, total	LGW-9	1/24/2018	9900	3		ug/L
Manganese, total	LGW-9	4/11/2018	11000	3		ug/L
Manganese, total	LGW-9	7/13/2018	11000	3		ug/L
Manganese, total	LGW-9	10/2/2018	11000	6		ug/L
Manganese, total	LGW-9	1/7/2019	11000	3		ug/L
Manganese, total	LGW-9	4/3/2019	14000	3		ug/L
Manganese, total	LGW-9	7/10/2019	11000	6		ug/L
Manganese, total	LGW-9	10/3/2019	8200	3		ug/L
Manganese, total	LGW-9	1/16/2020	6920	3		ug/L
Manganese, total	LGW-9	4/2/2020	5940	3		ug/L
Manganese, total	LGW-9	7/9/2020	6330	3		ug/L
Manganese, total	LGW-9	10/7/2020	6490	3		ug/L
Manganese, total	LGW-9	1/17/2021	9110	3		ug/L
Manganese, total	LGW-9	4/6/2021	5870	3		ug/L
Manganese, total	LGW-9	7/7/2021	6270	3		ug/L
Manganese, total	LGW-9	10/5/2021	7010	3		ug/L
Manganese, total	LGW-9	1/13/2022	5820	3		ug/L
Manganese, total	LGW-9	4/4/2022	5900	3		ug/L
Manganese, total	LGW-9	7/11/2022	5400	3		ug/L
Manganese, total	LGW-9	10/7/2022	5680	3		ug/L
Manganese, total	LGW-9	1/11/2023	4250	3		ug/L
Manganese, total	LGW-9	4/5/2023	3000	3		ug/L
Manganese, total	LGW-9	7/10/2023	4220	3		ug/L
Manganese, total	LGW-9	10/5/2023	3270	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-10N	10/22/1997	92	1		ug/L
Manganese, total	MW-10N	4/28/1998	500	1		ug/L
Manganese, total	MW-10N	7/23/1998	110	1		ug/L
Manganese, total	MW-10N	1/14/1999	540	1		ug/L
Manganese, total	MW-10N	4/13/1999	90	1		ug/L
Manganese, total	MW-10N	7/15/1999	18	1		ug/L
Manganese, total	MW-10N	10/20/1999	66	1		ug/L
Manganese, total	MW-10N	1/14/2000	10	1		ug/L
Manganese, total	MW-10N	4/25/2000	81	1		ug/L
Manganese, total	MW-10N	7/11/2000	19	1		ug/L
Manganese, total	MW-10N	10/17/2000	62	1		ug/L
Manganese, total	MW-10N	1/24/2001	41	1		ug/L
Manganese, total	MW-10N	4/10/2001	45	1		ug/L
Manganese, total	MW-10N	7/10/2002	21	2		ug/L
Manganese, total	MW-10N	10/2/2002	23	2		ug/L
Manganese, total	MW-10N	1/22/2003	39	1		ug/L
Manganese, total	MW-10N	4/15/2003	23	1		ug/L
Manganese, total	MW-10N	7/8/2003	16	1		ug/L
Manganese, total	MW-10N	1/28/2004	27	1		ug/L
Manganese, total	MW-10N	7/27/2004	54	1		ug/L
Manganese, total	MW-10N	1/12/2005	11	1		ug/L
Manganese, total	MW-10N	7/20/2005	32	1		ug/L
Manganese, total	MW-10N	1/19/2006	53	1		ug/L
Manganese, total	MW-10N	7/19/2006	47	3		ug/L
Manganese, total	MW-10N	7/19/2006	47	3		ug/L
Manganese, total	MW-10N	10/25/2006	47	3		ug/L
Manganese, total	MW-10N	1/24/2007	32	3		ug/L
Manganese, total	MW-10N	7/10/2007	8.7	3		ug/L
Manganese, total	MW-10N	1/23/2008	34	3		ug/L
Manganese, total	MW-10N	7/21/2008	46	3		ug/L
Manganese, total	MW-10N	2/13/2009	43	3		ug/L
Manganese, total	MW-10N	7/31/2009	33	3		ug/L
Manganese, total	MW-10N	1/27/2010	14	3		ug/L
Manganese, total	MW-10N	8/10/2010	31	3		ug/L
Manganese, total	MW-10N	1/19/2011	26	3		ug/L
Manganese, total	MW-10N	7/14/2011	30	3		ug/L
Manganese, total	MW-10N	1/5/2012	32	3		ug/L
Manganese, total	MW-10N	7/10/2012	30	3		ug/L
Manganese, total	MW-10N	5/1/2013	35	3		ug/L
Manganese, total	MW-10N	1/24/2014	30	3		ug/L
Manganese, total	MW-10N	7/9/2014	25	3		ug/L
Manganese, total	MW-10N	2/12/2015	24	3		ug/L
Manganese, total	MW-10N	7/14/2015	32	3		ug/L
Manganese, total	MW-10N	1/6/2016	32	3		ug/L
Manganese, total	MW-10N	7/21/2016	30	3		ug/L
Manganese, total	MW-10N	1/11/2017	33	3		ug/L
Manganese, total	MW-10N	7/19/2017	29	3		ug/L
Manganese, total	MW-10N	1/24/2018	25	3		ug/L
Manganese, total	MW-10N	7/11/2018	25	3		ug/L
Manganese, total	MW-10N	1/3/2019	24	3		ug/L
Manganese, total	MW-10N	7/9/2019	26	3		ug/L
Manganese, total	MW-10N	1/16/2020	25.8	3		ug/L
Manganese, total	MW-10N	7/8/2020	23.8	3		ug/L
Manganese, total	MW-10N	1/13/2021	23.7	3		ug/L
Manganese, total	MW-10N	7/5/2021	24.7	3		ug/L
Manganese, total	MW-10N	1/11/2023	101	3		ug/L
Manganese, total	MW-10N	4/8/2023	49	3		ug/L
Manganese, total	MW-10N	7/7/2023	37.3	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-11N	10/22/1997	370	1		ug/L
Manganese, total	MW-11N	4/28/1998	90	1		ug/L
Manganese, total	MW-11N	7/23/1998	160	1		ug/L
Manganese, total	MW-11N	1/13/1999	270	1		ug/L
Manganese, total	MW-11N	4/13/1999	27	1		ug/L
Manganese, total	MW-11N	7/14/1999	16	1		ug/L
Manganese, total	MW-11N	10/20/1999	24	1		ug/L
Manganese, total	MW-11N	1/13/2000	62	1		ug/L
Manganese, total	MW-11N	4/25/2000	19	1		ug/L
Manganese, total	MW-11N	7/10/2000	66	1		ug/L
Manganese, total	MW-11N	10/17/2000	12	1		ug/L
Manganese, total	MW-11N	1/24/2001	9	1		ug/L
Manganese, total	MW-11N	4/10/2001	64	1		ug/L
Manganese, total	MW-11N	7/9/2002	30	2		ug/L
Manganese, total	MW-11N	10/2/2002	21	2		ug/L
Manganese, total	MW-11N	1/23/2003	81	1		ug/L
Manganese, total	MW-11N	4/15/2003	20	1		ug/L
Manganese, total	MW-11N	7/8/2003	12	1		ug/L
Manganese, total	MW-11N	1/29/2004	32	1		ug/L
Manganese, total	MW-11N	7/27/2004	18	1		ug/L
Manganese, total	MW-11N	1/13/2005	17	1		ug/L
Manganese, total	MW-11N	7/20/2005	9	1		ug/L
Manganese, total	MW-11N	1/19/2006	35	1		ug/L
Manganese, total	MW-11N	7/18/2006	30	3		ug/L
Manganese, total	MW-11N	7/18/2006	30	3		ug/L
Manganese, total	MW-11N	10/25/2006	22	3		ug/L
Manganese, total	MW-11N	1/24/2007	19	3		ug/L
Manganese, total	MW-11N	7/10/2007	13	3		ug/L
Manganese, total	MW-11N	1/22/2008	3	3	ND	ug/L
Manganese, total	MW-11N	7/23/2008	0.9	3	ND	ug/L
Manganese, total	MW-11N	2/3/2009	0.6	3	ND	ug/L
Manganese, total	MW-11N	7/31/2009	0.8	3	ND	ug/L
Manganese, total	MW-11N	2/3/2010	4.5	3		ug/L
Manganese, total	MW-11N	2/3/2010	4.5	3		ug/L
Manganese, total	MW-11N	7/16/2010	0.4	3	ND	ug/L
Manganese, total	MW-11N	1/19/2011	1	3	ND	ug/L
Manganese, total	MW-11N	7/13/2011	2.2	3	ND	ug/L
Manganese, total	MW-11N	1/4/2012	1.6	3	ND	ug/L
Manganese, total	MW-11N	7/9/2012	2.8	3	ND	ug/L
Manganese, total	MW-11N	4/30/2013	36	3		ug/L
Manganese, total	MW-11N	7/15/2013	1.6	3	ND	ug/L
Manganese, total	MW-11N	1/23/2014	38	3		ug/L
Manganese, total	MW-11N	7/8/2014	1	3	ND	ug/L
Manganese, total	MW-11N	2/10/2015	0.3	3	ND	ug/L
Manganese, total	MW-11N	7/13/2015	19	3		ug/L
Manganese, total	MW-11N	1/5/2016	1.4	3	ND	ug/L
Manganese, total	MW-11N	7/21/2016	14	3		ug/L
Manganese, total	MW-11N	1/11/2017	2.1	3	ND	ug/L
Manganese, total	MW-11N	7/19/2017	10	3		ug/L
Manganese, total	MW-11N	1/23/2018	1.1	3	ND	ug/L
Manganese, total	MW-11N	7/17/2018	3	3	ND	ug/L
Manganese, total	MW-11N	1/2/2019	1.1	3	ND	ug/L
Manganese, total	MW-11N	7/9/2019	3	3	ND	ug/L
Manganese, total	MW-11N	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-11N	7/6/2020	3	3	ND	ug/L
Manganese, total	MW-11N	1/18/2021	3	3	ND	ug/L
Manganese, total	MW-11N	7/6/2021	3	3	ND	ug/L
Manganese, total	MW-11N	1/18/2022	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-11N	7/13/2022	3	3	ND	ug/L
Manganese, total	MW-11N	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-11N	7/8/2023	3	3	ND	ug/L
Manganese, total	MW-15	6/5/2015	28	3		ug/L
Manganese, total	MW-15	7/15/2015	32	3		ug/L
Manganese, total	MW-15	8/5/2015	230	3		ug/L
Manganese, total	MW-15	9/3/2015	1.9	3	ND	ug/L
Manganese, total	MW-15	1/7/2016	17	3		ug/L
Manganese, total	MW-15	4/5/2016	9.8	3		ug/L
Manganese, total	MW-15	7/20/2016	12	3		ug/L
Manganese, total	MW-15	10/6/2016	7.3	3		ug/L
Manganese, total	MW-15	1/10/2017	100	3		ug/L
Manganese, total	MW-15	7/18/2017	2500	3		ug/L
Manganese, total	MW-15	1/23/2018	7.8	3		ug/L
Manganese, total	MW-15	7/10/2018	2.3	3	ND	ug/L
Manganese, total	MW-15	1/3/2019	11	3		ug/L
Manganese, total	MW-15	7/9/2019	5.8	3		ug/L
Manganese, total	MW-15	1/14/2020	6.34	3		ug/L
Manganese, total	MW-15	8/3/2020	40.9	3		ug/L
Manganese, total	MW-15	1/18/2021	18.3	3		ug/L
Manganese, total	MW-15	7/4/2021	6.19	3		ug/L
Manganese, total	MW-15	1/12/2022	5.84	3		ug/L
Manganese, total	MW-15	7/10/2022	3	3	ND	ug/L
Manganese, total	MW-15	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-15	7/10/2023	3.54	3		ug/L
Manganese, total	MW-16	6/5/2015	41	3		ug/L
Manganese, total	MW-16	7/16/2015	22	3		ug/L
Manganese, total	MW-16	8/5/2015	4.6	3		ug/L
Manganese, total	MW-16	9/3/2015	2.9	3	ND	ug/L
Manganese, total	MW-16	1/8/2016	11	3		ug/L
Manganese, total	MW-16	4/5/2016	5.5	3		ug/L
Manganese, total	MW-16	7/21/2016	2.4	3	ND	ug/L
Manganese, total	MW-16	10/5/2016	14	3		ug/L
Manganese, total	MW-16	1/10/2017	7.4	3		ug/L
Manganese, total	MW-16	7/18/2017	30	3		ug/L
Manganese, total	MW-16	1/23/2018	1.4	3	ND	ug/L
Manganese, total	MW-16	7/11/2018	3	3	ND	ug/L
Manganese, total	MW-16	1/2/2019	0.76	3	ND	ug/L
Manganese, total	MW-16	7/10/2019	3	3	ND	ug/L
Manganese, total	MW-16	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-16	8/3/2020	3	3	ND	ug/L
Manganese, total	MW-16	1/18/2021	3	3	ND	ug/L
Manganese, total	MW-16	7/4/2021	3	3	ND	ug/L
Manganese, total	MW-16	1/12/2022	3	3	ND	ug/L
Manganese, total	MW-16	7/10/2022	3	3	ND	ug/L
Manganese, total	MW-16	1/10/2023	3	3	ND	ug/L
Manganese, total	MW-16	7/10/2023	3	3	ND	ug/L
Manganese, total	MW-17	6/5/2015	120	3		ug/L
Manganese, total	MW-17	7/15/2015	38	3		ug/L
Manganese, total	MW-17	8/4/2015	13	3		ug/L
Manganese, total	MW-17	9/2/2015	11	3		ug/L
Manganese, total	MW-17	1/7/2016	4.9	3		ug/L
Manganese, total	MW-17	4/5/2016	8.1	3		ug/L
Manganese, total	MW-17	7/20/2016	16	3		ug/L
Manganese, total	MW-17	10/6/2016	5.1	3		ug/L
Manganese, total	MW-17	1/10/2017	36	3		ug/L
Manganese, total	MW-17	7/18/2017	9.6	3		ug/L
Manganese, total	MW-17	1/23/2018	1.8	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-17	7/10/2018	0.34	3	ND	ug/L
Manganese, total	MW-17	1/3/2019	0.6	3	ND	ug/L
Manganese, total	MW-17	7/11/2019	0.4	3	ND	ug/L
Manganese, total	MW-17	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-17	8/3/2020	3	3	ND	ug/L
Manganese, total	MW-17	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-17	7/4/2021	3	3	ND	ug/L
Manganese, total	MW-17	1/10/2023	77.2	3		ug/L
Manganese, total	MW-17	7/8/2023	10.8	3		ug/L
Manganese, total	MW-19	6/5/2015	120	3		ug/L
Manganese, total	MW-19	7/16/2015	210	3		ug/L
Manganese, total	MW-19	8/5/2015	7.9	3		ug/L
Manganese, total	MW-19	9/3/2015	1	3	ND	ug/L
Manganese, total	MW-19	1/7/2016	1.3	3	ND	ug/L
Manganese, total	MW-19	4/5/2016	42	3		ug/L
Manganese, total	MW-19	7/21/2016	2.7	3	ND	ug/L
Manganese, total	MW-19	10/5/2016	20	3		ug/L
Manganese, total	MW-19	1/10/2017	9.9	3		ug/L
Manganese, total	MW-19	7/18/2017	630	3		ug/L
Manganese, total	MW-19	1/23/2018	11	3		ug/L
Manganese, total	MW-19	7/13/2018	4.6	3		ug/L
Manganese, total	MW-19	1/7/2019	1.3	3	ND	ug/L
Manganese, total	MW-19	7/11/2019	1	3	ND	ug/L
Manganese, total	MW-19	1/14/2020	3	3	ND	ug/L
Manganese, total	MW-19	8/3/2020	14.2	3		ug/L
Manganese, total	MW-19	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-19	7/4/2021	3	3	ND	ug/L
Manganese, total	MW-19	1/11/2023	8.99	3		ug/L
Manganese, total	MW-19	7/10/2023	3	3	ND	ug/L
Manganese, total	MW-1N	10/22/1997	52	1		ug/L
Manganese, total	MW-1N	4/28/1998	120	1		ug/L
Manganese, total	MW-1N	7/23/1998	120	1		ug/L
Manganese, total	MW-1N	1/13/1999	80	1		ug/L
Manganese, total	MW-1N	4/13/1999	1300	1		ug/L
Manganese, total	MW-1N	7/15/1999	630	1		ug/L
Manganese, total	MW-1N	10/19/1999	310	1		ug/L
Manganese, total	MW-1N	1/14/2000	240	1		ug/L
Manganese, total	MW-1N	4/25/2000	150	1		ug/L
Manganese, total	MW-1N	7/12/2000	2500	1		ug/L
Manganese, total	MW-1N	10/18/2000	1600	1		ug/L
Manganese, total	MW-1N	1/24/2001	920	1		ug/L
Manganese, total	MW-1N	4/12/2001	4700	1		ug/L
Manganese, total	MW-1N	7/9/2002	5700	2		ug/L
Manganese, total	MW-1N	10/3/2002	5700	2		ug/L
Manganese, total	MW-1N	1/22/2003	5500	1		ug/L
Manganese, total	MW-1N	4/15/2003	4700	1		ug/L
Manganese, total	MW-1N	7/8/2003	1500	1		ug/L
Manganese, total	MW-1N	1/28/2004	1400	1		ug/L
Manganese, total	MW-1N	7/27/2004	1500	1		ug/L
Manganese, total	MW-1N	1/12/2005	1100	1		ug/L
Manganese, total	MW-1N	7/20/2005	880	1		ug/L
Manganese, total	MW-1N	1/18/2006	570	1		ug/L
Manganese, total	MW-1N	7/18/2006	370	3		ug/L
Manganese, total	MW-1N	7/18/2006	370	3		ug/L
Manganese, total	MW-1N	10/24/2006	410	3		ug/L
Manganese, total	MW-1N	1/26/2007	290	3		ug/L
Manganese, total	MW-1N	7/11/2007	240	3		ug/L
Manganese, total	MW-1N	1/24/2008	200	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-1N	7/21/2008	230	3		ug/L
Manganese, total	MW-1N	2/5/2009	150	3		ug/L
Manganese, total	MW-1N	7/31/2009	220	3		ug/L
Manganese, total	MW-1N	1/26/2010	170	3		ug/L
Manganese, total	MW-1N	7/13/2010	160	3		ug/L
Manganese, total	MW-1N	1/20/2011	44	3		ug/L
Manganese, total	MW-1N	7/13/2011	380	3		ug/L
Manganese, total	MW-1N	1/5/2012	260	3		ug/L
Manganese, total	MW-1N	7/10/2012	120	3		ug/L
Manganese, total	MW-1N	5/1/2013	140	3		ug/L
Manganese, total	MW-1N	7/16/2013	54	3		ug/L
Manganese, total	MW-1N	1/24/2014	38	3		ug/L
Manganese, total	MW-1N	7/9/2014	18	3		ug/L
Manganese, total	MW-1N	2/10/2015	21	3		ug/L
Manganese, total	MW-1N	7/14/2015	200	3		ug/L
Manganese, total	MW-1N	1/6/2016	47	3		ug/L
Manganese, total	MW-1N	7/21/2016	29	3		ug/L
Manganese, total	MW-1N	1/12/2017	4.7	3		ug/L
Manganese, total	MW-1N	7/19/2017	160	3		ug/L
Manganese, total	MW-1N	1/23/2018	6.9	3		ug/L
Manganese, total	MW-1N	7/10/2018	1.4	3	ND	ug/L
Manganese, total	MW-1N	1/3/2019	0.73	3	ND	ug/L
Manganese, total	MW-1N	7/11/2019	380	3		ug/L
Manganese, total	MW-1N	1/23/2020	402	3		ug/L
Manganese, total	MW-1N	4/2/2020	56.9	3		ug/L
Manganese, total	MW-1N	7/6/2020	22.4	3		ug/L
Manganese, total	MW-1N	1/14/2021	3.58	3		ug/L
Manganese, total	MW-1N	7/4/2021	33.9	3		ug/L
Manganese, total	MW-1N	1/11/2023	17.6	3		ug/L
Manganese, total	MW-1N	7/8/2023	3	3	ND	ug/L
Manganese, total	MW-20	6/5/2015	860	3		ug/L
Manganese, total	MW-20	7/14/2015	960	3		ug/L
Manganese, total	MW-20	8/4/2015	700	3		ug/L
Manganese, total	MW-20	9/2/2015	100	3		ug/L
Manganese, total	MW-20	1/7/2016	190	3		ug/L
Manganese, total	MW-20	4/5/2016	88	3		ug/L
Manganese, total	MW-20	7/20/2016	93	3		ug/L
Manganese, total	MW-20	10/5/2016	240	3		ug/L
Manganese, total	MW-20	1/12/2017	370	3		ug/L
Manganese, total	MW-20	7/18/2017	200	3		ug/L
Manganese, total	MW-20	1/26/2018	300	3		ug/L
Manganese, total	MW-20	7/12/2018	56	3		ug/L
Manganese, total	MW-20	7/11/2019	230	3		ug/L
Manganese, total	MW-20	1/14/2020	149	3		ug/L
Manganese, total	MW-20	7/7/2020	56.8	3		ug/L
Manganese, total	MW-20	1/17/2021	1040	3		ug/L
Manganese, total	MW-20	7/4/2021	132	3		ug/L
Manganese, total	MW-20	1/11/2023	27.3	3		ug/L
Manganese, total	MW-21	6/5/2015	18000	3		ug/L
Manganese, total	MW-21	7/14/2015	18000	3		ug/L
Manganese, total	MW-21	8/4/2015	17000	3		ug/L
Manganese, total	MW-21	9/2/2015	17000	3		ug/L
Manganese, total	MW-21	1/7/2016	13000	3		ug/L
Manganese, total	MW-21	4/5/2016	15000	3		ug/L
Manganese, total	MW-21	7/20/2016	15000	3		ug/L
Manganese, total	MW-21	10/5/2016	12000	3		ug/L
Manganese, total	MW-21	10/5/2016	12000	3		ug/L
Manganese, total	MW-21	1/10/2017	13000	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-21	4/5/2017	14000	3		ug/L
Manganese, total	MW-21	7/19/2017	13000	3		ug/L
Manganese, total	MW-21	10/6/2017	13000	3		ug/L
Manganese, total	MW-21	1/24/2018	9000	3		ug/L
Manganese, total	MW-21	4/11/2018	19000	3		ug/L
Manganese, total	MW-21	7/11/2018	13000	3		ug/L
Manganese, total	MW-21	10/4/2018	11000	6		ug/L
Manganese, total	MW-21	1/3/2019	16000	3		ug/L
Manganese, total	MW-21	4/3/2019	14000	3		ug/L
Manganese, total	MW-21	7/11/2019	13000	6		ug/L
Manganese, total	MW-21	10/2/2019	12000	3		ug/L
Manganese, total	MW-21	1/16/2020	11600	3		ug/L
Manganese, total	MW-21	4/2/2020	11600	6		ug/L
Manganese, total	MW-21	7/8/2020	10800	3		ug/L
Manganese, total	MW-21	10/7/2020	9120	3		ug/L
Manganese, total	MW-21	1/13/2021	10600	3		ug/L
Manganese, total	MW-21	4/6/2021	9500	3		ug/L
Manganese, total	MW-21	7/5/2021	8910	3		ug/L
Manganese, total	MW-21	10/6/2021	7530	3		ug/L
Manganese, total	MW-21	1/11/2023	7820	3		ug/L
Manganese, total	MW-21	4/8/2023	5710	3		ug/L
Manganese, total	MW-21	7/7/2023	8580	3		ug/L
Manganese, total	MW-21	10/6/2023	11100	3		ug/L
Manganese, total	MW-2N	10/22/1997	160	1		ug/L
Manganese, total	MW-2N	4/28/1998	35	1		ug/L
Manganese, total	MW-2N	7/22/1998	17	1		ug/L
Manganese, total	MW-2N	1/13/1999	99	1		ug/L
Manganese, total	MW-2N	4/13/1999	14	1		ug/L
Manganese, total	MW-2N	7/14/1999	2	1		ug/L
Manganese, total	MW-2N	10/20/1999	1.2	1		ug/L
Manganese, total	MW-2N	1/14/2000	4.3	1		ug/L
Manganese, total	MW-2N	4/25/2000	5.6	1		ug/L
Manganese, total	MW-2N	10/17/2000	1	1	ND	ug/L
Manganese, total	MW-2N	1/24/2001	1	1	ND	ug/L
Manganese, total	MW-2N	4/11/2001	1	1	ND	ug/L
Manganese, total	MW-2N	7/10/2002	17	2		ug/L
Manganese, total	MW-2N	10/2/2002	3	2		ug/L
Manganese, total	MW-2N	1/22/2003	1.5	1		ug/L
Manganese, total	MW-2N	4/14/2003	3.6	1		ug/L
Manganese, total	MW-2N	7/7/2003	1	1	ND	ug/L
Manganese, total	MW-2N	1/28/2004	1	1	ND	ug/L
Manganese, total	MW-2N	7/27/2004	1.4	1		ug/L
Manganese, total	MW-2N	1/12/2005	10	1		ug/L
Manganese, total	MW-2N	7/20/2005	1.7	1		ug/L
Manganese, total	MW-2N	1/19/2006	13	1		ug/L
Manganese, total	MW-2N	7/19/2006	24	3		ug/L
Manganese, total	MW-2N	10/25/2006	3	3	ND	ug/L
Manganese, total	MW-2N	1/26/2007	3.3	3		ug/L
Manganese, total	MW-2N	7/11/2007	3	3	ND	ug/L
Manganese, total	MW-2N	1/24/2008	12	3		ug/L
Manganese, total	MW-2N	7/22/2008	0.6	3	ND	ug/L
Manganese, total	MW-2N	2/4/2009	2.4	3	ND	ug/L
Manganese, total	MW-2N	7/31/2009	8.8	3		ug/L
Manganese, total	MW-2N	1/26/2010	3.2	3		ug/L
Manganese, total	MW-2N	7/13/2010	3.8	3		ug/L
Manganese, total	MW-2N	1/20/2011	1.5	3	ND	ug/L
Manganese, total	MW-2N	7/13/2011	2.1	3	ND	ug/L
Manganese, total	MW-2N	1/5/2012	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-2N	7/10/2012	0.9	3	ND	ug/L
Manganese, total	MW-2N	5/1/2013	5	3		ug/L
Manganese, total	MW-2N	7/16/2013	3.1	3		ug/L
Manganese, total	MW-2N	1/24/2014	1.8	3	ND	ug/L
Manganese, total	MW-2N	7/9/2014	1.1	3	ND	ug/L
Manganese, total	MW-2N	2/12/2015	1.7	3	ND	ug/L
Manganese, total	MW-2N	7/14/2015	3.4	3		ug/L
Manganese, total	MW-2N	1/6/2016	3.5	3		ug/L
Manganese, total	MW-2N	7/21/2016	5.6	3		ug/L
Manganese, total	MW-2N	1/11/2017	3.3	3		ug/L
Manganese, total	MW-2N	7/19/2017	7.2	3		ug/L
Manganese, total	MW-2N	1/23/2018	0.35	3	ND	ug/L
Manganese, total	MW-2N	7/12/2018	3	3	ND	ug/L
Manganese, total	MW-2N	1/3/2019	0.36	3	ND	ug/L
Manganese, total	MW-2N	8/7/2019	81	3		ug/L
Manganese, total	MW-2N	10/1/2019	110	3		ug/L
Manganese, total	MW-2N	1/23/2020	8.92	3		ug/L
Manganese, total	MW-2N	7/7/2020	7.07	3		ug/L
Manganese, total	MW-2N	1/14/2021	3	3	ND	ug/L
Manganese, total	MW-2N	7/5/2021	3	3	ND	ug/L
Manganese, total	MW-2N	1/11/2023	3.98	3		ug/L
Manganese, total	MW-2N	7/8/2023	3	3	ND	ug/L
Manganese, total	MW-3N	10/21/1997	1300	1		ug/L
Manganese, total	MW-3N	4/28/1998	4200	1		ug/L
Manganese, total	MW-3N	7/23/1998	3200	1		ug/L
Manganese, total	MW-3N	1/13/1999	2500	1		ug/L
Manganese, total	MW-3N	4/13/1999	2000	1		ug/L
Manganese, total	MW-3N	7/14/1999	1600	1		ug/L
Manganese, total	MW-3N	10/20/1999	1400	1		ug/L
Manganese, total	MW-3N	1/14/2000	1400	1		ug/L
Manganese, total	MW-3N	4/24/2000	1200	1		ug/L
Manganese, total	MW-3N	7/11/2000	1400	1		ug/L
Manganese, total	MW-3N	10/17/2000	950	1		ug/L
Manganese, total	MW-3N	1/23/2001	700	1		ug/L
Manganese, total	MW-3N	4/11/2001	1500	1		ug/L
Manganese, total	MW-3N	7/9/2002	2000	2		ug/L
Manganese, total	MW-3N	10/2/2002	3600	2		ug/L
Manganese, total	MW-3N	1/22/2003	2700	1		ug/L
Manganese, total	MW-3N	4/14/2003	2500	1		ug/L
Manganese, total	MW-3N	7/7/2003	3400	1		ug/L
Manganese, total	MW-3N	1/28/2004	2800	1		ug/L
Manganese, total	MW-3N	7/27/2004	3700	1		ug/L
Manganese, total	MW-3N	1/12/2005	3000	1		ug/L
Manganese, total	MW-3N	7/20/2005	3600	1		ug/L
Manganese, total	MW-3N	1/18/2006	4200	1		ug/L
Manganese, total	MW-3N	7/19/2006	2700	3		ug/L
Manganese, total	MW-3N	7/19/2006	2700	3		ug/L
Manganese, total	MW-3N	10/25/2006	3300	3		ug/L
Manganese, total	MW-3N	1/26/2007	3200	3		ug/L
Manganese, total	MW-3N	7/11/2007	5500	3		ug/L
Manganese, total	MW-3N	1/24/2008	4900	3		ug/L
Manganese, total	MW-3N	7/22/2008	4400	3		ug/L
Manganese, total	MW-3N	2/4/2009	4600	3		ug/L
Manganese, total	MW-3N	7/31/2009	5100	3		ug/L
Manganese, total	MW-3N	1/26/2010	4700	3		ug/L
Manganese, total	MW-3N	7/13/2010	4600	3		ug/L
Manganese, total	MW-3N	1/20/2011	4700	3		ug/L
Manganese, total	MW-3N	7/14/2011	4600	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-3N	1/5/2012	4400	3		ug/L
Manganese, total	MW-3N	7/11/2012	4100	3		ug/L
Manganese, total	MW-3N	5/1/2013	3300	3		ug/L
Manganese, total	MW-3N	6/4/2013	3400	3		ug/L
Manganese, total	MW-3N	7/16/2013	4000	3		ug/L
Manganese, total	MW-3N	1/24/2014	3800	3		ug/L
Manganese, total	MW-3N	7/9/2014	3900	3		ug/L
Manganese, total	MW-3N	2/12/2015	3300	3		ug/L
Manganese, total	MW-3N	4/1/2015	4200	3		ug/L
Manganese, total	MW-3N	7/14/2015	3800	3		ug/L
Manganese, total	MW-3N	10/5/2015	3700	3		ug/L
Manganese, total	MW-3N	1/6/2016	4000	3		ug/L
Manganese, total	MW-3N	4/6/2016	3100	3		ug/L
Manganese, total	MW-3N	7/21/2016	3200	3		ug/L
Manganese, total	MW-3N	10/6/2016	2600	3		ug/L
Manganese, total	MW-3N	1/11/2017	70	3		ug/L
Manganese, total	MW-3N	4/4/2017	360	3		ug/L
Manganese, total	MW-3N	7/19/2017	3600	3		ug/L
Manganese, total	MW-3N	10/9/2017	3200	3		ug/L
Manganese, total	MW-3N	1/24/2018	360	3		ug/L
Manganese, total	MW-3N	4/10/2018	1800	3		ug/L
Manganese, total	MW-3N	7/13/2018	1500	3		ug/L
Manganese, total	MW-3N	10/3/2018	1900	3		ug/L
Manganese, total	MW-3N	1/7/2019	1600	3		ug/L
Manganese, total	MW-3N	4/3/2019	2000	3		ug/L
Manganese, total	MW-3N	7/11/2019	2300	3		ug/L
Manganese, total	MW-3N	10/2/2019	770	3		ug/L
Manganese, total	MW-3N	1/15/2020	1460	3		ug/L
Manganese, total	MW-3N	4/2/2020	1460	3		ug/L
Manganese, total	MW-3N	7/7/2020	2550	3		ug/L
Manganese, total	MW-3N	10/7/2020	2990	3		ug/L
Manganese, total	MW-3N	1/13/2021	970	3		ug/L
Manganese, total	MW-3N	4/6/2021	721	3		ug/L
Manganese, total	MW-3N	7/5/2021	2470	3		ug/L
Manganese, total	MW-3N	10/6/2021	3020	3		ug/L
Manganese, total	MW-3N	1/11/2023	774	3		ug/L
Manganese, total	MW-3N	7/7/2023	142	3		ug/L
Manganese, total	MW-3N	10/6/2023	141	3		ug/L
Manganese, total	MW-7N	10/21/1997	14	1		ug/L
Manganese, total	MW-7N	7/22/1998	20700	1		ug/L
Manganese, total	MW-7N	8/18/1998	22700	10		ug/L
Manganese, total	MW-7N	9/17/1998	23600	10		ug/L
Manganese, total	MW-7N	11/9/1998	24000	7.2		ug/L
Manganese, total	MW-7N	1/14/1999	22500	1		ug/L
Manganese, total	MW-7N	4/14/1999	24800	5		ug/L
Manganese, total	MW-7N	7/14/1999	45400	10		ug/L
Manganese, total	MW-7N	10/19/1999	37000	10		ug/L
Manganese, total	MW-7N	1/13/2000	40000	10		ug/L
Manganese, total	MW-7N	4/25/2000	43000	10		ug/L
Manganese, total	MW-7N	10/17/2000	45700	8		ug/L
Manganese, total	MW-7N	1/23/2001	43600	8		ug/L
Manganese, total	MW-7N	4/10/2001	49000	8		ug/L
Manganese, total	MW-7N	7/9/2002	43600	20		ug/L
Manganese, total	MW-7N	10/2/2002	43700	2		ug/L
Manganese, total	MW-7N	1/23/2003	13000	1		ug/L
Manganese, total	MW-7N	4/14/2003	38600	1.2		ug/L
Manganese, total	MW-7N	7/7/2003	22200	2.4		ug/L
Manganese, total	MW-7N	1/27/2004	35700	3.3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-7N	4/8/2004	33900	3.3		ug/L
Manganese, total	MW-7N	7/26/2004	38500	3.3		ug/L
Manganese, total	MW-7N	1/12/2005	33600	1.6		ug/L
Manganese, total	MW-7N	7/19/2005	35500	1.6		ug/L
Manganese, total	MW-7N	1/19/2006	18400	1		ug/L
Manganese, total	MW-7N	7/19/2006	32000	15		ug/L
Manganese, total	MW-7N	7/19/2006	32000	15		ug/L
Manganese, total	MW-7N	10/24/2006	26000	3		ug/L
Manganese, total	MW-7N	1/26/2007	19000	3		ug/L
Manganese, total	MW-7N	7/10/2007	19000	3		ug/L
Manganese, total	MW-7N	7/21/2008	13000	3		ug/L
Manganese, total	MW-7N	2/6/2009	11000	3		ug/L
Manganese, total	MW-7N	7/29/2009	10000	3		ug/L
Manganese, total	MW-7N	1/26/2010	6800	3		ug/L
Manganese, total	MW-7N	7/14/2010	5800	3		ug/L
Manganese, total	MW-7N	1/20/2011	2400	3		ug/L
Manganese, total	MW-7N	7/12/2011	1700	3		ug/L
Manganese, total	MW-7N	1/5/2012	1800	3		ug/L
Manganese, total	MW-7N	7/10/2012	970	3		ug/L
Manganese, total	MW-7N	5/1/2013	15000	3		ug/L
Manganese, total	MW-7N	6/4/2013	8800	3		ug/L
Manganese, total	MW-7N	7/15/2013	2500	3		ug/L
Manganese, total	MW-7N	1/30/2014	2200	3		ug/L
Manganese, total	MW-7N	7/9/2014	1100	3		ug/L
Manganese, total	MW-7N	2/12/2015	2300	3		ug/L
Manganese, total	MW-7N	7/13/2015	180	3		ug/L
Manganese, total	MW-7N	1/5/2016	82	3		ug/L
Manganese, total	MW-7N	7/21/2016	540	3		ug/L
Manganese, total	MW-7N	1/11/2017	13000	3		ug/L
Manganese, total	MW-7N	4/4/2017	3400	3		ug/L
Manganese, total	MW-7N	7/19/2017	5400	3		ug/L
Manganese, total	MW-7N	10/5/2017	4000	3		ug/L
Manganese, total	MW-7N	1/25/2018	4000	3		ug/L
Manganese, total	MW-7N	4/11/2018	3600	3		ug/L
Manganese, total	MW-7N	7/13/2018	1200	3		ug/L
Manganese, total	MW-7N	1/4/2019	1400	3		ug/L
Manganese, total	MW-7N	7/10/2019	240	3		ug/L
Manganese, total	MW-7N	1/16/2020	386	3		ug/L
Manganese, total	MW-7N	7/7/2020	105	3		ug/L
Manganese, total	MW-7N	1/16/2021	151	3		ug/L
Manganese, total	MW-7N	7/5/2021	95	3		ug/L
Manganese, total	MW-7N	1/12/2022	30.3	3		ug/L
Manganese, total	MW-7N	7/10/2022	43.4	3		ug/L
Manganese, total	MW-7N	1/10/2023	10.9	3		ug/L
Manganese, total	MW-7N	7/7/2023	9.09	3		ug/L
Manganese, total	MW-8N	10/21/1997	2100	1		ug/L
Manganese, total	MW-8N	4/28/1998	14200	1		ug/L
Manganese, total	MW-8N	7/22/1998	10500	1		ug/L
Manganese, total	MW-8N	1/12/1999	8800	1		ug/L
Manganese, total	MW-8N	4/13/1999	12200	2		ug/L
Manganese, total	MW-8N	7/14/1999	19000	10		ug/L
Manganese, total	MW-8N	10/19/1999	10900	5		ug/L
Manganese, total	MW-8N	1/14/2000	13100	3		ug/L
Manganese, total	MW-8N	4/25/2000	10100	1		ug/L
Manganese, total	MW-8N	10/17/2000	11200	1		ug/L
Manganese, total	MW-8N	1/23/2001	13800	1		ug/L
Manganese, total	MW-8N	4/11/2001	14500	1		ug/L
Manganese, total	MW-8N	7/9/2002	19300	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-8N	10/2/2002	17300	2		ug/L
Manganese, total	MW-8N	1/23/2003	19600	1		ug/L
Manganese, total	MW-8N	4/14/2003	19100	1		ug/L
Manganese, total	MW-8N	7/7/2003	19200	1		ug/L
Manganese, total	MW-8N	1/28/2004	18700	1		ug/L
Manganese, total	MW-8N	7/27/2004	24300	3.3		ug/L
Manganese, total	MW-8N	1/12/2005	23900	1.6		ug/L
Manganese, total	MW-8N	7/20/2005	20700	1.6		ug/L
Manganese, total	MW-8N	1/19/2006	14900	1		ug/L
Manganese, total	MW-8N	7/19/2006	16000	3		ug/L
Manganese, total	MW-8N	7/19/2006	16000	3		ug/L
Manganese, total	MW-8N	10/24/2006	15000	3		ug/L
Manganese, total	MW-8N	1/26/2007	13000	3		ug/L
Manganese, total	MW-8N	4/25/2007	11000	3		ug/L
Manganese, total	MW-8N	7/10/2007	9500	3		ug/L
Manganese, total	MW-8N	1/24/2008	9700	3		ug/L
Manganese, total	MW-8N	7/23/2008	9200	3		ug/L
Manganese, total	MW-8N	2/4/2009	6800	3		ug/L
Manganese, total	MW-8N	7/31/2009	7800	3		ug/L
Manganese, total	MW-8N	1/26/2010	7100	3		ug/L
Manganese, total	MW-8N	7/16/2010	7800	3		ug/L
Manganese, total	MW-8N	1/19/2011	7400	3		ug/L
Manganese, total	MW-8N	5/10/2011	9700	3		ug/L
Manganese, total	MW-8N	7/14/2011	8000	3		ug/L
Manganese, total	MW-8N	1/6/2012	8300	3		ug/L
Manganese, total	MW-8N	4/5/2012	9100	3		ug/L
Manganese, total	MW-8N	7/11/2012	7800	3		ug/L
Manganese, total	MW-8N	10/3/2012	8300	3		ug/L
Manganese, total	MW-8N	5/1/2013	9800	3		ug/L
Manganese, total	MW-8N	6/4/2013	9100	3		ug/L
Manganese, total	MW-8N	7/16/2013	8200	3		ug/L
Manganese, total	MW-8N	10/2/2013	7600	3		ug/L
Manganese, total	MW-8N	1/30/2014	7600	3		ug/L
Manganese, total	MW-8N	4/3/2014	7900	3		ug/L
Manganese, total	MW-8N	7/9/2014	7500	3		ug/L
Manganese, total	MW-8N	10/8/2014	5400	3		ug/L
Manganese, total	MW-8N	2/12/2015	7300	3		ug/L
Manganese, total	MW-8N	4/1/2015	7600	3		ug/L
Manganese, total	MW-8N	7/14/2015	6900	3		ug/L
Manganese, total	MW-8N	10/5/2015	7000	3		ug/L
Manganese, total	MW-8N	1/5/2016	7800	3		ug/L
Manganese, total	MW-8N	4/6/2016	7000	3		ug/L
Manganese, total	MW-8N	7/21/2016	6800	3		ug/L
Manganese, total	MW-8N	10/6/2016	6100	3		ug/L
Manganese, total	MW-8N	1/11/2017	6200	3		ug/L
Manganese, total	MW-8N	4/4/2017	5800	3		ug/L
Manganese, total	MW-8N	7/19/2017	7900	3		ug/L
Manganese, total	MW-8N	10/6/2017	7900	3		ug/L
Manganese, total	MW-8N	1/25/2018	6700	3		ug/L
Manganese, total	MW-8N	4/10/2018	8100	3		ug/L
Manganese, total	MW-8N	7/16/2018	6800	3		ug/L
Manganese, total	MW-8N	10/2/2018	6400	3		ug/L
Manganese, total	MW-8N	1/7/2019	6800	3		ug/L
Manganese, total	MW-8N	4/3/2019	7200	3		ug/L
Manganese, total	MW-8N	7/11/2019	6600	3		ug/L
Manganese, total	MW-8N	10/3/2019	5900	3		ug/L
Manganese, total	MW-8N	1/15/2020	5130	3		ug/L
Manganese, total	MW-8N	4/2/2020	4340	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	MW-8N	7/9/2020	4350	3		ug/L
Manganese, total	MW-8N	10/6/2020	3820	3		ug/L
Manganese, total	MW-8N	1/15/2021	4060	3		ug/L
Manganese, total	MW-8N	4/6/2021	3040	3		ug/L
Manganese, total	MW-8N	7/5/2021	3320	3		ug/L
Manganese, total	MW-8N	10/6/2021	2950	3		ug/L
Manganese, total	MW-8N	1/18/2022	3120	3		ug/L
Manganese, total	MW-8N	4/4/2022	3120	3		ug/L
Manganese, total	MW-8N	7/12/2022	2890	3		ug/L
Manganese, total	MW-8N	10/6/2022	2830	3		ug/L
Manganese, total	MW-8N	1/11/2023	2530	3		ug/L
Manganese, total	MW-8N	4/8/2023	2750	3		ug/L
Manganese, total	MW-8N	7/7/2023	2660	3		ug/L
Manganese, total	MW-8N	10/5/2023	2400	3		ug/L
Manganese, total	NE-1	7/10/2002	26100	10		ug/L
Manganese, total	NE-1	8/6/2002	26500	2		ug/L
Manganese, total	NE-1	9/4/2002	24400	2		ug/L
Manganese, total	NE-1	10/2/2002	31700	2		ug/L
Manganese, total	NE-1	7/8/2003	1100	1		ug/L
Manganese, total	NE-1	1/27/2004	15800	1		ug/L
Manganese, total	NE-1	1/12/2005	860	1		ug/L
Manganese, total	NE-1	7/19/2006	600	3		ug/L
Manganese, total	NE-1	7/19/2006	600	3		ug/L
Manganese, total	NE-1	10/25/2006	67	3		ug/L
Manganese, total	NE-1	1/24/2007	900	3		ug/L
Manganese, total	NE-1	7/10/2007	2600	3		ug/L
Manganese, total	NE-1	1/24/2008	200	3		ug/L
Manganese, total	NE-1	7/21/2008	420	3		ug/L
Manganese, total	NE-1	2/7/2009	2500	3		ug/L
Manganese, total	NE-1	7/31/2009	110	3		ug/L
Manganese, total	NE-1	1/26/2010	31	3		ug/L
Manganese, total	NE-1	7/14/2010	2900	3		ug/L
Manganese, total	NE-1	1/19/2011	80	3		ug/L
Manganese, total	NE-1	7/13/2011	21	3		ug/L
Manganese, total	NE-1	1/5/2012	41	3		ug/L
Manganese, total	NE-1	7/10/2012	1100	3		ug/L
Manganese, total	NE-1	4/30/2013	34	3		ug/L
Manganese, total	NE-1	7/16/2013	14	3		ug/L
Manganese, total	NE-1	1/23/2014	85	3		ug/L
Manganese, total	NE-1	7/9/2014	120	3		ug/L
Manganese, total	NE-1	2/11/2015	28	3		ug/L
Manganese, total	NE-1	7/8/2015	12	3		ug/L
Manganese, total	NE-1	1/6/2016	10	3		ug/L
Manganese, total	NE-1	7/20/2016	31	3		ug/L
Manganese, total	NE-1	1/11/2017	74	3		ug/L
Manganese, total	NE-1	7/19/2017	87	3		ug/L
Manganese, total	NE-1	1/24/2018	4.2	3		ug/L
Manganese, total	NE-1	4/11/2018	0.39	3	ND	ug/L
Manganese, total	NE-1	7/18/2018	3	3	ND	ug/L
Manganese, total	NE-1	10/2/2018	0.99	3	ND	ug/L
Manganese, total	NE-1	1/4/2019	1.1	3	ND	ug/L
Manganese, total	NE-1	4/2/2019	3	3	ND	ug/L
Manganese, total	NE-1	7/10/2019	4.7	3		ug/L
Manganese, total	NE-1	7/10/2019	4.7	3		ug/L
Manganese, total	NE-1	10/2/2019	3	3	ND	ug/L
Manganese, total	NE-1	1/15/2020	3.19	3		ug/L
Manganese, total	NE-1	4/2/2020	17.2	3		ug/L
Manganese, total	NE-1	7/8/2020	4.4	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-1	10/7/2020	59.8	3		ug/L
Manganese, total	NE-1	1/13/2021	8.93	3		ug/L
Manganese, total	NE-1	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-1	7/2/2021	4.53	3		ug/L
Manganese, total	NE-1	10/6/2021	4.48	3		ug/L
Manganese, total	NE-1	1/17/2022	9.73	3		ug/L
Manganese, total	NE-1	4/6/2022	3.78	3		ug/L
Manganese, total	NE-1	7/13/2022	9.35	3		ug/L
Manganese, total	NE-1	10/6/2022	12.7	3		ug/L
Manganese, total	NE-1	1/5/2023	18.3	3		ug/L
Manganese, total	NE-1	4/7/2023	7.56	3		ug/L
Manganese, total	NE-1	7/5/2023	30.7	3		ug/L
Manganese, total	NE-1	10/5/2023	237	3		ug/L
Manganese, total	NE-10D	11/6/2019	15	3		ug/L
Manganese, total	NE-10D	1/16/2020	7.65	3		ug/L
Manganese, total	NE-10D	4/2/2020	7.58	3		ug/L
Manganese, total	NE-10D	7/8/2020	7.94	3		ug/L
Manganese, total	NE-10D	10/7/2020	3	3	ND	ug/L
Manganese, total	NE-10D	1/13/2021	3	3	ND	ug/L
Manganese, total	NE-10D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-10D	7/2/2021	3.1	3		ug/L
Manganese, total	NE-10D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-10D	1/6/2023	97.2	3		ug/L
Manganese, total	NE-10D	4/6/2023	40.3	3		ug/L
Manganese, total	NE-10D	7/8/2023	9.56	3		ug/L
Manganese, total	NE-10D	10/3/2023	15.4	3		ug/L
Manganese, total	NE-11	3/1/2017	1600	3		ug/L
Manganese, total	NE-11	4/6/2017	320	3		ug/L
Manganese, total	NE-11	7/20/2017	220	3		ug/L
Manganese, total	NE-11	10/9/2017	98	3		ug/L
Manganese, total	NE-11	9/30/2019	370	3		ug/L
Manganese, total	NE-11	1/14/2020	366	3		ug/L
Manganese, total	NE-11	7/7/2020	355	3		ug/L
Manganese, total	NE-11	1/16/2021	361	3		ug/L
Manganese, total	NE-11	1/16/2021	207	3		ug/L
Manganese, total	NE-11	7/1/2021	258	3		ug/L
Manganese, total	NE-11	1/17/2022	196	3		ug/L
Manganese, total	NE-11	1/17/2022	183	3		ug/L
Manganese, total	NE-11	7/12/2022	106	3		ug/L
Manganese, total	NE-11	1/6/2023	95.3	3		ug/L
Manganese, total	NE-11	7/6/2023	70.3	3		ug/L
Manganese, total	NE-12	3/1/2017	750	3		ug/L
Manganese, total	NE-12	4/6/2017	10	3		ug/L
Manganese, total	NE-12	7/20/2017	10	3		ug/L
Manganese, total	NE-12	10/6/2017	7.4	3		ug/L
Manganese, total	NE-12	8/5/2019	1	3	ND	ug/L
Manganese, total	NE-12	1/13/2020	3	3	ND	ug/L
Manganese, total	NE-12	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-12	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-12	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-12	7/1/2021	3	3	ND	ug/L
Manganese, total	NE-12	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-12	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-12	7/12/2022	3	3	ND	ug/L
Manganese, total	NE-12	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-12	7/5/2023	3	3	ND	ug/L
Manganese, total	NE-13	2/5/2019	4.9	3		ug/L
Manganese, total	NE-13	8/7/2019	7.6	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-13	1/15/2020	6	3		ug/L
Manganese, total	NE-13	7/8/2020	12.9	3		ug/L
Manganese, total	NE-13	1/17/2021	11.7	3		ug/L
Manganese, total	NE-13	1/17/2021	8.82	3		ug/L
Manganese, total	NE-13	7/1/2021	10.3	3		ug/L
Manganese, total	NE-14D	10/2/2019	3.2	3		ug/L
Manganese, total	NE-14D	1/16/2020	3	3	ND	ug/L
Manganese, total	NE-14D	4/3/2020	3	3	ND	ug/L
Manganese, total	NE-14D	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-14D	10/6/2020	3	3	ND	ug/L
Manganese, total	NE-14D	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-14D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-14D	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-14D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-14D	1/18/2022	3	3	ND	ug/L
Manganese, total	NE-14D	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-14D	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-14D	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-14D	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-14D	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-14D	7/5/2023	3	3	ND	ug/L
Manganese, total	NE-14D	10/4/2023	3	3	ND	ug/L
Manganese, total	NE-14S	10/2/2019	2.4	3	ND	ug/L
Manganese, total	NE-14S	1/16/2020	3	3	ND	ug/L
Manganese, total	NE-14S	4/3/2020	3	3	ND	ug/L
Manganese, total	NE-14S	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-14S	10/6/2020	5.89	3		ug/L
Manganese, total	NE-14S	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-14S	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-14S	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-14S	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-14S	1/18/2022	3	3	ND	ug/L
Manganese, total	NE-14S	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-14S	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-14S	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-14S	1/6/2023	3.28	3		ug/L
Manganese, total	NE-14S	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-14S	7/5/2023	3	3	ND	ug/L
Manganese, total	NE-14S	10/4/2023	3.14	3		ug/L
Manganese, total	NE-15D	9/30/2019	16	3		ug/L
Manganese, total	NE-15D	1/16/2020	4.81	3		ug/L
Manganese, total	NE-15D	4/3/2020	3.9	3		ug/L
Manganese, total	NE-15D	7/7/2020	3	3	ND	ug/L
Manganese, total	NE-15D	10/6/2020	3.56	3		ug/L
Manganese, total	NE-15D	1/17/2021	3	3	ND	ug/L
Manganese, total	NE-15D	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-15D	7/2/2021	3	3	ND	ug/L
Manganese, total	NE-15D	10/7/2021	3	3	ND	ug/L
Manganese, total	NE-15D	1/17/2022	3	3	ND	ug/L
Manganese, total	NE-15D	4/6/2022	3	3	ND	ug/L
Manganese, total	NE-15D	7/13/2022	3	3	ND	ug/L
Manganese, total	NE-15D	10/7/2022	3	3	ND	ug/L
Manganese, total	NE-15D	1/6/2023	3	3	ND	ug/L
Manganese, total	NE-15D	4/6/2023	3	3	ND	ug/L
Manganese, total	NE-15D	7/6/2023	3	3	ND	ug/L
Manganese, total	NE-15D	10/6/2023	12.4	3		ug/L
Manganese, total	NE-15S	4/3/2020	178	3		ug/L
Manganese, total	NE-2	7/9/2002	5000	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-2	8/6/2002	1700	2		ug/L
Manganese, total	NE-2	9/4/2002	140	2		ug/L
Manganese, total	NE-2	10/2/2002	120	2		ug/L
Manganese, total	NE-2	10/1/2013	5.9	3		ug/L
Manganese, total	NE-2	10/8/2014	690	3		ug/L
Manganese, total	NE-2	10/5/2015	230	3		ug/L
Manganese, total	NE-2	10/6/2016	27	3		ug/L
Manganese, total	NE-2	10/5/2017	210	3		ug/L
Manganese, total	NE-2	1/25/2018	11	3		ug/L
Manganese, total	NE-2	4/10/2018	0.89	3	ND	ug/L
Manganese, total	NE-2	7/10/2018	0.55	3	ND	ug/L
Manganese, total	NE-2	10/1/2018	1.7	3	ND	ug/L
Manganese, total	NE-2	1/4/2019	7.7	3		ug/L
Manganese, total	NE-2	4/2/2019	2.7	3	ND	ug/L
Manganese, total	NE-2	7/9/2019	1.6	3	ND	ug/L
Manganese, total	NE-2	7/9/2019	1.6	3	ND	ug/L
Manganese, total	NE-2	10/2/2019	3	3	ND	ug/L
Manganese, total	NE-2	1/14/2020	10.5	3		ug/L
Manganese, total	NE-2	4/1/2020	35.6	3		ug/L
Manganese, total	NE-2	7/7/2020	3.83	3		ug/L
Manganese, total	NE-2	10/6/2020	9.81	3		ug/L
Manganese, total	NE-2	1/14/2021	12.3	3		ug/L
Manganese, total	NE-2	4/9/2021	11.9	3		ug/L
Manganese, total	NE-2	7/2/2021	4.29	3		ug/L
Manganese, total	NE-2	10/6/2021	18.9	3		ug/L
Manganese, total	NE-2	1/18/2022	5.94	3		ug/L
Manganese, total	NE-2	4/6/2022	28.7	3		ug/L
Manganese, total	NE-2	7/13/2022	13	3		ug/L
Manganese, total	NE-2	10/7/2022	23.5	3		ug/L
Manganese, total	NE-2	1/5/2023	11.7	3		ug/L
Manganese, total	NE-2	4/5/2023	14.3	3		ug/L
Manganese, total	NE-2	7/5/2023	23.3	3		ug/L
Manganese, total	NE-2	10/4/2023	3	3	ND	ug/L
Manganese, total	NE-4	7/10/2002	3600	2		ug/L
Manganese, total	NE-4	8/6/2002	3600	2		ug/L
Manganese, total	NE-4	9/4/2002	2800	2		ug/L
Manganese, total	NE-4	10/3/2002	3300	2		ug/L
Manganese, total	NE-4	7/8/2003	81	1		ug/L
Manganese, total	NE-4	1/28/2004	130	1		ug/L
Manganese, total	NE-4	1/13/2005	16	1		ug/L
Manganese, total	NE-4	8/1/2006	64	3		ug/L
Manganese, total	NE-4	8/1/2006	64	3		ug/L
Manganese, total	NE-4	10/25/2006	3	3	ND	ug/L
Manganese, total	NE-4	1/24/2007	15	3		ug/L
Manganese, total	NE-4	7/12/2007	26	3		ug/L
Manganese, total	NE-4	1/24/2008	32	3		ug/L
Manganese, total	NE-4	7/21/2008	7.1	3		ug/L
Manganese, total	NE-4	2/7/2009	140	3		ug/L
Manganese, total	NE-4	7/31/2009	10	3		ug/L
Manganese, total	NE-4	1/26/2010	12	3		ug/L
Manganese, total	NE-4	7/14/2010	79	3		ug/L
Manganese, total	NE-4	1/19/2011	2.2	3	ND	ug/L
Manganese, total	NE-4	7/13/2011	3	3		ug/L
Manganese, total	NE-4	1/5/2012	2.5	3	ND	ug/L
Manganese, total	NE-4	7/10/2012	210	3		ug/L
Manganese, total	NE-4	4/30/2013	10	3		ug/L
Manganese, total	NE-4	7/16/2013	4.5	3		ug/L
Manganese, total	NE-4	1/23/2014	8.7	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-4	7/9/2014	15	3		ug/L
Manganese, total	NE-4	2/13/2015	13	3		ug/L
Manganese, total	NE-4	7/8/2015	0.9	3	ND	ug/L
Manganese, total	NE-4	1/6/2016	3	3		ug/L
Manganese, total	NE-4	7/20/2016	4.7	3		ug/L
Manganese, total	NE-4	1/11/2017	7.2	3		ug/L
Manganese, total	NE-4	7/19/2017	42	3		ug/L
Manganese, total	NE-4	1/26/2018	1.4	3	ND	ug/L
Manganese, total	NE-4	4/10/2018	2.2	3	ND	ug/L
Manganese, total	NE-4	7/12/2018	1.6	3	ND	ug/L
Manganese, total	NE-4	10/3/2018	3	3		ug/L
Manganese, total	NE-4	1/7/2019	0.9	3	ND	ug/L
Manganese, total	NE-4	4/2/2019	2.5	3	ND	ug/L
Manganese, total	NE-4	7/8/2019	0.7	3	ND	ug/L
Manganese, total	NE-4	7/8/2019	0.7	3	ND	ug/L
Manganese, total	NE-4	10/1/2019	3	3	ND	ug/L
Manganese, total	NE-4	1/13/2020	3	3	ND	ug/L
Manganese, total	NE-4	4/1/2020	3	3	ND	ug/L
Manganese, total	NE-4	7/6/2020	3	3	ND	ug/L
Manganese, total	NE-4	10/5/2020	6.55	3		ug/L
Manganese, total	NE-4	1/15/2021	5.72	3		ug/L
Manganese, total	NE-4	4/9/2021	4.27	3		ug/L
Manganese, total	NE-4	7/2/2021	22.6	3		ug/L
Manganese, total	NE-4	10/6/2021	4.48	3		ug/L
Manganese, total	NE-4	1/5/2023	21.6	3		ug/L
Manganese, total	NE-4	4/6/2023	11.4	3		ug/L
Manganese, total	NE-4	7/5/2023	5.96	3		ug/L
Manganese, total	NE-4	10/4/2023	4.68	3		ug/L
Manganese, total	NE-5	7/9/2002	5500	2		ug/L
Manganese, total	NE-5	8/6/2002	8000	2		ug/L
Manganese, total	NE-5	9/4/2002	7000	2		ug/L
Manganese, total	NE-5	10/2/2002	6900	2		ug/L
Manganese, total	NE-5	7/8/2003	7600	1		ug/L
Manganese, total	NE-5	1/27/2004	7400	1		ug/L
Manganese, total	NE-5	1/12/2005	4100	1		ug/L
Manganese, total	NE-5	7/19/2006	4100	3		ug/L
Manganese, total	NE-5	7/19/2006	4100	3		ug/L
Manganese, total	NE-5	10/25/2006	2100	3		ug/L
Manganese, total	NE-5	1/24/2007	2700	3		ug/L
Manganese, total	NE-5	7/12/2007	3600	3		ug/L
Manganese, total	NE-5	7/22/2008	3500	3		ug/L
Manganese, total	NE-5	2/6/2009	3400	3		ug/L
Manganese, total	NE-5	7/31/2009	4000	3		ug/L
Manganese, total	NE-5	1/26/2010	3000	3		ug/L
Manganese, total	NE-5	7/16/2010	3800	3		ug/L
Manganese, total	NE-5	1/19/2011	2900	3		ug/L
Manganese, total	NE-5	7/13/2011	2900	3		ug/L
Manganese, total	NE-5	1/5/2012	2700	3		ug/L
Manganese, total	NE-5	7/10/2012	2600	3		ug/L
Manganese, total	NE-5	4/30/2013	1700	3		ug/L
Manganese, total	NE-5	7/16/2013	2200	3		ug/L
Manganese, total	NE-5	1/23/2014	2200	3		ug/L
Manganese, total	NE-5	7/9/2014	2900	3		ug/L
Manganese, total	NE-5	2/11/2015	2400	3		ug/L
Manganese, total	NE-5	7/14/2015	1300	3		ug/L
Manganese, total	NE-5	1/6/2016	1800	3		ug/L
Manganese, total	NE-5	7/20/2016	2500	3		ug/L
Manganese, total	NE-5	1/11/2017	2000	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-5	7/19/2017	1900	3		ug/L
Manganese, total	NE-5	1/25/2018	2400	3		ug/L
Manganese, total	NE-5	4/10/2018	1200	3		ug/L
Manganese, total	NE-5	7/17/2018	2000	3		ug/L
Manganese, total	NE-5	10/3/2018	2200	3		ug/L
Manganese, total	NE-5	1/4/2019	2000	3		ug/L
Manganese, total	NE-5	4/2/2019	2100	3		ug/L
Manganese, total	NE-5	4/2/2019	2100	3		ug/L
Manganese, total	NE-5	7/9/2019	2300	3		ug/L
Manganese, total	NE-5	7/9/2019	2200	3		ug/L
Manganese, total	NE-5	7/9/2019	2200	3		ug/L
Manganese, total	NE-5	10/3/2019	1500	3		ug/L
Manganese, total	NE-5	1/16/2020	1920	3		ug/L
Manganese, total	NE-5	4/2/2020	1780	3		ug/L
Manganese, total	NE-5	7/8/2020	1550	3		ug/L
Manganese, total	NE-5	10/6/2020	1320	3		ug/L
Manganese, total	NE-5	1/15/2021	1380	3		ug/L
Manganese, total	NE-5	4/9/2021	2090	3		ug/L
Manganese, total	NE-5	7/2/2021	1520	3		ug/L
Manganese, total	NE-5	10/6/2021	1140	3		ug/L
Manganese, total	NE-5	1/18/2022	1640	3		ug/L
Manganese, total	NE-5	4/6/2022	1500	3		ug/L
Manganese, total	NE-5	7/13/2022	1360	3		ug/L
Manganese, total	NE-5	10/7/2022	1000	3		ug/L
Manganese, total	NE-5	1/5/2023	1530	3		ug/L
Manganese, total	NE-5	4/7/2023	1680	3		ug/L
Manganese, total	NE-5	7/6/2023	1400	3		ug/L
Manganese, total	NE-5	10/4/2023	1480	3		ug/L
Manganese, total	NE-5E	9/30/2019	23	3		ug/L
Manganese, total	NE-5E	1/16/2020	12.8	3		ug/L
Manganese, total	NE-5E	4/1/2020	12.5	3		ug/L
Manganese, total	NE-5E	7/8/2020	8.65	3		ug/L
Manganese, total	NE-5E	10/6/2020	7.97	3		ug/L
Manganese, total	NE-5E	1/15/2021	3	3	ND	ug/L
Manganese, total	NE-5E	4/9/2021	3	3	ND	ug/L
Manganese, total	NE-5E	7/2/2021	30.8	3		ug/L
Manganese, total	NE-5E	10/6/2021	11.2	3		ug/L
Manganese, total	NE-5E	1/18/2022	9.94	3		ug/L
Manganese, total	NE-5E	4/6/2022	28.8	3		ug/L
Manganese, total	NE-5E	7/13/2022	82.9	3		ug/L
Manganese, total	NE-5E	10/7/2022	308	3		ug/L
Manganese, total	NE-5E	1/5/2023	121	3		ug/L
Manganese, total	NE-5E	4/7/2023	124	3		ug/L
Manganese, total	NE-5E	7/6/2023	224	3		ug/L
Manganese, total	NE-5E	10/4/2023	124	3		ug/L
Manganese, total	NE-5W	9/30/2019	320	3		ug/L
Manganese, total	NE-5W	1/16/2020	141	3		ug/L
Manganese, total	NE-5W	4/2/2020	1020	3		ug/L
Manganese, total	NE-5W	7/8/2020	875	3		ug/L
Manganese, total	NE-5W	10/6/2020	884	3		ug/L
Manganese, total	NE-5W	1/15/2021	116	3		ug/L
Manganese, total	NE-5W	4/9/2021	60.3	3		ug/L
Manganese, total	NE-5W	7/2/2021	563	3		ug/L
Manganese, total	NE-5W	10/6/2021	534	3		ug/L
Manganese, total	NE-5W	1/18/2022	151	3		ug/L
Manganese, total	NE-5W	4/6/2022	318	3		ug/L
Manganese, total	NE-5W	7/13/2022	614	3		ug/L
Manganese, total	NE-5W	10/7/2022	635	3		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-5W	1/5/2023	92.5	3		ug/L
Manganese, total	NE-5W	4/7/2023	34	3		ug/L
Manganese, total	NE-5W	7/6/2023	373	3		ug/L
Manganese, total	NE-5W	10/4/2023	32.5	3		ug/L
Manganese, total	NE-6	1/12/2017	450	3		ug/L
Manganese, total	NE-6	4/5/2017	310	3		ug/L
Manganese, total	NE-6	7/19/2017	320	3		ug/L
Manganese, total	NE-6	10/6/2017	210	3		ug/L
Manganese, total	NE-6	2/4/2019	360	3		ug/L
Manganese, total	NE-6	8/6/2019	150	3		ug/L
Manganese, total	NE-6	1/15/2020	44.7	3		ug/L
Manganese, total	NE-6	7/9/2020	132	3		ug/L
Manganese, total	NE-6	1/16/2021	241	3		ug/L
Manganese, total	NE-6	1/16/2021	283	3		ug/L
Manganese, total	NE-6	7/1/2021	257	3		ug/L
Manganese, total	NE-6	1/17/2022	189	3		ug/L
Manganese, total	NE-6	1/17/2022	184	3		ug/L
Manganese, total	NE-6	7/12/2022	132	3		ug/L
Manganese, total	NE-6	1/5/2023	134	3		ug/L
Manganese, total	NE-6	7/6/2023	217	3		ug/L
Manganese, total	NE-6D	10/2/2019	3400	3		ug/L
Manganese, total	NE-6D	1/15/2020	5140	3		ug/L
Manganese, total	NE-6D	4/2/2020	4890	3		ug/L
Manganese, total	NE-6D	7/9/2020	4410	3		ug/L
Manganese, total	NE-6D	10/7/2020	3110	3		ug/L
Manganese, total	NE-6D	1/15/2021	3820	3		ug/L
Manganese, total	NE-6D	4/9/2021	2830	3		ug/L
Manganese, total	NE-6D	7/2/2021	3930	3		ug/L
Manganese, total	NE-6D	10/7/2021	2810	3		ug/L
Manganese, total	NE-6D	1/17/2022	2960	3		ug/L
Manganese, total	NE-6D	4/6/2022	3230	3		ug/L
Manganese, total	NE-6D	7/12/2022	2970	3		ug/L
Manganese, total	NE-6D	10/7/2022	2040	3		ug/L
Manganese, total	NE-6D	1/5/2023	2570	3		ug/L
Manganese, total	NE-6D	4/7/2023	2460	3		ug/L
Manganese, total	NE-6D	7/6/2023	2310	3		ug/L
Manganese, total	NE-6D	10/4/2023	2410	3		ug/L
Manganese, total	NE-7	3/1/2017	480	3		ug/L
Manganese, total	NE-7	4/6/2017	37	3		ug/L
Manganese, total	NE-7	7/20/2017	16	3		ug/L
Manganese, total	NE-7	10/5/2017	13	3		ug/L
Manganese, total	NE-7	2/6/2019	8.6	3		ug/L
Manganese, total	NE-7	8/6/2019	18	3		ug/L
Manganese, total	NE-7	1/16/2020	19.9	3		ug/L
Manganese, total	NE-7	7/7/2020	12.9	3		ug/L
Manganese, total	NE-7	1/16/2021	18.9	3		ug/L
Manganese, total	NE-7	1/16/2021	13	3		ug/L
Manganese, total	NE-7	7/1/2021	20.4	3		ug/L
Manganese, total	NE-7	1/17/2022	33	3		ug/L
Manganese, total	NE-7	1/17/2022	43.9	3		ug/L
Manganese, total	NE-7	7/12/2022	16.5	3		ug/L
Manganese, total	NE-7	1/5/2023	19.3	3		ug/L
Manganese, total	NE-7	7/6/2023	42	3		ug/L
Manganese, total	NE-8	1/12/2017	11	3		ug/L
Manganese, total	NE-8	4/5/2017	140	3		ug/L
Manganese, total	NE-8	7/20/2017	150	3		ug/L
Manganese, total	NE-8	10/6/2017	440	3		ug/L
Manganese, total	NE-8	2/4/2019	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Manganese, total	NE-8	8/5/2019	530	3		ug/L
Manganese, total	NE-8	1/15/2020	1080	3		ug/L
Manganese, total	NE-8	7/8/2020	2620	3		ug/L
Manganese, total	NE-8	1/13/2021	32.6	3		ug/L
Manganese, total	NE-8	1/13/2021	37.7	3		ug/L
Manganese, total	NE-8	4/9/2021	19.8	3		ug/L
Manganese, total	NE-8	7/1/2021	452	3		ug/L
Manganese, total	NE-8	7/1/2021	434	3		ug/L
Manganese, total	NE-8	10/7/2021	1280	3		ug/L
Manganese, total	NE-8	1/6/2023	1250	3		ug/L
Manganese, total	NE-8	7/5/2023	3570	3		ug/L
Manganese, total	NE-9	1/12/2017	14	3		ug/L
Manganese, total	NE-9	4/5/2017	4.7	3		ug/L
Manganese, total	NE-9	7/20/2017	1.4	3	ND	ug/L
Manganese, total	NE-9	10/5/2017	3.7	3		ug/L
Manganese, total	NE-9	2/5/2019	240	3		ug/L
Manganese, total	NE-9	8/7/2019	300	3		ug/L
Manganese, total	NE-9	1/15/2020	16.2	3		ug/L
Manganese, total	NE-9	7/7/2020	75.2	3		ug/L
Manganese, total	NE-9	1/17/2021	133	3		ug/L
Manganese, total	NE-9	1/17/2021	101	3		ug/L
Manganese, total	NE-9	7/1/2021	424	3		ug/L
Manganese, total	NE-9	1/17/2022	568	3		ug/L
Manganese, total	NE-9	1/17/2022	723	3		ug/L
Manganese, total	NE-9	7/13/2022	1520	3		ug/L
Manganese, total	NE-9	1/6/2023	2160	3		ug/L
Manganese, total	NE-9	4/8/2023	2230	3		ug/L
Manganese, total	NE-9	7/5/2023	2870	3		ug/L
Manganese, total	NE-9	10/6/2023	2610	3		ug/L
M-dinitrobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
M-dinitrobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-5	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
M-dinitrobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
M-dinitrobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
M-dinitrobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
M-dinitrobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
M-dinitrobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
M-dinitrobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-15	7/10/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-1N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
M-dinitrobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
M-dinitrobenzene	MW-21	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-3N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
M-dinitrobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
M-dinitrobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-7N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
M-dinitrobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-8N	5/29/2002	20	20	ND	ug/L
M-dinitrobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
M-dinitrobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
M-dinitrobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
M-dinitrobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
M-dinitrobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
M-dinitrobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
M-dinitrobenzene	NE-1	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-1	2/7/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-4	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-4	2/7/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
M-dinitrobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-4	7/12/2018	10	10	ND	ug/L
M-dinitrobenzene	NE-5	10/25/2006	10	10	ND	ug/L
M-dinitrobenzene	NE-5	2/6/2009	10	10	ND	ug/L
M-dinitrobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
M-dinitrobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
M-dinitrobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Mercury, total	LGW-10	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	7/9/2012	0.2	0.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	LGW-10	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-10	10/9/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-10	7/16/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-10	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	LGW-10	7/9/2020	0.0713	0.049		ug/L
Mercury, total	LGW-10	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-10	10/5/2023	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	10/27/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-14R	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-14R	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-14R	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	2/13/2015	0.2	0.2	ND	ug/L
Mercury, total	LGW-2	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-2	7/8/2020	0.049	0.049	ND	ug/L
Mercury, total	LGW-2	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	2/3/2009	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-3R	2/10/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-3R	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-3R	7/6/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	2/3/2009	0	0.2	ND	ug/L
Mercury, total	LGW-4	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-4	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-4	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-4	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-5	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	2/10/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-5	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-5	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-5	10/5/2023	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	2/5/2009	0	0.2	ND	ug/L
Mercury, total	LGW-6	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	2/10/2015	0	0.2	ND	ug/L
Mercury, total	LGW-6	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-6	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-6	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-6	7/10/2019	0.11	0.25	ND	ug/L
Mercury, total	LGW-6	7/9/2020	0.049	0.049	ND	ug/L
Mercury, total	LGW-6	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-6	10/5/2023	0.2	0.2	ND	ug/L
Mercury, total	LGW-7	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-7	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-7	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-7	2/11/2015	0.1	0.2	ND	ug/L
Mercury, total	LGW-7	10/6/2016	0	0.3	ND	ug/L
Mercury, total	LGW-7	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-7	7/12/2018	0.087	0.33	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	LGW-7	7/10/2019	0.16	0.25	ND	ug/L
Mercury, total	LGW-7	7/9/2020	0.133	0.049		ug/L
Mercury, total	LGW-7	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-8R	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-8R	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-8R	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-8R	7/7/2021	0.212	0.2		ug/L
Mercury, total	LGW-9	10/26/2006	0.2	0.2	ND	ug/L
Mercury, total	LGW-9	2/4/2009	0	0.2	ND	ug/L
Mercury, total	LGW-9	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	LGW-9	2/11/2015	0	0.2	ND	ug/L
Mercury, total	LGW-9	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	LGW-9	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	LGW-9	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	LGW-9	7/10/2019	0.25	0.25	ND	ug/L
Mercury, total	LGW-9	7/9/2020	0.0785	0.049		ug/L
Mercury, total	LGW-9	7/7/2021	0.2	0.2	ND	ug/L
Mercury, total	LGW-9	10/5/2023	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-10N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	2/13/2009	0	0.2	ND	ug/L
Mercury, total	MW-10N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-10N	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-10N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-11N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	2/3/2009	0	0.2	ND	ug/L
Mercury, total	MW-11N	7/9/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-11N	2/10/2015	0	0.2	ND	ug/L
Mercury, total	MW-11N	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-11N	7/6/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-15	7/10/2018	0.037	0.33	ND	ug/L
Mercury, total	MW-15	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-16	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-16	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-17	7/10/2018	0.045	0.33	ND	ug/L
Mercury, total	MW-17	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-19	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-19	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	10/14/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-1N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	2/5/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-1N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-1N	2/10/2015	0	0.2	ND	ug/L
Mercury, total	MW-1N	7/10/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-1N	7/6/2020	0.0708	0.049		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	MW-1N	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-20	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-20	7/4/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-21	10/5/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-21	10/6/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-21	7/11/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-21	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-21	7/8/2020	380001E-	0.049		ug/L
Mercury, total	MW-21	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	10/22/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-2N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	2/4/2009	0	0.2	ND	ug/L
Mercury, total	MW-2N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-2N	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-2N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	7/23/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-3N	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	2/4/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-3N	7/11/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-3N	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-3N	10/9/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-3N	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-3N	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-3N	7/7/2020	0.0722	0.049		ug/L
Mercury, total	MW-3N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	8/18/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	9/17/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	10/15/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	11/9/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-7N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-7N	10/5/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-7N	7/13/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-7N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/21/1997	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	4/28/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	7/22/1998	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	5/29/2002	0.4	0.4	ND	ug/L
Mercury, total	MW-8N	10/24/2006	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	1/24/2008	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	2/4/2009	0.1	0.2	ND	ug/L
Mercury, total	MW-8N	5/10/2011	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	7/11/2012	0.2	0.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Mercury, total	MW-8N	10/2/2013	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/8/2014	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	2/12/2015	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/6/2016	0.3	0.3	ND	ug/L
Mercury, total	MW-8N	10/6/2017	0.3	0.3	ND	ug/L
Mercury, total	MW-8N	7/16/2018	0.33	0.33	ND	ug/L
Mercury, total	MW-8N	7/11/2019	0.25	0.25	ND	ug/L
Mercury, total	MW-8N	7/9/2020	0.0802	0.049		ug/L
Mercury, total	MW-8N	7/5/2021	0.2	0.2	ND	ug/L
Mercury, total	MW-8N	10/5/2023	0.2	0.2	ND	ug/L
Mercury, total	NE-1	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-1	2/7/2009	0.1	0.2	ND	ug/L
Mercury, total	NE-1	7/10/2012	0.1	0.2	ND	ug/L
Mercury, total	NE-1	2/11/2015	0.1	0.2	ND	ug/L
Mercury, total	NE-1	7/18/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-2	7/10/2018	0.033	0.33	ND	ug/L
Mercury, total	NE-4	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-4	2/7/2009	0.1	0.2	ND	ug/L
Mercury, total	NE-4	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	NE-4	2/13/2015	0.2	0.2	ND	ug/L
Mercury, total	NE-4	7/12/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-5	10/25/2006	0.2	0.2	ND	ug/L
Mercury, total	NE-5	2/6/2009	0.2	0.2	ND	ug/L
Mercury, total	NE-5	7/10/2012	0.2	0.2	ND	ug/L
Mercury, total	NE-5	2/11/2015	0	0.2	ND	ug/L
Mercury, total	NE-5	7/17/2018	0.33	0.33	ND	ug/L
Mercury, total	NE-5	7/9/2019	0.25	0.25	ND	ug/L
Meta & para-cresol	LGW-10	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-14R	10/27/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-14R	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-14R	7/17/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-2	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-2	2/13/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-2	2/13/2015	13	13	ND	ug/L
Meta & para-cresol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-3R	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-3R	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-3R	7/11/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-4	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-4	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-5	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-5	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Meta & para-cresol	LGW-5	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-6	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-6	2/5/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-6	2/10/2015	10	10	ND	ug/L
Meta & para-cresol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Meta & para-cresol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Meta & para-cresol	LGW-7	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-7	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-7	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-8R	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-8R	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-9	10/26/2006	10	10	ND	ug/L
Meta & para-cresol	LGW-9	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	LGW-9	7/10/2019	10	10	ND	ug/L
Meta & para-cresol	MW-10N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-10N	2/13/2009	10	10	ND	ug/L
Meta & para-cresol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-11N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-11N	2/3/2009	10	10	ND	ug/L
Meta & para-cresol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-11N	2/10/2015	10	10	ND	ug/L
Meta & para-cresol	MW-11N	7/17/2018	10	10	ND	ug/L
Meta & para-cresol	MW-15	7/10/2018	10	10	ND	ug/L
Meta & para-cresol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-1N	10/24/2006	10	10	ND	ug/L
Meta & para-cresol	MW-1N	2/5/2009	10	10	ND	ug/L
Meta & para-cresol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Meta & para-cresol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-21	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	MW-2N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-2N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Meta & para-cresol	MW-2N	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	MW-3N	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	MW-3N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Meta & para-cresol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Meta & para-cresol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-3N	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	MW-7N	10/24/2006	10	10	ND	ug/L
Meta & para-cresol	MW-7N	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Meta & para-cresol	MW-7N	7/13/2018	10	10	ND	ug/L
Meta & para-cresol	MW-8N	10/24/2006	10	10	ND	ug/L
Meta & para-cresol	MW-8N	1/24/2008	10	10	ND	ug/L
Meta & para-cresol	MW-8N	2/4/2009	10	10	ND	ug/L
Meta & para-cresol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Meta & para-cresol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Meta & para-cresol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Meta & para-cresol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Meta & para-cresol	MW-8N	7/11/2019	10	10	ND	ug/L
Meta & para-cresol	NE-1	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-1	2/7/2009	10	10	ND	ug/L
Meta & para-cresol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-4	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-4	2/7/2009	10	10	ND	ug/L
Meta & para-cresol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Meta & para-cresol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-4	7/12/2018	10	10	ND	ug/L
Meta & para-cresol	NE-5	10/25/2006	10	10	ND	ug/L
Meta & para-cresol	NE-5	2/6/2009	10	10	ND	ug/L
Meta & para-cresol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Meta & para-cresol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Meta & para-cresol	NE-5	7/9/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-10	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-10	10/9/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/16/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-10	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-10	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-10	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-10	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-10	10/5/2023	13	13	ND	ug/L
Methacrylonitrile	LGW-14R	10/27/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	LGW-14R	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-14R	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-2	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-2	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-2	2/13/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-2	7/8/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-2	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-3R	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-3R	7/6/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-4	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-4	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-4	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-4	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-5	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-5	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-5	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-5	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-5	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-5	10/5/2023	13	13	ND	ug/L
Methacrylonitrile	LGW-6	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-6	2/5/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-6	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-6	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-6	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-6	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-6	10/6/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-6	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-6	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-6	10/5/2023	13	13	ND	ug/L
Methacrylonitrile	LGW-7	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-7	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-7	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-7	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-7	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-7	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-7	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-7	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-8R	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/9/2012	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	LGW-8R	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-8R	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-9	10/26/2006	10	10	ND	ug/L
Methacrylonitrile	LGW-9	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	LGW-9	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	LGW-9	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	LGW-9	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/10/2019	10	10	ND	ug/L
Methacrylonitrile	LGW-9	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	LGW-9	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	LGW-9	7/7/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-9	10/5/2021	13	13	ND	ug/L
Methacrylonitrile	LGW-9	10/5/2023	13	13	ND	ug/L
Methacrylonitrile	MW-10N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-10N	2/13/2009	10	10	ND	ug/L
Methacrylonitrile	MW-10N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-10N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-10N	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-10N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-11N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-11N	2/3/2009	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/9/2012	10	10	ND	ug/L
Methacrylonitrile	MW-11N	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	MW-11N	7/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-15	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-15	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-16	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-16	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-17	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-17	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-19	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-19	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-1N	10/14/1998	5	5	ND	ug/L
Methacrylonitrile	MW-1N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-1N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-1N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-1N	2/5/2009	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-1N	2/10/2015	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	MW-1N	7/6/2020	50	50	ND	ug/L
Methacrylonitrile	MW-1N	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-20	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	MW-20	7/4/2021	13	13	ND	ug/L
Methacrylonitrile	MW-21	10/5/2016	10	10	ND	ug/L
Methacrylonitrile	MW-21	10/6/2017	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/11/2018	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-21	7/8/2020	50	50	ND	ug/L
Methacrylonitrile	MW-21	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	MW-21	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-21	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-2N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-2N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	MW-2N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-2N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-2N	7/12/2018	10	10	ND	ug/L
Methacrylonitrile	MW-2N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-3N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-3N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-3N	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	MW-3N	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/11/2012	10	10	ND	ug/L
Methacrylonitrile	MW-3N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-3N	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	MW-3N	10/9/2017	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-3N	7/7/2020	50	50	ND	ug/L
Methacrylonitrile	MW-3N	10/7/2020	13	13	ND	ug/L
Methacrylonitrile	MW-3N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-3N	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-7N	10/15/1998	5	5	ND	ug/L
Methacrylonitrile	MW-7N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-7N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-7N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-7N	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	MW-7N	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	MW-7N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-7N	10/5/2017	10	10	ND	ug/L
Methacrylonitrile	MW-7N	7/13/2018	10	10	ND	ug/L
Methacrylonitrile	MW-7N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-8N	5/29/2002	5	5	ND	ug/L
Methacrylonitrile	MW-8N	5/29/2002	1	1	ND	ug/L
Methacrylonitrile	MW-8N	10/24/2006	10	10	ND	ug/L
Methacrylonitrile	MW-8N	1/24/2008	10	10	ND	ug/L
Methacrylonitrile	MW-8N	2/4/2009	10	10	ND	ug/L
Methacrylonitrile	MW-8N	5/10/2011	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/11/2012	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/2/2013	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/8/2014	10	10	ND	ug/L
Methacrylonitrile	MW-8N	2/12/2015	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2016	10	10	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2017	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/16/2018	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/11/2019	10	10	ND	ug/L
Methacrylonitrile	MW-8N	7/9/2020	50	50	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2020	13	13	ND	ug/L
Methacrylonitrile	MW-8N	7/5/2021	13	13	ND	ug/L
Methacrylonitrile	MW-8N	10/6/2021	13	13	ND	ug/L
Methacrylonitrile	MW-8N	10/5/2023	13	13	ND	ug/L
Methacrylonitrile	NE-1	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-1	2/7/2009	10	10	ND	ug/L
Methacrylonitrile	NE-1	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-1	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	NE-1	7/18/2018	10	10	ND	ug/L
Methacrylonitrile	NE-2	7/10/2018	10	10	ND	ug/L
Methacrylonitrile	NE-4	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-4	2/7/2009	10	10	ND	ug/L
Methacrylonitrile	NE-4	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-4	2/13/2015	10	10	ND	ug/L
Methacrylonitrile	NE-4	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methacrylonitrile	NE-5	10/25/2006	10	10	ND	ug/L
Methacrylonitrile	NE-5	2/6/2009	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/10/2012	10	10	ND	ug/L
Methacrylonitrile	NE-5	2/11/2015	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/17/2018	10	10	ND	ug/L
Methacrylonitrile	NE-5	7/9/2019	10	10	ND	ug/L
Methane	LGW-3R	1/3/2019	56	5		ug/L
Methane	LGW-6	6/5/2018	350	5		ug/L
Methane	LGW-7	6/5/2018	430	5		ug/L
Methane	LGW-9	6/5/2018	110	5		ug/L
Methane	MW-11N	1/2/2019	5	5	ND	ug/L
Methane	MW-15	1/3/2019	5	5	ND	ug/L
Methane	MW-16	1/2/2019	5	5	ND	ug/L
Methane	MW-3N	6/6/2018	11	5		ug/L
Methane	MW-7N	6/5/2018	150	5		ug/L
Methane	MW-8N	6/6/2018	12	5		ug/L
Methapyrilene	LGW-10	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-10	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-10	2/12/2015	48	48	ND	ug/L
Methapyrilene	LGW-10	10/6/2016	47	47	ND	ug/L
Methapyrilene	LGW-10	10/9/2017	48	48	ND	ug/L
Methapyrilene	LGW-10	7/16/2018	48	48	ND	ug/L
Methapyrilene	LGW-10	7/11/2019	50	50	ND	ug/L
Methapyrilene	LGW-10	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-10	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-10	10/5/2023	50	50	ND	ug/L
Methapyrilene	LGW-14R	10/27/2006	50	50	ND	ug/L
Methapyrilene	LGW-14R	2/6/2009	50	50	ND	ug/L
Methapyrilene	LGW-14R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-14R	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-14R	7/17/2018	51	51	ND	ug/L
Methapyrilene	LGW-14R	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-2	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-2	2/13/2009	50	50	ND	ug/L
Methapyrilene	LGW-2	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-2	2/13/2015	65	65	ND	ug/L
Methapyrilene	LGW-2	7/12/2018	49	49	ND	ug/L
Methapyrilene	LGW-2	7/8/2020	50	50	ND	ug/L
Methapyrilene	LGW-2	7/4/2021	50	50	ND	ug/L
Methapyrilene	LGW-3R	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-3R	2/3/2009	50	50	ND	ug/L
Methapyrilene	LGW-3R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-3R	2/10/2015	49	49	ND	ug/L
Methapyrilene	LGW-3R	7/11/2018	50	50	ND	ug/L
Methapyrilene	LGW-3R	7/6/2021	50	50	ND	ug/L
Methapyrilene	LGW-4	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-4	2/3/2009	50	50	ND	ug/L
Methapyrilene	LGW-4	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-4	2/11/2015	48	48	ND	ug/L
Methapyrilene	LGW-4	7/11/2018	50	50	ND	ug/L
Methapyrilene	LGW-4	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-5	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-5	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-5	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-5	2/10/2015	48	48	ND	ug/L
Methapyrilene	LGW-5	7/12/2018	50	50	ND	ug/L
Methapyrilene	LGW-5	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-5	10/5/2023	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	LGW-6	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-6	2/5/2009	50	50	ND	ug/L
Methapyrilene	LGW-6	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-6	2/10/2015	50	50	ND	ug/L
Methapyrilene	LGW-6	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-6	10/5/2017	48	48	ND	ug/L
Methapyrilene	LGW-6	7/17/2018	49	49	ND	ug/L
Methapyrilene	LGW-6	7/10/2019	49	49	ND	ug/L
Methapyrilene	LGW-6	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-6	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-6	10/5/2023	50	50	ND	ug/L
Methapyrilene	LGW-7	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-7	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-7	7/10/2012	47	47	ND	ug/L
Methapyrilene	LGW-7	2/11/2015	48	48	ND	ug/L
Methapyrilene	LGW-7	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-7	10/5/2017	48	48	ND	ug/L
Methapyrilene	LGW-7	7/12/2018	51	51	ND	ug/L
Methapyrilene	LGW-7	7/10/2019	49	49	ND	ug/L
Methapyrilene	LGW-7	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-7	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-8R	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-8R	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-8R	7/9/2012	47	47	ND	ug/L
Methapyrilene	LGW-8R	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-8R	7/13/2018	49	49	ND	ug/L
Methapyrilene	LGW-8R	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-9	10/26/2006	50	50	ND	ug/L
Methapyrilene	LGW-9	2/4/2009	50	50	ND	ug/L
Methapyrilene	LGW-9	7/10/2012	47	47	ND	ug/L
Methapyrilene	LGW-9	2/11/2015	49	49	ND	ug/L
Methapyrilene	LGW-9	10/6/2016	48	48	ND	ug/L
Methapyrilene	LGW-9	10/5/2017	48	48	ND	ug/L
Methapyrilene	LGW-9	7/13/2018	47	47	ND	ug/L
Methapyrilene	LGW-9	7/10/2019	51	51	ND	ug/L
Methapyrilene	LGW-9	7/9/2020	50	50	ND	ug/L
Methapyrilene	LGW-9	7/7/2021	50	50	ND	ug/L
Methapyrilene	LGW-9	10/5/2023	50	50	ND	ug/L
Methapyrilene	MW-10N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-10N	2/13/2009	50	50	ND	ug/L
Methapyrilene	MW-10N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-10N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-10N	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-10N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-11N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-11N	2/3/2009	50	50	ND	ug/L
Methapyrilene	MW-11N	7/9/2012	47	47	ND	ug/L
Methapyrilene	MW-11N	2/10/2015	50	50	ND	ug/L
Methapyrilene	MW-11N	7/17/2018	50	50	ND	ug/L
Methapyrilene	MW-11N	7/6/2021	50	50	ND	ug/L
Methapyrilene	MW-15	7/10/2018	51	51	ND	ug/L
Methapyrilene	MW-15	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-16	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-16	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-17	7/10/2018	47	47	ND	ug/L
Methapyrilene	MW-17	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-19	7/13/2018	48	48	ND	ug/L
Methapyrilene	MW-19	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	MW-1N	10/14/1998	10	10	ND	ug/L
Methapyrilene	MW-1N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-1N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-1N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-1N	2/5/2009	50	50	ND	ug/L
Methapyrilene	MW-1N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-1N	2/10/2015	47	47	ND	ug/L
Methapyrilene	MW-1N	7/10/2018	49	49	ND	ug/L
Methapyrilene	MW-1N	7/6/2020	50	50	ND	ug/L
Methapyrilene	MW-1N	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-20	7/12/2018	47	47	ND	ug/L
Methapyrilene	MW-20	7/4/2021	50	50	ND	ug/L
Methapyrilene	MW-21	10/5/2016	48	48	ND	ug/L
Methapyrilene	MW-21	10/6/2017	48	48	ND	ug/L
Methapyrilene	MW-21	7/11/2018	48	48	ND	ug/L
Methapyrilene	MW-21	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-21	7/8/2020	50	50	ND	ug/L
Methapyrilene	MW-21	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-2N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-2N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-2N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-2N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-2N	7/12/2018	51	51	ND	ug/L
Methapyrilene	MW-2N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-3N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-3N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-3N	10/25/2006	50	50	ND	ug/L
Methapyrilene	MW-3N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-3N	7/11/2012	47	47	ND	ug/L
Methapyrilene	MW-3N	2/12/2015	49	49	ND	ug/L
Methapyrilene	MW-3N	10/6/2016	48	48	ND	ug/L
Methapyrilene	MW-3N	10/9/2017	48	48	ND	ug/L
Methapyrilene	MW-3N	7/13/2018	47	47	ND	ug/L
Methapyrilene	MW-3N	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-3N	7/7/2020	50	50	ND	ug/L
Methapyrilene	MW-3N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-7N	10/15/1998	10	10	ND	ug/L
Methapyrilene	MW-7N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-7N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-7N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-7N	2/6/2009	50	50	ND	ug/L
Methapyrilene	MW-7N	7/10/2012	47	47	ND	ug/L
Methapyrilene	MW-7N	2/12/2015	49	49	ND	ug/L
Methapyrilene	MW-7N	10/5/2017	49	49	ND	ug/L
Methapyrilene	MW-7N	7/13/2018	52	52	ND	ug/L
Methapyrilene	MW-7N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-8N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-8N	5/29/2002	10	10	ND	ug/L
Methapyrilene	MW-8N	10/24/2006	50	50	ND	ug/L
Methapyrilene	MW-8N	1/24/2008	50	50	ND	ug/L
Methapyrilene	MW-8N	2/4/2009	50	50	ND	ug/L
Methapyrilene	MW-8N	5/10/2011	48	48	ND	ug/L
Methapyrilene	MW-8N	7/11/2012	47	47	ND	ug/L
Methapyrilene	MW-8N	10/2/2013	48	48	ND	ug/L
Methapyrilene	MW-8N	10/8/2014	48	48	ND	ug/L
Methapyrilene	MW-8N	2/12/2015	48	48	ND	ug/L
Methapyrilene	MW-8N	10/6/2016	48	48	ND	ug/L
Methapyrilene	MW-8N	10/6/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methapyrilene	MW-8N	7/16/2018	49	49	ND	ug/L
Methapyrilene	MW-8N	7/11/2019	50	50	ND	ug/L
Methapyrilene	MW-8N	7/9/2020	50	50	ND	ug/L
Methapyrilene	MW-8N	7/5/2021	50	50	ND	ug/L
Methapyrilene	MW-8N	10/5/2023	50	50	ND	ug/L
Methapyrilene	NE-1	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-1	2/7/2009	50	50	ND	ug/L
Methapyrilene	NE-1	7/10/2012	48	48	ND	ug/L
Methapyrilene	NE-1	2/11/2015	48	48	ND	ug/L
Methapyrilene	NE-1	7/18/2018	48	48	ND	ug/L
Methapyrilene	NE-2	7/10/2018	48	48	ND	ug/L
Methapyrilene	NE-4	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-4	2/7/2009	50	50	ND	ug/L
Methapyrilene	NE-4	7/10/2012	49	49	ND	ug/L
Methapyrilene	NE-4	2/13/2015	48	48	ND	ug/L
Methapyrilene	NE-4	7/12/2018	52	52	ND	ug/L
Methapyrilene	NE-5	10/25/2006	50	50	ND	ug/L
Methapyrilene	NE-5	2/6/2009	50	50	ND	ug/L
Methapyrilene	NE-5	7/10/2012	47	47	ND	ug/L
Methapyrilene	NE-5	2/11/2015	48	48	ND	ug/L
Methapyrilene	NE-5	7/17/2018	48	48	ND	ug/L
Methapyrilene	NE-5	7/9/2019	50	50	ND	ug/L
Methoxychlor	LGW-10	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-10	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-10	2/12/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-10	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	LGW-10	10/9/2017	0.096	0.096	ND	ug/L
Methoxychlor	LGW-10	7/16/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-10	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	LGW-10	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-10	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-10	10/5/2023	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-14R	10/27/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-14R	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-14R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-14R	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	LGW-14R	7/17/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-14R	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-2	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-2	2/13/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-2	7/12/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-2	7/8/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-2	7/4/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-3R	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-3R	2/10/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-3R	7/11/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-3R	7/6/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-4	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-4	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-4	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-4	2/11/2015	0.095	0.095	ND	ug/L
Methoxychlor	LGW-4	7/11/2018	0.099	0.099	ND	ug/L
Methoxychlor	LGW-4	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-5	10/26/2006	0.1	0.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	LGW-5	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-5	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-5	2/10/2015	0.1	0.1	ND	ug/L
Methoxychlor	LGW-5	7/12/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-5	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-5	10/5/2023	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-6	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-6	2/5/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-6	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-6	2/10/2015	0.097	0.097	ND	ug/L
Methoxychlor	LGW-6	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	LGW-6	10/5/2017	0.098	0.098	ND	ug/L
Methoxychlor	LGW-6	7/17/2018	0.11	0.11	ND	ug/L
Methoxychlor	LGW-6	7/10/2019	0.099	0.099	ND	ug/L
Methoxychlor	LGW-6	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-6	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-6	10/5/2023	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-7	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-7	2/11/2015	0.1	0.1	ND	ug/L
Methoxychlor	LGW-7	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	LGW-7	10/5/2017	0.096	0.096	ND	ug/L
Methoxychlor	LGW-7	7/12/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-7	7/10/2019	0.098	0.098	ND	ug/L
Methoxychlor	LGW-7	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-7	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-8R	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-8R	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-8R	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-8R	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	LGW-8R	7/13/2018	0.096	0.096	ND	ug/L
Methoxychlor	LGW-8R	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-9	10/26/2006	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	LGW-9	2/11/2015	0.097	0.097	ND	ug/L
Methoxychlor	LGW-9	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	LGW-9	10/5/2017	0.097	0.097	ND	ug/L
Methoxychlor	LGW-9	7/13/2018	0.1	0.1	ND	ug/L
Methoxychlor	LGW-9	7/10/2019	0.11	0.11	ND	ug/L
Methoxychlor	LGW-9	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	LGW-9	7/7/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	LGW-9	10/5/2023	999999E-0	999999E-0	ND	ug/L
Methoxychlor	MW-10N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	2/13/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	2/13/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-10N	2/12/2015	0.099	0.099	ND	ug/L
Methoxychlor	MW-10N	7/11/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-10N	7/5/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	MW-11N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	2/3/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	7/9/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-11N	2/10/2015	0.097	0.097	ND	ug/L
Methoxychlor	MW-11N	7/17/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-11N	7/6/2021	999999E-0	999999E-0	ND	ug/L
Methoxychlor	MW-15	7/10/2018	0.1	0.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	MW-15	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-16	7/11/2018	0.098	0.098	ND	ug/L
Methoxychlor	MW-16	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-17	7/10/2018	0.096	0.096	ND	ug/L
Methoxychlor	MW-17	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-19	7/13/2018	0.1	0.1	ND	ug/L
Methoxychlor	MW-19	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Methoxychlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-1N	2/5/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-1N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	2/10/2015	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	7/10/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-1N	7/6/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-1N	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-20	7/12/2018	0.099	0.099	ND	ug/L
Methoxychlor	MW-20	7/4/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-21	10/5/2016	0.097	0.097	ND	ug/L
Methoxychlor	MW-21	10/6/2017	0.096	0.096	ND	ug/L
Methoxychlor	MW-21	7/11/2018	0.096	0.096	ND	ug/L
Methoxychlor	MW-21	7/11/2019	0.11	0.11	ND	ug/L
Methoxychlor	MW-21	7/8/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-21	7/5/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-2N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-2N	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-2N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-2N	2/12/2015	0.097	0.097	ND	ug/L
Methoxychlor	MW-2N	7/12/2018	0.097	0.097	ND	ug/L
Methoxychlor	MW-2N	7/5/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	2/4/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	7/11/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	2/12/2015	0.099	0.099	ND	ug/L
Methoxychlor	MW-3N	10/6/2016	0.099	0.099	ND	ug/L
Methoxychlor	MW-3N	10/9/2017	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	7/13/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-3N	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	MW-3N	7/7/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-3N	7/5/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Methoxychlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-7N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-7N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-7N	2/12/2015	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	10/5/2017	0.1	0.1	ND	ug/L
Methoxychlor	MW-7N	7/13/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-7N	7/5/2021	999999E-	999999E-	ND	ug/L
Methoxychlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	5/29/2002	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	10/24/2006	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	1/24/2008	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	2/4/2009	0.1	0.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methoxychlor	MW-8N	5/10/2011	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	7/11/2012	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	10/2/2013	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	10/8/2014	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	2/12/2015	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	10/6/2016	0.098	0.098	ND	ug/L
Methoxychlor	MW-8N	10/6/2017	0.096	0.096	ND	ug/L
Methoxychlor	MW-8N	7/16/2018	0.095	0.095	ND	ug/L
Methoxychlor	MW-8N	7/11/2019	0.1	0.1	ND	ug/L
Methoxychlor	MW-8N	7/9/2020	0.05	0.05	ND	ug/L
Methoxychlor	MW-8N	7/5/2021	999999E-	999999E-0	ND	ug/L
Methoxychlor	MW-8N	10/5/2023	999999E-	999999E-0	ND	ug/L
Methoxychlor	NE-1	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-1	2/7/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-1	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	NE-1	2/11/2015	0.096	0.096	ND	ug/L
Methoxychlor	NE-1	7/18/2018	0.099	0.099	ND	ug/L
Methoxychlor	NE-2	7/10/2018	0.098	0.098	ND	ug/L
Methoxychlor	NE-4	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-4	2/7/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-4	7/10/2012	0.096	0.096	ND	ug/L
Methoxychlor	NE-4	2/13/2015	0.095	0.095	ND	ug/L
Methoxychlor	NE-4	7/12/2018	0.11	0.11	ND	ug/L
Methoxychlor	NE-5	10/25/2006	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	2/6/2009	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	7/10/2012	0.095	0.095	ND	ug/L
Methoxychlor	NE-5	2/11/2015	0.095	0.095	ND	ug/L
Methoxychlor	NE-5	7/17/2018	0.1	0.1	ND	ug/L
Methoxychlor	NE-5	7/9/2019	0.1	0.1	ND	ug/L
Methyl ethyl ketone	LGW-10	1/26/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-10	1/25/2007	9.3	5		ug/L
Methyl ethyl ketone	LGW-10	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/19/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-10	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/16/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/4/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-10	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	10/27/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	4/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/9/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-14R	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-14R	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-2	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/26/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/30/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	2/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-2	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/26/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/31/2009	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/22/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/8/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-3R	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-4	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/23/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-4	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-4	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-5	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-5	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-6	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/5/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/19/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	5/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-6	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-7	1/24/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-7	4/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-7	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/24/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	4/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-8R	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/22/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/22/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-8R	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/25/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/26/2006	6	6	ND	ug/L
Methyl ethyl ketone	LGW-9	1/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	2/11/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	5/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/3/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	LGW-9	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/11/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	LGW-9	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/28/1998	19	19	ND	ug/L
Methyl ethyl ketone	MW-10N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	7/15/1999	80	9.7		ug/L
Methyl ethyl ketone	MW-10N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-10N	7/11/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	4/10/2001	7.5	5		ug/L
Methyl ethyl ketone	MW-10N	7/10/2002	50	5		ug/L
Methyl ethyl ketone	MW-10N	10/2/2002	5.1	5		ug/L
Methyl ethyl ketone	MW-10N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	2/13/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/27/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	8/10/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/9/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-10N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-10N	7/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-11N	7/10/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/10/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/29/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/13/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-11N	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/4/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/15/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-11N	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-11N	7/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/15/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-15	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/8/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	8/3/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-16	1/18/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-16	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/15/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	8/4/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-17	7/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/16/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	8/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	9/3/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	8/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-19	7/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	1/20/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	10/14/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	5/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/15/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	4/25/2000	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-1N	7/12/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/18/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	4/12/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-1N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/3/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-1N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	2/5/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	2/10/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/23/2020	6.4	6.4	ND	ug/L
Methyl ethyl ketone	MW-1N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-1N	7/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	8/4/2015	3.2	5	ND	ug/L
Methyl ethyl ketone	MW-20	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	4/5/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-20	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/18/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/26/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	7/4/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-20	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	6/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	8/4/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	9/2/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/7/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/10/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/4/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	4/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	7/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-21	10/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/22/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-2N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/24/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	4/11/2001	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-2N	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-2N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	3/27/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/23/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/23/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-2N	7/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/21/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/23/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	10/20/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	4/24/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/17/2000	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-3N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/11/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-3N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/22/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/18/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-3N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/13/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/1/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/7/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-3N	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	7/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-3N	10/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/21/1998	92	9.7		ug/L
Methyl ethyl ketone	MW-7N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	8/18/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	9/17/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/15/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	11/9/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	4/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	1/13/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/10/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-7N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/8/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/26/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-7N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/29/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/20/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/12/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/15/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/13/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-7N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/13/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/10/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	1/10/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-7N	7/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/21/1997	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/28/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/22/1998	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/12/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/13/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/14/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	10/19/1999	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	1/14/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	4/25/2000	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	10/17/2000	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/23/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/11/2001	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/29/2002	9.7	9.7	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/23/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/14/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/7/2003	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/20/2005	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/24/2006	6	6	ND	ug/L
Methyl ethyl ketone	MW-8N	1/26/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/25/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/23/2008	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	2/4/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/10/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	MW-8N	7/14/2011	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/6/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/11/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/3/2012	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	5/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	6/4/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2013	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/30/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/3/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	2/12/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/1/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/5/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/21/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/4/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/16/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/11/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/5/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/4/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	1/11/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	4/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	7/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	MW-8N	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-1	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	2/7/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/14/2010	8.3	5		ug/L
Methyl ethyl ketone	NE-1	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/5/2012	2.5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	2/11/2015	3.9	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/24/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/11/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/18/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-1	10/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	11/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	10/7/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-10D	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	7/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-10D	10/3/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	10/9/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-11	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	8/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-12	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	2/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	1/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-14D	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14D	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-14S	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15D	10/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-15S	4/3/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/1/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/8/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/5/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/1/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/14/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/1/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-2	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/14/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	4/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-2	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/10/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/3/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/28/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/13/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-4	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/24/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/21/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	2/7/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/14/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	2/13/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/26/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/12/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/1/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/13/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/1/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-4	7/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/5/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	4/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-4	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	8/6/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	9/4/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/2/2002	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/15/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/8/2003	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/27/2004	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/12/2005	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/25/2006	6	6	ND	ug/L
Methyl ethyl ketone	NE-5	1/24/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/12/2007	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/22/2008	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	2/6/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/31/2009	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/26/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/16/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	9/2/2010	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/19/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/13/2011	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/5/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/10/2012	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/30/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/16/2013	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/23/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2014	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	2/11/2015	4.2	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/14/2015	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/6/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/20/2016	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/11/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/25/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/10/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/17/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/3/2018	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/3/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/6/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-5	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/1/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5E	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	9/30/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/6/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/6/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/18/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-5W	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/19/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	2/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	8/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/1/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/2/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/2/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/9/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/15/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/2/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/6/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/7/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	4/7/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-6D	10/4/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	3/1/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	4/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	2/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	8/6/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/12/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	1/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-7	7/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	4/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	10/6/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	2/4/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	8/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/8/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	4/9/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	10/7/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-8	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/12/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	4/5/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl ethyl ketone	NE-9	7/20/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	10/5/2017	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	2/5/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	8/7/2019	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/15/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/7/2020	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/13/2022	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	1/6/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	4/8/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	7/5/2023	5	5	ND	ug/L
Methyl ethyl ketone	NE-9	10/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/16/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/4/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/9/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-10	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	4/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-10	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	8/2/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	10/27/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	4/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-14R	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/26/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-2	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/26/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/30/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	2/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-2	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/26/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/22/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	2/10/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-3R	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/8/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-3R	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-4	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/25/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-5	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/5/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/12/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-6	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/19/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	5/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-6	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/30/2013	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-7	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-7	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/22/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/22/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/7/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-8R	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-8R	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/20/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/26/2006	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	5/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	1/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/11/2022	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/7/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	LGW-9	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	4/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	LGW-9	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/28/1998	6	6	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/15/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/11/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	2/13/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/27/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	8/10/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/8/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-10N	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-10N	7/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/10/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/29/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/13/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/3/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/4/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/9/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-11N	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-11N	7/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/15/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-15	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/8/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/18/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-16	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/15/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	4/5/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-17	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-17	7/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/16/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	8/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	9/3/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	8/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-19	7/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/20/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/14/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/15/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/12/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/18/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/12/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/3/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/28/2004	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-1N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	2/5/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	2/10/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/23/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-1N	7/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/18/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/26/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	7/4/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-20	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-21	6/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	8/4/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	9/2/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/7/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/10/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/4/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	7/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-21	10/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/22/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-2N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	3/27/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/23/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/23/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-2N	7/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/21/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/23/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/20/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/24/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/23/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/22/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/12/2005	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-3N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/18/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/13/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/1/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	7/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-3N	10/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/21/1998	8	3		ug/L
Methyl isobutyl ketone	MW-7N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	8/18/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	9/17/1998	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-7N	10/15/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	11/9/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/13/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/23/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/10/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/8/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/26/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/29/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/20/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/12/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/15/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/13/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/16/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-7N	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/10/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	1/10/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-7N	7/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/21/1997	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/28/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/22/1998	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/12/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/13/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/19/1999	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/14/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/25/2000	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/17/2000	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/23/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/11/2001	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/29/2002	3	3	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/23/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/14/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/7/2003	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/20/2005	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/24/2006	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/26/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/25/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/23/2008	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	2/4/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/10/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/2011	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/6/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/11/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/3/2012	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	5/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	6/4/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2013	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/30/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/3/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	MW-8N	10/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	2/12/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/1/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/5/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/21/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/4/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/16/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/11/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/5/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/4/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	1/11/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	7/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	MW-8N	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	2/7/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/13/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-1	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/24/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/11/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/18/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/10/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-1	10/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	11/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	7/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-10D	10/3/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	10/9/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/16/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-11	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-11	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	8/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-12	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	2/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-13	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14D	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/7/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-14S	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-14S	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15D	10/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-15S	4/3/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/1/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/8/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/5/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/1/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/14/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/14/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	4/5/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-2	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-2	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/10/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/6/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/3/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/28/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/13/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	8/1/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/24/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/21/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	2/7/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/14/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	2/13/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/26/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/12/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/8/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/1/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/13/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/5/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	4/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-4	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	8/6/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-5	9/4/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/2/2002	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/15/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/8/2003	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/27/2004	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/12/2005	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/25/2006	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/24/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/12/2007	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/22/2008	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	2/6/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/31/2009	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/26/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/16/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	9/2/2010	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/19/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/13/2011	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/5/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/10/2012	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/30/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/16/2013	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/23/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2014	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	2/11/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/14/2015	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/6/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/20/2016	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/11/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/25/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/10/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/17/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/3/2018	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/9/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/3/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5	10/4/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-5E	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/1/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5E	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	9/30/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/6/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/6/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/18/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-5W	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/19/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	2/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	8/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/2/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/2/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/9/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/15/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/9/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-6D	7/2/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/6/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/7/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	4/7/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-6D	10/4/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	3/1/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	4/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	2/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	8/6/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/16/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/12/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	1/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-7	7/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	10/6/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	2/4/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	8/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/8/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/13/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	4/9/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	10/7/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-8	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/12/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	4/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/20/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	10/5/2017	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	2/5/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	8/7/2019	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/15/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/7/2020	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/1/2021	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/17/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl isobutyl ketone	NE-9	7/13/2022	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	1/6/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	4/8/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	7/5/2023	5	5	ND	ug/L
Methyl isobutyl ketone	NE-9	10/6/2023	5	5	ND	ug/L
Methyl methacrylate	LGW-10	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-10	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/9/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/16/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-10	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-10	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-10	10/5/2023	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	10/27/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-14R	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-2	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-2	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-2	2/13/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-2	7/8/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-2	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-3R	7/6/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-4	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-4	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-4	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-4	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-5	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-5	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-5	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-5	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-5	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-5	10/5/2023	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-6	2/5/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-6	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/10/2019	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	LGW-6	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-6	10/6/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-6	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-6	10/5/2023	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-7	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-7	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/10/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-7	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-7	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-7	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-8R	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/26/2006	4	4	ND	ug/L
Methyl methacrylate	LGW-9	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	LGW-9	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/10/2019	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	LGW-9	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	LGW-9	7/7/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/5/2021	4	4	ND	ug/L
Methyl methacrylate	LGW-9	10/5/2023	4	4	ND	ug/L
Methyl methacrylate	MW-10N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-10N	2/13/2009	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-10N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-10N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-11N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-11N	2/3/2009	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/9/2012	4	4	ND	ug/L
Methyl methacrylate	MW-11N	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	MW-11N	7/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-15	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-15	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-16	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-16	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-17	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-17	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-19	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-19	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-1N	10/14/1998	5	5	ND	ug/L
Methyl methacrylate	MW-1N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-1N	5/29/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	MW-1N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-1N	2/5/2009	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-1N	2/10/2015	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	MW-1N	7/6/2020	50	50	ND	ug/L
Methyl methacrylate	MW-1N	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-20	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	MW-20	7/4/2021	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/5/2016	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/6/2017	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/11/2018	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/8/2020	50	50	ND	ug/L
Methyl methacrylate	MW-21	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	MW-21	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-21	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-2N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-2N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-2N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	MW-2N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-3N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-3N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-3N	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	MW-3N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/11/2012	4	4	ND	ug/L
Methyl methacrylate	MW-3N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/6/2016	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/9/2017	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/7/2020	50	50	ND	ug/L
Methyl methacrylate	MW-3N	10/7/2020	4	4	ND	ug/L
Methyl methacrylate	MW-3N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-3N	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-7N	10/15/1998	5	5	ND	ug/L
Methyl methacrylate	MW-7N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-7N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-7N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-7N	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	MW-7N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-7N	10/5/2017	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/13/2018	4	4	ND	ug/L
Methyl methacrylate	MW-7N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-8N	5/29/2002	1	1	ND	ug/L
Methyl methacrylate	MW-8N	5/29/2002	5	5	ND	ug/L
Methyl methacrylate	MW-8N	10/24/2006	4	4	ND	ug/L
Methyl methacrylate	MW-8N	1/24/2008	4	4	ND	ug/L
Methyl methacrylate	MW-8N	2/4/2009	4	4	ND	ug/L
Methyl methacrylate	MW-8N	5/10/2011	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/11/2012	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/2/2013	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/8/2014	4	4	ND	ug/L
Methyl methacrylate	MW-8N	2/12/2015	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2016	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methacrylate	MW-8N	10/6/2017	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/16/2018	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/11/2019	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/9/2020	50	50	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2020	4	4	ND	ug/L
Methyl methacrylate	MW-8N	7/5/2021	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/6/2021	4	4	ND	ug/L
Methyl methacrylate	MW-8N	10/5/2023	4	4	ND	ug/L
Methyl methacrylate	NE-1	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-1	2/7/2009	4	4	ND	ug/L
Methyl methacrylate	NE-1	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-1	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	NE-1	7/18/2018	4	4	ND	ug/L
Methyl methacrylate	NE-2	7/10/2018	4	4	ND	ug/L
Methyl methacrylate	NE-4	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-4	2/7/2009	4	4	ND	ug/L
Methyl methacrylate	NE-4	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-4	2/13/2015	4	4	ND	ug/L
Methyl methacrylate	NE-4	7/12/2018	4	4	ND	ug/L
Methyl methacrylate	NE-5	10/25/2006	4	4	ND	ug/L
Methyl methacrylate	NE-5	2/6/2009	4	4	ND	ug/L
Methyl methacrylate	NE-5	7/10/2012	4	4	ND	ug/L
Methyl methacrylate	NE-5	2/11/2015	4	4	ND	ug/L
Methyl methacrylate	NE-5	7/17/2018	4	4	ND	ug/L
Methyl methacrylate	NE-5	7/9/2019	4	4	ND	ug/L
Methyl methanesulfonate	LGW-10	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-10	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-10	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-10	10/5/2023	50	50	ND	ug/L
Methyl methanesulfonate	LGW-14R	10/27/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/17/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-14R	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	2/13/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-2	2/13/2015	13	13	ND	ug/L
Methyl methanesulfonate	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-2	7/8/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-2	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/11/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-3R	7/6/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-4	2/11/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methanesulfonate	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-4	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-5	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-5	10/5/2023	50	50	ND	ug/L
Methyl methanesulfonate	LGW-6	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	2/5/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-6	2/10/2015	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Methyl methanesulfonate	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Methyl methanesulfonate	LGW-6	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-6	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-6	10/5/2023	50	50	ND	ug/L
Methyl methanesulfonate	LGW-7	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-7	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-7	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-7	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-8R	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-8R	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-8R	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	10/26/2006	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	LGW-9	7/10/2019	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	LGW-9	7/7/2021	10	10	ND	ug/L
Methyl methanesulfonate	LGW-9	10/5/2023	50	50	ND	ug/L
Methyl methanesulfonate	MW-10N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-10N	2/13/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-10N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	2/3/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-11N	2/10/2015	10	10	ND	ug/L
Methyl methanesulfonate	MW-11N	7/17/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methanesulfonate	MW-11N	7/6/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-15	7/10/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-15	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-16	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-17	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-19	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	10/14/1998	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	10/24/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	2/5/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Methyl methanesulfonate	MW-1N	7/6/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-1N	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-20	7/4/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-21	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-21	7/8/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-21	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-2N	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-2N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Methyl methanesulfonate	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Methyl methanesulfonate	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-3N	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-3N	7/7/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-3N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	10/15/1998	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	10/24/2006	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Methyl methanesulfonate	MW-7N	7/13/2018	10	10	ND	ug/L
Methyl methanesulfonate	MW-7N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl methanesulfonate	MW-8N	1/24/2008	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	2/4/2009	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Methyl methanesulfonate	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Methyl methanesulfonate	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Methyl methanesulfonate	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Methyl methanesulfonate	MW-8N	7/11/2019	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	7/9/2020	50	50	ND	ug/L
Methyl methanesulfonate	MW-8N	7/5/2021	10	10	ND	ug/L
Methyl methanesulfonate	MW-8N	10/5/2023	50	50	ND	ug/L
Methyl methanesulfonate	NE-1	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-1	2/7/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-4	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-4	2/7/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Methyl methanesulfonate	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-4	7/12/2018	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	10/25/2006	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	2/6/2009	10	10	ND	ug/L
Methyl methanesulfonate	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Methyl methanesulfonate	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Methyl methanesulfonate	NE-5	7/9/2019	10	10	ND	ug/L
Methyl parathion	LGW-10	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-10	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-10	2/12/2015	48	48	ND	ug/L
Methyl parathion	LGW-10	10/6/2016	47	47	ND	ug/L
Methyl parathion	LGW-10	10/9/2017	48	48	ND	ug/L
Methyl parathion	LGW-10	7/16/2018	48	48	ND	ug/L
Methyl parathion	LGW-10	7/11/2019	50	50	ND	ug/L
Methyl parathion	LGW-10	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-10	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-10	10/5/2023	10	10	ND	ug/L
Methyl parathion	LGW-14R	10/27/2006	50	50	ND	ug/L
Methyl parathion	LGW-14R	2/6/2009	50	50	ND	ug/L
Methyl parathion	LGW-14R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-14R	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-14R	7/17/2018	51	51	ND	ug/L
Methyl parathion	LGW-14R	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-2	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-2	2/13/2009	50	50	ND	ug/L
Methyl parathion	LGW-2	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-2	2/13/2015	65	65	ND	ug/L
Methyl parathion	LGW-2	7/12/2018	49	49	ND	ug/L
Methyl parathion	LGW-2	7/8/2020	10	10	ND	ug/L
Methyl parathion	LGW-2	7/4/2021	50	50	ND	ug/L
Methyl parathion	LGW-3R	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-3R	2/3/2009	50	50	ND	ug/L
Methyl parathion	LGW-3R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-3R	2/10/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	LGW-3R	7/11/2018	50	50	ND	ug/L
Methyl parathion	LGW-3R	7/6/2021	50	50	ND	ug/L
Methyl parathion	LGW-4	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-4	2/3/2009	50	50	ND	ug/L
Methyl parathion	LGW-4	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-4	2/11/2015	48	48	ND	ug/L
Methyl parathion	LGW-4	7/11/2018	50	50	ND	ug/L
Methyl parathion	LGW-4	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-5	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-5	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-5	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-5	2/10/2015	48	48	ND	ug/L
Methyl parathion	LGW-5	7/12/2018	50	50	ND	ug/L
Methyl parathion	LGW-5	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-5	10/5/2023	10	10	ND	ug/L
Methyl parathion	LGW-6	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-6	2/5/2009	50	50	ND	ug/L
Methyl parathion	LGW-6	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-6	2/10/2015	50	50	ND	ug/L
Methyl parathion	LGW-6	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-6	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-6	7/17/2018	49	49	ND	ug/L
Methyl parathion	LGW-6	7/10/2019	49	49	ND	ug/L
Methyl parathion	LGW-6	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-6	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-6	10/5/2023	10	10	ND	ug/L
Methyl parathion	LGW-7	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-7	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-7	7/10/2012	47	47	ND	ug/L
Methyl parathion	LGW-7	2/11/2015	48	48	ND	ug/L
Methyl parathion	LGW-7	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-7	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-7	7/12/2018	51	51	ND	ug/L
Methyl parathion	LGW-7	7/10/2019	49	49	ND	ug/L
Methyl parathion	LGW-7	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-7	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-8R	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-8R	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-8R	7/9/2012	47	47	ND	ug/L
Methyl parathion	LGW-8R	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-8R	7/13/2018	49	49	ND	ug/L
Methyl parathion	LGW-8R	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-9	10/26/2006	50	50	ND	ug/L
Methyl parathion	LGW-9	2/4/2009	50	50	ND	ug/L
Methyl parathion	LGW-9	7/10/2012	47	47	ND	ug/L
Methyl parathion	LGW-9	2/11/2015	49	49	ND	ug/L
Methyl parathion	LGW-9	10/6/2016	48	48	ND	ug/L
Methyl parathion	LGW-9	10/5/2017	48	48	ND	ug/L
Methyl parathion	LGW-9	7/13/2018	47	47	ND	ug/L
Methyl parathion	LGW-9	7/10/2019	51	51	ND	ug/L
Methyl parathion	LGW-9	7/9/2020	10	10	ND	ug/L
Methyl parathion	LGW-9	7/7/2021	50	50	ND	ug/L
Methyl parathion	LGW-9	10/5/2023	10	10	ND	ug/L
Methyl parathion	MW-10N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-10N	2/13/2009	50	50	ND	ug/L
Methyl parathion	MW-10N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-10N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-10N	7/11/2018	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	MW-10N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-11N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-11N	2/3/2009	50	50	ND	ug/L
Methyl parathion	MW-11N	7/9/2012	47	47	ND	ug/L
Methyl parathion	MW-11N	2/10/2015	50	50	ND	ug/L
Methyl parathion	MW-11N	7/17/2018	50	50	ND	ug/L
Methyl parathion	MW-11N	7/6/2021	50	50	ND	ug/L
Methyl parathion	MW-15	7/10/2018	51	51	ND	ug/L
Methyl parathion	MW-15	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-16	7/11/2018	48	48	ND	ug/L
Methyl parathion	MW-16	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-17	7/10/2018	47	47	ND	ug/L
Methyl parathion	MW-17	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-19	7/13/2018	48	48	ND	ug/L
Methyl parathion	MW-19	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-1N	10/14/1998	10	10	ND	ug/L
Methyl parathion	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-1N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-1N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-1N	2/5/2009	50	50	ND	ug/L
Methyl parathion	MW-1N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-1N	2/10/2015	47	47	ND	ug/L
Methyl parathion	MW-1N	7/10/2018	49	49	ND	ug/L
Methyl parathion	MW-1N	7/6/2020	10	10	ND	ug/L
Methyl parathion	MW-1N	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-20	7/12/2018	47	47	ND	ug/L
Methyl parathion	MW-20	7/4/2021	50	50	ND	ug/L
Methyl parathion	MW-21	10/5/2016	48	48	ND	ug/L
Methyl parathion	MW-21	10/6/2017	48	48	ND	ug/L
Methyl parathion	MW-21	7/11/2018	48	48	ND	ug/L
Methyl parathion	MW-21	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-21	7/8/2020	10	10	ND	ug/L
Methyl parathion	MW-21	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-2N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-2N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-2N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-2N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-2N	7/12/2018	51	51	ND	ug/L
Methyl parathion	MW-2N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-3N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-3N	10/25/2006	50	50	ND	ug/L
Methyl parathion	MW-3N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-3N	7/11/2012	47	47	ND	ug/L
Methyl parathion	MW-3N	2/12/2015	49	49	ND	ug/L
Methyl parathion	MW-3N	10/6/2016	48	48	ND	ug/L
Methyl parathion	MW-3N	10/9/2017	48	48	ND	ug/L
Methyl parathion	MW-3N	7/13/2018	47	47	ND	ug/L
Methyl parathion	MW-3N	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-3N	7/7/2020	10	10	ND	ug/L
Methyl parathion	MW-3N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-7N	10/15/1998	10	10	ND	ug/L
Methyl parathion	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-7N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-7N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-7N	2/6/2009	50	50	ND	ug/L
Methyl parathion	MW-7N	7/10/2012	47	47	ND	ug/L
Methyl parathion	MW-7N	2/12/2015	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methyl parathion	MW-7N	10/5/2017	49	49	ND	ug/L
Methyl parathion	MW-7N	7/13/2018	52	52	ND	ug/L
Methyl parathion	MW-7N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-8N	5/29/2002	10	10	ND	ug/L
Methyl parathion	MW-8N	10/24/2006	50	50	ND	ug/L
Methyl parathion	MW-8N	1/24/2008	50	50	ND	ug/L
Methyl parathion	MW-8N	2/4/2009	50	50	ND	ug/L
Methyl parathion	MW-8N	5/10/2011	48	48	ND	ug/L
Methyl parathion	MW-8N	7/11/2012	47	47	ND	ug/L
Methyl parathion	MW-8N	10/2/2013	48	48	ND	ug/L
Methyl parathion	MW-8N	10/8/2014	48	48	ND	ug/L
Methyl parathion	MW-8N	2/12/2015	48	48	ND	ug/L
Methyl parathion	MW-8N	10/6/2016	48	48	ND	ug/L
Methyl parathion	MW-8N	10/6/2017	48	48	ND	ug/L
Methyl parathion	MW-8N	7/16/2018	49	49	ND	ug/L
Methyl parathion	MW-8N	7/11/2019	50	50	ND	ug/L
Methyl parathion	MW-8N	7/9/2020	10	10	ND	ug/L
Methyl parathion	MW-8N	7/5/2021	50	50	ND	ug/L
Methyl parathion	MW-8N	10/5/2023	10	10	ND	ug/L
Methyl parathion	NE-1	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-1	2/7/2009	50	50	ND	ug/L
Methyl parathion	NE-1	7/10/2012	48	48	ND	ug/L
Methyl parathion	NE-1	2/11/2015	48	48	ND	ug/L
Methyl parathion	NE-1	7/18/2018	48	48	ND	ug/L
Methyl parathion	NE-2	7/10/2018	48	48	ND	ug/L
Methyl parathion	NE-4	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-4	2/7/2009	50	50	ND	ug/L
Methyl parathion	NE-4	7/10/2012	49	49	ND	ug/L
Methyl parathion	NE-4	2/13/2015	48	48	ND	ug/L
Methyl parathion	NE-4	7/12/2018	52	52	ND	ug/L
Methyl parathion	NE-5	10/25/2006	50	50	ND	ug/L
Methyl parathion	NE-5	2/6/2009	50	50	ND	ug/L
Methyl parathion	NE-5	7/10/2012	47	47	ND	ug/L
Methyl parathion	NE-5	2/11/2015	48	48	ND	ug/L
Methyl parathion	NE-5	7/17/2018	48	48	ND	ug/L
Methyl parathion	NE-5	7/9/2019	50	50	ND	ug/L
Methylene chloride	LGW-10	1/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-10	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-10	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-10	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-10	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-10	7/16/2010	0.35	1	ND	ug/L
Methylene chloride	LGW-10	1/19/2011	0.43	1	ND	ug/L
Methylene chloride	LGW-10	7/12/2011	0.36	1	ND	ug/L
Methylene chloride	LGW-10	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-10	7/9/2012	0.43	1	ND	ug/L
Methylene chloride	LGW-10	5/1/2013	1	1	ND	ug/L
Methylene chloride	LGW-10	1/30/2014	1	1	ND	ug/L
Methylene chloride	LGW-10	7/9/2014	1	1	ND	ug/L
Methylene chloride	LGW-10	2/12/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-10	7/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-10	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	4/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-10	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	4/4/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	7/19/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	10/9/2017	1	1	ND	ug/L
Methylene chloride	LGW-10	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	7/16/2018	1	1	ND	ug/L
Methylene chloride	LGW-10	10/4/2018	0.4	1	ND	ug/L
Methylene chloride	LGW-10	1/4/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	7/11/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	10/2/2019	1	1	ND	ug/L
Methylene chloride	LGW-10	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-10	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/6/2009	0.45	1	ND	ug/L
Methylene chloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/19/2011	0.41	1	ND	ug/L
Methylene chloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-14R	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-14R	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-14R	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-2	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	7/10/2007	1	1	ND	ug/L
Methylene chloride	LGW-2	1/26/2008	1	1	ND	ug/L
Methylene chloride	LGW-2	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-2	2/6/2009	0.42	1	ND	ug/L
Methylene chloride	LGW-2	7/30/2009	1	1	ND	ug/L
Methylene chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-2	1/19/2011	0.52	1	ND	ug/L
Methylene chloride	LGW-2	7/13/2011	1	1	ND	ug/L
Methylene chloride	LGW-2	1/4/2012	0.36	1	ND	ug/L
Methylene chloride	LGW-2	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-2	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-2	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-2	1/30/2014	1	1	ND	ug/L
Methylene chloride	LGW-2	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-2	2/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-2	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-2	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-2	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-2	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-2	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-2	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-2	7/12/2018	0.4	1	ND	ug/L
Methylene chloride	LGW-2	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-2	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-2	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/20/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/26/2008	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/19/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-3R	7/13/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/9/2012	0.35	1	ND	ug/L
Methylene chloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-3R	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-3R	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-4	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-4	1/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-4	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-4	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	7/16/2010	1	1	ND	ug/L
Methylene chloride	LGW-4	1/19/2011	0.43	1	ND	ug/L
Methylene chloride	LGW-4	7/13/2011	1	1	ND	ug/L
Methylene chloride	LGW-4	1/4/2012	1	1	ND	ug/L
Methylene chloride	LGW-4	7/9/2012	0.43	1	ND	ug/L
Methylene chloride	LGW-4	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-4	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-4	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-4	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-4	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-4	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-4	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-4	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-4	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-4	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-4	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-4	7/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-4	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-4	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-4	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-4	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-5	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-5	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-5	2/4/2009	1	1	ND	ug/L
Methylene chloride	LGW-5	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-5	1/19/2011	0.41	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-5	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-5	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	LGW-5	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-5	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-5	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-5	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-5	7/8/2015	1	1	ND	ug/L
Methylene chloride	LGW-5	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-5	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-5	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-5	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-5	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-5	7/12/2018	0.33	1	ND	ug/L
Methylene chloride	LGW-5	1/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	LGW-5	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/12/2022	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-5	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-5	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-6	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	7/11/2007	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-6	7/23/2008	1	1	ND	ug/L
Methylene chloride	LGW-6	2/5/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-6	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-6	1/19/2011	0.38	1	ND	ug/L
Methylene chloride	LGW-6	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-6	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-6	7/9/2012	0.36	1	ND	ug/L
Methylene chloride	LGW-6	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-6	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-6	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-6	2/10/2015	1	1	ND	ug/L
Methylene chloride	LGW-6	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-6	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	7/19/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-6	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	5/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	10/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-6	1/23/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	4/10/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	7/17/2018	1	1	ND	ug/L
Methylene chloride	LGW-6	10/2/2018	0.39	1	ND	ug/L
Methylene chloride	LGW-6	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-6	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	1/10/2023	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-6	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-6	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-7	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	4/26/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-7	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-7	2/4/2009	0.34	1	ND	ug/L
Methylene chloride	LGW-7	7/31/2009	1	1	ND	ug/L
Methylene chloride	LGW-7	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2010	1	1	ND	ug/L
Methylene chloride	LGW-7	1/20/2011	0.39	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-7	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-7	7/10/2012	1	1	ND	ug/L
Methylene chloride	LGW-7	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-7	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-7	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-7	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-7	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-7	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-7	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	4/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	7/20/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-7	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	4/4/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	10/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-7	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	7/12/2018	1	1	ND	ug/L
Methylene chloride	LGW-7	10/2/2018	0.36	1	ND	ug/L
Methylene chloride	LGW-7	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-7	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-7	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Methylene chloride	LGW-8R	2/4/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-8R	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/20/2011	0.36	1	ND	ug/L
Methylene chloride	LGW-8R	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Methylene chloride	LGW-8R	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-8R	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/25/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	10/26/2006	1	1	ND	ug/L
Methylene chloride	LGW-9	1/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	4/25/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2007	1	1	ND	ug/L
Methylene chloride	LGW-9	7/22/2008	1	1	ND	ug/L
Methylene chloride	LGW-9	2/4/2009	1	1	ND	ug/L
Methylene chloride	LGW-9	7/29/2009	1	1	ND	ug/L
Methylene chloride	LGW-9	1/27/2010	1	1	ND	ug/L
Methylene chloride	LGW-9	7/14/2010	1	1	ND	ug/L
Methylene chloride	LGW-9	1/20/2011	0.35	1	ND	ug/L
Methylene chloride	LGW-9	7/12/2011	1	1	ND	ug/L
Methylene chloride	LGW-9	1/5/2012	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2012	1	1	ND	ug/L
Methylene chloride	LGW-9	5/1/2013	1	1	ND	ug/L
Methylene chloride	LGW-9	7/15/2013	1	1	ND	ug/L
Methylene chloride	LGW-9	1/23/2014	1	1	ND	ug/L
Methylene chloride	LGW-9	7/8/2014	1	1	ND	ug/L
Methylene chloride	LGW-9	2/11/2015	1	1	ND	ug/L
Methylene chloride	LGW-9	7/13/2015	1	1	ND	ug/L
Methylene chloride	LGW-9	1/5/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	7/21/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	10/6/2016	1	1	ND	ug/L
Methylene chloride	LGW-9	1/11/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	5/5/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	7/18/2017	1	1	ND	ug/L
Methylene chloride	LGW-9	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	LGW-9	1/24/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	4/11/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	7/13/2018	1	1	ND	ug/L
Methylene chloride	LGW-9	10/2/2018	0.32	1	ND	ug/L
Methylene chloride	LGW-9	1/7/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	4/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	7/10/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	10/3/2019	1	1	ND	ug/L
Methylene chloride	LGW-9	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/11/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	LGW-9	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	4/28/1998	8.2	8.2	ND	ug/L
Methylene chloride	MW-10N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	7/15/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	1/14/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-10N	7/11/2000	1	1	ND	ug/L
Methylene chloride	MW-10N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-10N	4/10/2001	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2002	1	1	ND	ug/L
Methylene chloride	MW-10N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-10N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-10N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-10N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-10N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-10N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-10N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2007	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-10N	1/23/2008	1	1	ND	ug/L
Methylene chloride	MW-10N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-10N	2/13/2009	1	1	ND	ug/L
Methylene chloride	MW-10N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-10N	1/27/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-10N	8/10/2010	1	1	ND	ug/L
Methylene chloride	MW-10N	1/19/2011	0.36	1	ND	ug/L
Methylene chloride	MW-10N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-10N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-10N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-10N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-10N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-10N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-10N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-10N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-10N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-10N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-10N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-10N	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-10N	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-10N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-10N	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-10N	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-10N	7/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	4/28/1998	1.9	4.1		ug/L
Methylene chloride	MW-11N	7/23/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	10/20/1999	0.66	4.1		ug/L
Methylene chloride	MW-11N	1/13/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-11N	4/25/2000	0.57	4.1		ug/L
Methylene chloride	MW-11N	7/10/2000	1	1	ND	ug/L
Methylene chloride	MW-11N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-11N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-11N	4/10/2001	1	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2002	1.2	1		ug/L
Methylene chloride	MW-11N	10/2/2002	0.87	1		ug/L
Methylene chloride	MW-11N	1/23/2003	1.4	1		ug/L
Methylene chloride	MW-11N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-11N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-11N	1/29/2004	1	1	ND	ug/L
Methylene chloride	MW-11N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-11N	1/13/2005	1	1	ND	ug/L
Methylene chloride	MW-11N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-11N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-11N	1/24/2007	1	1	ND	ug/L
Methylene chloride	MW-11N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-11N	1/22/2008	1	1	ND	ug/L
Methylene chloride	MW-11N	7/23/2008	1	1	ND	ug/L
Methylene chloride	MW-11N	2/3/2009	1	1	ND	ug/L
Methylene chloride	MW-11N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-11N	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Methylene chloride	MW-11N	7/16/2010	1	1	ND	ug/L
Methylene chloride	MW-11N	1/19/2011	1	1	ND	ug/L
Methylene chloride	MW-11N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-11N	1/4/2012	0.33	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2012	0.32	1	ND	ug/L
Methylene chloride	MW-11N	4/30/2013	1	1	ND	ug/L
Methylene chloride	MW-11N	7/15/2013	1	1	ND	ug/L
Methylene chloride	MW-11N	1/23/2014	1	1	ND	ug/L
Methylene chloride	MW-11N	7/8/2014	1	1	ND	ug/L
Methylene chloride	MW-11N	2/10/2015	1	1	ND	ug/L
Methylene chloride	MW-11N	7/13/2015	1	1	ND	ug/L
Methylene chloride	MW-11N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-11N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-11N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-11N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-11N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-11N	7/17/2018	1	1	ND	ug/L
Methylene chloride	MW-11N	1/2/2019	1	1	ND	ug/L
Methylene chloride	MW-11N	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-11N	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-11N	7/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-15	7/15/2015	1	1	ND	ug/L
Methylene chloride	MW-15	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-15	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-15	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-15	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-15	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-15	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-15	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-15	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-15	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-15	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-15	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-15	7/9/2019	1	1	ND	ug/L
Methylene chloride	MW-15	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-15	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-16	7/16/2015	1	1	ND	ug/L
Methylene chloride	MW-16	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-16	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-16	1/8/2016	1	1	ND	ug/L
Methylene chloride	MW-16	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-16	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-16	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-16	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-16	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-16	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-16	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-16	1/2/2019	1	1	ND	ug/L
Methylene chloride	MW-16	7/10/2019	1	1	ND	ug/L
Methylene chloride	MW-16	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/18/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-16	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-17	7/15/2015	1	1	ND	ug/L
Methylene chloride	MW-17	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-17	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-17	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-17	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-17	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-17	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-17	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-17	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-17	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-17	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-17	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-17	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-17	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-17	7/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-19	7/16/2015	1	1	ND	ug/L
Methylene chloride	MW-19	8/5/2015	1	1	ND	ug/L
Methylene chloride	MW-19	9/3/2015	1	1	ND	ug/L
Methylene chloride	MW-19	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-19	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-19	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-19	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-19	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-19	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-19	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-19	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-19	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-19	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-19	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	8/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-19	7/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/20/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	4/28/1998	0.53	4.1		ug/L
Methylene chloride	MW-1N	7/23/1998	4.1	4.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-1N	10/14/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	5/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	7/15/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	1/14/2000	0.48	4.1		ug/L
Methylene chloride	MW-1N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	7/12/2000	0.54	1		ug/L
Methylene chloride	MW-1N	10/18/2000	0.34	1		ug/L
Methylene chloride	MW-1N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-1N	4/12/2001	1.2	1		ug/L
Methylene chloride	MW-1N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-1N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	10/3/2002	1	1	ND	ug/L
Methylene chloride	MW-1N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	4/15/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	7/8/2003	1	1	ND	ug/L
Methylene chloride	MW-1N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-1N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-1N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-1N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-1N	1/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-1N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-1N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-1N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-1N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-1N	2/5/2009	1	1	ND	ug/L
Methylene chloride	MW-1N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-1N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-1N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-1N	1/20/2011	0.36	1	ND	ug/L
Methylene chloride	MW-1N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-1N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-1N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-1N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-1N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-1N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-1N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-1N	2/10/2015	1	1	ND	ug/L
Methylene chloride	MW-1N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-1N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-1N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-1N	1/12/2017	1	1	ND	ug/L
Methylene chloride	MW-1N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-1N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-1N	7/10/2018	1	1	ND	ug/L
Methylene chloride	MW-1N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-1N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-1N	1/23/2020	5.35	5.35	ND	ug/L
Methylene chloride	MW-1N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	7/4/2021	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-1N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-1N	7/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-20	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-20	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-20	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-20	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-20	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-20	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-20	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-20	1/12/2017	1	1	ND	ug/L
Methylene chloride	MW-20	7/18/2017	1	1	ND	ug/L
Methylene chloride	MW-20	1/26/2018	1	1	ND	ug/L
Methylene chloride	MW-20	7/12/2018	1	1	ND	ug/L
Methylene chloride	MW-20	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-20	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	7/4/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-20	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	6/5/2015	1	1	ND	ug/L
Methylene chloride	MW-21	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-21	8/4/2015	1	1	ND	ug/L
Methylene chloride	MW-21	9/2/2015	1	1	ND	ug/L
Methylene chloride	MW-21	1/7/2016	1	1	ND	ug/L
Methylene chloride	MW-21	4/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	7/20/2016	1	1	ND	ug/L
Methylene chloride	MW-21	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	10/5/2016	1	1	ND	ug/L
Methylene chloride	MW-21	1/10/2017	1	1	ND	ug/L
Methylene chloride	MW-21	4/5/2017	1	1	ND	ug/L
Methylene chloride	MW-21	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-21	10/6/2017	1	1	ND	ug/L
Methylene chloride	MW-21	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-21	4/11/2018	1	1	ND	ug/L
Methylene chloride	MW-21	7/11/2018	1	1	ND	ug/L
Methylene chloride	MW-21	10/4/2018	0.37	1	ND	ug/L
Methylene chloride	MW-21	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-21	4/3/2019	1	1	ND	ug/L
Methylene chloride	MW-21	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-21	10/2/2019	1	1	ND	ug/L
Methylene chloride	MW-21	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	4/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	7/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-21	10/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	10/22/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	4/28/1998	1.6	4.1		ug/L
Methylene chloride	MW-2N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/13/1999	4.1	4.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-2N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	1/14/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-2N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2001	1	1	ND	ug/L
Methylene chloride	MW-2N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-2N	7/10/2002	1	1	ND	ug/L
Methylene chloride	MW-2N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-2N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-2N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-2N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-2N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-2N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-2N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-2N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	3/27/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-2N	7/22/2008	1	1	ND	ug/L
Methylene chloride	MW-2N	2/4/2009	1	1	ND	ug/L
Methylene chloride	MW-2N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-2N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-2N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-2N	1/20/2011	0.38	1	ND	ug/L
Methylene chloride	MW-2N	7/13/2011	1	1	ND	ug/L
Methylene chloride	MW-2N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-2N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-2N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-2N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-2N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-2N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-2N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-2N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-2N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-2N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-2N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-2N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-2N	1/23/2018	1	1	ND	ug/L
Methylene chloride	MW-2N	7/12/2018	1	1	ND	ug/L
Methylene chloride	MW-2N	1/3/2019	1	1	ND	ug/L
Methylene chloride	MW-2N	8/7/2019	1	1	ND	ug/L
Methylene chloride	MW-2N	1/23/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-2N	7/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	4/28/1998	0.7	4.1		ug/L
Methylene chloride	MW-3N	7/23/1998	4.1	4.1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-3N	1/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	10/20/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	1/14/2000	0.37	4.1		ug/L
Methylene chloride	MW-3N	4/24/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	7/11/2000	1	1	ND	ug/L
Methylene chloride	MW-3N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-3N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-3N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-3N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-3N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-3N	1/22/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-3N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-3N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-3N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-3N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-3N	1/18/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	10/25/2006	1	1	ND	ug/L
Methylene chloride	MW-3N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-3N	7/11/2007	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-3N	7/22/2008	1	1	ND	ug/L
Methylene chloride	MW-3N	2/4/2009	0.39	1	ND	ug/L
Methylene chloride	MW-3N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-3N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-3N	7/13/2010	1	1	ND	ug/L
Methylene chloride	MW-3N	1/20/2011	0.35	1	ND	ug/L
Methylene chloride	MW-3N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-3N	1/5/2012	1	1	ND	ug/L
Methylene chloride	MW-3N	7/11/2012	1	1	ND	ug/L
Methylene chloride	MW-3N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2014	1	1	ND	ug/L
Methylene chloride	MW-3N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-3N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	4/1/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	10/5/2015	1	1	ND	ug/L
Methylene chloride	MW-3N	1/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	4/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-3N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	10/9/2017	1	1	ND	ug/L
Methylene chloride	MW-3N	1/24/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	4/10/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-3N	10/3/2018	0.37	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-3N	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	4/3/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	10/2/2019	1	1	ND	ug/L
Methylene chloride	MW-3N	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	7/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-3N	10/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/21/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	8/18/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	9/17/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/15/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	11/9/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	4/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	1/13/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-7N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-7N	4/10/2001	0.43	1		ug/L
Methylene chloride	MW-7N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-7N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-7N	1/23/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-7N	1/27/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	4/8/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	7/26/2004	1	1	ND	ug/L
Methylene chloride	MW-7N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2005	1	1	ND	ug/L
Methylene chloride	MW-7N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-7N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-7N	7/10/2007	1	1	ND	ug/L
Methylene chloride	MW-7N	7/21/2008	1	1	ND	ug/L
Methylene chloride	MW-7N	2/6/2009	0.5	1	ND	ug/L
Methylene chloride	MW-7N	7/29/2009	1	1	ND	ug/L
Methylene chloride	MW-7N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	7/14/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	9/2/2010	1	1	ND	ug/L
Methylene chloride	MW-7N	1/20/2011	0.34	1	ND	ug/L
Methylene chloride	MW-7N	7/12/2011	1	1	ND	ug/L
Methylene chloride	MW-7N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-7N	7/10/2012	1	1	ND	ug/L
Methylene chloride	MW-7N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	7/15/2013	1	1	ND	ug/L
Methylene chloride	MW-7N	1/30/2014	1	1	ND	ug/L
Methylene chloride	MW-7N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-7N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-7N	7/13/2015	1	1	ND	ug/L
Methylene chloride	MW-7N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-7N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-7N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	10/5/2017	1	1	ND	ug/L
Methylene chloride	MW-7N	1/25/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	4/11/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	7/13/2018	1	1	ND	ug/L
Methylene chloride	MW-7N	1/4/2019	1	1	ND	ug/L
Methylene chloride	MW-7N	7/10/2019	1	1	ND	ug/L
Methylene chloride	MW-7N	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/10/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	1/10/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-7N	7/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/21/1997	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	4/28/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/22/1998	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/12/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	4/13/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/14/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	10/19/1999	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	1/14/2000	0.48	4.1		ug/L
Methylene chloride	MW-8N	4/25/2000	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	10/17/2000	1	1	ND	ug/L
Methylene chloride	MW-8N	1/23/2001	1	1	ND	ug/L
Methylene chloride	MW-8N	4/11/2001	1	1	ND	ug/L
Methylene chloride	MW-8N	5/29/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	5/29/2002	4.1	4.1	ND	ug/L
Methylene chloride	MW-8N	7/9/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2002	1	1	ND	ug/L
Methylene chloride	MW-8N	1/23/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	4/14/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	7/7/2003	1	1	ND	ug/L
Methylene chloride	MW-8N	1/28/2004	1	1	ND	ug/L
Methylene chloride	MW-8N	7/27/2004	1	1	ND	ug/L
Methylene chloride	MW-8N	1/12/2005	1	1	ND	ug/L
Methylene chloride	MW-8N	7/20/2005	1	1	ND	ug/L
Methylene chloride	MW-8N	1/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	10/24/2006	1	1	ND	ug/L
Methylene chloride	MW-8N	1/26/2007	1	1	ND	ug/L
Methylene chloride	MW-8N	4/25/2007	1	1	ND	ug/L
Methylene chloride	MW-8N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	MW-8N	1/24/2008	1	1	ND	ug/L
Methylene chloride	MW-8N	7/23/2008	1	1	ND	ug/L
Methylene chloride	MW-8N	2/4/2009	1	1	ND	ug/L
Methylene chloride	MW-8N	7/31/2009	1	1	ND	ug/L
Methylene chloride	MW-8N	1/26/2010	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2010	1	1	ND	ug/L
Methylene chloride	MW-8N	1/19/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	5/10/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	7/14/2011	1	1	ND	ug/L
Methylene chloride	MW-8N	1/6/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	4/5/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	7/11/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	10/3/2012	1	1	ND	ug/L
Methylene chloride	MW-8N	5/1/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	6/4/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2013	1	1	ND	ug/L
Methylene chloride	MW-8N	1/30/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	4/3/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	7/9/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	10/8/2014	1	1	ND	ug/L
Methylene chloride	MW-8N	2/12/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	4/1/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	7/14/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	10/5/2015	1	1	ND	ug/L
Methylene chloride	MW-8N	1/5/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	4/6/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	7/21/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	10/6/2016	1	1	ND	ug/L
Methylene chloride	MW-8N	1/11/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	4/4/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	7/19/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	10/6/2017	1	1	ND	ug/L
Methylene chloride	MW-8N	1/25/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	4/10/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	7/16/2018	1	1	ND	ug/L
Methylene chloride	MW-8N	10/2/2018	0.33	1	ND	ug/L
Methylene chloride	MW-8N	1/7/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	4/3/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	7/11/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	10/3/2019	1	1	ND	ug/L
Methylene chloride	MW-8N	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/5/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/4/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	1/11/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	4/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	7/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	MW-8N	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-1	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-1	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-1	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-1	1/27/2004	1	1	ND	ug/L
Methylene chloride	NE-1	1/12/2005	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-1	10/25/2006	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2007	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2008	1	1	ND	ug/L
Methylene chloride	NE-1	7/21/2008	1	1	ND	ug/L
Methylene chloride	NE-1	2/7/2009	1	1	ND	ug/L
Methylene chloride	NE-1	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-1	1/26/2010	1	1	ND	ug/L
Methylene chloride	NE-1	7/14/2010	1	1	ND	ug/L
Methylene chloride	NE-1	9/2/2010	1	1	ND	ug/L
Methylene chloride	NE-1	1/19/2011	1	1	ND	ug/L
Methylene chloride	NE-1	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-1	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-1	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-1	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-1	1/23/2014	1	1	ND	ug/L
Methylene chloride	NE-1	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-1	2/11/2015	1	1	ND	ug/L
Methylene chloride	NE-1	7/8/2015	1	1	ND	ug/L
Methylene chloride	NE-1	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-1	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-1	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-1	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-1	1/24/2018	1	1	ND	ug/L
Methylene chloride	NE-1	4/11/2018	1	1	ND	ug/L
Methylene chloride	NE-1	7/18/2018	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2018	0.35	1	ND	ug/L
Methylene chloride	NE-1	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-1	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2019	1	1	ND	ug/L
Methylene chloride	NE-1	7/10/2019	1	1	ND	ug/L
Methylene chloride	NE-1	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-1	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-1	10/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	11/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-10D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	7/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-10D	10/3/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-11	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-11	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-11	10/9/2017	1	1	ND	ug/L
Methylene chloride	NE-11	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-11	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-11	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-12	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-12	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-12	10/6/2017	1	1	ND	ug/L
Methylene chloride	NE-12	8/5/2019	1	1	ND	ug/L
Methylene chloride	NE-12	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-12	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	2/5/2019	1	1	ND	ug/L
Methylene chloride	NE-13	8/7/2019	1	1	ND	ug/L
Methylene chloride	NE-13	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-13	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-14D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/17/2021	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-14D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14D	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-14S	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-14S	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-15D	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15D	10/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-15S	4/3/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/9/2002	1	1	ND	ug/L
Methylene chloride	NE-2	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-2	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-2	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-2	10/1/2013	1	1	ND	ug/L
Methylene chloride	NE-2	10/8/2014	1	1	ND	ug/L
Methylene chloride	NE-2	10/5/2015	1	1	ND	ug/L
Methylene chloride	NE-2	10/6/2016	1	1	ND	ug/L
Methylene chloride	NE-2	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-2	1/25/2018	1	1	ND	ug/L
Methylene chloride	NE-2	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-2	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-2	10/1/2018	0.34	1	ND	ug/L
Methylene chloride	NE-2	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-2	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-2	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-2	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-2	1/14/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/14/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	4/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-2	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/10/2002	1	1	ND	ug/L
Methylene chloride	NE-4	8/6/2002	1	1	ND	ug/L
Methylene chloride	NE-4	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-4	10/3/2002	1	1	ND	ug/L
Methylene chloride	NE-4	4/15/2003	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-4	1/28/2004	1	1	ND	ug/L
Methylene chloride	NE-4	1/13/2005	1	1	ND	ug/L
Methylene chloride	NE-4	8/1/2006	1	1	ND	ug/L
Methylene chloride	NE-4	8/1/2006	1	1	ND	ug/L
Methylene chloride	NE-4	10/25/2006	1	1	ND	ug/L
Methylene chloride	NE-4	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-4	7/12/2007	1	1	ND	ug/L
Methylene chloride	NE-4	1/24/2008	1	1	ND	ug/L
Methylene chloride	NE-4	7/21/2008	1	1	ND	ug/L
Methylene chloride	NE-4	2/7/2009	1	1	ND	ug/L
Methylene chloride	NE-4	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-4	1/26/2010	1	1	ND	ug/L
Methylene chloride	NE-4	7/14/2010	1	1	ND	ug/L
Methylene chloride	NE-4	1/19/2011	1	1	ND	ug/L
Methylene chloride	NE-4	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-4	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-4	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-4	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-4	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-4	1/23/2014	0.37	1	ND	ug/L
Methylene chloride	NE-4	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-4	2/13/2015	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2015	1	1	ND	ug/L
Methylene chloride	NE-4	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-4	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-4	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-4	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-4	1/26/2018	1	1	ND	ug/L
Methylene chloride	NE-4	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-4	7/12/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-4	10/3/2018	0.47	1	ND	ug/L
Methylene chloride	NE-4	1/7/2019	1	1	ND	ug/L
Methylene chloride	NE-4	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2019	1	1	ND	ug/L
Methylene chloride	NE-4	7/8/2019	1	1	ND	ug/L
Methylene chloride	NE-4	10/1/2019	1	1	ND	ug/L
Methylene chloride	NE-4	1/13/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	10/5/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	4/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-4	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/9/2002	1	1	ND	ug/L
Methylene chloride	NE-5	8/6/2002	0.34	1		ug/L
Methylene chloride	NE-5	9/4/2002	1	1	ND	ug/L
Methylene chloride	NE-5	10/2/2002	1	1	ND	ug/L
Methylene chloride	NE-5	4/15/2003	1	1	ND	ug/L
Methylene chloride	NE-5	7/8/2003	1	1	ND	ug/L
Methylene chloride	NE-5	1/27/2004	1	1	ND	ug/L
Methylene chloride	NE-5	1/12/2005	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2006	1	1	ND	ug/L
Methylene chloride	NE-5	10/25/2006	1	1	ND	ug/L
Methylene chloride	NE-5	1/24/2007	1	1	ND	ug/L
Methylene chloride	NE-5	7/12/2007	1.3	1		ug/L
Methylene chloride	NE-5	7/22/2008	1	1	ND	ug/L
Methylene chloride	NE-5	2/6/2009	0.43	1	ND	ug/L
Methylene chloride	NE-5	7/31/2009	1	1	ND	ug/L
Methylene chloride	NE-5	1/26/2010	1	1	ND	ug/L
Methylene chloride	NE-5	7/16/2010	1	1	ND	ug/L
Methylene chloride	NE-5	9/2/2010	1	1	ND	ug/L
Methylene chloride	NE-5	1/19/2011	0.48	1	ND	ug/L
Methylene chloride	NE-5	7/13/2011	1	1	ND	ug/L
Methylene chloride	NE-5	1/5/2012	1	1	ND	ug/L
Methylene chloride	NE-5	7/10/2012	1	1	ND	ug/L
Methylene chloride	NE-5	4/30/2013	1	1	ND	ug/L
Methylene chloride	NE-5	7/16/2013	1	1	ND	ug/L
Methylene chloride	NE-5	1/23/2014	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2014	1	1	ND	ug/L
Methylene chloride	NE-5	2/11/2015	1	1	ND	ug/L
Methylene chloride	NE-5	7/14/2015	1	1	ND	ug/L
Methylene chloride	NE-5	1/6/2016	1	1	ND	ug/L
Methylene chloride	NE-5	7/20/2016	1	1	ND	ug/L
Methylene chloride	NE-5	1/11/2017	1	1	ND	ug/L
Methylene chloride	NE-5	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-5	1/25/2018	1	1	ND	ug/L
Methylene chloride	NE-5	4/10/2018	1	1	ND	ug/L
Methylene chloride	NE-5	7/17/2018	1	1	ND	ug/L
Methylene chloride	NE-5	10/3/2018	0.44	1	ND	ug/L
Methylene chloride	NE-5	1/4/2019	1	1	ND	ug/L
Methylene chloride	NE-5	4/2/2019	1	1	ND	ug/L
Methylene chloride	NE-5	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	7/9/2019	1	1	ND	ug/L
Methylene chloride	NE-5	10/3/2019	1	1	ND	ug/L
Methylene chloride	NE-5	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-5E	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/1/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5E	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	9/30/2019	1	1	ND	ug/L
Methylene chloride	NE-5W	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/6/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/6/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/18/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-5W	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-6	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-6	7/19/2017	1	1	ND	ug/L
Methylene chloride	NE-6	10/6/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-6	2/4/2019	1	1	ND	ug/L
Methylene chloride	NE-6	8/6/2019	1	1	ND	ug/L
Methylene chloride	NE-6	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/2/2019	1	1	ND	ug/L
Methylene chloride	NE-6D	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/2/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/9/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/15/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/9/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/2/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/6/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/7/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	4/7/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-6D	10/4/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	3/1/2017	1	1	ND	ug/L
Methylene chloride	NE-7	4/6/2017	1	1	ND	ug/L
Methylene chloride	NE-7	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-7	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-7	2/6/2019	1	1	ND	ug/L
Methylene chloride	NE-7	8/6/2019	1	1	ND	ug/L
Methylene chloride	NE-7	1/16/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/16/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/12/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	1/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-7	7/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-8	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-8	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-8	10/6/2017	1	1	ND	ug/L
Methylene chloride	NE-8	2/4/2019	1	1	ND	ug/L
Methylene chloride	NE-8	8/5/2019	1	1	ND	ug/L
Methylene chloride	NE-8	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/8/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/13/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	4/9/2021	1.07	1.07	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	10/7/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-8	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/12/2017	1	1	ND	ug/L
Methylene chloride	NE-9	4/5/2017	1	1	ND	ug/L
Methylene chloride	NE-9	7/20/2017	1	1	ND	ug/L
Methylene chloride	NE-9	10/5/2017	1	1	ND	ug/L
Methylene chloride	NE-9	2/5/2019	1	1	ND	ug/L
Methylene chloride	NE-9	8/7/2019	1	1	ND	ug/L
Methylene chloride	NE-9	1/15/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/7/2020	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/1/2021	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/17/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/13/2022	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	1/6/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	4/8/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	7/5/2023	1.07	1.07	ND	ug/L
Methylene chloride	NE-9	10/6/2023	1.07	1.07	ND	ug/L
Naphthalene	LGW-10	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Naphthalene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Naphthalene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Naphthalene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Naphthalene	LGW-10	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-10	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-10	10/5/2023	10	10	ND	ug/L
Naphthalene	LGW-14R	10/27/2006	10	10	ND	ug/L
Naphthalene	LGW-14R	2/6/2009	10	10	ND	ug/L
Naphthalene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Naphthalene	LGW-14R	7/17/2018	10	10	ND	ug/L
Naphthalene	LGW-14R	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-2	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-2	2/13/2009	10	10	ND	ug/L
Naphthalene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-2	2/13/2015	13	13	ND	ug/L
Naphthalene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Naphthalene	LGW-2	7/8/2020	1	1	ND	ug/L
Naphthalene	LGW-2	7/4/2021	10	10	ND	ug/L
Naphthalene	LGW-3R	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-3R	2/3/2009	10	10	ND	ug/L
Naphthalene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Naphthalene	LGW-3R	7/11/2018	10	10	ND	ug/L
Naphthalene	LGW-3R	7/6/2021	10	10	ND	ug/L
Naphthalene	LGW-4	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-4	2/3/2009	10	10	ND	ug/L
Naphthalene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Naphthalene	LGW-4	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-5	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-5	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Naphthalene	LGW-5	7/12/2018	10	10	ND	ug/L
Naphthalene	LGW-5	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-5	10/5/2023	10	10	ND	ug/L
Naphthalene	LGW-6	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-6	2/5/2009	10	10	ND	ug/L
Naphthalene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-6	2/10/2015	10	10	ND	ug/L
Naphthalene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Naphthalene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Naphthalene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Naphthalene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Naphthalene	LGW-6	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-6	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-6	10/5/2023	10	10	ND	ug/L
Naphthalene	LGW-7	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-7	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Naphthalene	LGW-7	7/12/2018	10	10	ND	ug/L
Naphthalene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Naphthalene	LGW-7	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-7	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-8R	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-8R	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Naphthalene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Naphthalene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Naphthalene	LGW-8R	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-9	10/26/2006	10	10	ND	ug/L
Naphthalene	LGW-9	2/4/2009	10	10	ND	ug/L
Naphthalene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Naphthalene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Naphthalene	LGW-9	7/10/2019	10	10	ND	ug/L
Naphthalene	LGW-9	7/9/2020	1	1	ND	ug/L
Naphthalene	LGW-9	7/7/2021	10	10	ND	ug/L
Naphthalene	LGW-9	10/5/2023	10	10	ND	ug/L
Naphthalene	MW-10N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-10N	2/13/2009	10	10	ND	ug/L
Naphthalene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Naphthalene	MW-10N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-11N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-11N	2/3/2009	10	10	ND	ug/L
Naphthalene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-11N	2/10/2015	10	10	ND	ug/L
Naphthalene	MW-11N	7/17/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	MW-11N	7/6/2021	10	10	ND	ug/L
Naphthalene	MW-15	7/10/2018	10	10	ND	ug/L
Naphthalene	MW-15	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-16	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-17	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Naphthalene	MW-19	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-1N	10/14/1998	10	10	ND	ug/L
Naphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-1N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-1N	10/24/2006	10	10	ND	ug/L
Naphthalene	MW-1N	2/5/2009	10	10	ND	ug/L
Naphthalene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Naphthalene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Naphthalene	MW-1N	7/6/2020	1	1	ND	ug/L
Naphthalene	MW-1N	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-20	7/4/2021	10	10	ND	ug/L
Naphthalene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Naphthalene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-21	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-21	7/8/2020	1	1	ND	ug/L
Naphthalene	MW-21	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-2N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-2N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Naphthalene	MW-2N	7/12/2018	10	10	ND	ug/L
Naphthalene	MW-2N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-3N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-3N	10/25/2006	10	10	ND	ug/L
Naphthalene	MW-3N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Naphthalene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Naphthalene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Naphthalene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Naphthalene	MW-3N	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-3N	7/7/2020	1	1	ND	ug/L
Naphthalene	MW-3N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-7N	10/15/1998	10	10	ND	ug/L
Naphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-7N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-7N	10/24/2006	10	10	ND	ug/L
Naphthalene	MW-7N	2/6/2009	10	10	ND	ug/L
Naphthalene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Naphthalene	MW-7N	7/13/2018	10	10	ND	ug/L
Naphthalene	MW-7N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-8N	5/29/2002	10	10	ND	ug/L
Naphthalene	MW-8N	10/24/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Naphthalene	MW-8N	1/24/2008	10	10	ND	ug/L
Naphthalene	MW-8N	2/4/2009	10	10	ND	ug/L
Naphthalene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Naphthalene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Naphthalene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Naphthalene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Naphthalene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Naphthalene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Naphthalene	MW-8N	7/11/2019	10	10	ND	ug/L
Naphthalene	MW-8N	7/9/2020	1	1	ND	ug/L
Naphthalene	MW-8N	7/5/2021	10	10	ND	ug/L
Naphthalene	MW-8N	10/5/2023	10	10	ND	ug/L
Naphthalene	NE-1	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-1	2/7/2009	10	10	ND	ug/L
Naphthalene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Naphthalene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Naphthalene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Naphthalene	NE-4	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-4	2/7/2009	10	10	ND	ug/L
Naphthalene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Naphthalene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Naphthalene	NE-4	7/12/2018	10	10	ND	ug/L
Naphthalene	NE-5	10/25/2006	10	10	ND	ug/L
Naphthalene	NE-5	2/6/2009	10	10	ND	ug/L
Naphthalene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Naphthalene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Naphthalene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Naphthalene	NE-5	7/9/2019	10	10	ND	ug/L
Nickel, dissolved	LGW-14R	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-2	1/25/2006	7.1	4		ug/L
Nickel, dissolved	LGW-4	1/24/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-5	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-6	1/24/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-7	1/25/2006	4	4	ND	ug/L
Nickel, dissolved	LGW-8R	1/24/2006	9.2	4		ug/L
Nickel, dissolved	MW-10N	7/11/2000	6.5	4		ug/L
Nickel, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Nickel, dissolved	MW-10N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-11N	7/10/2000	4	4	ND	ug/L
Nickel, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-11N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-1N	10/19/1999	12	4		ug/L
Nickel, dissolved	MW-1N	7/12/2000	4	4	ND	ug/L
Nickel, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-1N	10/3/2002	10	10	ND	ug/L
Nickel, dissolved	MW-2N	7/11/2000	4	4	ND	ug/L
Nickel, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Nickel, dissolved	MW-2N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-3N	7/11/2000	4.8	4		ug/L
Nickel, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Nickel, dissolved	MW-3N	10/2/2002	10	10	ND	ug/L
Nickel, dissolved	MW-7N	10/19/1999	220	4		ug/L
Nickel, dissolved	MW-7N	7/11/2000	270	4		ug/L
Nickel, dissolved	MW-7N	7/9/2002	300	10		ug/L
Nickel, dissolved	MW-7N	10/2/2002	300	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, dissolved	MW-8N	10/19/1999	96	4		ug/L
Nickel, dissolved	MW-8N	7/11/2000	150	4		ug/L
Nickel, dissolved	MW-8N	7/9/2002	120	10		ug/L
Nickel, dissolved	MW-8N	10/2/2002	120	10		ug/L
Nickel, dissolved	NE-1	7/10/2002	380	10		ug/L
Nickel, dissolved	NE-1	8/6/2002	310	10		ug/L
Nickel, dissolved	NE-1	9/4/2002	310	10		ug/L
Nickel, dissolved	NE-1	10/2/2002	300	10		ug/L
Nickel, dissolved	NE-2	7/9/2002	60	10		ug/L
Nickel, dissolved	NE-2	8/6/2002	36	10		ug/L
Nickel, dissolved	NE-2	9/4/2002	15	10		ug/L
Nickel, dissolved	NE-2	10/2/2002	11	10		ug/L
Nickel, dissolved	NE-4	7/10/2002	59	10		ug/L
Nickel, dissolved	NE-4	8/6/2002	59	10		ug/L
Nickel, dissolved	NE-4	9/4/2002	50	10		ug/L
Nickel, dissolved	NE-4	10/3/2002	56	10		ug/L
Nickel, dissolved	NE-5	7/9/2002	170	10		ug/L
Nickel, dissolved	NE-5	8/6/2002	230	10		ug/L
Nickel, dissolved	NE-5	9/4/2002	190	10		ug/L
Nickel, dissolved	NE-5	10/2/2002	200	10		ug/L
Nickel, total	LGW-10	1/26/2006	130	4		ug/L
Nickel, total	LGW-10	8/1/2006	170	4		ug/L
Nickel, total	LGW-10	8/1/2006	170	4		ug/L
Nickel, total	LGW-10	10/26/2006	110	40		ug/L
Nickel, total	LGW-10	1/9/2007	140	4		ug/L
Nickel, total	LGW-10	1/25/2007	90	4		ug/L
Nickel, total	LGW-10	4/26/2007	120	4		ug/L
Nickel, total	LGW-10	7/12/2007	160	4		ug/L
Nickel, total	LGW-10	1/23/2008	120	4		ug/L
Nickel, total	LGW-10	7/22/2008	180	4		ug/L
Nickel, total	LGW-10	7/29/2009	190	4		ug/L
Nickel, total	LGW-10	2/3/2010	140	4		ug/L
Nickel, total	LGW-10	2/3/2010	140	4		ug/L
Nickel, total	LGW-10	7/16/2010	220	4		ug/L
Nickel, total	LGW-10	1/19/2011	130	4		ug/L
Nickel, total	LGW-10	7/12/2011	280	4		ug/L
Nickel, total	LGW-10	1/5/2012	260	4		ug/L
Nickel, total	LGW-10	7/9/2012	200	4		ug/L
Nickel, total	LGW-10	5/1/2013	270	4		ug/L
Nickel, total	LGW-10	1/30/2014	230	4		ug/L
Nickel, total	LGW-10	7/9/2014	220	4		ug/L
Nickel, total	LGW-10	2/12/2015	190	4		ug/L
Nickel, total	LGW-10	7/13/2015	240	4		ug/L
Nickel, total	LGW-10	1/5/2016	190	4		ug/L
Nickel, total	LGW-10	4/6/2016	230	4		ug/L
Nickel, total	LGW-10	7/21/2016	220	4		ug/L
Nickel, total	LGW-10	10/6/2016	170	4		ug/L
Nickel, total	LGW-10	1/11/2017	150	4		ug/L
Nickel, total	LGW-10	4/4/2017	210	4		ug/L
Nickel, total	LGW-10	7/19/2017	240	4		ug/L
Nickel, total	LGW-10	10/9/2017	230	4		ug/L
Nickel, total	LGW-10	1/24/2018	100	4		ug/L
Nickel, total	LGW-10	4/11/2018	200	4		ug/L
Nickel, total	LGW-10	7/16/2018	180	4		ug/L
Nickel, total	LGW-10	10/4/2018	110	4		ug/L
Nickel, total	LGW-10	1/4/2019	150	4		ug/L
Nickel, total	LGW-10	4/3/2019	150	4		ug/L
Nickel, total	LGW-10	7/11/2019	170	8		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-10	10/2/2019	150	4		ug/L
Nickel, total	LGW-10	1/15/2020	218	4		ug/L
Nickel, total	LGW-10	4/2/2020	162	4		ug/L
Nickel, total	LGW-10	7/9/2020	166	4		ug/L
Nickel, total	LGW-10	10/7/2020	73.3	4		ug/L
Nickel, total	LGW-10	1/17/2021	36	4		ug/L
Nickel, total	LGW-10	4/6/2021	141	4		ug/L
Nickel, total	LGW-10	7/7/2021	185	4		ug/L
Nickel, total	LGW-10	10/5/2021	102	4		ug/L
Nickel, total	LGW-10	1/13/2022	131	4		ug/L
Nickel, total	LGW-10	4/4/2022	151	4		ug/L
Nickel, total	LGW-10	7/11/2022	188	4		ug/L
Nickel, total	LGW-10	10/7/2022	135	4		ug/L
Nickel, total	LGW-10	1/11/2023	150	4		ug/L
Nickel, total	LGW-10	4/5/2023	171	4		ug/L
Nickel, total	LGW-10	7/10/2023	70.1	4		ug/L
Nickel, total	LGW-10	10/5/2023	86.5	4		ug/L
Nickel, total	LGW-14R	1/25/2006	120	4		ug/L
Nickel, total	LGW-14R	8/2/2006	33	4		ug/L
Nickel, total	LGW-14R	8/2/2006	33	4		ug/L
Nickel, total	LGW-14R	10/27/2006	40	40	ND	ug/L
Nickel, total	LGW-14R	1/9/2007	24	4		ug/L
Nickel, total	LGW-14R	1/24/2007	9.5	4		ug/L
Nickel, total	LGW-14R	4/24/2007	45	4		ug/L
Nickel, total	LGW-14R	7/11/2007	51	4		ug/L
Nickel, total	LGW-14R	1/23/2008	8.4	4		ug/L
Nickel, total	LGW-14R	7/22/2008	4.3	4		ug/L
Nickel, total	LGW-14R	2/6/2009	42	4		ug/L
Nickel, total	LGW-14R	7/29/2009	1.5	4	ND	ug/L
Nickel, total	LGW-14R	2/3/2010	0.9	4	ND	ug/L
Nickel, total	LGW-14R	2/3/2010	0.9	4	ND	ug/L
Nickel, total	LGW-14R	7/12/2010	1.2	4	ND	ug/L
Nickel, total	LGW-14R	1/19/2011	2.1	4	ND	ug/L
Nickel, total	LGW-14R	7/12/2011	4	4	ND	ug/L
Nickel, total	LGW-14R	1/5/2012	0.7	4	ND	ug/L
Nickel, total	LGW-14R	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-14R	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-14R	1/23/2014	4	4	ND	ug/L
Nickel, total	LGW-14R	7/8/2014	4	4	ND	ug/L
Nickel, total	LGW-14R	2/11/2015	0.3	4	ND	ug/L
Nickel, total	LGW-14R	7/22/2015	4	4	ND	ug/L
Nickel, total	LGW-14R	1/5/2016	4	4	ND	ug/L
Nickel, total	LGW-14R	7/19/2016	4	4	ND	ug/L
Nickel, total	LGW-14R	1/11/2017	0.4	4	ND	ug/L
Nickel, total	LGW-14R	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-14R	1/25/2018	0.45	4	ND	ug/L
Nickel, total	LGW-14R	7/17/2018	1.3	4	ND	ug/L
Nickel, total	LGW-14R	1/3/2019	4	4	ND	ug/L
Nickel, total	LGW-14R	7/10/2019	8	8	ND	ug/L
Nickel, total	LGW-14R	1/16/2020	4	4	ND	ug/L
Nickel, total	LGW-14R	7/9/2020	4	4	ND	ug/L
Nickel, total	LGW-14R	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-14R	7/7/2021	4	4	ND	ug/L
Nickel, total	LGW-14R	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-14R	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-14R	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-14R	7/10/2023	4	4	ND	ug/L
Nickel, total	LGW-2	1/25/2006	8.6	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-2	8/1/2006	12	4		ug/L
Nickel, total	LGW-2	8/1/2006	12	4		ug/L
Nickel, total	LGW-2	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-2	1/9/2007	6.5	4		ug/L
Nickel, total	LGW-2	1/25/2007	4.4	4		ug/L
Nickel, total	LGW-2	4/26/2007	3	4	ND	ug/L
Nickel, total	LGW-2	7/10/2007	13	4		ug/L
Nickel, total	LGW-2	1/26/2008	46	4		ug/L
Nickel, total	LGW-2	7/23/2008	12	4		ug/L
Nickel, total	LGW-2	2/6/2009	15	4		ug/L
Nickel, total	LGW-2	7/30/2009	16	4		ug/L
Nickel, total	LGW-2	2/3/2010	6.3	4		ug/L
Nickel, total	LGW-2	2/3/2010	6.3	4		ug/L
Nickel, total	LGW-2	7/12/2010	18	4		ug/L
Nickel, total	LGW-2	1/19/2011	16	4		ug/L
Nickel, total	LGW-2	7/13/2011	3.5	4	ND	ug/L
Nickel, total	LGW-2	1/4/2012	3.1	4	ND	ug/L
Nickel, total	LGW-2	7/9/2012	5.4	4		ug/L
Nickel, total	LGW-2	4/30/2013	2.8	4	ND	ug/L
Nickel, total	LGW-2	7/15/2013	2.6	4	ND	ug/L
Nickel, total	LGW-2	1/30/2014	13	4		ug/L
Nickel, total	LGW-2	7/8/2014	5.7	4		ug/L
Nickel, total	LGW-2	2/13/2015	12	4		ug/L
Nickel, total	LGW-2	7/8/2015	1.7	4	ND	ug/L
Nickel, total	LGW-2	1/5/2016	1.7	4	ND	ug/L
Nickel, total	LGW-2	7/19/2016	1.3	4	ND	ug/L
Nickel, total	LGW-2	1/11/2017	13	4		ug/L
Nickel, total	LGW-2	7/18/2017	10	4		ug/L
Nickel, total	LGW-2	1/23/2018	3.4	4	ND	ug/L
Nickel, total	LGW-2	7/12/2018	1	4	ND	ug/L
Nickel, total	LGW-2	1/3/2019	1.4	4	ND	ug/L
Nickel, total	LGW-2	7/9/2019	32	8		ug/L
Nickel, total	LGW-2	1/13/2020	4	4	ND	ug/L
Nickel, total	LGW-2	4/1/2020	4	4	ND	ug/L
Nickel, total	LGW-2	7/8/2020	4	4	ND	ug/L
Nickel, total	LGW-2	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-2	7/4/2021	4	4	ND	ug/L
Nickel, total	LGW-2	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-2	7/10/2022	4	4	ND	ug/L
Nickel, total	LGW-2	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-2	7/10/2023	4	4	ND	ug/L
Nickel, total	LGW-3R	1/24/2006	4	4	ND	ug/L
Nickel, total	LGW-3R	7/20/2006	3.7	4	ND	ug/L
Nickel, total	LGW-3R	7/20/2006	3.7	4	ND	ug/L
Nickel, total	LGW-3R	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-3R	1/8/2007	4.9	4		ug/L
Nickel, total	LGW-3R	1/25/2007	1.1	4	ND	ug/L
Nickel, total	LGW-3R	4/26/2007	1.5	4	ND	ug/L
Nickel, total	LGW-3R	7/11/2007	4.9	4		ug/L
Nickel, total	LGW-3R	1/26/2008	6.9	4		ug/L
Nickel, total	LGW-3R	7/23/2008	1	4	ND	ug/L
Nickel, total	LGW-3R	2/3/2009	1.2	4	ND	ug/L
Nickel, total	LGW-3R	7/31/2009	6.5	4		ug/L
Nickel, total	LGW-3R	2/3/2010	1	4	ND	ug/L
Nickel, total	LGW-3R	2/3/2010	1	4	ND	ug/L
Nickel, total	LGW-3R	7/16/2010	0.7	4	ND	ug/L
Nickel, total	LGW-3R	1/19/2011	2.3	4	ND	ug/L
Nickel, total	LGW-3R	7/13/2011	0.9	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-3R	1/4/2012	0.7	4	ND	ug/L
Nickel, total	LGW-3R	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-3R	4/30/2013	1.7	4	ND	ug/L
Nickel, total	LGW-3R	7/15/2013	2	4	ND	ug/L
Nickel, total	LGW-3R	1/22/2014	0.7	4	ND	ug/L
Nickel, total	LGW-3R	7/8/2014	0.9	4	ND	ug/L
Nickel, total	LGW-3R	2/10/2015	0.8	4	ND	ug/L
Nickel, total	LGW-3R	7/16/2015	6.2	4		ug/L
Nickel, total	LGW-3R	1/8/2016	0.3	4	ND	ug/L
Nickel, total	LGW-3R	7/21/2016	4.5	4		ug/L
Nickel, total	LGW-3R	1/11/2017	1.4	4	ND	ug/L
Nickel, total	LGW-3R	7/18/2017	0.7	4	ND	ug/L
Nickel, total	LGW-3R	1/23/2018	0.72	4	ND	ug/L
Nickel, total	LGW-3R	7/11/2018	0.46	4	ND	ug/L
Nickel, total	LGW-3R	1/3/2019	1.7	4	ND	ug/L
Nickel, total	LGW-3R	7/9/2019	8	8	ND	ug/L
Nickel, total	LGW-3R	1/14/2020	4	4	ND	ug/L
Nickel, total	LGW-3R	7/6/2020	4	4	ND	ug/L
Nickel, total	LGW-3R	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-3R	7/6/2021	4	4	ND	ug/L
Nickel, total	LGW-3R	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-3R	7/10/2022	4	4	ND	ug/L
Nickel, total	LGW-3R	1/10/2023	4	4	ND	ug/L
Nickel, total	LGW-3R	7/10/2023	4	4	ND	ug/L
Nickel, total	LGW-4	1/24/2006	4	4	ND	ug/L
Nickel, total	LGW-4	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-4	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-4	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-4	1/9/2007	3.4	4	ND	ug/L
Nickel, total	LGW-4	1/25/2007	1.2	4	ND	ug/L
Nickel, total	LGW-4	4/26/2007	0.9	4	ND	ug/L
Nickel, total	LGW-4	7/11/2007	5.3	4		ug/L
Nickel, total	LGW-4	1/22/2008	4	4		ug/L
Nickel, total	LGW-4	7/23/2008	0.8	4	ND	ug/L
Nickel, total	LGW-4	2/3/2009	0.6	4	ND	ug/L
Nickel, total	LGW-4	7/31/2009	1	4	ND	ug/L
Nickel, total	LGW-4	2/3/2010	0.6	4	ND	ug/L
Nickel, total	LGW-4	2/3/2010	0.6	4	ND	ug/L
Nickel, total	LGW-4	7/16/2010	0.7	4	ND	ug/L
Nickel, total	LGW-4	1/19/2011	1.9	4	ND	ug/L
Nickel, total	LGW-4	7/13/2011	0.6	4	ND	ug/L
Nickel, total	LGW-4	1/4/2012	0.4	4	ND	ug/L
Nickel, total	LGW-4	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-4	4/30/2013	0.7	4	ND	ug/L
Nickel, total	LGW-4	7/15/2013	0.4	4	ND	ug/L
Nickel, total	LGW-4	1/23/2014	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-4	2/11/2015	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/8/2015	0.4	4	ND	ug/L
Nickel, total	LGW-4	1/5/2016	4	4	ND	ug/L
Nickel, total	LGW-4	7/19/2016	4	4	ND	ug/L
Nickel, total	LGW-4	1/11/2017	0.3	4	ND	ug/L
Nickel, total	LGW-4	7/18/2017	0.5	4	ND	ug/L
Nickel, total	LGW-4	1/23/2018	0.64	4	ND	ug/L
Nickel, total	LGW-4	7/11/2018	2	4	ND	ug/L
Nickel, total	LGW-4	1/3/2019	1.2	4	ND	ug/L
Nickel, total	LGW-4	7/9/2019	3.2	8	ND	ug/L
Nickel, total	LGW-4	1/14/2020	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-4	7/6/2020	4	4	ND	ug/L
Nickel, total	LGW-4	1/18/2021	17.7	4		ug/L
Nickel, total	LGW-4	4/6/2021	4	4	ND	ug/L
Nickel, total	LGW-4	7/7/2021	5.42	4		ug/L
Nickel, total	LGW-4	10/5/2021	4	4	ND	ug/L
Nickel, total	LGW-4	1/12/2022	4	4	ND	ug/L
Nickel, total	LGW-4	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-4	1/10/2023	7.99	4		ug/L
Nickel, total	LGW-4	4/6/2023	15.1	4		ug/L
Nickel, total	LGW-4	7/10/2023	4	4	ND	ug/L
Nickel, total	LGW-5	1/25/2006	4	4	ND	ug/L
Nickel, total	LGW-5	8/1/2006	3.5	4	ND	ug/L
Nickel, total	LGW-5	8/1/2006	3.5	4	ND	ug/L
Nickel, total	LGW-5	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-5	1/9/2007	3.1	4	ND	ug/L
Nickel, total	LGW-5	1/25/2007	1.4	4	ND	ug/L
Nickel, total	LGW-5	4/26/2007	1.3	4	ND	ug/L
Nickel, total	LGW-5	7/11/2007	5.5	4		ug/L
Nickel, total	LGW-5	1/23/2008	3.9	4	ND	ug/L
Nickel, total	LGW-5	7/23/2008	0.9	4	ND	ug/L
Nickel, total	LGW-5	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-5	7/29/2009	0.9	4	ND	ug/L
Nickel, total	LGW-5	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-5	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-5	7/12/2010	0.9	4	ND	ug/L
Nickel, total	LGW-5	1/19/2011	2	4	ND	ug/L
Nickel, total	LGW-5	7/12/2011	0.5	4	ND	ug/L
Nickel, total	LGW-5	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-5	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-5	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-5	7/15/2013	0.9	4	ND	ug/L
Nickel, total	LGW-5	1/23/2014	0.5	4	ND	ug/L
Nickel, total	LGW-5	7/8/2014	2	4	ND	ug/L
Nickel, total	LGW-5	2/10/2015	6.7	4		ug/L
Nickel, total	LGW-5	7/8/2015	14	4		ug/L
Nickel, total	LGW-5	1/5/2016	9.7	4		ug/L
Nickel, total	LGW-5	7/19/2016	5.5	4		ug/L
Nickel, total	LGW-5	1/11/2017	5.9	4		ug/L
Nickel, total	LGW-5	7/18/2017	5.8	4		ug/L
Nickel, total	LGW-5	1/23/2018	8.2	4		ug/L
Nickel, total	LGW-5	7/12/2018	12	4		ug/L
Nickel, total	LGW-5	1/3/2019	19	4		ug/L
Nickel, total	LGW-5	4/3/2019	25	4		ug/L
Nickel, total	LGW-5	7/9/2019	30	8		ug/L
Nickel, total	LGW-5	1/14/2020	52.4	4		ug/L
Nickel, total	LGW-5	7/6/2020	65.9	4		ug/L
Nickel, total	LGW-5	1/18/2021	82.1	4		ug/L
Nickel, total	LGW-5	4/6/2021	73.7	4		ug/L
Nickel, total	LGW-5	7/7/2021	80.6	4		ug/L
Nickel, total	LGW-5	10/5/2021	80	4		ug/L
Nickel, total	LGW-5	1/12/2022	77	4		ug/L
Nickel, total	LGW-5	4/4/2022	75.6	4		ug/L
Nickel, total	LGW-5	7/11/2022	82.6	4		ug/L
Nickel, total	LGW-5	10/6/2022	80.7	4		ug/L
Nickel, total	LGW-5	1/10/2023	77.2	4		ug/L
Nickel, total	LGW-5	7/10/2023	89.3	4		ug/L
Nickel, total	LGW-5	10/5/2023	11.4	4		ug/L
Nickel, total	LGW-6	1/24/2006	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-6	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-6	7/20/2006	3.1	4	ND	ug/L
Nickel, total	LGW-6	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-6	1/9/2007	3.5	4	ND	ug/L
Nickel, total	LGW-6	1/24/2007	2	4	ND	ug/L
Nickel, total	LGW-6	4/26/2007	1.5	4	ND	ug/L
Nickel, total	LGW-6	7/11/2007	4.8	4		ug/L
Nickel, total	LGW-6	1/23/2008	4.1	4		ug/L
Nickel, total	LGW-6	7/23/2008	0.9	4	ND	ug/L
Nickel, total	LGW-6	2/5/2009	0.8	4	ND	ug/L
Nickel, total	LGW-6	7/29/2009	1.2	4	ND	ug/L
Nickel, total	LGW-6	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-6	2/3/2010	0.8	4	ND	ug/L
Nickel, total	LGW-6	7/12/2010	1.2	4	ND	ug/L
Nickel, total	LGW-6	1/19/2011	2.4	4	ND	ug/L
Nickel, total	LGW-6	7/12/2011	0.6	4	ND	ug/L
Nickel, total	LGW-6	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-6	7/9/2012	0.7	4	ND	ug/L
Nickel, total	LGW-6	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-6	7/15/2013	4	4	ND	ug/L
Nickel, total	LGW-6	1/23/2014	0.3	4	ND	ug/L
Nickel, total	LGW-6	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-6	2/10/2015	0.3	4	ND	ug/L
Nickel, total	LGW-6	7/22/2015	2.2	4	ND	ug/L
Nickel, total	LGW-6	1/5/2016	0.4	4	ND	ug/L
Nickel, total	LGW-6	7/19/2016	52	4		ug/L
Nickel, total	LGW-6	9/6/2016	130	4		ug/L
Nickel, total	LGW-6	10/6/2016	120	4		ug/L
Nickel, total	LGW-6	1/11/2017	130	4		ug/L
Nickel, total	LGW-6	5/5/2017	120	4		ug/L
Nickel, total	LGW-6	7/18/2017	120	4		ug/L
Nickel, total	LGW-6	10/5/2017	120	4		ug/L
Nickel, total	LGW-6	1/23/2018	130	4		ug/L
Nickel, total	LGW-6	4/10/2018	150	4		ug/L
Nickel, total	LGW-6	7/17/2018	140	4		ug/L
Nickel, total	LGW-6	10/2/2018	140	4		ug/L
Nickel, total	LGW-6	1/7/2019	140	4		ug/L
Nickel, total	LGW-6	4/3/2019	130	4		ug/L
Nickel, total	LGW-6	7/10/2019	130	8		ug/L
Nickel, total	LGW-6	10/3/2019	120	4		ug/L
Nickel, total	LGW-6	1/16/2020	136	4		ug/L
Nickel, total	LGW-6	4/2/2020	142	4		ug/L
Nickel, total	LGW-6	7/9/2020	137	4		ug/L
Nickel, total	LGW-6	10/6/2020	156	4		ug/L
Nickel, total	LGW-6	1/18/2021	145	4		ug/L
Nickel, total	LGW-6	4/6/2021	154	4		ug/L
Nickel, total	LGW-6	7/7/2021	152	4		ug/L
Nickel, total	LGW-6	10/5/2021	159	4		ug/L
Nickel, total	LGW-6	1/12/2022	154	4		ug/L
Nickel, total	LGW-6	4/4/2022	152	4		ug/L
Nickel, total	LGW-6	7/11/2022	147	4		ug/L
Nickel, total	LGW-6	10/6/2022	152	4		ug/L
Nickel, total	LGW-6	1/10/2023	157	4		ug/L
Nickel, total	LGW-6	4/6/2023	163	4		ug/L
Nickel, total	LGW-6	7/10/2023	167	4		ug/L
Nickel, total	LGW-6	10/5/2023	165	4		ug/L
Nickel, total	LGW-7	1/25/2006	4	4	ND	ug/L
Nickel, total	LGW-7	8/1/2006	5.1	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-7	8/1/2006	5.1	4		ug/L
Nickel, total	LGW-7	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-7	1/9/2007	2.9	4	ND	ug/L
Nickel, total	LGW-7	1/24/2007	1.8	4	ND	ug/L
Nickel, total	LGW-7	4/26/2007	1.3	4	ND	ug/L
Nickel, total	LGW-7	7/12/2007	5	4		ug/L
Nickel, total	LGW-7	7/22/2008	1.1	4	ND	ug/L
Nickel, total	LGW-7	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-7	7/31/2009	1.3	4	ND	ug/L
Nickel, total	LGW-7	1/27/2010	1.2	4	ND	ug/L
Nickel, total	LGW-7	7/12/2010	1.4	4	ND	ug/L
Nickel, total	LGW-7	1/20/2011	2.5	4	ND	ug/L
Nickel, total	LGW-7	7/12/2011	1	4	ND	ug/L
Nickel, total	LGW-7	1/5/2012	0.9	4	ND	ug/L
Nickel, total	LGW-7	7/10/2012	1.5	4	ND	ug/L
Nickel, total	LGW-7	4/30/2013	0.7	4	ND	ug/L
Nickel, total	LGW-7	7/15/2013	1.1	4	ND	ug/L
Nickel, total	LGW-7	1/23/2014	1.6	4	ND	ug/L
Nickel, total	LGW-7	7/8/2014	1.4	4	ND	ug/L
Nickel, total	LGW-7	2/11/2015	1	4	ND	ug/L
Nickel, total	LGW-7	7/22/2015	6.1	4		ug/L
Nickel, total	LGW-7	1/5/2016	160	4		ug/L
Nickel, total	LGW-7	4/6/2016	200	4		ug/L
Nickel, total	LGW-7	7/20/2016	200	4		ug/L
Nickel, total	LGW-7	9/6/2016	200	4		ug/L
Nickel, total	LGW-7	10/6/2016	170	4		ug/L
Nickel, total	LGW-7	1/11/2017	39	4		ug/L
Nickel, total	LGW-7	4/4/2017	46	4		ug/L
Nickel, total	LGW-7	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-7	10/5/2017	120	4		ug/L
Nickel, total	LGW-7	1/24/2018	130	4		ug/L
Nickel, total	LGW-7	4/11/2018	96	4		ug/L
Nickel, total	LGW-7	7/12/2018	70	4		ug/L
Nickel, total	LGW-7	10/2/2018	74	4		ug/L
Nickel, total	LGW-7	1/7/2019	50	4		ug/L
Nickel, total	LGW-7	4/3/2019	36	4		ug/L
Nickel, total	LGW-7	7/10/2019	70	8		ug/L
Nickel, total	LGW-7	10/3/2019	15	4		ug/L
Nickel, total	LGW-7	1/15/2020	7.03	4		ug/L
Nickel, total	LGW-7	7/9/2020	4	4	ND	ug/L
Nickel, total	LGW-7	1/18/2021	4	4	ND	ug/L
Nickel, total	LGW-7	7/7/2021	7.1	4		ug/L
Nickel, total	LGW-7	10/5/2021	4	4	ND	ug/L
Nickel, total	LGW-7	1/13/2022	4	4	ND	ug/L
Nickel, total	LGW-7	7/11/2022	5.85	4		ug/L
Nickel, total	LGW-7	1/11/2023	4	4	ND	ug/L
Nickel, total	LGW-7	7/10/2023	4	4	ND	ug/L
Nickel, total	LGW-8R	1/24/2006	10	4		ug/L
Nickel, total	LGW-8R	7/20/2006	11	4		ug/L
Nickel, total	LGW-8R	7/20/2006	11	4		ug/L
Nickel, total	LGW-8R	10/26/2006	40	40	ND	ug/L
Nickel, total	LGW-8R	1/9/2007	20	4		ug/L
Nickel, total	LGW-8R	1/24/2007	21	4		ug/L
Nickel, total	LGW-8R	4/25/2007	14	4		ug/L
Nickel, total	LGW-8R	7/12/2007	16	4		ug/L
Nickel, total	LGW-8R	2/4/2009	4	4	ND	ug/L
Nickel, total	LGW-8R	7/29/2009	1.2	4	ND	ug/L
Nickel, total	LGW-8R	1/27/2010	1.1	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-8R	7/14/2010	1.2	4	ND	ug/L
Nickel, total	LGW-8R	1/20/2011	2.6	4	ND	ug/L
Nickel, total	LGW-8R	7/12/2011	4	4	ND	ug/L
Nickel, total	LGW-8R	1/5/2012	4	4	ND	ug/L
Nickel, total	LGW-8R	7/9/2012	0.5	4	ND	ug/L
Nickel, total	LGW-8R	4/30/2013	4	4	ND	ug/L
Nickel, total	LGW-8R	7/15/2013	4	4	ND	ug/L
Nickel, total	LGW-8R	1/22/2014	4	4	ND	ug/L
Nickel, total	LGW-8R	7/8/2014	0.4	4	ND	ug/L
Nickel, total	LGW-8R	2/11/2015	4	4	ND	ug/L
Nickel, total	LGW-8R	7/22/2015	4	4	ND	ug/L
Nickel, total	LGW-8R	1/5/2016	0.3	4	ND	ug/L
Nickel, total	LGW-8R	7/20/2016	0.3	4	ND	ug/L
Nickel, total	LGW-8R	1/11/2017	0.3	4	ND	ug/L
Nickel, total	LGW-8R	7/18/2017	4	4	ND	ug/L
Nickel, total	LGW-8R	1/25/2018	4	4	ND	ug/L
Nickel, total	LGW-8R	7/13/2018	4	4	ND	ug/L
Nickel, total	LGW-8R	1/7/2019	0.35	4	ND	ug/L
Nickel, total	LGW-8R	7/8/2019	8	8	ND	ug/L
Nickel, total	LGW-8R	1/14/2020	4	4	ND	ug/L
Nickel, total	LGW-8R	7/7/2020	4	4	ND	ug/L
Nickel, total	LGW-8R	1/17/2021	4	4	ND	ug/L
Nickel, total	LGW-8R	7/7/2021	4	4	ND	ug/L
Nickel, total	LGW-8R	1/13/2022	4	4	ND	ug/L
Nickel, total	LGW-8R	7/11/2022	4	4	ND	ug/L
Nickel, total	LGW-8R	1/11/2023	4	4	ND	ug/L
Nickel, total	LGW-8R	7/10/2023	9.8	4		ug/L
Nickel, total	LGW-8R	10/5/2023	18.7	4		ug/L
Nickel, total	LGW-9	1/25/2006	75	4		ug/L
Nickel, total	LGW-9	7/20/2006	66	4		ug/L
Nickel, total	LGW-9	7/20/2006	66	4		ug/L
Nickel, total	LGW-9	10/26/2006	70	40		ug/L
Nickel, total	LGW-9	1/9/2007	84	4		ug/L
Nickel, total	LGW-9	1/25/2007	76	4		ug/L
Nickel, total	LGW-9	4/25/2007	67	4		ug/L
Nickel, total	LGW-9	7/10/2007	76	4		ug/L
Nickel, total	LGW-9	7/22/2008	67	4		ug/L
Nickel, total	LGW-9	2/4/2009	48	4		ug/L
Nickel, total	LGW-9	7/29/2009	43	4		ug/L
Nickel, total	LGW-9	1/27/2010	55	4		ug/L
Nickel, total	LGW-9	7/14/2010	50	4		ug/L
Nickel, total	LGW-9	1/20/2011	60	4		ug/L
Nickel, total	LGW-9	7/12/2011	71	4		ug/L
Nickel, total	LGW-9	1/5/2012	74	4		ug/L
Nickel, total	LGW-9	7/10/2012	78	4		ug/L
Nickel, total	LGW-9	5/1/2013	74	4		ug/L
Nickel, total	LGW-9	7/15/2013	68	4		ug/L
Nickel, total	LGW-9	1/23/2014	55	4		ug/L
Nickel, total	LGW-9	7/8/2014	51	4		ug/L
Nickel, total	LGW-9	2/11/2015	62	4		ug/L
Nickel, total	LGW-9	7/13/2015	65	4		ug/L
Nickel, total	LGW-9	1/5/2016	55	4		ug/L
Nickel, total	LGW-9	7/21/2016	54	4		ug/L
Nickel, total	LGW-9	9/6/2016	55	4		ug/L
Nickel, total	LGW-9	10/6/2016	53	4		ug/L
Nickel, total	LGW-9	1/11/2017	69	4		ug/L
Nickel, total	LGW-9	5/5/2017	54	4		ug/L
Nickel, total	LGW-9	7/18/2017	58	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	LGW-9	10/5/2017	51	4		ug/L
Nickel, total	LGW-9	1/24/2018	51	4		ug/L
Nickel, total	LGW-9	4/11/2018	55	4		ug/L
Nickel, total	LGW-9	7/13/2018	53	4		ug/L
Nickel, total	LGW-9	10/2/2018	52	4		ug/L
Nickel, total	LGW-9	1/7/2019	63	4		ug/L
Nickel, total	LGW-9	4/3/2019	74	4		ug/L
Nickel, total	LGW-9	7/10/2019	61	8		ug/L
Nickel, total	LGW-9	10/3/2019	52	4		ug/L
Nickel, total	LGW-9	1/16/2020	37.7	4		ug/L
Nickel, total	LGW-9	4/2/2020	33	4		ug/L
Nickel, total	LGW-9	7/9/2020	32.3	4		ug/L
Nickel, total	LGW-9	10/7/2020	35.8	4		ug/L
Nickel, total	LGW-9	1/17/2021	203	4		ug/L
Nickel, total	LGW-9	4/6/2021	35.3	4		ug/L
Nickel, total	LGW-9	7/7/2021	35.8	4		ug/L
Nickel, total	LGW-9	10/5/2021	41.7	4		ug/L
Nickel, total	LGW-9	1/13/2022	34.5	4		ug/L
Nickel, total	LGW-9	4/4/2022	35.8	4		ug/L
Nickel, total	LGW-9	7/11/2022	29.7	4		ug/L
Nickel, total	LGW-9	10/7/2022	31	4		ug/L
Nickel, total	LGW-9	1/11/2023	24.7	4		ug/L
Nickel, total	LGW-9	4/5/2023	20.5	4		ug/L
Nickel, total	LGW-9	7/10/2023	25.9	4		ug/L
Nickel, total	LGW-9	10/5/2023	22.1	4		ug/L
Nickel, total	MW-10N	10/22/1997	13	4		ug/L
Nickel, total	MW-10N	1/22/1998	6.2	4		ug/L
Nickel, total	MW-10N	4/28/1998	14	4		ug/L
Nickel, total	MW-10N	7/23/1998	11	4		ug/L
Nickel, total	MW-10N	1/14/1999	22	4		ug/L
Nickel, total	MW-10N	4/13/1999	4.1	4		ug/L
Nickel, total	MW-10N	7/15/1999	4	4	ND	ug/L
Nickel, total	MW-10N	10/20/1999	4.3	4		ug/L
Nickel, total	MW-10N	1/14/2000	6.7	4		ug/L
Nickel, total	MW-10N	4/25/2000	4.3	4		ug/L
Nickel, total	MW-10N	7/11/2000	8.2	4		ug/L
Nickel, total	MW-10N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-10N	4/10/2001	4	4	ND	ug/L
Nickel, total	MW-10N	7/10/2002	10	10	ND	ug/L
Nickel, total	MW-10N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-10N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-10N	4/15/2003	5.4	4		ug/L
Nickel, total	MW-10N	7/8/2003	6.6	4		ug/L
Nickel, total	MW-10N	1/28/2004	4.5	4		ug/L
Nickel, total	MW-10N	7/27/2004	4	4	ND	ug/L
Nickel, total	MW-10N	1/12/2005	4	4	ND	ug/L
Nickel, total	MW-10N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-10N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-10N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-10N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-10N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-10N	1/10/2007	2.1	4	ND	ug/L
Nickel, total	MW-10N	1/24/2007	3.1	4	ND	ug/L
Nickel, total	MW-10N	7/10/2007	4.1	4		ug/L
Nickel, total	MW-10N	1/23/2008	2.7	4	ND	ug/L
Nickel, total	MW-10N	7/21/2008	0.6	4	ND	ug/L
Nickel, total	MW-10N	2/13/2009	3.3	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-10N	7/31/2009	0.8	4	ND	ug/L
Nickel, total	MW-10N	1/27/2010	1.5	4	ND	ug/L
Nickel, total	MW-10N	8/10/2010	0.5	4	ND	ug/L
Nickel, total	MW-10N	1/19/2011	1	4	ND	ug/L
Nickel, total	MW-10N	7/14/2011	4	4	ND	ug/L
Nickel, total	MW-10N	1/5/2012	4	4	ND	ug/L
Nickel, total	MW-10N	7/10/2012	0.6	4	ND	ug/L
Nickel, total	MW-10N	5/1/2013	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2014	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/9/2014	4	4	ND	ug/L
Nickel, total	MW-10N	2/12/2015	4	4	ND	ug/L
Nickel, total	MW-10N	7/14/2015	4	4	ND	ug/L
Nickel, total	MW-10N	1/6/2016	4	4	ND	ug/L
Nickel, total	MW-10N	7/21/2016	0.4	4	ND	ug/L
Nickel, total	MW-10N	1/11/2017	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-10N	1/24/2018	0.4	4	ND	ug/L
Nickel, total	MW-10N	7/11/2018	0.45	4	ND	ug/L
Nickel, total	MW-10N	1/3/2019	4	4	ND	ug/L
Nickel, total	MW-10N	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-10N	1/16/2020	4	4	ND	ug/L
Nickel, total	MW-10N	7/8/2020	4	4	ND	ug/L
Nickel, total	MW-10N	1/13/2021	4	4	ND	ug/L
Nickel, total	MW-10N	7/5/2021	4	4	ND	ug/L
Nickel, total	MW-10N	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-10N	7/7/2023	4	4	ND	ug/L
Nickel, total	MW-11N	10/22/1997	6.2	4		ug/L
Nickel, total	MW-11N	1/21/1998	4	4	ND	ug/L
Nickel, total	MW-11N	4/28/1998	4	4	ND	ug/L
Nickel, total	MW-11N	7/23/1998	4	4	ND	ug/L
Nickel, total	MW-11N	1/13/1999	8.1	4		ug/L
Nickel, total	MW-11N	4/13/1999	6.5	4		ug/L
Nickel, total	MW-11N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-11N	10/20/1999	4	4	ND	ug/L
Nickel, total	MW-11N	1/13/2000	9.5	4		ug/L
Nickel, total	MW-11N	4/25/2000	4	4	ND	ug/L
Nickel, total	MW-11N	7/10/2000	4	4	ND	ug/L
Nickel, total	MW-11N	10/17/2000	6.2	4		ug/L
Nickel, total	MW-11N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-11N	4/10/2001	4	4	ND	ug/L
Nickel, total	MW-11N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-11N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-11N	1/23/2003	4	4	ND	ug/L
Nickel, total	MW-11N	4/15/2003	4	4	ND	ug/L
Nickel, total	MW-11N	7/8/2003	21	4		ug/L
Nickel, total	MW-11N	1/29/2004	23	4		ug/L
Nickel, total	MW-11N	7/27/2004	9.1	4		ug/L
Nickel, total	MW-11N	1/13/2005	4	4	ND	ug/L
Nickel, total	MW-11N	7/20/2005	4.2	4		ug/L
Nickel, total	MW-11N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-11N	7/18/2006	2.7	4	ND	ug/L
Nickel, total	MW-11N	7/18/2006	2.7	4	ND	ug/L
Nickel, total	MW-11N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-11N	1/9/2007	6.5	4		ug/L
Nickel, total	MW-11N	1/24/2007	9.7	4		ug/L
Nickel, total	MW-11N	7/10/2007	8.3	4		ug/L
Nickel, total	MW-11N	1/22/2008	5.3	4		ug/L
Nickel, total	MW-11N	7/23/2008	2.7	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-11N	2/3/2009	2.4	4	ND	ug/L
Nickel, total	MW-11N	7/31/2009	2.7	4	ND	ug/L
Nickel, total	MW-11N	2/3/2010	2.6	4	ND	ug/L
Nickel, total	MW-11N	2/3/2010	2.6	4	ND	ug/L
Nickel, total	MW-11N	7/16/2010	2.3	4	ND	ug/L
Nickel, total	MW-11N	1/19/2011	3.2	4	ND	ug/L
Nickel, total	MW-11N	7/13/2011	1.7	4	ND	ug/L
Nickel, total	MW-11N	1/4/2012	1.8	4	ND	ug/L
Nickel, total	MW-11N	7/9/2012	2	4	ND	ug/L
Nickel, total	MW-11N	4/30/2013	3.4	4	ND	ug/L
Nickel, total	MW-11N	7/15/2013	1.4	4	ND	ug/L
Nickel, total	MW-11N	1/23/2014	2.8	4	ND	ug/L
Nickel, total	MW-11N	7/8/2014	1.5	4	ND	ug/L
Nickel, total	MW-11N	2/10/2015	1.4	4	ND	ug/L
Nickel, total	MW-11N	7/13/2015	2.1	4	ND	ug/L
Nickel, total	MW-11N	1/5/2016	1.5	4	ND	ug/L
Nickel, total	MW-11N	7/21/2016	2	4	ND	ug/L
Nickel, total	MW-11N	1/11/2017	2.1	4	ND	ug/L
Nickel, total	MW-11N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-11N	1/23/2018	1.4	4	ND	ug/L
Nickel, total	MW-11N	7/17/2018	1.4	4	ND	ug/L
Nickel, total	MW-11N	1/2/2019	1.2	4	ND	ug/L
Nickel, total	MW-11N	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-11N	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-11N	7/6/2020	4	4	ND	ug/L
Nickel, total	MW-11N	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-11N	7/6/2021	4	4	ND	ug/L
Nickel, total	MW-11N	1/18/2022	4	4	ND	ug/L
Nickel, total	MW-11N	7/13/2022	4	4	ND	ug/L
Nickel, total	MW-11N	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-11N	7/8/2023	4	4	ND	ug/L
Nickel, total	MW-15	6/5/2015	0.7	4	ND	ug/L
Nickel, total	MW-15	7/15/2015	1	4	ND	ug/L
Nickel, total	MW-15	8/5/2015	4	4		ug/L
Nickel, total	MW-15	9/3/2015	0.7	4	ND	ug/L
Nickel, total	MW-15	1/7/2016	1.1	4	ND	ug/L
Nickel, total	MW-15	4/5/2016	1.7	4	ND	ug/L
Nickel, total	MW-15	7/20/2016	4	4	ND	ug/L
Nickel, total	MW-15	10/6/2016	0.8	4	ND	ug/L
Nickel, total	MW-15	1/10/2017	1.7	4	ND	ug/L
Nickel, total	MW-15	7/18/2017	5.4	4		ug/L
Nickel, total	MW-15	1/23/2018	0.52	4	ND	ug/L
Nickel, total	MW-15	7/10/2018	4	4	ND	ug/L
Nickel, total	MW-15	1/3/2019	0.65	4	ND	ug/L
Nickel, total	MW-15	7/9/2019	8	8	ND	ug/L
Nickel, total	MW-15	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-15	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-15	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-15	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-15	1/12/2022	4	4	ND	ug/L
Nickel, total	MW-15	7/10/2022	4	4	ND	ug/L
Nickel, total	MW-15	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-15	7/10/2023	4	4	ND	ug/L
Nickel, total	MW-16	6/5/2015	1.4	4	ND	ug/L
Nickel, total	MW-16	7/16/2015	3.8	4	ND	ug/L
Nickel, total	MW-16	8/5/2015	3.1	4	ND	ug/L
Nickel, total	MW-16	9/3/2015	1.9	4	ND	ug/L
Nickel, total	MW-16	1/8/2016	2.5	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-16	4/5/2016	1.8	4	ND	ug/L
Nickel, total	MW-16	7/21/2016	0.6	4	ND	ug/L
Nickel, total	MW-16	10/5/2016	1.5	4	ND	ug/L
Nickel, total	MW-16	1/10/2017	1.3	4	ND	ug/L
Nickel, total	MW-16	7/18/2017	0.6	4	ND	ug/L
Nickel, total	MW-16	1/23/2018	0.74	4	ND	ug/L
Nickel, total	MW-16	7/11/2018	0.55	4	ND	ug/L
Nickel, total	MW-16	1/2/2019	0.79	4	ND	ug/L
Nickel, total	MW-16	7/10/2019	8	8	ND	ug/L
Nickel, total	MW-16	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-16	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-16	1/18/2021	4	4	ND	ug/L
Nickel, total	MW-16	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-16	1/12/2022	4	4	ND	ug/L
Nickel, total	MW-16	7/10/2022	4	4	ND	ug/L
Nickel, total	MW-16	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-16	7/10/2023	4	4	ND	ug/L
Nickel, total	MW-17	6/5/2015	1.9	4	ND	ug/L
Nickel, total	MW-17	7/15/2015	0.4	4	ND	ug/L
Nickel, total	MW-17	8/4/2015	2.1	4	ND	ug/L
Nickel, total	MW-17	9/2/2015	1	4	ND	ug/L
Nickel, total	MW-17	1/7/2016	0.4	4	ND	ug/L
Nickel, total	MW-17	4/5/2016	0.6	4	ND	ug/L
Nickel, total	MW-17	7/20/2016	4	4	ND	ug/L
Nickel, total	MW-17	10/6/2016	1	4	ND	ug/L
Nickel, total	MW-17	1/10/2017	2.7	4	ND	ug/L
Nickel, total	MW-17	7/18/2017	0.7	4	ND	ug/L
Nickel, total	MW-17	1/23/2018	1.2	4	ND	ug/L
Nickel, total	MW-17	7/10/2018	0.79	4	ND	ug/L
Nickel, total	MW-17	1/3/2019	1.3	4	ND	ug/L
Nickel, total	MW-17	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-17	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-17	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-17	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-17	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-17	1/10/2023	4	4	ND	ug/L
Nickel, total	MW-17	7/8/2023	4	4	ND	ug/L
Nickel, total	MW-19	6/5/2015	2.5	4	ND	ug/L
Nickel, total	MW-19	7/16/2015	5.2	4		ug/L
Nickel, total	MW-19	8/5/2015	0.4	4	ND	ug/L
Nickel, total	MW-19	9/3/2015	4	4	ND	ug/L
Nickel, total	MW-19	1/7/2016	0.5	4	ND	ug/L
Nickel, total	MW-19	4/5/2016	2.3	4	ND	ug/L
Nickel, total	MW-19	7/21/2016	4	4	ND	ug/L
Nickel, total	MW-19	10/5/2016	1	4	ND	ug/L
Nickel, total	MW-19	1/10/2017	0.5	4	ND	ug/L
Nickel, total	MW-19	7/18/2017	9.8	4		ug/L
Nickel, total	MW-19	1/23/2018	0.47	4	ND	ug/L
Nickel, total	MW-19	7/13/2018	0.32	4	ND	ug/L
Nickel, total	MW-19	1/7/2019	0.38	4	ND	ug/L
Nickel, total	MW-19	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-19	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-19	8/3/2020	4	4	ND	ug/L
Nickel, total	MW-19	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-19	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-19	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-19	7/10/2023	4	4	ND	ug/L
Nickel, total	MW-1N	10/22/1997	4.1	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-1N	1/20/1998	13	4		ug/L
Nickel, total	MW-1N	4/28/1998	12	4		ug/L
Nickel, total	MW-1N	7/23/1998	12	4		ug/L
Nickel, total	MW-1N	10/14/1998	12	4		ug/L
Nickel, total	MW-1N	1/13/1999	19	4		ug/L
Nickel, total	MW-1N	4/13/1999	8.9	4		ug/L
Nickel, total	MW-1N	7/15/1999	4	4	ND	ug/L
Nickel, total	MW-1N	10/19/1999	13	4		ug/L
Nickel, total	MW-1N	1/14/2000	11	4		ug/L
Nickel, total	MW-1N	4/25/2000	14	4		ug/L
Nickel, total	MW-1N	7/12/2000	4	4	ND	ug/L
Nickel, total	MW-1N	10/18/2000	4	4	ND	ug/L
Nickel, total	MW-1N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-1N	4/12/2001	4	4	ND	ug/L
Nickel, total	MW-1N	5/29/2002	4	4	ND	ug/L
Nickel, total	MW-1N	5/29/2002	4	4	ND	ug/L
Nickel, total	MW-1N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-1N	10/3/2002	10	10	ND	ug/L
Nickel, total	MW-1N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-1N	4/15/2003	4	4	ND	ug/L
Nickel, total	MW-1N	7/8/2003	68	4		ug/L
Nickel, total	MW-1N	1/28/2004	73	4		ug/L
Nickel, total	MW-1N	7/27/2004	7	4		ug/L
Nickel, total	MW-1N	1/12/2005	8.4	4		ug/L
Nickel, total	MW-1N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-1N	1/18/2006	4	4	ND	ug/L
Nickel, total	MW-1N	7/18/2006	3.6	4	ND	ug/L
Nickel, total	MW-1N	7/18/2006	3.6	4	ND	ug/L
Nickel, total	MW-1N	10/24/2006	40	40	ND	ug/L
Nickel, total	MW-1N	1/9/2007	4.9	4		ug/L
Nickel, total	MW-1N	1/26/2007	3.5	4	ND	ug/L
Nickel, total	MW-1N	7/11/2007	10	4		ug/L
Nickel, total	MW-1N	1/24/2008	22	4		ug/L
Nickel, total	MW-1N	7/21/2008	9.8	4		ug/L
Nickel, total	MW-1N	2/5/2009	23	4		ug/L
Nickel, total	MW-1N	7/31/2009	23	4		ug/L
Nickel, total	MW-1N	1/26/2010	25	4		ug/L
Nickel, total	MW-1N	7/13/2010	21	4		ug/L
Nickel, total	MW-1N	1/20/2011	24	4		ug/L
Nickel, total	MW-1N	7/13/2011	7.1	4		ug/L
Nickel, total	MW-1N	1/5/2012	12	4		ug/L
Nickel, total	MW-1N	7/10/2012	17	4		ug/L
Nickel, total	MW-1N	5/1/2013	9.5	4		ug/L
Nickel, total	MW-1N	7/16/2013	9.1	4		ug/L
Nickel, total	MW-1N	1/24/2014	13	4		ug/L
Nickel, total	MW-1N	7/9/2014	8.8	4		ug/L
Nickel, total	MW-1N	2/10/2015	6.7	4		ug/L
Nickel, total	MW-1N	7/14/2015	2.3	4	ND	ug/L
Nickel, total	MW-1N	1/6/2016	4.1	4		ug/L
Nickel, total	MW-1N	7/21/2016	9	4		ug/L
Nickel, total	MW-1N	1/12/2017	6.4	4		ug/L
Nickel, total	MW-1N	7/19/2017	11	4		ug/L
Nickel, total	MW-1N	1/23/2018	5.2	4		ug/L
Nickel, total	MW-1N	7/10/2018	4.7	4		ug/L
Nickel, total	MW-1N	1/3/2019	5.3	4		ug/L
Nickel, total	MW-1N	7/11/2019	29	8		ug/L
Nickel, total	MW-1N	1/23/2020	736	4		ug/L
Nickel, total	MW-1N	4/2/2020	40.1	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-1N	7/6/2020	11.1	4		ug/L
Nickel, total	MW-1N	1/14/2021	7.64	4		ug/L
Nickel, total	MW-1N	7/4/2021	14	4		ug/L
Nickel, total	MW-1N	1/11/2023	8.09	4		ug/L
Nickel, total	MW-1N	7/8/2023	6.16	4		ug/L
Nickel, total	MW-20	6/5/2015	4.4	4		ug/L
Nickel, total	MW-20	7/14/2015	4.7	4		ug/L
Nickel, total	MW-20	8/4/2015	3.6	4	ND	ug/L
Nickel, total	MW-20	9/2/2015	2.7	4	ND	ug/L
Nickel, total	MW-20	1/7/2016	3.1	4	ND	ug/L
Nickel, total	MW-20	4/5/2016	1.1	4	ND	ug/L
Nickel, total	MW-20	7/20/2016	2	4	ND	ug/L
Nickel, total	MW-20	10/5/2016	2.7	4	ND	ug/L
Nickel, total	MW-20	1/12/2017	9.9	4		ug/L
Nickel, total	MW-20	7/18/2017	1	4	ND	ug/L
Nickel, total	MW-20	1/26/2018	1	4	ND	ug/L
Nickel, total	MW-20	7/12/2018	1.2	4	ND	ug/L
Nickel, total	MW-20	7/11/2019	8	8	ND	ug/L
Nickel, total	MW-20	1/14/2020	4	4	ND	ug/L
Nickel, total	MW-20	7/7/2020	4	4	ND	ug/L
Nickel, total	MW-20	1/17/2021	6.83	4		ug/L
Nickel, total	MW-20	4/6/2021	4	4	ND	ug/L
Nickel, total	MW-20	7/4/2021	4	4	ND	ug/L
Nickel, total	MW-20	1/11/2023	4	4	ND	ug/L
Nickel, total	MW-21	6/5/2015	71	4		ug/L
Nickel, total	MW-21	7/14/2015	66	4		ug/L
Nickel, total	MW-21	8/4/2015	69	4		ug/L
Nickel, total	MW-21	9/2/2015	70	4		ug/L
Nickel, total	MW-21	1/7/2016	50	4		ug/L
Nickel, total	MW-21	4/5/2016	60	4		ug/L
Nickel, total	MW-21	7/20/2016	52	4		ug/L
Nickel, total	MW-21	10/5/2016	53	4		ug/L
Nickel, total	MW-21	10/5/2016	52	4		ug/L
Nickel, total	MW-21	1/10/2017	56	4		ug/L
Nickel, total	MW-21	4/5/2017	66	4		ug/L
Nickel, total	MW-21	7/19/2017	60	4		ug/L
Nickel, total	MW-21	10/6/2017	50	4		ug/L
Nickel, total	MW-21	1/24/2018	44	4		ug/L
Nickel, total	MW-21	4/11/2018	74	4		ug/L
Nickel, total	MW-21	7/11/2018	53	4		ug/L
Nickel, total	MW-21	10/4/2018	52	4		ug/L
Nickel, total	MW-21	1/3/2019	61	4		ug/L
Nickel, total	MW-21	4/3/2019	57	4		ug/L
Nickel, total	MW-21	7/11/2019	48	8		ug/L
Nickel, total	MW-21	10/2/2019	47	4		ug/L
Nickel, total	MW-21	1/16/2020	48.5	4		ug/L
Nickel, total	MW-21	4/2/2020	44.2	4		ug/L
Nickel, total	MW-21	7/8/2020	42.2	4		ug/L
Nickel, total	MW-21	10/7/2020	38.3	4		ug/L
Nickel, total	MW-21	1/13/2021	48.6	4		ug/L
Nickel, total	MW-21	4/6/2021	38.3	4		ug/L
Nickel, total	MW-21	7/5/2021	40.4	4		ug/L
Nickel, total	MW-21	10/6/2021	31.3	4		ug/L
Nickel, total	MW-21	1/11/2023	35.4	4		ug/L
Nickel, total	MW-21	4/8/2023	25.8	4		ug/L
Nickel, total	MW-21	7/7/2023	38.8	4		ug/L
Nickel, total	MW-21	10/6/2023	46.9	4		ug/L
Nickel, total	MW-2N	10/22/1997	3800	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-2N	1/21/1998	4	4	ND	ug/L
Nickel, total	MW-2N	4/28/1998	4	4	ND	ug/L
Nickel, total	MW-2N	7/22/1998	4	4	ND	ug/L
Nickel, total	MW-2N	1/13/1999	4.4	4		ug/L
Nickel, total	MW-2N	4/13/1999	4	4	ND	ug/L
Nickel, total	MW-2N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-2N	10/20/1999	4	4	ND	ug/L
Nickel, total	MW-2N	1/14/2000	4	4	ND	ug/L
Nickel, total	MW-2N	4/25/2000	4	4	ND	ug/L
Nickel, total	MW-2N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-2N	1/24/2001	4	4	ND	ug/L
Nickel, total	MW-2N	4/11/2001	4	4	ND	ug/L
Nickel, total	MW-2N	7/10/2002	10	10	ND	ug/L
Nickel, total	MW-2N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-2N	1/22/2003	4	4	ND	ug/L
Nickel, total	MW-2N	4/14/2003	4	4	ND	ug/L
Nickel, total	MW-2N	7/7/2003	4	4	ND	ug/L
Nickel, total	MW-2N	1/28/2004	4	4	ND	ug/L
Nickel, total	MW-2N	7/27/2004	4	4	ND	ug/L
Nickel, total	MW-2N	1/12/2005	4	4	ND	ug/L
Nickel, total	MW-2N	7/20/2005	4	4	ND	ug/L
Nickel, total	MW-2N	1/19/2006	4	4	ND	ug/L
Nickel, total	MW-2N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-2N	7/19/2006	1.3	4	ND	ug/L
Nickel, total	MW-2N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-2N	1/10/2007	2.3	4	ND	ug/L
Nickel, total	MW-2N	1/26/2007	2.1	4	ND	ug/L
Nickel, total	MW-2N	7/11/2007	2.8	4	ND	ug/L
Nickel, total	MW-2N	1/24/2008	2.2	4	ND	ug/L
Nickel, total	MW-2N	7/22/2008	0.5	4	ND	ug/L
Nickel, total	MW-2N	2/4/2009	4	4	ND	ug/L
Nickel, total	MW-2N	7/31/2009	1	4	ND	ug/L
Nickel, total	MW-2N	1/26/2010	0.6	4	ND	ug/L
Nickel, total	MW-2N	7/13/2010	0.7	4	ND	ug/L
Nickel, total	MW-2N	1/20/2011	1.3	4	ND	ug/L
Nickel, total	MW-2N	7/13/2011	4	4	ND	ug/L
Nickel, total	MW-2N	1/5/2012	0.4	4	ND	ug/L
Nickel, total	MW-2N	7/10/2012	0.7	4	ND	ug/L
Nickel, total	MW-2N	5/1/2013	4	4	ND	ug/L
Nickel, total	MW-2N	7/16/2013	4	4	ND	ug/L
Nickel, total	MW-2N	1/24/2014	0.3	4	ND	ug/L
Nickel, total	MW-2N	7/9/2014	0.3	4	ND	ug/L
Nickel, total	MW-2N	2/12/2015	4	4	ND	ug/L
Nickel, total	MW-2N	7/14/2015	0.4	4	ND	ug/L
Nickel, total	MW-2N	1/6/2016	0.5	4	ND	ug/L
Nickel, total	MW-2N	7/21/2016	0.5	4	ND	ug/L
Nickel, total	MW-2N	1/11/2017	0.6	4	ND	ug/L
Nickel, total	MW-2N	7/19/2017	4	4	ND	ug/L
Nickel, total	MW-2N	1/23/2018	0.39	4	ND	ug/L
Nickel, total	MW-2N	7/12/2018	4	4	ND	ug/L
Nickel, total	MW-2N	1/3/2019	0.34	4	ND	ug/L
Nickel, total	MW-2N	8/7/2019	17	8		ug/L
Nickel, total	MW-2N	10/1/2019	13	4		ug/L
Nickel, total	MW-2N	1/23/2020	6.77	4		ug/L
Nickel, total	MW-2N	7/7/2020	4	4	ND	ug/L
Nickel, total	MW-2N	1/14/2021	4	4	ND	ug/L
Nickel, total	MW-2N	7/5/2021	4	4	ND	ug/L
Nickel, total	MW-2N	1/11/2023	4.31	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-2N	4/8/2023	4	4	ND	ug/L
Nickel, total	MW-2N	7/8/2023	4	4	ND	ug/L
Nickel, total	MW-3N	10/21/1997	26	4		ug/L
Nickel, total	MW-3N	1/21/1998	4.4	4		ug/L
Nickel, total	MW-3N	4/28/1998	7.2	4		ug/L
Nickel, total	MW-3N	7/23/1998	4	4	ND	ug/L
Nickel, total	MW-3N	1/13/1999	4.3	4		ug/L
Nickel, total	MW-3N	4/13/1999	4	4	ND	ug/L
Nickel, total	MW-3N	7/14/1999	4	4	ND	ug/L
Nickel, total	MW-3N	10/20/1999	4.8	4		ug/L
Nickel, total	MW-3N	1/14/2000	6.2	4		ug/L
Nickel, total	MW-3N	4/24/2000	7	4		ug/L
Nickel, total	MW-3N	7/11/2000	4	4	ND	ug/L
Nickel, total	MW-3N	10/17/2000	4	4	ND	ug/L
Nickel, total	MW-3N	1/23/2001	4	4	ND	ug/L
Nickel, total	MW-3N	4/11/2001	4	4	ND	ug/L
Nickel, total	MW-3N	5/29/2002	5.6	4		ug/L
Nickel, total	MW-3N	5/29/2002	5.6	4		ug/L
Nickel, total	MW-3N	7/9/2002	10	10	ND	ug/L
Nickel, total	MW-3N	10/2/2002	10	10	ND	ug/L
Nickel, total	MW-3N	1/22/2003	13	4		ug/L
Nickel, total	MW-3N	4/14/2003	9.8	4		ug/L
Nickel, total	MW-3N	7/7/2003	13	4		ug/L
Nickel, total	MW-3N	1/28/2004	17	4		ug/L
Nickel, total	MW-3N	7/27/2004	24	4		ug/L
Nickel, total	MW-3N	1/12/2005	27	4		ug/L
Nickel, total	MW-3N	7/20/2005	28	4		ug/L
Nickel, total	MW-3N	1/18/2006	34	4		ug/L
Nickel, total	MW-3N	7/19/2006	30	4		ug/L
Nickel, total	MW-3N	7/19/2006	30	4		ug/L
Nickel, total	MW-3N	10/25/2006	40	40	ND	ug/L
Nickel, total	MW-3N	1/10/2007	52	4		ug/L
Nickel, total	MW-3N	1/26/2007	39	4		ug/L
Nickel, total	MW-3N	7/11/2007	57	4		ug/L
Nickel, total	MW-3N	1/24/2008	50	4		ug/L
Nickel, total	MW-3N	7/22/2008	49	4		ug/L
Nickel, total	MW-3N	2/4/2009	43	4		ug/L
Nickel, total	MW-3N	7/31/2009	50	4		ug/L
Nickel, total	MW-3N	1/26/2010	53	4		ug/L
Nickel, total	MW-3N	7/13/2010	46	4		ug/L
Nickel, total	MW-3N	1/20/2011	51	4		ug/L
Nickel, total	MW-3N	7/14/2011	46	4		ug/L
Nickel, total	MW-3N	1/5/2012	45	4		ug/L
Nickel, total	MW-3N	7/11/2012	42	4		ug/L
Nickel, total	MW-3N	5/1/2013	28	4		ug/L
Nickel, total	MW-3N	6/4/2013	32	4		ug/L
Nickel, total	MW-3N	7/16/2013	33	4		ug/L
Nickel, total	MW-3N	1/24/2014	30	4		ug/L
Nickel, total	MW-3N	7/9/2014	36	4		ug/L
Nickel, total	MW-3N	2/12/2015	27	4		ug/L
Nickel, total	MW-3N	4/1/2015	34	4		ug/L
Nickel, total	MW-3N	7/14/2015	50	4		ug/L
Nickel, total	MW-3N	10/5/2015	52	4		ug/L
Nickel, total	MW-3N	1/6/2016	55	4		ug/L
Nickel, total	MW-3N	4/6/2016	58	4		ug/L
Nickel, total	MW-3N	7/21/2016	45	4		ug/L
Nickel, total	MW-3N	10/6/2016	50	4		ug/L
Nickel, total	MW-3N	1/11/2017	41	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-3N	4/4/2017	41	4		ug/L
Nickel, total	MW-3N	7/19/2017	59	4		ug/L
Nickel, total	MW-3N	10/9/2017	41	4		ug/L
Nickel, total	MW-3N	1/24/2018	14	4		ug/L
Nickel, total	MW-3N	4/10/2018	54	4		ug/L
Nickel, total	MW-3N	7/13/2018	37	4		ug/L
Nickel, total	MW-3N	10/3/2018	37	4		ug/L
Nickel, total	MW-3N	1/7/2019	22	4		ug/L
Nickel, total	MW-3N	4/3/2019	47	4		ug/L
Nickel, total	MW-3N	7/11/2019	62	8		ug/L
Nickel, total	MW-3N	10/2/2019	28	4		ug/L
Nickel, total	MW-3N	1/15/2020	40.3	4		ug/L
Nickel, total	MW-3N	4/2/2020	56.6	4		ug/L
Nickel, total	MW-3N	7/7/2020	61	4		ug/L
Nickel, total	MW-3N	10/7/2020	57	4		ug/L
Nickel, total	MW-3N	1/13/2021	29.6	4		ug/L
Nickel, total	MW-3N	4/6/2021	22.7	4		ug/L
Nickel, total	MW-3N	7/5/2021	65.5	4		ug/L
Nickel, total	MW-3N	10/6/2021	56.7	4		ug/L
Nickel, total	MW-3N	1/11/2023	49	4		ug/L
Nickel, total	MW-3N	7/7/2023	9.55	4		ug/L
Nickel, total	MW-3N	10/6/2023	12.2	4		ug/L
Nickel, total	MW-7N	10/21/1997	4	4	ND	ug/L
Nickel, total	MW-7N	1/21/1998	120	4		ug/L
Nickel, total	MW-7N	7/22/1998	140	4		ug/L
Nickel, total	MW-7N	8/18/1998	120	4		ug/L
Nickel, total	MW-7N	9/17/1998	130	4		ug/L
Nickel, total	MW-7N	10/15/1998	130	4		ug/L
Nickel, total	MW-7N	11/9/1998	140	4		ug/L
Nickel, total	MW-7N	1/14/1999	140	4		ug/L
Nickel, total	MW-7N	4/14/1999	130	4		ug/L
Nickel, total	MW-7N	7/14/1999	200	4		ug/L
Nickel, total	MW-7N	10/19/1999	230	4		ug/L
Nickel, total	MW-7N	1/13/2000	240	4		ug/L
Nickel, total	MW-7N	4/25/2000	250	4		ug/L
Nickel, total	MW-7N	7/11/2000	280	4		ug/L
Nickel, total	MW-7N	10/17/2000	280	4		ug/L
Nickel, total	MW-7N	1/23/2001	270	4		ug/L
Nickel, total	MW-7N	4/10/2001	300	4		ug/L
Nickel, total	MW-7N	5/29/2002	300	4		ug/L
Nickel, total	MW-7N	5/29/2002	300	4		ug/L
Nickel, total	MW-7N	7/9/2002	310	10		ug/L
Nickel, total	MW-7N	10/2/2002	300	10		ug/L
Nickel, total	MW-7N	1/23/2003	130	4		ug/L
Nickel, total	MW-7N	4/14/2003	280	4		ug/L
Nickel, total	MW-7N	7/7/2003	150	4		ug/L
Nickel, total	MW-7N	1/27/2004	260	4		ug/L
Nickel, total	MW-7N	4/8/2004	240	4		ug/L
Nickel, total	MW-7N	7/26/2004	280	4		ug/L
Nickel, total	MW-7N	1/12/2005	260	4		ug/L
Nickel, total	MW-7N	7/19/2005	280	4		ug/L
Nickel, total	MW-7N	1/19/2006	190	4		ug/L
Nickel, total	MW-7N	7/19/2006	240	4		ug/L
Nickel, total	MW-7N	7/19/2006	240	4		ug/L
Nickel, total	MW-7N	10/24/2006	240	40		ug/L
Nickel, total	MW-7N	1/10/2007	230	4		ug/L
Nickel, total	MW-7N	1/26/2007	240	4		ug/L
Nickel, total	MW-7N	7/10/2007	210	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-7N	7/21/2008	120	4		ug/L
Nickel, total	MW-7N	2/6/2009	95	4		ug/L
Nickel, total	MW-7N	7/29/2009	91	4		ug/L
Nickel, total	MW-7N	1/26/2010	69	4		ug/L
Nickel, total	MW-7N	7/14/2010	58	4		ug/L
Nickel, total	MW-7N	1/20/2011	25	4		ug/L
Nickel, total	MW-7N	7/12/2011	18	4		ug/L
Nickel, total	MW-7N	1/5/2012	17	4		ug/L
Nickel, total	MW-7N	7/10/2012	11	4		ug/L
Nickel, total	MW-7N	5/1/2013	120	4		ug/L
Nickel, total	MW-7N	6/4/2013	71	4		ug/L
Nickel, total	MW-7N	7/15/2013	24	4		ug/L
Nickel, total	MW-7N	1/30/2014	18	4		ug/L
Nickel, total	MW-7N	7/9/2014	8.3	4		ug/L
Nickel, total	MW-7N	2/12/2015	17	4		ug/L
Nickel, total	MW-7N	7/13/2015	3	4	ND	ug/L
Nickel, total	MW-7N	1/5/2016	2.4	4	ND	ug/L
Nickel, total	MW-7N	7/21/2016	10	4		ug/L
Nickel, total	MW-7N	1/11/2017	92	4		ug/L
Nickel, total	MW-7N	4/4/2017	38	4		ug/L
Nickel, total	MW-7N	7/19/2017	37	4		ug/L
Nickel, total	MW-7N	10/5/2017	37	4		ug/L
Nickel, total	MW-7N	1/25/2018	24	4		ug/L
Nickel, total	MW-7N	4/11/2018	26	4		ug/L
Nickel, total	MW-7N	7/13/2018	9.5	4		ug/L
Nickel, total	MW-7N	1/4/2019	13	4		ug/L
Nickel, total	MW-7N	7/10/2019	5.3	8	ND	ug/L
Nickel, total	MW-7N	1/16/2020	7.51	4		ug/L
Nickel, total	MW-7N	7/7/2020	4	4	ND	ug/L
Nickel, total	MW-7N	1/16/2021	4.43	4		ug/L
Nickel, total	MW-7N	7/5/2021	4.48	4		ug/L
Nickel, total	MW-7N	1/12/2022	4.03	4		ug/L
Nickel, total	MW-7N	7/10/2022	4.06	4		ug/L
Nickel, total	MW-7N	1/10/2023	4	4		ug/L
Nickel, total	MW-7N	7/7/2023	4	4	ND	ug/L
Nickel, total	MW-8N	10/21/1997	70	4		ug/L
Nickel, total	MW-8N	1/22/1998	66	4		ug/L
Nickel, total	MW-8N	4/28/1998	290	4		ug/L
Nickel, total	MW-8N	7/22/1998	210	4		ug/L
Nickel, total	MW-8N	1/12/1999	340	4		ug/L
Nickel, total	MW-8N	4/13/1999	240	4		ug/L
Nickel, total	MW-8N	7/14/1999	520	4		ug/L
Nickel, total	MW-8N	10/19/1999	110	4		ug/L
Nickel, total	MW-8N	1/14/2000	120	4		ug/L
Nickel, total	MW-8N	4/25/2000	140	4		ug/L
Nickel, total	MW-8N	10/17/2000	200	4		ug/L
Nickel, total	MW-8N	1/23/2001	150	4		ug/L
Nickel, total	MW-8N	4/11/2001	120	4		ug/L
Nickel, total	MW-8N	5/29/2002	130	4		ug/L
Nickel, total	MW-8N	5/29/2002	130	4		ug/L
Nickel, total	MW-8N	7/9/2002	110	10		ug/L
Nickel, total	MW-8N	10/2/2002	120	10		ug/L
Nickel, total	MW-8N	1/23/2003	160	4		ug/L
Nickel, total	MW-8N	4/14/2003	160	4		ug/L
Nickel, total	MW-8N	7/7/2003	160	4		ug/L
Nickel, total	MW-8N	1/28/2004	170	4		ug/L
Nickel, total	MW-8N	7/27/2004	180	4		ug/L
Nickel, total	MW-8N	1/12/2005	230	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-8N	7/20/2005	220	4		ug/L
Nickel, total	MW-8N	1/19/2006	210	4		ug/L
Nickel, total	MW-8N	7/19/2006	210	4		ug/L
Nickel, total	MW-8N	7/19/2006	210	4		ug/L
Nickel, total	MW-8N	10/24/2006	190	40		ug/L
Nickel, total	MW-8N	1/10/2007	200	4		ug/L
Nickel, total	MW-8N	1/26/2007	220	4		ug/L
Nickel, total	MW-8N	4/25/2007	150	4		ug/L
Nickel, total	MW-8N	7/10/2007	130	4		ug/L
Nickel, total	MW-8N	1/24/2008	110	4		ug/L
Nickel, total	MW-8N	7/23/2008	88	4		ug/L
Nickel, total	MW-8N	2/4/2009	66	4		ug/L
Nickel, total	MW-8N	7/31/2009	66	4		ug/L
Nickel, total	MW-8N	1/26/2010	59	4		ug/L
Nickel, total	MW-8N	7/16/2010	59	4		ug/L
Nickel, total	MW-8N	1/19/2011	56	4		ug/L
Nickel, total	MW-8N	5/10/2011	66	4		ug/L
Nickel, total	MW-8N	7/14/2011	58	4		ug/L
Nickel, total	MW-8N	1/6/2012	61	4		ug/L
Nickel, total	MW-8N	4/5/2012	60	4		ug/L
Nickel, total	MW-8N	7/11/2012	57	4		ug/L
Nickel, total	MW-8N	10/3/2012	60	4		ug/L
Nickel, total	MW-8N	5/1/2013	55	4		ug/L
Nickel, total	MW-8N	6/4/2013	59	4		ug/L
Nickel, total	MW-8N	7/16/2013	51	4		ug/L
Nickel, total	MW-8N	10/2/2013	52	4		ug/L
Nickel, total	MW-8N	1/30/2014	50	4		ug/L
Nickel, total	MW-8N	4/3/2014	49	4		ug/L
Nickel, total	MW-8N	7/9/2014	47	4		ug/L
Nickel, total	MW-8N	10/8/2014	40	4		ug/L
Nickel, total	MW-8N	2/12/2015	40	4		ug/L
Nickel, total	MW-8N	4/1/2015	45	4		ug/L
Nickel, total	MW-8N	7/14/2015	41	4		ug/L
Nickel, total	MW-8N	10/5/2015	40	4		ug/L
Nickel, total	MW-8N	1/5/2016	41	4		ug/L
Nickel, total	MW-8N	4/6/2016	44	4		ug/L
Nickel, total	MW-8N	7/21/2016	40	4		ug/L
Nickel, total	MW-8N	10/6/2016	40	4		ug/L
Nickel, total	MW-8N	1/11/2017	46	4		ug/L
Nickel, total	MW-8N	4/4/2017	47	4		ug/L
Nickel, total	MW-8N	7/19/2017	44	4		ug/L
Nickel, total	MW-8N	10/6/2017	40	4		ug/L
Nickel, total	MW-8N	1/25/2018	38	4		ug/L
Nickel, total	MW-8N	4/10/2018	45	4		ug/L
Nickel, total	MW-8N	7/16/2018	44	4		ug/L
Nickel, total	MW-8N	10/2/2018	41	4		ug/L
Nickel, total	MW-8N	1/7/2019	38	4		ug/L
Nickel, total	MW-8N	4/3/2019	39	4		ug/L
Nickel, total	MW-8N	7/11/2019	36	8		ug/L
Nickel, total	MW-8N	10/3/2019	25	4		ug/L
Nickel, total	MW-8N	1/15/2020	26.4	4		ug/L
Nickel, total	MW-8N	4/2/2020	25	4		ug/L
Nickel, total	MW-8N	7/9/2020	24.5	4		ug/L
Nickel, total	MW-8N	10/6/2020	23.3	4		ug/L
Nickel, total	MW-8N	1/15/2021	24.3	4		ug/L
Nickel, total	MW-8N	4/6/2021	22.6	4		ug/L
Nickel, total	MW-8N	7/5/2021	22.9	4		ug/L
Nickel, total	MW-8N	10/6/2021	19.8	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	MW-8N	1/18/2022	23	4		ug/L
Nickel, total	MW-8N	4/4/2022	22	4		ug/L
Nickel, total	MW-8N	7/12/2022	20.7	4		ug/L
Nickel, total	MW-8N	10/6/2022	19.8	4		ug/L
Nickel, total	MW-8N	1/11/2023	19.3	4		ug/L
Nickel, total	MW-8N	4/8/2023	21.3	4		ug/L
Nickel, total	MW-8N	7/7/2023	20.3	4		ug/L
Nickel, total	MW-8N	10/5/2023	18.3	4		ug/L
Nickel, total	NE-1	7/10/2002	390	10		ug/L
Nickel, total	NE-1	8/6/2002	360	10		ug/L
Nickel, total	NE-1	9/4/2002	340	10		ug/L
Nickel, total	NE-1	10/2/2002	320	10		ug/L
Nickel, total	NE-1	7/8/2003	9.1	4		ug/L
Nickel, total	NE-1	1/27/2004	120	4		ug/L
Nickel, total	NE-1	1/12/2005	9.7	4		ug/L
Nickel, total	NE-1	7/19/2006	9.7	4		ug/L
Nickel, total	NE-1	7/19/2006	9.7	4		ug/L
Nickel, total	NE-1	10/25/2006	40	40	ND	ug/L
Nickel, total	NE-1	1/24/2007	8	4		ug/L
Nickel, total	NE-1	7/10/2007	48	4		ug/L
Nickel, total	NE-1	1/24/2008	7.5	4		ug/L
Nickel, total	NE-1	7/21/2008	7.6	4		ug/L
Nickel, total	NE-1	2/7/2009	67	4		ug/L
Nickel, total	NE-1	7/31/2009	1.9	4	ND	ug/L
Nickel, total	NE-1	1/26/2010	1.4	4	ND	ug/L
Nickel, total	NE-1	7/14/2010	46	4		ug/L
Nickel, total	NE-1	1/19/2011	2.7	4	ND	ug/L
Nickel, total	NE-1	7/13/2011	0.4	4	ND	ug/L
Nickel, total	NE-1	1/5/2012	1	4	ND	ug/L
Nickel, total	NE-1	7/10/2012	13	4		ug/L
Nickel, total	NE-1	4/30/2013	0.8	4	ND	ug/L
Nickel, total	NE-1	7/16/2013	0.8	4	ND	ug/L
Nickel, total	NE-1	1/23/2014	2.1	4	ND	ug/L
Nickel, total	NE-1	7/9/2014	3	4	ND	ug/L
Nickel, total	NE-1	2/11/2015	1.1	4	ND	ug/L
Nickel, total	NE-1	7/8/2015	1.3	4	ND	ug/L
Nickel, total	NE-1	1/6/2016	1.8	4	ND	ug/L
Nickel, total	NE-1	7/20/2016	3.2	4	ND	ug/L
Nickel, total	NE-1	1/11/2017	4.6	4		ug/L
Nickel, total	NE-1	7/19/2017	1.5	4	ND	ug/L
Nickel, total	NE-1	1/24/2018	2.3	4	ND	ug/L
Nickel, total	NE-1	4/11/2018	2.4	4	ND	ug/L
Nickel, total	NE-1	7/18/2018	1.9	4	ND	ug/L
Nickel, total	NE-1	10/2/2018	1.7	4	ND	ug/L
Nickel, total	NE-1	1/4/2019	1.8	4	ND	ug/L
Nickel, total	NE-1	4/2/2019	1.5	4	ND	ug/L
Nickel, total	NE-1	7/10/2019	2.5	8	ND	ug/L
Nickel, total	NE-1	7/10/2019	2.5	8	ND	ug/L
Nickel, total	NE-1	10/2/2019	1.1	4	ND	ug/L
Nickel, total	NE-1	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-1	4/2/2020	4	4	ND	ug/L
Nickel, total	NE-1	7/8/2020	4	4	ND	ug/L
Nickel, total	NE-1	10/7/2020	4	4	ND	ug/L
Nickel, total	NE-1	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-1	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-1	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-1	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-1	1/17/2022	4	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-1	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-1	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-1	10/6/2022	4	4	ND	ug/L
Nickel, total	NE-1	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-1	4/7/2023	4	4	ND	ug/L
Nickel, total	NE-1	7/5/2023	4	4	ND	ug/L
Nickel, total	NE-1	10/5/2023	5.05	4		ug/L
Nickel, total	NE-10D	11/6/2019	2.7	4	ND	ug/L
Nickel, total	NE-10D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-10D	4/2/2020	4	4	ND	ug/L
Nickel, total	NE-10D	7/8/2020	4	4	ND	ug/L
Nickel, total	NE-10D	10/7/2020	4	4	ND	ug/L
Nickel, total	NE-10D	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-10D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-10D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-10D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-10D	1/6/2023	5.02	4		ug/L
Nickel, total	NE-10D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-10D	7/8/2023	4	4	ND	ug/L
Nickel, total	NE-10D	10/3/2023	4	4	ND	ug/L
Nickel, total	NE-11	3/1/2017	11	4		ug/L
Nickel, total	NE-11	4/6/2017	8.7	4		ug/L
Nickel, total	NE-11	7/20/2017	2.5	4	ND	ug/L
Nickel, total	NE-11	10/9/2017	2.2	4	ND	ug/L
Nickel, total	NE-11	9/30/2019	6.7	4		ug/L
Nickel, total	NE-11	1/14/2020	6.19	4		ug/L
Nickel, total	NE-11	7/7/2020	7.96	4		ug/L
Nickel, total	NE-11	1/16/2021	6.49	4		ug/L
Nickel, total	NE-11	1/16/2021	4.75	4		ug/L
Nickel, total	NE-11	7/1/2021	7.24	4.9		ug/L
Nickel, total	NE-11	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-11	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-11	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-11	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-11	7/6/2023	4	4	ND	ug/L
Nickel, total	NE-12	3/1/2017	16	4		ug/L
Nickel, total	NE-12	4/6/2017	2.5	4	ND	ug/L
Nickel, total	NE-12	7/20/2017	1.1	4	ND	ug/L
Nickel, total	NE-12	10/6/2017	0.9	4	ND	ug/L
Nickel, total	NE-12	8/5/2019	4	8	ND	ug/L
Nickel, total	NE-12	1/13/2020	4	4	ND	ug/L
Nickel, total	NE-12	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-12	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-12	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-12	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-12	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-12	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-12	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-12	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-12	7/5/2023	4	4	ND	ug/L
Nickel, total	NE-13	2/5/2019	3.3	4	ND	ug/L
Nickel, total	NE-13	8/7/2019	6.6	8	ND	ug/L
Nickel, total	NE-13	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-13	7/8/2020	28.1	4		ug/L
Nickel, total	NE-13	1/17/2021	22.1	4		ug/L
Nickel, total	NE-13	1/17/2021	14.3	4		ug/L
Nickel, total	NE-13	7/1/2021	5.96	4.9		ug/L
Nickel, total	NE-14D	10/2/2019	0.5	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-14D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-14D	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-14D	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-14D	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-14D	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-14D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-14D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-14D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-14D	1/18/2022	4	4	ND	ug/L
Nickel, total	NE-14D	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-14D	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-14D	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-14D	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-14D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-14D	7/5/2023	4	4	ND	ug/L
Nickel, total	NE-14D	10/4/2023	4	4	ND	ug/L
Nickel, total	NE-14S	10/2/2019	0.38	4	ND	ug/L
Nickel, total	NE-14S	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-14S	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-14S	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-14S	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-14S	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-14S	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-14S	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-14S	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-14S	1/18/2022	4	4	ND	ug/L
Nickel, total	NE-14S	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-14S	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-14S	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-14S	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-14S	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-14S	7/5/2023	4	4	ND	ug/L
Nickel, total	NE-14S	10/4/2023	4	4	ND	ug/L
Nickel, total	NE-15D	9/30/2019	0.88	4	ND	ug/L
Nickel, total	NE-15D	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-15D	4/3/2020	4	4	ND	ug/L
Nickel, total	NE-15D	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-15D	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-15D	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-15D	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-15D	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-15D	10/7/2021	4	4	ND	ug/L
Nickel, total	NE-15D	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-15D	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-15D	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-15D	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-15D	1/6/2023	4	4	ND	ug/L
Nickel, total	NE-15D	4/6/2023	4	4	ND	ug/L
Nickel, total	NE-15D	7/6/2023	4	4	ND	ug/L
Nickel, total	NE-15D	10/6/2023	4	4	ND	ug/L
Nickel, total	NE-15S	4/3/2020	11.3	4		ug/L
Nickel, total	NE-2	7/9/2002	66	10		ug/L
Nickel, total	NE-2	8/6/2002	38	10		ug/L
Nickel, total	NE-2	9/4/2002	13	10		ug/L
Nickel, total	NE-2	10/2/2002	11	10		ug/L
Nickel, total	NE-2	10/1/2013	3.4	4	ND	ug/L
Nickel, total	NE-2	10/8/2014	4.2	4		ug/L
Nickel, total	NE-2	10/5/2015	3.7	4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-2	10/6/2016	1.4	4	ND	ug/L
Nickel, total	NE-2	10/5/2017	3.6	4	ND	ug/L
Nickel, total	NE-2	1/25/2018	3.6	4	ND	ug/L
Nickel, total	NE-2	4/10/2018	2.5	4	ND	ug/L
Nickel, total	NE-2	7/10/2018	3.3	4	ND	ug/L
Nickel, total	NE-2	10/1/2018	3.2	4	ND	ug/L
Nickel, total	NE-2	1/4/2019	3.1	4	ND	ug/L
Nickel, total	NE-2	4/2/2019	4	4		ug/L
Nickel, total	NE-2	7/9/2019	3.3	8	ND	ug/L
Nickel, total	NE-2	7/9/2019	3.3	8	ND	ug/L
Nickel, total	NE-2	10/2/2019	2.5	4	ND	ug/L
Nickel, total	NE-2	1/14/2020	4	4	ND	ug/L
Nickel, total	NE-2	4/1/2020	4	4	ND	ug/L
Nickel, total	NE-2	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-2	10/6/2020	4	4	ND	ug/L
Nickel, total	NE-2	1/14/2021	4.24	4		ug/L
Nickel, total	NE-2	4/9/2021	4.02	4		ug/L
Nickel, total	NE-2	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-2	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-2	1/18/2022	4.1	4		ug/L
Nickel, total	NE-2	4/6/2022	4	4	ND	ug/L
Nickel, total	NE-2	7/13/2022	4	4	ND	ug/L
Nickel, total	NE-2	10/7/2022	4	4	ND	ug/L
Nickel, total	NE-2	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-2	4/5/2023	4	4	ND	ug/L
Nickel, total	NE-2	7/5/2023	4	4	ND	ug/L
Nickel, total	NE-2	10/4/2023	4	4	ND	ug/L
Nickel, total	NE-4	7/10/2002	57	10		ug/L
Nickel, total	NE-4	8/6/2002	62	10		ug/L
Nickel, total	NE-4	9/4/2002	49	10		ug/L
Nickel, total	NE-4	10/3/2002	56	10		ug/L
Nickel, total	NE-4	7/8/2003	6.8	4		ug/L
Nickel, total	NE-4	1/28/2004	17	4		ug/L
Nickel, total	NE-4	1/13/2005	4	4	ND	ug/L
Nickel, total	NE-4	8/1/2006	12	4		ug/L
Nickel, total	NE-4	8/1/2006	12	4		ug/L
Nickel, total	NE-4	10/25/2006	40	40	ND	ug/L
Nickel, total	NE-4	1/24/2007	3.7	4	ND	ug/L
Nickel, total	NE-4	7/12/2007	18	4		ug/L
Nickel, total	NE-4	1/24/2008	31	4		ug/L
Nickel, total	NE-4	7/21/2008	4	4		ug/L
Nickel, total	NE-4	2/7/2009	23	4		ug/L
Nickel, total	NE-4	7/31/2009	5.4	4		ug/L
Nickel, total	NE-4	1/26/2010	14	4		ug/L
Nickel, total	NE-4	7/14/2010	22	4		ug/L
Nickel, total	NE-4	1/19/2011	8.8	4		ug/L
Nickel, total	NE-4	7/13/2011	2	4	ND	ug/L
Nickel, total	NE-4	1/5/2012	5.8	4		ug/L
Nickel, total	NE-4	7/10/2012	27	4		ug/L
Nickel, total	NE-4	4/30/2013	7.6	4		ug/L
Nickel, total	NE-4	7/16/2013	8.3	4		ug/L
Nickel, total	NE-4	1/23/2014	9.5	4		ug/L
Nickel, total	NE-4	7/9/2014	5	4		ug/L
Nickel, total	NE-4	2/13/2015	13	4		ug/L
Nickel, total	NE-4	7/8/2015	3.6	4	ND	ug/L
Nickel, total	NE-4	1/6/2016	4	4	ND	ug/L
Nickel, total	NE-4	7/20/2016	7.6	4		ug/L
Nickel, total	NE-4	1/11/2017	7.4	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-4	7/19/2017	0.9	4	ND	ug/L
Nickel, total	NE-4	1/26/2018	3.1	4	ND	ug/L
Nickel, total	NE-4	4/10/2018	2.8	4	ND	ug/L
Nickel, total	NE-4	7/12/2018	12	4		ug/L
Nickel, total	NE-4	10/3/2018	4.9	4		ug/L
Nickel, total	NE-4	1/7/2019	9.3	4		ug/L
Nickel, total	NE-4	4/2/2019	2.9	4	ND	ug/L
Nickel, total	NE-4	7/8/2019	8	8	ND	ug/L
Nickel, total	NE-4	7/8/2019	8	8	ND	ug/L
Nickel, total	NE-4	10/1/2019	1.1	4	ND	ug/L
Nickel, total	NE-4	1/13/2020	4	4	ND	ug/L
Nickel, total	NE-4	4/1/2020	4	4	ND	ug/L
Nickel, total	NE-4	7/6/2020	4	4	ND	ug/L
Nickel, total	NE-4	10/5/2020	4	4	ND	ug/L
Nickel, total	NE-4	1/15/2021	4	4	ND	ug/L
Nickel, total	NE-4	4/9/2021	4	4	ND	ug/L
Nickel, total	NE-4	7/2/2021	4	4	ND	ug/L
Nickel, total	NE-4	10/6/2021	4	4	ND	ug/L
Nickel, total	NE-4	1/5/2023	13.7	4		ug/L
Nickel, total	NE-4	4/6/2023	17.3	4		ug/L
Nickel, total	NE-4	7/5/2023	11.7	4		ug/L
Nickel, total	NE-4	10/4/2023	6.33	4		ug/L
Nickel, total	NE-5	7/9/2002	170	10		ug/L
Nickel, total	NE-5	8/6/2002	260	10		ug/L
Nickel, total	NE-5	9/4/2002	210	10		ug/L
Nickel, total	NE-5	10/2/2002	220	10		ug/L
Nickel, total	NE-5	7/8/2003	260	4		ug/L
Nickel, total	NE-5	1/27/2004	360	4		ug/L
Nickel, total	NE-5	1/12/2005	170	4		ug/L
Nickel, total	NE-5	7/19/2006	290	4		ug/L
Nickel, total	NE-5	7/19/2006	290	4		ug/L
Nickel, total	NE-5	10/25/2006	140	40		ug/L
Nickel, total	NE-5	1/10/2007	180	4		ug/L
Nickel, total	NE-5	1/24/2007	160	4		ug/L
Nickel, total	NE-5	7/12/2007	180	4		ug/L
Nickel, total	NE-5	7/22/2008	180	4		ug/L
Nickel, total	NE-5	2/6/2009	170	4		ug/L
Nickel, total	NE-5	7/31/2009	170	4		ug/L
Nickel, total	NE-5	1/26/2010	160	4		ug/L
Nickel, total	NE-5	7/16/2010	190	4		ug/L
Nickel, total	NE-5	1/19/2011	150	4		ug/L
Nickel, total	NE-5	7/13/2011	180	4		ug/L
Nickel, total	NE-5	1/5/2012	160	4		ug/L
Nickel, total	NE-5	7/10/2012	150	4		ug/L
Nickel, total	NE-5	4/30/2013	150	4		ug/L
Nickel, total	NE-5	7/16/2013	230	4		ug/L
Nickel, total	NE-5	1/23/2014	300	4		ug/L
Nickel, total	NE-5	7/9/2014	140	4		ug/L
Nickel, total	NE-5	2/11/2015	400	4		ug/L
Nickel, total	NE-5	7/14/2015	140	4		ug/L
Nickel, total	NE-5	1/6/2016	190	4		ug/L
Nickel, total	NE-5	7/20/2016	97	4		ug/L
Nickel, total	NE-5	1/11/2017	230	40		ug/L
Nickel, total	NE-5	7/19/2017	120	4		ug/L
Nickel, total	NE-5	1/25/2018	130	4		ug/L
Nickel, total	NE-5	4/10/2018	120	4		ug/L
Nickel, total	NE-5	7/17/2018	120	4		ug/L
Nickel, total	NE-5	10/3/2018	130	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-5	1/4/2019	170	4		ug/L
Nickel, total	NE-5	4/2/2019	170	4		ug/L
Nickel, total	NE-5	4/2/2019	170	4		ug/L
Nickel, total	NE-5	7/9/2019	160	8		ug/L
Nickel, total	NE-5	10/3/2019	120	4		ug/L
Nickel, total	NE-5	1/16/2020	131	4		ug/L
Nickel, total	NE-5	4/2/2020	97.8	4		ug/L
Nickel, total	NE-5	7/8/2020	87.2	4		ug/L
Nickel, total	NE-5	10/6/2020	65.7	4		ug/L
Nickel, total	NE-5	1/15/2021	108	4		ug/L
Nickel, total	NE-5	4/9/2021	140	4		ug/L
Nickel, total	NE-5	7/2/2021	98.4	4		ug/L
Nickel, total	NE-5	10/6/2021	60.8	4		ug/L
Nickel, total	NE-5	1/18/2022	108	4		ug/L
Nickel, total	NE-5	4/6/2022	93.7	4		ug/L
Nickel, total	NE-5	7/13/2022	75.2	4		ug/L
Nickel, total	NE-5	10/7/2022	55.9	4		ug/L
Nickel, total	NE-5	1/5/2023	125	4		ug/L
Nickel, total	NE-5	4/7/2023	139	4		ug/L
Nickel, total	NE-5	7/6/2023	80.3	4		ug/L
Nickel, total	NE-5	10/4/2023	110	4		ug/L
Nickel, total	NE-5E	9/30/2019	27	4		ug/L
Nickel, total	NE-5E	1/16/2020	18	4		ug/L
Nickel, total	NE-5E	4/1/2020	21.9	4		ug/L
Nickel, total	NE-5E	7/8/2020	15.4	4		ug/L
Nickel, total	NE-5E	10/6/2020	13.7	4		ug/L
Nickel, total	NE-5E	1/15/2021	14.3	4		ug/L
Nickel, total	NE-5E	4/9/2021	11.5	4		ug/L
Nickel, total	NE-5E	7/2/2021	18.8	4		ug/L
Nickel, total	NE-5E	10/6/2021	12.7	4		ug/L
Nickel, total	NE-5E	1/18/2022	9.09	4		ug/L
Nickel, total	NE-5E	4/6/2022	12.7	4		ug/L
Nickel, total	NE-5E	7/13/2022	22.2	4		ug/L
Nickel, total	NE-5E	10/7/2022	42.1	4		ug/L
Nickel, total	NE-5E	1/5/2023	23.3	4		ug/L
Nickel, total	NE-5E	4/7/2023	24.9	4		ug/L
Nickel, total	NE-5E	7/6/2023	35	4		ug/L
Nickel, total	NE-5E	10/4/2023	22.8	4		ug/L
Nickel, total	NE-5W	9/30/2019	35	4		ug/L
Nickel, total	NE-5W	1/16/2020	23	4		ug/L
Nickel, total	NE-5W	4/2/2020	98.7	4		ug/L
Nickel, total	NE-5W	7/8/2020	99.8	4		ug/L
Nickel, total	NE-5W	10/6/2020	89.1	4		ug/L
Nickel, total	NE-5W	1/15/2021	23.7	4		ug/L
Nickel, total	NE-5W	4/9/2021	24	4		ug/L
Nickel, total	NE-5W	7/2/2021	61.5	4		ug/L
Nickel, total	NE-5W	10/6/2021	70.2	4		ug/L
Nickel, total	NE-5W	1/18/2022	37.2	4		ug/L
Nickel, total	NE-5W	4/6/2022	47.2	4		ug/L
Nickel, total	NE-5W	7/13/2022	67.7	4		ug/L
Nickel, total	NE-5W	10/7/2022	82.4	4		ug/L
Nickel, total	NE-5W	1/5/2023	22.7	4		ug/L
Nickel, total	NE-5W	4/7/2023	14.5	4		ug/L
Nickel, total	NE-5W	7/6/2023	53.8	4		ug/L
Nickel, total	NE-5W	10/4/2023	23.5	4		ug/L
Nickel, total	NE-6	1/12/2017	14	4		ug/L
Nickel, total	NE-6	4/5/2017	7.8	4		ug/L
Nickel, total	NE-6	7/19/2017	5.1	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-6	10/6/2017	3.8	4	ND	ug/L
Nickel, total	NE-6	2/4/2019	4.7	4		ug/L
Nickel, total	NE-6	8/6/2019	52	8		ug/L
Nickel, total	NE-6	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-6	7/9/2020	4	4	ND	ug/L
Nickel, total	NE-6	1/16/2021	7.67	4		ug/L
Nickel, total	NE-6	1/16/2021	5.83	4		ug/L
Nickel, total	NE-6	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-6	1/17/2022	4.08	4		ug/L
Nickel, total	NE-6	1/17/2022	5.57	4		ug/L
Nickel, total	NE-6	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-6	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-6	7/6/2023	4	4	ND	ug/L
Nickel, total	NE-6D	10/2/2019	19	4		ug/L
Nickel, total	NE-6D	1/15/2020	26.8	4		ug/L
Nickel, total	NE-6D	4/2/2020	26.1	4		ug/L
Nickel, total	NE-6D	7/9/2020	25	4		ug/L
Nickel, total	NE-6D	10/7/2020	20.1	4		ug/L
Nickel, total	NE-6D	1/15/2021	23.6	4		ug/L
Nickel, total	NE-6D	4/9/2021	19.2	4		ug/L
Nickel, total	NE-6D	7/2/2021	24.1	4		ug/L
Nickel, total	NE-6D	10/7/2021	18	4		ug/L
Nickel, total	NE-6D	1/17/2022	21	4		ug/L
Nickel, total	NE-6D	4/6/2022	22	4		ug/L
Nickel, total	NE-6D	7/12/2022	20.2	4		ug/L
Nickel, total	NE-6D	10/7/2022	14.5	4		ug/L
Nickel, total	NE-6D	1/5/2023	17.7	4		ug/L
Nickel, total	NE-6D	4/7/2023	18.5	4		ug/L
Nickel, total	NE-6D	7/6/2023	15.8	4		ug/L
Nickel, total	NE-6D	10/4/2023	16.4	4		ug/L
Nickel, total	NE-7	3/1/2017	18	4		ug/L
Nickel, total	NE-7	4/6/2017	2	4	ND	ug/L
Nickel, total	NE-7	7/20/2017	1	4	ND	ug/L
Nickel, total	NE-7	10/5/2017	18	4		ug/L
Nickel, total	NE-7	2/6/2019	0.77	4	ND	ug/L
Nickel, total	NE-7	8/6/2019	3.4	8	ND	ug/L
Nickel, total	NE-7	1/16/2020	4	4	ND	ug/L
Nickel, total	NE-7	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-7	1/16/2021	4	4	ND	ug/L
Nickel, total	NE-7	1/16/2021	4	4	ND	ug/L
Nickel, total	NE-7	7/1/2021	4.9	4.9	ND	ug/L
Nickel, total	NE-7	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-7	1/17/2022	4	4	ND	ug/L
Nickel, total	NE-7	7/12/2022	4	4	ND	ug/L
Nickel, total	NE-7	1/5/2023	4	4	ND	ug/L
Nickel, total	NE-7	7/6/2023	4.04	4		ug/L
Nickel, total	NE-8	1/12/2017	2.3	4	ND	ug/L
Nickel, total	NE-8	4/5/2017	2	4	ND	ug/L
Nickel, total	NE-8	7/20/2017	9.6	4		ug/L
Nickel, total	NE-8	10/6/2017	4	4	ND	ug/L
Nickel, total	NE-8	2/4/2019	3.4	4	ND	ug/L
Nickel, total	NE-8	8/5/2019	21	8		ug/L
Nickel, total	NE-8	1/15/2020	31.4	4		ug/L
Nickel, total	NE-8	7/8/2020	54.1	4		ug/L
Nickel, total	NE-8	1/13/2021	4.97	4		ug/L
Nickel, total	NE-8	1/13/2021	4	4	ND	ug/L
Nickel, total	NE-8	4/9/2021	6.3	4		ug/L
Nickel, total	NE-8	7/1/2021	19.3	4		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nickel, total	NE-8	7/1/2021	19.2	4.9		ug/L
Nickel, total	NE-8	10/7/2021	36.3	4		ug/L
Nickel, total	NE-8	1/6/2023	46.1	4		ug/L
Nickel, total	NE-8	7/5/2023	71.4	4		ug/L
Nickel, total	NE-9	1/12/2017	1.7	4	ND	ug/L
Nickel, total	NE-9	4/5/2017	0.9	4	ND	ug/L
Nickel, total	NE-9	7/20/2017	0.5	4	ND	ug/L
Nickel, total	NE-9	10/5/2017	4.1	4		ug/L
Nickel, total	NE-9	2/5/2019	4.7	4		ug/L
Nickel, total	NE-9	8/7/2019	10	8		ug/L
Nickel, total	NE-9	1/15/2020	4	4	ND	ug/L
Nickel, total	NE-9	7/7/2020	4	4	ND	ug/L
Nickel, total	NE-9	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-9	1/17/2021	4	4	ND	ug/L
Nickel, total	NE-9	7/1/2021	12.2	4.9		ug/L
Nickel, total	NE-9	1/17/2022	16.4	4		ug/L
Nickel, total	NE-9	1/17/2022	14.6	4		ug/L
Nickel, total	NE-9	7/13/2022	31	4		ug/L
Nickel, total	NE-9	1/6/2023	40.9	4		ug/L
Nickel, total	NE-9	4/8/2023	40.6	4		ug/L
Nickel, total	NE-9	7/5/2023	48	4		ug/L
Nickel, total	NE-9	10/6/2023	45	4		ug/L
Nitrate (as n)	LGW-10	1/15/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-14R	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-2	1/13/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-3R	1/14/2020	2.9	0.1		mg/L
Nitrate (as n)	LGW-4	1/14/2020	3.87	0.1		mg/L
Nitrate (as n)	LGW-5	1/14/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-6	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	LGW-7	1/15/2020	2.44	0.1		mg/L
Nitrate (as n)	LGW-8R	1/14/2020	1.75	0.1		mg/L
Nitrate (as n)	LGW-9	1/16/2020	0.205	0.1		mg/L
Nitrate (as n)	MW-10N	10/22/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-10N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-10N	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	MW-11N	10/22/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-11N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/13/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-11N	1/14/2020	0.456	0.1		mg/L
Nitrate (as n)	MW-15	1/14/2020	2.09	0.1		mg/L
Nitrate (as n)	MW-16	1/14/2020	0.155	0.1		mg/L
Nitrate (as n)	MW-17	1/14/2020	1.69	0.1		mg/L
Nitrate (as n)	MW-19	1/14/2020	3.73	0.1		mg/L
Nitrate (as n)	MW-1N	10/22/1997	0.061	0.05		mg/L
Nitrate (as n)	MW-1N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	10/14/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-1N	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-1N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-1N	1/18/2006	0.28	0.2		mg/L
Nitrate (as n)	MW-1N	1/23/2020	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate (as n)	MW-20	1/14/2020	1.84	0.1		mg/L
Nitrate (as n)	MW-21	1/16/2020	1.06	0.1		mg/L
Nitrate (as n)	MW-2N	10/22/1997	0.96	0.05		mg/L
Nitrate (as n)	MW-2N	4/28/1998	0.85	0.05		mg/L
Nitrate (as n)	MW-2N	7/22/1998	0.89	0.05		mg/L
Nitrate (as n)	MW-2N	7/7/2003	2.4	0.2		mg/L
Nitrate (as n)	MW-2N	1/12/2005	2.4	0.2		mg/L
Nitrate (as n)	MW-2N	1/19/2006	2.6	0.2		mg/L
Nitrate (as n)	MW-2N	1/24/2020	3.36	0.1		mg/L
Nitrate (as n)	MW-3N	10/21/1997	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	7/23/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-3N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/18/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-3N	1/15/2020	0.275	0.1		mg/L
Nitrate (as n)	MW-7N	10/21/1997	4	0.05		mg/L
Nitrate (as n)	MW-7N	7/22/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	8/18/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	9/17/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	10/15/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	11/9/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-7N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	7/19/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-7N	1/16/2020	6.75	0.1		mg/L
Nitrate (as n)	MW-8N	10/21/1997	0.15	0.05		mg/L
Nitrate (as n)	MW-8N	4/28/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-8N	7/22/1998	0.05	0.05	ND	mg/L
Nitrate (as n)	MW-8N	7/7/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/19/2006	0.2	0.2	ND	mg/L
Nitrate (as n)	MW-8N	1/15/2020	2.04	0.1		mg/L
Nitrate (as n)	NE-1	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-1	1/12/2005	0.51	0.2		mg/L
Nitrate (as n)	NE-1	1/15/2020	1.53	0.1		mg/L
Nitrate (as n)	NE-10D	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-11	1/14/2020	0.802	0.1		mg/L
Nitrate (as n)	NE-12	1/13/2020	7.24	0.1		mg/L
Nitrate (as n)	NE-13	1/15/2020	2.45	0.1		mg/L
Nitrate (as n)	NE-14D	1/16/2020	4.88	0.1		mg/L
Nitrate (as n)	NE-14S	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-15D	1/16/2020	3.15	0.1		mg/L
Nitrate (as n)	NE-2	1/14/2020	13.9	0.114		mg/L
Nitrate (as n)	NE-4	7/8/2003	6.7	0.4		mg/L
Nitrate (as n)	NE-4	1/13/2005	5.7	0.4		mg/L
Nitrate (as n)	NE-4	1/13/2020	2.36	0.1		mg/L
Nitrate (as n)	NE-5	7/8/2003	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-5	1/12/2005	0.2	0.2	ND	mg/L
Nitrate (as n)	NE-5	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-5E	1/16/2020	1.34	0.1		mg/L
Nitrate (as n)	NE-5W	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-6	1/15/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-6D	1/15/2020	1.83	0.1		mg/L
Nitrate (as n)	NE-7	1/16/2020	0.1	0.1	ND	mg/L
Nitrate (as n)	NE-8	1/15/2020	1.62	0.1		mg/L
Nitrate (as n)	NE-9	1/15/2020	2.22	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	LGW-10	7/11/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/9/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/17/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-10	7/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-14R	7/10/2019	2.8	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/9/2020	0.327	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/18/2021	2.03	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/18/2021	2.03	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/7/2021	1.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/12/2022	1.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/11/2022	1.87	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	1/10/2023	1.78	0.1		mg/L
Nitrate-nitrite (as n)	LGW-14R	7/10/2023	1.7	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/9/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-2	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-2	1/18/2021	0.65	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/18/2021	0.65	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/4/2021	0.823	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/12/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/10/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	1/10/2023	1.31	0.1		mg/L
Nitrate-nitrite (as n)	LGW-2	7/10/2023	1.23	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/9/2019	2.9	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/6/2020	2.91	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/18/2021	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/18/2021	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/6/2021	2.11	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/12/2022	2.11	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/10/2022	1.75	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	1/10/2023	1.86	0.1		mg/L
Nitrate-nitrite (as n)	LGW-3R	7/10/2023	1.7	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/9/2019	3.5	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/6/2020	2.95	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/18/2021	1.22	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/18/2021	1.22	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/7/2021	1.4	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/12/2022	2.63	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/11/2022	2.86	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	1/10/2023	2.35	0.1		mg/L
Nitrate-nitrite (as n)	LGW-4	7/10/2023	2.55	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	7/9/2019	0.72	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	7/6/2020	1.67	0.1		mg/L
Nitrate-nitrite (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/12/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	1/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-5	7/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/10/2019	0.18	0.1		mg/L
Nitrate-nitrite (as n)	LGW-6	7/9/2020	3.37	0.1		mg/L
Nitrate-nitrite (as n)	LGW-6	1/18/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	1/12/2022	0.1	0.1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	LGW-6	7/11/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	1/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-6	7/10/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-7	7/10/2019	1.1	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/9/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-7	1/18/2021	3.33	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/7/2021	2.75	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	1/13/2022	2.98	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/11/2022	1.28	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	1/11/2023	3.13	0.1		mg/L
Nitrate-nitrite (as n)	LGW-7	7/10/2023	1.7	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/8/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/7/2020	1.44	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/17/2021	1.18	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/7/2021	1.08	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/13/2022	0.96	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/11/2022	0.949	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	1/11/2023	0.784	0.1		mg/L
Nitrate-nitrite (as n)	LGW-8R	7/10/2023	0.692	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	7/10/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	7/9/2020	1.15	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	1/17/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	7/7/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	LGW-9	1/13/2022	0.74	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	7/11/2022	0.43	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	1/11/2023	1.25	0.1		mg/L
Nitrate-nitrite (as n)	LGW-9	7/10/2023	0.505	0.1		mg/L
Nitrate-nitrite (as n)	MW-10N	7/9/2019	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	7/8/2020	0.17	0.1		mg/L
Nitrate-nitrite (as n)	MW-10N	1/13/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	7/5/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-10N	7/7/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-11N	7/9/2019	0.17	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/6/2020	2.9	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2021	0.248	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2021	0.248	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/6/2021	0.3	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/18/2022	0.355	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/13/2022	0.378	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	1/10/2023	0.407	0.1		mg/L
Nitrate-nitrite (as n)	MW-11N	7/8/2023	0.418	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/9/2019	4.5	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/7/2020	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/18/2021	0.893	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/18/2021	0.893	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/4/2021	0.94	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/12/2022	1.51	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/10/2022	1.14	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	1/10/2023	1.99	0.1		mg/L
Nitrate-nitrite (as n)	MW-15	7/10/2023	1.81	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/10/2019	0.2	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/7/2020	2.83	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/18/2021	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/18/2021	0.207	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/4/2021	0.252	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	1/12/2022	0.21	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/10/2022	0.221	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	MW-16	1/10/2023	0.226	0.1		mg/L
Nitrate-nitrite (as n)	MW-16	7/10/2023	0.21	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/11/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/6/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-17	1/14/2021	1.64	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/4/2021	2.32	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	1/10/2023	1.5	0.1		mg/L
Nitrate-nitrite (as n)	MW-17	7/8/2023	1.45	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/11/2019	5.6	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/6/2020	0.758	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	1/14/2021	4.89	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/4/2021	4.04	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	1/11/2023	4.38	0.1		mg/L
Nitrate-nitrite (as n)	MW-19	7/10/2023	5.2	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	7/11/2019	0.11	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	7/6/2020	0.467	0.1		mg/L
Nitrate-nitrite (as n)	MW-1N	1/14/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-1N	7/4/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-1N	1/11/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-1N	7/8/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	MW-20	7/11/2019	2	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	7/7/2020	2.11	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	1/17/2021	0.678	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	7/4/2021	0.573	0.1		mg/L
Nitrate-nitrite (as n)	MW-20	1/11/2023	0.61	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/11/2019	0.49	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/8/2020	3.29	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	1/13/2021	1.41	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/5/2021	2.66	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	1/11/2023	2.32	0.1		mg/L
Nitrate-nitrite (as n)	MW-21	7/7/2023	2.28	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/11/2019	3.1	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/7/2020	0.713	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	1/14/2021	3.13	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/5/2021	3.05	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	1/11/2023	2.77	0.1		mg/L
Nitrate-nitrite (as n)	MW-2N	7/8/2023	2.78	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/11/2019	0.54	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/7/2020	0.716	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	1/13/2021	0.343	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/5/2021	0.623	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	1/11/2023	0.594	0.1		mg/L
Nitrate-nitrite (as n)	MW-3N	7/7/2023	0.761	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/10/2019	3.2	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/7/2020	5.86	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/16/2021	4.84	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/5/2021	9.55	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/12/2022	8.49	0.197		mg/L
Nitrate-nitrite (as n)	MW-7N	7/10/2022	5.95	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	1/10/2023	4.54	0.1		mg/L
Nitrate-nitrite (as n)	MW-7N	7/7/2023	6.65	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/11/2019	2.5	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/9/2020	1.36	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	1/15/2021	0.988	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/5/2021	0.952	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	1/18/2022	1.23	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	7/12/2022	1.68	0.1		mg/L
Nitrate-nitrite (as n)	MW-8N	1/11/2023	1.83	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	MW-8N	7/7/2023	1.86	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/10/2019	2	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/8/2020	1.12	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/13/2021	1.27	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/2/2021	1.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/17/2022	1.48	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/13/2022	1.89	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	1/5/2023	1.24	0.1		mg/L
Nitrate-nitrite (as n)	NE-1	7/5/2023	0.932	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	7/8/2020	0.801	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	1/13/2021	0.699	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	7/2/2021	0.857	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	1/6/2023	0.744	0.1		mg/L
Nitrate-nitrite (as n)	NE-10D	7/8/2023	0.803	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/7/2020	0.993	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/16/2021	1.05	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/1/2021	1.17	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/17/2022	1.13	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/12/2022	1.26	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	1/6/2023	1.09	0.1		mg/L
Nitrate-nitrite (as n)	NE-11	7/6/2023	1.12	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/9/2019	4.4	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	8/5/2019	1.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/7/2020	0.888	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/15/2021	10.8	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/1/2021	5.45	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/17/2022	6	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/12/2022	1.51	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	1/6/2023	4.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-12	7/5/2023	0.969	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/11/2019	1.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	8/7/2019	1.9	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/8/2020	1.48	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	1/17/2021	2.44	0.1		mg/L
Nitrate-nitrite (as n)	NE-13	7/1/2021	0.79	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/7/2020	4.38	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/17/2021	3.58	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/2/2021	3.28	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/18/2022	2.9	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/13/2022	2.93	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	1/6/2023	2.34	0.1		mg/L
Nitrate-nitrite (as n)	NE-14D	7/5/2023	2.26	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/7/2020	1.36	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/17/2021	1.47	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/2/2021	0.815	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/18/2022	1.26	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/13/2022	0.734	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	1/6/2023	1.85	0.1		mg/L
Nitrate-nitrite (as n)	NE-14S	7/5/2023	1.28	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/7/2020	2.94	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/17/2021	2.82	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/2/2021	2.68	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/17/2022	2.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/13/2022	2.43	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	1/6/2023	2.28	0.1		mg/L
Nitrate-nitrite (as n)	NE-15D	7/6/2023	2.41	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/9/2019	11	0.2		mg/L
Nitrate-nitrite (as n)	NE-2	7/7/2020	18.4	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	NE-2	1/14/2021	13.1	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/2/2021	9.33	0.197		mg/L
Nitrate-nitrite (as n)	NE-2	1/18/2022	6.72	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	7/13/2022	6.6	0.1		mg/L
Nitrate-nitrite (as n)	NE-2	1/5/2023	16.9	0.197		mg/L
Nitrate-nitrite (as n)	NE-2	7/5/2023	7	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	7/8/2019	2.6	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	7/6/2020	1.93	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	1/15/2021	9.04	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	7/2/2021	6.95	0.1		mg/L
Nitrate-nitrite (as n)	NE-4	1/5/2023	10.1	0.197		mg/L
Nitrate-nitrite (as n)	NE-4	7/5/2023	10.6	0.197		mg/L
Nitrate-nitrite (as n)	NE-5	7/9/2019	0.023	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/15/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/2/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/18/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5	7/6/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5E	7/8/2020	1.21	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/15/2021	0.635	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	7/2/2021	1.16	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/18/2022	0.941	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	7/13/2022	0.685	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	1/5/2023	0.503	0.1		mg/L
Nitrate-nitrite (as n)	NE-5E	7/6/2023	0.323	0.1		mg/L
Nitrate-nitrite (as n)	NE-5W	7/8/2020	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/15/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	7/2/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/18/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	7/13/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-5W	7/6/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/9/2019	0.047	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	8/6/2019	0.036	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/9/2020	0.109	0.1		mg/L
Nitrate-nitrite (as n)	NE-6	1/16/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/1/2021	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	1/17/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/12/2022	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	1/5/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6	7/6/2023	0.1	0.1	ND	mg/L
Nitrate-nitrite (as n)	NE-6D	7/9/2020	1.37	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/15/2021	1.01	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	7/2/2021	0.842	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/17/2022	1.13	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	7/12/2022	1.45	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	1/5/2023	1.58	0.1		mg/L
Nitrate-nitrite (as n)	NE-6D	7/6/2023	1.82	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/10/2019	2.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	8/6/2019	2.3	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/7/2020	2.12	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/16/2021	2.2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/1/2021	2.02	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/17/2022	2	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	7/12/2022	1.74	0.1		mg/L
Nitrate-nitrite (as n)	NE-7	1/5/2023	1.61	0.1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrate-nitrite (as n)	NE-7	7/6/2023	1.27	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/11/2019	1.7	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	8/5/2019	1.8	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/8/2020	1.43	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	1/13/2021	1.59	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/1/2021	1.57	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	1/6/2023	1.38	0.1		mg/L
Nitrate-nitrite (as n)	NE-8	7/5/2023	0.438	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/8/2019	1.1	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	8/7/2019	1.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/7/2020	3.36	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/17/2021	1.5	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/1/2021	0.833	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/17/2022	0.895	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/13/2022	0.551	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	1/6/2023	0.434	0.1		mg/L
Nitrate-nitrite (as n)	NE-9	7/5/2023	0.326	0.1		mg/L
Nitrobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-10	10/5/2023	10	10	ND	ug/L
Nitrobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Nitrobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Nitrobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Nitrobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Nitrobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Nitrobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
Nitrobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
Nitrobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Nitrobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Nitrobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Nitrobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Nitrobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Nitrobenzene	LGW-5	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	LGW-5	10/5/2023	10	10	ND	ug/L
Nitrobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Nitrobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Nitrobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Nitrobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Nitrobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-6	10/5/2023	10	10	ND	ug/L
Nitrobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-7	7/12/2018	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Nitrobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Nitrobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Nitrobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Nitrobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Nitrobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Nitrobenzene	LGW-9	10/5/2023	10	10	ND	ug/L
Nitrobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Nitrobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Nitrobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Nitrobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Nitrobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Nitrobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Nitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Nitrobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Nitrobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Nitrobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Nitrobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Nitrobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Nitrobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Nitrobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Nitrobenzene	MW-21	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Nitrobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Nitrobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Nitrobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Nitrobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Nitrobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Nitrobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Nitrobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Nitrobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Nitrobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Nitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Nitrobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Nitrobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Nitrobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Nitrobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Nitrobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Nitrobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Nitrobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Nitrobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Nitrobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Nitrobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Nitrobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Nitrobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Nitrobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Nitrobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Nitrobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Nitrobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Nitrobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Nitrobenzene	MW-8N	10/5/2023	10	10	ND	ug/L
Nitrobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Nitrobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Nitrobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Nitrobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Nitrobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Nitrobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Nitrobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Nitrobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Nitrobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Nitrobenzene	NE-5	2/6/2009	10	10	ND	ug/L
Nitrobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Nitrobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Nitrobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Nitrobenzene	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-4	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodiethylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-15	7/10/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodiethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodiethylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodiethylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodiethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodiethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodiethylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodimethylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodimethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodimethylamine	MW-7N	7/13/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodimethylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodimethylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodimethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodimethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodimethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodimethylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-2	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodi-n-butylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodi-n-butylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodi-n-butylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitroso-di-n-propylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitroso-di-n-propylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitroso-di-n-propylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	10/27/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-8R	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosodiphenylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosodiphenylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosodiphenylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosodiphenylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosodiphenylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosodiphenylamine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-7	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosomethylethylamine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosomethylethylamine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosomethylethylamine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosomethylethylamine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosomethylethylamine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosomethylethylamine	NE-5	7/17/2018	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosomethylethylamine	NE-5	7/9/2019	10	10	ND	ug/L
n-Nitrosomorpholine	LGW-10	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-2	7/8/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-6	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-7	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	LGW-9	7/9/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-1N	7/6/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-21	7/8/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-3N	7/7/2020	0.01	0.01	ND	mg/L
n-Nitrosomorpholine	MW-8N	7/9/2020	0.01	0.01	ND	mg/L
N-nitrosopiperidine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosopiperidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-5	10/5/2023	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosopiperidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosopiperidine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosopiperidine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-19	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosopiperidine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosopiperidine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosopiperidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosopiperidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosopiperidine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosopiperidine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosopiperidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopiperidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
N-nitrosopiperidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosopiperidine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosopiperidine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosopiperidine	NE-1	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopiperidine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosopiperidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosopiperidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopiperidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosopiperidine	NE-5	7/9/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-10	10/5/2023	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	10/27/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/17/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-14R	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	2/13/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-2	2/13/2015	13	13	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/8/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-2	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/11/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-3R	7/6/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-4	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-5	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopyrrolidine	LGW-6	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	2/5/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-6	2/10/2015	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-6	10/5/2023	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-7	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-8R	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/26/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/10/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	7/7/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	LGW-9	10/5/2023	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	2/13/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-10N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	2/3/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-11N	2/10/2015	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/17/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-11N	7/6/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-15	7/10/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-15	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-16	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-17	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-19	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopyrrolidine	MW-1N	10/14/1998	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	2/5/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/6/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-1N	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-20	7/4/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/8/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-21	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-2N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
N-nitrosopyrrolidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/7/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-3N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/15/1998	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/13/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-7N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/29/2002	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/24/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	1/24/2008	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	2/4/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
N-nitrosopyrrolidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/11/2019	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/9/2020	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	7/5/2021	10	10	ND	ug/L
N-nitrosopyrrolidine	MW-8N	10/5/2023	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	2/7/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-4	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-4	2/7/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
N-nitrosopyrrolidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-4	7/12/2018	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	10/25/2006	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	2/6/2009	10	10	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
N-nitrosopyrrolidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
N-nitrosopyrrolidine	NE-5	7/9/2019	10	10	ND	ug/L
Orp (field)	LGW-10	5/31/2007	0	0	ND	MV
Orp (field)	LGW-10	6/1/2007	0	0	ND	MV
Orp (field)	LGW-10	6/28/2007	0	0	ND	MV
Orp (field)	LGW-10	6/28/2007	0	0	ND	MV
Orp (field)	LGW-10	7/10/2007	0	0	ND	MV
Orp (field)	LGW-10	7/12/2007	0	0	ND	MV
Orp (field)	LGW-10	8/28/2007	0	0	ND	MV
Orp (field)	LGW-10	9/28/2007	0	0	ND	MV
Orp (field)	LGW-10	10/23/2007	0	0	ND	MV
Orp (field)	LGW-10	10/23/2007	0	0	ND	MV
Orp (field)	LGW-10	11/28/2007	0	0	ND	MV
Orp (field)	LGW-10	12/28/2007	0	0	ND	MV
Orp (field)	LGW-10	1/23/2008	0	0	ND	MV
Orp (field)	LGW-10	7/22/2008	74	0		MV
Orp (field)	LGW-10	8/28/2009	0	0	ND	MV
Orp (field)	LGW-10	10/21/2009	2.5	0		MV
Orp (field)	LGW-10	2/16/2010	0	0	ND	MV
Orp (field)	LGW-10	3/3/2010	0	0	ND	MV
Orp (field)	LGW-10	4/8/2010	0	0	ND	MV
Orp (field)	LGW-10	5/6/2010	0	0	ND	MV
Orp (field)	LGW-10	6/15/2010	0	0	ND	MV
Orp (field)	LGW-10	7/16/2010	0	0	ND	MV
Orp (field)	LGW-10	8/10/2010	0	0	ND	MV
Orp (field)	LGW-10	9/1/2010	0	0	ND	MV
Orp (field)	LGW-10	9/29/2010	0	0	ND	MV
Orp (field)	LGW-10	11/3/2010	20.6	0		MV
Orp (field)	LGW-10	12/2/2010	23.3	0		MV
Orp (field)	LGW-10	1/19/2011	0	0	ND	MV
Orp (field)	LGW-10	2/7/2011	15.5	0		MV
Orp (field)	LGW-10	3/3/2011	0	0	ND	MV
Orp (field)	LGW-10	4/5/2011	0	0	ND	MV
Orp (field)	LGW-10	5/10/2011	0	0	ND	MV
Orp (field)	LGW-10	6/1/2011	5.1	0		MV
Orp (field)	LGW-10	7/12/2011	0	0	ND	MV
Orp (field)	LGW-10	8/3/2011	0	0	ND	MV
Orp (field)	LGW-10	9/7/2011	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-10	10/5/2011	0	0	ND	MV
Orp (field)	LGW-10	11/1/2011	0	0	ND	MV
Orp (field)	LGW-10	12/7/2011	0	0	ND	MV
Orp (field)	LGW-10	1/5/2012	0	0	ND	MV
Orp (field)	LGW-10	2/1/2012	0	0	ND	MV
Orp (field)	LGW-10	3/6/2012	0	0	ND	MV
Orp (field)	LGW-10	4/5/2012	0	0	ND	MV
Orp (field)	LGW-10	5/1/2012	0	0	ND	MV
Orp (field)	LGW-10	6/5/2012	0	0	ND	MV
Orp (field)	LGW-10	7/9/2012	0	0	ND	MV
Orp (field)	LGW-10	8/9/2012	17.9	0		MV
Orp (field)	LGW-10	9/4/2012	12.3	0		MV
Orp (field)	LGW-10	10/7/2012	0	0	ND	MV
Orp (field)	LGW-10	5/1/2013	0	0	ND	MV
Orp (field)	LGW-10	6/4/2013	0	0	ND	MV
Orp (field)	LGW-10	8/8/2013	11.5	0		MV
Orp (field)	LGW-10	9/10/2013	0	0	ND	MV
Orp (field)	LGW-10	10/1/2013	88.1	0		MV
Orp (field)	LGW-10	11/6/2013	61.9	0		MV
Orp (field)	LGW-10	12/2/2013	72	0		MV
Orp (field)	LGW-10	1/30/2014	1.3	0		MV
Orp (field)	LGW-10	2/13/2014	29.7	0		MV
Orp (field)	LGW-10	3/12/2014	35.6	0		MV
Orp (field)	LGW-10	4/2/2014	115.3	0		MV
Orp (field)	LGW-10	5/7/2014	83.9	0		MV
Orp (field)	LGW-10	6/3/2014	62.3	0		MV
Orp (field)	LGW-10	7/9/2014	0	0	ND	MV
Orp (field)	LGW-10	8/5/2014	95.4	0		MV
Orp (field)	LGW-10	9/4/2014	62	0		MV
Orp (field)	LGW-10	10/9/2014	3.8	0		MV
Orp (field)	LGW-10	11/3/2014	147	0		MV
Orp (field)	LGW-10	1/14/2015	170.1	0		MV
Orp (field)	LGW-10	2/12/2015	0	0		MV
Orp (field)	LGW-10	3/3/2015	30.9	0		MV
Orp (field)	LGW-10	4/1/2015	0	0	ND	MV
Orp (field)	LGW-10	5/7/2015	0	0	ND	MV
Orp (field)	LGW-10	6/3/2015	22.4	0		MV
Orp (field)	LGW-10	7/13/2015	9.2	0		MV
Orp (field)	LGW-10	8/5/2015	5.6	0		MV
Orp (field)	LGW-10	9/3/2015	5.4	0		MV
Orp (field)	LGW-10	10/6/2015	36.6	0		MV
Orp (field)	LGW-10	11/4/2015	54.9	0		MV
Orp (field)	LGW-10	12/3/2015	31.3	0		MV
Orp (field)	LGW-10	1/5/2016	21.3	0		MV
Orp (field)	LGW-10	2/3/2016	4.6	0		MV
Orp (field)	LGW-10	2/10/2016	36.8	0		MV
Orp (field)	LGW-10	3/2/2016	56.8	0		MV
Orp (field)	LGW-10	4/6/2016	37.2	0		MV
Orp (field)	LGW-10	5/11/2016	34.6	0		MV
Orp (field)	LGW-10	6/1/2016	39.3	0		MV
Orp (field)	LGW-10	7/21/2016	13.8	0		MV
Orp (field)	LGW-10	8/10/2016	43.6	0		MV
Orp (field)	LGW-10	9/6/2016	62.1	0		MV
Orp (field)	LGW-10	10/6/2016	69.2	0		MV
Orp (field)	LGW-10	11/2/2016	46.9	0		MV
Orp (field)	LGW-10	12/1/2016	111.7	0		MV
Orp (field)	LGW-10	1/11/2017	14.4	0		MV
Orp (field)	LGW-10	2/7/2017	19.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-10	3/2/2017	42.2	0		MV
Orp (field)	LGW-10	4/4/2017	0	0	ND	MV
Orp (field)	LGW-10	5/16/2017	52.2	0		MV
Orp (field)	LGW-10	6/6/2017	4.1	0		MV
Orp (field)	LGW-10	7/19/2017	0	0	ND	MV
Orp (field)	LGW-10	8/1/2017	10.7	0		MV
Orp (field)	LGW-10	9/5/2017	40.3	0		MV
Orp (field)	LGW-10	10/9/2017	85.2	0		MV
Orp (field)	LGW-10	11/1/2017	56.4	0		MV
Orp (field)	LGW-10	6/6/2018	0	0	ND	MV
Orp (field)	LGW-10	9/4/2018	24.1	0		MV
Orp (field)	LGW-10	10/4/2018	0	0	ND	MV
Orp (field)	LGW-10	10/4/2018	0	0	ND	MV
Orp (field)	LGW-10	2/6/2019	15.7	0		MV
Orp (field)	LGW-10	6/4/2019	0	0	ND	MV
Orp (field)	LGW-10	7/11/2019	36.6	0		MV
Orp (field)	LGW-14R	5/31/2007	175	0		MV
Orp (field)	LGW-14R	6/1/2007	175	0		MV
Orp (field)	LGW-14R	6/28/2007	156	0		MV
Orp (field)	LGW-14R	6/28/2007	156	0		MV
Orp (field)	LGW-14R	7/10/2007	80	0		MV
Orp (field)	LGW-14R	7/11/2007	80	0		MV
Orp (field)	LGW-14R	8/28/2007	57	0		MV
Orp (field)	LGW-14R	9/28/2007	72	0		MV
Orp (field)	LGW-14R	10/23/2007	0	0	ND	MV
Orp (field)	LGW-14R	10/23/2007	0	0	ND	MV
Orp (field)	LGW-14R	11/27/2007	59	0		MV
Orp (field)	LGW-14R	12/27/2007	57	0		MV
Orp (field)	LGW-14R	1/23/2008	0	0	ND	MV
Orp (field)	LGW-14R	7/22/2008	124.5	0		MV
Orp (field)	LGW-14R	8/29/2008	138.5	0		MV
Orp (field)	LGW-14R	9/26/2008	161.1	0		MV
Orp (field)	LGW-14R	12/19/2008	77.7	0		MV
Orp (field)	LGW-14R	8/28/2009	0	0	ND	MV
Orp (field)	LGW-14R	10/22/2009	126	0		MV
Orp (field)	LGW-14R	12/18/2009	30.8	0		MV
Orp (field)	LGW-14R	2/16/2010	0	0	ND	MV
Orp (field)	LGW-14R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-14R	4/7/2010	15.4	0		MV
Orp (field)	LGW-14R	5/6/2010	124.3	0		MV
Orp (field)	LGW-14R	6/16/2010	0	0	ND	MV
Orp (field)	LGW-14R	7/12/2010	40.5	0		MV
Orp (field)	LGW-14R	8/10/2010	0	0	ND	MV
Orp (field)	LGW-14R	9/2/2010	47.4	0		MV
Orp (field)	LGW-14R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-14R	11/3/2010	44.4	0		MV
Orp (field)	LGW-14R	12/2/2010	37.9	0		MV
Orp (field)	LGW-14R	1/19/2011	0	0	ND	MV
Orp (field)	LGW-14R	2/7/2011	41.7	0		MV
Orp (field)	LGW-14R	3/3/2011	28.5	0		MV
Orp (field)	LGW-14R	4/5/2011	17.9	0		MV
Orp (field)	LGW-14R	5/10/2011	10.9	0		MV
Orp (field)	LGW-14R	6/1/2011	47.9	0		MV
Orp (field)	LGW-14R	7/12/2011	0	0	ND	MV
Orp (field)	LGW-14R	8/3/2011	17.3	0		MV
Orp (field)	LGW-14R	9/7/2011	45.1	0		MV
Orp (field)	LGW-14R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-14R	11/1/2011	21.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-14R	12/7/2011	0	0	ND	MV
Orp (field)	LGW-14R	1/5/2012	0	0	ND	MV
Orp (field)	LGW-14R	2/1/2012	21.5	0		MV
Orp (field)	LGW-14R	3/6/2012	32.3	0		MV
Orp (field)	LGW-14R	4/5/2012	13.3	0		MV
Orp (field)	LGW-14R	5/1/2012	55	0		MV
Orp (field)	LGW-14R	6/5/2012	57.3	0		MV
Orp (field)	LGW-14R	7/9/2012	59	0		MV
Orp (field)	LGW-14R	8/9/2012	62.8	0		MV
Orp (field)	LGW-14R	9/4/2012	75.3	0		MV
Orp (field)	LGW-14R	10/7/2012	37.3	0		MV
Orp (field)	LGW-14R	11/6/2012	34.9	0		MV
Orp (field)	LGW-14R	11/6/2012	34.9	0		MV
Orp (field)	LGW-14R	12/6/2012	175.2	0		MV
Orp (field)	LGW-14R	12/6/2012	175.2	0		MV
Orp (field)	LGW-14R	1/23/2013	125.7	0		MV
Orp (field)	LGW-14R	1/23/2013	125.7	0		MV
Orp (field)	LGW-14R	2/5/2013	188.3	0		MV
Orp (field)	LGW-14R	2/5/2013	188.3	0		MV
Orp (field)	LGW-14R	3/5/2013	306	0		MV
Orp (field)	LGW-14R	3/5/2013	306	0		MV
Orp (field)	LGW-14R	4/30/2013	101.5	0		MV
Orp (field)	LGW-14R	6/4/2013	208.4	0		MV
Orp (field)	LGW-14R	8/8/2013	178.8	0		MV
Orp (field)	LGW-14R	9/10/2013	170.9	0		MV
Orp (field)	LGW-14R	10/1/2013	156.7	0		MV
Orp (field)	LGW-14R	11/6/2013	166.4	0		MV
Orp (field)	LGW-14R	12/2/2013	131.6	0		MV
Orp (field)	LGW-14R	1/23/2014	66.8	0		MV
Orp (field)	LGW-14R	2/12/2014	129.3	0		MV
Orp (field)	LGW-14R	3/11/2014	112.7	0		MV
Orp (field)	LGW-14R	4/2/2014	135.5	0		MV
Orp (field)	LGW-14R	5/7/2014	127.1	0		MV
Orp (field)	LGW-14R	6/3/2014	97.3	0		MV
Orp (field)	LGW-14R	7/8/2014	60.2	0		MV
Orp (field)	LGW-14R	8/5/2014	99.4	0		MV
Orp (field)	LGW-14R	9/4/2014	40	0		MV
Orp (field)	LGW-14R	10/9/2014	0	0	ND	MV
Orp (field)	LGW-14R	11/3/2014	144.8	0		MV
Orp (field)	LGW-14R	1/14/2015	161.1	0		MV
Orp (field)	LGW-14R	2/11/2015	105.6	0		MV
Orp (field)	LGW-14R	3/3/2015	293.2	0		MV
Orp (field)	LGW-14R	4/1/2015	119.1	0		MV
Orp (field)	LGW-14R	5/6/2015	113.6	0		MV
Orp (field)	LGW-14R	6/3/2015	135.9	0		MV
Orp (field)	LGW-14R	7/22/2015	61.7	0		MV
Orp (field)	LGW-14R	8/4/2015	61.5	0		MV
Orp (field)	LGW-14R	9/3/2015	66.3	0		MV
Orp (field)	LGW-14R	10/6/2015	76.6	0		MV
Orp (field)	LGW-14R	11/4/2015	91.5	0		MV
Orp (field)	LGW-14R	12/3/2015	67.4	0		MV
Orp (field)	LGW-14R	1/5/2016	53.9	0		MV
Orp (field)	LGW-14R	2/3/2016	31.1	0		MV
Orp (field)	LGW-14R	3/2/2016	80.8	0		MV
Orp (field)	LGW-14R	4/5/2016	5.3	0		MV
Orp (field)	LGW-14R	5/11/2016	32.2	0		MV
Orp (field)	LGW-14R	6/1/2016	35.8	0		MV
Orp (field)	LGW-14R	7/19/2016	106.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-14R	8/10/2016	41.5	0		MV
Orp (field)	LGW-14R	9/6/2016	59.3	0		MV
Orp (field)	LGW-14R	10/6/2016	53.8	0		MV
Orp (field)	LGW-14R	11/2/2016	32.4	0		MV
Orp (field)	LGW-14R	12/1/2016	111.7	0		MV
Orp (field)	LGW-14R	1/11/2017	0	0	ND	MV
Orp (field)	LGW-14R	2/7/2017	24.8	0		MV
Orp (field)	LGW-14R	3/2/2017	47.7	0		MV
Orp (field)	LGW-14R	4/4/2017	110.3	0		MV
Orp (field)	LGW-14R	5/2/2017	66.2	0		MV
Orp (field)	LGW-14R	6/6/2017	96.3	0		MV
Orp (field)	LGW-14R	7/18/2017	57	0		MV
Orp (field)	LGW-14R	8/1/2017	44.7	0		MV
Orp (field)	LGW-14R	9/5/2017	60	0		MV
Orp (field)	LGW-14R	10/5/2017	77.5	0		MV
Orp (field)	LGW-14R	11/1/2017	44	0		MV
Orp (field)	LGW-14R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-14R	6/21/2018	0	0	ND	MV
Orp (field)	LGW-14R	9/4/2018	232	0		MV
Orp (field)	LGW-14R	10/2/2018	126.7	0		MV
Orp (field)	LGW-14R	10/2/2018	126.7	0		MV
Orp (field)	LGW-14R	2/6/2019	127.8	0		MV
Orp (field)	LGW-14R	6/4/2019	351.1	0		MV
Orp (field)	LGW-2	6/1/2007	172	0		MV
Orp (field)	LGW-2	6/1/2007	172	0		MV
Orp (field)	LGW-2	6/28/2007	140	0		MV
Orp (field)	LGW-2	6/28/2007	140	0		MV
Orp (field)	LGW-2	7/10/2007	181	0		MV
Orp (field)	LGW-2	7/10/2007	181	0		MV
Orp (field)	LGW-2	8/28/2007	118	0		MV
Orp (field)	LGW-2	9/28/2007	90	0		MV
Orp (field)	LGW-2	10/24/2007	15	0		MV
Orp (field)	LGW-2	10/24/2007	15	0		MV
Orp (field)	LGW-2	11/28/2007	0	0	ND	MV
Orp (field)	LGW-2	1/26/2008	0	0	ND	MV
Orp (field)	LGW-2	7/23/2008	202.3	0		MV
Orp (field)	LGW-2	8/29/2008	178.5	0		MV
Orp (field)	LGW-2	9/26/2008	92.1	0		MV
Orp (field)	LGW-2	9/26/2008	92.1	0		MV
Orp (field)	LGW-2	10/21/2008	59.5	0		MV
Orp (field)	LGW-2	12/19/2008	60.3	0		MV
Orp (field)	LGW-2	2/6/2009	13.9	0		MV
Orp (field)	LGW-2	2/13/2009	26.5	0		MV
Orp (field)	LGW-2	3/26/2009	13.5	0		MV
Orp (field)	LGW-2	4/16/2009	2.4	0		MV
Orp (field)	LGW-2	8/29/2009	0	0	ND	MV
Orp (field)	LGW-2	10/22/2009	137.9	0		MV
Orp (field)	LGW-2	12/18/2009	7.5	0		MV
Orp (field)	LGW-2	2/17/2010	0	0	ND	MV
Orp (field)	LGW-2	3/4/2010	0	0	ND	MV
Orp (field)	LGW-2	4/8/2010	21.1	0		MV
Orp (field)	LGW-2	5/6/2010	156.3	0		MV
Orp (field)	LGW-2	6/15/2010	0	0	ND	MV
Orp (field)	LGW-2	7/12/2010	51.7	0		MV
Orp (field)	LGW-2	8/10/2010	72.6	0		MV
Orp (field)	LGW-2	9/1/2010	0	0	ND	MV
Orp (field)	LGW-2	9/29/2010	0	0	ND	MV
Orp (field)	LGW-2	11/3/2010	145.2	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-2	12/2/2010	382.6	0		MV
Orp (field)	LGW-2	1/19/2011	9.5	0		MV
Orp (field)	LGW-2	2/7/2011	123.4	0		MV
Orp (field)	LGW-2	3/3/2011	46.4	0		MV
Orp (field)	LGW-2	4/5/2011	76.4	0		MV
Orp (field)	LGW-2	5/10/2011	25.3	0		MV
Orp (field)	LGW-2	6/1/2011	194.8	0		MV
Orp (field)	LGW-2	7/13/2011	0	0	ND	MV
Orp (field)	LGW-2	8/3/2011	142.4	0		MV
Orp (field)	LGW-2	9/7/2011	174.3	0		MV
Orp (field)	LGW-2	10/5/2011	0	0	ND	MV
Orp (field)	LGW-2	11/1/2011	107.9	0		MV
Orp (field)	LGW-2	12/7/2011	84.1	0		MV
Orp (field)	LGW-2	1/4/2012	0	0	ND	MV
Orp (field)	LGW-2	2/1/2012	42.6	0		MV
Orp (field)	LGW-2	3/6/2012	87.7	0		MV
Orp (field)	LGW-2	4/5/2012	78.6	0		MV
Orp (field)	LGW-2	5/1/2012	76.3	0		MV
Orp (field)	LGW-2	6/5/2012	68.3	0		MV
Orp (field)	LGW-2	7/9/2012	64.8	0		MV
Orp (field)	LGW-2	8/9/2012	151.9	0		MV
Orp (field)	LGW-2	9/4/2012	85.6	0		MV
Orp (field)	LGW-2	10/7/2012	18.5	0		MV
Orp (field)	LGW-2	4/30/2013	93.1	0		MV
Orp (field)	LGW-2	6/4/2013	223.3	0		MV
Orp (field)	LGW-2	7/15/2013	156.8	0		MV
Orp (field)	LGW-2	8/8/2013	243.6	0		MV
Orp (field)	LGW-2	9/10/2013	197.3	0		MV
Orp (field)	LGW-2	10/1/2013	163.4	0		MV
Orp (field)	LGW-2	11/6/2013	152.4	0		MV
Orp (field)	LGW-2	12/2/2013	134.9	0		MV
Orp (field)	LGW-2	1/30/2014	74.6	0		MV
Orp (field)	LGW-2	2/13/2014	140.1	0		MV
Orp (field)	LGW-2	3/12/2014	127.3	0		MV
Orp (field)	LGW-2	4/3/2014	138.6	0		MV
Orp (field)	LGW-2	5/7/2014	142.1	0		MV
Orp (field)	LGW-2	6/3/2014	148.6	0		MV
Orp (field)	LGW-2	7/8/2014	54.4	0		MV
Orp (field)	LGW-2	8/5/2014	158.7	0		MV
Orp (field)	LGW-2	9/4/2014	71.8	0		MV
Orp (field)	LGW-2	10/9/2014	0	0	ND	MV
Orp (field)	LGW-2	11/3/2014	124.1	0		MV
Orp (field)	LGW-2	1/14/2015	126.4	0		MV
Orp (field)	LGW-2	2/13/2015	111.9	0		MV
Orp (field)	LGW-2	3/3/2015	284.6	0		MV
Orp (field)	LGW-2	4/1/2015	174.6	0		MV
Orp (field)	LGW-2	5/6/2015	105.6	0		MV
Orp (field)	LGW-2	6/3/2015	148.3	0		MV
Orp (field)	LGW-2	7/8/2015	64.8	0		MV
Orp (field)	LGW-2	8/4/2015	62.8	0		MV
Orp (field)	LGW-2	9/2/2015	55.8	0		MV
Orp (field)	LGW-2	10/5/2015	73.7	0		MV
Orp (field)	LGW-2	11/4/2015	104.3	0		MV
Orp (field)	LGW-2	12/3/2015	101.6	0		MV
Orp (field)	LGW-2	1/5/2016	63.4	0		MV
Orp (field)	LGW-2	2/3/2016	88.2	0		MV
Orp (field)	LGW-2	3/2/2016	99.8	0		MV
Orp (field)	LGW-2	4/5/2016	39.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-2	5/11/2016	68.7	0		MV
Orp (field)	LGW-2	6/1/2016	59.3	0		MV
Orp (field)	LGW-2	7/19/2016	132.3	0		MV
Orp (field)	LGW-2	8/10/2016	76.8	0		MV
Orp (field)	LGW-2	9/6/2016	74	0		MV
Orp (field)	LGW-2	10/6/2016	63.3	0		MV
Orp (field)	LGW-2	11/2/2016	38	0		MV
Orp (field)	LGW-2	12/1/2016	132	0		MV
Orp (field)	LGW-2	1/11/2017	25.1	0		MV
Orp (field)	LGW-2	2/7/2017	57.1	0		MV
Orp (field)	LGW-2	3/2/2017	65.2	0		MV
Orp (field)	LGW-2	4/4/2017	0	0	ND	MV
Orp (field)	LGW-2	5/16/2017	0	0	ND	MV
Orp (field)	LGW-2	6/6/2017	48.8	0		MV
Orp (field)	LGW-2	7/18/2017	7.4	0		MV
Orp (field)	LGW-2	8/1/2017	37.6	0		MV
Orp (field)	LGW-2	9/5/2017	27.6	0		MV
Orp (field)	LGW-2	10/6/2017	31.5	0		MV
Orp (field)	LGW-2	11/1/2017	61.4	0		MV
Orp (field)	LGW-2	6/5/2018	0	0	ND	MV
Orp (field)	LGW-2	6/21/2018	0	0	ND	MV
Orp (field)	LGW-2	9/4/2018	0	0	ND	MV
Orp (field)	LGW-2	10/2/2018	0	0	ND	MV
Orp (field)	LGW-2	10/2/2018	0	0	ND	MV
Orp (field)	LGW-2	2/5/2019	0	0	ND	MV
Orp (field)	LGW-2	6/5/2019	0	0	ND	MV
Orp (field)	LGW-3R	6/1/2007	154	0		MV
Orp (field)	LGW-3R	6/1/2007	154	0		MV
Orp (field)	LGW-3R	6/28/2007	138	0		MV
Orp (field)	LGW-3R	6/28/2007	138	0		MV
Orp (field)	LGW-3R	7/10/2007	146	0		MV
Orp (field)	LGW-3R	7/11/2007	146	0		MV
Orp (field)	LGW-3R	8/28/2007	105	0		MV
Orp (field)	LGW-3R	9/28/2007	90	0		MV
Orp (field)	LGW-3R	10/24/2007	37	0		MV
Orp (field)	LGW-3R	10/24/2007	37	0		MV
Orp (field)	LGW-3R	11/28/2007	0	0	ND	MV
Orp (field)	LGW-3R	12/28/2007	0	0	ND	MV
Orp (field)	LGW-3R	1/26/2008	0	0	ND	MV
Orp (field)	LGW-3R	7/23/2008	174.3	0		MV
Orp (field)	LGW-3R	8/29/2008	61.2	0		MV
Orp (field)	LGW-3R	9/26/2008	111.4	0		MV
Orp (field)	LGW-3R	9/26/2008	111.4	0		MV
Orp (field)	LGW-3R	10/22/2008	64.6	0		MV
Orp (field)	LGW-3R	12/19/2008	72.7	0		MV
Orp (field)	LGW-3R	2/3/2009	58.3	0		MV
Orp (field)	LGW-3R	3/26/2009	37.5	0		MV
Orp (field)	LGW-3R	4/16/2009	43.5	0		MV
Orp (field)	LGW-3R	8/29/2009	0	0	ND	MV
Orp (field)	LGW-3R	10/22/2009	145.6	0		MV
Orp (field)	LGW-3R	11/24/2009	4.6	0		MV
Orp (field)	LGW-3R	12/18/2009	39.8	0		MV
Orp (field)	LGW-3R	2/17/2010	0	0	ND	MV
Orp (field)	LGW-3R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-3R	4/8/2010	29.7	0		MV
Orp (field)	LGW-3R	5/5/2010	126.2	0		MV
Orp (field)	LGW-3R	6/15/2010	0	0	ND	MV
Orp (field)	LGW-3R	7/16/2010	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-3R	8/11/2010	0	0	ND	MV
Orp (field)	LGW-3R	9/1/2010	0	0	ND	MV
Orp (field)	LGW-3R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-3R	11/3/2010	103.7	0		MV
Orp (field)	LGW-3R	12/3/2010	140.4	0		MV
Orp (field)	LGW-3R	1/19/2011	12.7	0		MV
Orp (field)	LGW-3R	2/7/2011	123	0		MV
Orp (field)	LGW-3R	3/3/2011	56.7	0		MV
Orp (field)	LGW-3R	4/5/2011	66.8	0		MV
Orp (field)	LGW-3R	5/10/2011	54.7	0		MV
Orp (field)	LGW-3R	6/1/2011	153.2	0		MV
Orp (field)	LGW-3R	7/13/2011	0	0	ND	MV
Orp (field)	LGW-3R	8/3/2011	92.3	0		MV
Orp (field)	LGW-3R	9/7/2011	128.6	0		MV
Orp (field)	LGW-3R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-3R	11/1/2011	103	0		MV
Orp (field)	LGW-3R	12/7/2011	71.1	0		MV
Orp (field)	LGW-3R	1/4/2012	0	0	ND	MV
Orp (field)	LGW-3R	2/1/2012	52.3	0		MV
Orp (field)	LGW-3R	3/6/2012	77.4	0		MV
Orp (field)	LGW-3R	4/5/2012	80.8	0		MV
Orp (field)	LGW-3R	5/1/2012	74.7	0		MV
Orp (field)	LGW-3R	6/5/2012	89.3	0		MV
Orp (field)	LGW-3R	7/9/2012	83.6	0		MV
Orp (field)	LGW-3R	8/9/2012	154.8	0		MV
Orp (field)	LGW-3R	9/4/2012	121.3	0		MV
Orp (field)	LGW-3R	11/8/2012	9	0		MV
Orp (field)	LGW-3R	12/6/2012	164.2	0		MV
Orp (field)	LGW-3R	12/6/2012	164.2	0		MV
Orp (field)	LGW-3R	1/23/2013	139.9	0		MV
Orp (field)	LGW-3R	1/23/2013	139.9	0		MV
Orp (field)	LGW-3R	2/5/2013	190.2	0		MV
Orp (field)	LGW-3R	2/5/2013	190.2	0		MV
Orp (field)	LGW-3R	3/5/2013	321.5	0		MV
Orp (field)	LGW-3R	3/5/2013	321.5	0		MV
Orp (field)	LGW-3R	4/30/2013	83	0		MV
Orp (field)	LGW-3R	6/4/2013	204.5	0		MV
Orp (field)	LGW-3R	7/15/2013	127.2	0		MV
Orp (field)	LGW-3R	8/8/2013	165.6	0		MV
Orp (field)	LGW-3R	9/10/2013	135.3	0		MV
Orp (field)	LGW-3R	10/1/2013	147.8	0		MV
Orp (field)	LGW-3R	11/6/2013	108.4	0		MV
Orp (field)	LGW-3R	12/2/2013	136.3	0		MV
Orp (field)	LGW-3R	1/22/2014	135.9	0		MV
Orp (field)	LGW-3R	2/12/2014	130.2	0		MV
Orp (field)	LGW-3R	3/11/2014	123.7	0		MV
Orp (field)	LGW-3R	4/2/2014	143.9	0		MV
Orp (field)	LGW-3R	5/7/2014	154.4	0		MV
Orp (field)	LGW-3R	6/3/2014	142.5	0		MV
Orp (field)	LGW-3R	7/8/2014	65.4	0		MV
Orp (field)	LGW-3R	8/5/2014	156.5	0		MV
Orp (field)	LGW-3R	9/4/2014	78.5	0		MV
Orp (field)	LGW-3R	10/9/2014	2	0		MV
Orp (field)	LGW-3R	11/3/2014	144.5	0		MV
Orp (field)	LGW-3R	1/14/2015	149.5	0		MV
Orp (field)	LGW-3R	2/10/2015	81.7	0		MV
Orp (field)	LGW-3R	3/3/2015	280.2	0		MV
Orp (field)	LGW-3R	4/1/2015	145.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-3R	5/6/2015	94.6	0		MV
Orp (field)	LGW-3R	6/3/2015	169.1	0		MV
Orp (field)	LGW-3R	7/16/2015	52.1	0		MV
Orp (field)	LGW-3R	8/5/2015	71.2	0		MV
Orp (field)	LGW-3R	9/3/2015	65	0		MV
Orp (field)	LGW-3R	10/6/2015	133.3	0		MV
Orp (field)	LGW-3R	11/5/2015	69.5	0		MV
Orp (field)	LGW-3R	12/4/2015	102.4	0		MV
Orp (field)	LGW-3R	1/8/2016	68.6	0		MV
Orp (field)	LGW-3R	2/4/2016	22.8	0		MV
Orp (field)	LGW-3R	3/3/2016	26.5	0		MV
Orp (field)	LGW-3R	4/6/2016	78.5	0		MV
Orp (field)	LGW-3R	5/12/2016	0	0	ND	MV
Orp (field)	LGW-3R	6/2/2016	100.7	0		MV
Orp (field)	LGW-3R	7/21/2016	39.9	0		MV
Orp (field)	LGW-3R	8/11/2016	60.1	0		MV
Orp (field)	LGW-3R	9/7/2016	105.2	0		MV
Orp (field)	LGW-3R	10/7/2016	89.8	0		MV
Orp (field)	LGW-3R	11/3/2016	98	0		MV
Orp (field)	LGW-3R	12/2/2016	149.7	0		MV
Orp (field)	LGW-3R	1/11/2017	41.5	0		MV
Orp (field)	LGW-3R	2/7/2017	61.4	0		MV
Orp (field)	LGW-3R	3/2/2017	75.2	0		MV
Orp (field)	LGW-3R	4/4/2017	69.3	0		MV
Orp (field)	LGW-3R	5/2/2017	27.6	0		MV
Orp (field)	LGW-3R	6/6/2017	64.2	0		MV
Orp (field)	LGW-3R	7/18/2017	16.3	0		MV
Orp (field)	LGW-3R	8/1/2017	25.8	0		MV
Orp (field)	LGW-3R	9/5/2017	37.4	0		MV
Orp (field)	LGW-3R	10/6/2017	16.8	0		MV
Orp (field)	LGW-3R	11/1/2017	32.4	0		MV
Orp (field)	LGW-3R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-3R	9/5/2018	82	0		MV
Orp (field)	LGW-3R	10/3/2018	111.2	0		MV
Orp (field)	LGW-3R	2/5/2019	32.2	0		MV
Orp (field)	LGW-3R	6/5/2019	366.3	0		MV
Orp (field)	LGW-4	5/31/2007	186	0		MV
Orp (field)	LGW-4	6/1/2007	186	0		MV
Orp (field)	LGW-4	6/28/2007	171	0		MV
Orp (field)	LGW-4	6/28/2007	171	0		MV
Orp (field)	LGW-4	7/10/2007	153	0		MV
Orp (field)	LGW-4	7/11/2007	153	0		MV
Orp (field)	LGW-4	8/28/2007	80	0		MV
Orp (field)	LGW-4	9/28/2007	52	0		MV
Orp (field)	LGW-4	10/24/2007	36	0		MV
Orp (field)	LGW-4	10/24/2007	36	0		MV
Orp (field)	LGW-4	11/28/2007	0	0	ND	MV
Orp (field)	LGW-4	12/27/2007	0	0	ND	MV
Orp (field)	LGW-4	7/23/2008	171.4	0		MV
Orp (field)	LGW-4	8/29/2008	82.3	0		MV
Orp (field)	LGW-4	9/26/2008	116.7	0		MV
Orp (field)	LGW-4	9/26/2008	116.7	0		MV
Orp (field)	LGW-4	10/22/2008	85.4	0		MV
Orp (field)	LGW-4	12/19/2008	64.2	0		MV
Orp (field)	LGW-4	2/3/2009	45.2	0		MV
Orp (field)	LGW-4	3/26/2009	25	0		MV
Orp (field)	LGW-4	4/16/2009	30.4	0		MV
Orp (field)	LGW-4	8/29/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-4	10/22/2009	158	0		MV
Orp (field)	LGW-4	2/17/2010	0	0	ND	MV
Orp (field)	LGW-4	3/3/2010	0	0	ND	MV
Orp (field)	LGW-4	4/8/2010	19.8	0		MV
Orp (field)	LGW-4	5/5/2010	116.9	0		MV
Orp (field)	LGW-4	6/15/2010	0	0	ND	MV
Orp (field)	LGW-4	7/16/2010	0	0	ND	MV
Orp (field)	LGW-4	8/11/2010	0	0	ND	MV
Orp (field)	LGW-4	9/1/2010	0	0	ND	MV
Orp (field)	LGW-4	9/29/2010	0	0	ND	MV
Orp (field)	LGW-4	11/3/2010	101.7	0		MV
Orp (field)	LGW-4	12/3/2010	143.9	0		MV
Orp (field)	LGW-4	1/19/2011	24	0		MV
Orp (field)	LGW-4	2/7/2011	117.9	0		MV
Orp (field)	LGW-4	3/3/2011	49.2	0		MV
Orp (field)	LGW-4	4/5/2011	51.8	0		MV
Orp (field)	LGW-4	5/10/2011	21.5	0		MV
Orp (field)	LGW-4	6/1/2011	130.1	0		MV
Orp (field)	LGW-4	7/13/2011	0	0	ND	MV
Orp (field)	LGW-4	8/3/2011	71.6	0		MV
Orp (field)	LGW-4	9/7/2011	98.9	0		MV
Orp (field)	LGW-4	10/5/2011	0	0	ND	MV
Orp (field)	LGW-4	11/1/2011	94.6	0		MV
Orp (field)	LGW-4	12/7/2011	56.8	0		MV
Orp (field)	LGW-4	1/4/2012	0	0	ND	MV
Orp (field)	LGW-4	2/1/2012	45.9	0		MV
Orp (field)	LGW-4	3/6/2012	65.9	0		MV
Orp (field)	LGW-4	4/5/2012	73	0		MV
Orp (field)	LGW-4	5/1/2012	65.5	0		MV
Orp (field)	LGW-4	6/5/2012	95.1	0		MV
Orp (field)	LGW-4	7/9/2012	89.1	0		MV
Orp (field)	LGW-4	8/9/2012	138.7	0		MV
Orp (field)	LGW-4	9/4/2012	117.6	0		MV
Orp (field)	LGW-4	10/7/2012	49.9	0		MV
Orp (field)	LGW-4	4/30/2013	85.8	0		MV
Orp (field)	LGW-4	6/4/2013	211.6	0		MV
Orp (field)	LGW-4	7/15/2013	123.2	0		MV
Orp (field)	LGW-4	8/8/2013	155.2	0		MV
Orp (field)	LGW-4	9/10/2013	138.3	0		MV
Orp (field)	LGW-4	10/1/2013	146.3	0		MV
Orp (field)	LGW-4	11/6/2013	112	0		MV
Orp (field)	LGW-4	12/2/2013	134.5	0		MV
Orp (field)	LGW-4	1/23/2014	132.4	0		MV
Orp (field)	LGW-4	2/12/2014	128.8	0		MV
Orp (field)	LGW-4	3/11/2014	118.5	0		MV
Orp (field)	LGW-4	4/2/2014	141.5	0		MV
Orp (field)	LGW-4	5/7/2014	146.4	0		MV
Orp (field)	LGW-4	6/3/2014	100.5	0		MV
Orp (field)	LGW-4	7/8/2014	60	0		MV
Orp (field)	LGW-4	8/5/2014	147.6	0		MV
Orp (field)	LGW-4	9/4/2014	91.3	0		MV
Orp (field)	LGW-4	10/9/2014	0	0	ND	MV
Orp (field)	LGW-4	11/3/2014	138.1	0		MV
Orp (field)	LGW-4	1/14/2015	139.9	0		MV
Orp (field)	LGW-4	2/11/2015	124.3	0		MV
Orp (field)	LGW-4	3/3/2015	287.4	0		MV
Orp (field)	LGW-4	4/1/2015	140.1	0		MV
Orp (field)	LGW-4	5/6/2015	118.1	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-4	6/3/2015	179.6	0		MV
Orp (field)	LGW-4	7/8/2015	73.8	0		MV
Orp (field)	LGW-4	8/4/2015	48.8	0		MV
Orp (field)	LGW-4	9/2/2015	69.8	0		MV
Orp (field)	LGW-4	10/5/2015	61	0		MV
Orp (field)	LGW-4	11/4/2015	95.6	0		MV
Orp (field)	LGW-4	12/3/2015	82.6	0		MV
Orp (field)	LGW-4	1/5/2016	41.3	0		MV
Orp (field)	LGW-4	2/3/2016	42.9	0		MV
Orp (field)	LGW-4	3/2/2016	72	0		MV
Orp (field)	LGW-4	4/5/2016	17.6	0		MV
Orp (field)	LGW-4	5/11/2016	35.7	0		MV
Orp (field)	LGW-4	6/1/2016	40.6	0		MV
Orp (field)	LGW-4	7/19/2016	108.8	0		MV
Orp (field)	LGW-4	8/10/2016	58.8	0		MV
Orp (field)	LGW-4	9/6/2016	78.2	0		MV
Orp (field)	LGW-4	10/6/2016	57.7	0		MV
Orp (field)	LGW-4	11/2/2016	41.3	0		MV
Orp (field)	LGW-4	12/1/2016	146.8	0		MV
Orp (field)	LGW-4	1/11/2017	21.2	0		MV
Orp (field)	LGW-4	2/7/2017	43.3	0		MV
Orp (field)	LGW-4	3/2/2017	59.1	0		MV
Orp (field)	LGW-4	4/4/2017	105.4	0		MV
Orp (field)	LGW-4	5/2/2017	37.3	0		MV
Orp (field)	LGW-4	5/16/2017	116.3	0		MV
Orp (field)	LGW-4	6/6/2017	81.1	0		MV
Orp (field)	LGW-4	7/18/2017	43.9	0		MV
Orp (field)	LGW-4	8/1/2017	41.3	0		MV
Orp (field)	LGW-4	9/5/2017	61.9	0		MV
Orp (field)	LGW-4	10/6/2017	30	0		MV
Orp (field)	LGW-4	11/1/2017	55.8	0		MV
Orp (field)	LGW-4	6/5/2018	0	0	ND	MV
Orp (field)	LGW-4	9/5/2018	35.8	0		MV
Orp (field)	LGW-4	10/3/2018	103	0		MV
Orp (field)	LGW-4	2/5/2019	36.8	0		MV
Orp (field)	LGW-4	6/5/2019	399.2	0		MV
Orp (field)	LGW-5	5/31/2007	106	0		MV
Orp (field)	LGW-5	6/1/2007	106	0		MV
Orp (field)	LGW-5	6/28/2007	113	0		MV
Orp (field)	LGW-5	6/28/2007	113	0		MV
Orp (field)	LGW-5	7/10/2007	144	0		MV
Orp (field)	LGW-5	7/11/2007	144	0		MV
Orp (field)	LGW-5	8/28/2007	319	0		MV
Orp (field)	LGW-5	9/28/2007	41	0		MV
Orp (field)	LGW-5	10/24/2007	0	0	ND	MV
Orp (field)	LGW-5	10/24/2007	0	0	ND	MV
Orp (field)	LGW-5	11/28/2007	0	0	ND	MV
Orp (field)	LGW-5	12/27/2007	0	0	ND	MV
Orp (field)	LGW-5	1/23/2008	0	0	ND	MV
Orp (field)	LGW-5	7/23/2008	96.6	0		MV
Orp (field)	LGW-5	9/26/2008	59.8	0		MV
Orp (field)	LGW-5	9/26/2008	59.8	0		MV
Orp (field)	LGW-5	10/21/2008	124.6	0		MV
Orp (field)	LGW-5	12/19/2008	66.5	0		MV
Orp (field)	LGW-5	2/4/2009	32.9	0		MV
Orp (field)	LGW-5	3/26/2009	33.8	0		MV
Orp (field)	LGW-5	4/16/2009	33.6	0		MV
Orp (field)	LGW-5	8/28/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-5	10/21/2009	83.9	0		MV
Orp (field)	LGW-5	12/17/2009	22.8	0		MV
Orp (field)	LGW-5	2/16/2010	0	0	ND	MV
Orp (field)	LGW-5	3/3/2010	0	0	ND	MV
Orp (field)	LGW-5	4/7/2010	10.4	0		MV
Orp (field)	LGW-5	5/5/2010	138	0		MV
Orp (field)	LGW-5	6/15/2010	0	0	ND	MV
Orp (field)	LGW-5	7/12/2010	42.4	0		MV
Orp (field)	LGW-5	8/10/2010	0	0	ND	MV
Orp (field)	LGW-5	9/2/2010	56.1	0		MV
Orp (field)	LGW-5	9/29/2010	0	0	ND	MV
Orp (field)	LGW-5	11/3/2010	81.5	0		MV
Orp (field)	LGW-5	12/2/2010	61.3	0		MV
Orp (field)	LGW-5	1/19/2011	13.2	0		MV
Orp (field)	LGW-5	2/7/2011	65.6	0		MV
Orp (field)	LGW-5	3/3/2011	41.6	0		MV
Orp (field)	LGW-5	4/5/2011	48.9	0		MV
Orp (field)	LGW-5	5/10/2011	36	0		MV
Orp (field)	LGW-5	6/1/2011	58.2	0		MV
Orp (field)	LGW-5	7/12/2011	0	0	ND	MV
Orp (field)	LGW-5	8/3/2011	21.1	0		MV
Orp (field)	LGW-5	9/7/2011	38.4	0		MV
Orp (field)	LGW-5	10/5/2011	0	0	ND	MV
Orp (field)	LGW-5	11/1/2011	46.5	0		MV
Orp (field)	LGW-5	12/7/2011	0	0	ND	MV
Orp (field)	LGW-5	1/5/2012	0	0	ND	MV
Orp (field)	LGW-5	2/1/2012	15.2	0		MV
Orp (field)	LGW-5	3/6/2012	14.6	0		MV
Orp (field)	LGW-5	4/5/2012	44.2	0		MV
Orp (field)	LGW-5	5/1/2012	50.8	0		MV
Orp (field)	LGW-5	6/5/2012	52.7	0		MV
Orp (field)	LGW-5	7/9/2012	39	0		MV
Orp (field)	LGW-5	8/9/2012	59.4	0		MV
Orp (field)	LGW-5	9/4/2012	64.6	0		MV
Orp (field)	LGW-5	10/7/2012	24	0		MV
Orp (field)	LGW-5	4/30/2013	94.2	0		MV
Orp (field)	LGW-5	6/4/2013	198.4	0		MV
Orp (field)	LGW-5	7/15/2013	121.7	0		MV
Orp (field)	LGW-5	8/8/2013	218.6	0		MV
Orp (field)	LGW-5	9/10/2013	144.9	0		MV
Orp (field)	LGW-5	10/1/2013	136.4	0		MV
Orp (field)	LGW-5	11/6/2013	168.1	0		MV
Orp (field)	LGW-5	12/3/2013	0	0	ND	MV
Orp (field)	LGW-5	1/23/2014	70.2	0		MV
Orp (field)	LGW-5	2/12/2014	125.9	0		MV
Orp (field)	LGW-5	3/11/2014	105.9	0		MV
Orp (field)	LGW-5	4/2/2014	139.7	0		MV
Orp (field)	LGW-5	5/7/2014	137.4	0		MV
Orp (field)	LGW-5	6/3/2014	78.6	0		MV
Orp (field)	LGW-5	7/8/2014	55.6	0		MV
Orp (field)	LGW-5	8/5/2014	124.4	0		MV
Orp (field)	LGW-5	9/4/2014	74.7	0		MV
Orp (field)	LGW-5	10/9/2014	0	0	ND	MV
Orp (field)	LGW-5	11/3/2014	143.9	0		MV
Orp (field)	LGW-5	1/14/2015	157.9	0		MV
Orp (field)	LGW-5	2/10/2015	94.2	0		MV
Orp (field)	LGW-5	3/3/2015	290.5	0		MV
Orp (field)	LGW-5	4/1/2015	119.8	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-5	5/6/2015	94.6	0		MV
Orp (field)	LGW-5	6/3/2015	82.3	0		MV
Orp (field)	LGW-5	7/8/2015	66.8	0		MV
Orp (field)	LGW-5	8/4/2015	69.8	0		MV
Orp (field)	LGW-5	9/2/2015	75.6	0		MV
Orp (field)	LGW-5	10/5/2015	76.1	0		MV
Orp (field)	LGW-5	11/4/2015	109.5	0		MV
Orp (field)	LGW-5	12/3/2015	84.9	0		MV
Orp (field)	LGW-5	1/5/2016	58.3	0		MV
Orp (field)	LGW-5	2/3/2016	55.2	0		MV
Orp (field)	LGW-5	3/2/2016	94.6	0		MV
Orp (field)	LGW-5	4/5/2016	30.7	0		MV
Orp (field)	LGW-5	5/11/2016	57.3	0		MV
Orp (field)	LGW-5	6/1/2016	58.2	0		MV
Orp (field)	LGW-5	7/19/2016	118.2	0		MV
Orp (field)	LGW-5	8/10/2016	68.3	0		MV
Orp (field)	LGW-5	9/6/2016	86.2	0		MV
Orp (field)	LGW-5	10/6/2016	65.8	0		MV
Orp (field)	LGW-5	11/2/2016	44	0		MV
Orp (field)	LGW-5	12/1/2016	153.9	0		MV
Orp (field)	LGW-5	1/11/2017	20.3	0		MV
Orp (field)	LGW-5	2/7/2017	45.1	0		MV
Orp (field)	LGW-5	3/2/2017	64.7	0		MV
Orp (field)	LGW-5	4/4/2017	140	0		MV
Orp (field)	LGW-5	5/16/2017	108.1	0		MV
Orp (field)	LGW-5	6/6/2017	104.1	0		MV
Orp (field)	LGW-5	7/18/2017	51.7	0		MV
Orp (field)	LGW-5	8/1/2017	53	0		MV
Orp (field)	LGW-5	9/5/2017	66.9	0		MV
Orp (field)	LGW-5	10/5/2017	84.2	0		MV
Orp (field)	LGW-5	11/1/2017	53.6	0		MV
Orp (field)	LGW-5	6/5/2018	0	0	ND	MV
Orp (field)	LGW-5	9/4/2018	219.5	0		MV
Orp (field)	LGW-5	10/3/2018	137.2	0		MV
Orp (field)	LGW-5	2/5/2019	26.7	0		MV
Orp (field)	LGW-5	6/4/2019	399.2	0		MV
Orp (field)	LGW-6	5/31/2007	191	0		MV
Orp (field)	LGW-6	6/1/2007	191	0		MV
Orp (field)	LGW-6	6/28/2007	158	0		MV
Orp (field)	LGW-6	6/28/2007	158	0		MV
Orp (field)	LGW-6	7/10/2007	107	0		MV
Orp (field)	LGW-6	7/11/2007	107	0		MV
Orp (field)	LGW-6	8/28/2007	280	0		MV
Orp (field)	LGW-6	9/27/2007	133	0		MV
Orp (field)	LGW-6	10/23/2007	7	0		MV
Orp (field)	LGW-6	10/23/2007	7	0		MV
Orp (field)	LGW-6	11/27/2007	1	0		MV
Orp (field)	LGW-6	12/27/2007	12	0		MV
Orp (field)	LGW-6	1/23/2008	0	0	ND	MV
Orp (field)	LGW-6	7/23/2008	121.6	0		MV
Orp (field)	LGW-6	8/29/2008	82.3	0		MV
Orp (field)	LGW-6	9/26/2008	61.6	0		MV
Orp (field)	LGW-6	9/26/2008	61.6	0		MV
Orp (field)	LGW-6	10/21/2008	125.7	0		MV
Orp (field)	LGW-6	12/19/2008	56	0		MV
Orp (field)	LGW-6	2/5/2009	21.8	0		MV
Orp (field)	LGW-6	3/26/2009	44.4	0		MV
Orp (field)	LGW-6	8/28/2009	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-6	10/22/2009	123.9	0		MV
Orp (field)	LGW-6	12/17/2009	24.7	0		MV
Orp (field)	LGW-6	2/16/2010	0	0	ND	MV
Orp (field)	LGW-6	3/3/2010	0	0	ND	MV
Orp (field)	LGW-6	4/7/2010	16.9	0		MV
Orp (field)	LGW-6	5/5/2010	123	0		MV
Orp (field)	LGW-6	6/15/2010	0	0	ND	MV
Orp (field)	LGW-6	7/12/2010	34.4	0		MV
Orp (field)	LGW-6	8/10/2010	0	0	ND	MV
Orp (field)	LGW-6	9/2/2010	46.1	0		MV
Orp (field)	LGW-6	9/29/2010	0	0	ND	MV
Orp (field)	LGW-6	11/3/2010	87.6	0		MV
Orp (field)	LGW-6	12/2/2010	68.1	0		MV
Orp (field)	LGW-6	1/19/2011	18.5	0		MV
Orp (field)	LGW-6	2/7/2011	70.6	0		MV
Orp (field)	LGW-6	3/3/2011	36.4	0		MV
Orp (field)	LGW-6	4/5/2011	40	0		MV
Orp (field)	LGW-6	5/10/2011	26.7	0		MV
Orp (field)	LGW-6	6/1/2011	61.2	0		MV
Orp (field)	LGW-6	7/12/2011	0	0	ND	MV
Orp (field)	LGW-6	8/3/2011	15.3	0		MV
Orp (field)	LGW-6	9/7/2011	43.9	0		MV
Orp (field)	LGW-6	10/5/2011	0	0	ND	MV
Orp (field)	LGW-6	11/1/2011	46.2	0		MV
Orp (field)	LGW-6	12/7/2011	20.8	0		MV
Orp (field)	LGW-6	1/5/2012	0	0	ND	MV
Orp (field)	LGW-6	2/1/2012	3.9	0		MV
Orp (field)	LGW-6	3/6/2012	43	0		MV
Orp (field)	LGW-6	4/5/2012	49.8	0		MV
Orp (field)	LGW-6	5/1/2012	43.5	0		MV
Orp (field)	LGW-6	6/5/2012	40.1	0		MV
Orp (field)	LGW-6	7/9/2012	56.6	0		MV
Orp (field)	LGW-6	8/9/2012	79.2	0		MV
Orp (field)	LGW-6	9/4/2012	92.2	0		MV
Orp (field)	LGW-6	10/7/2012	61	0		MV
Orp (field)	LGW-6	11/6/2012	56	0		MV
Orp (field)	LGW-6	11/6/2012	56	0		MV
Orp (field)	LGW-6	12/6/2012	166	0		MV
Orp (field)	LGW-6	12/6/2012	166	0		MV
Orp (field)	LGW-6	1/23/2013	147.4	0		MV
Orp (field)	LGW-6	1/23/2013	147.4	0		MV
Orp (field)	LGW-6	2/5/2013	185.1	0		MV
Orp (field)	LGW-6	2/5/2013	185.1	0		MV
Orp (field)	LGW-6	3/5/2013	302.9	0		MV
Orp (field)	LGW-6	3/5/2013	302.9	0		MV
Orp (field)	LGW-6	4/30/2013	106.1	0		MV
Orp (field)	LGW-6	6/4/2013	205.6	0		MV
Orp (field)	LGW-6	7/15/2013	140.1	0		MV
Orp (field)	LGW-6	8/8/2013	211.9	0		MV
Orp (field)	LGW-6	9/10/2013	178.4	0		MV
Orp (field)	LGW-6	10/1/2013	159.7	0		MV
Orp (field)	LGW-6	11/6/2013	162.8	0		MV
Orp (field)	LGW-6	12/2/2013	133.9	0		MV
Orp (field)	LGW-6	1/23/2014	78.4	0		MV
Orp (field)	LGW-6	2/12/2014	128.3	0		MV
Orp (field)	LGW-6	3/11/2014	106	0		MV
Orp (field)	LGW-6	4/2/2014	135.3	0		MV
Orp (field)	LGW-6	5/7/2014	133.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-6	6/3/2014	97.4	0		MV
Orp (field)	LGW-6	7/8/2014	56.3	0		MV
Orp (field)	LGW-6	8/5/2014	113.3	0		MV
Orp (field)	LGW-6	9/4/2014	37.3	0		MV
Orp (field)	LGW-6	10/9/2014	1.2	0		MV
Orp (field)	LGW-6	11/3/2014	145.7	0		MV
Orp (field)	LGW-6	1/14/2015	155.9	0		MV
Orp (field)	LGW-6	2/10/2015	96.4	0		MV
Orp (field)	LGW-6	3/3/2015	286	0		MV
Orp (field)	LGW-6	4/1/2015	106.2	0		MV
Orp (field)	LGW-6	5/6/2015	94.6	0		MV
Orp (field)	LGW-6	6/3/2015	125.7	0		MV
Orp (field)	LGW-6	7/22/2015	61.2	0		MV
Orp (field)	LGW-6	8/4/2015	66.5	0		MV
Orp (field)	LGW-6	9/2/2015	83.7	0		MV
Orp (field)	LGW-6	10/6/2015	84.3	0		MV
Orp (field)	LGW-6	11/4/2015	100.2	0		MV
Orp (field)	LGW-6	12/3/2015	79.3	0		MV
Orp (field)	LGW-6	1/5/2016	52.4	0		MV
Orp (field)	LGW-6	2/3/2016	42.6	0		MV
Orp (field)	LGW-6	3/2/2016	87.2	0		MV
Orp (field)	LGW-6	4/5/2016	21.2	0		MV
Orp (field)	LGW-6	5/11/2016	40.9	0		MV
Orp (field)	LGW-6	6/1/2016	51	0		MV
Orp (field)	LGW-6	7/19/2016	129.5	0		MV
Orp (field)	LGW-6	8/10/2016	65.9	0		MV
Orp (field)	LGW-6	9/6/2016	81	0		MV
Orp (field)	LGW-6	9/6/2016	81	0		MV
Orp (field)	LGW-6	10/6/2016	56.4	0		MV
Orp (field)	LGW-6	11/2/2016	40.3	0		MV
Orp (field)	LGW-6	12/1/2016	122.2	0		MV
Orp (field)	LGW-6	1/11/2017	12.2	0		MV
Orp (field)	LGW-6	2/7/2017	38.4	0		MV
Orp (field)	LGW-6	3/2/2017	60.2	0		MV
Orp (field)	LGW-6	4/4/2017	47.9	0		MV
Orp (field)	LGW-6	5/2/2017	60.3	0		MV
Orp (field)	LGW-6	5/5/2017	50.3	0		MV
Orp (field)	LGW-6	6/6/2017	95.4	0		MV
Orp (field)	LGW-6	7/18/2017	42.9	0		MV
Orp (field)	LGW-6	8/1/2017	54.3	0		MV
Orp (field)	LGW-6	9/5/2017	57.1	0		MV
Orp (field)	LGW-6	10/5/2017	101.4	0		MV
Orp (field)	LGW-6	11/1/2017	64.8	0		MV
Orp (field)	LGW-6	6/5/2018	0	0	ND	MV
Orp (field)	LGW-6	6/5/2018	0	0	ND	MV
Orp (field)	LGW-6	9/5/2018	0.3	0		MV
Orp (field)	LGW-6	10/2/2018	38.5	0		MV
Orp (field)	LGW-6	10/2/2018	38.5	0		MV
Orp (field)	LGW-6	2/5/2019	20	0		MV
Orp (field)	LGW-6	6/4/2019	189.3	0		MV
Orp (field)	LGW-6	7/10/2019	0	0	ND	MV
Orp (field)	LGW-7	6/1/2007	155	0		MV
Orp (field)	LGW-7	6/1/2007	155	0		MV
Orp (field)	LGW-7	6/28/2007	187	0		MV
Orp (field)	LGW-7	6/28/2007	187	0		MV
Orp (field)	LGW-7	7/10/2007	141	0		MV
Orp (field)	LGW-7	7/12/2007	141	0		MV
Orp (field)	LGW-7	8/29/2007	102	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-7	9/28/2007	91	0		MV
Orp (field)	LGW-7	10/24/2007	20	0		MV
Orp (field)	LGW-7	10/24/2007	20	0		MV
Orp (field)	LGW-7	11/27/2007	27	0		MV
Orp (field)	LGW-7	12/27/2007	25	0		MV
Orp (field)	LGW-7	1/25/2008	107	0		MV
Orp (field)	LGW-7	7/22/2008	116.4	0		MV
Orp (field)	LGW-7	9/26/2008	92	0		MV
Orp (field)	LGW-7	9/26/2008	92	0		MV
Orp (field)	LGW-7	10/21/2008	102.5	0		MV
Orp (field)	LGW-7	12/19/2008	57	0		MV
Orp (field)	LGW-7	2/4/2009	44.4	0		MV
Orp (field)	LGW-7	3/26/2009	30	0		MV
Orp (field)	LGW-7	4/16/2009	8	0		MV
Orp (field)	LGW-7	8/29/2009	0	0	ND	MV
Orp (field)	LGW-7	10/21/2009	68.7	0		MV
Orp (field)	LGW-7	12/17/2009	20.4	0		MV
Orp (field)	LGW-7	2/16/2010	0	0	ND	MV
Orp (field)	LGW-7	3/3/2010	0	0	ND	MV
Orp (field)	LGW-7	4/7/2010	21.3	0		MV
Orp (field)	LGW-7	5/5/2010	143.6	0		MV
Orp (field)	LGW-7	6/16/2010	0	0	ND	MV
Orp (field)	LGW-7	7/12/2010	27.9	0		MV
Orp (field)	LGW-7	8/10/2010	0	0	ND	MV
Orp (field)	LGW-7	9/2/2010	51.8	0		MV
Orp (field)	LGW-7	9/29/2010	0	0	ND	MV
Orp (field)	LGW-7	11/3/2010	106.5	0		MV
Orp (field)	LGW-7	12/2/2010	72.8	0		MV
Orp (field)	LGW-7	1/20/2011	0	0	ND	MV
Orp (field)	LGW-7	2/8/2011	62.4	0		MV
Orp (field)	LGW-7	3/3/2011	39.6	0		MV
Orp (field)	LGW-7	4/5/2011	48.9	0		MV
Orp (field)	LGW-7	5/10/2011	23	0		MV
Orp (field)	LGW-7	6/1/2011	70	0		MV
Orp (field)	LGW-7	7/12/2011	0	0	ND	MV
Orp (field)	LGW-7	8/3/2011	2.1	0		MV
Orp (field)	LGW-7	9/7/2011	50.6	0		MV
Orp (field)	LGW-7	10/5/2011	0	0	ND	MV
Orp (field)	LGW-7	11/1/2011	49.8	0		MV
Orp (field)	LGW-7	12/8/2011	0	0	ND	MV
Orp (field)	LGW-7	1/5/2012	0	0	ND	MV
Orp (field)	LGW-7	2/1/2012	19.6	0		MV
Orp (field)	LGW-7	3/6/2012	44.5	0		MV
Orp (field)	LGW-7	4/5/2012	58.9	0		MV
Orp (field)	LGW-7	5/1/2012	43.3	0		MV
Orp (field)	LGW-7	6/5/2012	5.4	0		MV
Orp (field)	LGW-7	7/10/2012	63.3	0		MV
Orp (field)	LGW-7	8/9/2012	30.1	0		MV
Orp (field)	LGW-7	9/4/2012	91.9	0		MV
Orp (field)	LGW-7	10/7/2012	63.4	0		MV
Orp (field)	LGW-7	4/30/2013	112.9	0		MV
Orp (field)	LGW-7	6/4/2013	208.7	0		MV
Orp (field)	LGW-7	7/15/2013	141.7	0		MV
Orp (field)	LGW-7	8/8/2013	90.3	0		MV
Orp (field)	LGW-7	9/10/2013	190.5	0		MV
Orp (field)	LGW-7	10/1/2013	159	0		MV
Orp (field)	LGW-7	11/6/2013	159.7	0		MV
Orp (field)	LGW-7	12/2/2013	133	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-7	1/23/2014	90.1	0		MV
Orp (field)	LGW-7	2/13/2014	135.3	0		MV
Orp (field)	LGW-7	3/11/2014	111	0		MV
Orp (field)	LGW-7	4/2/2014	142.3	0		MV
Orp (field)	LGW-7	5/7/2014	129.8	0		MV
Orp (field)	LGW-7	6/3/2014	74.9	0		MV
Orp (field)	LGW-7	7/8/2014	64.9	0		MV
Orp (field)	LGW-7	8/5/2014	98.9	0		MV
Orp (field)	LGW-7	9/4/2014	53.1	0		MV
Orp (field)	LGW-7	10/9/2014	0.9	0		MV
Orp (field)	LGW-7	11/3/2014	132.2	0		MV
Orp (field)	LGW-7	1/14/2015	167.8	0		MV
Orp (field)	LGW-7	2/11/2015	118.1	0		MV
Orp (field)	LGW-7	3/3/2015	298.3	0		MV
Orp (field)	LGW-7	4/1/2015	121.6	0		MV
Orp (field)	LGW-7	5/6/2015	104.1	0		MV
Orp (field)	LGW-7	6/3/2015	45.6	0		MV
Orp (field)	LGW-7	7/22/2015	63.3	0		MV
Orp (field)	LGW-7	8/4/2015	72.8	0		MV
Orp (field)	LGW-7	9/3/2015	69	0		MV
Orp (field)	LGW-7	10/6/2015	74.1	0		MV
Orp (field)	LGW-7	11/4/2015	99.1	0		MV
Orp (field)	LGW-7	12/3/2015	76.4	0		MV
Orp (field)	LGW-7	1/5/2016	52.3	0		MV
Orp (field)	LGW-7	2/3/2016	30.1	0		MV
Orp (field)	LGW-7	2/10/2016	48.8	0		MV
Orp (field)	LGW-7	3/2/2016	87.4	0		MV
Orp (field)	LGW-7	4/6/2016	40.7	0		MV
Orp (field)	LGW-7	5/11/2016	44.8	0		MV
Orp (field)	LGW-7	6/1/2016	59.6	0		MV
Orp (field)	LGW-7	7/20/2016	65.9	0		MV
Orp (field)	LGW-7	8/10/2016	63.5	0		MV
Orp (field)	LGW-7	9/6/2016	80.8	0		MV
Orp (field)	LGW-7	9/6/2016	80.8	0		MV
Orp (field)	LGW-7	10/6/2016	55.4	0		MV
Orp (field)	LGW-7	11/2/2016	39.1	0		MV
Orp (field)	LGW-7	12/1/2016	65.4	0		MV
Orp (field)	LGW-7	1/11/2017	5.7	0		MV
Orp (field)	LGW-7	2/7/2017	63.1	0		MV
Orp (field)	LGW-7	3/2/2017	53.6	0		MV
Orp (field)	LGW-7	4/4/2017	138.4	0		MV
Orp (field)	LGW-7	5/2/2017	92.4	0		MV
Orp (field)	LGW-7	6/6/2017	117.6	0		MV
Orp (field)	LGW-7	7/18/2017	80.6	0		MV
Orp (field)	LGW-7	8/1/2017	60.7	0		MV
Orp (field)	LGW-7	9/5/2017	61.4	0		MV
Orp (field)	LGW-7	10/5/2017	80.4	0		MV
Orp (field)	LGW-7	11/1/2017	52.7	0		MV
Orp (field)	LGW-7	6/5/2018	0	0	ND	MV
Orp (field)	LGW-7	6/5/2018	0	0	ND	MV
Orp (field)	LGW-7	9/5/2018	27.6	0		MV
Orp (field)	LGW-7	10/2/2018	154.8	0		MV
Orp (field)	LGW-7	10/2/2018	154.8	0		MV
Orp (field)	LGW-7	2/5/2019	32.3	0		MV
Orp (field)	LGW-7	6/4/2019	424.3	0		MV
Orp (field)	LGW-7	7/10/2019	0	0	ND	MV
Orp (field)	LGW-8R	6/1/2007	177	0		MV
Orp (field)	LGW-8R	6/1/2007	177	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-8R	6/28/2007	207	0		MV
Orp (field)	LGW-8R	6/28/2007	207	0		MV
Orp (field)	LGW-8R	7/10/2007	172	0		MV
Orp (field)	LGW-8R	7/12/2007	172	0		MV
Orp (field)	LGW-8R	8/29/2007	134	0		MV
Orp (field)	LGW-8R	9/28/2007	120	0		MV
Orp (field)	LGW-8R	10/23/2007	81	0		MV
Orp (field)	LGW-8R	10/23/2007	81	0		MV
Orp (field)	LGW-8R	11/28/2007	0	0	ND	MV
Orp (field)	LGW-8R	8/29/2008	90.5	0		MV
Orp (field)	LGW-8R	9/25/2008	42.9	42.9	ND	MV
Orp (field)	LGW-8R	9/25/2008	42.9	0		MV
Orp (field)	LGW-8R	10/21/2008	85.5	0		MV
Orp (field)	LGW-8R	12/19/2008	50.5	0		MV
Orp (field)	LGW-8R	2/4/2009	52.5	52.5	ND	MV
Orp (field)	LGW-8R	3/26/2009	22.8	0		MV
Orp (field)	LGW-8R	4/16/2009	29.6	0		MV
Orp (field)	LGW-8R	8/28/2009	0	0	ND	MV
Orp (field)	LGW-8R	10/21/2009	72	0		MV
Orp (field)	LGW-8R	12/17/2009	4.6	0		MV
Orp (field)	LGW-8R	2/15/2010	0	0	ND	MV
Orp (field)	LGW-8R	3/3/2010	0	0	ND	MV
Orp (field)	LGW-8R	4/7/2010	14.8	0		MV
Orp (field)	LGW-8R	5/5/2010	141.9	0		MV
Orp (field)	LGW-8R	6/16/2010	0	0	ND	MV
Orp (field)	LGW-8R	7/14/2010	0	0	ND	MV
Orp (field)	LGW-8R	8/10/2010	0	0	ND	MV
Orp (field)	LGW-8R	9/2/2010	40	0		MV
Orp (field)	LGW-8R	9/29/2010	0	0	ND	MV
Orp (field)	LGW-8R	11/3/2010	115.4	0		MV
Orp (field)	LGW-8R	12/2/2010	85	0		MV
Orp (field)	LGW-8R	1/20/2011	0	0	ND	MV
Orp (field)	LGW-8R	2/7/2011	43.5	0		MV
Orp (field)	LGW-8R	3/3/2011	45.5	0		MV
Orp (field)	LGW-8R	4/5/2011	44.5	0		MV
Orp (field)	LGW-8R	5/10/2011	48.2	0		MV
Orp (field)	LGW-8R	6/1/2011	57	0		MV
Orp (field)	LGW-8R	7/12/2011	0	0	ND	MV
Orp (field)	LGW-8R	8/3/2011	0	0	ND	MV
Orp (field)	LGW-8R	9/7/2011	26.7	0		MV
Orp (field)	LGW-8R	10/5/2011	0	0	ND	MV
Orp (field)	LGW-8R	11/1/2011	41	0		MV
Orp (field)	LGW-8R	12/8/2011	0	0	ND	MV
Orp (field)	LGW-8R	1/5/2012	0	0	ND	MV
Orp (field)	LGW-8R	2/1/2012	15.1	0		MV
Orp (field)	LGW-8R	3/7/2012	0	0	ND	MV
Orp (field)	LGW-8R	4/5/2012	50.3	0		MV
Orp (field)	LGW-8R	5/1/2012	43.5	0		MV
Orp (field)	LGW-8R	6/5/2012	53.9	0		MV
Orp (field)	LGW-8R	7/9/2012	70.2	0		MV
Orp (field)	LGW-8R	8/9/2012	66.1	0		MV
Orp (field)	LGW-8R	9/4/2012	100.7	0		MV
Orp (field)	LGW-8R	10/7/2012	71.4	0		MV
Orp (field)	LGW-8R	4/30/2013	83.1	83.1	ND	MV
Orp (field)	LGW-8R	6/4/2013	209	0		MV
Orp (field)	LGW-8R	7/15/2013	163.5	163.5	ND	MV
Orp (field)	LGW-8R	8/8/2013	179.7	0		MV
Orp (field)	LGW-8R	9/10/2013	202.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-8R	10/1/2013	163.8	0		MV
Orp (field)	LGW-8R	11/6/2013	153.8	0		MV
Orp (field)	LGW-8R	12/2/2013	136	0		MV
Orp (field)	LGW-8R	1/22/2014	116	0		MV
Orp (field)	LGW-8R	2/12/2014	126.4	0		MV
Orp (field)	LGW-8R	3/11/2014	127	0		MV
Orp (field)	LGW-8R	4/2/2014	141.1	0		MV
Orp (field)	LGW-8R	5/7/2014	120.9	0		MV
Orp (field)	LGW-8R	6/3/2014	79.8	0		MV
Orp (field)	LGW-8R	7/8/2014	62.1	0		MV
Orp (field)	LGW-8R	8/5/2014	111	0		MV
Orp (field)	LGW-8R	9/4/2014	68.7	0		MV
Orp (field)	LGW-8R	10/9/2014	0	0	ND	MV
Orp (field)	LGW-8R	11/3/2014	128.5	0		MV
Orp (field)	LGW-8R	1/14/2015	152.8	0		MV
Orp (field)	LGW-8R	2/11/2015	101.1	0		MV
Orp (field)	LGW-8R	3/3/2015	298.6	0		MV
Orp (field)	LGW-8R	4/1/2015	116.3	0		MV
Orp (field)	LGW-8R	5/6/2015	146.7	0		MV
Orp (field)	LGW-8R	6/3/2015	68.3	0		MV
Orp (field)	LGW-8R	7/22/2015	60.8	0		MV
Orp (field)	LGW-8R	8/4/2015	79.6	0		MV
Orp (field)	LGW-8R	9/3/2015	72.7	0		MV
Orp (field)	LGW-8R	10/6/2015	77.3	0		MV
Orp (field)	LGW-8R	11/4/2015	103.8	0		MV
Orp (field)	LGW-8R	12/3/2015	92.4	0		MV
Orp (field)	LGW-8R	1/5/2016	54.6	0		MV
Orp (field)	LGW-8R	2/3/2016	36.3	0		MV
Orp (field)	LGW-8R	3/2/2016	100.2	0		MV
Orp (field)	LGW-8R	4/5/2016	24.5	0		MV
Orp (field)	LGW-8R	5/11/2016	53	0		MV
Orp (field)	LGW-8R	6/1/2016	62.9	0		MV
Orp (field)	LGW-8R	7/20/2016	62.7	0		MV
Orp (field)	LGW-8R	8/10/2016	69.8	0		MV
Orp (field)	LGW-8R	9/6/2016	87.5	0		MV
Orp (field)	LGW-8R	10/6/2016	64.9	0		MV
Orp (field)	LGW-8R	11/2/2016	57.9	0		MV
Orp (field)	LGW-8R	12/1/2016	101.4	0		MV
Orp (field)	LGW-8R	1/11/2017	20.4	0		MV
Orp (field)	LGW-8R	2/7/2017	54.7	0		MV
Orp (field)	LGW-8R	3/2/2017	66.4	0		MV
Orp (field)	LGW-8R	4/4/2017	156.1	0		MV
Orp (field)	LGW-8R	5/2/2017	102.9	0		MV
Orp (field)	LGW-8R	6/6/2017	112.7	0		MV
Orp (field)	LGW-8R	7/18/2017	79.6	0		MV
Orp (field)	LGW-8R	8/1/2017	64.7	0		MV
Orp (field)	LGW-8R	9/5/2017	73.3	0		MV
Orp (field)	LGW-8R	10/5/2017	82.9	0		MV
Orp (field)	LGW-8R	11/1/2017	70.7	0		MV
Orp (field)	LGW-8R	6/5/2018	0	0	ND	MV
Orp (field)	LGW-8R	6/21/2018	4.9	0		MV
Orp (field)	LGW-8R	9/5/2018	18.2	0		MV
Orp (field)	LGW-8R	10/2/2018	155.7	0		MV
Orp (field)	LGW-8R	2/5/2019	9	0		MV
Orp (field)	LGW-8R	6/4/2019	215.7	0		MV
Orp (field)	LGW-9	5/31/2007	20	0		MV
Orp (field)	LGW-9	6/1/2007	20	0		MV
Orp (field)	LGW-9	6/28/2007	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-9	6/28/2007	0	0	ND	MV
Orp (field)	LGW-9	7/10/2007	0	0	ND	MV
Orp (field)	LGW-9	7/10/2007	0	0	ND	MV
Orp (field)	LGW-9	8/28/2007	0	0	ND	MV
Orp (field)	LGW-9	9/28/2007	0	0	ND	MV
Orp (field)	LGW-9	10/23/2007	0	0	ND	MV
Orp (field)	LGW-9	10/23/2007	0	0	ND	MV
Orp (field)	LGW-9	11/28/2007	0	0	ND	MV
Orp (field)	LGW-9	12/27/2007	0	0	ND	MV
Orp (field)	LGW-9	1/25/2008	0	0	ND	MV
Orp (field)	LGW-9	7/22/2008	42.8	0		MV
Orp (field)	LGW-9	8/28/2009	0	0	ND	MV
Orp (field)	LGW-9	10/22/2009	29.3	0		MV
Orp (field)	LGW-9	2/15/2010	0	0	ND	MV
Orp (field)	LGW-9	3/3/2010	0	0	ND	MV
Orp (field)	LGW-9	4/8/2010	0	0	ND	MV
Orp (field)	LGW-9	5/6/2010	22.1	0		MV
Orp (field)	LGW-9	6/16/2010	0	0	ND	MV
Orp (field)	LGW-9	7/14/2010	0	0	ND	MV
Orp (field)	LGW-9	8/11/2010	0	0	ND	MV
Orp (field)	LGW-9	9/1/2010	0	0	ND	MV
Orp (field)	LGW-9	9/29/2010	0	0	ND	MV
Orp (field)	LGW-9	11/3/2010	29.2	0		MV
Orp (field)	LGW-9	12/2/2010	27.3	0		MV
Orp (field)	LGW-9	1/20/2011	0	0	ND	MV
Orp (field)	LGW-9	2/7/2011	19.2	0		MV
Orp (field)	LGW-9	3/3/2011	0	0	ND	MV
Orp (field)	LGW-9	4/5/2011	0	0	ND	MV
Orp (field)	LGW-9	5/10/2011	0	0	ND	MV
Orp (field)	LGW-9	6/1/2011	16.8	0		MV
Orp (field)	LGW-9	7/12/2011	0	0	ND	MV
Orp (field)	LGW-9	8/4/2011	0	0	ND	MV
Orp (field)	LGW-9	9/7/2011	0	0	ND	MV
Orp (field)	LGW-9	10/5/2011	0	0	ND	MV
Orp (field)	LGW-9	11/1/2011	0	0	ND	MV
Orp (field)	LGW-9	12/8/2011	0	0	ND	MV
Orp (field)	LGW-9	1/5/2012	0	0	ND	MV
Orp (field)	LGW-9	2/1/2012	0	0	ND	MV
Orp (field)	LGW-9	3/7/2012	0	0	ND	MV
Orp (field)	LGW-9	4/5/2012	0	0	ND	MV
Orp (field)	LGW-9	5/1/2012	0	0	ND	MV
Orp (field)	LGW-9	6/5/2012	0	0	ND	MV
Orp (field)	LGW-9	7/10/2012	0	0	ND	MV
Orp (field)	LGW-9	8/9/2012	0	0	ND	MV
Orp (field)	LGW-9	9/4/2012	0	0	ND	MV
Orp (field)	LGW-9	10/7/2012	0	0	ND	MV
Orp (field)	LGW-9	5/1/2013	0	0	ND	MV
Orp (field)	LGW-9	6/4/2013	0	0	ND	MV
Orp (field)	LGW-9	7/15/2013	0	0	ND	MV
Orp (field)	LGW-9	8/8/2013	0	0	ND	MV
Orp (field)	LGW-9	9/10/2013	0	0	ND	MV
Orp (field)	LGW-9	10/1/2013	0	0	ND	MV
Orp (field)	LGW-9	11/6/2013	0	0	ND	MV
Orp (field)	LGW-9	12/2/2013	0	0	ND	MV
Orp (field)	LGW-9	1/23/2014	0	0	ND	MV
Orp (field)	LGW-9	2/13/2014	30	0		MV
Orp (field)	LGW-9	3/11/2014	30.1	0		MV
Orp (field)	LGW-9	4/2/2014	17.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	LGW-9	5/7/2014	57.5	0		MV
Orp (field)	LGW-9	6/3/2014	44.2	0		MV
Orp (field)	LGW-9	7/8/2014	29.7	0		MV
Orp (field)	LGW-9	8/5/2014	74.2	0		MV
Orp (field)	LGW-9	9/4/2014	54.5	0		MV
Orp (field)	LGW-9	10/9/2014	0	0	ND	MV
Orp (field)	LGW-9	11/3/2014	133	0		MV
Orp (field)	LGW-9	1/14/2015	110.3	0		MV
Orp (field)	LGW-9	2/11/2015	104.3	0		MV
Orp (field)	LGW-9	3/3/2015	41.2	0		MV
Orp (field)	LGW-9	4/1/2015	0	0	ND	MV
Orp (field)	LGW-9	5/7/2015	0	0	ND	MV
Orp (field)	LGW-9	6/3/2015	0	0	ND	MV
Orp (field)	LGW-9	7/13/2015	0	0	ND	MV
Orp (field)	LGW-9	8/4/2015	33.8	0		MV
Orp (field)	LGW-9	9/3/2015	12	0		MV
Orp (field)	LGW-9	10/6/2015	67.6	0		MV
Orp (field)	LGW-9	11/4/2015	79.2	0		MV
Orp (field)	LGW-9	12/3/2015	76.2	0		MV
Orp (field)	LGW-9	1/5/2016	64.8	0		MV
Orp (field)	LGW-9	2/3/2016	34.9	0		MV
Orp (field)	LGW-9	3/2/2016	106.4	0		MV
Orp (field)	LGW-9	4/5/2016	45.7	0		MV
Orp (field)	LGW-9	5/11/2016	73.4	0		MV
Orp (field)	LGW-9	6/1/2016	82.6	0		MV
Orp (field)	LGW-9	7/21/2016	68.8	0		MV
Orp (field)	LGW-9	8/10/2016	88.1	0		MV
Orp (field)	LGW-9	9/6/2016	106.7	0		MV
Orp (field)	LGW-9	9/6/2016	106.7	0		MV
Orp (field)	LGW-9	10/6/2016	10.35	0		MV
Orp (field)	LGW-9	11/2/2016	87.2	0		MV
Orp (field)	LGW-9	12/1/2016	137.3	0		MV
Orp (field)	LGW-9	1/11/2017	36.4	0		MV
Orp (field)	LGW-9	2/7/2017	62.1	0		MV
Orp (field)	LGW-9	3/2/2017	81.4	0		MV
Orp (field)	LGW-9	4/4/2017	14.8	0		MV
Orp (field)	LGW-9	5/5/2017	36.5	0		MV
Orp (field)	LGW-9	5/16/2017	111.8	0		MV
Orp (field)	LGW-9	6/6/2017	143.9	0		MV
Orp (field)	LGW-9	7/18/2017	67.2	0		MV
Orp (field)	LGW-9	8/1/2017	82	0		MV
Orp (field)	LGW-9	9/5/2017	95	0		MV
Orp (field)	LGW-9	10/5/2017	89.3	0		MV
Orp (field)	LGW-9	11/1/2017	88.1	0		MV
Orp (field)	LGW-9	6/5/2018	131.6	0		MV
Orp (field)	LGW-9	6/5/2018	131.6	0		MV
Orp (field)	LGW-9	9/5/2018	9	0		MV
Orp (field)	LGW-9	10/2/2018	63.3	0		MV
Orp (field)	LGW-9	10/2/2018	63.3	0		MV
Orp (field)	LGW-9	2/6/2019	0	0	ND	MV
Orp (field)	LGW-9	6/4/2019	6.2	0		MV
Orp (field)	LGW-9	7/10/2019	0	0	ND	MV
Orp (field)	MW-10N	7/10/2007	0	0	ND	MV
Orp (field)	MW-10N	7/10/2007	0	0	ND	MV
Orp (field)	MW-10N	1/23/2008	0	0	ND	MV
Orp (field)	MW-10N	7/21/2008	127.8	0		MV
Orp (field)	MW-10N	8/10/2010	0	0	ND	MV
Orp (field)	MW-10N	1/19/2011	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-10N	7/14/2011	0	0	ND	MV
Orp (field)	MW-10N	1/5/2012	0	0	ND	MV
Orp (field)	MW-10N	7/10/2012	0	0	ND	MV
Orp (field)	MW-10N	5/1/2013	0	0	ND	MV
Orp (field)	MW-10N	1/24/2014	0	0	ND	MV
Orp (field)	MW-10N	7/9/2014	42	0		MV
Orp (field)	MW-10N	2/12/2015	139.7	0		MV
Orp (field)	MW-10N	7/14/2015	0	0	ND	MV
Orp (field)	MW-10N	1/6/2016	53.8	0		MV
Orp (field)	MW-10N	7/21/2016	70.8	0		MV
Orp (field)	MW-10N	1/11/2017	45.7	0		MV
Orp (field)	MW-10N	7/19/2017	30.7	0		MV
Orp (field)	MW-11N	7/10/2007	0	0	ND	MV
Orp (field)	MW-11N	7/10/2007	0	0	ND	MV
Orp (field)	MW-11N	7/23/2008	14.33	0		MV
Orp (field)	MW-11N	2/3/2009	34	0		MV
Orp (field)	MW-11N	7/16/2010	0	0	ND	MV
Orp (field)	MW-11N	1/19/2011	0	0	ND	MV
Orp (field)	MW-11N	7/13/2011	0	0	ND	MV
Orp (field)	MW-11N	1/4/2012	0	0	ND	MV
Orp (field)	MW-11N	7/9/2012	70.7	0		MV
Orp (field)	MW-11N	4/30/2013	74.6	0		MV
Orp (field)	MW-11N	7/15/2013	147.5	0		MV
Orp (field)	MW-11N	1/23/2014	132.8	0		MV
Orp (field)	MW-11N	7/8/2014	71.6	0		MV
Orp (field)	MW-11N	2/10/2015	103.8	0		MV
Orp (field)	MW-11N	7/13/2015	30.2	0		MV
Orp (field)	MW-11N	1/5/2016	50.9	0		MV
Orp (field)	MW-11N	7/21/2016	13.9	0		MV
Orp (field)	MW-11N	1/11/2017	77.5	0		MV
Orp (field)	MW-11N	7/19/2017	43.4	0		MV
Orp (field)	MW-15	6/2/2015	108	0		MV
Orp (field)	MW-15	6/5/2015	144.4	0		MV
Orp (field)	MW-15	7/15/2015	71.3	0		MV
Orp (field)	MW-15	8/5/2015	149	0		MV
Orp (field)	MW-15	9/3/2015	133.1	0		MV
Orp (field)	MW-15	10/6/2015	126.7	0		MV
Orp (field)	MW-15	11/5/2015	106.7	0		MV
Orp (field)	MW-15	12/4/2015	94.6	0		MV
Orp (field)	MW-15	1/7/2016	84.6	0		MV
Orp (field)	MW-15	2/4/2016	54.1	0		MV
Orp (field)	MW-15	3/2/2016	89.2	0		MV
Orp (field)	MW-15	4/5/2016	59	0		MV
Orp (field)	MW-15	5/11/2016	80.6	0		MV
Orp (field)	MW-15	6/1/2016	107.4	0		MV
Orp (field)	MW-15	7/20/2016	90.3	0		MV
Orp (field)	MW-15	8/10/2016	90.1	0		MV
Orp (field)	MW-15	9/6/2016	92.5	0		MV
Orp (field)	MW-15	10/6/2016	93	0		MV
Orp (field)	MW-15	11/2/2016	71.2	0		MV
Orp (field)	MW-15	12/1/2016	223.8	0		MV
Orp (field)	MW-15	1/10/2017	79.1	0		MV
Orp (field)	MW-15	2/7/2017	77.1	0		MV
Orp (field)	MW-15	3/2/2017	98.8	0		MV
Orp (field)	MW-15	4/4/2017	82.9	0		MV
Orp (field)	MW-15	5/2/2017	33.8	0		MV
Orp (field)	MW-15	6/6/2017	80.3	0		MV
Orp (field)	MW-15	7/18/2017	81.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-15	8/1/2017	102.1	0		MV
Orp (field)	MW-15	9/5/2017	100.5	0		MV
Orp (field)	MW-15	10/6/2017	80.6	0		MV
Orp (field)	MW-15	11/1/2017	79.3	0		MV
Orp (field)	MW-15	6/5/2018	95	0		MV
Orp (field)	MW-15	9/4/2018	90.2	0		MV
Orp (field)	MW-15	10/2/2018	139	0		MV
Orp (field)	MW-15	10/2/2018	139	0		MV
Orp (field)	MW-15	2/5/2019	0	0	ND	MV
Orp (field)	MW-15	6/4/2019	499.8	0		MV
Orp (field)	MW-16	6/2/2015	132.5	0		MV
Orp (field)	MW-16	6/5/2015	141.1	0		MV
Orp (field)	MW-16	7/16/2015	180.4	0		MV
Orp (field)	MW-16	8/5/2015	107.1	0		MV
Orp (field)	MW-16	9/3/2015	87.9	0		MV
Orp (field)	MW-16	10/6/2015	114.7	0		MV
Orp (field)	MW-16	11/5/2015	90.1	0		MV
Orp (field)	MW-16	12/4/2015	78.5	0		MV
Orp (field)	MW-16	1/8/2016	87.1	0		MV
Orp (field)	MW-16	2/4/2016	41.2	0		MV
Orp (field)	MW-16	3/2/2016	87.8	0		MV
Orp (field)	MW-16	4/5/2016	24.3	0		MV
Orp (field)	MW-16	5/11/2016	58.2	0		MV
Orp (field)	MW-16	6/2/2016	130	0		MV
Orp (field)	MW-16	7/21/2016	79.3	0		MV
Orp (field)	MW-16	8/10/2016	68.6	0		MV
Orp (field)	MW-16	9/6/2016	84.8	0		MV
Orp (field)	MW-16	10/5/2016	98.1	0		MV
Orp (field)	MW-16	11/2/2016	54.7	0		MV
Orp (field)	MW-16	12/1/2016	138.5	0		MV
Orp (field)	MW-16	1/10/2017	49.9	0		MV
Orp (field)	MW-16	2/7/2017	72.5	0		MV
Orp (field)	MW-16	3/2/2017	83.6	0		MV
Orp (field)	MW-16	4/4/2017	117.7	0		MV
Orp (field)	MW-16	5/2/2017	42.4	0		MV
Orp (field)	MW-16	6/6/2017	85.2	0		MV
Orp (field)	MW-16	7/18/2017	43.6	0		MV
Orp (field)	MW-16	8/1/2017	35.2	0		MV
Orp (field)	MW-16	9/5/2017	43.5	0		MV
Orp (field)	MW-16	10/6/2017	47.3	0		MV
Orp (field)	MW-16	11/1/2017	56.4	0		MV
Orp (field)	MW-16	6/5/2018	101.1	0		MV
Orp (field)	MW-16	9/5/2018	89.8	0		MV
Orp (field)	MW-16	10/2/2018	100.5	0		MV
Orp (field)	MW-16	2/5/2019	20.7	0		MV
Orp (field)	MW-16	6/4/2019	435.1	0		MV
Orp (field)	MW-17	6/2/2015	148.7	0		MV
Orp (field)	MW-17	6/5/2015	128.9	0		MV
Orp (field)	MW-17	7/15/2015	97.6	0		MV
Orp (field)	MW-17	8/4/2015	134	0		MV
Orp (field)	MW-17	9/2/2015	89.9	0		MV
Orp (field)	MW-17	10/5/2015	96.2	0		MV
Orp (field)	MW-17	11/5/2015	84.2	0		MV
Orp (field)	MW-17	12/3/2015	47.3	0		MV
Orp (field)	MW-17	1/7/2016	116.6	0		MV
Orp (field)	MW-17	2/3/2016	111.6	0		MV
Orp (field)	MW-17	3/2/2016	89	0		MV
Orp (field)	MW-17	4/5/2016	19.3	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-17	5/12/2016	2.9	0		MV
Orp (field)	MW-17	6/1/2016	45.9	0		MV
Orp (field)	MW-17	7/20/2016	71.4	0		MV
Orp (field)	MW-17	8/11/2016	86.3	0		MV
Orp (field)	MW-17	9/6/2016	69.9	0		MV
Orp (field)	MW-17	10/6/2016	113.4	0		MV
Orp (field)	MW-17	11/3/2016	98.8	0		MV
Orp (field)	MW-17	12/2/2016	175.9	0		MV
Orp (field)	MW-17	1/10/2017	38	0		MV
Orp (field)	MW-17	2/7/2017	56.7	0		MV
Orp (field)	MW-17	3/2/2017	72.4	0		MV
Orp (field)	MW-17	4/4/2017	121.1	0		MV
Orp (field)	MW-17	5/2/2017	47.2	0		MV
Orp (field)	MW-17	5/16/2017	55.9	0		MV
Orp (field)	MW-17	6/6/2017	98.8	0		MV
Orp (field)	MW-17	7/18/2017	24.1	0		MV
Orp (field)	MW-17	8/1/2017	28.6	0		MV
Orp (field)	MW-17	9/5/2017	42.1	0		MV
Orp (field)	MW-17	10/6/2017	51.6	0		MV
Orp (field)	MW-17	11/1/2017	51.6	0		MV
Orp (field)	MW-17	6/5/2018	129.3	0		MV
Orp (field)	MW-17	9/5/2018	113.3	0		MV
Orp (field)	MW-17	10/1/2018	131.9	0		MV
Orp (field)	MW-17	10/1/2018	131.9	0		MV
Orp (field)	MW-17	2/5/2019	0	0	ND	MV
Orp (field)	MW-17	6/5/2019	296.1	0		MV
Orp (field)	MW-19	6/2/2015	170.2	0		MV
Orp (field)	MW-19	6/5/2015	117.6	0		MV
Orp (field)	MW-19	7/16/2015	143.5	0		MV
Orp (field)	MW-19	8/5/2015	87.1	0		MV
Orp (field)	MW-19	9/3/2015	53.9	0		MV
Orp (field)	MW-19	10/6/2015	92.5	0		MV
Orp (field)	MW-19	11/5/2015	74.1	0		MV
Orp (field)	MW-19	12/4/2015	105.1	0		MV
Orp (field)	MW-19	1/7/2016	71.6	0		MV
Orp (field)	MW-19	2/3/2016	70.2	0		MV
Orp (field)	MW-19	3/3/2016	45.9	0		MV
Orp (field)	MW-19	4/5/2016	3.3	0		MV
Orp (field)	MW-19	5/12/2016	7.62	0		MV
Orp (field)	MW-19	6/2/2016	132.5	0		MV
Orp (field)	MW-19	7/21/2016	54.9	0		MV
Orp (field)	MW-19	8/11/2016	61.6	0		MV
Orp (field)	MW-19	9/6/2016	61.4	0		MV
Orp (field)	MW-19	10/5/2016	51.8	0		MV
Orp (field)	MW-19	11/3/2016	73.3	0		MV
Orp (field)	MW-19	12/1/2016	173.5	0		MV
Orp (field)	MW-19	1/10/2017	14.1	0		MV
Orp (field)	MW-19	2/7/2017	41.2	0		MV
Orp (field)	MW-19	3/2/2017	52.3	0		MV
Orp (field)	MW-19	4/4/2017	122.5	0		MV
Orp (field)	MW-19	5/2/2017	62.4	0		MV
Orp (field)	MW-19	6/6/2017	95.6	0		MV
Orp (field)	MW-19	7/18/2017	40.9	0		MV
Orp (field)	MW-19	8/1/2017	35.6	0		MV
Orp (field)	MW-19	9/5/2017	37.1	0		MV
Orp (field)	MW-19	10/6/2017	57.1	0		MV
Orp (field)	MW-19	11/1/2017	43.8	0		MV
Orp (field)	MW-19	6/5/2018	120.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-19	9/5/2018	77	0		MV
Orp (field)	MW-19	10/2/2018	89.9	0		MV
Orp (field)	MW-19	10/2/2018	89.9	0		MV
Orp (field)	MW-19	2/6/2019	24.5	0		MV
Orp (field)	MW-19	6/4/2019	421.1	0		MV
Orp (field)	MW-1N	7/10/2007	0	0	ND	MV
Orp (field)	MW-1N	7/11/2007	0	0	ND	MV
Orp (field)	MW-1N	1/24/2008	0	0	ND	MV
Orp (field)	MW-1N	7/21/2008	94	0		MV
Orp (field)	MW-1N	7/13/2010	0	0	ND	MV
Orp (field)	MW-1N	1/20/2011	0	0	ND	MV
Orp (field)	MW-1N	7/13/2011	0	0	ND	MV
Orp (field)	MW-1N	1/5/2012	0	0	ND	MV
Orp (field)	MW-1N	7/10/2012	0	0	ND	MV
Orp (field)	MW-1N	5/1/2013	0	0	ND	MV
Orp (field)	MW-1N	7/16/2013	0	0	ND	MV
Orp (field)	MW-1N	1/24/2014	59.7	0		MV
Orp (field)	MW-1N	7/9/2014	32.2	0		MV
Orp (field)	MW-1N	2/10/2015	120.8	0		MV
Orp (field)	MW-1N	7/14/2015	0	0	ND	MV
Orp (field)	MW-1N	1/6/2016	37.1	0		MV
Orp (field)	MW-1N	7/21/2016	30.9	0		MV
Orp (field)	MW-1N	1/12/2017	2.6	0		MV
Orp (field)	MW-1N	7/19/2017	21.3	0		MV
Orp (field)	MW-1N	10/3/2018	81.8	0		MV
Orp (field)	MW-20	6/2/2015	171.7	0		MV
Orp (field)	MW-20	6/5/2015	158.5	0		MV
Orp (field)	MW-20	7/14/2015	33.7	0		MV
Orp (field)	MW-20	8/4/2015	136.3	0		MV
Orp (field)	MW-20	9/2/2015	105.2	0		MV
Orp (field)	MW-20	10/5/2015	105	0		MV
Orp (field)	MW-20	1/7/2016	94.8	0		MV
Orp (field)	MW-20	4/5/2016	23.2	0		MV
Orp (field)	MW-20	7/20/2016	75.6	0		MV
Orp (field)	MW-20	10/5/2016	38.1	0		MV
Orp (field)	MW-20	1/12/2017	0	0	ND	MV
Orp (field)	MW-20	7/18/2017	50.2	0		MV
Orp (field)	MW-21	6/2/2015	14.7	0		MV
Orp (field)	MW-21	6/5/2015	17.8	0		MV
Orp (field)	MW-21	7/14/2015	6	0		MV
Orp (field)	MW-21	8/4/2015	49.6	0		MV
Orp (field)	MW-21	9/2/2015	38.6	0		MV
Orp (field)	MW-21	10/5/2015	53.8	0		MV
Orp (field)	MW-21	1/7/2016	63.5	0		MV
Orp (field)	MW-21	2/10/2016	22	0		MV
Orp (field)	MW-21	4/5/2016	24.8	0		MV
Orp (field)	MW-21	7/20/2016	56.5	0		MV
Orp (field)	MW-21	10/5/2016	62.5	0		MV
Orp (field)	MW-21	1/10/2017	46.5	0		MV
Orp (field)	MW-21	4/5/2017	19.2	0		MV
Orp (field)	MW-21	7/19/2017	17.1	0		MV
Orp (field)	MW-21	10/6/2017	51.6	0		MV
Orp (field)	MW-21	10/4/2018	1.9	0		MV
Orp (field)	MW-21	7/11/2019	0	0	ND	MV
Orp (field)	MW-2N	7/10/2007	28	0		MV
Orp (field)	MW-2N	7/11/2007	28	0		MV
Orp (field)	MW-2N	1/24/2008	0	0	ND	MV
Orp (field)	MW-2N	7/22/2008	111.6	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-2N	7/13/2010	0	0	ND	MV
Orp (field)	MW-2N	1/20/2011	3.1	0		MV
Orp (field)	MW-2N	7/13/2011	0	0	ND	MV
Orp (field)	MW-2N	1/5/2012	0	0	ND	MV
Orp (field)	MW-2N	7/10/2012	57.2	0		MV
Orp (field)	MW-2N	5/1/2013	14.1	0		MV
Orp (field)	MW-2N	7/16/2013	93.1	0		MV
Orp (field)	MW-2N	1/24/2014	73	0		MV
Orp (field)	MW-2N	7/9/2014	47.6	0		MV
Orp (field)	MW-2N	2/12/2015	153.8	0		MV
Orp (field)	MW-2N	7/14/2015	45.3	0		MV
Orp (field)	MW-2N	1/6/2016	27.6	0		MV
Orp (field)	MW-2N	7/21/2016	34.1	0		MV
Orp (field)	MW-2N	1/11/2017	16.6	0		MV
Orp (field)	MW-2N	7/19/2017	42	0		MV
Orp (field)	MW-2N	6/21/2018	0	0	ND	MV
Orp (field)	MW-3N	7/10/2007	23	0		MV
Orp (field)	MW-3N	7/11/2007	23	0		MV
Orp (field)	MW-3N	1/24/2008	0	0	ND	MV
Orp (field)	MW-3N	7/22/2008	12.8	0		MV
Orp (field)	MW-3N	7/13/2010	0	0	ND	MV
Orp (field)	MW-3N	1/20/2011	0	0	ND	MV
Orp (field)	MW-3N	7/14/2011	0	0	ND	MV
Orp (field)	MW-3N	1/5/2012	0	0	ND	MV
Orp (field)	MW-3N	7/11/2012	24.9	0		MV
Orp (field)	MW-3N	5/1/2013	37.9	0		MV
Orp (field)	MW-3N	6/4/2013	40.1	0		MV
Orp (field)	MW-3N	7/16/2013	55.7	0		MV
Orp (field)	MW-3N	1/24/2014	66.1	0		MV
Orp (field)	MW-3N	7/9/2014	50.5	0		MV
Orp (field)	MW-3N	2/12/2015	178.6	0		MV
Orp (field)	MW-3N	4/1/2015	44.1	0		MV
Orp (field)	MW-3N	7/14/2015	56.9	0		MV
Orp (field)	MW-3N	10/5/2015	57.4	0		MV
Orp (field)	MW-3N	1/6/2016	3.3	0		MV
Orp (field)	MW-3N	4/6/2016	38.2	0		MV
Orp (field)	MW-3N	7/21/2016	20.1	0		MV
Orp (field)	MW-3N	10/6/2016	53.9	0		MV
Orp (field)	MW-3N	1/11/2017	0	0	ND	MV
Orp (field)	MW-3N	4/4/2017	136	0		MV
Orp (field)	MW-3N	7/19/2017	35.9	0		MV
Orp (field)	MW-3N	10/9/2017	47.5	0		MV
Orp (field)	MW-3N	6/6/2018	138	0		MV
Orp (field)	MW-3N	10/3/2018	21.3	0		MV
Orp (field)	MW-3N	10/3/2018	21.3	0		MV
Orp (field)	MW-3N	7/11/2019	0	0	ND	MV
Orp (field)	MW-7N	6/1/2007	24	0		MV
Orp (field)	MW-7N	6/1/2007	24	0		MV
Orp (field)	MW-7N	6/28/2007	2	0		MV
Orp (field)	MW-7N	6/28/2007	2	0		MV
Orp (field)	MW-7N	7/10/2007	0	0	ND	MV
Orp (field)	MW-7N	7/10/2007	0	0	ND	MV
Orp (field)	MW-7N	9/27/2007	0	0	ND	MV
Orp (field)	MW-7N	10/24/2007	0	0	ND	MV
Orp (field)	MW-7N	10/24/2007	0	0	ND	MV
Orp (field)	MW-7N	11/27/2007	0	0	ND	MV
Orp (field)	MW-7N	12/27/2007	0	0	ND	MV
Orp (field)	MW-7N	1/25/2008	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-7N	7/21/2008	18.1	0		MV
Orp (field)	MW-7N	8/28/2009	0	0	ND	MV
Orp (field)	MW-7N	2/15/2010	0	0	ND	MV
Orp (field)	MW-7N	3/3/2010	0	0	ND	MV
Orp (field)	MW-7N	4/8/2010	0	0	ND	MV
Orp (field)	MW-7N	5/6/2010	22.4	0		MV
Orp (field)	MW-7N	6/16/2010	0	0	ND	MV
Orp (field)	MW-7N	7/14/2010	0	0	ND	MV
Orp (field)	MW-7N	8/11/2010	0	0	ND	MV
Orp (field)	MW-7N	9/2/2010	33	0		MV
Orp (field)	MW-7N	9/2/2010	33	0		MV
Orp (field)	MW-7N	9/29/2010	0	0	ND	MV
Orp (field)	MW-7N	11/3/2010	82.8	0		MV
Orp (field)	MW-7N	12/2/2010	64.5	0		MV
Orp (field)	MW-7N	1/20/2011	0	0	ND	MV
Orp (field)	MW-7N	2/7/2011	46.1	0		MV
Orp (field)	MW-7N	3/3/2011	27.1	0		MV
Orp (field)	MW-7N	4/5/2011	27.8	0		MV
Orp (field)	MW-7N	5/10/2011	1.8	0		MV
Orp (field)	MW-7N	6/1/2011	43.8	0		MV
Orp (field)	MW-7N	7/12/2011	0	0	ND	MV
Orp (field)	MW-7N	8/4/2011	0	0	ND	MV
Orp (field)	MW-7N	9/7/2011	8.8	0		MV
Orp (field)	MW-7N	10/5/2011	0	0	ND	MV
Orp (field)	MW-7N	11/1/2011	29.8	0		MV
Orp (field)	MW-7N	12/8/2011	8.3	0		MV
Orp (field)	MW-7N	1/5/2012	0	0	ND	MV
Orp (field)	MW-7N	2/1/2012	16.7	0		MV
Orp (field)	MW-7N	3/7/2012	27	0		MV
Orp (field)	MW-7N	4/5/2012	51.5	0		MV
Orp (field)	MW-7N	5/1/2012	60.4	0		MV
Orp (field)	MW-7N	5/10/2012	43.7	0		MV
Orp (field)	MW-7N	6/5/2012	16.6	0		MV
Orp (field)	MW-7N	7/10/2012	62.3	0		MV
Orp (field)	MW-7N	8/9/2012	82.9	0		MV
Orp (field)	MW-7N	9/4/2012	91.5	0		MV
Orp (field)	MW-7N	10/7/2012	53.8	0		MV
Orp (field)	MW-7N	5/1/2013	0	0	ND	MV
Orp (field)	MW-7N	6/4/2013	9	0		MV
Orp (field)	MW-7N	6/4/2013	9	0		MV
Orp (field)	MW-7N	7/15/2013	60.8	0		MV
Orp (field)	MW-7N	8/8/2013	46	0		MV
Orp (field)	MW-7N	9/10/2013	68.6	0		MV
Orp (field)	MW-7N	10/1/2013	883	0		MV
Orp (field)	MW-7N	11/6/2013	80.4	0		MV
Orp (field)	MW-7N	12/2/2013	65.4	0		MV
Orp (field)	MW-7N	1/30/2014	53.1	0		MV
Orp (field)	MW-7N	2/13/2014	80	0		MV
Orp (field)	MW-7N	3/11/2014	60.2	0		MV
Orp (field)	MW-7N	4/2/2014	83.2	0		MV
Orp (field)	MW-7N	5/7/2014	108.5	0		MV
Orp (field)	MW-7N	6/3/2014	89.1	0		MV
Orp (field)	MW-7N	7/9/2014	77.8	0		MV
Orp (field)	MW-7N	8/5/2014	76.3	0		MV
Orp (field)	MW-7N	9/4/2014	57	0		MV
Orp (field)	MW-7N	10/9/2014	0	0	ND	MV
Orp (field)	MW-7N	11/3/2014	124.8	0		MV
Orp (field)	MW-7N	1/14/2015	117.9	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-7N	2/12/2015	90.9	0		MV
Orp (field)	MW-7N	3/3/2015	125.3	0		MV
Orp (field)	MW-7N	4/1/2015	55.4	0		MV
Orp (field)	MW-7N	5/7/2015	49.6	0		MV
Orp (field)	MW-7N	6/3/2015	66.2	0		MV
Orp (field)	MW-7N	7/13/2015	43.2	0		MV
Orp (field)	MW-7N	8/4/2015	21.6	0		MV
Orp (field)	MW-7N	9/3/2015	5.6	0		MV
Orp (field)	MW-7N	10/6/2015	31	0		MV
Orp (field)	MW-7N	11/4/2015	48.8	0		MV
Orp (field)	MW-7N	12/3/2015	34.2	0		MV
Orp (field)	MW-7N	1/5/2016	9.2	0		MV
Orp (field)	MW-7N	2/3/2016	1.1	0		MV
Orp (field)	MW-7N	3/2/2016	70.9	0		MV
Orp (field)	MW-7N	4/5/2016	25.5	0		MV
Orp (field)	MW-7N	5/11/2016	47.3	0		MV
Orp (field)	MW-7N	6/1/2016	44.2	0		MV
Orp (field)	MW-7N	7/21/2016	36.5	0		MV
Orp (field)	MW-7N	8/10/2016	58.7	0		MV
Orp (field)	MW-7N	9/6/2016	79.6	0		MV
Orp (field)	MW-7N	10/6/2016	74.1	0		MV
Orp (field)	MW-7N	11/2/2016	84.6	0		MV
Orp (field)	MW-7N	12/1/2016	126.3	0		MV
Orp (field)	MW-7N	1/11/2017	48.4	0		MV
Orp (field)	MW-7N	2/7/2017	43.7	0		MV
Orp (field)	MW-7N	3/2/2017	78.2	0		MV
Orp (field)	MW-7N	3/2/2017	78.2	0		MV
Orp (field)	MW-7N	4/4/2017	79.8	0		MV
Orp (field)	MW-7N	5/16/2017	113.1	0		MV
Orp (field)	MW-7N	6/6/2017	120.6	0		MV
Orp (field)	MW-7N	7/19/2017	52	0		MV
Orp (field)	MW-7N	8/1/2017	67.1	0		MV
Orp (field)	MW-7N	9/5/2017	71.5	0		MV
Orp (field)	MW-7N	10/5/2017	89.5	0		MV
Orp (field)	MW-7N	11/1/2017	64.2	0		MV
Orp (field)	MW-7N	6/5/2018	52.8	0		MV
Orp (field)	MW-7N	6/5/2018	52.8	0		MV
Orp (field)	MW-7N	9/5/2018	12.9	0		MV
Orp (field)	MW-7N	10/4/2018	99.5	0		MV
Orp (field)	MW-7N	2/5/2019	25.6	0		MV
Orp (field)	MW-7N	6/4/2019	379.5	0		MV
Orp (field)	MW-8N	7/10/2007	128	0		MV
Orp (field)	MW-8N	7/10/2007	128	0		MV
Orp (field)	MW-8N	10/24/2007	122	0		MV
Orp (field)	MW-8N	10/24/2007	122	0		MV
Orp (field)	MW-8N	1/24/2008	0	0	ND	MV
Orp (field)	MW-8N	7/23/2008	216.4	0		MV
Orp (field)	MW-8N	10/21/2008	128.5	0		MV
Orp (field)	MW-8N	2/4/2009	103.3	0		MV
Orp (field)	MW-8N	4/16/2009	90.9	0		MV
Orp (field)	MW-8N	10/26/2009	67	0		MV
Orp (field)	MW-8N	4/8/2010	14.2	0		MV
Orp (field)	MW-8N	7/16/2010	2.9	0		MV
Orp (field)	MW-8N	9/2/2010	0	0	ND	MV
Orp (field)	MW-8N	9/30/2010	0	0	ND	MV
Orp (field)	MW-8N	1/19/2011	0	0	ND	MV
Orp (field)	MW-8N	5/10/2011	5.3	0		MV
Orp (field)	MW-8N	7/14/2011	0	0	ND	MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	MW-8N	1/6/2012	0	0	ND	MV
Orp (field)	MW-8N	4/5/2012	68	0		MV
Orp (field)	MW-8N	7/11/2012	20.5	0		MV
Orp (field)	MW-8N	10/3/2012	118.3	0		MV
Orp (field)	MW-8N	5/1/2013	65.2	0		MV
Orp (field)	MW-8N	6/4/2013	150.3	0		MV
Orp (field)	MW-8N	7/16/2013	122.6	0		MV
Orp (field)	MW-8N	10/2/2013	162.9	0		MV
Orp (field)	MW-8N	1/30/2014	50.6	0		MV
Orp (field)	MW-8N	4/3/2014	114.5	0		MV
Orp (field)	MW-8N	7/9/2014	52.7	0		MV
Orp (field)	MW-8N	10/8/2014	25.3	0		MV
Orp (field)	MW-8N	2/12/2015	126.3	0		MV
Orp (field)	MW-8N	4/1/2015	74.4	0		MV
Orp (field)	MW-8N	7/14/2015	32.8	0		MV
Orp (field)	MW-8N	10/5/2015	84	0		MV
Orp (field)	MW-8N	1/5/2016	35.8	0		MV
Orp (field)	MW-8N	4/6/2016	67.3	0		MV
Orp (field)	MW-8N	7/21/2016	38.7	0		MV
Orp (field)	MW-8N	10/6/2016	94.7	0		MV
Orp (field)	MW-8N	1/11/2017	32.6	0		MV
Orp (field)	MW-8N	4/4/2017	68.5	0		MV
Orp (field)	MW-8N	7/19/2017	88.5	0		MV
Orp (field)	MW-8N	10/6/2017	130.8	0		MV
Orp (field)	MW-8N	6/6/2018	120.3	0		MV
Orp (field)	MW-8N	10/2/2018	179.3	0		MV
Orp (field)	MW-8N	7/11/2019	0	0	ND	MV
Orp (field)	NE-1	7/10/2007	113	0		MV
Orp (field)	NE-1	7/10/2007	113	0		MV
Orp (field)	NE-1	10/24/2007	20	0		MV
Orp (field)	NE-1	10/24/2007	20	0		MV
Orp (field)	NE-1	1/24/2008	0	0	ND	MV
Orp (field)	NE-1	7/21/2008	105.7	0		MV
Orp (field)	NE-1	2/7/2009	2.2	0		MV
Orp (field)	NE-1	7/14/2010	0	0	ND	MV
Orp (field)	NE-1	9/2/2010	0	0	ND	MV
Orp (field)	NE-1	9/30/2010	0	0	ND	MV
Orp (field)	NE-1	1/19/2011	60.8	0		MV
Orp (field)	NE-1	7/13/2011	0	0	ND	MV
Orp (field)	NE-1	1/5/2012	0	0	ND	MV
Orp (field)	NE-1	7/10/2012	57.6	0		MV
Orp (field)	NE-1	4/30/2013	56.5	0		MV
Orp (field)	NE-1	7/16/2013	101.9	0		MV
Orp (field)	NE-1	1/23/2014	131.6	0		MV
Orp (field)	NE-1	7/9/2014	80	0		MV
Orp (field)	NE-1	2/11/2015	89.6	0		MV
Orp (field)	NE-1	7/8/2015	89.8	0		MV
Orp (field)	NE-1	1/6/2016	76.5	0		MV
Orp (field)	NE-1	7/20/2016	114.5	0		MV
Orp (field)	NE-1	1/11/2017	61.3	0		MV
Orp (field)	NE-1	7/19/2017	74.4	0		MV
Orp (field)	NE-1	10/2/2018	158	0		MV
Orp (field)	NE-1	7/10/2019	0	0	ND	MV
Orp (field)	NE-1	7/10/2019	0	0	ND	MV
Orp (field)	NE-10D	11/6/2019	95.6	0		MV
Orp (field)	NE-11	3/1/2017	109.7	0		MV
Orp (field)	NE-11	4/6/2017	151.1	0		MV
Orp (field)	NE-11	7/20/2017	51.2	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	NE-11	10/9/2017	35.2	0		MV
Orp (field)	NE-12	3/1/2017	100.7	0		MV
Orp (field)	NE-12	4/6/2017	147.6	0		MV
Orp (field)	NE-12	7/20/2017	85.6	0		MV
Orp (field)	NE-12	10/6/2017	86.9	0		MV
Orp (field)	NE-12	7/9/2019	37.7	0		MV
Orp (field)	NE-13	2/5/2019	137.1	0		MV
Orp (field)	NE-13	7/11/2019	110	0		MV
Orp (field)	NE-2	10/26/2009	89.6	0		MV
Orp (field)	NE-2	9/2/2010	0	0	ND	MV
Orp (field)	NE-2	9/30/2010	0	0	ND	MV
Orp (field)	NE-2	4/5/2012	68.7	0		MV
Orp (field)	NE-2	10/1/2013	116.1	0		MV
Orp (field)	NE-2	10/5/2015	103.1	0		MV
Orp (field)	NE-2	10/6/2016	109.3	0		MV
Orp (field)	NE-2	10/5/2017	116.8	0		MV
Orp (field)	NE-2	10/1/2018	13.93	0		MV
Orp (field)	NE-2	7/9/2019	58.9	0		MV
Orp (field)	NE-2	7/9/2019	58.9	0		MV
Orp (field)	NE-4	7/10/2007	121	0		MV
Orp (field)	NE-4	7/12/2007	121	0		MV
Orp (field)	NE-4	1/24/2008	0	0	ND	MV
Orp (field)	NE-4	7/21/2008	120.2	0		MV
Orp (field)	NE-4	2/7/2009	8.4	0		MV
Orp (field)	NE-4	7/14/2010	0	0	ND	MV
Orp (field)	NE-4	1/19/2011	35.2	0		MV
Orp (field)	NE-4	7/13/2011	0	0	ND	MV
Orp (field)	NE-4	1/5/2012	0	0	ND	MV
Orp (field)	NE-4	7/10/2012	57	0		MV
Orp (field)	NE-4	4/30/2013	94.3	0		MV
Orp (field)	NE-4	7/16/2013	148.4	0		MV
Orp (field)	NE-4	1/23/2014	137.9	0		MV
Orp (field)	NE-4	7/9/2014	58.5	0		MV
Orp (field)	NE-4	2/13/2015	101.6	0		MV
Orp (field)	NE-4	7/8/2015	135.1	0		MV
Orp (field)	NE-4	1/6/2016	64.3	0		MV
Orp (field)	NE-4	7/20/2016	122.9	0		MV
Orp (field)	NE-4	1/11/2017	52.9	0		MV
Orp (field)	NE-4	7/19/2017	92.4	0		MV
Orp (field)	NE-4	10/3/2018	100.3	0		MV
Orp (field)	NE-4	7/8/2019	0	0	ND	MV
Orp (field)	NE-4	7/8/2019	0	0	ND	MV
Orp (field)	NE-5	7/10/2007	67	0		MV
Orp (field)	NE-5	7/12/2007	67	0		MV
Orp (field)	NE-5	1/25/2008	0	0	ND	MV
Orp (field)	NE-5	7/22/2008	77.8	0		MV
Orp (field)	NE-5	7/16/2010	0	0	ND	MV
Orp (field)	NE-5	9/2/2010	0	0	ND	MV
Orp (field)	NE-5	1/19/2011	10.7	0		MV
Orp (field)	NE-5	7/13/2011	0	0	ND	MV
Orp (field)	NE-5	1/5/2012	0	0	ND	MV
Orp (field)	NE-5	7/10/2012	0	0	ND	MV
Orp (field)	NE-5	4/30/2013	0	0	ND	MV
Orp (field)	NE-5	7/16/2013	0	0	ND	MV
Orp (field)	NE-5	1/23/2014	136.8	0		MV
Orp (field)	NE-5	7/9/2014	69	0		MV
Orp (field)	NE-5	2/11/2015	113.6	0		MV
Orp (field)	NE-5	7/14/2015	8.5	0		MV

Constituent	Sample Point	Date	Result	Limit	ND	Units
Orp (field)	NE-5	1/6/2016	34.1	0		MV
Orp (field)	NE-5	2/11/2016	85.5	0		MV
Orp (field)	NE-5	7/20/2016	93.6	0		MV
Orp (field)	NE-5	1/11/2017	55.7	0		MV
Orp (field)	NE-5	7/19/2017	0	0	ND	MV
Orp (field)	NE-5	10/3/2018	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-5	7/9/2019	0	0	ND	MV
Orp (field)	NE-6	1/12/2017	13.9	0		MV
Orp (field)	NE-6	4/5/2017	76.3	0		MV
Orp (field)	NE-6	7/19/2017	66.4	0		MV
Orp (field)	NE-6	10/6/2017	74.9	0		MV
Orp (field)	NE-6	2/4/2019	0	0	ND	MV
Orp (field)	NE-6	7/9/2019	0	0	ND	MV
Orp (field)	NE-7	3/1/2017	98.2	0		MV
Orp (field)	NE-7	4/6/2017	135.2	0		MV
Orp (field)	NE-7	7/20/2017	59.6	0		MV
Orp (field)	NE-7	10/5/2017	104.9	0		MV
Orp (field)	NE-7	2/6/2019	173.9	0		MV
Orp (field)	NE-7	7/10/2019	72.8	0		MV
Orp (field)	NE-8	1/12/2017	12.5	0		MV
Orp (field)	NE-8	4/5/2017	116.4	0		MV
Orp (field)	NE-8	7/20/2017	114.3	0		MV
Orp (field)	NE-8	10/6/2017	37	0		MV
Orp (field)	NE-8	2/4/2019	22.3	0		MV
Orp (field)	NE-8	7/11/2019	0	0	ND	MV
Orp (field)	NE-9	1/12/2017	13.3	0		MV
Orp (field)	NE-9	4/5/2017	83.7	0		MV
Orp (field)	NE-9	7/20/2017	102.4	0		MV
Orp (field)	NE-9	10/5/2017	83	0		MV
Orp (field)	NE-9	2/5/2019	32.3	0		MV
Orp (field)	NE-9	7/8/2019	13.3	0		MV
O-toluidine	LGW-10	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
O-toluidine	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
O-toluidine	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
O-toluidine	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
O-toluidine	LGW-10	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-10	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-10	10/5/2023	10	10	ND	ug/L
O-toluidine	LGW-14R	10/27/2006	10	10	ND	ug/L
O-toluidine	LGW-14R	2/6/2009	10	10	ND	ug/L
O-toluidine	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
O-toluidine	LGW-14R	7/17/2018	10	10	ND	ug/L
O-toluidine	LGW-14R	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-2	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-2	2/13/2009	10	10	ND	ug/L
O-toluidine	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-2	2/13/2015	13	13	ND	ug/L
O-toluidine	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
O-toluidine	LGW-2	7/8/2020	10	10	ND	ug/L
O-toluidine	LGW-2	7/4/2021	10	10	ND	ug/L
O-toluidine	LGW-3R	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-3R	2/3/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
O-toluidine	LGW-3R	7/11/2018	10	10	ND	ug/L
O-toluidine	LGW-3R	7/6/2021	10	10	ND	ug/L
O-toluidine	LGW-4	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-4	2/3/2009	10	10	ND	ug/L
O-toluidine	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
O-toluidine	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
O-toluidine	LGW-4	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-5	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-5	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
O-toluidine	LGW-5	7/12/2018	10	10	ND	ug/L
O-toluidine	LGW-5	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-5	10/5/2023	10	10	ND	ug/L
O-toluidine	LGW-6	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-6	2/5/2009	10	10	ND	ug/L
O-toluidine	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-6	2/10/2015	10	10	ND	ug/L
O-toluidine	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
O-toluidine	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
O-toluidine	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
O-toluidine	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
O-toluidine	LGW-6	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-6	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-6	10/5/2023	10	10	ND	ug/L
O-toluidine	LGW-7	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-7	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
O-toluidine	LGW-7	7/12/2018	10	10	ND	ug/L
O-toluidine	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
O-toluidine	LGW-7	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-7	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-8R	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-8R	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
O-toluidine	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
O-toluidine	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
O-toluidine	LGW-8R	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-9	10/26/2006	10	10	ND	ug/L
O-toluidine	LGW-9	2/4/2009	10	10	ND	ug/L
O-toluidine	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
O-toluidine	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
O-toluidine	LGW-9	7/10/2019	10	10	ND	ug/L
O-toluidine	LGW-9	7/9/2020	10	10	ND	ug/L
O-toluidine	LGW-9	7/7/2021	10	10	ND	ug/L
O-toluidine	LGW-9	10/5/2023	10	10	ND	ug/L
O-toluidine	MW-10N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-10N	2/13/2009	10	10	ND	ug/L
O-toluidine	MW-10N	7/10/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
O-toluidine	MW-10N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-11N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-11N	2/3/2009	10	10	ND	ug/L
O-toluidine	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-11N	2/10/2015	10	10	ND	ug/L
O-toluidine	MW-11N	7/17/2018	10	10	ND	ug/L
O-toluidine	MW-11N	7/6/2021	10	10	ND	ug/L
O-toluidine	MW-15	7/10/2018	10	10	ND	ug/L
O-toluidine	MW-15	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-16	7/11/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-16	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-17	7/10/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-17	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-19	7/13/2018	9.6	9.6	ND	ug/L
O-toluidine	MW-19	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-1N	10/14/1998	10	10	ND	ug/L
O-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-1N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-1N	10/24/2006	10	10	ND	ug/L
O-toluidine	MW-1N	2/5/2009	10	10	ND	ug/L
O-toluidine	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
O-toluidine	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
O-toluidine	MW-1N	7/6/2020	10	10	ND	ug/L
O-toluidine	MW-1N	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-20	7/12/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-20	7/4/2021	10	10	ND	ug/L
O-toluidine	MW-21	10/5/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-21	10/6/2017	9.6	9.6	ND	ug/L
O-toluidine	MW-21	7/11/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-21	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-21	7/8/2020	10	10	ND	ug/L
O-toluidine	MW-21	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-2N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-2N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
O-toluidine	MW-2N	7/12/2018	10	10	ND	ug/L
O-toluidine	MW-2N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-3N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-3N	10/25/2006	10	10	ND	ug/L
O-toluidine	MW-3N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
O-toluidine	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
O-toluidine	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
O-toluidine	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
O-toluidine	MW-3N	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-3N	7/7/2020	10	10	ND	ug/L
O-toluidine	MW-3N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-7N	10/15/1998	10	10	ND	ug/L
O-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-7N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-7N	10/24/2006	10	10	ND	ug/L
O-toluidine	MW-7N	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
O-toluidine	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
O-toluidine	MW-7N	7/13/2018	10	10	ND	ug/L
O-toluidine	MW-7N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-8N	5/29/2002	10	10	ND	ug/L
O-toluidine	MW-8N	10/24/2006	10	10	ND	ug/L
O-toluidine	MW-8N	1/24/2008	10	10	ND	ug/L
O-toluidine	MW-8N	2/4/2009	10	10	ND	ug/L
O-toluidine	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
O-toluidine	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
O-toluidine	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
O-toluidine	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
O-toluidine	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
O-toluidine	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
O-toluidine	MW-8N	7/11/2019	10	10	ND	ug/L
O-toluidine	MW-8N	7/9/2020	10	10	ND	ug/L
O-toluidine	MW-8N	7/5/2021	10	10	ND	ug/L
O-toluidine	MW-8N	10/5/2023	10	10	ND	ug/L
O-toluidine	NE-1	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-1	2/7/2009	10	10	ND	ug/L
O-toluidine	NE-1	7/10/2012	9.6	9.6	ND	ug/L
O-toluidine	NE-1	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	NE-1	7/18/2018	9.6	9.6	ND	ug/L
O-toluidine	NE-2	7/10/2018	9.5	9.5	ND	ug/L
O-toluidine	NE-4	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-4	2/7/2009	10	10	ND	ug/L
O-toluidine	NE-4	7/10/2012	9.8	9.8	ND	ug/L
O-toluidine	NE-4	2/13/2015	9.5	9.5	ND	ug/L
O-toluidine	NE-4	7/12/2018	10	10	ND	ug/L
O-toluidine	NE-5	10/25/2006	10	10	ND	ug/L
O-toluidine	NE-5	2/6/2009	10	10	ND	ug/L
O-toluidine	NE-5	7/10/2012	9.5	9.5	ND	ug/L
O-toluidine	NE-5	2/11/2015	9.6	9.6	ND	ug/L
O-toluidine	NE-5	7/17/2018	9.6	9.6	ND	ug/L
O-toluidine	NE-5	7/9/2019	10	10	ND	ug/L
Parathion	LGW-10	10/26/2006	50	50	ND	ug/L
Parathion	LGW-10	7/9/2012	47	47	ND	ug/L
Parathion	LGW-10	2/12/2015	48	48	ND	ug/L
Parathion	LGW-10	10/6/2016	47	47	ND	ug/L
Parathion	LGW-10	10/9/2017	48	48	ND	ug/L
Parathion	LGW-10	7/16/2018	48	48	ND	ug/L
Parathion	LGW-10	7/11/2019	50	50	ND	ug/L
Parathion	LGW-14R	10/27/2006	50	50	ND	ug/L
Parathion	LGW-14R	2/6/2009	50	50	ND	ug/L
Parathion	LGW-14R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-14R	2/11/2015	49	49	ND	ug/L
Parathion	LGW-14R	7/17/2018	51	51	ND	ug/L
Parathion	LGW-2	10/26/2006	50	50	ND	ug/L
Parathion	LGW-2	2/13/2009	50	50	ND	ug/L
Parathion	LGW-2	7/9/2012	47	47	ND	ug/L
Parathion	LGW-2	2/13/2015	65	65	ND	ug/L
Parathion	LGW-2	7/12/2018	49	49	ND	ug/L
Parathion	LGW-3R	10/26/2006	50	50	ND	ug/L
Parathion	LGW-3R	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Parathion	LGW-3R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-3R	2/10/2015	49	49	ND	ug/L
Parathion	LGW-3R	7/11/2018	50	50	ND	ug/L
Parathion	LGW-4	10/26/2006	50	50	ND	ug/L
Parathion	LGW-4	2/3/2009	50	50	ND	ug/L
Parathion	LGW-4	7/9/2012	47	47	ND	ug/L
Parathion	LGW-4	2/11/2015	48	48	ND	ug/L
Parathion	LGW-4	7/11/2018	50	50	ND	ug/L
Parathion	LGW-5	10/26/2006	50	50	ND	ug/L
Parathion	LGW-5	2/4/2009	50	50	ND	ug/L
Parathion	LGW-5	7/9/2012	47	47	ND	ug/L
Parathion	LGW-5	2/10/2015	48	48	ND	ug/L
Parathion	LGW-5	7/12/2018	50	50	ND	ug/L
Parathion	LGW-6	10/26/2006	50	50	ND	ug/L
Parathion	LGW-6	2/5/2009	50	50	ND	ug/L
Parathion	LGW-6	7/9/2012	47	47	ND	ug/L
Parathion	LGW-6	2/10/2015	50	50	ND	ug/L
Parathion	LGW-6	10/6/2016	48	48	ND	ug/L
Parathion	LGW-6	10/5/2017	48	48	ND	ug/L
Parathion	LGW-6	7/17/2018	49	49	ND	ug/L
Parathion	LGW-6	7/10/2019	49	49	ND	ug/L
Parathion	LGW-7	10/26/2006	50	50	ND	ug/L
Parathion	LGW-7	2/4/2009	50	50	ND	ug/L
Parathion	LGW-7	7/10/2012	47	47	ND	ug/L
Parathion	LGW-7	2/11/2015	48	48	ND	ug/L
Parathion	LGW-7	10/6/2016	48	48	ND	ug/L
Parathion	LGW-7	10/5/2017	48	48	ND	ug/L
Parathion	LGW-7	7/12/2018	51	51	ND	ug/L
Parathion	LGW-7	7/10/2019	49	49	ND	ug/L
Parathion	LGW-8R	10/26/2006	50	50	ND	ug/L
Parathion	LGW-8R	2/4/2009	50	50	ND	ug/L
Parathion	LGW-8R	7/9/2012	47	47	ND	ug/L
Parathion	LGW-8R	2/11/2015	49	49	ND	ug/L
Parathion	LGW-8R	7/13/2018	49	49	ND	ug/L
Parathion	LGW-9	10/26/2006	50	50	ND	ug/L
Parathion	LGW-9	2/4/2009	50	50	ND	ug/L
Parathion	LGW-9	7/10/2012	47	47	ND	ug/L
Parathion	LGW-9	2/11/2015	49	49	ND	ug/L
Parathion	LGW-9	10/6/2016	48	48	ND	ug/L
Parathion	LGW-9	10/5/2017	48	48	ND	ug/L
Parathion	LGW-9	7/13/2018	47	47	ND	ug/L
Parathion	LGW-9	7/10/2019	51	51	ND	ug/L
Parathion	MW-10N	10/25/2006	50	50	ND	ug/L
Parathion	MW-10N	2/13/2009	50	50	ND	ug/L
Parathion	MW-10N	7/10/2012	47	47	ND	ug/L
Parathion	MW-10N	2/12/2015	48	48	ND	ug/L
Parathion	MW-10N	7/11/2018	48	48	ND	ug/L
Parathion	MW-11N	10/25/2006	50	50	ND	ug/L
Parathion	MW-11N	2/3/2009	50	50	ND	ug/L
Parathion	MW-11N	7/9/2012	47	47	ND	ug/L
Parathion	MW-11N	2/10/2015	50	50	ND	ug/L
Parathion	MW-11N	7/17/2018	50	50	ND	ug/L
Parathion	MW-15	7/10/2018	51	51	ND	ug/L
Parathion	MW-16	7/11/2018	48	48	ND	ug/L
Parathion	MW-17	7/10/2018	47	47	ND	ug/L
Parathion	MW-19	7/13/2018	48	48	ND	ug/L
Parathion	MW-1N	10/14/1998	10	10	ND	ug/L
Parathion	MW-1N	5/29/2002	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Parathion	MW-1N	5/29/2002	20	20	ND	ug/L
Parathion	MW-1N	10/24/2006	50	50	ND	ug/L
Parathion	MW-1N	2/5/2009	50	50	ND	ug/L
Parathion	MW-1N	7/10/2012	47	47	ND	ug/L
Parathion	MW-1N	2/10/2015	47	47	ND	ug/L
Parathion	MW-1N	7/10/2018	49	49	ND	ug/L
Parathion	MW-20	7/12/2018	47	47	ND	ug/L
Parathion	MW-21	10/5/2016	48	48	ND	ug/L
Parathion	MW-21	10/6/2017	48	48	ND	ug/L
Parathion	MW-21	7/11/2018	48	48	ND	ug/L
Parathion	MW-21	7/11/2019	50	50	ND	ug/L
Parathion	MW-2N	10/25/2006	50	50	ND	ug/L
Parathion	MW-2N	2/4/2009	50	50	ND	ug/L
Parathion	MW-2N	7/10/2012	47	47	ND	ug/L
Parathion	MW-2N	2/12/2015	48	48	ND	ug/L
Parathion	MW-2N	7/12/2018	51	51	ND	ug/L
Parathion	MW-3N	5/29/2002	20	20	ND	ug/L
Parathion	MW-3N	5/29/2002	20	20	ND	ug/L
Parathion	MW-3N	10/25/2006	50	50	ND	ug/L
Parathion	MW-3N	2/4/2009	50	50	ND	ug/L
Parathion	MW-3N	7/11/2012	47	47	ND	ug/L
Parathion	MW-3N	2/12/2015	49	49	ND	ug/L
Parathion	MW-3N	10/6/2016	48	48	ND	ug/L
Parathion	MW-3N	10/9/2017	48	48	ND	ug/L
Parathion	MW-3N	7/13/2018	47	47	ND	ug/L
Parathion	MW-3N	7/11/2019	50	50	ND	ug/L
Parathion	MW-7N	10/15/1998	10	10	ND	ug/L
Parathion	MW-7N	5/29/2002	20	20	ND	ug/L
Parathion	MW-7N	5/29/2002	20	20	ND	ug/L
Parathion	MW-7N	10/24/2006	50	50	ND	ug/L
Parathion	MW-7N	2/6/2009	50	50	ND	ug/L
Parathion	MW-7N	7/10/2012	47	47	ND	ug/L
Parathion	MW-7N	2/12/2015	49	49	ND	ug/L
Parathion	MW-7N	10/5/2017	49	49	ND	ug/L
Parathion	MW-7N	7/13/2018	52	52	ND	ug/L
Parathion	MW-8N	5/29/2002	20	20	ND	ug/L
Parathion	MW-8N	5/29/2002	20	20	ND	ug/L
Parathion	MW-8N	10/24/2006	50	50	ND	ug/L
Parathion	MW-8N	1/24/2008	50	50	ND	ug/L
Parathion	MW-8N	2/4/2009	50	50	ND	ug/L
Parathion	MW-8N	5/10/2011	48	48	ND	ug/L
Parathion	MW-8N	7/11/2012	47	47	ND	ug/L
Parathion	MW-8N	10/2/2013	48	48	ND	ug/L
Parathion	MW-8N	10/8/2014	48	48	ND	ug/L
Parathion	MW-8N	2/12/2015	48	48	ND	ug/L
Parathion	MW-8N	10/6/2016	48	48	ND	ug/L
Parathion	MW-8N	10/6/2017	48	48	ND	ug/L
Parathion	MW-8N	7/16/2018	49	49	ND	ug/L
Parathion	MW-8N	7/11/2019	50	50	ND	ug/L
Parathion	NE-1	10/25/2006	50	50	ND	ug/L
Parathion	NE-1	2/7/2009	50	50	ND	ug/L
Parathion	NE-1	7/10/2012	48	48	ND	ug/L
Parathion	NE-1	2/11/2015	48	48	ND	ug/L
Parathion	NE-1	7/18/2018	48	48	ND	ug/L
Parathion	NE-2	7/10/2018	48	48	ND	ug/L
Parathion	NE-4	10/25/2006	50	50	ND	ug/L
Parathion	NE-4	2/7/2009	50	50	ND	ug/L
Parathion	NE-4	7/10/2012	49	49	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Parathion	NE-4	2/13/2015	48	48	ND	ug/L
Parathion	NE-4	7/12/2018	52	52	ND	ug/L
Parathion	NE-5	10/25/2006	50	50	ND	ug/L
Parathion	NE-5	2/6/2009	50	50	ND	ug/L
Parathion	NE-5	7/10/2012	47	47	ND	ug/L
Parathion	NE-5	2/11/2015	48	48	ND	ug/L
Parathion	NE-5	7/17/2018	48	48	ND	ug/L
Parathion	NE-5	7/9/2019	50	50	ND	ug/L
Pcb 1016	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1016	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1016	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1016	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1016	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1016	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1016	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1016	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1016	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1016	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1016	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1016	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1016	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1016	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1016	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1016	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1016	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1016	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1016	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1016	LGW-6	7/10/2019	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1016	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1016	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1016	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1016	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1016	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1016	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1016	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1016	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1016	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1016	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1016	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1016	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1016	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1016	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1016	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1016	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1016	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1016	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1016	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1016	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1016	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1016	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1016	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1016	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1016	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1016	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1016	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1016	MW-1N	7/10/2018	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1016	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1016	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1016	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1016	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1016	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1016	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1016	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1016	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1016	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1016	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1016	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1016	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1016	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1016	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1016	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1016	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1016	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1016	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1016	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1016	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1016	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1016	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1016	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1016	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1016	NE-1	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1016	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1016	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1016	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1016	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1016	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1016	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1016	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1016	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1016	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1016	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1016	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1016	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1016	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1221	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1221	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1221	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1221	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1221	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1221	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1221	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1221	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1221	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1221	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1221	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1221	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1221	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1221	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1221	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1221	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1221	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-6	2/5/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1221	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1221	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1221	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1221	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1221	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1221	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1221	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1221	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1221	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1221	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1221	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1221	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1221	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1221	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1221	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1221	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1221	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1221	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1221	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1221	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1221	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1221	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1221	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1221	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1221	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1221	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1221	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1221	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	5/29/2002	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1221	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1221	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1221	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1221	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1221	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1221	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1221	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1221	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1221	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1221	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1221	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1221	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1221	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1221	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1221	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1221	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1221	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1221	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1221	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1221	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1221	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1221	MW-8N	7/11/2019	0.51	0.51	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1221	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1221	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1221	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1221	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1221	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1221	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1221	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1221	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1221	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1221	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1221	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1221	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1221	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1221	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1221	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1221	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1221	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1232	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1232	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1232	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1232	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1232	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1232	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1232	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1232	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1232	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1232	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1232	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1232	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1232	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1232	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-5	7/9/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1232	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1232	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1232	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1232	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1232	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1232	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1232	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1232	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1232	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1232	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1232	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1232	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1232	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1232	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1232	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1232	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1232	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1232	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1232	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1232	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1232	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1232	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1232	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1232	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1232	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1232	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1232	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1232	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1232	MW-16	7/4/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1232	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1232	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1232	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1232	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1232	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1232	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1232	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1232	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1232	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1232	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1232	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1232	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1232	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1232	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1232	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1232	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1232	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1232	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1232	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1232	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	10/2/2013	0.96	0.96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1232	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1232	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1232	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1232	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1232	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1232	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1232	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1232	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1232	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1232	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1232	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1232	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1232	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1232	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1232	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1232	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1232	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1232	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1232	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1232	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1232	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1232	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1242	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1242	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1242	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1242	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1242	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1242	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1242	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1242	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1242	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1242	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1242	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1242	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1242	LGW-4	7/9/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1242	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1242	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1242	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1242	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1242	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1242	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1242	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1242	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1242	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1242	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1242	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1242	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1242	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1242	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1242	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1242	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1242	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1242	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1242	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1242	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1242	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1242	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1242	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1242	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1242	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1242	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-11N	2/10/2015	0.97	0.97	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1242	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1242	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1242	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1242	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1242	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1242	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1242	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1242	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1242	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1242	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1242	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1242	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1242	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1242	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1242	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1242	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1242	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1242	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1242	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1242	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1242	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1242	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1242	MW-8N	5/29/2002	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1242	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1242	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1242	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1242	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1242	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1242	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1242	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1242	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1242	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1242	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1242	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1242	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1242	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1242	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1242	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1242	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1242	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1242	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1242	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1242	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1242	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1242	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1242	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1242	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1248	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1248	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1248	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1248	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1248	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1248	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1248	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1248	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1248	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1248	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1248	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1248	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1248	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1248	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1248	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1248	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1248	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1248	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1248	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1248	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1248	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1248	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1248	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1248	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1248	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1248	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1248	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1248	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1248	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1248	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1248	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1248	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1248	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1248	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1248	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-10N	2/12/2015	0.99	0.99	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1248	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1248	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1248	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1248	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1248	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1248	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1248	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1248	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1248	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-1N	10/14/1998	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1248	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1248	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1248	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1248	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1248	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1248	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1248	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1248	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1248	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1248	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1248	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1248	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1248	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-7N	10/15/1998	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1248	MW-7N	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1248	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1248	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1248	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1248	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1248	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1248	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1248	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1248	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1248	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1248	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1248	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1248	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1248	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1248	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1248	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1248	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1248	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1248	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1248	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1248	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1248	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1248	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1248	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1248	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1248	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1248	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1254	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1254	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1254	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1254	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1254	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1254	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-2	2/13/2015	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1254	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1254	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1254	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1254	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1254	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1254	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1254	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1254	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1254	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1254	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1254	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1254	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1254	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1254	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1254	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1254	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1254	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1254	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1254	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1254	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1254	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1254	LGW-9	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1254	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1254	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1254	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1254	LGW-9	7/9/2020	0.5	0.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1254	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1254	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1254	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1254	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1254	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1254	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1254	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1254	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1254	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1254	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1254	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1254	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1254	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-1N	10/14/1998	1	1	ND	ug/L
Pcb 1254	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1254	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1254	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1254	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1254	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1254	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1254	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1254	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1254	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1254	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1254	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1254	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1254	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-3N	7/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1254	MW-7N	10/15/1998	1	1	ND	ug/L
Pcb 1254	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1254	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1254	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1254	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1254	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1254	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1254	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1254	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1254	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1254	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1254	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1254	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1254	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1254	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1254	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1254	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1254	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1254	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1254	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1254	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1254	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1254	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1254	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1254	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1254	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1254	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1254	NE-5	7/9/2019	0.5	0.5	ND	ug/L
Pcb 1260	LGW-10	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-10	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	2/12/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	LGW-10	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1260	LGW-10	7/16/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-10	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-10	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-10	10/5/2023	1	1	ND	ug/L
Pcb 1260	LGW-14R	10/27/2006	1	1	ND	ug/L
Pcb 1260	LGW-14R	2/6/2009	1	1	ND	ug/L
Pcb 1260	LGW-14R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-14R	2/11/2015	0.96	0.96	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1260	LGW-14R	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-14R	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-2	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-2	2/13/2009	2.8	2.8	ND	ug/L
Pcb 1260	LGW-2	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-2	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-2	7/12/2018	1	1	ND	ug/L
Pcb 1260	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-2	7/4/2021	1	1	ND	ug/L
Pcb 1260	LGW-3R	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-3R	2/3/2009	1	1	ND	ug/L
Pcb 1260	LGW-3R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-3R	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-3R	7/11/2018	1	1	ND	ug/L
Pcb 1260	LGW-3R	7/6/2021	1	1	ND	ug/L
Pcb 1260	LGW-4	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-4	2/3/2009	1	1	ND	ug/L
Pcb 1260	LGW-4	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-4	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1260	LGW-4	7/11/2018	0.99	0.99	ND	ug/L
Pcb 1260	LGW-4	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-5	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-5	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-5	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-5	2/10/2015	1	1	ND	ug/L
Pcb 1260	LGW-5	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-5	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-5	10/5/2023	1	1	ND	ug/L
Pcb 1260	LGW-6	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-6	2/5/2009	1	1	ND	ug/L
Pcb 1260	LGW-6	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-6	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1260	LGW-6	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	LGW-6	10/5/2017	0.98	0.98	ND	ug/L
Pcb 1260	LGW-6	7/17/2018	1.1	1.1	ND	ug/L
Pcb 1260	LGW-6	7/10/2019	0.5	0.5	ND	ug/L
Pcb 1260	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-6	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-6	10/5/2023	1	1	ND	ug/L
Pcb 1260	LGW-7	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-7	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-7	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-7	2/11/2015	1	1	ND	ug/L
Pcb 1260	LGW-7	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	LGW-7	10/5/2017	0.96	0.96	ND	ug/L
Pcb 1260	LGW-7	7/12/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-7	7/10/2019	0.49	0.49	ND	ug/L
Pcb 1260	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-7	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-8R	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-8R	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-8R	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	LGW-8R	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1260	LGW-8R	7/13/2018	0.96	0.96	ND	ug/L
Pcb 1260	LGW-8R	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-9	10/26/2006	1	1	ND	ug/L
Pcb 1260	LGW-9	2/4/2009	1	1	ND	ug/L
Pcb 1260	LGW-9	7/10/2012	0.95	0.95	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1260	LGW-9	2/11/2015	0.97	0.97	ND	ug/L
Pcb 1260	LGW-9	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	LGW-9	10/5/2017	0.97	0.97	ND	ug/L
Pcb 1260	LGW-9	7/13/2018	1	1	ND	ug/L
Pcb 1260	LGW-9	7/10/2019	0.53	0.53	ND	ug/L
Pcb 1260	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	LGW-9	7/7/2021	1	1	ND	ug/L
Pcb 1260	LGW-9	10/5/2023	1	1	ND	ug/L
Pcb 1260	MW-10N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-10N	2/13/2009	1	1	ND	ug/L
Pcb 1260	MW-10N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-10N	2/12/2015	0.99	0.99	ND	ug/L
Pcb 1260	MW-10N	7/11/2018	1	1	ND	ug/L
Pcb 1260	MW-10N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-11N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-11N	2/3/2009	1	1	ND	ug/L
Pcb 1260	MW-11N	7/9/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-11N	2/10/2015	0.97	0.97	ND	ug/L
Pcb 1260	MW-11N	7/17/2018	1	1	ND	ug/L
Pcb 1260	MW-11N	7/6/2021	1	1	ND	ug/L
Pcb 1260	MW-15	7/10/2018	1	1	ND	ug/L
Pcb 1260	MW-15	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-16	7/11/2018	0.98	0.98	ND	ug/L
Pcb 1260	MW-16	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-17	7/10/2018	0.96	0.96	ND	ug/L
Pcb 1260	MW-17	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-19	7/13/2018	1	1	ND	ug/L
Pcb 1260	MW-19	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-1N	10/14/1998	1	1	ND	ug/L
Pcb 1260	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-1N	2/5/2009	1	1	ND	ug/L
Pcb 1260	MW-1N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	2/10/2015	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	7/10/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-1N	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-20	7/12/2018	0.99	0.99	ND	ug/L
Pcb 1260	MW-20	7/4/2021	1	1	ND	ug/L
Pcb 1260	MW-21	10/5/2016	0.97	0.97	ND	ug/L
Pcb 1260	MW-21	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1260	MW-21	7/11/2018	0.96	0.96	ND	ug/L
Pcb 1260	MW-21	7/11/2019	0.53	0.53	ND	ug/L
Pcb 1260	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-21	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-2N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-2N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-2N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-2N	2/12/2015	0.97	0.97	ND	ug/L
Pcb 1260	MW-2N	7/12/2018	0.97	0.97	ND	ug/L
Pcb 1260	MW-2N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	10/25/2006	1	1	ND	ug/L
Pcb 1260	MW-3N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-3N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	2/12/2015	0.99	0.99	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pcb 1260	MW-3N	10/6/2016	0.99	0.99	ND	ug/L
Pcb 1260	MW-3N	10/9/2017	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-3N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-3N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-7N	10/15/1998	1	1	ND	ug/L
Pcb 1260	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-7N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-7N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-7N	2/6/2009	1	1	ND	ug/L
Pcb 1260	MW-7N	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-7N	2/12/2015	1	1	ND	ug/L
Pcb 1260	MW-7N	10/5/2017	1	1	ND	ug/L
Pcb 1260	MW-7N	7/13/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-7N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	5/29/2002	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	10/24/2006	1	1	ND	ug/L
Pcb 1260	MW-8N	1/24/2008	1	1	ND	ug/L
Pcb 1260	MW-8N	2/4/2009	1	1	ND	ug/L
Pcb 1260	MW-8N	5/10/2011	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	7/11/2012	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	10/2/2013	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	10/8/2014	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	2/12/2015	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	10/6/2016	0.98	0.98	ND	ug/L
Pcb 1260	MW-8N	10/6/2017	0.96	0.96	ND	ug/L
Pcb 1260	MW-8N	7/16/2018	0.95	0.95	ND	ug/L
Pcb 1260	MW-8N	7/11/2019	0.51	0.51	ND	ug/L
Pcb 1260	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Pcb 1260	MW-8N	7/5/2021	1	1	ND	ug/L
Pcb 1260	MW-8N	10/5/2023	1	1	ND	ug/L
Pcb 1260	NE-1	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-1	2/7/2009	1	1	ND	ug/L
Pcb 1260	NE-1	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	NE-1	2/11/2015	0.96	0.96	ND	ug/L
Pcb 1260	NE-1	7/18/2018	0.99	0.99	ND	ug/L
Pcb 1260	NE-2	7/10/2018	0.98	0.98	ND	ug/L
Pcb 1260	NE-4	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-4	2/7/2009	1	1	ND	ug/L
Pcb 1260	NE-4	7/10/2012	0.96	0.96	ND	ug/L
Pcb 1260	NE-4	2/13/2015	0.95	0.95	ND	ug/L
Pcb 1260	NE-4	7/12/2018	1.1	1.1	ND	ug/L
Pcb 1260	NE-5	10/25/2006	1	1	ND	ug/L
Pcb 1260	NE-5	2/6/2009	1	1	ND	ug/L
Pcb 1260	NE-5	7/10/2012	0.95	0.95	ND	ug/L
Pcb 1260	NE-5	2/11/2015	0.95	0.95	ND	ug/L
Pcb 1260	NE-5	7/17/2018	1	1	ND	ug/L
Pcb 1260	NE-5	7/9/2019	0.5	0.5	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/9/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/16/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	LGW-10	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-10	10/5/2023	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	10/27/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-14R	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	2/13/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	2/13/2015	26	26	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/12/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-2	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/11/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-3R	7/6/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/11/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-4	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-5	10/5/2023	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	2/5/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	2/10/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-6	10/5/2023	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-7	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/9/2012	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	LGW-8R	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/13/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-8R	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/26/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	2/11/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/5/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/10/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	7/7/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	LGW-9	10/5/2023	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	2/13/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-10N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	2/3/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/9/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	2/10/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/17/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-11N	7/6/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-15	7/10/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-15	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-16	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-16	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-17	7/10/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-17	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-19	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-19	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	2/5/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	2/10/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/10/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-1N	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-20	7/12/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-20	7/4/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-21	10/5/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	10/6/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/11/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/8/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-21	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/12/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-2N	7/5/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-dimethylaminoazobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/11/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	2/12/2015	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	10/9/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/13/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-3N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	10/5/2017	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/13/2018	21	21	ND	ug/L
P-dimethylaminoazobenzene	MW-7N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/24/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	1/24/2008	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	2/4/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	5/10/2011	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/11/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/2/2013	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/8/2014	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	2/12/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/6/2016	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/6/2017	19	19	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/16/2018	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/11/2019	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	7/5/2021	20	20	ND	ug/L
P-dimethylaminoazobenzene	MW-8N	10/5/2023	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	2/7/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-1	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-1	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-1	7/18/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-2	7/10/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-4	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	2/7/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	7/10/2012	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-4	2/13/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-4	7/12/2018	21	21	ND	ug/L
P-dimethylaminoazobenzene	NE-5	10/25/2006	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-5	2/6/2009	20	20	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/10/2012	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	2/11/2015	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/17/2018	19	19	ND	ug/L
P-dimethylaminoazobenzene	NE-5	7/9/2019	20	20	ND	ug/L
Pentachlorobenzene	LGW-10	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-10	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-10	10/5/2023	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	10/27/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	2/6/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-14R	7/17/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-14R	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	2/13/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-2	2/13/2015	13	13	ND	ug/L
Pentachlorobenzene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-2	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-3R	7/11/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-3R	7/6/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-4	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-5	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-5	10/5/2023	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	2/5/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-6	2/10/2015	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Pentachlorobenzene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Pentachlorobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-6	10/5/2023	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-7	7/12/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-7	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-8R	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	10/26/2006	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	LGW-9	7/10/2019	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	7/7/2021	10	10	ND	ug/L
Pentachlorobenzene	LGW-9	10/5/2023	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	2/13/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-10N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	2/3/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-11N	2/10/2015	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/17/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-11N	7/6/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-15	7/10/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-15	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-16	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-17	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-19	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	2/5/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Pentachlorobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-1N	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-20	7/4/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-21	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-21	7/5/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	MW-2N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-2N	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-2N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Pentachlorobenzene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Pentachlorobenzene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-3N	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-3N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	2/6/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Pentachlorobenzene	MW-7N	7/13/2018	10	10	ND	ug/L
Pentachlorobenzene	MW-7N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	10/24/2006	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	1/24/2008	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	2/4/2009	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Pentachlorobenzene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Pentachlorobenzene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Pentachlorobenzene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Pentachlorobenzene	MW-8N	7/11/2019	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	7/5/2021	10	10	ND	ug/L
Pentachlorobenzene	MW-8N	10/5/2023	10	10	ND	ug/L
Pentachlorobenzene	NE-1	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-1	2/7/2009	10	10	ND	ug/L
Pentachlorobenzene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-4	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-4	2/7/2009	10	10	ND	ug/L
Pentachlorobenzene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Pentachlorobenzene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-4	7/12/2018	10	10	ND	ug/L
Pentachlorobenzene	NE-5	10/25/2006	10	10	ND	ug/L
Pentachlorobenzene	NE-5	2/6/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorobenzene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Pentachlorobenzene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Pentachlorobenzene	NE-5	7/9/2019	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-10	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/6/2016	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/9/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/16/2018	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-10	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-10	10/5/2023	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	10/27/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-14R	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/17/2018	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-14R	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	2/13/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-2	2/13/2015	65	65	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/12/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/8/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-2	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-3R	2/10/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/11/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-3R	7/6/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-4	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/11/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-4	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-5	2/10/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/12/2018	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-5	10/5/2023	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	2/5/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-6	2/10/2015	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/17/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/10/2019	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-6	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-6	10/5/2023	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	LGW-7	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-7	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/12/2018	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/10/2019	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-7	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-8R	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/13/2018	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-8R	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/26/2006	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-9	2/11/2015	49	49	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/5/2017	48	48	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/13/2018	47	47	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/10/2019	51	51	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	LGW-9	7/7/2021	50	50	ND	ug/L
Pentachloronitrobenzene	LGW-9	10/5/2023	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	2/13/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-10N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-10N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	2/3/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/9/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-11N	2/10/2015	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/17/2018	50	50	ND	ug/L
Pentachloronitrobenzene	MW-11N	7/6/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-15	7/10/2018	51	51	ND	ug/L
Pentachloronitrobenzene	MW-15	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-16	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-16	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-17	7/10/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-17	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-19	7/13/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-19	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	2/5/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-1N	2/10/2015	47	47	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/10/2018	49	49	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-1N	7/4/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-20	7/12/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-20	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	MW-21	10/5/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	10/6/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	7/11/2018	48	48	ND	ug/L
Pentachloronitrobenzene	MW-21	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-21	7/8/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-21	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-2N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/12/2018	51	51	ND	ug/L
Pentachloronitrobenzene	MW-2N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/11/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-3N	2/12/2015	49	49	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-3N	10/9/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/13/2018	47	47	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-3N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-7N	2/12/2015	49	49	ND	ug/L
Pentachloronitrobenzene	MW-7N	10/5/2017	49	49	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/13/2018	52	52	ND	ug/L
Pentachloronitrobenzene	MW-7N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/24/2006	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	1/24/2008	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	2/4/2009	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	5/10/2011	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/11/2012	47	47	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/2/2013	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/8/2014	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	2/12/2015	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/6/2016	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/6/2017	48	48	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/16/2018	49	49	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/11/2019	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachloronitrobenzene	MW-8N	7/5/2021	50	50	ND	ug/L
Pentachloronitrobenzene	MW-8N	10/5/2023	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	2/7/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-1	7/10/2012	48	48	ND	ug/L
Pentachloronitrobenzene	NE-1	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-1	7/18/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-2	7/10/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-4	10/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachloronitrobenzene	NE-4	2/7/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-4	7/10/2012	49	49	ND	ug/L
Pentachloronitrobenzene	NE-4	2/13/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-4	7/12/2018	52	52	ND	ug/L
Pentachloronitrobenzene	NE-5	10/25/2006	50	50	ND	ug/L
Pentachloronitrobenzene	NE-5	2/6/2009	50	50	ND	ug/L
Pentachloronitrobenzene	NE-5	7/10/2012	47	47	ND	ug/L
Pentachloronitrobenzene	NE-5	2/11/2015	48	48	ND	ug/L
Pentachloronitrobenzene	NE-5	7/17/2018	48	48	ND	ug/L
Pentachloronitrobenzene	NE-5	7/9/2019	50	50	ND	ug/L
Pentachlorophenol	LGW-10	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-10	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-10	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-10	10/6/2016	47	47	ND	ug/L
Pentachlorophenol	LGW-10	10/9/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-10	7/16/2018	48	48	ND	ug/L
Pentachlorophenol	LGW-10	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	LGW-10	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-10	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-10	10/5/2023	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	10/27/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-14R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-14R	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-14R	7/17/2018	51	51	ND	ug/L
Pentachlorophenol	LGW-14R	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-2	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-2	2/13/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-2	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-2	2/13/2015	65	65	ND	ug/L
Pentachlorophenol	LGW-2	7/12/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-2	7/8/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-2	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-3R	2/10/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-3R	7/11/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-3R	7/6/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-4	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-4	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-4	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-4	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-4	7/11/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-4	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-5	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-5	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-5	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-5	2/10/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-5	7/12/2018	50	50	ND	ug/L
Pentachlorophenol	LGW-5	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-5	10/5/2023	50	50	ND	ug/L
Pentachlorophenol	LGW-6	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-6	2/5/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-6	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-6	2/10/2015	50	50	ND	ug/L
Pentachlorophenol	LGW-6	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-6	10/5/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	LGW-6	7/17/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-6	7/10/2019	49	49	ND	ug/L
Pentachlorophenol	LGW-6	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-6	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-6	10/5/2023	50	50	ND	ug/L
Pentachlorophenol	LGW-7	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-7	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-7	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-7	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	LGW-7	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-7	10/5/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-7	7/12/2018	51	51	ND	ug/L
Pentachlorophenol	LGW-7	7/10/2019	49	49	ND	ug/L
Pentachlorophenol	LGW-7	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-7	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-8R	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-8R	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-8R	7/13/2018	49	49	ND	ug/L
Pentachlorophenol	LGW-8R	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-9	10/26/2006	50	50	ND	ug/L
Pentachlorophenol	LGW-9	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	LGW-9	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	LGW-9	2/11/2015	49	49	ND	ug/L
Pentachlorophenol	LGW-9	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	LGW-9	10/5/2017	48	48	ND	ug/L
Pentachlorophenol	LGW-9	7/13/2018	47	47	ND	ug/L
Pentachlorophenol	LGW-9	7/10/2019	51	51	ND	ug/L
Pentachlorophenol	LGW-9	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	LGW-9	7/7/2021	50	50	ND	ug/L
Pentachlorophenol	LGW-9	10/5/2023	50	50	ND	ug/L
Pentachlorophenol	MW-10N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-10N	2/13/2009	50	50	ND	ug/L
Pentachlorophenol	MW-10N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-10N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-10N	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-10N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-11N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-11N	2/3/2009	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/9/2012	47	47	ND	ug/L
Pentachlorophenol	MW-11N	2/10/2015	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/17/2018	50	50	ND	ug/L
Pentachlorophenol	MW-11N	7/6/2021	50	50	ND	ug/L
Pentachlorophenol	MW-15	7/10/2018	51	51	ND	ug/L
Pentachlorophenol	MW-15	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-16	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-16	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-17	7/10/2018	47	47	ND	ug/L
Pentachlorophenol	MW-17	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-19	7/13/2018	48	48	ND	ug/L
Pentachlorophenol	MW-19	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-1N	10/14/1998	50	50	ND	ug/L
Pentachlorophenol	MW-1N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-1N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-1N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-1N	2/5/2009	50	50	ND	ug/L
Pentachlorophenol	MW-1N	7/10/2012	47	47	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	MW-1N	2/10/2015	47	47	ND	ug/L
Pentachlorophenol	MW-1N	7/10/2018	49	49	ND	ug/L
Pentachlorophenol	MW-1N	7/6/2020	10	10	ND	ug/L
Pentachlorophenol	MW-1N	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-20	7/12/2018	47	47	ND	ug/L
Pentachlorophenol	MW-20	7/4/2021	50	50	ND	ug/L
Pentachlorophenol	MW-21	10/5/2016	48	48	ND	ug/L
Pentachlorophenol	MW-21	10/6/2017	48	48	ND	ug/L
Pentachlorophenol	MW-21	7/11/2018	48	48	ND	ug/L
Pentachlorophenol	MW-21	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-21	7/8/2020	10	10	ND	ug/L
Pentachlorophenol	MW-21	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-2N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-2N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-2N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-2N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-2N	7/12/2018	51	51	ND	ug/L
Pentachlorophenol	MW-2N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-3N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-3N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-3N	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	MW-3N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-3N	7/11/2012	47	47	ND	ug/L
Pentachlorophenol	MW-3N	2/12/2015	49	49	ND	ug/L
Pentachlorophenol	MW-3N	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	MW-3N	10/9/2017	48	48	ND	ug/L
Pentachlorophenol	MW-3N	7/13/2018	47	47	ND	ug/L
Pentachlorophenol	MW-3N	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-3N	7/7/2020	10	10	ND	ug/L
Pentachlorophenol	MW-3N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-7N	10/15/1998	50	50	ND	ug/L
Pentachlorophenol	MW-7N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-7N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-7N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-7N	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	MW-7N	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	MW-7N	2/12/2015	49	49	ND	ug/L
Pentachlorophenol	MW-7N	10/5/2017	49	49	ND	ug/L
Pentachlorophenol	MW-7N	7/13/2018	52	52	ND	ug/L
Pentachlorophenol	MW-7N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/29/2002	50	50	ND	ug/L
Pentachlorophenol	MW-8N	10/24/2006	50	50	ND	ug/L
Pentachlorophenol	MW-8N	1/24/2008	50	50	ND	ug/L
Pentachlorophenol	MW-8N	2/4/2009	50	50	ND	ug/L
Pentachlorophenol	MW-8N	5/10/2011	48	48	ND	ug/L
Pentachlorophenol	MW-8N	7/11/2012	47	47	ND	ug/L
Pentachlorophenol	MW-8N	10/2/2013	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/8/2014	48	48	ND	ug/L
Pentachlorophenol	MW-8N	2/12/2015	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/6/2016	48	48	ND	ug/L
Pentachlorophenol	MW-8N	10/6/2017	48	48	ND	ug/L
Pentachlorophenol	MW-8N	7/16/2018	49	49	ND	ug/L
Pentachlorophenol	MW-8N	7/11/2019	50	50	ND	ug/L
Pentachlorophenol	MW-8N	7/9/2020	10	10	ND	ug/L
Pentachlorophenol	MW-8N	7/5/2021	50	50	ND	ug/L
Pentachlorophenol	MW-8N	10/5/2023	50	50	ND	ug/L
Pentachlorophenol	NE-1	10/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pentachlorophenol	NE-1	2/7/2009	50	50	ND	ug/L
Pentachlorophenol	NE-1	7/10/2012	48	48	ND	ug/L
Pentachlorophenol	NE-1	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	NE-1	7/18/2018	48	48	ND	ug/L
Pentachlorophenol	NE-2	7/10/2018	48	48	ND	ug/L
Pentachlorophenol	NE-4	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	NE-4	2/7/2009	50	50	ND	ug/L
Pentachlorophenol	NE-4	7/10/2012	49	49	ND	ug/L
Pentachlorophenol	NE-4	2/13/2015	48	48	ND	ug/L
Pentachlorophenol	NE-4	7/12/2018	52	52	ND	ug/L
Pentachlorophenol	NE-5	10/25/2006	50	50	ND	ug/L
Pentachlorophenol	NE-5	2/6/2009	50	50	ND	ug/L
Pentachlorophenol	NE-5	7/10/2012	47	47	ND	ug/L
Pentachlorophenol	NE-5	2/11/2015	48	48	ND	ug/L
Pentachlorophenol	NE-5	7/17/2018	48	48	ND	ug/L
Pentachlorophenol	NE-5	7/9/2019	50	50	ND	ug/L
pH (Field)	LGW-10	9/30/2005	7.25	0		S.U.
pH (Field)	LGW-10	7/20/2006	6.93	0		S.U.
pH (Field)	LGW-10	7/20/2006	6.93	0		S.U.
pH (Field)	LGW-10	7/31/2006	6.72	0		S.U.
pH (Field)	LGW-10	8/1/2006	6.72	0		S.U.
pH (Field)	LGW-10	8/1/2006	6.72	0		S.U.
pH (Field)	LGW-10	9/27/2006	7.15	0		S.U.
pH (Field)	LGW-10	9/28/2006	7.15	0		S.U.
pH (Field)	LGW-10	10/26/2006	7.33	0		S.U.
pH (Field)	LGW-10	10/26/2006	7.33	0		S.U.
pH (Field)	LGW-10	11/20/2006	7.38	0		S.U.
pH (Field)	LGW-10	11/20/2006	7.38	0		S.U.
pH (Field)	LGW-10	12/21/2006	6.55	0		S.U.
pH (Field)	LGW-10	12/21/2006	6.55	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/9/2007	6.63	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	1/25/2007	6.75	0		S.U.
pH (Field)	LGW-10	2/7/2007	6.71	0		S.U.
pH (Field)	LGW-10	2/27/2007	6.71	0		S.U.
pH (Field)	LGW-10	2/27/2007	6.71	0		S.U.
pH (Field)	LGW-10	3/26/2007	6.47	0		S.U.
pH (Field)	LGW-10	3/27/2007	6.47	0		S.U.
pH (Field)	LGW-10	3/27/2007	6.47	0		S.U.
pH (Field)	LGW-10	4/26/2007	6.38	0		S.U.
pH (Field)	LGW-10	4/26/2007	6.38	0		S.U.
pH (Field)	LGW-10	5/31/2007	6.22	0		S.U.
pH (Field)	LGW-10	6/1/2007	6.22	0		S.U.
pH (Field)	LGW-10	6/28/2007	6.55	0		S.U.
pH (Field)	LGW-10	6/28/2007	6.55	0		S.U.
pH (Field)	LGW-10	7/10/2007	6.35	0		S.U.
pH (Field)	LGW-10	7/12/2007	6.35	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.96	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.89	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.95	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.95	0		S.U.
pH (Field)	LGW-10	8/28/2007	6.89	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.26	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.44	0		S.U.
pH (Field)	LGW-10	9/28/2007	7.29	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.14	0		S.U.
pH (Field)	LGW-10	11/28/2007	6.1	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.07	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.09	0		S.U.
pH (Field)	LGW-10	12/28/2007	6.13	0		S.U.
pH (Field)	LGW-10	1/23/2008	6.67	0		S.U.
pH (Field)	LGW-10	2/28/2008	6.65	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.48	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.45	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.53	0		S.U.
pH (Field)	LGW-10	5/30/2008	6.44	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.32	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.4	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.54	0		S.U.
pH (Field)	LGW-10	6/25/2008	6.31	0		S.U.
pH (Field)	LGW-10	7/22/2008	6.48	0.1		S.U.
pH (Field)	LGW-10	8/29/2008	6.45	0.1		S.U.
pH (Field)	LGW-10	9/26/2008	6.47	0.1		S.U.
pH (Field)	LGW-10	11/25/2008	6.56	0.1		S.U.
pH (Field)	LGW-10	12/19/2008	6.53	0.1		S.U.
pH (Field)	LGW-10	3/26/2009	6.13	0.1		S.U.
pH (Field)	LGW-10	4/16/2009	6.01	0.1		S.U.
pH (Field)	LGW-10	5/29/2009	6.5	0.1		S.U.
pH (Field)	LGW-10	6/24/2009	6.45	0.1		S.U.
pH (Field)	LGW-10	7/29/2009	5.49	0.1		S.U.
pH (Field)	LGW-10	8/28/2009	5.55	0.1		S.U.
pH (Field)	LGW-10	10/21/2009	6.06	0.1		S.U.
pH (Field)	LGW-10	12/17/2009	6.33	0.1		S.U.
pH (Field)	LGW-10	2/3/2010	6.41	0.1		S.U.
pH (Field)	LGW-10	2/3/2010	6.41	0.1		S.U.
pH (Field)	LGW-10	2/16/2010	6.48	0		S.U.
pH (Field)	LGW-10	3/3/2010	6.44	0		S.U.
pH (Field)	LGW-10	4/8/2010	6.3	0		S.U.
pH (Field)	LGW-10	5/6/2010	7.29	0		S.U.
pH (Field)	LGW-10	6/15/2010	6.5	0		S.U.
pH (Field)	LGW-10	7/16/2010	6.92	0		S.U.
pH (Field)	LGW-10	8/10/2010	6.44	0		S.U.
pH (Field)	LGW-10	9/1/2010	6.58	0		S.U.
pH (Field)	LGW-10	9/29/2010	6.35	0		S.U.
pH (Field)	LGW-10	11/3/2010	6.36	0		S.U.
pH (Field)	LGW-10	12/2/2010	6.52	0		S.U.
pH (Field)	LGW-10	1/19/2011	6.53	0		S.U.
pH (Field)	LGW-10	2/7/2011	6.48	0		S.U.
pH (Field)	LGW-10	3/3/2011	6.49	0		S.U.
pH (Field)	LGW-10	4/5/2011	6.61	0		S.U.
pH (Field)	LGW-10	5/10/2011	6.42	0		S.U.
pH (Field)	LGW-10	6/1/2011	6.34	0		S.U.
pH (Field)	LGW-10	7/12/2011	6.52	0		S.U.
pH (Field)	LGW-10	8/3/2011	6.44	0		S.U.
pH (Field)	LGW-10	9/7/2011	6.51	0		S.U.
pH (Field)	LGW-10	10/5/2011	6.53	0		S.U.
pH (Field)	LGW-10	11/1/2011	6.45	0		S.U.
pH (Field)	LGW-10	12/7/2011	6.57	0		S.U.
pH (Field)	LGW-10	1/5/2012	6.56	0		S.U.
pH (Field)	LGW-10	2/1/2012	6.42	0		S.U.
pH (Field)	LGW-10	3/6/2012	6.54	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	4/5/2012	6.58	0		S.U.
pH (Field)	LGW-10	5/1/2012	6.78	0		S.U.
pH (Field)	LGW-10	6/5/2012	6.93	0		S.U.
pH (Field)	LGW-10	7/9/2012	6.5	0		S.U.
pH (Field)	LGW-10	8/9/2012	6.7	0		S.U.
pH (Field)	LGW-10	9/4/2012	6.4	0		S.U.
pH (Field)	LGW-10	10/7/2012	6.63	0		S.U.
pH (Field)	LGW-10	5/1/2013	6.34	0		S.U.
pH (Field)	LGW-10	6/4/2013	6.16	0		S.U.
pH (Field)	LGW-10	8/8/2013	6.43	0		S.U.
pH (Field)	LGW-10	9/10/2013	6.28	0		S.U.
pH (Field)	LGW-10	10/1/2013	6.52	0		S.U.
pH (Field)	LGW-10	11/6/2013	6.51	0		S.U.
pH (Field)	LGW-10	12/2/2013	6.35	0		S.U.
pH (Field)	LGW-10	1/30/2014	6.66	0		S.U.
pH (Field)	LGW-10	2/13/2014	6.3	0		S.U.
pH (Field)	LGW-10	3/12/2014	6.73	0		S.U.
pH (Field)	LGW-10	4/2/2014	6.49	0		S.U.
pH (Field)	LGW-10	5/7/2014	6.49	0		S.U.
pH (Field)	LGW-10	6/3/2014	6.05	0		S.U.
pH (Field)	LGW-10	7/9/2014	6.7	0		S.U.
pH (Field)	LGW-10	8/5/2014	6.23	0		S.U.
pH (Field)	LGW-10	9/4/2014	6.65	0		S.U.
pH (Field)	LGW-10	10/9/2014	6.45	0		S.U.
pH (Field)	LGW-10	11/3/2014	6.89	0		S.U.
pH (Field)	LGW-10	1/14/2015	5.56	0		S.U.
pH (Field)	LGW-10	2/12/2015	6	0		S.U.
pH (Field)	LGW-10	3/3/2015	6.5	0		S.U.
pH (Field)	LGW-10	4/1/2015	6.59	0		S.U.
pH (Field)	LGW-10	5/7/2015	6.59	0		S.U.
pH (Field)	LGW-10	6/3/2015	6.34	0		S.U.
pH (Field)	LGW-10	7/13/2015	6.27	0		S.U.
pH (Field)	LGW-10	8/5/2015	6.35	0		S.U.
pH (Field)	LGW-10	9/3/2015	6.81	0		S.U.
pH (Field)	LGW-10	10/6/2015	7.02	0		S.U.
pH (Field)	LGW-10	11/4/2015	6.98	0		S.U.
pH (Field)	LGW-10	12/3/2015	7.41	0		S.U.
pH (Field)	LGW-10	1/5/2016	6.59	0		S.U.
pH (Field)	LGW-10	2/3/2016	7.48	0		S.U.
pH (Field)	LGW-10	2/10/2016	6.76	0		S.U.
pH (Field)	LGW-10	3/2/2016	7.09	0		S.U.
pH (Field)	LGW-10	4/6/2016	6.85	0		S.U.
pH (Field)	LGW-10	5/11/2016	6.52	0		S.U.
pH (Field)	LGW-10	6/1/2016	6.94	0		S.U.
pH (Field)	LGW-10	7/21/2016	6.2	0		S.U.
pH (Field)	LGW-10	8/10/2016	7.22	0		S.U.
pH (Field)	LGW-10	9/6/2016	6.78	0		S.U.
pH (Field)	LGW-10	10/6/2016	6.94	0		S.U.
pH (Field)	LGW-10	11/2/2016	6.72	0		S.U.
pH (Field)	LGW-10	12/1/2016	7.45	0		S.U.
pH (Field)	LGW-10	1/11/2017	5.48	0		S.U.
pH (Field)	LGW-10	2/7/2017	7.68	0		S.U.
pH (Field)	LGW-10	3/2/2017	6.12	0		S.U.
pH (Field)	LGW-10	4/4/2017	6.47	0		S.U.
pH (Field)	LGW-10	5/16/2017	6.38	0		S.U.
pH (Field)	LGW-10	6/6/2017	6.4	0		S.U.
pH (Field)	LGW-10	7/19/2017	6.38	0		S.U.
pH (Field)	LGW-10	8/1/2017	6.58	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	9/5/2017	7.05	0		S.U.
pH (Field)	LGW-10	10/9/2017	7	0		S.U.
pH (Field)	LGW-10	11/1/2017	6.46	0		S.U.
pH (Field)	LGW-10	1/24/2018	6.46	0.01		S.U.
pH (Field)	LGW-10	2/23/2018	6.84	0.01		S.U.
pH (Field)	LGW-10	3/21/2018	6.37	0.01		S.U.
pH (Field)	LGW-10	4/11/2018	6.42	0.01		S.U.
pH (Field)	LGW-10	4/11/2018	6.42	0.01		S.U.
pH (Field)	LGW-10	6/6/2018	6.33	0		S.U.
pH (Field)	LGW-10	7/16/2018	6.6	0.01		S.U.
pH (Field)	LGW-10	8/2/2018	6.61	0.01		S.U.
pH (Field)	LGW-10	9/4/2018	6.82	0		S.U.
pH (Field)	LGW-10	10/4/2018	6.41	0		S.U.
pH (Field)	LGW-10	10/4/2018	6.41	0		S.U.
pH (Field)	LGW-10	11/6/2018	6.47	0.01		S.U.
pH (Field)	LGW-10	12/4/2018	6.48	0.01		S.U.
pH (Field)	LGW-10	1/4/2019	6.5	0.01		S.U.
pH (Field)	LGW-10	2/6/2019	6.41	0		S.U.
pH (Field)	LGW-10	3/5/2019	6.13	0.01		S.U.
pH (Field)	LGW-10	4/3/2019	6.41	0.01		S.U.
pH (Field)	LGW-10	4/3/2019	6.41	0.01		S.U.
pH (Field)	LGW-10	5/3/2019	6.53	0.01		S.U.
pH (Field)	LGW-10	6/4/2019	6.38	0		S.U.
pH (Field)	LGW-10	7/11/2019	6.75	0.01		S.U.
pH (Field)	LGW-10	7/11/2019	6.75	0		S.U.
pH (Field)	LGW-10	8/7/2019	6.52	0.01		S.U.
pH (Field)	LGW-10	9/4/2019	6.6	0.01		S.U.
pH (Field)	LGW-10	10/2/2019	6.55	0.01		S.U.
pH (Field)	LGW-10	10/2/2019	6.55	0.01		S.U.
pH (Field)	LGW-10	11/5/2019	6.47	0.01		S.U.
pH (Field)	LGW-10	12/3/2019	6.54	0.01		S.U.
pH (Field)	LGW-10	1/15/2020	6.6	0		S.U.
pH (Field)	LGW-10	2/4/2020	6.56	0		S.U.
pH (Field)	LGW-10	3/4/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	4/2/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	4/2/2020	6.5	0.01		S.U.
pH (Field)	LGW-10	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-10	6/2/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	7/9/2020	6.49	0		S.U.
pH (Field)	LGW-10	8/3/2020	6.46	0		S.U.
pH (Field)	LGW-10	9/2/2020	6.43	0.01		S.U.
pH (Field)	LGW-10	10/7/2020	6.62	0.01		S.U.
pH (Field)	LGW-10	10/7/2020	6.62	0.01		S.U.
pH (Field)	LGW-10	11/4/2020	6.64	0		S.U.
pH (Field)	LGW-10	12/3/2020	6.41	0		S.U.
pH (Field)	LGW-10	1/17/2021	6.09	0		S.U.
pH (Field)	LGW-10	2/9/2021	6.56	0		S.U.
pH (Field)	LGW-10	3/2/2021	6.35	0		S.U.
pH (Field)	LGW-10	4/6/2021	6.43	0		S.U.
pH (Field)	LGW-10	4/6/2021	6.43	0		S.U.
pH (Field)	LGW-10	5/5/2021	6.28	0		S.U.
pH (Field)	LGW-10	6/1/2021	6.35	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.
pH (Field)	LGW-10	7/7/2021	6.42	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-10	8/4/2021	6.36	0		S.U.
pH (Field)	LGW-10	9/2/2021	6.38	0		S.U.
pH (Field)	LGW-10	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-10	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-10	11/2/2021	6.42	0		S.U.
pH (Field)	LGW-10	12/9/2021	6.43	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	1/13/2022	6.41	0		S.U.
pH (Field)	LGW-10	2/10/2022	6.49	0		S.U.
pH (Field)	LGW-10	3/2/2022	6.44	0		S.U.
pH (Field)	LGW-10	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-10	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-10	5/7/2022	6.6	0		S.U.
pH (Field)	LGW-10	6/3/2022	6.09	0		S.U.
pH (Field)	LGW-10	7/11/2022	6.11	0		S.U.
pH (Field)	LGW-10	8/10/2022	6.07	0		S.U.
pH (Field)	LGW-10	9/8/2022	6.16	0		S.U.
pH (Field)	LGW-10	10/7/2022	6.37	0		S.U.
pH (Field)	LGW-10	10/7/2022	6.37	0		S.U.
pH (Field)	LGW-10	11/3/2022	6.21	0		S.U.
pH (Field)	LGW-10	12/7/2022	6.16	0		S.U.
pH (Field)	LGW-10	1/11/2023	6.46	0		S.U.
pH (Field)	LGW-10	2/3/2023	6.31	0		S.U.
pH (Field)	LGW-10	3/1/2023	6.1	0		S.U.
pH (Field)	LGW-10	4/5/2023	5.93	0		S.U.
pH (Field)	LGW-10	5/10/2023	5.97	0		S.U.
pH (Field)	LGW-10	6/8/2023	5.72	0		S.U.
pH (Field)	LGW-10	7/10/2023	6.36	0		S.U.
pH (Field)	LGW-10	8/1/2023	3.83	0		S.U.
pH (Field)	LGW-10	9/2/2023	6.38	0		S.U.
pH (Field)	LGW-10	10/5/2023	6.47	0		S.U.
pH (Field)	LGW-14R	9/28/2005	7.72	0		S.U.
pH (Field)	LGW-14R	7/21/2006	8.38	0		S.U.
pH (Field)	LGW-14R	7/21/2006	8.38	0		S.U.
pH (Field)	LGW-14R	8/1/2006	8.11	0		S.U.
pH (Field)	LGW-14R	8/1/2006	8.11	0		S.U.
pH (Field)	LGW-14R	8/2/2006	8.11	0		S.U.
pH (Field)	LGW-14R	9/28/2006	8.53	0		S.U.
pH (Field)	LGW-14R	9/28/2006	8.53	0		S.U.
pH (Field)	LGW-14R	10/27/2006	8.55	0		S.U.
pH (Field)	LGW-14R	10/27/2006	8.55	0		S.U.
pH (Field)	LGW-14R	11/21/2006	8.69	0		S.U.
pH (Field)	LGW-14R	11/21/2006	8.69	0		S.U.
pH (Field)	LGW-14R	12/21/2006	7	0		S.U.
pH (Field)	LGW-14R	12/21/2006	7	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/9/2007	5.75	0		S.U.
pH (Field)	LGW-14R	1/24/2007	7.81	0		S.U.
pH (Field)	LGW-14R	1/24/2007	7.81	0		S.U.
pH (Field)	LGW-14R	1/25/2007	7.81	0		S.U.
pH (Field)	LGW-14R	2/7/2007	7.35	0		S.U.
pH (Field)	LGW-14R	2/26/2007	7.35	0		S.U.
pH (Field)	LGW-14R	2/26/2007	7.35	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.
pH (Field)	LGW-14R	3/26/2007	6.82	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	4/24/2007	7.74	0		S.U.
pH (Field)	LGW-14R	4/26/2007	7.74	0		S.U.
pH (Field)	LGW-14R	5/31/2007	7.73	0		S.U.
pH (Field)	LGW-14R	6/1/2007	7.73	0		S.U.
pH (Field)	LGW-14R	6/28/2007	7.54	0		S.U.
pH (Field)	LGW-14R	6/28/2007	7.54	0		S.U.
pH (Field)	LGW-14R	7/10/2007	7.38	0		S.U.
pH (Field)	LGW-14R	7/11/2007	7.38	0		S.U.
pH (Field)	LGW-14R	8/28/2007	7.6	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.57	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.69	0		S.U.
pH (Field)	LGW-14R	8/29/2007	7.82	0		S.U.
pH (Field)	LGW-14R	9/28/2007	7.98	0		S.U.
pH (Field)	LGW-14R	9/28/2007	8	0		S.U.
pH (Field)	LGW-14R	9/28/2007	7.74	0		S.U.
pH (Field)	LGW-14R	9/28/2007	7.99	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.57	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.58	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.63	0		S.U.
pH (Field)	LGW-14R	11/27/2007	6.1	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.59	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.4	0		S.U.
pH (Field)	LGW-14R	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-14R	1/23/2008	7.88	0		S.U.
pH (Field)	LGW-14R	2/28/2008	7.79	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.5	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.49	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.41	0		S.U.
pH (Field)	LGW-14R	3/25/2008	7.38	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.7	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.51	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.65	0		S.U.
pH (Field)	LGW-14R	5/3/2008	7.68	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.51	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.55	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.7	0		S.U.
pH (Field)	LGW-14R	5/30/2008	7.5	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.26	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.43	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.26	0		S.U.
pH (Field)	LGW-14R	6/25/2008	7.47	0		S.U.
pH (Field)	LGW-14R	7/22/2008	7.54	0.1		S.U.
pH (Field)	LGW-14R	8/29/2008	7.63	0.1		S.U.
pH (Field)	LGW-14R	9/26/2008	7.73	0.1		S.U.
pH (Field)	LGW-14R	11/25/2008	7.65	0.1		S.U.
pH (Field)	LGW-14R	12/19/2008	7.77	0.1		S.U.
pH (Field)	LGW-14R	2/6/2009	8.06	0.1		S.U.
pH (Field)	LGW-14R	3/26/2009	7.41	0.1		S.U.
pH (Field)	LGW-14R	6/25/2009	7.31	0.1		S.U.
pH (Field)	LGW-14R	7/29/2009	6.37	0.1		S.U.
pH (Field)	LGW-14R	8/28/2009	6.26	0.1		S.U.
pH (Field)	LGW-14R	10/22/2009	6.97	0.1		S.U.
pH (Field)	LGW-14R	12/18/2009	7.27	0.1		S.U.
pH (Field)	LGW-14R	2/3/2010	7.41	0.1		S.U.
pH (Field)	LGW-14R	2/3/2010	7.41	0.1		S.U.
pH (Field)	LGW-14R	2/16/2010	7.52	0		S.U.
pH (Field)	LGW-14R	3/3/2010	7.35	0		S.U.
pH (Field)	LGW-14R	4/7/2010	7.03	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	5/6/2010	8.31	0		S.U.
pH (Field)	LGW-14R	6/16/2010	7.38	0		S.U.
pH (Field)	LGW-14R	7/12/2010	7.37	0		S.U.
pH (Field)	LGW-14R	8/10/2010	7.3	0		S.U.
pH (Field)	LGW-14R	9/2/2010	7.48	0		S.U.
pH (Field)	LGW-14R	9/29/2010	7.35	0		S.U.
pH (Field)	LGW-14R	11/3/2010	7.37	0		S.U.
pH (Field)	LGW-14R	12/2/2010	7.39	0		S.U.
pH (Field)	LGW-14R	1/19/2011	7.45	0		S.U.
pH (Field)	LGW-14R	2/7/2011	7.46	0		S.U.
pH (Field)	LGW-14R	3/3/2011	7.47	0		S.U.
pH (Field)	LGW-14R	4/5/2011	7.53	0		S.U.
pH (Field)	LGW-14R	5/10/2011	7.38	0		S.U.
pH (Field)	LGW-14R	6/1/2011	7.36	0		S.U.
pH (Field)	LGW-14R	7/12/2011	7.41	0		S.U.
pH (Field)	LGW-14R	8/3/2011	7.4	0		S.U.
pH (Field)	LGW-14R	9/7/2011	7.48	0		S.U.
pH (Field)	LGW-14R	10/5/2011	7.49	0		S.U.
pH (Field)	LGW-14R	11/1/2011	7.46	0		S.U.
pH (Field)	LGW-14R	12/7/2011	7.59	0		S.U.
pH (Field)	LGW-14R	1/5/2012	7.64	0		S.U.
pH (Field)	LGW-14R	2/1/2012	7.43	0		S.U.
pH (Field)	LGW-14R	3/6/2012	7.53	0		S.U.
pH (Field)	LGW-14R	4/5/2012	7.73	0		S.U.
pH (Field)	LGW-14R	5/1/2012	7.92	0		S.U.
pH (Field)	LGW-14R	6/5/2012	8	0		S.U.
pH (Field)	LGW-14R	7/9/2012	7.37	0		S.U.
pH (Field)	LGW-14R	8/9/2012	7.52	0		S.U.
pH (Field)	LGW-14R	9/4/2012	7.16	0		S.U.
pH (Field)	LGW-14R	10/7/2012	7.47	0		S.U.
pH (Field)	LGW-14R	11/6/2012	7.31	0		S.U.
pH (Field)	LGW-14R	11/6/2012	7.31	0		S.U.
pH (Field)	LGW-14R	12/6/2012	7.3	0		S.U.
pH (Field)	LGW-14R	12/6/2012	7.3	0		S.U.
pH (Field)	LGW-14R	1/23/2013	7.6	0		S.U.
pH (Field)	LGW-14R	1/23/2013	7.6	0		S.U.
pH (Field)	LGW-14R	2/5/2013	7.53	0		S.U.
pH (Field)	LGW-14R	2/5/2013	7.53	0		S.U.
pH (Field)	LGW-14R	3/5/2013	7.45	0		S.U.
pH (Field)	LGW-14R	3/5/2013	7.45	0		S.U.
pH (Field)	LGW-14R	4/30/2013	7.3	0		S.U.
pH (Field)	LGW-14R	6/4/2013	7.14	0		S.U.
pH (Field)	LGW-14R	8/8/2013	7.36	0		S.U.
pH (Field)	LGW-14R	9/10/2013	7.43	0		S.U.
pH (Field)	LGW-14R	10/1/2013	7.64	0		S.U.
pH (Field)	LGW-14R	11/6/2013	7.39	0		S.U.
pH (Field)	LGW-14R	12/2/2013	7.11	0		S.U.
pH (Field)	LGW-14R	1/23/2014	7.3	0		S.U.
pH (Field)	LGW-14R	2/12/2014	7.45	0		S.U.
pH (Field)	LGW-14R	3/11/2014	7.64	0		S.U.
pH (Field)	LGW-14R	4/2/2014	7.61	0		S.U.
pH (Field)	LGW-14R	5/7/2014	7.52	0		S.U.
pH (Field)	LGW-14R	6/3/2014	7.19	0		S.U.
pH (Field)	LGW-14R	7/8/2014	7.47	0		S.U.
pH (Field)	LGW-14R	8/5/2014	7.42	0		S.U.
pH (Field)	LGW-14R	9/4/2014	7.25	0		S.U.
pH (Field)	LGW-14R	10/9/2014	7.49	0		S.U.
pH (Field)	LGW-14R	11/3/2014	7.46	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	1/14/2015	5.81	0		S.U.
pH (Field)	LGW-14R	2/11/2015	7.48	0		S.U.
pH (Field)	LGW-14R	3/3/2015	7.44	0		S.U.
pH (Field)	LGW-14R	4/1/2015	7.32	0		S.U.
pH (Field)	LGW-14R	5/6/2015	7.62	0		S.U.
pH (Field)	LGW-14R	6/3/2015	7.9	0		S.U.
pH (Field)	LGW-14R	7/22/2015	7.99	0		S.U.
pH (Field)	LGW-14R	8/4/2015	7.78	0		S.U.
pH (Field)	LGW-14R	9/3/2015	7.86	0		S.U.
pH (Field)	LGW-14R	10/6/2015	7.86	0		S.U.
pH (Field)	LGW-14R	11/4/2015	7.42	0		S.U.
pH (Field)	LGW-14R	12/3/2015	7.54	0		S.U.
pH (Field)	LGW-14R	1/5/2016	7.29	0		S.U.
pH (Field)	LGW-14R	2/3/2016	8.17	0		S.U.
pH (Field)	LGW-14R	3/2/2016	7.84	0		S.U.
pH (Field)	LGW-14R	4/5/2016	8.08	0		S.U.
pH (Field)	LGW-14R	5/11/2016	7.63	0		S.U.
pH (Field)	LGW-14R	6/1/2016	7.88	0		S.U.
pH (Field)	LGW-14R	7/19/2016	7.16	0		S.U.
pH (Field)	LGW-14R	8/10/2016	8.33	0		S.U.
pH (Field)	LGW-14R	9/6/2016	7.51	0		S.U.
pH (Field)	LGW-14R	10/6/2016	7.21	0		S.U.
pH (Field)	LGW-14R	11/2/2016	7.27	0		S.U.
pH (Field)	LGW-14R	12/1/2016	8.09	0		S.U.
pH (Field)	LGW-14R	1/11/2017	6.47	0		S.U.
pH (Field)	LGW-14R	2/7/2017	6.64	0		S.U.
pH (Field)	LGW-14R	3/2/2017	6.26	0		S.U.
pH (Field)	LGW-14R	4/4/2017	7.44	0		S.U.
pH (Field)	LGW-14R	5/2/2017	7.49	0		S.U.
pH (Field)	LGW-14R	6/6/2017	7.54	0		S.U.
pH (Field)	LGW-14R	7/18/2017	7.27	0		S.U.
pH (Field)	LGW-14R	8/1/2017	7.41	0		S.U.
pH (Field)	LGW-14R	9/5/2017	7.18	0		S.U.
pH (Field)	LGW-14R	10/5/2017	7.2	0		S.U.
pH (Field)	LGW-14R	11/1/2017	7.38	0		S.U.
pH (Field)	LGW-14R	1/25/2018	7.33	0.01		S.U.
pH (Field)	LGW-14R	2/22/2018	7.25	0.01		S.U.
pH (Field)	LGW-14R	3/20/2018	7.23	0.01		S.U.
pH (Field)	LGW-14R	4/10/2018	7.22	0.01		S.U.
pH (Field)	LGW-14R	6/5/2018	7.43	0		S.U.
pH (Field)	LGW-14R	6/21/2018	7.32	0		S.U.
pH (Field)	LGW-14R	7/17/2018	7.4	0.01		S.U.
pH (Field)	LGW-14R	8/1/2018	7.18	0.01		S.U.
pH (Field)	LGW-14R	9/4/2018	7	0		S.U.
pH (Field)	LGW-14R	10/2/2018	7.17	0		S.U.
pH (Field)	LGW-14R	10/2/2018	7.17	0		S.U.
pH (Field)	LGW-14R	11/6/2018	7.22	0.01		S.U.
pH (Field)	LGW-14R	12/4/2018	7.33	0.01		S.U.
pH (Field)	LGW-14R	1/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-14R	2/6/2019	7.11	0		S.U.
pH (Field)	LGW-14R	3/5/2019	6.82	0.01		S.U.
pH (Field)	LGW-14R	4/3/2019	7.02	0.01		S.U.
pH (Field)	LGW-14R	5/2/2019	7.49	0.01		S.U.
pH (Field)	LGW-14R	6/4/2019	7.15	0		S.U.
pH (Field)	LGW-14R	7/10/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	7/10/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	8/7/2019	7.33	0.01		S.U.
pH (Field)	LGW-14R	9/5/2019	7.02	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	10/3/2019	7.29	0.01		S.U.
pH (Field)	LGW-14R	11/5/2019	7.18	0.01		S.U.
pH (Field)	LGW-14R	12/4/2019	7.42	0.01		S.U.
pH (Field)	LGW-14R	1/16/2020	7.33	0		S.U.
pH (Field)	LGW-14R	2/4/2020	7.33	0		S.U.
pH (Field)	LGW-14R	3/3/2020	7.22	0.01		S.U.
pH (Field)	LGW-14R	4/3/2020	7	0.01		S.U.
pH (Field)	LGW-14R	5/5/2020	7.14	0.01		S.U.
pH (Field)	LGW-14R	6/2/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	7/9/2020	7.15	0		S.U.
pH (Field)	LGW-14R	8/3/2020	7.1	0		S.U.
pH (Field)	LGW-14R	9/2/2020	7.07	0.01		S.U.
pH (Field)	LGW-14R	10/7/2020	7.17	0.01		S.U.
pH (Field)	LGW-14R	11/3/2020	7.27	0		S.U.
pH (Field)	LGW-14R	12/3/2020	7.11	0		S.U.
pH (Field)	LGW-14R	1/18/2021	6.83	0		S.U.
pH (Field)	LGW-14R	1/18/2021	6.83	0		S.U.
pH (Field)	LGW-14R	2/9/2021	7.26	0		S.U.
pH (Field)	LGW-14R	3/2/2021	7.07	0		S.U.
pH (Field)	LGW-14R	4/6/2021	7.11	0		S.U.
pH (Field)	LGW-14R	4/6/2021	7.11	0		S.U.
pH (Field)	LGW-14R	5/4/2021	7.06	0		S.U.
pH (Field)	LGW-14R	6/1/2021	7	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	7/7/2021	7.11	0		S.U.
pH (Field)	LGW-14R	8/3/2021	7.08	0		S.U.
pH (Field)	LGW-14R	9/2/2021	7.05	0		S.U.
pH (Field)	LGW-14R	10/5/2021	7.1	0		S.U.
pH (Field)	LGW-14R	10/5/2021	7.1	0		S.U.
pH (Field)	LGW-14R	11/2/2021	7.03	0		S.U.
pH (Field)	LGW-14R	12/9/2021	7.05	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	1/12/2022	7.08	0		S.U.
pH (Field)	LGW-14R	2/10/2022	7.1	0		S.U.
pH (Field)	LGW-14R	3/1/2022	7.02	0		S.U.
pH (Field)	LGW-14R	4/5/2022	6.93	0		S.U.
pH (Field)	LGW-14R	5/7/2022	6.92	0		S.U.
pH (Field)	LGW-14R	6/3/2022	6.77	0		S.U.
pH (Field)	LGW-14R	7/11/2022	6.76	0		S.U.
pH (Field)	LGW-14R	8/10/2022	6.73	0		S.U.
pH (Field)	LGW-14R	9/8/2022	6.69	0		S.U.
pH (Field)	LGW-14R	10/6/2022	6.38	0		S.U.
pH (Field)	LGW-14R	11/3/2022	6.9	0		S.U.
pH (Field)	LGW-14R	12/7/2022	6.72	0		S.U.
pH (Field)	LGW-14R	1/10/2023	6.98	0		S.U.
pH (Field)	LGW-14R	2/3/2023	6.94	0		S.U.
pH (Field)	LGW-14R	3/1/2023	6.66	0		S.U.
pH (Field)	LGW-14R	4/5/2023	6.48	0		S.U.
pH (Field)	LGW-14R	5/10/2023	6.61	0		S.U.
pH (Field)	LGW-14R	6/8/2023	6.49	0		S.U.
pH (Field)	LGW-14R	7/10/2023	6.82	0		S.U.
pH (Field)	LGW-14R	8/2/2023	5.93	0		S.U.
pH (Field)	LGW-14R	9/2/2023	6.86	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-14R	10/5/2023	6.86	0		S.U.
pH (Field)	LGW-2	9/30/2005	8.58	0		S.U.
pH (Field)	LGW-2	7/31/2006	7.58	0		S.U.
pH (Field)	LGW-2	7/31/2006	7.58	0		S.U.
pH (Field)	LGW-2	8/1/2006	7.58	0		S.U.
pH (Field)	LGW-2	8/1/2006	7.58	0		S.U.
pH (Field)	LGW-2	9/20/2006	7.97	0		S.U.
pH (Field)	LGW-2	9/26/2006	7.87	0		S.U.
pH (Field)	LGW-2	9/26/2006	7.87	0		S.U.
pH (Field)	LGW-2	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-2	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-2	11/3/2006	8.1	0		S.U.
pH (Field)	LGW-2	11/3/2006	8.81	0		S.U.
pH (Field)	LGW-2	11/21/2006	7.84	0		S.U.
pH (Field)	LGW-2	11/21/2006	7.78	0		S.U.
pH (Field)	LGW-2	12/21/2006	7.44	0		S.U.
pH (Field)	LGW-2	12/21/2006	7.44	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	1/25/2007	7.41	0		S.U.
pH (Field)	LGW-2	2/7/2007	7.57	0		S.U.
pH (Field)	LGW-2	2/27/2007	7.57	0		S.U.
pH (Field)	LGW-2	2/27/2007	7.57	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	3/26/2007	7.15	0		S.U.
pH (Field)	LGW-2	4/26/2007	7.03	0		S.U.
pH (Field)	LGW-2	4/26/2007	7.03	0		S.U.
pH (Field)	LGW-2	6/1/2007	7.15	0		S.U.
pH (Field)	LGW-2	6/1/2007	7.15	0		S.U.
pH (Field)	LGW-2	6/28/2007	7.42	0		S.U.
pH (Field)	LGW-2	6/28/2007	7.42	0		S.U.
pH (Field)	LGW-2	7/10/2007	7.1	0		S.U.
pH (Field)	LGW-2	7/10/2007	7.1	0		S.U.
pH (Field)	LGW-2	8/28/2007	7.55	0		S.U.
pH (Field)	LGW-2	8/28/2007	7.55	0		S.U.
pH (Field)	LGW-2	9/28/2007	7.86	0		S.U.
pH (Field)	LGW-2	9/28/2007	8.27	0		S.U.
pH (Field)	LGW-2	9/28/2007	8.25	0		S.U.
pH (Field)	LGW-2	10/24/2007	9.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.67	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.61	0		S.U.
pH (Field)	LGW-2	11/28/2007	6.6	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.56	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.58	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.71	0		S.U.
pH (Field)	LGW-2	12/28/2007	6.6	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.09	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.09	0		S.U.
pH (Field)	LGW-2	1/26/2008	7.32	0		S.U.
pH (Field)	LGW-2	2/28/2008	7.68	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.94	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.96	0		S.U.
pH (Field)	LGW-2	3/24/2008	6.9	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	3/24/2008	6.93	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.49	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.62	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.5	0		S.U.
pH (Field)	LGW-2	5/3/2008	7.51	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.98	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.88	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.92	0		S.U.
pH (Field)	LGW-2	5/30/2008	6.97	0		S.U.
pH (Field)	LGW-2	6/26/2008	7.05	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.95	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.89	0		S.U.
pH (Field)	LGW-2	6/26/2008	6.87	0		S.U.
pH (Field)	LGW-2	7/23/2008	7.13	0.1		S.U.
pH (Field)	LGW-2	8/29/2008	7.05	0.1		S.U.
pH (Field)	LGW-2	9/26/2008	7.3	0.1		S.U.
pH (Field)	LGW-2	9/26/2008	7.3	0.1		S.U.
pH (Field)	LGW-2	10/21/2008	7.35	0.1		S.U.
pH (Field)	LGW-2	11/25/2008	7.36	0.1		S.U.
pH (Field)	LGW-2	12/19/2008	7.57	0.1		S.U.
pH (Field)	LGW-2	2/6/2009	7.3	0.1		S.U.
pH (Field)	LGW-2	2/13/2009	7.36	0.1		S.U.
pH (Field)	LGW-2	3/26/2009	7.34	0.1		S.U.
pH (Field)	LGW-2	4/16/2009	7.01	0.1		S.U.
pH (Field)	LGW-2	5/29/2009	7.6	0.1		S.U.
pH (Field)	LGW-2	6/25/2009	7.31	0.1		S.U.
pH (Field)	LGW-2	7/30/2009	6.61	0.1		S.U.
pH (Field)	LGW-2	8/29/2009	6.46	0.1		S.U.
pH (Field)	LGW-2	9/30/2009	6.21	0.1		S.U.
pH (Field)	LGW-2	10/22/2009	6.86	0.1		S.U.
pH (Field)	LGW-2	11/24/2009	6.85	0.1		S.U.
pH (Field)	LGW-2	12/18/2009	6.86	0.1		S.U.
pH (Field)	LGW-2	2/3/2010	7.16	0.1		S.U.
pH (Field)	LGW-2	2/3/2010	7.16	0.1		S.U.
pH (Field)	LGW-2	2/17/2010	6.79	0		S.U.
pH (Field)	LGW-2	3/4/2010	7.3	0		S.U.
pH (Field)	LGW-2	4/8/2010	7.12	0		S.U.
pH (Field)	LGW-2	5/6/2010	8.06	0		S.U.
pH (Field)	LGW-2	6/15/2010	7.11	0		S.U.
pH (Field)	LGW-2	7/12/2010	7.08	0		S.U.
pH (Field)	LGW-2	8/10/2010	7.06	0		S.U.
pH (Field)	LGW-2	9/1/2010	7.35	0		S.U.
pH (Field)	LGW-2	9/29/2010	7.03	0		S.U.
pH (Field)	LGW-2	11/3/2010	6.95	0		S.U.
pH (Field)	LGW-2	12/2/2010	7.08	0		S.U.
pH (Field)	LGW-2	1/19/2011	6.76	0		S.U.
pH (Field)	LGW-2	2/7/2011	7.04	0		S.U.
pH (Field)	LGW-2	3/3/2011	7.1	0		S.U.
pH (Field)	LGW-2	4/5/2011	7.2	0		S.U.
pH (Field)	LGW-2	5/10/2011	6.95	0		S.U.
pH (Field)	LGW-2	6/1/2011	6.86	0		S.U.
pH (Field)	LGW-2	7/13/2011	7.09	0		S.U.
pH (Field)	LGW-2	8/3/2011	6.98	0		S.U.
pH (Field)	LGW-2	9/7/2011	7.07	0		S.U.
pH (Field)	LGW-2	10/5/2011	7.09	0		S.U.
pH (Field)	LGW-2	11/1/2011	6.89	0		S.U.
pH (Field)	LGW-2	12/7/2011	7.12	0		S.U.
pH (Field)	LGW-2	1/4/2012	7.13	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	2/1/2012	6.84	0		S.U.
pH (Field)	LGW-2	3/6/2012	7.01	0		S.U.
pH (Field)	LGW-2	4/5/2012	6.97	0		S.U.
pH (Field)	LGW-2	5/1/2012	7.22	0		S.U.
pH (Field)	LGW-2	6/5/2012	7.22	0		S.U.
pH (Field)	LGW-2	7/9/2012	7.05	0		S.U.
pH (Field)	LGW-2	8/9/2012	6.71	0		S.U.
pH (Field)	LGW-2	9/4/2012	6.71	0		S.U.
pH (Field)	LGW-2	10/7/2012	7.13	0		S.U.
pH (Field)	LGW-2	4/30/2013	6.91	0		S.U.
pH (Field)	LGW-2	6/4/2013	6.85	0		S.U.
pH (Field)	LGW-2	7/15/2013	6.93	0		S.U.
pH (Field)	LGW-2	8/8/2013	7.12	0		S.U.
pH (Field)	LGW-2	9/10/2013	7	0		S.U.
pH (Field)	LGW-2	10/1/2013	7.23	0		S.U.
pH (Field)	LGW-2	11/6/2013	6.99	0		S.U.
pH (Field)	LGW-2	12/2/2013	7.04	0		S.U.
pH (Field)	LGW-2	1/30/2014	6.83	0		S.U.
pH (Field)	LGW-2	2/13/2014	8.03	0		S.U.
pH (Field)	LGW-2	3/12/2014	7.35	0		S.U.
pH (Field)	LGW-2	4/3/2014	7.19	0		S.U.
pH (Field)	LGW-2	5/7/2014	7.13	0		S.U.
pH (Field)	LGW-2	6/3/2014	6.91	0		S.U.
pH (Field)	LGW-2	7/8/2014	7.21	0		S.U.
pH (Field)	LGW-2	8/5/2014	6.8	0		S.U.
pH (Field)	LGW-2	9/4/2014	7.03	0		S.U.
pH (Field)	LGW-2	10/9/2014	7.65	0		S.U.
pH (Field)	LGW-2	11/3/2014	6.57	0		S.U.
pH (Field)	LGW-2	1/14/2015	5.74	0		S.U.
pH (Field)	LGW-2	2/13/2015	7.7	0		S.U.
pH (Field)	LGW-2	3/3/2015	7.09	0		S.U.
pH (Field)	LGW-2	4/1/2015	6.88	0		S.U.
pH (Field)	LGW-2	5/6/2015	7.17	0		S.U.
pH (Field)	LGW-2	6/3/2015	7.14	0		S.U.
pH (Field)	LGW-2	7/8/2015	7.19	0		S.U.
pH (Field)	LGW-2	8/4/2015	7.5	0		S.U.
pH (Field)	LGW-2	9/2/2015	7.2	0		S.U.
pH (Field)	LGW-2	10/5/2015	7.75	0		S.U.
pH (Field)	LGW-2	11/4/2015	7.06	0		S.U.
pH (Field)	LGW-2	12/3/2015	7.06	0		S.U.
pH (Field)	LGW-2	1/5/2016	6.9	0		S.U.
pH (Field)	LGW-2	2/3/2016	7.24	0		S.U.
pH (Field)	LGW-2	3/2/2016	7.55	0		S.U.
pH (Field)	LGW-2	4/5/2016	7.28	0		S.U.
pH (Field)	LGW-2	5/11/2016	6.94	0		S.U.
pH (Field)	LGW-2	6/1/2016	7.38	0		S.U.
pH (Field)	LGW-2	7/19/2016	7.39	0		S.U.
pH (Field)	LGW-2	8/10/2016	8.47	0		S.U.
pH (Field)	LGW-2	9/6/2016	7.4	0		S.U.
pH (Field)	LGW-2	10/6/2016	7.4	0		S.U.
pH (Field)	LGW-2	11/2/2016	6.85	0		S.U.
pH (Field)	LGW-2	12/1/2016	7.6	0		S.U.
pH (Field)	LGW-2	1/11/2017	5.08	0		S.U.
pH (Field)	LGW-2	2/7/2017	6.27	0		S.U.
pH (Field)	LGW-2	3/2/2017	6.47	0		S.U.
pH (Field)	LGW-2	4/4/2017	6.79	0		S.U.
pH (Field)	LGW-2	5/16/2017	6.69	0		S.U.
pH (Field)	LGW-2	6/6/2017	6.76	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	7/18/2017	6.46	0		S.U.
pH (Field)	LGW-2	8/1/2017	6.77	0		S.U.
pH (Field)	LGW-2	9/5/2017	6.68	0		S.U.
pH (Field)	LGW-2	10/6/2017	6.23	0		S.U.
pH (Field)	LGW-2	11/1/2017	6.69	0		S.U.
pH (Field)	LGW-2	1/23/2018	6.49	0.01		S.U.
pH (Field)	LGW-2	2/22/2018	6.44	0.01		S.U.
pH (Field)	LGW-2	3/21/2018	6.57	0.01		S.U.
pH (Field)	LGW-2	4/10/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	6/5/2018	6.54	0		S.U.
pH (Field)	LGW-2	6/21/2018	6.6	0		S.U.
pH (Field)	LGW-2	7/12/2018	6.51	0.01		S.U.
pH (Field)	LGW-2	8/1/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	9/4/2018	6.41	0		S.U.
pH (Field)	LGW-2	10/2/2018	6.37	0		S.U.
pH (Field)	LGW-2	10/2/2018	6.37	0		S.U.
pH (Field)	LGW-2	11/6/2018	6.34	0.01		S.U.
pH (Field)	LGW-2	12/4/2018	6.45	0.01		S.U.
pH (Field)	LGW-2	1/3/2019	6.39	0.01		S.U.
pH (Field)	LGW-2	2/5/2019	6.54	0		S.U.
pH (Field)	LGW-2	3/6/2019	6.55	0.01		S.U.
pH (Field)	LGW-2	4/3/2019	6.47	0.01		S.U.
pH (Field)	LGW-2	5/2/2019	6.53	0.01		S.U.
pH (Field)	LGW-2	6/5/2019	6.31	0		S.U.
pH (Field)	LGW-2	7/9/2019	6.69	0.01		S.U.
pH (Field)	LGW-2	7/9/2019	6.69	0.01		S.U.
pH (Field)	LGW-2	8/6/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	9/4/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	10/1/2019	6.99	0.01		S.U.
pH (Field)	LGW-2	11/6/2019	6.68	0.01		S.U.
pH (Field)	LGW-2	12/3/2019	6.67	0.01		S.U.
pH (Field)	LGW-2	1/13/2020	6.55	0		S.U.
pH (Field)	LGW-2	2/4/2020	6.7	0		S.U.
pH (Field)	LGW-2	3/3/2020	6.72	0.01		S.U.
pH (Field)	LGW-2	4/1/2020	6.65	0.01		S.U.
pH (Field)	LGW-2	4/1/2020	6.65	0.01		S.U.
pH (Field)	LGW-2	5/5/2020	6.62	0.01		S.U.
pH (Field)	LGW-2	6/2/2020	6.81	0		S.U.
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.
pH (Field)	LGW-2	7/8/2020	6.79	0		S.U.
pH (Field)	LGW-2	8/3/2020	6.75	0		S.U.
pH (Field)	LGW-2	9/3/2020	6.87	0.01		S.U.
pH (Field)	LGW-2	10/7/2020	6.84	0.01		S.U.
pH (Field)	LGW-2	11/3/2020	6.81	0		S.U.
pH (Field)	LGW-2	12/4/2020	6.69	0		S.U.
pH (Field)	LGW-2	1/18/2021	6.36	0		S.U.
pH (Field)	LGW-2	1/18/2021	6.36	0		S.U.
pH (Field)	LGW-2	2/10/2021	6.81	0		S.U.
pH (Field)	LGW-2	3/2/2021	6.66	0		S.U.
pH (Field)	LGW-2	4/7/2021	6.84	0		S.U.
pH (Field)	LGW-2	5/4/2021	6.8	0		S.U.
pH (Field)	LGW-2	6/1/2021	6.67	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	7/4/2021	6.77	0		S.U.
pH (Field)	LGW-2	8/3/2021	6.88	0		S.U.
pH (Field)	LGW-2	9/2/2021	6.82	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-2	10/5/2021	6.87	0		S.U.
pH (Field)	LGW-2	10/5/2021	6.87	0		S.U.
pH (Field)	LGW-2	11/1/2021	6.76	0		S.U.
pH (Field)	LGW-2	12/8/2021	6.84	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	1/12/2022	6.86	0		S.U.
pH (Field)	LGW-2	2/9/2022	6.89	0		S.U.
pH (Field)	LGW-2	3/1/2022	6.82	0		S.U.
pH (Field)	LGW-2	4/5/2022	6.73	0		S.U.
pH (Field)	LGW-2	5/7/2022	6.75	0		S.U.
pH (Field)	LGW-2	6/3/2022	6.54	0		S.U.
pH (Field)	LGW-2	7/10/2022	6.5	0		S.U.
pH (Field)	LGW-2	8/10/2022	6.46	0		S.U.
pH (Field)	LGW-2	9/8/2022	6.55	0		S.U.
pH (Field)	LGW-2	10/6/2022	6.31	0		S.U.
pH (Field)	LGW-2	11/3/2022	6.74	0		S.U.
pH (Field)	LGW-2	12/7/2022	6.57	0		S.U.
pH (Field)	LGW-2	1/10/2023	6.94	0		S.U.
pH (Field)	LGW-2	2/3/2023	6.77	0		S.U.
pH (Field)	LGW-2	3/1/2023	6.59	0		S.U.
pH (Field)	LGW-2	4/6/2023	6.71	0		S.U.
pH (Field)	LGW-2	5/11/2023	6.45	0		S.U.
pH (Field)	LGW-2	6/8/2023	6.49	0		S.U.
pH (Field)	LGW-2	7/10/2023	7.24	0		S.U.
pH (Field)	LGW-2	8/1/2023	4.92	0		S.U.
pH (Field)	LGW-2	9/1/2023	6.89	0		S.U.
pH (Field)	LGW-2	10/4/2023	6.73	0		S.U.
pH (Field)	LGW-3R	9/28/2005	6.95	0		S.U.
pH (Field)	LGW-3R	7/20/2006	7.33	0		S.U.
pH (Field)	LGW-3R	7/20/2006	7.33	0		S.U.
pH (Field)	LGW-3R	9/26/2006	7.38	0		S.U.
pH (Field)	LGW-3R	9/26/2006	7.38	0		S.U.
pH (Field)	LGW-3R	10/26/2006	7.69	0		S.U.
pH (Field)	LGW-3R	10/26/2006	7.69	0		S.U.
pH (Field)	LGW-3R	11/21/2006	7.92	0		S.U.
pH (Field)	LGW-3R	11/21/2006	7.92	0		S.U.
pH (Field)	LGW-3R	12/21/2006	7.08	0		S.U.
pH (Field)	LGW-3R	12/21/2006	7.08	0		S.U.
pH (Field)	LGW-3R	1/8/2007	6.78	0		S.U.
pH (Field)	LGW-3R	1/8/2007	6.98	0		S.U.
pH (Field)	LGW-3R	1/9/2007	6.78	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	1/25/2007	7.29	0		S.U.
pH (Field)	LGW-3R	2/7/2007	7.38	0		S.U.
pH (Field)	LGW-3R	2/27/2007	7.38	0		S.U.
pH (Field)	LGW-3R	2/27/2007	7.38	0		S.U.
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.
pH (Field)	LGW-3R	3/26/2007	6.81	0		S.U.
pH (Field)	LGW-3R	4/26/2007	6.82	0		S.U.
pH (Field)	LGW-3R	4/26/2007	6.82	0		S.U.
pH (Field)	LGW-3R	6/1/2007	6.68	0		S.U.
pH (Field)	LGW-3R	6/1/2007	6.86	0		S.U.
pH (Field)	LGW-3R	6/28/2007	7.04	0		S.U.
pH (Field)	LGW-3R	6/28/2007	7.04	0		S.U.
pH (Field)	LGW-3R	7/10/2007	6.65	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	7/11/2007	6.65	0		S.U.
pH (Field)	LGW-3R	8/28/2007	7.21	0		S.U.
pH (Field)	LGW-3R	8/28/2007	7.21	0		S.U.
pH (Field)	LGW-3R	9/28/2007	7.4	0		S.U.
pH (Field)	LGW-3R	10/24/2007	9.56	0	ND	S.U.
pH (Field)	LGW-3R	11/28/2007	6.34	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.38	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.39	0		S.U.
pH (Field)	LGW-3R	11/28/2007	6.36	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.55	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.57	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.76	0		S.U.
pH (Field)	LGW-3R	12/27/2007	6.52	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.75	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.69	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.68	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.65	0		S.U.
pH (Field)	LGW-3R	1/26/2008	6.65	0		S.U.
pH (Field)	LGW-3R	2/27/2008	7.21	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.54	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.62	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.76	0		S.U.
pH (Field)	LGW-3R	3/24/2008	6.8	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.08	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.1	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.08	0		S.U.
pH (Field)	LGW-3R	5/3/2008	7.31	0		S.U.
pH (Field)	LGW-3R	5/30/2008	6.9	0		S.U.
pH (Field)	LGW-3R	5/30/2008	6.85	0		S.U.
pH (Field)	LGW-3R	5/30/2008	7	0		S.U.
pH (Field)	LGW-3R	5/30/2008	7.29	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.58	0		S.U.
pH (Field)	LGW-3R	6/26/2008	7.09	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.67	0		S.U.
pH (Field)	LGW-3R	6/26/2008	6.57	0		S.U.
pH (Field)	LGW-3R	7/23/2008	6.67	0.1		S.U.
pH (Field)	LGW-3R	8/29/2008	6.78	0.1		S.U.
pH (Field)	LGW-3R	9/26/2008	7.04	0.1		S.U.
pH (Field)	LGW-3R	9/26/2008	7.04	0.1		S.U.
pH (Field)	LGW-3R	10/22/2008	7.21	0.1		S.U.
pH (Field)	LGW-3R	11/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-3R	12/19/2008	6.98	0.1		S.U.
pH (Field)	LGW-3R	2/3/2009	6.97	0.1		S.U.
pH (Field)	LGW-3R	3/26/2009	6.8	0.1		S.U.
pH (Field)	LGW-3R	4/16/2009	6.31	0.1		S.U.
pH (Field)	LGW-3R	5/28/2009	7.41	0.1		S.U.
pH (Field)	LGW-3R	6/25/2009	7.03	0.1		S.U.
pH (Field)	LGW-3R	7/31/2009	6.06	0.1		S.U.
pH (Field)	LGW-3R	8/29/2009	5.9	0.1		S.U.
pH (Field)	LGW-3R	9/30/2009	5.82	0.1		S.U.
pH (Field)	LGW-3R	10/22/2009	6.41	0.1		S.U.
pH (Field)	LGW-3R	11/24/2009	6.49	0.1		S.U.
pH (Field)	LGW-3R	12/18/2009	6.75	0.1		S.U.
pH (Field)	LGW-3R	2/3/2010	6.73	0.1		S.U.
pH (Field)	LGW-3R	2/3/2010	6.73	0.1		S.U.
pH (Field)	LGW-3R	2/17/2010	6.95	0		S.U.
pH (Field)	LGW-3R	3/3/2010	6.81	0		S.U.
pH (Field)	LGW-3R	4/8/2010	6.87	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	5/5/2010	7.89	0		S.U.
pH (Field)	LGW-3R	6/15/2010	6.96	0		S.U.
pH (Field)	LGW-3R	7/16/2010	6.8	0		S.U.
pH (Field)	LGW-3R	8/11/2010	6.73	0		S.U.
pH (Field)	LGW-3R	9/1/2010	6.95	0		S.U.
pH (Field)	LGW-3R	9/29/2010	6.75	0		S.U.
pH (Field)	LGW-3R	11/3/2010	6.77	0		S.U.
pH (Field)	LGW-3R	12/3/2010	6.81	0		S.U.
pH (Field)	LGW-3R	1/19/2011	6.86	0		S.U.
pH (Field)	LGW-3R	2/7/2011	6.82	0		S.U.
pH (Field)	LGW-3R	3/3/2011	6.86	0		S.U.
pH (Field)	LGW-3R	4/5/2011	6.97	0		S.U.
pH (Field)	LGW-3R	5/10/2011	6.82	0		S.U.
pH (Field)	LGW-3R	6/1/2011	6.65	0		S.U.
pH (Field)	LGW-3R	7/13/2011	6.85	0		S.U.
pH (Field)	LGW-3R	8/3/2011	6.81	0		S.U.
pH (Field)	LGW-3R	9/7/2011	6.93	0		S.U.
pH (Field)	LGW-3R	10/5/2011	7	0		S.U.
pH (Field)	LGW-3R	11/1/2011	6.9	0		S.U.
pH (Field)	LGW-3R	12/7/2011	7.08	0		S.U.
pH (Field)	LGW-3R	1/4/2012	7.06	0		S.U.
pH (Field)	LGW-3R	2/1/2012	6.84	0		S.U.
pH (Field)	LGW-3R	3/6/2012	7.07	0		S.U.
pH (Field)	LGW-3R	4/5/2012	7.21	0		S.U.
pH (Field)	LGW-3R	5/1/2012	7.27	0		S.U.
pH (Field)	LGW-3R	6/5/2012	7.22	0		S.U.
pH (Field)	LGW-3R	7/9/2012	7.03	0		S.U.
pH (Field)	LGW-3R	8/9/2012	6.94	0		S.U.
pH (Field)	LGW-3R	9/4/2012	6.72	0		S.U.
pH (Field)	LGW-3R	11/8/2012	6.99	0		S.U.
pH (Field)	LGW-3R	12/6/2012	6.83	0		S.U.
pH (Field)	LGW-3R	12/6/2012	6.83	0		S.U.
pH (Field)	LGW-3R	1/23/2013	7	0		S.U.
pH (Field)	LGW-3R	1/23/2013	7	0		S.U.
pH (Field)	LGW-3R	2/5/2013	7.01	0		S.U.
pH (Field)	LGW-3R	2/5/2013	7.01	0		S.U.
pH (Field)	LGW-3R	3/5/2013	6.95	0		S.U.
pH (Field)	LGW-3R	3/5/2013	6.95	0		S.U.
pH (Field)	LGW-3R	4/30/2013	7.09	0		S.U.
pH (Field)	LGW-3R	6/4/2013	6.72	0		S.U.
pH (Field)	LGW-3R	7/15/2013	6.85	0		S.U.
pH (Field)	LGW-3R	8/8/2013	7	0		S.U.
pH (Field)	LGW-3R	9/10/2013	6.88	0		S.U.
pH (Field)	LGW-3R	10/1/2013	7.23	0		S.U.
pH (Field)	LGW-3R	11/6/2013	6.8	0		S.U.
pH (Field)	LGW-3R	12/2/2013	6.9	0		S.U.
pH (Field)	LGW-3R	1/22/2014	6.75	0		S.U.
pH (Field)	LGW-3R	2/12/2014	6.99	0		S.U.
pH (Field)	LGW-3R	3/11/2014	7.12	0		S.U.
pH (Field)	LGW-3R	4/2/2014	7.69	0		S.U.
pH (Field)	LGW-3R	5/7/2014	7.07	0		S.U.
pH (Field)	LGW-3R	6/3/2014	7	0		S.U.
pH (Field)	LGW-3R	7/8/2014	7.1	0		S.U.
pH (Field)	LGW-3R	8/5/2014	7.05	0		S.U.
pH (Field)	LGW-3R	9/4/2014	6.97	0		S.U.
pH (Field)	LGW-3R	10/9/2014	7.23	0		S.U.
pH (Field)	LGW-3R	11/3/2014	6.85	0		S.U.
pH (Field)	LGW-3R	1/14/2015	5.67	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	2/10/2015	6.99	0		S.U.
pH (Field)	LGW-3R	3/3/2015	7.03	0		S.U.
pH (Field)	LGW-3R	4/1/2015	6.83	0		S.U.
pH (Field)	LGW-3R	5/6/2015	7.07	0		S.U.
pH (Field)	LGW-3R	6/3/2015	7.36	0		S.U.
pH (Field)	LGW-3R	7/16/2015	7.37	0		S.U.
pH (Field)	LGW-3R	8/5/2015	8.34	0		S.U.
pH (Field)	LGW-3R	9/3/2015	8.25	0		S.U.
pH (Field)	LGW-3R	10/6/2015	8.47	0		S.U.
pH (Field)	LGW-3R	11/5/2015	8.38	0		S.U.
pH (Field)	LGW-3R	12/4/2015	9.02	0		S.U.
pH (Field)	LGW-3R	1/8/2016	7.8	0		S.U.
pH (Field)	LGW-3R	2/4/2016	8.33	0		S.U.
pH (Field)	LGW-3R	3/3/2016	8.13	0		S.U.
pH (Field)	LGW-3R	4/6/2016	8.13	0		S.U.
pH (Field)	LGW-3R	5/12/2016	7.86	0		S.U.
pH (Field)	LGW-3R	6/2/2016	8.85	0		S.U.
pH (Field)	LGW-3R	7/21/2016	7.6	0		S.U.
pH (Field)	LGW-3R	8/11/2016	7.82	0		S.U.
pH (Field)	LGW-3R	9/7/2016	7.23	0		S.U.
pH (Field)	LGW-3R	10/7/2016	7.13	0		S.U.
pH (Field)	LGW-3R	11/3/2016	8.89	0		S.U.
pH (Field)	LGW-3R	12/2/2016	7.11	0		S.U.
pH (Field)	LGW-3R	1/11/2017	5.87	0		S.U.
pH (Field)	LGW-3R	2/7/2017	6.54	0		S.U.
pH (Field)	LGW-3R	3/2/2017	6.36	0		S.U.
pH (Field)	LGW-3R	4/4/2017	6.93	0		S.U.
pH (Field)	LGW-3R	5/2/2017	7.15	0		S.U.
pH (Field)	LGW-3R	6/6/2017	7.4	0		S.U.
pH (Field)	LGW-3R	7/18/2017	6.86	0		S.U.
pH (Field)	LGW-3R	8/1/2017	6.96	0		S.U.
pH (Field)	LGW-3R	9/5/2017	6.7	0		S.U.
pH (Field)	LGW-3R	10/6/2017	6.67	0		S.U.
pH (Field)	LGW-3R	11/1/2017	6.93	0		S.U.
pH (Field)	LGW-3R	1/23/2018	6.7	0.01		S.U.
pH (Field)	LGW-3R	2/22/2018	6.77	0.01		S.U.
pH (Field)	LGW-3R	3/19/2018	6.66	0.01		S.U.
pH (Field)	LGW-3R	4/10/2018	6.82	0.01		S.U.
pH (Field)	LGW-3R	6/5/2018	6.91	0		S.U.
pH (Field)	LGW-3R	7/11/2018	6.65	0.01		S.U.
pH (Field)	LGW-3R	8/1/2018	6.64	0.01		S.U.
pH (Field)	LGW-3R	9/5/2018	6.37	0		S.U.
pH (Field)	LGW-3R	10/3/2018	6.7	0		S.U.
pH (Field)	LGW-3R	11/7/2018	6.68	0.01		S.U.
pH (Field)	LGW-3R	12/4/2018	6.79	0.01		S.U.
pH (Field)	LGW-3R	1/3/2019	6.17	0.01		S.U.
pH (Field)	LGW-3R	2/5/2019	6.77	0		S.U.
pH (Field)	LGW-3R	3/4/2019	6.32	0.01		S.U.
pH (Field)	LGW-3R	4/3/2019	6.75	0.01		S.U.
pH (Field)	LGW-3R	5/1/2019	7.5	0.01		S.U.
pH (Field)	LGW-3R	6/5/2019	6.84	0		S.U.
pH (Field)	LGW-3R	7/9/2019	6.61	0.01		S.U.
pH (Field)	LGW-3R	7/9/2019	6.61	0.01		S.U.
pH (Field)	LGW-3R	8/5/2019	7.71	0.01		S.U.
pH (Field)	LGW-3R	9/3/2019	7.48	0.01		S.U.
pH (Field)	LGW-3R	10/1/2019	6.99	0.01		S.U.
pH (Field)	LGW-3R	11/6/2019	6.45	0.01		S.U.
pH (Field)	LGW-3R	12/2/2019	6.54	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-3R	1/14/2020	6.34	0		S.U.
pH (Field)	LGW-3R	2/4/2020	6.09	0		S.U.
pH (Field)	LGW-3R	3/2/2020	6.51	0.01		S.U.
pH (Field)	LGW-3R	4/1/2020	6.63	0.01		S.U.
pH (Field)	LGW-3R	5/5/2020	6.23	0.01		S.U.
pH (Field)	LGW-3R	6/3/2020	6.42	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	7/6/2020	6.53	0		S.U.
pH (Field)	LGW-3R	8/3/2020	6.14	0		S.U.
pH (Field)	LGW-3R	9/2/2020	6.15	0.01		S.U.
pH (Field)	LGW-3R	10/5/2020	5.65	0.01		S.U.
pH (Field)	LGW-3R	11/3/2020	6.16	0		S.U.
pH (Field)	LGW-3R	12/4/2020	6.07	0		S.U.
pH (Field)	LGW-3R	1/18/2021	6.05	0		S.U.
pH (Field)	LGW-3R	1/18/2021	6.05	0		S.U.
pH (Field)	LGW-3R	2/9/2021	5.85	0		S.U.
pH (Field)	LGW-3R	3/2/2021	5.59	0		S.U.
pH (Field)	LGW-3R	4/6/2021	5.44	0		S.U.
pH (Field)	LGW-3R	4/6/2021	5.44	0		S.U.
pH (Field)	LGW-3R	5/4/2021	5.98	0		S.U.
pH (Field)	LGW-3R	6/2/2021	5.59	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	7/6/2021	5.68	0		S.U.
pH (Field)	LGW-3R	8/3/2021	5.52	0		S.U.
pH (Field)	LGW-3R	9/2/2021	5.43	0		S.U.
pH (Field)	LGW-3R	10/5/2021	5.67	0		S.U.
pH (Field)	LGW-3R	11/2/2021	6.56	0		S.U.
pH (Field)	LGW-3R	12/9/2021	5.54	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	1/12/2022	5.72	0		S.U.
pH (Field)	LGW-3R	2/10/2022	5.61	0		S.U.
pH (Field)	LGW-3R	3/1/2022	5.78	0		S.U.
pH (Field)	LGW-3R	4/5/2022	5.48	0		S.U.
pH (Field)	LGW-3R	5/7/2022	5.73	0		S.U.
pH (Field)	LGW-3R	6/3/2022	5.76	0		S.U.
pH (Field)	LGW-3R	7/10/2022	5.57	0		S.U.
pH (Field)	LGW-3R	8/10/2022	5.15	0		S.U.
pH (Field)	LGW-3R	9/8/2022	5.14	0		S.U.
pH (Field)	LGW-3R	10/6/2022	4.73	0		S.U.
pH (Field)	LGW-3R	11/3/2022	5.16	0		S.U.
pH (Field)	LGW-3R	12/7/2022	5.07	0		S.U.
pH (Field)	LGW-3R	1/10/2023	5.45	0		S.U.
pH (Field)	LGW-3R	2/3/2023	5.33	0		S.U.
pH (Field)	LGW-3R	3/1/2023	5.04	0		S.U.
pH (Field)	LGW-3R	4/6/2023	5.44	0		S.U.
pH (Field)	LGW-3R	5/10/2023	5.1	0		S.U.
pH (Field)	LGW-3R	6/8/2023	4.68	0		S.U.
pH (Field)	LGW-3R	7/10/2023	4.66	0		S.U.
pH (Field)	LGW-3R	8/2/2023	3.44	0		S.U.
pH (Field)	LGW-3R	9/2/2023	5.27	0		S.U.
pH (Field)	LGW-3R	10/4/2023	5.09	0		S.U.
pH (Field)	LGW-4	9/28/2005	6.98	0		S.U.
pH (Field)	LGW-4	7/20/2006	7.54	0		S.U.
pH (Field)	LGW-4	7/20/2006	7.54	0		S.U.
pH (Field)	LGW-4	9/26/2006	7.73	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	9/26/2006	7.73	0		S.U.
pH (Field)	LGW-4	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-4	10/26/2006	7.9	0		S.U.
pH (Field)	LGW-4	11/21/2006	7.96	0		S.U.
pH (Field)	LGW-4	11/21/2006	7.96	0		S.U.
pH (Field)	LGW-4	12/21/2006	7.25	0		S.U.
pH (Field)	LGW-4	12/21/2006	7.25	0		S.U.
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.
pH (Field)	LGW-4	1/9/2007	7.3	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	1/25/2007	7.49	0		S.U.
pH (Field)	LGW-4	2/7/2007	7.48	0		S.U.
pH (Field)	LGW-4	2/27/2007	7.48	0		S.U.
pH (Field)	LGW-4	2/27/2007	7.48	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	3/26/2007	7.01	0		S.U.
pH (Field)	LGW-4	4/26/2007	6.91	0		S.U.
pH (Field)	LGW-4	4/26/2007	6.91	0		S.U.
pH (Field)	LGW-4	5/31/2007	7.19	0		S.U.
pH (Field)	LGW-4	6/1/2007	7.19	0		S.U.
pH (Field)	LGW-4	6/28/2007	7.02	0		S.U.
pH (Field)	LGW-4	6/28/2007	7.02	0		S.U.
pH (Field)	LGW-4	7/10/2007	7.08	0		S.U.
pH (Field)	LGW-4	7/11/2007	7.08	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.47	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.32	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.36	0		S.U.
pH (Field)	LGW-4	8/28/2007	7.36	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.48	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.62	0		S.U.
pH (Field)	LGW-4	9/28/2007	7.64	0		S.U.
pH (Field)	LGW-4	10/24/2007	9.57	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.45	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.63	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.53	0		S.U.
pH (Field)	LGW-4	11/28/2007	6.47	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.76	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.65	0		S.U.
pH (Field)	LGW-4	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-4	1/22/2008	7.2	0		S.U.
pH (Field)	LGW-4	2/27/2008	7.28	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.92	0		S.U.
pH (Field)	LGW-4	3/25/2008	7.21	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.78	0		S.U.
pH (Field)	LGW-4	3/25/2008	6.85	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.29	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.29	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.38	0		S.U.
pH (Field)	LGW-4	5/3/2008	7.41	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.35	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.41	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.38	0		S.U.
pH (Field)	LGW-4	5/30/2008	7.24	0		S.U.
pH (Field)	LGW-4	7/23/2008	6.86	0.1		S.U.
pH (Field)	LGW-4	8/29/2008	8.23	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	9/26/2008	7.29	0.1		S.U.
pH (Field)	LGW-4	9/26/2008	7.29	0.1		S.U.
pH (Field)	LGW-4	10/22/2008	7.15	0.1		S.U.
pH (Field)	LGW-4	11/25/2008	7.17	0.1		S.U.
pH (Field)	LGW-4	12/19/2008	7.1	0.1		S.U.
pH (Field)	LGW-4	2/3/2009	7.29	0.1		S.U.
pH (Field)	LGW-4	3/26/2009	6.9	0.1		S.U.
pH (Field)	LGW-4	4/16/2009	6.61	0.1		S.U.
pH (Field)	LGW-4	5/28/2009	7.47	0.1		S.U.
pH (Field)	LGW-4	6/25/2009	7.14	0.1		S.U.
pH (Field)	LGW-4	7/31/2009	6.07	0.1		S.U.
pH (Field)	LGW-4	8/29/2009	5.93	0.1		S.U.
pH (Field)	LGW-4	10/22/2009	6.47	0.1		S.U.
pH (Field)	LGW-4	11/24/2009	6.65	0.1		S.U.
pH (Field)	LGW-4	2/3/2010	7.05	0.1		S.U.
pH (Field)	LGW-4	2/3/2010	7.05	0.1		S.U.
pH (Field)	LGW-4	2/17/2010	7.07	0		S.U.
pH (Field)	LGW-4	3/3/2010	7.06	0		S.U.
pH (Field)	LGW-4	4/8/2010	6.99	0		S.U.
pH (Field)	LGW-4	5/5/2010	8.2	0		S.U.
pH (Field)	LGW-4	6/15/2010	7.36	0		S.U.
pH (Field)	LGW-4	7/16/2010	6.96	0		S.U.
pH (Field)	LGW-4	8/11/2010	7.01	0		S.U.
pH (Field)	LGW-4	9/1/2010	7.13	0		S.U.
pH (Field)	LGW-4	9/29/2010	7.05	0		S.U.
pH (Field)	LGW-4	11/3/2010	7.06	0		S.U.
pH (Field)	LGW-4	12/3/2010	7.05	0		S.U.
pH (Field)	LGW-4	1/19/2011	7.06	0		S.U.
pH (Field)	LGW-4	2/7/2011	7.05	0		S.U.
pH (Field)	LGW-4	3/3/2011	7.07	0		S.U.
pH (Field)	LGW-4	4/5/2011	7.22	0		S.U.
pH (Field)	LGW-4	5/10/2011	7.23	0		S.U.
pH (Field)	LGW-4	6/1/2011	7.05	0		S.U.
pH (Field)	LGW-4	7/13/2011	7.42	0		S.U.
pH (Field)	LGW-4	8/3/2011	7.13	0		S.U.
pH (Field)	LGW-4	9/7/2011	7.21	0		S.U.
pH (Field)	LGW-4	10/5/2011	7.27	0		S.U.
pH (Field)	LGW-4	11/1/2011	7.06	0		S.U.
pH (Field)	LGW-4	12/7/2011	7.35	0		S.U.
pH (Field)	LGW-4	1/4/2012	7.28	0		S.U.
pH (Field)	LGW-4	2/1/2012	7.07	0		S.U.
pH (Field)	LGW-4	3/6/2012	7.28	0		S.U.
pH (Field)	LGW-4	4/5/2012	7.47	0		S.U.
pH (Field)	LGW-4	5/1/2012	7.71	0		S.U.
pH (Field)	LGW-4	6/5/2012	7.45	0		S.U.
pH (Field)	LGW-4	7/9/2012	7.28	0		S.U.
pH (Field)	LGW-4	8/9/2012	7.16	0		S.U.
pH (Field)	LGW-4	9/4/2012	6.92	0		S.U.
pH (Field)	LGW-4	10/7/2012	7.4	0		S.U.
pH (Field)	LGW-4	4/30/2013	7.16	0		S.U.
pH (Field)	LGW-4	6/4/2013	7.19	0		S.U.
pH (Field)	LGW-4	7/15/2013	7.23	0		S.U.
pH (Field)	LGW-4	8/8/2013	7.34	0		S.U.
pH (Field)	LGW-4	9/10/2013	7.33	0		S.U.
pH (Field)	LGW-4	10/1/2013	7.63	0		S.U.
pH (Field)	LGW-4	11/6/2013	7.29	0		S.U.
pH (Field)	LGW-4	12/2/2013	7.05	0		S.U.
pH (Field)	LGW-4	1/23/2014	7.14	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	2/12/2014	7.28	0		S.U.
pH (Field)	LGW-4	3/11/2014	7.49	0		S.U.
pH (Field)	LGW-4	4/2/2014	7.5	0		S.U.
pH (Field)	LGW-4	5/7/2014	7.4	0		S.U.
pH (Field)	LGW-4	6/3/2014	7.15	0		S.U.
pH (Field)	LGW-4	7/8/2014	7.49	0		S.U.
pH (Field)	LGW-4	8/5/2014	7.26	0		S.U.
pH (Field)	LGW-4	9/4/2014	7.05	0		S.U.
pH (Field)	LGW-4	10/9/2014	7.67	0		S.U.
pH (Field)	LGW-4	11/3/2014	7.17	0		S.U.
pH (Field)	LGW-4	1/14/2015	5.95	0		S.U.
pH (Field)	LGW-4	2/11/2015	7.2	0		S.U.
pH (Field)	LGW-4	3/3/2015	7.09	0		S.U.
pH (Field)	LGW-4	4/1/2015	7.11	0		S.U.
pH (Field)	LGW-4	5/6/2015	7.15	0		S.U.
pH (Field)	LGW-4	6/3/2015	7.8	0		S.U.
pH (Field)	LGW-4	7/8/2015	7.27	0		S.U.
pH (Field)	LGW-4	8/4/2015	7.74	0		S.U.
pH (Field)	LGW-4	9/2/2015	7.55	0		S.U.
pH (Field)	LGW-4	10/5/2015	7.91	0		S.U.
pH (Field)	LGW-4	11/4/2015	7.57	0		S.U.
pH (Field)	LGW-4	12/3/2015	7.87	0		S.U.
pH (Field)	LGW-4	1/5/2016	7.21	0		S.U.
pH (Field)	LGW-4	2/3/2016	7.98	0		S.U.
pH (Field)	LGW-4	3/2/2016	7.9	0		S.U.
pH (Field)	LGW-4	4/5/2016	7.78	0		S.U.
pH (Field)	LGW-4	5/11/2016	7.58	0		S.U.
pH (Field)	LGW-4	6/1/2016	7.9	0		S.U.
pH (Field)	LGW-4	7/19/2016	7.43	0		S.U.
pH (Field)	LGW-4	8/10/2016	8.15	0		S.U.
pH (Field)	LGW-4	9/6/2016	7.18	0		S.U.
pH (Field)	LGW-4	10/6/2016	7.1	0		S.U.
pH (Field)	LGW-4	11/2/2016	7.2	0		S.U.
pH (Field)	LGW-4	12/1/2016	7.91	0		S.U.
pH (Field)	LGW-4	1/11/2017	6.19	0		S.U.
pH (Field)	LGW-4	2/7/2017	6.39	0		S.U.
pH (Field)	LGW-4	3/2/2017	6.39	0		S.U.
pH (Field)	LGW-4	4/4/2017	7.16	0		S.U.
pH (Field)	LGW-4	5/2/2017	7.26	0		S.U.
pH (Field)	LGW-4	5/16/2017	7	0		S.U.
pH (Field)	LGW-4	6/6/2017	7.16	0		S.U.
pH (Field)	LGW-4	7/18/2017	7.03	0		S.U.
pH (Field)	LGW-4	8/1/2017	7.16	0		S.U.
pH (Field)	LGW-4	9/5/2017	7.12	0		S.U.
pH (Field)	LGW-4	10/6/2017	6.71	0		S.U.
pH (Field)	LGW-4	11/1/2017	6.95	0		S.U.
pH (Field)	LGW-4	1/23/2018	6.63	0.01		S.U.
pH (Field)	LGW-4	2/22/2018	6.71	0.01		S.U.
pH (Field)	LGW-4	3/19/2018	6.56	0.01		S.U.
pH (Field)	LGW-4	4/10/2018	6.69	0.01		S.U.
pH (Field)	LGW-4	6/5/2018	7.07	0		S.U.
pH (Field)	LGW-4	7/11/2018	6.51	0.01		S.U.
pH (Field)	LGW-4	8/1/2018	6.72	0.01		S.U.
pH (Field)	LGW-4	9/5/2018	6.41	0		S.U.
pH (Field)	LGW-4	10/3/2018	6.71	0		S.U.
pH (Field)	LGW-4	11/7/2018	6.65	0.01		S.U.
pH (Field)	LGW-4	12/4/2018	6.81	0.01		S.U.
pH (Field)	LGW-4	1/3/2019	6.25	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	2/5/2019	6.84	0		S.U.
pH (Field)	LGW-4	3/4/2019	6.53	0.01		S.U.
pH (Field)	LGW-4	4/3/2019	6.49	0.01		S.U.
pH (Field)	LGW-4	4/3/2019	6.49	0.01		S.U.
pH (Field)	LGW-4	5/1/2019	7.18	0.01		S.U.
pH (Field)	LGW-4	6/5/2019	6.88	0		S.U.
pH (Field)	LGW-4	7/9/2019	7.1	0.01		S.U.
pH (Field)	LGW-4	7/9/2019	7.1	0.01		S.U.
pH (Field)	LGW-4	8/5/2019	7.54	0.01		S.U.
pH (Field)	LGW-4	9/3/2019	8.01	0.01		S.U.
pH (Field)	LGW-4	10/1/2019	7.02	0.01		S.U.
pH (Field)	LGW-4	11/6/2019	6.71	0.01		S.U.
pH (Field)	LGW-4	12/4/2019	7.38	0.01		S.U.
pH (Field)	LGW-4	1/14/2020	7.34	0		S.U.
pH (Field)	LGW-4	2/4/2020	7.17	0		S.U.
pH (Field)	LGW-4	3/2/2020	7.31	0.01		S.U.
pH (Field)	LGW-4	4/1/2020	7.4	0.01		S.U.
pH (Field)	LGW-4	5/5/2020	7.24	0.01		S.U.
pH (Field)	LGW-4	6/3/2020	7.19	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	7/6/2020	7.26	0		S.U.
pH (Field)	LGW-4	8/3/2020	7.18	0		S.U.
pH (Field)	LGW-4	9/2/2020	6.98	0.01		S.U.
pH (Field)	LGW-4	10/5/2020	6.98	0.01		S.U.
pH (Field)	LGW-4	11/3/2020	7.46	0		S.U.
pH (Field)	LGW-4	12/4/2020	7.2	0		S.U.
pH (Field)	LGW-4	1/18/2021	6.26	0		S.U.
pH (Field)	LGW-4	1/18/2021	6.26	0		S.U.
pH (Field)	LGW-4	2/9/2021	7.27	0		S.U.
pH (Field)	LGW-4	3/2/2021	6.98	0		S.U.
pH (Field)	LGW-4	4/6/2021	7.19	0		S.U.
pH (Field)	LGW-4	4/6/2021	7.19	0		S.U.
pH (Field)	LGW-4	5/4/2021	7.13	0		S.U.
pH (Field)	LGW-4	6/2/2021	7.09	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	7/7/2021	6.86	0		S.U.
pH (Field)	LGW-4	8/3/2021	7.13	0		S.U.
pH (Field)	LGW-4	9/2/2021	7.04	0		S.U.
pH (Field)	LGW-4	10/5/2021	7.09	0		S.U.
pH (Field)	LGW-4	10/5/2021	7.09	0		S.U.
pH (Field)	LGW-4	11/2/2021	7.05	0		S.U.
pH (Field)	LGW-4	12/9/2021	7.03	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	1/12/2022	7.02	0		S.U.
pH (Field)	LGW-4	2/10/2022	7.06	0		S.U.
pH (Field)	LGW-4	3/1/2022	6.97	0		S.U.
pH (Field)	LGW-4	4/5/2022	6.84	0		S.U.
pH (Field)	LGW-4	5/7/2022	6.85	0		S.U.
pH (Field)	LGW-4	6/3/2022	6.48	0		S.U.
pH (Field)	LGW-4	7/11/2022	6.6	0		S.U.
pH (Field)	LGW-4	8/10/2022	6.45	0		S.U.
pH (Field)	LGW-4	9/8/2022	6.44	0		S.U.
pH (Field)	LGW-4	10/6/2022	6.34	0		S.U.
pH (Field)	LGW-4	11/3/2022	6.6	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-4	12/7/2022	6.42	0		S.U.
pH (Field)	LGW-4	1/10/2023	6.73	0		S.U.
pH (Field)	LGW-4	2/3/2023	6.66	0		S.U.
pH (Field)	LGW-4	3/1/2023	6.33	0		S.U.
pH (Field)	LGW-4	4/6/2023	6.43	0		S.U.
pH (Field)	LGW-4	5/10/2023	6.18	0		S.U.
pH (Field)	LGW-4	6/8/2023	6.31	0		S.U.
pH (Field)	LGW-4	7/10/2023	6.16	0		S.U.
pH (Field)	LGW-4	8/2/2023	5.39	0		S.U.
pH (Field)	LGW-4	9/2/2023	6.62	0		S.U.
pH (Field)	LGW-4	10/4/2023	6.47	0		S.U.
pH (Field)	LGW-5	9/29/2005	7.55	0		S.U.
pH (Field)	LGW-5	7/20/2006	8	0		S.U.
pH (Field)	LGW-5	7/20/2006	8	0		S.U.
pH (Field)	LGW-5	7/31/2006	7.73	0		S.U.
pH (Field)	LGW-5	8/1/2006	7.73	0		S.U.
pH (Field)	LGW-5	8/1/2006	7.73	0		S.U.
pH (Field)	LGW-5	9/27/2006	7.94	0		S.U.
pH (Field)	LGW-5	9/27/2006	7.94	0		S.U.
pH (Field)	LGW-5	10/26/2006	8.2	0		S.U.
pH (Field)	LGW-5	10/26/2006	8.2	0		S.U.
pH (Field)	LGW-5	11/21/2006	7.99	0		S.U.
pH (Field)	LGW-5	11/21/2006	7.99	0		S.U.
pH (Field)	LGW-5	12/21/2006	7.16	0		S.U.
pH (Field)	LGW-5	12/21/2006	7.16	0		S.U.
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.
pH (Field)	LGW-5	1/9/2007	7.38	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	1/25/2007	7.5	0		S.U.
pH (Field)	LGW-5	2/7/2007	7.42	0		S.U.
pH (Field)	LGW-5	2/26/2007	7.42	0		S.U.
pH (Field)	LGW-5	2/27/2007	7.42	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	3/26/2007	6.97	0		S.U.
pH (Field)	LGW-5	4/26/2007	6.9	0		S.U.
pH (Field)	LGW-5	4/26/2007	6.9	0		S.U.
pH (Field)	LGW-5	5/31/2007	6.88	0		S.U.
pH (Field)	LGW-5	6/1/2007	6.88	0		S.U.
pH (Field)	LGW-5	6/28/2007	7.36	0		S.U.
pH (Field)	LGW-5	6/28/2007	7.36	0		S.U.
pH (Field)	LGW-5	7/10/2007	6.98	0		S.U.
pH (Field)	LGW-5	7/11/2007	6.98	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.57	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.33	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.33	0		S.U.
pH (Field)	LGW-5	8/28/2007	7.45	0		S.U.
pH (Field)	LGW-5	9/28/2007	8	0		S.U.
pH (Field)	LGW-5	9/28/2007	8.05	0		S.U.
pH (Field)	LGW-5	9/28/2007	8.05	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.75	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.68	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.89	0		S.U.
pH (Field)	LGW-5	11/28/2007	6.59	0		S.U.
pH (Field)	LGW-5	12/27/2007	6.85	0		S.U.
pH (Field)	LGW-5	12/27/2007	6.82	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	12/27/2007	6.89	0		S.U.
pH (Field)	LGW-5	1/23/2008	7.96	0		S.U.
pH (Field)	LGW-5	2/28/2008	7.59	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.9	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.89	0		S.U.
pH (Field)	LGW-5	3/25/2008	6.88	0		S.U.
pH (Field)	LGW-5	3/25/2008	7.2	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.39	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.39	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.44	0		S.U.
pH (Field)	LGW-5	5/3/2008	7.53	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.14	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.27	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.09	0		S.U.
pH (Field)	LGW-5	5/30/2008	7.17	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.74	0		S.U.
pH (Field)	LGW-5	6/26/2008	7.28	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.84	0		S.U.
pH (Field)	LGW-5	6/26/2008	6.76	0		S.U.
pH (Field)	LGW-5	7/23/2008	6.74	0.1		S.U.
pH (Field)	LGW-5	9/26/2008	7.03	0.1		S.U.
pH (Field)	LGW-5	9/26/2008	7.03	0.1		S.U.
pH (Field)	LGW-5	10/21/2008	6.92	0.1		S.U.
pH (Field)	LGW-5	11/25/2008	7.12	0.1		S.U.
pH (Field)	LGW-5	12/19/2008	7.07	0.1		S.U.
pH (Field)	LGW-5	2/4/2009	7.24	0.1		S.U.
pH (Field)	LGW-5	3/26/2009	6.67	0.1		S.U.
pH (Field)	LGW-5	4/16/2009	6.84	0.1		S.U.
pH (Field)	LGW-5	5/29/2009	7.35	0.1		S.U.
pH (Field)	LGW-5	6/24/2009	7.1	0.1		S.U.
pH (Field)	LGW-5	7/29/2009	5.92	0.1		S.U.
pH (Field)	LGW-5	8/28/2009	6.05	0.1		S.U.
pH (Field)	LGW-5	9/29/2009	5.98	0.1		S.U.
pH (Field)	LGW-5	10/21/2009	6.51	0.1		S.U.
pH (Field)	LGW-5	11/24/2009	6.67	0.1		S.U.
pH (Field)	LGW-5	12/17/2009	6.78	0.1		S.U.
pH (Field)	LGW-5	2/3/2010	6.91	0.1		S.U.
pH (Field)	LGW-5	2/3/2010	6.91	0.1		S.U.
pH (Field)	LGW-5	2/16/2010	7.16	0		S.U.
pH (Field)	LGW-5	3/3/2010	7.08	0		S.U.
pH (Field)	LGW-5	4/7/2010	6.81	0		S.U.
pH (Field)	LGW-5	5/5/2010	7.81	0		S.U.
pH (Field)	LGW-5	6/15/2010	7.11	0		S.U.
pH (Field)	LGW-5	7/12/2010	7.05	0		S.U.
pH (Field)	LGW-5	8/10/2010	7	0		S.U.
pH (Field)	LGW-5	9/2/2010	7.15	0		S.U.
pH (Field)	LGW-5	9/29/2010	6.91	0		S.U.
pH (Field)	LGW-5	11/3/2010	6.99	0		S.U.
pH (Field)	LGW-5	12/2/2010	7.03	0		S.U.
pH (Field)	LGW-5	1/19/2011	7.05	0		S.U.
pH (Field)	LGW-5	2/7/2011	7.06	0		S.U.
pH (Field)	LGW-5	3/3/2011	7.08	0		S.U.
pH (Field)	LGW-5	4/5/2011	7.19	0		S.U.
pH (Field)	LGW-5	5/10/2011	7.06	0		S.U.
pH (Field)	LGW-5	6/1/2011	7	0		S.U.
pH (Field)	LGW-5	7/12/2011	7.08	0		S.U.
pH (Field)	LGW-5	8/3/2011	7.06	0		S.U.
pH (Field)	LGW-5	9/7/2011	7.2	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	10/5/2011	7.28	0		S.U.
pH (Field)	LGW-5	11/1/2011	7.22	0		S.U.
pH (Field)	LGW-5	12/7/2011	7.31	0		S.U.
pH (Field)	LGW-5	1/5/2012	7.29	0		S.U.
pH (Field)	LGW-5	2/1/2012	7.06	0		S.U.
pH (Field)	LGW-5	3/6/2012	7.34	0		S.U.
pH (Field)	LGW-5	4/5/2012	7.58	0		S.U.
pH (Field)	LGW-5	5/1/2012	7.78	0		S.U.
pH (Field)	LGW-5	6/5/2012	7.87	0		S.U.
pH (Field)	LGW-5	7/9/2012	7.21	0		S.U.
pH (Field)	LGW-5	8/9/2012	7.21	0		S.U.
pH (Field)	LGW-5	9/4/2012	6.9	0		S.U.
pH (Field)	LGW-5	10/7/2012	7.35	0		S.U.
pH (Field)	LGW-5	4/30/2013	6.93	0		S.U.
pH (Field)	LGW-5	6/4/2013	6.81	0		S.U.
pH (Field)	LGW-5	7/15/2013	6.98	0		S.U.
pH (Field)	LGW-5	8/8/2013	6.99	0		S.U.
pH (Field)	LGW-5	9/10/2013	6.98	0		S.U.
pH (Field)	LGW-5	10/1/2013	7.31	0		S.U.
pH (Field)	LGW-5	11/6/2013	7.16	0		S.U.
pH (Field)	LGW-5	12/3/2013	7.89	0		S.U.
pH (Field)	LGW-5	1/23/2014	6.86	0		S.U.
pH (Field)	LGW-5	2/12/2014	6.97	0		S.U.
pH (Field)	LGW-5	3/11/2014	6.93	0		S.U.
pH (Field)	LGW-5	4/2/2014	6.98	0		S.U.
pH (Field)	LGW-5	5/7/2014	6.92	0		S.U.
pH (Field)	LGW-5	6/3/2014	6.84	0		S.U.
pH (Field)	LGW-5	7/8/2014	7.07	0		S.U.
pH (Field)	LGW-5	8/5/2014	7.23	0		S.U.
pH (Field)	LGW-5	9/4/2014	6.91	0		S.U.
pH (Field)	LGW-5	10/9/2014	7.28	0		S.U.
pH (Field)	LGW-5	11/3/2014	7.26	0		S.U.
pH (Field)	LGW-5	1/14/2015	5.78	0		S.U.
pH (Field)	LGW-5	2/10/2015	6.68	0		S.U.
pH (Field)	LGW-5	3/3/2015	6.98	0		S.U.
pH (Field)	LGW-5	4/1/2015	6.51	0		S.U.
pH (Field)	LGW-5	5/6/2015	6.76	0		S.U.
pH (Field)	LGW-5	6/3/2015	6.36	0		S.U.
pH (Field)	LGW-5	7/8/2015	6.84	0		S.U.
pH (Field)	LGW-5	8/4/2015	7.1	0		S.U.
pH (Field)	LGW-5	9/2/2015	7.56	0		S.U.
pH (Field)	LGW-5	10/5/2015	7.61	0		S.U.
pH (Field)	LGW-5	11/4/2015	7.18	0		S.U.
pH (Field)	LGW-5	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-5	1/5/2016	7.07	0		S.U.
pH (Field)	LGW-5	2/3/2016	7.51	0		S.U.
pH (Field)	LGW-5	3/2/2016	7.48	0		S.U.
pH (Field)	LGW-5	4/5/2016	7.29	0		S.U.
pH (Field)	LGW-5	5/11/2016	6.9	0		S.U.
pH (Field)	LGW-5	6/1/2016	7.3	0		S.U.
pH (Field)	LGW-5	7/19/2016	6.95	0		S.U.
pH (Field)	LGW-5	8/10/2016	7.88	0		S.U.
pH (Field)	LGW-5	9/6/2016	6.79	0		S.U.
pH (Field)	LGW-5	10/6/2016	6.92	0		S.U.
pH (Field)	LGW-5	11/2/2016	6.8	0		S.U.
pH (Field)	LGW-5	12/1/2016	7.61	0		S.U.
pH (Field)	LGW-5	1/11/2017	5.67	0		S.U.
pH (Field)	LGW-5	2/7/2017	6.26	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	3/2/2017	6.12	0		S.U.
pH (Field)	LGW-5	4/4/2017	6.82	0		S.U.
pH (Field)	LGW-5	5/16/2017	6.77	0		S.U.
pH (Field)	LGW-5	6/6/2017	7.09	0		S.U.
pH (Field)	LGW-5	7/18/2017	6.71	0		S.U.
pH (Field)	LGW-5	8/1/2017	7.2	0		S.U.
pH (Field)	LGW-5	9/5/2017	6.88	0		S.U.
pH (Field)	LGW-5	10/5/2017	7.22	0		S.U.
pH (Field)	LGW-5	11/1/2017	6.76	0		S.U.
pH (Field)	LGW-5	1/23/2018	6.54	0.01		S.U.
pH (Field)	LGW-5	2/23/2018	6.56	0.01		S.U.
pH (Field)	LGW-5	3/20/2018	6.54	0.01		S.U.
pH (Field)	LGW-5	4/10/2018	6.58	0.01		S.U.
pH (Field)	LGW-5	6/5/2018	7.5	0		S.U.
pH (Field)	LGW-5	7/12/2018	6.23	0.01		S.U.
pH (Field)	LGW-5	8/1/2018	6.42	0.01		S.U.
pH (Field)	LGW-5	9/4/2018	6.49	0		S.U.
pH (Field)	LGW-5	10/3/2018	6.53	0		S.U.
pH (Field)	LGW-5	11/7/2018	6.49	0.01		S.U.
pH (Field)	LGW-5	12/4/2018	6.61	0.01		S.U.
pH (Field)	LGW-5	1/3/2019	6.08	0.01		S.U.
pH (Field)	LGW-5	2/5/2019	6.56	0		S.U.
pH (Field)	LGW-5	3/5/2019	5.85	0.01		S.U.
pH (Field)	LGW-5	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-5	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-5	5/1/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	6/4/2019	6.5	0		S.U.
pH (Field)	LGW-5	7/9/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	7/9/2019	6.66	0.01		S.U.
pH (Field)	LGW-5	8/5/2019	7.32	0.01		S.U.
pH (Field)	LGW-5	9/3/2019	7.51	0.01		S.U.
pH (Field)	LGW-5	10/1/2019	6.85	0.01		S.U.
pH (Field)	LGW-5	11/5/2019	6.49	0.01		S.U.
pH (Field)	LGW-5	12/2/2019	6.62	0.01		S.U.
pH (Field)	LGW-5	1/14/2020	6.54	0		S.U.
pH (Field)	LGW-5	2/3/2020	6.57	0		S.U.
pH (Field)	LGW-5	3/2/2020	6.53	0.01		S.U.
pH (Field)	LGW-5	4/1/2020	6.57	0.01		S.U.
pH (Field)	LGW-5	5/4/2020	6.09	0.01		S.U.
pH (Field)	LGW-5	6/1/2020	6.41	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.46	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.46	0		S.U.
pH (Field)	LGW-5	7/6/2020	6.4	0		S.U.
pH (Field)	LGW-5	8/3/2020	6.41	0		S.U.
pH (Field)	LGW-5	9/1/2020	6.44	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	10/5/2020	6.4	0.01		S.U.
pH (Field)	LGW-5	11/3/2020	6.49	0		S.U.
pH (Field)	LGW-5	12/3/2020	6.38	0		S.U.
pH (Field)	LGW-5	1/18/2021	6.07	0		S.U.
pH (Field)	LGW-5	1/18/2021	6.07	0		S.U.
pH (Field)	LGW-5	2/9/2021	6.55	0		S.U.
pH (Field)	LGW-5	3/2/2021	6.32	0		S.U.
pH (Field)	LGW-5	4/6/2021	6.38	0		S.U.
pH (Field)	LGW-5	4/6/2021	6.38	0		S.U.
pH (Field)	LGW-5	5/4/2021	6.32	0		S.U.
pH (Field)	LGW-5	6/2/2021	6.33	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	7/7/2021	6.4	0		S.U.
pH (Field)	LGW-5	8/3/2021	6.38	0		S.U.
pH (Field)	LGW-5	9/2/2021	6.32	0		S.U.
pH (Field)	LGW-5	10/5/2021	6.39	0		S.U.
pH (Field)	LGW-5	10/5/2021	6.39	0		S.U.
pH (Field)	LGW-5	11/2/2021	6.34	0		S.U.
pH (Field)	LGW-5	12/9/2021	6.36	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	1/12/2022	6.37	0		S.U.
pH (Field)	LGW-5	2/10/2022	6.39	0		S.U.
pH (Field)	LGW-5	3/1/2022	6.33	0		S.U.
pH (Field)	LGW-5	4/4/2022	6.26	0		S.U.
pH (Field)	LGW-5	4/4/2022	6.26	0		S.U.
pH (Field)	LGW-5	5/7/2022	6.14	0		S.U.
pH (Field)	LGW-5	6/3/2022	5.95	0		S.U.
pH (Field)	LGW-5	7/11/2022	6.05	0		S.U.
pH (Field)	LGW-5	8/10/2022	5.97	0		S.U.
pH (Field)	LGW-5	9/8/2022	6.03	0		S.U.
pH (Field)	LGW-5	10/6/2022	5.73	0		S.U.
pH (Field)	LGW-5	10/6/2022	5.73	0		S.U.
pH (Field)	LGW-5	11/3/2022	6.17	0		S.U.
pH (Field)	LGW-5	12/7/2022	6.11	0		S.U.
pH (Field)	LGW-5	1/10/2023	6.35	0		S.U.
pH (Field)	LGW-5	2/3/2023	6.29	0		S.U.
pH (Field)	LGW-5	3/1/2023	5.95	0		S.U.
pH (Field)	LGW-5	4/6/2023	6.1	0		S.U.
pH (Field)	LGW-5	5/10/2023	5.99	0		S.U.
pH (Field)	LGW-5	6/8/2023	5.68	0		S.U.
pH (Field)	LGW-5	7/10/2023	6.14	0		S.U.
pH (Field)	LGW-5	8/2/2023	5.6	0		S.U.
pH (Field)	LGW-5	9/2/2023	6.28	0		S.U.
pH (Field)	LGW-5	10/5/2023	6.32	0		S.U.
pH (Field)	LGW-6	9/30/2005	7.6	0		S.U.
pH (Field)	LGW-6	7/20/2006	7.53	0		S.U.
pH (Field)	LGW-6	7/20/2006	7.53	0		S.U.
pH (Field)	LGW-6	9/27/2006	7.85	0		S.U.
pH (Field)	LGW-6	9/27/2006	7.85	0		S.U.
pH (Field)	LGW-6	10/26/2006	7.91	0		S.U.
pH (Field)	LGW-6	10/26/2006	7.91	0		S.U.
pH (Field)	LGW-6	11/21/2006	7.78	0		S.U.
pH (Field)	LGW-6	11/21/2006	7.78	0		S.U.
pH (Field)	LGW-6	12/21/2006	7.1	0		S.U.
pH (Field)	LGW-6	12/21/2006	7.1	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/9/2007	7.33	0		S.U.
pH (Field)	LGW-6	1/24/2007	7.31	0		S.U.
pH (Field)	LGW-6	1/24/2007	7.31	0		S.U.
pH (Field)	LGW-6	1/25/2007	7.31	0		S.U.
pH (Field)	LGW-6	2/7/2007	7.38	0		S.U.
pH (Field)	LGW-6	2/26/2007	7.38	0		S.U.
pH (Field)	LGW-6	2/26/2007	7.38	0		S.U.
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	3/26/2007	6.77	0		S.U.
pH (Field)	LGW-6	4/26/2007	7.02	0		S.U.
pH (Field)	LGW-6	4/26/2007	7.02	0		S.U.
pH (Field)	LGW-6	5/31/2007	7.29	0		S.U.
pH (Field)	LGW-6	6/1/2007	7.29	0		S.U.
pH (Field)	LGW-6	6/28/2007	6.93	0		S.U.
pH (Field)	LGW-6	6/28/2007	6.93	0		S.U.
pH (Field)	LGW-6	7/10/2007	6.61	0		S.U.
pH (Field)	LGW-6	7/11/2007	6.61	0		S.U.
pH (Field)	LGW-6	8/28/2007	7.38	0		S.U.
pH (Field)	LGW-6	8/28/2007	7.38	0		S.U.
pH (Field)	LGW-6	9/27/2007	7.37	0		S.U.
pH (Field)	LGW-6	10/23/2007	8.97	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.29	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.47	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.35	0		S.U.
pH (Field)	LGW-6	11/27/2007	6.51	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.7	0		S.U.
pH (Field)	LGW-6	12/27/2007	6.68	0		S.U.
pH (Field)	LGW-6	1/23/2008	7.38	0		S.U.
pH (Field)	LGW-6	2/28/2008	7.22	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.85	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.78	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.97	0		S.U.
pH (Field)	LGW-6	3/25/2008	6.75	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.24	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.24	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.4	0		S.U.
pH (Field)	LGW-6	5/3/2008	7.28	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.09	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.23	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.61	0		S.U.
pH (Field)	LGW-6	5/30/2008	7.34	0		S.U.
pH (Field)	LGW-6	6/26/2008	7.22	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.91	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.76	0		S.U.
pH (Field)	LGW-6	6/26/2008	6.68	0		S.U.
pH (Field)	LGW-6	7/23/2008	6.65	0.1		S.U.
pH (Field)	LGW-6	8/29/2008	7.13	0.1		S.U.
pH (Field)	LGW-6	9/26/2008	7.15	0.1		S.U.
pH (Field)	LGW-6	9/26/2008	7.15	0.1		S.U.
pH (Field)	LGW-6	10/21/2008	6.82	0.1		S.U.
pH (Field)	LGW-6	11/25/2008	7.01	0.1		S.U.
pH (Field)	LGW-6	12/19/2008	7.12	0.1		S.U.
pH (Field)	LGW-6	2/5/2009	6.98	0.1		S.U.
pH (Field)	LGW-6	3/26/2009	6.57	0.1		S.U.
pH (Field)	LGW-6	5/29/2009	7.56	0.1		S.U.
pH (Field)	LGW-6	6/24/2009	7.04	0.1		S.U.
pH (Field)	LGW-6	7/29/2009	5.94	0.1		S.U.
pH (Field)	LGW-6	8/28/2009	5.97	0.1		S.U.
pH (Field)	LGW-6	9/29/2009	5.86	0.1		S.U.
pH (Field)	LGW-6	10/22/2009	6.47	0.1		S.U.
pH (Field)	LGW-6	11/24/2009	6.61	0.1		S.U.
pH (Field)	LGW-6	12/17/2009	6.65	0.1		S.U.
pH (Field)	LGW-6	2/3/2010	6.71	0.1		S.U.
pH (Field)	LGW-6	2/3/2010	6.71	0.1		S.U.
pH (Field)	LGW-6	2/16/2010	6.98	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	3/3/2010	6.99	0		S.U.
pH (Field)	LGW-6	4/7/2010	6.95	0		S.U.
pH (Field)	LGW-6	5/5/2010	7.85	0		S.U.
pH (Field)	LGW-6	6/15/2010	7.3	0		S.U.
pH (Field)	LGW-6	7/12/2010	7.03	0		S.U.
pH (Field)	LGW-6	8/10/2010	6.97	0		S.U.
pH (Field)	LGW-6	9/2/2010	7.27	0		S.U.
pH (Field)	LGW-6	9/29/2010	6.99	0		S.U.
pH (Field)	LGW-6	11/3/2010	7.02	0		S.U.
pH (Field)	LGW-6	12/2/2010	7	0		S.U.
pH (Field)	LGW-6	1/19/2011	7.02	0		S.U.
pH (Field)	LGW-6	2/7/2011	7.15	0		S.U.
pH (Field)	LGW-6	3/3/2011	7.04	0		S.U.
pH (Field)	LGW-6	4/5/2011	7.24	0		S.U.
pH (Field)	LGW-6	5/10/2011	7.15	0		S.U.
pH (Field)	LGW-6	6/1/2011	7.06	0		S.U.
pH (Field)	LGW-6	7/12/2011	6.97	0		S.U.
pH (Field)	LGW-6	8/3/2011	7.05	0		S.U.
pH (Field)	LGW-6	9/7/2011	7.2	0		S.U.
pH (Field)	LGW-6	10/5/2011	7.3	0		S.U.
pH (Field)	LGW-6	11/1/2011	7.23	0		S.U.
pH (Field)	LGW-6	12/7/2011	7.41	0		S.U.
pH (Field)	LGW-6	1/5/2012	7.28	0		S.U.
pH (Field)	LGW-6	2/1/2012	7.26	0		S.U.
pH (Field)	LGW-6	3/6/2012	7.4	0		S.U.
pH (Field)	LGW-6	4/5/2012	7.57	0		S.U.
pH (Field)	LGW-6	5/1/2012	7.93	0		S.U.
pH (Field)	LGW-6	6/5/2012	7.84	0		S.U.
pH (Field)	LGW-6	7/9/2012	7.25	0		S.U.
pH (Field)	LGW-6	8/9/2012	7.47	0		S.U.
pH (Field)	LGW-6	9/4/2012	7.08	0		S.U.
pH (Field)	LGW-6	10/7/2012	7.49	0		S.U.
pH (Field)	LGW-6	11/6/2012	7.51	0		S.U.
pH (Field)	LGW-6	11/6/2012	7.51	0		S.U.
pH (Field)	LGW-6	12/6/2012	7.02	0		S.U.
pH (Field)	LGW-6	12/6/2012	7.02	0		S.U.
pH (Field)	LGW-6	1/23/2013	7.16	0		S.U.
pH (Field)	LGW-6	1/23/2013	7.16	0		S.U.
pH (Field)	LGW-6	2/5/2013	7.21	0		S.U.
pH (Field)	LGW-6	2/5/2013	7.21	0		S.U.
pH (Field)	LGW-6	3/5/2013	7.18	0		S.U.
pH (Field)	LGW-6	3/5/2013	7.18	0		S.U.
pH (Field)	LGW-6	4/30/2013	7.11	0		S.U.
pH (Field)	LGW-6	6/4/2013	7.02	0		S.U.
pH (Field)	LGW-6	7/15/2013	6.95	0		S.U.
pH (Field)	LGW-6	8/8/2013	7.1	0		S.U.
pH (Field)	LGW-6	9/10/2013	7.08	0		S.U.
pH (Field)	LGW-6	10/1/2013	7.38	0		S.U.
pH (Field)	LGW-6	11/6/2013	7.2	0		S.U.
pH (Field)	LGW-6	12/2/2013	6.91	0		S.U.
pH (Field)	LGW-6	1/23/2014	6.83	0		S.U.
pH (Field)	LGW-6	2/12/2014	7.19	0		S.U.
pH (Field)	LGW-6	3/11/2014	7.36	0		S.U.
pH (Field)	LGW-6	4/2/2014	7.35	0		S.U.
pH (Field)	LGW-6	5/7/2014	7.19	0		S.U.
pH (Field)	LGW-6	6/3/2014	7.05	0		S.U.
pH (Field)	LGW-6	7/8/2014	7.28	0		S.U.
pH (Field)	LGW-6	8/5/2014	7.42	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	9/4/2014	7.23	0		S.U.
pH (Field)	LGW-6	10/9/2014	7.48	0		S.U.
pH (Field)	LGW-6	11/3/2014	7.37	0		S.U.
pH (Field)	LGW-6	1/14/2015	5.73	0		S.U.
pH (Field)	LGW-6	2/10/2015	6.97	0		S.U.
pH (Field)	LGW-6	3/3/2015	7.25	0		S.U.
pH (Field)	LGW-6	4/1/2015	6.96	0		S.U.
pH (Field)	LGW-6	5/6/2015	7.2	0		S.U.
pH (Field)	LGW-6	6/3/2015	7.44	0		S.U.
pH (Field)	LGW-6	7/22/2015	7.14	0		S.U.
pH (Field)	LGW-6	8/4/2015	7.37	0		S.U.
pH (Field)	LGW-6	9/2/2015	7.67	0		S.U.
pH (Field)	LGW-6	10/6/2015	8.33	0		S.U.
pH (Field)	LGW-6	11/4/2015	7.21	0		S.U.
pH (Field)	LGW-6	12/3/2015	7.29	0		S.U.
pH (Field)	LGW-6	1/5/2016	7.17	0		S.U.
pH (Field)	LGW-6	2/3/2016	8.05	0		S.U.
pH (Field)	LGW-6	3/2/2016	7.67	0		S.U.
pH (Field)	LGW-6	4/5/2016	7.53	0		S.U.
pH (Field)	LGW-6	5/11/2016	7.21	0		S.U.
pH (Field)	LGW-6	6/1/2016	7.35	0		S.U.
pH (Field)	LGW-6	7/19/2016	7.65	0		S.U.
pH (Field)	LGW-6	8/10/2016	8.5	0		S.U.
pH (Field)	LGW-6	9/6/2016	6.85	0		S.U.
pH (Field)	LGW-6	9/6/2016	6.85	0		S.U.
pH (Field)	LGW-6	10/6/2016	6.95	0		S.U.
pH (Field)	LGW-6	11/2/2016	6.77	0		S.U.
pH (Field)	LGW-6	12/1/2016	7.73	0		S.U.
pH (Field)	LGW-6	1/11/2017	5.4	0		S.U.
pH (Field)	LGW-6	2/7/2017	6.13	0		S.U.
pH (Field)	LGW-6	3/2/2017	6.09	0		S.U.
pH (Field)	LGW-6	4/4/2017	6.83	0		S.U.
pH (Field)	LGW-6	5/2/2017	7.03	0		S.U.
pH (Field)	LGW-6	5/5/2017	6.87	0		S.U.
pH (Field)	LGW-6	6/6/2017	6.9	0		S.U.
pH (Field)	LGW-6	7/18/2017	6.62	0		S.U.
pH (Field)	LGW-6	8/1/2017	7.22	0		S.U.
pH (Field)	LGW-6	9/5/2017	6.5	0		S.U.
pH (Field)	LGW-6	10/5/2017	6.67	0		S.U.
pH (Field)	LGW-6	11/1/2017	6.71	0		S.U.
pH (Field)	LGW-6	1/23/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	2/22/2018	6.82	0.01		S.U.
pH (Field)	LGW-6	3/20/2018	6.58	0.01		S.U.
pH (Field)	LGW-6	4/10/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	4/10/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	6/5/2018	6.88	0		S.U.
pH (Field)	LGW-6	6/5/2018	6.88	0		S.U.
pH (Field)	LGW-6	7/17/2018	6.57	0.01		S.U.
pH (Field)	LGW-6	8/1/2018	6.41	0.01		S.U.
pH (Field)	LGW-6	9/5/2018	6.29	0		S.U.
pH (Field)	LGW-6	10/2/2018	6.18	0		S.U.
pH (Field)	LGW-6	10/2/2018	6.18	0		S.U.
pH (Field)	LGW-6	11/6/2018	6.54	0.01		S.U.
pH (Field)	LGW-6	12/4/2018	6.59	0.01		S.U.
pH (Field)	LGW-6	1/7/2019	6.43	0.01		S.U.
pH (Field)	LGW-6	2/5/2019	6.54	0		S.U.
pH (Field)	LGW-6	3/4/2019	6.21	0.01		S.U.
pH (Field)	LGW-6	4/3/2019	6.43	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	5/2/2019	6.76	0.01		S.U.
pH (Field)	LGW-6	6/4/2019	6.4	0		S.U.
pH (Field)	LGW-6	7/10/2019	6.44	0		S.U.
pH (Field)	LGW-6	7/10/2019	6.44	0.01		S.U.
pH (Field)	LGW-6	8/8/2019	6.31	0.01		S.U.
pH (Field)	LGW-6	9/5/2019	6.35	0.01		S.U.
pH (Field)	LGW-6	10/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-6	10/3/2019	6.65	0.01		S.U.
pH (Field)	LGW-6	11/5/2019	6.53	0.01		S.U.
pH (Field)	LGW-6	12/4/2019	6.69	0.01		S.U.
pH (Field)	LGW-6	1/16/2020	6.21	0		S.U.
pH (Field)	LGW-6	2/4/2020	6.54	0		S.U.
pH (Field)	LGW-6	3/4/2020	6.52	0.01		S.U.
pH (Field)	LGW-6	4/2/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	4/3/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-6	6/2/2020	6.42	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	7/9/2020	6.43	0		S.U.
pH (Field)	LGW-6	8/3/2020	6.45	0		S.U.
pH (Field)	LGW-6	9/2/2020	6.43	0.01		S.U.
pH (Field)	LGW-6	10/6/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	10/6/2020	6.46	0.01		S.U.
pH (Field)	LGW-6	11/3/2020	6.58	0		S.U.
pH (Field)	LGW-6	12/3/2020	6.44	0		S.U.
pH (Field)	LGW-6	1/18/2021	6.17	0		S.U.
pH (Field)	LGW-6	2/9/2021	6.6	0		S.U.
pH (Field)	LGW-6	3/2/2021	6.41	0		S.U.
pH (Field)	LGW-6	4/6/2021	6.49	0		S.U.
pH (Field)	LGW-6	4/6/2021	6.49	0		S.U.
pH (Field)	LGW-6	5/5/2021	6.35	0		S.U.
pH (Field)	LGW-6	6/1/2021	6.37	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	7/7/2021	6.5	0		S.U.
pH (Field)	LGW-6	8/3/2021	6.48	0		S.U.
pH (Field)	LGW-6	9/2/2021	6.44	0		S.U.
pH (Field)	LGW-6	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-6	10/5/2021	6.5	0		S.U.
pH (Field)	LGW-6	11/2/2021	6.42	0		S.U.
pH (Field)	LGW-6	12/9/2021	6.47	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	1/12/2022	6.5	0		S.U.
pH (Field)	LGW-6	2/10/2022	6.51	0		S.U.
pH (Field)	LGW-6	3/1/2022	6.46	0		S.U.
pH (Field)	LGW-6	4/4/2022	6.42	0		S.U.
pH (Field)	LGW-6	4/4/2022	6.42	0		S.U.
pH (Field)	LGW-6	5/7/2022	6.32	0		S.U.
pH (Field)	LGW-6	6/3/2022	6.11	0		S.U.
pH (Field)	LGW-6	7/11/2022	6.13	0		S.U.
pH (Field)	LGW-6	8/10/2022	6.07	0		S.U.
pH (Field)	LGW-6	9/8/2022	6.06	0		S.U.
pH (Field)	LGW-6	10/6/2022	5.74	0		S.U.
pH (Field)	LGW-6	10/6/2022	5.74	0		S.U.
pH (Field)	LGW-6	11/3/2022	6.22	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-6	12/7/2022	6.12	0		S.U.
pH (Field)	LGW-6	1/10/2023	6.43	0		S.U.
pH (Field)	LGW-6	2/3/2023	6.34	0		S.U.
pH (Field)	LGW-6	3/1/2023	6.1	0		S.U.
pH (Field)	LGW-6	4/6/2023	6.25	0		S.U.
pH (Field)	LGW-6	5/10/2023	6.1	0		S.U.
pH (Field)	LGW-6	6/8/2023	5.69	0		S.U.
pH (Field)	LGW-6	7/10/2023	6.27	0		S.U.
pH (Field)	LGW-6	8/2/2023	5	0		S.U.
pH (Field)	LGW-6	9/2/2023	6.31	0		S.U.
pH (Field)	LGW-6	10/5/2023	6.34	0		S.U.
pH (Field)	LGW-7	9/30/2005	7.31	0		S.U.
pH (Field)	LGW-7	7/20/2006	8.11	0		S.U.
pH (Field)	LGW-7	7/20/2006	8.11	0		S.U.
pH (Field)	LGW-7	7/31/2006	7.66	0		S.U.
pH (Field)	LGW-7	8/1/2006	7.66	0		S.U.
pH (Field)	LGW-7	8/1/2006	7.66	0		S.U.
pH (Field)	LGW-7	9/27/2006	7.99	0		S.U.
pH (Field)	LGW-7	9/27/2006	7.99	0		S.U.
pH (Field)	LGW-7	10/26/2006	8.11	0		S.U.
pH (Field)	LGW-7	10/26/2006	8.11	0		S.U.
pH (Field)	LGW-7	11/21/2006	8.18	0		S.U.
pH (Field)	LGW-7	11/21/2006	8.18	0		S.U.
pH (Field)	LGW-7	12/22/2006	7.17	0		S.U.
pH (Field)	LGW-7	12/22/2006	7.17	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/9/2007	7.09	0		S.U.
pH (Field)	LGW-7	1/24/2007	7.58	0		S.U.
pH (Field)	LGW-7	1/24/2007	7.58	0		S.U.
pH (Field)	LGW-7	1/25/2007	7.58	0		S.U.
pH (Field)	LGW-7	2/7/2007	7.46	0		S.U.
pH (Field)	LGW-7	2/26/2007	7.46	0		S.U.
pH (Field)	LGW-7	2/26/2007	7.46	0		S.U.
pH (Field)	LGW-7	3/26/2007	7.11	0		S.U.
pH (Field)	LGW-7	3/27/2007	7.11	0		S.U.
pH (Field)	LGW-7	3/27/2007	7.11	0		S.U.
pH (Field)	LGW-7	4/26/2007	6.84	0		S.U.
pH (Field)	LGW-7	4/26/2007	6.84	0		S.U.
pH (Field)	LGW-7	6/1/2007	7.11	0		S.U.
pH (Field)	LGW-7	6/1/2007	7.11	0		S.U.
pH (Field)	LGW-7	6/28/2007	7.18	0		S.U.
pH (Field)	LGW-7	6/28/2007	7.18	0		S.U.
pH (Field)	LGW-7	7/10/2007	6.84	0		S.U.
pH (Field)	LGW-7	7/12/2007	6.84	0		S.U.
pH (Field)	LGW-7	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-7	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-7	9/28/2007	7.62	0		S.U.
pH (Field)	LGW-7	10/24/2007	9.7	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.42	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.44	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.2	0		S.U.
pH (Field)	LGW-7	11/27/2007	6.28	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.58	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.71	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.61	0		S.U.
pH (Field)	LGW-7	12/27/2007	6.59	0		S.U.
pH (Field)	LGW-7	1/25/2008	7.2	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	2/28/2008	7.23	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.73	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.75	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.77	0		S.U.
pH (Field)	LGW-7	3/25/2008	6.89	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.05	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.25	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.17	0		S.U.
pH (Field)	LGW-7	5/3/2008	7.11	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.38	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.14	0		S.U.
pH (Field)	LGW-7	5/30/2008	7.05	0		S.U.
pH (Field)	LGW-7	5/30/2008	6.98	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.82	0		S.U.
pH (Field)	LGW-7	6/26/2008	7.3	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.77	0		S.U.
pH (Field)	LGW-7	6/26/2008	6.95	0		S.U.
pH (Field)	LGW-7	7/22/2008	6.77	0.1		S.U.
pH (Field)	LGW-7	9/26/2008	7.05	0.1		S.U.
pH (Field)	LGW-7	9/26/2008	7.05	0.1		S.U.
pH (Field)	LGW-7	10/21/2008	6.89	0.1		S.U.
pH (Field)	LGW-7	11/25/2008	6.87	0.1		S.U.
pH (Field)	LGW-7	12/19/2008	7.12	0.1		S.U.
pH (Field)	LGW-7	2/4/2009	7.26	0.1		S.U.
pH (Field)	LGW-7	3/26/2009	6.75	0.1		S.U.
pH (Field)	LGW-7	4/16/2009	6.39	0.1		S.U.
pH (Field)	LGW-7	5/28/2009	7.25	0.1		S.U.
pH (Field)	LGW-7	6/25/2009	7.05	0.1		S.U.
pH (Field)	LGW-7	7/31/2009	6.34	0.1		S.U.
pH (Field)	LGW-7	8/29/2009	5.97	0.1		S.U.
pH (Field)	LGW-7	9/30/2009	5.83	0.1		S.U.
pH (Field)	LGW-7	10/21/2009	6.36	0.1		S.U.
pH (Field)	LGW-7	11/24/2009	6.55	0.1		S.U.
pH (Field)	LGW-7	12/17/2009	6.63	0.1		S.U.
pH (Field)	LGW-7	1/27/2010	6.78	0.1		S.U.
pH (Field)	LGW-7	2/16/2010	6.91	0		S.U.
pH (Field)	LGW-7	3/3/2010	6.82	0		S.U.
pH (Field)	LGW-7	4/7/2010	6.68	0		S.U.
pH (Field)	LGW-7	5/5/2010	7.78	0		S.U.
pH (Field)	LGW-7	6/16/2010	6.77	0		S.U.
pH (Field)	LGW-7	7/12/2010	6.74	0		S.U.
pH (Field)	LGW-7	8/10/2010	6.72	0		S.U.
pH (Field)	LGW-7	9/2/2010	6.88	0		S.U.
pH (Field)	LGW-7	9/29/2010	6.68	0		S.U.
pH (Field)	LGW-7	11/3/2010	6.69	0		S.U.
pH (Field)	LGW-7	12/2/2010	6.76	0		S.U.
pH (Field)	LGW-7	1/20/2011	6.82	0		S.U.
pH (Field)	LGW-7	2/8/2011	6.84	0		S.U.
pH (Field)	LGW-7	3/3/2011	6.84	0		S.U.
pH (Field)	LGW-7	4/5/2011	6.99	0		S.U.
pH (Field)	LGW-7	5/10/2011	6.77	0		S.U.
pH (Field)	LGW-7	6/1/2011	6.67	0		S.U.
pH (Field)	LGW-7	7/12/2011	6.72	0		S.U.
pH (Field)	LGW-7	8/3/2011	6.83	0		S.U.
pH (Field)	LGW-7	9/7/2011	6.84	0		S.U.
pH (Field)	LGW-7	10/5/2011	6.94	0		S.U.
pH (Field)	LGW-7	11/1/2011	6.85	0		S.U.
pH (Field)	LGW-7	12/8/2011	7.13	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	1/5/2012	6.92	0		S.U.
pH (Field)	LGW-7	2/1/2012	6.83	0		S.U.
pH (Field)	LGW-7	3/6/2012	6.96	0		S.U.
pH (Field)	LGW-7	4/5/2012	7.15	0		S.U.
pH (Field)	LGW-7	5/1/2012	7.38	0		S.U.
pH (Field)	LGW-7	6/5/2012	7.94	0		S.U.
pH (Field)	LGW-7	7/10/2012	7.03	0		S.U.
pH (Field)	LGW-7	8/9/2012	7.21	0		S.U.
pH (Field)	LGW-7	9/4/2012	6.81	0		S.U.
pH (Field)	LGW-7	10/7/2012	7.32	0		S.U.
pH (Field)	LGW-7	4/30/2013	6.48	0		S.U.
pH (Field)	LGW-7	6/4/2013	6.31	0		S.U.
pH (Field)	LGW-7	7/15/2013	6.61	0		S.U.
pH (Field)	LGW-7	8/8/2013	6.78	0		S.U.
pH (Field)	LGW-7	9/10/2013	6.64	0		S.U.
pH (Field)	LGW-7	10/1/2013	6.92	0		S.U.
pH (Field)	LGW-7	11/6/2013	7.05	0		S.U.
pH (Field)	LGW-7	12/2/2013	6.78	0		S.U.
pH (Field)	LGW-7	1/23/2014	6.36	0		S.U.
pH (Field)	LGW-7	2/13/2014	6.6	0		S.U.
pH (Field)	LGW-7	3/11/2014	7.09	0		S.U.
pH (Field)	LGW-7	4/2/2014	6.83	0		S.U.
pH (Field)	LGW-7	5/7/2014	7.25	0		S.U.
pH (Field)	LGW-7	6/3/2014	6.74	0		S.U.
pH (Field)	LGW-7	7/8/2014	7.22	0		S.U.
pH (Field)	LGW-7	8/5/2014	6.79	0		S.U.
pH (Field)	LGW-7	9/4/2014	7.13	0		S.U.
pH (Field)	LGW-7	10/9/2014	7.11	0		S.U.
pH (Field)	LGW-7	11/3/2014	7.22	0		S.U.
pH (Field)	LGW-7	1/14/2015	5.6	0		S.U.
pH (Field)	LGW-7	2/11/2015	6.39	0		S.U.
pH (Field)	LGW-7	3/3/2015	6.77	0		S.U.
pH (Field)	LGW-7	4/1/2015	6.56	0		S.U.
pH (Field)	LGW-7	5/6/2015	6.82	0		S.U.
pH (Field)	LGW-7	6/3/2015	7.35	0		S.U.
pH (Field)	LGW-7	7/22/2015	7.29	0		S.U.
pH (Field)	LGW-7	8/4/2015	7.38	0		S.U.
pH (Field)	LGW-7	9/3/2015	7.98	0		S.U.
pH (Field)	LGW-7	10/6/2015	7.69	0		S.U.
pH (Field)	LGW-7	11/4/2015	7.2	0		S.U.
pH (Field)	LGW-7	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-7	1/5/2016	7.28	0		S.U.
pH (Field)	LGW-7	2/3/2016	8.09	0		S.U.
pH (Field)	LGW-7	2/10/2016	6.65	0		S.U.
pH (Field)	LGW-7	3/2/2016	7.42	0		S.U.
pH (Field)	LGW-7	4/6/2016	7.13	0		S.U.
pH (Field)	LGW-7	5/11/2016	6.84	0		S.U.
pH (Field)	LGW-7	6/1/2016	7.05	0		S.U.
pH (Field)	LGW-7	7/20/2016	6.42	0		S.U.
pH (Field)	LGW-7	8/10/2016	7.51	0		S.U.
pH (Field)	LGW-7	9/6/2016	6.86	0		S.U.
pH (Field)	LGW-7	9/6/2016	6.86	0		S.U.
pH (Field)	LGW-7	10/6/2016	6.98	0		S.U.
pH (Field)	LGW-7	11/2/2016	6.82	0		S.U.
pH (Field)	LGW-7	12/1/2016	7.89	0		S.U.
pH (Field)	LGW-7	1/11/2017	6.2	0		S.U.
pH (Field)	LGW-7	2/7/2017	7.5	0		S.U.
pH (Field)	LGW-7	3/2/2017	6.31	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	4/4/2017	6.94	0		S.U.
pH (Field)	LGW-7	5/2/2017	6.74	0		S.U.
pH (Field)	LGW-7	6/6/2017	7.37	0		S.U.
pH (Field)	LGW-7	7/18/2017	7.08	0		S.U.
pH (Field)	LGW-7	8/1/2017	7.36	0		S.U.
pH (Field)	LGW-7	9/5/2017	7.31	0		S.U.
pH (Field)	LGW-7	10/5/2017	7.45	0		S.U.
pH (Field)	LGW-7	11/1/2017	7.26	0		S.U.
pH (Field)	LGW-7	1/24/2018	6.48	0.01		S.U.
pH (Field)	LGW-7	2/22/2018	6.7	0.01		S.U.
pH (Field)	LGW-7	3/20/2018	6.47	0.01		S.U.
pH (Field)	LGW-7	4/11/2018	6.52	0.01		S.U.
pH (Field)	LGW-7	4/11/2018	6.52	0.01		S.U.
pH (Field)	LGW-7	6/5/2018	6.72	0		S.U.
pH (Field)	LGW-7	6/5/2018	6.72	0		S.U.
pH (Field)	LGW-7	7/12/2018	6.65	0.01		S.U.
pH (Field)	LGW-7	8/2/2018	6.47	0.01		S.U.
pH (Field)	LGW-7	9/5/2018	6.31	0		S.U.
pH (Field)	LGW-7	10/2/2018	6.44	0		S.U.
pH (Field)	LGW-7	10/2/2018	6.44	0		S.U.
pH (Field)	LGW-7	11/7/2018	6.48	0.01		S.U.
pH (Field)	LGW-7	12/4/2018	6.51	0.01		S.U.
pH (Field)	LGW-7	1/7/2019	6.32	0.01		S.U.
pH (Field)	LGW-7	2/5/2019	6.4	0		S.U.
pH (Field)	LGW-7	3/5/2019	5.9	0.01		S.U.
pH (Field)	LGW-7	4/3/2019	6.3	0.01		S.U.
pH (Field)	LGW-7	5/2/2019	6.9	0.01		S.U.
pH (Field)	LGW-7	6/4/2019	6.55	0		S.U.
pH (Field)	LGW-7	7/10/2019	6.37	0.01		S.U.
pH (Field)	LGW-7	7/10/2019	6.37	0		S.U.
pH (Field)	LGW-7	8/7/2019	7.26	0.01		S.U.
pH (Field)	LGW-7	9/5/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	10/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	10/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-7	11/6/2019	6.48	0.01		S.U.
pH (Field)	LGW-7	12/3/2019	6.71	0.01		S.U.
pH (Field)	LGW-7	1/15/2020	6.67	0		S.U.
pH (Field)	LGW-7	2/4/2020	6.9	0		S.U.
pH (Field)	LGW-7	3/3/2020	6.98	0.01		S.U.
pH (Field)	LGW-7	4/3/2020	6.64	0.01		S.U.
pH (Field)	LGW-7	5/5/2020	6.57	0.01		S.U.
pH (Field)	LGW-7	6/2/2020	6.91	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	7/9/2020	7.02	0		S.U.
pH (Field)	LGW-7	8/3/2020	7.23	0		S.U.
pH (Field)	LGW-7	9/2/2020	6.94	0.01		S.U.
pH (Field)	LGW-7	10/6/2020	6.95	0.01		S.U.
pH (Field)	LGW-7	11/4/2020	7.28	0		S.U.
pH (Field)	LGW-7	12/3/2020	6.91	0		S.U.
pH (Field)	LGW-7	1/18/2021	6.73	0		S.U.
pH (Field)	LGW-7	2/9/2021	7.17	0		S.U.
pH (Field)	LGW-7	3/2/2021	7.08	0		S.U.
pH (Field)	LGW-7	4/7/2021	7.09	0		S.U.
pH (Field)	LGW-7	5/5/2021	6.62	0		S.U.
pH (Field)	LGW-7	6/2/2021	6.85	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	7/7/2021	6.95	0		S.U.
pH (Field)	LGW-7	8/3/2021	6.93	0		S.U.
pH (Field)	LGW-7	9/2/2021	7.02	0		S.U.
pH (Field)	LGW-7	10/5/2021	6.97	0		S.U.
pH (Field)	LGW-7	10/5/2021	6.97	0		S.U.
pH (Field)	LGW-7	11/2/2021	6.96	0		S.U.
pH (Field)	LGW-7	12/9/2021	6.96	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	1/13/2022	6.97	0		S.U.
pH (Field)	LGW-7	2/10/2022	7.05	0		S.U.
pH (Field)	LGW-7	3/2/2022	6.77	0		S.U.
pH (Field)	LGW-7	4/4/2022	6.64	0		S.U.
pH (Field)	LGW-7	4/4/2022	6.64	0		S.U.
pH (Field)	LGW-7	5/7/2022	6.39	0		S.U.
pH (Field)	LGW-7	6/3/2022	6.29	0		S.U.
pH (Field)	LGW-7	7/11/2022	6.15	0		S.U.
pH (Field)	LGW-7	8/10/2022	6.28	0		S.U.
pH (Field)	LGW-7	9/8/2022	6.5	0		S.U.
pH (Field)	LGW-7	10/6/2022	6.31	0		S.U.
pH (Field)	LGW-7	11/3/2022	6.92	0		S.U.
pH (Field)	LGW-7	12/7/2022	6.71	0		S.U.
pH (Field)	LGW-7	1/11/2023	7.05	0		S.U.
pH (Field)	LGW-7	2/3/2023	6.94	0		S.U.
pH (Field)	LGW-7	3/1/2023	6.51	0		S.U.
pH (Field)	LGW-7	4/6/2023	6.47	0		S.U.
pH (Field)	LGW-7	5/10/2023	6.39	0		S.U.
pH (Field)	LGW-7	6/8/2023	6.3	0		S.U.
pH (Field)	LGW-7	7/10/2023	6.4	0		S.U.
pH (Field)	LGW-7	8/1/2023	4.49	0		S.U.
pH (Field)	LGW-7	9/2/2023	6.77	0		S.U.
pH (Field)	LGW-7	10/5/2023	6.69	0		S.U.
pH (Field)	LGW-8R	9/30/2005	6.89	0		S.U.
pH (Field)	LGW-8R	7/20/2006	7.15	0		S.U.
pH (Field)	LGW-8R	7/20/2006	7.15	0		S.U.
pH (Field)	LGW-8R	9/26/2006	7.1	0		S.U.
pH (Field)	LGW-8R	9/26/2006	7.1	0		S.U.
pH (Field)	LGW-8R	10/26/2006	7.22	0		S.U.
pH (Field)	LGW-8R	10/26/2006	7.22	0		S.U.
pH (Field)	LGW-8R	11/21/2006	7.24	0		S.U.
pH (Field)	LGW-8R	11/21/2006	7.24	0		S.U.
pH (Field)	LGW-8R	12/21/2006	6.76	0		S.U.
pH (Field)	LGW-8R	12/21/2006	6.76	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/9/2007	6.74	0		S.U.
pH (Field)	LGW-8R	1/24/2007	7.1	0		S.U.
pH (Field)	LGW-8R	1/24/2007	7.1	0		S.U.
pH (Field)	LGW-8R	1/25/2007	7.1	0		S.U.
pH (Field)	LGW-8R	2/7/2007	7.04	0		S.U.
pH (Field)	LGW-8R	2/26/2007	7.04	0		S.U.
pH (Field)	LGW-8R	2/26/2007	7.04	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	3/26/2007	6.63	0		S.U.
pH (Field)	LGW-8R	4/26/2007	6.29	0		S.U.
pH (Field)	LGW-8R	4/26/2007	6.29	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-8R	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-8R	6/28/2007	6.75	0		S.U.
pH (Field)	LGW-8R	6/28/2007	6.75	0		S.U.
pH (Field)	LGW-8R	7/10/2007	6.45	0		S.U.
pH (Field)	LGW-8R	7/12/2007	6.45	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.22	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.3	0		S.U.
pH (Field)	LGW-8R	8/29/2007	7.35	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.5	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.46	0		S.U.
pH (Field)	LGW-8R	9/28/2007	7.39	0		S.U.
pH (Field)	LGW-8R	10/23/2007	9.27	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.31	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.33	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.39	0		S.U.
pH (Field)	LGW-8R	11/28/2007	6.64	0		S.U.
pH (Field)	LGW-8R	8/29/2008	6.98	0.1		S.U.
pH (Field)	LGW-8R	9/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-8R	9/25/2008	6.99	0.1		S.U.
pH (Field)	LGW-8R	10/21/2008	7.13	0.1		S.U.
pH (Field)	LGW-8R	11/25/2008	7.13	0.1		S.U.
pH (Field)	LGW-8R	12/19/2008	7.15	0.1		S.U.
pH (Field)	LGW-8R	2/4/2009	7.26	0.1		S.U.
pH (Field)	LGW-8R	3/26/2009	6.65	0.1		S.U.
pH (Field)	LGW-8R	4/16/2009	6.62	0.1		S.U.
pH (Field)	LGW-8R	5/28/2009	7.22	0.1		S.U.
pH (Field)	LGW-8R	6/25/2009	7.08	0.1		S.U.
pH (Field)	LGW-8R	7/29/2009	6.02	0.1		S.U.
pH (Field)	LGW-8R	8/28/2009	6.08	0.1		S.U.
pH (Field)	LGW-8R	9/29/2009	5.97	0.1		S.U.
pH (Field)	LGW-8R	10/21/2009	6.64	0.1		S.U.
pH (Field)	LGW-8R	11/24/2009	6.77	0.1		S.U.
pH (Field)	LGW-8R	12/17/2009	6.93	0.1		S.U.
pH (Field)	LGW-8R	1/27/2010	7	0.1		S.U.
pH (Field)	LGW-8R	2/15/2010	7.17	0		S.U.
pH (Field)	LGW-8R	3/3/2010	7	0		S.U.
pH (Field)	LGW-8R	4/7/2010	6.92	0		S.U.
pH (Field)	LGW-8R	5/5/2010	7.99	0		S.U.
pH (Field)	LGW-8R	6/16/2010	7.1	0		S.U.
pH (Field)	LGW-8R	7/14/2010	7.07	0		S.U.
pH (Field)	LGW-8R	8/10/2010	7.05	0		S.U.
pH (Field)	LGW-8R	9/2/2010	7.21	0		S.U.
pH (Field)	LGW-8R	9/29/2010	6.98	0		S.U.
pH (Field)	LGW-8R	11/3/2010	7.03	0		S.U.
pH (Field)	LGW-8R	12/2/2010	7.01	0		S.U.
pH (Field)	LGW-8R	1/20/2011	7.06	0		S.U.
pH (Field)	LGW-8R	2/7/2011	7.06	0		S.U.
pH (Field)	LGW-8R	3/3/2011	7.03	0		S.U.
pH (Field)	LGW-8R	4/5/2011	7.16	0		S.U.
pH (Field)	LGW-8R	5/10/2011	7.09	0		S.U.
pH (Field)	LGW-8R	6/1/2011	7	0		S.U.
pH (Field)	LGW-8R	7/12/2011	7.1	0		S.U.
pH (Field)	LGW-8R	8/3/2011	7.07	0		S.U.
pH (Field)	LGW-8R	9/7/2011	7.22	0		S.U.
pH (Field)	LGW-8R	10/5/2011	7.27	0		S.U.
pH (Field)	LGW-8R	11/1/2011	7.11	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	12/8/2011	7.33	0		S.U.
pH (Field)	LGW-8R	1/5/2012	7.14	0		S.U.
pH (Field)	LGW-8R	2/1/2012	7.08	0		S.U.
pH (Field)	LGW-8R	3/7/2012	7.34	0		S.U.
pH (Field)	LGW-8R	4/5/2012	7.44	0		S.U.
pH (Field)	LGW-8R	5/1/2012	7.73	0		S.U.
pH (Field)	LGW-8R	6/5/2012	7.76	0		S.U.
pH (Field)	LGW-8R	7/9/2012	7.2	0		S.U.
pH (Field)	LGW-8R	8/9/2012	7.23	0		S.U.
pH (Field)	LGW-8R	9/4/2012	6.9	0		S.U.
pH (Field)	LGW-8R	10/7/2012	7.29	0		S.U.
pH (Field)	LGW-8R	4/30/2013	6.99	6.99	ND	S.U.
pH (Field)	LGW-8R	6/4/2013	6.82	0		S.U.
pH (Field)	LGW-8R	7/15/2013	7.07	7.07	ND	S.U.
pH (Field)	LGW-8R	8/8/2013	7.18	0		S.U.
pH (Field)	LGW-8R	9/10/2013	7.19	0		S.U.
pH (Field)	LGW-8R	10/1/2013	7.46	0		S.U.
pH (Field)	LGW-8R	11/6/2013	7.24	0		S.U.
pH (Field)	LGW-8R	12/2/2013	7.1	0		S.U.
pH (Field)	LGW-8R	1/22/2014	7.02	0		S.U.
pH (Field)	LGW-8R	2/12/2014	7.32	0		S.U.
pH (Field)	LGW-8R	3/11/2014	7.53	0		S.U.
pH (Field)	LGW-8R	4/2/2014	7.22	0		S.U.
pH (Field)	LGW-8R	5/7/2014	7.2	0		S.U.
pH (Field)	LGW-8R	6/3/2014	6.95	0		S.U.
pH (Field)	LGW-8R	7/8/2014	7.25	0		S.U.
pH (Field)	LGW-8R	8/5/2014	6.94	0		S.U.
pH (Field)	LGW-8R	9/4/2014	6.86	0		S.U.
pH (Field)	LGW-8R	10/9/2014	7.46	0		S.U.
pH (Field)	LGW-8R	11/3/2014	7.48	0		S.U.
pH (Field)	LGW-8R	1/14/2015	5.97	0		S.U.
pH (Field)	LGW-8R	2/11/2015	6.72	0		S.U.
pH (Field)	LGW-8R	3/3/2015	7.08	0		S.U.
pH (Field)	LGW-8R	4/1/2015	7.04	0		S.U.
pH (Field)	LGW-8R	5/6/2015	7.3	0		S.U.
pH (Field)	LGW-8R	6/3/2015	7.66	0		S.U.
pH (Field)	LGW-8R	7/22/2015	7.27	0		S.U.
pH (Field)	LGW-8R	8/4/2015	7.51	0		S.U.
pH (Field)	LGW-8R	9/3/2015	7.61	0		S.U.
pH (Field)	LGW-8R	10/6/2015	7.88	0		S.U.
pH (Field)	LGW-8R	11/4/2015	7.23	0		S.U.
pH (Field)	LGW-8R	12/3/2015	7.31	0		S.U.
pH (Field)	LGW-8R	1/5/2016	7.07	0		S.U.
pH (Field)	LGW-8R	2/3/2016	7.92	0		S.U.
pH (Field)	LGW-8R	3/2/2016	7.5	0		S.U.
pH (Field)	LGW-8R	4/5/2016	7.84	0		S.U.
pH (Field)	LGW-8R	5/11/2016	7.3	0		S.U.
pH (Field)	LGW-8R	6/1/2016	7.37	0		S.U.
pH (Field)	LGW-8R	7/20/2016	6.69	0		S.U.
pH (Field)	LGW-8R	8/10/2016	7.68	0		S.U.
pH (Field)	LGW-8R	9/6/2016	7.08	0		S.U.
pH (Field)	LGW-8R	10/6/2016	6.96	0		S.U.
pH (Field)	LGW-8R	11/2/2016	7.2	0		S.U.
pH (Field)	LGW-8R	12/1/2016	7.81	0		S.U.
pH (Field)	LGW-8R	1/11/2017	5.78	0		S.U.
pH (Field)	LGW-8R	2/7/2017	7.81	0		S.U.
pH (Field)	LGW-8R	3/2/2017	6.21	0		S.U.
pH (Field)	LGW-8R	4/4/2017	7	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	5/2/2017	7.15	0		S.U.
pH (Field)	LGW-8R	6/6/2017	7.18	0		S.U.
pH (Field)	LGW-8R	7/18/2017	7.01	0		S.U.
pH (Field)	LGW-8R	8/1/2017	7.26	0		S.U.
pH (Field)	LGW-8R	9/5/2017	7.02	0		S.U.
pH (Field)	LGW-8R	10/5/2017	7.7	0		S.U.
pH (Field)	LGW-8R	11/1/2017	7.02	0		S.U.
pH (Field)	LGW-8R	1/25/2018	6.77	0.01		S.U.
pH (Field)	LGW-8R	2/23/2018	6.83	0.01		S.U.
pH (Field)	LGW-8R	3/19/2018	6.78	0.01		S.U.
pH (Field)	LGW-8R	4/11/2018	6.87	0.01		S.U.
pH (Field)	LGW-8R	6/5/2018	7.05	0		S.U.
pH (Field)	LGW-8R	6/21/2018	6.91	0		S.U.
pH (Field)	LGW-8R	7/13/2018	6.52	0.01		S.U.
pH (Field)	LGW-8R	8/2/2018	6.41	0.01		S.U.
pH (Field)	LGW-8R	9/5/2018	6.56	0		S.U.
pH (Field)	LGW-8R	10/2/2018	6.84	0		S.U.
pH (Field)	LGW-8R	11/7/2018	6.77	0.01		S.U.
pH (Field)	LGW-8R	12/4/2018	6.88	0.01		S.U.
pH (Field)	LGW-8R	1/7/2019	6.64	0.01		S.U.
pH (Field)	LGW-8R	2/5/2019	6.88	0		S.U.
pH (Field)	LGW-8R	3/5/2019	6.22	0.01		S.U.
pH (Field)	LGW-8R	4/3/2019	6.74	0.01		S.U.
pH (Field)	LGW-8R	5/1/2019	7.04	0.01		S.U.
pH (Field)	LGW-8R	6/4/2019	6.7	0		S.U.
pH (Field)	LGW-8R	7/8/2019	7.05	0.01		S.U.
pH (Field)	LGW-8R	7/8/2019	7.05	0.01		S.U.
pH (Field)	LGW-8R	8/7/2019	7.15	0.01		S.U.
pH (Field)	LGW-8R	9/5/2019	6.65	0.01		S.U.
pH (Field)	LGW-8R	10/1/2019	6.9	0.01		S.U.
pH (Field)	LGW-8R	11/5/2019	6.75	0.01		S.U.
pH (Field)	LGW-8R	12/4/2019	6.91	0.01		S.U.
pH (Field)	LGW-8R	1/14/2020	6.82	0		S.U.
pH (Field)	LGW-8R	2/4/2020	6.69	0		S.U.
pH (Field)	LGW-8R	3/3/2020	6.83	0.01		S.U.
pH (Field)	LGW-8R	4/2/2020	6.74	0.01		S.U.
pH (Field)	LGW-8R	5/4/2020	6.72	0.01		S.U.
pH (Field)	LGW-8R	6/1/2020	7.1	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	7/7/2020	6.79	0		S.U.
pH (Field)	LGW-8R	8/3/2020	6.49	0		S.U.
pH (Field)	LGW-8R	9/1/2020	6.61	0.01		S.U.
pH (Field)	LGW-8R	10/6/2020	6.77	0.01		S.U.
pH (Field)	LGW-8R	11/2/2020	6.69	0		S.U.
pH (Field)	LGW-8R	12/1/2020	6.57	0		S.U.
pH (Field)	LGW-8R	1/17/2021	6.35	0		S.U.
pH (Field)	LGW-8R	2/9/2021	6.87	0		S.U.
pH (Field)	LGW-8R	3/2/2021	6.71	0		S.U.
pH (Field)	LGW-8R	4/7/2021	6.79	0		S.U.
pH (Field)	LGW-8R	5/5/2021	6.66	0		S.U.
pH (Field)	LGW-8R	6/2/2021	6.73	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	7/7/2021	6.74	0		S.U.
pH (Field)	LGW-8R	8/3/2021	6.81	0		S.U.
pH (Field)	LGW-8R	9/2/2021	6.75	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-8R	10/5/2021	6.8	0		S.U.
pH (Field)	LGW-8R	11/2/2021	6.7	0		S.U.
pH (Field)	LGW-8R	12/9/2021	6.76	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	1/13/2022	6.71	0		S.U.
pH (Field)	LGW-8R	2/10/2022	6.78	0		S.U.
pH (Field)	LGW-8R	3/2/2022	6.72	0		S.U.
pH (Field)	LGW-8R	4/5/2022	6.63	0		S.U.
pH (Field)	LGW-8R	5/7/2022	6.63	0		S.U.
pH (Field)	LGW-8R	6/3/2022	6.46	0		S.U.
pH (Field)	LGW-8R	7/11/2022	6.44	0		S.U.
pH (Field)	LGW-8R	8/10/2022	6.33	0		S.U.
pH (Field)	LGW-8R	9/8/2022	6.39	0		S.U.
pH (Field)	LGW-8R	10/6/2022	6.03	0		S.U.
pH (Field)	LGW-8R	10/6/2022	6.03	0		S.U.
pH (Field)	LGW-8R	11/3/2022	6.52	0		S.U.
pH (Field)	LGW-8R	12/7/2022	6.46	0		S.U.
pH (Field)	LGW-8R	1/11/2023	6.75	0		S.U.
pH (Field)	LGW-8R	2/3/2023	6.67	0		S.U.
pH (Field)	LGW-8R	3/1/2023	6.39	0		S.U.
pH (Field)	LGW-8R	4/6/2023	6.53	0		S.U.
pH (Field)	LGW-8R	5/10/2023	6.23	0		S.U.
pH (Field)	LGW-8R	6/8/2023	5.99	0		S.U.
pH (Field)	LGW-8R	7/10/2023	6.42	0		S.U.
pH (Field)	LGW-8R	8/1/2023	4.2	0		S.U.
pH (Field)	LGW-8R	9/2/2023	6.62	0		S.U.
pH (Field)	LGW-8R	10/5/2023	6.64	0		S.U.
pH (Field)	LGW-9	9/30/2005	6.61	0		S.U.
pH (Field)	LGW-9	7/20/2006	7.03	0		S.U.
pH (Field)	LGW-9	7/20/2006	7.03	0		S.U.
pH (Field)	LGW-9	9/27/2006	7.23	0		S.U.
pH (Field)	LGW-9	9/27/2006	7.23	0		S.U.
pH (Field)	LGW-9	10/26/2006	7.37	0		S.U.
pH (Field)	LGW-9	10/26/2006	7.37	0		S.U.
pH (Field)	LGW-9	11/21/2006	7.34	0		S.U.
pH (Field)	LGW-9	11/21/2006	7.34	0		S.U.
pH (Field)	LGW-9	12/21/2006	6.58	0		S.U.
pH (Field)	LGW-9	12/21/2006	6.58	0		S.U.
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.
pH (Field)	LGW-9	1/9/2007	6.95	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	1/25/2007	6.93	0		S.U.
pH (Field)	LGW-9	2/7/2007	6.76	0		S.U.
pH (Field)	LGW-9	2/27/2007	6.76	0		S.U.
pH (Field)	LGW-9	2/27/2007	6.76	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	3/26/2007	6.54	0		S.U.
pH (Field)	LGW-9	4/25/2007	6.24	0		S.U.
pH (Field)	LGW-9	4/26/2007	6.24	0		S.U.
pH (Field)	LGW-9	5/31/2007	6.29	0		S.U.
pH (Field)	LGW-9	6/1/2007	6.29	0		S.U.
pH (Field)	LGW-9	6/28/2007	6.65	0		S.U.
pH (Field)	LGW-9	6/28/2007	6.65	0		S.U.
pH (Field)	LGW-9	7/10/2007	6.55	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	7/10/2007	6.55	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.06	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.15	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.13	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.07	0		S.U.
pH (Field)	LGW-9	8/28/2007	7.07	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.48	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.45	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.27	0		S.U.
pH (Field)	LGW-9	9/28/2007	7.3	0		S.U.
pH (Field)	LGW-9	10/23/2007	9	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.26	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.19	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.21	0		S.U.
pH (Field)	LGW-9	11/28/2007	6.2	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.34	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.31	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.38	0		S.U.
pH (Field)	LGW-9	12/27/2007	6.33	0		S.U.
pH (Field)	LGW-9	1/25/2008	6.75	0		S.U.
pH (Field)	LGW-9	2/28/2008	6.87	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.42	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.37	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.35	0		S.U.
pH (Field)	LGW-9	3/25/2008	6.45	0		S.U.
pH (Field)	LGW-9	5/3/2008	6.92	0		S.U.
pH (Field)	LGW-9	5/3/2008	6.89	0		S.U.
pH (Field)	LGW-9	5/3/2008	7.05	0		S.U.
pH (Field)	LGW-9	5/3/2008	7.01	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.54	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.55	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.73	0		S.U.
pH (Field)	LGW-9	5/30/2008	6.59	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.45	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.47	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.54	0		S.U.
pH (Field)	LGW-9	6/25/2008	6.72	0		S.U.
pH (Field)	LGW-9	7/22/2008	6.54	0.1		S.U.
pH (Field)	LGW-9	8/29/2008	6.57	0.1		S.U.
pH (Field)	LGW-9	9/26/2008	6.62	0.1		S.U.
pH (Field)	LGW-9	9/26/2008	6.62	0.1		S.U.
pH (Field)	LGW-9	10/22/2008	6.65	0.1		S.U.
pH (Field)	LGW-9	11/24/2008	6.67	0.1		S.U.
pH (Field)	LGW-9	12/19/2008	6.58	0.1		S.U.
pH (Field)	LGW-9	2/4/2009	6.86	0.1		S.U.
pH (Field)	LGW-9	3/26/2009	6.35	0.1		S.U.
pH (Field)	LGW-9	4/15/2009	6.13	0.1		S.U.
pH (Field)	LGW-9	5/28/2009	6.7	0.1		S.U.
pH (Field)	LGW-9	6/24/2009	6.79	0.1		S.U.
pH (Field)	LGW-9	7/29/2009	5.74	0.1		S.U.
pH (Field)	LGW-9	8/28/2009	5.68	0.1		S.U.
pH (Field)	LGW-9	9/29/2009	5.69	0.1		S.U.
pH (Field)	LGW-9	10/22/2009	6.4	0.1		S.U.
pH (Field)	LGW-9	11/24/2009	6.42	0.1		S.U.
pH (Field)	LGW-9	12/17/2009	6.5	0.1		S.U.
pH (Field)	LGW-9	1/27/2010	6.58	0.1		S.U.
pH (Field)	LGW-9	2/15/2010	6.79	0		S.U.
pH (Field)	LGW-9	3/3/2010	6.62	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	4/8/2010	6.58	0		S.U.
pH (Field)	LGW-9	5/6/2010	7.44	0		S.U.
pH (Field)	LGW-9	6/16/2010	6.66	0		S.U.
pH (Field)	LGW-9	7/14/2010	6.63	0		S.U.
pH (Field)	LGW-9	8/11/2010	6.58	0		S.U.
pH (Field)	LGW-9	9/1/2010	6.73	0		S.U.
pH (Field)	LGW-9	9/29/2010	6.57	0		S.U.
pH (Field)	LGW-9	11/3/2010	6.57	0		S.U.
pH (Field)	LGW-9	12/2/2010	6.59	0		S.U.
pH (Field)	LGW-9	1/20/2011	6.61	0		S.U.
pH (Field)	LGW-9	2/7/2011	6.62	0		S.U.
pH (Field)	LGW-9	3/3/2011	6.64	0		S.U.
pH (Field)	LGW-9	4/5/2011	6.71	0		S.U.
pH (Field)	LGW-9	5/10/2011	6.51	0		S.U.
pH (Field)	LGW-9	6/1/2011	6.53	0		S.U.
pH (Field)	LGW-9	7/12/2011	6.6	0		S.U.
pH (Field)	LGW-9	8/4/2011	6.47	0		S.U.
pH (Field)	LGW-9	9/7/2011	6.62	0		S.U.
pH (Field)	LGW-9	10/5/2011	6.67	0		S.U.
pH (Field)	LGW-9	11/1/2011	6.61	0		S.U.
pH (Field)	LGW-9	12/8/2011	6.77	0		S.U.
pH (Field)	LGW-9	1/5/2012	6.71	0		S.U.
pH (Field)	LGW-9	2/1/2012	6.64	0		S.U.
pH (Field)	LGW-9	3/7/2012	6.75	0		S.U.
pH (Field)	LGW-9	4/5/2012	6.84	0		S.U.
pH (Field)	LGW-9	5/1/2012	7.11	0		S.U.
pH (Field)	LGW-9	6/5/2012	7.1	0		S.U.
pH (Field)	LGW-9	7/10/2012	6.55	0		S.U.
pH (Field)	LGW-9	8/9/2012	6.77	0		S.U.
pH (Field)	LGW-9	9/4/2012	6.37	0		S.U.
pH (Field)	LGW-9	10/7/2012	6.68	0		S.U.
pH (Field)	LGW-9	5/1/2013	6.39	0		S.U.
pH (Field)	LGW-9	6/4/2013	6.27	0		S.U.
pH (Field)	LGW-9	7/15/2013	6.4	0		S.U.
pH (Field)	LGW-9	8/8/2013	6.65	0		S.U.
pH (Field)	LGW-9	9/10/2013	6.37	0		S.U.
pH (Field)	LGW-9	10/1/2013	6.78	0		S.U.
pH (Field)	LGW-9	11/6/2013	6.64	0		S.U.
pH (Field)	LGW-9	12/2/2013	6.55	0		S.U.
pH (Field)	LGW-9	1/23/2014	6.39	0		S.U.
pH (Field)	LGW-9	2/13/2014	6.57	0		S.U.
pH (Field)	LGW-9	3/11/2014	6.68	0		S.U.
pH (Field)	LGW-9	4/2/2014	6.65	0		S.U.
pH (Field)	LGW-9	5/7/2014	6.82	0		S.U.
pH (Field)	LGW-9	6/3/2014	6.59	0		S.U.
pH (Field)	LGW-9	7/8/2014	6.93	0		S.U.
pH (Field)	LGW-9	8/5/2014	6.23	0		S.U.
pH (Field)	LGW-9	9/4/2014	6.69	0		S.U.
pH (Field)	LGW-9	10/9/2014	6.65	0		S.U.
pH (Field)	LGW-9	11/3/2014	7.3	0		S.U.
pH (Field)	LGW-9	1/14/2015	5.84	0		S.U.
pH (Field)	LGW-9	2/11/2015	6.32	0		S.U.
pH (Field)	LGW-9	3/3/2015	6.66	0		S.U.
pH (Field)	LGW-9	4/1/2015	6.73	0		S.U.
pH (Field)	LGW-9	5/7/2015	6.25	0		S.U.
pH (Field)	LGW-9	6/3/2015	6.77	0		S.U.
pH (Field)	LGW-9	7/13/2015	6.49	0		S.U.
pH (Field)	LGW-9	8/4/2015	6.46	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	9/3/2015	6.62	0		S.U.
pH (Field)	LGW-9	10/6/2015	6.99	0		S.U.
pH (Field)	LGW-9	11/4/2015	6.69	0		S.U.
pH (Field)	LGW-9	12/3/2015	6.92	0		S.U.
pH (Field)	LGW-9	1/5/2016	6.84	0		S.U.
pH (Field)	LGW-9	2/3/2016	7.86	0		S.U.
pH (Field)	LGW-9	3/2/2016	7.18	0		S.U.
pH (Field)	LGW-9	4/5/2016	7.19	0		S.U.
pH (Field)	LGW-9	5/11/2016	6.68	0		S.U.
pH (Field)	LGW-9	6/1/2016	6.94	0		S.U.
pH (Field)	LGW-9	7/21/2016	6.48	0		S.U.
pH (Field)	LGW-9	8/10/2016	7.38	0		S.U.
pH (Field)	LGW-9	9/6/2016	6.61	0		S.U.
pH (Field)	LGW-9	9/6/2016	6.61	0		S.U.
pH (Field)	LGW-9	10/6/2016	7.01	0		S.U.
pH (Field)	LGW-9	11/2/2016	6.73	0		S.U.
pH (Field)	LGW-9	12/1/2016	7.81	0		S.U.
pH (Field)	LGW-9	1/11/2017	5.39	0		S.U.
pH (Field)	LGW-9	2/7/2017	7.63	0		S.U.
pH (Field)	LGW-9	3/2/2017	6.01	0		S.U.
pH (Field)	LGW-9	4/4/2017	6.66	0		S.U.
pH (Field)	LGW-9	5/5/2017	6.56	0		S.U.
pH (Field)	LGW-9	5/16/2017	6.47	0		S.U.
pH (Field)	LGW-9	6/6/2017	6.86	0		S.U.
pH (Field)	LGW-9	7/18/2017	6.66	0		S.U.
pH (Field)	LGW-9	8/1/2017	6.98	0		S.U.
pH (Field)	LGW-9	9/5/2017	7.36	0		S.U.
pH (Field)	LGW-9	10/5/2017	7.1	0		S.U.
pH (Field)	LGW-9	11/1/2017	6.61	0		S.U.
pH (Field)	LGW-9	1/24/2018	6.44	0.01		S.U.
pH (Field)	LGW-9	2/22/2018	6.51	0.01		S.U.
pH (Field)	LGW-9	3/20/2018	6.42	0.01		S.U.
pH (Field)	LGW-9	4/11/2018	6.45	0.01		S.U.
pH (Field)	LGW-9	4/11/2018	6.45	0.01		S.U.
pH (Field)	LGW-9	6/5/2018	6.37	0		S.U.
pH (Field)	LGW-9	6/5/2018	6.37	0		S.U.
pH (Field)	LGW-9	7/13/2018	6.44	0.01		S.U.
pH (Field)	LGW-9	8/2/2018	6.27	0.01		S.U.
pH (Field)	LGW-9	9/5/2018	6.51	0		S.U.
pH (Field)	LGW-9	10/2/2018	6.19	0		S.U.
pH (Field)	LGW-9	10/2/2018	6.19	0		S.U.
pH (Field)	LGW-9	11/6/2018	6.47	0.01		S.U.
pH (Field)	LGW-9	12/4/2018	6.47	0.01		S.U.
pH (Field)	LGW-9	1/7/2019	6.58	0.01		S.U.
pH (Field)	LGW-9	2/6/2019	6.43	0		S.U.
pH (Field)	LGW-9	3/5/2019	6.16	0.01		S.U.
pH (Field)	LGW-9	4/3/2019	6.43	0.01		S.U.
pH (Field)	LGW-9	5/3/2019	6.61	0.01		S.U.
pH (Field)	LGW-9	6/4/2019	6.42	0		S.U.
pH (Field)	LGW-9	7/10/2019	6.52	0.01		S.U.
pH (Field)	LGW-9	7/10/2019	6.52	0		S.U.
pH (Field)	LGW-9	8/8/2019	6.41	0.01		S.U.
pH (Field)	LGW-9	9/4/2019	6.42	0.01		S.U.
pH (Field)	LGW-9	10/3/2019	6.64	0.01		S.U.
pH (Field)	LGW-9	10/3/2019	6.64	0.01		S.U.
pH (Field)	LGW-9	11/6/2019	6.53	0.01		S.U.
pH (Field)	LGW-9	12/3/2019	6.69	0.01		S.U.
pH (Field)	LGW-9	1/16/2020	6.05	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	LGW-9	2/4/2020	6.59	0		S.U.
pH (Field)	LGW-9	3/4/2020	6.66	0.01		S.U.
pH (Field)	LGW-9	4/2/2020	6.6	0.01		S.U.
pH (Field)	LGW-9	4/2/2020	6.6	0.01		S.U.
pH (Field)	LGW-9	5/5/2020	6.42	0.01		S.U.
pH (Field)	LGW-9	6/2/2020	6.48	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	7/9/2020	6.58	0		S.U.
pH (Field)	LGW-9	8/3/2020	6.55	0		S.U.
pH (Field)	LGW-9	9/2/2020	6.45	0.01		S.U.
pH (Field)	LGW-9	10/7/2020	6.55	0.01		S.U.
pH (Field)	LGW-9	11/3/2020	6.7	0		S.U.
pH (Field)	LGW-9	12/2/2020	6.44	0		S.U.
pH (Field)	LGW-9	1/17/2021	6.07	0		S.U.
pH (Field)	LGW-9	2/9/2021	6.58	0		S.U.
pH (Field)	LGW-9	3/2/2021	6.36	0		S.U.
pH (Field)	LGW-9	4/6/2021	6.41	0		S.U.
pH (Field)	LGW-9	4/6/2021	6.41	0		S.U.
pH (Field)	LGW-9	5/5/2021	6.3	0		S.U.
pH (Field)	LGW-9	6/2/2021	6.36	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	7/7/2021	6.44	0		S.U.
pH (Field)	LGW-9	8/4/2021	6.44	0		S.U.
pH (Field)	LGW-9	9/2/2021	6.41	0		S.U.
pH (Field)	LGW-9	10/5/2021	6.46	0		S.U.
pH (Field)	LGW-9	10/5/2021	6.46	0		S.U.
pH (Field)	LGW-9	11/2/2021	6.4	0		S.U.
pH (Field)	LGW-9	12/9/2021	6.46	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	1/13/2022	6.43	0		S.U.
pH (Field)	LGW-9	2/10/2022	6.49	0		S.U.
pH (Field)	LGW-9	3/2/2022	6.43	0		S.U.
pH (Field)	LGW-9	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-9	4/4/2022	6.39	0		S.U.
pH (Field)	LGW-9	5/7/2022	6.3	0		S.U.
pH (Field)	LGW-9	6/3/2022	6.11	0		S.U.
pH (Field)	LGW-9	7/11/2022	6.13	0		S.U.
pH (Field)	LGW-9	8/10/2022	6.06	0		S.U.
pH (Field)	LGW-9	9/8/2022	6.08	0		S.U.
pH (Field)	LGW-9	10/7/2022	6.18	0		S.U.
pH (Field)	LGW-9	10/7/2022	6.18	0		S.U.
pH (Field)	LGW-9	11/3/2022	6.07	0		S.U.
pH (Field)	LGW-9	12/7/2022	6.11	0		S.U.
pH (Field)	LGW-9	1/11/2023	6.52	0		S.U.
pH (Field)	LGW-9	2/3/2023	6.36	0		S.U.
pH (Field)	LGW-9	3/1/2023	6.12	0		S.U.
pH (Field)	LGW-9	4/5/2023	6.06	0		S.U.
pH (Field)	LGW-9	5/10/2023	5.99	0		S.U.
pH (Field)	LGW-9	6/8/2023	5.59	0		S.U.
pH (Field)	LGW-9	7/10/2023	6.17	0		S.U.
pH (Field)	LGW-9	8/1/2023	3.96	0		S.U.
pH (Field)	LGW-9	9/2/2023	6.35	0		S.U.
pH (Field)	LGW-9	10/5/2023	6.41	0		S.U.
pH (Field)	MW-10N	10/2/2002	7.54	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-10N	1/18/2006	7.24	0		S.U.
pH (Field)	MW-10N	7/19/2006	9.72	0		S.U.
pH (Field)	MW-10N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-10N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/9/2007	7.41	0		S.U.
pH (Field)	MW-10N	1/23/2007	7.75	0		S.U.
pH (Field)	MW-10N	1/23/2007	7.75	0		S.U.
pH (Field)	MW-10N	7/10/2007	7.32	0		S.U.
pH (Field)	MW-10N	7/10/2007	7.32	0		S.U.
pH (Field)	MW-10N	1/23/2008	7.3	0		S.U.
pH (Field)	MW-10N	7/21/2008	6.92	0.1		S.U.
pH (Field)	MW-10N	2/13/2009	7.91	0.1		S.U.
pH (Field)	MW-10N	7/31/2009	6.18	0.1		S.U.
pH (Field)	MW-10N	1/27/2010	7.52	0.1		S.U.
pH (Field)	MW-10N	8/10/2010	7.45	0		S.U.
pH (Field)	MW-10N	1/19/2011	7.45	0		S.U.
pH (Field)	MW-10N	7/14/2011	7.45	0		S.U.
pH (Field)	MW-10N	1/5/2012	7.54	0		S.U.
pH (Field)	MW-10N	7/10/2012	7.34	0		S.U.
pH (Field)	MW-10N	5/1/2013	7.4	0		S.U.
pH (Field)	MW-10N	1/24/2014	7.29	0		S.U.
pH (Field)	MW-10N	7/9/2014	7.82	0		S.U.
pH (Field)	MW-10N	2/12/2015	7.19	0		S.U.
pH (Field)	MW-10N	7/14/2015	7.31	0		S.U.
pH (Field)	MW-10N	1/6/2016	7.61	0		S.U.
pH (Field)	MW-10N	7/21/2016	6.99	0		S.U.
pH (Field)	MW-10N	1/11/2017	6.88	0		S.U.
pH (Field)	MW-10N	7/19/2017	7.6	0		S.U.
pH (Field)	MW-10N	1/24/2018	7.57	0.01		S.U.
pH (Field)	MW-10N	7/11/2018	7.4	0.01		S.U.
pH (Field)	MW-10N	1/3/2019	7.01	0.01		S.U.
pH (Field)	MW-10N	7/9/2019	7.49	0.01		S.U.
pH (Field)	MW-10N	1/16/2020	7.22	0		S.U.
pH (Field)	MW-10N	7/8/2020	7.54	0		S.U.
pH (Field)	MW-10N	7/8/2020	7.54	0		S.U.
pH (Field)	MW-10N	7/5/2021	7.49	0		S.U.
pH (Field)	MW-10N	7/5/2021	7.49	0		S.U.
pH (Field)	MW-10N	1/11/2023	7.35	0		S.U.
pH (Field)	MW-10N	4/8/2023	7.11	0		S.U.
pH (Field)	MW-10N	7/7/2023	6.76	0		S.U.
pH (Field)	MW-11N	10/2/2002	7.3	0		S.U.
pH (Field)	MW-11N	1/18/2006	7.23	0		S.U.
pH (Field)	MW-11N	7/18/2006	7.87	0		S.U.
pH (Field)	MW-11N	7/18/2006	7.87	0		S.U.
pH (Field)	MW-11N	10/24/2006	8.2	0		S.U.
pH (Field)	MW-11N	10/24/2006	8.2	0		S.U.
pH (Field)	MW-11N	1/8/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/8/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/9/2007	7.53	0		S.U.
pH (Field)	MW-11N	1/23/2007	7.58	0		S.U.
pH (Field)	MW-11N	1/23/2007	7.58	0		S.U.
pH (Field)	MW-11N	7/10/2007	7.21	0		S.U.
pH (Field)	MW-11N	7/10/2007	7.21	0		S.U.
pH (Field)	MW-11N	1/22/2008	7.31	0		S.U.
pH (Field)	MW-11N	7/23/2008	7.26	0.1		S.U.
pH (Field)	MW-11N	2/3/2009	7.51	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-11N	7/31/2009	5.82	0.1		S.U.
pH (Field)	MW-11N	2/3/2010	7.25	0.1		S.U.
pH (Field)	MW-11N	2/3/2010	7.25	0.1		S.U.
pH (Field)	MW-11N	7/16/2010	7.36	0		S.U.
pH (Field)	MW-11N	1/19/2011	7.38	0		S.U.
pH (Field)	MW-11N	7/13/2011	7.39	0		S.U.
pH (Field)	MW-11N	1/4/2012	7.4	0		S.U.
pH (Field)	MW-11N	7/9/2012	7.3	0		S.U.
pH (Field)	MW-11N	4/30/2013	7.26	0		S.U.
pH (Field)	MW-11N	7/15/2013	7.19	0		S.U.
pH (Field)	MW-11N	1/23/2014	7.45	0		S.U.
pH (Field)	MW-11N	7/8/2014	7.3	0		S.U.
pH (Field)	MW-11N	2/10/2015	7.05	0		S.U.
pH (Field)	MW-11N	7/13/2015	7.28	0		S.U.
pH (Field)	MW-11N	1/5/2016	7.01	0		S.U.
pH (Field)	MW-11N	7/21/2016	7.32	0		S.U.
pH (Field)	MW-11N	1/11/2017	7.34	0		S.U.
pH (Field)	MW-11N	7/19/2017	7.5	0		S.U.
pH (Field)	MW-11N	1/23/2018	7.21	0.01		S.U.
pH (Field)	MW-11N	7/17/2018	7.37	0.01		S.U.
pH (Field)	MW-11N	1/2/2019	6.58	0.01		S.U.
pH (Field)	MW-11N	7/9/2019	7.3	0.01		S.U.
pH (Field)	MW-11N	1/14/2020	7.41	0		S.U.
pH (Field)	MW-11N	7/6/2020	7.34	0		S.U.
pH (Field)	MW-11N	7/6/2020	7.34	0		S.U.
pH (Field)	MW-11N	1/18/2021	6.99	0		S.U.
pH (Field)	MW-11N	7/6/2021	7.31	0		S.U.
pH (Field)	MW-11N	7/6/2021	7.31	0		S.U.
pH (Field)	MW-11N	1/18/2022	7.32	0		S.U.
pH (Field)	MW-11N	1/18/2022	7.32	0		S.U.
pH (Field)	MW-11N	7/13/2022	7.08	0		S.U.
pH (Field)	MW-11N	10/6/2022	6.62	0		S.U.
pH (Field)	MW-11N	1/10/2023	7.19	0		S.U.
pH (Field)	MW-11N	7/8/2023	6.18	0		S.U.
pH (Field)	MW-15	6/2/2015	7.23	0		S.U.
pH (Field)	MW-15	6/5/2015	7.21	0		S.U.
pH (Field)	MW-15	7/15/2015	7.2	0		S.U.
pH (Field)	MW-15	8/5/2015	7.92	0		S.U.
pH (Field)	MW-15	9/3/2015	8.73	0		S.U.
pH (Field)	MW-15	10/6/2015	8.59	0		S.U.
pH (Field)	MW-15	11/5/2015	8.07	0		S.U.
pH (Field)	MW-15	12/4/2015	8.72	0		S.U.
pH (Field)	MW-15	1/7/2016	7.32	0		S.U.
pH (Field)	MW-15	2/4/2016	7.81	0		S.U.
pH (Field)	MW-15	3/2/2016	7.37	0		S.U.
pH (Field)	MW-15	4/5/2016	7.25	0		S.U.
pH (Field)	MW-15	5/11/2016	6.27	0		S.U.
pH (Field)	MW-15	6/1/2016	6.3	0		S.U.
pH (Field)	MW-15	7/20/2016	6.06	0		S.U.
pH (Field)	MW-15	8/10/2016	6.76	0		S.U.
pH (Field)	MW-15	9/6/2016	6.31	0		S.U.
pH (Field)	MW-15	10/6/2016	6.75	0		S.U.
pH (Field)	MW-15	11/2/2016	6.05	0		S.U.
pH (Field)	MW-15	12/1/2016	6.26	0		S.U.
pH (Field)	MW-15	1/10/2017	6.48	0		S.U.
pH (Field)	MW-15	2/7/2017	6.55	0		S.U.
pH (Field)	MW-15	3/2/2017	6.9	0		S.U.
pH (Field)	MW-15	4/4/2017	6.88	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-15	5/2/2017	7.22	0		S.U.
pH (Field)	MW-15	6/6/2017	7.4	0		S.U.
pH (Field)	MW-15	7/18/2017	6.51	0		S.U.
pH (Field)	MW-15	8/1/2017	6.35	0		S.U.
pH (Field)	MW-15	9/5/2017	6.3	0		S.U.
pH (Field)	MW-15	10/6/2017	7.08	0		S.U.
pH (Field)	MW-15	11/1/2017	7.22	0		S.U.
pH (Field)	MW-15	1/23/2018	6.88	0.01		S.U.
pH (Field)	MW-15	2/22/2018	6.92	0.01		S.U.
pH (Field)	MW-15	3/21/2018	66.4	0.01		S.U.
pH (Field)	MW-15	4/10/2018	6.75	0.01		S.U.
pH (Field)	MW-15	6/5/2018	6.59	0		S.U.
pH (Field)	MW-15	7/10/2018	6.93	0.01		S.U.
pH (Field)	MW-15	8/1/2018	6.48	0.01		S.U.
pH (Field)	MW-15	9/4/2018	6.74	0		S.U.
pH (Field)	MW-15	10/2/2018	6.14	0		S.U.
pH (Field)	MW-15	10/2/2018	6.14	0		S.U.
pH (Field)	MW-15	11/6/2018	6.7	0.01		S.U.
pH (Field)	MW-15	12/5/2018	6.74	0.01		S.U.
pH (Field)	MW-15	1/3/2019	6.8	0.01		S.U.
pH (Field)	MW-15	2/5/2019	6.55	0		S.U.
pH (Field)	MW-15	3/6/2019	6.74	0.01		S.U.
pH (Field)	MW-15	4/3/2019	6.54	0.01		S.U.
pH (Field)	MW-15	5/2/2019	6.74	0.01		S.U.
pH (Field)	MW-15	6/4/2019	6.55	0		S.U.
pH (Field)	MW-15	7/9/2019	6.65	0.01		S.U.
pH (Field)	MW-15	7/9/2019	6.65	0.01		S.U.
pH (Field)	MW-15	8/6/2019	6.82	0.01		S.U.
pH (Field)	MW-15	9/4/2019	6.29	0.01		S.U.
pH (Field)	MW-15	10/1/2019	6.89	0.01		S.U.
pH (Field)	MW-15	11/5/2019	6.42	0.01		S.U.
pH (Field)	MW-15	12/3/2019	6.99	0.01		S.U.
pH (Field)	MW-15	1/14/2020	6.6	0		S.U.
pH (Field)	MW-15	2/4/2020	6.71	0		S.U.
pH (Field)	MW-15	3/3/2020	6.93	0.01		S.U.
pH (Field)	MW-15	4/1/2020	6.58	0.01		S.U.
pH (Field)	MW-15	5/4/2020	6.43	0.01		S.U.
pH (Field)	MW-15	6/2/2020	6.85	0		S.U.
pH (Field)	MW-15	7/7/2020	6.86	0		S.U.
pH (Field)	MW-15	7/7/2020	6.86	0		S.U.
pH (Field)	MW-15	8/3/2020	6.69	0		S.U.
pH (Field)	MW-15	8/3/2020	6.69	0		S.U.
pH (Field)	MW-15	9/3/2020	6.2	0.01		S.U.
pH (Field)	MW-15	10/6/2020	6.26	0.01		S.U.
pH (Field)	MW-15	11/4/2020	6.76	0		S.U.
pH (Field)	MW-15	12/2/2020	6.45	0		S.U.
pH (Field)	MW-15	1/18/2021	6.14	0		S.U.
pH (Field)	MW-15	1/18/2021	6.14	0		S.U.
pH (Field)	MW-15	2/10/2021	6.62	0		S.U.
pH (Field)	MW-15	3/2/2021	6.58	0		S.U.
pH (Field)	MW-15	4/7/2021	6.52	0		S.U.
pH (Field)	MW-15	5/4/2021	6.57	0		S.U.
pH (Field)	MW-15	6/1/2021	6.58	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	7/4/2021	6.38	0		S.U.
pH (Field)	MW-15	8/3/2021	6.54	0		S.U.
pH (Field)	MW-15	9/2/2021	6.46	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-15	10/5/2021	6.54	0		S.U.
pH (Field)	MW-15	10/5/2021	6.54	0		S.U.
pH (Field)	MW-15	11/1/2021	6.4	0		S.U.
pH (Field)	MW-15	12/8/2021	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	1/12/2022	6.52	0		S.U.
pH (Field)	MW-15	2/9/2022	6.55	0		S.U.
pH (Field)	MW-15	3/1/2022	6.49	0		S.U.
pH (Field)	MW-15	4/5/2022	6.39	0		S.U.
pH (Field)	MW-15	5/7/2022	6.86	0		S.U.
pH (Field)	MW-15	6/3/2022	6.08	0		S.U.
pH (Field)	MW-15	7/10/2022	6.07	0		S.U.
pH (Field)	MW-15	8/10/2022	6.05	0		S.U.
pH (Field)	MW-15	9/8/2022	6.12	0		S.U.
pH (Field)	MW-15	10/6/2022	5.77	0		S.U.
pH (Field)	MW-15	10/6/2022	5.77	0		S.U.
pH (Field)	MW-15	11/3/2022	6.35	0		S.U.
pH (Field)	MW-15	12/7/2022	6.26	0		S.U.
pH (Field)	MW-15	1/10/2023	6.56	0		S.U.
pH (Field)	MW-15	2/3/2023	6.45	0		S.U.
pH (Field)	MW-15	3/1/2023	6.24	0		S.U.
pH (Field)	MW-15	4/5/2023	6.16	0		S.U.
pH (Field)	MW-15	5/11/2023	6.18	0		S.U.
pH (Field)	MW-15	6/8/2023	5.81	0		S.U.
pH (Field)	MW-15	7/10/2023	6.23	0		S.U.
pH (Field)	MW-15	8/1/2023	4.04	0		S.U.
pH (Field)	MW-15	9/1/2023	6.52	0		S.U.
pH (Field)	MW-15	10/4/2023	6.42	0		S.U.
pH (Field)	MW-16	6/2/2015	7.81	0		S.U.
pH (Field)	MW-16	6/5/2015	2.85	0		S.U.
pH (Field)	MW-16	7/16/2015	7.91	0		S.U.
pH (Field)	MW-16	8/5/2015	7.72	0		S.U.
pH (Field)	MW-16	9/3/2015	7.78	0		S.U.
pH (Field)	MW-16	10/6/2015	8.66	0		S.U.
pH (Field)	MW-16	11/5/2015	8.17	0		S.U.
pH (Field)	MW-16	12/4/2015	8.67	0		S.U.
pH (Field)	MW-16	1/8/2016	7.84	0		S.U.
pH (Field)	MW-16	2/4/2016	8.23	0		S.U.
pH (Field)	MW-16	3/2/2016	7.67	0		S.U.
pH (Field)	MW-16	4/5/2016	7.83	0		S.U.
pH (Field)	MW-16	5/11/2016	6.74	0		S.U.
pH (Field)	MW-16	6/2/2016	8.5	0		S.U.
pH (Field)	MW-16	7/21/2016	7.28	0		S.U.
pH (Field)	MW-16	8/10/2016	7.58	0		S.U.
pH (Field)	MW-16	9/6/2016	6.99	0		S.U.
pH (Field)	MW-16	10/5/2016	7.92	0		S.U.
pH (Field)	MW-16	11/2/2016	7	0		S.U.
pH (Field)	MW-16	12/1/2016	6.73	0		S.U.
pH (Field)	MW-16	1/10/2017	6.56	0		S.U.
pH (Field)	MW-16	2/7/2017	6.73	0		S.U.
pH (Field)	MW-16	3/2/2017	6.79	0		S.U.
pH (Field)	MW-16	4/4/2017	7.62	0		S.U.
pH (Field)	MW-16	5/2/2017	7.65	0		S.U.
pH (Field)	MW-16	6/6/2017	7.55	0		S.U.
pH (Field)	MW-16	7/18/2017	6.9	0		S.U.
pH (Field)	MW-16	8/1/2017	7.02	0		S.U.
pH (Field)	MW-16	9/5/2017	7.12	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-16	10/6/2017	7.27	0		S.U.
pH (Field)	MW-16	11/1/2017	7.62	0		S.U.
pH (Field)	MW-16	1/23/2018	7.44	0.01		S.U.
pH (Field)	MW-16	2/22/2018	7.99	0.01		S.U.
pH (Field)	MW-16	3/21/2018	7.31	0.01		S.U.
pH (Field)	MW-16	4/10/2018	7.26	0.01		S.U.
pH (Field)	MW-16	6/5/2018	7.31	0		S.U.
pH (Field)	MW-16	7/11/2018	7.45	0.01		S.U.
pH (Field)	MW-16	8/1/2018	7.11	0.01		S.U.
pH (Field)	MW-16	9/5/2018	7.43	0		S.U.
pH (Field)	MW-16	10/2/2018	7.06	0		S.U.
pH (Field)	MW-16	11/6/2018	7.26	0.01		S.U.
pH (Field)	MW-16	12/5/2018	7.28	0.01		S.U.
pH (Field)	MW-16	1/2/2019	7.01	0.01		S.U.
pH (Field)	MW-16	2/5/2019	7.23	0		S.U.
pH (Field)	MW-16	3/6/2019	7.39	0.01		S.U.
pH (Field)	MW-16	4/3/2019	7.31	0.01		S.U.
pH (Field)	MW-16	5/2/2019	7.46	0.01		S.U.
pH (Field)	MW-16	6/4/2019	7.32	0		S.U.
pH (Field)	MW-16	7/10/2019	7.41	0.01		S.U.
pH (Field)	MW-16	7/10/2019	7.41	0.01		S.U.
pH (Field)	MW-16	8/6/2019	7.31	0.01		S.U.
pH (Field)	MW-16	9/4/2019	7.3	0.01		S.U.
pH (Field)	MW-16	10/1/2019	7.55	0.01		S.U.
pH (Field)	MW-16	11/5/2019	7.4	0.01		S.U.
pH (Field)	MW-16	12/3/2019	7.46	0.01		S.U.
pH (Field)	MW-16	1/14/2020	7.81	0		S.U.
pH (Field)	MW-16	2/4/2020	7.53	0		S.U.
pH (Field)	MW-16	3/3/2020	7.49	0.01		S.U.
pH (Field)	MW-16	4/1/2020	7.3	0.01		S.U.
pH (Field)	MW-16	5/4/2020	7.28	0.01		S.U.
pH (Field)	MW-16	6/3/2020	7.05	0		S.U.
pH (Field)	MW-16	7/7/2020	7.34	0		S.U.
pH (Field)	MW-16	7/7/2020	7.34	0		S.U.
pH (Field)	MW-16	8/3/2020	7.28	0		S.U.
pH (Field)	MW-16	8/3/2020	7.28	0		S.U.
pH (Field)	MW-16	9/3/2020	7.3	0.01		S.U.
pH (Field)	MW-16	10/6/2020	7.27	0.01		S.U.
pH (Field)	MW-16	11/4/2020	7.48	0		S.U.
pH (Field)	MW-16	12/3/2020	7.45	0		S.U.
pH (Field)	MW-16	1/18/2021	7.06	0		S.U.
pH (Field)	MW-16	1/18/2021	7.06	0		S.U.
pH (Field)	MW-16	2/10/2021	7.48	0		S.U.
pH (Field)	MW-16	3/2/2021	7.34	0		S.U.
pH (Field)	MW-16	4/7/2021	7.39	0		S.U.
pH (Field)	MW-16	5/4/2021	7.33	0		S.U.
pH (Field)	MW-16	6/1/2021	7.19	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	7/4/2021	7.33	0		S.U.
pH (Field)	MW-16	8/3/2021	7.43	0		S.U.
pH (Field)	MW-16	9/2/2021	7.38	0		S.U.
pH (Field)	MW-16	10/5/2021	7.41	0		S.U.
pH (Field)	MW-16	11/1/2021	7.24	0		S.U.
pH (Field)	MW-16	12/8/2021	7.39	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.
pH (Field)	MW-16	1/12/2022	7.43	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-16	2/9/2022	7.44	0		S.U.
pH (Field)	MW-16	3/1/2022	7.36	0		S.U.
pH (Field)	MW-16	4/5/2022	7.25	0		S.U.
pH (Field)	MW-16	5/7/2022	7.34	0		S.U.
pH (Field)	MW-16	6/3/2022	7.04	0		S.U.
pH (Field)	MW-16	7/10/2022	7.01	0		S.U.
pH (Field)	MW-16	8/10/2022	6.88	0		S.U.
pH (Field)	MW-16	9/8/2022	6.97	0		S.U.
pH (Field)	MW-16	10/6/2022	6.58	0		S.U.
pH (Field)	MW-16	11/3/2022	7.19	0		S.U.
pH (Field)	MW-16	12/7/2022	7.09	0		S.U.
pH (Field)	MW-16	1/10/2023	7.35	0		S.U.
pH (Field)	MW-16	2/3/2023	7.13	0		S.U.
pH (Field)	MW-16	3/1/2023	6.98	0		S.U.
pH (Field)	MW-16	4/5/2023	6.8	0		S.U.
pH (Field)	MW-16	5/11/2023	6.95	0		S.U.
pH (Field)	MW-16	6/8/2023	6.74	0		S.U.
pH (Field)	MW-16	7/10/2023	7.04	0		S.U.
pH (Field)	MW-16	8/1/2023	4.87	0		S.U.
pH (Field)	MW-16	9/1/2023	7.35	0		S.U.
pH (Field)	MW-16	10/4/2023	7.2	0		S.U.
pH (Field)	MW-17	6/2/2015	7.07	0		S.U.
pH (Field)	MW-17	6/5/2015	7.19	0		S.U.
pH (Field)	MW-17	7/15/2015	7.1	0		S.U.
pH (Field)	MW-17	8/4/2015	7.17	0		S.U.
pH (Field)	MW-17	9/2/2015	7.21	0		S.U.
pH (Field)	MW-17	10/5/2015	7.68	0		S.U.
pH (Field)	MW-17	11/5/2015	8.28	0		S.U.
pH (Field)	MW-17	12/3/2015	8.91	0		S.U.
pH (Field)	MW-17	1/7/2016	7.21	0		S.U.
pH (Field)	MW-17	2/3/2016	7.42	0		S.U.
pH (Field)	MW-17	3/2/2016	7.38	0		S.U.
pH (Field)	MW-17	4/5/2016	7.32	0		S.U.
pH (Field)	MW-17	5/12/2016	7.96	0		S.U.
pH (Field)	MW-17	6/1/2016	7.47	0		S.U.
pH (Field)	MW-17	7/20/2016	6.9	0		S.U.
pH (Field)	MW-17	8/11/2016	7.84	0		S.U.
pH (Field)	MW-17	9/6/2016	6.9	0		S.U.
pH (Field)	MW-17	10/6/2016	7.33	0		S.U.
pH (Field)	MW-17	11/3/2016	7.51	0		S.U.
pH (Field)	MW-17	12/2/2016	6.53	0		S.U.
pH (Field)	MW-17	1/10/2017	6.62	0		S.U.
pH (Field)	MW-17	2/7/2017	6.97	0		S.U.
pH (Field)	MW-17	3/2/2017	6.74	0		S.U.
pH (Field)	MW-17	4/4/2017	7.36	0		S.U.
pH (Field)	MW-17	5/2/2017	7.4	0		S.U.
pH (Field)	MW-17	5/16/2017	7.26	0		S.U.
pH (Field)	MW-17	6/6/2017	7.56	0		S.U.
pH (Field)	MW-17	7/18/2017	7.2	0		S.U.
pH (Field)	MW-17	8/1/2017	7.32	0		S.U.
pH (Field)	MW-17	9/5/2017	7.28	0		S.U.
pH (Field)	MW-17	10/6/2017	7.13	0		S.U.
pH (Field)	MW-17	11/1/2017	7.5	0		S.U.
pH (Field)	MW-17	1/23/2018	6.92	0.01		S.U.
pH (Field)	MW-17	2/22/2018	7.35	0.01		S.U.
pH (Field)	MW-17	3/21/2018	6.42	0.01		S.U.
pH (Field)	MW-17	4/10/2018	6.39	0.01		S.U.
pH (Field)	MW-17	6/5/2018	6.51	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-17	7/10/2018	6.95	0.01		S.U.
pH (Field)	MW-17	8/1/2018	6.65	0.01		S.U.
pH (Field)	MW-17	9/5/2018	6.8	0		S.U.
pH (Field)	MW-17	10/1/2018	6.3	0		S.U.
pH (Field)	MW-17	10/1/2018	6.3	0		S.U.
pH (Field)	MW-17	11/7/2018	6.98	0.01		S.U.
pH (Field)	MW-17	12/5/2018	6.97	0.01		S.U.
pH (Field)	MW-17	1/3/2019	6.84	0.01		S.U.
pH (Field)	MW-17	2/5/2019	6.71	0		S.U.
pH (Field)	MW-17	3/6/2019	6.81	0.01		S.U.
pH (Field)	MW-17	4/3/2019	6.73	0.01		S.U.
pH (Field)	MW-17	5/2/2019	7.2	0.01		S.U.
pH (Field)	MW-17	6/5/2019	6.81	0		S.U.
pH (Field)	MW-17	7/11/2019	6.71	0.01		S.U.
pH (Field)	MW-17	7/11/2019	6.71	0.01		S.U.
pH (Field)	MW-17	8/6/2019	7.37	0.01		S.U.
pH (Field)	MW-17	9/4/2019	6.64	0.01		S.U.
pH (Field)	MW-17	10/1/2019	7.09	0.01		S.U.
pH (Field)	MW-17	11/5/2019	6.39	0.01		S.U.
pH (Field)	MW-17	12/3/2019	6.45	0.01		S.U.
pH (Field)	MW-17	1/14/2020	6.73	0		S.U.
pH (Field)	MW-17	2/4/2020	7.09	0		S.U.
pH (Field)	MW-17	3/3/2020	6.42	0.01		S.U.
pH (Field)	MW-17	4/1/2020	6.98	0.01		S.U.
pH (Field)	MW-17	5/5/2020	6.94	0.01		S.U.
pH (Field)	MW-17	6/2/2020	6.97	0		S.U.
pH (Field)	MW-17	7/6/2020	7.05	0		S.U.
pH (Field)	MW-17	7/6/2020	7.05	0		S.U.
pH (Field)	MW-17	8/3/2020	6.96	0		S.U.
pH (Field)	MW-17	8/3/2020	6.96	0		S.U.
pH (Field)	MW-17	9/3/2020	6.85	0.01		S.U.
pH (Field)	MW-17	10/6/2020	6.94	0.01		S.U.
pH (Field)	MW-17	11/4/2020	7.14	0		S.U.
pH (Field)	MW-17	12/3/2020	6.75	0		S.U.
pH (Field)	MW-17	1/14/2021	6.57	0		S.U.
pH (Field)	MW-17	2/10/2021	7.19	0		S.U.
pH (Field)	MW-17	3/2/2021	6.63	0		S.U.
pH (Field)	MW-17	4/7/2021	7.18	0		S.U.
pH (Field)	MW-17	5/4/2021	7.13	0		S.U.
pH (Field)	MW-17	6/1/2021	6.81	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	7/4/2021	6.9	0		S.U.
pH (Field)	MW-17	8/3/2021	7.06	0		S.U.
pH (Field)	MW-17	9/2/2021	6.66	0		S.U.
pH (Field)	MW-17	10/5/2021	7.07	0		S.U.
pH (Field)	MW-17	10/5/2021	7.07	0		S.U.
pH (Field)	MW-17	11/1/2021	6.96	0		S.U.
pH (Field)	MW-17	12/8/2021	7.19	0		S.U.
pH (Field)	MW-17	1/10/2023	6.87	0		S.U.
pH (Field)	MW-17	2/4/2023	6.65	0		S.U.
pH (Field)	MW-17	3/1/2023	6.47	0		S.U.
pH (Field)	MW-17	4/5/2023	6.23	0		S.U.
pH (Field)	MW-17	5/10/2023	6.18	0		S.U.
pH (Field)	MW-17	6/8/2023	6.16	0		S.U.
pH (Field)	MW-17	7/8/2023	5.63	0		S.U.
pH (Field)	MW-17	8/2/2023	6.07	0		S.U.
pH (Field)	MW-17	9/1/2023	6.77	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-17	10/3/2023	6.56	0		S.U.
pH (Field)	MW-19	6/2/2015	6.98	0		S.U.
pH (Field)	MW-19	6/5/2015	7.71	0		S.U.
pH (Field)	MW-19	7/16/2015	7.85	0		S.U.
pH (Field)	MW-19	8/5/2015	8.15	0		S.U.
pH (Field)	MW-19	9/3/2015	8.41	0		S.U.
pH (Field)	MW-19	10/6/2015	8.79	0		S.U.
pH (Field)	MW-19	11/5/2015	8.27	0		S.U.
pH (Field)	MW-19	12/4/2015	9.15	0		S.U.
pH (Field)	MW-19	1/7/2016	8.38	0		S.U.
pH (Field)	MW-19	2/3/2016	8.22	0		S.U.
pH (Field)	MW-19	3/3/2016	7.95	0		S.U.
pH (Field)	MW-19	4/5/2016	7.55	0		S.U.
pH (Field)	MW-19	5/12/2016	7.77	0		S.U.
pH (Field)	MW-19	6/2/2016	9.03	0		S.U.
pH (Field)	MW-19	7/21/2016	7.65	0		S.U.
pH (Field)	MW-19	8/11/2016	7.25	0		S.U.
pH (Field)	MW-19	9/6/2016	7.35	0		S.U.
pH (Field)	MW-19	10/5/2016	7.17	0		S.U.
pH (Field)	MW-19	11/3/2016	7.39	0		S.U.
pH (Field)	MW-19	12/1/2016	7.35	0		S.U.
pH (Field)	MW-19	1/10/2017	6.93	0		S.U.
pH (Field)	MW-19	2/7/2017	7	0		S.U.
pH (Field)	MW-19	3/2/2017	6.81	0		S.U.
pH (Field)	MW-19	4/4/2017	7.74	0		S.U.
pH (Field)	MW-19	5/2/2017	7.67	0		S.U.
pH (Field)	MW-19	6/6/2017	7.01	0		S.U.
pH (Field)	MW-19	7/18/2017	7.06	0		S.U.
pH (Field)	MW-19	8/1/2017	7.11	0		S.U.
pH (Field)	MW-19	9/5/2017	7.38	0		S.U.
pH (Field)	MW-19	10/6/2017	7.34	0		S.U.
pH (Field)	MW-19	11/1/2017	7.51	0		S.U.
pH (Field)	MW-19	1/23/2018	7.56	0.01		S.U.
pH (Field)	MW-19	2/22/2018	7.43	0.01		S.U.
pH (Field)	MW-19	3/20/2018	7.04	0.01		S.U.
pH (Field)	MW-19	4/11/2018	7.27	0.01		S.U.
pH (Field)	MW-19	6/5/2018	7.63	0		S.U.
pH (Field)	MW-19	7/13/2018	7.78	0.01		S.U.
pH (Field)	MW-19	8/2/2018	7.37	0.01		S.U.
pH (Field)	MW-19	9/5/2018	7.93	0		S.U.
pH (Field)	MW-19	10/2/2018	7.23	0		S.U.
pH (Field)	MW-19	10/2/2018	7.23	0		S.U.
pH (Field)	MW-19	11/7/2018	7.53	0.01		S.U.
pH (Field)	MW-19	12/5/2018	7.5	0.01		S.U.
pH (Field)	MW-19	1/7/2019	7.53	0.01		S.U.
pH (Field)	MW-19	2/6/2019	7.44	0		S.U.
pH (Field)	MW-19	3/6/2019	7.6	0.01		S.U.
pH (Field)	MW-19	4/3/2019	7.49	0.01		S.U.
pH (Field)	MW-19	5/2/2019	7.65	0.01		S.U.
pH (Field)	MW-19	6/4/2019	7.61	0		S.U.
pH (Field)	MW-19	7/11/2019	7.56	0.01		S.U.
pH (Field)	MW-19	7/11/2019	7.56	0.01		S.U.
pH (Field)	MW-19	8/6/2019	7.82	0.01		S.U.
pH (Field)	MW-19	9/4/2019	7.55	0.01		S.U.
pH (Field)	MW-19	10/1/2019	7.34	0.01		S.U.
pH (Field)	MW-19	11/5/2019	6.82	0.01		S.U.
pH (Field)	MW-19	12/3/2019	7.02	0.01		S.U.
pH (Field)	MW-19	1/14/2020	7.37	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-19	2/4/2020	6.9	0		S.U.
pH (Field)	MW-19	3/3/2020	7.16	0.01		S.U.
pH (Field)	MW-19	4/2/2020	6.89	0.01		S.U.
pH (Field)	MW-19	5/5/2020	7.06	0.01		S.U.
pH (Field)	MW-19	6/2/2020	7.21	0		S.U.
pH (Field)	MW-19	7/6/2020	6.91	0		S.U.
pH (Field)	MW-19	7/6/2020	6.91	0		S.U.
pH (Field)	MW-19	8/3/2020	7.17	0		S.U.
pH (Field)	MW-19	8/3/2020	7.17	0		S.U.
pH (Field)	MW-19	9/3/2020	7.67	0.01		S.U.
pH (Field)	MW-19	10/6/2020	7.54	0.01		S.U.
pH (Field)	MW-19	11/3/2020	7.19	0		S.U.
pH (Field)	MW-19	12/3/2020	7.47	0		S.U.
pH (Field)	MW-19	1/14/2021	7.25	0		S.U.
pH (Field)	MW-19	2/10/2021	7.35	0		S.U.
pH (Field)	MW-19	3/2/2021	7.28	0		S.U.
pH (Field)	MW-19	4/7/2021	7.35	0		S.U.
pH (Field)	MW-19	5/4/2021	7.33	0		S.U.
pH (Field)	MW-19	6/1/2021	7.26	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	7/4/2021	7.22	0		S.U.
pH (Field)	MW-19	8/3/2021	7.32	0		S.U.
pH (Field)	MW-19	9/2/2021	7.7	0		S.U.
pH (Field)	MW-19	10/5/2021	7.11	0		S.U.
pH (Field)	MW-19	11/1/2021	6.8	0		S.U.
pH (Field)	MW-19	12/8/2021	6.77	0		S.U.
pH (Field)	MW-19	12/7/2022	7.55	0		S.U.
pH (Field)	MW-19	1/11/2023	7.79	0		S.U.
pH (Field)	MW-19	2/3/2023	7.31	0		S.U.
pH (Field)	MW-19	3/1/2023	7.14	0		S.U.
pH (Field)	MW-19	4/6/2023	7.38	0		S.U.
pH (Field)	MW-19	5/10/2023	6.51	0		S.U.
pH (Field)	MW-19	6/8/2023	7.07	0		S.U.
pH (Field)	MW-19	7/10/2023	7.64	0		S.U.
pH (Field)	MW-19	8/1/2023	5.5	0		S.U.
pH (Field)	MW-19	9/1/2023	7.98	0		S.U.
pH (Field)	MW-19	10/3/2023	7.07	0		S.U.
pH (Field)	MW-1N	10/3/2002	6.97	0		S.U.
pH (Field)	MW-1N	1/18/2006	7.08	0		S.U.
pH (Field)	MW-1N	7/18/2006	7.6	0		S.U.
pH (Field)	MW-1N	7/18/2006	7.6	0		S.U.
pH (Field)	MW-1N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-1N	10/24/2006	7.91	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/9/2007	7.27	0		S.U.
pH (Field)	MW-1N	1/26/2007	7.51	0		S.U.
pH (Field)	MW-1N	1/26/2007	7.51	0		S.U.
pH (Field)	MW-1N	7/10/2007	7.07	0		S.U.
pH (Field)	MW-1N	7/11/2007	7.07	0		S.U.
pH (Field)	MW-1N	1/24/2008	7.26	0		S.U.
pH (Field)	MW-1N	7/21/2008	7.23	0.1		S.U.
pH (Field)	MW-1N	2/5/2009	7.34	0.1		S.U.
pH (Field)	MW-1N	7/31/2009	6.17	0.1		S.U.
pH (Field)	MW-1N	1/26/2010	7.15	0.1		S.U.
pH (Field)	MW-1N	7/13/2010	7.19	0		S.U.
pH (Field)	MW-1N	1/20/2011	7.33	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-1N	7/13/2011	7.57	0		S.U.
pH (Field)	MW-1N	1/5/2012	7.45	0		S.U.
pH (Field)	MW-1N	7/10/2012	7.2	0		S.U.
pH (Field)	MW-1N	5/1/2013	7.27	0		S.U.
pH (Field)	MW-1N	7/16/2013	7.39	0		S.U.
pH (Field)	MW-1N	1/24/2014	7.22	0		S.U.
pH (Field)	MW-1N	7/9/2014	7.8	0		S.U.
pH (Field)	MW-1N	2/10/2015	6.86	0		S.U.
pH (Field)	MW-1N	7/14/2015	7.65	0		S.U.
pH (Field)	MW-1N	1/6/2016	7.9	0		S.U.
pH (Field)	MW-1N	7/21/2016	7.68	0		S.U.
pH (Field)	MW-1N	1/12/2017	6.47	0		S.U.
pH (Field)	MW-1N	7/19/2017	7.41	0		S.U.
pH (Field)	MW-1N	1/23/2018	7.37	0.01		S.U.
pH (Field)	MW-1N	7/10/2018	7.27	0.01		S.U.
pH (Field)	MW-1N	10/3/2018	6.83	0		S.U.
pH (Field)	MW-1N	1/3/2019	7.24	0.01		S.U.
pH (Field)	MW-1N	7/11/2019	7.25	0.01		S.U.
pH (Field)	MW-1N	10/2/2019	7.35	0.01		S.U.
pH (Field)	MW-1N	4/2/2020	7.36	0.01		S.U.
pH (Field)	MW-1N	7/6/2020	7.2	0		S.U.
pH (Field)	MW-1N	7/6/2020	7.2	0		S.U.
pH (Field)	MW-1N	7/4/2021	7.51	0		S.U.
pH (Field)	MW-1N	7/4/2021	7.51	0		S.U.
pH (Field)	MW-1N	10/6/2021	7.26	0		S.U.
pH (Field)	MW-1N	1/11/2023	7.36	0		S.U.
pH (Field)	MW-1N	7/8/2023	6.4	0		S.U.
pH (Field)	MW-20	6/2/2015	6.5	0		S.U.
pH (Field)	MW-20	6/5/2015	6.52	0		S.U.
pH (Field)	MW-20	7/14/2015	6.75	0		S.U.
pH (Field)	MW-20	8/4/2015	6.77	0		S.U.
pH (Field)	MW-20	9/2/2015	6.64	0		S.U.
pH (Field)	MW-20	10/5/2015	7.11	0		S.U.
pH (Field)	MW-20	1/7/2016	7.71	0		S.U.
pH (Field)	MW-20	4/5/2016	6.71	0		S.U.
pH (Field)	MW-20	7/20/2016	6.19	0		S.U.
pH (Field)	MW-20	10/5/2016	6.16	0		S.U.
pH (Field)	MW-20	1/12/2017	5.99	0		S.U.
pH (Field)	MW-20	7/18/2017	6.56	0		S.U.
pH (Field)	MW-20	1/26/2018	6.7	0.01		S.U.
pH (Field)	MW-20	7/12/2018	6.77	0.01		S.U.
pH (Field)	MW-20	7/11/2019	6.4	0.01		S.U.
pH (Field)	MW-20	1/14/2020	7.39	0		S.U.
pH (Field)	MW-20	7/7/2020	6.45	0		S.U.
pH (Field)	MW-20	7/7/2020	6.45	0		S.U.
pH (Field)	MW-20	4/6/2021	6.56	0		S.U.
pH (Field)	MW-20	7/4/2021	6.54	0		S.U.
pH (Field)	MW-20	7/4/2021	6.54	0		S.U.
pH (Field)	MW-20	1/11/2023	6.45	0		S.U.
pH (Field)	MW-21	6/2/2015	5.94	0		S.U.
pH (Field)	MW-21	6/5/2015	5.87	0		S.U.
pH (Field)	MW-21	7/14/2015	6.2	0		S.U.
pH (Field)	MW-21	8/4/2015	6.13	0		S.U.
pH (Field)	MW-21	9/2/2015	6.1	0		S.U.
pH (Field)	MW-21	10/5/2015	6.27	0		S.U.
pH (Field)	MW-21	1/7/2016	7.52	0		S.U.
pH (Field)	MW-21	2/10/2016	6.58	0		S.U.
pH (Field)	MW-21	4/5/2016	6.14	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-21	7/20/2016	5.68	0		S.U.
pH (Field)	MW-21	10/5/2016	5.55	0		S.U.
pH (Field)	MW-21	1/10/2017	4.73	0		S.U.
pH (Field)	MW-21	4/5/2017	6.18	0		S.U.
pH (Field)	MW-21	7/19/2017	6.01	0		S.U.
pH (Field)	MW-21	10/6/2017	6.48	0		S.U.
pH (Field)	MW-21	1/24/2018	5.92	0.01		S.U.
pH (Field)	MW-21	4/11/2018	6.24	0.01		S.U.
pH (Field)	MW-21	7/11/2018	6.5	0.01		S.U.
pH (Field)	MW-21	10/4/2018	5.6	0		S.U.
pH (Field)	MW-21	1/3/2019	5.76	0.01		S.U.
pH (Field)	MW-21	4/3/2019	5.85	0.01		S.U.
pH (Field)	MW-21	7/11/2019	6.13	0		S.U.
pH (Field)	MW-21	10/2/2019	6.56	0.01		S.U.
pH (Field)	MW-21	1/16/2020	5.58	0		S.U.
pH (Field)	MW-21	4/2/2020	5.97	0.01		S.U.
pH (Field)	MW-21	7/8/2020	6	0		S.U.
pH (Field)	MW-21	7/8/2020	6	0		S.U.
pH (Field)	MW-21	10/7/2020	5.72	0.01		S.U.
pH (Field)	MW-21	4/6/2021	5.88	0		S.U.
pH (Field)	MW-21	7/5/2021	5.74	0		S.U.
pH (Field)	MW-21	7/5/2021	5.74	0		S.U.
pH (Field)	MW-21	10/6/2021	5.71	0		S.U.
pH (Field)	MW-21	1/11/2023	5.85	0		S.U.
pH (Field)	MW-21	4/8/2023	5.74	0		S.U.
pH (Field)	MW-21	7/7/2023	5.38	0		S.U.
pH (Field)	MW-21	10/6/2023	5.93	0		S.U.
pH (Field)	MW-2N	10/2/2002	7.93	0		S.U.
pH (Field)	MW-2N	1/19/2006	7.61	0		S.U.
pH (Field)	MW-2N	7/19/2006	8.59	0		S.U.
pH (Field)	MW-2N	7/19/2006	8.59	0		S.U.
pH (Field)	MW-2N	10/25/2006	8.69	0		S.U.
pH (Field)	MW-2N	10/25/2006	8.69	0		S.U.
pH (Field)	MW-2N	1/9/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/10/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/10/2007	8.01	0		S.U.
pH (Field)	MW-2N	1/26/2007	7.94	0		S.U.
pH (Field)	MW-2N	1/26/2007	7.94	0		S.U.
pH (Field)	MW-2N	3/26/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.5	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.52	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.58	0		S.U.
pH (Field)	MW-2N	3/27/2007	7.39	0		S.U.
pH (Field)	MW-2N	7/10/2007	7.41	0		S.U.
pH (Field)	MW-2N	7/11/2007	7.41	0		S.U.
pH (Field)	MW-2N	1/24/2008	7.62	0		S.U.
pH (Field)	MW-2N	7/22/2008	7.55	0.1		S.U.
pH (Field)	MW-2N	2/4/2009	8.02	0.1		S.U.
pH (Field)	MW-2N	7/31/2009	6.68	0.1		S.U.
pH (Field)	MW-2N	1/26/2010	7.93	0.1		S.U.
pH (Field)	MW-2N	7/13/2010	7.65	0		S.U.
pH (Field)	MW-2N	1/20/2011	7.96	0		S.U.
pH (Field)	MW-2N	7/13/2011	7.88	0		S.U.
pH (Field)	MW-2N	1/5/2012	7.99	0		S.U.
pH (Field)	MW-2N	7/10/2012	7.49	0		S.U.
pH (Field)	MW-2N	5/1/2013	7.9	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-2N	7/16/2013	8.02	0		S.U.
pH (Field)	MW-2N	1/24/2014	7.44	0		S.U.
pH (Field)	MW-2N	7/9/2014	8.07	0		S.U.
pH (Field)	MW-2N	2/12/2015	7.12	0		S.U.
pH (Field)	MW-2N	7/14/2015	7.86	0		S.U.
pH (Field)	MW-2N	1/6/2016	7.55	0		S.U.
pH (Field)	MW-2N	7/21/2016	7.26	0		S.U.
pH (Field)	MW-2N	1/11/2017	7.09	0		S.U.
pH (Field)	MW-2N	7/19/2017	7.53	0		S.U.
pH (Field)	MW-2N	1/23/2018	7.54	0.01		S.U.
pH (Field)	MW-2N	6/21/2018	7.47	0		S.U.
pH (Field)	MW-2N	7/12/2018	7.48	0.01		S.U.
pH (Field)	MW-2N	1/3/2019	7.42	0.01		S.U.
pH (Field)	MW-2N	4/3/2019	7.11	0.01		S.U.
pH (Field)	MW-2N	8/7/2019	7.36	0.01		S.U.
pH (Field)	MW-2N	10/1/2019	7.34	0.01		S.U.
pH (Field)	MW-2N	7/7/2020	7.2	0		S.U.
pH (Field)	MW-2N	7/7/2020	7.2	0		S.U.
pH (Field)	MW-2N	10/6/2020	7.04	0.01		S.U.
pH (Field)	MW-2N	10/6/2020	7.04	0.01		S.U.
pH (Field)	MW-2N	7/5/2021	7.11	0		S.U.
pH (Field)	MW-2N	7/5/2021	7.11	0		S.U.
pH (Field)	MW-2N	10/6/2021	7.09	0		S.U.
pH (Field)	MW-2N	1/11/2023	7.15	0		S.U.
pH (Field)	MW-2N	4/8/2023	6.91	0		S.U.
pH (Field)	MW-2N	7/8/2023	6.29	0		S.U.
pH (Field)	MW-3N	10/2/2002	6.57	0		S.U.
pH (Field)	MW-3N	1/19/2006	6.42	0		S.U.
pH (Field)	MW-3N	7/19/2006	7.27	0		S.U.
pH (Field)	MW-3N	7/19/2006	7.27	0		S.U.
pH (Field)	MW-3N	10/25/2006	7.25	0		S.U.
pH (Field)	MW-3N	10/25/2006	7.25	0		S.U.
pH (Field)	MW-3N	1/9/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/10/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/10/2007	6.63	0		S.U.
pH (Field)	MW-3N	1/26/2007	6.75	0		S.U.
pH (Field)	MW-3N	1/26/2007	6.75	0		S.U.
pH (Field)	MW-3N	7/10/2007	6.36	0		S.U.
pH (Field)	MW-3N	7/11/2007	6.36	0		S.U.
pH (Field)	MW-3N	1/24/2008	6.53	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.08	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.13	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.08	0		S.U.
pH (Field)	MW-3N	5/3/2008	7.21	0		S.U.
pH (Field)	MW-3N	7/22/2008	6.47	0.1		S.U.
pH (Field)	MW-3N	2/4/2009	6.5	0.1		S.U.
pH (Field)	MW-3N	7/31/2009	5.46	0.1		S.U.
pH (Field)	MW-3N	1/26/2010	6.25	0.1		S.U.
pH (Field)	MW-3N	7/13/2010	6.42	0		S.U.
pH (Field)	MW-3N	1/20/2011	6.45	0		S.U.
pH (Field)	MW-3N	7/14/2011	6.36	0		S.U.
pH (Field)	MW-3N	1/5/2012	6.58	0		S.U.
pH (Field)	MW-3N	7/11/2012	6.01	0		S.U.
pH (Field)	MW-3N	5/1/2013	6.41	0		S.U.
pH (Field)	MW-3N	6/4/2013	6.17	0		S.U.
pH (Field)	MW-3N	7/16/2013	6.36	0		S.U.
pH (Field)	MW-3N	1/24/2014	6.38	0		S.U.
pH (Field)	MW-3N	7/9/2014	7.01	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-3N	2/12/2015	6.27	0		S.U.
pH (Field)	MW-3N	4/1/2015	6.53	0		S.U.
pH (Field)	MW-3N	7/14/2015	6.61	0		S.U.
pH (Field)	MW-3N	10/5/2015	6.96	0		S.U.
pH (Field)	MW-3N	1/6/2016	7.06	0		S.U.
pH (Field)	MW-3N	4/6/2016	6.76	0		S.U.
pH (Field)	MW-3N	7/21/2016	6.21	0		S.U.
pH (Field)	MW-3N	10/6/2016	6.98	0		S.U.
pH (Field)	MW-3N	1/11/2017	6.8	0		S.U.
pH (Field)	MW-3N	4/4/2017	6.68	0		S.U.
pH (Field)	MW-3N	7/19/2017	6.69	0		S.U.
pH (Field)	MW-3N	10/9/2017	6.96	0		S.U.
pH (Field)	MW-3N	1/24/2018	6.76	0.01		S.U.
pH (Field)	MW-3N	4/10/2018	6.41	0.01		S.U.
pH (Field)	MW-3N	6/6/2018	6.41	0		S.U.
pH (Field)	MW-3N	7/13/2018	6.47	0.01		S.U.
pH (Field)	MW-3N	10/3/2018	6.15	0		S.U.
pH (Field)	MW-3N	10/3/2018	6.15	0		S.U.
pH (Field)	MW-3N	1/7/2019	6.48	0.01		S.U.
pH (Field)	MW-3N	4/3/2019	6.43	0.01		S.U.
pH (Field)	MW-3N	7/11/2019	6.57	0		S.U.
pH (Field)	MW-3N	10/2/2019	6.92	0.01		S.U.
pH (Field)	MW-3N	1/15/2020	6.64	0		S.U.
pH (Field)	MW-3N	4/2/2020	6.5	0.01		S.U.
pH (Field)	MW-3N	7/7/2020	6.66	0		S.U.
pH (Field)	MW-3N	7/7/2020	6.66	0		S.U.
pH (Field)	MW-3N	10/7/2020	6.28	0.01		S.U.
pH (Field)	MW-3N	4/6/2021	6.53	0		S.U.
pH (Field)	MW-3N	7/5/2021	6.52	0		S.U.
pH (Field)	MW-3N	7/5/2021	6.52	0		S.U.
pH (Field)	MW-3N	10/6/2021	6.43	0		S.U.
pH (Field)	MW-3N	1/11/2023	6.67	0		S.U.
pH (Field)	MW-3N	7/7/2023	6.08	0		S.U.
pH (Field)	MW-3N	10/6/2023	6.62	0		S.U.
pH (Field)	MW-7N	10/2/2002	6.24	0		S.U.
pH (Field)	MW-7N	1/19/2006	6.32	0		S.U.
pH (Field)	MW-7N	7/19/2006	7.58	0		S.U.
pH (Field)	MW-7N	7/19/2006	7.58	0		S.U.
pH (Field)	MW-7N	9/28/2006	7.17	0		S.U.
pH (Field)	MW-7N	9/28/2006	7.17	0		S.U.
pH (Field)	MW-7N	10/24/2006	6.95	0		S.U.
pH (Field)	MW-7N	10/24/2006	6.95	0		S.U.
pH (Field)	MW-7N	11/21/2006	6.81	0		S.U.
pH (Field)	MW-7N	11/21/2006	6.81	0		S.U.
pH (Field)	MW-7N	12/22/2006	6.91	0		S.U.
pH (Field)	MW-7N	12/22/2006	6.91	0		S.U.
pH (Field)	MW-7N	1/9/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/10/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/10/2007	6.47	0		S.U.
pH (Field)	MW-7N	1/25/2007	6.78	0		S.U.
pH (Field)	MW-7N	1/26/2007	6.78	0		S.U.
pH (Field)	MW-7N	1/26/2007	6.78	0		S.U.
pH (Field)	MW-7N	2/7/2007	6.95	0		S.U.
pH (Field)	MW-7N	2/27/2007	6.95	0		S.U.
pH (Field)	MW-7N	2/27/2007	6.95	0		S.U.
pH (Field)	MW-7N	3/26/2007	6.24	0		S.U.
pH (Field)	MW-7N	3/27/2007	6.24	0		S.U.
pH (Field)	MW-7N	3/27/2007	6.24	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	4/25/2007	6.51	0		S.U.
pH (Field)	MW-7N	4/26/2007	6.51	0		S.U.
pH (Field)	MW-7N	6/1/2007	5.95	0		S.U.
pH (Field)	MW-7N	6/1/2007	5.95	0		S.U.
pH (Field)	MW-7N	6/28/2007	6.45	0		S.U.
pH (Field)	MW-7N	6/28/2007	6.45	0		S.U.
pH (Field)	MW-7N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-7N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-7N	8/29/2007	6.68	0		S.U.
pH (Field)	MW-7N	8/29/2007	6.68	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.21	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.09	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.06	0		S.U.
pH (Field)	MW-7N	9/28/2007	7.24	0		S.U.
pH (Field)	MW-7N	10/24/2007	8.78	0		S.U.
pH (Field)	MW-7N	11/27/2007	6.05	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.95	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.97	0		S.U.
pH (Field)	MW-7N	11/27/2007	5.97	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.16	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.16	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.12	0		S.U.
pH (Field)	MW-7N	12/27/2007	6.08	0		S.U.
pH (Field)	MW-7N	1/25/2008	6.32	0		S.U.
pH (Field)	MW-7N	2/28/2008	6.6	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.62	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.73	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.82	0		S.U.
pH (Field)	MW-7N	3/24/2008	6.46	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.81	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.75	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.75	0		S.U.
pH (Field)	MW-7N	5/3/2008	6.74	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.37	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.34	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.36	0		S.U.
pH (Field)	MW-7N	5/30/2008	6.45	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.49	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.46	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.25	0		S.U.
pH (Field)	MW-7N	6/25/2008	6.21	0		S.U.
pH (Field)	MW-7N	7/21/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	8/29/2008	6.37	0.1		S.U.
pH (Field)	MW-7N	9/25/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	9/25/2008	6.38	0.1		S.U.
pH (Field)	MW-7N	10/21/2008	6.4	0.1		S.U.
pH (Field)	MW-7N	11/24/2008	6.5	0.1		S.U.
pH (Field)	MW-7N	12/18/2008	6.45	0.1		S.U.
pH (Field)	MW-7N	2/6/2009	6.58	0.1		S.U.
pH (Field)	MW-7N	3/25/2009	6.2	0.1		S.U.
pH (Field)	MW-7N	4/15/2009	5.93	0.1		S.U.
pH (Field)	MW-7N	6/25/2009	6.08	0.1		S.U.
pH (Field)	MW-7N	7/29/2009	5.52	0.1		S.U.
pH (Field)	MW-7N	8/28/2009	5.52	0.1		S.U.
pH (Field)	MW-7N	9/29/2009	5.54	0.1		S.U.
pH (Field)	MW-7N	10/21/2009	6.05	0.1		S.U.
pH (Field)	MW-7N	10/26/2009	6.04	0.1		S.U.
pH (Field)	MW-7N	11/24/2009	6.21	0.1		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	12/17/2009	6.22	0.1		S.U.
pH (Field)	MW-7N	1/26/2010	6.27	0.1		S.U.
pH (Field)	MW-7N	2/15/2010	6.56	0		S.U.
pH (Field)	MW-7N	3/3/2010	6.4	0		S.U.
pH (Field)	MW-7N	4/8/2010	6.28	0		S.U.
pH (Field)	MW-7N	5/6/2010	7.11	0		S.U.
pH (Field)	MW-7N	6/16/2010	6.33	0		S.U.
pH (Field)	MW-7N	7/14/2010	6.36	0		S.U.
pH (Field)	MW-7N	8/11/2010	6.24	0		S.U.
pH (Field)	MW-7N	9/2/2010	6.37	0		S.U.
pH (Field)	MW-7N	9/2/2010	6.37	0		S.U.
pH (Field)	MW-7N	9/29/2010	6.22	0		S.U.
pH (Field)	MW-7N	11/3/2010	6.17	0		S.U.
pH (Field)	MW-7N	12/2/2010	6.27	0		S.U.
pH (Field)	MW-7N	1/20/2011	6.33	0		S.U.
pH (Field)	MW-7N	2/7/2011	6.34	0		S.U.
pH (Field)	MW-7N	3/3/2011	6.31	0		S.U.
pH (Field)	MW-7N	4/5/2011	6.36	0		S.U.
pH (Field)	MW-7N	5/10/2011	6.41	0		S.U.
pH (Field)	MW-7N	6/1/2011	6.21	0		S.U.
pH (Field)	MW-7N	7/12/2011	6.31	0		S.U.
pH (Field)	MW-7N	8/4/2011	6.31	0		S.U.
pH (Field)	MW-7N	9/7/2011	6.37	0		S.U.
pH (Field)	MW-7N	10/5/2011	6.38	0		S.U.
pH (Field)	MW-7N	11/1/2011	6.34	0		S.U.
pH (Field)	MW-7N	12/8/2011	6.51	0		S.U.
pH (Field)	MW-7N	1/5/2012	6.42	0		S.U.
pH (Field)	MW-7N	2/1/2012	6.34	0		S.U.
pH (Field)	MW-7N	3/7/2012	6.47	0		S.U.
pH (Field)	MW-7N	4/5/2012	6.67	0		S.U.
pH (Field)	MW-7N	5/1/2012	6.75	0		S.U.
pH (Field)	MW-7N	5/10/2012	6.86	0		S.U.
pH (Field)	MW-7N	6/5/2012	7.07	0		S.U.
pH (Field)	MW-7N	7/10/2012	6.34	0		S.U.
pH (Field)	MW-7N	8/9/2012	6.37	0		S.U.
pH (Field)	MW-7N	9/4/2012	6.15	0		S.U.
pH (Field)	MW-7N	10/7/2012	6.56	0		S.U.
pH (Field)	MW-7N	5/1/2013	6.3	0		S.U.
pH (Field)	MW-7N	6/4/2013	6.13	0		S.U.
pH (Field)	MW-7N	6/4/2013	6.13	0		S.U.
pH (Field)	MW-7N	7/15/2013	6.34	0		S.U.
pH (Field)	MW-7N	8/8/2013	6.49	0		S.U.
pH (Field)	MW-7N	9/10/2013	6.22	0		S.U.
pH (Field)	MW-7N	10/1/2013	6.48	0		S.U.
pH (Field)	MW-7N	11/6/2013	6.45	0		S.U.
pH (Field)	MW-7N	12/2/2013	6.46	0		S.U.
pH (Field)	MW-7N	1/30/2014	6.73	0		S.U.
pH (Field)	MW-7N	2/13/2014	6.46	0		S.U.
pH (Field)	MW-7N	3/11/2014	6.71	0		S.U.
pH (Field)	MW-7N	4/2/2014	6.35	0		S.U.
pH (Field)	MW-7N	5/7/2014	6.85	0		S.U.
pH (Field)	MW-7N	6/3/2014	6.15	0		S.U.
pH (Field)	MW-7N	7/9/2014	6.87	0		S.U.
pH (Field)	MW-7N	8/5/2014	5.92	0		S.U.
pH (Field)	MW-7N	9/4/2014	6.61	0		S.U.
pH (Field)	MW-7N	10/9/2014	6.96	0		S.U.
pH (Field)	MW-7N	11/3/2014	7.52	0		S.U.
pH (Field)	MW-7N	1/14/2015	5.73	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	2/12/2015	6.12	0		S.U.
pH (Field)	MW-7N	3/3/2015	6.85	0		S.U.
pH (Field)	MW-7N	4/1/2015	6.4	0		S.U.
pH (Field)	MW-7N	5/7/2015	6.83	0		S.U.
pH (Field)	MW-7N	6/3/2015	6.87	0		S.U.
pH (Field)	MW-7N	7/13/2015	6.52	0		S.U.
pH (Field)	MW-7N	8/4/2015	7.2	0		S.U.
pH (Field)	MW-7N	9/3/2015	7.35	0		S.U.
pH (Field)	MW-7N	10/6/2015	7.26	0		S.U.
pH (Field)	MW-7N	11/4/2015	7.06	0		S.U.
pH (Field)	MW-7N	12/3/2015	7.18	0		S.U.
pH (Field)	MW-7N	1/5/2016	7.26	0		S.U.
pH (Field)	MW-7N	2/3/2016	7.97	0		S.U.
pH (Field)	MW-7N	3/2/2016	7.47	0		S.U.
pH (Field)	MW-7N	4/5/2016	7.32	0		S.U.
pH (Field)	MW-7N	5/11/2016	6.48	0		S.U.
pH (Field)	MW-7N	6/1/2016	7.53	0		S.U.
pH (Field)	MW-7N	7/21/2016	7.1	0		S.U.
pH (Field)	MW-7N	8/10/2016	7.37	0		S.U.
pH (Field)	MW-7N	9/6/2016	7.27	0		S.U.
pH (Field)	MW-7N	10/6/2016	7.11	0		S.U.
pH (Field)	MW-7N	11/2/2016	6.45	0		S.U.
pH (Field)	MW-7N	12/1/2016	7.68	0		S.U.
pH (Field)	MW-7N	1/11/2017	7.26	0		S.U.
pH (Field)	MW-7N	2/7/2017	7.83	0		S.U.
pH (Field)	MW-7N	3/2/2017	5.9	0		S.U.
pH (Field)	MW-7N	3/2/2017	5.9	0		S.U.
pH (Field)	MW-7N	4/4/2017	6.83	0		S.U.
pH (Field)	MW-7N	5/16/2017	6.57	0		S.U.
pH (Field)	MW-7N	6/6/2017	6.76	0		S.U.
pH (Field)	MW-7N	7/19/2017	6.62	0		S.U.
pH (Field)	MW-7N	8/1/2017	6.88	0		S.U.
pH (Field)	MW-7N	9/5/2017	7.31	0		S.U.
pH (Field)	MW-7N	10/5/2017	7.19	0		S.U.
pH (Field)	MW-7N	11/1/2017	7.25	0		S.U.
pH (Field)	MW-7N	1/25/2018	6.54	0.01		S.U.
pH (Field)	MW-7N	2/22/2018	6.38	0.01		S.U.
pH (Field)	MW-7N	3/20/2018	6.4	0.01		S.U.
pH (Field)	MW-7N	4/11/2018	6.42	0.01		S.U.
pH (Field)	MW-7N	4/11/2018	6.42	0.01		S.U.
pH (Field)	MW-7N	6/5/2018	6.32	0		S.U.
pH (Field)	MW-7N	6/5/2018	6.32	0		S.U.
pH (Field)	MW-7N	7/13/2018	6.45	0.01		S.U.
pH (Field)	MW-7N	8/1/2018	6.36	0.01		S.U.
pH (Field)	MW-7N	9/5/2018	6.64	0		S.U.
pH (Field)	MW-7N	10/4/2018	6.04	0		S.U.
pH (Field)	MW-7N	11/6/2018	6.35	0.01		S.U.
pH (Field)	MW-7N	12/4/2018	6.35	0.01		S.U.
pH (Field)	MW-7N	1/4/2019	6.61	0.01		S.U.
pH (Field)	MW-7N	2/5/2019	6.38	0		S.U.
pH (Field)	MW-7N	3/5/2019	6.06	0.01		S.U.
pH (Field)	MW-7N	4/3/2019	6.28	0.01		S.U.
pH (Field)	MW-7N	5/3/2019	6.66	0.01		S.U.
pH (Field)	MW-7N	6/4/2019	6.19	0		S.U.
pH (Field)	MW-7N	7/10/2019	6.33	0.01		S.U.
pH (Field)	MW-7N	7/10/2019	6.33	0.01		S.U.
pH (Field)	MW-7N	8/8/2019	6.37	0.01		S.U.
pH (Field)	MW-7N	9/4/2019	6.37	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-7N	10/3/2019	6.95	0.01		S.U.
pH (Field)	MW-7N	11/6/2019	6.53	0.01		S.U.
pH (Field)	MW-7N	12/3/2019	6.6	0.01		S.U.
pH (Field)	MW-7N	1/16/2020	6.57	0		S.U.
pH (Field)	MW-7N	2/4/2020	6.36	0		S.U.
pH (Field)	MW-7N	3/4/2020	6.57	0.01		S.U.
pH (Field)	MW-7N	4/2/2020	6.54	0.01		S.U.
pH (Field)	MW-7N	5/5/2020	6.57	0.01		S.U.
pH (Field)	MW-7N	6/2/2020	6.56	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	7/7/2020	6.55	0		S.U.
pH (Field)	MW-7N	8/3/2020	6.51	0		S.U.
pH (Field)	MW-7N	9/2/2020	6.36	0.01		S.U.
pH (Field)	MW-7N	10/6/2020	6.52	0.01		S.U.
pH (Field)	MW-7N	11/3/2020	6.63	0		S.U.
pH (Field)	MW-7N	12/2/2020	6.45	0		S.U.
pH (Field)	MW-7N	1/16/2021	6.26	0		S.U.
pH (Field)	MW-7N	2/9/2021	6.71	0		S.U.
pH (Field)	MW-7N	3/2/2021	6.54	0		S.U.
pH (Field)	MW-7N	4/7/2021	6.65	0		S.U.
pH (Field)	MW-7N	5/5/2021	6.54	0		S.U.
pH (Field)	MW-7N	6/2/2021	6.61	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	7/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	8/3/2021	6.76	0		S.U.
pH (Field)	MW-7N	9/2/2021	6.61	0		S.U.
pH (Field)	MW-7N	10/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	10/5/2021	6.69	0		S.U.
pH (Field)	MW-7N	11/1/2021	6.53	0		S.U.
pH (Field)	MW-7N	12/8/2021	6.68	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	1/12/2022	6.74	0		S.U.
pH (Field)	MW-7N	2/9/2022	6.78	0		S.U.
pH (Field)	MW-7N	3/1/2022	6.69	0		S.U.
pH (Field)	MW-7N	4/4/2022	6.63	0		S.U.
pH (Field)	MW-7N	4/4/2022	6.63	0		S.U.
pH (Field)	MW-7N	5/7/2022	6.59	0		S.U.
pH (Field)	MW-7N	6/3/2022	6.3	0		S.U.
pH (Field)	MW-7N	7/10/2022	6.42	0		S.U.
pH (Field)	MW-7N	8/10/2022	6.42	0		S.U.
pH (Field)	MW-7N	9/8/2022	6.35	0		S.U.
pH (Field)	MW-7N	10/6/2022	5.98	0		S.U.
pH (Field)	MW-7N	10/6/2022	5.98	0		S.U.
pH (Field)	MW-7N	11/3/2022	6.35	0		S.U.
pH (Field)	MW-7N	12/7/2022	6.46	0		S.U.
pH (Field)	MW-7N	1/10/2023	6.7	0		S.U.
pH (Field)	MW-7N	2/3/2023	6.78	0		S.U.
pH (Field)	MW-7N	3/1/2023	6.42	0		S.U.
pH (Field)	MW-7N	4/5/2023	6.46	0		S.U.
pH (Field)	MW-7N	5/10/2023	6.45	0		S.U.
pH (Field)	MW-7N	6/8/2023	5.87	0		S.U.
pH (Field)	MW-7N	7/7/2023	6.22	0		S.U.
pH (Field)	MW-7N	8/1/2023	4.41	0		S.U.
pH (Field)	MW-7N	9/2/2023	6.72	0		S.U.
pH (Field)	MW-7N	10/4/2023	6.67	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-8N	10/2/2002	6.49	0		S.U.
pH (Field)	MW-8N	1/19/2006	6.37	0		S.U.
pH (Field)	MW-8N	7/19/2006	9.33	0		S.U.
pH (Field)	MW-8N	7/19/2006	9.33	0		S.U.
pH (Field)	MW-8N	10/24/2006	6.83	0		S.U.
pH (Field)	MW-8N	10/24/2006	6.83	0		S.U.
pH (Field)	MW-8N	12/22/2006	6.19	0		S.U.
pH (Field)	MW-8N	12/22/2006	6.19	0		S.U.
pH (Field)	MW-8N	1/9/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	1/26/2007	6.2	0		S.U.
pH (Field)	MW-8N	1/26/2007	6.2	0		S.U.
pH (Field)	MW-8N	4/25/2007	5.72	0		S.U.
pH (Field)	MW-8N	4/26/2007	5.72	0		S.U.
pH (Field)	MW-8N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	7/10/2007	6.26	0		S.U.
pH (Field)	MW-8N	10/24/2007	9.04	0		S.U.
pH (Field)	MW-8N	1/24/2008	6.27	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.51	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.51	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.54	0		S.U.
pH (Field)	MW-8N	5/3/2008	6.68	0		S.U.
pH (Field)	MW-8N	7/23/2008	5.87	0.1		S.U.
pH (Field)	MW-8N	10/21/2008	5.97	0.1		S.U.
pH (Field)	MW-8N	2/4/2009	6.32	0.1		S.U.
pH (Field)	MW-8N	4/16/2009	5.62	0.1		S.U.
pH (Field)	MW-8N	7/31/2009	5.44	0.1		S.U.
pH (Field)	MW-8N	10/26/2009	5.8	0.1		S.U.
pH (Field)	MW-8N	1/26/2010	5.99	0.1		S.U.
pH (Field)	MW-8N	4/8/2010	5.86	0		S.U.
pH (Field)	MW-8N	7/16/2010	6.06	0		S.U.
pH (Field)	MW-8N	9/2/2010	6.35	0		S.U.
pH (Field)	MW-8N	9/30/2010	6.08	0		S.U.
pH (Field)	MW-8N	1/19/2011	6.22	0		S.U.
pH (Field)	MW-8N	5/10/2011	6.23	0		S.U.
pH (Field)	MW-8N	7/14/2011	6.28	0		S.U.
pH (Field)	MW-8N	1/6/2012	6.41	0		S.U.
pH (Field)	MW-8N	4/5/2012	6.6	0		S.U.
pH (Field)	MW-8N	7/11/2012	6.28	0		S.U.
pH (Field)	MW-8N	10/3/2012	6.25	0		S.U.
pH (Field)	MW-8N	5/1/2013	6.21	0		S.U.
pH (Field)	MW-8N	6/4/2013	5.86	0		S.U.
pH (Field)	MW-8N	7/16/2013	6.21	0		S.U.
pH (Field)	MW-8N	10/2/2013	7.4	0		S.U.
pH (Field)	MW-8N	1/30/2014	6.7	0		S.U.
pH (Field)	MW-8N	4/3/2014	6.27	0		S.U.
pH (Field)	MW-8N	7/9/2014	7.09	0		S.U.
pH (Field)	MW-8N	10/8/2014	6.75	0		S.U.
pH (Field)	MW-8N	2/12/2015	6.98	0		S.U.
pH (Field)	MW-8N	4/1/2015	6.59	0		S.U.
pH (Field)	MW-8N	7/14/2015	6.79	0		S.U.
pH (Field)	MW-8N	10/5/2015	7.08	0		S.U.
pH (Field)	MW-8N	1/5/2016	6.87	0		S.U.
pH (Field)	MW-8N	4/6/2016	7.1	0		S.U.
pH (Field)	MW-8N	7/21/2016	6.64	0		S.U.
pH (Field)	MW-8N	10/6/2016	6.8	0		S.U.
pH (Field)	MW-8N	1/11/2017	6.8	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	MW-8N	4/4/2017	6.75	0		S.U.
pH (Field)	MW-8N	7/19/2017	7.27	0		S.U.
pH (Field)	MW-8N	10/6/2017	7.43	0		S.U.
pH (Field)	MW-8N	1/25/2018	6.45	0.01		S.U.
pH (Field)	MW-8N	4/10/2018	6.28	0.01		S.U.
pH (Field)	MW-8N	6/6/2018	6.3	0		S.U.
pH (Field)	MW-8N	7/16/2018	6.73	0.01		S.U.
pH (Field)	MW-8N	10/2/2018	6.39	0		S.U.
pH (Field)	MW-8N	1/7/2019	6.06	0.01		S.U.
pH (Field)	MW-8N	4/3/2019	6.22	0.01		S.U.
pH (Field)	MW-8N	7/11/2019	6.46	0		S.U.
pH (Field)	MW-8N	10/3/2019	6.58	0.01		S.U.
pH (Field)	MW-8N	1/15/2020	6.8	0		S.U.
pH (Field)	MW-8N	4/2/2020	6.4	0.01		S.U.
pH (Field)	MW-8N	7/9/2020	6.3	0		S.U.
pH (Field)	MW-8N	7/9/2020	6.3	0		S.U.
pH (Field)	MW-8N	10/6/2020	6.37	0.01		S.U.
pH (Field)	MW-8N	4/6/2021	6.42	0		S.U.
pH (Field)	MW-8N	7/5/2021	6.42	0		S.U.
pH (Field)	MW-8N	7/5/2021	6.42	0		S.U.
pH (Field)	MW-8N	10/6/2021	6.43	0		S.U.
pH (Field)	MW-8N	1/18/2022	6.43	0		S.U.
pH (Field)	MW-8N	1/18/2022	6.43	0		S.U.
pH (Field)	MW-8N	4/4/2022	6.37	0		S.U.
pH (Field)	MW-8N	7/12/2022	6.01	0		S.U.
pH (Field)	MW-8N	10/6/2022	5.82	0		S.U.
pH (Field)	MW-8N	1/11/2023	6.53	0		S.U.
pH (Field)	MW-8N	4/8/2023	6.3	0		S.U.
pH (Field)	MW-8N	7/7/2023	5.74	0		S.U.
pH (Field)	MW-8N	10/5/2023	6.41	0		S.U.
pH (Field)	NE-1	10/2/2002	7.05	0		S.U.
pH (Field)	NE-1	7/18/2006	8.35	0		S.U.
pH (Field)	NE-1	7/18/2006	8.35	0		S.U.
pH (Field)	NE-1	10/24/2006	8.52	0		S.U.
pH (Field)	NE-1	10/24/2006	8.52	0		S.U.
pH (Field)	NE-1	1/23/2007	7.01	0		S.U.
pH (Field)	NE-1	1/23/2007	7.01	0		S.U.
pH (Field)	NE-1	4/23/2007	8.03	0		S.U.
pH (Field)	NE-1	4/26/2007	8.03	0		S.U.
pH (Field)	NE-1	7/10/2007	7.26	0		S.U.
pH (Field)	NE-1	7/10/2007	7.26	0		S.U.
pH (Field)	NE-1	10/24/2007	10.06	0		S.U.
pH (Field)	NE-1	1/24/2008	7.18	0		S.U.
pH (Field)	NE-1	7/21/2008	7.68	0.1		S.U.
pH (Field)	NE-1	2/7/2009	8.25	0.1		S.U.
pH (Field)	NE-1	7/31/2009	6.69	0.1		S.U.
pH (Field)	NE-1	1/26/2010	7.75	0.1		S.U.
pH (Field)	NE-1	7/14/2010	7.8	0		S.U.
pH (Field)	NE-1	9/2/2010	7.73	0		S.U.
pH (Field)	NE-1	9/30/2010	6.58	0		S.U.
pH (Field)	NE-1	1/19/2011	7.11	0		S.U.
pH (Field)	NE-1	7/13/2011	7.61	0		S.U.
pH (Field)	NE-1	1/5/2012	7.68	0		S.U.
pH (Field)	NE-1	7/10/2012	7.85	0		S.U.
pH (Field)	NE-1	4/30/2013	7.66	0		S.U.
pH (Field)	NE-1	7/16/2013	8.19	0		S.U.
pH (Field)	NE-1	1/23/2014	7.63	0		S.U.
pH (Field)	NE-1	7/9/2014	7.84	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-1	2/11/2015	8.24	0		S.U.
pH (Field)	NE-1	7/8/2015	8.26	0		S.U.
pH (Field)	NE-1	1/6/2016	6.68	0		S.U.
pH (Field)	NE-1	7/20/2016	6.99	0		S.U.
pH (Field)	NE-1	1/11/2017	5.18	0		S.U.
pH (Field)	NE-1	7/19/2017	7.3	0		S.U.
pH (Field)	NE-1	1/24/2018	7.23	0.01		S.U.
pH (Field)	NE-1	4/11/2018	7.08	0.01		S.U.
pH (Field)	NE-1	7/18/2018	7.08	0.01		S.U.
pH (Field)	NE-1	10/2/2018	7.03	0		S.U.
pH (Field)	NE-1	1/4/2019	6.58	0.01		S.U.
pH (Field)	NE-1	4/2/2019	7.12	0.01		S.U.
pH (Field)	NE-1	7/10/2019	7.24	0		S.U.
pH (Field)	NE-1	7/10/2019	7.24	0		S.U.
pH (Field)	NE-1	10/2/2019	7.62	0.01		S.U.
pH (Field)	NE-1	4/2/2020	7.01	0.01		S.U.
pH (Field)	NE-1	7/8/2020	7.16	0		S.U.
pH (Field)	NE-1	7/8/2020	7.16	0		S.U.
pH (Field)	NE-1	10/7/2020	7.14	0.01		S.U.
pH (Field)	NE-1	1/13/2021	6.8	0		S.U.
pH (Field)	NE-1	4/9/2021	7.06	0		S.U.
pH (Field)	NE-1	7/2/2021	6.99	0		S.U.
pH (Field)	NE-1	7/2/2021	6.99	0		S.U.
pH (Field)	NE-1	10/6/2021	7.18	0		S.U.
pH (Field)	NE-1	1/17/2022	7.19	0		S.U.
pH (Field)	NE-1	1/17/2022	7.19	0		S.U.
pH (Field)	NE-1	4/6/2022	7.13	0		S.U.
pH (Field)	NE-1	7/13/2022	6.92	0		S.U.
pH (Field)	NE-1	10/6/2022	6.69	0		S.U.
pH (Field)	NE-1	1/5/2023	7.19	0		S.U.
pH (Field)	NE-1	4/7/2023	7.11	0		S.U.
pH (Field)	NE-1	7/5/2023	6.29	0		S.U.
pH (Field)	NE-1	10/5/2023	7.11	0		S.U.
pH (Field)	NE-10D	11/6/2019	7.12	0		S.U.
pH (Field)	NE-10D	4/2/2020	7.25	0.01		S.U.
pH (Field)	NE-10D	7/8/2020	7.07	0		S.U.
pH (Field)	NE-10D	7/8/2020	7.07	0		S.U.
pH (Field)	NE-10D	10/7/2020	6.86	0.01		S.U.
pH (Field)	NE-10D	1/13/2021	6.77	0		S.U.
pH (Field)	NE-10D	4/9/2021	7.01	0		S.U.
pH (Field)	NE-10D	7/2/2021	6.93	0		S.U.
pH (Field)	NE-10D	7/2/2021	6.93	0		S.U.
pH (Field)	NE-10D	10/7/2021	7.05	0		S.U.
pH (Field)	NE-10D	1/6/2023	6.74	0		S.U.
pH (Field)	NE-10D	4/6/2023	6.48	0		S.U.
pH (Field)	NE-10D	7/8/2023	5.78	0		S.U.
pH (Field)	NE-10D	10/3/2023	6.81	0		S.U.
pH (Field)	NE-11	3/1/2017	6.95	0		S.U.
pH (Field)	NE-11	4/6/2017	6.89	0		S.U.
pH (Field)	NE-11	7/20/2017	6.66	0		S.U.
pH (Field)	NE-11	10/9/2017	5.11	0		S.U.
pH (Field)	NE-11	9/30/2019	6.59	0.01		S.U.
pH (Field)	NE-11	1/14/2020	6.77	0		S.U.
pH (Field)	NE-11	7/7/2020	6.73	0		S.U.
pH (Field)	NE-11	7/7/2020	6.73	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.
pH (Field)	NE-11	7/1/2021	6.56	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	1/17/2022	6.67	0		S.U.
pH (Field)	NE-11	7/12/2022	6.15	0		S.U.
pH (Field)	NE-11	1/6/2023	6.34	0		S.U.
pH (Field)	NE-11	7/6/2023	5.77	0		S.U.
pH (Field)	NE-12	3/1/2017	6.97	0		S.U.
pH (Field)	NE-12	4/6/2017	7.4	0		S.U.
pH (Field)	NE-12	7/20/2017	7.13	0		S.U.
pH (Field)	NE-12	10/6/2017	7.68	0		S.U.
pH (Field)	NE-12	7/9/2019	6.84	0		S.U.
pH (Field)	NE-12	8/5/2019	7.81	0.01		S.U.
pH (Field)	NE-12	1/13/2020	6.95	0		S.U.
pH (Field)	NE-12	7/7/2020	7.11	0		S.U.
pH (Field)	NE-12	7/7/2020	7.11	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	7/1/2021	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	1/17/2022	7.04	0		S.U.
pH (Field)	NE-12	7/12/2022	6.66	0		S.U.
pH (Field)	NE-12	1/6/2023	6.73	0		S.U.
pH (Field)	NE-12	7/5/2023	6.01	0		S.U.
pH (Field)	NE-13	2/5/2019	5.53	0		S.U.
pH (Field)	NE-13	7/11/2019	5.38	0		S.U.
pH (Field)	NE-13	8/7/2019	5.61	0.01		S.U.
pH (Field)	NE-13	1/15/2020	5.37	0		S.U.
pH (Field)	NE-13	7/8/2020	5.68	0		S.U.
pH (Field)	NE-13	7/8/2020	5.68	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-13	7/1/2021	5.84	0		S.U.
pH (Field)	NE-14D	10/2/2019	7.23	0.01		S.U.
pH (Field)	NE-14D	4/3/2020	7.15	0.01		S.U.
pH (Field)	NE-14D	7/7/2020	7.12	0		S.U.
pH (Field)	NE-14D	7/7/2020	7.12	0		S.U.
pH (Field)	NE-14D	10/6/2020	7.03	0.01		S.U.
pH (Field)	NE-14D	1/17/2021	6.68	0		S.U.
pH (Field)	NE-14D	4/9/2021	6.96	0		S.U.
pH (Field)	NE-14D	7/2/2021	6.89	0		S.U.
pH (Field)	NE-14D	7/2/2021	6.89	0		S.U.
pH (Field)	NE-14D	10/7/2021	6.95	0		S.U.
pH (Field)	NE-14D	1/18/2022	6.97	0		S.U.
pH (Field)	NE-14D	1/18/2022	6.97	0		S.U.
pH (Field)	NE-14D	4/6/2022	6.92	0		S.U.
pH (Field)	NE-14D	7/13/2022	6.68	0		S.U.
pH (Field)	NE-14D	10/7/2022	6.73	0		S.U.
pH (Field)	NE-14D	1/6/2023	6.54	0		S.U.
pH (Field)	NE-14D	4/6/2023	6.7	0		S.U.
pH (Field)	NE-14D	7/5/2023	5.75	0		S.U.
pH (Field)	NE-14D	10/4/2023	6.7	0		S.U.
pH (Field)	NE-14S	10/2/2019	6.7	0.01		S.U.
pH (Field)	NE-14S	4/3/2020	6.48	0.01		S.U.
pH (Field)	NE-14S	7/7/2020	6.41	0		S.U.
pH (Field)	NE-14S	7/7/2020	6.41	0		S.U.
pH (Field)	NE-14S	10/6/2020	6.97	0.01		S.U.
pH (Field)	NE-14S	1/17/2021	6.22	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-14S	4/9/2021	6.54	0		S.U.
pH (Field)	NE-14S	7/2/2021	6.25	0		S.U.
pH (Field)	NE-14S	7/2/2021	6.25	0		S.U.
pH (Field)	NE-14S	10/7/2021	6.81	0		S.U.
pH (Field)	NE-14S	1/18/2022	6.56	0		S.U.
pH (Field)	NE-14S	1/18/2022	6.56	0		S.U.
pH (Field)	NE-14S	4/6/2022	6.37	0		S.U.
pH (Field)	NE-14S	7/13/2022	6.06	0		S.U.
pH (Field)	NE-14S	10/7/2022	6.53	0		S.U.
pH (Field)	NE-14S	1/6/2023	6.39	0		S.U.
pH (Field)	NE-14S	4/6/2023	6.13	0		S.U.
pH (Field)	NE-14S	7/5/2023	5.62	0		S.U.
pH (Field)	NE-14S	10/4/2023	6.51	0		S.U.
pH (Field)	NE-15D	9/30/2019	7.1	0.01		S.U.
pH (Field)	NE-15D	4/3/2020	6.98	0.01		S.U.
pH (Field)	NE-15D	7/7/2020	7.05	0		S.U.
pH (Field)	NE-15D	7/7/2020	7.05	0		S.U.
pH (Field)	NE-15D	10/6/2020	6.96	0.01		S.U.
pH (Field)	NE-15D	1/17/2021	6.62	0		S.U.
pH (Field)	NE-15D	4/9/2021	6.9	0		S.U.
pH (Field)	NE-15D	7/2/2021	6.87	0		S.U.
pH (Field)	NE-15D	7/2/2021	6.87	0		S.U.
pH (Field)	NE-15D	10/7/2021	6.95	0		S.U.
pH (Field)	NE-15D	1/17/2022	6.98	0		S.U.
pH (Field)	NE-15D	1/17/2022	6.98	0		S.U.
pH (Field)	NE-15D	4/6/2022	6.91	0		S.U.
pH (Field)	NE-15D	7/13/2022	6.61	0		S.U.
pH (Field)	NE-15D	10/7/2022	6.76	0		S.U.
pH (Field)	NE-15D	1/6/2023	6.58	0		S.U.
pH (Field)	NE-15D	4/6/2023	6.64	0		S.U.
pH (Field)	NE-15D	7/6/2023	6.13	0		S.U.
pH (Field)	NE-15D	10/6/2023	6.91	0		S.U.
pH (Field)	NE-15S	4/3/2020	6.98	0.01		S.U.
pH (Field)	NE-2	10/2/2002	6.47	0		S.U.
pH (Field)	NE-2	4/24/2007	6.16	0		S.U.
pH (Field)	NE-2	4/26/2007	6.16	0		S.U.
pH (Field)	NE-2	12/19/2008	6.67	0.1		S.U.
pH (Field)	NE-2	10/26/2009	5.97	0.1		S.U.
pH (Field)	NE-2	9/2/2010	6.4	0		S.U.
pH (Field)	NE-2	9/30/2010	6.09	0		S.U.
pH (Field)	NE-2	4/5/2012	7.05	0		S.U.
pH (Field)	NE-2	10/1/2013	6.58	0		S.U.
pH (Field)	NE-2	10/8/2014	6.93	0		S.U.
pH (Field)	NE-2	10/5/2015	7.54	0		S.U.
pH (Field)	NE-2	10/6/2016	7.68	0		S.U.
pH (Field)	NE-2	10/5/2017	7.75	0		S.U.
pH (Field)	NE-2	1/25/2018	6.4	0.01		S.U.
pH (Field)	NE-2	4/10/2018	6.49	0.01		S.U.
pH (Field)	NE-2	7/10/2018	6.34	0.01		S.U.
pH (Field)	NE-2	10/1/2018	6.27	0		S.U.
pH (Field)	NE-2	1/4/2019	5.8	0.01		S.U.
pH (Field)	NE-2	4/2/2019	6.27	0.01		S.U.
pH (Field)	NE-2	7/9/2019	6.02	0		S.U.
pH (Field)	NE-2	7/9/2019	6.02	0		S.U.
pH (Field)	NE-2	10/2/2019	6.51	0.01		S.U.
pH (Field)	NE-2	4/1/2020	6.53	0.01		S.U.
pH (Field)	NE-2	7/7/2020	6.43	0		S.U.
pH (Field)	NE-2	7/7/2020	6.43	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-2	10/6/2020	6.59	0.01		S.U.
pH (Field)	NE-2	1/14/2021	6.38	0		S.U.
pH (Field)	NE-2	4/9/2021	6.46	0		S.U.
pH (Field)	NE-2	7/2/2021	6.29	0		S.U.
pH (Field)	NE-2	7/2/2021	6.29	0		S.U.
pH (Field)	NE-2	10/6/2021	6.56	0		S.U.
pH (Field)	NE-2	1/18/2022	6.55	0		S.U.
pH (Field)	NE-2	1/18/2022	6.55	0		S.U.
pH (Field)	NE-2	4/6/2022	6.47	0		S.U.
pH (Field)	NE-2	7/13/2022	6.22	0		S.U.
pH (Field)	NE-2	10/7/2022	6.43	0		S.U.
pH (Field)	NE-2	1/5/2023	6.43	0		S.U.
pH (Field)	NE-2	4/5/2023	5.62	0		S.U.
pH (Field)	NE-2	7/5/2023	5.42	0		S.U.
pH (Field)	NE-2	10/4/2023	6.26	0		S.U.
pH (Field)	NE-4	10/3/2002	6.45	0		S.U.
pH (Field)	NE-4	7/18/2006	7.55	0		S.U.
pH (Field)	NE-4	7/18/2006	7.55	0		S.U.
pH (Field)	NE-4	7/31/2006	7.28	0		S.U.
pH (Field)	NE-4	8/1/2006	7.28	0		S.U.
pH (Field)	NE-4	8/1/2006	7.28	0		S.U.
pH (Field)	NE-4	10/24/2006	7.58	0		S.U.
pH (Field)	NE-4	10/24/2006	7.58	0		S.U.
pH (Field)	NE-4	1/23/2007	7.63	0		S.U.
pH (Field)	NE-4	1/23/2007	7.63	0		S.U.
pH (Field)	NE-4	2/24/2007	6.5	0		S.U.
pH (Field)	NE-4	4/26/2007	6.5	0		S.U.
pH (Field)	NE-4	7/10/2007	7	0		S.U.
pH (Field)	NE-4	7/12/2007	7	0		S.U.
pH (Field)	NE-4	1/24/2008	6.97	0		S.U.
pH (Field)	NE-4	7/21/2008	6.84	0.1		S.U.
pH (Field)	NE-4	2/7/2009	7.21	0.1		S.U.
pH (Field)	NE-4	7/31/2009	6.43	0.1		S.U.
pH (Field)	NE-4	1/26/2010	6.9	0.1		S.U.
pH (Field)	NE-4	7/14/2010	6.99	0		S.U.
pH (Field)	NE-4	1/19/2011	7.18	0		S.U.
pH (Field)	NE-4	7/13/2011	6.79	0		S.U.
pH (Field)	NE-4	1/5/2012	7.04	0		S.U.
pH (Field)	NE-4	7/10/2012	7.08	0		S.U.
pH (Field)	NE-4	4/30/2013	7.13	0		S.U.
pH (Field)	NE-4	7/16/2013	7.2	0		S.U.
pH (Field)	NE-4	1/23/2014	7.24	0		S.U.
pH (Field)	NE-4	7/9/2014	7.91	0		S.U.
pH (Field)	NE-4	2/13/2015	7.81	0		S.U.
pH (Field)	NE-4	7/8/2015	7.73	0		S.U.
pH (Field)	NE-4	1/6/2016	6.43	0		S.U.
pH (Field)	NE-4	7/20/2016	6.9	0		S.U.
pH (Field)	NE-4	1/11/2017	5.29	0		S.U.
pH (Field)	NE-4	7/19/2017	7.36	0		S.U.
pH (Field)	NE-4	1/26/2018	7	0.01		S.U.
pH (Field)	NE-4	4/10/2018	7.18	0.01		S.U.
pH (Field)	NE-4	7/12/2018	7.2	0.01		S.U.
pH (Field)	NE-4	10/3/2018	7.09	0		S.U.
pH (Field)	NE-4	1/7/2019	7.17	0.01		S.U.
pH (Field)	NE-4	4/2/2019	7.05	0.01		S.U.
pH (Field)	NE-4	7/8/2019	7.08	0		S.U.
pH (Field)	NE-4	7/8/2019	7.08	0		S.U.
pH (Field)	NE-4	10/1/2019	7.5	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-4	4/1/2020	6.9	0.01		S.U.
pH (Field)	NE-4	7/6/2020	6.73	0		S.U.
pH (Field)	NE-4	7/6/2020	6.73	0		S.U.
pH (Field)	NE-4	10/5/2020	7.13	0.01		S.U.
pH (Field)	NE-4	1/15/2021	6.84	0		S.U.
pH (Field)	NE-4	4/9/2021	7.08	0		S.U.
pH (Field)	NE-4	7/2/2021	7.51	0		S.U.
pH (Field)	NE-4	7/2/2021	7.51	0		S.U.
pH (Field)	NE-4	10/6/2021	7.4	0		S.U.
pH (Field)	NE-4	1/5/2023	7.03	0		S.U.
pH (Field)	NE-4	4/6/2023	6.99	0		S.U.
pH (Field)	NE-4	7/5/2023	5.83	0		S.U.
pH (Field)	NE-4	10/4/2023	7.21	0		S.U.
pH (Field)	NE-5	10/2/2002	6.85	0		S.U.
pH (Field)	NE-5	7/18/2006	7.34	0		S.U.
pH (Field)	NE-5	7/18/2006	7.34	0		S.U.
pH (Field)	NE-5	10/24/2006	7.57	0		S.U.
pH (Field)	NE-5	10/24/2006	7.57	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/9/2007	6.81	0		S.U.
pH (Field)	NE-5	1/23/2007	6.86	0		S.U.
pH (Field)	NE-5	1/23/2007	6.86	0		S.U.
pH (Field)	NE-5	2/24/2007	6.29	0		S.U.
pH (Field)	NE-5	4/26/2007	6.29	0		S.U.
pH (Field)	NE-5	7/10/2007	6.89	0		S.U.
pH (Field)	NE-5	7/12/2007	6.89	0		S.U.
pH (Field)	NE-5	1/25/2008	6.69	0		S.U.
pH (Field)	NE-5	5/3/2008	6.69	0		S.U.
pH (Field)	NE-5	5/3/2008	6.6	0		S.U.
pH (Field)	NE-5	5/3/2008	6.67	0		S.U.
pH (Field)	NE-5	5/3/2008	6.61	0		S.U.
pH (Field)	NE-5	7/22/2008	6.88	0.1		S.U.
pH (Field)	NE-5	2/6/2009	6.93	0.1		S.U.
pH (Field)	NE-5	7/31/2009	6.16	0.1		S.U.
pH (Field)	NE-5	1/26/2010	6.65	0.1		S.U.
pH (Field)	NE-5	7/16/2010	6.73	0		S.U.
pH (Field)	NE-5	9/2/2010	6.89	0		S.U.
pH (Field)	NE-5	1/19/2011	6.68	0		S.U.
pH (Field)	NE-5	7/13/2011	6.74	0		S.U.
pH (Field)	NE-5	1/5/2012	7.11	0		S.U.
pH (Field)	NE-5	7/10/2012	7.73	0		S.U.
pH (Field)	NE-5	4/30/2013	6.7	0		S.U.
pH (Field)	NE-5	7/16/2013	7.16	0		S.U.
pH (Field)	NE-5	1/23/2014	7.33	0		S.U.
pH (Field)	NE-5	7/9/2014	7.35	0		S.U.
pH (Field)	NE-5	2/11/2015	7.6	0		S.U.
pH (Field)	NE-5	7/14/2015	6.79	0		S.U.
pH (Field)	NE-5	1/6/2016	6.92	0		S.U.
pH (Field)	NE-5	2/11/2016	7.33	0		S.U.
pH (Field)	NE-5	7/20/2016	6.66	0		S.U.
pH (Field)	NE-5	1/11/2017	4.33	0		S.U.
pH (Field)	NE-5	7/19/2017	6.67	0		S.U.
pH (Field)	NE-5	1/25/2018	6.89	0.01		S.U.
pH (Field)	NE-5	4/10/2018	6.79	0.01		S.U.
pH (Field)	NE-5	7/17/2018	6.78	0.01		S.U.
pH (Field)	NE-5	10/3/2018	6.72	0		S.U.
pH (Field)	NE-5	10/3/2018	6.72	0.01		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-5	1/4/2019	6.46	0.01		S.U.
pH (Field)	NE-5	4/2/2019	6.65	0.01		S.U.
pH (Field)	NE-5	4/2/2019	6.65	0.01		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	7/9/2019	6.78	0		S.U.
pH (Field)	NE-5	10/3/2019	6.96	0.01		S.U.
pH (Field)	NE-5	4/2/2020	6.9	0.01		S.U.
pH (Field)	NE-5	7/8/2020	6.92	0		S.U.
pH (Field)	NE-5	7/8/2020	6.92	0		S.U.
pH (Field)	NE-5	10/6/2020	6.9	0.01		S.U.
pH (Field)	NE-5	1/15/2021	6.46	0		S.U.
pH (Field)	NE-5	4/9/2021	6.68	0		S.U.
pH (Field)	NE-5	7/2/2021	6.71	0		S.U.
pH (Field)	NE-5	7/2/2021	6.71	0		S.U.
pH (Field)	NE-5	10/6/2021	6.83	0		S.U.
pH (Field)	NE-5	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5	4/6/2022	6.71	0		S.U.
pH (Field)	NE-5	7/13/2022	6.42	0		S.U.
pH (Field)	NE-5	10/7/2022	6.46	0		S.U.
pH (Field)	NE-5	1/5/2023	6.62	0		S.U.
pH (Field)	NE-5	4/7/2023	6.5	0		S.U.
pH (Field)	NE-5	7/6/2023	5.91	0		S.U.
pH (Field)	NE-5	10/4/2023	6.6	0		S.U.
pH (Field)	NE-5E	9/30/2019	7.32	0.01		S.U.
pH (Field)	NE-5E	4/1/2020	7.02	0.01		S.U.
pH (Field)	NE-5E	7/8/2020	6.95	0		S.U.
pH (Field)	NE-5E	7/8/2020	6.95	0		S.U.
pH (Field)	NE-5E	10/6/2020	6.92	0.01		S.U.
pH (Field)	NE-5E	1/15/2021	6.58	0		S.U.
pH (Field)	NE-5E	4/9/2021	6.91	0		S.U.
pH (Field)	NE-5E	7/2/2021	6.84	0		S.U.
pH (Field)	NE-5E	7/2/2021	6.84	0		S.U.
pH (Field)	NE-5E	10/6/2021	6.9	0		S.U.
pH (Field)	NE-5E	1/18/2022	6.98	0		S.U.
pH (Field)	NE-5E	1/18/2022	6.98	0		S.U.
pH (Field)	NE-5E	4/6/2022	6.88	0		S.U.
pH (Field)	NE-5E	7/13/2022	6.31	0		S.U.
pH (Field)	NE-5E	10/7/2022	6.38	0		S.U.
pH (Field)	NE-5E	1/5/2023	6.67	0		S.U.
pH (Field)	NE-5E	4/7/2023	6.58	0		S.U.
pH (Field)	NE-5E	7/6/2023	5.96	0		S.U.
pH (Field)	NE-5E	10/4/2023	6.61	0		S.U.
pH (Field)	NE-5W	9/30/2019	7.34	0.01		S.U.
pH (Field)	NE-5W	4/2/2020	6.86	0.01		S.U.
pH (Field)	NE-5W	7/8/2020	6.81	0		S.U.
pH (Field)	NE-5W	7/8/2020	6.81	0		S.U.
pH (Field)	NE-5W	10/6/2020	6.77	0.01		S.U.
pH (Field)	NE-5W	1/15/2021	6.5	0		S.U.
pH (Field)	NE-5W	4/9/2021	6.74	0		S.U.
pH (Field)	NE-5W	7/2/2021	6.66	0		S.U.
pH (Field)	NE-5W	7/2/2021	6.66	0		S.U.
pH (Field)	NE-5W	10/6/2021	6.72	0		S.U.
pH (Field)	NE-5W	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5W	1/18/2022	6.77	0		S.U.
pH (Field)	NE-5W	4/6/2022	6.65	0		S.U.
pH (Field)	NE-5W	7/13/2022	6.39	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-5W	10/7/2022	6.34	0		S.U.
pH (Field)	NE-5W	1/5/2023	6.71	0		S.U.
pH (Field)	NE-5W	4/7/2023	6.69	0		S.U.
pH (Field)	NE-5W	7/6/2023	5.95	0		S.U.
pH (Field)	NE-5W	10/4/2023	6.59	0		S.U.
pH (Field)	NE-6	1/12/2017	6.84	0		S.U.
pH (Field)	NE-6	4/5/2017	7.02	0		S.U.
pH (Field)	NE-6	7/19/2017	7.33	0		S.U.
pH (Field)	NE-6	10/6/2017	7.51	0		S.U.
pH (Field)	NE-6	2/4/2019	6.9	0		S.U.
pH (Field)	NE-6	7/9/2019	6.95	0		S.U.
pH (Field)	NE-6	8/6/2019	7.03	0.01		S.U.
pH (Field)	NE-6	1/15/2020	7.28	0		S.U.
pH (Field)	NE-6	7/9/2020	6.88	0		S.U.
pH (Field)	NE-6	7/9/2020	6.88	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	7/1/2021	6.92	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	1/17/2022	6.94	0		S.U.
pH (Field)	NE-6	7/12/2022	6.64	0		S.U.
pH (Field)	NE-6	1/5/2023	6.82	0		S.U.
pH (Field)	NE-6	7/6/2023	6.11	0		S.U.
pH (Field)	NE-6D	10/2/2019	7.01	0.01		S.U.
pH (Field)	NE-6D	4/2/2020	6.78	0.01		S.U.
pH (Field)	NE-6D	7/9/2020	6.8	0		S.U.
pH (Field)	NE-6D	7/9/2020	6.8	0		S.U.
pH (Field)	NE-6D	10/7/2020	6.67	0.01		S.U.
pH (Field)	NE-6D	1/15/2021	6.47	0		S.U.
pH (Field)	NE-6D	4/9/2021	6.84	0		S.U.
pH (Field)	NE-6D	7/2/2021	6.66	0		S.U.
pH (Field)	NE-6D	7/2/2021	6.66	0		S.U.
pH (Field)	NE-6D	10/7/2021	6.79	0		S.U.
pH (Field)	NE-6D	1/17/2022	6.85	0		S.U.
pH (Field)	NE-6D	1/17/2022	6.85	0		S.U.
pH (Field)	NE-6D	4/6/2022	6.69	0		S.U.
pH (Field)	NE-6D	7/12/2022	6.5	0		S.U.
pH (Field)	NE-6D	10/7/2022	6.68	0		S.U.
pH (Field)	NE-6D	1/5/2023	6.78	0		S.U.
pH (Field)	NE-6D	4/7/2023	6.7	0		S.U.
pH (Field)	NE-6D	7/6/2023	6.06	0		S.U.
pH (Field)	NE-6D	10/4/2023	6.68	0		S.U.
pH (Field)	NE-7	3/1/2017	6.8	0		S.U.
pH (Field)	NE-7	4/6/2017	7.18	0		S.U.
pH (Field)	NE-7	7/20/2017	6.44	0		S.U.
pH (Field)	NE-7	10/5/2017	7.41	0		S.U.
pH (Field)	NE-7	2/6/2019	6.52	0		S.U.
pH (Field)	NE-7	7/10/2019	6.47	0		S.U.
pH (Field)	NE-7	8/6/2019	7.1	0.01		S.U.
pH (Field)	NE-7	1/16/2020	6.34	0		S.U.
pH (Field)	NE-7	7/7/2020	6.33	0		S.U.
pH (Field)	NE-7	7/7/2020	6.33	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	7/1/2021	6.21	0		S.U.
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Field)	NE-7	1/17/2022	6.35	0		S.U.
pH (Field)	NE-7	7/12/2022	5.7	0		S.U.
pH (Field)	NE-7	1/5/2023	6.19	0		S.U.
pH (Field)	NE-7	7/6/2023	5.38	0		S.U.
pH (Field)	NE-8	1/12/2017	6.93	0		S.U.
pH (Field)	NE-8	4/5/2017	7.4	0		S.U.
pH (Field)	NE-8	7/20/2017	7.15	0		S.U.
pH (Field)	NE-8	10/6/2017	7.38	0		S.U.
pH (Field)	NE-8	2/4/2019	7.21	0		S.U.
pH (Field)	NE-8	7/11/2019	7.09	0		S.U.
pH (Field)	NE-8	8/5/2019	7.77	0.01		S.U.
pH (Field)	NE-8	1/15/2020	7.02	0		S.U.
pH (Field)	NE-8	7/8/2020	7	0		S.U.
pH (Field)	NE-8	7/8/2020	7	0		S.U.
pH (Field)	NE-8	10/7/2020	7.01	0.01		S.U.
pH (Field)	NE-8	10/7/2020	7.01	0.01		S.U.
pH (Field)	NE-8	4/9/2021	6.91	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	7/1/2021	6.83	0		S.U.
pH (Field)	NE-8	10/7/2021	6.78	0		S.U.
pH (Field)	NE-8	1/6/2023	6.55	0		S.U.
pH (Field)	NE-8	7/5/2023	5.56	0		S.U.
pH (Field)	NE-9	1/12/2017	6.7	0		S.U.
pH (Field)	NE-9	4/5/2017	6.77	0		S.U.
pH (Field)	NE-9	7/20/2017	6.75	0		S.U.
pH (Field)	NE-9	10/5/2017	7.79	0		S.U.
pH (Field)	NE-9	2/5/2019	6.52	0		S.U.
pH (Field)	NE-9	7/8/2019	6.42	0		S.U.
pH (Field)	NE-9	8/7/2019	6.78	0.01		S.U.
pH (Field)	NE-9	1/15/2020	6.69	0		S.U.
pH (Field)	NE-9	7/7/2020	6.56	0		S.U.
pH (Field)	NE-9	7/7/2020	6.56	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	7/1/2021	6.38	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	1/17/2022	6.47	0		S.U.
pH (Field)	NE-9	7/13/2022	6.04	0		S.U.
pH (Field)	NE-9	1/6/2023	6.06	0		S.U.
pH (Field)	NE-9	4/8/2023	6.24	0		S.U.
pH (Field)	NE-9	7/5/2023	5.22	0		S.U.
pH (Field)	NE-9	10/6/2023	6.32	0		S.U.
pH (Lab Test)	MW-10N	10/22/1997	7.62	0		S.U.
pH (Lab Test)	MW-10N	4/28/1998	7.4	0		S.U.
pH (Lab Test)	MW-10N	7/23/1998	7.02	0		S.U.
pH (Lab Test)	MW-10N	4/13/1999	7.39	0		S.U.
pH (Lab Test)	MW-11N	10/22/1997	7.27	0		S.U.
pH (Lab Test)	MW-11N	4/28/1998	7.39	0		S.U.
pH (Lab Test)	MW-11N	7/23/1998	6.84	0		S.U.
pH (Lab Test)	MW-11N	4/13/1999	7.3	0		S.U.
pH (Lab Test)	MW-1N	10/22/1997	7.61	0		S.U.
pH (Lab Test)	MW-1N	4/28/1998	7.64	0		S.U.
pH (Lab Test)	MW-1N	7/23/1998	7	0		S.U.
pH (Lab Test)	MW-1N	4/13/1999	6.81	0		S.U.
pH (Lab Test)	MW-2N	10/22/1997	7.67	0		S.U.

Constituent	Sample Point	Date	Result	Limit	ND	Units
pH (Lab Test)	MW-2N	4/28/1998	7.58	0		S.U.
pH (Lab Test)	MW-2N	7/22/1998	7.14	0		S.U.
pH (Lab Test)	MW-2N	4/13/1999	7.52	0		S.U.
pH (Lab Test)	MW-3N	10/21/1997	7.08	0		S.U.
pH (Lab Test)	MW-3N	4/28/1998	6.87	0		S.U.
pH (Lab Test)	MW-3N	7/23/1998	6.39	0		S.U.
pH (Lab Test)	MW-3N	4/13/1999	6.89	0		S.U.
pH (Lab Test)	MW-7N	10/21/1997	6.89	0		S.U.
pH (Lab Test)	MW-7N	7/22/1998	6.01	0		S.U.
pH (Lab Test)	MW-7N	8/18/1998	6.07	0		S.U.
pH (Lab Test)	MW-7N	9/17/1998	6.6	0		S.U.
pH (Lab Test)	MW-7N	11/9/1998	6.44	0		S.U.
pH (Lab Test)	MW-7N	4/14/1999	6.46	0		S.U.
pH (Lab Test)	MW-8N	10/21/1997	6.56	0		S.U.
pH (Lab Test)	MW-8N	4/28/1998	6.7	0		S.U.
pH (Lab Test)	MW-8N	7/22/1998	6.59	0		S.U.
pH (Lab Test)	MW-8N	4/13/1999	6.74	0		S.U.
Phenacetin	LGW-10	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-10	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-10	2/12/2015	19	19	ND	ug/L
Phenacetin	LGW-10	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-10	10/9/2017	19	19	ND	ug/L
Phenacetin	LGW-10	7/16/2018	19	19	ND	ug/L
Phenacetin	LGW-10	7/11/2019	20	20	ND	ug/L
Phenacetin	LGW-10	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-10	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-10	10/5/2023	10	10	ND	ug/L
Phenacetin	LGW-14R	10/27/2006	20	20	ND	ug/L
Phenacetin	LGW-14R	2/6/2009	20	20	ND	ug/L
Phenacetin	LGW-14R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-14R	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-14R	7/17/2018	20	20	ND	ug/L
Phenacetin	LGW-14R	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-2	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-2	2/13/2009	20	20	ND	ug/L
Phenacetin	LGW-2	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-2	2/13/2015	26	26	ND	ug/L
Phenacetin	LGW-2	7/12/2018	19	19	ND	ug/L
Phenacetin	LGW-2	7/8/2020	10	10	ND	ug/L
Phenacetin	LGW-2	7/4/2021	20	20	ND	ug/L
Phenacetin	LGW-3R	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-3R	2/3/2009	20	20	ND	ug/L
Phenacetin	LGW-3R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-3R	2/10/2015	19	19	ND	ug/L
Phenacetin	LGW-3R	7/11/2018	20	20	ND	ug/L
Phenacetin	LGW-3R	7/6/2021	20	20	ND	ug/L
Phenacetin	LGW-4	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-4	2/3/2009	20	20	ND	ug/L
Phenacetin	LGW-4	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-4	2/11/2015	19	19	ND	ug/L
Phenacetin	LGW-4	7/11/2018	20	20	ND	ug/L
Phenacetin	LGW-4	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-5	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-5	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-5	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-5	2/10/2015	19	19	ND	ug/L
Phenacetin	LGW-5	7/12/2018	20	20	ND	ug/L
Phenacetin	LGW-5	7/7/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	LGW-5	10/5/2023	10	10	ND	ug/L
Phenacetin	LGW-6	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-6	2/5/2009	20	20	ND	ug/L
Phenacetin	LGW-6	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-6	2/10/2015	20	20	ND	ug/L
Phenacetin	LGW-6	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-6	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-6	7/17/2018	20	20	ND	ug/L
Phenacetin	LGW-6	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-6	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-6	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-6	10/5/2023	10	10	ND	ug/L
Phenacetin	LGW-7	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-7	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-7	7/10/2012	19	19	ND	ug/L
Phenacetin	LGW-7	2/11/2015	19	19	ND	ug/L
Phenacetin	LGW-7	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-7	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-7	7/12/2018	20	20	ND	ug/L
Phenacetin	LGW-7	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-7	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-7	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-8R	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-8R	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-8R	7/9/2012	19	19	ND	ug/L
Phenacetin	LGW-8R	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-8R	7/13/2018	20	20	ND	ug/L
Phenacetin	LGW-8R	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-9	10/26/2006	20	20	ND	ug/L
Phenacetin	LGW-9	2/4/2009	20	20	ND	ug/L
Phenacetin	LGW-9	7/10/2012	19	19	ND	ug/L
Phenacetin	LGW-9	2/11/2015	20	20	ND	ug/L
Phenacetin	LGW-9	10/6/2016	19	19	ND	ug/L
Phenacetin	LGW-9	10/5/2017	19	19	ND	ug/L
Phenacetin	LGW-9	7/13/2018	19	19	ND	ug/L
Phenacetin	LGW-9	7/10/2019	20	20	ND	ug/L
Phenacetin	LGW-9	7/9/2020	10	10	ND	ug/L
Phenacetin	LGW-9	7/7/2021	20	20	ND	ug/L
Phenacetin	LGW-9	10/5/2023	10	10	ND	ug/L
Phenacetin	MW-10N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-10N	2/13/2009	20	20	ND	ug/L
Phenacetin	MW-10N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-10N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-10N	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-10N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-11N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-11N	2/3/2009	20	20	ND	ug/L
Phenacetin	MW-11N	7/9/2012	19	19	ND	ug/L
Phenacetin	MW-11N	2/10/2015	20	20	ND	ug/L
Phenacetin	MW-11N	7/17/2018	20	20	ND	ug/L
Phenacetin	MW-11N	7/6/2021	20	20	ND	ug/L
Phenacetin	MW-15	7/10/2018	20	20	ND	ug/L
Phenacetin	MW-15	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-16	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-16	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-17	7/10/2018	19	19	ND	ug/L
Phenacetin	MW-17	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-19	7/13/2018	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	MW-19	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-1N	10/14/1998	10	10	ND	ug/L
Phenacetin	MW-1N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-1N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-1N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-1N	2/5/2009	20	20	ND	ug/L
Phenacetin	MW-1N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-1N	2/10/2015	19	19	ND	ug/L
Phenacetin	MW-1N	7/10/2018	20	20	ND	ug/L
Phenacetin	MW-1N	7/6/2020	10	10	ND	ug/L
Phenacetin	MW-1N	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-20	7/12/2018	19	19	ND	ug/L
Phenacetin	MW-20	7/4/2021	20	20	ND	ug/L
Phenacetin	MW-21	10/5/2016	19	19	ND	ug/L
Phenacetin	MW-21	10/6/2017	19	19	ND	ug/L
Phenacetin	MW-21	7/11/2018	19	19	ND	ug/L
Phenacetin	MW-21	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-21	7/8/2020	10	10	ND	ug/L
Phenacetin	MW-21	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-2N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-2N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-2N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-2N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-2N	7/12/2018	20	20	ND	ug/L
Phenacetin	MW-2N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-3N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-3N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-3N	10/25/2006	20	20	ND	ug/L
Phenacetin	MW-3N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-3N	7/11/2012	19	19	ND	ug/L
Phenacetin	MW-3N	2/12/2015	20	20	ND	ug/L
Phenacetin	MW-3N	10/6/2016	19	19	ND	ug/L
Phenacetin	MW-3N	10/9/2017	19	19	ND	ug/L
Phenacetin	MW-3N	7/13/2018	19	19	ND	ug/L
Phenacetin	MW-3N	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-3N	7/7/2020	10	10	ND	ug/L
Phenacetin	MW-3N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-7N	10/15/1998	10	10	ND	ug/L
Phenacetin	MW-7N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-7N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-7N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-7N	2/6/2009	20	20	ND	ug/L
Phenacetin	MW-7N	7/10/2012	19	19	ND	ug/L
Phenacetin	MW-7N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-7N	10/5/2017	20	20	ND	ug/L
Phenacetin	MW-7N	7/13/2018	21	21	ND	ug/L
Phenacetin	MW-7N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-8N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-8N	5/29/2002	10	10	ND	ug/L
Phenacetin	MW-8N	10/24/2006	20	20	ND	ug/L
Phenacetin	MW-8N	1/24/2008	20	20	ND	ug/L
Phenacetin	MW-8N	2/4/2009	20	20	ND	ug/L
Phenacetin	MW-8N	5/10/2011	19	19	ND	ug/L
Phenacetin	MW-8N	7/11/2012	19	19	ND	ug/L
Phenacetin	MW-8N	10/2/2013	19	19	ND	ug/L
Phenacetin	MW-8N	10/8/2014	19	19	ND	ug/L
Phenacetin	MW-8N	2/12/2015	19	19	ND	ug/L
Phenacetin	MW-8N	10/6/2016	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenacetin	MW-8N	10/6/2017	19	19	ND	ug/L
Phenacetin	MW-8N	7/16/2018	20	20	ND	ug/L
Phenacetin	MW-8N	7/11/2019	20	20	ND	ug/L
Phenacetin	MW-8N	7/9/2020	10	10	ND	ug/L
Phenacetin	MW-8N	7/5/2021	20	20	ND	ug/L
Phenacetin	MW-8N	10/5/2023	10	10	ND	ug/L
Phenacetin	NE-1	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-1	2/7/2009	20	20	ND	ug/L
Phenacetin	NE-1	7/10/2012	19	19	ND	ug/L
Phenacetin	NE-1	2/11/2015	19	19	ND	ug/L
Phenacetin	NE-1	7/18/2018	19	19	ND	ug/L
Phenacetin	NE-2	7/10/2018	19	19	ND	ug/L
Phenacetin	NE-4	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-4	2/7/2009	20	20	ND	ug/L
Phenacetin	NE-4	7/10/2012	20	20	ND	ug/L
Phenacetin	NE-4	2/13/2015	19	19	ND	ug/L
Phenacetin	NE-4	7/12/2018	21	21	ND	ug/L
Phenacetin	NE-5	10/25/2006	20	20	ND	ug/L
Phenacetin	NE-5	2/6/2009	20	20	ND	ug/L
Phenacetin	NE-5	7/10/2012	19	19	ND	ug/L
Phenacetin	NE-5	2/11/2015	19	19	ND	ug/L
Phenacetin	NE-5	7/17/2018	19	19	ND	ug/L
Phenacetin	NE-5	7/9/2019	20	20	ND	ug/L
Phenanthrene	LGW-10	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Phenanthrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Phenanthrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Phenanthrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Phenanthrene	LGW-10	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-10	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-10	10/5/2023	20	20	ND	ug/L
Phenanthrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Phenanthrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Phenanthrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Phenanthrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Phenanthrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-2	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-2	2/13/2009	10	10	ND	ug/L
Phenanthrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-2	2/13/2015	13	13	ND	ug/L
Phenanthrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Phenanthrene	LGW-2	7/8/2020	1	1	ND	ug/L
Phenanthrene	LGW-2	7/4/2021	10	10	ND	ug/L
Phenanthrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-3R	2/3/2009	2.6	10	ND	ug/L
Phenanthrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Phenanthrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Phenanthrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Phenanthrene	LGW-4	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-4	2/3/2009	10	10	ND	ug/L
Phenanthrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Phenanthrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Phenanthrene	LGW-4	7/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	LGW-5	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-5	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Phenanthrene	LGW-5	7/12/2018	10	10	ND	ug/L
Phenanthrene	LGW-5	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-5	10/5/2023	20	20	ND	ug/L
Phenanthrene	LGW-6	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-6	2/5/2009	10	10	ND	ug/L
Phenanthrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-6	2/10/2015	10	10	ND	ug/L
Phenanthrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Phenanthrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Phenanthrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Phenanthrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Phenanthrene	LGW-6	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-6	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-6	10/5/2023	20	20	ND	ug/L
Phenanthrene	LGW-7	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-7	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Phenanthrene	LGW-7	7/12/2018	10	10	ND	ug/L
Phenanthrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Phenanthrene	LGW-7	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-7	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Phenanthrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Phenanthrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Phenanthrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-9	10/26/2006	10	10	ND	ug/L
Phenanthrene	LGW-9	2/4/2009	10	10	ND	ug/L
Phenanthrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Phenanthrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Phenanthrene	LGW-9	7/10/2019	10	10	ND	ug/L
Phenanthrene	LGW-9	7/9/2020	1	1	ND	ug/L
Phenanthrene	LGW-9	7/7/2021	10	10	ND	ug/L
Phenanthrene	LGW-9	10/5/2023	20	20	ND	ug/L
Phenanthrene	MW-10N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-10N	2/13/2009	10	10	ND	ug/L
Phenanthrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Phenanthrene	MW-10N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-11N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-11N	2/3/2009	10	10	ND	ug/L
Phenanthrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-11N	2/10/2015	10	10	ND	ug/L
Phenanthrene	MW-11N	7/17/2018	10	10	ND	ug/L
Phenanthrene	MW-11N	7/6/2021	10	10	ND	ug/L
Phenanthrene	MW-15	7/10/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	MW-15	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-16	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-17	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Phenanthrene	MW-19	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-1N	10/14/1998	10	10	ND	ug/L
Phenanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-1N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-1N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-1N	2/5/2009	10	10	ND	ug/L
Phenanthrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Phenanthrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Phenanthrene	MW-1N	7/6/2020	1	1	ND	ug/L
Phenanthrene	MW-1N	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-20	7/4/2021	10	10	ND	ug/L
Phenanthrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Phenanthrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-21	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-21	7/8/2020	1	1	ND	ug/L
Phenanthrene	MW-21	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-2N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-2N	2/4/2009	10	10	ND	ug/L
Phenanthrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Phenanthrene	MW-2N	7/12/2018	10	10	ND	ug/L
Phenanthrene	MW-2N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-3N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-3N	10/25/2006	10	10	ND	ug/L
Phenanthrene	MW-3N	2/4/2009	10	10	ND	ug/L
Phenanthrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Phenanthrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Phenanthrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Phenanthrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Phenanthrene	MW-3N	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-3N	7/7/2020	1	1	ND	ug/L
Phenanthrene	MW-3N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-7N	10/15/1998	10	10	ND	ug/L
Phenanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-7N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-7N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-7N	2/6/2009	10	10	ND	ug/L
Phenanthrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Phenanthrene	MW-7N	7/13/2018	10	10	ND	ug/L
Phenanthrene	MW-7N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-8N	5/29/2002	10	10	ND	ug/L
Phenanthrene	MW-8N	10/24/2006	10	10	ND	ug/L
Phenanthrene	MW-8N	1/24/2008	10	10	ND	ug/L
Phenanthrene	MW-8N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenanthrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Phenanthrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Phenanthrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Phenanthrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Phenanthrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Phenanthrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Phenanthrene	MW-8N	7/11/2019	10	10	ND	ug/L
Phenanthrene	MW-8N	7/9/2020	1	1	ND	ug/L
Phenanthrene	MW-8N	7/5/2021	10	10	ND	ug/L
Phenanthrene	MW-8N	10/5/2023	20	20	ND	ug/L
Phenanthrene	NE-1	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-1	2/7/2009	10	10	ND	ug/L
Phenanthrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Phenanthrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Phenanthrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Phenanthrene	NE-4	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-4	2/7/2009	10	10	ND	ug/L
Phenanthrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Phenanthrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Phenanthrene	NE-4	7/12/2018	10	10	ND	ug/L
Phenanthrene	NE-5	10/25/2006	10	10	ND	ug/L
Phenanthrene	NE-5	2/6/2009	10	10	ND	ug/L
Phenanthrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Phenanthrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Phenanthrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Phenanthrene	NE-5	7/9/2019	10	10	ND	ug/L
Phenol	LGW-10	10/26/2006	10	10	ND	ug/L
Phenol	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Phenol	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Phenol	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Phenol	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Phenol	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Phenol	LGW-10	7/9/2020	10	10	ND	ug/L
Phenol	LGW-10	7/7/2021	10	10	ND	ug/L
Phenol	LGW-10	10/5/2023	10	10	ND	ug/L
Phenol	LGW-14R	10/27/2006	10	10	ND	ug/L
Phenol	LGW-14R	2/6/2009	10	10	ND	ug/L
Phenol	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Phenol	LGW-14R	7/17/2018	10	10	ND	ug/L
Phenol	LGW-14R	7/7/2021	10	10	ND	ug/L
Phenol	LGW-2	10/26/2006	10	10	ND	ug/L
Phenol	LGW-2	2/13/2009	10	10	ND	ug/L
Phenol	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-2	2/13/2015	13	13	ND	ug/L
Phenol	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Phenol	LGW-2	7/8/2020	10	10	ND	ug/L
Phenol	LGW-2	7/4/2021	10	10	ND	ug/L
Phenol	LGW-3R	10/26/2006	10	10	ND	ug/L
Phenol	LGW-3R	2/3/2009	10	10	ND	ug/L
Phenol	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Phenol	LGW-3R	7/11/2018	10	10	ND	ug/L
Phenol	LGW-3R	7/6/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	LGW-4	10/26/2006	10	10	ND	ug/L
Phenol	LGW-4	2/3/2009	10	10	ND	ug/L
Phenol	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Phenol	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Phenol	LGW-4	7/7/2021	10	10	ND	ug/L
Phenol	LGW-5	10/26/2006	10	10	ND	ug/L
Phenol	LGW-5	2/4/2009	10	10	ND	ug/L
Phenol	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Phenol	LGW-5	7/12/2018	10	10	ND	ug/L
Phenol	LGW-5	7/7/2021	10	10	ND	ug/L
Phenol	LGW-5	10/5/2023	10	10	ND	ug/L
Phenol	LGW-6	10/26/2006	10	10	ND	ug/L
Phenol	LGW-6	2/5/2009	10	10	ND	ug/L
Phenol	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Phenol	LGW-6	2/10/2015	10	10	ND	ug/L
Phenol	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Phenol	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Phenol	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Phenol	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Phenol	LGW-6	7/9/2020	10	10	ND	ug/L
Phenol	LGW-6	7/7/2021	10	10	ND	ug/L
Phenol	LGW-6	10/5/2023	10	10	ND	ug/L
Phenol	LGW-7	10/26/2006	10	10	ND	ug/L
Phenol	LGW-7	2/4/2009	10	10	ND	ug/L
Phenol	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Phenol	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Phenol	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Phenol	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Phenol	LGW-7	7/12/2018	10	10	ND	ug/L
Phenol	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Phenol	LGW-7	7/9/2020	10	10	ND	ug/L
Phenol	LGW-7	7/7/2021	10	10	ND	ug/L
Phenol	LGW-8R	10/26/2006	10	10	ND	ug/L
Phenol	LGW-8R	2/4/2009	10	10	ND	ug/L
Phenol	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Phenol	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Phenol	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Phenol	LGW-8R	7/7/2021	10	10	ND	ug/L
Phenol	LGW-9	10/26/2006	10	10	ND	ug/L
Phenol	LGW-9	2/4/2009	10	10	ND	ug/L
Phenol	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Phenol	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Phenol	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Phenol	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Phenol	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Phenol	LGW-9	7/10/2019	10	10	ND	ug/L
Phenol	LGW-9	7/9/2020	10	10	ND	ug/L
Phenol	LGW-9	7/7/2021	10	10	ND	ug/L
Phenol	LGW-9	10/5/2023	10	10	ND	ug/L
Phenol	MW-10N	10/25/2006	10	10	ND	ug/L
Phenol	MW-10N	2/13/2009	10	10	ND	ug/L
Phenol	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Phenol	MW-10N	7/5/2021	10	10	ND	ug/L
Phenol	MW-11N	10/25/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	MW-11N	2/3/2009	10	10	ND	ug/L
Phenol	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Phenol	MW-11N	2/10/2015	10	10	ND	ug/L
Phenol	MW-11N	7/17/2018	10	10	ND	ug/L
Phenol	MW-11N	7/6/2021	10	10	ND	ug/L
Phenol	MW-15	7/10/2018	10	10	ND	ug/L
Phenol	MW-15	7/4/2021	10	10	ND	ug/L
Phenol	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Phenol	MW-16	7/4/2021	10	10	ND	ug/L
Phenol	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Phenol	MW-17	7/4/2021	10	10	ND	ug/L
Phenol	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Phenol	MW-19	7/4/2021	10	10	ND	ug/L
Phenol	MW-1N	10/14/1998	10	10	ND	ug/L
Phenol	MW-1N	5/29/2002	10	10	ND	ug/L
Phenol	MW-1N	5/29/2002	10	10	ND	ug/L
Phenol	MW-1N	10/24/2006	10	10	ND	ug/L
Phenol	MW-1N	2/5/2009	10	10	ND	ug/L
Phenol	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Phenol	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Phenol	MW-1N	7/6/2020	10	10	ND	ug/L
Phenol	MW-1N	7/4/2021	10	10	ND	ug/L
Phenol	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Phenol	MW-20	7/4/2021	10	10	ND	ug/L
Phenol	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Phenol	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Phenol	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Phenol	MW-21	7/11/2019	10	10	ND	ug/L
Phenol	MW-21	7/8/2020	10	10	ND	ug/L
Phenol	MW-21	7/5/2021	10	10	ND	ug/L
Phenol	MW-2N	10/25/2006	10	10	ND	ug/L
Phenol	MW-2N	2/4/2009	10	10	ND	ug/L
Phenol	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Phenol	MW-2N	7/12/2018	10	10	ND	ug/L
Phenol	MW-2N	7/5/2021	10	10	ND	ug/L
Phenol	MW-3N	5/29/2002	10	10	ND	ug/L
Phenol	MW-3N	5/29/2002	10	10	ND	ug/L
Phenol	MW-3N	10/25/2006	10	10	ND	ug/L
Phenol	MW-3N	2/4/2009	10	10	ND	ug/L
Phenol	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Phenol	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Phenol	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Phenol	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Phenol	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Phenol	MW-3N	7/11/2019	10	10	ND	ug/L
Phenol	MW-3N	7/7/2020	10	10	ND	ug/L
Phenol	MW-3N	7/5/2021	10	10	ND	ug/L
Phenol	MW-7N	10/15/1998	10	10	ND	ug/L
Phenol	MW-7N	5/29/2002	10	10	ND	ug/L
Phenol	MW-7N	5/29/2002	10	10	ND	ug/L
Phenol	MW-7N	10/24/2006	10	10	ND	ug/L
Phenol	MW-7N	2/6/2009	10	10	ND	ug/L
Phenol	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Phenol	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Phenol	MW-7N	7/13/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phenol	MW-7N	7/5/2021	10	10	ND	ug/L
Phenol	MW-8N	5/29/2002	10	10	ND	ug/L
Phenol	MW-8N	5/29/2002	10	10	ND	ug/L
Phenol	MW-8N	10/24/2006	10	10	ND	ug/L
Phenol	MW-8N	1/24/2008	10	10	ND	ug/L
Phenol	MW-8N	2/4/2009	10	10	ND	ug/L
Phenol	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Phenol	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Phenol	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Phenol	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Phenol	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Phenol	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Phenol	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Phenol	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Phenol	MW-8N	7/11/2019	10	10	ND	ug/L
Phenol	MW-8N	7/9/2020	10	10	ND	ug/L
Phenol	MW-8N	7/5/2021	10	10	ND	ug/L
Phenol	MW-8N	10/5/2023	10	10	ND	ug/L
Phenol	NE-1	10/25/2006	10	10	ND	ug/L
Phenol	NE-1	2/7/2009	10	10	ND	ug/L
Phenol	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Phenol	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Phenol	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Phenol	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Phenol	NE-4	10/25/2006	10	10	ND	ug/L
Phenol	NE-4	2/7/2009	10	10	ND	ug/L
Phenol	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Phenol	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Phenol	NE-4	7/12/2018	10	10	ND	ug/L
Phenol	NE-5	10/25/2006	10	10	ND	ug/L
Phenol	NE-5	2/6/2009	10	10	ND	ug/L
Phenol	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Phenol	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Phenol	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Phenol	NE-5	7/9/2019	10	10	ND	ug/L
Phorate	LGW-10	10/26/2006	50	50	ND	ug/L
Phorate	LGW-10	7/9/2012	47	47	ND	ug/L
Phorate	LGW-10	2/12/2015	48	48	ND	ug/L
Phorate	LGW-10	10/6/2016	47	47	ND	ug/L
Phorate	LGW-10	10/9/2017	48	48	ND	ug/L
Phorate	LGW-10	7/16/2018	48	48	ND	ug/L
Phorate	LGW-10	7/11/2019	50	50	ND	ug/L
Phorate	LGW-10	7/9/2020	50	50	ND	ug/L
Phorate	LGW-10	7/7/2021	50	50	ND	ug/L
Phorate	LGW-10	10/5/2023	50	50	ND	ug/L
Phorate	LGW-14R	10/27/2006	50	50	ND	ug/L
Phorate	LGW-14R	2/6/2009	50	50	ND	ug/L
Phorate	LGW-14R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-14R	2/11/2015	49	49	ND	ug/L
Phorate	LGW-14R	7/17/2018	51	51	ND	ug/L
Phorate	LGW-14R	7/7/2021	50	50	ND	ug/L
Phorate	LGW-2	10/26/2006	50	50	ND	ug/L
Phorate	LGW-2	2/13/2009	50	50	ND	ug/L
Phorate	LGW-2	7/9/2012	47	47	ND	ug/L
Phorate	LGW-2	2/13/2015	65	65	ND	ug/L
Phorate	LGW-2	7/12/2018	49	49	ND	ug/L
Phorate	LGW-2	7/8/2020	50	50	ND	ug/L
Phorate	LGW-2	7/4/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	LGW-3R	10/26/2006	50	50	ND	ug/L
Phorate	LGW-3R	2/3/2009	50	50	ND	ug/L
Phorate	LGW-3R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-3R	2/10/2015	49	49	ND	ug/L
Phorate	LGW-3R	7/11/2018	50	50	ND	ug/L
Phorate	LGW-3R	7/6/2021	50	50	ND	ug/L
Phorate	LGW-4	10/26/2006	50	50	ND	ug/L
Phorate	LGW-4	2/3/2009	50	50	ND	ug/L
Phorate	LGW-4	7/9/2012	47	47	ND	ug/L
Phorate	LGW-4	2/11/2015	48	48	ND	ug/L
Phorate	LGW-4	7/11/2018	50	50	ND	ug/L
Phorate	LGW-4	7/7/2021	50	50	ND	ug/L
Phorate	LGW-5	10/26/2006	50	50	ND	ug/L
Phorate	LGW-5	2/4/2009	50	50	ND	ug/L
Phorate	LGW-5	7/9/2012	47	47	ND	ug/L
Phorate	LGW-5	2/10/2015	48	48	ND	ug/L
Phorate	LGW-5	7/12/2018	50	50	ND	ug/L
Phorate	LGW-5	7/7/2021	50	50	ND	ug/L
Phorate	LGW-5	10/5/2023	50	50	ND	ug/L
Phorate	LGW-6	10/26/2006	50	50	ND	ug/L
Phorate	LGW-6	2/5/2009	50	50	ND	ug/L
Phorate	LGW-6	7/9/2012	47	47	ND	ug/L
Phorate	LGW-6	2/10/2015	50	50	ND	ug/L
Phorate	LGW-6	10/6/2016	48	48	ND	ug/L
Phorate	LGW-6	10/5/2017	48	48	ND	ug/L
Phorate	LGW-6	7/17/2018	49	49	ND	ug/L
Phorate	LGW-6	7/10/2019	49	49	ND	ug/L
Phorate	LGW-6	7/9/2020	50	50	ND	ug/L
Phorate	LGW-6	7/7/2021	50	50	ND	ug/L
Phorate	LGW-6	10/5/2023	50	50	ND	ug/L
Phorate	LGW-7	10/26/2006	50	50	ND	ug/L
Phorate	LGW-7	2/4/2009	50	50	ND	ug/L
Phorate	LGW-7	7/10/2012	47	47	ND	ug/L
Phorate	LGW-7	2/11/2015	48	48	ND	ug/L
Phorate	LGW-7	10/6/2016	48	48	ND	ug/L
Phorate	LGW-7	10/5/2017	48	48	ND	ug/L
Phorate	LGW-7	7/12/2018	51	51	ND	ug/L
Phorate	LGW-7	7/10/2019	49	49	ND	ug/L
Phorate	LGW-7	7/9/2020	50	50	ND	ug/L
Phorate	LGW-7	7/7/2021	50	50	ND	ug/L
Phorate	LGW-8R	10/26/2006	50	50	ND	ug/L
Phorate	LGW-8R	2/4/2009	50	50	ND	ug/L
Phorate	LGW-8R	7/9/2012	47	47	ND	ug/L
Phorate	LGW-8R	2/11/2015	49	49	ND	ug/L
Phorate	LGW-8R	7/13/2018	49	49	ND	ug/L
Phorate	LGW-8R	7/7/2021	50	50	ND	ug/L
Phorate	LGW-9	10/26/2006	50	50	ND	ug/L
Phorate	LGW-9	2/4/2009	50	50	ND	ug/L
Phorate	LGW-9	7/10/2012	47	47	ND	ug/L
Phorate	LGW-9	2/11/2015	49	49	ND	ug/L
Phorate	LGW-9	10/6/2016	48	48	ND	ug/L
Phorate	LGW-9	10/5/2017	48	48	ND	ug/L
Phorate	LGW-9	7/13/2018	47	47	ND	ug/L
Phorate	LGW-9	7/10/2019	51	51	ND	ug/L
Phorate	LGW-9	7/9/2020	50	50	ND	ug/L
Phorate	LGW-9	7/7/2021	50	50	ND	ug/L
Phorate	LGW-9	10/5/2023	50	50	ND	ug/L
Phorate	MW-10N	10/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	MW-10N	2/13/2009	50	50	ND	ug/L
Phorate	MW-10N	7/10/2012	47	47	ND	ug/L
Phorate	MW-10N	2/12/2015	48	48	ND	ug/L
Phorate	MW-10N	7/11/2018	48	48	ND	ug/L
Phorate	MW-10N	7/5/2021	50	50	ND	ug/L
Phorate	MW-11N	10/25/2006	50	50	ND	ug/L
Phorate	MW-11N	2/3/2009	50	50	ND	ug/L
Phorate	MW-11N	7/9/2012	47	47	ND	ug/L
Phorate	MW-11N	2/10/2015	50	50	ND	ug/L
Phorate	MW-11N	7/17/2018	50	50	ND	ug/L
Phorate	MW-11N	7/6/2021	50	50	ND	ug/L
Phorate	MW-15	7/10/2018	51	51	ND	ug/L
Phorate	MW-15	7/4/2021	50	50	ND	ug/L
Phorate	MW-16	7/11/2018	48	48	ND	ug/L
Phorate	MW-16	7/4/2021	50	50	ND	ug/L
Phorate	MW-17	7/10/2018	47	47	ND	ug/L
Phorate	MW-17	7/4/2021	50	50	ND	ug/L
Phorate	MW-19	7/13/2018	48	48	ND	ug/L
Phorate	MW-19	7/4/2021	50	50	ND	ug/L
Phorate	MW-1N	10/14/1998	10	10	ND	ug/L
Phorate	MW-1N	5/29/2002	10	10	ND	ug/L
Phorate	MW-1N	5/29/2002	10	10	ND	ug/L
Phorate	MW-1N	10/24/2006	50	50	ND	ug/L
Phorate	MW-1N	2/5/2009	50	50	ND	ug/L
Phorate	MW-1N	7/10/2012	47	47	ND	ug/L
Phorate	MW-1N	2/10/2015	47	47	ND	ug/L
Phorate	MW-1N	7/10/2018	49	49	ND	ug/L
Phorate	MW-1N	7/6/2020	50	50	ND	ug/L
Phorate	MW-1N	7/4/2021	50	50	ND	ug/L
Phorate	MW-20	7/12/2018	47	47	ND	ug/L
Phorate	MW-20	7/4/2021	50	50	ND	ug/L
Phorate	MW-21	10/5/2016	48	48	ND	ug/L
Phorate	MW-21	10/6/2017	48	48	ND	ug/L
Phorate	MW-21	7/11/2018	48	48	ND	ug/L
Phorate	MW-21	7/11/2019	50	50	ND	ug/L
Phorate	MW-21	7/8/2020	50	50	ND	ug/L
Phorate	MW-21	7/5/2021	50	50	ND	ug/L
Phorate	MW-2N	10/25/2006	50	50	ND	ug/L
Phorate	MW-2N	2/4/2009	50	50	ND	ug/L
Phorate	MW-2N	7/10/2012	47	47	ND	ug/L
Phorate	MW-2N	2/12/2015	48	48	ND	ug/L
Phorate	MW-2N	7/12/2018	51	51	ND	ug/L
Phorate	MW-2N	7/5/2021	50	50	ND	ug/L
Phorate	MW-3N	5/29/2002	10	10	ND	ug/L
Phorate	MW-3N	5/29/2002	10	10	ND	ug/L
Phorate	MW-3N	10/25/2006	50	50	ND	ug/L
Phorate	MW-3N	2/4/2009	50	50	ND	ug/L
Phorate	MW-3N	7/11/2012	47	47	ND	ug/L
Phorate	MW-3N	2/12/2015	49	49	ND	ug/L
Phorate	MW-3N	10/6/2016	48	48	ND	ug/L
Phorate	MW-3N	10/9/2017	48	48	ND	ug/L
Phorate	MW-3N	7/13/2018	47	47	ND	ug/L
Phorate	MW-3N	7/11/2019	50	50	ND	ug/L
Phorate	MW-3N	7/7/2020	50	50	ND	ug/L
Phorate	MW-3N	7/5/2021	50	50	ND	ug/L
Phorate	MW-7N	10/15/1998	10	10	ND	ug/L
Phorate	MW-7N	5/29/2002	10	10	ND	ug/L
Phorate	MW-7N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Phorate	MW-7N	10/24/2006	50	50	ND	ug/L
Phorate	MW-7N	2/6/2009	50	50	ND	ug/L
Phorate	MW-7N	7/10/2012	47	47	ND	ug/L
Phorate	MW-7N	2/12/2015	49	49	ND	ug/L
Phorate	MW-7N	10/5/2017	49	49	ND	ug/L
Phorate	MW-7N	7/13/2018	52	52	ND	ug/L
Phorate	MW-7N	7/5/2021	50	50	ND	ug/L
Phorate	MW-8N	5/29/2002	10	10	ND	ug/L
Phorate	MW-8N	5/29/2002	10	10	ND	ug/L
Phorate	MW-8N	10/24/2006	50	50	ND	ug/L
Phorate	MW-8N	1/24/2008	50	50	ND	ug/L
Phorate	MW-8N	2/4/2009	50	50	ND	ug/L
Phorate	MW-8N	5/10/2011	48	48	ND	ug/L
Phorate	MW-8N	7/11/2012	47	47	ND	ug/L
Phorate	MW-8N	10/2/2013	48	48	ND	ug/L
Phorate	MW-8N	10/8/2014	48	48	ND	ug/L
Phorate	MW-8N	2/12/2015	48	48	ND	ug/L
Phorate	MW-8N	10/6/2016	48	48	ND	ug/L
Phorate	MW-8N	10/6/2017	48	48	ND	ug/L
Phorate	MW-8N	7/16/2018	49	49	ND	ug/L
Phorate	MW-8N	7/11/2019	50	50	ND	ug/L
Phorate	MW-8N	7/9/2020	50	50	ND	ug/L
Phorate	MW-8N	7/5/2021	50	50	ND	ug/L
Phorate	MW-8N	10/5/2023	50	50	ND	ug/L
Phorate	NE-1	10/25/2006	50	50	ND	ug/L
Phorate	NE-1	2/7/2009	50	50	ND	ug/L
Phorate	NE-1	7/10/2012	48	48	ND	ug/L
Phorate	NE-1	2/11/2015	48	48	ND	ug/L
Phorate	NE-1	7/18/2018	48	48	ND	ug/L
Phorate	NE-2	7/10/2018	48	48	ND	ug/L
Phorate	NE-4	10/25/2006	50	50	ND	ug/L
Phorate	NE-4	2/7/2009	50	50	ND	ug/L
Phorate	NE-4	7/10/2012	49	49	ND	ug/L
Phorate	NE-4	2/13/2015	48	48	ND	ug/L
Phorate	NE-4	7/12/2018	52	52	ND	ug/L
Phorate	NE-5	10/25/2006	50	50	ND	ug/L
Phorate	NE-5	2/6/2009	50	50	ND	ug/L
Phorate	NE-5	7/10/2012	47	47	ND	ug/L
Phorate	NE-5	2/11/2015	48	48	ND	ug/L
Phorate	NE-5	7/17/2018	48	48	ND	ug/L
Phorate	NE-5	7/9/2019	50	50	ND	ug/L
Potassium, dissolved	LGW-14R	1/25/2006	1.3	0.15		mg/L
Potassium, dissolved	LGW-2	1/25/2006	2.1	0.15		mg/L
Potassium, dissolved	LGW-4	1/24/2006	1.8	0.15		mg/L
Potassium, dissolved	LGW-5	1/25/2006	1.7	0.15		mg/L
Potassium, dissolved	LGW-6	1/24/2006	1.9	0.15		mg/L
Potassium, dissolved	LGW-7	1/25/2006	1	0.15		mg/L
Potassium, dissolved	LGW-8R	1/24/2006	2.7	0.15		mg/L
Potassium, dissolved	MW-10N	7/10/2002	2	0.15		mg/L
Potassium, dissolved	MW-10N	10/2/2002	1.4	0.15		mg/L
Potassium, dissolved	MW-11N	7/9/2002	1.1	0.15		mg/L
Potassium, dissolved	MW-11N	10/2/2002	0.84	0.15		mg/L
Potassium, dissolved	MW-1N	7/9/2002	1.9	0.15		mg/L
Potassium, dissolved	MW-1N	10/3/2002	1.2	0.15		mg/L
Potassium, dissolved	MW-2N	7/10/2002	1.2	0.15		mg/L
Potassium, dissolved	MW-2N	10/2/2002	0.98	0.15		mg/L
Potassium, dissolved	MW-3N	7/9/2002	3.1	0.15		mg/L
Potassium, dissolved	MW-3N	10/2/2002	3.1	0.15		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, dissolved	MW-7N	7/9/2002	4.2	0.15		mg/L
Potassium, dissolved	MW-7N	10/2/2002	4.4	0.15		mg/L
Potassium, dissolved	MW-8N	7/9/2002	1.4	0.15		mg/L
Potassium, dissolved	MW-8N	10/2/2002	1.1	0.15		mg/L
Potassium, dissolved	NE-1	7/10/2002	0.82	0.15		mg/L
Potassium, dissolved	NE-1	8/6/2002	0.52	0.15		mg/L
Potassium, dissolved	NE-1	9/4/2002	0.65	0.15		mg/L
Potassium, dissolved	NE-1	10/2/2002	0.71	0.15		mg/L
Potassium, dissolved	NE-2	7/9/2002	13	0.15		mg/L
Potassium, dissolved	NE-2	8/6/2002	7.9	0.15		mg/L
Potassium, dissolved	NE-2	9/4/2002	14.4	0.15		mg/L
Potassium, dissolved	NE-2	10/2/2002	10.9	0.15		mg/L
Potassium, dissolved	NE-4	7/10/2002	1.4	0.15		mg/L
Potassium, dissolved	NE-4	8/6/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-4	9/4/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-4	10/3/2002	1.2	0.15		mg/L
Potassium, dissolved	NE-5	7/9/2002	0.83	0.15		mg/L
Potassium, dissolved	NE-5	8/6/2002	0.77	0.15		mg/L
Potassium, dissolved	NE-5	9/4/2002	1.4	0.15		mg/L
Potassium, dissolved	NE-5	10/2/2002	1.2	0.15		mg/L
Potassium, total	LGW-10	1/26/2006	1	1		mg/L
Potassium, total	LGW-10	8/1/2006	2	3	ND	mg/L
Potassium, total	LGW-10	8/1/2006	2	3	ND	mg/L
Potassium, total	LGW-10	1/25/2007	1.6	3	ND	mg/L
Potassium, total	LGW-10	4/26/2007	2.1	3	ND	mg/L
Potassium, total	LGW-10	7/12/2007	1.7	3	ND	mg/L
Potassium, total	LGW-10	1/23/2008	1.3	3	ND	mg/L
Potassium, total	LGW-10	7/22/2008	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/29/2009	1.5	3	ND	mg/L
Potassium, total	LGW-10	2/3/2010	1.5	3	ND	mg/L
Potassium, total	LGW-10	2/3/2010	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/16/2010	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/19/2011	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/12/2011	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/5/2012	1.2	3	ND	mg/L
Potassium, total	LGW-10	7/9/2012	1.2	3	ND	mg/L
Potassium, total	LGW-10	5/1/2013	1.4	3	ND	mg/L
Potassium, total	LGW-10	1/30/2014	1.2	3	ND	mg/L
Potassium, total	LGW-10	7/9/2014	1.3	3	ND	mg/L
Potassium, total	LGW-10	2/12/2015	1.5	3	ND	mg/L
Potassium, total	LGW-10	7/13/2015	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/5/2016	1.3	3	ND	mg/L
Potassium, total	LGW-10	4/6/2016	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/21/2016	0.95	3	ND	mg/L
Potassium, total	LGW-10	10/6/2016	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/11/2017	1.1	3	ND	mg/L
Potassium, total	LGW-10	4/4/2017	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/19/2017	0.72	3	ND	mg/L
Potassium, total	LGW-10	10/9/2017	0.98	3	ND	mg/L
Potassium, total	LGW-10	1/24/2018	1.1	3	ND	mg/L
Potassium, total	LGW-10	4/11/2018	0.54	3	ND	mg/L
Potassium, total	LGW-10	7/16/2018	0.94	3	ND	mg/L
Potassium, total	LGW-10	10/4/2018	1.1	3	ND	mg/L
Potassium, total	LGW-10	1/4/2019	1.2	3	ND	mg/L
Potassium, total	LGW-10	4/3/2019	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/11/2019	1.1	3	ND	mg/L
Potassium, total	LGW-10	7/11/2019	1.3	3	ND	mg/L
Potassium, total	LGW-10	10/2/2019	1	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-10	1/15/2020	3	3	ND	mg/L
Potassium, total	LGW-10	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-10	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-10	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-10	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-10	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-10	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-10	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-10	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-14R	1/25/2006	7.7	1		mg/L
Potassium, total	LGW-14R	8/2/2006	3	3		mg/L
Potassium, total	LGW-14R	8/2/2006	3	3		mg/L
Potassium, total	LGW-14R	1/24/2007	1.9	3	ND	mg/L
Potassium, total	LGW-14R	4/24/2007	2.9	3	ND	mg/L
Potassium, total	LGW-14R	7/11/2007	4	3		mg/L
Potassium, total	LGW-14R	1/23/2008	1.8	3	ND	mg/L
Potassium, total	LGW-14R	7/22/2008	1.5	3	ND	mg/L
Potassium, total	LGW-14R	2/6/2009	1.2	3	ND	mg/L
Potassium, total	LGW-14R	7/29/2009	0.75	3	ND	mg/L
Potassium, total	LGW-14R	2/3/2010	0.75	3	ND	mg/L
Potassium, total	LGW-14R	2/3/2010	0.75	3	ND	mg/L
Potassium, total	LGW-14R	7/12/2010	0.88	3	ND	mg/L
Potassium, total	LGW-14R	1/19/2011	1.1	3	ND	mg/L
Potassium, total	LGW-14R	7/12/2011	1	3	ND	mg/L
Potassium, total	LGW-14R	1/5/2012	0.63	3	ND	mg/L
Potassium, total	LGW-14R	7/9/2012	1.1	3	ND	mg/L
Potassium, total	LGW-14R	4/30/2013	0.8	3	ND	mg/L
Potassium, total	LGW-14R	1/23/2014	0.7	3	ND	mg/L
Potassium, total	LGW-14R	7/8/2014	0.97	3	ND	mg/L
Potassium, total	LGW-14R	2/11/2015	0.92	3	ND	mg/L
Potassium, total	LGW-14R	7/22/2015	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/5/2016	1.3	3	ND	mg/L
Potassium, total	LGW-14R	7/19/2016	1.2	3	ND	mg/L
Potassium, total	LGW-14R	1/11/2017	1.4	3	ND	mg/L
Potassium, total	LGW-14R	7/18/2017	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/25/2018	2	3	ND	mg/L
Potassium, total	LGW-14R	7/17/2018	1.3	3	ND	mg/L
Potassium, total	LGW-14R	1/3/2019	1.5	3	ND	mg/L
Potassium, total	LGW-14R	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-14R	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-14R	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-14R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-14R	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-14R	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-14R	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-14R	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-2	1/25/2006	2.3	1		mg/L
Potassium, total	LGW-2	8/1/2006	4.3	3		mg/L
Potassium, total	LGW-2	8/1/2006	4.3	3		mg/L
Potassium, total	LGW-2	1/25/2007	5.8	3		mg/L
Potassium, total	LGW-2	4/26/2007	4	3		mg/L
Potassium, total	LGW-2	7/10/2007	5.5	3		mg/L
Potassium, total	LGW-2	1/26/2008	2	3	ND	mg/L
Potassium, total	LGW-2	7/23/2008	3.7	3		mg/L
Potassium, total	LGW-2	2/6/2009	2.8	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-2	7/30/2009	2.3	3	ND	mg/L
Potassium, total	LGW-2	2/3/2010	2	3	ND	mg/L
Potassium, total	LGW-2	2/3/2010	2	3	ND	mg/L
Potassium, total	LGW-2	7/12/2010	1.9	3	ND	mg/L
Potassium, total	LGW-2	1/19/2011	2.5	3	ND	mg/L
Potassium, total	LGW-2	7/13/2011	1.2	3	ND	mg/L
Potassium, total	LGW-2	1/4/2012	0.55	3	ND	mg/L
Potassium, total	LGW-2	7/9/2012	0.76	3	ND	mg/L
Potassium, total	LGW-2	4/30/2013	0.55	3	ND	mg/L
Potassium, total	LGW-2	7/15/2013	0.56	3	ND	mg/L
Potassium, total	LGW-2	1/30/2014	0.82	3	ND	mg/L
Potassium, total	LGW-2	7/8/2014	1.1	3	ND	mg/L
Potassium, total	LGW-2	2/13/2015	0.61	3	ND	mg/L
Potassium, total	LGW-2	7/8/2015	0.8	3	ND	mg/L
Potassium, total	LGW-2	1/5/2016	0.66	3	ND	mg/L
Potassium, total	LGW-2	7/19/2016	0.42	3	ND	mg/L
Potassium, total	LGW-2	1/11/2017	0.78	3	ND	mg/L
Potassium, total	LGW-2	7/18/2017	3	3	ND	mg/L
Potassium, total	LGW-2	1/23/2018	0.47	3	ND	mg/L
Potassium, total	LGW-2	7/12/2018	0.5	3	ND	mg/L
Potassium, total	LGW-2	1/3/2019	0.54	3	ND	mg/L
Potassium, total	LGW-2	7/9/2019	0.61	3	ND	mg/L
Potassium, total	LGW-2	1/13/2020	3	3	ND	mg/L
Potassium, total	LGW-2	7/8/2020	3	3	ND	mg/L
Potassium, total	LGW-2	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-2	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-2	7/4/2021	3	3	ND	mg/L
Potassium, total	LGW-2	7/4/2021	3	3	ND	mg/L
Potassium, total	LGW-2	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-2	7/10/2022	3	3	ND	mg/L
Potassium, total	LGW-2	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-2	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-3R	1/24/2006	1.3	1		mg/L
Potassium, total	LGW-3R	7/20/2006	1.4	3	ND	mg/L
Potassium, total	LGW-3R	7/20/2006	1.4	3	ND	mg/L
Potassium, total	LGW-3R	1/25/2007	2.8	3	ND	mg/L
Potassium, total	LGW-3R	4/26/2007	3.2	3		mg/L
Potassium, total	LGW-3R	7/11/2007	3.4	3		mg/L
Potassium, total	LGW-3R	1/26/2008	1.6	3	ND	mg/L
Potassium, total	LGW-3R	7/23/2008	1.8	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2009	2.6	3	ND	mg/L
Potassium, total	LGW-3R	7/31/2009	2.5	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-3R	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-3R	7/16/2010	2.5	3	ND	mg/L
Potassium, total	LGW-3R	1/19/2011	2.2	3	ND	mg/L
Potassium, total	LGW-3R	7/13/2011	1.9	3	ND	mg/L
Potassium, total	LGW-3R	1/4/2012	2.1	3	ND	mg/L
Potassium, total	LGW-3R	7/9/2012	1.9	3	ND	mg/L
Potassium, total	LGW-3R	4/30/2013	1.6	3	ND	mg/L
Potassium, total	LGW-3R	7/15/2013	2.1	3	ND	mg/L
Potassium, total	LGW-3R	1/22/2014	2	3	ND	mg/L
Potassium, total	LGW-3R	7/8/2014	1.8	3	ND	mg/L
Potassium, total	LGW-3R	2/10/2015	1.4	3	ND	mg/L
Potassium, total	LGW-3R	7/16/2015	2.5	3	ND	mg/L
Potassium, total	LGW-3R	1/8/2016	0.56	3	ND	mg/L
Potassium, total	LGW-3R	7/21/2016	0.71	3	ND	mg/L
Potassium, total	LGW-3R	1/11/2017	1.9	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-3R	7/18/2017	0.75	3	ND	mg/L
Potassium, total	LGW-3R	1/23/2018	2.1	3	ND	mg/L
Potassium, total	LGW-3R	7/11/2018	1.6	3	ND	mg/L
Potassium, total	LGW-3R	1/3/2019	1.9	3	ND	mg/L
Potassium, total	LGW-3R	7/9/2019	1.1	3	ND	mg/L
Potassium, total	LGW-3R	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-3R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	7/6/2021	3	3	ND	mg/L
Potassium, total	LGW-3R	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-3R	7/10/2022	3	3	ND	mg/L
Potassium, total	LGW-3R	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-3R	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-4	1/24/2006	1.8	1		mg/L
Potassium, total	LGW-4	7/20/2006	2.2	3	ND	mg/L
Potassium, total	LGW-4	7/20/2006	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/25/2007	5.8	3		mg/L
Potassium, total	LGW-4	4/26/2007	3.4	3		mg/L
Potassium, total	LGW-4	7/11/2007	4.1	3		mg/L
Potassium, total	LGW-4	1/22/2008	2.4	3	ND	mg/L
Potassium, total	LGW-4	7/23/2008	3.9	3		mg/L
Potassium, total	LGW-4	2/3/2009	4.4	3		mg/L
Potassium, total	LGW-4	7/31/2009	2.4	3	ND	mg/L
Potassium, total	LGW-4	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-4	2/3/2010	2.6	3	ND	mg/L
Potassium, total	LGW-4	7/16/2010	3.9	3		mg/L
Potassium, total	LGW-4	1/19/2011	2.3	3	ND	mg/L
Potassium, total	LGW-4	7/13/2011	0.9	3	ND	mg/L
Potassium, total	LGW-4	1/4/2012	2	3	ND	mg/L
Potassium, total	LGW-4	7/9/2012	2.1	3	ND	mg/L
Potassium, total	LGW-4	4/30/2013	1.5	3	ND	mg/L
Potassium, total	LGW-4	7/15/2013	1.4	3	ND	mg/L
Potassium, total	LGW-4	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-4	7/8/2014	2.1	3	ND	mg/L
Potassium, total	LGW-4	2/11/2015	1.7	3	ND	mg/L
Potassium, total	LGW-4	7/8/2015	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/5/2016	1.2	3	ND	mg/L
Potassium, total	LGW-4	7/19/2016	1.6	3	ND	mg/L
Potassium, total	LGW-4	1/11/2017	2	3	ND	mg/L
Potassium, total	LGW-4	7/18/2017	0.88	3	ND	mg/L
Potassium, total	LGW-4	1/23/2018	2.5	3	ND	mg/L
Potassium, total	LGW-4	7/11/2018	2.2	3	ND	mg/L
Potassium, total	LGW-4	1/3/2019	2.2	3	ND	mg/L
Potassium, total	LGW-4	7/9/2019	1.5	3	ND	mg/L
Potassium, total	LGW-4	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-4	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-4	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-4	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-4	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-4	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-4	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-4	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-4	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-4	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-5	1/25/2006	1.6	1		mg/L
Potassium, total	LGW-5	8/1/2006	1.6	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-5	8/1/2006	1.6	3	ND	mg/L
Potassium, total	LGW-5	1/25/2007	2.6	3	ND	mg/L
Potassium, total	LGW-5	4/26/2007	3.3	3		mg/L
Potassium, total	LGW-5	7/11/2007	3.2	3		mg/L
Potassium, total	LGW-5	1/23/2008	1.6	3	ND	mg/L
Potassium, total	LGW-5	7/23/2008	2.7	3	ND	mg/L
Potassium, total	LGW-5	2/4/2009	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/29/2009	2.4	3	ND	mg/L
Potassium, total	LGW-5	2/3/2010	2.8	3	ND	mg/L
Potassium, total	LGW-5	2/3/2010	2.8	3	ND	mg/L
Potassium, total	LGW-5	7/12/2010	2.3	3	ND	mg/L
Potassium, total	LGW-5	1/19/2011	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/12/2011	2.1	3	ND	mg/L
Potassium, total	LGW-5	1/5/2012	1.8	3	ND	mg/L
Potassium, total	LGW-5	7/9/2012	2.2	3	ND	mg/L
Potassium, total	LGW-5	4/30/2013	2.2	3	ND	mg/L
Potassium, total	LGW-5	7/15/2013	1.8	3	ND	mg/L
Potassium, total	LGW-5	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-5	7/8/2014	2.4	3	ND	mg/L
Potassium, total	LGW-5	2/10/2015	2.7	3	ND	mg/L
Potassium, total	LGW-5	7/8/2015	2.5	3	ND	mg/L
Potassium, total	LGW-5	1/5/2016	2.6	3	ND	mg/L
Potassium, total	LGW-5	7/19/2016	2.8	3	ND	mg/L
Potassium, total	LGW-5	1/11/2017	2.9	3	ND	mg/L
Potassium, total	LGW-5	7/18/2017	1.6	3	ND	mg/L
Potassium, total	LGW-5	1/23/2018	2.9	3	ND	mg/L
Potassium, total	LGW-5	7/12/2018	2.7	3	ND	mg/L
Potassium, total	LGW-5	1/3/2019	2.8	3	ND	mg/L
Potassium, total	LGW-5	7/9/2019	2.9	3	ND	mg/L
Potassium, total	LGW-5	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-5	7/6/2020	3	3	ND	mg/L
Potassium, total	LGW-5	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-5	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-5	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-5	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-5	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-5	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-5	1/10/2023	3.08	3		mg/L
Potassium, total	LGW-5	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-6	1/24/2006	1.9	1		mg/L
Potassium, total	LGW-6	7/20/2006	2	3	ND	mg/L
Potassium, total	LGW-6	7/20/2006	2	3	ND	mg/L
Potassium, total	LGW-6	1/24/2007	2	3	ND	mg/L
Potassium, total	LGW-6	4/26/2007	2.7	3	ND	mg/L
Potassium, total	LGW-6	7/11/2007	2.2	3	ND	mg/L
Potassium, total	LGW-6	1/23/2008	1.6	3	ND	mg/L
Potassium, total	LGW-6	7/23/2008	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/5/2009	1.8	3	ND	mg/L
Potassium, total	LGW-6	7/29/2009	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/3/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	2/3/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	7/12/2010	1.9	3	ND	mg/L
Potassium, total	LGW-6	1/19/2011	2.1	3	ND	mg/L
Potassium, total	LGW-6	7/12/2011	2	3	ND	mg/L
Potassium, total	LGW-6	1/5/2012	1.8	3	ND	mg/L
Potassium, total	LGW-6	7/9/2012	2	3	ND	mg/L
Potassium, total	LGW-6	4/30/2013	2.1	3	ND	mg/L
Potassium, total	LGW-6	7/15/2013	2	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-6	1/23/2014	2	3	ND	mg/L
Potassium, total	LGW-6	7/8/2014	2.1	3	ND	mg/L
Potassium, total	LGW-6	2/10/2015	2.2	3	ND	mg/L
Potassium, total	LGW-6	7/22/2015	2.1	3	ND	mg/L
Potassium, total	LGW-6	1/5/2016	2.4	3	ND	mg/L
Potassium, total	LGW-6	7/19/2016	2.2	3	ND	mg/L
Potassium, total	LGW-6	10/6/2016	2.7	3	ND	mg/L
Potassium, total	LGW-6	1/11/2017	2.4	3	ND	mg/L
Potassium, total	LGW-6	5/5/2017	2.5	3	ND	mg/L
Potassium, total	LGW-6	7/18/2017	1.3	3	ND	mg/L
Potassium, total	LGW-6	10/5/2017	2.5	3	ND	mg/L
Potassium, total	LGW-6	1/23/2018	2.6	3	ND	mg/L
Potassium, total	LGW-6	4/10/2018	1.5	3	ND	mg/L
Potassium, total	LGW-6	7/17/2018	2.4	3	ND	mg/L
Potassium, total	LGW-6	10/2/2018	2.4	3	ND	mg/L
Potassium, total	LGW-6	1/7/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	4/3/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	7/10/2019	2.4	3	ND	mg/L
Potassium, total	LGW-6	7/10/2019	2.5	3	ND	mg/L
Potassium, total	LGW-6	10/3/2019	2.2	3	ND	mg/L
Potassium, total	LGW-6	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-6	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-6	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-6	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-6	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-6	1/12/2022	3	3	ND	mg/L
Potassium, total	LGW-6	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-6	1/10/2023	3	3	ND	mg/L
Potassium, total	LGW-6	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-7	1/25/2006	1	1	ND	mg/L
Potassium, total	LGW-7	8/1/2006	1.2	3	ND	mg/L
Potassium, total	LGW-7	8/1/2006	1.2	3	ND	mg/L
Potassium, total	LGW-7	1/24/2007	1.3	3	ND	mg/L
Potassium, total	LGW-7	4/26/2007	2.1	3	ND	mg/L
Potassium, total	LGW-7	7/12/2007	1.5	3	ND	mg/L
Potassium, total	LGW-7	7/22/2008	1.1	3	ND	mg/L
Potassium, total	LGW-7	2/4/2009	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/31/2009	1.2	3	ND	mg/L
Potassium, total	LGW-7	1/27/2010	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/12/2010	1.2	3	ND	mg/L
Potassium, total	LGW-7	1/20/2011	1.3	3	ND	mg/L
Potassium, total	LGW-7	7/12/2011	1.3	3	ND	mg/L
Potassium, total	LGW-7	1/5/2012	1.3	3	ND	mg/L
Potassium, total	LGW-7	7/10/2012	1.6	3	ND	mg/L
Potassium, total	LGW-7	4/30/2013	1.2	3	ND	mg/L
Potassium, total	LGW-7	7/15/2013	1.3	3	ND	mg/L
Potassium, total	LGW-7	1/23/2014	1.4	3	ND	mg/L
Potassium, total	LGW-7	7/8/2014	1.5	3	ND	mg/L
Potassium, total	LGW-7	2/11/2015	1.4	3	ND	mg/L
Potassium, total	LGW-7	7/22/2015	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/5/2016	1.7	3	ND	mg/L
Potassium, total	LGW-7	4/6/2016	1.6	3	ND	mg/L
Potassium, total	LGW-7	7/20/2016	1.4	3	ND	mg/L
Potassium, total	LGW-7	10/6/2016	1.9	3	ND	mg/L
Potassium, total	LGW-7	1/11/2017	1.5	3	ND	mg/L
Potassium, total	LGW-7	4/4/2017	2.4	3	ND	mg/L
Potassium, total	LGW-7	7/18/2017	0.86	3	ND	mg/L
Potassium, total	LGW-7	10/5/2017	1.4	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-7	1/24/2018	1.7	3	ND	mg/L
Potassium, total	LGW-7	4/11/2018	0.92	3	ND	mg/L
Potassium, total	LGW-7	7/12/2018	1.4	3	ND	mg/L
Potassium, total	LGW-7	10/2/2018	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/7/2019	1.4	3	ND	mg/L
Potassium, total	LGW-7	4/3/2019	1.6	3	ND	mg/L
Potassium, total	LGW-7	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-7	7/10/2019	1.5	3	ND	mg/L
Potassium, total	LGW-7	10/3/2019	1.4	3	ND	mg/L
Potassium, total	LGW-7	1/15/2020	3	3	ND	mg/L
Potassium, total	LGW-7	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-7	1/18/2021	3	3	ND	mg/L
Potassium, total	LGW-7	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-7	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-7	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-7	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-7	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-7	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-8R	1/24/2006	2.8	1		mg/L
Potassium, total	LGW-8R	7/20/2006	2.8	3	ND	mg/L
Potassium, total	LGW-8R	7/20/2006	2.8	3	ND	mg/L
Potassium, total	LGW-8R	1/24/2007	3.6	3		mg/L
Potassium, total	LGW-8R	4/25/2007	4.1	3		mg/L
Potassium, total	LGW-8R	7/12/2007	3.2	3		mg/L
Potassium, total	LGW-8R	2/4/2009	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/29/2009	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/27/2010	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/14/2010	2.1	3	ND	mg/L
Potassium, total	LGW-8R	1/20/2011	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/12/2011	2.3	3	ND	mg/L
Potassium, total	LGW-8R	1/5/2012	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/9/2012	2.2	3	ND	mg/L
Potassium, total	LGW-8R	4/30/2013	2.3	3	ND	mg/L
Potassium, total	LGW-8R	7/15/2013	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/22/2014	2	3	ND	mg/L
Potassium, total	LGW-8R	7/8/2014	2.2	3	ND	mg/L
Potassium, total	LGW-8R	2/11/2015	2.1	3	ND	mg/L
Potassium, total	LGW-8R	7/22/2015	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/5/2016	2.8	3	ND	mg/L
Potassium, total	LGW-8R	7/20/2016	2.5	3	ND	mg/L
Potassium, total	LGW-8R	1/11/2017	2.5	3	ND	mg/L
Potassium, total	LGW-8R	7/18/2017	2.2	3	ND	mg/L
Potassium, total	LGW-8R	1/25/2018	3.7	3		mg/L
Potassium, total	LGW-8R	7/13/2018	2.6	3	ND	mg/L
Potassium, total	LGW-8R	1/7/2019	2.7	3	ND	mg/L
Potassium, total	LGW-8R	7/8/2019	2.8	3	ND	mg/L
Potassium, total	LGW-8R	1/14/2020	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2020	3	3	ND	mg/L
Potassium, total	LGW-8R	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-8R	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-8R	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-8R	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-8R	7/10/2023	3	3	ND	mg/L
Potassium, total	LGW-9	1/25/2006	1.7	1		mg/L
Potassium, total	LGW-9	7/20/2006	1.7	3	ND	mg/L
Potassium, total	LGW-9	7/20/2006	1.7	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	LGW-9	1/25/2007	2.1	3	ND	mg/L
Potassium, total	LGW-9	4/25/2007	2.6	3	ND	mg/L
Potassium, total	LGW-9	7/10/2007	2	3	ND	mg/L
Potassium, total	LGW-9	7/22/2008	1.6	3	ND	mg/L
Potassium, total	LGW-9	2/4/2009	1.6	3	ND	mg/L
Potassium, total	LGW-9	7/29/2009	1.8	3	ND	mg/L
Potassium, total	LGW-9	1/27/2010	1.9	3	ND	mg/L
Potassium, total	LGW-9	7/14/2010	2	3	ND	mg/L
Potassium, total	LGW-9	1/20/2011	2.2	3	ND	mg/L
Potassium, total	LGW-9	7/12/2011	2.2	3	ND	mg/L
Potassium, total	LGW-9	1/5/2012	2	3	ND	mg/L
Potassium, total	LGW-9	7/10/2012	2.3	3	ND	mg/L
Potassium, total	LGW-9	5/1/2013	2.2	3	ND	mg/L
Potassium, total	LGW-9	7/15/2013	1.9	3	ND	mg/L
Potassium, total	LGW-9	1/23/2014	1.7	3	ND	mg/L
Potassium, total	LGW-9	7/8/2014	1.9	3	ND	mg/L
Potassium, total	LGW-9	2/11/2015	1.5	3	ND	mg/L
Potassium, total	LGW-9	7/13/2015	1.9	3	ND	mg/L
Potassium, total	LGW-9	1/5/2016	2.4	3	ND	mg/L
Potassium, total	LGW-9	7/21/2016	2.8	3	ND	mg/L
Potassium, total	LGW-9	10/6/2016	2.8	3	ND	mg/L
Potassium, total	LGW-9	1/11/2017	2.6	3	ND	mg/L
Potassium, total	LGW-9	5/5/2017	2.8	3	ND	mg/L
Potassium, total	LGW-9	7/18/2017	2.5	3	ND	mg/L
Potassium, total	LGW-9	10/5/2017	2.8	3	ND	mg/L
Potassium, total	LGW-9	1/24/2018	3.2	3		mg/L
Potassium, total	LGW-9	4/11/2018	1.9	3	ND	mg/L
Potassium, total	LGW-9	7/13/2018	2.5	3	ND	mg/L
Potassium, total	LGW-9	10/2/2018	2.3	3	ND	mg/L
Potassium, total	LGW-9	1/7/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	4/3/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	7/10/2019	2.4	3	ND	mg/L
Potassium, total	LGW-9	7/10/2019	2.3	3	ND	mg/L
Potassium, total	LGW-9	10/3/2019	2	3	ND	mg/L
Potassium, total	LGW-9	1/16/2020	3	3	ND	mg/L
Potassium, total	LGW-9	7/9/2020	3	3	ND	mg/L
Potassium, total	LGW-9	1/17/2021	3	3	ND	mg/L
Potassium, total	LGW-9	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-9	7/7/2021	3	3	ND	mg/L
Potassium, total	LGW-9	1/13/2022	3	3	ND	mg/L
Potassium, total	LGW-9	7/11/2022	3	3	ND	mg/L
Potassium, total	LGW-9	1/11/2023	3	3	ND	mg/L
Potassium, total	LGW-9	7/10/2023	3	3	ND	mg/L
Potassium, total	MW-10N	10/22/1997	2.4	0.15		mg/L
Potassium, total	MW-10N	1/22/1998	1.1	0.15		mg/L
Potassium, total	MW-10N	4/28/1998	1.1	0.15		mg/L
Potassium, total	MW-10N	7/23/1998	0.42	0.15		mg/L
Potassium, total	MW-10N	7/8/2003	1	1	ND	mg/L
Potassium, total	MW-10N	1/28/2004	1	1	ND	mg/L
Potassium, total	MW-10N	7/27/2004	1	1		mg/L
Potassium, total	MW-10N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-10N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-10N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-10N	7/19/2006	0.68	3	ND	mg/L
Potassium, total	MW-10N	7/19/2006	0.68	3	ND	mg/L
Potassium, total	MW-10N	1/24/2007	0.8	3	ND	mg/L
Potassium, total	MW-10N	7/10/2007	0.93	3	ND	mg/L
Potassium, total	MW-10N	1/23/2008	0.49	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-10N	7/21/2008	0.41	3	ND	mg/L
Potassium, total	MW-10N	2/13/2009	0.76	3	ND	mg/L
Potassium, total	MW-10N	7/31/2009	0.7	3	ND	mg/L
Potassium, total	MW-10N	1/27/2010	0.75	3	ND	mg/L
Potassium, total	MW-10N	8/10/2010	0.55	3	ND	mg/L
Potassium, total	MW-10N	1/19/2011	0.7	3	ND	mg/L
Potassium, total	MW-10N	7/14/2011	0.78	3	ND	mg/L
Potassium, total	MW-10N	1/5/2012	0.59	3	ND	mg/L
Potassium, total	MW-10N	7/10/2012	0.76	3	ND	mg/L
Potassium, total	MW-10N	5/1/2013	0.71	3	ND	mg/L
Potassium, total	MW-10N	1/24/2014	0.69	3	ND	mg/L
Potassium, total	MW-10N	7/9/2014	0.82	3	ND	mg/L
Potassium, total	MW-10N	2/12/2015	0.62	3	ND	mg/L
Potassium, total	MW-10N	7/14/2015	0.61	3	ND	mg/L
Potassium, total	MW-10N	1/6/2016	0.65	3	ND	mg/L
Potassium, total	MW-10N	7/21/2016	0.6	3	ND	mg/L
Potassium, total	MW-10N	1/11/2017	0.7	3	ND	mg/L
Potassium, total	MW-10N	7/19/2017	0.36	3	ND	mg/L
Potassium, total	MW-10N	1/24/2018	0.9	3	ND	mg/L
Potassium, total	MW-10N	7/11/2018	0.62	3	ND	mg/L
Potassium, total	MW-10N	1/3/2019	0.64	3	ND	mg/L
Potassium, total	MW-10N	7/9/2019	0.77	3	ND	mg/L
Potassium, total	MW-10N	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-10N	7/8/2020	3	3	ND	mg/L
Potassium, total	MW-10N	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-10N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-10N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-10N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-10N	7/7/2023	3	3	ND	mg/L
Potassium, total	MW-11N	10/22/1997	2.1	0.15		mg/L
Potassium, total	MW-11N	1/21/1998	0.6	0.15		mg/L
Potassium, total	MW-11N	4/28/1998	1	0.15		mg/L
Potassium, total	MW-11N	7/23/1998	0.57	0.15		mg/L
Potassium, total	MW-11N	7/8/2003	1	1		mg/L
Potassium, total	MW-11N	1/29/2004	2.9	1		mg/L
Potassium, total	MW-11N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-11N	1/13/2005	1	1	ND	mg/L
Potassium, total	MW-11N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-11N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-11N	7/18/2006	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/18/2006	0.8	3	ND	mg/L
Potassium, total	MW-11N	1/24/2007	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/10/2007	0.94	3	ND	mg/L
Potassium, total	MW-11N	1/22/2008	0.64	3	ND	mg/L
Potassium, total	MW-11N	7/23/2008	0.46	3	ND	mg/L
Potassium, total	MW-11N	2/3/2009	0.48	3	ND	mg/L
Potassium, total	MW-11N	7/31/2009	0.71	3	ND	mg/L
Potassium, total	MW-11N	2/3/2010	0.69	3	ND	mg/L
Potassium, total	MW-11N	2/3/2010	0.69	3	ND	mg/L
Potassium, total	MW-11N	7/16/2010	0.72	3	ND	mg/L
Potassium, total	MW-11N	1/19/2011	0.6	3	ND	mg/L
Potassium, total	MW-11N	7/13/2011	0.77	3	ND	mg/L
Potassium, total	MW-11N	1/4/2012	0.52	3	ND	mg/L
Potassium, total	MW-11N	7/9/2012	0.73	3	ND	mg/L
Potassium, total	MW-11N	4/30/2013	0.48	3	ND	mg/L
Potassium, total	MW-11N	7/15/2013	0.55	3	ND	mg/L
Potassium, total	MW-11N	1/23/2014	0.54	3	ND	mg/L
Potassium, total	MW-11N	7/8/2014	1	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-11N	2/10/2015	0.63	3	ND	mg/L
Potassium, total	MW-11N	7/13/2015	0.58	3	ND	mg/L
Potassium, total	MW-11N	1/5/2016	0.59	3	ND	mg/L
Potassium, total	MW-11N	7/21/2016	0.59	3	ND	mg/L
Potassium, total	MW-11N	1/11/2017	0.8	3	ND	mg/L
Potassium, total	MW-11N	7/19/2017	0.45	3	ND	mg/L
Potassium, total	MW-11N	1/23/2018	0.65	3	ND	mg/L
Potassium, total	MW-11N	7/17/2018	0.56	3	ND	mg/L
Potassium, total	MW-11N	1/2/2019	0.64	3	ND	mg/L
Potassium, total	MW-11N	7/9/2019	0.69	3	ND	mg/L
Potassium, total	MW-11N	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2021	3	3	ND	mg/L
Potassium, total	MW-11N	7/6/2021	3	3	ND	mg/L
Potassium, total	MW-11N	1/18/2022	3	3	ND	mg/L
Potassium, total	MW-11N	7/13/2022	3	3	ND	mg/L
Potassium, total	MW-11N	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-11N	7/8/2023	3	3	ND	mg/L
Potassium, total	MW-15	6/5/2015	0.37	3	ND	mg/L
Potassium, total	MW-15	7/15/2015	0.49	3	ND	mg/L
Potassium, total	MW-15	8/5/2015	1.7	3	ND	mg/L
Potassium, total	MW-15	9/3/2015	0.61	3	ND	mg/L
Potassium, total	MW-15	1/7/2016	0.71	3	ND	mg/L
Potassium, total	MW-15	4/5/2016	0.63	3	ND	mg/L
Potassium, total	MW-15	7/20/2016	0.48	3	ND	mg/L
Potassium, total	MW-15	10/6/2016	0.39	3	ND	mg/L
Potassium, total	MW-15	1/10/2017	0.8	3	ND	mg/L
Potassium, total	MW-15	7/18/2017	0.49	3	ND	mg/L
Potassium, total	MW-15	1/23/2018	0.76	3	ND	mg/L
Potassium, total	MW-15	7/10/2018	1	3	ND	mg/L
Potassium, total	MW-15	1/3/2019	1	3	ND	mg/L
Potassium, total	MW-15	7/9/2019	0.59	3	ND	mg/L
Potassium, total	MW-15	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-15	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-15	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-15	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-15	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-15	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-15	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-15	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-15	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-15	7/10/2023	3	3	ND	mg/L
Potassium, total	MW-16	6/5/2015	0.76	3	ND	mg/L
Potassium, total	MW-16	7/16/2015	0.76	3	ND	mg/L
Potassium, total	MW-16	8/5/2015	1.8	3	ND	mg/L
Potassium, total	MW-16	9/3/2015	1	3	ND	mg/L
Potassium, total	MW-16	1/8/2016	0.77	3	ND	mg/L
Potassium, total	MW-16	4/5/2016	0.82	3	ND	mg/L
Potassium, total	MW-16	7/21/2016	0.48	3	ND	mg/L
Potassium, total	MW-16	10/5/2016	0.37	3	ND	mg/L
Potassium, total	MW-16	1/10/2017	0.77	3	ND	mg/L
Potassium, total	MW-16	7/18/2017	0.53	3	ND	mg/L
Potassium, total	MW-16	1/23/2018	0.45	3	ND	mg/L
Potassium, total	MW-16	7/11/2018	0.39	3	ND	mg/L
Potassium, total	MW-16	1/2/2019	0.76	3	ND	mg/L
Potassium, total	MW-16	7/10/2019	0.42	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-16	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-16	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-16	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-16	1/18/2021	3	3	ND	mg/L
Potassium, total	MW-16	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-16	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-16	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-16	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-16	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-16	7/10/2023	3	3	ND	mg/L
Potassium, total	MW-17	6/5/2015	0.37	3	ND	mg/L
Potassium, total	MW-17	7/15/2015	0.51	3	ND	mg/L
Potassium, total	MW-17	8/4/2015	1.4	3	ND	mg/L
Potassium, total	MW-17	9/2/2015	0.63	3	ND	mg/L
Potassium, total	MW-17	1/7/2016	1	3	ND	mg/L
Potassium, total	MW-17	4/5/2016	0.52	3	ND	mg/L
Potassium, total	MW-17	7/20/2016	0.38	3	ND	mg/L
Potassium, total	MW-17	10/6/2016	0.52	3	ND	mg/L
Potassium, total	MW-17	1/10/2017	0.82	3	ND	mg/L
Potassium, total	MW-17	7/18/2017	0.45	3	ND	mg/L
Potassium, total	MW-17	1/23/2018	0.67	3	ND	mg/L
Potassium, total	MW-17	7/10/2018	1.3	3	ND	mg/L
Potassium, total	MW-17	1/3/2019	0.95	3	ND	mg/L
Potassium, total	MW-17	7/11/2019	0.74	3	ND	mg/L
Potassium, total	MW-17	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-17	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-17	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-17	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-17	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-17	1/10/2023	3.14	3		mg/L
Potassium, total	MW-17	7/8/2023	3	3	ND	mg/L
Potassium, total	MW-19	6/5/2015	0.8	3	ND	mg/L
Potassium, total	MW-19	7/16/2015	1.6	3	ND	mg/L
Potassium, total	MW-19	8/5/2015	1.6	3	ND	mg/L
Potassium, total	MW-19	9/3/2015	0.81	3	ND	mg/L
Potassium, total	MW-19	1/7/2016	1.4	3	ND	mg/L
Potassium, total	MW-19	4/5/2016	1.1	3	ND	mg/L
Potassium, total	MW-19	7/21/2016	0.66	3	ND	mg/L
Potassium, total	MW-19	10/5/2016	0.77	3	ND	mg/L
Potassium, total	MW-19	1/10/2017	1	3	ND	mg/L
Potassium, total	MW-19	7/18/2017	1.6	3	ND	mg/L
Potassium, total	MW-19	1/23/2018	1.2	3	ND	mg/L
Potassium, total	MW-19	7/13/2018	0.73	3	ND	mg/L
Potassium, total	MW-19	1/7/2019	0.76	3	ND	mg/L
Potassium, total	MW-19	7/11/2019	0.8	3	ND	mg/L
Potassium, total	MW-19	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-19	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-19	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-19	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-19	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-19	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-19	7/10/2023	3	3	ND	mg/L
Potassium, total	MW-1N	10/22/1997	0.64	0.15		mg/L
Potassium, total	MW-1N	1/20/1998	6.6	0.15		mg/L
Potassium, total	MW-1N	4/28/1998	2.8	0.15		mg/L
Potassium, total	MW-1N	7/23/1998	2	0.15		mg/L
Potassium, total	MW-1N	7/8/2003	1	1		mg/L
Potassium, total	MW-1N	1/28/2004	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-1N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-1N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-1N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-1N	1/18/2006	1	1	ND	mg/L
Potassium, total	MW-1N	7/18/2006	0.48	3	ND	mg/L
Potassium, total	MW-1N	7/18/2006	0.48	3	ND	mg/L
Potassium, total	MW-1N	1/26/2007	0.83	3	ND	mg/L
Potassium, total	MW-1N	7/11/2007	0.68	3	ND	mg/L
Potassium, total	MW-1N	1/24/2008	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/21/2008	0.37	3	ND	mg/L
Potassium, total	MW-1N	2/5/2009	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/31/2009	0.43	3	ND	mg/L
Potassium, total	MW-1N	1/26/2010	0.4	3	ND	mg/L
Potassium, total	MW-1N	7/13/2010	0.52	3	ND	mg/L
Potassium, total	MW-1N	1/20/2011	0.42	3	ND	mg/L
Potassium, total	MW-1N	7/13/2011	0.86	3	ND	mg/L
Potassium, total	MW-1N	1/5/2012	0.5	3	ND	mg/L
Potassium, total	MW-1N	7/10/2012	0.49	3	ND	mg/L
Potassium, total	MW-1N	5/1/2013	1.5	3	ND	mg/L
Potassium, total	MW-1N	7/16/2013	1.1	3	ND	mg/L
Potassium, total	MW-1N	1/24/2014	0.33	3	ND	mg/L
Potassium, total	MW-1N	7/9/2014	0.56	3	ND	mg/L
Potassium, total	MW-1N	2/10/2015	0.45	3	ND	mg/L
Potassium, total	MW-1N	7/14/2015	1.2	3	ND	mg/L
Potassium, total	MW-1N	1/6/2016	1.6	3	ND	mg/L
Potassium, total	MW-1N	7/21/2016	0.7	3	ND	mg/L
Potassium, total	MW-1N	1/12/2017	0.6	3	ND	mg/L
Potassium, total	MW-1N	7/19/2017	0.39	3	ND	mg/L
Potassium, total	MW-1N	1/23/2018	0.9	3	ND	mg/L
Potassium, total	MW-1N	7/10/2018	1.3	3	ND	mg/L
Potassium, total	MW-1N	1/3/2019	0.46	3	ND	mg/L
Potassium, total	MW-1N	7/11/2019	0.63	3	ND	mg/L
Potassium, total	MW-1N	1/23/2020	3	3	ND	mg/L
Potassium, total	MW-1N	7/6/2020	3	3	ND	mg/L
Potassium, total	MW-1N	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-1N	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-1N	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-1N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-1N	7/8/2023	3	3	ND	mg/L
Potassium, total	MW-20	6/5/2015	1.6	3	ND	mg/L
Potassium, total	MW-20	7/14/2015	1.6	3	ND	mg/L
Potassium, total	MW-20	8/4/2015	2.7	3	ND	mg/L
Potassium, total	MW-20	9/2/2015	1.9	3	ND	mg/L
Potassium, total	MW-20	1/7/2016	2.4	3	ND	mg/L
Potassium, total	MW-20	4/5/2016	1.3	3	ND	mg/L
Potassium, total	MW-20	7/20/2016	1.2	3	ND	mg/L
Potassium, total	MW-20	10/5/2016	1.1	3	ND	mg/L
Potassium, total	MW-20	1/12/2017	1.6	3	ND	mg/L
Potassium, total	MW-20	7/18/2017	3	3	ND	mg/L
Potassium, total	MW-20	1/26/2018	1.6	3	ND	mg/L
Potassium, total	MW-20	7/12/2018	1.1	3	ND	mg/L
Potassium, total	MW-20	7/11/2019	1.3	3	ND	mg/L
Potassium, total	MW-20	1/14/2020	3	3	ND	mg/L
Potassium, total	MW-20	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-20	1/17/2021	3	3	ND	mg/L
Potassium, total	MW-20	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-20	7/4/2021	3	3	ND	mg/L
Potassium, total	MW-20	1/11/2023	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-21	6/5/2015	2.6	3	ND	mg/L
Potassium, total	MW-21	7/14/2015	2.8	3	ND	mg/L
Potassium, total	MW-21	8/4/2015	3.7	3		mg/L
Potassium, total	MW-21	9/2/2015	3.2	3		mg/L
Potassium, total	MW-21	1/7/2016	2.6	3	ND	mg/L
Potassium, total	MW-21	4/5/2016	3	3		mg/L
Potassium, total	MW-21	7/20/2016	2.6	3	ND	mg/L
Potassium, total	MW-21	10/5/2016	2.2	3	ND	mg/L
Potassium, total	MW-21	10/5/2016	2.4	3	ND	mg/L
Potassium, total	MW-21	1/10/2017	2.8	3	ND	mg/L
Potassium, total	MW-21	4/5/2017	2.2	3	ND	mg/L
Potassium, total	MW-21	7/19/2017	1.5	3	ND	mg/L
Potassium, total	MW-21	10/6/2017	2.8	3	ND	mg/L
Potassium, total	MW-21	1/24/2018	2.9	3	ND	mg/L
Potassium, total	MW-21	4/11/2018	2.2	3	ND	mg/L
Potassium, total	MW-21	7/11/2018	2.7	3	ND	mg/L
Potassium, total	MW-21	10/4/2018	2.5	3	ND	mg/L
Potassium, total	MW-21	1/3/2019	3.3	3		mg/L
Potassium, total	MW-21	4/3/2019	3	3		mg/L
Potassium, total	MW-21	7/11/2019	3	3		mg/L
Potassium, total	MW-21	7/11/2019	2.9	3	ND	mg/L
Potassium, total	MW-21	10/2/2019	2.8	3	ND	mg/L
Potassium, total	MW-21	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-21	7/8/2020	3	3	ND	mg/L
Potassium, total	MW-21	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-21	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-21	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-21	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-21	7/7/2023	3	3	ND	mg/L
Potassium, total	MW-2N	10/22/1997	1.1	0.15		mg/L
Potassium, total	MW-2N	1/21/1998	0.74	0.15		mg/L
Potassium, total	MW-2N	4/28/1998	0.87	0.15		mg/L
Potassium, total	MW-2N	7/22/1998	0.84	0.15		mg/L
Potassium, total	MW-2N	7/7/2003	1	1	ND	mg/L
Potassium, total	MW-2N	1/28/2004	1	1	ND	mg/L
Potassium, total	MW-2N	7/27/2004	1	1	ND	mg/L
Potassium, total	MW-2N	1/12/2005	1	1	ND	mg/L
Potassium, total	MW-2N	7/20/2005	1	1	ND	mg/L
Potassium, total	MW-2N	1/19/2006	1	1	ND	mg/L
Potassium, total	MW-2N	7/19/2006	0.82	3	ND	mg/L
Potassium, total	MW-2N	7/19/2006	0.82	3	ND	mg/L
Potassium, total	MW-2N	1/26/2007	1.2	3	ND	mg/L
Potassium, total	MW-2N	7/11/2007	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/24/2008	0.82	3	ND	mg/L
Potassium, total	MW-2N	7/22/2008	0.88	3	ND	mg/L
Potassium, total	MW-2N	2/4/2009	0.85	3	ND	mg/L
Potassium, total	MW-2N	7/31/2009	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/26/2010	1	3	ND	mg/L
Potassium, total	MW-2N	7/13/2010	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/20/2011	1.2	3	ND	mg/L
Potassium, total	MW-2N	7/13/2011	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/5/2012	0.92	3	ND	mg/L
Potassium, total	MW-2N	7/10/2012	1.1	3	ND	mg/L
Potassium, total	MW-2N	5/1/2013	0.93	3	ND	mg/L
Potassium, total	MW-2N	7/16/2013	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/24/2014	0.94	3	ND	mg/L
Potassium, total	MW-2N	7/9/2014	1.3	3	ND	mg/L
Potassium, total	MW-2N	2/12/2015	1	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-2N	7/14/2015	1.1	3	ND	mg/L
Potassium, total	MW-2N	1/6/2016	1.3	3	ND	mg/L
Potassium, total	MW-2N	7/21/2016	1.3	3	ND	mg/L
Potassium, total	MW-2N	1/11/2017	1.4	3	ND	mg/L
Potassium, total	MW-2N	7/19/2017	0.84	3	ND	mg/L
Potassium, total	MW-2N	1/23/2018	1.7	3	ND	mg/L
Potassium, total	MW-2N	7/12/2018	1.2	3	ND	mg/L
Potassium, total	MW-2N	1/3/2019	1.3	3	ND	mg/L
Potassium, total	MW-2N	7/11/2019	1.5	3	ND	mg/L
Potassium, total	MW-2N	1/24/2020	3	3	ND	mg/L
Potassium, total	MW-2N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-2N	1/14/2021	3	3	ND	mg/L
Potassium, total	MW-2N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-2N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-2N	1/11/2023	3	3	ND	mg/L
Potassium, total	MW-2N	7/8/2023	3	3	ND	mg/L
Potassium, total	MW-3N	10/21/1997	2.4	0.15		mg/L
Potassium, total	MW-3N	1/21/1998	1.8	0.15		mg/L
Potassium, total	MW-3N	4/28/1998	1.9	0.15		mg/L
Potassium, total	MW-3N	7/23/1998	2.1	0.15		mg/L
Potassium, total	MW-3N	7/7/2003	2.7	1		mg/L
Potassium, total	MW-3N	1/28/2004	2.7	1		mg/L
Potassium, total	MW-3N	7/27/2004	2.8	1		mg/L
Potassium, total	MW-3N	1/12/2005	2.8	1		mg/L
Potassium, total	MW-3N	7/20/2005	2.8	1		mg/L
Potassium, total	MW-3N	1/18/2006	2.8	1		mg/L
Potassium, total	MW-3N	7/19/2006	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/19/2006	2.6	3	ND	mg/L
Potassium, total	MW-3N	1/26/2007	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/11/2007	3	3		mg/L
Potassium, total	MW-3N	1/24/2008	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/22/2008	2.6	3	ND	mg/L
Potassium, total	MW-3N	2/4/2009	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/31/2009	2.9	3	ND	mg/L
Potassium, total	MW-3N	1/26/2010	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/13/2010	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/20/2011	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/14/2011	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/5/2012	2.6	3	ND	mg/L
Potassium, total	MW-3N	7/11/2012	2.6	3	ND	mg/L
Potassium, total	MW-3N	5/1/2013	2.7	3	ND	mg/L
Potassium, total	MW-3N	6/4/2013	2.5	3	ND	mg/L
Potassium, total	MW-3N	7/16/2013	2.5	3	ND	mg/L
Potassium, total	MW-3N	1/24/2014	2.2	3	ND	mg/L
Potassium, total	MW-3N	7/9/2014	2.9	3	ND	mg/L
Potassium, total	MW-3N	2/12/2015	2.4	3	ND	mg/L
Potassium, total	MW-3N	4/1/2015	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/14/2015	2.5	3	ND	mg/L
Potassium, total	MW-3N	10/5/2015	2.8	3	ND	mg/L
Potassium, total	MW-3N	1/6/2016	2.8	3	ND	mg/L
Potassium, total	MW-3N	4/6/2016	2.9	3	ND	mg/L
Potassium, total	MW-3N	7/21/2016	2.8	3	ND	mg/L
Potassium, total	MW-3N	10/6/2016	2.7	3	ND	mg/L
Potassium, total	MW-3N	1/11/2017	2.3	3	ND	mg/L
Potassium, total	MW-3N	4/4/2017	1.9	3	ND	mg/L
Potassium, total	MW-3N	7/19/2017	1.9	3	ND	mg/L
Potassium, total	MW-3N	10/9/2017	2.6	3	ND	mg/L
Potassium, total	MW-3N	1/24/2018	2.6	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-3N	4/10/2018	1.9	3	ND	mg/L
Potassium, total	MW-3N	7/13/2018	2.6	3	ND	mg/L
Potassium, total	MW-3N	10/3/2018	2.5	3	ND	mg/L
Potassium, total	MW-3N	1/7/2019	2	3	ND	mg/L
Potassium, total	MW-3N	4/3/2019	2.7	3	ND	mg/L
Potassium, total	MW-3N	7/11/2019	2.8	3	ND	mg/L
Potassium, total	MW-3N	7/11/2019	2.7	3	ND	mg/L
Potassium, total	MW-3N	10/2/2019	2.4	3	ND	mg/L
Potassium, total	MW-3N	1/21/2020	3	3	ND	mg/L
Potassium, total	MW-3N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-3N	1/13/2021	3	3	ND	mg/L
Potassium, total	MW-3N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-3N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-3N	1/11/2023	3.11	3		mg/L
Potassium, total	MW-3N	7/7/2023	3	3	ND	mg/L
Potassium, total	MW-7N	10/21/1997	3	0.15		mg/L
Potassium, total	MW-7N	1/21/1998	6.6	0.15		mg/L
Potassium, total	MW-7N	7/22/1998	1.8	0.15		mg/L
Potassium, total	MW-7N	8/18/1998	1.6	0.15		mg/L
Potassium, total	MW-7N	9/17/1998	1.5	0.15		mg/L
Potassium, total	MW-7N	11/9/1998	1.8	0.15		mg/L
Potassium, total	MW-7N	7/7/2003	13.6	1		mg/L
Potassium, total	MW-7N	1/27/2004	8.2	1		mg/L
Potassium, total	MW-7N	4/8/2004	11.3	1		mg/L
Potassium, total	MW-7N	7/26/2004	2.3	1		mg/L
Potassium, total	MW-7N	1/12/2005	2.7	1		mg/L
Potassium, total	MW-7N	7/19/2005	2.1	1		mg/L
Potassium, total	MW-7N	1/19/2006	5.6	1		mg/L
Potassium, total	MW-7N	7/19/2006	2.4	3	ND	mg/L
Potassium, total	MW-7N	7/19/2006	2.4	3	ND	mg/L
Potassium, total	MW-7N	1/26/2007	3.1	3		mg/L
Potassium, total	MW-7N	7/10/2007	2.4	3	ND	mg/L
Potassium, total	MW-7N	7/21/2008	1.5	3	ND	mg/L
Potassium, total	MW-7N	2/6/2009	1.5	3	ND	mg/L
Potassium, total	MW-7N	7/29/2009	0.78	3	ND	mg/L
Potassium, total	MW-7N	1/26/2010	1.3	3	ND	mg/L
Potassium, total	MW-7N	7/14/2010	1.1	3	ND	mg/L
Potassium, total	MW-7N	1/20/2011	1.1	3	ND	mg/L
Potassium, total	MW-7N	7/12/2011	0.74	3	ND	mg/L
Potassium, total	MW-7N	1/5/2012	0.64	3	ND	mg/L
Potassium, total	MW-7N	7/10/2012	0.76	3	ND	mg/L
Potassium, total	MW-7N	5/1/2013	1.7	3	ND	mg/L
Potassium, total	MW-7N	6/4/2013	1.1	3	ND	mg/L
Potassium, total	MW-7N	7/15/2013	0.73	3	ND	mg/L
Potassium, total	MW-7N	1/30/2014	0.75	3	ND	mg/L
Potassium, total	MW-7N	7/9/2014	0.8	3	ND	mg/L
Potassium, total	MW-7N	2/12/2015	0.72	3	ND	mg/L
Potassium, total	MW-7N	7/13/2015	0.46	3	ND	mg/L
Potassium, total	MW-7N	1/5/2016	0.44	3	ND	mg/L
Potassium, total	MW-7N	7/21/2016	0.76	3	ND	mg/L
Potassium, total	MW-7N	1/11/2017	2.8	3	ND	mg/L
Potassium, total	MW-7N	4/4/2017	1.3	3	ND	mg/L
Potassium, total	MW-7N	7/19/2017	1.3	3	ND	mg/L
Potassium, total	MW-7N	10/5/2017	1.7	3	ND	mg/L
Potassium, total	MW-7N	1/25/2018	2.5	3	ND	mg/L
Potassium, total	MW-7N	4/11/2018	0.56	3	ND	mg/L
Potassium, total	MW-7N	7/13/2018	1.1	3	ND	mg/L
Potassium, total	MW-7N	1/4/2019	1.7	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-7N	7/10/2019	1	3	ND	mg/L
Potassium, total	MW-7N	1/16/2020	3	3	ND	mg/L
Potassium, total	MW-7N	7/7/2020	3	3	ND	mg/L
Potassium, total	MW-7N	1/16/2021	3	3	ND	mg/L
Potassium, total	MW-7N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-7N	7/5/2021	3	3	ND	mg/L
Potassium, total	MW-7N	1/12/2022	3	3	ND	mg/L
Potassium, total	MW-7N	7/10/2022	3	3	ND	mg/L
Potassium, total	MW-7N	1/10/2023	3	3	ND	mg/L
Potassium, total	MW-7N	7/7/2023	3	3	ND	mg/L
Potassium, total	MW-8N	10/21/1997	0.75	0.15		mg/L
Potassium, total	MW-8N	1/22/1998	1.1	0.15		mg/L
Potassium, total	MW-8N	4/28/1998	1.4	0.15		mg/L
Potassium, total	MW-8N	7/22/1998	1.2	0.15		mg/L
Potassium, total	MW-8N	7/7/2003	1	1	ND	mg/L
Potassium, total	MW-8N	1/28/2004	1.4	1		mg/L
Potassium, total	MW-8N	7/27/2004	1.1	1		mg/L
Potassium, total	MW-8N	1/12/2005	1.4	1		mg/L
Potassium, total	MW-8N	7/20/2005	1.5	1		mg/L
Potassium, total	MW-8N	1/19/2006	1.3	1		mg/L
Potassium, total	MW-8N	7/19/2006	1.4	3	ND	mg/L
Potassium, total	MW-8N	7/19/2006	1.4	3	ND	mg/L
Potassium, total	MW-8N	1/26/2007	1.9	3	ND	mg/L
Potassium, total	MW-8N	4/25/2007	2.3	3	ND	mg/L
Potassium, total	MW-8N	7/10/2007	2.3	3	ND	mg/L
Potassium, total	MW-8N	1/24/2008	1.4	3	ND	mg/L
Potassium, total	MW-8N	7/23/2008	1.2	3	ND	mg/L
Potassium, total	MW-8N	2/4/2009	1.3	3	ND	mg/L
Potassium, total	MW-8N	7/31/2009	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/26/2010	1.3	3	ND	mg/L
Potassium, total	MW-8N	7/16/2010	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/19/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	5/10/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	7/14/2011	1.5	3	ND	mg/L
Potassium, total	MW-8N	1/6/2012	1.8	3	ND	mg/L
Potassium, total	MW-8N	4/5/2012	1.5	3	ND	mg/L
Potassium, total	MW-8N	7/11/2012	1.4	3	ND	mg/L
Potassium, total	MW-8N	10/3/2012	1.6	3	ND	mg/L
Potassium, total	MW-8N	5/1/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	6/4/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	7/16/2013	1.6	3	ND	mg/L
Potassium, total	MW-8N	10/2/2013	1.7	3	ND	mg/L
Potassium, total	MW-8N	1/30/2014	1.7	3	ND	mg/L
Potassium, total	MW-8N	4/3/2014	1.8	3	ND	mg/L
Potassium, total	MW-8N	7/9/2014	1.9	3	ND	mg/L
Potassium, total	MW-8N	10/8/2014	1.9	3	ND	mg/L
Potassium, total	MW-8N	2/12/2015	1.8	3	ND	mg/L
Potassium, total	MW-8N	4/1/2015	2	3	ND	mg/L
Potassium, total	MW-8N	7/14/2015	1.9	3	ND	mg/L
Potassium, total	MW-8N	10/5/2015	2.1	3	ND	mg/L
Potassium, total	MW-8N	1/5/2016	2.3	3	ND	mg/L
Potassium, total	MW-8N	4/6/2016	2.3	3	ND	mg/L
Potassium, total	MW-8N	7/21/2016	2.2	3	ND	mg/L
Potassium, total	MW-8N	10/6/2016	2.2	3	ND	mg/L
Potassium, total	MW-8N	1/11/2017	2.4	3	ND	mg/L
Potassium, total	MW-8N	4/4/2017	2	3	ND	mg/L
Potassium, total	MW-8N	7/19/2017	2	3	ND	mg/L
Potassium, total	MW-8N	10/6/2017	2.7	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	MW-8N	1/25/2018	3.2	3		mg/L
Potassium, total	MW-8N	4/10/2018	2.2	3	ND	mg/L
Potassium, total	MW-8N	7/16/2018	2.8	3	ND	mg/L
Potassium, total	MW-8N	10/2/2018	2.9	3	ND	mg/L
Potassium, total	MW-8N	1/7/2019	3.2	3		mg/L
Potassium, total	MW-8N	4/3/2019	3.3	3		mg/L
Potassium, total	MW-8N	7/11/2019	3.3	3		mg/L
Potassium, total	MW-8N	7/11/2019	3.4	3		mg/L
Potassium, total	MW-8N	10/3/2019	3.2	3		mg/L
Potassium, total	MW-8N	1/15/2020	3.06	3		mg/L
Potassium, total	MW-8N	7/9/2020	3.17	3		mg/L
Potassium, total	MW-8N	1/15/2021	3.41	3		mg/L
Potassium, total	MW-8N	7/5/2021	3.42	3		mg/L
Potassium, total	MW-8N	7/5/2021	3.56	3		mg/L
Potassium, total	MW-8N	1/18/2022	3.48	3		mg/L
Potassium, total	MW-8N	7/12/2022	3.76	3		mg/L
Potassium, total	MW-8N	1/11/2023	4.26	3		mg/L
Potassium, total	MW-8N	7/7/2023	3.85	3		mg/L
Potassium, total	NE-1	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-1	1/27/2004	1	1	ND	mg/L
Potassium, total	NE-1	1/12/2005	1	1	ND	mg/L
Potassium, total	NE-1	7/19/2006	1.1	3	ND	mg/L
Potassium, total	NE-1	7/19/2006	1.1	3	ND	mg/L
Potassium, total	NE-1	1/24/2007	1.1	3	ND	mg/L
Potassium, total	NE-1	7/10/2007	0.99	3	ND	mg/L
Potassium, total	NE-1	1/24/2008	0.57	3	ND	mg/L
Potassium, total	NE-1	7/21/2008	0.43	3	ND	mg/L
Potassium, total	NE-1	2/7/2009	0.79	3	ND	mg/L
Potassium, total	NE-1	7/31/2009	0.35	3	ND	mg/L
Potassium, total	NE-1	1/26/2010	0.54	3	ND	mg/L
Potassium, total	NE-1	7/14/2010	1	3	ND	mg/L
Potassium, total	NE-1	1/19/2011	1.2	3	ND	mg/L
Potassium, total	NE-1	7/13/2011	1.2	3	ND	mg/L
Potassium, total	NE-1	1/5/2012	0.97	3	ND	mg/L
Potassium, total	NE-1	7/10/2012	1.4	3	ND	mg/L
Potassium, total	NE-1	4/30/2013	1.3	3	ND	mg/L
Potassium, total	NE-1	7/16/2013	1.1	3	ND	mg/L
Potassium, total	NE-1	1/23/2014	2	3	ND	mg/L
Potassium, total	NE-1	7/9/2014	2.4	3	ND	mg/L
Potassium, total	NE-1	2/11/2015	2.3	3	ND	mg/L
Potassium, total	NE-1	7/8/2015	2.8	3	ND	mg/L
Potassium, total	NE-1	1/6/2016	3.8	3		mg/L
Potassium, total	NE-1	7/20/2016	4.9	3		mg/L
Potassium, total	NE-1	1/11/2017	5	3		mg/L
Potassium, total	NE-1	7/19/2017	4.5	3		mg/L
Potassium, total	NE-1	1/24/2018	4.8	3		mg/L
Potassium, total	NE-1	4/11/2018	4.4	3		mg/L
Potassium, total	NE-1	7/18/2018	4.2	3		mg/L
Potassium, total	NE-1	10/2/2018	4.7	3		mg/L
Potassium, total	NE-1	1/4/2019	4.5	3		mg/L
Potassium, total	NE-1	7/10/2019	4.4	3		mg/L
Potassium, total	NE-1	1/15/2020	4.22	3		mg/L
Potassium, total	NE-1	7/8/2020	4.77	3		mg/L
Potassium, total	NE-1	1/13/2021	5.45	3		mg/L
Potassium, total	NE-1	7/2/2021	5.09	3		mg/L
Potassium, total	NE-1	1/17/2022	5.12	3		mg/L
Potassium, total	NE-1	7/13/2022	4.68	3		mg/L
Potassium, total	NE-1	1/5/2023	4.98	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-1	7/5/2023	3.99	3		mg/L
Potassium, total	NE-10D	11/6/2019	0.97	3	ND	mg/L
Potassium, total	NE-10D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-10D	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-10D	1/13/2021	3	3	ND	mg/L
Potassium, total	NE-10D	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-10D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-10D	7/8/2023	3	3	ND	mg/L
Potassium, total	NE-11	3/1/2017	0.42	3	ND	mg/L
Potassium, total	NE-11	4/6/2017	0.31	3	ND	mg/L
Potassium, total	NE-11	7/20/2017	1.6	3	ND	mg/L
Potassium, total	NE-11	10/9/2017	0.55	3	ND	mg/L
Potassium, total	NE-11	9/30/2019	0.5	3	ND	mg/L
Potassium, total	NE-11	1/14/2020	3	3	ND	mg/L
Potassium, total	NE-11	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-11	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-11	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-11	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-11	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-11	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-11	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-11	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-12	3/1/2017	1.6	3	ND	mg/L
Potassium, total	NE-12	4/6/2017	5	3		mg/L
Potassium, total	NE-12	7/20/2017	3.4	3		mg/L
Potassium, total	NE-12	10/6/2017	2	3	ND	mg/L
Potassium, total	NE-12	7/9/2019	4.7	3		mg/L
Potassium, total	NE-12	8/5/2019	1.1	3	ND	mg/L
Potassium, total	NE-12	1/13/2020	3.68	3		mg/L
Potassium, total	NE-12	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-12	1/15/2021	4.61	3		mg/L
Potassium, total	NE-12	1/15/2021	4.43	3		mg/L
Potassium, total	NE-12	7/1/2021	3.01	3		mg/L
Potassium, total	NE-12	7/1/2021	3.01	3		mg/L
Potassium, total	NE-12	7/1/2021	3.03	3		mg/L
Potassium, total	NE-12	1/17/2022	3.27	3		mg/L
Potassium, total	NE-12	1/17/2022	3.56	3		mg/L
Potassium, total	NE-12	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-12	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-12	7/5/2023	3	3	ND	mg/L
Potassium, total	NE-13	2/5/2019	2	3	ND	mg/L
Potassium, total	NE-13	7/11/2019	1.8	3	ND	mg/L
Potassium, total	NE-13	8/7/2019	2.2	3	ND	mg/L
Potassium, total	NE-13	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-13	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-13	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-13	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-13	7/1/2021	5.2	3		mg/L
Potassium, total	NE-13	7/1/2021	5.2	3		mg/L
Potassium, total	NE-13	7/1/2021	5.08	3		mg/L
Potassium, total	NE-14D	10/2/2019	1.7	3	ND	mg/L
Potassium, total	NE-14D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-14D	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-14D	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-14D	7/2/2021	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-14D	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-14D	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-14D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-14D	7/5/2023	3	3	ND	mg/L
Potassium, total	NE-14S	10/2/2019	1.6	3	ND	mg/L
Potassium, total	NE-14S	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-14S	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-14S	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-14S	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-14S	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-14S	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-14S	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-14S	7/5/2023	3	3	ND	mg/L
Potassium, total	NE-15D	9/30/2019	1.6	3	ND	mg/L
Potassium, total	NE-15D	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-15D	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-15D	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-15D	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-15D	1/17/2022	38.2	3		mg/L
Potassium, total	NE-15D	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-15D	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-15D	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-2	10/1/2013	12	3		mg/L
Potassium, total	NE-2	10/8/2014	11	3		mg/L
Potassium, total	NE-2	10/5/2015	12	3		mg/L
Potassium, total	NE-2	10/6/2016	8.3	3		mg/L
Potassium, total	NE-2	10/5/2017	11	3		mg/L
Potassium, total	NE-2	1/25/2018	15	3		mg/L
Potassium, total	NE-2	4/10/2018	9.8	3		mg/L
Potassium, total	NE-2	7/10/2018	15	3		mg/L
Potassium, total	NE-2	10/1/2018	15	3		mg/L
Potassium, total	NE-2	1/4/2019	13	3		mg/L
Potassium, total	NE-2	7/9/2019	15	3		mg/L
Potassium, total	NE-2	1/14/2020	9.89	3		mg/L
Potassium, total	NE-2	7/7/2020	12.4	3		mg/L
Potassium, total	NE-2	1/14/2021	11.3	3		mg/L
Potassium, total	NE-2	7/2/2021	12.5	3		mg/L
Potassium, total	NE-2	1/18/2022	11.5	3		mg/L
Potassium, total	NE-2	7/13/2022	8.02	3		mg/L
Potassium, total	NE-2	1/5/2023	11.8	3		mg/L
Potassium, total	NE-2	7/5/2023	6.37	3		mg/L
Potassium, total	NE-4	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-4	1/28/2004	1.1	1		mg/L
Potassium, total	NE-4	1/13/2005	1	1	ND	mg/L
Potassium, total	NE-4	8/1/2006	1.3	3	ND	mg/L
Potassium, total	NE-4	8/1/2006	1.3	3	ND	mg/L
Potassium, total	NE-4	1/24/2007	0.96	3	ND	mg/L
Potassium, total	NE-4	7/12/2007	1.5	3	ND	mg/L
Potassium, total	NE-4	1/24/2008	0.94	3	ND	mg/L
Potassium, total	NE-4	7/21/2008	0.88	3	ND	mg/L
Potassium, total	NE-4	2/7/2009	1.6	3	ND	mg/L
Potassium, total	NE-4	7/31/2009	1.4	3	ND	mg/L
Potassium, total	NE-4	1/26/2010	1.4	3	ND	mg/L
Potassium, total	NE-4	7/14/2010	1.6	3	ND	mg/L
Potassium, total	NE-4	1/19/2011	1.4	3	ND	mg/L
Potassium, total	NE-4	7/13/2011	1.2	3	ND	mg/L
Potassium, total	NE-4	1/5/2012	1.3	3	ND	mg/L
Potassium, total	NE-4	7/10/2012	3	3		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-4	4/30/2013	25	3		mg/L
Potassium, total	NE-4	7/16/2013	10	3		mg/L
Potassium, total	NE-4	1/23/2014	3.3	3		mg/L
Potassium, total	NE-4	7/9/2014	1.8	3	ND	mg/L
Potassium, total	NE-4	2/13/2015	1.8	3	ND	mg/L
Potassium, total	NE-4	7/8/2015	2	3	ND	mg/L
Potassium, total	NE-4	1/6/2016	0.98	3	ND	mg/L
Potassium, total	NE-4	7/20/2016	1.4	3	ND	mg/L
Potassium, total	NE-4	1/11/2017	1.7	3	ND	mg/L
Potassium, total	NE-4	7/19/2017	0.98	3	ND	mg/L
Potassium, total	NE-4	1/26/2018	1.5	3	ND	mg/L
Potassium, total	NE-4	4/10/2018	0.59	3	ND	mg/L
Potassium, total	NE-4	7/12/2018	0.98	3	ND	mg/L
Potassium, total	NE-4	10/3/2018	0.79	3	ND	mg/L
Potassium, total	NE-4	1/7/2019	1.1	3	ND	mg/L
Potassium, total	NE-4	7/8/2019	1.2	3	ND	mg/L
Potassium, total	NE-4	1/13/2020	3	3	ND	mg/L
Potassium, total	NE-4	7/6/2020	3	3	ND	mg/L
Potassium, total	NE-4	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-4	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-4	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-4	7/5/2023	3	3	ND	mg/L
Potassium, total	NE-5	7/8/2003	1	1	ND	mg/L
Potassium, total	NE-5	1/27/2004	2.6	1		mg/L
Potassium, total	NE-5	1/12/2005	1.2	1		mg/L
Potassium, total	NE-5	7/19/2006	0.4	3	ND	mg/L
Potassium, total	NE-5	7/19/2006	0.4	3	ND	mg/L
Potassium, total	NE-5	1/24/2007	0.47	3	ND	mg/L
Potassium, total	NE-5	7/12/2007	0.67	3	ND	mg/L
Potassium, total	NE-5	7/22/2008	0.25	3	ND	mg/L
Potassium, total	NE-5	2/6/2009	0.53	3	ND	mg/L
Potassium, total	NE-5	7/31/2009	0.37	3	ND	mg/L
Potassium, total	NE-5	1/26/2010	0.29	3	ND	mg/L
Potassium, total	NE-5	7/16/2010	0.78	3	ND	mg/L
Potassium, total	NE-5	1/19/2011	0.63	3	ND	mg/L
Potassium, total	NE-5	7/13/2011	0.44	3	ND	mg/L
Potassium, total	NE-5	1/5/2012	0.42	3	ND	mg/L
Potassium, total	NE-5	7/10/2012	0.64	3	ND	mg/L
Potassium, total	NE-5	4/30/2013	0.53	3	ND	mg/L
Potassium, total	NE-5	7/16/2013	0.74	3	ND	mg/L
Potassium, total	NE-5	1/23/2014	0.4	3	ND	mg/L
Potassium, total	NE-5	7/9/2014	0.94	3	ND	mg/L
Potassium, total	NE-5	2/11/2015	0.56	3	ND	mg/L
Potassium, total	NE-5	7/14/2015	0.28	3	ND	mg/L
Potassium, total	NE-5	1/6/2016	0.44	3	ND	mg/L
Potassium, total	NE-5	7/20/2016	0.97	3	ND	mg/L
Potassium, total	NE-5	1/11/2017	1.2	3	ND	mg/L
Potassium, total	NE-5	7/19/2017	0.46	3	ND	mg/L
Potassium, total	NE-5	1/25/2018	1.3	3	ND	mg/L
Potassium, total	NE-5	4/10/2018	3	3	ND	mg/L
Potassium, total	NE-5	7/17/2018	0.31	3	ND	mg/L
Potassium, total	NE-5	10/3/2018	0.24	3	ND	mg/L
Potassium, total	NE-5	1/4/2019	0.34	3	ND	mg/L
Potassium, total	NE-5	4/2/2019	0.32	3	ND	mg/L
Potassium, total	NE-5	7/9/2019	0.54	3	ND	mg/L
Potassium, total	NE-5	7/9/2019	0.37	3	ND	mg/L
Potassium, total	NE-5	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5	7/8/2020	3	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-5	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-5E	9/30/2019	0.52	3	ND	mg/L
Potassium, total	NE-5E	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5E	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-5E	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5E	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5E	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5E	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5E	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5E	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-5W	9/30/2019	0.54	3	ND	mg/L
Potassium, total	NE-5W	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-5W	7/8/2020	3	3	ND	mg/L
Potassium, total	NE-5W	1/15/2021	3	3	ND	mg/L
Potassium, total	NE-5W	7/2/2021	3	3	ND	mg/L
Potassium, total	NE-5W	1/18/2022	3	3	ND	mg/L
Potassium, total	NE-5W	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-5W	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-5W	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-6	1/12/2017	3.8	3		mg/L
Potassium, total	NE-6	4/5/2017	2.9	3	ND	mg/L
Potassium, total	NE-6	7/19/2017	4	3		mg/L
Potassium, total	NE-6	10/6/2017	3.1	3		mg/L
Potassium, total	NE-6	2/4/2019	3.7	3		mg/L
Potassium, total	NE-6	7/9/2019	3.7	3		mg/L
Potassium, total	NE-6	8/6/2019	3	3		mg/L
Potassium, total	NE-6	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-6	7/9/2020	3	3	ND	mg/L
Potassium, total	NE-6	1/16/2021	3.33	3		mg/L
Potassium, total	NE-6	1/16/2021	3.22	3		mg/L
Potassium, total	NE-6	7/1/2021	3.47	3		mg/L
Potassium, total	NE-6	7/1/2021	3.47	3		mg/L
Potassium, total	NE-6	7/1/2021	3.39	3		mg/L
Potassium, total	NE-6	1/17/2022	3.1	3		mg/L
Potassium, total	NE-6	1/17/2022	3.42	3		mg/L
Potassium, total	NE-6	7/12/2022	3.97	3		mg/L
Potassium, total	NE-6	1/5/2023	3.34	3		mg/L
Potassium, total	NE-6	7/6/2023	3.53	3		mg/L
Potassium, total	NE-6D	10/2/2019	3.3	3		mg/L
Potassium, total	NE-6D	1/15/2020	3.29	3		mg/L
Potassium, total	NE-6D	7/9/2020	3.11	3		mg/L
Potassium, total	NE-6D	1/15/2021	3.57	3		mg/L
Potassium, total	NE-6D	7/2/2021	3.67	3		mg/L
Potassium, total	NE-6D	1/17/2022	3.41	3		mg/L
Potassium, total	NE-6D	7/12/2022	3.84	3		mg/L
Potassium, total	NE-6D	1/5/2023	3.9	3		mg/L
Potassium, total	NE-6D	7/6/2023	3.9	3		mg/L
Potassium, total	NE-7	3/1/2017	1.3	3	ND	mg/L
Potassium, total	NE-7	4/6/2017	0.29	3	ND	mg/L
Potassium, total	NE-7	7/20/2017	1.5	3	ND	mg/L
Potassium, total	NE-7	10/5/2017	0.81	3	ND	mg/L
Potassium, total	NE-7	2/6/2019	0.92	3	ND	mg/L
Potassium, total	NE-7	7/10/2019	0.75	3	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Potassium, total	NE-7	8/6/2019	0.74	3	ND	mg/L
Potassium, total	NE-7	1/16/2020	3	3	ND	mg/L
Potassium, total	NE-7	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-7	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-7	1/16/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-7	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-7	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-7	7/12/2022	3	3	ND	mg/L
Potassium, total	NE-7	1/5/2023	3	3	ND	mg/L
Potassium, total	NE-7	7/6/2023	3	3	ND	mg/L
Potassium, total	NE-8	1/12/2017	3.9	3		mg/L
Potassium, total	NE-8	4/5/2017	2.7	3	ND	mg/L
Potassium, total	NE-8	7/20/2017	6.1	3		mg/L
Potassium, total	NE-8	10/6/2017	6.1	3		mg/L
Potassium, total	NE-8	2/4/2019	4.2	3		mg/L
Potassium, total	NE-8	7/11/2019	5.5	3		mg/L
Potassium, total	NE-8	8/5/2019	5.1	3		mg/L
Potassium, total	NE-8	1/15/2020	4.61	3		mg/L
Potassium, total	NE-8	7/8/2020	3.87	3		mg/L
Potassium, total	NE-8	1/13/2021	3.22	3		mg/L
Potassium, total	NE-8	1/13/2021	3.21	3		mg/L
Potassium, total	NE-8	7/1/2021	4.02	3		mg/L
Potassium, total	NE-8	7/1/2021	4.02	3		mg/L
Potassium, total	NE-8	7/1/2021	4.12	3		mg/L
Potassium, total	NE-8	1/6/2023	3.01	3		mg/L
Potassium, total	NE-8	7/5/2023	3.45	3		mg/L
Potassium, total	NE-9	1/12/2017	2	3	ND	mg/L
Potassium, total	NE-9	4/5/2017	1.2	3	ND	mg/L
Potassium, total	NE-9	7/20/2017	2.3	3	ND	mg/L
Potassium, total	NE-9	10/5/2017	1.8	3	ND	mg/L
Potassium, total	NE-9	2/5/2019	2	3	ND	mg/L
Potassium, total	NE-9	7/8/2019	2	3	ND	mg/L
Potassium, total	NE-9	8/7/2019	1.8	3	ND	mg/L
Potassium, total	NE-9	1/15/2020	3	3	ND	mg/L
Potassium, total	NE-9	7/7/2020	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	7/1/2021	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-9	1/17/2022	3	3	ND	mg/L
Potassium, total	NE-9	7/13/2022	3	3	ND	mg/L
Potassium, total	NE-9	1/6/2023	3	3	ND	mg/L
Potassium, total	NE-9	7/5/2023	3	3	ND	mg/L
P-phenylenediamine	LGW-10	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-10	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-10	2/12/2015	96	96	ND	ug/L
P-phenylenediamine	LGW-10	10/6/2016	95	95	ND	ug/L
P-phenylenediamine	LGW-10	10/9/2017	96	96	ND	ug/L
P-phenylenediamine	LGW-10	7/16/2018	95	95	ND	ug/L
P-phenylenediamine	LGW-10	7/11/2019	99	99	ND	ug/L
P-phenylenediamine	LGW-10	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-10	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-10	10/5/2023	387	387	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	LGW-14R	10/27/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-14R	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-14R	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-14R	2/11/2015	99	99	ND	ug/L
P-phenylenediamine	LGW-14R	7/17/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-14R	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-2	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-2	2/13/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-2	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-2	2/13/2015	130	130	ND	ug/L
P-phenylenediamine	LGW-2	7/12/2018	97	97	ND	ug/L
P-phenylenediamine	LGW-2	7/8/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-2	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-3R	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-3R	2/10/2015	97	97	ND	ug/L
P-phenylenediamine	LGW-3R	7/11/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-3R	7/6/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-4	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-4	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-4	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-4	2/11/2015	97	97	ND	ug/L
P-phenylenediamine	LGW-4	7/11/2018	99	99	ND	ug/L
P-phenylenediamine	LGW-4	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-5	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-5	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-5	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-5	2/10/2015	95	95	ND	ug/L
P-phenylenediamine	LGW-5	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-5	7/7/2021	406	406	ND	ug/L
P-phenylenediamine	LGW-5	10/5/2023	387	387	ND	ug/L
P-phenylenediamine	LGW-6	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-6	2/5/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-6	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-6	2/10/2015	100	100	ND	ug/L
P-phenylenediamine	LGW-6	10/6/2016	97	97	ND	ug/L
P-phenylenediamine	LGW-6	10/5/2017	95	95	ND	ug/L
P-phenylenediamine	LGW-6	7/17/2018	99	99	ND	ug/L
P-phenylenediamine	LGW-6	7/10/2019	99	99	ND	ug/L
P-phenylenediamine	LGW-6	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-6	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-6	10/5/2023	387	387	ND	ug/L
P-phenylenediamine	LGW-7	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-7	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-7	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-7	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	LGW-7	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	LGW-7	10/5/2017	96	96	ND	ug/L
P-phenylenediamine	LGW-7	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	LGW-7	7/10/2019	98	98	ND	ug/L
P-phenylenediamine	LGW-7	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-7	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-8R	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-8R	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-8R	7/9/2012	94	94	ND	ug/L
P-phenylenediamine	LGW-8R	2/11/2015	98	98	ND	ug/L
P-phenylenediamine	LGW-8R	7/13/2018	98	98	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	LGW-8R	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-9	10/26/2006	100	100	ND	ug/L
P-phenylenediamine	LGW-9	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	LGW-9	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	LGW-9	2/11/2015	98	98	ND	ug/L
P-phenylenediamine	LGW-9	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	LGW-9	10/5/2017	95	95	ND	ug/L
P-phenylenediamine	LGW-9	7/13/2018	95	95	ND	ug/L
P-phenylenediamine	LGW-9	7/10/2019	100	100	ND	ug/L
P-phenylenediamine	LGW-9	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	LGW-9	7/7/2021	387	387	ND	ug/L
P-phenylenediamine	LGW-9	10/5/2023	387	387	ND	ug/L
P-phenylenediamine	MW-10N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-10N	2/13/2009	100	100	ND	ug/L
P-phenylenediamine	MW-10N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-10N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-10N	7/11/2018	97	97	ND	ug/L
P-phenylenediamine	MW-10N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-11N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-11N	2/3/2009	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/9/2012	95	95	ND	ug/L
P-phenylenediamine	MW-11N	2/10/2015	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/17/2018	100	100	ND	ug/L
P-phenylenediamine	MW-11N	7/6/2021	387	387	ND	ug/L
P-phenylenediamine	MW-15	7/10/2018	100	100	ND	ug/L
P-phenylenediamine	MW-15	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-16	7/11/2018	95	95	ND	ug/L
P-phenylenediamine	MW-16	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-17	7/10/2018	95	95	ND	ug/L
P-phenylenediamine	MW-17	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-19	7/13/2018	96	96	ND	ug/L
P-phenylenediamine	MW-19	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-1N	10/14/1998	10	10	ND	ug/L
P-phenylenediamine	MW-1N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-1N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-1N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-1N	2/5/2009	100	100	ND	ug/L
P-phenylenediamine	MW-1N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-1N	2/10/2015	95	95	ND	ug/L
P-phenylenediamine	MW-1N	7/10/2018	99	99	ND	ug/L
P-phenylenediamine	MW-1N	7/6/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-1N	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-20	7/12/2018	95	95	ND	ug/L
P-phenylenediamine	MW-20	7/4/2021	387	387	ND	ug/L
P-phenylenediamine	MW-21	10/5/2016	96	96	ND	ug/L
P-phenylenediamine	MW-21	10/6/2017	96	96	ND	ug/L
P-phenylenediamine	MW-21	7/11/2018	95	95	ND	ug/L
P-phenylenediamine	MW-21	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-21	7/8/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-21	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-2N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-2N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-2N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-2N	2/12/2015	96	96	ND	ug/L
P-phenylenediamine	MW-2N	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	MW-2N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-3N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-3N	5/29/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
P-phenylenediamine	MW-3N	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	MW-3N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-3N	7/11/2012	94	94	ND	ug/L
P-phenylenediamine	MW-3N	2/12/2015	98	98	ND	ug/L
P-phenylenediamine	MW-3N	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	MW-3N	10/9/2017	95	95	ND	ug/L
P-phenylenediamine	MW-3N	7/13/2018	95	95	ND	ug/L
P-phenylenediamine	MW-3N	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-3N	7/7/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-3N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-7N	10/15/1998	10	10	ND	ug/L
P-phenylenediamine	MW-7N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-7N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-7N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-7N	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	MW-7N	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	MW-7N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-7N	10/5/2017	99	99	ND	ug/L
P-phenylenediamine	MW-7N	7/13/2018	100	100	ND	ug/L
P-phenylenediamine	MW-7N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-8N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-8N	5/29/2002	10	10	ND	ug/L
P-phenylenediamine	MW-8N	10/24/2006	100	100	ND	ug/L
P-phenylenediamine	MW-8N	1/24/2008	100	100	ND	ug/L
P-phenylenediamine	MW-8N	2/4/2009	100	100	ND	ug/L
P-phenylenediamine	MW-8N	5/10/2011	96	96	ND	ug/L
P-phenylenediamine	MW-8N	7/11/2012	95	95	ND	ug/L
P-phenylenediamine	MW-8N	10/2/2013	95	95	ND	ug/L
P-phenylenediamine	MW-8N	10/8/2014	96	96	ND	ug/L
P-phenylenediamine	MW-8N	2/12/2015	97	97	ND	ug/L
P-phenylenediamine	MW-8N	10/6/2016	96	96	ND	ug/L
P-phenylenediamine	MW-8N	10/6/2017	97	97	ND	ug/L
P-phenylenediamine	MW-8N	7/16/2018	98	98	ND	ug/L
P-phenylenediamine	MW-8N	7/11/2019	100	100	ND	ug/L
P-phenylenediamine	MW-8N	7/9/2020	6900	6900	ND	ug/L
P-phenylenediamine	MW-8N	7/5/2021	387	387	ND	ug/L
P-phenylenediamine	MW-8N	10/5/2023	387	387	ND	ug/L
P-phenylenediamine	NE-1	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-1	2/7/2009	100	100	ND	ug/L
P-phenylenediamine	NE-1	7/10/2012	96	96	ND	ug/L
P-phenylenediamine	NE-1	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	NE-1	7/18/2018	96	96	ND	ug/L
P-phenylenediamine	NE-2	7/10/2018	95	95	ND	ug/L
P-phenylenediamine	NE-4	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-4	2/7/2009	100	100	ND	ug/L
P-phenylenediamine	NE-4	7/10/2012	98	98	ND	ug/L
P-phenylenediamine	NE-4	2/13/2015	95	95	ND	ug/L
P-phenylenediamine	NE-4	7/12/2018	100	100	ND	ug/L
P-phenylenediamine	NE-5	10/25/2006	100	100	ND	ug/L
P-phenylenediamine	NE-5	2/6/2009	100	100	ND	ug/L
P-phenylenediamine	NE-5	7/10/2012	95	95	ND	ug/L
P-phenylenediamine	NE-5	2/11/2015	96	96	ND	ug/L
P-phenylenediamine	NE-5	7/17/2018	96	96	ND	ug/L
P-phenylenediamine	NE-5	7/9/2019	100	100	ND	ug/L
Pronamide	LGW-10	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-10	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-10	2/12/2015	19	19	ND	ug/L
Pronamide	LGW-10	10/6/2016	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	LGW-10	10/9/2017	19	19	ND	ug/L
Pronamide	LGW-10	7/16/2018	19	19	ND	ug/L
Pronamide	LGW-10	7/11/2019	20	20	ND	ug/L
Pronamide	LGW-10	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-10	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-10	10/5/2023	20	20	ND	ug/L
Pronamide	LGW-14R	10/27/2006	20	20	ND	ug/L
Pronamide	LGW-14R	2/6/2009	20	20	ND	ug/L
Pronamide	LGW-14R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-14R	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-14R	7/17/2018	20	20	ND	ug/L
Pronamide	LGW-14R	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-2	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-2	2/13/2009	20	20	ND	ug/L
Pronamide	LGW-2	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-2	2/13/2015	26	26	ND	ug/L
Pronamide	LGW-2	7/12/2018	19	19	ND	ug/L
Pronamide	LGW-2	7/8/2020	10	10	ND	ug/L
Pronamide	LGW-2	7/4/2021	20	20	ND	ug/L
Pronamide	LGW-3R	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-3R	2/3/2009	20	20	ND	ug/L
Pronamide	LGW-3R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-3R	2/10/2015	19	19	ND	ug/L
Pronamide	LGW-3R	7/11/2018	20	20	ND	ug/L
Pronamide	LGW-3R	7/6/2021	20	20	ND	ug/L
Pronamide	LGW-4	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-4	2/3/2009	20	20	ND	ug/L
Pronamide	LGW-4	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-4	2/11/2015	19	19	ND	ug/L
Pronamide	LGW-4	7/11/2018	20	20	ND	ug/L
Pronamide	LGW-4	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-5	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-5	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-5	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-5	2/10/2015	19	19	ND	ug/L
Pronamide	LGW-5	7/12/2018	20	20	ND	ug/L
Pronamide	LGW-5	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-5	10/5/2023	20	20	ND	ug/L
Pronamide	LGW-6	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-6	2/5/2009	20	20	ND	ug/L
Pronamide	LGW-6	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-6	2/10/2015	20	20	ND	ug/L
Pronamide	LGW-6	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-6	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-6	7/17/2018	20	20	ND	ug/L
Pronamide	LGW-6	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-6	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-6	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-6	10/5/2023	20	20	ND	ug/L
Pronamide	LGW-7	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-7	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-7	7/10/2012	19	19	ND	ug/L
Pronamide	LGW-7	2/11/2015	19	19	ND	ug/L
Pronamide	LGW-7	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-7	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-7	7/12/2018	20	20	ND	ug/L
Pronamide	LGW-7	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-7	7/9/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	LGW-7	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-8R	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-8R	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-8R	7/9/2012	19	19	ND	ug/L
Pronamide	LGW-8R	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-8R	7/13/2018	20	20	ND	ug/L
Pronamide	LGW-8R	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-9	10/26/2006	20	20	ND	ug/L
Pronamide	LGW-9	2/4/2009	20	20	ND	ug/L
Pronamide	LGW-9	7/10/2012	19	19	ND	ug/L
Pronamide	LGW-9	2/11/2015	20	20	ND	ug/L
Pronamide	LGW-9	10/6/2016	19	19	ND	ug/L
Pronamide	LGW-9	10/5/2017	19	19	ND	ug/L
Pronamide	LGW-9	7/13/2018	19	19	ND	ug/L
Pronamide	LGW-9	7/10/2019	20	20	ND	ug/L
Pronamide	LGW-9	7/9/2020	10	10	ND	ug/L
Pronamide	LGW-9	7/7/2021	20	20	ND	ug/L
Pronamide	LGW-9	10/5/2023	20	20	ND	ug/L
Pronamide	MW-10N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-10N	2/13/2009	20	20	ND	ug/L
Pronamide	MW-10N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-10N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-10N	7/11/2018	19	19	ND	ug/L
Pronamide	MW-10N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-11N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-11N	2/3/2009	20	20	ND	ug/L
Pronamide	MW-11N	7/9/2012	19	19	ND	ug/L
Pronamide	MW-11N	2/10/2015	20	20	ND	ug/L
Pronamide	MW-11N	7/17/2018	20	20	ND	ug/L
Pronamide	MW-11N	7/6/2021	20	20	ND	ug/L
Pronamide	MW-15	7/10/2018	20	20	ND	ug/L
Pronamide	MW-15	7/4/2021	20	20	ND	ug/L
Pronamide	MW-16	7/11/2018	19	19	ND	ug/L
Pronamide	MW-16	7/4/2021	20	20	ND	ug/L
Pronamide	MW-17	7/10/2018	19	19	ND	ug/L
Pronamide	MW-17	7/4/2021	20	20	ND	ug/L
Pronamide	MW-19	7/13/2018	19	19	ND	ug/L
Pronamide	MW-19	7/4/2021	20	20	ND	ug/L
Pronamide	MW-1N	10/14/1998	10	10	ND	ug/L
Pronamide	MW-1N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-1N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-1N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-1N	2/5/2009	20	20	ND	ug/L
Pronamide	MW-1N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-1N	2/10/2015	19	19	ND	ug/L
Pronamide	MW-1N	7/10/2018	20	20	ND	ug/L
Pronamide	MW-1N	7/6/2020	10	10	ND	ug/L
Pronamide	MW-1N	7/4/2021	20	20	ND	ug/L
Pronamide	MW-20	7/12/2018	19	19	ND	ug/L
Pronamide	MW-20	7/4/2021	20	20	ND	ug/L
Pronamide	MW-21	10/5/2016	19	19	ND	ug/L
Pronamide	MW-21	10/6/2017	19	19	ND	ug/L
Pronamide	MW-21	7/11/2018	19	19	ND	ug/L
Pronamide	MW-21	7/11/2019	20	20	ND	ug/L
Pronamide	MW-21	7/8/2020	10	10	ND	ug/L
Pronamide	MW-21	7/5/2021	20	20	ND	ug/L
Pronamide	MW-2N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-2N	2/4/2009	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	MW-2N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-2N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-2N	7/12/2018	20	20	ND	ug/L
Pronamide	MW-2N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-3N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-3N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-3N	10/25/2006	20	20	ND	ug/L
Pronamide	MW-3N	2/4/2009	20	20	ND	ug/L
Pronamide	MW-3N	7/11/2012	19	19	ND	ug/L
Pronamide	MW-3N	2/12/2015	20	20	ND	ug/L
Pronamide	MW-3N	10/6/2016	19	19	ND	ug/L
Pronamide	MW-3N	10/9/2017	19	19	ND	ug/L
Pronamide	MW-3N	7/13/2018	19	19	ND	ug/L
Pronamide	MW-3N	7/11/2019	20	20	ND	ug/L
Pronamide	MW-3N	7/7/2020	10	10	ND	ug/L
Pronamide	MW-3N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-7N	10/15/1998	10	10	ND	ug/L
Pronamide	MW-7N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-7N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-7N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-7N	2/6/2009	20	20	ND	ug/L
Pronamide	MW-7N	7/10/2012	19	19	ND	ug/L
Pronamide	MW-7N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-7N	10/5/2017	20	20	ND	ug/L
Pronamide	MW-7N	7/13/2018	21	21	ND	ug/L
Pronamide	MW-7N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-8N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-8N	5/29/2002	10	10	ND	ug/L
Pronamide	MW-8N	10/24/2006	20	20	ND	ug/L
Pronamide	MW-8N	1/24/2008	20	20	ND	ug/L
Pronamide	MW-8N	2/4/2009	20	20	ND	ug/L
Pronamide	MW-8N	5/10/2011	19	19	ND	ug/L
Pronamide	MW-8N	7/11/2012	19	19	ND	ug/L
Pronamide	MW-8N	10/2/2013	19	19	ND	ug/L
Pronamide	MW-8N	10/8/2014	19	19	ND	ug/L
Pronamide	MW-8N	2/12/2015	19	19	ND	ug/L
Pronamide	MW-8N	10/6/2016	19	19	ND	ug/L
Pronamide	MW-8N	10/6/2017	19	19	ND	ug/L
Pronamide	MW-8N	7/16/2018	20	20	ND	ug/L
Pronamide	MW-8N	7/11/2019	20	20	ND	ug/L
Pronamide	MW-8N	7/9/2020	10	10	ND	ug/L
Pronamide	MW-8N	7/5/2021	20	20	ND	ug/L
Pronamide	MW-8N	10/5/2023	20	20	ND	ug/L
Pronamide	NE-1	10/25/2006	20	20	ND	ug/L
Pronamide	NE-1	2/7/2009	20	20	ND	ug/L
Pronamide	NE-1	7/10/2012	19	19	ND	ug/L
Pronamide	NE-1	2/11/2015	19	19	ND	ug/L
Pronamide	NE-1	7/18/2018	19	19	ND	ug/L
Pronamide	NE-2	7/10/2018	19	19	ND	ug/L
Pronamide	NE-4	10/25/2006	20	20	ND	ug/L
Pronamide	NE-4	2/7/2009	20	20	ND	ug/L
Pronamide	NE-4	7/10/2012	20	20	ND	ug/L
Pronamide	NE-4	2/13/2015	19	19	ND	ug/L
Pronamide	NE-4	7/12/2018	21	21	ND	ug/L
Pronamide	NE-5	10/25/2006	20	20	ND	ug/L
Pronamide	NE-5	2/6/2009	20	20	ND	ug/L
Pronamide	NE-5	7/10/2012	19	19	ND	ug/L
Pronamide	NE-5	2/11/2015	19	19	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pronamide	NE-5	7/17/2018	19	19	ND	ug/L
Pronamide	NE-5	7/9/2019	20	20	ND	ug/L
Propionitrile	LGW-10	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-10	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-10	2/12/2015	20	20	ND	ug/L
Propionitrile	LGW-10	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-10	10/9/2017	20	20	ND	ug/L
Propionitrile	LGW-10	7/16/2018	20	20	ND	ug/L
Propionitrile	LGW-10	7/11/2019	20	20	ND	ug/L
Propionitrile	LGW-10	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-10	10/7/2020	20	20	ND	ug/L
Propionitrile	LGW-10	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-10	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-10	10/5/2023	20	20	ND	ug/L
Propionitrile	LGW-14R	10/27/2006	20	20	ND	ug/L
Propionitrile	LGW-14R	2/6/2009	20	20	ND	ug/L
Propionitrile	LGW-14R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-14R	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-14R	7/17/2018	20	20	ND	ug/L
Propionitrile	LGW-14R	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-2	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-2	2/6/2009	20	20	ND	ug/L
Propionitrile	LGW-2	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-2	2/13/2015	20	20	ND	ug/L
Propionitrile	LGW-2	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-2	7/8/2020	50	50	ND	ug/L
Propionitrile	LGW-2	7/4/2021	20	20	ND	ug/L
Propionitrile	LGW-3R	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-3R	2/3/2009	20	20	ND	ug/L
Propionitrile	LGW-3R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-3R	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-3R	7/11/2018	20	20	ND	ug/L
Propionitrile	LGW-3R	7/6/2021	20	20	ND	ug/L
Propionitrile	LGW-4	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-4	2/3/2009	20	20	ND	ug/L
Propionitrile	LGW-4	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-4	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-4	7/11/2018	20	20	ND	ug/L
Propionitrile	LGW-4	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-5	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-5	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-5	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-5	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-5	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-5	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-5	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-5	10/5/2023	20	20	ND	ug/L
Propionitrile	LGW-6	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-6	2/5/2009	20	20	ND	ug/L
Propionitrile	LGW-6	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-6	2/10/2015	20	20	ND	ug/L
Propionitrile	LGW-6	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-6	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-6	7/17/2018	20	20	ND	ug/L
Propionitrile	LGW-6	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-6	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-6	10/6/2020	20	20	ND	ug/L
Propionitrile	LGW-6	7/7/2021	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	LGW-6	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-6	10/5/2023	20	20	ND	ug/L
Propionitrile	LGW-7	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-7	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-7	7/10/2012	20	20	ND	ug/L
Propionitrile	LGW-7	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-7	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-7	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-7	7/12/2018	20	20	ND	ug/L
Propionitrile	LGW-7	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-7	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-7	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-7	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-8R	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-8R	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-8R	7/9/2012	20	20	ND	ug/L
Propionitrile	LGW-8R	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-8R	7/13/2018	20	20	ND	ug/L
Propionitrile	LGW-8R	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-9	10/26/2006	20	20	ND	ug/L
Propionitrile	LGW-9	2/4/2009	20	20	ND	ug/L
Propionitrile	LGW-9	7/10/2012	20	20	ND	ug/L
Propionitrile	LGW-9	2/11/2015	20	20	ND	ug/L
Propionitrile	LGW-9	10/6/2016	20	20	ND	ug/L
Propionitrile	LGW-9	10/5/2017	20	20	ND	ug/L
Propionitrile	LGW-9	7/13/2018	20	20	ND	ug/L
Propionitrile	LGW-9	7/10/2019	20	20	ND	ug/L
Propionitrile	LGW-9	7/9/2020	50	50	ND	ug/L
Propionitrile	LGW-9	10/7/2020	20	20	ND	ug/L
Propionitrile	LGW-9	7/7/2021	20	20	ND	ug/L
Propionitrile	LGW-9	10/5/2021	20	20	ND	ug/L
Propionitrile	LGW-9	10/5/2023	20	20	ND	ug/L
Propionitrile	MW-10N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-10N	2/13/2009	20	20	ND	ug/L
Propionitrile	MW-10N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-10N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-10N	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-10N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-11N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-11N	2/3/2009	20	20	ND	ug/L
Propionitrile	MW-11N	7/9/2012	20	20	ND	ug/L
Propionitrile	MW-11N	2/10/2015	20	20	ND	ug/L
Propionitrile	MW-11N	7/17/2018	20	20	ND	ug/L
Propionitrile	MW-11N	7/6/2021	20	20	ND	ug/L
Propionitrile	MW-15	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-15	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-16	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-16	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-17	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-17	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-19	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-19	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-1N	10/14/1998	100	100	ND	ug/L
Propionitrile	MW-1N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-1N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-1N	10/24/2006	20	20	ND	ug/L
Propionitrile	MW-1N	2/5/2009	20	20	ND	ug/L
Propionitrile	MW-1N	7/10/2012	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	MW-1N	2/10/2015	20	20	ND	ug/L
Propionitrile	MW-1N	7/10/2018	20	20	ND	ug/L
Propionitrile	MW-1N	7/6/2020	50	50	ND	ug/L
Propionitrile	MW-1N	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-20	7/12/2018	20	20	ND	ug/L
Propionitrile	MW-20	7/4/2021	20	20	ND	ug/L
Propionitrile	MW-21	10/5/2016	20	20	ND	ug/L
Propionitrile	MW-21	10/6/2017	20	20	ND	ug/L
Propionitrile	MW-21	7/11/2018	20	20	ND	ug/L
Propionitrile	MW-21	7/11/2019	20	20	ND	ug/L
Propionitrile	MW-21	7/8/2020	50	50	ND	ug/L
Propionitrile	MW-21	10/7/2020	20	20	ND	ug/L
Propionitrile	MW-21	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-21	10/6/2021	20	20	ND	ug/L
Propionitrile	MW-2N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-2N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-2N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-2N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-2N	7/12/2018	20	20	ND	ug/L
Propionitrile	MW-2N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-3N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-3N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-3N	10/25/2006	20	20	ND	ug/L
Propionitrile	MW-3N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-3N	7/11/2012	20	20	ND	ug/L
Propionitrile	MW-3N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-3N	10/6/2016	20	20	ND	ug/L
Propionitrile	MW-3N	10/9/2017	20	20	ND	ug/L
Propionitrile	MW-3N	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-3N	7/11/2019	20	20	ND	ug/L
Propionitrile	MW-3N	7/7/2020	50	50	ND	ug/L
Propionitrile	MW-3N	10/7/2020	20	20	ND	ug/L
Propionitrile	MW-3N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-3N	10/6/2021	20	20	ND	ug/L
Propionitrile	MW-7N	10/15/1998	100	100	ND	ug/L
Propionitrile	MW-7N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-7N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-7N	10/24/2006	20	20	ND	ug/L
Propionitrile	MW-7N	2/6/2009	20	20	ND	ug/L
Propionitrile	MW-7N	7/10/2012	20	20	ND	ug/L
Propionitrile	MW-7N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-7N	10/5/2017	20	20	ND	ug/L
Propionitrile	MW-7N	7/13/2018	20	20	ND	ug/L
Propionitrile	MW-7N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-8N	5/29/2002	100	100	ND	ug/L
Propionitrile	MW-8N	5/29/2002	1	1	ND	ug/L
Propionitrile	MW-8N	10/24/2006	20	20	ND	ug/L
Propionitrile	MW-8N	1/24/2008	20	20	ND	ug/L
Propionitrile	MW-8N	2/4/2009	20	20	ND	ug/L
Propionitrile	MW-8N	5/10/2011	20	20	ND	ug/L
Propionitrile	MW-8N	7/11/2012	20	20	ND	ug/L
Propionitrile	MW-8N	10/2/2013	20	20	ND	ug/L
Propionitrile	MW-8N	10/8/2014	20	20	ND	ug/L
Propionitrile	MW-8N	2/12/2015	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2016	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2017	20	20	ND	ug/L
Propionitrile	MW-8N	7/16/2018	20	20	ND	ug/L
Propionitrile	MW-8N	7/11/2019	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Propionitrile	MW-8N	7/9/2020	50	50	ND	ug/L
Propionitrile	MW-8N	10/6/2020	20	20	ND	ug/L
Propionitrile	MW-8N	7/5/2021	20	20	ND	ug/L
Propionitrile	MW-8N	10/6/2021	20	20	ND	ug/L
Propionitrile	MW-8N	10/5/2023	20	20	ND	ug/L
Propionitrile	NE-1	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-1	2/7/2009	20	20	ND	ug/L
Propionitrile	NE-1	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-1	2/11/2015	20	20	ND	ug/L
Propionitrile	NE-1	7/18/2018	20	20	ND	ug/L
Propionitrile	NE-2	7/10/2018	20	20	ND	ug/L
Propionitrile	NE-4	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-4	2/7/2009	20	20	ND	ug/L
Propionitrile	NE-4	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-4	2/13/2015	20	20	ND	ug/L
Propionitrile	NE-4	7/12/2018	20	20	ND	ug/L
Propionitrile	NE-5	10/25/2006	20	20	ND	ug/L
Propionitrile	NE-5	2/6/2009	20	20	ND	ug/L
Propionitrile	NE-5	7/10/2012	20	20	ND	ug/L
Propionitrile	NE-5	2/11/2015	20	20	ND	ug/L
Propionitrile	NE-5	7/17/2018	20	20	ND	ug/L
Propionitrile	NE-5	7/9/2019	20	20	ND	ug/L
Pyrene	LGW-10	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Pyrene	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Pyrene	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Pyrene	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Pyrene	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Pyrene	LGW-10	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-10	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-10	10/5/2023	10	10	ND	ug/L
Pyrene	LGW-14R	10/27/2006	10	10	ND	ug/L
Pyrene	LGW-14R	2/6/2009	10	10	ND	ug/L
Pyrene	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Pyrene	LGW-14R	7/17/2018	10	10	ND	ug/L
Pyrene	LGW-14R	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-2	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-2	2/13/2009	10	10	ND	ug/L
Pyrene	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-2	2/13/2015	13	13	ND	ug/L
Pyrene	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Pyrene	LGW-2	7/8/2020	1	1	ND	ug/L
Pyrene	LGW-2	7/4/2021	10	10	ND	ug/L
Pyrene	LGW-3R	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-3R	2/3/2009	0.54	10	ND	ug/L
Pyrene	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Pyrene	LGW-3R	7/11/2018	10	10	ND	ug/L
Pyrene	LGW-3R	7/6/2021	10	10	ND	ug/L
Pyrene	LGW-4	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-4	2/3/2009	10	10	ND	ug/L
Pyrene	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Pyrene	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Pyrene	LGW-4	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-5	10/26/2006	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	LGW-5	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-5	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Pyrene	LGW-5	7/12/2018	10	10	ND	ug/L
Pyrene	LGW-5	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-5	10/5/2023	10	10	ND	ug/L
Pyrene	LGW-6	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-6	2/5/2009	10	10	ND	ug/L
Pyrene	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-6	2/10/2015	10	10	ND	ug/L
Pyrene	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Pyrene	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Pyrene	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Pyrene	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Pyrene	LGW-6	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-6	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-6	10/5/2023	10	10	ND	ug/L
Pyrene	LGW-7	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-7	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Pyrene	LGW-7	7/12/2018	10	10	ND	ug/L
Pyrene	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Pyrene	LGW-7	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-7	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-8R	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-8R	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Pyrene	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Pyrene	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Pyrene	LGW-8R	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-9	10/26/2006	10	10	ND	ug/L
Pyrene	LGW-9	2/4/2009	10	10	ND	ug/L
Pyrene	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Pyrene	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Pyrene	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Pyrene	LGW-9	7/10/2019	10	10	ND	ug/L
Pyrene	LGW-9	7/9/2020	1	1	ND	ug/L
Pyrene	LGW-9	7/7/2021	10	10	ND	ug/L
Pyrene	LGW-9	10/5/2023	10	10	ND	ug/L
Pyrene	MW-10N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-10N	2/13/2009	10	10	ND	ug/L
Pyrene	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Pyrene	MW-10N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-11N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-11N	2/3/2009	10	10	ND	ug/L
Pyrene	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Pyrene	MW-11N	2/10/2015	10	10	ND	ug/L
Pyrene	MW-11N	7/17/2018	10	10	ND	ug/L
Pyrene	MW-11N	7/6/2021	10	10	ND	ug/L
Pyrene	MW-15	7/10/2018	10	10	ND	ug/L
Pyrene	MW-15	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Pyrene	MW-16	7/4/2021	10	10	ND	ug/L
Pyrene	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Pyrene	MW-17	7/4/2021	10	10	ND	ug/L
Pyrene	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Pyrene	MW-19	7/4/2021	10	10	ND	ug/L
Pyrene	MW-1N	10/14/1998	10	10	ND	ug/L
Pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-1N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-1N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-1N	2/5/2009	10	10	ND	ug/L
Pyrene	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Pyrene	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Pyrene	MW-1N	7/6/2020	1	1	ND	ug/L
Pyrene	MW-1N	7/4/2021	10	10	ND	ug/L
Pyrene	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Pyrene	MW-20	7/4/2021	10	10	ND	ug/L
Pyrene	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Pyrene	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Pyrene	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Pyrene	MW-21	7/11/2019	10	10	ND	ug/L
Pyrene	MW-21	7/8/2020	1	1	ND	ug/L
Pyrene	MW-21	7/5/2021	10	10	ND	ug/L
Pyrene	MW-2N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-2N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Pyrene	MW-2N	7/12/2018	10	10	ND	ug/L
Pyrene	MW-2N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-3N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-3N	10/25/2006	10	10	ND	ug/L
Pyrene	MW-3N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Pyrene	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Pyrene	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Pyrene	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Pyrene	MW-3N	7/11/2019	10	10	ND	ug/L
Pyrene	MW-3N	7/7/2020	1	1	ND	ug/L
Pyrene	MW-3N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-7N	10/15/1998	10	10	ND	ug/L
Pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-7N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-7N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-7N	2/6/2009	0.5	10	ND	ug/L
Pyrene	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Pyrene	MW-7N	7/13/2018	10	10	ND	ug/L
Pyrene	MW-7N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-8N	5/29/2002	10	10	ND	ug/L
Pyrene	MW-8N	10/24/2006	10	10	ND	ug/L
Pyrene	MW-8N	1/24/2008	10	10	ND	ug/L
Pyrene	MW-8N	2/4/2009	10	10	ND	ug/L
Pyrene	MW-8N	5/10/2011	9.6	9.6	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Pyrene	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Pyrene	MW-8N	10/2/2013	9.5	9.5	ND	ug/L
Pyrene	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Pyrene	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Pyrene	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Pyrene	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Pyrene	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Pyrene	MW-8N	7/11/2019	10	10	ND	ug/L
Pyrene	MW-8N	7/9/2020	1	1	ND	ug/L
Pyrene	MW-8N	7/5/2021	10	10	ND	ug/L
Pyrene	MW-8N	10/5/2023	10	10	ND	ug/L
Pyrene	NE-1	10/25/2006	10	10	ND	ug/L
Pyrene	NE-1	2/7/2009	10	10	ND	ug/L
Pyrene	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Pyrene	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Pyrene	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Pyrene	NE-4	10/25/2006	10	10	ND	ug/L
Pyrene	NE-4	2/7/2009	10	10	ND	ug/L
Pyrene	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Pyrene	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Pyrene	NE-4	7/12/2018	10	10	ND	ug/L
Pyrene	NE-5	10/25/2006	10	10	ND	ug/L
Pyrene	NE-5	2/6/2009	10	10	ND	ug/L
Pyrene	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Pyrene	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Pyrene	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Pyrene	NE-5	7/9/2019	10	10	ND	ug/L
Safrole	LGW-10	10/26/2006	50	50	ND	ug/L
Safrole	LGW-10	7/9/2012	47	47	ND	ug/L
Safrole	LGW-10	2/12/2015	48	48	ND	ug/L
Safrole	LGW-10	10/6/2016	47	47	ND	ug/L
Safrole	LGW-10	10/9/2017	48	48	ND	ug/L
Safrole	LGW-10	7/16/2018	48	48	ND	ug/L
Safrole	LGW-10	7/11/2019	50	50	ND	ug/L
Safrole	LGW-10	7/9/2020	10	10	ND	ug/L
Safrole	LGW-10	7/7/2021	50	50	ND	ug/L
Safrole	LGW-10	10/5/2023	50	50	ND	ug/L
Safrole	LGW-14R	10/27/2006	50	50	ND	ug/L
Safrole	LGW-14R	2/6/2009	50	50	ND	ug/L
Safrole	LGW-14R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-14R	2/11/2015	49	49	ND	ug/L
Safrole	LGW-14R	7/17/2018	51	51	ND	ug/L
Safrole	LGW-14R	7/7/2021	50	50	ND	ug/L
Safrole	LGW-2	10/26/2006	50	50	ND	ug/L
Safrole	LGW-2	2/13/2009	50	50	ND	ug/L
Safrole	LGW-2	7/9/2012	47	47	ND	ug/L
Safrole	LGW-2	2/13/2015	65	65	ND	ug/L
Safrole	LGW-2	7/12/2018	49	49	ND	ug/L
Safrole	LGW-2	7/8/2020	10	10	ND	ug/L
Safrole	LGW-2	7/4/2021	50	50	ND	ug/L
Safrole	LGW-3R	10/26/2006	50	50	ND	ug/L
Safrole	LGW-3R	2/3/2009	50	50	ND	ug/L
Safrole	LGW-3R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-3R	2/10/2015	49	49	ND	ug/L
Safrole	LGW-3R	7/11/2018	50	50	ND	ug/L
Safrole	LGW-3R	7/6/2021	50	50	ND	ug/L
Safrole	LGW-4	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	LGW-4	2/3/2009	50	50	ND	ug/L
Safrole	LGW-4	7/9/2012	47	47	ND	ug/L
Safrole	LGW-4	2/11/2015	48	48	ND	ug/L
Safrole	LGW-4	7/11/2018	50	50	ND	ug/L
Safrole	LGW-4	7/7/2021	50	50	ND	ug/L
Safrole	LGW-5	10/26/2006	50	50	ND	ug/L
Safrole	LGW-5	2/4/2009	50	50	ND	ug/L
Safrole	LGW-5	7/9/2012	47	47	ND	ug/L
Safrole	LGW-5	2/10/2015	48	48	ND	ug/L
Safrole	LGW-5	7/12/2018	50	50	ND	ug/L
Safrole	LGW-5	7/7/2021	50	50	ND	ug/L
Safrole	LGW-5	10/5/2023	50	50	ND	ug/L
Safrole	LGW-6	10/26/2006	50	50	ND	ug/L
Safrole	LGW-6	2/5/2009	50	50	ND	ug/L
Safrole	LGW-6	7/9/2012	47	47	ND	ug/L
Safrole	LGW-6	2/10/2015	50	50	ND	ug/L
Safrole	LGW-6	10/6/2016	48	48	ND	ug/L
Safrole	LGW-6	10/5/2017	48	48	ND	ug/L
Safrole	LGW-6	7/17/2018	49	49	ND	ug/L
Safrole	LGW-6	7/10/2019	49	49	ND	ug/L
Safrole	LGW-6	7/9/2020	10	10	ND	ug/L
Safrole	LGW-6	7/7/2021	50	50	ND	ug/L
Safrole	LGW-6	10/5/2023	50	50	ND	ug/L
Safrole	LGW-7	10/26/2006	50	50	ND	ug/L
Safrole	LGW-7	2/4/2009	50	50	ND	ug/L
Safrole	LGW-7	7/10/2012	47	47	ND	ug/L
Safrole	LGW-7	2/11/2015	48	48	ND	ug/L
Safrole	LGW-7	10/6/2016	48	48	ND	ug/L
Safrole	LGW-7	10/5/2017	48	48	ND	ug/L
Safrole	LGW-7	7/12/2018	51	51	ND	ug/L
Safrole	LGW-7	7/10/2019	49	49	ND	ug/L
Safrole	LGW-7	7/9/2020	10	10	ND	ug/L
Safrole	LGW-7	7/7/2021	50	50	ND	ug/L
Safrole	LGW-8R	10/26/2006	50	50	ND	ug/L
Safrole	LGW-8R	2/4/2009	50	50	ND	ug/L
Safrole	LGW-8R	7/9/2012	47	47	ND	ug/L
Safrole	LGW-8R	2/11/2015	49	49	ND	ug/L
Safrole	LGW-8R	7/13/2018	49	49	ND	ug/L
Safrole	LGW-8R	7/7/2021	50	50	ND	ug/L
Safrole	LGW-9	10/26/2006	50	50	ND	ug/L
Safrole	LGW-9	2/4/2009	50	50	ND	ug/L
Safrole	LGW-9	7/10/2012	47	47	ND	ug/L
Safrole	LGW-9	2/11/2015	49	49	ND	ug/L
Safrole	LGW-9	10/6/2016	48	48	ND	ug/L
Safrole	LGW-9	10/5/2017	48	48	ND	ug/L
Safrole	LGW-9	7/13/2018	47	47	ND	ug/L
Safrole	LGW-9	7/10/2019	51	51	ND	ug/L
Safrole	LGW-9	7/9/2020	10	10	ND	ug/L
Safrole	LGW-9	7/7/2021	50	50	ND	ug/L
Safrole	LGW-9	10/5/2023	50	50	ND	ug/L
Safrole	MW-10N	10/25/2006	50	50	ND	ug/L
Safrole	MW-10N	2/13/2009	50	50	ND	ug/L
Safrole	MW-10N	7/10/2012	47	47	ND	ug/L
Safrole	MW-10N	2/12/2015	48	48	ND	ug/L
Safrole	MW-10N	7/11/2018	48	48	ND	ug/L
Safrole	MW-10N	7/5/2021	50	50	ND	ug/L
Safrole	MW-11N	10/25/2006	50	50	ND	ug/L
Safrole	MW-11N	2/3/2009	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	MW-11N	7/9/2012	47	47	ND	ug/L
Safrole	MW-11N	2/10/2015	50	50	ND	ug/L
Safrole	MW-11N	7/17/2018	50	50	ND	ug/L
Safrole	MW-11N	7/6/2021	50	50	ND	ug/L
Safrole	MW-15	7/10/2018	51	51	ND	ug/L
Safrole	MW-15	7/4/2021	50	50	ND	ug/L
Safrole	MW-16	7/11/2018	48	48	ND	ug/L
Safrole	MW-16	7/4/2021	50	50	ND	ug/L
Safrole	MW-17	7/10/2018	47	47	ND	ug/L
Safrole	MW-17	7/4/2021	50	50	ND	ug/L
Safrole	MW-19	7/13/2018	48	48	ND	ug/L
Safrole	MW-19	7/4/2021	50	50	ND	ug/L
Safrole	MW-1N	10/14/1998	10	10	ND	ug/L
Safrole	MW-1N	5/29/2002	10	10	ND	ug/L
Safrole	MW-1N	5/29/2002	10	10	ND	ug/L
Safrole	MW-1N	10/24/2006	50	50	ND	ug/L
Safrole	MW-1N	2/5/2009	50	50	ND	ug/L
Safrole	MW-1N	7/10/2012	47	47	ND	ug/L
Safrole	MW-1N	2/10/2015	47	47	ND	ug/L
Safrole	MW-1N	7/10/2018	49	49	ND	ug/L
Safrole	MW-1N	7/6/2020	10	10	ND	ug/L
Safrole	MW-1N	7/4/2021	50	50	ND	ug/L
Safrole	MW-20	7/12/2018	47	47	ND	ug/L
Safrole	MW-20	7/4/2021	50	50	ND	ug/L
Safrole	MW-21	10/5/2016	48	48	ND	ug/L
Safrole	MW-21	10/6/2017	48	48	ND	ug/L
Safrole	MW-21	7/11/2018	48	48	ND	ug/L
Safrole	MW-21	7/11/2019	50	50	ND	ug/L
Safrole	MW-21	7/8/2020	10	10	ND	ug/L
Safrole	MW-21	7/5/2021	50	50	ND	ug/L
Safrole	MW-2N	10/25/2006	50	50	ND	ug/L
Safrole	MW-2N	2/4/2009	50	50	ND	ug/L
Safrole	MW-2N	7/10/2012	47	47	ND	ug/L
Safrole	MW-2N	2/12/2015	48	48	ND	ug/L
Safrole	MW-2N	7/12/2018	51	51	ND	ug/L
Safrole	MW-2N	7/5/2021	50	50	ND	ug/L
Safrole	MW-3N	5/29/2002	10	10	ND	ug/L
Safrole	MW-3N	5/29/2002	10	10	ND	ug/L
Safrole	MW-3N	10/25/2006	50	50	ND	ug/L
Safrole	MW-3N	2/4/2009	50	50	ND	ug/L
Safrole	MW-3N	7/11/2012	47	47	ND	ug/L
Safrole	MW-3N	2/12/2015	49	49	ND	ug/L
Safrole	MW-3N	10/6/2016	48	48	ND	ug/L
Safrole	MW-3N	10/9/2017	48	48	ND	ug/L
Safrole	MW-3N	7/13/2018	47	47	ND	ug/L
Safrole	MW-3N	7/11/2019	50	50	ND	ug/L
Safrole	MW-3N	7/7/2020	10	10	ND	ug/L
Safrole	MW-3N	7/5/2021	50	50	ND	ug/L
Safrole	MW-7N	10/15/1998	10	10	ND	ug/L
Safrole	MW-7N	5/29/2002	10	10	ND	ug/L
Safrole	MW-7N	5/29/2002	10	10	ND	ug/L
Safrole	MW-7N	10/24/2006	50	50	ND	ug/L
Safrole	MW-7N	2/6/2009	50	50	ND	ug/L
Safrole	MW-7N	7/10/2012	47	47	ND	ug/L
Safrole	MW-7N	2/12/2015	49	49	ND	ug/L
Safrole	MW-7N	10/5/2017	49	49	ND	ug/L
Safrole	MW-7N	7/13/2018	52	52	ND	ug/L
Safrole	MW-7N	7/5/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Safrole	MW-8N	5/29/2002	10	10	ND	ug/L
Safrole	MW-8N	5/29/2002	10	10	ND	ug/L
Safrole	MW-8N	10/24/2006	50	50	ND	ug/L
Safrole	MW-8N	1/24/2008	50	50	ND	ug/L
Safrole	MW-8N	2/4/2009	50	50	ND	ug/L
Safrole	MW-8N	5/10/2011	48	48	ND	ug/L
Safrole	MW-8N	7/11/2012	47	47	ND	ug/L
Safrole	MW-8N	10/2/2013	48	48	ND	ug/L
Safrole	MW-8N	10/8/2014	48	48	ND	ug/L
Safrole	MW-8N	2/12/2015	48	48	ND	ug/L
Safrole	MW-8N	10/6/2016	48	48	ND	ug/L
Safrole	MW-8N	10/6/2017	48	48	ND	ug/L
Safrole	MW-8N	7/16/2018	49	49	ND	ug/L
Safrole	MW-8N	7/11/2019	50	50	ND	ug/L
Safrole	MW-8N	7/9/2020	10	10	ND	ug/L
Safrole	MW-8N	7/5/2021	50	50	ND	ug/L
Safrole	MW-8N	10/5/2023	50	50	ND	ug/L
Safrole	NE-1	10/25/2006	50	50	ND	ug/L
Safrole	NE-1	2/7/2009	50	50	ND	ug/L
Safrole	NE-1	7/10/2012	48	48	ND	ug/L
Safrole	NE-1	2/11/2015	48	48	ND	ug/L
Safrole	NE-1	7/18/2018	48	48	ND	ug/L
Safrole	NE-2	7/10/2018	48	48	ND	ug/L
Safrole	NE-4	10/25/2006	50	50	ND	ug/L
Safrole	NE-4	2/7/2009	50	50	ND	ug/L
Safrole	NE-4	7/10/2012	49	49	ND	ug/L
Safrole	NE-4	2/13/2015	48	48	ND	ug/L
Safrole	NE-4	7/12/2018	52	52	ND	ug/L
Safrole	NE-5	10/25/2006	50	50	ND	ug/L
Safrole	NE-5	2/6/2009	50	50	ND	ug/L
Safrole	NE-5	7/10/2012	47	47	ND	ug/L
Safrole	NE-5	2/11/2015	48	48	ND	ug/L
Safrole	NE-5	7/17/2018	48	48	ND	ug/L
Safrole	NE-5	7/9/2019	50	50	ND	ug/L
Selenium, dissolved	LGW-14R	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-2	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-4	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-5	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-6	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-7	1/25/2006	10	10	ND	ug/L
Selenium, dissolved	LGW-8R	1/24/2006	10	10	ND	ug/L
Selenium, dissolved	MW-10N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-10N	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	MW-10N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-11N	7/10/2000	10	10	ND	ug/L
Selenium, dissolved	MW-11N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-11N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-1N	10/19/1999	10	10	ND	ug/L
Selenium, dissolved	MW-1N	7/12/2000	10	10	ND	ug/L
Selenium, dissolved	MW-1N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-1N	10/3/2002	5	5	ND	ug/L
Selenium, dissolved	MW-2N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-2N	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	MW-2N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-3N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-3N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-3N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-7N	10/19/1999	24	10		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, dissolved	MW-7N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-7N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-7N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	MW-8N	10/19/1999	10	10	ND	ug/L
Selenium, dissolved	MW-8N	7/11/2000	10	10	ND	ug/L
Selenium, dissolved	MW-8N	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	MW-8N	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	NE-1	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-1	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	NE-2	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-2	10/2/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	7/10/2002	25	25	ND	ug/L
Selenium, dissolved	NE-4	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-4	10/3/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	7/9/2002	25	25	ND	ug/L
Selenium, dissolved	NE-5	8/6/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	9/4/2002	5	5	ND	ug/L
Selenium, dissolved	NE-5	10/2/2002	5	5	ND	ug/L
Selenium, total	LGW-10	1/26/2006	10	10	ND	ug/L
Selenium, total	LGW-10	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-10	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-10	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-10	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-10	7/12/2007	10	10	ND	ug/L
Selenium, total	LGW-10	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-10	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-10	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-10	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-10	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-10	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-10	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-10	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-10	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-10	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-10	5/1/2013	9.7	10	ND	ug/L
Selenium, total	LGW-10	1/30/2014	10	10	ND	ug/L
Selenium, total	LGW-10	7/9/2014	10	10	ND	ug/L
Selenium, total	LGW-10	2/12/2015	5.9	10	ND	ug/L
Selenium, total	LGW-10	7/13/2015	22	10		ug/L
Selenium, total	LGW-10	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-10	4/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	7/21/2016	6	10	ND	ug/L
Selenium, total	LGW-10	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-10	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-10	4/4/2017	10	10	ND	ug/L
Selenium, total	LGW-10	7/19/2017	7.6	10	ND	ug/L
Selenium, total	LGW-10	10/9/2017	10	10	ND	ug/L
Selenium, total	LGW-10	10/9/2017	10	10	ND	ug/L
Selenium, total	LGW-10	1/24/2018	10	10	ND	ug/L
Selenium, total	LGW-10	4/11/2018	10	10	ND	ug/L
Selenium, total	LGW-10	7/16/2018	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-10	10/4/2018	10	10	ND	ug/L
Selenium, total	LGW-10	1/4/2019	10	10	ND	ug/L
Selenium, total	LGW-10	4/3/2019	10	10	ND	ug/L
Selenium, total	LGW-10	7/11/2019	10	10	ND	ug/L
Selenium, total	LGW-10	10/2/2019	10	10	ND	ug/L
Selenium, total	LGW-10	1/15/2020	10	10	ND	ug/L
Selenium, total	LGW-10	4/2/2020	10.9	10		ug/L
Selenium, total	LGW-10	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-10	10/7/2020	10	10	ND	ug/L
Selenium, total	LGW-10	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-10	4/6/2021	10	10	ND	ug/L
Selenium, total	LGW-10	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-10	10/5/2021	12	10		ug/L
Selenium, total	LGW-10	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-10	4/4/2022	10	10	ND	ug/L
Selenium, total	LGW-10	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-10	10/7/2022	10	10	ND	ug/L
Selenium, total	LGW-10	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-10	4/5/2023	10	10	ND	ug/L
Selenium, total	LGW-10	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-10	10/5/2023	10	10	ND	ug/L
Selenium, total	LGW-14R	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	8/2/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	8/2/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Selenium, total	LGW-14R	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	4/24/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-14R	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-14R	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-14R	2/6/2009	10	10	ND	ug/L
Selenium, total	LGW-14R	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-14R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-14R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-14R	7/12/2010	6	10	ND	ug/L
Selenium, total	LGW-14R	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-14R	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-14R	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-14R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-14R	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-14R	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-14R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-14R	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-14R	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-14R	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-14R	7/19/2016	7.7	10	ND	ug/L
Selenium, total	LGW-14R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-14R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-14R	1/25/2018	10	10	ND	ug/L
Selenium, total	LGW-14R	7/17/2018	10	10	ND	ug/L
Selenium, total	LGW-14R	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-14R	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-14R	1/16/2020	10	10	ND	ug/L
Selenium, total	LGW-14R	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-14R	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-14R	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-14R	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-14R	7/11/2022	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-14R	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-14R	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-2	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-2	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-2	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-2	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-2	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-2	7/10/2007	10	10	ND	ug/L
Selenium, total	LGW-2	1/26/2008	10	10	ND	ug/L
Selenium, total	LGW-2	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-2	2/6/2009	10	10	ND	ug/L
Selenium, total	LGW-2	7/30/2009	10	10	ND	ug/L
Selenium, total	LGW-2	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-2	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-2	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-2	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-2	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-2	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-2	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-2	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-2	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-2	1/30/2014	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-2	2/13/2015	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-2	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-2	7/19/2016	5	10	ND	ug/L
Selenium, total	LGW-2	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-2	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-2	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-2	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-2	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-2	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-2	1/13/2020	10	10	ND	ug/L
Selenium, total	LGW-2	4/1/2020	10	10	ND	ug/L
Selenium, total	LGW-2	7/8/2020	10	10	ND	ug/L
Selenium, total	LGW-2	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-2	7/4/2021	10	10	ND	ug/L
Selenium, total	LGW-2	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-2	7/10/2022	10	10	ND	ug/L
Selenium, total	LGW-2	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-2	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-3R	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-3R	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-3R	1/26/2008	10	10	ND	ug/L
Selenium, total	LGW-3R	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2009	10	10	ND	ug/L
Selenium, total	LGW-3R	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-3R	1/19/2011	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-3R	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-3R	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-3R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-3R	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-3R	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-3R	1/22/2014	10	10	ND	ug/L
Selenium, total	LGW-3R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-3R	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-3R	7/16/2015	16	10		ug/L
Selenium, total	LGW-3R	1/8/2016	10	10	ND	ug/L
Selenium, total	LGW-3R	7/21/2016	10	10	ND	ug/L
Selenium, total	LGW-3R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-3R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-3R	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-3R	7/11/2018	10	10	ND	ug/L
Selenium, total	LGW-3R	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-3R	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-3R	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-3R	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-3R	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-3R	7/6/2021	10	10	ND	ug/L
Selenium, total	LGW-3R	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-3R	7/10/2022	10	10	ND	ug/L
Selenium, total	LGW-3R	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-3R	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-4	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-4	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-4	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-4	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-4	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-4	1/22/2008	10	10	ND	ug/L
Selenium, total	LGW-4	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2009	10	10	ND	ug/L
Selenium, total	LGW-4	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-4	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-4	7/16/2010	10	10	ND	ug/L
Selenium, total	LGW-4	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-4	7/13/2011	10	10	ND	ug/L
Selenium, total	LGW-4	1/4/2012	10	10	ND	ug/L
Selenium, total	LGW-4	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-4	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-4	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-4	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-4	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-4	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-4	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-4	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-4	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-4	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-4	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-4	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2018	10	10	ND	ug/L
Selenium, total	LGW-4	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-4	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-4	1/14/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-4	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-4	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-4	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-4	1/12/2022	10	10	ND	ug/L
Selenium, total	LGW-4	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-4	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-4	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-5	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-5	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-5	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-5	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-5	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-5	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-5	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-5	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-5	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-5	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-5	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-5	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-5	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-5	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-5	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-5	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-5	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-5	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-5	7/8/2015	10	10	ND	ug/L
Selenium, total	LGW-5	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-5	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-5	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-5	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-5	1/23/2018	10	10	ND	ug/L
Selenium, total	LGW-5	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-5	1/3/2019	10	10	ND	ug/L
Selenium, total	LGW-5	7/9/2019	10	10	ND	ug/L
Selenium, total	LGW-5	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-5	7/6/2020	10	10	ND	ug/L
Selenium, total	LGW-5	1/18/2021	13.5	10		ug/L
Selenium, total	LGW-5	4/6/2021	19.2	10		ug/L
Selenium, total	LGW-5	7/7/2021	14.8	10		ug/L
Selenium, total	LGW-5	10/5/2021	10	10	ND	ug/L
Selenium, total	LGW-5	1/12/2022	14	10		ug/L
Selenium, total	LGW-5	4/4/2022	11.3	10		ug/L
Selenium, total	LGW-5	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-5	10/6/2022	10	10	ND	ug/L
Selenium, total	LGW-5	1/10/2023	10	10	ND	ug/L
Selenium, total	LGW-5	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-5	10/5/2023	10	10	ND	ug/L
Selenium, total	LGW-6	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-6	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-6	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-6	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-6	4/26/2007	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-6	7/11/2007	10	10	ND	ug/L
Selenium, total	LGW-6	1/23/2008	10	10	ND	ug/L
Selenium, total	LGW-6	7/23/2008	10	10	ND	ug/L
Selenium, total	LGW-6	2/5/2009	10	10	ND	ug/L
Selenium, total	LGW-6	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-6	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-6	2/3/2010	10	10	ND	ug/L
Selenium, total	LGW-6	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-6	1/19/2011	10	10	ND	ug/L
Selenium, total	LGW-6	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-6	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-6	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-6	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-6	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-6	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-6	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-6	2/10/2015	10	10	ND	ug/L
Selenium, total	LGW-6	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-6	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-6	7/19/2016	10	10	ND	ug/L
Selenium, total	LGW-6	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-6	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-6	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-6	5/5/2017	50	50	ND	ug/L
Selenium, total	LGW-6	7/18/2017	20	20	ND	ug/L
Selenium, total	LGW-6	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-6	10/5/2017	20	20	ND	ug/L
Selenium, total	LGW-6	1/23/2018	50	50	ND	ug/L
Selenium, total	LGW-6	4/10/2018	14	10		ug/L
Selenium, total	LGW-6	7/17/2018	20	20	ND	ug/L
Selenium, total	LGW-6	10/2/2018	20	20	ND	ug/L
Selenium, total	LGW-6	1/7/2019	20	20	ND	ug/L
Selenium, total	LGW-6	4/3/2019	50	50	ND	ug/L
Selenium, total	LGW-6	7/10/2019	6.1	10	ND	ug/L
Selenium, total	LGW-6	10/3/2019	50	50	ND	ug/L
Selenium, total	LGW-6	1/16/2020	14.9	10		ug/L
Selenium, total	LGW-6	4/2/2020	18.4	10		ug/L
Selenium, total	LGW-6	7/9/2020	37	37	ND	ug/L
Selenium, total	LGW-6	10/6/2020	37	37	ND	ug/L
Selenium, total	LGW-6	1/18/2021	19.1	10		ug/L
Selenium, total	LGW-6	4/6/2021	38.2	10		ug/L
Selenium, total	LGW-6	7/7/2021	24	10		ug/L
Selenium, total	LGW-6	10/5/2021	33.3	10		ug/L
Selenium, total	LGW-6	1/12/2022	24	10		ug/L
Selenium, total	LGW-6	4/4/2022	27.7	10		ug/L
Selenium, total	LGW-6	7/11/2022	12.6	10		ug/L
Selenium, total	LGW-6	10/6/2022	18.6	10		ug/L
Selenium, total	LGW-6	1/10/2023	14	10		ug/L
Selenium, total	LGW-6	4/6/2023	10	10	ND	ug/L
Selenium, total	LGW-6	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-6	10/5/2023	10	10	ND	ug/L
Selenium, total	LGW-7	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-7	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-7	8/1/2006	10	10	ND	ug/L
Selenium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-7	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-7	4/26/2007	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2007	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-7	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-7	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-7	7/31/2009	10	10	ND	ug/L
Selenium, total	LGW-7	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2010	10	10	ND	ug/L
Selenium, total	LGW-7	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-7	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-7	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-7	7/10/2012	10	10	ND	ug/L
Selenium, total	LGW-7	4/30/2013	10	10	ND	ug/L
Selenium, total	LGW-7	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-7	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-7	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-7	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-7	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-7	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-7	4/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	7/20/2016	10	10	ND	ug/L
Selenium, total	LGW-7	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-7	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-7	4/4/2017	10	10	ND	ug/L
Selenium, total	LGW-7	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2017	20	20	ND	ug/L
Selenium, total	LGW-7	1/24/2018	50	50	ND	ug/L
Selenium, total	LGW-7	4/11/2018	10	10		ug/L
Selenium, total	LGW-7	7/12/2018	10	10	ND	ug/L
Selenium, total	LGW-7	10/2/2018	10	10	ND	ug/L
Selenium, total	LGW-7	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-7	4/3/2019	10	10	ND	ug/L
Selenium, total	LGW-7	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-7	10/3/2019	10	10	ND	ug/L
Selenium, total	LGW-7	1/15/2020	10	10	ND	ug/L
Selenium, total	LGW-7	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-7	1/18/2021	10	10	ND	ug/L
Selenium, total	LGW-7	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-7	10/5/2021	10	10	ND	ug/L
Selenium, total	LGW-7	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-7	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-7	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-7	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-8R	1/24/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-8R	1/24/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	4/25/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	7/12/2007	10	10	ND	ug/L
Selenium, total	LGW-8R	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-8R	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-8R	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-8R	7/14/2010	10	10	ND	ug/L
Selenium, total	LGW-8R	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-8R	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-8R	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-8R	7/9/2012	10	10	ND	ug/L
Selenium, total	LGW-8R	4/30/2013	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-8R	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-8R	1/22/2014	10	10	ND	ug/L
Selenium, total	LGW-8R	7/8/2014	10	10	ND	ug/L
Selenium, total	LGW-8R	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-8R	7/22/2015	10	10	ND	ug/L
Selenium, total	LGW-8R	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-8R	7/20/2016	10	10	ND	ug/L
Selenium, total	LGW-8R	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-8R	7/18/2017	10	10	ND	ug/L
Selenium, total	LGW-8R	1/25/2018	10	10	ND	ug/L
Selenium, total	LGW-8R	7/13/2018	10	10	ND	ug/L
Selenium, total	LGW-8R	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-8R	7/8/2019	10	10	ND	ug/L
Selenium, total	LGW-8R	1/14/2020	10	10	ND	ug/L
Selenium, total	LGW-8R	7/7/2020	10	10	ND	ug/L
Selenium, total	LGW-8R	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-8R	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-8R	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-8R	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-8R	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-8R	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-9	1/25/2006	10	10	ND	ug/L
Selenium, total	LGW-9	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-9	7/20/2006	10	10	ND	ug/L
Selenium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Selenium, total	LGW-9	1/25/2007	10	10	ND	ug/L
Selenium, total	LGW-9	4/25/2007	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2007	10	10	ND	ug/L
Selenium, total	LGW-9	7/22/2008	10	10	ND	ug/L
Selenium, total	LGW-9	2/4/2009	10	10	ND	ug/L
Selenium, total	LGW-9	7/29/2009	10	10	ND	ug/L
Selenium, total	LGW-9	1/27/2010	10	10	ND	ug/L
Selenium, total	LGW-9	7/14/2010	10	10	ND	ug/L
Selenium, total	LGW-9	1/20/2011	10	10	ND	ug/L
Selenium, total	LGW-9	7/12/2011	10	10	ND	ug/L
Selenium, total	LGW-9	1/5/2012	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2012	10	10	ND	ug/L
Selenium, total	LGW-9	5/1/2013	10	10	ND	ug/L
Selenium, total	LGW-9	7/15/2013	10	10	ND	ug/L
Selenium, total	LGW-9	1/23/2014	10	10	ND	ug/L
Selenium, total	LGW-9	7/8/2014	6.9	10	ND	ug/L
Selenium, total	LGW-9	2/11/2015	10	10	ND	ug/L
Selenium, total	LGW-9	7/13/2015	19	10		ug/L
Selenium, total	LGW-9	1/5/2016	10	10	ND	ug/L
Selenium, total	LGW-9	7/21/2016	10	10	ND	ug/L
Selenium, total	LGW-9	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-9	10/6/2016	10	10	ND	ug/L
Selenium, total	LGW-9	1/11/2017	10	10	ND	ug/L
Selenium, total	LGW-9	5/5/2017	10	10	ND	ug/L
Selenium, total	LGW-9	7/18/2017	6.4	10	ND	ug/L
Selenium, total	LGW-9	10/5/2017	1.3	10	ND	ug/L
Selenium, total	LGW-9	10/5/2017	10	10	ND	ug/L
Selenium, total	LGW-9	1/24/2018	10	10	ND	ug/L
Selenium, total	LGW-9	4/11/2018	10	10	ND	ug/L
Selenium, total	LGW-9	7/13/2018	10	10	ND	ug/L
Selenium, total	LGW-9	10/2/2018	10	10	ND	ug/L
Selenium, total	LGW-9	1/7/2019	10	10	ND	ug/L
Selenium, total	LGW-9	4/3/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	LGW-9	7/10/2019	10	10	ND	ug/L
Selenium, total	LGW-9	10/3/2019	10	10	ND	ug/L
Selenium, total	LGW-9	1/16/2020	10	10	ND	ug/L
Selenium, total	LGW-9	4/2/2020	10	10	ND	ug/L
Selenium, total	LGW-9	7/9/2020	10	10	ND	ug/L
Selenium, total	LGW-9	10/7/2020	10	10	ND	ug/L
Selenium, total	LGW-9	1/17/2021	10	10	ND	ug/L
Selenium, total	LGW-9	4/6/2021	12.1	10		ug/L
Selenium, total	LGW-9	7/7/2021	10	10	ND	ug/L
Selenium, total	LGW-9	10/5/2021	18.2	10		ug/L
Selenium, total	LGW-9	1/13/2022	10	10	ND	ug/L
Selenium, total	LGW-9	4/4/2022	10	10	ND	ug/L
Selenium, total	LGW-9	7/11/2022	10	10	ND	ug/L
Selenium, total	LGW-9	10/7/2022	10	10	ND	ug/L
Selenium, total	LGW-9	1/11/2023	10	10	ND	ug/L
Selenium, total	LGW-9	4/5/2023	10	10	ND	ug/L
Selenium, total	LGW-9	7/10/2023	10	10	ND	ug/L
Selenium, total	LGW-9	10/5/2023	10	10	ND	ug/L
Selenium, total	MW-10N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-10N	1/22/1998	10	10	ND	ug/L
Selenium, total	MW-10N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-10N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-10N	1/14/1999	10	10	ND	ug/L
Selenium, total	MW-10N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-10N	7/15/1999	10	10	ND	ug/L
Selenium, total	MW-10N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-10N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-10N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-10N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-10N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-10N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-10N	7/10/2002	25	25	ND	ug/L
Selenium, total	MW-10N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-10N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-10N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-10N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-10N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-10N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-10N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-10N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-10N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2007	10	10	ND	ug/L
Selenium, total	MW-10N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-10N	1/23/2008	10	10	ND	ug/L
Selenium, total	MW-10N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-10N	2/13/2009	10	10	ND	ug/L
Selenium, total	MW-10N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-10N	1/27/2010	10	10	ND	ug/L
Selenium, total	MW-10N	8/10/2010	10	10	ND	ug/L
Selenium, total	MW-10N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-10N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-10N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-10N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-10N	5/1/2013	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-10N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-10N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-10N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-10N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-10N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-10N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-10N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-10N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-10N	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-10N	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-10N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-10N	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-10N	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-10N	7/8/2020	10	10	ND	ug/L
Selenium, total	MW-10N	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-10N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-10N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-10N	7/7/2023	10	10	ND	ug/L
Selenium, total	MW-11N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-11N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-11N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-11N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-11N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-11N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-11N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/2000	10	10	ND	ug/L
Selenium, total	MW-11N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-11N	7/10/2000	10	10	ND	ug/L
Selenium, total	MW-11N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-11N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-11N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-11N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-11N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-11N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-11N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-11N	1/29/2004	10	10	ND	ug/L
Selenium, total	MW-11N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-11N	1/13/2005	10	10	ND	ug/L
Selenium, total	MW-11N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-11N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-11N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-11N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-11N	1/24/2007	10	10	ND	ug/L
Selenium, total	MW-11N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-11N	1/22/2008	10	10	ND	ug/L
Selenium, total	MW-11N	7/23/2008	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2009	10	10	ND	ug/L
Selenium, total	MW-11N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2010	10	10	ND	ug/L
Selenium, total	MW-11N	2/3/2010	10	10	ND	ug/L
Selenium, total	MW-11N	7/16/2010	10	10	ND	ug/L
Selenium, total	MW-11N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-11N	1/4/2012	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2012	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-11N	4/30/2013	10	10	ND	ug/L
Selenium, total	MW-11N	7/15/2013	10	10	ND	ug/L
Selenium, total	MW-11N	1/23/2014	10	10	ND	ug/L
Selenium, total	MW-11N	7/8/2014	10	10	ND	ug/L
Selenium, total	MW-11N	2/10/2015	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2015	10	10	ND	ug/L
Selenium, total	MW-11N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-11N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-11N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-11N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-11N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-11N	7/17/2018	10	10	ND	ug/L
Selenium, total	MW-11N	1/2/2019	10	10	ND	ug/L
Selenium, total	MW-11N	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-11N	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-11N	7/6/2020	10	10	ND	ug/L
Selenium, total	MW-11N	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-11N	7/6/2021	10	10	ND	ug/L
Selenium, total	MW-11N	1/18/2022	10	10	ND	ug/L
Selenium, total	MW-11N	7/13/2022	10	10	ND	ug/L
Selenium, total	MW-11N	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-11N	7/8/2023	16.6	10		ug/L
Selenium, total	MW-15	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-15	7/15/2015	17	10		ug/L
Selenium, total	MW-15	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-15	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-15	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-15	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-15	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-15	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-15	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-15	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-15	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-15	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-15	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-15	7/9/2019	10	10	ND	ug/L
Selenium, total	MW-15	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-15	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-15	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-15	7/4/2021	14.6	10		ug/L
Selenium, total	MW-15	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-15	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-15	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-15	7/10/2023	10	10	ND	ug/L
Selenium, total	MW-16	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-16	7/16/2015	16	10		ug/L
Selenium, total	MW-16	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-16	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-16	1/8/2016	10	10	ND	ug/L
Selenium, total	MW-16	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-16	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-16	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-16	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-16	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-16	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-16	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-16	1/2/2019	10	10	ND	ug/L
Selenium, total	MW-16	7/10/2019	3.4	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-16	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-16	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-16	1/18/2021	10	10	ND	ug/L
Selenium, total	MW-16	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-16	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-16	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-16	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-16	7/10/2023	10	10	ND	ug/L
Selenium, total	MW-17	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-17	7/15/2015	12	10		ug/L
Selenium, total	MW-17	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-17	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-17	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-17	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-17	7/20/2016	6.5	10	ND	ug/L
Selenium, total	MW-17	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-17	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-17	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-17	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-17	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-17	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-17	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-17	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-17	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-17	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-17	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-17	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-17	7/8/2023	10	10	ND	ug/L
Selenium, total	MW-19	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-19	7/16/2015	18	10		ug/L
Selenium, total	MW-19	8/5/2015	10	10	ND	ug/L
Selenium, total	MW-19	9/3/2015	10	10	ND	ug/L
Selenium, total	MW-19	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-19	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-19	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-19	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-19	1/10/2017	10	10	ND	ug/L
Selenium, total	MW-19	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-19	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-19	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-19	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-19	7/11/2019	5.5	10	ND	ug/L
Selenium, total	MW-19	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-19	8/3/2020	10	10	ND	ug/L
Selenium, total	MW-19	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-19	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-19	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-19	7/10/2023	10	10	ND	ug/L
Selenium, total	MW-1N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-1N	1/20/1998	10	10	ND	ug/L
Selenium, total	MW-1N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-1N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-1N	10/14/1998	10	10	ND	ug/L
Selenium, total	MW-1N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-1N	4/13/1999	13	10		ug/L
Selenium, total	MW-1N	7/15/1999	10	10	ND	ug/L
Selenium, total	MW-1N	10/19/1999	10	10	ND	ug/L
Selenium, total	MW-1N	1/14/2000	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-1N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-1N	7/12/2000	10	10	ND	ug/L
Selenium, total	MW-1N	10/18/2000	10	10	ND	ug/L
Selenium, total	MW-1N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-1N	4/12/2001	10	10	ND	ug/L
Selenium, total	MW-1N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-1N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-1N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-1N	10/3/2002	5	5	ND	ug/L
Selenium, total	MW-1N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-1N	4/15/2003	10	10	ND	ug/L
Selenium, total	MW-1N	7/8/2003	10	10	ND	ug/L
Selenium, total	MW-1N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-1N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-1N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-1N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-1N	1/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	7/18/2006	10	10	ND	ug/L
Selenium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-1N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-1N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-1N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-1N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-1N	2/5/2009	10	10	ND	ug/L
Selenium, total	MW-1N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-1N	1/26/2010	4.9	10	ND	ug/L
Selenium, total	MW-1N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-1N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-1N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-1N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-1N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-1N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-1N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-1N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-1N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-1N	2/10/2015	10	10	ND	ug/L
Selenium, total	MW-1N	7/14/2015	12	10		ug/L
Selenium, total	MW-1N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-1N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-1N	1/12/2017	10	10	ND	ug/L
Selenium, total	MW-1N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-1N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-1N	7/10/2018	10	10	ND	ug/L
Selenium, total	MW-1N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-1N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-1N	1/23/2020	10	10	ND	ug/L
Selenium, total	MW-1N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-1N	7/6/2020	10	10	ND	ug/L
Selenium, total	MW-1N	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-1N	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-1N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-1N	7/8/2023	10	10	ND	ug/L
Selenium, total	MW-20	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-20	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-20	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-20	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-20	1/7/2016	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-20	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-20	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-20	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-20	1/12/2017	10	10	ND	ug/L
Selenium, total	MW-20	7/18/2017	10	10	ND	ug/L
Selenium, total	MW-20	1/26/2018	10	10	ND	ug/L
Selenium, total	MW-20	7/12/2018	10	10	ND	ug/L
Selenium, total	MW-20	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-20	1/14/2020	10	10	ND	ug/L
Selenium, total	MW-20	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-20	1/17/2021	10	10	ND	ug/L
Selenium, total	MW-20	7/4/2021	10	10	ND	ug/L
Selenium, total	MW-20	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-21	6/5/2015	10	10	ND	ug/L
Selenium, total	MW-21	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-21	8/4/2015	10	10	ND	ug/L
Selenium, total	MW-21	9/2/2015	10	10	ND	ug/L
Selenium, total	MW-21	1/7/2016	10	10	ND	ug/L
Selenium, total	MW-21	4/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	7/20/2016	10	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	9.5	10	ND	ug/L
Selenium, total	MW-21	10/5/2016	10	10	ND	ug/L
Selenium, total	MW-21	1/10/2017	5.8	10	ND	ug/L
Selenium, total	MW-21	4/5/2017	4.9	10	ND	ug/L
Selenium, total	MW-21	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-21	10/6/2017	0.8	10	ND	ug/L
Selenium, total	MW-21	10/6/2017	10	10	ND	ug/L
Selenium, total	MW-21	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-21	4/11/2018	8.1	10	ND	ug/L
Selenium, total	MW-21	7/11/2018	10	10	ND	ug/L
Selenium, total	MW-21	10/4/2018	10	10	ND	ug/L
Selenium, total	MW-21	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-21	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-21	7/11/2019	4.8	10	ND	ug/L
Selenium, total	MW-21	10/2/2019	10	10	ND	ug/L
Selenium, total	MW-21	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-21	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-21	7/8/2020	10	10	ND	ug/L
Selenium, total	MW-21	10/7/2020	10	10	ND	ug/L
Selenium, total	MW-21	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-21	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-21	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-21	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-21	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-21	4/8/2023	10	10	ND	ug/L
Selenium, total	MW-21	7/7/2023	10	10	ND	ug/L
Selenium, total	MW-21	10/6/2023	10	10	ND	ug/L
Selenium, total	MW-2N	10/22/1997	10	10	ND	ug/L
Selenium, total	MW-2N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-2N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-2N	7/22/1998	10	10	ND	ug/L
Selenium, total	MW-2N	1/13/1999	10	10	ND	ug/L
Selenium, total	MW-2N	4/13/1999	10	10	ND	ug/L
Selenium, total	MW-2N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-2N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-2N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-2N	4/25/2000	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-2N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2001	10	10	ND	ug/L
Selenium, total	MW-2N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-2N	7/10/2002	25	25	ND	ug/L
Selenium, total	MW-2N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-2N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-2N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-2N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-2N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-2N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-2N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-2N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-2N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-2N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-2N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-2N	7/22/2008	10	10	ND	ug/L
Selenium, total	MW-2N	2/4/2009	10	10	ND	ug/L
Selenium, total	MW-2N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-2N	1/26/2010	6.6	10	ND	ug/L
Selenium, total	MW-2N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-2N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-2N	7/13/2011	10	10	ND	ug/L
Selenium, total	MW-2N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-2N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-2N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-2N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-2N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-2N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-2N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-2N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-2N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-2N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-2N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-2N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-2N	1/23/2018	10	10	ND	ug/L
Selenium, total	MW-2N	7/12/2018	10	10	ND	ug/L
Selenium, total	MW-2N	1/3/2019	10	10	ND	ug/L
Selenium, total	MW-2N	8/7/2019	10	10	ND	ug/L
Selenium, total	MW-2N	1/23/2020	10	10	ND	ug/L
Selenium, total	MW-2N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-2N	1/14/2021	10	10	ND	ug/L
Selenium, total	MW-2N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-2N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-2N	7/8/2023	10	10	ND	ug/L
Selenium, total	MW-3N	10/21/1997	10	10	ND	ug/L
Selenium, total	MW-3N	1/21/1998	10	10	ND	ug/L
Selenium, total	MW-3N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-3N	7/23/1998	10	10	ND	ug/L
Selenium, total	MW-3N	1/13/1999	19	10		ug/L
Selenium, total	MW-3N	4/13/1999	13	10		ug/L
Selenium, total	MW-3N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-3N	10/20/1999	10	10	ND	ug/L
Selenium, total	MW-3N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-3N	4/24/2000	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-3N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-3N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-3N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-3N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-3N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-3N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-3N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-3N	1/22/2003	10	10	ND	ug/L
Selenium, total	MW-3N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-3N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-3N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-3N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-3N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-3N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-3N	1/18/2006	10	10	ND	ug/L
Selenium, total	MW-3N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-3N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Selenium, total	MW-3N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2007	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-3N	7/22/2008	10	10	ND	ug/L
Selenium, total	MW-3N	2/4/2009	10	10	ND	ug/L
Selenium, total	MW-3N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-3N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-3N	7/13/2010	10	10	ND	ug/L
Selenium, total	MW-3N	1/20/2011	6.6	10	ND	ug/L
Selenium, total	MW-3N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-3N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2012	10	10	ND	ug/L
Selenium, total	MW-3N	5/1/2013	7.6	10	ND	ug/L
Selenium, total	MW-3N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-3N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2014	10	10	ND	ug/L
Selenium, total	MW-3N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-3N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-3N	4/1/2015	10	10	ND	ug/L
Selenium, total	MW-3N	7/14/2015	10	10	ND	ug/L
Selenium, total	MW-3N	10/5/2015	7.4	10	ND	ug/L
Selenium, total	MW-3N	1/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	4/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-3N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-3N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-3N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-3N	10/9/2017	10	10	ND	ug/L
Selenium, total	MW-3N	10/9/2017	10	10	ND	ug/L
Selenium, total	MW-3N	1/24/2018	10	10	ND	ug/L
Selenium, total	MW-3N	4/10/2018	10	10	ND	ug/L
Selenium, total	MW-3N	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-3N	10/3/2018	10	10	ND	ug/L
Selenium, total	MW-3N	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-3N	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-3N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-3N	10/2/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-3N	1/15/2020	10	10	ND	ug/L
Selenium, total	MW-3N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-3N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-3N	10/7/2020	10	10	ND	ug/L
Selenium, total	MW-3N	1/13/2021	10	10	ND	ug/L
Selenium, total	MW-3N	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-3N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-3N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-3N	7/7/2023	10	10	ND	ug/L
Selenium, total	MW-3N	10/6/2023	10	10	ND	ug/L
Selenium, total	MW-7N	10/21/1997	10	10	ND	ug/L
Selenium, total	MW-7N	1/21/1998	11	10		ug/L
Selenium, total	MW-7N	7/22/1998	10	10		ug/L
Selenium, total	MW-7N	8/18/1998	10	10		ug/L
Selenium, total	MW-7N	9/17/1998	13	10		ug/L
Selenium, total	MW-7N	10/15/1998	10	10	ND	ug/L
Selenium, total	MW-7N	11/9/1998	10	10	ND	ug/L
Selenium, total	MW-7N	1/14/1999	140	10		ug/L
Selenium, total	MW-7N	4/14/1999	150	10		ug/L
Selenium, total	MW-7N	7/14/1999	12	10		ug/L
Selenium, total	MW-7N	10/19/1999	15	10		ug/L
Selenium, total	MW-7N	1/13/2000	10	10	ND	ug/L
Selenium, total	MW-7N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-7N	7/11/2000	10	10	ND	ug/L
Selenium, total	MW-7N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-7N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-7N	4/10/2001	10	10	ND	ug/L
Selenium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-7N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-7N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-7N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-7N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-7N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-7N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-7N	1/27/2004	10	10	ND	ug/L
Selenium, total	MW-7N	4/8/2004	10	10	ND	ug/L
Selenium, total	MW-7N	7/26/2004	10	10	ND	ug/L
Selenium, total	MW-7N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2005	10	10	ND	ug/L
Selenium, total	MW-7N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-7N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-7N	7/21/2008	10	10	ND	ug/L
Selenium, total	MW-7N	2/6/2009	10	10	ND	ug/L
Selenium, total	MW-7N	7/29/2009	10	10	ND	ug/L
Selenium, total	MW-7N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-7N	7/14/2010	10	10	ND	ug/L
Selenium, total	MW-7N	1/20/2011	10	10	ND	ug/L
Selenium, total	MW-7N	7/12/2011	10	10	ND	ug/L
Selenium, total	MW-7N	1/5/2012	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2012	10	10	ND	ug/L
Selenium, total	MW-7N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-7N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-7N	7/15/2013	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-7N	1/30/2014	10	10	ND	ug/L
Selenium, total	MW-7N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-7N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-7N	7/13/2015	13	10		ug/L
Selenium, total	MW-7N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-7N	7/21/2016	10	10	ND	ug/L
Selenium, total	MW-7N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-7N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-7N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-7N	10/5/2017	1.1	10	ND	ug/L
Selenium, total	MW-7N	10/5/2017	10	10	ND	ug/L
Selenium, total	MW-7N	1/25/2018	10	10	ND	ug/L
Selenium, total	MW-7N	4/11/2018	10	10	ND	ug/L
Selenium, total	MW-7N	7/13/2018	10	10	ND	ug/L
Selenium, total	MW-7N	1/4/2019	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2019	10	10	ND	ug/L
Selenium, total	MW-7N	1/16/2020	10	10	ND	ug/L
Selenium, total	MW-7N	7/7/2020	10	10	ND	ug/L
Selenium, total	MW-7N	1/16/2021	10	10	ND	ug/L
Selenium, total	MW-7N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-7N	1/12/2022	10	10	ND	ug/L
Selenium, total	MW-7N	7/10/2022	10	10	ND	ug/L
Selenium, total	MW-7N	1/10/2023	10	10	ND	ug/L
Selenium, total	MW-7N	7/7/2023	10	10	ND	ug/L
Selenium, total	MW-8N	10/21/1997	10	10	ND	ug/L
Selenium, total	MW-8N	1/22/1998	10	10	ND	ug/L
Selenium, total	MW-8N	4/28/1998	10	10	ND	ug/L
Selenium, total	MW-8N	7/22/1998	10	10	ND	ug/L
Selenium, total	MW-8N	1/12/1999	60	10		ug/L
Selenium, total	MW-8N	4/13/1999	75	10		ug/L
Selenium, total	MW-8N	7/14/1999	10	10	ND	ug/L
Selenium, total	MW-8N	10/19/1999	10	10	ND	ug/L
Selenium, total	MW-8N	1/14/2000	10	10	ND	ug/L
Selenium, total	MW-8N	4/25/2000	10	10	ND	ug/L
Selenium, total	MW-8N	10/17/2000	10	10	ND	ug/L
Selenium, total	MW-8N	1/23/2001	10	10	ND	ug/L
Selenium, total	MW-8N	4/11/2001	10	10	ND	ug/L
Selenium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-8N	5/29/2002	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2002	25	25	ND	ug/L
Selenium, total	MW-8N	10/2/2002	5	5	ND	ug/L
Selenium, total	MW-8N	1/23/2003	10	10	ND	ug/L
Selenium, total	MW-8N	4/14/2003	10	10	ND	ug/L
Selenium, total	MW-8N	7/7/2003	10	10	ND	ug/L
Selenium, total	MW-8N	1/28/2004	10	10	ND	ug/L
Selenium, total	MW-8N	7/27/2004	10	10	ND	ug/L
Selenium, total	MW-8N	1/12/2005	10	10	ND	ug/L
Selenium, total	MW-8N	7/20/2005	10	10	ND	ug/L
Selenium, total	MW-8N	1/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2006	10	10	ND	ug/L
Selenium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Selenium, total	MW-8N	1/26/2007	10	10	ND	ug/L
Selenium, total	MW-8N	4/25/2007	10	10	ND	ug/L
Selenium, total	MW-8N	7/10/2007	10	10	ND	ug/L
Selenium, total	MW-8N	1/24/2008	10	10	ND	ug/L
Selenium, total	MW-8N	7/23/2008	10	10	ND	ug/L
Selenium, total	MW-8N	2/4/2009	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	MW-8N	7/31/2009	10	10	ND	ug/L
Selenium, total	MW-8N	1/26/2010	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2010	10	10	ND	ug/L
Selenium, total	MW-8N	1/19/2011	10	10	ND	ug/L
Selenium, total	MW-8N	5/10/2011	10	10	ND	ug/L
Selenium, total	MW-8N	7/14/2011	10	10	ND	ug/L
Selenium, total	MW-8N	1/6/2012	10	10	ND	ug/L
Selenium, total	MW-8N	4/5/2012	10	10	ND	ug/L
Selenium, total	MW-8N	7/11/2012	10	10	ND	ug/L
Selenium, total	MW-8N	10/3/2012	10	10	ND	ug/L
Selenium, total	MW-8N	5/1/2013	10	10	ND	ug/L
Selenium, total	MW-8N	6/4/2013	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2013	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2013	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2013	10	10	ND	ug/L
Selenium, total	MW-8N	1/30/2014	10	10	ND	ug/L
Selenium, total	MW-8N	4/3/2014	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2014	10	10	ND	ug/L
Selenium, total	MW-8N	10/8/2014	10	10	ND	ug/L
Selenium, total	MW-8N	10/8/2014	10	10	ND	ug/L
Selenium, total	MW-8N	2/12/2015	10	10	ND	ug/L
Selenium, total	MW-8N	4/1/2015	10	10	ND	ug/L
Selenium, total	MW-8N	7/14/2015	15	10		ug/L
Selenium, total	MW-8N	10/5/2015	11	10		ug/L
Selenium, total	MW-8N	1/5/2016	10	10	ND	ug/L
Selenium, total	MW-8N	4/6/2016	8.4	10	ND	ug/L
Selenium, total	MW-8N	7/21/2016	4.9	10	ND	ug/L
Selenium, total	MW-8N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2016	10	10	ND	ug/L
Selenium, total	MW-8N	1/11/2017	10	10	ND	ug/L
Selenium, total	MW-8N	4/4/2017	10	10	ND	ug/L
Selenium, total	MW-8N	7/19/2017	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2017	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2017	1.2	10	ND	ug/L
Selenium, total	MW-8N	1/25/2018	10	10	ND	ug/L
Selenium, total	MW-8N	4/10/2018	10	10	ND	ug/L
Selenium, total	MW-8N	7/16/2018	10	10	ND	ug/L
Selenium, total	MW-8N	10/2/2018	10	10	ND	ug/L
Selenium, total	MW-8N	1/7/2019	10	10	ND	ug/L
Selenium, total	MW-8N	4/3/2019	10	10	ND	ug/L
Selenium, total	MW-8N	7/11/2019	10	10	ND	ug/L
Selenium, total	MW-8N	10/3/2019	10	10	ND	ug/L
Selenium, total	MW-8N	1/15/2020	10	10	ND	ug/L
Selenium, total	MW-8N	4/2/2020	10	10	ND	ug/L
Selenium, total	MW-8N	7/9/2020	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2020	10	10	ND	ug/L
Selenium, total	MW-8N	1/15/2021	10	10	ND	ug/L
Selenium, total	MW-8N	4/6/2021	10	10	ND	ug/L
Selenium, total	MW-8N	7/5/2021	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2021	10	10	ND	ug/L
Selenium, total	MW-8N	1/18/2022	10	10	ND	ug/L
Selenium, total	MW-8N	4/4/2022	10	10	ND	ug/L
Selenium, total	MW-8N	7/12/2022	10	10	ND	ug/L
Selenium, total	MW-8N	10/6/2022	10	10	ND	ug/L
Selenium, total	MW-8N	1/11/2023	10	10	ND	ug/L
Selenium, total	MW-8N	4/8/2023	11.1	10		ug/L
Selenium, total	MW-8N	7/7/2023	10	10	ND	ug/L
Selenium, total	MW-8N	10/5/2023	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-1	7/10/2002	25	25	ND	ug/L
Selenium, total	NE-1	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-1	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-1	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-1	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-1	1/27/2004	10	10	ND	ug/L
Selenium, total	NE-1	1/12/2005	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-1	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2007	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2008	10	10	ND	ug/L
Selenium, total	NE-1	7/21/2008	10	10	ND	ug/L
Selenium, total	NE-1	2/7/2009	10	10	ND	ug/L
Selenium, total	NE-1	7/31/2009	6.7	10	ND	ug/L
Selenium, total	NE-1	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-1	7/14/2010	10	10	ND	ug/L
Selenium, total	NE-1	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-1	7/13/2011	10	10	ND	ug/L
Selenium, total	NE-1	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-1	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-1	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-1	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-1	7/9/2014	10	10	ND	ug/L
Selenium, total	NE-1	2/11/2015	10	10	ND	ug/L
Selenium, total	NE-1	7/8/2015	10	10	ND	ug/L
Selenium, total	NE-1	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-1	7/20/2016	10	10	ND	ug/L
Selenium, total	NE-1	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-1	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-1	1/24/2018	10	10	ND	ug/L
Selenium, total	NE-1	4/11/2018	10	10	ND	ug/L
Selenium, total	NE-1	7/18/2018	10	10	ND	ug/L
Selenium, total	NE-1	10/2/2018	10	10	ND	ug/L
Selenium, total	NE-1	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-1	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-1	7/10/2019	3.4	10	ND	ug/L
Selenium, total	NE-1	7/10/2019	3.4	10	ND	ug/L
Selenium, total	NE-1	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-1	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-1	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-1	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-1	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-1	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-1	4/9/2021	10.1	10		ug/L
Selenium, total	NE-1	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-1	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-1	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-1	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-1	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-1	10/6/2022	10	10	ND	ug/L
Selenium, total	NE-1	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-1	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-1	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-1	10/5/2023	10	10	ND	ug/L
Selenium, total	NE-10D	11/6/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-10D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-10D	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-10D	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-10D	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-10D	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-10D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-10D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-10D	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-10D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-10D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-10D	7/8/2023	10	10	ND	ug/L
Selenium, total	NE-10D	10/3/2023	10	10	ND	ug/L
Selenium, total	NE-11	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-11	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-11	7/20/2017	7.5	10	ND	ug/L
Selenium, total	NE-11	10/9/2017	10	10	ND	ug/L
Selenium, total	NE-11	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-11	1/14/2020	10	10	ND	ug/L
Selenium, total	NE-11	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-11	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-11	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-11	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-11	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-11	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-11	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-11	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-11	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-12	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-12	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-12	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-12	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-12	8/5/2019	10	10	ND	ug/L
Selenium, total	NE-12	1/13/2020	10	10	ND	ug/L
Selenium, total	NE-12	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-12	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-12	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-12	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-12	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-12	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-12	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-12	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-12	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-13	2/5/2019	10	10	ND	ug/L
Selenium, total	NE-13	8/7/2019	10	10	ND	ug/L
Selenium, total	NE-13	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-13	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-13	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-13	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-13	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-14D	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-14D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-14D	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-14D	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-14D	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-14D	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-14D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-14D	7/2/2021	11.1	10		ug/L
Selenium, total	NE-14D	10/7/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-14D	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-14D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-14D	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-14D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-14D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-14D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-14D	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-14D	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-14S	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-14S	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-14S	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-14S	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-14S	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-14S	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-14S	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-14S	7/2/2021	11.1	10		ug/L
Selenium, total	NE-14S	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-14S	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-14S	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-14S	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-14S	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-14S	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-14S	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-14S	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-14S	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-15D	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-15D	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-15D	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-15D	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-15D	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-15D	1/17/2021	10.2	10		ug/L
Selenium, total	NE-15D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-15D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-15D	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-15D	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-15D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-15D	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-15D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-15D	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-15D	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-15D	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-15D	10/6/2023	10	10	ND	ug/L
Selenium, total	NE-15S	4/3/2020	10	10	ND	ug/L
Selenium, total	NE-2	7/9/2002	25	25	ND	ug/L
Selenium, total	NE-2	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-2	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-2	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-2	10/1/2013	10	10	ND	ug/L
Selenium, total	NE-2	10/8/2014	10	10	ND	ug/L
Selenium, total	NE-2	10/5/2015	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2016	10	10	ND	ug/L
Selenium, total	NE-2	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-2	1/25/2018	10	10	ND	ug/L
Selenium, total	NE-2	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-2	7/10/2018	10	10	ND	ug/L
Selenium, total	NE-2	10/1/2018	10	10	ND	ug/L
Selenium, total	NE-2	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-2	4/2/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-2	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-2	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-2	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-2	1/14/2020	10	10	ND	ug/L
Selenium, total	NE-2	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-2	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-2	1/14/2021	10	10	ND	ug/L
Selenium, total	NE-2	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-2	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-2	10/6/2021	11.4	10		ug/L
Selenium, total	NE-2	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-2	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-2	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-2	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-2	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-2	4/5/2023	10	10	ND	ug/L
Selenium, total	NE-2	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-2	10/4/2023	14.9	10		ug/L
Selenium, total	NE-4	7/10/2002	25	25	ND	ug/L
Selenium, total	NE-4	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-4	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-4	10/3/2002	5	5	ND	ug/L
Selenium, total	NE-4	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-4	1/28/2004	10	10	ND	ug/L
Selenium, total	NE-4	1/13/2005	10	10	ND	ug/L
Selenium, total	NE-4	8/1/2006	10	10	ND	ug/L
Selenium, total	NE-4	8/1/2006	10	10	ND	ug/L
Selenium, total	NE-4	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-4	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-4	7/12/2007	10	10	ND	ug/L
Selenium, total	NE-4	1/24/2008	10	10	ND	ug/L
Selenium, total	NE-4	7/21/2008	10	10	ND	ug/L
Selenium, total	NE-4	2/7/2009	10	10	ND	ug/L
Selenium, total	NE-4	7/31/2009	10	10	ND	ug/L
Selenium, total	NE-4	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-4	7/14/2010	10	10	ND	ug/L
Selenium, total	NE-4	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-4	7/13/2011	10	10	ND	ug/L
Selenium, total	NE-4	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-4	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-4	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-4	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-4	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-4	7/9/2014	10	10	ND	ug/L
Selenium, total	NE-4	2/13/2015	10	10	ND	ug/L
Selenium, total	NE-4	7/8/2015	10	10	ND	ug/L
Selenium, total	NE-4	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-4	7/20/2016	7.9	10	ND	ug/L
Selenium, total	NE-4	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-4	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-4	1/26/2018	10	10	ND	ug/L
Selenium, total	NE-4	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-4	7/12/2018	10	10	ND	ug/L
Selenium, total	NE-4	10/3/2018	10	10	ND	ug/L
Selenium, total	NE-4	1/7/2019	10	10	ND	ug/L
Selenium, total	NE-4	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-4	7/8/2019	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-4	7/8/2019	10	10	ND	ug/L
Selenium, total	NE-4	10/1/2019	10	10	ND	ug/L
Selenium, total	NE-4	1/13/2020	10	10	ND	ug/L
Selenium, total	NE-4	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-4	7/6/2020	10	10	ND	ug/L
Selenium, total	NE-4	10/5/2020	10	10	ND	ug/L
Selenium, total	NE-4	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-4	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-4	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-4	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-4	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-4	4/6/2023	10	10	ND	ug/L
Selenium, total	NE-4	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-4	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2002	25	25	ND	ug/L
Selenium, total	NE-5	8/6/2002	5	5	ND	ug/L
Selenium, total	NE-5	9/4/2002	5	5	ND	ug/L
Selenium, total	NE-5	10/2/2002	5	5	ND	ug/L
Selenium, total	NE-5	7/8/2003	10	10	ND	ug/L
Selenium, total	NE-5	1/27/2004	10	10	ND	ug/L
Selenium, total	NE-5	1/12/2005	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2006	10	10	ND	ug/L
Selenium, total	NE-5	10/25/2006	10	10	ND	ug/L
Selenium, total	NE-5	1/24/2007	10	10	ND	ug/L
Selenium, total	NE-5	7/12/2007	10	10	ND	ug/L
Selenium, total	NE-5	7/22/2008	10	10	ND	ug/L
Selenium, total	NE-5	2/6/2009	10	10	ND	ug/L
Selenium, total	NE-5	7/31/2009	10	10	ND	ug/L
Selenium, total	NE-5	1/26/2010	10	10	ND	ug/L
Selenium, total	NE-5	7/16/2010	9.2	10	ND	ug/L
Selenium, total	NE-5	1/19/2011	10	10	ND	ug/L
Selenium, total	NE-5	7/13/2011	5.8	10	ND	ug/L
Selenium, total	NE-5	1/5/2012	10	10	ND	ug/L
Selenium, total	NE-5	7/10/2012	10	10	ND	ug/L
Selenium, total	NE-5	4/30/2013	10	10	ND	ug/L
Selenium, total	NE-5	7/16/2013	10	10	ND	ug/L
Selenium, total	NE-5	1/23/2014	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2014	5	10	ND	ug/L
Selenium, total	NE-5	2/11/2015	10	10	ND	ug/L
Selenium, total	NE-5	7/14/2015	10	10	ND	ug/L
Selenium, total	NE-5	1/6/2016	10	10	ND	ug/L
Selenium, total	NE-5	7/20/2016	10	10	ND	ug/L
Selenium, total	NE-5	1/11/2017	10	10	ND	ug/L
Selenium, total	NE-5	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-5	1/25/2018	10	10	ND	ug/L
Selenium, total	NE-5	4/10/2018	10	10	ND	ug/L
Selenium, total	NE-5	7/17/2018	10	10	ND	ug/L
Selenium, total	NE-5	10/3/2018	10	10	ND	ug/L
Selenium, total	NE-5	1/4/2019	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	7/9/2019	10	10	ND	ug/L
Selenium, total	NE-5	10/3/2019	10	10	ND	ug/L
Selenium, total	NE-5	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5	4/2/2020	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-5	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5	10/6/2021	14.4	10		ug/L
Selenium, total	NE-5	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-5	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-5	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-5E	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-5E	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5E	4/1/2020	10	10	ND	ug/L
Selenium, total	NE-5E	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5E	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5E	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5E	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5E	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5E	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-5E	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5E	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5E	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5E	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5E	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5E	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-5E	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-5E	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-5W	9/30/2019	10	10	ND	ug/L
Selenium, total	NE-5W	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-5W	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-5W	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-5W	10/6/2020	10	10	ND	ug/L
Selenium, total	NE-5W	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-5W	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-5W	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-5W	10/6/2021	10	10	ND	ug/L
Selenium, total	NE-5W	1/18/2022	10	10	ND	ug/L
Selenium, total	NE-5W	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-5W	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-5W	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-5W	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-5W	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-5W	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-5W	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-6	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-6	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-6	7/19/2017	10	10	ND	ug/L
Selenium, total	NE-6	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-6	2/4/2019	10	10	ND	ug/L
Selenium, total	NE-6	8/6/2019	10	10	ND	ug/L
Selenium, total	NE-6	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-6	7/9/2020	10	10	ND	ug/L
Selenium, total	NE-6	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-6	1/16/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-6	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-6	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-6	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-6	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-6D	10/2/2019	10	10	ND	ug/L
Selenium, total	NE-6D	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-6D	4/2/2020	10	10	ND	ug/L
Selenium, total	NE-6D	7/9/2020	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2020	10	10	ND	ug/L
Selenium, total	NE-6D	1/15/2021	10	10	ND	ug/L
Selenium, total	NE-6D	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-6D	7/2/2021	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2021	14	10		ug/L
Selenium, total	NE-6D	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-6D	4/6/2022	10	10	ND	ug/L
Selenium, total	NE-6D	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-6D	10/7/2022	10	10	ND	ug/L
Selenium, total	NE-6D	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-6D	4/7/2023	10	10	ND	ug/L
Selenium, total	NE-6D	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-6D	10/4/2023	10	10	ND	ug/L
Selenium, total	NE-7	3/1/2017	10	10	ND	ug/L
Selenium, total	NE-7	4/6/2017	10	10	ND	ug/L
Selenium, total	NE-7	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-7	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-7	2/6/2019	10	10	ND	ug/L
Selenium, total	NE-7	8/6/2019	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2020	10	10	ND	ug/L
Selenium, total	NE-7	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-7	1/16/2021	10	10	ND	ug/L
Selenium, total	NE-7	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-7	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-7	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-7	7/12/2022	10	10	ND	ug/L
Selenium, total	NE-7	1/5/2023	10	10	ND	ug/L
Selenium, total	NE-7	7/6/2023	10	10	ND	ug/L
Selenium, total	NE-8	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-8	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-8	7/20/2017	10	10	ND	ug/L
Selenium, total	NE-8	10/6/2017	10	10	ND	ug/L
Selenium, total	NE-8	2/4/2019	10	10	ND	ug/L
Selenium, total	NE-8	8/5/2019	10	10	ND	ug/L
Selenium, total	NE-8	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-8	7/8/2020	10	10	ND	ug/L
Selenium, total	NE-8	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-8	1/13/2021	10	10	ND	ug/L
Selenium, total	NE-8	4/9/2021	10	10	ND	ug/L
Selenium, total	NE-8	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-8	7/1/2021	10.3	10		ug/L
Selenium, total	NE-8	10/7/2021	10	10	ND	ug/L
Selenium, total	NE-8	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-8	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-9	1/12/2017	10	10	ND	ug/L
Selenium, total	NE-9	4/5/2017	10	10	ND	ug/L
Selenium, total	NE-9	7/20/2017	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Selenium, total	NE-9	10/5/2017	10	10	ND	ug/L
Selenium, total	NE-9	2/5/2019	10	10	ND	ug/L
Selenium, total	NE-9	8/7/2019	10	10	ND	ug/L
Selenium, total	NE-9	1/15/2020	10	10	ND	ug/L
Selenium, total	NE-9	7/7/2020	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2021	10	10	ND	ug/L
Selenium, total	NE-9	7/1/2021	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-9	1/17/2022	10	10	ND	ug/L
Selenium, total	NE-9	7/13/2022	10	10	ND	ug/L
Selenium, total	NE-9	1/6/2023	10	10	ND	ug/L
Selenium, total	NE-9	4/8/2023	10	10	ND	ug/L
Selenium, total	NE-9	7/5/2023	10	10	ND	ug/L
Selenium, total	NE-9	10/6/2023	10	10	ND	ug/L
Silver, dissolved	LGW-14R	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-2	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-4	1/24/2006	50	50	ND	ug/L
Silver, dissolved	LGW-5	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-6	1/24/2006	50	50	ND	ug/L
Silver, dissolved	LGW-7	1/25/2006	50	50	ND	ug/L
Silver, dissolved	LGW-8R	1/24/2006	50	50	ND	ug/L
Silver, dissolved	MW-10N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-10N	7/10/2002	7	7	ND	ug/L
Silver, dissolved	MW-10N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-11N	7/10/2000	50	50	ND	ug/L
Silver, dissolved	MW-11N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-11N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-1N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-1N	7/12/2000	50	50	ND	ug/L
Silver, dissolved	MW-1N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-1N	10/3/2002	7	7	ND	ug/L
Silver, dissolved	MW-2N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-2N	7/10/2002	7	7	ND	ug/L
Silver, dissolved	MW-2N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-3N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-3N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-3N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-7N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-7N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-7N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-7N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	MW-8N	10/19/1999	50	50	ND	ug/L
Silver, dissolved	MW-8N	7/11/2000	50	50	ND	ug/L
Silver, dissolved	MW-8N	7/9/2002	7	7	ND	ug/L
Silver, dissolved	MW-8N	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	7/10/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-1	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	7/9/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-2	10/2/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	7/10/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-4	10/3/2002	7	7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, dissolved	NE-5	7/9/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	8/6/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	9/4/2002	7	7	ND	ug/L
Silver, dissolved	NE-5	10/2/2002	7	7	ND	ug/L
Silver, total	LGW-10	1/26/2006	50	50	ND	ug/L
Silver, total	LGW-10	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-10	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-10	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-10	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-10	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-10	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-10	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-10	7/22/2008	1.4	50	ND	ug/L
Silver, total	LGW-10	7/29/2009	3.7	50	ND	ug/L
Silver, total	LGW-10	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-10	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-10	7/16/2010	1.8	50	ND	ug/L
Silver, total	LGW-10	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-10	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-10	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2012	2.6	50	ND	ug/L
Silver, total	LGW-10	5/1/2013	3.7	50	ND	ug/L
Silver, total	LGW-10	1/30/2014	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2014	1.7	50	ND	ug/L
Silver, total	LGW-10	2/12/2015	50	50	ND	ug/L
Silver, total	LGW-10	7/13/2015	50	50	ND	ug/L
Silver, total	LGW-10	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-10	4/6/2016	50	50	ND	ug/L
Silver, total	LGW-10	7/21/2016	1.1	50	ND	ug/L
Silver, total	LGW-10	10/6/2016	50	50	ND	ug/L
Silver, total	LGW-10	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-10	4/4/2017	50	50	ND	ug/L
Silver, total	LGW-10	7/19/2017	2	50	ND	ug/L
Silver, total	LGW-10	10/9/2017	2.3	50	ND	ug/L
Silver, total	LGW-10	1/24/2018	50	50	ND	ug/L
Silver, total	LGW-10	4/11/2018	2.1	50	ND	ug/L
Silver, total	LGW-10	7/16/2018	1.7	50	ND	ug/L
Silver, total	LGW-10	10/4/2018	50	50	ND	ug/L
Silver, total	LGW-10	1/4/2019	50	50	ND	ug/L
Silver, total	LGW-10	4/3/2019	1.1	50	ND	ug/L
Silver, total	LGW-10	7/11/2019	50	50	ND	ug/L
Silver, total	LGW-10	10/2/2019	3.8	50	ND	ug/L
Silver, total	LGW-10	1/15/2020	50	50	ND	ug/L
Silver, total	LGW-10	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-10	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-10	10/7/2020	50	50	ND	ug/L
Silver, total	LGW-10	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-10	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-10	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-10	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-10	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-10	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-10	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-10	10/7/2022	50	50	ND	ug/L
Silver, total	LGW-10	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-10	4/5/2023	50	50	ND	ug/L
Silver, total	LGW-10	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-10	10/5/2023	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-14R	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-14R	8/2/2006	3.9	50	ND	ug/L
Silver, total	LGW-14R	8/2/2006	3.9	50	ND	ug/L
Silver, total	LGW-14R	10/27/2006	50	50	ND	ug/L
Silver, total	LGW-14R	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-14R	4/24/2007	8.6	50	ND	ug/L
Silver, total	LGW-14R	7/11/2007	12	50	ND	ug/L
Silver, total	LGW-14R	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-14R	7/22/2008	50	50	ND	ug/L
Silver, total	LGW-14R	2/6/2009	50	50	ND	ug/L
Silver, total	LGW-14R	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-14R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-14R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-14R	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-14R	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-14R	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-14R	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-14R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-14R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-14R	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-14R	7/8/2014	1	50	ND	ug/L
Silver, total	LGW-14R	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-14R	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-14R	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-14R	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-14R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-14R	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-14R	1/25/2018	50	50	ND	ug/L
Silver, total	LGW-14R	7/17/2018	50	50	ND	ug/L
Silver, total	LGW-14R	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-14R	7/10/2019	50	50	ND	ug/L
Silver, total	LGW-14R	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-14R	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-14R	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-14R	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-14R	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-14R	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-14R	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-14R	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-2	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-2	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-2	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-2	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-2	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-2	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-2	7/10/2007	50	50	ND	ug/L
Silver, total	LGW-2	1/26/2008	50	50	ND	ug/L
Silver, total	LGW-2	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-2	2/6/2009	50	50	ND	ug/L
Silver, total	LGW-2	7/30/2009	50	50	ND	ug/L
Silver, total	LGW-2	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-2	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-2	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-2	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-2	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-2	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-2	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-2	4/30/2013	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-2	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-2	1/30/2014	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-2	2/13/2015	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-2	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-2	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-2	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-2	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-2	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-2	7/12/2018	50	50	ND	ug/L
Silver, total	LGW-2	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-2	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-2	1/13/2020	50	50	ND	ug/L
Silver, total	LGW-2	4/1/2020	50	50	ND	ug/L
Silver, total	LGW-2	7/8/2020	50	50	ND	ug/L
Silver, total	LGW-2	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-2	7/4/2021	50	50	ND	ug/L
Silver, total	LGW-2	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-2	7/10/2022	50	50	ND	ug/L
Silver, total	LGW-2	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-2	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-3R	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-3R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-3R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-3R	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-3R	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-3R	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-3R	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-3R	1/26/2008	50	50	ND	ug/L
Silver, total	LGW-3R	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2009	50	50	ND	ug/L
Silver, total	LGW-3R	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-3R	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-3R	7/16/2010	1.2	50	ND	ug/L
Silver, total	LGW-3R	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-3R	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-3R	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-3R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-3R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-3R	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-3R	1/22/2014	50	50	ND	ug/L
Silver, total	LGW-3R	7/8/2014	1	50	ND	ug/L
Silver, total	LGW-3R	2/10/2015	50	50	ND	ug/L
Silver, total	LGW-3R	7/16/2015	50	50	ND	ug/L
Silver, total	LGW-3R	1/8/2016	50	50	ND	ug/L
Silver, total	LGW-3R	7/21/2016	50	50	ND	ug/L
Silver, total	LGW-3R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-3R	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-3R	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-3R	7/11/2018	50	50	ND	ug/L
Silver, total	LGW-3R	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-3R	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-3R	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-3R	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-3R	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-3R	7/6/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-3R	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-3R	7/10/2022	50	50	ND	ug/L
Silver, total	LGW-3R	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-3R	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-4	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-4	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-4	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-4	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-4	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-4	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-4	1/22/2008	50	50	ND	ug/L
Silver, total	LGW-4	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2009	50	50	ND	ug/L
Silver, total	LGW-4	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-4	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-4	7/16/2010	50	50	ND	ug/L
Silver, total	LGW-4	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-4	7/13/2011	50	50	ND	ug/L
Silver, total	LGW-4	1/4/2012	50	50	ND	ug/L
Silver, total	LGW-4	7/9/2012	1.2	50	ND	ug/L
Silver, total	LGW-4	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-4	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-4	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-4	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-4	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-4	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-4	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-4	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-4	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-4	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-4	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2018	50	50	ND	ug/L
Silver, total	LGW-4	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-4	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-4	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-4	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-4	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-4	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-4	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-4	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-4	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-4	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-5	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-5	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-5	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-5	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-5	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-5	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-5	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-5	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-5	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-5	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-5	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-5	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2010	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-5	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-5	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-5	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-5	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-5	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2014	1.1	50	ND	ug/L
Silver, total	LGW-5	7/8/2014	1.1	50	ND	ug/L
Silver, total	LGW-5	2/10/2015	0.9	50	ND	ug/L
Silver, total	LGW-5	7/8/2015	50	50	ND	ug/L
Silver, total	LGW-5	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-5	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-5	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-5	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-5	1/23/2018	50	50	ND	ug/L
Silver, total	LGW-5	7/12/2018	50	50	ND	ug/L
Silver, total	LGW-5	1/3/2019	50	50	ND	ug/L
Silver, total	LGW-5	7/9/2019	50	50	ND	ug/L
Silver, total	LGW-5	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-5	7/6/2020	50	50	ND	ug/L
Silver, total	LGW-5	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-5	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-5	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-5	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-5	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-5	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-5	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-5	10/6/2022	50	50	ND	ug/L
Silver, total	LGW-5	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-5	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-5	10/5/2023	50	50	ND	ug/L
Silver, total	LGW-6	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-6	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-6	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-6	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-6	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-6	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-6	7/11/2007	50	50	ND	ug/L
Silver, total	LGW-6	1/23/2008	50	50	ND	ug/L
Silver, total	LGW-6	7/23/2008	50	50	ND	ug/L
Silver, total	LGW-6	2/5/2009	50	50	ND	ug/L
Silver, total	LGW-6	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-6	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-6	2/3/2010	50	50	ND	ug/L
Silver, total	LGW-6	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-6	1/19/2011	50	50	ND	ug/L
Silver, total	LGW-6	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-6	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-6	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-6	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-6	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-6	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-6	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-6	2/10/2015	50	50	ND	ug/L
Silver, total	LGW-6	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-6	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-6	7/19/2016	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2016	2.4	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-6	1/11/2017	1.5	50	ND	ug/L
Silver, total	LGW-6	5/5/2017	250	250	ND	ug/L
Silver, total	LGW-6	7/18/2017	1.5	50	ND	ug/L
Silver, total	LGW-6	10/5/2017	5.5	100	ND	ug/L
Silver, total	LGW-6	1/23/2018	250	250	ND	ug/L
Silver, total	LGW-6	4/10/2018	4	50	ND	ug/L
Silver, total	LGW-6	7/17/2018	1.4	50	ND	ug/L
Silver, total	LGW-6	10/2/2018	3.4	100	ND	ug/L
Silver, total	LGW-6	1/7/2019	2.4	50	ND	ug/L
Silver, total	LGW-6	4/3/2019	3.1	50	ND	ug/L
Silver, total	LGW-6	7/10/2019	5	50	ND	ug/L
Silver, total	LGW-6	10/3/2019	5	50	ND	ug/L
Silver, total	LGW-6	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-6	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-6	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2020	50	50	ND	ug/L
Silver, total	LGW-6	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-6	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-6	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-6	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-6	1/12/2022	50	50	ND	ug/L
Silver, total	LGW-6	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-6	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-6	10/6/2022	50	50	ND	ug/L
Silver, total	LGW-6	1/10/2023	50	50	ND	ug/L
Silver, total	LGW-6	4/6/2023	50	50	ND	ug/L
Silver, total	LGW-6	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-6	10/5/2023	50	50	ND	ug/L
Silver, total	LGW-7	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-7	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-7	8/1/2006	50	50	ND	ug/L
Silver, total	LGW-7	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-7	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-7	4/26/2007	50	50	ND	ug/L
Silver, total	LGW-7	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-7	7/22/2008	50	50	ND	ug/L
Silver, total	LGW-7	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-7	7/31/2009	50	50	ND	ug/L
Silver, total	LGW-7	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-7	7/12/2010	50	50	ND	ug/L
Silver, total	LGW-7	1/20/2011	50	50	ND	ug/L
Silver, total	LGW-7	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-7	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-7	7/10/2012	50	50	ND	ug/L
Silver, total	LGW-7	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-7	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-7	1/23/2014	50	50	ND	ug/L
Silver, total	LGW-7	7/8/2014	1.2	50	ND	ug/L
Silver, total	LGW-7	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-7	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-7	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-7	4/6/2016	50	50	ND	ug/L
Silver, total	LGW-7	7/20/2016	1.2	50	ND	ug/L
Silver, total	LGW-7	10/6/2016	2.7	50	ND	ug/L
Silver, total	LGW-7	1/11/2017	1.1	50	ND	ug/L
Silver, total	LGW-7	4/4/2017	50	50	ND	ug/L
Silver, total	LGW-7	7/18/2017	50	50	ND	ug/L
Silver, total	LGW-7	10/5/2017	4.9	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-7	1/24/2018	250	250	ND	ug/L
Silver, total	LGW-7	4/11/2018	3.2	50	ND	ug/L
Silver, total	LGW-7	7/12/2018	1.1	50	ND	ug/L
Silver, total	LGW-7	10/2/2018	50	50	ND	ug/L
Silver, total	LGW-7	1/7/2019	50	50	ND	ug/L
Silver, total	LGW-7	4/3/2019	50	50	ND	ug/L
Silver, total	LGW-7	7/10/2019	3.1	50	ND	ug/L
Silver, total	LGW-7	10/3/2019	3.2	50	ND	ug/L
Silver, total	LGW-7	1/15/2020	50	50	ND	ug/L
Silver, total	LGW-7	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-7	1/18/2021	50	50	ND	ug/L
Silver, total	LGW-7	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-7	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-7	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-7	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-7	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-7	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-8R	1/24/2006	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-8R	10/26/2006	50	50	ND	ug/L
Silver, total	LGW-8R	1/24/2007	50	50	ND	ug/L
Silver, total	LGW-8R	4/25/2007	50	50	ND	ug/L
Silver, total	LGW-8R	7/12/2007	50	50	ND	ug/L
Silver, total	LGW-8R	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-8R	7/29/2009	50	50	ND	ug/L
Silver, total	LGW-8R	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-8R	7/14/2010	50	50	ND	ug/L
Silver, total	LGW-8R	1/20/2011	50	50	ND	ug/L
Silver, total	LGW-8R	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-8R	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-8R	7/9/2012	50	50	ND	ug/L
Silver, total	LGW-8R	4/30/2013	50	50	ND	ug/L
Silver, total	LGW-8R	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-8R	1/22/2014	50	50	ND	ug/L
Silver, total	LGW-8R	7/8/2014	50	50	ND	ug/L
Silver, total	LGW-8R	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-8R	7/22/2015	50	50	ND	ug/L
Silver, total	LGW-8R	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-8R	7/20/2016	50	50	ND	ug/L
Silver, total	LGW-8R	1/11/2017	50	50	ND	ug/L
Silver, total	LGW-8R	7/18/2017	1.3	50	ND	ug/L
Silver, total	LGW-8R	1/25/2018	50	50	ND	ug/L
Silver, total	LGW-8R	7/13/2018	50	50	ND	ug/L
Silver, total	LGW-8R	1/7/2019	50	50	ND	ug/L
Silver, total	LGW-8R	7/8/2019	50	50	ND	ug/L
Silver, total	LGW-8R	1/14/2020	50	50	ND	ug/L
Silver, total	LGW-8R	7/7/2020	50	50	ND	ug/L
Silver, total	LGW-8R	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-8R	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-8R	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-8R	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-8R	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-8R	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-9	1/25/2006	50	50	ND	ug/L
Silver, total	LGW-9	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-9	7/20/2006	50	50	ND	ug/L
Silver, total	LGW-9	10/26/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	LGW-9	1/25/2007	50	50	ND	ug/L
Silver, total	LGW-9	4/25/2007	50	50	ND	ug/L
Silver, total	LGW-9	7/10/2007	50	50	ND	ug/L
Silver, total	LGW-9	7/22/2008	1.3	50	ND	ug/L
Silver, total	LGW-9	2/4/2009	50	50	ND	ug/L
Silver, total	LGW-9	7/29/2009	3.3	50	ND	ug/L
Silver, total	LGW-9	1/27/2010	50	50	ND	ug/L
Silver, total	LGW-9	7/14/2010	0.9	50	ND	ug/L
Silver, total	LGW-9	1/20/2011	50	50	ND	ug/L
Silver, total	LGW-9	7/12/2011	50	50	ND	ug/L
Silver, total	LGW-9	1/5/2012	50	50	ND	ug/L
Silver, total	LGW-9	7/10/2012	2.1	50	ND	ug/L
Silver, total	LGW-9	5/1/2013	3.6	50	ND	ug/L
Silver, total	LGW-9	7/15/2013	50	50	ND	ug/L
Silver, total	LGW-9	1/23/2014	2.3	50	ND	ug/L
Silver, total	LGW-9	7/8/2014	1.4	50	ND	ug/L
Silver, total	LGW-9	2/11/2015	50	50	ND	ug/L
Silver, total	LGW-9	7/13/2015	50	50	ND	ug/L
Silver, total	LGW-9	1/5/2016	50	50	ND	ug/L
Silver, total	LGW-9	7/21/2016	1	50	ND	ug/L
Silver, total	LGW-9	10/6/2016	1.5	50	ND	ug/L
Silver, total	LGW-9	1/11/2017	1	50	ND	ug/L
Silver, total	LGW-9	5/5/2017	1.4	50	ND	ug/L
Silver, total	LGW-9	7/18/2017	1.8	50	ND	ug/L
Silver, total	LGW-9	10/5/2017	2.8	50	ND	ug/L
Silver, total	LGW-9	1/24/2018	50	50	ND	ug/L
Silver, total	LGW-9	4/11/2018	2.1	50	ND	ug/L
Silver, total	LGW-9	7/13/2018	1.1	50	ND	ug/L
Silver, total	LGW-9	10/2/2018	50	50	ND	ug/L
Silver, total	LGW-9	1/7/2019	0.97	50	ND	ug/L
Silver, total	LGW-9	4/3/2019	1.5	50	ND	ug/L
Silver, total	LGW-9	7/10/2019	2.3	50	ND	ug/L
Silver, total	LGW-9	10/3/2019	3.8	50	ND	ug/L
Silver, total	LGW-9	1/16/2020	50	50	ND	ug/L
Silver, total	LGW-9	4/2/2020	50	50	ND	ug/L
Silver, total	LGW-9	7/9/2020	50	50	ND	ug/L
Silver, total	LGW-9	10/7/2020	50	50	ND	ug/L
Silver, total	LGW-9	1/17/2021	50	50	ND	ug/L
Silver, total	LGW-9	4/6/2021	50	50	ND	ug/L
Silver, total	LGW-9	7/7/2021	50	50	ND	ug/L
Silver, total	LGW-9	10/5/2021	50	50	ND	ug/L
Silver, total	LGW-9	1/13/2022	50	50	ND	ug/L
Silver, total	LGW-9	4/4/2022	50	50	ND	ug/L
Silver, total	LGW-9	7/11/2022	50	50	ND	ug/L
Silver, total	LGW-9	10/7/2022	50	50	ND	ug/L
Silver, total	LGW-9	1/11/2023	50	50	ND	ug/L
Silver, total	LGW-9	4/5/2023	50	50	ND	ug/L
Silver, total	LGW-9	7/10/2023	50	50	ND	ug/L
Silver, total	LGW-9	10/5/2023	50	50	ND	ug/L
Silver, total	MW-10N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-10N	1/22/1998	50	50	ND	ug/L
Silver, total	MW-10N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-10N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-10N	1/14/1999	50	50	ND	ug/L
Silver, total	MW-10N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-10N	7/15/1999	50	50	ND	ug/L
Silver, total	MW-10N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-10N	1/14/2000	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-10N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-10N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-10N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-10N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2002	7	7	ND	ug/L
Silver, total	MW-10N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-10N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-10N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-10N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-10N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-10N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-10N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-10N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-10N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-10N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2007	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-10N	1/23/2008	50	50	ND	ug/L
Silver, total	MW-10N	7/21/2008	50	50	ND	ug/L
Silver, total	MW-10N	2/13/2009	50	50	ND	ug/L
Silver, total	MW-10N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-10N	1/27/2010	50	50	ND	ug/L
Silver, total	MW-10N	8/10/2010	50	50	ND	ug/L
Silver, total	MW-10N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-10N	7/14/2011	50	50	ND	ug/L
Silver, total	MW-10N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-10N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-10N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-10N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-10N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-10N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-10N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-10N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-10N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-10N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-10N	1/24/2018	50	50	ND	ug/L
Silver, total	MW-10N	7/11/2018	50	50	ND	ug/L
Silver, total	MW-10N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-10N	7/9/2019	50	50	ND	ug/L
Silver, total	MW-10N	1/16/2020	50	50	ND	ug/L
Silver, total	MW-10N	7/8/2020	50	50	ND	ug/L
Silver, total	MW-10N	1/13/2021	50	50	ND	ug/L
Silver, total	MW-10N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-10N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-10N	7/7/2023	50	50	ND	ug/L
Silver, total	MW-11N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-11N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-11N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-11N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-11N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-11N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-11N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-11N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-11N	1/13/2000	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-11N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-11N	7/10/2000	50	50	ND	ug/L
Silver, total	MW-11N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-11N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-11N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-11N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-11N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-11N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-11N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-11N	1/29/2004	50	50	ND	ug/L
Silver, total	MW-11N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-11N	1/13/2005	50	50	ND	ug/L
Silver, total	MW-11N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-11N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-11N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-11N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-11N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-11N	1/24/2007	50	50	ND	ug/L
Silver, total	MW-11N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-11N	1/22/2008	50	50	ND	ug/L
Silver, total	MW-11N	7/23/2008	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2009	50	50	ND	ug/L
Silver, total	MW-11N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2010	50	50	ND	ug/L
Silver, total	MW-11N	2/3/2010	50	50	ND	ug/L
Silver, total	MW-11N	7/16/2010	50	50	ND	ug/L
Silver, total	MW-11N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-11N	1/4/2012	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2012	50	50	ND	ug/L
Silver, total	MW-11N	4/30/2013	50	50	ND	ug/L
Silver, total	MW-11N	7/15/2013	50	50	ND	ug/L
Silver, total	MW-11N	1/23/2014	50	50	ND	ug/L
Silver, total	MW-11N	7/8/2014	50	50	ND	ug/L
Silver, total	MW-11N	2/10/2015	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2015	50	50	ND	ug/L
Silver, total	MW-11N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-11N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-11N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-11N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-11N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-11N	7/17/2018	50	50	ND	ug/L
Silver, total	MW-11N	1/2/2019	50	50	ND	ug/L
Silver, total	MW-11N	7/9/2019	50	50	ND	ug/L
Silver, total	MW-11N	1/14/2020	50	50	ND	ug/L
Silver, total	MW-11N	7/6/2020	50	50	ND	ug/L
Silver, total	MW-11N	1/18/2021	50	50	ND	ug/L
Silver, total	MW-11N	7/6/2021	50	50	ND	ug/L
Silver, total	MW-11N	1/18/2022	50	50	ND	ug/L
Silver, total	MW-11N	7/13/2022	50	50	ND	ug/L
Silver, total	MW-11N	1/10/2023	50	50	ND	ug/L
Silver, total	MW-11N	7/8/2023	50	50	ND	ug/L
Silver, total	MW-15	6/5/2015	50	50	ND	ug/L
Silver, total	MW-15	7/15/2015	50	50	ND	ug/L
Silver, total	MW-15	8/5/2015	50	50	ND	ug/L
Silver, total	MW-15	9/3/2015	50	50	ND	ug/L
Silver, total	MW-15	1/7/2016	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-15	4/5/2016	50	50	ND	ug/L
Silver, total	MW-15	7/20/2016	50	50	ND	ug/L
Silver, total	MW-15	10/6/2016	50	50	ND	ug/L
Silver, total	MW-15	1/10/2017	50	50	ND	ug/L
Silver, total	MW-15	7/18/2017	1	50	ND	ug/L
Silver, total	MW-15	1/23/2018	50	50	ND	ug/L
Silver, total	MW-15	7/10/2018	50	50	ND	ug/L
Silver, total	MW-15	1/3/2019	50	50	ND	ug/L
Silver, total	MW-15	7/9/2019	50	50	ND	ug/L
Silver, total	MW-15	1/14/2020	50	50	ND	ug/L
Silver, total	MW-15	8/3/2020	50	50	ND	ug/L
Silver, total	MW-15	1/18/2021	50	50	ND	ug/L
Silver, total	MW-15	7/4/2021	50	50	ND	ug/L
Silver, total	MW-15	1/12/2022	50	50	ND	ug/L
Silver, total	MW-15	7/10/2022	50	50	ND	ug/L
Silver, total	MW-15	1/10/2023	50	50	ND	ug/L
Silver, total	MW-15	7/10/2023	50	50	ND	ug/L
Silver, total	MW-16	6/5/2015	50	50	ND	ug/L
Silver, total	MW-16	7/16/2015	50	50	ND	ug/L
Silver, total	MW-16	8/5/2015	50	50	ND	ug/L
Silver, total	MW-16	9/3/2015	50	50	ND	ug/L
Silver, total	MW-16	1/8/2016	50	50	ND	ug/L
Silver, total	MW-16	4/5/2016	50	50	ND	ug/L
Silver, total	MW-16	7/21/2016	50	50	ND	ug/L
Silver, total	MW-16	10/5/2016	50	50	ND	ug/L
Silver, total	MW-16	1/10/2017	50	50	ND	ug/L
Silver, total	MW-16	7/18/2017	50	50	ND	ug/L
Silver, total	MW-16	1/23/2018	50	50	ND	ug/L
Silver, total	MW-16	7/11/2018	50	50	ND	ug/L
Silver, total	MW-16	1/2/2019	50	50	ND	ug/L
Silver, total	MW-16	7/10/2019	50	50	ND	ug/L
Silver, total	MW-16	1/14/2020	50	50	ND	ug/L
Silver, total	MW-16	8/3/2020	50	50	ND	ug/L
Silver, total	MW-16	1/18/2021	50	50	ND	ug/L
Silver, total	MW-16	7/4/2021	50	50	ND	ug/L
Silver, total	MW-16	1/12/2022	50	50	ND	ug/L
Silver, total	MW-16	7/10/2022	50	50	ND	ug/L
Silver, total	MW-16	1/10/2023	50	50	ND	ug/L
Silver, total	MW-16	7/10/2023	50	50	ND	ug/L
Silver, total	MW-17	6/5/2015	50	50	ND	ug/L
Silver, total	MW-17	7/15/2015	50	50	ND	ug/L
Silver, total	MW-17	8/4/2015	50	50	ND	ug/L
Silver, total	MW-17	9/2/2015	50	50	ND	ug/L
Silver, total	MW-17	1/7/2016	50	50	ND	ug/L
Silver, total	MW-17	4/5/2016	50	50	ND	ug/L
Silver, total	MW-17	7/20/2016	50	50	ND	ug/L
Silver, total	MW-17	10/6/2016	50	50	ND	ug/L
Silver, total	MW-17	1/10/2017	50	50	ND	ug/L
Silver, total	MW-17	7/18/2017	50	50	ND	ug/L
Silver, total	MW-17	1/23/2018	50	50	ND	ug/L
Silver, total	MW-17	7/10/2018	50	50	ND	ug/L
Silver, total	MW-17	1/3/2019	50	50	ND	ug/L
Silver, total	MW-17	7/11/2019	50	50	ND	ug/L
Silver, total	MW-17	1/14/2020	50	50	ND	ug/L
Silver, total	MW-17	8/3/2020	50	50	ND	ug/L
Silver, total	MW-17	1/14/2021	50	50	ND	ug/L
Silver, total	MW-17	7/4/2021	50	50	ND	ug/L
Silver, total	MW-17	1/10/2023	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-17	7/8/2023	50	50	ND	ug/L
Silver, total	MW-19	6/5/2015	50	50	ND	ug/L
Silver, total	MW-19	7/16/2015	50	50	ND	ug/L
Silver, total	MW-19	8/5/2015	1.1	50	ND	ug/L
Silver, total	MW-19	9/3/2015	50	50	ND	ug/L
Silver, total	MW-19	1/7/2016	50	50	ND	ug/L
Silver, total	MW-19	4/5/2016	50	50	ND	ug/L
Silver, total	MW-19	7/21/2016	50	50	ND	ug/L
Silver, total	MW-19	10/5/2016	50	50	ND	ug/L
Silver, total	MW-19	1/10/2017	50	50	ND	ug/L
Silver, total	MW-19	7/18/2017	1	50	ND	ug/L
Silver, total	MW-19	1/23/2018	50	50	ND	ug/L
Silver, total	MW-19	7/13/2018	50	50	ND	ug/L
Silver, total	MW-19	1/7/2019	50	50	ND	ug/L
Silver, total	MW-19	7/11/2019	50	50	ND	ug/L
Silver, total	MW-19	1/14/2020	50	50	ND	ug/L
Silver, total	MW-19	8/3/2020	50	50	ND	ug/L
Silver, total	MW-19	1/14/2021	50	50	ND	ug/L
Silver, total	MW-19	7/4/2021	50	50	ND	ug/L
Silver, total	MW-19	1/11/2023	50	50	ND	ug/L
Silver, total	MW-19	7/10/2023	50	50	ND	ug/L
Silver, total	MW-1N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-1N	1/20/1998	50	50	ND	ug/L
Silver, total	MW-1N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-1N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-1N	10/14/1998	50	50	ND	ug/L
Silver, total	MW-1N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-1N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-1N	7/15/1999	50	50	ND	ug/L
Silver, total	MW-1N	10/19/1999	50	50	ND	ug/L
Silver, total	MW-1N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-1N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-1N	7/12/2000	50	50	ND	ug/L
Silver, total	MW-1N	10/18/2000	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-1N	4/12/2001	50	50	ND	ug/L
Silver, total	MW-1N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-1N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-1N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-1N	10/3/2002	7	7	ND	ug/L
Silver, total	MW-1N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-1N	4/15/2003	50	50	ND	ug/L
Silver, total	MW-1N	7/8/2003	50	50	ND	ug/L
Silver, total	MW-1N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-1N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-1N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-1N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-1N	1/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	7/18/2006	50	50	ND	ug/L
Silver, total	MW-1N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-1N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-1N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-1N	7/21/2008	50	50	ND	ug/L
Silver, total	MW-1N	2/5/2009	50	50	ND	ug/L
Silver, total	MW-1N	7/31/2009	50	50	ND	ug/L
Silver, total	MW-1N	1/26/2010	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-1N	7/13/2010	50	50	ND	ug/L
Silver, total	MW-1N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-1N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-1N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-1N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-1N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-1N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-1N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-1N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-1N	2/10/2015	50	50	ND	ug/L
Silver, total	MW-1N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-1N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-1N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-1N	1/12/2017	50	50	ND	ug/L
Silver, total	MW-1N	7/19/2017	50	50	ND	ug/L
Silver, total	MW-1N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-1N	7/10/2018	50	50	ND	ug/L
Silver, total	MW-1N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-1N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-1N	1/23/2020	50	50	ND	ug/L
Silver, total	MW-1N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-1N	7/6/2020	50	50	ND	ug/L
Silver, total	MW-1N	1/14/2021	50	50	ND	ug/L
Silver, total	MW-1N	7/4/2021	50	50	ND	ug/L
Silver, total	MW-1N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-1N	7/8/2023	50	50	ND	ug/L
Silver, total	MW-20	6/5/2015	50	50	ND	ug/L
Silver, total	MW-20	7/14/2015	50	50	ND	ug/L
Silver, total	MW-20	8/4/2015	50	50	ND	ug/L
Silver, total	MW-20	9/2/2015	50	50	ND	ug/L
Silver, total	MW-20	1/7/2016	50	50	ND	ug/L
Silver, total	MW-20	4/5/2016	50	50	ND	ug/L
Silver, total	MW-20	7/20/2016	50	50	ND	ug/L
Silver, total	MW-20	10/5/2016	50	50	ND	ug/L
Silver, total	MW-20	1/12/2017	50	50	ND	ug/L
Silver, total	MW-20	7/18/2017	0.9	50	ND	ug/L
Silver, total	MW-20	1/26/2018	50	50	ND	ug/L
Silver, total	MW-20	7/12/2018	50	50	ND	ug/L
Silver, total	MW-20	7/11/2019	50	50	ND	ug/L
Silver, total	MW-20	1/14/2020	50	50	ND	ug/L
Silver, total	MW-20	7/7/2020	50	50	ND	ug/L
Silver, total	MW-20	1/17/2021	50	50	ND	ug/L
Silver, total	MW-20	7/4/2021	50	50	ND	ug/L
Silver, total	MW-20	1/11/2023	50	50	ND	ug/L
Silver, total	MW-21	6/5/2015	2.9	50	ND	ug/L
Silver, total	MW-21	7/14/2015	50	50	ND	ug/L
Silver, total	MW-21	8/4/2015	1.8	50	ND	ug/L
Silver, total	MW-21	9/2/2015	50	50	ND	ug/L
Silver, total	MW-21	1/7/2016	50	50	ND	ug/L
Silver, total	MW-21	4/5/2016	50	50	ND	ug/L
Silver, total	MW-21	7/20/2016	1.2	50	ND	ug/L
Silver, total	MW-21	10/5/2016	50	50	ND	ug/L
Silver, total	MW-21	10/5/2016	1.6	50	ND	ug/L
Silver, total	MW-21	1/10/2017	1.1	50	ND	ug/L
Silver, total	MW-21	4/5/2017	50	50	ND	ug/L
Silver, total	MW-21	7/19/2017	1.4	50	ND	ug/L
Silver, total	MW-21	10/6/2017	2.1	50	ND	ug/L
Silver, total	MW-21	1/24/2018	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-21	4/11/2018	3	50	ND	ug/L
Silver, total	MW-21	7/11/2018	1.2	50	ND	ug/L
Silver, total	MW-21	10/4/2018	50	50	ND	ug/L
Silver, total	MW-21	1/3/2019	1.5	50	ND	ug/L
Silver, total	MW-21	4/3/2019	1.9	50	ND	ug/L
Silver, total	MW-21	7/11/2019	2.2	50	ND	ug/L
Silver, total	MW-21	10/2/2019	3.9	50	ND	ug/L
Silver, total	MW-21	1/16/2020	50	50	ND	ug/L
Silver, total	MW-21	4/2/2020	50	50	ND	ug/L
Silver, total	MW-21	7/8/2020	50	50	ND	ug/L
Silver, total	MW-21	10/7/2020	50	50	ND	ug/L
Silver, total	MW-21	1/13/2021	50	50	ND	ug/L
Silver, total	MW-21	4/6/2021	50	50	ND	ug/L
Silver, total	MW-21	7/5/2021	50	50	ND	ug/L
Silver, total	MW-21	10/6/2021	50	50	ND	ug/L
Silver, total	MW-21	1/11/2023	50	50	ND	ug/L
Silver, total	MW-21	4/8/2023	50	50	ND	ug/L
Silver, total	MW-21	7/7/2023	50	50	ND	ug/L
Silver, total	MW-21	10/6/2023	50	50	ND	ug/L
Silver, total	MW-2N	10/22/1997	50	50	ND	ug/L
Silver, total	MW-2N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-2N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-2N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-2N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-2N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-2N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-2N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-2N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-2N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-2N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2001	50	50	ND	ug/L
Silver, total	MW-2N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-2N	7/10/2002	7	7	ND	ug/L
Silver, total	MW-2N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-2N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-2N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-2N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-2N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-2N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-2N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-2N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-2N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-2N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-2N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-2N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-2N	7/22/2008	50	50	ND	ug/L
Silver, total	MW-2N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-2N	7/31/2009	1.6	50	ND	ug/L
Silver, total	MW-2N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-2N	7/13/2010	50	50	ND	ug/L
Silver, total	MW-2N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-2N	7/13/2011	50	50	ND	ug/L
Silver, total	MW-2N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-2N	7/10/2012	50	50	ND	ug/L
Silver, total	MW-2N	5/1/2013	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-2N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-2N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-2N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-2N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-2N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-2N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-2N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-2N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-2N	7/19/2017	1.3	50	ND	ug/L
Silver, total	MW-2N	1/23/2018	50	50	ND	ug/L
Silver, total	MW-2N	7/12/2018	50	50	ND	ug/L
Silver, total	MW-2N	1/3/2019	50	50	ND	ug/L
Silver, total	MW-2N	8/7/2019	50	50	ND	ug/L
Silver, total	MW-2N	1/23/2020	50	50	ND	ug/L
Silver, total	MW-2N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-2N	1/14/2021	50	50	ND	ug/L
Silver, total	MW-2N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-2N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-2N	7/8/2023	50	50	ND	ug/L
Silver, total	MW-3N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-3N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-3N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-3N	7/23/1998	50	50	ND	ug/L
Silver, total	MW-3N	1/13/1999	50	50	ND	ug/L
Silver, total	MW-3N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-3N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-3N	10/20/1999	50	50	ND	ug/L
Silver, total	MW-3N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-3N	4/24/2000	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-3N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-3N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-3N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-3N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-3N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-3N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-3N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-3N	1/22/2003	50	50	ND	ug/L
Silver, total	MW-3N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-3N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-3N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-3N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-3N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-3N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-3N	1/18/2006	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-3N	10/25/2006	50	50	ND	ug/L
Silver, total	MW-3N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2007	50	50	ND	ug/L
Silver, total	MW-3N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-3N	7/22/2008	50	50	ND	ug/L
Silver, total	MW-3N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-3N	7/31/2009	1.7	50	ND	ug/L
Silver, total	MW-3N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-3N	7/13/2010	1.1	50	ND	ug/L
Silver, total	MW-3N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-3N	7/14/2011	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-3N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-3N	7/11/2012	50	50	ND	ug/L
Silver, total	MW-3N	5/1/2013	50	50	ND	ug/L
Silver, total	MW-3N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-3N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-3N	1/24/2014	50	50	ND	ug/L
Silver, total	MW-3N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-3N	2/12/2015	1.1	50	ND	ug/L
Silver, total	MW-3N	4/1/2015	1.8	50	ND	ug/L
Silver, total	MW-3N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-3N	10/5/2015	50	50	ND	ug/L
Silver, total	MW-3N	1/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	4/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-3N	10/6/2016	50	50	ND	ug/L
Silver, total	MW-3N	1/11/2017	50	50	ND	ug/L
Silver, total	MW-3N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-3N	7/19/2017	1	50	ND	ug/L
Silver, total	MW-3N	10/9/2017	1.4	50	ND	ug/L
Silver, total	MW-3N	1/24/2018	50	50	ND	ug/L
Silver, total	MW-3N	4/10/2018	50	50	ND	ug/L
Silver, total	MW-3N	7/13/2018	50	50	ND	ug/L
Silver, total	MW-3N	10/3/2018	50	50	ND	ug/L
Silver, total	MW-3N	1/7/2019	50	50	ND	ug/L
Silver, total	MW-3N	4/3/2019	1.2	50	ND	ug/L
Silver, total	MW-3N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-3N	10/2/2019	3.5	50	ND	ug/L
Silver, total	MW-3N	1/15/2020	50	50	ND	ug/L
Silver, total	MW-3N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-3N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-3N	10/7/2020	50	50	ND	ug/L
Silver, total	MW-3N	1/13/2021	50	50	ND	ug/L
Silver, total	MW-3N	4/6/2021	50	50	ND	ug/L
Silver, total	MW-3N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-3N	10/6/2021	50	50	ND	ug/L
Silver, total	MW-3N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-3N	7/7/2023	50	50	ND	ug/L
Silver, total	MW-3N	10/6/2023	50	50	ND	ug/L
Silver, total	MW-7N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-7N	1/21/1998	50	50	ND	ug/L
Silver, total	MW-7N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-7N	8/18/1998	50	50	ND	ug/L
Silver, total	MW-7N	9/17/1998	50	50	ND	ug/L
Silver, total	MW-7N	10/15/1998	50	50	ND	ug/L
Silver, total	MW-7N	11/9/1998	50	50	ND	ug/L
Silver, total	MW-7N	1/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	4/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-7N	10/19/1999	50	50	ND	ug/L
Silver, total	MW-7N	1/13/2000	50	50	ND	ug/L
Silver, total	MW-7N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-7N	7/11/2000	50	50	ND	ug/L
Silver, total	MW-7N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-7N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-7N	4/10/2001	50	50	ND	ug/L
Silver, total	MW-7N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-7N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-7N	7/9/2002	7	7	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-7N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-7N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-7N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-7N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-7N	1/27/2004	50	50	ND	ug/L
Silver, total	MW-7N	4/8/2004	50	50	ND	ug/L
Silver, total	MW-7N	7/26/2004	50	50	ND	ug/L
Silver, total	MW-7N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2005	50	50	ND	ug/L
Silver, total	MW-7N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-7N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-7N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-7N	7/21/2008	2.4	50	ND	ug/L
Silver, total	MW-7N	2/6/2009	1.4	50	ND	ug/L
Silver, total	MW-7N	7/29/2009	3.1	50	ND	ug/L
Silver, total	MW-7N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-7N	7/14/2010	50	50	ND	ug/L
Silver, total	MW-7N	1/20/2011	50	50	ND	ug/L
Silver, total	MW-7N	7/12/2011	50	50	ND	ug/L
Silver, total	MW-7N	1/5/2012	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2012	1	50	ND	ug/L
Silver, total	MW-7N	5/1/2013	3.1	50	ND	ug/L
Silver, total	MW-7N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-7N	7/15/2013	50	50	ND	ug/L
Silver, total	MW-7N	1/30/2014	50	50	ND	ug/L
Silver, total	MW-7N	7/9/2014	50	50	ND	ug/L
Silver, total	MW-7N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-7N	7/13/2015	50	50	ND	ug/L
Silver, total	MW-7N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-7N	7/21/2016	50	50	ND	ug/L
Silver, total	MW-7N	1/11/2017	1.2	50	ND	ug/L
Silver, total	MW-7N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-7N	7/19/2017	1.2	50	ND	ug/L
Silver, total	MW-7N	10/5/2017	0.9	50	ND	ug/L
Silver, total	MW-7N	1/25/2018	50	50	ND	ug/L
Silver, total	MW-7N	4/11/2018	50	50	ND	ug/L
Silver, total	MW-7N	7/13/2018	50	50	ND	ug/L
Silver, total	MW-7N	1/4/2019	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2019	50	50	ND	ug/L
Silver, total	MW-7N	1/16/2020	50	50	ND	ug/L
Silver, total	MW-7N	7/7/2020	50	50	ND	ug/L
Silver, total	MW-7N	1/16/2021	50	50	ND	ug/L
Silver, total	MW-7N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-7N	1/12/2022	50	50	ND	ug/L
Silver, total	MW-7N	7/10/2022	50	50	ND	ug/L
Silver, total	MW-7N	1/10/2023	50	50	ND	ug/L
Silver, total	MW-7N	7/7/2023	50	50	ND	ug/L
Silver, total	MW-8N	10/21/1997	50	50	ND	ug/L
Silver, total	MW-8N	1/22/1998	50	50	ND	ug/L
Silver, total	MW-8N	4/28/1998	50	50	ND	ug/L
Silver, total	MW-8N	7/22/1998	50	50	ND	ug/L
Silver, total	MW-8N	1/12/1999	50	50	ND	ug/L
Silver, total	MW-8N	4/13/1999	50	50	ND	ug/L
Silver, total	MW-8N	7/14/1999	50	50	ND	ug/L
Silver, total	MW-8N	10/19/1999	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-8N	1/14/2000	50	50	ND	ug/L
Silver, total	MW-8N	4/25/2000	50	50	ND	ug/L
Silver, total	MW-8N	10/17/2000	50	50	ND	ug/L
Silver, total	MW-8N	1/23/2001	50	50	ND	ug/L
Silver, total	MW-8N	4/11/2001	50	50	ND	ug/L
Silver, total	MW-8N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-8N	5/29/2002	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2002	7	7	ND	ug/L
Silver, total	MW-8N	10/2/2002	7	7	ND	ug/L
Silver, total	MW-8N	1/23/2003	50	50	ND	ug/L
Silver, total	MW-8N	4/14/2003	50	50	ND	ug/L
Silver, total	MW-8N	7/7/2003	50	50	ND	ug/L
Silver, total	MW-8N	1/28/2004	50	50	ND	ug/L
Silver, total	MW-8N	7/27/2004	50	50	ND	ug/L
Silver, total	MW-8N	1/12/2005	50	50	ND	ug/L
Silver, total	MW-8N	7/20/2005	50	50	ND	ug/L
Silver, total	MW-8N	1/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2006	50	50	ND	ug/L
Silver, total	MW-8N	10/24/2006	50	50	ND	ug/L
Silver, total	MW-8N	1/26/2007	50	50	ND	ug/L
Silver, total	MW-8N	4/25/2007	50	50	ND	ug/L
Silver, total	MW-8N	7/10/2007	50	50	ND	ug/L
Silver, total	MW-8N	1/24/2008	50	50	ND	ug/L
Silver, total	MW-8N	7/23/2008	1.7	50	ND	ug/L
Silver, total	MW-8N	2/4/2009	50	50	ND	ug/L
Silver, total	MW-8N	7/31/2009	2.7	50	ND	ug/L
Silver, total	MW-8N	1/26/2010	50	50	ND	ug/L
Silver, total	MW-8N	7/16/2010	1.2	50	ND	ug/L
Silver, total	MW-8N	1/19/2011	50	50	ND	ug/L
Silver, total	MW-8N	5/10/2011	1.6	50	ND	ug/L
Silver, total	MW-8N	7/14/2011	50	50	ND	ug/L
Silver, total	MW-8N	1/6/2012	1.5	50	ND	ug/L
Silver, total	MW-8N	4/5/2012	0.9	50	ND	ug/L
Silver, total	MW-8N	7/11/2012	50	50	ND	ug/L
Silver, total	MW-8N	10/3/2012	50	50	ND	ug/L
Silver, total	MW-8N	5/1/2013	2.2	50	ND	ug/L
Silver, total	MW-8N	6/4/2013	50	50	ND	ug/L
Silver, total	MW-8N	7/16/2013	50	50	ND	ug/L
Silver, total	MW-8N	10/2/2013	50	50	ND	ug/L
Silver, total	MW-8N	1/30/2014	50	50	ND	ug/L
Silver, total	MW-8N	4/3/2014	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2014	1	50	ND	ug/L
Silver, total	MW-8N	10/8/2014	1	50	ND	ug/L
Silver, total	MW-8N	2/12/2015	50	50	ND	ug/L
Silver, total	MW-8N	4/1/2015	2.7	50	ND	ug/L
Silver, total	MW-8N	7/14/2015	50	50	ND	ug/L
Silver, total	MW-8N	10/5/2015	50	50	ND	ug/L
Silver, total	MW-8N	1/5/2016	50	50	ND	ug/L
Silver, total	MW-8N	4/6/2016	50	50	ND	ug/L
Silver, total	MW-8N	7/21/2016	1.2	50	ND	ug/L
Silver, total	MW-8N	10/6/2016	50	50	ND	ug/L
Silver, total	MW-8N	1/11/2017	1.3	50	ND	ug/L
Silver, total	MW-8N	4/4/2017	50	50	ND	ug/L
Silver, total	MW-8N	7/19/2017	1.4	50	ND	ug/L
Silver, total	MW-8N	10/6/2017	2	50	ND	ug/L
Silver, total	MW-8N	1/25/2018	50	50	ND	ug/L
Silver, total	MW-8N	4/10/2018	1.7	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	MW-8N	7/16/2018	1.7	50	ND	ug/L
Silver, total	MW-8N	10/2/2018	50	50	ND	ug/L
Silver, total	MW-8N	1/7/2019	50	50	ND	ug/L
Silver, total	MW-8N	4/3/2019	1.6	50	ND	ug/L
Silver, total	MW-8N	7/11/2019	50	50	ND	ug/L
Silver, total	MW-8N	10/3/2019	3.8	50	ND	ug/L
Silver, total	MW-8N	1/15/2020	50	50	ND	ug/L
Silver, total	MW-8N	4/2/2020	50	50	ND	ug/L
Silver, total	MW-8N	7/9/2020	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2020	50	50	ND	ug/L
Silver, total	MW-8N	1/15/2021	50	50	ND	ug/L
Silver, total	MW-8N	4/6/2021	50	50	ND	ug/L
Silver, total	MW-8N	7/5/2021	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2021	50	50	ND	ug/L
Silver, total	MW-8N	1/18/2022	50	50	ND	ug/L
Silver, total	MW-8N	4/4/2022	50	50	ND	ug/L
Silver, total	MW-8N	7/12/2022	50	50	ND	ug/L
Silver, total	MW-8N	10/6/2022	50	50	ND	ug/L
Silver, total	MW-8N	1/11/2023	50	50	ND	ug/L
Silver, total	MW-8N	4/8/2023	50	50	ND	ug/L
Silver, total	MW-8N	7/7/2023	50	50	ND	ug/L
Silver, total	MW-8N	10/5/2023	50	50	ND	ug/L
Silver, total	NE-1	7/10/2002	7	7	ND	ug/L
Silver, total	NE-1	8/6/2002	7	7	ND	ug/L
Silver, total	NE-1	9/4/2002	7	7	ND	ug/L
Silver, total	NE-1	10/2/2002	7	7	ND	ug/L
Silver, total	NE-1	7/8/2003	50	50	ND	ug/L
Silver, total	NE-1	1/27/2004	50	50	ND	ug/L
Silver, total	NE-1	1/12/2005	50	50	ND	ug/L
Silver, total	NE-1	7/19/2006	50	50	ND	ug/L
Silver, total	NE-1	7/19/2006	50	50	ND	ug/L
Silver, total	NE-1	10/25/2006	50	50	ND	ug/L
Silver, total	NE-1	1/24/2007	50	50	ND	ug/L
Silver, total	NE-1	7/10/2007	50	50	ND	ug/L
Silver, total	NE-1	1/24/2008	50	50	ND	ug/L
Silver, total	NE-1	7/21/2008	50	50	ND	ug/L
Silver, total	NE-1	2/7/2009	1.4	50	ND	ug/L
Silver, total	NE-1	7/31/2009	50	50	ND	ug/L
Silver, total	NE-1	1/26/2010	50	50	ND	ug/L
Silver, total	NE-1	7/14/2010	50	50	ND	ug/L
Silver, total	NE-1	1/19/2011	50	50	ND	ug/L
Silver, total	NE-1	7/13/2011	50	50	ND	ug/L
Silver, total	NE-1	1/5/2012	50	50	ND	ug/L
Silver, total	NE-1	7/10/2012	50	50	ND	ug/L
Silver, total	NE-1	4/30/2013	50	50	ND	ug/L
Silver, total	NE-1	7/16/2013	1	50	ND	ug/L
Silver, total	NE-1	1/23/2014	1	50	ND	ug/L
Silver, total	NE-1	7/9/2014	50	50	ND	ug/L
Silver, total	NE-1	2/11/2015	50	50	ND	ug/L
Silver, total	NE-1	7/8/2015	50	50	ND	ug/L
Silver, total	NE-1	1/6/2016	50	50	ND	ug/L
Silver, total	NE-1	7/20/2016	50	50	ND	ug/L
Silver, total	NE-1	1/11/2017	0.9	50	ND	ug/L
Silver, total	NE-1	7/19/2017	50	50	ND	ug/L
Silver, total	NE-1	1/24/2018	50	50	ND	ug/L
Silver, total	NE-1	4/11/2018	1.1	50	ND	ug/L
Silver, total	NE-1	7/18/2018	50	50	ND	ug/L
Silver, total	NE-1	10/2/2018	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-1	1/4/2019	50	50	ND	ug/L
Silver, total	NE-1	4/2/2019	50	50	ND	ug/L
Silver, total	NE-1	7/10/2019	50	50	ND	ug/L
Silver, total	NE-1	7/10/2019	50	50	ND	ug/L
Silver, total	NE-1	10/2/2019	50	50	ND	ug/L
Silver, total	NE-1	1/15/2020	50	50	ND	ug/L
Silver, total	NE-1	4/2/2020	50	50	ND	ug/L
Silver, total	NE-1	7/8/2020	50	50	ND	ug/L
Silver, total	NE-1	10/7/2020	50	50	ND	ug/L
Silver, total	NE-1	1/13/2021	50	50	ND	ug/L
Silver, total	NE-1	4/9/2021	50	50	ND	ug/L
Silver, total	NE-1	7/2/2021	50	50	ND	ug/L
Silver, total	NE-1	10/6/2021	50	50	ND	ug/L
Silver, total	NE-1	1/17/2022	50	50	ND	ug/L
Silver, total	NE-1	4/6/2022	50	50	ND	ug/L
Silver, total	NE-1	7/13/2022	50	50	ND	ug/L
Silver, total	NE-1	10/6/2022	50	50	ND	ug/L
Silver, total	NE-1	1/5/2023	50	50	ND	ug/L
Silver, total	NE-1	4/7/2023	50	50	ND	ug/L
Silver, total	NE-1	7/5/2023	50	50	ND	ug/L
Silver, total	NE-1	10/5/2023	50	50	ND	ug/L
Silver, total	NE-10D	11/6/2019	50	50	ND	ug/L
Silver, total	NE-10D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-10D	4/2/2020	50	50	ND	ug/L
Silver, total	NE-10D	7/8/2020	50	50	ND	ug/L
Silver, total	NE-10D	10/7/2020	50	50	ND	ug/L
Silver, total	NE-10D	1/13/2021	50	50	ND	ug/L
Silver, total	NE-10D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-10D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-10D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-10D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-10D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-10D	7/8/2023	50	50	ND	ug/L
Silver, total	NE-10D	10/3/2023	50	50	ND	ug/L
Silver, total	NE-11	3/1/2017	50	50	ND	ug/L
Silver, total	NE-11	4/6/2017	50	50	ND	ug/L
Silver, total	NE-11	7/20/2017	1.5	50	ND	ug/L
Silver, total	NE-11	10/9/2017	50	50	ND	ug/L
Silver, total	NE-11	9/30/2019	2.9	50	ND	ug/L
Silver, total	NE-11	1/14/2020	50	50	ND	ug/L
Silver, total	NE-11	7/7/2020	50	50	ND	ug/L
Silver, total	NE-11	1/16/2021	50	50	ND	ug/L
Silver, total	NE-11	1/16/2021	50	50	ND	ug/L
Silver, total	NE-11	7/1/2021	50	50	ND	ug/L
Silver, total	NE-11	1/17/2022	50	50	ND	ug/L
Silver, total	NE-11	1/17/2022	50	50	ND	ug/L
Silver, total	NE-11	7/12/2022	50	50	ND	ug/L
Silver, total	NE-11	1/6/2023	50	50	ND	ug/L
Silver, total	NE-11	7/6/2023	50	50	ND	ug/L
Silver, total	NE-12	3/1/2017	50	50	ND	ug/L
Silver, total	NE-12	4/6/2017	50	50	ND	ug/L
Silver, total	NE-12	7/20/2017	50	50	ND	ug/L
Silver, total	NE-12	10/6/2017	50	50	ND	ug/L
Silver, total	NE-12	8/5/2019	50	50	ND	ug/L
Silver, total	NE-12	1/13/2020	50	50	ND	ug/L
Silver, total	NE-12	7/7/2020	50	50	ND	ug/L
Silver, total	NE-12	1/15/2021	50	50	ND	ug/L
Silver, total	NE-12	1/15/2021	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-12	7/1/2021	50	50	ND	ug/L
Silver, total	NE-12	1/17/2022	50	50	ND	ug/L
Silver, total	NE-12	1/17/2022	50	50	ND	ug/L
Silver, total	NE-12	7/12/2022	50	50	ND	ug/L
Silver, total	NE-12	1/6/2023	50	50	ND	ug/L
Silver, total	NE-12	7/5/2023	50	50	ND	ug/L
Silver, total	NE-13	2/5/2019	50	50	ND	ug/L
Silver, total	NE-13	8/7/2019	50	50	ND	ug/L
Silver, total	NE-13	1/15/2020	50	50	ND	ug/L
Silver, total	NE-13	7/8/2020	50	50	ND	ug/L
Silver, total	NE-13	1/17/2021	50	50	ND	ug/L
Silver, total	NE-13	1/17/2021	50	50	ND	ug/L
Silver, total	NE-13	7/1/2021	50	50	ND	ug/L
Silver, total	NE-14D	10/2/2019	2.7	50	ND	ug/L
Silver, total	NE-14D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-14D	4/3/2020	50	50	ND	ug/L
Silver, total	NE-14D	7/7/2020	50	50	ND	ug/L
Silver, total	NE-14D	10/6/2020	50	50	ND	ug/L
Silver, total	NE-14D	1/17/2021	50	50	ND	ug/L
Silver, total	NE-14D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-14D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-14D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-14D	1/18/2022	50	50	ND	ug/L
Silver, total	NE-14D	4/6/2022	50	50	ND	ug/L
Silver, total	NE-14D	7/13/2022	50	50	ND	ug/L
Silver, total	NE-14D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-14D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-14D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-14D	7/5/2023	50	50	ND	ug/L
Silver, total	NE-14D	10/4/2023	50	50	ND	ug/L
Silver, total	NE-14S	10/2/2019	2.6	50	ND	ug/L
Silver, total	NE-14S	1/16/2020	50	50	ND	ug/L
Silver, total	NE-14S	4/3/2020	50	50	ND	ug/L
Silver, total	NE-14S	7/7/2020	50	50	ND	ug/L
Silver, total	NE-14S	10/6/2020	50	50	ND	ug/L
Silver, total	NE-14S	1/17/2021	50	50	ND	ug/L
Silver, total	NE-14S	4/9/2021	50	50	ND	ug/L
Silver, total	NE-14S	7/2/2021	50	50	ND	ug/L
Silver, total	NE-14S	10/7/2021	50	50	ND	ug/L
Silver, total	NE-14S	1/18/2022	50	50	ND	ug/L
Silver, total	NE-14S	4/6/2022	50	50	ND	ug/L
Silver, total	NE-14S	7/13/2022	50	50	ND	ug/L
Silver, total	NE-14S	10/7/2022	50	50	ND	ug/L
Silver, total	NE-14S	1/6/2023	50	50	ND	ug/L
Silver, total	NE-14S	4/6/2023	50	50	ND	ug/L
Silver, total	NE-14S	7/5/2023	50	50	ND	ug/L
Silver, total	NE-14S	10/4/2023	50	50	ND	ug/L
Silver, total	NE-15D	9/30/2019	2.8	50	ND	ug/L
Silver, total	NE-15D	1/16/2020	50	50	ND	ug/L
Silver, total	NE-15D	4/3/2020	50	50	ND	ug/L
Silver, total	NE-15D	7/7/2020	50	50	ND	ug/L
Silver, total	NE-15D	10/6/2020	50	50	ND	ug/L
Silver, total	NE-15D	1/17/2021	50	50	ND	ug/L
Silver, total	NE-15D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-15D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-15D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-15D	1/17/2022	50	50	ND	ug/L
Silver, total	NE-15D	4/6/2022	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-15D	7/13/2022	50	50	ND	ug/L
Silver, total	NE-15D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-15D	1/6/2023	50	50	ND	ug/L
Silver, total	NE-15D	4/6/2023	50	50	ND	ug/L
Silver, total	NE-15D	7/6/2023	50	50	ND	ug/L
Silver, total	NE-15D	10/6/2023	50	50	ND	ug/L
Silver, total	NE-15S	4/3/2020	50	50	ND	ug/L
Silver, total	NE-2	7/9/2002	7	7	ND	ug/L
Silver, total	NE-2	8/6/2002	7	7	ND	ug/L
Silver, total	NE-2	9/4/2002	7	7	ND	ug/L
Silver, total	NE-2	10/2/2002	7	7	ND	ug/L
Silver, total	NE-2	10/1/2013	50	50	ND	ug/L
Silver, total	NE-2	10/8/2014	50	50	ND	ug/L
Silver, total	NE-2	10/5/2015	50	50	ND	ug/L
Silver, total	NE-2	10/6/2016	50	50	ND	ug/L
Silver, total	NE-2	10/5/2017	50	50	ND	ug/L
Silver, total	NE-2	1/25/2018	50	50	ND	ug/L
Silver, total	NE-2	4/10/2018	50	50	ND	ug/L
Silver, total	NE-2	7/10/2018	0.97	50	ND	ug/L
Silver, total	NE-2	10/1/2018	50	50	ND	ug/L
Silver, total	NE-2	1/4/2019	50	50	ND	ug/L
Silver, total	NE-2	4/2/2019	50	50	ND	ug/L
Silver, total	NE-2	7/9/2019	50	50	ND	ug/L
Silver, total	NE-2	7/9/2019	50	50	ND	ug/L
Silver, total	NE-2	10/2/2019	50	50	ND	ug/L
Silver, total	NE-2	1/14/2020	50	50	ND	ug/L
Silver, total	NE-2	4/1/2020	50	50	ND	ug/L
Silver, total	NE-2	7/7/2020	50	50	ND	ug/L
Silver, total	NE-2	10/6/2020	50	50	ND	ug/L
Silver, total	NE-2	1/14/2021	50	50	ND	ug/L
Silver, total	NE-2	4/9/2021	50	50	ND	ug/L
Silver, total	NE-2	7/2/2021	50	50	ND	ug/L
Silver, total	NE-2	10/6/2021	50	50	ND	ug/L
Silver, total	NE-2	1/18/2022	50	50	ND	ug/L
Silver, total	NE-2	4/6/2022	50	50	ND	ug/L
Silver, total	NE-2	7/13/2022	50	50	ND	ug/L
Silver, total	NE-2	10/7/2022	50	50	ND	ug/L
Silver, total	NE-2	1/5/2023	50	50	ND	ug/L
Silver, total	NE-2	4/5/2023	50	50	ND	ug/L
Silver, total	NE-2	7/5/2023	50	50	ND	ug/L
Silver, total	NE-2	10/4/2023	50	50	ND	ug/L
Silver, total	NE-4	7/10/2002	7	7	ND	ug/L
Silver, total	NE-4	8/6/2002	7	7	ND	ug/L
Silver, total	NE-4	9/4/2002	7	7	ND	ug/L
Silver, total	NE-4	10/3/2002	7	7	ND	ug/L
Silver, total	NE-4	7/8/2003	50	50	ND	ug/L
Silver, total	NE-4	1/28/2004	50	50	ND	ug/L
Silver, total	NE-4	1/13/2005	50	50	ND	ug/L
Silver, total	NE-4	8/1/2006	50	50	ND	ug/L
Silver, total	NE-4	8/1/2006	50	50	ND	ug/L
Silver, total	NE-4	10/25/2006	50	50	ND	ug/L
Silver, total	NE-4	1/24/2007	50	50	ND	ug/L
Silver, total	NE-4	7/12/2007	50	50	ND	ug/L
Silver, total	NE-4	1/24/2008	50	50	ND	ug/L
Silver, total	NE-4	7/21/2008	50	50	ND	ug/L
Silver, total	NE-4	2/7/2009	50	50	ND	ug/L
Silver, total	NE-4	7/31/2009	50	50	ND	ug/L
Silver, total	NE-4	1/26/2010	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-4	7/14/2010	50	50	ND	ug/L
Silver, total	NE-4	1/19/2011	50	50	ND	ug/L
Silver, total	NE-4	7/13/2011	50	50	ND	ug/L
Silver, total	NE-4	1/5/2012	50	50	ND	ug/L
Silver, total	NE-4	7/10/2012	50	50	ND	ug/L
Silver, total	NE-4	4/30/2013	50	50	ND	ug/L
Silver, total	NE-4	7/16/2013	50	50	ND	ug/L
Silver, total	NE-4	1/23/2014	50	50	ND	ug/L
Silver, total	NE-4	7/9/2014	50	50	ND	ug/L
Silver, total	NE-4	2/13/2015	50	50	ND	ug/L
Silver, total	NE-4	7/8/2015	50	50	ND	ug/L
Silver, total	NE-4	1/6/2016	50	50	ND	ug/L
Silver, total	NE-4	7/20/2016	50	50	ND	ug/L
Silver, total	NE-4	1/11/2017	50	50	ND	ug/L
Silver, total	NE-4	7/19/2017	50	50	ND	ug/L
Silver, total	NE-4	1/26/2018	10	50	ND	ug/L
Silver, total	NE-4	4/10/2018	50	50	ND	ug/L
Silver, total	NE-4	7/12/2018	0.93	50	ND	ug/L
Silver, total	NE-4	10/3/2018	50	50	ND	ug/L
Silver, total	NE-4	1/7/2019	50	50	ND	ug/L
Silver, total	NE-4	4/2/2019	50	50	ND	ug/L
Silver, total	NE-4	7/8/2019	50	50	ND	ug/L
Silver, total	NE-4	7/8/2019	50	50	ND	ug/L
Silver, total	NE-4	10/1/2019	50	50	ND	ug/L
Silver, total	NE-4	1/13/2020	50	50	ND	ug/L
Silver, total	NE-4	4/1/2020	50	50	ND	ug/L
Silver, total	NE-4	7/6/2020	50	50	ND	ug/L
Silver, total	NE-4	10/5/2020	50	50	ND	ug/L
Silver, total	NE-4	1/15/2021	50	50	ND	ug/L
Silver, total	NE-4	4/9/2021	50	50	ND	ug/L
Silver, total	NE-4	7/2/2021	50	50	ND	ug/L
Silver, total	NE-4	10/6/2021	50	50	ND	ug/L
Silver, total	NE-4	1/5/2023	50	50	ND	ug/L
Silver, total	NE-4	4/6/2023	50	50	ND	ug/L
Silver, total	NE-4	7/5/2023	50	50	ND	ug/L
Silver, total	NE-4	10/4/2023	50	50	ND	ug/L
Silver, total	NE-5	7/9/2002	7	7	ND	ug/L
Silver, total	NE-5	8/6/2002	7	7	ND	ug/L
Silver, total	NE-5	9/4/2002	7	7	ND	ug/L
Silver, total	NE-5	10/2/2002	7	7	ND	ug/L
Silver, total	NE-5	7/8/2003	50	50	ND	ug/L
Silver, total	NE-5	1/27/2004	50	50	ND	ug/L
Silver, total	NE-5	1/12/2005	50	50	ND	ug/L
Silver, total	NE-5	7/19/2006	50	50	ND	ug/L
Silver, total	NE-5	7/19/2006	50	50	ND	ug/L
Silver, total	NE-5	10/25/2006	50	50	ND	ug/L
Silver, total	NE-5	1/24/2007	50	50	ND	ug/L
Silver, total	NE-5	7/12/2007	50	50	ND	ug/L
Silver, total	NE-5	7/22/2008	50	50	ND	ug/L
Silver, total	NE-5	2/6/2009	50	50	ND	ug/L
Silver, total	NE-5	7/31/2009	1.5	50	ND	ug/L
Silver, total	NE-5	1/26/2010	50	50	ND	ug/L
Silver, total	NE-5	7/16/2010	50	50	ND	ug/L
Silver, total	NE-5	1/19/2011	50	50	ND	ug/L
Silver, total	NE-5	7/13/2011	50	50	ND	ug/L
Silver, total	NE-5	1/5/2012	50	50	ND	ug/L
Silver, total	NE-5	7/10/2012	50	50	ND	ug/L
Silver, total	NE-5	4/30/2013	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-5	7/16/2013	1	50	ND	ug/L
Silver, total	NE-5	1/23/2014	1.8	50	ND	ug/L
Silver, total	NE-5	7/9/2014	50	50	ND	ug/L
Silver, total	NE-5	2/11/2015	50	50	ND	ug/L
Silver, total	NE-5	7/14/2015	50	50	ND	ug/L
Silver, total	NE-5	1/6/2016	50	50	ND	ug/L
Silver, total	NE-5	7/20/2016	50	50	ND	ug/L
Silver, total	NE-5	1/11/2017	1.5	50	ND	ug/L
Silver, total	NE-5	7/19/2017	50	50	ND	ug/L
Silver, total	NE-5	1/25/2018	50	50	ND	ug/L
Silver, total	NE-5	4/10/2018	1	50	ND	ug/L
Silver, total	NE-5	7/17/2018	50	50	ND	ug/L
Silver, total	NE-5	10/3/2018	50	50	ND	ug/L
Silver, total	NE-5	1/4/2019	50	50	ND	ug/L
Silver, total	NE-5	4/2/2019	50	50	ND	ug/L
Silver, total	NE-5	4/2/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	7/9/2019	50	50	ND	ug/L
Silver, total	NE-5	10/3/2019	50	50	ND	ug/L
Silver, total	NE-5	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5	4/2/2020	50	50	ND	ug/L
Silver, total	NE-5	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5	10/6/2020	50	50	ND	ug/L
Silver, total	NE-5	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5	4/7/2023	50	50	ND	ug/L
Silver, total	NE-5	7/6/2023	50	50	ND	ug/L
Silver, total	NE-5	10/4/2023	50	50	ND	ug/L
Silver, total	NE-5E	9/30/2019	2.6	50	ND	ug/L
Silver, total	NE-5E	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5E	4/1/2020	50	50	ND	ug/L
Silver, total	NE-5E	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5E	10/6/2020	50	50	ND	ug/L
Silver, total	NE-5E	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5E	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5E	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5E	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5E	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5E	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5E	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5E	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5E	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5E	4/7/2023	50	50	ND	ug/L
Silver, total	NE-5E	7/6/2023	50	50	ND	ug/L
Silver, total	NE-5E	10/4/2023	50	50	ND	ug/L
Silver, total	NE-5W	9/30/2019	2.9	50	ND	ug/L
Silver, total	NE-5W	1/16/2020	50	50	ND	ug/L
Silver, total	NE-5W	4/2/2020	50	50	ND	ug/L
Silver, total	NE-5W	7/8/2020	50	50	ND	ug/L
Silver, total	NE-5W	10/6/2020	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-5W	1/15/2021	50	50	ND	ug/L
Silver, total	NE-5W	4/9/2021	50	50	ND	ug/L
Silver, total	NE-5W	7/2/2021	50	50	ND	ug/L
Silver, total	NE-5W	10/6/2021	50	50	ND	ug/L
Silver, total	NE-5W	1/18/2022	50	50	ND	ug/L
Silver, total	NE-5W	4/6/2022	50	50	ND	ug/L
Silver, total	NE-5W	7/13/2022	50	50	ND	ug/L
Silver, total	NE-5W	10/7/2022	50	50	ND	ug/L
Silver, total	NE-5W	1/5/2023	50	50	ND	ug/L
Silver, total	NE-5W	4/7/2023	50	50	ND	ug/L
Silver, total	NE-5W	7/6/2023	50	50	ND	ug/L
Silver, total	NE-5W	10/4/2023	50	50	ND	ug/L
Silver, total	NE-6	1/12/2017	50	50	ND	ug/L
Silver, total	NE-6	4/5/2017	50	50	ND	ug/L
Silver, total	NE-6	7/19/2017	1.3	50	ND	ug/L
Silver, total	NE-6	10/6/2017	50	50	ND	ug/L
Silver, total	NE-6	2/4/2019	50	50	ND	ug/L
Silver, total	NE-6	8/6/2019	50	50	ND	ug/L
Silver, total	NE-6	1/15/2020	50	50	ND	ug/L
Silver, total	NE-6	7/9/2020	50	50	ND	ug/L
Silver, total	NE-6	1/16/2021	50	50	ND	ug/L
Silver, total	NE-6	1/16/2021	50	50	ND	ug/L
Silver, total	NE-6	7/1/2021	50	50	ND	ug/L
Silver, total	NE-6	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6	7/12/2022	50	50	ND	ug/L
Silver, total	NE-6	1/5/2023	50	50	ND	ug/L
Silver, total	NE-6	7/6/2023	50	50	ND	ug/L
Silver, total	NE-6D	10/2/2019	3	50	ND	ug/L
Silver, total	NE-6D	1/15/2020	50	50	ND	ug/L
Silver, total	NE-6D	4/2/2020	50	50	ND	ug/L
Silver, total	NE-6D	7/9/2020	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2020	50	50	ND	ug/L
Silver, total	NE-6D	1/15/2021	50	50	ND	ug/L
Silver, total	NE-6D	4/9/2021	50	50	ND	ug/L
Silver, total	NE-6D	7/2/2021	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2021	50	50	ND	ug/L
Silver, total	NE-6D	1/17/2022	50	50	ND	ug/L
Silver, total	NE-6D	4/6/2022	50	50	ND	ug/L
Silver, total	NE-6D	7/12/2022	50	50	ND	ug/L
Silver, total	NE-6D	10/7/2022	50	50	ND	ug/L
Silver, total	NE-6D	1/5/2023	50	50	ND	ug/L
Silver, total	NE-6D	4/7/2023	50	50	ND	ug/L
Silver, total	NE-6D	7/6/2023	50	50	ND	ug/L
Silver, total	NE-6D	10/4/2023	50	50	ND	ug/L
Silver, total	NE-7	3/1/2017	50	50	ND	ug/L
Silver, total	NE-7	4/6/2017	50	50	ND	ug/L
Silver, total	NE-7	7/20/2017	50	50	ND	ug/L
Silver, total	NE-7	10/5/2017	50	50	ND	ug/L
Silver, total	NE-7	2/6/2019	50	50	ND	ug/L
Silver, total	NE-7	8/6/2019	50	50	ND	ug/L
Silver, total	NE-7	1/16/2020	50	50	ND	ug/L
Silver, total	NE-7	7/7/2020	50	50	ND	ug/L
Silver, total	NE-7	1/16/2021	50	50	ND	ug/L
Silver, total	NE-7	1/16/2021	50	50	ND	ug/L
Silver, total	NE-7	7/1/2021	50	50	ND	ug/L
Silver, total	NE-7	1/17/2022	50	50	ND	ug/L
Silver, total	NE-7	1/17/2022	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Silver, total	NE-7	7/12/2022	50	50	ND	ug/L
Silver, total	NE-7	1/5/2023	50	50	ND	ug/L
Silver, total	NE-7	7/6/2023	50	50	ND	ug/L
Silver, total	NE-8	1/12/2017	1.1	50	ND	ug/L
Silver, total	NE-8	4/5/2017	50	50	ND	ug/L
Silver, total	NE-8	7/20/2017	1.3	50	ND	ug/L
Silver, total	NE-8	10/6/2017	50	50	ND	ug/L
Silver, total	NE-8	2/4/2019	50	50	ND	ug/L
Silver, total	NE-8	8/5/2019	50	50	ND	ug/L
Silver, total	NE-8	1/15/2020	50	50	ND	ug/L
Silver, total	NE-8	7/8/2020	50	50	ND	ug/L
Silver, total	NE-8	1/13/2021	50	50	ND	ug/L
Silver, total	NE-8	1/13/2021	50	50	ND	ug/L
Silver, total	NE-8	4/9/2021	50	50	ND	ug/L
Silver, total	NE-8	7/1/2021	50	50	ND	ug/L
Silver, total	NE-8	7/1/2021	50	50	ND	ug/L
Silver, total	NE-8	10/7/2021	50	50	ND	ug/L
Silver, total	NE-8	1/6/2023	50	50	ND	ug/L
Silver, total	NE-8	7/5/2023	50	50	ND	ug/L
Silver, total	NE-9	1/12/2017	50	50	ND	ug/L
Silver, total	NE-9	4/5/2017	50	50	ND	ug/L
Silver, total	NE-9	7/20/2017	1.2	50	ND	ug/L
Silver, total	NE-9	10/5/2017	50	50	ND	ug/L
Silver, total	NE-9	2/5/2019	50	50	ND	ug/L
Silver, total	NE-9	8/7/2019	2	50	ND	ug/L
Silver, total	NE-9	1/15/2020	50	50	ND	ug/L
Silver, total	NE-9	7/7/2020	50	50	ND	ug/L
Silver, total	NE-9	1/17/2021	50	50	ND	ug/L
Silver, total	NE-9	1/17/2021	50	50	ND	ug/L
Silver, total	NE-9	7/1/2021	50	50	ND	ug/L
Silver, total	NE-9	1/17/2022	50	50	ND	ug/L
Silver, total	NE-9	1/17/2022	50	50	ND	ug/L
Silver, total	NE-9	7/13/2022	50	50	ND	ug/L
Silver, total	NE-9	1/6/2023	50	50	ND	ug/L
Silver, total	NE-9	4/8/2023	50	50	ND	ug/L
Silver, total	NE-9	7/5/2023	50	50	ND	ug/L
Silver, total	NE-9	10/6/2023	50	50	ND	ug/L
Sodium, dissolved	LGW-14R	1/25/2006	3.2	1		mg/L
Sodium, dissolved	LGW-2	1/25/2006	33.1	1		mg/L
Sodium, dissolved	LGW-4	1/24/2006	12.8	1		mg/L
Sodium, dissolved	LGW-5	1/25/2006	9	1		mg/L
Sodium, dissolved	LGW-6	1/24/2006	8.2	1		mg/L
Sodium, dissolved	LGW-7	1/25/2006	5	1		mg/L
Sodium, dissolved	LGW-8R	1/24/2006	8.3	1		mg/L
Sodium, dissolved	MW-10N	7/10/2002	57.2	1		mg/L
Sodium, dissolved	MW-10N	10/2/2002	47.4	1		mg/L
Sodium, dissolved	MW-11N	7/9/2002	25	1		mg/L
Sodium, dissolved	MW-11N	10/2/2002	16	1		mg/L
Sodium, dissolved	MW-1N	7/9/2002	48	1		mg/L
Sodium, dissolved	MW-1N	10/3/2002	39.9	1		mg/L
Sodium, dissolved	MW-2N	7/10/2002	6.6	1		mg/L
Sodium, dissolved	MW-2N	10/2/2002	5.4	1		mg/L
Sodium, dissolved	MW-3N	7/9/2002	6.7	1		mg/L
Sodium, dissolved	MW-3N	10/2/2002	8.3	1		mg/L
Sodium, dissolved	MW-7N	7/9/2002	10.8	1		mg/L
Sodium, dissolved	MW-7N	10/2/2002	8.3	1		mg/L
Sodium, dissolved	MW-8N	7/9/2002	19.6	1		mg/L
Sodium, dissolved	MW-8N	10/2/2002	15.9	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, dissolved	NE-1	7/10/2002	8.9	1		mg/L
Sodium, dissolved	NE-1	8/6/2002	6.8	1		mg/L
Sodium, dissolved	NE-1	9/4/2002	7.1	1		mg/L
Sodium, dissolved	NE-1	10/2/2002	7.1	1		mg/L
Sodium, dissolved	NE-2	7/9/2002	41	1		mg/L
Sodium, dissolved	NE-2	8/6/2002	13	1		mg/L
Sodium, dissolved	NE-2	9/4/2002	31.6	1		mg/L
Sodium, dissolved	NE-2	10/2/2002	21.2	1		mg/L
Sodium, dissolved	NE-4	7/10/2002	32.8	1		mg/L
Sodium, dissolved	NE-4	8/6/2002	30.4	1		mg/L
Sodium, dissolved	NE-4	9/4/2002	31.3	1		mg/L
Sodium, dissolved	NE-4	10/3/2002	29.7	1		mg/L
Sodium, dissolved	NE-5	7/9/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	8/6/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	9/4/2002	5.4	1		mg/L
Sodium, dissolved	NE-5	10/2/2002	5.4	1		mg/L
Sodium, total	LGW-10	1/26/2006	9.5	1		mg/L
Sodium, total	LGW-10	8/1/2006	10	5		mg/L
Sodium, total	LGW-10	8/1/2006	10	5		mg/L
Sodium, total	LGW-10	1/25/2007	10	5		mg/L
Sodium, total	LGW-10	4/26/2007	10	5		mg/L
Sodium, total	LGW-10	7/12/2007	10	5		mg/L
Sodium, total	LGW-10	1/23/2008	10	5		mg/L
Sodium, total	LGW-10	7/22/2008	12	5		mg/L
Sodium, total	LGW-10	7/29/2009	13	5		mg/L
Sodium, total	LGW-10	2/3/2010	12	5		mg/L
Sodium, total	LGW-10	2/3/2010	12	5		mg/L
Sodium, total	LGW-10	7/16/2010	12	5		mg/L
Sodium, total	LGW-10	1/19/2011	16	5		mg/L
Sodium, total	LGW-10	7/12/2011	11	5		mg/L
Sodium, total	LGW-10	1/5/2012	11	5		mg/L
Sodium, total	LGW-10	7/9/2012	11	5		mg/L
Sodium, total	LGW-10	5/1/2013	10	5		mg/L
Sodium, total	LGW-10	1/30/2014	11	5		mg/L
Sodium, total	LGW-10	7/9/2014	10	5		mg/L
Sodium, total	LGW-10	2/12/2015	11	5		mg/L
Sodium, total	LGW-10	7/13/2015	10	5		mg/L
Sodium, total	LGW-10	1/5/2016	8.4	5		mg/L
Sodium, total	LGW-10	4/6/2016	8.9	5		mg/L
Sodium, total	LGW-10	7/21/2016	8.4	5		mg/L
Sodium, total	LGW-10	10/6/2016	9.1	5		mg/L
Sodium, total	LGW-10	1/11/2017	8.8	5		mg/L
Sodium, total	LGW-10	4/4/2017	9	5		mg/L
Sodium, total	LGW-10	7/19/2017	8.9	5		mg/L
Sodium, total	LGW-10	10/9/2017	10	5		mg/L
Sodium, total	LGW-10	1/24/2018	9	5		mg/L
Sodium, total	LGW-10	4/11/2018	9	5		mg/L
Sodium, total	LGW-10	7/16/2018	7.9	5		mg/L
Sodium, total	LGW-10	10/4/2018	8.2	5		mg/L
Sodium, total	LGW-10	1/4/2019	8.9	5		mg/L
Sodium, total	LGW-10	4/3/2019	7.9	5		mg/L
Sodium, total	LGW-10	7/11/2019	7.9	5		mg/L
Sodium, total	LGW-10	7/11/2019	7.6	5		mg/L
Sodium, total	LGW-10	10/2/2019	7.6	5		mg/L
Sodium, total	LGW-10	1/15/2020	8.22	5		mg/L
Sodium, total	LGW-10	7/9/2020	7.88	5		mg/L
Sodium, total	LGW-10	1/17/2021	26.3	5		mg/L
Sodium, total	LGW-10	7/7/2021	8.46	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-10	7/7/2021	8.48	5		mg/L
Sodium, total	LGW-10	1/13/2022	9.25	5		mg/L
Sodium, total	LGW-10	7/11/2022	9.07	5		mg/L
Sodium, total	LGW-10	1/11/2023	9.82	5		mg/L
Sodium, total	LGW-10	7/10/2023	10.2	5		mg/L
Sodium, total	LGW-14R	1/25/2006	2	1		mg/L
Sodium, total	LGW-14R	8/2/2006	3	5	ND	mg/L
Sodium, total	LGW-14R	8/2/2006	3	5	ND	mg/L
Sodium, total	LGW-14R	1/24/2007	3.6	5	ND	mg/L
Sodium, total	LGW-14R	4/24/2007	3.1	5	ND	mg/L
Sodium, total	LGW-14R	7/11/2007	3	5	ND	mg/L
Sodium, total	LGW-14R	1/23/2008	3.3	5	ND	mg/L
Sodium, total	LGW-14R	7/22/2008	3.8	5	ND	mg/L
Sodium, total	LGW-14R	2/6/2009	4.9	5	ND	mg/L
Sodium, total	LGW-14R	7/29/2009	2.7	5	ND	mg/L
Sodium, total	LGW-14R	2/3/2010	2.2	5	ND	mg/L
Sodium, total	LGW-14R	2/3/2010	2.2	5	ND	mg/L
Sodium, total	LGW-14R	7/12/2010	2.8	5	ND	mg/L
Sodium, total	LGW-14R	1/19/2011	3.3	5	ND	mg/L
Sodium, total	LGW-14R	7/12/2011	2.7	5	ND	mg/L
Sodium, total	LGW-14R	1/5/2012	2.5	5	ND	mg/L
Sodium, total	LGW-14R	7/9/2012	2.9	5	ND	mg/L
Sodium, total	LGW-14R	4/30/2013	3.1	5	ND	mg/L
Sodium, total	LGW-14R	1/23/2014	2.1	5	ND	mg/L
Sodium, total	LGW-14R	7/8/2014	3	5	ND	mg/L
Sodium, total	LGW-14R	2/11/2015	3.1	5	ND	mg/L
Sodium, total	LGW-14R	7/22/2015	3.7	5	ND	mg/L
Sodium, total	LGW-14R	1/5/2016	3.9	5	ND	mg/L
Sodium, total	LGW-14R	7/19/2016	3.7	5	ND	mg/L
Sodium, total	LGW-14R	1/11/2017	3.8	5	ND	mg/L
Sodium, total	LGW-14R	7/18/2017	4	5	ND	mg/L
Sodium, total	LGW-14R	1/25/2018	3.9	5	ND	mg/L
Sodium, total	LGW-14R	7/17/2018	16	5		mg/L
Sodium, total	LGW-14R	1/3/2019	4	5	ND	mg/L
Sodium, total	LGW-14R	7/10/2019	3.8	5	ND	mg/L
Sodium, total	LGW-14R	1/16/2020	5	5	ND	mg/L
Sodium, total	LGW-14R	7/9/2020	5	5	ND	mg/L
Sodium, total	LGW-14R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	7/7/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	7/7/2021	5	5	ND	mg/L
Sodium, total	LGW-14R	1/12/2022	5.1	5		mg/L
Sodium, total	LGW-14R	7/11/2022	5	5	ND	mg/L
Sodium, total	LGW-14R	1/10/2023	5.3	5		mg/L
Sodium, total	LGW-14R	7/10/2023	5.75	5		mg/L
Sodium, total	LGW-2	1/25/2006	30.8	1		mg/L
Sodium, total	LGW-2	8/1/2006	22	5		mg/L
Sodium, total	LGW-2	8/1/2006	22	5		mg/L
Sodium, total	LGW-2	1/25/2007	22	5		mg/L
Sodium, total	LGW-2	4/26/2007	23	5		mg/L
Sodium, total	LGW-2	7/10/2007	23	5		mg/L
Sodium, total	LGW-2	1/26/2008	22	5		mg/L
Sodium, total	LGW-2	7/23/2008	24	5		mg/L
Sodium, total	LGW-2	2/6/2009	24	5		mg/L
Sodium, total	LGW-2	7/30/2009	28	5		mg/L
Sodium, total	LGW-2	2/3/2010	33	5		mg/L
Sodium, total	LGW-2	2/3/2010	33	5		mg/L
Sodium, total	LGW-2	7/12/2010	27	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-2	1/19/2011	28	5		mg/L
Sodium, total	LGW-2	7/13/2011	19	5		mg/L
Sodium, total	LGW-2	1/4/2012	16	5		mg/L
Sodium, total	LGW-2	7/9/2012	16	5		mg/L
Sodium, total	LGW-2	4/30/2013	16	5		mg/L
Sodium, total	LGW-2	7/15/2013	15	5		mg/L
Sodium, total	LGW-2	1/30/2014	15	5		mg/L
Sodium, total	LGW-2	7/8/2014	14	5		mg/L
Sodium, total	LGW-2	2/13/2015	12	5		mg/L
Sodium, total	LGW-2	7/8/2015	13	5		mg/L
Sodium, total	LGW-2	1/5/2016	14	5		mg/L
Sodium, total	LGW-2	7/19/2016	14	5		mg/L
Sodium, total	LGW-2	1/11/2017	14	5		mg/L
Sodium, total	LGW-2	7/18/2017	14	5		mg/L
Sodium, total	LGW-2	1/23/2018	13	5		mg/L
Sodium, total	LGW-2	7/12/2018	12	5		mg/L
Sodium, total	LGW-2	1/3/2019	12	5		mg/L
Sodium, total	LGW-2	7/9/2019	12	5		mg/L
Sodium, total	LGW-2	1/13/2020	12.7	5		mg/L
Sodium, total	LGW-2	7/8/2020	12.6	5		mg/L
Sodium, total	LGW-2	1/18/2021	11.7	5		mg/L
Sodium, total	LGW-2	1/18/2021	11.7	5		mg/L
Sodium, total	LGW-2	7/4/2021	11.8	5		mg/L
Sodium, total	LGW-2	7/4/2021	11.8	5		mg/L
Sodium, total	LGW-2	1/12/2022	12.9	5		mg/L
Sodium, total	LGW-2	7/10/2022	11.9	5		mg/L
Sodium, total	LGW-2	1/10/2023	11.3	5		mg/L
Sodium, total	LGW-2	7/10/2023	11.1	5		mg/L
Sodium, total	LGW-3R	1/24/2006	30	1		mg/L
Sodium, total	LGW-3R	7/20/2006	27	5		mg/L
Sodium, total	LGW-3R	7/20/2006	27	5		mg/L
Sodium, total	LGW-3R	1/25/2007	7.4	5		mg/L
Sodium, total	LGW-3R	4/26/2007	18	5		mg/L
Sodium, total	LGW-3R	7/11/2007	14	5		mg/L
Sodium, total	LGW-3R	1/26/2008	28	5		mg/L
Sodium, total	LGW-3R	7/23/2008	4.9	5	ND	mg/L
Sodium, total	LGW-3R	2/3/2009	19	5		mg/L
Sodium, total	LGW-3R	7/31/2009	11	5		mg/L
Sodium, total	LGW-3R	2/3/2010	20	5		mg/L
Sodium, total	LGW-3R	2/3/2010	20	5		mg/L
Sodium, total	LGW-3R	7/16/2010	9.9	5		mg/L
Sodium, total	LGW-3R	1/19/2011	35	5		mg/L
Sodium, total	LGW-3R	7/13/2011	8.5	5		mg/L
Sodium, total	LGW-3R	1/4/2012	21	5		mg/L
Sodium, total	LGW-3R	7/9/2012	27	5		mg/L
Sodium, total	LGW-3R	4/30/2013	9.3	5		mg/L
Sodium, total	LGW-3R	7/15/2013	15	5		mg/L
Sodium, total	LGW-3R	1/22/2014	19	5		mg/L
Sodium, total	LGW-3R	7/8/2014	26	5		mg/L
Sodium, total	LGW-3R	2/10/2015	25	5		mg/L
Sodium, total	LGW-3R	7/16/2015	12	5		mg/L
Sodium, total	LGW-3R	1/8/2016	25	5		mg/L
Sodium, total	LGW-3R	7/21/2016	3.4	5	ND	mg/L
Sodium, total	LGW-3R	1/11/2017	30	5		mg/L
Sodium, total	LGW-3R	7/18/2017	14	5		mg/L
Sodium, total	LGW-3R	1/23/2018	25	5		mg/L
Sodium, total	LGW-3R	7/11/2018	15	5		mg/L
Sodium, total	LGW-3R	1/3/2019	22	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-3R	7/9/2019	14	5		mg/L
Sodium, total	LGW-3R	1/14/2020	31.5	5		mg/L
Sodium, total	LGW-3R	7/6/2020	42.8	5		mg/L
Sodium, total	LGW-3R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-3R	1/18/2021	5	5	ND	mg/L
Sodium, total	LGW-3R	7/6/2021	7.1	5		mg/L
Sodium, total	LGW-3R	7/6/2021	7.38	5		mg/L
Sodium, total	LGW-3R	1/12/2022	9.51	5		mg/L
Sodium, total	LGW-3R	7/10/2022	18.2	5		mg/L
Sodium, total	LGW-3R	1/10/2023	5	5	ND	mg/L
Sodium, total	LGW-3R	7/10/2023	5	5	ND	mg/L
Sodium, total	LGW-4	1/24/2006	12.3	1		mg/L
Sodium, total	LGW-4	7/20/2006	11	5		mg/L
Sodium, total	LGW-4	7/20/2006	11	5		mg/L
Sodium, total	LGW-4	1/25/2007	6.1	5		mg/L
Sodium, total	LGW-4	4/26/2007	8.5	5		mg/L
Sodium, total	LGW-4	7/11/2007	7	5		mg/L
Sodium, total	LGW-4	1/22/2008	12	5		mg/L
Sodium, total	LGW-4	7/23/2008	5.9	5		mg/L
Sodium, total	LGW-4	2/3/2009	11	5		mg/L
Sodium, total	LGW-4	7/31/2009	8	5		mg/L
Sodium, total	LGW-4	2/3/2010	11	5		mg/L
Sodium, total	LGW-4	2/3/2010	11	5		mg/L
Sodium, total	LGW-4	7/16/2010	6.4	5		mg/L
Sodium, total	LGW-4	1/19/2011	18	5		mg/L
Sodium, total	LGW-4	7/13/2011	2.6	5	ND	mg/L
Sodium, total	LGW-4	1/4/2012	11	5		mg/L
Sodium, total	LGW-4	7/9/2012	14	5		mg/L
Sodium, total	LGW-4	4/30/2013	6.7	5		mg/L
Sodium, total	LGW-4	7/15/2013	7.3	5		mg/L
Sodium, total	LGW-4	1/23/2014	10	5		mg/L
Sodium, total	LGW-4	7/8/2014	12	5		mg/L
Sodium, total	LGW-4	2/11/2015	12	5		mg/L
Sodium, total	LGW-4	7/8/2015	8.4	5		mg/L
Sodium, total	LGW-4	1/5/2016	3.8	5	ND	mg/L
Sodium, total	LGW-4	7/19/2016	8.7	5		mg/L
Sodium, total	LGW-4	1/11/2017	15	5		mg/L
Sodium, total	LGW-4	7/18/2017	10	5		mg/L
Sodium, total	LGW-4	1/23/2018	17	5		mg/L
Sodium, total	LGW-4	7/11/2018	12	5		mg/L
Sodium, total	LGW-4	1/3/2019	13	5		mg/L
Sodium, total	LGW-4	7/9/2019	5.9	5		mg/L
Sodium, total	LGW-4	1/14/2020	5	5	ND	mg/L
Sodium, total	LGW-4	7/6/2020	5	5	ND	mg/L
Sodium, total	LGW-4	1/18/2021	8.15	5		mg/L
Sodium, total	LGW-4	1/18/2021	8.15	5		mg/L
Sodium, total	LGW-4	7/7/2021	7.43	5		mg/L
Sodium, total	LGW-4	7/7/2021	7.83	5		mg/L
Sodium, total	LGW-4	1/12/2022	5.87	5		mg/L
Sodium, total	LGW-4	7/11/2022	5	5	ND	mg/L
Sodium, total	LGW-4	1/10/2023	11.3	5		mg/L
Sodium, total	LGW-4	7/10/2023	10.3	5		mg/L
Sodium, total	LGW-5	1/25/2006	8.7	1		mg/L
Sodium, total	LGW-5	8/1/2006	14	5		mg/L
Sodium, total	LGW-5	8/1/2006	14	5		mg/L
Sodium, total	LGW-5	1/25/2007	8.1	5		mg/L
Sodium, total	LGW-5	4/26/2007	9	5		mg/L
Sodium, total	LGW-5	7/11/2007	10	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-5	1/23/2008	7.8	5		mg/L
Sodium, total	LGW-5	7/23/2008	7.2	5		mg/L
Sodium, total	LGW-5	2/4/2009	8.5	5		mg/L
Sodium, total	LGW-5	7/29/2009	9.7	5		mg/L
Sodium, total	LGW-5	2/3/2010	8.8	5		mg/L
Sodium, total	LGW-5	2/3/2010	8.8	5		mg/L
Sodium, total	LGW-5	7/12/2010	7.8	5		mg/L
Sodium, total	LGW-5	1/19/2011	13	5		mg/L
Sodium, total	LGW-5	7/12/2011	7.4	5		mg/L
Sodium, total	LGW-5	1/5/2012	8.2	5		mg/L
Sodium, total	LGW-5	7/9/2012	11	5		mg/L
Sodium, total	LGW-5	4/30/2013	9.2	5		mg/L
Sodium, total	LGW-5	7/15/2013	8	5		mg/L
Sodium, total	LGW-5	1/23/2014	7.2	5		mg/L
Sodium, total	LGW-5	7/8/2014	12	5		mg/L
Sodium, total	LGW-5	2/10/2015	14	5		mg/L
Sodium, total	LGW-5	7/8/2015	11	5		mg/L
Sodium, total	LGW-5	1/5/2016	9.7	5		mg/L
Sodium, total	LGW-5	7/19/2016	13	5		mg/L
Sodium, total	LGW-5	1/11/2017	15	5		mg/L
Sodium, total	LGW-5	7/18/2017	11	5		mg/L
Sodium, total	LGW-5	1/23/2018	14	5		mg/L
Sodium, total	LGW-5	7/12/2018	12	5		mg/L
Sodium, total	LGW-5	1/3/2019	13	5		mg/L
Sodium, total	LGW-5	7/9/2019	11	5		mg/L
Sodium, total	LGW-5	1/14/2020	11.5	5		mg/L
Sodium, total	LGW-5	7/6/2020	10.8	5		mg/L
Sodium, total	LGW-5	1/18/2021	11.8	5		mg/L
Sodium, total	LGW-5	1/18/2021	11.8	5		mg/L
Sodium, total	LGW-5	7/7/2021	12	5		mg/L
Sodium, total	LGW-5	7/7/2021	12	5		mg/L
Sodium, total	LGW-5	1/12/2022	14	5		mg/L
Sodium, total	LGW-5	7/11/2022	14.6	5		mg/L
Sodium, total	LGW-5	1/10/2023	17.2	5		mg/L
Sodium, total	LGW-5	7/10/2023	19.6	5		mg/L
Sodium, total	LGW-6	1/24/2006	8.2	1		mg/L
Sodium, total	LGW-6	7/20/2006	7.7	5		mg/L
Sodium, total	LGW-6	7/20/2006	7.7	5		mg/L
Sodium, total	LGW-6	1/24/2007	7.1	5		mg/L
Sodium, total	LGW-6	4/26/2007	7.4	5		mg/L
Sodium, total	LGW-6	7/11/2007	7.5	5		mg/L
Sodium, total	LGW-6	1/23/2008	7.1	5		mg/L
Sodium, total	LGW-6	7/23/2008	7.6	5		mg/L
Sodium, total	LGW-6	2/5/2009	7.4	5		mg/L
Sodium, total	LGW-6	7/29/2009	7.5	5		mg/L
Sodium, total	LGW-6	2/3/2010	6.8	5		mg/L
Sodium, total	LGW-6	2/3/2010	6.8	5		mg/L
Sodium, total	LGW-6	7/12/2010	7.2	5		mg/L
Sodium, total	LGW-6	1/19/2011	7.1	5		mg/L
Sodium, total	LGW-6	7/12/2011	7.1	5		mg/L
Sodium, total	LGW-6	1/5/2012	7.2	5		mg/L
Sodium, total	LGW-6	7/9/2012	7.2	5		mg/L
Sodium, total	LGW-6	4/30/2013	7.8	5		mg/L
Sodium, total	LGW-6	7/15/2013	7.6	5		mg/L
Sodium, total	LGW-6	1/23/2014	7.1	5		mg/L
Sodium, total	LGW-6	7/8/2014	7.4	5		mg/L
Sodium, total	LGW-6	2/10/2015	7.8	5		mg/L
Sodium, total	LGW-6	7/22/2015	7.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-6	1/5/2016	8.3	5		mg/L
Sodium, total	LGW-6	7/19/2016	9	5		mg/L
Sodium, total	LGW-6	10/6/2016	10	5		mg/L
Sodium, total	LGW-6	1/11/2017	9	5		mg/L
Sodium, total	LGW-6	5/5/2017	9.3	5		mg/L
Sodium, total	LGW-6	7/18/2017	9.2	5		mg/L
Sodium, total	LGW-6	10/5/2017	10	5		mg/L
Sodium, total	LGW-6	1/23/2018	10	5		mg/L
Sodium, total	LGW-6	4/10/2018	9.8	5		mg/L
Sodium, total	LGW-6	7/17/2018	9.5	5		mg/L
Sodium, total	LGW-6	10/2/2018	9.7	5		mg/L
Sodium, total	LGW-6	1/7/2019	10	5		mg/L
Sodium, total	LGW-6	4/3/2019	9.6	5		mg/L
Sodium, total	LGW-6	7/10/2019	9.8	5		mg/L
Sodium, total	LGW-6	7/10/2019	9.8	5		mg/L
Sodium, total	LGW-6	10/3/2019	9.4	5		mg/L
Sodium, total	LGW-6	1/16/2020	9.91	5		mg/L
Sodium, total	LGW-6	7/9/2020	8.96	5		mg/L
Sodium, total	LGW-6	1/18/2021	9.24	5		mg/L
Sodium, total	LGW-6	7/7/2021	8.61	5		mg/L
Sodium, total	LGW-6	7/7/2021	8.56	5		mg/L
Sodium, total	LGW-6	1/12/2022	9.7	5		mg/L
Sodium, total	LGW-6	7/11/2022	8.72	5		mg/L
Sodium, total	LGW-6	1/10/2023	9.25	5		mg/L
Sodium, total	LGW-6	7/10/2023	9.9	5		mg/L
Sodium, total	LGW-7	1/25/2006	4.4	1		mg/L
Sodium, total	LGW-7	8/1/2006	4.3	5	ND	mg/L
Sodium, total	LGW-7	8/1/2006	4.3	5	ND	mg/L
Sodium, total	LGW-7	1/24/2007	6.6	5		mg/L
Sodium, total	LGW-7	4/26/2007	6.6	5		mg/L
Sodium, total	LGW-7	7/12/2007	6.8	5		mg/L
Sodium, total	LGW-7	7/22/2008	6.5	5		mg/L
Sodium, total	LGW-7	2/4/2009	6.3	5		mg/L
Sodium, total	LGW-7	7/31/2009	6	5		mg/L
Sodium, total	LGW-7	1/27/2010	6.1	5		mg/L
Sodium, total	LGW-7	7/12/2010	5.9	5		mg/L
Sodium, total	LGW-7	1/20/2011	6.1	5		mg/L
Sodium, total	LGW-7	7/12/2011	6.4	5		mg/L
Sodium, total	LGW-7	1/5/2012	6.1	5		mg/L
Sodium, total	LGW-7	7/10/2012	6.9	5		mg/L
Sodium, total	LGW-7	4/30/2013	7.8	5		mg/L
Sodium, total	LGW-7	7/15/2013	6.3	5		mg/L
Sodium, total	LGW-7	1/23/2014	6.4	5		mg/L
Sodium, total	LGW-7	7/8/2014	6.5	5		mg/L
Sodium, total	LGW-7	2/11/2015	5.6	5		mg/L
Sodium, total	LGW-7	7/22/2015	7.5	5		mg/L
Sodium, total	LGW-7	1/5/2016	8.2	5		mg/L
Sodium, total	LGW-7	4/6/2016	7.4	5		mg/L
Sodium, total	LGW-7	7/20/2016	7.4	5		mg/L
Sodium, total	LGW-7	10/6/2016	7	5		mg/L
Sodium, total	LGW-7	1/11/2017	5.8	5		mg/L
Sodium, total	LGW-7	4/4/2017	5.2	5		mg/L
Sodium, total	LGW-7	7/18/2017	3.9	5	ND	mg/L
Sodium, total	LGW-7	10/5/2017	8	5		mg/L
Sodium, total	LGW-7	1/24/2018	8.1	5		mg/L
Sodium, total	LGW-7	4/11/2018	7.8	5		mg/L
Sodium, total	LGW-7	7/12/2018	7.8	5		mg/L
Sodium, total	LGW-7	10/2/2018	7.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-7	1/7/2019	7.6	5		mg/L
Sodium, total	LGW-7	4/3/2019	7.2	5		mg/L
Sodium, total	LGW-7	7/10/2019	8	5		mg/L
Sodium, total	LGW-7	7/10/2019	7.5	5		mg/L
Sodium, total	LGW-7	10/3/2019	6.7	5		mg/L
Sodium, total	LGW-7	1/15/2020	6.65	5		mg/L
Sodium, total	LGW-7	7/9/2020	5.53	5		mg/L
Sodium, total	LGW-7	1/18/2021	5.14	5		mg/L
Sodium, total	LGW-7	7/7/2021	5.59	5		mg/L
Sodium, total	LGW-7	7/7/2021	5.79	5		mg/L
Sodium, total	LGW-7	1/13/2022	5.69	5		mg/L
Sodium, total	LGW-7	7/11/2022	7.94	5		mg/L
Sodium, total	LGW-7	1/11/2023	5.48	5		mg/L
Sodium, total	LGW-7	7/10/2023	7.98	5		mg/L
Sodium, total	LGW-8R	1/24/2006	8.2	1		mg/L
Sodium, total	LGW-8R	7/20/2006	8	5		mg/L
Sodium, total	LGW-8R	7/20/2006	8	5		mg/L
Sodium, total	LGW-8R	1/24/2007	9.6	5		mg/L
Sodium, total	LGW-8R	4/25/2007	9.7	5		mg/L
Sodium, total	LGW-8R	7/12/2007	8.3	5		mg/L
Sodium, total	LGW-8R	2/4/2009	7.1	5	ND	mg/L
Sodium, total	LGW-8R	7/29/2009	7.2	5		mg/L
Sodium, total	LGW-8R	1/27/2010	7	5		mg/L
Sodium, total	LGW-8R	7/14/2010	6.6	5		mg/L
Sodium, total	LGW-8R	1/20/2011	7.1	5		mg/L
Sodium, total	LGW-8R	7/12/2011	6.9	5		mg/L
Sodium, total	LGW-8R	1/5/2012	6.6	5		mg/L
Sodium, total	LGW-8R	7/9/2012	6.9	5		mg/L
Sodium, total	LGW-8R	4/30/2013	7.4	5	ND	mg/L
Sodium, total	LGW-8R	7/15/2013	6.9	5	ND	mg/L
Sodium, total	LGW-8R	1/22/2014	6.2	5		mg/L
Sodium, total	LGW-8R	7/8/2014	6.8	5		mg/L
Sodium, total	LGW-8R	2/11/2015	6.2	5		mg/L
Sodium, total	LGW-8R	7/22/2015	6.6	5		mg/L
Sodium, total	LGW-8R	1/5/2016	7.8	5		mg/L
Sodium, total	LGW-8R	7/20/2016	8.2	5		mg/L
Sodium, total	LGW-8R	1/11/2017	7.6	5		mg/L
Sodium, total	LGW-8R	7/18/2017	8.1	5		mg/L
Sodium, total	LGW-8R	1/25/2018	8.6	5		mg/L
Sodium, total	LGW-8R	7/13/2018	8.4	5		mg/L
Sodium, total	LGW-8R	1/7/2019	8.5	5		mg/L
Sodium, total	LGW-8R	7/8/2019	8.4	5		mg/L
Sodium, total	LGW-8R	1/14/2020	8.82	5		mg/L
Sodium, total	LGW-8R	7/7/2020	8.23	5		mg/L
Sodium, total	LGW-8R	1/17/2021	8.62	5		mg/L
Sodium, total	LGW-8R	7/7/2021	8.64	5		mg/L
Sodium, total	LGW-8R	7/7/2021	8.65	5		mg/L
Sodium, total	LGW-8R	1/13/2022	9.3	5		mg/L
Sodium, total	LGW-8R	7/11/2022	8.89	5		mg/L
Sodium, total	LGW-8R	1/11/2023	9.4	5		mg/L
Sodium, total	LGW-8R	7/10/2023	9.96	5		mg/L
Sodium, total	LGW-9	1/25/2006	12.7	1		mg/L
Sodium, total	LGW-9	7/20/2006	12	5		mg/L
Sodium, total	LGW-9	7/20/2006	12	5		mg/L
Sodium, total	LGW-9	1/25/2007	9.6	5		mg/L
Sodium, total	LGW-9	4/25/2007	10	5		mg/L
Sodium, total	LGW-9	7/10/2007	10	5		mg/L
Sodium, total	LGW-9	7/22/2008	9.7	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	LGW-9	2/4/2009	8.9	5		mg/L
Sodium, total	LGW-9	7/29/2009	9.7	5		mg/L
Sodium, total	LGW-9	1/27/2010	11	5		mg/L
Sodium, total	LGW-9	7/14/2010	9.8	5		mg/L
Sodium, total	LGW-9	1/20/2011	14	5		mg/L
Sodium, total	LGW-9	7/12/2011	10	5		mg/L
Sodium, total	LGW-9	1/5/2012	10	5		mg/L
Sodium, total	LGW-9	7/10/2012	11	5		mg/L
Sodium, total	LGW-9	5/1/2013	9.5	5		mg/L
Sodium, total	LGW-9	7/15/2013	9.1	5		mg/L
Sodium, total	LGW-9	1/23/2014	9.6	5		mg/L
Sodium, total	LGW-9	7/8/2014	10	5		mg/L
Sodium, total	LGW-9	2/11/2015	8.9	5		mg/L
Sodium, total	LGW-9	7/13/2015	17	5		mg/L
Sodium, total	LGW-9	1/5/2016	28	5		mg/L
Sodium, total	LGW-9	7/21/2016	40	5		mg/L
Sodium, total	LGW-9	10/6/2016	42	5		mg/L
Sodium, total	LGW-9	1/11/2017	38	5		mg/L
Sodium, total	LGW-9	5/5/2017	46	5		mg/L
Sodium, total	LGW-9	7/18/2017	57	5		mg/L
Sodium, total	LGW-9	10/5/2017	62	5		mg/L
Sodium, total	LGW-9	1/24/2018	60	5		mg/L
Sodium, total	LGW-9	4/11/2018	59	5		mg/L
Sodium, total	LGW-9	7/13/2018	54	5		mg/L
Sodium, total	LGW-9	10/2/2018	47	5		mg/L
Sodium, total	LGW-9	1/7/2019	42	5		mg/L
Sodium, total	LGW-9	4/3/2019	37	5		mg/L
Sodium, total	LGW-9	7/10/2019	36	5		mg/L
Sodium, total	LGW-9	7/10/2019	36	5		mg/L
Sodium, total	LGW-9	10/3/2019	35	5		mg/L
Sodium, total	LGW-9	1/16/2020	36.3	5		mg/L
Sodium, total	LGW-9	7/9/2020	30.6	5		mg/L
Sodium, total	LGW-9	1/17/2021	8.18	5		mg/L
Sodium, total	LGW-9	7/7/2021	22.9	5		mg/L
Sodium, total	LGW-9	7/7/2021	24.2	5		mg/L
Sodium, total	LGW-9	1/13/2022	20.5	5		mg/L
Sodium, total	LGW-9	7/11/2022	23	5		mg/L
Sodium, total	LGW-9	1/11/2023	21.9	5		mg/L
Sodium, total	LGW-9	7/10/2023	23.3	5		mg/L
Sodium, total	MW-10N	10/22/1997	49.2	1		mg/L
Sodium, total	MW-10N	1/22/1998	50.4	1		mg/L
Sodium, total	MW-10N	4/28/1998	40.1	1		mg/L
Sodium, total	MW-10N	7/23/1998	22.1	1		mg/L
Sodium, total	MW-10N	7/8/2003	58.1	1		mg/L
Sodium, total	MW-10N	1/28/2004	72	1		mg/L
Sodium, total	MW-10N	7/27/2004	89.4	1		mg/L
Sodium, total	MW-10N	1/12/2005	65.7	1		mg/L
Sodium, total	MW-10N	7/20/2005	45	1		mg/L
Sodium, total	MW-10N	1/19/2006	76.6	1		mg/L
Sodium, total	MW-10N	7/19/2006	61	5		mg/L
Sodium, total	MW-10N	7/19/2006	61	5		mg/L
Sodium, total	MW-10N	1/24/2007	66	5		mg/L
Sodium, total	MW-10N	7/10/2007	44	5		mg/L
Sodium, total	MW-10N	1/23/2008	43	5		mg/L
Sodium, total	MW-10N	7/21/2008	49	5		mg/L
Sodium, total	MW-10N	2/13/2009	59	5		mg/L
Sodium, total	MW-10N	7/31/2009	54	5		mg/L
Sodium, total	MW-10N	1/27/2010	75	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-10N	8/10/2010	60	5		mg/L
Sodium, total	MW-10N	1/19/2011	58	5		mg/L
Sodium, total	MW-10N	7/14/2011	57	5		mg/L
Sodium, total	MW-10N	1/5/2012	59	5		mg/L
Sodium, total	MW-10N	7/10/2012	65	5		mg/L
Sodium, total	MW-10N	5/1/2013	59	5		mg/L
Sodium, total	MW-10N	1/24/2014	61	5		mg/L
Sodium, total	MW-10N	7/9/2014	54	5		mg/L
Sodium, total	MW-10N	2/12/2015	53	5		mg/L
Sodium, total	MW-10N	7/14/2015	52	5		mg/L
Sodium, total	MW-10N	1/6/2016	57	5		mg/L
Sodium, total	MW-10N	7/21/2016	55	5		mg/L
Sodium, total	MW-10N	1/11/2017	58	5		mg/L
Sodium, total	MW-10N	7/19/2017	61	5		mg/L
Sodium, total	MW-10N	1/24/2018	62	5		mg/L
Sodium, total	MW-10N	7/11/2018	56	5		mg/L
Sodium, total	MW-10N	1/3/2019	58	5		mg/L
Sodium, total	MW-10N	7/9/2019	58	5		mg/L
Sodium, total	MW-10N	1/16/2020	58	5		mg/L
Sodium, total	MW-10N	7/8/2020	55.8	5		mg/L
Sodium, total	MW-10N	1/13/2021	56.1	5		mg/L
Sodium, total	MW-10N	7/5/2021	57.1	5		mg/L
Sodium, total	MW-10N	7/5/2021	56.5	5		mg/L
Sodium, total	MW-10N	1/11/2023	52.5	5		mg/L
Sodium, total	MW-10N	7/7/2023	52.3	5		mg/L
Sodium, total	MW-11N	10/22/1997	28.9	1		mg/L
Sodium, total	MW-11N	1/21/1998	12.4	1		mg/L
Sodium, total	MW-11N	4/28/1998	21.6	1		mg/L
Sodium, total	MW-11N	7/23/1998	12	1		mg/L
Sodium, total	MW-11N	7/8/2003	17.2	1		mg/L
Sodium, total	MW-11N	1/29/2004	23.9	1		mg/L
Sodium, total	MW-11N	7/27/2004	17.4	1		mg/L
Sodium, total	MW-11N	1/13/2005	12	1		mg/L
Sodium, total	MW-11N	7/20/2005	8	1		mg/L
Sodium, total	MW-11N	1/19/2006	13.2	1		mg/L
Sodium, total	MW-11N	7/18/2006	10	5		mg/L
Sodium, total	MW-11N	7/18/2006	10	5		mg/L
Sodium, total	MW-11N	1/24/2007	12	5		mg/L
Sodium, total	MW-11N	7/10/2007	6	5		mg/L
Sodium, total	MW-11N	1/22/2008	4.7	5	ND	mg/L
Sodium, total	MW-11N	7/23/2008	3.8	5	ND	mg/L
Sodium, total	MW-11N	2/3/2009	3.7	5	ND	mg/L
Sodium, total	MW-11N	7/31/2009	4.5	5	ND	mg/L
Sodium, total	MW-11N	2/3/2010	3.5	5	ND	mg/L
Sodium, total	MW-11N	2/3/2010	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/16/2010	3.6	5	ND	mg/L
Sodium, total	MW-11N	1/19/2011	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/13/2011	3.4	5	ND	mg/L
Sodium, total	MW-11N	1/4/2012	3.5	5	ND	mg/L
Sodium, total	MW-11N	7/9/2012	3.7	5	ND	mg/L
Sodium, total	MW-11N	4/30/2013	4.1	5	ND	mg/L
Sodium, total	MW-11N	7/15/2013	3.7	5	ND	mg/L
Sodium, total	MW-11N	1/23/2014	3.2	5	ND	mg/L
Sodium, total	MW-11N	7/8/2014	4.2	5	ND	mg/L
Sodium, total	MW-11N	2/10/2015	3.3	5	ND	mg/L
Sodium, total	MW-11N	7/13/2015	3.9	5	ND	mg/L
Sodium, total	MW-11N	1/5/2016	3.9	5	ND	mg/L
Sodium, total	MW-11N	7/21/2016	4	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-11N	1/11/2017	4.1	5	ND	mg/L
Sodium, total	MW-11N	7/19/2017	4	5	ND	mg/L
Sodium, total	MW-11N	1/23/2018	4	5	ND	mg/L
Sodium, total	MW-11N	7/17/2018	3.8	5	ND	mg/L
Sodium, total	MW-11N	1/2/2019	4	5	ND	mg/L
Sodium, total	MW-11N	7/9/2019	3.7	5	ND	mg/L
Sodium, total	MW-11N	1/14/2020	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2020	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2021	5	5	ND	mg/L
Sodium, total	MW-11N	7/6/2021	5	5	ND	mg/L
Sodium, total	MW-11N	1/18/2022	5	5	ND	mg/L
Sodium, total	MW-11N	7/13/2022	5	5	ND	mg/L
Sodium, total	MW-11N	1/10/2023	5	5	ND	mg/L
Sodium, total	MW-11N	7/8/2023	5	5	ND	mg/L
Sodium, total	MW-15	6/5/2015	24	5		mg/L
Sodium, total	MW-15	7/15/2015	22	5		mg/L
Sodium, total	MW-15	8/5/2015	27	5		mg/L
Sodium, total	MW-15	9/3/2015	25	5		mg/L
Sodium, total	MW-15	1/7/2016	38	5		mg/L
Sodium, total	MW-15	4/5/2016	31	5		mg/L
Sodium, total	MW-15	7/20/2016	31	5		mg/L
Sodium, total	MW-15	10/6/2016	26	5		mg/L
Sodium, total	MW-15	1/10/2017	29	5		mg/L
Sodium, total	MW-15	7/18/2017	34	5		mg/L
Sodium, total	MW-15	1/23/2018	36	5		mg/L
Sodium, total	MW-15	7/10/2018	38	5		mg/L
Sodium, total	MW-15	1/3/2019	41	5		mg/L
Sodium, total	MW-15	7/9/2019	33	5		mg/L
Sodium, total	MW-15	1/14/2020	36	5		mg/L
Sodium, total	MW-15	7/7/2020	26.3	5		mg/L
Sodium, total	MW-15	1/18/2021	21.6	5		mg/L
Sodium, total	MW-15	1/18/2021	21.6	5		mg/L
Sodium, total	MW-15	7/4/2021	24.3	5		mg/L
Sodium, total	MW-15	7/4/2021	24.8	5		mg/L
Sodium, total	MW-15	1/12/2022	26.9	5		mg/L
Sodium, total	MW-15	7/10/2022	32	5		mg/L
Sodium, total	MW-15	1/10/2023	26.7	5		mg/L
Sodium, total	MW-15	7/10/2023	29.7	5		mg/L
Sodium, total	MW-16	6/5/2015	6.4	5		mg/L
Sodium, total	MW-16	7/16/2015	11	5		mg/L
Sodium, total	MW-16	8/5/2015	13	5		mg/L
Sodium, total	MW-16	9/3/2015	15	5		mg/L
Sodium, total	MW-16	1/8/2016	15	5		mg/L
Sodium, total	MW-16	4/5/2016	21	5		mg/L
Sodium, total	MW-16	7/21/2016	19	5		mg/L
Sodium, total	MW-16	10/5/2016	8.4	5		mg/L
Sodium, total	MW-16	1/10/2017	18	5		mg/L
Sodium, total	MW-16	7/18/2017	19	5		mg/L
Sodium, total	MW-16	1/23/2018	6.2	5		mg/L
Sodium, total	MW-16	7/11/2018	7.5	5		mg/L
Sodium, total	MW-16	1/2/2019	5.3	5		mg/L
Sodium, total	MW-16	7/10/2019	4.1	5	ND	mg/L
Sodium, total	MW-16	1/14/2020	7.75	5		mg/L
Sodium, total	MW-16	7/7/2020	7.77	5		mg/L
Sodium, total	MW-16	1/18/2021	5	5	ND	mg/L
Sodium, total	MW-16	1/18/2021	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-16	7/4/2021	5.48	5		mg/L
Sodium, total	MW-16	7/4/2021	5.16	5		mg/L
Sodium, total	MW-16	1/12/2022	5	5	ND	mg/L
Sodium, total	MW-16	7/10/2022	7	5		mg/L
Sodium, total	MW-16	1/10/2023	5	5	ND	mg/L
Sodium, total	MW-16	7/10/2023	5	5	ND	mg/L
Sodium, total	MW-17	6/5/2015	19	5		mg/L
Sodium, total	MW-17	7/15/2015	21	5		mg/L
Sodium, total	MW-17	8/4/2015	22	5		mg/L
Sodium, total	MW-17	9/2/2015	20	5		mg/L
Sodium, total	MW-17	1/7/2016	8.9	5		mg/L
Sodium, total	MW-17	4/5/2016	17	5		mg/L
Sodium, total	MW-17	7/20/2016	15	5		mg/L
Sodium, total	MW-17	10/6/2016	16	5		mg/L
Sodium, total	MW-17	1/10/2017	16	5		mg/L
Sodium, total	MW-17	7/18/2017	15	5		mg/L
Sodium, total	MW-17	1/23/2018	26	5		mg/L
Sodium, total	MW-17	7/10/2018	27	5		mg/L
Sodium, total	MW-17	1/3/2019	32	5		mg/L
Sodium, total	MW-17	7/11/2019	28	5		mg/L
Sodium, total	MW-17	1/14/2020	19.9	5		mg/L
Sodium, total	MW-17	7/6/2020	19.4	5		mg/L
Sodium, total	MW-17	1/14/2021	14.8	5		mg/L
Sodium, total	MW-17	7/4/2021	27.7	5		mg/L
Sodium, total	MW-17	7/4/2021	27	5		mg/L
Sodium, total	MW-17	1/10/2023	12.1	5		mg/L
Sodium, total	MW-17	7/8/2023	10.8	5		mg/L
Sodium, total	MW-19	6/5/2015	6.7	5		mg/L
Sodium, total	MW-19	7/16/2015	10	5		mg/L
Sodium, total	MW-19	8/5/2015	5.3	5		mg/L
Sodium, total	MW-19	9/3/2015	5	5		mg/L
Sodium, total	MW-19	1/7/2016	6.6	5		mg/L
Sodium, total	MW-19	4/5/2016	7.3	5		mg/L
Sodium, total	MW-19	7/21/2016	6	5		mg/L
Sodium, total	MW-19	10/5/2016	6.1	5		mg/L
Sodium, total	MW-19	1/10/2017	6.2	5		mg/L
Sodium, total	MW-19	7/18/2017	25	5		mg/L
Sodium, total	MW-19	1/23/2018	7.7	5		mg/L
Sodium, total	MW-19	7/13/2018	6.4	5		mg/L
Sodium, total	MW-19	1/7/2019	6.6	5		mg/L
Sodium, total	MW-19	7/11/2019	8.2	5		mg/L
Sodium, total	MW-19	1/14/2020	16.7	5		mg/L
Sodium, total	MW-19	7/6/2020	16	5		mg/L
Sodium, total	MW-19	1/14/2021	12.4	5		mg/L
Sodium, total	MW-19	7/4/2021	11.2	5		mg/L
Sodium, total	MW-19	7/4/2021	10.8	5		mg/L
Sodium, total	MW-19	1/11/2023	6.69	5		mg/L
Sodium, total	MW-19	7/10/2023	6.6	5		mg/L
Sodium, total	MW-1N	10/22/1997	10.6	1		mg/L
Sodium, total	MW-1N	1/20/1998	116	1		mg/L
Sodium, total	MW-1N	4/28/1998	53.1	1		mg/L
Sodium, total	MW-1N	7/23/1998	30.9	1		mg/L
Sodium, total	MW-1N	7/8/2003	26.1	1		mg/L
Sodium, total	MW-1N	1/28/2004	26.5	1		mg/L
Sodium, total	MW-1N	7/27/2004	17.9	1		mg/L
Sodium, total	MW-1N	1/12/2005	13.6	1		mg/L
Sodium, total	MW-1N	7/20/2005	11.5	1		mg/L
Sodium, total	MW-1N	1/18/2006	11.4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-1N	7/18/2006	8.5	5		mg/L
Sodium, total	MW-1N	7/18/2006	8.5	5		mg/L
Sodium, total	MW-1N	1/26/2007	11	5		mg/L
Sodium, total	MW-1N	7/11/2007	8.5	5		mg/L
Sodium, total	MW-1N	1/24/2008	7.4	5		mg/L
Sodium, total	MW-1N	7/21/2008	7.5	5		mg/L
Sodium, total	MW-1N	2/5/2009	7.6	5		mg/L
Sodium, total	MW-1N	7/31/2009	6.6	5		mg/L
Sodium, total	MW-1N	1/26/2010	6.3	5		mg/L
Sodium, total	MW-1N	7/13/2010	6.2	5		mg/L
Sodium, total	MW-1N	1/20/2011	5.4	5		mg/L
Sodium, total	MW-1N	7/13/2011	27	5		mg/L
Sodium, total	MW-1N	1/5/2012	18	5		mg/L
Sodium, total	MW-1N	7/10/2012	8.7	5		mg/L
Sodium, total	MW-1N	5/1/2013	8.8	5		mg/L
Sodium, total	MW-1N	7/16/2013	6.2	5		mg/L
Sodium, total	MW-1N	1/24/2014	4.5	5	ND	mg/L
Sodium, total	MW-1N	7/9/2014	5.9	5		mg/L
Sodium, total	MW-1N	2/10/2015	5.6	5		mg/L
Sodium, total	MW-1N	7/14/2015	30	5		mg/L
Sodium, total	MW-1N	1/6/2016	24	5		mg/L
Sodium, total	MW-1N	7/21/2016	10	5		mg/L
Sodium, total	MW-1N	1/12/2017	7	5		mg/L
Sodium, total	MW-1N	7/19/2017	8.1	5		mg/L
Sodium, total	MW-1N	1/23/2018	5.5	5		mg/L
Sodium, total	MW-1N	7/10/2018	5.5	5		mg/L
Sodium, total	MW-1N	1/3/2019	5.1	5		mg/L
Sodium, total	MW-1N	7/11/2019	6	5		mg/L
Sodium, total	MW-1N	1/23/2020	6.81	5		mg/L
Sodium, total	MW-1N	7/6/2020	6.49	5		mg/L
Sodium, total	MW-1N	1/14/2021	5.64	5		mg/L
Sodium, total	MW-1N	7/4/2021	6.45	5		mg/L
Sodium, total	MW-1N	7/4/2021	6.55	5		mg/L
Sodium, total	MW-1N	1/11/2023	7.05	5		mg/L
Sodium, total	MW-1N	7/8/2023	7.39	5		mg/L
Sodium, total	MW-20	6/5/2015	10	5		mg/L
Sodium, total	MW-20	7/14/2015	8.4	5		mg/L
Sodium, total	MW-20	8/4/2015	12	5		mg/L
Sodium, total	MW-20	9/2/2015	11	5		mg/L
Sodium, total	MW-20	1/7/2016	120	5		mg/L
Sodium, total	MW-20	4/5/2016	12	5		mg/L
Sodium, total	MW-20	7/20/2016	11	5		mg/L
Sodium, total	MW-20	10/5/2016	11	5		mg/L
Sodium, total	MW-20	1/12/2017	12	5		mg/L
Sodium, total	MW-20	7/18/2017	15	5		mg/L
Sodium, total	MW-20	1/26/2018	12	5		mg/L
Sodium, total	MW-20	7/12/2018	9.2	5		mg/L
Sodium, total	MW-20	7/11/2019	9.3	5		mg/L
Sodium, total	MW-20	1/14/2020	104	5		mg/L
Sodium, total	MW-20	7/7/2020	42.8	5		mg/L
Sodium, total	MW-20	1/17/2021	47.9	5		mg/L
Sodium, total	MW-20	7/4/2021	54	5		mg/L
Sodium, total	MW-20	7/4/2021	42.7	5		mg/L
Sodium, total	MW-20	1/11/2023	13.6	5		mg/L
Sodium, total	MW-21	6/5/2015	15	5		mg/L
Sodium, total	MW-21	7/14/2015	14	5		mg/L
Sodium, total	MW-21	8/4/2015	16	5		mg/L
Sodium, total	MW-21	9/2/2015	14	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-21	1/7/2016	7.6	5		mg/L
Sodium, total	MW-21	4/5/2016	14	5		mg/L
Sodium, total	MW-21	7/20/2016	12	5		mg/L
Sodium, total	MW-21	10/5/2016	7.7	5		mg/L
Sodium, total	MW-21	10/5/2016	8	5		mg/L
Sodium, total	MW-21	1/10/2017	11	5		mg/L
Sodium, total	MW-21	4/5/2017	11	5		mg/L
Sodium, total	MW-21	7/19/2017	13	5		mg/L
Sodium, total	MW-21	10/6/2017	14	5		mg/L
Sodium, total	MW-21	1/24/2018	8.5	5		mg/L
Sodium, total	MW-21	4/11/2018	19	5		mg/L
Sodium, total	MW-21	7/11/2018	12	5		mg/L
Sodium, total	MW-21	10/4/2018	9.7	5		mg/L
Sodium, total	MW-21	1/3/2019	17	5		mg/L
Sodium, total	MW-21	4/3/2019	14	5		mg/L
Sodium, total	MW-21	7/11/2019	12	5		mg/L
Sodium, total	MW-21	7/11/2019	12	5		mg/L
Sodium, total	MW-21	10/2/2019	14	5		mg/L
Sodium, total	MW-21	1/16/2020	12.5	5		mg/L
Sodium, total	MW-21	7/8/2020	9.62	5		mg/L
Sodium, total	MW-21	1/13/2021	12.3	5		mg/L
Sodium, total	MW-21	7/5/2021	9.81	5		mg/L
Sodium, total	MW-21	7/5/2021	9.7	5		mg/L
Sodium, total	MW-21	1/11/2023	9.61	5		mg/L
Sodium, total	MW-21	7/7/2023	10	5		mg/L
Sodium, total	MW-2N	10/22/1997	10.6	1		mg/L
Sodium, total	MW-2N	1/21/1998	9.8	1		mg/L
Sodium, total	MW-2N	4/28/1998	14.3	1		mg/L
Sodium, total	MW-2N	7/22/1998	10.2	1		mg/L
Sodium, total	MW-2N	7/7/2003	5.7	1		mg/L
Sodium, total	MW-2N	1/28/2004	5.8	1		mg/L
Sodium, total	MW-2N	7/27/2004	5.9	1		mg/L
Sodium, total	MW-2N	1/12/2005	5.2	1		mg/L
Sodium, total	MW-2N	7/20/2005	5.6	1		mg/L
Sodium, total	MW-2N	1/19/2006	6.1	1		mg/L
Sodium, total	MW-2N	7/19/2006	5.6	5		mg/L
Sodium, total	MW-2N	7/19/2006	5.6	5		mg/L
Sodium, total	MW-2N	1/26/2007	6.3	5		mg/L
Sodium, total	MW-2N	7/11/2007	6.2	5		mg/L
Sodium, total	MW-2N	1/24/2008	6.6	5		mg/L
Sodium, total	MW-2N	7/22/2008	6.3	5		mg/L
Sodium, total	MW-2N	2/4/2009	7.2	5		mg/L
Sodium, total	MW-2N	7/31/2009	6.3	5		mg/L
Sodium, total	MW-2N	1/26/2010	6.7	5		mg/L
Sodium, total	MW-2N	7/13/2010	6.9	5		mg/L
Sodium, total	MW-2N	1/20/2011	6.9	5		mg/L
Sodium, total	MW-2N	7/13/2011	7	5		mg/L
Sodium, total	MW-2N	1/5/2012	6.8	5		mg/L
Sodium, total	MW-2N	7/10/2012	7	5		mg/L
Sodium, total	MW-2N	5/1/2013	7	5		mg/L
Sodium, total	MW-2N	7/16/2013	6.6	5		mg/L
Sodium, total	MW-2N	1/24/2014	6.6	5		mg/L
Sodium, total	MW-2N	7/9/2014	8.5	5		mg/L
Sodium, total	MW-2N	2/12/2015	7.3	5		mg/L
Sodium, total	MW-2N	7/14/2015	35	5		mg/L
Sodium, total	MW-2N	1/6/2016	12	5		mg/L
Sodium, total	MW-2N	7/21/2016	12	5		mg/L
Sodium, total	MW-2N	1/11/2017	10	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-2N	7/19/2017	9.1	5		mg/L
Sodium, total	MW-2N	1/23/2018	9.7	5		mg/L
Sodium, total	MW-2N	7/12/2018	8.5	5		mg/L
Sodium, total	MW-2N	1/3/2019	9.4	5		mg/L
Sodium, total	MW-2N	7/11/2019	10	5		mg/L
Sodium, total	MW-2N	1/24/2020	12.4	5		mg/L
Sodium, total	MW-2N	7/7/2020	11.7	5		mg/L
Sodium, total	MW-2N	1/14/2021	12.1	5		mg/L
Sodium, total	MW-2N	7/5/2021	11.7	5		mg/L
Sodium, total	MW-2N	7/5/2021	11.7	5		mg/L
Sodium, total	MW-2N	1/11/2023	12.1	5		mg/L
Sodium, total	MW-2N	7/8/2023	12.2	5		mg/L
Sodium, total	MW-3N	10/21/1997	4.7	1		mg/L
Sodium, total	MW-3N	1/21/1998	7.3	1		mg/L
Sodium, total	MW-3N	4/28/1998	9.5	1		mg/L
Sodium, total	MW-3N	7/23/1998	6.8	1		mg/L
Sodium, total	MW-3N	7/7/2003	6	1		mg/L
Sodium, total	MW-3N	1/28/2004	4.5	1		mg/L
Sodium, total	MW-3N	7/27/2004	4.9	1		mg/L
Sodium, total	MW-3N	1/12/2005	3.8	1		mg/L
Sodium, total	MW-3N	7/20/2005	4.4	1		mg/L
Sodium, total	MW-3N	1/18/2006	4	1		mg/L
Sodium, total	MW-3N	7/19/2006	4.3	5	ND	mg/L
Sodium, total	MW-3N	7/19/2006	4.3	5	ND	mg/L
Sodium, total	MW-3N	1/26/2007	3.4	5	ND	mg/L
Sodium, total	MW-3N	7/11/2007	3.2	5	ND	mg/L
Sodium, total	MW-3N	1/24/2008	3.2	5	ND	mg/L
Sodium, total	MW-3N	7/22/2008	3	5	ND	mg/L
Sodium, total	MW-3N	2/4/2009	3	5	ND	mg/L
Sodium, total	MW-3N	7/31/2009	3.3	5	ND	mg/L
Sodium, total	MW-3N	1/26/2010	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/13/2010	3.1	5	ND	mg/L
Sodium, total	MW-3N	1/20/2011	2.8	5	ND	mg/L
Sodium, total	MW-3N	7/14/2011	2.8	5	ND	mg/L
Sodium, total	MW-3N	1/5/2012	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/11/2012	2.8	5	ND	mg/L
Sodium, total	MW-3N	5/1/2013	3	5	ND	mg/L
Sodium, total	MW-3N	6/4/2013	3.1	5	ND	mg/L
Sodium, total	MW-3N	7/16/2013	3	5	ND	mg/L
Sodium, total	MW-3N	1/24/2014	2.7	5	ND	mg/L
Sodium, total	MW-3N	7/9/2014	3.1	5	ND	mg/L
Sodium, total	MW-3N	2/12/2015	3	5	ND	mg/L
Sodium, total	MW-3N	4/1/2015	2.7	5	ND	mg/L
Sodium, total	MW-3N	7/14/2015	3	5	ND	mg/L
Sodium, total	MW-3N	10/5/2015	3	5	ND	mg/L
Sodium, total	MW-3N	1/6/2016	3.1	5	ND	mg/L
Sodium, total	MW-3N	4/6/2016	3.2	5	ND	mg/L
Sodium, total	MW-3N	7/21/2016	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/6/2016	3.4	5	ND	mg/L
Sodium, total	MW-3N	1/11/2017	4.5	5	ND	mg/L
Sodium, total	MW-3N	4/4/2017	4.6	5	ND	mg/L
Sodium, total	MW-3N	7/19/2017	3.1	5	ND	mg/L
Sodium, total	MW-3N	10/9/2017	3.2	5	ND	mg/L
Sodium, total	MW-3N	1/24/2018	4.7	5	ND	mg/L
Sodium, total	MW-3N	4/10/2018	3.5	5	ND	mg/L
Sodium, total	MW-3N	7/13/2018	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/3/2018	3.5	5	ND	mg/L
Sodium, total	MW-3N	1/7/2019	5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-3N	4/3/2019	3.9	5	ND	mg/L
Sodium, total	MW-3N	7/11/2019	3.3	5	ND	mg/L
Sodium, total	MW-3N	7/11/2019	3.3	5	ND	mg/L
Sodium, total	MW-3N	10/2/2019	4.8	5	ND	mg/L
Sodium, total	MW-3N	1/21/2020	5	5	ND	mg/L
Sodium, total	MW-3N	7/7/2020	5	5	ND	mg/L
Sodium, total	MW-3N	1/13/2021	5	5	ND	mg/L
Sodium, total	MW-3N	7/5/2021	5	5	ND	mg/L
Sodium, total	MW-3N	7/5/2021	5	5	ND	mg/L
Sodium, total	MW-3N	1/11/2023	5	5	ND	mg/L
Sodium, total	MW-3N	7/7/2023	5	5	ND	mg/L
Sodium, total	MW-7N	10/21/1997	8.1	1		mg/L
Sodium, total	MW-7N	1/21/1998	24.4	1		mg/L
Sodium, total	MW-7N	7/22/1998	6.9	1		mg/L
Sodium, total	MW-7N	8/18/1998	7	1		mg/L
Sodium, total	MW-7N	9/17/1998	6.8	1		mg/L
Sodium, total	MW-7N	11/9/1998	7.5	1		mg/L
Sodium, total	MW-7N	7/7/2003	16.3	1		mg/L
Sodium, total	MW-7N	1/27/2004	12.3	1		mg/L
Sodium, total	MW-7N	4/8/2004	12.8	1		mg/L
Sodium, total	MW-7N	7/26/2004	11.1	1		mg/L
Sodium, total	MW-7N	1/12/2005	9.6	1		mg/L
Sodium, total	MW-7N	7/19/2005	7.1	1		mg/L
Sodium, total	MW-7N	1/19/2006	9.6	1		mg/L
Sodium, total	MW-7N	7/19/2006	7.1	5		mg/L
Sodium, total	MW-7N	7/19/2006	7.1	5		mg/L
Sodium, total	MW-7N	1/26/2007	6.8	5		mg/L
Sodium, total	MW-7N	7/10/2007	7.2	5		mg/L
Sodium, total	MW-7N	7/21/2008	6.8	5		mg/L
Sodium, total	MW-7N	2/6/2009	8.9	5		mg/L
Sodium, total	MW-7N	7/29/2009	8.7	5		mg/L
Sodium, total	MW-7N	1/26/2010	11	5		mg/L
Sodium, total	MW-7N	7/14/2010	9.4	5		mg/L
Sodium, total	MW-7N	1/20/2011	11	5		mg/L
Sodium, total	MW-7N	7/12/2011	7.1	5		mg/L
Sodium, total	MW-7N	1/5/2012	7	5		mg/L
Sodium, total	MW-7N	7/10/2012	7.1	5		mg/L
Sodium, total	MW-7N	5/1/2013	11	5		mg/L
Sodium, total	MW-7N	6/4/2013	8.7	5		mg/L
Sodium, total	MW-7N	7/15/2013	6.3	5		mg/L
Sodium, total	MW-7N	1/30/2014	7.9	5		mg/L
Sodium, total	MW-7N	7/9/2014	7.3	5		mg/L
Sodium, total	MW-7N	2/12/2015	7.5	5		mg/L
Sodium, total	MW-7N	7/13/2015	5.6	5		mg/L
Sodium, total	MW-7N	1/5/2016	5.3	5		mg/L
Sodium, total	MW-7N	7/21/2016	11	5		mg/L
Sodium, total	MW-7N	1/11/2017	38	5		mg/L
Sodium, total	MW-7N	4/4/2017	21	5		mg/L
Sodium, total	MW-7N	7/19/2017	25	5		mg/L
Sodium, total	MW-7N	10/5/2017	31	5		mg/L
Sodium, total	MW-7N	1/25/2018	29	5		mg/L
Sodium, total	MW-7N	4/11/2018	26	5		mg/L
Sodium, total	MW-7N	7/13/2018	22	5		mg/L
Sodium, total	MW-7N	1/4/2019	32	5		mg/L
Sodium, total	MW-7N	7/10/2019	21	5		mg/L
Sodium, total	MW-7N	1/16/2020	27.3	5		mg/L
Sodium, total	MW-7N	7/7/2020	31.9	5		mg/L
Sodium, total	MW-7N	1/16/2021	35.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-7N	7/5/2021	39.1	5		mg/L
Sodium, total	MW-7N	7/5/2021	38.1	5		mg/L
Sodium, total	MW-7N	1/12/2022	38	5		mg/L
Sodium, total	MW-7N	7/10/2022	38.2	5		mg/L
Sodium, total	MW-7N	1/10/2023	35	5		mg/L
Sodium, total	MW-7N	7/7/2023	33.3	5		mg/L
Sodium, total	MW-8N	10/21/1997	8.6	1		mg/L
Sodium, total	MW-8N	1/22/1998	34	1		mg/L
Sodium, total	MW-8N	4/28/1998	20	1		mg/L
Sodium, total	MW-8N	7/22/1998	12	1		mg/L
Sodium, total	MW-8N	7/7/2003	13.2	1		mg/L
Sodium, total	MW-8N	1/28/2004	12.9	1		mg/L
Sodium, total	MW-8N	7/27/2004	19	1		mg/L
Sodium, total	MW-8N	1/12/2005	22.7	1		mg/L
Sodium, total	MW-8N	7/20/2005	23.2	1		mg/L
Sodium, total	MW-8N	1/19/2006	20.7	1		mg/L
Sodium, total	MW-8N	7/19/2006	22	5		mg/L
Sodium, total	MW-8N	7/19/2006	22	5		mg/L
Sodium, total	MW-8N	1/26/2007	32	5		mg/L
Sodium, total	MW-8N	4/25/2007	28	5		mg/L
Sodium, total	MW-8N	7/10/2007	29	5		mg/L
Sodium, total	MW-8N	1/24/2008	26	5		mg/L
Sodium, total	MW-8N	7/23/2008	24	5		mg/L
Sodium, total	MW-8N	2/4/2009	21	5		mg/L
Sodium, total	MW-8N	7/31/2009	21	5		mg/L
Sodium, total	MW-8N	1/26/2010	19	5		mg/L
Sodium, total	MW-8N	7/16/2010	17	5		mg/L
Sodium, total	MW-8N	1/19/2011	19	5		mg/L
Sodium, total	MW-8N	5/10/2011	16	5		mg/L
Sodium, total	MW-8N	7/14/2011	16	5		mg/L
Sodium, total	MW-8N	1/6/2012	16	5		mg/L
Sodium, total	MW-8N	4/5/2012	16	5		mg/L
Sodium, total	MW-8N	7/11/2012	16	5		mg/L
Sodium, total	MW-8N	10/3/2012	15	5		mg/L
Sodium, total	MW-8N	5/1/2013	14	5		mg/L
Sodium, total	MW-8N	6/4/2013	16	5		mg/L
Sodium, total	MW-8N	7/16/2013	16	5		mg/L
Sodium, total	MW-8N	10/2/2013	16	5		mg/L
Sodium, total	MW-8N	1/30/2014	17	5		mg/L
Sodium, total	MW-8N	4/3/2014	16	5		mg/L
Sodium, total	MW-8N	7/9/2014	15	5		mg/L
Sodium, total	MW-8N	10/8/2014	17	5		mg/L
Sodium, total	MW-8N	2/12/2015	15	5		mg/L
Sodium, total	MW-8N	4/1/2015	17	5		mg/L
Sodium, total	MW-8N	7/14/2015	17	5		mg/L
Sodium, total	MW-8N	10/5/2015	17	5		mg/L
Sodium, total	MW-8N	1/5/2016	20	5		mg/L
Sodium, total	MW-8N	4/6/2016	22	5		mg/L
Sodium, total	MW-8N	7/21/2016	22	5		mg/L
Sodium, total	MW-8N	10/6/2016	24	5		mg/L
Sodium, total	MW-8N	1/11/2017	24	5		mg/L
Sodium, total	MW-8N	4/4/2017	18	5		mg/L
Sodium, total	MW-8N	7/19/2017	27	5		mg/L
Sodium, total	MW-8N	10/6/2017	32	5		mg/L
Sodium, total	MW-8N	1/25/2018	35	5		mg/L
Sodium, total	MW-8N	4/10/2018	32	5		mg/L
Sodium, total	MW-8N	7/16/2018	35	5		mg/L
Sodium, total	MW-8N	10/2/2018	35	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	MW-8N	1/7/2019	36	5		mg/L
Sodium, total	MW-8N	4/3/2019	36	5		mg/L
Sodium, total	MW-8N	7/11/2019	34	5		mg/L
Sodium, total	MW-8N	7/11/2019	35	5		mg/L
Sodium, total	MW-8N	10/3/2019	37	5		mg/L
Sodium, total	MW-8N	1/15/2020	32.1	5		mg/L
Sodium, total	MW-8N	7/9/2020	30.7	5		mg/L
Sodium, total	MW-8N	1/15/2021	30.4	5		mg/L
Sodium, total	MW-8N	7/5/2021	29.5	5		mg/L
Sodium, total	MW-8N	7/5/2021	29.1	5		mg/L
Sodium, total	MW-8N	1/18/2022	27.6	5		mg/L
Sodium, total	MW-8N	7/12/2022	28	5		mg/L
Sodium, total	MW-8N	1/11/2023	25.7	5		mg/L
Sodium, total	MW-8N	7/7/2023	27	5		mg/L
Sodium, total	NE-1	7/8/2003	8.8	1		mg/L
Sodium, total	NE-1	1/27/2004	15.6	1		mg/L
Sodium, total	NE-1	1/12/2005	20.4	1		mg/L
Sodium, total	NE-1	7/19/2006	19	5		mg/L
Sodium, total	NE-1	7/19/2006	19	5		mg/L
Sodium, total	NE-1	1/24/2007	12	5		mg/L
Sodium, total	NE-1	7/10/2007	8.9	5		mg/L
Sodium, total	NE-1	1/24/2008	9	5		mg/L
Sodium, total	NE-1	7/21/2008	8.7	5		mg/L
Sodium, total	NE-1	2/7/2009	9.8	5		mg/L
Sodium, total	NE-1	7/31/2009	11	5		mg/L
Sodium, total	NE-1	1/26/2010	14	5		mg/L
Sodium, total	NE-1	7/14/2010	14	5		mg/L
Sodium, total	NE-1	1/19/2011	17	5		mg/L
Sodium, total	NE-1	7/13/2011	15	5		mg/L
Sodium, total	NE-1	1/5/2012	13	5		mg/L
Sodium, total	NE-1	7/10/2012	14	5		mg/L
Sodium, total	NE-1	4/30/2013	16	5		mg/L
Sodium, total	NE-1	7/16/2013	9.7	5		mg/L
Sodium, total	NE-1	1/23/2014	14	5		mg/L
Sodium, total	NE-1	7/9/2014	16	5		mg/L
Sodium, total	NE-1	2/11/2015	15	5		mg/L
Sodium, total	NE-1	7/8/2015	17	5		mg/L
Sodium, total	NE-1	1/6/2016	36	5		mg/L
Sodium, total	NE-1	7/20/2016	38	5		mg/L
Sodium, total	NE-1	1/11/2017	36	5		mg/L
Sodium, total	NE-1	7/19/2017	33	5		mg/L
Sodium, total	NE-1	1/24/2018	32	5		mg/L
Sodium, total	NE-1	4/11/2018	26	5		mg/L
Sodium, total	NE-1	7/18/2018	22	5		mg/L
Sodium, total	NE-1	10/2/2018	25	5		mg/L
Sodium, total	NE-1	1/4/2019	25	5		mg/L
Sodium, total	NE-1	7/10/2019	19	5		mg/L
Sodium, total	NE-1	1/15/2020	21.2	5		mg/L
Sodium, total	NE-1	7/8/2020	21.4	5		mg/L
Sodium, total	NE-1	1/13/2021	24.1	5		mg/L
Sodium, total	NE-1	7/2/2021	21.1	5		mg/L
Sodium, total	NE-1	1/17/2022	23.7	5		mg/L
Sodium, total	NE-1	7/13/2022	22	5		mg/L
Sodium, total	NE-1	1/5/2023	22.1	5		mg/L
Sodium, total	NE-1	7/5/2023	21.7	5		mg/L
Sodium, total	NE-10D	11/6/2019	3.6	5	ND	mg/L
Sodium, total	NE-10D	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-10D	7/8/2020	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-10D	1/13/2021	5	5	ND	mg/L
Sodium, total	NE-10D	7/2/2021	5	5	ND	mg/L
Sodium, total	NE-10D	1/6/2023	5	5	ND	mg/L
Sodium, total	NE-10D	7/8/2023	5	5	ND	mg/L
Sodium, total	NE-11	3/1/2017	3.1	5	ND	mg/L
Sodium, total	NE-11	4/6/2017	15	5		mg/L
Sodium, total	NE-11	7/20/2017	25	5		mg/L
Sodium, total	NE-11	10/9/2017	8.3	5		mg/L
Sodium, total	NE-11	9/30/2019	4.9	5	ND	mg/L
Sodium, total	NE-11	1/14/2020	7.3	5		mg/L
Sodium, total	NE-11	7/7/2020	7.55	5		mg/L
Sodium, total	NE-11	1/16/2021	7.1	5		mg/L
Sodium, total	NE-11	1/16/2021	7.39	5		mg/L
Sodium, total	NE-11	7/1/2021	6.41	5		mg/L
Sodium, total	NE-11	7/1/2021	6.58	5		mg/L
Sodium, total	NE-11	7/1/2021	6.41	5		mg/L
Sodium, total	NE-11	1/17/2022	7.27	5		mg/L
Sodium, total	NE-11	1/17/2022	7.57	5		mg/L
Sodium, total	NE-11	7/12/2022	7.35	5		mg/L
Sodium, total	NE-11	1/6/2023	7.97	5		mg/L
Sodium, total	NE-11	7/6/2023	9.55	5		mg/L
Sodium, total	NE-12	3/1/2017	5.3	5		mg/L
Sodium, total	NE-12	4/6/2017	24	5		mg/L
Sodium, total	NE-12	7/20/2017	11	5		mg/L
Sodium, total	NE-12	10/6/2017	8.7	5		mg/L
Sodium, total	NE-12	7/9/2019	18	5		mg/L
Sodium, total	NE-12	8/5/2019	4.7	5	ND	mg/L
Sodium, total	NE-12	1/13/2020	15.4	5		mg/L
Sodium, total	NE-12	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-12	1/15/2021	24.7	5		mg/L
Sodium, total	NE-12	1/15/2021	26.6	5		mg/L
Sodium, total	NE-12	7/1/2021	18.2	5		mg/L
Sodium, total	NE-12	7/1/2021	18.8	5		mg/L
Sodium, total	NE-12	7/1/2021	18.2	5		mg/L
Sodium, total	NE-12	1/17/2022	21.6	5		mg/L
Sodium, total	NE-12	1/17/2022	26.6	5		mg/L
Sodium, total	NE-12	7/12/2022	5.85	5		mg/L
Sodium, total	NE-12	1/6/2023	12.8	5		mg/L
Sodium, total	NE-12	7/5/2023	5	5	ND	mg/L
Sodium, total	NE-13	2/5/2019	2.6	5	ND	mg/L
Sodium, total	NE-13	7/11/2019	1.6	5	ND	mg/L
Sodium, total	NE-13	8/7/2019	4.4	5	ND	mg/L
Sodium, total	NE-13	1/15/2020	5	5	ND	mg/L
Sodium, total	NE-13	7/8/2020	12.5	5		mg/L
Sodium, total	NE-13	1/17/2021	5.66	5		mg/L
Sodium, total	NE-13	1/17/2021	5.59	5		mg/L
Sodium, total	NE-13	7/1/2021	29.1	5		mg/L
Sodium, total	NE-13	7/1/2021	29.1	5		mg/L
Sodium, total	NE-13	7/1/2021	28.2	5		mg/L
Sodium, total	NE-14D	10/2/2019	7	5		mg/L
Sodium, total	NE-14D	1/16/2020	6.93	5		mg/L
Sodium, total	NE-14D	7/7/2020	6.7	5		mg/L
Sodium, total	NE-14D	1/17/2021	7.7	5		mg/L
Sodium, total	NE-14D	7/2/2021	7.47	5		mg/L
Sodium, total	NE-14D	1/18/2022	8.31	5		mg/L
Sodium, total	NE-14D	7/13/2022	7.95	5		mg/L
Sodium, total	NE-14D	1/6/2023	8.25	5		mg/L
Sodium, total	NE-14D	7/5/2023	8.69	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-14S	10/2/2019	4.4	5	ND	mg/L
Sodium, total	NE-14S	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-14S	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-14S	1/17/2021	5	5	ND	mg/L
Sodium, total	NE-14S	7/2/2021	5	5	ND	mg/L
Sodium, total	NE-14S	1/18/2022	5	5	ND	mg/L
Sodium, total	NE-14S	7/13/2022	5	5	ND	mg/L
Sodium, total	NE-14S	1/6/2023	5	5	ND	mg/L
Sodium, total	NE-14S	7/5/2023	5.02	5		mg/L
Sodium, total	NE-15D	9/30/2019	5.8	5		mg/L
Sodium, total	NE-15D	1/16/2020	6.05	5		mg/L
Sodium, total	NE-15D	7/7/2020	6.03	5		mg/L
Sodium, total	NE-15D	1/17/2021	7.07	5		mg/L
Sodium, total	NE-15D	7/2/2021	6.14	5		mg/L
Sodium, total	NE-15D	1/17/2022	62.3	5		mg/L
Sodium, total	NE-15D	7/13/2022	6.73	5		mg/L
Sodium, total	NE-15D	1/6/2023	6.29	5		mg/L
Sodium, total	NE-15D	7/6/2023	6.61	5		mg/L
Sodium, total	NE-2	10/1/2013	41	5		mg/L
Sodium, total	NE-2	10/8/2014	35	5		mg/L
Sodium, total	NE-2	10/5/2015	39	5		mg/L
Sodium, total	NE-2	10/6/2016	25	5		mg/L
Sodium, total	NE-2	10/5/2017	32	5		mg/L
Sodium, total	NE-2	1/25/2018	45	5		mg/L
Sodium, total	NE-2	4/10/2018	25	5		mg/L
Sodium, total	NE-2	7/10/2018	47	5		mg/L
Sodium, total	NE-2	10/1/2018	48	5		mg/L
Sodium, total	NE-2	1/4/2019	42	5		mg/L
Sodium, total	NE-2	7/9/2019	37	5		mg/L
Sodium, total	NE-2	1/14/2020	28.2	5		mg/L
Sodium, total	NE-2	7/7/2020	41	5		mg/L
Sodium, total	NE-2	1/14/2021	40.4	5		mg/L
Sodium, total	NE-2	7/2/2021	33.8	5		mg/L
Sodium, total	NE-2	1/18/2022	35.4	5		mg/L
Sodium, total	NE-2	7/13/2022	23.4	5		mg/L
Sodium, total	NE-2	1/5/2023	44.2	5		mg/L
Sodium, total	NE-2	7/5/2023	24.1	5		mg/L
Sodium, total	NE-4	7/8/2003	26.7	1		mg/L
Sodium, total	NE-4	1/28/2004	32	1		mg/L
Sodium, total	NE-4	1/13/2005	15.5	1		mg/L
Sodium, total	NE-4	8/1/2006	30	5		mg/L
Sodium, total	NE-4	8/1/2006	30	5		mg/L
Sodium, total	NE-4	1/24/2007	20	5		mg/L
Sodium, total	NE-4	7/12/2007	31	5		mg/L
Sodium, total	NE-4	1/24/2008	31	5		mg/L
Sodium, total	NE-4	7/21/2008	17	5		mg/L
Sodium, total	NE-4	2/7/2009	29	5		mg/L
Sodium, total	NE-4	7/31/2009	27	5		mg/L
Sodium, total	NE-4	1/26/2010	31	5		mg/L
Sodium, total	NE-4	7/14/2010	29	5		mg/L
Sodium, total	NE-4	1/19/2011	32	5		mg/L
Sodium, total	NE-4	7/13/2011	20	5		mg/L
Sodium, total	NE-4	1/5/2012	25	5		mg/L
Sodium, total	NE-4	7/10/2012	32	5		mg/L
Sodium, total	NE-4	4/30/2013	31	5		mg/L
Sodium, total	NE-4	7/16/2013	28	5		mg/L
Sodium, total	NE-4	1/23/2014	27	5		mg/L
Sodium, total	NE-4	7/9/2014	27	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-4	2/13/2015	28	5		mg/L
Sodium, total	NE-4	7/8/2015	26	5		mg/L
Sodium, total	NE-4	1/6/2016	17	5		mg/L
Sodium, total	NE-4	7/20/2016	25	5		mg/L
Sodium, total	NE-4	1/11/2017	25	5		mg/L
Sodium, total	NE-4	7/19/2017	18	5		mg/L
Sodium, total	NE-4	1/26/2018	25	5		mg/L
Sodium, total	NE-4	4/10/2018	23	5		mg/L
Sodium, total	NE-4	7/12/2018	24	5		mg/L
Sodium, total	NE-4	10/3/2018	23	5		mg/L
Sodium, total	NE-4	1/7/2019	24	5		mg/L
Sodium, total	NE-4	7/8/2019	18	5		mg/L
Sodium, total	NE-4	1/13/2020	16.3	5		mg/L
Sodium, total	NE-4	7/6/2020	14.9	5		mg/L
Sodium, total	NE-4	1/15/2021	21.9	5		mg/L
Sodium, total	NE-4	7/2/2021	19	5		mg/L
Sodium, total	NE-4	1/5/2023	19.2	5		mg/L
Sodium, total	NE-4	7/5/2023	20.5	5		mg/L
Sodium, total	NE-5	7/8/2003	5.8	1		mg/L
Sodium, total	NE-5	1/27/2004	8	1		mg/L
Sodium, total	NE-5	1/12/2005	4.9	1		mg/L
Sodium, total	NE-5	7/19/2006	6.7	5		mg/L
Sodium, total	NE-5	7/19/2006	6.7	5		mg/L
Sodium, total	NE-5	1/24/2007	4.8	5	ND	mg/L
Sodium, total	NE-5	7/12/2007	6.9	5		mg/L
Sodium, total	NE-5	7/22/2008	8.3	5		mg/L
Sodium, total	NE-5	2/6/2009	9.8	5		mg/L
Sodium, total	NE-5	7/31/2009	8.7	5		mg/L
Sodium, total	NE-5	1/26/2010	7.1	5		mg/L
Sodium, total	NE-5	7/16/2010	14	5		mg/L
Sodium, total	NE-5	1/19/2011	14	5		mg/L
Sodium, total	NE-5	7/13/2011	12	5		mg/L
Sodium, total	NE-5	1/5/2012	12	5		mg/L
Sodium, total	NE-5	7/10/2012	11	5		mg/L
Sodium, total	NE-5	4/30/2013	5.9	5		mg/L
Sodium, total	NE-5	7/16/2013	8.4	5		mg/L
Sodium, total	NE-5	1/23/2014	7.1	5		mg/L
Sodium, total	NE-5	7/9/2014	14	5		mg/L
Sodium, total	NE-5	2/11/2015	6.6	5		mg/L
Sodium, total	NE-5	7/14/2015	5.3	5		mg/L
Sodium, total	NE-5	1/6/2016	6.8	5		mg/L
Sodium, total	NE-5	7/20/2016	12	5		mg/L
Sodium, total	NE-5	1/11/2017	8.5	5		mg/L
Sodium, total	NE-5	7/19/2017	5.9	5		mg/L
Sodium, total	NE-5	1/25/2018	8.9	5		mg/L
Sodium, total	NE-5	4/10/2018	5.1	5		mg/L
Sodium, total	NE-5	7/17/2018	8.9	5		mg/L
Sodium, total	NE-5	10/3/2018	13	5		mg/L
Sodium, total	NE-5	1/4/2019	6.3	5		mg/L
Sodium, total	NE-5	4/2/2019	6.2	5		mg/L
Sodium, total	NE-5	7/9/2019	7.7	5		mg/L
Sodium, total	NE-5	7/9/2019	7.8	5		mg/L
Sodium, total	NE-5	1/16/2020	8.43	5		mg/L
Sodium, total	NE-5	7/8/2020	11.1	5		mg/L
Sodium, total	NE-5	1/15/2021	7.01	5		mg/L
Sodium, total	NE-5	7/2/2021	7.88	5		mg/L
Sodium, total	NE-5	1/18/2022	7.96	5		mg/L
Sodium, total	NE-5	7/13/2022	10.5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-5	1/5/2023	7.47	5		mg/L
Sodium, total	NE-5	7/6/2023	9.66	5		mg/L
Sodium, total	NE-5E	9/30/2019	7.2	5		mg/L
Sodium, total	NE-5E	1/16/2020	8.35	5		mg/L
Sodium, total	NE-5E	7/8/2020	8.18	5		mg/L
Sodium, total	NE-5E	1/15/2021	10.2	5		mg/L
Sodium, total	NE-5E	7/2/2021	9.51	5		mg/L
Sodium, total	NE-5E	1/18/2022	10.1	5		mg/L
Sodium, total	NE-5E	7/13/2022	19.6	5		mg/L
Sodium, total	NE-5E	1/5/2023	16.3	5		mg/L
Sodium, total	NE-5E	7/6/2023	15.8	5		mg/L
Sodium, total	NE-5W	9/30/2019	4.7	5	ND	mg/L
Sodium, total	NE-5W	1/16/2020	5	5	ND	mg/L
Sodium, total	NE-5W	7/8/2020	5.05	5		mg/L
Sodium, total	NE-5W	1/15/2021	5	5	ND	mg/L
Sodium, total	NE-5W	7/2/2021	5.46	5		mg/L
Sodium, total	NE-5W	1/18/2022	5.2	5		mg/L
Sodium, total	NE-5W	7/13/2022	7.11	5		mg/L
Sodium, total	NE-5W	1/5/2023	6.51	5		mg/L
Sodium, total	NE-5W	7/6/2023	8.78	5		mg/L
Sodium, total	NE-6	1/12/2017	11	5		mg/L
Sodium, total	NE-6	4/5/2017	8.1	5		mg/L
Sodium, total	NE-6	7/19/2017	11	5		mg/L
Sodium, total	NE-6	10/6/2017	8.1	5		mg/L
Sodium, total	NE-6	2/4/2019	12	5		mg/L
Sodium, total	NE-6	7/9/2019	12	5		mg/L
Sodium, total	NE-6	8/6/2019	12	5		mg/L
Sodium, total	NE-6	1/15/2020	7.2	5		mg/L
Sodium, total	NE-6	7/9/2020	8.04	5		mg/L
Sodium, total	NE-6	1/16/2021	9.36	5		mg/L
Sodium, total	NE-6	1/16/2021	9.17	5		mg/L
Sodium, total	NE-6	7/1/2021	9.79	5		mg/L
Sodium, total	NE-6	7/1/2021	9.79	5		mg/L
Sodium, total	NE-6	7/1/2021	9.34	5		mg/L
Sodium, total	NE-6	1/17/2022	11.9	5		mg/L
Sodium, total	NE-6	1/17/2022	9.5	5		mg/L
Sodium, total	NE-6	7/12/2022	12.2	5		mg/L
Sodium, total	NE-6	1/5/2023	8.67	5		mg/L
Sodium, total	NE-6	7/6/2023	10.8	5		mg/L
Sodium, total	NE-6D	10/2/2019	34	5		mg/L
Sodium, total	NE-6D	1/15/2020	32.2	5		mg/L
Sodium, total	NE-6D	7/9/2020	30.9	5		mg/L
Sodium, total	NE-6D	1/15/2021	30.9	5		mg/L
Sodium, total	NE-6D	7/2/2021	29.3	5		mg/L
Sodium, total	NE-6D	1/17/2022	28.1	5		mg/L
Sodium, total	NE-6D	7/12/2022	27.9	5		mg/L
Sodium, total	NE-6D	1/5/2023	26.6	5		mg/L
Sodium, total	NE-6D	7/6/2023	27.4	5		mg/L
Sodium, total	NE-7	3/1/2017	10	5		mg/L
Sodium, total	NE-7	4/6/2017	5.7	5		mg/L
Sodium, total	NE-7	7/20/2017	10	5		mg/L
Sodium, total	NE-7	10/5/2017	13	5		mg/L
Sodium, total	NE-7	2/6/2019	14	5		mg/L
Sodium, total	NE-7	7/10/2019	9.3	5		mg/L
Sodium, total	NE-7	8/6/2019	8.8	5		mg/L
Sodium, total	NE-7	1/16/2020	9.77	5		mg/L
Sodium, total	NE-7	7/7/2020	8.55	5		mg/L
Sodium, total	NE-7	1/16/2021	13.8	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sodium, total	NE-7	1/16/2021	13.4	5		mg/L
Sodium, total	NE-7	7/1/2021	9.53	5		mg/L
Sodium, total	NE-7	7/1/2021	9.53	5		mg/L
Sodium, total	NE-7	7/1/2021	9.48	5		mg/L
Sodium, total	NE-7	1/17/2022	11.6	5		mg/L
Sodium, total	NE-7	1/17/2022	12.3	5		mg/L
Sodium, total	NE-7	7/12/2022	11.5	5		mg/L
Sodium, total	NE-7	1/5/2023	12.6	5		mg/L
Sodium, total	NE-7	7/6/2023	14.3	5		mg/L
Sodium, total	NE-8	1/12/2017	11	5		mg/L
Sodium, total	NE-8	4/5/2017	15	5		mg/L
Sodium, total	NE-8	7/20/2017	22	5		mg/L
Sodium, total	NE-8	10/6/2017	25	5		mg/L
Sodium, total	NE-8	2/4/2019	12	5		mg/L
Sodium, total	NE-8	7/11/2019	18	5		mg/L
Sodium, total	NE-8	8/5/2019	17	5		mg/L
Sodium, total	NE-8	1/15/2020	16.7	5		mg/L
Sodium, total	NE-8	7/8/2020	15.5	5		mg/L
Sodium, total	NE-8	1/13/2021	12.2	5		mg/L
Sodium, total	NE-8	1/13/2021	12	5		mg/L
Sodium, total	NE-8	7/1/2021	16.1	5		mg/L
Sodium, total	NE-8	7/1/2021	16.1	5		mg/L
Sodium, total	NE-8	7/1/2021	16.2	5		mg/L
Sodium, total	NE-8	1/6/2023	10.9	5		mg/L
Sodium, total	NE-8	7/5/2023	16.4	5		mg/L
Sodium, total	NE-9	1/12/2017	6.9	5		mg/L
Sodium, total	NE-9	4/5/2017	5.6	5		mg/L
Sodium, total	NE-9	7/20/2017	5.8	5		mg/L
Sodium, total	NE-9	10/5/2017	6.2	5		mg/L
Sodium, total	NE-9	2/5/2019	6.4	5		mg/L
Sodium, total	NE-9	7/8/2019	7.1	5		mg/L
Sodium, total	NE-9	8/7/2019	6.7	5		mg/L
Sodium, total	NE-9	1/15/2020	6.11	5		mg/L
Sodium, total	NE-9	7/7/2020	5	5	ND	mg/L
Sodium, total	NE-9	1/17/2021	6.5	5		mg/L
Sodium, total	NE-9	1/17/2021	6.44	5		mg/L
Sodium, total	NE-9	7/1/2021	7.84	5		mg/L
Sodium, total	NE-9	7/1/2021	7.84	5		mg/L
Sodium, total	NE-9	7/1/2021	7.91	5		mg/L
Sodium, total	NE-9	1/17/2022	8.37	5		mg/L
Sodium, total	NE-9	1/17/2022	8.86	5		mg/L
Sodium, total	NE-9	7/13/2022	9.61	5		mg/L
Sodium, total	NE-9	1/6/2023	9.61	5		mg/L
Sodium, total	NE-9	7/5/2023	11	5		mg/L
Specific conductance (field)	LGW-10	9/30/2005	725	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/20/2006	430	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/20/2006	430	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/31/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2006	713	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/27/2006	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2006	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/26/2006	607	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/26/2006	607	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/20/2006	262	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/20/2006	262	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/21/2006	923	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/21/2006	923	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/9/2007	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/25/2007	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/27/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/27/2007	908	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/26/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/27/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/27/2007	918	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/26/2007	1268	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/26/2007	1268	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/31/2007	1470	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2007	1470	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/28/2007	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/28/2007	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/10/2007	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/12/2007	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	817	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	817	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	789	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	740	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2007	838	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	744	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	756	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/28/2007	624	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/23/2007	839	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	860	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	858	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	816	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/28/2007	768	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	831	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	826	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/28/2007	826	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/23/2008	712	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/28/2008	929	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	780	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	779	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	802	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/30/2008	820	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	710	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	790	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	725	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/25/2008	716	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/22/2008	914	1		UMHOS/CM
Specific conductance (field)	LGW-10	8/29/2008	920	1		UMHOS/CM
Specific conductance (field)	LGW-10	9/26/2008	814	1		UMHOS/CM
Specific conductance (field)	LGW-10	11/25/2008	859	1		UMHOS/CM
Specific conductance (field)	LGW-10	12/19/2008	855	1		UMHOS/CM
Specific conductance (field)	LGW-10	3/26/2009	696	1		UMHOS/CM
Specific conductance (field)	LGW-10	4/16/2009	772	1		UMHOS/CM
Specific conductance (field)	LGW-10	5/29/2009	937	1		UMHOS/CM
Specific conductance (field)	LGW-10	6/24/2009	777	1		UMHOS/CM
Specific conductance (field)	LGW-10	7/29/2009	923	1		UMHOS/CM
Specific conductance (field)	LGW-10	8/28/2009	810	1		UMHOS/CM
Specific conductance (field)	LGW-10	10/21/2009	952	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	12/17/2009	848	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2010	778	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2010	778	1		UMHOS/CM
Specific conductance (field)	LGW-10	2/16/2010	862	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2010	866	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/8/2010	955	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/6/2010	961	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/15/2010	1005	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/16/2010	991	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2010	1001	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/1/2010	927	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/29/2010	954	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2010	904	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/2/2010	845	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/19/2011	831	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2011	904	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2011	966	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2011	917	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/10/2011	902	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2011	1033	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/12/2011	981	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/3/2011	1000	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/7/2011	943	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2011	966	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/1/2011	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/7/2011	960	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/5/2012	974	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/1/2012	950	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/6/2012	936	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2012	953	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/1/2012	871	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/5/2012	760	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2012	939	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/9/2012	801	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2012	815	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2012	965	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/1/2013	1020	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/4/2013	980	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/8/2013	932	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/10/2013	973	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/1/2013	957	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/6/2013	889	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/2/2013	982	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/30/2014	872	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/13/2014	995	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/12/2014	1830	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2014	1952	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/7/2014	1773	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2014	986	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2014	871	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/5/2014	995	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2014	886	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/9/2014	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2014	914	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/14/2015	936	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/12/2015	950	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/3/2015	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/1/2015	1037	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	5/7/2015	1412	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2015	1474	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/13/2015	1794	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/5/2015	1284	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/3/2015	1703	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/6/2015	1609	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/4/2015	1440	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2015	868	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/5/2016	920	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2016	913	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/10/2016	893	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2016	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2016	912	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/11/2016	801	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2016	882	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/21/2016	849	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2016	841	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/6/2016	785	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/6/2016	751	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/2/2016	667	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/1/2016	928	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/11/2017	779	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/7/2017	741	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2017	926	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2017	920	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/16/2017	910	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/6/2017	905	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/19/2017	784	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/1/2017	877	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/5/2017	711	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/9/2017	888	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/1/2017	964	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/24/2018	727	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	2/23/2018	709	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	3/21/2018	788	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/11/2018	857	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/11/2018	857	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	6/6/2018	907	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/16/2018	911	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	8/2/2018	804	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2018	984	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/4/2018	835	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/4/2018	835	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/6/2018	764	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	12/4/2018	816	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	1/4/2019	719.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	2/6/2019	732	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/5/2019	791	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/3/2019	863	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/3/2019	863	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	5/3/2019	727	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	6/4/2019	890	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2019	880	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2019	880	1		UMHOS/CM
Specific conductance (field)	LGW-10	8/7/2019	896	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	9/4/2019	842	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/2/2019	885	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/2/2019	885	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	11/5/2019	944	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2019	781	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	1/15/2020	863	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/4/2020	767	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/4/2020	297	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2020	806	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	4/2/2020	806	0.1		UMHOS/CM
Specific conductance (field)	LGW-10	5/5/2020	843	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	6/2/2020	838	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/9/2020	946	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/3/2020	900	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/2/2020	817	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2020	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2020	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-10	11/4/2020	730	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/3/2020	1034	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/17/2021	487.4	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/9/2021	901	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2021	916	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2021	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/6/2021	898	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/5/2021	943	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/1/2021	933	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/7/2021	969	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/4/2021	940	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/2/2021	939	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2021	875	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2021	875	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/2/2021	882	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/9/2021	879	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/13/2022	897	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/10/2022	913	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/2/2022	910	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2022	945	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/4/2022	945	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/7/2022	915	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/3/2022	1143	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/11/2022	1006	0		UMHOS/CM
Specific conductance (field)	LGW-10	8/10/2022	962	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/8/2022	823	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2022	956	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/7/2022	956	0		UMHOS/CM
Specific conductance (field)	LGW-10	11/3/2022	818	0		UMHOS/CM
Specific conductance (field)	LGW-10	12/7/2022	1113	0		UMHOS/CM
Specific conductance (field)	LGW-10	1/11/2023	919	0		UMHOS/CM
Specific conductance (field)	LGW-10	2/3/2023	1788	0		UMHOS/CM
Specific conductance (field)	LGW-10	3/1/2023	1023	0		UMHOS/CM
Specific conductance (field)	LGW-10	4/5/2023	919	0		UMHOS/CM
Specific conductance (field)	LGW-10	5/10/2023	878	0		UMHOS/CM
Specific conductance (field)	LGW-10	6/8/2023	949	0		UMHOS/CM
Specific conductance (field)	LGW-10	7/10/2023	929	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-10	8/1/2023	820	0		UMHOS/CM
Specific conductance (field)	LGW-10	9/2/2023	1071	0		UMHOS/CM
Specific conductance (field)	LGW-10	10/5/2023	1048	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2005	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/21/2006	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/21/2006	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/2/2006	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2006	236	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2006	236	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/27/2006	270	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/27/2006	270	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/21/2006	218	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/21/2006	218	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/21/2006	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/21/2006	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/9/2007	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/24/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/24/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/25/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/26/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/26/2007	406	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2007	396	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/24/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/26/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/31/2007	271	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2007	271	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/28/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/28/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2007	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/11/2007	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/28/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	333	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2007	402	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	372	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/28/2007	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/23/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	860	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	369	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/27/2007	361	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	367	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	364	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/27/2007	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2008	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/28/2008	405	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/25/2008	347	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	3/25/2008	354	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	351	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	354	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/3/2008	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	388	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	365	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	375	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/30/2008	370	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	172	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	310	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2008	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/22/2008	346	1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/29/2008	305	1		UMHOS/CM
Specific conductance (field)	LGW-14R	9/26/2008	280	1		UMHOS/CM
Specific conductance (field)	LGW-14R	11/25/2008	359	1		UMHOS/CM
Specific conductance (field)	LGW-14R	12/19/2008	386	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/6/2009	356	1		UMHOS/CM
Specific conductance (field)	LGW-14R	3/26/2009	371	1		UMHOS/CM
Specific conductance (field)	LGW-14R	6/25/2009	356	1		UMHOS/CM
Specific conductance (field)	LGW-14R	7/29/2009	322	1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/28/2009	319	1		UMHOS/CM
Specific conductance (field)	LGW-14R	10/22/2009	346	1		UMHOS/CM
Specific conductance (field)	LGW-14R	12/18/2009	345	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2010	306	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2010	306	1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/16/2010	304	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2010	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/7/2010	359	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/6/2010	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/16/2010	372	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/12/2010	330	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2010	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2010	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/29/2010	335	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2010	339	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/2/2010	357	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/19/2011	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2011	346	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2011	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/10/2011	294	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2011	338	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/12/2011	322	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/7/2011	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2011	345	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/1/2011	328	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/7/2011	333	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/5/2012	309	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/1/2012	319	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/6/2012	330	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2012	319	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/1/2012	337	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/5/2012	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2012	352	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/9/2012	338	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	9/4/2012	345	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/7/2012	371	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2012	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2012	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/6/2012	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/6/2012	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2013	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2013	329	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/5/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/5/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2013	348	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2013	348	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/30/2013	335	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/4/2013	349	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/8/2013	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/10/2013	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/1/2013	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2013	347	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/2/2013	336	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/23/2014	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/12/2014	341	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/11/2014	676	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/2/2014	687	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/7/2014	661	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2014	363	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/8/2014	359	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/5/2014	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/4/2014	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/9/2014	367	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2014	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/14/2015	379	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/11/2015	383	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2015	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/1/2015	398	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/6/2015	607	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2015	613	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/22/2015	721	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/4/2015	679	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/3/2015	679	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2015	636	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/4/2015	608	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/3/2015	369	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/5/2016	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2016	373	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2016	368	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2016	370	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/11/2016	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2016	362	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/19/2016	324	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2016	317	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/6/2016	304	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2016	501	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/2/2016	297	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/1/2016	376	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/11/2017	293	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/7/2017	308	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2017	375	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/4/2017	362	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	5/2/2017	355	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/6/2017	340	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/18/2017	366	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2017	353	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/5/2017	324	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2017	390	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/1/2017	392	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/25/2018	345.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/22/2018	382.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	3/20/2018	374.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	4/10/2018	366.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	6/5/2018	377.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/21/2018	401.7	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/17/2018	394	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/1/2018	379	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	9/4/2018	431	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/2/2018	380.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/2/2018	386.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/6/2018	377.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	12/4/2018	389	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	1/3/2019	340	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	2/6/2019	349.6	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/5/2019	359	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	4/3/2019	411.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	5/2/2019	363.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	6/4/2019	401.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2019	431.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2019	431.7	1		UMHOS/CM
Specific conductance (field)	LGW-14R	8/7/2019	398.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	9/5/2019	391.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	10/3/2019	401.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	11/5/2019	411	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	12/4/2019	358.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	1/16/2020	339.6	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/4/2020	345.3	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/3/2020	357.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	4/3/2020	373.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-14R	5/5/2020	376.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	6/2/2020	382.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/9/2020	444.1	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2020	357.3	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2020	412.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	10/7/2020	357.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2020	388.5	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/3/2020	410.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/18/2021	314.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/18/2021	314.9	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/9/2021	453.8	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/2/2021	465	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/6/2021	463	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/6/2021	463	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/4/2021	482	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/1/2021	483	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-14R	7/7/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/3/2021	478	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2021	471	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/2/2021	482	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/9/2021	479	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/12/2022	490	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/10/2022	505	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/1/2022	504	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2022	520	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/7/2022	560	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/3/2022	588	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/11/2022	507	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/10/2022	537	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/8/2022	509	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/6/2022	493	0		UMHOS/CM
Specific conductance (field)	LGW-14R	11/3/2022	551	0		UMHOS/CM
Specific conductance (field)	LGW-14R	12/7/2022	631	0		UMHOS/CM
Specific conductance (field)	LGW-14R	1/10/2023	507	0		UMHOS/CM
Specific conductance (field)	LGW-14R	2/3/2023	1045	0		UMHOS/CM
Specific conductance (field)	LGW-14R	3/1/2023	557	0		UMHOS/CM
Specific conductance (field)	LGW-14R	4/5/2023	524	0		UMHOS/CM
Specific conductance (field)	LGW-14R	5/10/2023	545	0		UMHOS/CM
Specific conductance (field)	LGW-14R	6/8/2023	576	0		UMHOS/CM
Specific conductance (field)	LGW-14R	7/10/2023	597	0		UMHOS/CM
Specific conductance (field)	LGW-14R	8/2/2023	648	0		UMHOS/CM
Specific conductance (field)	LGW-14R	9/2/2023	704	0		UMHOS/CM
Specific conductance (field)	LGW-14R	10/5/2023	750	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/30/2005	770	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/31/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/31/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2006	380	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/20/2006	500	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/26/2006	389	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/26/2006	389	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/21/2006	778	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/21/2006	778	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/21/2006	550	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/21/2006	550	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/9/2007	536	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/25/2007	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/27/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/27/2007	584	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	3/26/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/26/2007	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/26/2007	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2007	807	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2007	807	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/28/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/28/2007	560	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/28/2007	528	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/28/2007	528	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	524	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/28/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/24/2007	525	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	505	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	507	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/28/2007	507	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	498	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	491	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/28/2007	512	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	498	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/26/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/28/2008	554	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	512	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	518	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	518	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/24/2008	513	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	484	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	489	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	488	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/3/2008	482	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	534	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	525	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	526	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/30/2008	519	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	501	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	503	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	505	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/26/2008	511	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/23/2008	546	1		UMHOS/CM
Specific conductance (field)	LGW-2	8/29/2008	545	1		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-2	9/26/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-2	10/21/2008	537	1		UMHOS/CM
Specific conductance (field)	LGW-2	11/25/2008	551	1		UMHOS/CM
Specific conductance (field)	LGW-2	12/19/2008	560	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/6/2009	545	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2009	546	1		UMHOS/CM
Specific conductance (field)	LGW-2	3/26/2009	543	1		UMHOS/CM
Specific conductance (field)	LGW-2	4/16/2009	555	1		UMHOS/CM
Specific conductance (field)	LGW-2	5/29/2009	559	1		UMHOS/CM
Specific conductance (field)	LGW-2	6/25/2009	561	1		UMHOS/CM
Specific conductance (field)	LGW-2	7/30/2009	560	1		UMHOS/CM
Specific conductance (field)	LGW-2	8/29/2009	567	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	9/30/2009	569	1		UMHOS/CM
Specific conductance (field)	LGW-2	10/22/2009	562	1		UMHOS/CM
Specific conductance (field)	LGW-2	11/24/2009	555	1		UMHOS/CM
Specific conductance (field)	LGW-2	12/18/2009	584	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2010	606	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2010	606	1		UMHOS/CM
Specific conductance (field)	LGW-2	2/17/2010	548	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/4/2010	582	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/8/2010	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/6/2010	580	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/15/2010	644	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/12/2010	598	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2010	615	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/1/2010	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/29/2010	606	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2010	614	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/2/2010	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/19/2011	622	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2011	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2011	647	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2011	592	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/10/2011	541	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2011	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/13/2011	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2011	601	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/7/2011	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2011	607	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2011	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/7/2011	598	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/4/2012	593	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/1/2012	582	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/6/2012	595	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2012	579	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/1/2012	553	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2012	566	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2012	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/9/2012	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2012	603	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/7/2012	635	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/30/2013	602	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/4/2013	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/15/2013	597	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/8/2013	604	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/10/2013	593	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/1/2013	620	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/6/2013	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/2/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/30/2014	619	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2014	619	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/12/2014	1575	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/3/2014	1180	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/7/2014	1087	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2014	606	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2014	605	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/5/2014	615	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2014	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/9/2014	605	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2014	590	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	1/14/2015	618	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/13/2015	634	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2015	590	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2015	648	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/6/2015	991	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2015	997	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2015	1082	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/4/2015	1006	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/2/2015	1080	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2015	1014	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/4/2015	960	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/3/2015	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/5/2016	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2016	589	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2016	585	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2016	586	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/11/2016	564	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2016	580	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/19/2016	521	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/6/2016	487	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2016	484	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/2/2016	480	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/1/2016	690	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/11/2017	674	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/7/2017	483	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2017	651	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/4/2017	669	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/16/2017	745	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/6/2017	717	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/18/2017	535	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2017	493	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/5/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2017	772	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2017	710	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/23/2018	809	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	2/22/2018	837	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	3/21/2018	671	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	4/10/2018	775	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2018	678	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/21/2018	792	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/12/2018	943	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2018	919	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2018	1043	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/2/2018	1032	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/2/2018	1032	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/6/2018	984	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	12/4/2018	951	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	1/3/2019	809	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	2/5/2019	676	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/6/2019	737	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	4/3/2019	840	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	5/2/2019	750	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	6/5/2019	764	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2019	823	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	7/9/2019	823	1		UMHOS/CM
Specific conductance (field)	LGW-2	8/6/2019	814	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	9/4/2019	755	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-2	10/1/2019	622	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	11/6/2019	708	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	12/3/2019	649.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	1/13/2020	503.2	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/4/2020	686	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/3/2020	685	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2020	595	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	4/1/2020	595	0.1		UMHOS/CM
Specific conductance (field)	LGW-2	5/5/2020	605	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	6/2/2020	567	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/8/2020	529.4	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2020	625	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/3/2020	552.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	10/7/2020	499.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2020	539.7	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/4/2020	619.2	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/18/2021	403.5	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/18/2021	403.5	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/10/2021	684	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/2/2021	697	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/7/2021	649	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/4/2021	638	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/1/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/4/2021	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/3/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/2/2021	624	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2021	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/5/2021	609	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/1/2021	613	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/8/2021	590	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/12/2022	611	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/9/2022	625	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/1/2022	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/5/2022	638	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/7/2022	683	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/3/2022	717	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2022	651	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/10/2022	636	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/8/2022	618	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/6/2022	600	0		UMHOS/CM
Specific conductance (field)	LGW-2	11/3/2022	591	0		UMHOS/CM
Specific conductance (field)	LGW-2	12/7/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-2	1/10/2023	575	0		UMHOS/CM
Specific conductance (field)	LGW-2	2/3/2023	1115	0		UMHOS/CM
Specific conductance (field)	LGW-2	3/1/2023	634	0		UMHOS/CM
Specific conductance (field)	LGW-2	4/6/2023	684	0		UMHOS/CM
Specific conductance (field)	LGW-2	5/11/2023	588	0		UMHOS/CM
Specific conductance (field)	LGW-2	6/8/2023	615	0		UMHOS/CM
Specific conductance (field)	LGW-2	7/10/2023	632	0		UMHOS/CM
Specific conductance (field)	LGW-2	8/1/2023	610	0		UMHOS/CM
Specific conductance (field)	LGW-2	9/1/2023	699	0		UMHOS/CM
Specific conductance (field)	LGW-2	10/4/2023	708	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	9/28/2005	685	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/20/2006	276	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/20/2006	276	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2006	233	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2006	233	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/26/2006	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/26/2006	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/21/2006	161.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/21/2006	161.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/21/2006	465	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/21/2006	465	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/9/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/25/2007	385	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2007	384	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2007	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/26/2007	747	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/26/2007	747	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2007	852	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2007	852	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/10/2007	452	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/11/2007	452	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/28/2007	586	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/24/2007	602	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	589	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	586	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/28/2007	587	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	580	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	578	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/27/2007	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	570	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/26/2008	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/27/2008	433	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	288	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	293	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	287	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/24/2008	293	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	184	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	181	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	183	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/3/2008	183	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	275	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	5/30/2008	281	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	282	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/30/2008	280	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	284	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	285	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	285	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/26/2008	280	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/23/2008	257	1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/29/2008	339	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2008	325	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/26/2008	325	1		UMHOS/CM
Specific conductance (field)	LGW-3R	10/22/2008	362	1		UMHOS/CM
Specific conductance (field)	LGW-3R	11/25/2008	427	1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/19/2008	458	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2009	438	1		UMHOS/CM
Specific conductance (field)	LGW-3R	3/26/2009	448	1		UMHOS/CM
Specific conductance (field)	LGW-3R	4/16/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-3R	5/28/2009	248	1		UMHOS/CM
Specific conductance (field)	LGW-3R	6/25/2009	318	1		UMHOS/CM
Specific conductance (field)	LGW-3R	7/31/2009	382	1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/29/2009	433	1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/30/2009	473	1		UMHOS/CM
Specific conductance (field)	LGW-3R	10/22/2009	393	1		UMHOS/CM
Specific conductance (field)	LGW-3R	11/24/2009	366	1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/18/2009	416	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2010	462	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2010	462	1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/17/2010	428	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2010	457	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/8/2010	383	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/5/2010	408	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/15/2010	436	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/16/2010	323	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/11/2010	369	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/1/2010	411	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/29/2010	431	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2010	472	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/3/2010	549	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/19/2011	602	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2011	606	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2011	633	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2011	575	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/10/2011	269	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/1/2011	245	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/13/2011	322	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2011	377	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/7/2011	441	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2011	480	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/1/2011	494	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/7/2011	472	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/4/2012	458	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/1/2012	466	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/6/2012	497	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2012	367	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/1/2012	393	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2012	476	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2012	558	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/9/2012	550	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	9/4/2012	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/8/2012	616	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/6/2012	562	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/6/2012	562	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/23/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/23/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2013	601	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2013	601	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/5/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/5/2013	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/30/2013	298	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/4/2013	294	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/15/2013	420	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/8/2013	471	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/10/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/1/2013	518	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/6/2013	507	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2013	515	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/22/2014	477	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/12/2014	500	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/11/2014	1008	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/2/2014	1038	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/7/2014	775	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2014	526	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/8/2014	412	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2014	553	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/4/2014	546	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/9/2014	552	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2014	526	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/14/2015	534	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/10/2015	564	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2015	513	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/1/2015	545	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/6/2015	864	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2015	957	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/16/2015	810	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2015	362	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/3/2015	461	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2015	767	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/5/2015	588	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2015	484	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/8/2016	194	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/4/2016	147	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/3/2016	122	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2016	184	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/12/2016	207	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/2/2016	352	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/21/2016	210	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/11/2016	213	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/7/2016	455	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/7/2016	399	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2016	615	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2016	574	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/11/2017	442	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/7/2017	512	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2017	541	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/4/2017	608	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/2/2017	460	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	6/6/2017	346	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/18/2017	440	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/1/2017	490	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/5/2017	402	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2017	572	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/1/2017	571	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/23/2018	592.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/22/2018	669	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	3/19/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	4/10/2018	521.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2018	504.9	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/11/2018	559	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/1/2018	503	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	9/5/2018	577	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/3/2018	594	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/7/2018	577.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2018	587.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	1/3/2019	536	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	2/5/2019	484.3	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/4/2019	350	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	4/3/2019	474.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	5/1/2019	445.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	6/5/2019	3713	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2019	407.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	7/9/2019	407.9	1		UMHOS/CM
Specific conductance (field)	LGW-3R	8/5/2019	402.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	9/3/2019	401.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	10/1/2019	418.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	11/6/2019	370.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	12/2/2019	279.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	1/14/2020	243.4	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/4/2020	208.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2020	342.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	4/1/2020	355.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-3R	5/5/2020	381.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2020	493.3	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2020	456.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2020	273.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/2/2020	269	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2020	140	0.01		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2020	180.6	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/4/2020	214.1	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/18/2021	270.5	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/18/2021	270.5	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/9/2021	147.8	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/2/2021	146	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2021	112	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2021	112	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/4/2021	281	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/2/2021	169	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/6/2021	173	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/3/2021	130	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/2/2021	118	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/5/2021	137	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-3R	11/2/2021	584	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/9/2021	117	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/12/2022	160	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/10/2022	134	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/1/2022	195	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/5/2022	145	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/7/2022	199	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/3/2022	338	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/10/2022	223	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/10/2022	175	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/8/2022	132	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/6/2022	107	0		UMHOS/CM
Specific conductance (field)	LGW-3R	11/3/2022	121	0		UMHOS/CM
Specific conductance (field)	LGW-3R	12/7/2022	149	0		UMHOS/CM
Specific conductance (field)	LGW-3R	1/10/2023	109	0		UMHOS/CM
Specific conductance (field)	LGW-3R	2/3/2023	205	0		UMHOS/CM
Specific conductance (field)	LGW-3R	3/1/2023	110	0		UMHOS/CM
Specific conductance (field)	LGW-3R	4/6/2023	139	0		UMHOS/CM
Specific conductance (field)	LGW-3R	5/10/2023	118	0		UMHOS/CM
Specific conductance (field)	LGW-3R	6/8/2023	108	0		UMHOS/CM
Specific conductance (field)	LGW-3R	7/10/2023	102	0		UMHOS/CM
Specific conductance (field)	LGW-3R	8/2/2023	107	0		UMHOS/CM
Specific conductance (field)	LGW-3R	9/2/2023	116	0		UMHOS/CM
Specific conductance (field)	LGW-3R	10/4/2023	115	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2005	572	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/20/2006	228	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/20/2006	228	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2006	300	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2006	300	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/26/2006	386	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/26/2006	386	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/21/2006	161	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/21/2006	161	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/21/2006	484	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/21/2006	484	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/9/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/25/2007	453	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/7/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2007	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/26/2007	680	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/26/2007	680	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/31/2007	738	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2007	738	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/28/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/28/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/10/2007	464	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2007	464	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	988	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/28/2007	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	504	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/28/2007	489	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/24/2007	487	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	467	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/28/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	476	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/27/2007	474	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/22/2008	473	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/27/2008	457	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	295	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	317	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	308	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/25/2008	369	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	311	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	311	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	324	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/3/2008	319	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	376	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	369	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/30/2008	380	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/23/2008	358	1		UMHOS/CM
Specific conductance (field)	LGW-4	8/29/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	9/26/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-4	10/22/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-4	11/25/2008	420	1		UMHOS/CM
Specific conductance (field)	LGW-4	12/19/2008	433	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2009	403	1		UMHOS/CM
Specific conductance (field)	LGW-4	3/26/2009	403	1		UMHOS/CM
Specific conductance (field)	LGW-4	4/16/2009	376	1		UMHOS/CM
Specific conductance (field)	LGW-4	5/28/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-4	6/25/2009	377	1		UMHOS/CM
Specific conductance (field)	LGW-4	7/31/2009	398	1		UMHOS/CM
Specific conductance (field)	LGW-4	8/29/2009	411	1		UMHOS/CM
Specific conductance (field)	LGW-4	10/22/2009	383	1		UMHOS/CM
Specific conductance (field)	LGW-4	11/24/2009	380	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2010	408	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2010	408	1		UMHOS/CM
Specific conductance (field)	LGW-4	2/17/2010	405	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2010	431	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/8/2010	395	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/5/2010	394	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/15/2010	407	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/16/2010	339	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/11/2010	370	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/1/2010	396	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/29/2010	393	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2010	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/3/2010	454	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/19/2011	475	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	2/7/2011	477	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2011	515	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2011	458	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/10/2011	278	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2011	331	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/13/2011	358	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2011	369	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/7/2011	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2011	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/1/2011	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/7/2011	393	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/4/2012	395	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/1/2012	405	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/6/2012	418	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2012	361	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/1/2012	362	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2012	392	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2012	450	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/9/2012	443	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/4/2012	424	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/7/2012	471	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/30/2013	307	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/4/2013	300	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/15/2013	362	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/8/2013	354	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/10/2013	367	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/1/2013	401	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/6/2013	401	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/2/2013	408	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/23/2014	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/12/2014	403	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/11/2014	772	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/2/2014	824	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/7/2014	735	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2014	409	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/8/2014	403	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/5/2014	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/4/2014	411	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/9/2014	422	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2014	430	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/14/2015	455	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/11/2015	500	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/3/2015	459	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/1/2015	468	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/6/2015	719	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2015	690	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/8/2015	721	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/4/2015	733	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2015	743	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2015	712	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/4/2015	691	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/3/2015	430	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/5/2016	381	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2016	378	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2016	382	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2016	907	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/11/2016	388	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/1/2016	419	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	7/19/2016	398	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/10/2016	390	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/6/2016	392	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2016	389	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/2/2016	385	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/1/2016	496	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/11/2017	465	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/7/2017	435	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2017	460	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/4/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/2/2017	420	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/16/2017	434	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/6/2017	431	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/18/2017	500	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/1/2017	427	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/5/2017	449	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2017	555	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/1/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/23/2018	521.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	2/22/2018	562.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	3/19/2018	509.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	4/10/2018	519.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2018	515	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2018	572.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	8/1/2018	509	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	9/5/2018	567	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/3/2018	564.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/7/2018	540.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2018	553.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	1/3/2019	485	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	2/5/2019	478.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/4/2019	320	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/3/2019	548.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/3/2019	548.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	5/1/2019	504.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	6/5/2019	443.5	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2019	452.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	7/9/2019	452.1	1		UMHOS/CM
Specific conductance (field)	LGW-4	8/5/2019	532.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	9/3/2019	518.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	10/1/2019	466.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	11/6/2019	547.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2019	340.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	1/14/2020	326.7	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/4/2020	340.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2020	355.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	4/1/2020	335.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-4	5/5/2020	353.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2020	371.3	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/6/2020	405.6	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2020	334.2	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2020	386.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2020	380.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2020	369.3	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/4/2020	372.5	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/18/2021	411.4	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-4	1/18/2021	411.4	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/9/2021	429	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/2/2021	462	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2021	432	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2021	432	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/4/2021	434	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/2/2021	433	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/7/2021	545	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/3/2021	441	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2021	450	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2021	444	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/5/2021	444	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/2/2021	454	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/9/2021	458	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/12/2022	485	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/10/2022	491	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/1/2022	499	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/5/2022	527	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/7/2022	570	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/3/2022	668	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/11/2022	548	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/10/2022	556	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/8/2022	577	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/6/2022	583	0		UMHOS/CM
Specific conductance (field)	LGW-4	11/3/2022	639	0		UMHOS/CM
Specific conductance (field)	LGW-4	12/7/2022	834	0		UMHOS/CM
Specific conductance (field)	LGW-4	1/10/2023	679	0		UMHOS/CM
Specific conductance (field)	LGW-4	2/3/2023	1389	0		UMHOS/CM
Specific conductance (field)	LGW-4	3/1/2023	817	0		UMHOS/CM
Specific conductance (field)	LGW-4	4/6/2023	858	0		UMHOS/CM
Specific conductance (field)	LGW-4	5/10/2023	757	0		UMHOS/CM
Specific conductance (field)	LGW-4	6/8/2023	757	0		UMHOS/CM
Specific conductance (field)	LGW-4	7/10/2023	759	0		UMHOS/CM
Specific conductance (field)	LGW-4	8/2/2023	776	0		UMHOS/CM
Specific conductance (field)	LGW-4	9/2/2023	876	0		UMHOS/CM
Specific conductance (field)	LGW-4	10/4/2023	924	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2005	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/20/2006	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/20/2006	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/31/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2006	340	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/27/2006	338	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/27/2006	338	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/26/2006	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/26/2006	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/21/2006	168.3	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/21/2006	168.3	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/21/2006	491	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/21/2006	491	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/9/2007	495	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/25/2007	478	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/26/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/27/2007	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/26/2007	663	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/26/2007	663	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/31/2007	339	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2007	339	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/28/2007	460	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/28/2007	460	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/10/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/11/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2007	497	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	506	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/28/2007	457	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/24/2007	433	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	444	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	409	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	400	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/28/2007	387	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/27/2007	394	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2008	417	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/28/2008	457	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	384	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	406	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/25/2008	389	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	347	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	356	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	391	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	392	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	396	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/30/2008	425	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	368	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	367	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	369	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/26/2008	374	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/23/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/26/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/26/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	10/21/2008	394	1		UMHOS/CM
Specific conductance (field)	LGW-5	11/25/2008	411	1		UMHOS/CM
Specific conductance (field)	LGW-5	12/19/2008	420	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/4/2009	420	1		UMHOS/CM
Specific conductance (field)	LGW-5	3/26/2009	421	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	4/16/2009	411	1		UMHOS/CM
Specific conductance (field)	LGW-5	5/29/2009	391	1		UMHOS/CM
Specific conductance (field)	LGW-5	6/24/2009	389	1		UMHOS/CM
Specific conductance (field)	LGW-5	7/29/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-5	8/28/2009	407	1		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2009	415	1		UMHOS/CM
Specific conductance (field)	LGW-5	10/21/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-5	11/24/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-5	12/17/2009	396	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2010	402	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2010	402	1		UMHOS/CM
Specific conductance (field)	LGW-5	2/16/2010	398	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2010	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/7/2010	423	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/5/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/15/2010	418	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2010	384	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2010	390	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/29/2010	380	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2010	392	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/2/2010	426	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/19/2011	432	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2011	439	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2011	470	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2011	427	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/10/2011	316	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2011	362	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2011	350	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2011	368	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/7/2011	381	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2011	382	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/1/2011	377	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/7/2011	366	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/5/2012	358	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/1/2012	361	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/6/2012	373	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2012	350	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/1/2012	343	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/5/2012	373	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/9/2012	410	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/9/2012	412	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2012	407	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/7/2012	416	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/30/2013	382	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/4/2013	359	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/15/2013	367	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/8/2013	541	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/10/2013	369	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/1/2013	403	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/6/2013	409	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2013	404	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2014	428	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/12/2014	426	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/11/2014	884	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/2/2014	932	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/7/2014	863	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2014	494	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	7/8/2014	573	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/5/2014	530	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2014	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/9/2014	455	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2014	472	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/14/2015	490	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/10/2015	720	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/3/2015	468	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/1/2015	595	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/6/2015	942	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2015	1095	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/8/2015	927	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/4/2015	910	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2015	912	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2015	852	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/4/2015	817	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2015	533	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/5/2016	531	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2016	520	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/5/2016	536	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/11/2016	494	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2016	528	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/19/2016	486	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2016	487	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/6/2016	451	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2016	451	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/2/2016	435	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/1/2016	570	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/11/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/7/2017	473	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2017	576	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/4/2017	580	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/16/2017	598	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/6/2017	520	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/18/2017	567	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2017	525	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/5/2017	521	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2017	599	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/1/2017	623	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/23/2018	532.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	2/23/2018	551.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	3/20/2018	556.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	4/10/2018	543.4	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	6/5/2018	550.1	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/12/2018	604	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	8/1/2018	549	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	9/4/2018	624	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/3/2018	594	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/7/2018	558.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	12/4/2018	575.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	1/3/2019	515	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	2/5/2019	514.7	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/5/2019	523	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/3/2019	602	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/3/2019	602	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	5/1/2019	577	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	6/4/2019	573	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	7/9/2019	605	1		UMHOS/CM
Specific conductance (field)	LGW-5	7/9/2019	605	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	8/5/2019	609	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	9/3/2019	581	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/1/2019	581	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	11/5/2019	603	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	12/2/2019	499	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	1/14/2020	502.7	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/3/2020	500.6	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2020	546.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	4/1/2020	524.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-5	5/4/2020	556	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	6/1/2020	529.8	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/6/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2020	518.9	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/1/2020	577	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2020	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2020	587	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/3/2020	618.5	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/18/2021	441.4	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/18/2021	441.4	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/9/2021	675	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/2/2021	691	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2021	685	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2021	685	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/4/2021	693	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/2/2021	696	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/7/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/3/2021	699	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2021	705	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/2/2021	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/9/2021	676	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/12/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-5	2/10/2022	707	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/1/2022	705	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/4/2022	711	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/4/2022	711	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/7/2022	765	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/3/2022	817	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/11/2022	752	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/10/2022	708	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/8/2022	689	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/6/2022	694	0		UMHOS/CM
Specific conductance (field)	LGW-5	11/3/2022	722	0		UMHOS/CM
Specific conductance (field)	LGW-5	12/7/2022	909	0		UMHOS/CM
Specific conductance (field)	LGW-5	1/10/2023	720	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-5	2/3/2023	1355	0		UMHOS/CM
Specific conductance (field)	LGW-5	3/1/2023	751	0		UMHOS/CM
Specific conductance (field)	LGW-5	4/6/2023	834	0		UMHOS/CM
Specific conductance (field)	LGW-5	5/10/2023	727	0		UMHOS/CM
Specific conductance (field)	LGW-5	6/8/2023	748	0		UMHOS/CM
Specific conductance (field)	LGW-5	7/10/2023	798	0		UMHOS/CM
Specific conductance (field)	LGW-5	8/2/2023	851	0		UMHOS/CM
Specific conductance (field)	LGW-5	9/2/2023	948	0		UMHOS/CM
Specific conductance (field)	LGW-5	10/5/2023	1049	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/30/2005	499	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/20/2006	196	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/20/2006	196	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2006	382	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2006	382	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/26/2006	395	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/26/2006	395	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/21/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/21/2006	393	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/21/2006	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/21/2006	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/9/2007	516	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/24/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/24/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/25/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/26/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/26/2007	533	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2007	418	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/26/2007	651	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/26/2007	651	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/31/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/28/2007	430	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2007	437	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/11/2007	437	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2007	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2007	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/27/2007	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/23/2007	410	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	462	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/27/2007	461	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	475	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/27/2007	469	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2008	469	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/28/2008	473	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	467	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	442	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	419	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/25/2008	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	436	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	5/3/2008	358	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/3/2008	357	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	506	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	502	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	494	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/30/2008	432	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	384	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	443	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	491	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/26/2008	404	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/23/2008	392	1		UMHOS/CM
Specific conductance (field)	LGW-6	8/29/2008	393	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/26/2008	520	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/26/2008	520	1		UMHOS/CM
Specific conductance (field)	LGW-6	10/21/2008	396	1		UMHOS/CM
Specific conductance (field)	LGW-6	11/25/2008	407	1		UMHOS/CM
Specific conductance (field)	LGW-6	12/19/2008	426	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2009	404	1		UMHOS/CM
Specific conductance (field)	LGW-6	3/26/2009	406	1		UMHOS/CM
Specific conductance (field)	LGW-6	5/29/2009	427	1		UMHOS/CM
Specific conductance (field)	LGW-6	6/24/2009	518	1		UMHOS/CM
Specific conductance (field)	LGW-6	7/29/2009	386	1		UMHOS/CM
Specific conductance (field)	LGW-6	8/28/2009	392	1		UMHOS/CM
Specific conductance (field)	LGW-6	9/29/2009	402	1		UMHOS/CM
Specific conductance (field)	LGW-6	10/22/2009	395	1		UMHOS/CM
Specific conductance (field)	LGW-6	11/24/2009	378	1		UMHOS/CM
Specific conductance (field)	LGW-6	12/17/2009	382	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2010	369	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2010	369	1		UMHOS/CM
Specific conductance (field)	LGW-6	2/16/2010	381	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2010	396	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/7/2010	455	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2010	403	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/15/2010	540	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/12/2010	434	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2010	412	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2010	476	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/29/2010	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2010	414	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/2/2010	426	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/19/2011	423	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2011	461	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2011	448	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2011	416	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/10/2011	380	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2011	424	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/12/2011	373	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2011	397	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/7/2011	414	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2011	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/1/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/7/2011	405	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/5/2012	394	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/1/2012	401	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/6/2012	411	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2012	389	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/1/2012	418	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	6/5/2012	406	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/9/2012	435	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/4/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/7/2012	456	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2012	428	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/6/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/6/2012	422	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2013	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2013	429	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/5/2013	445	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/5/2013	445	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/30/2013	454	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/4/2013	470	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/15/2013	423	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/8/2013	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/10/2013	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/1/2013	455	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2013	454	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/2/2013	432	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2014	415	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/12/2014	417	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/11/2014	896	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/2/2014	950	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/7/2014	815	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2014	438	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/8/2014	352	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/5/2014	487	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/4/2014	462	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/9/2014	478	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2014	456	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/14/2015	480	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/10/2015	489	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/3/2015	473	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/1/2015	500	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/6/2015	775	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2015	803	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/22/2015	892	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/4/2015	879	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2015	907	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2015	845	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/4/2015	823	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/3/2015	495	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/5/2016	480	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2016	534	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/5/2016	561	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/11/2016	559	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2016	569	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/19/2016	525	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2016	513	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/6/2016	503	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/6/2016	503	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2016	496	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/2/2016	494	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	12/1/2016	617	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/11/2017	572	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/7/2017	402	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2017	569	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/4/2017	604	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/2/2017	546	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2017	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/6/2017	531	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/18/2017	466	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/1/2017	520	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2017	517	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2017	641	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/1/2017	636	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/23/2018	572.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	2/22/2018	629	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	3/20/2018	593.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/10/2018	578	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/10/2018	578	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	6/5/2018	597	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/5/2018	597	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/17/2018	631	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	8/1/2018	612	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2018	652	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/2/2018	664	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/2/2018	664	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/6/2018	634	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	12/4/2018	642	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	1/7/2019	550	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	2/5/2019	567.9	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/4/2019	406	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	4/3/2019	665	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	5/2/2019	586.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	6/4/2019	633	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2019	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2019	701	1		UMHOS/CM
Specific conductance (field)	LGW-6	8/8/2019	631	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	9/5/2019	642	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/3/2019	652	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/3/2019	652	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	11/5/2019	671	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	12/4/2019	584.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	1/16/2020	547.2	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/4/2020	558.3	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/4/2020	575.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	4/2/2020	600.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	4/3/2020	600.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2020	596.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	6/2/2020	602	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/9/2020	687	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2020	548.3	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2020	657	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2020	567.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2020	567.4	0.01		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2020	604.1	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/3/2020	637	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/18/2021	463.4	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-6	2/9/2021	716	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/2/2021	716	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2021	707	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/5/2021	726	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/1/2021	731	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/7/2021	734	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/3/2021	709	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2021	715	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2021	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2021	701	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/2/2021	709	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/9/2021	695	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/12/2022	710	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/10/2022	725	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/1/2022	718	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/4/2022	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/4/2022	730	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/7/2022	773	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/3/2022	804	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/11/2022	718	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/10/2022	727	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/8/2022	655	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2022	624	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/6/2022	624	0		UMHOS/CM
Specific conductance (field)	LGW-6	11/3/2022	703	0		UMHOS/CM
Specific conductance (field)	LGW-6	12/7/2022	821	0		UMHOS/CM
Specific conductance (field)	LGW-6	1/10/2023	645	0		UMHOS/CM
Specific conductance (field)	LGW-6	2/3/2023	1341	0		UMHOS/CM
Specific conductance (field)	LGW-6	3/1/2023	703	0		UMHOS/CM
Specific conductance (field)	LGW-6	4/6/2023	780	0		UMHOS/CM
Specific conductance (field)	LGW-6	5/10/2023	686	0		UMHOS/CM
Specific conductance (field)	LGW-6	6/8/2023	708	0		UMHOS/CM
Specific conductance (field)	LGW-6	7/10/2023	749	0		UMHOS/CM
Specific conductance (field)	LGW-6	8/2/2023	774	0		UMHOS/CM
Specific conductance (field)	LGW-6	9/2/2023	839	0		UMHOS/CM
Specific conductance (field)	LGW-6	10/5/2023	868	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/30/2005	472	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2006	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2006	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/31/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2006	330	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/27/2006	323	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/27/2006	323	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/26/2006	318	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/26/2006	318	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/21/2006	208	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/21/2006	208	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/22/2006	435	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/22/2006	435	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	1/9/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/25/2007	426	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/7/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/26/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/26/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/26/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/27/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/27/2007	442	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/26/2007	618	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/26/2007	618	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2007	621	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/28/2007	419	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/28/2007	419	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2007	391	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2007	391	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/28/2007	405	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/24/2007	387	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	398	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	378	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/27/2007	389	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	395	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	404	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/27/2007	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/25/2008	406	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/28/2008	428	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/25/2008	381	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	339	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	351	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/3/2008	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	393	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	401	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/30/2008	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	382	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	379	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/26/2008	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/22/2008	388	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/26/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/26/2008	398	1		UMHOS/CM
Specific conductance (field)	LGW-7	10/21/2008	390	1		UMHOS/CM
Specific conductance (field)	LGW-7	11/25/2008	388	1		UMHOS/CM
Specific conductance (field)	LGW-7	12/19/2008	399	1		UMHOS/CM
Specific conductance (field)	LGW-7	2/4/2009	392	1		UMHOS/CM
Specific conductance (field)	LGW-7	3/26/2009	406	1		UMHOS/CM
Specific conductance (field)	LGW-7	4/16/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	5/28/2009	381	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	6/25/2009	386	1		UMHOS/CM
Specific conductance (field)	LGW-7	7/31/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	8/29/2009	384	1		UMHOS/CM
Specific conductance (field)	LGW-7	9/30/2009	387	1		UMHOS/CM
Specific conductance (field)	LGW-7	10/21/2009	378	1		UMHOS/CM
Specific conductance (field)	LGW-7	11/24/2009	362	1		UMHOS/CM
Specific conductance (field)	LGW-7	12/17/2009	373	1		UMHOS/CM
Specific conductance (field)	LGW-7	1/27/2010	370	1		UMHOS/CM
Specific conductance (field)	LGW-7	2/16/2010	361	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2010	364	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/7/2010	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2010	362	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/16/2010	384	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2010	363	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/10/2010	370	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2010	374	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/29/2010	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2010	376	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/2/2010	400	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/20/2011	404	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/8/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2011	432	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/5/2011	397	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/10/2011	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2011	381	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2011	371	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2011	384	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/7/2011	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2011	403	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/1/2011	390	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/8/2011	385	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/5/2012	335	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/1/2012	372	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/6/2012	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/5/2012	377	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/1/2012	368	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2012	388	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2012	439	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/9/2012	445	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/4/2012	455	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/7/2012	477	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/30/2013	412	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/4/2013	436	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/15/2013	389	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/8/2013	449	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/10/2013	437	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/1/2013	475	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/6/2013	467	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/2/2013	446	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/23/2014	447	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/13/2014	446	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/11/2014	891	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/2/2014	909	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/7/2014	842	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2014	466	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/8/2014	462	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/5/2014	501	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/4/2014	470	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	10/9/2014	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2014	497	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/14/2015	515	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/11/2015	540	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2015	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/1/2015	525	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/6/2015	833	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2015	816	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/22/2015	841	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/4/2015	821	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/3/2015	830	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2015	861	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/4/2015	840	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2015	509	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/5/2016	473	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/3/2016	494	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/10/2016	509	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2016	506	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/6/2016	514	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/11/2016	483	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/1/2016	538	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/20/2016	453	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/10/2016	484	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/6/2016	471	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/6/2016	471	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2016	450	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/2/2016	450	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/1/2016	400	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/11/2017	386	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/7/2017	370	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2017	466	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/2/2017	504	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/6/2017	399	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/18/2017	473	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2017	419	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2017	373	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2017	598	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/1/2017	458	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/24/2018	549.7	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	2/22/2018	543.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	3/20/2018	536.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	4/11/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	4/11/2018	531.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2018	532.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/5/2018	532.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/12/2018	554	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	8/2/2018	6	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2018	537	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/2/2018	544.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/2/2018	544.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/7/2018	513.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	12/4/2018	539	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	1/7/2019	463	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	2/5/2019	489.2	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/5/2019	498	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	4/3/2019	562.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	5/2/2019	474.5	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	6/4/2019	512.9	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2019	569	1		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2019	569	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/7/2019	470.2	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	9/5/2019	510.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/3/2019	538.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/3/2019	538.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	11/6/2019	565.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2019	441.1	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	1/15/2020	440.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/4/2020	426.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/3/2020	449.3	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	4/3/2020	488.5	0.1		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2020	503	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	6/2/2020	471.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/9/2020	531.3	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2020	401.6	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2020	483	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2020	425.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-7	11/4/2020	423.5	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/3/2020	470.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/18/2021	352.4	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/9/2021	496.5	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2021	488	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/7/2021	491	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/5/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/2/2021	522	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/7/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/3/2021	532	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2021	504	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2021	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2021	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/2/2021	514	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/9/2021	517	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/13/2022	511	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/10/2022	526	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/2/2022	558	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2022	605	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/4/2022	605	0		UMHOS/CM
Specific conductance (field)	LGW-7	5/7/2022	648	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/3/2022	714	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/11/2022	645	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/10/2022	613	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/8/2022	555	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/6/2022	489	0		UMHOS/CM
Specific conductance (field)	LGW-7	11/3/2022	541	0		UMHOS/CM
Specific conductance (field)	LGW-7	12/7/2022	664	0		UMHOS/CM
Specific conductance (field)	LGW-7	1/11/2023	513	0		UMHOS/CM
Specific conductance (field)	LGW-7	2/3/2023	1026	0		UMHOS/CM
Specific conductance (field)	LGW-7	3/1/2023	624	0		UMHOS/CM
Specific conductance (field)	LGW-7	4/6/2023	706	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-7	5/10/2023	582	0		UMHOS/CM
Specific conductance (field)	LGW-7	6/8/2023	530	0		UMHOS/CM
Specific conductance (field)	LGW-7	7/10/2023	669	0		UMHOS/CM
Specific conductance (field)	LGW-7	8/1/2023	567	0		UMHOS/CM
Specific conductance (field)	LGW-7	9/2/2023	708	0		UMHOS/CM
Specific conductance (field)	LGW-7	10/5/2023	744	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/30/2005	506	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2006	408	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/26/2006	177.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/26/2006	177.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/26/2006	353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/26/2006	353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/21/2006	213	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/21/2006	213	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/21/2006	475	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/21/2006	475	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/9/2007	466	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/24/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/24/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/25/2007	473	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/26/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/26/2007	488	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2007	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/26/2007	662	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/26/2007	662	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2007	706	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2007	706	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/28/2007	472	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/28/2007	472	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/10/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/12/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2007	471	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	465	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/28/2007	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/23/2007	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	433	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	434	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	431	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/28/2007	432	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/29/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/25/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/25/2008	501	1		UMHOS/CM
Specific conductance (field)	LGW-8R	10/21/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	11/25/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/19/2008	499	1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/4/2009	500	1		UMHOS/CM
Specific conductance (field)	LGW-8R	3/26/2009	495	1		UMHOS/CM
Specific conductance (field)	LGW-8R	4/16/2009	489	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	5/28/2009	491	1		UMHOS/CM
Specific conductance (field)	LGW-8R	6/25/2009	491	1		UMHOS/CM
Specific conductance (field)	LGW-8R	7/29/2009	493	1		UMHOS/CM
Specific conductance (field)	LGW-8R	8/28/2009	494	1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/29/2009	494	1		UMHOS/CM
Specific conductance (field)	LGW-8R	10/21/2009	492	1		UMHOS/CM
Specific conductance (field)	LGW-8R	11/24/2009	476	1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/17/2009	489	1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/27/2010	469	1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/15/2010	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2010	482	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/7/2010	503	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/5/2010	468	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/16/2010	503	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/14/2010	487	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/10/2010	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/2/2010	495	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/29/2010	494	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2010	491	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/2/2010	508	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/20/2011	494	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2011	499	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2011	528	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2011	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/10/2011	419	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2011	492	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/12/2011	460	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2011	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/7/2011	483	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2011	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/1/2011	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/8/2011	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/5/2012	467	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/1/2012	461	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/7/2012	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2012	455	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/1/2012	435	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/5/2012	441	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/9/2012	485	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/9/2012	438	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/4/2012	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/7/2012	502	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/30/2013	479	479	ND	UMHOS/CM
Specific conductance (field)	LGW-8R	6/4/2013	496	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/15/2013	477	477	ND	UMHOS/CM
Specific conductance (field)	LGW-8R	8/8/2013	487	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/10/2013	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/1/2013	506	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/6/2013	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/2/2013	472	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/22/2014	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/12/2014	460	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/11/2014	918	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/2/2014	963	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/7/2014	891	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2014	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2014	486	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/5/2014	495	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	9/4/2014	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/9/2014	479	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2014	455	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/14/2015	451	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/11/2015	515	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2015	462	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/1/2015	530	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/6/2015	738	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2015	841	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/22/2015	929	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/4/2015	916	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/3/2015	926	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2015	874	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/4/2015	840	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/3/2015	514	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/5/2016	497	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/3/2016	504	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2016	509	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2016	522	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/11/2016	490	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2016	520	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/20/2016	443	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/10/2016	469	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/6/2016	453	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2016	431	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2016	405	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/1/2016	510	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/11/2017	441	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/7/2017	420	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2017	524	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/4/2017	477	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/2/2017	530	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/6/2017	417	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/18/2017	539	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/1/2017	526	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2017	501	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2017	518	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/1/2017	556	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/25/2018	514	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/23/2018	530.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	3/19/2018	531.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	4/11/2018	547.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	6/5/2018	556.4	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/21/2018	588.2	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/13/2018	612	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	8/2/2018	418	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2018	595	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/2/2018	583	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/7/2018	568.2	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	12/4/2018	590.8	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/7/2019	483	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	2/5/2019	525.2	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/5/2019	542	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	4/3/2019	608.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	5/1/2019	585	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	6/4/2019	581.9	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2019	661	1		UMHOS/CM
Specific conductance (field)	LGW-8R	7/8/2019	661	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	8/7/2019	583.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	9/5/2019	575.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	10/1/2019	567.7	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	11/5/2019	601	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	12/4/2019	528.9	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	1/14/2020	508.5	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/4/2020	519.8	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/3/2020	523.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	4/2/2020	524.6	0.1		UMHOS/CM
Specific conductance (field)	LGW-8R	5/4/2020	554.9	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	6/1/2020	530.7	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2020	617	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2020	518.1	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/1/2020	567.6	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2020	524.5	0.01		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2020	539.6	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/1/2020	536.7	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/17/2021	436.4	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/9/2021	656	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2021	673	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/7/2021	665	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/5/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/2/2021	683	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/7/2021	686	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/3/2021	681	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/2/2021	687	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/5/2021	679	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/2/2021	681	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/9/2021	673	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/13/2022	682	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/10/2022	692	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/2/2022	695	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/5/2022	712	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/7/2022	764	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/3/2022	816	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/11/2022	749	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/10/2022	727	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/8/2022	658	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2022	619	0		UMHOS/CM
Specific conductance (field)	LGW-8R	10/6/2022	619	0		UMHOS/CM
Specific conductance (field)	LGW-8R	11/3/2022	769	0		UMHOS/CM
Specific conductance (field)	LGW-8R	12/7/2022	839	0		UMHOS/CM
Specific conductance (field)	LGW-8R	1/11/2023	667	0		UMHOS/CM
Specific conductance (field)	LGW-8R	2/3/2023	1353	0		UMHOS/CM
Specific conductance (field)	LGW-8R	3/1/2023	729	0		UMHOS/CM
Specific conductance (field)	LGW-8R	4/6/2023	784	0		UMHOS/CM
Specific conductance (field)	LGW-8R	5/10/2023	729	0		UMHOS/CM
Specific conductance (field)	LGW-8R	6/8/2023	760	0		UMHOS/CM
Specific conductance (field)	LGW-8R	7/10/2023	779	0		UMHOS/CM
Specific conductance (field)	LGW-8R	8/1/2023	727	0		UMHOS/CM
Specific conductance (field)	LGW-8R	9/2/2023	859	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-8R	10/5/2023	873	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/30/2005	626	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/20/2006	464	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/20/2006	464	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/27/2006	473	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/27/2006	473	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/26/2006	447	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/26/2006	447	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/21/2006	483	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/21/2006	483	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/21/2006	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/21/2006	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/9/2007	599	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2007	597	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/27/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/27/2007	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2007	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/25/2007	849	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/26/2007	849	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/31/2007	864	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2007	864	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/28/2007	582	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2007	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2007	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	567	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	569	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2007	570	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	575	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	558	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	331	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/28/2007	656	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/23/2007	506	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	539	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	547	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/28/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	542	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	548	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/27/2007	551	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/25/2008	524	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/28/2008	607	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	502	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	543	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/25/2008	520	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	490	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	485	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	5/3/2008	493	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2008	492	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	555	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	558	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	560	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/30/2008	562	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	550	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	545	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	550	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/25/2008	549	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/22/2008	579	1		UMHOS/CM
Specific conductance (field)	LGW-9	8/29/2008	575	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/26/2008	582	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/26/2008	582	1		UMHOS/CM
Specific conductance (field)	LGW-9	10/22/2008	557	1		UMHOS/CM
Specific conductance (field)	LGW-9	11/24/2008	554	1		UMHOS/CM
Specific conductance (field)	LGW-9	12/19/2008	540	1		UMHOS/CM
Specific conductance (field)	LGW-9	2/4/2009	549	1		UMHOS/CM
Specific conductance (field)	LGW-9	3/26/2009	553	1		UMHOS/CM
Specific conductance (field)	LGW-9	4/15/2009	562	1		UMHOS/CM
Specific conductance (field)	LGW-9	5/28/2009	553	1		UMHOS/CM
Specific conductance (field)	LGW-9	6/24/2009	560	1		UMHOS/CM
Specific conductance (field)	LGW-9	7/29/2009	552	1		UMHOS/CM
Specific conductance (field)	LGW-9	8/28/2009	571	1		UMHOS/CM
Specific conductance (field)	LGW-9	9/29/2009	568	1		UMHOS/CM
Specific conductance (field)	LGW-9	10/22/2009	590	1		UMHOS/CM
Specific conductance (field)	LGW-9	11/24/2009	563	1		UMHOS/CM
Specific conductance (field)	LGW-9	12/17/2009	574	1		UMHOS/CM
Specific conductance (field)	LGW-9	1/27/2010	565	1		UMHOS/CM
Specific conductance (field)	LGW-9	2/15/2010	578	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2010	565	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/8/2010	611	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/6/2010	585	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/16/2010	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/14/2010	609	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/11/2010	623	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/1/2010	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/29/2010	626	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2010	629	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2010	652	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/20/2011	644	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2011	646	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2011	694	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2011	628	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/10/2011	552	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2011	653	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/12/2011	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2011	642	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/7/2011	649	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2011	652	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/1/2011	620	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/8/2011	632	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/5/2012	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/1/2012	611	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/7/2012	621	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2012	593	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/1/2012	571	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2012	588	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	7/10/2012	638	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/9/2012	638	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2012	666	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2012	685	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/1/2013	618	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/4/2013	619	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/15/2013	566	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/8/2013	588	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/10/2013	534	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/1/2013	559	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2013	557	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2013	534	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/23/2014	538	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/13/2014	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/11/2014	1078	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2014	1142	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2014	1019	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2014	563	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/8/2014	561	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/5/2014	579	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2014	590	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/9/2014	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2014	622	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/14/2015	676	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/11/2015	684	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/3/2015	666	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/1/2015	704	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2015	1047	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2015	1114	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/13/2015	1145	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2015	1116	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/3/2015	1155	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/6/2015	1113	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/4/2015	1093	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/3/2015	681	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/5/2016	658	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/3/2016	719	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2016	733	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2016	759	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/11/2016	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/1/2016	764	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/21/2016	699	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/10/2016	693	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/6/2016	657	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/6/2016	657	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/6/2016	665	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/2/2016	656	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/1/2016	827	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/11/2017	751	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/7/2017	668	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2017	825	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2017	784	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2017	715	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/16/2017	760	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/6/2017	723	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/18/2017	816	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/1/2017	791	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/5/2017	510	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	10/5/2017	942	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/1/2017	939	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/24/2018	814	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	2/22/2018	869	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	3/20/2018	863	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/11/2018	847	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/11/2018	847	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2018	781	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/5/2018	781	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/13/2018	861	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	8/2/2018	832	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	9/5/2018	934	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/2/2018	837	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/2/2018	837	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2018	804	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	12/4/2018	801	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	1/7/2019	840	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	2/6/2019	682	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/5/2019	740	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	4/3/2019	840	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	5/3/2019	677	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	6/4/2019	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2019	767	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2019	767	1		UMHOS/CM
Specific conductance (field)	LGW-9	8/8/2019	682	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	9/4/2019	695	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/3/2019	712	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/3/2019	712	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	11/6/2019	672	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	12/3/2019	567.3	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	1/16/2020	556.2	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/4/2020	569.3	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/4/2020	563.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2020	555	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	4/2/2020	555	0.1		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2020	591.8	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	6/2/2020	589.5	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/9/2020	655	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/3/2020	693	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/2/2020	672	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2020	592.1	0.01		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2020	658	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/2/2020	610.6	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/17/2021	541	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/9/2021	762	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2021	799	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/6/2021	779	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/6/2021	779	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/5/2021	792	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/2/2021	783	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/7/2021	798	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/4/2021	747	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/2/2021	761	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	LGW-9	10/5/2021	744	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2021	744	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/2/2021	745	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/9/2021	694	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/13/2022	702	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/10/2022	741	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/2/2022	737	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2022	756	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/4/2022	756	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/7/2022	794	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/3/2022	869	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/11/2022	807	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/10/2022	812	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/8/2022	753	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2022	907	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/7/2022	907	0		UMHOS/CM
Specific conductance (field)	LGW-9	11/3/2022	835	0		UMHOS/CM
Specific conductance (field)	LGW-9	12/7/2022	901	0		UMHOS/CM
Specific conductance (field)	LGW-9	1/11/2023	716	0		UMHOS/CM
Specific conductance (field)	LGW-9	2/3/2023	1388	0		UMHOS/CM
Specific conductance (field)	LGW-9	3/1/2023	759	0		UMHOS/CM
Specific conductance (field)	LGW-9	4/5/2023	690	0		UMHOS/CM
Specific conductance (field)	LGW-9	5/10/2023	766	0		UMHOS/CM
Specific conductance (field)	LGW-9	6/8/2023	790	0		UMHOS/CM
Specific conductance (field)	LGW-9	7/10/2023	834	0		UMHOS/CM
Specific conductance (field)	LGW-9	8/1/2023	780	0		UMHOS/CM
Specific conductance (field)	LGW-9	9/2/2023	950	0		UMHOS/CM
Specific conductance (field)	LGW-9	10/5/2023	930	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/2/2002	502	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/18/2006	610	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2006	488	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2006	488	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/24/2006	437	0		UMHOS/CM
Specific conductance (field)	MW-10N	10/24/2006	437	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/9/2007	559	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2007	542	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2007	542	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2007	508	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2007	508	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/23/2008	456	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/21/2008	469	1		UMHOS/CM
Specific conductance (field)	MW-10N	2/13/2009	528	1		UMHOS/CM
Specific conductance (field)	MW-10N	7/31/2009	460	1		UMHOS/CM
Specific conductance (field)	MW-10N	1/27/2010	511	1		UMHOS/CM
Specific conductance (field)	MW-10N	8/10/2010	496	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/19/2011	486	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/14/2011	466	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/5/2012	484	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/10/2012	487	0		UMHOS/CM
Specific conductance (field)	MW-10N	5/1/2013	482	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/24/2014	498	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/9/2014	399	0		UMHOS/CM
Specific conductance (field)	MW-10N	2/12/2015	470	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/14/2015	819	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-10N	1/6/2016	433	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/21/2016	390	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/11/2017	365	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/19/2017	440	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/24/2018	423.5	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	7/11/2018	441.4	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	1/3/2019	396	0.1		UMHOS/CM
Specific conductance (field)	MW-10N	7/9/2019	459	0.01		UMHOS/CM
Specific conductance (field)	MW-10N	1/16/2020	373.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/8/2020	401.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/8/2020	401.4	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/5/2021	473	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/5/2021	473	0		UMHOS/CM
Specific conductance (field)	MW-10N	1/11/2023	454	0		UMHOS/CM
Specific conductance (field)	MW-10N	4/8/2023	497	0		UMHOS/CM
Specific conductance (field)	MW-10N	7/7/2023	514	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/2/2002	409	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2006	382	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/18/2006	197	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/18/2006	197	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/24/2006	285	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/24/2006	285	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/8/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/8/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/9/2007	388	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2007	397	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2007	397	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/10/2007	357	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/10/2007	357	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/22/2008	324	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/23/2008	336	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2009	336	1		UMHOS/CM
Specific conductance (field)	MW-11N	7/31/2009	345	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2010	323	1		UMHOS/CM
Specific conductance (field)	MW-11N	2/3/2010	323	1		UMHOS/CM
Specific conductance (field)	MW-11N	7/16/2010	338	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/19/2011	349	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2011	329	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/4/2012	330	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/9/2012	344	0		UMHOS/CM
Specific conductance (field)	MW-11N	4/30/2013	342	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/15/2013	340	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2014	347	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/8/2014	347	0		UMHOS/CM
Specific conductance (field)	MW-11N	2/10/2015	361	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2015	621	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/5/2016	326	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/21/2016	296	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/11/2017	305	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/19/2017	322	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/23/2018	304.2	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	7/17/2018	342	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	1/2/2019	231	0.1		UMHOS/CM
Specific conductance (field)	MW-11N	7/9/2019	346	0.01		UMHOS/CM
Specific conductance (field)	MW-11N	1/14/2020	285.9	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2020	356.6	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2020	356.6	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2021	251.8	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-11N	7/6/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/6/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/18/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/13/2022	366	0		UMHOS/CM
Specific conductance (field)	MW-11N	10/6/2022	349	0		UMHOS/CM
Specific conductance (field)	MW-11N	1/10/2023	343	0		UMHOS/CM
Specific conductance (field)	MW-11N	7/8/2023	366	0		UMHOS/CM
Specific conductance (field)	MW-15	6/2/2015	850	0		UMHOS/CM
Specific conductance (field)	MW-15	6/5/2015	810	0		UMHOS/CM
Specific conductance (field)	MW-15	7/15/2015	807	0		UMHOS/CM
Specific conductance (field)	MW-15	8/5/2015	930	0		UMHOS/CM
Specific conductance (field)	MW-15	9/3/2015	856	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2015	835	0		UMHOS/CM
Specific conductance (field)	MW-15	11/5/2015	768	0		UMHOS/CM
Specific conductance (field)	MW-15	12/4/2015	496	0		UMHOS/CM
Specific conductance (field)	MW-15	1/7/2016	407	0		UMHOS/CM
Specific conductance (field)	MW-15	2/4/2016	372	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2016	425	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2016	431	0		UMHOS/CM
Specific conductance (field)	MW-15	5/11/2016	413	0		UMHOS/CM
Specific conductance (field)	MW-15	6/1/2016	412	0		UMHOS/CM
Specific conductance (field)	MW-15	7/20/2016	378	0		UMHOS/CM
Specific conductance (field)	MW-15	8/10/2016	375	0		UMHOS/CM
Specific conductance (field)	MW-15	9/6/2016	346	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2016	354	0		UMHOS/CM
Specific conductance (field)	MW-15	11/2/2016	340	0		UMHOS/CM
Specific conductance (field)	MW-15	12/1/2016	522	0		UMHOS/CM
Specific conductance (field)	MW-15	1/10/2017	408	0		UMHOS/CM
Specific conductance (field)	MW-15	2/7/2017	399	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2017	455	0		UMHOS/CM
Specific conductance (field)	MW-15	4/4/2017	421	0		UMHOS/CM
Specific conductance (field)	MW-15	5/2/2017	471	0		UMHOS/CM
Specific conductance (field)	MW-15	6/6/2017	455	0		UMHOS/CM
Specific conductance (field)	MW-15	7/18/2017	437	0		UMHOS/CM
Specific conductance (field)	MW-15	8/1/2017	412	0		UMHOS/CM
Specific conductance (field)	MW-15	9/5/2017	460	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2017	549	0		UMHOS/CM
Specific conductance (field)	MW-15	11/1/2017	564	0		UMHOS/CM
Specific conductance (field)	MW-15	1/23/2018	485.1	0.1		UMHOS/CM
Specific conductance (field)	MW-15	2/22/2018	568	0.1		UMHOS/CM
Specific conductance (field)	MW-15	3/21/2018	434.2	0.1		UMHOS/CM
Specific conductance (field)	MW-15	4/10/2018	523	0.1		UMHOS/CM
Specific conductance (field)	MW-15	6/5/2018	470	0		UMHOS/CM
Specific conductance (field)	MW-15	7/10/2018	556	0.1		UMHOS/CM
Specific conductance (field)	MW-15	8/1/2018	513	0.1		UMHOS/CM
Specific conductance (field)	MW-15	9/4/2018	552	0		UMHOS/CM
Specific conductance (field)	MW-15	10/2/2018	549	0		UMHOS/CM
Specific conductance (field)	MW-15	10/2/2018	549	0		UMHOS/CM
Specific conductance (field)	MW-15	11/6/2018	533.3	0.1		UMHOS/CM
Specific conductance (field)	MW-15	12/5/2018	464.2	0.1		UMHOS/CM
Specific conductance (field)	MW-15	1/3/2019	469.8	0.1		UMHOS/CM
Specific conductance (field)	MW-15	2/5/2019	424	0		UMHOS/CM
Specific conductance (field)	MW-15	3/6/2019	468	0.01		UMHOS/CM
Specific conductance (field)	MW-15	4/3/2019	536.1	0.01		UMHOS/CM
Specific conductance (field)	MW-15	5/2/2019	460.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	6/4/2019	483.2	0		UMHOS/CM
Specific conductance (field)	MW-15	7/9/2019	477	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-15	7/9/2019	477	1		UMHOS/CM
Specific conductance (field)	MW-15	8/6/2019	434.2	0.01		UMHOS/CM
Specific conductance (field)	MW-15	9/4/2019	437.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	10/1/2019	455.3	0.01		UMHOS/CM
Specific conductance (field)	MW-15	11/5/2019	438.5	0.01		UMHOS/CM
Specific conductance (field)	MW-15	12/3/2019	517	0.1		UMHOS/CM
Specific conductance (field)	MW-15	1/14/2020	406.3	0		UMHOS/CM
Specific conductance (field)	MW-15	2/4/2020	425.7	0		UMHOS/CM
Specific conductance (field)	MW-15	3/3/2020	563.9	0.01		UMHOS/CM
Specific conductance (field)	MW-15	4/1/2020	449.6	0.1		UMHOS/CM
Specific conductance (field)	MW-15	5/4/2020	453.2	0.01		UMHOS/CM
Specific conductance (field)	MW-15	6/2/2020	591.8	0		UMHOS/CM
Specific conductance (field)	MW-15	7/7/2020	519.5	0		UMHOS/CM
Specific conductance (field)	MW-15	7/7/2020	519.5	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2020	641	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2020	641	0		UMHOS/CM
Specific conductance (field)	MW-15	9/3/2020	452.6	0.01		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2020	397	0.01		UMHOS/CM
Specific conductance (field)	MW-15	11/4/2020	399.8	0		UMHOS/CM
Specific conductance (field)	MW-15	12/2/2020	363.2	0		UMHOS/CM
Specific conductance (field)	MW-15	1/18/2021	317.5	0		UMHOS/CM
Specific conductance (field)	MW-15	1/18/2021	317.5	0		UMHOS/CM
Specific conductance (field)	MW-15	2/10/2021	417	0		UMHOS/CM
Specific conductance (field)	MW-15	3/2/2021	384	0		UMHOS/CM
Specific conductance (field)	MW-15	4/7/2021	434	0		UMHOS/CM
Specific conductance (field)	MW-15	5/4/2021	336	0		UMHOS/CM
Specific conductance (field)	MW-15	6/1/2021	493	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	7/4/2021	433	0		UMHOS/CM
Specific conductance (field)	MW-15	8/3/2021	453	0		UMHOS/CM
Specific conductance (field)	MW-15	9/2/2021	463	0		UMHOS/CM
Specific conductance (field)	MW-15	10/5/2021	478	0		UMHOS/CM
Specific conductance (field)	MW-15	10/5/2021	478	0		UMHOS/CM
Specific conductance (field)	MW-15	11/1/2021	506	0		UMHOS/CM
Specific conductance (field)	MW-15	12/8/2021	493	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	1/12/2022	495	0		UMHOS/CM
Specific conductance (field)	MW-15	2/9/2022	494	0		UMHOS/CM
Specific conductance (field)	MW-15	3/1/2022	489	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2022	492	0		UMHOS/CM
Specific conductance (field)	MW-15	5/7/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-15	6/3/2022	540	0		UMHOS/CM
Specific conductance (field)	MW-15	7/10/2022	479	0		UMHOS/CM
Specific conductance (field)	MW-15	8/10/2022	518	0		UMHOS/CM
Specific conductance (field)	MW-15	9/8/2022	527	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2022	538	0		UMHOS/CM
Specific conductance (field)	MW-15	10/6/2022	538	0		UMHOS/CM
Specific conductance (field)	MW-15	11/3/2022	541	0		UMHOS/CM
Specific conductance (field)	MW-15	12/7/2022	660	0		UMHOS/CM
Specific conductance (field)	MW-15	1/10/2023	532	0		UMHOS/CM
Specific conductance (field)	MW-15	2/3/2023	1046	0		UMHOS/CM
Specific conductance (field)	MW-15	3/1/2023	563	0		UMHOS/CM
Specific conductance (field)	MW-15	4/5/2023	519	0		UMHOS/CM
Specific conductance (field)	MW-15	5/11/2023	494	0		UMHOS/CM
Specific conductance (field)	MW-15	6/8/2023	526	0		UMHOS/CM
Specific conductance (field)	MW-15	7/10/2023	581	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-15	8/1/2023	576	0		UMHOS/CM
Specific conductance (field)	MW-15	9/1/2023	687	0		UMHOS/CM
Specific conductance (field)	MW-15	10/4/2023	702	0		UMHOS/CM
Specific conductance (field)	MW-16	6/2/2015	628	0		UMHOS/CM
Specific conductance (field)	MW-16	6/5/2015	634	0		UMHOS/CM
Specific conductance (field)	MW-16	7/16/2015	648	0		UMHOS/CM
Specific conductance (field)	MW-16	8/5/2015	726	0		UMHOS/CM
Specific conductance (field)	MW-16	9/3/2015	756	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2015	747	0		UMHOS/CM
Specific conductance (field)	MW-16	11/5/2015	706	0		UMHOS/CM
Specific conductance (field)	MW-16	12/4/2015	426	0		UMHOS/CM
Specific conductance (field)	MW-16	1/8/2016	398	0		UMHOS/CM
Specific conductance (field)	MW-16	2/4/2016	388	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2016	395	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2016	400	0		UMHOS/CM
Specific conductance (field)	MW-16	5/11/2016	442	0		UMHOS/CM
Specific conductance (field)	MW-16	6/2/2016	475	0		UMHOS/CM
Specific conductance (field)	MW-16	7/21/2016	369	0		UMHOS/CM
Specific conductance (field)	MW-16	8/10/2016	335	0		UMHOS/CM
Specific conductance (field)	MW-16	9/6/2016	362	0		UMHOS/CM
Specific conductance (field)	MW-16	10/5/2016	298	0		UMHOS/CM
Specific conductance (field)	MW-16	11/2/2016	312	0		UMHOS/CM
Specific conductance (field)	MW-16	12/1/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-16	1/10/2017	390	0		UMHOS/CM
Specific conductance (field)	MW-16	2/7/2017	290	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2017	467	0		UMHOS/CM
Specific conductance (field)	MW-16	4/4/2017	521	0		UMHOS/CM
Specific conductance (field)	MW-16	5/2/2017	501	0		UMHOS/CM
Specific conductance (field)	MW-16	6/6/2017	387	0		UMHOS/CM
Specific conductance (field)	MW-16	7/18/2017	405	0		UMHOS/CM
Specific conductance (field)	MW-16	8/1/2017	395	0		UMHOS/CM
Specific conductance (field)	MW-16	9/5/2017	373	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2017	423	0		UMHOS/CM
Specific conductance (field)	MW-16	11/1/2017	412	0		UMHOS/CM
Specific conductance (field)	MW-16	1/23/2018	326	0.1		UMHOS/CM
Specific conductance (field)	MW-16	2/22/2018	347	0.1		UMHOS/CM
Specific conductance (field)	MW-16	3/21/2018	287.3	0.1		UMHOS/CM
Specific conductance (field)	MW-16	4/10/2018	349.5	0.1		UMHOS/CM
Specific conductance (field)	MW-16	6/5/2018	325	0		UMHOS/CM
Specific conductance (field)	MW-16	7/11/2018	361	0.1		UMHOS/CM
Specific conductance (field)	MW-16	8/1/2018	327	0.1		UMHOS/CM
Specific conductance (field)	MW-16	9/5/2018	350	0		UMHOS/CM
Specific conductance (field)	MW-16	10/2/2018	341	0		UMHOS/CM
Specific conductance (field)	MW-16	11/6/2018	325.4	0.1		UMHOS/CM
Specific conductance (field)	MW-16	12/5/2018	292.5	0.1		UMHOS/CM
Specific conductance (field)	MW-16	1/2/2019	318	0.1		UMHOS/CM
Specific conductance (field)	MW-16	2/5/2019	253	0		UMHOS/CM
Specific conductance (field)	MW-16	3/6/2019	290	0.01		UMHOS/CM
Specific conductance (field)	MW-16	4/3/2019	338	0.01		UMHOS/CM
Specific conductance (field)	MW-16	5/2/2019	302	0.01		UMHOS/CM
Specific conductance (field)	MW-16	6/4/2019	330.5	0		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2019	358	1		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2019	358	0.01		UMHOS/CM
Specific conductance (field)	MW-16	8/6/2019	330.8	0.01		UMHOS/CM
Specific conductance (field)	MW-16	9/4/2019	331	0.01		UMHOS/CM
Specific conductance (field)	MW-16	10/1/2019	332	0.01		UMHOS/CM
Specific conductance (field)	MW-16	11/5/2019	333.2	0.01		UMHOS/CM
Specific conductance (field)	MW-16	12/3/2019	278.9	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-16	1/14/2020	285.6	0		UMHOS/CM
Specific conductance (field)	MW-16	2/4/2020	289.1	0		UMHOS/CM
Specific conductance (field)	MW-16	3/3/2020	295.4	0.01		UMHOS/CM
Specific conductance (field)	MW-16	4/1/2020	291.1	0.1		UMHOS/CM
Specific conductance (field)	MW-16	5/4/2020	312.1	0.01		UMHOS/CM
Specific conductance (field)	MW-16	6/3/2020	335.4	0		UMHOS/CM
Specific conductance (field)	MW-16	7/7/2020	296.3	0		UMHOS/CM
Specific conductance (field)	MW-16	7/7/2020	296.3	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2020	349.8	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2020	349.8	0		UMHOS/CM
Specific conductance (field)	MW-16	9/3/2020	320.6	0.01		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2020	293.4	0.01		UMHOS/CM
Specific conductance (field)	MW-16	11/4/2020	300.1	0		UMHOS/CM
Specific conductance (field)	MW-16	12/3/2020	310.5	0		UMHOS/CM
Specific conductance (field)	MW-16	1/18/2021	256.7	0		UMHOS/CM
Specific conductance (field)	MW-16	1/18/2021	256.7	0		UMHOS/CM
Specific conductance (field)	MW-16	2/10/2021	340.2	0		UMHOS/CM
Specific conductance (field)	MW-16	3/2/2021	348	0		UMHOS/CM
Specific conductance (field)	MW-16	4/7/2021	342	0		UMHOS/CM
Specific conductance (field)	MW-16	5/4/2021	351	0		UMHOS/CM
Specific conductance (field)	MW-16	6/1/2021	352	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	7/4/2021	362	0		UMHOS/CM
Specific conductance (field)	MW-16	8/3/2021	352	0		UMHOS/CM
Specific conductance (field)	MW-16	9/2/2021	359	0		UMHOS/CM
Specific conductance (field)	MW-16	10/5/2021	338	0		UMHOS/CM
Specific conductance (field)	MW-16	11/1/2021	342	0		UMHOS/CM
Specific conductance (field)	MW-16	12/8/2021	331	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-16	1/12/2022	341	0		UMHOS/CM
Specific conductance (field)	MW-16	2/9/2022	349	0		UMHOS/CM
Specific conductance (field)	MW-16	3/1/2022	345	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2022	355	0		UMHOS/CM
Specific conductance (field)	MW-16	5/7/2022	378	0		UMHOS/CM
Specific conductance (field)	MW-16	6/3/2022	405	0		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2022	380	0		UMHOS/CM
Specific conductance (field)	MW-16	8/10/2022	382	0		UMHOS/CM
Specific conductance (field)	MW-16	9/8/2022	367	0		UMHOS/CM
Specific conductance (field)	MW-16	10/6/2022	357	0		UMHOS/CM
Specific conductance (field)	MW-16	11/3/2022	362	0		UMHOS/CM
Specific conductance (field)	MW-16	12/7/2022	416	0		UMHOS/CM
Specific conductance (field)	MW-16	1/10/2023	344	0		UMHOS/CM
Specific conductance (field)	MW-16	2/3/2023	668	0		UMHOS/CM
Specific conductance (field)	MW-16	3/1/2023	366	0		UMHOS/CM
Specific conductance (field)	MW-16	4/5/2023	341	0		UMHOS/CM
Specific conductance (field)	MW-16	5/11/2023	346	0		UMHOS/CM
Specific conductance (field)	MW-16	6/8/2023	368	0		UMHOS/CM
Specific conductance (field)	MW-16	7/10/2023	380	0		UMHOS/CM
Specific conductance (field)	MW-16	8/1/2023	374	0		UMHOS/CM
Specific conductance (field)	MW-16	9/1/2023	427	0		UMHOS/CM
Specific conductance (field)	MW-16	10/4/2023	449	0		UMHOS/CM
Specific conductance (field)	MW-17	6/2/2015	593	0		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2015	607	0		UMHOS/CM
Specific conductance (field)	MW-17	7/15/2015	541	0		UMHOS/CM
Specific conductance (field)	MW-17	8/4/2015	552	0		UMHOS/CM
Specific conductance (field)	MW-17	9/2/2015	576	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-17	10/5/2015	559	0		UMHOS/CM
Specific conductance (field)	MW-17	11/5/2015	626	0		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2015	315	0		UMHOS/CM
Specific conductance (field)	MW-17	1/7/2016	654	0		UMHOS/CM
Specific conductance (field)	MW-17	2/3/2016	671	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2016	278	0		UMHOS/CM
Specific conductance (field)	MW-17	4/5/2016	263	0		UMHOS/CM
Specific conductance (field)	MW-17	5/12/2016	365	0		UMHOS/CM
Specific conductance (field)	MW-17	6/1/2016	350	0		UMHOS/CM
Specific conductance (field)	MW-17	7/20/2016	267	0		UMHOS/CM
Specific conductance (field)	MW-17	8/11/2016	337	0		UMHOS/CM
Specific conductance (field)	MW-17	9/6/2016	307	0		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2016	404	0		UMHOS/CM
Specific conductance (field)	MW-17	11/3/2016	363	0		UMHOS/CM
Specific conductance (field)	MW-17	12/2/2016	430	0		UMHOS/CM
Specific conductance (field)	MW-17	1/10/2017	434	0		UMHOS/CM
Specific conductance (field)	MW-17	2/7/2017	370	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2017	444	0		UMHOS/CM
Specific conductance (field)	MW-17	4/4/2017	434	0		UMHOS/CM
Specific conductance (field)	MW-17	5/2/2017	408	0		UMHOS/CM
Specific conductance (field)	MW-17	5/16/2017	315	0		UMHOS/CM
Specific conductance (field)	MW-17	6/6/2017	384	0		UMHOS/CM
Specific conductance (field)	MW-17	7/18/2017	409	0		UMHOS/CM
Specific conductance (field)	MW-17	8/1/2017	266	0		UMHOS/CM
Specific conductance (field)	MW-17	9/5/2017	365	0		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2017	375	0		UMHOS/CM
Specific conductance (field)	MW-17	11/1/2017	371	0		UMHOS/CM
Specific conductance (field)	MW-17	1/23/2018	397.3	0.1		UMHOS/CM
Specific conductance (field)	MW-17	2/22/2018	486	0.1		UMHOS/CM
Specific conductance (field)	MW-17	3/21/2018	278.1	0.1		UMHOS/CM
Specific conductance (field)	MW-17	4/10/2018	336.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2018	394	0		UMHOS/CM
Specific conductance (field)	MW-17	7/10/2018	471	0.1		UMHOS/CM
Specific conductance (field)	MW-17	8/1/2018	467	0.1		UMHOS/CM
Specific conductance (field)	MW-17	9/5/2018	457	0		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2018	468	0		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2018	468	0		UMHOS/CM
Specific conductance (field)	MW-17	11/7/2018	516.9	0.1		UMHOS/CM
Specific conductance (field)	MW-17	12/5/2018	553.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	1/3/2019	407.4	0.1		UMHOS/CM
Specific conductance (field)	MW-17	2/5/2019	358	0		UMHOS/CM
Specific conductance (field)	MW-17	3/6/2019	407	0.01		UMHOS/CM
Specific conductance (field)	MW-17	4/3/2019	475.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	5/2/2019	490.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	6/5/2019	511.9	0		UMHOS/CM
Specific conductance (field)	MW-17	7/11/2019	474	1		UMHOS/CM
Specific conductance (field)	MW-17	7/11/2019	474	0.01		UMHOS/CM
Specific conductance (field)	MW-17	8/6/2019	540.2	0.01		UMHOS/CM
Specific conductance (field)	MW-17	9/4/2019	496.2	0.01		UMHOS/CM
Specific conductance (field)	MW-17	10/1/2019	483.9	0.01		UMHOS/CM
Specific conductance (field)	MW-17	11/5/2019	314.3	0.01		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2019	270.4	0.1		UMHOS/CM
Specific conductance (field)	MW-17	1/14/2020	289.5	0		UMHOS/CM
Specific conductance (field)	MW-17	2/4/2020	471	0		UMHOS/CM
Specific conductance (field)	MW-17	3/3/2020	308.4	0.01		UMHOS/CM
Specific conductance (field)	MW-17	4/1/2020	483.7	0.1		UMHOS/CM
Specific conductance (field)	MW-17	5/5/2020	515.6	0.01		UMHOS/CM
Specific conductance (field)	MW-17	6/2/2020	515.7	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-17	7/6/2020	559.4	0		UMHOS/CM
Specific conductance (field)	MW-17	7/6/2020	559.4	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2020	534.7	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2020	534.7	0		UMHOS/CM
Specific conductance (field)	MW-17	9/3/2020	528.6	0.01		UMHOS/CM
Specific conductance (field)	MW-17	10/6/2020	477.3	0.01		UMHOS/CM
Specific conductance (field)	MW-17	11/4/2020	455.7	0		UMHOS/CM
Specific conductance (field)	MW-17	12/3/2020	327.5	0		UMHOS/CM
Specific conductance (field)	MW-17	1/14/2021	295.9	0		UMHOS/CM
Specific conductance (field)	MW-17	2/10/2021	456	0		UMHOS/CM
Specific conductance (field)	MW-17	3/2/2021	321	0		UMHOS/CM
Specific conductance (field)	MW-17	4/7/2021	454	0		UMHOS/CM
Specific conductance (field)	MW-17	5/4/2021	474	0		UMHOS/CM
Specific conductance (field)	MW-17	6/1/2021	521	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	7/4/2021	540	0		UMHOS/CM
Specific conductance (field)	MW-17	8/3/2021	568	0		UMHOS/CM
Specific conductance (field)	MW-17	9/2/2021	349	0		UMHOS/CM
Specific conductance (field)	MW-17	10/5/2021	536	0		UMHOS/CM
Specific conductance (field)	MW-17	10/5/2021	536	0		UMHOS/CM
Specific conductance (field)	MW-17	11/1/2021	516	0		UMHOS/CM
Specific conductance (field)	MW-17	12/8/2021	406	0		UMHOS/CM
Specific conductance (field)	MW-17	1/10/2023	272	0		UMHOS/CM
Specific conductance (field)	MW-17	2/4/2023	283	0		UMHOS/CM
Specific conductance (field)	MW-17	3/1/2023	289	0		UMHOS/CM
Specific conductance (field)	MW-17	4/5/2023	436	0		UMHOS/CM
Specific conductance (field)	MW-17	5/10/2023	320	0		UMHOS/CM
Specific conductance (field)	MW-17	6/8/2023	281	0		UMHOS/CM
Specific conductance (field)	MW-17	7/8/2023	282	0		UMHOS/CM
Specific conductance (field)	MW-17	8/2/2023	336	0		UMHOS/CM
Specific conductance (field)	MW-17	9/1/2023	338	0		UMHOS/CM
Specific conductance (field)	MW-17	10/3/2023	315	0		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2015	939	0		UMHOS/CM
Specific conductance (field)	MW-19	6/5/2015	610	0		UMHOS/CM
Specific conductance (field)	MW-19	7/16/2015	625	0		UMHOS/CM
Specific conductance (field)	MW-19	8/5/2015	436	0		UMHOS/CM
Specific conductance (field)	MW-19	9/3/2015	439	0		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2015	620	0		UMHOS/CM
Specific conductance (field)	MW-19	11/5/2015	578	0		UMHOS/CM
Specific conductance (field)	MW-19	12/4/2015	381	0		UMHOS/CM
Specific conductance (field)	MW-19	1/7/2016	348	0		UMHOS/CM
Specific conductance (field)	MW-19	2/3/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-19	3/3/2016	301	0		UMHOS/CM
Specific conductance (field)	MW-19	4/5/2016	379	0		UMHOS/CM
Specific conductance (field)	MW-19	5/12/2016	253	0		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2016	553	0		UMHOS/CM
Specific conductance (field)	MW-19	7/21/2016	228	0		UMHOS/CM
Specific conductance (field)	MW-19	8/11/2016	213	0		UMHOS/CM
Specific conductance (field)	MW-19	9/6/2016	282	0		UMHOS/CM
Specific conductance (field)	MW-19	10/5/2016	294	0		UMHOS/CM
Specific conductance (field)	MW-19	11/3/2016	231	0		UMHOS/CM
Specific conductance (field)	MW-19	12/1/2016	492	0		UMHOS/CM
Specific conductance (field)	MW-19	1/10/2017	284	0		UMHOS/CM
Specific conductance (field)	MW-19	2/7/2017	299	0		UMHOS/CM
Specific conductance (field)	MW-19	3/2/2017	320	0		UMHOS/CM
Specific conductance (field)	MW-19	4/4/2017	293	0		UMHOS/CM
Specific conductance (field)	MW-19	5/2/2017	278	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-19	6/6/2017	527	0		UMHOS/CM
Specific conductance (field)	MW-19	7/18/2017	567	0		UMHOS/CM
Specific conductance (field)	MW-19	8/1/2017	474	0		UMHOS/CM
Specific conductance (field)	MW-19	9/5/2017	348	0		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2017	398	0		UMHOS/CM
Specific conductance (field)	MW-19	11/1/2017	387	0		UMHOS/CM
Specific conductance (field)	MW-19	1/23/2018	319.5	0.1		UMHOS/CM
Specific conductance (field)	MW-19	2/22/2018	345	0.1		UMHOS/CM
Specific conductance (field)	MW-19	3/20/2018	420.2	0.1		UMHOS/CM
Specific conductance (field)	MW-19	4/11/2018	345.3	0.1		UMHOS/CM
Specific conductance (field)	MW-19	6/5/2018	245	0		UMHOS/CM
Specific conductance (field)	MW-19	7/13/2018	291	0.1		UMHOS/CM
Specific conductance (field)	MW-19	8/2/2018	293	0.1		UMHOS/CM
Specific conductance (field)	MW-19	9/5/2018	279	0		UMHOS/CM
Specific conductance (field)	MW-19	10/2/2018	282	0		UMHOS/CM
Specific conductance (field)	MW-19	10/2/2018	282	0		UMHOS/CM
Specific conductance (field)	MW-19	11/7/2018	298.2	0.1		UMHOS/CM
Specific conductance (field)	MW-19	12/5/2018	321.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	1/7/2019	318.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	2/6/2019	248	0		UMHOS/CM
Specific conductance (field)	MW-19	3/6/2019	221	0.01		UMHOS/CM
Specific conductance (field)	MW-19	4/3/2019	261.2	0.01		UMHOS/CM
Specific conductance (field)	MW-19	5/2/2019	237.3	0.01		UMHOS/CM
Specific conductance (field)	MW-19	6/4/2019	262.8	0		UMHOS/CM
Specific conductance (field)	MW-19	7/11/2019	323	0.01		UMHOS/CM
Specific conductance (field)	MW-19	7/11/2019	323	1		UMHOS/CM
Specific conductance (field)	MW-19	8/6/2019	308.1	0.01		UMHOS/CM
Specific conductance (field)	MW-19	9/4/2019	277.6	0.01		UMHOS/CM
Specific conductance (field)	MW-19	10/1/2019	469.9	0.01		UMHOS/CM
Specific conductance (field)	MW-19	11/5/2019	582	0.01		UMHOS/CM
Specific conductance (field)	MW-19	12/3/2019	534.4	0.1		UMHOS/CM
Specific conductance (field)	MW-19	1/14/2020	456.8	0		UMHOS/CM
Specific conductance (field)	MW-19	2/4/2020	492.4	0		UMHOS/CM
Specific conductance (field)	MW-19	3/3/2020	445.5	0.01		UMHOS/CM
Specific conductance (field)	MW-19	4/2/2020	485.6	0.1		UMHOS/CM
Specific conductance (field)	MW-19	5/5/2020	456.3	0.01		UMHOS/CM
Specific conductance (field)	MW-19	6/2/2020	383.2	0		UMHOS/CM
Specific conductance (field)	MW-19	7/6/2020	479	0		UMHOS/CM
Specific conductance (field)	MW-19	7/6/2020	479	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2020	506	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2020	506	0		UMHOS/CM
Specific conductance (field)	MW-19	9/3/2020	302.8	0.01		UMHOS/CM
Specific conductance (field)	MW-19	10/6/2020	320.4	0.01		UMHOS/CM
Specific conductance (field)	MW-19	11/3/2020	437.5	0		UMHOS/CM
Specific conductance (field)	MW-19	12/3/2020	343.7	0		UMHOS/CM
Specific conductance (field)	MW-19	1/14/2021	358.7	0		UMHOS/CM
Specific conductance (field)	MW-19	2/10/2021	422.2	0		UMHOS/CM
Specific conductance (field)	MW-19	3/2/2021	407	0		UMHOS/CM
Specific conductance (field)	MW-19	4/7/2021	408	0		UMHOS/CM
Specific conductance (field)	MW-19	5/4/2021	412	0		UMHOS/CM
Specific conductance (field)	MW-19	6/1/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM
Specific conductance (field)	MW-19	7/4/2021	381	0		UMHOS/CM
Specific conductance (field)	MW-19	8/3/2021	374	0		UMHOS/CM
Specific conductance (field)	MW-19	9/2/2021	301	0		UMHOS/CM
Specific conductance (field)	MW-19	10/5/2021	474	0		UMHOS/CM
Specific conductance (field)	MW-19	11/1/2021	576	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-19	12/8/2021	625	0		UMHOS/CM
Specific conductance (field)	MW-19	12/7/2022	350	0		UMHOS/CM
Specific conductance (field)	MW-19	1/11/2023	288	0		UMHOS/CM
Specific conductance (field)	MW-19	2/3/2023	650	0		UMHOS/CM
Specific conductance (field)	MW-19	3/1/2023	336	0		UMHOS/CM
Specific conductance (field)	MW-19	4/6/2023	364	0		UMHOS/CM
Specific conductance (field)	MW-19	5/10/2023	337	0		UMHOS/CM
Specific conductance (field)	MW-19	6/8/2023	271	0		UMHOS/CM
Specific conductance (field)	MW-19	7/10/2023	293	0		UMHOS/CM
Specific conductance (field)	MW-19	8/1/2023	310	0		UMHOS/CM
Specific conductance (field)	MW-19	9/1/2023	335	0		UMHOS/CM
Specific conductance (field)	MW-19	10/3/2023	513	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/3/2002	823	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/18/2006	466	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/24/2006	331	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/24/2006	331	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/9/2007	430	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2007	439	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2007	439	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2007	432	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/11/2007	432	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/24/2008	382	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/21/2008	413	1		UMHOS/CM
Specific conductance (field)	MW-1N	2/5/2009	406	1		UMHOS/CM
Specific conductance (field)	MW-1N	7/31/2009	415	1		UMHOS/CM
Specific conductance (field)	MW-1N	1/26/2010	392	1		UMHOS/CM
Specific conductance (field)	MW-1N	7/13/2010	404	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/20/2011	405	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/13/2011	326	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/5/2012	363	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2012	212	0		UMHOS/CM
Specific conductance (field)	MW-1N	5/1/2013	399	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/16/2013	386	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/24/2014	394	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/9/2014	381	0		UMHOS/CM
Specific conductance (field)	MW-1N	2/10/2015	402	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/14/2015	691	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/6/2016	300	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/21/2016	274	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/12/2017	335	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/19/2017	373	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/23/2018	352.1	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/10/2018	371.3	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	10/3/2018	397	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/3/2019	315.7	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/11/2019	367.1	0.01		UMHOS/CM
Specific conductance (field)	MW-1N	10/2/2019	371.2	0.01		UMHOS/CM
Specific conductance (field)	MW-1N	4/2/2020	335.9	0.1		UMHOS/CM
Specific conductance (field)	MW-1N	7/6/2020	373.2	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/6/2020	373.2	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/4/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-1N	7/4/2021	403	0		UMHOS/CM
Specific conductance (field)	MW-1N	10/6/2021	389	0		UMHOS/CM
Specific conductance (field)	MW-1N	1/11/2023	394	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-1N	7/8/2023	409	0		UMHOS/CM
Specific conductance (field)	MW-20	6/2/2015	1076	0		UMHOS/CM
Specific conductance (field)	MW-20	6/5/2015	1041	0		UMHOS/CM
Specific conductance (field)	MW-20	7/14/2015	1065	0		UMHOS/CM
Specific conductance (field)	MW-20	8/4/2015	1066	0		UMHOS/CM
Specific conductance (field)	MW-20	9/2/2015	1081	0		UMHOS/CM
Specific conductance (field)	MW-20	10/5/2015	982	0		UMHOS/CM
Specific conductance (field)	MW-20	1/7/2016	760	0		UMHOS/CM
Specific conductance (field)	MW-20	4/5/2016	544	0		UMHOS/CM
Specific conductance (field)	MW-20	7/20/2016	470	0		UMHOS/CM
Specific conductance (field)	MW-20	10/5/2016	440	0		UMHOS/CM
Specific conductance (field)	MW-20	1/12/2017	492	0		UMHOS/CM
Specific conductance (field)	MW-20	7/18/2017	415	0		UMHOS/CM
Specific conductance (field)	MW-20	1/26/2018	539	0.1		UMHOS/CM
Specific conductance (field)	MW-20	7/12/2018	506.1	0.1		UMHOS/CM
Specific conductance (field)	MW-20	7/11/2019	511.9	0.01		UMHOS/CM
Specific conductance (field)	MW-20	1/14/2020	659	0		UMHOS/CM
Specific conductance (field)	MW-20	7/7/2020	465.7	0		UMHOS/CM
Specific conductance (field)	MW-20	7/7/2020	465.7	0		UMHOS/CM
Specific conductance (field)	MW-20	4/6/2021	553	0		UMHOS/CM
Specific conductance (field)	MW-20	7/4/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-20	7/4/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-20	1/11/2023	461	0		UMHOS/CM
Specific conductance (field)	MW-21	6/2/2015	792	0		UMHOS/CM
Specific conductance (field)	MW-21	6/5/2015	814	0		UMHOS/CM
Specific conductance (field)	MW-21	7/14/2015	882	0		UMHOS/CM
Specific conductance (field)	MW-21	8/4/2015	849	0		UMHOS/CM
Specific conductance (field)	MW-21	9/2/2015	851	0		UMHOS/CM
Specific conductance (field)	MW-21	10/5/2015	777	0		UMHOS/CM
Specific conductance (field)	MW-21	1/7/2016	258	0		UMHOS/CM
Specific conductance (field)	MW-21	2/10/2016	447	0		UMHOS/CM
Specific conductance (field)	MW-21	4/5/2016	433	0		UMHOS/CM
Specific conductance (field)	MW-21	7/20/2016	355	0		UMHOS/CM
Specific conductance (field)	MW-21	10/5/2016	235	0		UMHOS/CM
Specific conductance (field)	MW-21	1/10/2017	303	0		UMHOS/CM
Specific conductance (field)	MW-21	4/5/2017	376	0		UMHOS/CM
Specific conductance (field)	MW-21	7/19/2017	390	0		UMHOS/CM
Specific conductance (field)	MW-21	10/6/2017	404	0		UMHOS/CM
Specific conductance (field)	MW-21	1/24/2018	231.8	0.1		UMHOS/CM
Specific conductance (field)	MW-21	4/11/2018	634	0.1		UMHOS/CM
Specific conductance (field)	MW-21	7/11/2018	389.1	0.1		UMHOS/CM
Specific conductance (field)	MW-21	10/4/2018	312	0		UMHOS/CM
Specific conductance (field)	MW-21	1/3/2019	461	0.1		UMHOS/CM
Specific conductance (field)	MW-21	4/3/2019	425.5	0.01		UMHOS/CM
Specific conductance (field)	MW-21	7/11/2019	386	0		UMHOS/CM
Specific conductance (field)	MW-21	10/2/2019	454.3	0.01		UMHOS/CM
Specific conductance (field)	MW-21	1/16/2020	320.4	0		UMHOS/CM
Specific conductance (field)	MW-21	4/2/2020	296.5	0.1		UMHOS/CM
Specific conductance (field)	MW-21	7/8/2020	260	0		UMHOS/CM
Specific conductance (field)	MW-21	7/8/2020	260	0		UMHOS/CM
Specific conductance (field)	MW-21	10/7/2020	193.6	0.01		UMHOS/CM
Specific conductance (field)	MW-21	4/6/2021	273	0		UMHOS/CM
Specific conductance (field)	MW-21	7/5/2021	289	0		UMHOS/CM
Specific conductance (field)	MW-21	7/5/2021	289	0		UMHOS/CM
Specific conductance (field)	MW-21	10/6/2021	221	0		UMHOS/CM
Specific conductance (field)	MW-21	1/11/2023	266	0		UMHOS/CM
Specific conductance (field)	MW-21	4/8/2023	321	0		UMHOS/CM
Specific conductance (field)	MW-21	7/7/2023	307	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-21	10/6/2023	580	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/2/2002	251	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/19/2006	256	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2006	208	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2006	208	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/25/2006	192.9	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/25/2006	192.9	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/9/2007	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/10/2007	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/10/2007	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/26/2007	258	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/26/2007	258	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/26/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	269	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	3/27/2007	268	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/10/2007	255	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/11/2007	255	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/24/2008	243	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/22/2008	255	1		UMHOS/CM
Specific conductance (field)	MW-2N	2/4/2009	260	1		UMHOS/CM
Specific conductance (field)	MW-2N	7/31/2009	261	1		UMHOS/CM
Specific conductance (field)	MW-2N	1/26/2010	119	1		UMHOS/CM
Specific conductance (field)	MW-2N	7/13/2010	264	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/20/2011	146	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/13/2011	253	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/5/2012	246	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/10/2012	124	0		UMHOS/CM
Specific conductance (field)	MW-2N	5/1/2013	270	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/16/2013	109	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/24/2014	282	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/9/2014	278	0		UMHOS/CM
Specific conductance (field)	MW-2N	2/12/2015	298	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/14/2015	562	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/6/2016	305	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/21/2016	290	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/11/2017	274	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/19/2017	294	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/23/2018	296.5	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	6/21/2018	327.8	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/12/2018	321.4	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	1/3/2019	279.6	0.1		UMHOS/CM
Specific conductance (field)	MW-2N	4/3/2019	309.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	8/7/2019	391.2	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	10/1/2019	387.4	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	7/7/2020	376	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/7/2020	376	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2020	374.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2020	374.8	0.01		UMHOS/CM
Specific conductance (field)	MW-2N	7/5/2021	479	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/5/2021	479	0		UMHOS/CM
Specific conductance (field)	MW-2N	10/6/2021	461	0		UMHOS/CM
Specific conductance (field)	MW-2N	1/11/2023	472	0		UMHOS/CM
Specific conductance (field)	MW-2N	4/8/2023	542	0		UMHOS/CM
Specific conductance (field)	MW-2N	7/8/2023	530	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-3N	10/2/2002	694	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/19/2006	684	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2006	541	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2006	541	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/25/2006	512	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/25/2006	512	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/9/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/10/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/10/2007	661	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2007	669	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2007	669	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/10/2007	662	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2007	662	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2008	598	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	513	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	509	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	510	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/3/2008	513	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/22/2008	634	1		UMHOS/CM
Specific conductance (field)	MW-3N	2/4/2009	615	1		UMHOS/CM
Specific conductance (field)	MW-3N	7/31/2009	606	1		UMHOS/CM
Specific conductance (field)	MW-3N	1/26/2010	563	1		UMHOS/CM
Specific conductance (field)	MW-3N	7/13/2010	622	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/20/2011	634	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/14/2011	567	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/5/2012	575	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2012	590	0		UMHOS/CM
Specific conductance (field)	MW-3N	5/1/2013	589	0		UMHOS/CM
Specific conductance (field)	MW-3N	6/4/2013	603	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/16/2013	551	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2014	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/9/2014	517	0		UMHOS/CM
Specific conductance (field)	MW-3N	2/12/2015	630	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/1/2015	619	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/14/2015	1000	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/5/2015	907	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/6/2016	508	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/6/2016	518	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/21/2016	455	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/6/2016	467	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/11/2017	573	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/4/2017	613	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/19/2017	520	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/9/2017	531	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/24/2018	556.9	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	4/10/2018	554.7	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	6/6/2018	540	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/13/2018	525.2	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	10/3/2018	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/3/2018	572	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/7/2019	506	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	4/3/2019	554.9	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	7/11/2019	548	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/2/2019	644	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	1/15/2020	486.8	0		UMHOS/CM
Specific conductance (field)	MW-3N	4/2/2020	471.5	0.1		UMHOS/CM
Specific conductance (field)	MW-3N	7/7/2020	459	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/7/2020	459	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-3N	10/7/2020	445.1	0.01		UMHOS/CM
Specific conductance (field)	MW-3N	4/6/2021	547	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/5/2021	583	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/5/2021	583	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/6/2021	532	0		UMHOS/CM
Specific conductance (field)	MW-3N	1/11/2023	547	0		UMHOS/CM
Specific conductance (field)	MW-3N	7/7/2023	632	0		UMHOS/CM
Specific conductance (field)	MW-3N	10/6/2023	788	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/2/2002	919	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/19/2006	836	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2006	719	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2006	719	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2006	599	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2006	599	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2006	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2006	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/21/2006	489	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/21/2006	489	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/22/2006	777	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/22/2006	777	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/9/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2007	790	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2007	747	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/27/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/27/2007	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/26/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/27/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/27/2007	720	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/25/2007	954	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/26/2007	954	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2007	1065	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2007	1065	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/28/2007	708	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/28/2007	708	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2007	738	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2007	738	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	629	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/28/2007	628	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/24/2007	727	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	633	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	714	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	664	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/27/2007	665	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	689	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	675	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	673	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/27/2007	658	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2008	667	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/28/2008	778	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	673	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	3/24/2008	682	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	646	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/24/2008	662	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	604	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	605	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2008	605	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	580	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	581	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	542	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/30/2008	608	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	461	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	485	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	506	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2008	526	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/21/2008	538	1		UMHOS/CM
Specific conductance (field)	MW-7N	8/29/2008	511	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/25/2008	507	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/25/2008	507	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/21/2008	496	1		UMHOS/CM
Specific conductance (field)	MW-7N	11/24/2008	502	1		UMHOS/CM
Specific conductance (field)	MW-7N	12/18/2008	523	1		UMHOS/CM
Specific conductance (field)	MW-7N	2/6/2009	522	1		UMHOS/CM
Specific conductance (field)	MW-7N	3/25/2009	542	1		UMHOS/CM
Specific conductance (field)	MW-7N	4/15/2009	579	1		UMHOS/CM
Specific conductance (field)	MW-7N	6/25/2009	567	1		UMHOS/CM
Specific conductance (field)	MW-7N	7/29/2009	543	1		UMHOS/CM
Specific conductance (field)	MW-7N	8/28/2009	482	1		UMHOS/CM
Specific conductance (field)	MW-7N	9/29/2009	524	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/21/2009	547	1		UMHOS/CM
Specific conductance (field)	MW-7N	10/26/2009	532	1		UMHOS/CM
Specific conductance (field)	MW-7N	11/24/2009	487	1		UMHOS/CM
Specific conductance (field)	MW-7N	12/17/2009	508	1		UMHOS/CM
Specific conductance (field)	MW-7N	1/26/2010	463	1		UMHOS/CM
Specific conductance (field)	MW-7N	2/15/2010	532	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2010	479	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/8/2010	548	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/6/2010	485	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/16/2010	314	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/14/2010	463	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/11/2010	384	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2010	265	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2010	265	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/29/2010	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2010	331	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2010	360	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/20/2011	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2011	389	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2011	408	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2011	349	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/10/2011	520	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2011	391	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/12/2011	361	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/4/2011	461	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/7/2011	376	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2011	403	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2011	331	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/8/2011	368	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	1/5/2012	367	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/1/2012	335	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/7/2012	347	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2012	316	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/1/2012	283	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/10/2012	375	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2012	303	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2012	368	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/9/2012	297	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2012	328	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/7/2012	396	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/1/2013	678	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2013	536	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2013	536	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/15/2013	353	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/8/2013	378	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/10/2013	301	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/1/2013	310	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2013	315	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2013	314	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/30/2014	344	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/13/2014	290	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/11/2014	560	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/2/2014	641	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2014	630	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/3/2014	306	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/9/2014	300	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/5/2014	302	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2014	301	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/9/2014	308	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2014	300	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/14/2015	320	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/12/2015	350	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/3/2015	422	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/1/2015	409	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2015	562	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/3/2015	615	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/13/2015	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/4/2015	616	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/3/2015	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2015	584	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/4/2015	551	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/3/2015	362	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/5/2016	336	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/3/2016	322	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2016	339	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2016	421	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/11/2016	370	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/1/2016	387	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/21/2016	390	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/10/2016	371	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/6/2016	342	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2016	474	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/2/2016	646	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/1/2016	760	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/11/2017	715	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/7/2017	601	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2017	736	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	3/2/2017	736	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2017	649	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/16/2017	755	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/6/2017	710	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/19/2017	635	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/1/2017	730	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/5/2017	668	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2017	595	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2017	664	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/25/2018	529.9	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	2/22/2018	458.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	3/20/2018	572.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	4/11/2018	541.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	4/11/2018	541.6	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2018	471	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/5/2018	471	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/13/2018	500	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	8/1/2018	508	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	9/5/2018	628	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/4/2018	541	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2018	473.9	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	12/4/2018	513.3	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	1/4/2019	497.1	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	2/5/2019	429	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/5/2019	495	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	4/3/2019	457.9	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	5/3/2019	461.7	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	6/4/2019	493.8	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2019	539.2	1		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2019	539.2	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	8/8/2019	492.8	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	9/4/2019	490.4	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	10/3/2019	490.8	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	11/6/2019	544.4	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	12/3/2019	443	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	1/16/2020	490.4	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/4/2020	448.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/4/2020	448.6	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	4/2/2020	445.3	0.1		UMHOS/CM
Specific conductance (field)	MW-7N	5/5/2020	462.9	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	6/2/2020	469.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2020	510.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2020	510.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2020	510.5	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/3/2020	528.6	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2020	510.3	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2020	446.6	0.01		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2020	482	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/2/2020	479.6	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/16/2021	437.4	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/9/2021	580	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/2/2021	597	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/7/2021	601	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/5/2021	629	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/2/2021	638	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/5/2021	653	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-7N	8/3/2021	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2021	624	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2021	603	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/5/2021	603	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/1/2021	613	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/8/2021	587	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/12/2022	602	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/9/2022	613	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/1/2022	612	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2022	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/4/2022	622	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/7/2022	662	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/3/2022	702	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/10/2022	632	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/10/2022	609	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/8/2022	610	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2022	590	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/6/2022	590	0		UMHOS/CM
Specific conductance (field)	MW-7N	11/3/2022	641	0		UMHOS/CM
Specific conductance (field)	MW-7N	12/7/2022	723	0		UMHOS/CM
Specific conductance (field)	MW-7N	1/10/2023	576	0		UMHOS/CM
Specific conductance (field)	MW-7N	2/3/2023	6392	0		UMHOS/CM
Specific conductance (field)	MW-7N	3/1/2023	630	0		UMHOS/CM
Specific conductance (field)	MW-7N	4/5/2023	564	0		UMHOS/CM
Specific conductance (field)	MW-7N	5/10/2023	588	0		UMHOS/CM
Specific conductance (field)	MW-7N	6/8/2023	608	0		UMHOS/CM
Specific conductance (field)	MW-7N	7/7/2023	624	0		UMHOS/CM
Specific conductance (field)	MW-7N	8/1/2023	577	0		UMHOS/CM
Specific conductance (field)	MW-7N	9/2/2023	748	0		UMHOS/CM
Specific conductance (field)	MW-7N	10/4/2023	690	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2002	457	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/19/2006	575	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2006	486	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2006	486	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/24/2006	430	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/24/2006	430	0		UMHOS/CM
Specific conductance (field)	MW-8N	12/22/2006	554	0		UMHOS/CM
Specific conductance (field)	MW-8N	12/22/2006	554	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/9/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/10/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/10/2007	511	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2007	500	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2007	500	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/25/2007	696	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/26/2007	696	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/10/2007	522	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/10/2007	522	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/24/2007	503	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/24/2008	456	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	341	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	345	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/3/2008	361	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/23/2008	358	1		UMHOS/CM
Specific conductance (field)	MW-8N	10/21/2008	330	1		UMHOS/CM
Specific conductance (field)	MW-8N	2/4/2009	363	1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-8N	4/16/2009	359	1		UMHOS/CM
Specific conductance (field)	MW-8N	7/31/2009	365	1		UMHOS/CM
Specific conductance (field)	MW-8N	10/26/2009	369	1		UMHOS/CM
Specific conductance (field)	MW-8N	1/26/2010	333	1		UMHOS/CM
Specific conductance (field)	MW-8N	4/8/2010	365	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2010	325	0		UMHOS/CM
Specific conductance (field)	MW-8N	9/2/2010	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	9/30/2010	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/19/2011	366	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/10/2011	325	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/14/2011	357	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/6/2012	363	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/5/2012	359	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/11/2012	370	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/3/2012	415	0		UMHOS/CM
Specific conductance (field)	MW-8N	5/1/2013	385	0		UMHOS/CM
Specific conductance (field)	MW-8N	6/4/2013	396	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2013	371	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2013	394	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/30/2014	392	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/3/2014	783	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2014	391	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/8/2014	398	0		UMHOS/CM
Specific conductance (field)	MW-8N	2/12/2015	417	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/1/2015	429	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/14/2015	710	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/5/2015	693	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/5/2016	406	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/6/2016	413	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/21/2016	402	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2016	385	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/11/2017	470	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/4/2017	540	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/19/2017	507	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2017	559	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/25/2018	494.6	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	4/10/2018	551.9	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	6/6/2018	546	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/16/2018	576	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	10/2/2018	527.8	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/7/2019	423	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	4/3/2019	578.2	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	7/11/2019	551	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/3/2019	486	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	1/15/2020	449.5	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/2/2020	425.4	0.1		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2020	467.3	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/9/2020	467.3	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2020	413.1	0.01		UMHOS/CM
Specific conductance (field)	MW-8N	4/6/2021	487	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/5/2021	504	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/5/2021	504	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2021	490	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/18/2022	491	0		UMHOS/CM
Specific conductance (field)	MW-8N	1/18/2022	491	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/4/2022	501	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/12/2022	528	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/6/2022	480	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	MW-8N	1/11/2023	477	0		UMHOS/CM
Specific conductance (field)	MW-8N	4/8/2023	517	0		UMHOS/CM
Specific conductance (field)	MW-8N	7/7/2023	532	0		UMHOS/CM
Specific conductance (field)	MW-8N	10/5/2023	642	0		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2002	523	0		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2006	318	0		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2006	318	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2006	211	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2006	211	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2007	326	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2007	326	0		UMHOS/CM
Specific conductance (field)	NE-1	4/23/2007	430	0		UMHOS/CM
Specific conductance (field)	NE-1	4/26/2007	430	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2007	369	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2007	369	0		UMHOS/CM
Specific conductance (field)	NE-1	10/24/2007	387	0		UMHOS/CM
Specific conductance (field)	NE-1	1/24/2008	369	0		UMHOS/CM
Specific conductance (field)	NE-1	7/21/2008	236	1		UMHOS/CM
Specific conductance (field)	NE-1	2/7/2009	309	1		UMHOS/CM
Specific conductance (field)	NE-1	7/31/2009	275	1		UMHOS/CM
Specific conductance (field)	NE-1	1/26/2010	339	1		UMHOS/CM
Specific conductance (field)	NE-1	7/14/2010	344	0		UMHOS/CM
Specific conductance (field)	NE-1	9/2/2010	359	0		UMHOS/CM
Specific conductance (field)	NE-1	9/30/2010	352	0		UMHOS/CM
Specific conductance (field)	NE-1	1/19/2011	389	0		UMHOS/CM
Specific conductance (field)	NE-1	7/13/2011	337	0		UMHOS/CM
Specific conductance (field)	NE-1	1/5/2012	374	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2012	359	0		UMHOS/CM
Specific conductance (field)	NE-1	4/30/2013	362	0		UMHOS/CM
Specific conductance (field)	NE-1	7/16/2013	298	0		UMHOS/CM
Specific conductance (field)	NE-1	1/23/2014	402	0		UMHOS/CM
Specific conductance (field)	NE-1	7/9/2014	406	0		UMHOS/CM
Specific conductance (field)	NE-1	2/11/2015	471	0		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2015	755	0		UMHOS/CM
Specific conductance (field)	NE-1	1/6/2016	560	0		UMHOS/CM
Specific conductance (field)	NE-1	7/20/2016	539	0		UMHOS/CM
Specific conductance (field)	NE-1	1/11/2017	544	0		UMHOS/CM
Specific conductance (field)	NE-1	7/19/2017	527	0		UMHOS/CM
Specific conductance (field)	NE-1	1/24/2018	509.4	0.1		UMHOS/CM
Specific conductance (field)	NE-1	4/11/2018	523.9	0.1		UMHOS/CM
Specific conductance (field)	NE-1	7/18/2018	483	0.1		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2018	471.2	0		UMHOS/CM
Specific conductance (field)	NE-1	1/4/2019	454	0.1		UMHOS/CM
Specific conductance (field)	NE-1	4/2/2019	474.1	0.01		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2019	460	0		UMHOS/CM
Specific conductance (field)	NE-1	7/10/2019	460	0		UMHOS/CM
Specific conductance (field)	NE-1	10/2/2019	474.3	0.01		UMHOS/CM
Specific conductance (field)	NE-1	4/2/2020	412.9	0.1		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2020	403.8	0		UMHOS/CM
Specific conductance (field)	NE-1	7/8/2020	423.8	0		UMHOS/CM
Specific conductance (field)	NE-1	10/7/2020	440.5	0.01		UMHOS/CM
Specific conductance (field)	NE-1	1/13/2021	449	0		UMHOS/CM
Specific conductance (field)	NE-1	4/9/2021	508	0		UMHOS/CM
Specific conductance (field)	NE-1	7/2/2021	470	0		UMHOS/CM
Specific conductance (field)	NE-1	7/2/2021	470	0		UMHOS/CM
Specific conductance (field)	NE-1	10/6/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-1	1/17/2022	488	0		UMHOS/CM
Specific conductance (field)	NE-1	1/17/2022	488	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-1	4/6/2022	460	0		UMHOS/CM
Specific conductance (field)	NE-1	7/13/2022	429	0		UMHOS/CM
Specific conductance (field)	NE-1	10/6/2022	436	0		UMHOS/CM
Specific conductance (field)	NE-1	1/5/2023	541	0		UMHOS/CM
Specific conductance (field)	NE-1	4/7/2023	474	0		UMHOS/CM
Specific conductance (field)	NE-1	7/5/2023	489	0		UMHOS/CM
Specific conductance (field)	NE-1	10/5/2023	656	0		UMHOS/CM
Specific conductance (field)	NE-10D	11/6/2019	278.1	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/2/2020	222.7	0.1		UMHOS/CM
Specific conductance (field)	NE-10D	7/8/2020	232.7	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/8/2020	232.7	0		UMHOS/CM
Specific conductance (field)	NE-10D	10/7/2020	200.3	0.01		UMHOS/CM
Specific conductance (field)	NE-10D	1/13/2021	189	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/9/2021	236	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/2/2021	247	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/2/2021	247	0		UMHOS/CM
Specific conductance (field)	NE-10D	10/7/2021	219	0		UMHOS/CM
Specific conductance (field)	NE-10D	1/6/2023	239	0		UMHOS/CM
Specific conductance (field)	NE-10D	4/6/2023	273	0		UMHOS/CM
Specific conductance (field)	NE-10D	7/8/2023	238	0		UMHOS/CM
Specific conductance (field)	NE-10D	10/3/2023	262	0		UMHOS/CM
Specific conductance (field)	NE-11	3/1/2017	481	0		UMHOS/CM
Specific conductance (field)	NE-11	4/6/2017	507	0		UMHOS/CM
Specific conductance (field)	NE-11	7/20/2017	429	0		UMHOS/CM
Specific conductance (field)	NE-11	10/9/2017	295	0		UMHOS/CM
Specific conductance (field)	NE-11	9/30/2019	352.6	0.01		UMHOS/CM
Specific conductance (field)	NE-11	1/14/2020	431	0		UMHOS/CM
Specific conductance (field)	NE-11	7/7/2020	499.4	0		UMHOS/CM
Specific conductance (field)	NE-11	7/7/2020	499.4	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	7/1/2021	476	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	1/17/2022	491	0		UMHOS/CM
Specific conductance (field)	NE-11	7/12/2022	523	0		UMHOS/CM
Specific conductance (field)	NE-11	1/6/2023	517	0		UMHOS/CM
Specific conductance (field)	NE-11	7/6/2023	551	0		UMHOS/CM
Specific conductance (field)	NE-12	3/1/2017	561	0		UMHOS/CM
Specific conductance (field)	NE-12	4/6/2017	536	0		UMHOS/CM
Specific conductance (field)	NE-12	7/20/2017	361	0		UMHOS/CM
Specific conductance (field)	NE-12	10/6/2017	462	0		UMHOS/CM
Specific conductance (field)	NE-12	7/9/2019	532	0		UMHOS/CM
Specific conductance (field)	NE-12	8/5/2019	456.6	0.01		UMHOS/CM
Specific conductance (field)	NE-12	1/13/2020	393.4	0		UMHOS/CM
Specific conductance (field)	NE-12	7/7/2020	422.9	0		UMHOS/CM
Specific conductance (field)	NE-12	7/7/2020	422.9	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	7/1/2021	554	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM
Specific conductance (field)	NE-12	1/17/2022	515	0		UMHOS/CM
Specific conductance (field)	NE-12	7/12/2022	492	0		UMHOS/CM
Specific conductance (field)	NE-12	1/6/2023	521	0		UMHOS/CM
Specific conductance (field)	NE-12	7/5/2023	436	0		UMHOS/CM
Specific conductance (field)	NE-13	2/5/2019	76.3	0		UMHOS/CM
Specific conductance (field)	NE-13	7/11/2019	63	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-13	8/7/2019	116.8	0.01		UMHOS/CM
Specific conductance (field)	NE-13	1/15/2020	89.3	0		UMHOS/CM
Specific conductance (field)	NE-13	7/8/2020	178.4	0		UMHOS/CM
Specific conductance (field)	NE-13	7/8/2020	178.4	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-13	7/1/2021	423	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/2/2019	490.3	0.01		UMHOS/CM
Specific conductance (field)	NE-14D	4/3/2020	433.9	0.1		UMHOS/CM
Specific conductance (field)	NE-14D	7/7/2020	507.2	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/7/2020	507.2	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/6/2020	435.1	0.01		UMHOS/CM
Specific conductance (field)	NE-14D	1/17/2021	388	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/9/2021	567	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/2/2021	581	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/2/2021	581	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/7/2021	571	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/18/2022	592	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/18/2022	592	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/6/2022	621	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/13/2022	598	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/7/2022	674	0		UMHOS/CM
Specific conductance (field)	NE-14D	1/6/2023	593	0		UMHOS/CM
Specific conductance (field)	NE-14D	4/6/2023	679	0		UMHOS/CM
Specific conductance (field)	NE-14D	7/5/2023	633	0		UMHOS/CM
Specific conductance (field)	NE-14D	10/4/2023	724	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/2/2019	363.4	0.01		UMHOS/CM
Specific conductance (field)	NE-14S	4/3/2020	223.3	0.1		UMHOS/CM
Specific conductance (field)	NE-14S	7/7/2020	323.2	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/7/2020	323.2	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/6/2020	412.5	0.01		UMHOS/CM
Specific conductance (field)	NE-14S	1/17/2021	303	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/9/2021	436	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/2/2021	371	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/2/2021	371	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/7/2021	527	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/18/2022	451	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/18/2022	451	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/6/2022	385	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/13/2022	415	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/7/2022	611	0		UMHOS/CM
Specific conductance (field)	NE-14S	1/6/2023	526	0		UMHOS/CM
Specific conductance (field)	NE-14S	4/6/2023	407	0		UMHOS/CM
Specific conductance (field)	NE-14S	7/5/2023	545	0		UMHOS/CM
Specific conductance (field)	NE-14S	10/4/2023	544	0		UMHOS/CM
Specific conductance (field)	NE-15D	9/30/2019	559.9	0.01		UMHOS/CM
Specific conductance (field)	NE-15D	4/3/2020	473.5	0.1		UMHOS/CM
Specific conductance (field)	NE-15D	7/7/2020	552.2	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/7/2020	552.2	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/6/2020	455.6	0.01		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2021	394	0		UMHOS/CM
Specific conductance (field)	NE-15D	4/9/2021	582	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/2/2021	597	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/2/2021	597	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/7/2021	569	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2022	590	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/17/2022	590	0		UMHOS/CM
Specific conductance (field)	NE-15D	4/6/2022	618	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-15D	7/13/2022	610	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/7/2022	657	0		UMHOS/CM
Specific conductance (field)	NE-15D	1/6/2023	580	0		UMHOS/CM
Specific conductance (field)	NE-15D	4/6/2023	669	0		UMHOS/CM
Specific conductance (field)	NE-15D	7/6/2023	607	0		UMHOS/CM
Specific conductance (field)	NE-15D	10/6/2023	746	0		UMHOS/CM
Specific conductance (field)	NE-15S	4/3/2020	528.4	0.1		UMHOS/CM
Specific conductance (field)	NE-2	10/2/2002	424	0		UMHOS/CM
Specific conductance (field)	NE-2	4/24/2007	1029	0		UMHOS/CM
Specific conductance (field)	NE-2	4/26/2007	1029	0		UMHOS/CM
Specific conductance (field)	NE-2	12/19/2008	503	1		UMHOS/CM
Specific conductance (field)	NE-2	10/26/2009	468	1		UMHOS/CM
Specific conductance (field)	NE-2	9/2/2010	587	0		UMHOS/CM
Specific conductance (field)	NE-2	9/30/2010	460	0		UMHOS/CM
Specific conductance (field)	NE-2	4/5/2012	423	0		UMHOS/CM
Specific conductance (field)	NE-2	10/1/2013	607	0		UMHOS/CM
Specific conductance (field)	NE-2	10/8/2014	602	0		UMHOS/CM
Specific conductance (field)	NE-2	10/5/2015	871	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2016	408	0		UMHOS/CM
Specific conductance (field)	NE-2	10/5/2017	560	0		UMHOS/CM
Specific conductance (field)	NE-2	1/25/2018	487.2	0.1		UMHOS/CM
Specific conductance (field)	NE-2	4/10/2018	369.3	0.1		UMHOS/CM
Specific conductance (field)	NE-2	7/10/2018	472.1	0.1		UMHOS/CM
Specific conductance (field)	NE-2	10/1/2018	642	0		UMHOS/CM
Specific conductance (field)	NE-2	1/4/2019	424	0.1		UMHOS/CM
Specific conductance (field)	NE-2	4/2/2019	580.2	0.01		UMHOS/CM
Specific conductance (field)	NE-2	7/9/2019	471.3	0		UMHOS/CM
Specific conductance (field)	NE-2	7/9/2019	471.3	0		UMHOS/CM
Specific conductance (field)	NE-2	10/2/2019	386.3	0.01		UMHOS/CM
Specific conductance (field)	NE-2	4/1/2020	343.9	0.1		UMHOS/CM
Specific conductance (field)	NE-2	7/7/2020	564.2	0		UMHOS/CM
Specific conductance (field)	NE-2	7/7/2020	564.2	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2020	358.2	0.01		UMHOS/CM
Specific conductance (field)	NE-2	1/14/2021	374	0		UMHOS/CM
Specific conductance (field)	NE-2	4/9/2021	488	0		UMHOS/CM
Specific conductance (field)	NE-2	7/2/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-2	7/2/2021	494	0		UMHOS/CM
Specific conductance (field)	NE-2	10/6/2021	454	0		UMHOS/CM
Specific conductance (field)	NE-2	1/18/2022	472	0		UMHOS/CM
Specific conductance (field)	NE-2	1/18/2022	472	0		UMHOS/CM
Specific conductance (field)	NE-2	4/6/2022	450	0		UMHOS/CM
Specific conductance (field)	NE-2	7/13/2022	483	0		UMHOS/CM
Specific conductance (field)	NE-2	10/7/2022	551	0		UMHOS/CM
Specific conductance (field)	NE-2	1/5/2023	675	0		UMHOS/CM
Specific conductance (field)	NE-2	4/5/2023	540	0		UMHOS/CM
Specific conductance (field)	NE-2	7/5/2023	537	0		UMHOS/CM
Specific conductance (field)	NE-2	10/4/2023	471	0		UMHOS/CM
Specific conductance (field)	NE-4	10/3/2002	783	0		UMHOS/CM
Specific conductance (field)	NE-4	7/18/2006	351	0		UMHOS/CM
Specific conductance (field)	NE-4	7/18/2006	351	0		UMHOS/CM
Specific conductance (field)	NE-4	7/31/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	8/1/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	8/1/2006	546	0		UMHOS/CM
Specific conductance (field)	NE-4	10/24/2006	573	0		UMHOS/CM
Specific conductance (field)	NE-4	10/24/2006	573	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2007	540	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2007	540	0		UMHOS/CM
Specific conductance (field)	NE-4	2/24/2007	1107	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-4	4/26/2007	1107	0		UMHOS/CM
Specific conductance (field)	NE-4	7/10/2007	749	0		UMHOS/CM
Specific conductance (field)	NE-4	7/12/2007	749	0		UMHOS/CM
Specific conductance (field)	NE-4	1/24/2008	690	0		UMHOS/CM
Specific conductance (field)	NE-4	7/21/2008	415	1		UMHOS/CM
Specific conductance (field)	NE-4	2/7/2009	720	1		UMHOS/CM
Specific conductance (field)	NE-4	7/31/2009	638	1		UMHOS/CM
Specific conductance (field)	NE-4	1/26/2010	642	1		UMHOS/CM
Specific conductance (field)	NE-4	7/14/2010	512	0		UMHOS/CM
Specific conductance (field)	NE-4	1/19/2011	687	0		UMHOS/CM
Specific conductance (field)	NE-4	7/13/2011	479	0		UMHOS/CM
Specific conductance (field)	NE-4	1/5/2012	648	0		UMHOS/CM
Specific conductance (field)	NE-4	7/10/2012	674	0		UMHOS/CM
Specific conductance (field)	NE-4	4/30/2013	693	0		UMHOS/CM
Specific conductance (field)	NE-4	7/16/2013	656	0		UMHOS/CM
Specific conductance (field)	NE-4	1/23/2014	631	0		UMHOS/CM
Specific conductance (field)	NE-4	7/9/2014	603	0		UMHOS/CM
Specific conductance (field)	NE-4	2/13/2015	672	0		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2015	1459	0		UMHOS/CM
Specific conductance (field)	NE-4	1/6/2016	241	0		UMHOS/CM
Specific conductance (field)	NE-4	7/20/2016	469	0		UMHOS/CM
Specific conductance (field)	NE-4	1/11/2017	512	0		UMHOS/CM
Specific conductance (field)	NE-4	7/19/2017	535	0		UMHOS/CM
Specific conductance (field)	NE-4	1/26/2018	506.6	0.1		UMHOS/CM
Specific conductance (field)	NE-4	4/10/2018	502.8	0.1		UMHOS/CM
Specific conductance (field)	NE-4	7/12/2018	409.9	0.1		UMHOS/CM
Specific conductance (field)	NE-4	10/3/2018	437	0		UMHOS/CM
Specific conductance (field)	NE-4	1/7/2019	541.1	0.1		UMHOS/CM
Specific conductance (field)	NE-4	4/2/2019	501.5	0.01		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2019	292	0		UMHOS/CM
Specific conductance (field)	NE-4	7/8/2019	292	0		UMHOS/CM
Specific conductance (field)	NE-4	10/1/2019	403.5	0.01		UMHOS/CM
Specific conductance (field)	NE-4	4/1/2020	246.8	0.1		UMHOS/CM
Specific conductance (field)	NE-4	7/6/2020	308.7	0		UMHOS/CM
Specific conductance (field)	NE-4	7/6/2020	308.7	0		UMHOS/CM
Specific conductance (field)	NE-4	10/5/2020	444.7	0.01		UMHOS/CM
Specific conductance (field)	NE-4	1/15/2021	380	0		UMHOS/CM
Specific conductance (field)	NE-4	4/9/2021	569	0		UMHOS/CM
Specific conductance (field)	NE-4	7/2/2021	339	0		UMHOS/CM
Specific conductance (field)	NE-4	7/2/2021	339	0		UMHOS/CM
Specific conductance (field)	NE-4	10/6/2021	439	0		UMHOS/CM
Specific conductance (field)	NE-4	1/5/2023	635	0		UMHOS/CM
Specific conductance (field)	NE-4	4/6/2023	640	0		UMHOS/CM
Specific conductance (field)	NE-4	7/5/2023	481	0		UMHOS/CM
Specific conductance (field)	NE-4	10/4/2023	579	0		UMHOS/CM
Specific conductance (field)	NE-5	10/2/2002	753	0		UMHOS/CM
Specific conductance (field)	NE-5	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	NE-5	7/18/2006	345	0		UMHOS/CM
Specific conductance (field)	NE-5	10/24/2006	513	0		UMHOS/CM
Specific conductance (field)	NE-5	10/24/2006	513	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/9/2007	666	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2007	676	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2007	676	0		UMHOS/CM
Specific conductance (field)	NE-5	2/24/2007	1004	0		UMHOS/CM
Specific conductance (field)	NE-5	4/26/2007	1004	0		UMHOS/CM
Specific conductance (field)	NE-5	7/10/2007	678	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-5	7/12/2007	678	0		UMHOS/CM
Specific conductance (field)	NE-5	1/25/2008	675	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	733	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	732	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	712	0		UMHOS/CM
Specific conductance (field)	NE-5	5/3/2008	685	0		UMHOS/CM
Specific conductance (field)	NE-5	7/22/2008	466	1		UMHOS/CM
Specific conductance (field)	NE-5	2/6/2009	665	1		UMHOS/CM
Specific conductance (field)	NE-5	7/31/2009	676	1		UMHOS/CM
Specific conductance (field)	NE-5	1/26/2010	611	1		UMHOS/CM
Specific conductance (field)	NE-5	7/16/2010	693	0		UMHOS/CM
Specific conductance (field)	NE-5	9/2/2010	749	0		UMHOS/CM
Specific conductance (field)	NE-5	1/19/2011	638	0		UMHOS/CM
Specific conductance (field)	NE-5	7/13/2011	663	0		UMHOS/CM
Specific conductance (field)	NE-5	1/5/2012	668	0		UMHOS/CM
Specific conductance (field)	NE-5	7/10/2012	663	0		UMHOS/CM
Specific conductance (field)	NE-5	4/30/2013	704	0		UMHOS/CM
Specific conductance (field)	NE-5	7/16/2013	680	0		UMHOS/CM
Specific conductance (field)	NE-5	1/23/2014	677	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2014	662	0		UMHOS/CM
Specific conductance (field)	NE-5	2/11/2015	711	0		UMHOS/CM
Specific conductance (field)	NE-5	7/14/2015	1276	0		UMHOS/CM
Specific conductance (field)	NE-5	1/6/2016	643	0		UMHOS/CM
Specific conductance (field)	NE-5	2/11/2016	665	0		UMHOS/CM
Specific conductance (field)	NE-5	7/20/2016	559	0		UMHOS/CM
Specific conductance (field)	NE-5	1/11/2017	550	0		UMHOS/CM
Specific conductance (field)	NE-5	7/19/2017	621	0		UMHOS/CM
Specific conductance (field)	NE-5	1/25/2018	547.7	0.1		UMHOS/CM
Specific conductance (field)	NE-5	4/10/2018	643	0.1		UMHOS/CM
Specific conductance (field)	NE-5	7/17/2018	635	0.1		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2018	652	0.1		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2018	652	0		UMHOS/CM
Specific conductance (field)	NE-5	1/4/2019	580	0.1		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2019	679	0.01		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2019	679	0.01		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	7/9/2019	679	0		UMHOS/CM
Specific conductance (field)	NE-5	10/3/2019	595	0.01		UMHOS/CM
Specific conductance (field)	NE-5	4/2/2020	498.4	0.1		UMHOS/CM
Specific conductance (field)	NE-5	7/8/2020	570	0		UMHOS/CM
Specific conductance (field)	NE-5	7/8/2020	570	0		UMHOS/CM
Specific conductance (field)	NE-5	10/6/2020	462.6	0.01		UMHOS/CM
Specific conductance (field)	NE-5	1/15/2021	468	0		UMHOS/CM
Specific conductance (field)	NE-5	4/9/2021	631	0		UMHOS/CM
Specific conductance (field)	NE-5	7/2/2021	613	0		UMHOS/CM
Specific conductance (field)	NE-5	7/2/2021	613	0		UMHOS/CM
Specific conductance (field)	NE-5	10/6/2021	568	0		UMHOS/CM
Specific conductance (field)	NE-5	1/18/2022	629	0		UMHOS/CM
Specific conductance (field)	NE-5	1/18/2022	629	0		UMHOS/CM
Specific conductance (field)	NE-5	4/6/2022	641	0		UMHOS/CM
Specific conductance (field)	NE-5	7/13/2022	617	0		UMHOS/CM
Specific conductance (field)	NE-5	10/7/2022	687	0		UMHOS/CM
Specific conductance (field)	NE-5	1/5/2023	728	0		UMHOS/CM
Specific conductance (field)	NE-5	4/7/2023	747	0		UMHOS/CM
Specific conductance (field)	NE-5	7/6/2023	627	0		UMHOS/CM
Specific conductance (field)	NE-5	10/4/2023	758	0		UMHOS/CM
Specific conductance (field)	NE-5E	9/30/2019	580	0.01		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-5E	4/1/2020	425	0.1		UMHOS/CM
Specific conductance (field)	NE-5E	7/8/2020	489.5	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/8/2020	489.5	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/6/2020	399.8	0.01		UMHOS/CM
Specific conductance (field)	NE-5E	1/15/2021	407	0		UMHOS/CM
Specific conductance (field)	NE-5E	4/9/2021	496	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/2/2021	504	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/2/2021	504	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/6/2021	509	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/18/2022	500	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/18/2022	500	0		UMHOS/CM
Specific conductance (field)	NE-5E	4/6/2022	547	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/13/2022	681	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/7/2022	793	0		UMHOS/CM
Specific conductance (field)	NE-5E	1/5/2023	742	0		UMHOS/CM
Specific conductance (field)	NE-5E	4/7/2023	744	0		UMHOS/CM
Specific conductance (field)	NE-5E	7/6/2023	689	0		UMHOS/CM
Specific conductance (field)	NE-5E	10/4/2023	808	0		UMHOS/CM
Specific conductance (field)	NE-5W	9/30/2019	650	0.01		UMHOS/CM
Specific conductance (field)	NE-5W	4/2/2020	557	0.1		UMHOS/CM
Specific conductance (field)	NE-5W	7/8/2020	672	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/8/2020	672	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/6/2020	536.6	0.01		UMHOS/CM
Specific conductance (field)	NE-5W	1/15/2021	456	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/9/2021	644	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/2/2021	673	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/2/2021	673	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/6/2021	659	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/18/2022	660	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/18/2022	660	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/6/2022	698	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/13/2022	686	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/7/2022	786	0		UMHOS/CM
Specific conductance (field)	NE-5W	1/5/2023	758	0		UMHOS/CM
Specific conductance (field)	NE-5W	4/7/2023	740	0		UMHOS/CM
Specific conductance (field)	NE-5W	7/6/2023	704	0		UMHOS/CM
Specific conductance (field)	NE-5W	10/4/2023	806	0		UMHOS/CM
Specific conductance (field)	NE-6	1/12/2017	580	0		UMHOS/CM
Specific conductance (field)	NE-6	4/5/2017	608	0		UMHOS/CM
Specific conductance (field)	NE-6	7/19/2017	563	0		UMHOS/CM
Specific conductance (field)	NE-6	10/6/2017	633	0		UMHOS/CM
Specific conductance (field)	NE-6	2/4/2019	582.3	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2019	636	0		UMHOS/CM
Specific conductance (field)	NE-6	8/6/2019	617	0.01		UMHOS/CM
Specific conductance (field)	NE-6	1/15/2020	539.7	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2020	604	0		UMHOS/CM
Specific conductance (field)	NE-6	7/9/2020	6040	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	7/1/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	1/17/2022	628	0		UMHOS/CM
Specific conductance (field)	NE-6	7/12/2022	669	0		UMHOS/CM
Specific conductance (field)	NE-6	1/5/2023	721	0		UMHOS/CM
Specific conductance (field)	NE-6	7/6/2023	636	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/2/2019	697	0.01		UMHOS/CM
Specific conductance (field)	NE-6D	4/2/2020	565.7	0.1		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-6D	7/9/2020	618	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/9/2020	618	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2020	553	0.01		UMHOS/CM
Specific conductance (field)	NE-6D	1/15/2021	509	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/9/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/2/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/2/2021	650	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2021	630	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/17/2022	638	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/17/2022	638	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/6/2022	664	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/12/2022	711	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/7/2022	718	0		UMHOS/CM
Specific conductance (field)	NE-6D	1/5/2023	718	0		UMHOS/CM
Specific conductance (field)	NE-6D	4/7/2023	709	0		UMHOS/CM
Specific conductance (field)	NE-6D	7/6/2023	662	0		UMHOS/CM
Specific conductance (field)	NE-6D	10/4/2023	776	0		UMHOS/CM
Specific conductance (field)	NE-7	3/1/2017	554	0		UMHOS/CM
Specific conductance (field)	NE-7	4/6/2017	272	0		UMHOS/CM
Specific conductance (field)	NE-7	7/20/2017	359	0		UMHOS/CM
Specific conductance (field)	NE-7	10/5/2017	387	0		UMHOS/CM
Specific conductance (field)	NE-7	2/6/2019	371	0		UMHOS/CM
Specific conductance (field)	NE-7	7/10/2019	380	0		UMHOS/CM
Specific conductance (field)	NE-7	8/6/2019	307.4	0.01		UMHOS/CM
Specific conductance (field)	NE-7	1/16/2020	285.4	0		UMHOS/CM
Specific conductance (field)	NE-7	7/7/2020	279.1	0		UMHOS/CM
Specific conductance (field)	NE-7	7/7/2020	279.1	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	7/1/2021	318	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	1/17/2022	363	0		UMHOS/CM
Specific conductance (field)	NE-7	7/12/2022	350	0		UMHOS/CM
Specific conductance (field)	NE-7	1/5/2023	438	0		UMHOS/CM
Specific conductance (field)	NE-7	7/6/2023	408	0		UMHOS/CM
Specific conductance (field)	NE-8	1/12/2017	351	0		UMHOS/CM
Specific conductance (field)	NE-8	4/5/2017	404	0		UMHOS/CM
Specific conductance (field)	NE-8	7/20/2017	485	0		UMHOS/CM
Specific conductance (field)	NE-8	10/6/2017	613	0		UMHOS/CM
Specific conductance (field)	NE-8	2/4/2019	425.5	0		UMHOS/CM
Specific conductance (field)	NE-8	7/11/2019	537	0		UMHOS/CM
Specific conductance (field)	NE-8	8/5/2019	571	0.01		UMHOS/CM
Specific conductance (field)	NE-8	1/15/2020	500.2	0		UMHOS/CM
Specific conductance (field)	NE-8	7/8/2020	565.3	0		UMHOS/CM
Specific conductance (field)	NE-8	7/8/2020	565.3	0		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2020	415.6	0.01		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2020	415.6	0.01		UMHOS/CM
Specific conductance (field)	NE-8	4/9/2021	615	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	7/1/2021	655	0		UMHOS/CM
Specific conductance (field)	NE-8	10/7/2021	678	0		UMHOS/CM
Specific conductance (field)	NE-8	1/6/2023	578	0		UMHOS/CM
Specific conductance (field)	NE-8	7/5/2023	757	0		UMHOS/CM
Specific conductance (field)	NE-9	1/12/2017	400	0		UMHOS/CM
Specific conductance (field)	NE-9	4/5/2017	390	0		UMHOS/CM

Constituent	Sample Point	Date	Result	Limit	ND	Units
Specific conductance (field)	NE-9	7/20/2017	371	0		UMHOS/CM
Specific conductance (field)	NE-9	10/5/2017	429	0		UMHOS/CM
Specific conductance (field)	NE-9	2/5/2019	442.4	0		UMHOS/CM
Specific conductance (field)	NE-9	7/8/2019	569.7	0		UMHOS/CM
Specific conductance (field)	NE-9	8/7/2019	494.3	0.01		UMHOS/CM
Specific conductance (field)	NE-9	1/15/2020	381.8	0		UMHOS/CM
Specific conductance (field)	NE-9	7/7/2020	399.9	0		UMHOS/CM
Specific conductance (field)	NE-9	7/7/2020	399.9	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/1/2021	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	1/17/2022	607	0		UMHOS/CM
Specific conductance (field)	NE-9	7/13/2022	637	0		UMHOS/CM
Specific conductance (field)	NE-9	1/6/2023	632	0		UMHOS/CM
Specific conductance (field)	NE-9	4/8/2023	689	0		UMHOS/CM
Specific conductance (field)	NE-9	7/5/2023	671	0		UMHOS/CM
Specific conductance (field)	NE-9	10/6/2023	851	0		UMHOS/CM
Styrene	LGW-10	1/26/2006	1	1	ND	ug/L
Styrene	LGW-10	8/1/2006	1	1	ND	ug/L
Styrene	LGW-10	8/1/2006	1	1	ND	ug/L
Styrene	LGW-10	10/26/2006	1	1	ND	ug/L
Styrene	LGW-10	1/25/2007	1	1	ND	ug/L
Styrene	LGW-10	4/26/2007	1	1	ND	ug/L
Styrene	LGW-10	7/12/2007	1	1	ND	ug/L
Styrene	LGW-10	1/23/2008	1	1	ND	ug/L
Styrene	LGW-10	7/22/2008	1	1	ND	ug/L
Styrene	LGW-10	7/29/2009	1	1	ND	ug/L
Styrene	LGW-10	2/3/2010	1	1	ND	ug/L
Styrene	LGW-10	2/3/2010	1	1	ND	ug/L
Styrene	LGW-10	7/16/2010	1	1	ND	ug/L
Styrene	LGW-10	1/19/2011	1	1	ND	ug/L
Styrene	LGW-10	7/12/2011	1	1	ND	ug/L
Styrene	LGW-10	1/5/2012	1	1	ND	ug/L
Styrene	LGW-10	7/9/2012	1	1	ND	ug/L
Styrene	LGW-10	5/1/2013	1	1	ND	ug/L
Styrene	LGW-10	1/30/2014	1	1	ND	ug/L
Styrene	LGW-10	7/9/2014	1	1	ND	ug/L
Styrene	LGW-10	2/12/2015	1	1	ND	ug/L
Styrene	LGW-10	7/13/2015	1	1	ND	ug/L
Styrene	LGW-10	1/5/2016	1	1	ND	ug/L
Styrene	LGW-10	4/6/2016	1	1	ND	ug/L
Styrene	LGW-10	7/21/2016	1	1	ND	ug/L
Styrene	LGW-10	10/6/2016	1	1	ND	ug/L
Styrene	LGW-10	1/11/2017	1	1	ND	ug/L
Styrene	LGW-10	4/4/2017	1	1	ND	ug/L
Styrene	LGW-10	7/19/2017	1	1	ND	ug/L
Styrene	LGW-10	10/9/2017	1	1	ND	ug/L
Styrene	LGW-10	1/24/2018	1	1	ND	ug/L
Styrene	LGW-10	4/11/2018	1	1	ND	ug/L
Styrene	LGW-10	7/16/2018	1	1	ND	ug/L
Styrene	LGW-10	10/4/2018	1	1	ND	ug/L
Styrene	LGW-10	1/4/2019	1	1	ND	ug/L
Styrene	LGW-10	4/3/2019	1	1	ND	ug/L
Styrene	LGW-10	7/11/2019	1	1	ND	ug/L
Styrene	LGW-10	10/2/2019	1	1	ND	ug/L
Styrene	LGW-10	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-10	4/2/2020	1	1	ND	ug/L
Styrene	LGW-10	7/9/2020	1	1	ND	ug/L
Styrene	LGW-10	10/7/2020	1	1	ND	ug/L
Styrene	LGW-10	1/17/2021	1	1	ND	ug/L
Styrene	LGW-10	4/6/2021	1	1	ND	ug/L
Styrene	LGW-10	7/7/2021	1	1	ND	ug/L
Styrene	LGW-10	10/5/2021	1	1	ND	ug/L
Styrene	LGW-10	1/13/2022	1	1	ND	ug/L
Styrene	LGW-10	4/4/2022	1	1	ND	ug/L
Styrene	LGW-10	7/11/2022	1	1	ND	ug/L
Styrene	LGW-10	10/7/2022	1	1	ND	ug/L
Styrene	LGW-10	1/11/2023	1	1	ND	ug/L
Styrene	LGW-10	4/5/2023	1	1	ND	ug/L
Styrene	LGW-10	7/10/2023	1	1	ND	ug/L
Styrene	LGW-10	10/5/2023	1	1	ND	ug/L
Styrene	LGW-14R	1/25/2006	1	1	ND	ug/L
Styrene	LGW-14R	8/2/2006	1	1	ND	ug/L
Styrene	LGW-14R	8/2/2006	1	1	ND	ug/L
Styrene	LGW-14R	10/27/2006	1	1	ND	ug/L
Styrene	LGW-14R	1/24/2007	1	1	ND	ug/L
Styrene	LGW-14R	4/24/2007	1	1	ND	ug/L
Styrene	LGW-14R	7/11/2007	1	1	ND	ug/L
Styrene	LGW-14R	1/23/2008	1	1	ND	ug/L
Styrene	LGW-14R	7/22/2008	1	1	ND	ug/L
Styrene	LGW-14R	2/6/2009	1	1	ND	ug/L
Styrene	LGW-14R	7/29/2009	1	1	ND	ug/L
Styrene	LGW-14R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-14R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-14R	7/12/2010	1	1	ND	ug/L
Styrene	LGW-14R	1/19/2011	1	1	ND	ug/L
Styrene	LGW-14R	7/12/2011	1	1	ND	ug/L
Styrene	LGW-14R	1/5/2012	1	1	ND	ug/L
Styrene	LGW-14R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-14R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-14R	1/23/2014	1	1	ND	ug/L
Styrene	LGW-14R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-14R	2/11/2015	1	1	ND	ug/L
Styrene	LGW-14R	7/22/2015	1	1	ND	ug/L
Styrene	LGW-14R	1/5/2016	1	1	ND	ug/L
Styrene	LGW-14R	7/19/2016	1	1	ND	ug/L
Styrene	LGW-14R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-14R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-14R	1/25/2018	1	1	ND	ug/L
Styrene	LGW-14R	7/17/2018	1	1	ND	ug/L
Styrene	LGW-14R	1/3/2019	1	1	ND	ug/L
Styrene	LGW-14R	7/10/2019	1	1	ND	ug/L
Styrene	LGW-14R	1/16/2020	1	1	ND	ug/L
Styrene	LGW-14R	7/9/2020	1	1	ND	ug/L
Styrene	LGW-14R	1/18/2021	1	1	ND	ug/L
Styrene	LGW-14R	7/7/2021	1	1	ND	ug/L
Styrene	LGW-14R	1/12/2022	1	1	ND	ug/L
Styrene	LGW-14R	7/11/2022	1	1	ND	ug/L
Styrene	LGW-14R	1/10/2023	1	1	ND	ug/L
Styrene	LGW-14R	7/10/2023	1	1	ND	ug/L
Styrene	LGW-2	1/25/2006	1	1	ND	ug/L
Styrene	LGW-2	8/1/2006	1	1	ND	ug/L
Styrene	LGW-2	8/1/2006	1	1	ND	ug/L
Styrene	LGW-2	10/26/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-2	1/25/2007	1	1	ND	ug/L
Styrene	LGW-2	4/26/2007	1	1	ND	ug/L
Styrene	LGW-2	7/10/2007	1	1	ND	ug/L
Styrene	LGW-2	1/26/2008	1	1	ND	ug/L
Styrene	LGW-2	7/23/2008	1	1	ND	ug/L
Styrene	LGW-2	2/6/2009	1	1	ND	ug/L
Styrene	LGW-2	7/30/2009	1	1	ND	ug/L
Styrene	LGW-2	2/3/2010	1	1	ND	ug/L
Styrene	LGW-2	2/3/2010	1	1	ND	ug/L
Styrene	LGW-2	7/12/2010	1	1	ND	ug/L
Styrene	LGW-2	1/19/2011	1	1	ND	ug/L
Styrene	LGW-2	7/13/2011	1	1	ND	ug/L
Styrene	LGW-2	1/4/2012	1	1	ND	ug/L
Styrene	LGW-2	7/9/2012	1	1	ND	ug/L
Styrene	LGW-2	4/30/2013	1	1	ND	ug/L
Styrene	LGW-2	7/15/2013	1	1	ND	ug/L
Styrene	LGW-2	1/30/2014	1	1	ND	ug/L
Styrene	LGW-2	7/8/2014	1	1	ND	ug/L
Styrene	LGW-2	2/13/2015	1	1	ND	ug/L
Styrene	LGW-2	7/8/2015	1	1	ND	ug/L
Styrene	LGW-2	1/5/2016	1	1	ND	ug/L
Styrene	LGW-2	7/19/2016	1	1	ND	ug/L
Styrene	LGW-2	1/11/2017	1	1	ND	ug/L
Styrene	LGW-2	7/18/2017	1	1	ND	ug/L
Styrene	LGW-2	1/23/2018	1	1	ND	ug/L
Styrene	LGW-2	7/12/2018	1	1	ND	ug/L
Styrene	LGW-2	1/3/2019	1	1	ND	ug/L
Styrene	LGW-2	7/9/2019	1	1	ND	ug/L
Styrene	LGW-2	1/13/2020	1	1	ND	ug/L
Styrene	LGW-2	4/1/2020	1	1	ND	ug/L
Styrene	LGW-2	7/8/2020	1	1	ND	ug/L
Styrene	LGW-2	1/18/2021	1	1	ND	ug/L
Styrene	LGW-2	7/4/2021	1	1	ND	ug/L
Styrene	LGW-2	1/12/2022	1	1	ND	ug/L
Styrene	LGW-2	7/10/2022	1	1	ND	ug/L
Styrene	LGW-2	1/10/2023	1	1	ND	ug/L
Styrene	LGW-2	7/10/2023	1	1	ND	ug/L
Styrene	LGW-3R	1/24/2006	1	1	ND	ug/L
Styrene	LGW-3R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-3R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-3R	10/26/2006	1	1	ND	ug/L
Styrene	LGW-3R	1/25/2007	1	1	ND	ug/L
Styrene	LGW-3R	4/26/2007	1	1	ND	ug/L
Styrene	LGW-3R	7/11/2007	1	1	ND	ug/L
Styrene	LGW-3R	1/26/2008	1	1	ND	ug/L
Styrene	LGW-3R	7/23/2008	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2009	1	1	ND	ug/L
Styrene	LGW-3R	7/31/2009	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-3R	2/3/2010	1	1	ND	ug/L
Styrene	LGW-3R	7/16/2010	1	1	ND	ug/L
Styrene	LGW-3R	1/19/2011	1	1	ND	ug/L
Styrene	LGW-3R	7/13/2011	1	1	ND	ug/L
Styrene	LGW-3R	1/4/2012	1	1	ND	ug/L
Styrene	LGW-3R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-3R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-3R	7/15/2013	1	1	ND	ug/L
Styrene	LGW-3R	1/22/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-3R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-3R	2/10/2015	1	1	ND	ug/L
Styrene	LGW-3R	7/16/2015	1	1	ND	ug/L
Styrene	LGW-3R	1/8/2016	1	1	ND	ug/L
Styrene	LGW-3R	7/21/2016	1	1	ND	ug/L
Styrene	LGW-3R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-3R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-3R	1/23/2018	1	1	ND	ug/L
Styrene	LGW-3R	7/11/2018	1	1	ND	ug/L
Styrene	LGW-3R	1/3/2019	1	1	ND	ug/L
Styrene	LGW-3R	7/9/2019	1	1	ND	ug/L
Styrene	LGW-3R	1/14/2020	1	1	ND	ug/L
Styrene	LGW-3R	7/6/2020	1	1	ND	ug/L
Styrene	LGW-3R	1/18/2021	1	1	ND	ug/L
Styrene	LGW-3R	7/6/2021	1	1	ND	ug/L
Styrene	LGW-3R	1/12/2022	1	1	ND	ug/L
Styrene	LGW-3R	7/10/2022	1	1	ND	ug/L
Styrene	LGW-3R	1/10/2023	1	1	ND	ug/L
Styrene	LGW-3R	7/10/2023	1	1	ND	ug/L
Styrene	LGW-4	1/24/2006	1	1	ND	ug/L
Styrene	LGW-4	7/20/2006	1	1	ND	ug/L
Styrene	LGW-4	7/20/2006	1	1	ND	ug/L
Styrene	LGW-4	10/26/2006	1	1	ND	ug/L
Styrene	LGW-4	1/25/2007	1	1	ND	ug/L
Styrene	LGW-4	4/26/2007	1	1	ND	ug/L
Styrene	LGW-4	7/11/2007	1	1	ND	ug/L
Styrene	LGW-4	1/22/2008	1	1	ND	ug/L
Styrene	LGW-4	7/23/2008	1	1	ND	ug/L
Styrene	LGW-4	2/3/2009	1	1	ND	ug/L
Styrene	LGW-4	7/31/2009	1	1	ND	ug/L
Styrene	LGW-4	2/3/2010	1	1	ND	ug/L
Styrene	LGW-4	2/3/2010	1	1	ND	ug/L
Styrene	LGW-4	7/16/2010	1	1	ND	ug/L
Styrene	LGW-4	1/19/2011	1	1	ND	ug/L
Styrene	LGW-4	7/13/2011	1	1	ND	ug/L
Styrene	LGW-4	1/4/2012	1	1	ND	ug/L
Styrene	LGW-4	7/9/2012	1	1	ND	ug/L
Styrene	LGW-4	4/30/2013	1	1	ND	ug/L
Styrene	LGW-4	7/15/2013	1	1	ND	ug/L
Styrene	LGW-4	1/23/2014	1	1	ND	ug/L
Styrene	LGW-4	7/8/2014	1	1	ND	ug/L
Styrene	LGW-4	2/11/2015	1	1	ND	ug/L
Styrene	LGW-4	7/8/2015	1	1	ND	ug/L
Styrene	LGW-4	1/5/2016	1	1	ND	ug/L
Styrene	LGW-4	7/19/2016	1	1	ND	ug/L
Styrene	LGW-4	1/11/2017	1	1	ND	ug/L
Styrene	LGW-4	7/18/2017	1	1	ND	ug/L
Styrene	LGW-4	1/23/2018	1	1	ND	ug/L
Styrene	LGW-4	7/11/2018	1	1	ND	ug/L
Styrene	LGW-4	1/3/2019	1	1	ND	ug/L
Styrene	LGW-4	7/9/2019	1	1	ND	ug/L
Styrene	LGW-4	1/14/2020	1	1	ND	ug/L
Styrene	LGW-4	7/6/2020	1	1	ND	ug/L
Styrene	LGW-4	1/18/2021	1	1	ND	ug/L
Styrene	LGW-4	7/7/2021	1	1	ND	ug/L
Styrene	LGW-4	1/12/2022	1	1	ND	ug/L
Styrene	LGW-4	7/11/2022	1	1	ND	ug/L
Styrene	LGW-4	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-4	7/10/2023	1	1	ND	ug/L
Styrene	LGW-5	1/25/2006	1	1	ND	ug/L
Styrene	LGW-5	8/1/2006	1	1	ND	ug/L
Styrene	LGW-5	8/1/2006	1	1	ND	ug/L
Styrene	LGW-5	10/26/2006	1	1	ND	ug/L
Styrene	LGW-5	1/25/2007	1	1	ND	ug/L
Styrene	LGW-5	4/26/2007	1	1	ND	ug/L
Styrene	LGW-5	7/11/2007	1	1	ND	ug/L
Styrene	LGW-5	1/23/2008	1	1	ND	ug/L
Styrene	LGW-5	7/23/2008	1	1	ND	ug/L
Styrene	LGW-5	2/4/2009	1	1	ND	ug/L
Styrene	LGW-5	7/29/2009	1	1	ND	ug/L
Styrene	LGW-5	2/3/2010	1	1	ND	ug/L
Styrene	LGW-5	2/3/2010	1	1	ND	ug/L
Styrene	LGW-5	7/12/2010	1	1	ND	ug/L
Styrene	LGW-5	1/19/2011	1	1	ND	ug/L
Styrene	LGW-5	7/12/2011	1	1	ND	ug/L
Styrene	LGW-5	1/5/2012	1	1	ND	ug/L
Styrene	LGW-5	7/9/2012	1	1	ND	ug/L
Styrene	LGW-5	4/30/2013	1	1	ND	ug/L
Styrene	LGW-5	7/15/2013	1	1	ND	ug/L
Styrene	LGW-5	1/23/2014	1	1	ND	ug/L
Styrene	LGW-5	7/8/2014	1	1	ND	ug/L
Styrene	LGW-5	2/10/2015	1	1	ND	ug/L
Styrene	LGW-5	7/8/2015	1	1	ND	ug/L
Styrene	LGW-5	1/5/2016	1	1	ND	ug/L
Styrene	LGW-5	7/19/2016	1	1	ND	ug/L
Styrene	LGW-5	1/11/2017	1	1	ND	ug/L
Styrene	LGW-5	7/18/2017	1	1	ND	ug/L
Styrene	LGW-5	1/23/2018	1	1	ND	ug/L
Styrene	LGW-5	7/12/2018	1	1	ND	ug/L
Styrene	LGW-5	1/3/2019	1	1	ND	ug/L
Styrene	LGW-5	7/9/2019	1	1	ND	ug/L
Styrene	LGW-5	1/14/2020	1	1	ND	ug/L
Styrene	LGW-5	7/6/2020	1	1	ND	ug/L
Styrene	LGW-5	1/18/2021	1	1	ND	ug/L
Styrene	LGW-5	4/6/2021	1	1	ND	ug/L
Styrene	LGW-5	7/7/2021	1	1	ND	ug/L
Styrene	LGW-5	10/5/2021	1	1	ND	ug/L
Styrene	LGW-5	1/12/2022	1	1	ND	ug/L
Styrene	LGW-5	4/4/2022	1	1	ND	ug/L
Styrene	LGW-5	7/11/2022	1	1	ND	ug/L
Styrene	LGW-5	10/6/2022	1	1	ND	ug/L
Styrene	LGW-5	1/10/2023	1	1	ND	ug/L
Styrene	LGW-5	7/10/2023	1	1	ND	ug/L
Styrene	LGW-5	10/5/2023	1	1	ND	ug/L
Styrene	LGW-6	1/24/2006	1	1	ND	ug/L
Styrene	LGW-6	7/20/2006	1	1	ND	ug/L
Styrene	LGW-6	7/20/2006	1	1	ND	ug/L
Styrene	LGW-6	10/26/2006	1	1	ND	ug/L
Styrene	LGW-6	1/24/2007	1	1	ND	ug/L
Styrene	LGW-6	4/26/2007	1	1	ND	ug/L
Styrene	LGW-6	7/11/2007	1	1	ND	ug/L
Styrene	LGW-6	1/23/2008	1	1	ND	ug/L
Styrene	LGW-6	7/23/2008	1	1	ND	ug/L
Styrene	LGW-6	2/5/2009	1	1	ND	ug/L
Styrene	LGW-6	7/29/2009	1	1	ND	ug/L
Styrene	LGW-6	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-6	2/3/2010	1	1	ND	ug/L
Styrene	LGW-6	7/12/2010	1	1	ND	ug/L
Styrene	LGW-6	1/19/2011	1	1	ND	ug/L
Styrene	LGW-6	7/12/2011	1	1	ND	ug/L
Styrene	LGW-6	1/5/2012	1	1	ND	ug/L
Styrene	LGW-6	7/9/2012	1	1	ND	ug/L
Styrene	LGW-6	4/30/2013	1	1	ND	ug/L
Styrene	LGW-6	7/15/2013	1	1	ND	ug/L
Styrene	LGW-6	1/23/2014	1	1	ND	ug/L
Styrene	LGW-6	7/8/2014	1	1	ND	ug/L
Styrene	LGW-6	2/10/2015	1	1	ND	ug/L
Styrene	LGW-6	7/22/2015	1	1	ND	ug/L
Styrene	LGW-6	1/5/2016	1	1	ND	ug/L
Styrene	LGW-6	7/19/2016	1	1	ND	ug/L
Styrene	LGW-6	10/6/2016	1	1	ND	ug/L
Styrene	LGW-6	1/11/2017	1	1	ND	ug/L
Styrene	LGW-6	5/5/2017	1	1	ND	ug/L
Styrene	LGW-6	7/18/2017	1	1	ND	ug/L
Styrene	LGW-6	10/5/2017	1	1	ND	ug/L
Styrene	LGW-6	1/23/2018	1	1	ND	ug/L
Styrene	LGW-6	4/10/2018	1	1	ND	ug/L
Styrene	LGW-6	7/17/2018	1	1	ND	ug/L
Styrene	LGW-6	10/2/2018	1	1	ND	ug/L
Styrene	LGW-6	1/7/2019	1	1	ND	ug/L
Styrene	LGW-6	4/3/2019	1	1	ND	ug/L
Styrene	LGW-6	7/10/2019	1	1	ND	ug/L
Styrene	LGW-6	10/3/2019	1	1	ND	ug/L
Styrene	LGW-6	1/16/2020	1	1	ND	ug/L
Styrene	LGW-6	4/2/2020	1	1	ND	ug/L
Styrene	LGW-6	7/9/2020	1	1	ND	ug/L
Styrene	LGW-6	10/6/2020	1	1	ND	ug/L
Styrene	LGW-6	1/18/2021	1	1	ND	ug/L
Styrene	LGW-6	4/6/2021	1	1	ND	ug/L
Styrene	LGW-6	7/7/2021	1	1	ND	ug/L
Styrene	LGW-6	10/5/2021	1	1	ND	ug/L
Styrene	LGW-6	1/12/2022	1	1	ND	ug/L
Styrene	LGW-6	4/4/2022	1	1	ND	ug/L
Styrene	LGW-6	7/11/2022	1	1	ND	ug/L
Styrene	LGW-6	10/6/2022	1	1	ND	ug/L
Styrene	LGW-6	1/10/2023	1	1	ND	ug/L
Styrene	LGW-6	4/6/2023	1	1	ND	ug/L
Styrene	LGW-6	7/10/2023	1	1	ND	ug/L
Styrene	LGW-6	10/5/2023	1	1	ND	ug/L
Styrene	LGW-7	1/25/2006	1	1	ND	ug/L
Styrene	LGW-7	8/1/2006	1	1	ND	ug/L
Styrene	LGW-7	8/1/2006	1	1	ND	ug/L
Styrene	LGW-7	10/26/2006	1	1	ND	ug/L
Styrene	LGW-7	1/24/2007	1	1	ND	ug/L
Styrene	LGW-7	4/26/2007	1	1	ND	ug/L
Styrene	LGW-7	7/12/2007	1	1	ND	ug/L
Styrene	LGW-7	7/22/2008	1	1	ND	ug/L
Styrene	LGW-7	2/4/2009	1	1	ND	ug/L
Styrene	LGW-7	7/31/2009	1	1	ND	ug/L
Styrene	LGW-7	1/27/2010	1	1	ND	ug/L
Styrene	LGW-7	7/12/2010	1	1	ND	ug/L
Styrene	LGW-7	1/20/2011	1	1	ND	ug/L
Styrene	LGW-7	7/12/2011	1	1	ND	ug/L
Styrene	LGW-7	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-7	7/10/2012	1	1	ND	ug/L
Styrene	LGW-7	4/30/2013	1	1	ND	ug/L
Styrene	LGW-7	7/15/2013	1	1	ND	ug/L
Styrene	LGW-7	1/23/2014	1	1	ND	ug/L
Styrene	LGW-7	7/8/2014	1	1	ND	ug/L
Styrene	LGW-7	2/11/2015	1	1	ND	ug/L
Styrene	LGW-7	7/22/2015	1	1	ND	ug/L
Styrene	LGW-7	1/5/2016	1	1	ND	ug/L
Styrene	LGW-7	4/6/2016	1	1	ND	ug/L
Styrene	LGW-7	7/20/2016	1	1	ND	ug/L
Styrene	LGW-7	10/6/2016	1	1	ND	ug/L
Styrene	LGW-7	1/11/2017	1	1	ND	ug/L
Styrene	LGW-7	4/4/2017	1	1	ND	ug/L
Styrene	LGW-7	7/18/2017	1	1	ND	ug/L
Styrene	LGW-7	10/5/2017	1	1	ND	ug/L
Styrene	LGW-7	1/24/2018	1	1	ND	ug/L
Styrene	LGW-7	4/11/2018	1	1	ND	ug/L
Styrene	LGW-7	7/12/2018	1	1	ND	ug/L
Styrene	LGW-7	10/2/2018	1	1	ND	ug/L
Styrene	LGW-7	1/7/2019	1	1	ND	ug/L
Styrene	LGW-7	4/3/2019	1	1	ND	ug/L
Styrene	LGW-7	7/10/2019	1	1	ND	ug/L
Styrene	LGW-7	10/3/2019	1	1	ND	ug/L
Styrene	LGW-7	1/15/2020	1	1	ND	ug/L
Styrene	LGW-7	7/9/2020	1	1	ND	ug/L
Styrene	LGW-7	1/18/2021	1	1	ND	ug/L
Styrene	LGW-7	7/7/2021	1	1	ND	ug/L
Styrene	LGW-7	10/5/2021	1	1	ND	ug/L
Styrene	LGW-7	1/13/2022	1	1	ND	ug/L
Styrene	LGW-7	7/11/2022	1	1	ND	ug/L
Styrene	LGW-7	1/11/2023	1	1	ND	ug/L
Styrene	LGW-7	7/10/2023	1	1	ND	ug/L
Styrene	LGW-8R	1/24/2006	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2006	1	1	ND	ug/L
Styrene	LGW-8R	10/26/2006	1	1	ND	ug/L
Styrene	LGW-8R	1/24/2007	1	1	ND	ug/L
Styrene	LGW-8R	4/25/2007	1	1	ND	ug/L
Styrene	LGW-8R	7/12/2007	1	1	ND	ug/L
Styrene	LGW-8R	2/4/2009	1	1	ND	ug/L
Styrene	LGW-8R	7/29/2009	1	1	ND	ug/L
Styrene	LGW-8R	1/27/2010	1	1	ND	ug/L
Styrene	LGW-8R	7/14/2010	1	1	ND	ug/L
Styrene	LGW-8R	1/20/2011	1	1	ND	ug/L
Styrene	LGW-8R	7/12/2011	1	1	ND	ug/L
Styrene	LGW-8R	1/5/2012	1	1	ND	ug/L
Styrene	LGW-8R	7/9/2012	1	1	ND	ug/L
Styrene	LGW-8R	4/30/2013	1	1	ND	ug/L
Styrene	LGW-8R	7/15/2013	1	1	ND	ug/L
Styrene	LGW-8R	1/22/2014	1	1	ND	ug/L
Styrene	LGW-8R	7/8/2014	1	1	ND	ug/L
Styrene	LGW-8R	2/11/2015	1	1	ND	ug/L
Styrene	LGW-8R	7/22/2015	1	1	ND	ug/L
Styrene	LGW-8R	1/5/2016	1	1	ND	ug/L
Styrene	LGW-8R	7/20/2016	1	1	ND	ug/L
Styrene	LGW-8R	1/11/2017	1	1	ND	ug/L
Styrene	LGW-8R	7/18/2017	1	1	ND	ug/L
Styrene	LGW-8R	1/25/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-8R	7/13/2018	1	1	ND	ug/L
Styrene	LGW-8R	1/7/2019	1	1	ND	ug/L
Styrene	LGW-8R	7/8/2019	1	1	ND	ug/L
Styrene	LGW-8R	1/14/2020	1	1	ND	ug/L
Styrene	LGW-8R	7/7/2020	1	1	ND	ug/L
Styrene	LGW-8R	1/17/2021	1	1	ND	ug/L
Styrene	LGW-8R	7/7/2021	1	1	ND	ug/L
Styrene	LGW-8R	1/13/2022	1	1	ND	ug/L
Styrene	LGW-8R	7/11/2022	1	1	ND	ug/L
Styrene	LGW-8R	1/11/2023	1	1	ND	ug/L
Styrene	LGW-8R	7/10/2023	1	1	ND	ug/L
Styrene	LGW-9	1/25/2006	1	1	ND	ug/L
Styrene	LGW-9	7/20/2006	1	1	ND	ug/L
Styrene	LGW-9	7/20/2006	1	1	ND	ug/L
Styrene	LGW-9	10/26/2006	1	1	ND	ug/L
Styrene	LGW-9	1/25/2007	1	1	ND	ug/L
Styrene	LGW-9	4/25/2007	1	1	ND	ug/L
Styrene	LGW-9	7/10/2007	1	1	ND	ug/L
Styrene	LGW-9	7/22/2008	1	1	ND	ug/L
Styrene	LGW-9	2/4/2009	1	1	ND	ug/L
Styrene	LGW-9	7/29/2009	1	1	ND	ug/L
Styrene	LGW-9	1/27/2010	1	1	ND	ug/L
Styrene	LGW-9	7/14/2010	1	1	ND	ug/L
Styrene	LGW-9	1/20/2011	1	1	ND	ug/L
Styrene	LGW-9	7/12/2011	1	1	ND	ug/L
Styrene	LGW-9	1/5/2012	1	1	ND	ug/L
Styrene	LGW-9	7/10/2012	1	1	ND	ug/L
Styrene	LGW-9	5/1/2013	1	1	ND	ug/L
Styrene	LGW-9	7/15/2013	1	1	ND	ug/L
Styrene	LGW-9	1/23/2014	1	1	ND	ug/L
Styrene	LGW-9	7/8/2014	1	1	ND	ug/L
Styrene	LGW-9	2/11/2015	1	1	ND	ug/L
Styrene	LGW-9	7/13/2015	1	1	ND	ug/L
Styrene	LGW-9	1/5/2016	1	1	ND	ug/L
Styrene	LGW-9	7/21/2016	1	1	ND	ug/L
Styrene	LGW-9	10/6/2016	1	1	ND	ug/L
Styrene	LGW-9	1/11/2017	1	1	ND	ug/L
Styrene	LGW-9	5/5/2017	1	1	ND	ug/L
Styrene	LGW-9	7/18/2017	1	1	ND	ug/L
Styrene	LGW-9	10/5/2017	1	1	ND	ug/L
Styrene	LGW-9	1/24/2018	1	1	ND	ug/L
Styrene	LGW-9	4/11/2018	1	1	ND	ug/L
Styrene	LGW-9	7/13/2018	1	1	ND	ug/L
Styrene	LGW-9	10/2/2018	1	1	ND	ug/L
Styrene	LGW-9	1/7/2019	1	1	ND	ug/L
Styrene	LGW-9	4/3/2019	1	1	ND	ug/L
Styrene	LGW-9	7/10/2019	1	1	ND	ug/L
Styrene	LGW-9	10/3/2019	1	1	ND	ug/L
Styrene	LGW-9	1/16/2020	1	1	ND	ug/L
Styrene	LGW-9	4/2/2020	1	1	ND	ug/L
Styrene	LGW-9	7/9/2020	1	1	ND	ug/L
Styrene	LGW-9	10/7/2020	1	1	ND	ug/L
Styrene	LGW-9	1/17/2021	1	1	ND	ug/L
Styrene	LGW-9	4/6/2021	1	1	ND	ug/L
Styrene	LGW-9	7/7/2021	1	1	ND	ug/L
Styrene	LGW-9	10/5/2021	1	1	ND	ug/L
Styrene	LGW-9	1/13/2022	1	1	ND	ug/L
Styrene	LGW-9	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	LGW-9	7/11/2022	1	1	ND	ug/L
Styrene	LGW-9	10/7/2022	1	1	ND	ug/L
Styrene	LGW-9	1/11/2023	1	1	ND	ug/L
Styrene	LGW-9	4/5/2023	1	1	ND	ug/L
Styrene	LGW-9	7/10/2023	1	1	ND	ug/L
Styrene	LGW-9	10/5/2023	1	1	ND	ug/L
Styrene	MW-10N	10/22/1997	10	10	ND	ug/L
Styrene	MW-10N	1/22/1998	10	10	ND	ug/L
Styrene	MW-10N	4/28/1998	20	20	ND	ug/L
Styrene	MW-10N	7/23/1998	10	10	ND	ug/L
Styrene	MW-10N	1/14/1999	10	10	ND	ug/L
Styrene	MW-10N	4/13/1999	10	10	ND	ug/L
Styrene	MW-10N	7/15/1999	10	10	ND	ug/L
Styrene	MW-10N	10/20/1999	10	10	ND	ug/L
Styrene	MW-10N	1/14/2000	10	10	ND	ug/L
Styrene	MW-10N	4/25/2000	10	10	ND	ug/L
Styrene	MW-10N	7/11/2000	1	1	ND	ug/L
Styrene	MW-10N	10/17/2000	1	1	ND	ug/L
Styrene	MW-10N	1/24/2001	1	1	ND	ug/L
Styrene	MW-10N	4/10/2001	1	1	ND	ug/L
Styrene	MW-10N	7/10/2002	1	1	ND	ug/L
Styrene	MW-10N	10/2/2002	1	1	ND	ug/L
Styrene	MW-10N	1/22/2003	1	1	ND	ug/L
Styrene	MW-10N	4/15/2003	1	1	ND	ug/L
Styrene	MW-10N	7/8/2003	1	1	ND	ug/L
Styrene	MW-10N	1/28/2004	1	1	ND	ug/L
Styrene	MW-10N	7/27/2004	1	1	ND	ug/L
Styrene	MW-10N	1/12/2005	1	1	ND	ug/L
Styrene	MW-10N	7/20/2005	1	1	ND	ug/L
Styrene	MW-10N	1/19/2006	1	1	ND	ug/L
Styrene	MW-10N	7/19/2006	1	1	ND	ug/L
Styrene	MW-10N	7/19/2006	1	1	ND	ug/L
Styrene	MW-10N	10/25/2006	1	1	ND	ug/L
Styrene	MW-10N	1/24/2007	1	1	ND	ug/L
Styrene	MW-10N	7/10/2007	1	1	ND	ug/L
Styrene	MW-10N	1/23/2008	1	1	ND	ug/L
Styrene	MW-10N	7/21/2008	1	1	ND	ug/L
Styrene	MW-10N	2/13/2009	1	1	ND	ug/L
Styrene	MW-10N	7/31/2009	1	1	ND	ug/L
Styrene	MW-10N	1/27/2010	1	1	ND	ug/L
Styrene	MW-10N	8/10/2010	1	1	ND	ug/L
Styrene	MW-10N	1/19/2011	1	1	ND	ug/L
Styrene	MW-10N	7/14/2011	1	1	ND	ug/L
Styrene	MW-10N	1/5/2012	1	1	ND	ug/L
Styrene	MW-10N	7/10/2012	1	1	ND	ug/L
Styrene	MW-10N	5/1/2013	1	1	ND	ug/L
Styrene	MW-10N	1/24/2014	1	1	ND	ug/L
Styrene	MW-10N	7/9/2014	1	1	ND	ug/L
Styrene	MW-10N	2/12/2015	1	1	ND	ug/L
Styrene	MW-10N	7/14/2015	1	1	ND	ug/L
Styrene	MW-10N	1/6/2016	1	1	ND	ug/L
Styrene	MW-10N	7/21/2016	1	1	ND	ug/L
Styrene	MW-10N	1/11/2017	1	1	ND	ug/L
Styrene	MW-10N	7/19/2017	1	1	ND	ug/L
Styrene	MW-10N	1/24/2018	1	1	ND	ug/L
Styrene	MW-10N	7/11/2018	1	1	ND	ug/L
Styrene	MW-10N	1/3/2019	1	1	ND	ug/L
Styrene	MW-10N	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-10N	1/16/2020	1	1	ND	ug/L
Styrene	MW-10N	7/8/2020	1	1	ND	ug/L
Styrene	MW-10N	1/13/2021	1	1	ND	ug/L
Styrene	MW-10N	7/5/2021	1	1	ND	ug/L
Styrene	MW-10N	1/11/2023	1	1	ND	ug/L
Styrene	MW-10N	7/7/2023	1	1	ND	ug/L
Styrene	MW-11N	10/22/1997	10	10	ND	ug/L
Styrene	MW-11N	1/21/1998	10	10	ND	ug/L
Styrene	MW-11N	4/28/1998	10	10	ND	ug/L
Styrene	MW-11N	7/23/1998	10	10	ND	ug/L
Styrene	MW-11N	1/13/1999	10	10	ND	ug/L
Styrene	MW-11N	4/13/1999	10	10	ND	ug/L
Styrene	MW-11N	7/14/1999	10	10	ND	ug/L
Styrene	MW-11N	10/20/1999	10	10	ND	ug/L
Styrene	MW-11N	1/13/2000	10	10	ND	ug/L
Styrene	MW-11N	4/25/2000	10	10	ND	ug/L
Styrene	MW-11N	7/10/2000	1	1	ND	ug/L
Styrene	MW-11N	10/17/2000	1	1	ND	ug/L
Styrene	MW-11N	1/24/2001	1	1	ND	ug/L
Styrene	MW-11N	4/10/2001	1	1	ND	ug/L
Styrene	MW-11N	7/9/2002	1	1	ND	ug/L
Styrene	MW-11N	10/2/2002	1	1	ND	ug/L
Styrene	MW-11N	1/23/2003	1	1	ND	ug/L
Styrene	MW-11N	4/15/2003	1	1	ND	ug/L
Styrene	MW-11N	7/8/2003	1	1	ND	ug/L
Styrene	MW-11N	1/29/2004	1	1	ND	ug/L
Styrene	MW-11N	7/27/2004	1	1	ND	ug/L
Styrene	MW-11N	1/13/2005	1	1	ND	ug/L
Styrene	MW-11N	7/20/2005	1	1	ND	ug/L
Styrene	MW-11N	1/19/2006	1	1	ND	ug/L
Styrene	MW-11N	7/18/2006	1	1	ND	ug/L
Styrene	MW-11N	7/18/2006	1	1	ND	ug/L
Styrene	MW-11N	10/25/2006	1	1	ND	ug/L
Styrene	MW-11N	1/24/2007	1	1	ND	ug/L
Styrene	MW-11N	7/10/2007	1	1	ND	ug/L
Styrene	MW-11N	1/22/2008	1	1	ND	ug/L
Styrene	MW-11N	7/23/2008	1	1	ND	ug/L
Styrene	MW-11N	2/3/2009	1	1	ND	ug/L
Styrene	MW-11N	7/31/2009	1	1	ND	ug/L
Styrene	MW-11N	2/3/2010	1	1	ND	ug/L
Styrene	MW-11N	2/3/2010	1	1	ND	ug/L
Styrene	MW-11N	7/16/2010	1	1	ND	ug/L
Styrene	MW-11N	1/19/2011	1	1	ND	ug/L
Styrene	MW-11N	7/13/2011	1	1	ND	ug/L
Styrene	MW-11N	1/4/2012	1	1	ND	ug/L
Styrene	MW-11N	7/9/2012	1	1	ND	ug/L
Styrene	MW-11N	4/30/2013	1	1	ND	ug/L
Styrene	MW-11N	7/15/2013	1	1	ND	ug/L
Styrene	MW-11N	1/23/2014	1	1	ND	ug/L
Styrene	MW-11N	7/8/2014	1	1	ND	ug/L
Styrene	MW-11N	2/10/2015	1	1	ND	ug/L
Styrene	MW-11N	7/13/2015	1	1	ND	ug/L
Styrene	MW-11N	1/5/2016	1	1	ND	ug/L
Styrene	MW-11N	7/21/2016	1	1	ND	ug/L
Styrene	MW-11N	1/11/2017	1	1	ND	ug/L
Styrene	MW-11N	7/19/2017	1	1	ND	ug/L
Styrene	MW-11N	1/23/2018	1	1	ND	ug/L
Styrene	MW-11N	7/17/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-11N	1/2/2019	1	1	ND	ug/L
Styrene	MW-11N	7/9/2019	1	1	ND	ug/L
Styrene	MW-11N	1/14/2020	1	1	ND	ug/L
Styrene	MW-11N	7/6/2020	1	1	ND	ug/L
Styrene	MW-11N	1/18/2021	1	1	ND	ug/L
Styrene	MW-11N	7/6/2021	1	1	ND	ug/L
Styrene	MW-11N	1/18/2022	1	1	ND	ug/L
Styrene	MW-11N	7/13/2022	1	1	ND	ug/L
Styrene	MW-11N	1/10/2023	1	1	ND	ug/L
Styrene	MW-11N	7/8/2023	1	1	ND	ug/L
Styrene	MW-15	6/5/2015	1	1	ND	ug/L
Styrene	MW-15	7/15/2015	1	1	ND	ug/L
Styrene	MW-15	8/5/2015	1	1	ND	ug/L
Styrene	MW-15	9/3/2015	1	1	ND	ug/L
Styrene	MW-15	1/7/2016	1	1	ND	ug/L
Styrene	MW-15	4/5/2016	1	1	ND	ug/L
Styrene	MW-15	7/20/2016	1	1	ND	ug/L
Styrene	MW-15	10/6/2016	1	1	ND	ug/L
Styrene	MW-15	1/10/2017	1	1	ND	ug/L
Styrene	MW-15	7/18/2017	1	1	ND	ug/L
Styrene	MW-15	1/23/2018	1	1	ND	ug/L
Styrene	MW-15	7/10/2018	1	1	ND	ug/L
Styrene	MW-15	1/3/2019	1	1	ND	ug/L
Styrene	MW-15	7/9/2019	1	1	ND	ug/L
Styrene	MW-15	1/14/2020	1	1	ND	ug/L
Styrene	MW-15	8/3/2020	1	1	ND	ug/L
Styrene	MW-15	1/18/2021	1	1	ND	ug/L
Styrene	MW-15	7/4/2021	1	1	ND	ug/L
Styrene	MW-15	1/12/2022	1	1	ND	ug/L
Styrene	MW-15	7/10/2022	1	1	ND	ug/L
Styrene	MW-15	1/10/2023	1	1	ND	ug/L
Styrene	MW-15	7/10/2023	1	1	ND	ug/L
Styrene	MW-16	6/5/2015	1	1	ND	ug/L
Styrene	MW-16	7/16/2015	1	1	ND	ug/L
Styrene	MW-16	8/5/2015	1	1	ND	ug/L
Styrene	MW-16	9/3/2015	1	1	ND	ug/L
Styrene	MW-16	1/8/2016	1	1	ND	ug/L
Styrene	MW-16	4/5/2016	1	1	ND	ug/L
Styrene	MW-16	7/21/2016	1	1	ND	ug/L
Styrene	MW-16	10/5/2016	1	1	ND	ug/L
Styrene	MW-16	1/10/2017	1	1	ND	ug/L
Styrene	MW-16	7/18/2017	1	1	ND	ug/L
Styrene	MW-16	1/23/2018	1	1	ND	ug/L
Styrene	MW-16	7/11/2018	1	1	ND	ug/L
Styrene	MW-16	1/2/2019	1	1	ND	ug/L
Styrene	MW-16	7/10/2019	1	1	ND	ug/L
Styrene	MW-16	1/14/2020	1	1	ND	ug/L
Styrene	MW-16	8/3/2020	1	1	ND	ug/L
Styrene	MW-16	1/18/2021	1	1	ND	ug/L
Styrene	MW-16	7/4/2021	1	1	ND	ug/L
Styrene	MW-16	1/12/2022	1	1	ND	ug/L
Styrene	MW-16	7/10/2022	1	1	ND	ug/L
Styrene	MW-16	1/10/2023	1	1	ND	ug/L
Styrene	MW-16	7/10/2023	1	1	ND	ug/L
Styrene	MW-17	6/5/2015	1	1	ND	ug/L
Styrene	MW-17	7/15/2015	1	1	ND	ug/L
Styrene	MW-17	8/4/2015	1	1	ND	ug/L
Styrene	MW-17	9/2/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-17	1/7/2016	1	1	ND	ug/L
Styrene	MW-17	4/5/2016	1	1	ND	ug/L
Styrene	MW-17	7/20/2016	1	1	ND	ug/L
Styrene	MW-17	10/6/2016	1	1	ND	ug/L
Styrene	MW-17	1/10/2017	1	1	ND	ug/L
Styrene	MW-17	7/18/2017	1	1	ND	ug/L
Styrene	MW-17	1/23/2018	1	1	ND	ug/L
Styrene	MW-17	7/10/2018	1	1	ND	ug/L
Styrene	MW-17	1/3/2019	1	1	ND	ug/L
Styrene	MW-17	7/11/2019	1	1	ND	ug/L
Styrene	MW-17	1/14/2020	1	1	ND	ug/L
Styrene	MW-17	8/3/2020	1	1	ND	ug/L
Styrene	MW-17	1/14/2021	1	1	ND	ug/L
Styrene	MW-17	7/4/2021	1	1	ND	ug/L
Styrene	MW-17	1/10/2023	1	1	ND	ug/L
Styrene	MW-17	7/8/2023	1	1	ND	ug/L
Styrene	MW-19	6/5/2015	1	1	ND	ug/L
Styrene	MW-19	7/16/2015	1	1	ND	ug/L
Styrene	MW-19	8/5/2015	1	1	ND	ug/L
Styrene	MW-19	9/3/2015	1	1	ND	ug/L
Styrene	MW-19	1/7/2016	1	1	ND	ug/L
Styrene	MW-19	4/5/2016	1	1	ND	ug/L
Styrene	MW-19	7/21/2016	1	1	ND	ug/L
Styrene	MW-19	10/5/2016	1	1	ND	ug/L
Styrene	MW-19	1/10/2017	1	1	ND	ug/L
Styrene	MW-19	7/18/2017	1	1	ND	ug/L
Styrene	MW-19	1/23/2018	1	1	ND	ug/L
Styrene	MW-19	7/13/2018	1	1	ND	ug/L
Styrene	MW-19	1/7/2019	1	1	ND	ug/L
Styrene	MW-19	7/11/2019	1	1	ND	ug/L
Styrene	MW-19	1/14/2020	1	1	ND	ug/L
Styrene	MW-19	8/3/2020	1	1	ND	ug/L
Styrene	MW-19	1/14/2021	1	1	ND	ug/L
Styrene	MW-19	7/4/2021	1	1	ND	ug/L
Styrene	MW-19	1/11/2023	1	1	ND	ug/L
Styrene	MW-19	7/10/2023	1	1	ND	ug/L
Styrene	MW-1N	10/22/1997	10	10	ND	ug/L
Styrene	MW-1N	1/20/1998	10	10	ND	ug/L
Styrene	MW-1N	4/28/1998	10	10	ND	ug/L
Styrene	MW-1N	7/23/1998	10	10	ND	ug/L
Styrene	MW-1N	10/14/1998	10	10	ND	ug/L
Styrene	MW-1N	1/13/1999	10	10	ND	ug/L
Styrene	MW-1N	4/13/1999	10	10	ND	ug/L
Styrene	MW-1N	5/19/1999	10	10	ND	ug/L
Styrene	MW-1N	7/15/1999	10	10	ND	ug/L
Styrene	MW-1N	10/19/1999	10	10	ND	ug/L
Styrene	MW-1N	1/14/2000	10	10	ND	ug/L
Styrene	MW-1N	4/25/2000	10	10	ND	ug/L
Styrene	MW-1N	7/12/2000	1	1	ND	ug/L
Styrene	MW-1N	10/18/2000	1	1	ND	ug/L
Styrene	MW-1N	1/24/2001	1	1	ND	ug/L
Styrene	MW-1N	4/12/2001	1	1	ND	ug/L
Styrene	MW-1N	5/29/2002	10	10	ND	ug/L
Styrene	MW-1N	5/29/2002	1	1	ND	ug/L
Styrene	MW-1N	7/9/2002	1	1	ND	ug/L
Styrene	MW-1N	10/3/2002	1	1	ND	ug/L
Styrene	MW-1N	1/22/2003	1	1	ND	ug/L
Styrene	MW-1N	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-1N	7/8/2003	1	1	ND	ug/L
Styrene	MW-1N	1/28/2004	1	1	ND	ug/L
Styrene	MW-1N	7/27/2004	1	1	ND	ug/L
Styrene	MW-1N	1/12/2005	1	1	ND	ug/L
Styrene	MW-1N	7/20/2005	1	1	ND	ug/L
Styrene	MW-1N	1/18/2006	1	1	ND	ug/L
Styrene	MW-1N	7/18/2006	1	1	ND	ug/L
Styrene	MW-1N	7/18/2006	1	1	ND	ug/L
Styrene	MW-1N	10/24/2006	1	1	ND	ug/L
Styrene	MW-1N	1/26/2007	1	1	ND	ug/L
Styrene	MW-1N	7/11/2007	1	1	ND	ug/L
Styrene	MW-1N	1/24/2008	1	1	ND	ug/L
Styrene	MW-1N	7/21/2008	1	1	ND	ug/L
Styrene	MW-1N	2/5/2009	1	1	ND	ug/L
Styrene	MW-1N	7/31/2009	1	1	ND	ug/L
Styrene	MW-1N	1/26/2010	1	1	ND	ug/L
Styrene	MW-1N	7/13/2010	1	1	ND	ug/L
Styrene	MW-1N	1/20/2011	1	1	ND	ug/L
Styrene	MW-1N	7/13/2011	1	1	ND	ug/L
Styrene	MW-1N	1/5/2012	1	1	ND	ug/L
Styrene	MW-1N	7/10/2012	1	1	ND	ug/L
Styrene	MW-1N	5/1/2013	1	1	ND	ug/L
Styrene	MW-1N	7/16/2013	1	1	ND	ug/L
Styrene	MW-1N	1/24/2014	1	1	ND	ug/L
Styrene	MW-1N	7/9/2014	1	1	ND	ug/L
Styrene	MW-1N	2/10/2015	1	1	ND	ug/L
Styrene	MW-1N	7/14/2015	1	1	ND	ug/L
Styrene	MW-1N	1/6/2016	1	1	ND	ug/L
Styrene	MW-1N	7/21/2016	1	1	ND	ug/L
Styrene	MW-1N	1/12/2017	1	1	ND	ug/L
Styrene	MW-1N	7/19/2017	1	1	ND	ug/L
Styrene	MW-1N	1/23/2018	1	1	ND	ug/L
Styrene	MW-1N	7/10/2018	1	1	ND	ug/L
Styrene	MW-1N	1/3/2019	1	1	ND	ug/L
Styrene	MW-1N	7/11/2019	1	1	ND	ug/L
Styrene	MW-1N	1/23/2020	1	1	ND	ug/L
Styrene	MW-1N	4/2/2020	1	1	ND	ug/L
Styrene	MW-1N	7/6/2020	1	1	ND	ug/L
Styrene	MW-1N	1/14/2021	1	1	ND	ug/L
Styrene	MW-1N	7/4/2021	1	1	ND	ug/L
Styrene	MW-1N	1/11/2023	1	1	ND	ug/L
Styrene	MW-1N	7/8/2023	1	1	ND	ug/L
Styrene	MW-20	6/5/2015	1	1	ND	ug/L
Styrene	MW-20	7/14/2015	1	1	ND	ug/L
Styrene	MW-20	8/4/2015	1	1	ND	ug/L
Styrene	MW-20	9/2/2015	1	1	ND	ug/L
Styrene	MW-20	1/7/2016	1	1	ND	ug/L
Styrene	MW-20	4/5/2016	1	1	ND	ug/L
Styrene	MW-20	7/20/2016	1	1	ND	ug/L
Styrene	MW-20	10/5/2016	1	1	ND	ug/L
Styrene	MW-20	1/12/2017	1	1	ND	ug/L
Styrene	MW-20	7/18/2017	1	1	ND	ug/L
Styrene	MW-20	1/26/2018	1	1	ND	ug/L
Styrene	MW-20	7/12/2018	1	1	ND	ug/L
Styrene	MW-20	7/11/2019	1	1	ND	ug/L
Styrene	MW-20	1/14/2020	1	1	ND	ug/L
Styrene	MW-20	7/7/2020	1	1	ND	ug/L
Styrene	MW-20	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-20	7/4/2021	1	1	ND	ug/L
Styrene	MW-20	1/11/2023	1	1	ND	ug/L
Styrene	MW-21	6/5/2015	1	1	ND	ug/L
Styrene	MW-21	7/14/2015	1	1	ND	ug/L
Styrene	MW-21	8/4/2015	1	1	ND	ug/L
Styrene	MW-21	9/2/2015	1	1	ND	ug/L
Styrene	MW-21	1/7/2016	1	1	ND	ug/L
Styrene	MW-21	4/5/2016	1	1	ND	ug/L
Styrene	MW-21	7/20/2016	1	1	ND	ug/L
Styrene	MW-21	10/5/2016	1	1	ND	ug/L
Styrene	MW-21	10/5/2016	1	1	ND	ug/L
Styrene	MW-21	1/10/2017	1	1	ND	ug/L
Styrene	MW-21	4/5/2017	1	1	ND	ug/L
Styrene	MW-21	7/19/2017	1	1	ND	ug/L
Styrene	MW-21	10/6/2017	1	1	ND	ug/L
Styrene	MW-21	1/24/2018	1	1	ND	ug/L
Styrene	MW-21	4/11/2018	1	1	ND	ug/L
Styrene	MW-21	7/11/2018	1	1	ND	ug/L
Styrene	MW-21	10/4/2018	1	1	ND	ug/L
Styrene	MW-21	1/3/2019	1	1	ND	ug/L
Styrene	MW-21	4/3/2019	1	1	ND	ug/L
Styrene	MW-21	7/11/2019	1	1	ND	ug/L
Styrene	MW-21	10/2/2019	1	1	ND	ug/L
Styrene	MW-21	1/16/2020	1	1	ND	ug/L
Styrene	MW-21	4/2/2020	1	1	ND	ug/L
Styrene	MW-21	7/8/2020	1	1	ND	ug/L
Styrene	MW-21	10/7/2020	1	1	ND	ug/L
Styrene	MW-21	1/13/2021	1	1	ND	ug/L
Styrene	MW-21	4/6/2021	1	1	ND	ug/L
Styrene	MW-21	7/5/2021	1	1	ND	ug/L
Styrene	MW-21	10/6/2021	1	1	ND	ug/L
Styrene	MW-21	1/11/2023	1	1	ND	ug/L
Styrene	MW-21	4/8/2023	1	1	ND	ug/L
Styrene	MW-21	7/7/2023	1	1	ND	ug/L
Styrene	MW-21	10/6/2023	1	1	ND	ug/L
Styrene	MW-2N	10/22/1997	10	10	ND	ug/L
Styrene	MW-2N	1/21/1998	10	10	ND	ug/L
Styrene	MW-2N	4/28/1998	10	10	ND	ug/L
Styrene	MW-2N	7/22/1998	10	10	ND	ug/L
Styrene	MW-2N	1/13/1999	10	10	ND	ug/L
Styrene	MW-2N	4/13/1999	10	10	ND	ug/L
Styrene	MW-2N	7/14/1999	10	10	ND	ug/L
Styrene	MW-2N	10/20/1999	10	10	ND	ug/L
Styrene	MW-2N	1/14/2000	10	10	ND	ug/L
Styrene	MW-2N	4/25/2000	10	10	ND	ug/L
Styrene	MW-2N	10/17/2000	1	1	ND	ug/L
Styrene	MW-2N	1/24/2001	1	1	ND	ug/L
Styrene	MW-2N	4/11/2001	1	1	ND	ug/L
Styrene	MW-2N	7/10/2002	1	1	ND	ug/L
Styrene	MW-2N	10/2/2002	1	1	ND	ug/L
Styrene	MW-2N	1/22/2003	1	1	ND	ug/L
Styrene	MW-2N	4/14/2003	1	1	ND	ug/L
Styrene	MW-2N	7/7/2003	1	1	ND	ug/L
Styrene	MW-2N	1/28/2004	1	1	ND	ug/L
Styrene	MW-2N	7/27/2004	1	1	ND	ug/L
Styrene	MW-2N	1/12/2005	1	1	ND	ug/L
Styrene	MW-2N	7/20/2005	1	1	ND	ug/L
Styrene	MW-2N	1/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-2N	7/19/2006	1	1	ND	ug/L
Styrene	MW-2N	7/19/2006	1	1	ND	ug/L
Styrene	MW-2N	10/25/2006	1	1	ND	ug/L
Styrene	MW-2N	1/26/2007	1	1	ND	ug/L
Styrene	MW-2N	3/27/2007	1	1	ND	ug/L
Styrene	MW-2N	7/11/2007	1	1	ND	ug/L
Styrene	MW-2N	1/24/2008	1	1	ND	ug/L
Styrene	MW-2N	7/22/2008	1	1	ND	ug/L
Styrene	MW-2N	2/4/2009	1	1	ND	ug/L
Styrene	MW-2N	7/31/2009	1	1	ND	ug/L
Styrene	MW-2N	1/26/2010	1	1	ND	ug/L
Styrene	MW-2N	7/13/2010	1	1	ND	ug/L
Styrene	MW-2N	1/20/2011	1	1	ND	ug/L
Styrene	MW-2N	7/13/2011	1	1	ND	ug/L
Styrene	MW-2N	1/5/2012	1	1	ND	ug/L
Styrene	MW-2N	7/10/2012	1	1	ND	ug/L
Styrene	MW-2N	5/1/2013	1	1	ND	ug/L
Styrene	MW-2N	7/16/2013	1	1	ND	ug/L
Styrene	MW-2N	1/24/2014	1	1	ND	ug/L
Styrene	MW-2N	7/9/2014	1	1	ND	ug/L
Styrene	MW-2N	2/12/2015	1	1	ND	ug/L
Styrene	MW-2N	7/14/2015	1	1	ND	ug/L
Styrene	MW-2N	1/6/2016	1	1	ND	ug/L
Styrene	MW-2N	7/21/2016	1	1	ND	ug/L
Styrene	MW-2N	1/11/2017	1	1	ND	ug/L
Styrene	MW-2N	7/19/2017	1	1	ND	ug/L
Styrene	MW-2N	1/23/2018	1	1	ND	ug/L
Styrene	MW-2N	7/12/2018	1	1	ND	ug/L
Styrene	MW-2N	1/3/2019	1	1	ND	ug/L
Styrene	MW-2N	8/7/2019	1	1	ND	ug/L
Styrene	MW-2N	1/23/2020	1	1	ND	ug/L
Styrene	MW-2N	7/7/2020	1	1	ND	ug/L
Styrene	MW-2N	1/14/2021	1	1	ND	ug/L
Styrene	MW-2N	7/5/2021	1	1	ND	ug/L
Styrene	MW-2N	1/11/2023	1	1	ND	ug/L
Styrene	MW-2N	7/8/2023	1	1	ND	ug/L
Styrene	MW-3N	10/21/1997	10	10	ND	ug/L
Styrene	MW-3N	1/21/1998	10	10	ND	ug/L
Styrene	MW-3N	4/28/1998	10	10	ND	ug/L
Styrene	MW-3N	7/23/1998	10	10	ND	ug/L
Styrene	MW-3N	1/13/1999	10	10	ND	ug/L
Styrene	MW-3N	4/13/1999	10	10	ND	ug/L
Styrene	MW-3N	7/14/1999	10	10	ND	ug/L
Styrene	MW-3N	10/20/1999	10	10	ND	ug/L
Styrene	MW-3N	1/14/2000	10	10	ND	ug/L
Styrene	MW-3N	4/24/2000	10	10	ND	ug/L
Styrene	MW-3N	7/11/2000	1	1	ND	ug/L
Styrene	MW-3N	10/17/2000	1	1	ND	ug/L
Styrene	MW-3N	1/23/2001	1	1	ND	ug/L
Styrene	MW-3N	4/11/2001	1	1	ND	ug/L
Styrene	MW-3N	5/29/2002	1	1	ND	ug/L
Styrene	MW-3N	5/29/2002	10	10	ND	ug/L
Styrene	MW-3N	7/9/2002	1	1	ND	ug/L
Styrene	MW-3N	10/2/2002	1	1	ND	ug/L
Styrene	MW-3N	1/22/2003	1	1	ND	ug/L
Styrene	MW-3N	4/14/2003	1	1	ND	ug/L
Styrene	MW-3N	7/7/2003	1	1	ND	ug/L
Styrene	MW-3N	1/28/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-3N	7/27/2004	1	1	ND	ug/L
Styrene	MW-3N	1/12/2005	1	1	ND	ug/L
Styrene	MW-3N	7/20/2005	1	1	ND	ug/L
Styrene	MW-3N	1/18/2006	1	1	ND	ug/L
Styrene	MW-3N	7/19/2006	1	1	ND	ug/L
Styrene	MW-3N	7/19/2006	1	1	ND	ug/L
Styrene	MW-3N	10/25/2006	1	1	ND	ug/L
Styrene	MW-3N	1/26/2007	1	1	ND	ug/L
Styrene	MW-3N	7/11/2007	1	1	ND	ug/L
Styrene	MW-3N	1/24/2008	1	1	ND	ug/L
Styrene	MW-3N	7/22/2008	1	1	ND	ug/L
Styrene	MW-3N	2/4/2009	1	1	ND	ug/L
Styrene	MW-3N	7/31/2009	1	1	ND	ug/L
Styrene	MW-3N	1/26/2010	1	1	ND	ug/L
Styrene	MW-3N	7/13/2010	1	1	ND	ug/L
Styrene	MW-3N	1/20/2011	1	1	ND	ug/L
Styrene	MW-3N	7/14/2011	1	1	ND	ug/L
Styrene	MW-3N	1/5/2012	1	1	ND	ug/L
Styrene	MW-3N	7/11/2012	1	1	ND	ug/L
Styrene	MW-3N	5/1/2013	1	1	ND	ug/L
Styrene	MW-3N	6/4/2013	1	1	ND	ug/L
Styrene	MW-3N	7/16/2013	1	1	ND	ug/L
Styrene	MW-3N	1/24/2014	1	1	ND	ug/L
Styrene	MW-3N	7/9/2014	1	1	ND	ug/L
Styrene	MW-3N	2/12/2015	1	1	ND	ug/L
Styrene	MW-3N	4/1/2015	1	1	ND	ug/L
Styrene	MW-3N	7/14/2015	1	1	ND	ug/L
Styrene	MW-3N	10/5/2015	1	1	ND	ug/L
Styrene	MW-3N	1/6/2016	1	1	ND	ug/L
Styrene	MW-3N	4/6/2016	1	1	ND	ug/L
Styrene	MW-3N	7/21/2016	1	1	ND	ug/L
Styrene	MW-3N	10/6/2016	1	1	ND	ug/L
Styrene	MW-3N	1/11/2017	1	1	ND	ug/L
Styrene	MW-3N	4/4/2017	1	1	ND	ug/L
Styrene	MW-3N	7/19/2017	1	1	ND	ug/L
Styrene	MW-3N	10/9/2017	1	1	ND	ug/L
Styrene	MW-3N	1/24/2018	1	1	ND	ug/L
Styrene	MW-3N	4/10/2018	1	1	ND	ug/L
Styrene	MW-3N	7/13/2018	1	1	ND	ug/L
Styrene	MW-3N	10/3/2018	1	1	ND	ug/L
Styrene	MW-3N	1/7/2019	1	1	ND	ug/L
Styrene	MW-3N	4/3/2019	1	1	ND	ug/L
Styrene	MW-3N	7/11/2019	1	1	ND	ug/L
Styrene	MW-3N	10/2/2019	1	1	ND	ug/L
Styrene	MW-3N	1/15/2020	1	1	ND	ug/L
Styrene	MW-3N	4/2/2020	1	1	ND	ug/L
Styrene	MW-3N	7/7/2020	1	1	ND	ug/L
Styrene	MW-3N	10/7/2020	1	1	ND	ug/L
Styrene	MW-3N	1/13/2021	1	1	ND	ug/L
Styrene	MW-3N	4/6/2021	1	1	ND	ug/L
Styrene	MW-3N	7/5/2021	1	1	ND	ug/L
Styrene	MW-3N	10/6/2021	1	1	ND	ug/L
Styrene	MW-3N	1/11/2023	1	1	ND	ug/L
Styrene	MW-3N	7/7/2023	1	1	ND	ug/L
Styrene	MW-3N	10/6/2023	1	1	ND	ug/L
Styrene	MW-7N	10/21/1997	10	10	ND	ug/L
Styrene	MW-7N	1/21/1998	10	10	ND	ug/L
Styrene	MW-7N	7/22/1998	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-7N	8/18/1998	10	10	ND	ug/L
Styrene	MW-7N	9/17/1998	10	10	ND	ug/L
Styrene	MW-7N	10/15/1998	10	10	ND	ug/L
Styrene	MW-7N	11/9/1998	10	10	ND	ug/L
Styrene	MW-7N	1/14/1999	10	10	ND	ug/L
Styrene	MW-7N	4/14/1999	10	10	ND	ug/L
Styrene	MW-7N	7/14/1999	10	10	ND	ug/L
Styrene	MW-7N	10/19/1999	10	10	ND	ug/L
Styrene	MW-7N	1/13/2000	10	10	ND	ug/L
Styrene	MW-7N	4/25/2000	10	10	ND	ug/L
Styrene	MW-7N	10/17/2000	1	1	ND	ug/L
Styrene	MW-7N	1/23/2001	1	1	ND	ug/L
Styrene	MW-7N	4/10/2001	1	1	ND	ug/L
Styrene	MW-7N	5/29/2002	1	1	ND	ug/L
Styrene	MW-7N	5/29/2002	10	10	ND	ug/L
Styrene	MW-7N	7/9/2002	1	1	ND	ug/L
Styrene	MW-7N	10/2/2002	1	1	ND	ug/L
Styrene	MW-7N	1/23/2003	1	1	ND	ug/L
Styrene	MW-7N	4/14/2003	1	1	ND	ug/L
Styrene	MW-7N	7/7/2003	1	1	ND	ug/L
Styrene	MW-7N	1/27/2004	1	1	ND	ug/L
Styrene	MW-7N	4/8/2004	1	1	ND	ug/L
Styrene	MW-7N	7/26/2004	1	1	ND	ug/L
Styrene	MW-7N	1/12/2005	1	1	ND	ug/L
Styrene	MW-7N	7/19/2005	1	1	ND	ug/L
Styrene	MW-7N	1/19/2006	1	1	ND	ug/L
Styrene	MW-7N	7/19/2006	1	1	ND	ug/L
Styrene	MW-7N	7/19/2006	1	1	ND	ug/L
Styrene	MW-7N	10/24/2006	1	1	ND	ug/L
Styrene	MW-7N	1/26/2007	1	1	ND	ug/L
Styrene	MW-7N	7/10/2007	1	1	ND	ug/L
Styrene	MW-7N	7/21/2008	1	1	ND	ug/L
Styrene	MW-7N	2/6/2009	1	1	ND	ug/L
Styrene	MW-7N	7/29/2009	1	1	ND	ug/L
Styrene	MW-7N	1/26/2010	1	1	ND	ug/L
Styrene	MW-7N	7/14/2010	1	1	ND	ug/L
Styrene	MW-7N	9/2/2010	1	1	ND	ug/L
Styrene	MW-7N	1/20/2011	1	1	ND	ug/L
Styrene	MW-7N	7/12/2011	1	1	ND	ug/L
Styrene	MW-7N	1/5/2012	1	1	ND	ug/L
Styrene	MW-7N	7/10/2012	1	1	ND	ug/L
Styrene	MW-7N	5/1/2013	1	1	ND	ug/L
Styrene	MW-7N	6/4/2013	1	1	ND	ug/L
Styrene	MW-7N	7/15/2013	1	1	ND	ug/L
Styrene	MW-7N	1/30/2014	1	1	ND	ug/L
Styrene	MW-7N	7/9/2014	1	1	ND	ug/L
Styrene	MW-7N	2/12/2015	1	1	ND	ug/L
Styrene	MW-7N	7/13/2015	1	1	ND	ug/L
Styrene	MW-7N	1/5/2016	1	1	ND	ug/L
Styrene	MW-7N	7/21/2016	1	1	ND	ug/L
Styrene	MW-7N	1/11/2017	1	1	ND	ug/L
Styrene	MW-7N	4/4/2017	1	1	ND	ug/L
Styrene	MW-7N	7/19/2017	1	1	ND	ug/L
Styrene	MW-7N	10/5/2017	1	1	ND	ug/L
Styrene	MW-7N	1/25/2018	1	1	ND	ug/L
Styrene	MW-7N	4/11/2018	1	1	ND	ug/L
Styrene	MW-7N	7/13/2018	1	1	ND	ug/L
Styrene	MW-7N	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-7N	7/10/2019	1	1	ND	ug/L
Styrene	MW-7N	1/16/2020	1	1	ND	ug/L
Styrene	MW-7N	7/7/2020	1	1	ND	ug/L
Styrene	MW-7N	1/16/2021	1	1	ND	ug/L
Styrene	MW-7N	7/5/2021	1	1	ND	ug/L
Styrene	MW-7N	1/12/2022	1	1	ND	ug/L
Styrene	MW-7N	7/10/2022	1	1	ND	ug/L
Styrene	MW-7N	1/10/2023	1	1	ND	ug/L
Styrene	MW-7N	7/7/2023	1	1	ND	ug/L
Styrene	MW-8N	10/21/1997	10	10	ND	ug/L
Styrene	MW-8N	1/22/1998	10	10	ND	ug/L
Styrene	MW-8N	4/28/1998	10	10	ND	ug/L
Styrene	MW-8N	7/22/1998	10	10	ND	ug/L
Styrene	MW-8N	1/12/1999	10	10	ND	ug/L
Styrene	MW-8N	4/13/1999	10	10	ND	ug/L
Styrene	MW-8N	7/14/1999	10	10	ND	ug/L
Styrene	MW-8N	10/19/1999	10	10	ND	ug/L
Styrene	MW-8N	1/14/2000	10	10	ND	ug/L
Styrene	MW-8N	4/25/2000	10	10	ND	ug/L
Styrene	MW-8N	10/17/2000	1	1	ND	ug/L
Styrene	MW-8N	1/23/2001	1	1	ND	ug/L
Styrene	MW-8N	4/11/2001	1	1	ND	ug/L
Styrene	MW-8N	5/29/2002	1	1	ND	ug/L
Styrene	MW-8N	5/29/2002	10	10	ND	ug/L
Styrene	MW-8N	7/9/2002	1	1	ND	ug/L
Styrene	MW-8N	10/2/2002	1	1	ND	ug/L
Styrene	MW-8N	1/23/2003	1	1	ND	ug/L
Styrene	MW-8N	4/14/2003	1	1	ND	ug/L
Styrene	MW-8N	7/7/2003	1	1	ND	ug/L
Styrene	MW-8N	1/28/2004	1	1	ND	ug/L
Styrene	MW-8N	7/27/2004	1	1	ND	ug/L
Styrene	MW-8N	1/12/2005	1	1	ND	ug/L
Styrene	MW-8N	7/20/2005	1	1	ND	ug/L
Styrene	MW-8N	1/19/2006	1	1	ND	ug/L
Styrene	MW-8N	7/19/2006	1	1	ND	ug/L
Styrene	MW-8N	7/19/2006	1	1	ND	ug/L
Styrene	MW-8N	10/24/2006	1	1	ND	ug/L
Styrene	MW-8N	1/26/2007	1	1	ND	ug/L
Styrene	MW-8N	4/25/2007	1	1	ND	ug/L
Styrene	MW-8N	7/10/2007	1	1	ND	ug/L
Styrene	MW-8N	1/24/2008	1	1	ND	ug/L
Styrene	MW-8N	7/23/2008	1	1	ND	ug/L
Styrene	MW-8N	2/4/2009	1	1	ND	ug/L
Styrene	MW-8N	7/31/2009	1	1	ND	ug/L
Styrene	MW-8N	1/26/2010	1	1	ND	ug/L
Styrene	MW-8N	7/16/2010	1	1	ND	ug/L
Styrene	MW-8N	1/19/2011	1	1	ND	ug/L
Styrene	MW-8N	5/10/2011	1	1	ND	ug/L
Styrene	MW-8N	7/14/2011	1	1	ND	ug/L
Styrene	MW-8N	1/6/2012	1	1	ND	ug/L
Styrene	MW-8N	4/5/2012	1	1	ND	ug/L
Styrene	MW-8N	7/11/2012	1	1	ND	ug/L
Styrene	MW-8N	10/3/2012	1	1	ND	ug/L
Styrene	MW-8N	5/1/2013	1	1	ND	ug/L
Styrene	MW-8N	6/4/2013	1	1	ND	ug/L
Styrene	MW-8N	7/16/2013	1	1	ND	ug/L
Styrene	MW-8N	10/2/2013	1	1	ND	ug/L
Styrene	MW-8N	1/30/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	MW-8N	4/3/2014	1	1	ND	ug/L
Styrene	MW-8N	7/9/2014	1	1	ND	ug/L
Styrene	MW-8N	10/8/2014	1	1	ND	ug/L
Styrene	MW-8N	2/12/2015	1	1	ND	ug/L
Styrene	MW-8N	4/1/2015	1	1	ND	ug/L
Styrene	MW-8N	7/14/2015	1	1	ND	ug/L
Styrene	MW-8N	10/5/2015	1	1	ND	ug/L
Styrene	MW-8N	1/5/2016	1	1	ND	ug/L
Styrene	MW-8N	4/6/2016	1	1	ND	ug/L
Styrene	MW-8N	7/21/2016	1	1	ND	ug/L
Styrene	MW-8N	10/6/2016	1	1	ND	ug/L
Styrene	MW-8N	1/11/2017	1	1	ND	ug/L
Styrene	MW-8N	4/4/2017	1	1	ND	ug/L
Styrene	MW-8N	7/19/2017	1	1	ND	ug/L
Styrene	MW-8N	10/6/2017	1	1	ND	ug/L
Styrene	MW-8N	1/25/2018	1	1	ND	ug/L
Styrene	MW-8N	4/10/2018	1	1	ND	ug/L
Styrene	MW-8N	7/16/2018	1	1	ND	ug/L
Styrene	MW-8N	10/2/2018	1	1	ND	ug/L
Styrene	MW-8N	1/7/2019	1	1	ND	ug/L
Styrene	MW-8N	4/3/2019	1	1	ND	ug/L
Styrene	MW-8N	7/11/2019	1	1	ND	ug/L
Styrene	MW-8N	10/3/2019	1	1	ND	ug/L
Styrene	MW-8N	1/15/2020	1	1	ND	ug/L
Styrene	MW-8N	4/2/2020	1	1	ND	ug/L
Styrene	MW-8N	7/9/2020	1	1	ND	ug/L
Styrene	MW-8N	10/6/2020	1	1	ND	ug/L
Styrene	MW-8N	1/15/2021	1	1	ND	ug/L
Styrene	MW-8N	4/6/2021	1	1	ND	ug/L
Styrene	MW-8N	7/5/2021	1	1	ND	ug/L
Styrene	MW-8N	10/6/2021	1	1	ND	ug/L
Styrene	MW-8N	1/18/2022	1	1	ND	ug/L
Styrene	MW-8N	4/4/2022	1	1	ND	ug/L
Styrene	MW-8N	7/12/2022	1	1	ND	ug/L
Styrene	MW-8N	10/6/2022	1	1	ND	ug/L
Styrene	MW-8N	1/11/2023	1	1	ND	ug/L
Styrene	MW-8N	4/8/2023	1	1	ND	ug/L
Styrene	MW-8N	7/7/2023	1	1	ND	ug/L
Styrene	MW-8N	10/5/2023	1	1	ND	ug/L
Styrene	NE-1	7/10/2002	1	1	ND	ug/L
Styrene	NE-1	8/6/2002	1	1	ND	ug/L
Styrene	NE-1	9/4/2002	1	1	ND	ug/L
Styrene	NE-1	10/2/2002	1	1	ND	ug/L
Styrene	NE-1	7/8/2003	1	1	ND	ug/L
Styrene	NE-1	1/27/2004	1	1	ND	ug/L
Styrene	NE-1	1/12/2005	1	1	ND	ug/L
Styrene	NE-1	7/19/2006	1	1	ND	ug/L
Styrene	NE-1	7/19/2006	1	1	ND	ug/L
Styrene	NE-1	10/25/2006	1	1	ND	ug/L
Styrene	NE-1	1/24/2007	1	1	ND	ug/L
Styrene	NE-1	7/10/2007	1	1	ND	ug/L
Styrene	NE-1	1/24/2008	1	1	ND	ug/L
Styrene	NE-1	7/21/2008	1	1	ND	ug/L
Styrene	NE-1	2/7/2009	1	1	ND	ug/L
Styrene	NE-1	7/31/2009	1	1	ND	ug/L
Styrene	NE-1	1/26/2010	1	1	ND	ug/L
Styrene	NE-1	7/14/2010	1	1	ND	ug/L
Styrene	NE-1	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-1	1/19/2011	1	1	ND	ug/L
Styrene	NE-1	7/13/2011	1	1	ND	ug/L
Styrene	NE-1	1/5/2012	1	1	ND	ug/L
Styrene	NE-1	7/10/2012	1	1	ND	ug/L
Styrene	NE-1	4/30/2013	1	1	ND	ug/L
Styrene	NE-1	7/16/2013	1	1	ND	ug/L
Styrene	NE-1	1/23/2014	1	1	ND	ug/L
Styrene	NE-1	7/9/2014	1	1	ND	ug/L
Styrene	NE-1	2/11/2015	1	1	ND	ug/L
Styrene	NE-1	7/8/2015	1	1	ND	ug/L
Styrene	NE-1	1/6/2016	1	1	ND	ug/L
Styrene	NE-1	7/20/2016	1	1	ND	ug/L
Styrene	NE-1	1/11/2017	1	1	ND	ug/L
Styrene	NE-1	7/19/2017	1	1	ND	ug/L
Styrene	NE-1	1/24/2018	1	1	ND	ug/L
Styrene	NE-1	4/11/2018	1	1	ND	ug/L
Styrene	NE-1	7/18/2018	1	1	ND	ug/L
Styrene	NE-1	10/2/2018	1	1	ND	ug/L
Styrene	NE-1	1/4/2019	1	1	ND	ug/L
Styrene	NE-1	4/2/2019	1	1	ND	ug/L
Styrene	NE-1	7/10/2019	1	1	ND	ug/L
Styrene	NE-1	7/10/2019	1	1	ND	ug/L
Styrene	NE-1	10/2/2019	1	1	ND	ug/L
Styrene	NE-1	1/15/2020	1	1	ND	ug/L
Styrene	NE-1	4/2/2020	1	1	ND	ug/L
Styrene	NE-1	7/8/2020	1	1	ND	ug/L
Styrene	NE-1	10/7/2020	1	1	ND	ug/L
Styrene	NE-1	1/13/2021	1	1	ND	ug/L
Styrene	NE-1	4/9/2021	1	1	ND	ug/L
Styrene	NE-1	7/2/2021	1	1	ND	ug/L
Styrene	NE-1	10/6/2021	1	1	ND	ug/L
Styrene	NE-1	1/17/2022	1	1	ND	ug/L
Styrene	NE-1	4/6/2022	1	1	ND	ug/L
Styrene	NE-1	7/13/2022	1	1	ND	ug/L
Styrene	NE-1	10/6/2022	1	1	ND	ug/L
Styrene	NE-1	1/5/2023	1	1	ND	ug/L
Styrene	NE-1	4/7/2023	1	1	ND	ug/L
Styrene	NE-1	7/5/2023	1	1	ND	ug/L
Styrene	NE-1	10/5/2023	1	1	ND	ug/L
Styrene	NE-10D	11/6/2019	1	1	ND	ug/L
Styrene	NE-10D	1/16/2020	1	1	ND	ug/L
Styrene	NE-10D	4/2/2020	1	1	ND	ug/L
Styrene	NE-10D	7/8/2020	1	1	ND	ug/L
Styrene	NE-10D	10/7/2020	1	1	ND	ug/L
Styrene	NE-10D	1/13/2021	1	1	ND	ug/L
Styrene	NE-10D	4/9/2021	1	1	ND	ug/L
Styrene	NE-10D	7/2/2021	1	1	ND	ug/L
Styrene	NE-10D	10/7/2021	1	1	ND	ug/L
Styrene	NE-10D	1/6/2023	1	1	ND	ug/L
Styrene	NE-10D	4/6/2023	1	1	ND	ug/L
Styrene	NE-10D	7/8/2023	1	1	ND	ug/L
Styrene	NE-10D	10/3/2023	1	1	ND	ug/L
Styrene	NE-11	3/1/2017	1	1	ND	ug/L
Styrene	NE-11	4/6/2017	1	1	ND	ug/L
Styrene	NE-11	7/20/2017	1	1	ND	ug/L
Styrene	NE-11	10/9/2017	1	1	ND	ug/L
Styrene	NE-11	9/30/2019	1	1	ND	ug/L
Styrene	NE-11	1/14/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-11	7/7/2020	1	1	ND	ug/L
Styrene	NE-11	1/16/2021	1	1	ND	ug/L
Styrene	NE-11	1/16/2021	1	1	ND	ug/L
Styrene	NE-11	7/1/2021	1	1	ND	ug/L
Styrene	NE-11	7/1/2021	1	1	ND	ug/L
Styrene	NE-11	1/17/2022	1	1	ND	ug/L
Styrene	NE-11	1/17/2022	1	1	ND	ug/L
Styrene	NE-11	7/12/2022	1	1	ND	ug/L
Styrene	NE-11	1/6/2023	1	1	ND	ug/L
Styrene	NE-11	7/6/2023	1	1	ND	ug/L
Styrene	NE-12	3/1/2017	1	1	ND	ug/L
Styrene	NE-12	4/6/2017	1	1	ND	ug/L
Styrene	NE-12	7/20/2017	1	1	ND	ug/L
Styrene	NE-12	10/6/2017	1	1	ND	ug/L
Styrene	NE-12	8/5/2019	1	1	ND	ug/L
Styrene	NE-12	1/13/2020	1	1	ND	ug/L
Styrene	NE-12	7/7/2020	1	1	ND	ug/L
Styrene	NE-12	1/15/2021	1	1	ND	ug/L
Styrene	NE-12	1/15/2021	1	1	ND	ug/L
Styrene	NE-12	7/1/2021	1	1	ND	ug/L
Styrene	NE-12	7/1/2021	1	1	ND	ug/L
Styrene	NE-12	1/17/2022	1	1	ND	ug/L
Styrene	NE-12	1/17/2022	1	1	ND	ug/L
Styrene	NE-12	7/12/2022	1	1	ND	ug/L
Styrene	NE-12	1/6/2023	1	1	ND	ug/L
Styrene	NE-12	7/5/2023	1	1	ND	ug/L
Styrene	NE-13	2/5/2019	1	1	ND	ug/L
Styrene	NE-13	8/7/2019	1	1	ND	ug/L
Styrene	NE-13	1/15/2020	1	1	ND	ug/L
Styrene	NE-13	7/8/2020	1	1	ND	ug/L
Styrene	NE-13	1/17/2021	1	1	ND	ug/L
Styrene	NE-13	1/17/2021	1	1	ND	ug/L
Styrene	NE-13	7/1/2021	1	1	ND	ug/L
Styrene	NE-13	7/1/2021	1	1	ND	ug/L
Styrene	NE-14D	10/2/2019	1	1	ND	ug/L
Styrene	NE-14D	1/16/2020	1	1	ND	ug/L
Styrene	NE-14D	4/3/2020	1	1	ND	ug/L
Styrene	NE-14D	7/7/2020	1	1	ND	ug/L
Styrene	NE-14D	10/6/2020	1	1	ND	ug/L
Styrene	NE-14D	1/17/2021	1	1	ND	ug/L
Styrene	NE-14D	4/9/2021	1	1	ND	ug/L
Styrene	NE-14D	7/2/2021	1	1	ND	ug/L
Styrene	NE-14D	10/7/2021	1	1	ND	ug/L
Styrene	NE-14D	1/18/2022	1	1	ND	ug/L
Styrene	NE-14D	4/6/2022	1	1	ND	ug/L
Styrene	NE-14D	7/13/2022	1	1	ND	ug/L
Styrene	NE-14D	10/7/2022	1	1	ND	ug/L
Styrene	NE-14D	1/6/2023	1	1	ND	ug/L
Styrene	NE-14D	4/6/2023	1	1	ND	ug/L
Styrene	NE-14D	7/5/2023	1	1	ND	ug/L
Styrene	NE-14D	10/4/2023	1	1	ND	ug/L
Styrene	NE-14S	10/2/2019	1	1	ND	ug/L
Styrene	NE-14S	1/16/2020	1	1	ND	ug/L
Styrene	NE-14S	4/3/2020	1	1	ND	ug/L
Styrene	NE-14S	7/7/2020	1	1	ND	ug/L
Styrene	NE-14S	10/6/2020	1	1	ND	ug/L
Styrene	NE-14S	1/17/2021	1	1	ND	ug/L
Styrene	NE-14S	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-14S	7/2/2021	1	1	ND	ug/L
Styrene	NE-14S	10/7/2021	1	1	ND	ug/L
Styrene	NE-14S	1/18/2022	1	1	ND	ug/L
Styrene	NE-14S	4/6/2022	1	1	ND	ug/L
Styrene	NE-14S	7/13/2022	1	1	ND	ug/L
Styrene	NE-14S	10/7/2022	1	1	ND	ug/L
Styrene	NE-14S	1/6/2023	1	1	ND	ug/L
Styrene	NE-14S	4/6/2023	1	1	ND	ug/L
Styrene	NE-14S	7/5/2023	1	1	ND	ug/L
Styrene	NE-14S	10/4/2023	1	1	ND	ug/L
Styrene	NE-15D	9/30/2019	1	1	ND	ug/L
Styrene	NE-15D	1/16/2020	1	1	ND	ug/L
Styrene	NE-15D	4/3/2020	1	1	ND	ug/L
Styrene	NE-15D	7/7/2020	1	1	ND	ug/L
Styrene	NE-15D	10/6/2020	1	1	ND	ug/L
Styrene	NE-15D	1/17/2021	1	1	ND	ug/L
Styrene	NE-15D	4/9/2021	1	1	ND	ug/L
Styrene	NE-15D	7/2/2021	1	1	ND	ug/L
Styrene	NE-15D	10/7/2021	1	1	ND	ug/L
Styrene	NE-15D	1/17/2022	1	1	ND	ug/L
Styrene	NE-15D	4/6/2022	1	1	ND	ug/L
Styrene	NE-15D	7/13/2022	1	1	ND	ug/L
Styrene	NE-15D	10/7/2022	1	1	ND	ug/L
Styrene	NE-15D	1/6/2023	1	1	ND	ug/L
Styrene	NE-15D	4/6/2023	1	1	ND	ug/L
Styrene	NE-15D	7/6/2023	1	1	ND	ug/L
Styrene	NE-15D	10/6/2023	1	1	ND	ug/L
Styrene	NE-15S	4/3/2020	1	1	ND	ug/L
Styrene	NE-2	7/9/2002	1	1	ND	ug/L
Styrene	NE-2	8/6/2002	1	1	ND	ug/L
Styrene	NE-2	9/4/2002	1	1	ND	ug/L
Styrene	NE-2	10/2/2002	1	1	ND	ug/L
Styrene	NE-2	10/1/2013	1	1	ND	ug/L
Styrene	NE-2	10/8/2014	1	1	ND	ug/L
Styrene	NE-2	10/5/2015	1	1	ND	ug/L
Styrene	NE-2	10/6/2016	1	1	ND	ug/L
Styrene	NE-2	10/5/2017	1	1	ND	ug/L
Styrene	NE-2	1/25/2018	1	1	ND	ug/L
Styrene	NE-2	4/10/2018	1	1	ND	ug/L
Styrene	NE-2	7/10/2018	1	1	ND	ug/L
Styrene	NE-2	10/1/2018	1	1	ND	ug/L
Styrene	NE-2	1/4/2019	1	1	ND	ug/L
Styrene	NE-2	4/2/2019	1	1	ND	ug/L
Styrene	NE-2	7/9/2019	1	1	ND	ug/L
Styrene	NE-2	7/9/2019	1	1	ND	ug/L
Styrene	NE-2	10/2/2019	1	1	ND	ug/L
Styrene	NE-2	1/14/2020	1	1	ND	ug/L
Styrene	NE-2	4/1/2020	1	1	ND	ug/L
Styrene	NE-2	7/7/2020	1	1	ND	ug/L
Styrene	NE-2	10/6/2020	1	1	ND	ug/L
Styrene	NE-2	1/14/2021	1	1	ND	ug/L
Styrene	NE-2	4/9/2021	1	1	ND	ug/L
Styrene	NE-2	7/2/2021	1	1	ND	ug/L
Styrene	NE-2	10/6/2021	1	1	ND	ug/L
Styrene	NE-2	1/18/2022	1	1	ND	ug/L
Styrene	NE-2	4/6/2022	1	1	ND	ug/L
Styrene	NE-2	7/13/2022	1	1	ND	ug/L
Styrene	NE-2	10/7/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-2	1/5/2023	1	1	ND	ug/L
Styrene	NE-2	4/5/2023	1	1	ND	ug/L
Styrene	NE-2	7/5/2023	1	1	ND	ug/L
Styrene	NE-2	10/4/2023	1	1	ND	ug/L
Styrene	NE-4	7/10/2002	1	1	ND	ug/L
Styrene	NE-4	8/6/2002	1	1	ND	ug/L
Styrene	NE-4	9/4/2002	1	1	ND	ug/L
Styrene	NE-4	10/3/2002	1	1	ND	ug/L
Styrene	NE-4	4/15/2003	1	1	ND	ug/L
Styrene	NE-4	7/8/2003	1	1	ND	ug/L
Styrene	NE-4	1/28/2004	1	1	ND	ug/L
Styrene	NE-4	1/13/2005	1	1	ND	ug/L
Styrene	NE-4	8/1/2006	1	1	ND	ug/L
Styrene	NE-4	8/1/2006	1	1	ND	ug/L
Styrene	NE-4	10/25/2006	1	1	ND	ug/L
Styrene	NE-4	1/24/2007	1	1	ND	ug/L
Styrene	NE-4	7/12/2007	1	1	ND	ug/L
Styrene	NE-4	1/24/2008	1	1	ND	ug/L
Styrene	NE-4	7/21/2008	1	1	ND	ug/L
Styrene	NE-4	2/7/2009	1	1	ND	ug/L
Styrene	NE-4	7/31/2009	1	1	ND	ug/L
Styrene	NE-4	1/26/2010	1	1	ND	ug/L
Styrene	NE-4	7/14/2010	1	1	ND	ug/L
Styrene	NE-4	1/19/2011	1	1	ND	ug/L
Styrene	NE-4	7/13/2011	1	1	ND	ug/L
Styrene	NE-4	1/5/2012	1	1	ND	ug/L
Styrene	NE-4	7/10/2012	1	1	ND	ug/L
Styrene	NE-4	4/30/2013	1	1	ND	ug/L
Styrene	NE-4	7/16/2013	1	1	ND	ug/L
Styrene	NE-4	1/23/2014	1	1	ND	ug/L
Styrene	NE-4	7/9/2014	1	1	ND	ug/L
Styrene	NE-4	2/13/2015	1	1	ND	ug/L
Styrene	NE-4	7/8/2015	1	1	ND	ug/L
Styrene	NE-4	1/6/2016	1	1	ND	ug/L
Styrene	NE-4	7/20/2016	1	1	ND	ug/L
Styrene	NE-4	1/11/2017	1	1	ND	ug/L
Styrene	NE-4	7/19/2017	1	1	ND	ug/L
Styrene	NE-4	1/26/2018	1	1	ND	ug/L
Styrene	NE-4	4/10/2018	1	1	ND	ug/L
Styrene	NE-4	7/12/2018	1	1	ND	ug/L
Styrene	NE-4	10/3/2018	1	1	ND	ug/L
Styrene	NE-4	1/7/2019	1	1	ND	ug/L
Styrene	NE-4	4/2/2019	1	1	ND	ug/L
Styrene	NE-4	7/8/2019	1	1	ND	ug/L
Styrene	NE-4	7/8/2019	1	1	ND	ug/L
Styrene	NE-4	10/1/2019	1	1	ND	ug/L
Styrene	NE-4	1/13/2020	1	1	ND	ug/L
Styrene	NE-4	4/1/2020	1	1	ND	ug/L
Styrene	NE-4	7/6/2020	1	1	ND	ug/L
Styrene	NE-4	10/5/2020	1	1	ND	ug/L
Styrene	NE-4	1/15/2021	1	1	ND	ug/L
Styrene	NE-4	4/9/2021	1	1	ND	ug/L
Styrene	NE-4	7/2/2021	1	1	ND	ug/L
Styrene	NE-4	10/6/2021	1	1	ND	ug/L
Styrene	NE-4	1/5/2023	1	1	ND	ug/L
Styrene	NE-4	4/6/2023	1	1	ND	ug/L
Styrene	NE-4	7/5/2023	1	1	ND	ug/L
Styrene	NE-4	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-5	7/9/2002	1	1	ND	ug/L
Styrene	NE-5	8/6/2002	1	1	ND	ug/L
Styrene	NE-5	9/4/2002	1	1	ND	ug/L
Styrene	NE-5	10/2/2002	1	1	ND	ug/L
Styrene	NE-5	4/15/2003	1	1	ND	ug/L
Styrene	NE-5	7/8/2003	1	1	ND	ug/L
Styrene	NE-5	1/27/2004	1	1	ND	ug/L
Styrene	NE-5	1/12/2005	1	1	ND	ug/L
Styrene	NE-5	7/19/2006	1	1	ND	ug/L
Styrene	NE-5	7/19/2006	1	1	ND	ug/L
Styrene	NE-5	10/25/2006	1	1	ND	ug/L
Styrene	NE-5	1/24/2007	1	1	ND	ug/L
Styrene	NE-5	7/12/2007	1	1	ND	ug/L
Styrene	NE-5	7/22/2008	1	1	ND	ug/L
Styrene	NE-5	2/6/2009	1	1	ND	ug/L
Styrene	NE-5	7/31/2009	1	1	ND	ug/L
Styrene	NE-5	1/26/2010	1	1	ND	ug/L
Styrene	NE-5	7/16/2010	1	1	ND	ug/L
Styrene	NE-5	9/2/2010	1	1	ND	ug/L
Styrene	NE-5	1/19/2011	1	1	ND	ug/L
Styrene	NE-5	7/13/2011	1	1	ND	ug/L
Styrene	NE-5	1/5/2012	1	1	ND	ug/L
Styrene	NE-5	7/10/2012	1	1	ND	ug/L
Styrene	NE-5	4/30/2013	1	1	ND	ug/L
Styrene	NE-5	7/16/2013	1	1	ND	ug/L
Styrene	NE-5	1/23/2014	1	1	ND	ug/L
Styrene	NE-5	7/9/2014	1	1	ND	ug/L
Styrene	NE-5	2/11/2015	1	1	ND	ug/L
Styrene	NE-5	7/14/2015	1	1	ND	ug/L
Styrene	NE-5	1/6/2016	1	1	ND	ug/L
Styrene	NE-5	7/20/2016	1	1	ND	ug/L
Styrene	NE-5	1/11/2017	1	1	ND	ug/L
Styrene	NE-5	7/19/2017	1	1	ND	ug/L
Styrene	NE-5	1/25/2018	1	1	ND	ug/L
Styrene	NE-5	4/10/2018	1	1	ND	ug/L
Styrene	NE-5	7/17/2018	1	1	ND	ug/L
Styrene	NE-5	10/3/2018	1	1	ND	ug/L
Styrene	NE-5	1/4/2019	1	1	ND	ug/L
Styrene	NE-5	4/2/2019	1	1	ND	ug/L
Styrene	NE-5	4/2/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	7/9/2019	1	1	ND	ug/L
Styrene	NE-5	10/3/2019	1	1	ND	ug/L
Styrene	NE-5	1/16/2020	1	1	ND	ug/L
Styrene	NE-5	4/2/2020	1	1	ND	ug/L
Styrene	NE-5	7/8/2020	1	1	ND	ug/L
Styrene	NE-5	10/6/2020	1	1	ND	ug/L
Styrene	NE-5	1/15/2021	1	1	ND	ug/L
Styrene	NE-5	4/9/2021	1	1	ND	ug/L
Styrene	NE-5	7/2/2021	1	1	ND	ug/L
Styrene	NE-5	10/6/2021	1	1	ND	ug/L
Styrene	NE-5	1/18/2022	1	1	ND	ug/L
Styrene	NE-5	4/6/2022	1	1	ND	ug/L
Styrene	NE-5	7/13/2022	1	1	ND	ug/L
Styrene	NE-5	10/7/2022	1	1	ND	ug/L
Styrene	NE-5	1/5/2023	1	1	ND	ug/L
Styrene	NE-5	4/7/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-5	7/6/2023	1	1	ND	ug/L
Styrene	NE-5	10/4/2023	1	1	ND	ug/L
Styrene	NE-5E	9/30/2019	1	1	ND	ug/L
Styrene	NE-5E	1/16/2020	1	1	ND	ug/L
Styrene	NE-5E	4/1/2020	1	1	ND	ug/L
Styrene	NE-5E	7/8/2020	1	1	ND	ug/L
Styrene	NE-5E	10/6/2020	1	1	ND	ug/L
Styrene	NE-5E	1/15/2021	1	1	ND	ug/L
Styrene	NE-5E	4/9/2021	1	1	ND	ug/L
Styrene	NE-5E	7/2/2021	1	1	ND	ug/L
Styrene	NE-5E	10/6/2021	1	1	ND	ug/L
Styrene	NE-5E	1/18/2022	1	1	ND	ug/L
Styrene	NE-5E	4/6/2022	1	1	ND	ug/L
Styrene	NE-5E	7/13/2022	1	1	ND	ug/L
Styrene	NE-5E	10/7/2022	1	1	ND	ug/L
Styrene	NE-5E	1/5/2023	1	1	ND	ug/L
Styrene	NE-5E	4/7/2023	1	1	ND	ug/L
Styrene	NE-5E	7/6/2023	1	1	ND	ug/L
Styrene	NE-5E	10/4/2023	1	1	ND	ug/L
Styrene	NE-5W	9/30/2019	1	1	ND	ug/L
Styrene	NE-5W	1/16/2020	1	1	ND	ug/L
Styrene	NE-5W	4/2/2020	1	1	ND	ug/L
Styrene	NE-5W	7/8/2020	1	1	ND	ug/L
Styrene	NE-5W	10/6/2020	1	1	ND	ug/L
Styrene	NE-5W	1/15/2021	1	1	ND	ug/L
Styrene	NE-5W	4/9/2021	1	1	ND	ug/L
Styrene	NE-5W	7/2/2021	1	1	ND	ug/L
Styrene	NE-5W	10/6/2021	1	1	ND	ug/L
Styrene	NE-5W	1/18/2022	1	1	ND	ug/L
Styrene	NE-5W	4/6/2022	1	1	ND	ug/L
Styrene	NE-5W	7/13/2022	1	1	ND	ug/L
Styrene	NE-5W	10/7/2022	1	1	ND	ug/L
Styrene	NE-5W	1/5/2023	1	1	ND	ug/L
Styrene	NE-5W	4/7/2023	1	1	ND	ug/L
Styrene	NE-5W	7/6/2023	1	1	ND	ug/L
Styrene	NE-5W	10/4/2023	1	1	ND	ug/L
Styrene	NE-6	1/12/2017	1	1	ND	ug/L
Styrene	NE-6	4/5/2017	1	1	ND	ug/L
Styrene	NE-6	7/19/2017	1	1	ND	ug/L
Styrene	NE-6	10/6/2017	1	1	ND	ug/L
Styrene	NE-6	2/4/2019	1	1	ND	ug/L
Styrene	NE-6	8/6/2019	1	1	ND	ug/L
Styrene	NE-6	1/15/2020	1	1	ND	ug/L
Styrene	NE-6	7/9/2020	1	1	ND	ug/L
Styrene	NE-6	1/16/2021	1	1	ND	ug/L
Styrene	NE-6	1/16/2021	1	1	ND	ug/L
Styrene	NE-6	7/1/2021	1	1	ND	ug/L
Styrene	NE-6	7/1/2021	1	1	ND	ug/L
Styrene	NE-6	1/17/2022	1	1	ND	ug/L
Styrene	NE-6	1/17/2022	1	1	ND	ug/L
Styrene	NE-6	7/12/2022	1	1	ND	ug/L
Styrene	NE-6	1/5/2023	1	1	ND	ug/L
Styrene	NE-6	7/6/2023	1	1	ND	ug/L
Styrene	NE-6D	10/2/2019	1	1	ND	ug/L
Styrene	NE-6D	1/15/2020	1	1	ND	ug/L
Styrene	NE-6D	4/2/2020	1	1	ND	ug/L
Styrene	NE-6D	7/9/2020	1	1	ND	ug/L
Styrene	NE-6D	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-6D	1/15/2021	1	1	ND	ug/L
Styrene	NE-6D	4/9/2021	1	1	ND	ug/L
Styrene	NE-6D	7/2/2021	1	1	ND	ug/L
Styrene	NE-6D	10/7/2021	1	1	ND	ug/L
Styrene	NE-6D	1/17/2022	1	1	ND	ug/L
Styrene	NE-6D	4/6/2022	1	1	ND	ug/L
Styrene	NE-6D	7/12/2022	1	1	ND	ug/L
Styrene	NE-6D	10/7/2022	1	1	ND	ug/L
Styrene	NE-6D	1/5/2023	1	1	ND	ug/L
Styrene	NE-6D	4/7/2023	1	1	ND	ug/L
Styrene	NE-6D	7/6/2023	1	1	ND	ug/L
Styrene	NE-6D	10/4/2023	1	1	ND	ug/L
Styrene	NE-7	3/1/2017	1	1	ND	ug/L
Styrene	NE-7	4/6/2017	1	1	ND	ug/L
Styrene	NE-7	7/20/2017	1	1	ND	ug/L
Styrene	NE-7	10/5/2017	1	1	ND	ug/L
Styrene	NE-7	2/6/2019	1	1	ND	ug/L
Styrene	NE-7	8/6/2019	1	1	ND	ug/L
Styrene	NE-7	1/16/2020	1	1	ND	ug/L
Styrene	NE-7	7/7/2020	1	1	ND	ug/L
Styrene	NE-7	1/16/2021	1	1	ND	ug/L
Styrene	NE-7	1/16/2021	1	1	ND	ug/L
Styrene	NE-7	7/1/2021	1	1	ND	ug/L
Styrene	NE-7	7/1/2021	1	1	ND	ug/L
Styrene	NE-7	1/17/2022	1	1	ND	ug/L
Styrene	NE-7	1/17/2022	1	1	ND	ug/L
Styrene	NE-7	7/12/2022	1	1	ND	ug/L
Styrene	NE-7	1/5/2023	1	1	ND	ug/L
Styrene	NE-7	7/6/2023	1	1	ND	ug/L
Styrene	NE-8	1/12/2017	1	1	ND	ug/L
Styrene	NE-8	4/5/2017	1	1	ND	ug/L
Styrene	NE-8	7/20/2017	1	1	ND	ug/L
Styrene	NE-8	10/6/2017	1	1	ND	ug/L
Styrene	NE-8	2/4/2019	1	1	ND	ug/L
Styrene	NE-8	8/5/2019	1	1	ND	ug/L
Styrene	NE-8	1/15/2020	1	1	ND	ug/L
Styrene	NE-8	7/8/2020	1	1	ND	ug/L
Styrene	NE-8	1/13/2021	1	1	ND	ug/L
Styrene	NE-8	1/13/2021	1	1	ND	ug/L
Styrene	NE-8	4/9/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	7/1/2021	1	1	ND	ug/L
Styrene	NE-8	10/7/2021	1	1	ND	ug/L
Styrene	NE-8	1/6/2023	1	1	ND	ug/L
Styrene	NE-8	7/5/2023	1	1	ND	ug/L
Styrene	NE-9	1/12/2017	1	1	ND	ug/L
Styrene	NE-9	4/5/2017	1	1	ND	ug/L
Styrene	NE-9	7/20/2017	1	1	ND	ug/L
Styrene	NE-9	10/5/2017	1	1	ND	ug/L
Styrene	NE-9	2/5/2019	1	1	ND	ug/L
Styrene	NE-9	8/7/2019	1	1	ND	ug/L
Styrene	NE-9	1/15/2020	1	1	ND	ug/L
Styrene	NE-9	7/7/2020	1	1	ND	ug/L
Styrene	NE-9	1/17/2021	1	1	ND	ug/L
Styrene	NE-9	1/17/2021	1	1	ND	ug/L
Styrene	NE-9	7/1/2021	1	1	ND	ug/L
Styrene	NE-9	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Styrene	NE-9	1/17/2022	1	1	ND	ug/L
Styrene	NE-9	1/17/2022	1	1	ND	ug/L
Styrene	NE-9	7/13/2022	1	1	ND	ug/L
Styrene	NE-9	1/6/2023	1	1	ND	ug/L
Styrene	NE-9	4/8/2023	1	1	ND	ug/L
Styrene	NE-9	7/5/2023	1	1	ND	ug/L
Styrene	NE-9	10/6/2023	1	1	ND	ug/L
Sulfate	LGW-10	1/26/2006	6.3	1		mg/L
Sulfate	LGW-10	8/1/2006	5.5	5		mg/L
Sulfate	LGW-10	8/1/2006	5.5	5		mg/L
Sulfate	LGW-10	1/25/2007	4.6	5	ND	mg/L
Sulfate	LGW-10	4/26/2007	6.1	5		mg/L
Sulfate	LGW-10	7/12/2007	7.1	5		mg/L
Sulfate	LGW-10	1/23/2008	8	5		mg/L
Sulfate	LGW-10	7/22/2008	8.3	5		mg/L
Sulfate	LGW-10	7/29/2009	7.4	5		mg/L
Sulfate	LGW-10	2/3/2010	6.9	5		mg/L
Sulfate	LGW-10	2/3/2010	6.9	5		mg/L
Sulfate	LGW-10	7/16/2010	5.3	5		mg/L
Sulfate	LGW-10	1/19/2011	5.2	5		mg/L
Sulfate	LGW-10	7/12/2011	4	5	ND	mg/L
Sulfate	LGW-10	1/5/2012	3.7	5	ND	mg/L
Sulfate	LGW-10	7/9/2012	3.1	5	ND	mg/L
Sulfate	LGW-10	5/1/2013	2.3	5	ND	mg/L
Sulfate	LGW-10	1/30/2014	1.9	5	ND	mg/L
Sulfate	LGW-10	7/9/2014	2.8	5	ND	mg/L
Sulfate	LGW-10	2/12/2015	0.51	5	ND	mg/L
Sulfate	LGW-10	7/13/2015	1.2	5	ND	mg/L
Sulfate	LGW-10	1/5/2016	0.38	5	ND	mg/L
Sulfate	LGW-10	4/6/2016	0.93	5	ND	mg/L
Sulfate	LGW-10	7/21/2016	0.54	5	ND	mg/L
Sulfate	LGW-10	10/6/2016	0.99	5	ND	mg/L
Sulfate	LGW-10	1/11/2017	5	5	ND	mg/L
Sulfate	LGW-10	4/4/2017	0.26	5	ND	mg/L
Sulfate	LGW-10	7/19/2017	5	5	ND	mg/L
Sulfate	LGW-10	10/9/2017	5	5	ND	mg/L
Sulfate	LGW-10	1/24/2018	0.47	5	ND	mg/L
Sulfate	LGW-10	4/11/2018	0.26	5	ND	mg/L
Sulfate	LGW-10	7/16/2018	0.59	5	ND	mg/L
Sulfate	LGW-10	10/4/2018	0.6	5	ND	mg/L
Sulfate	LGW-10	1/4/2019	5	5	ND	mg/L
Sulfate	LGW-10	4/3/2019	5	5	ND	mg/L
Sulfate	LGW-10	7/11/2019	5	5	ND	mg/L
Sulfate	LGW-10	10/2/2019	2.9	5	ND	mg/L
Sulfate	LGW-10	1/15/2020	5	5	ND	mg/L
Sulfate	LGW-10	4/2/2020	5	5	ND	mg/L
Sulfate	LGW-10	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-10	10/7/2020	5	5	ND	mg/L
Sulfate	LGW-10	1/17/2021	10.4	5		mg/L
Sulfate	LGW-10	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-10	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-10	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-10	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-10	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-10	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-10	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-10	10/7/2022	5	5	ND	mg/L
Sulfate	LGW-10	1/11/2023	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-10	4/5/2023	5	5	ND	mg/L
Sulfate	LGW-10	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-10	10/5/2023	5	5	ND	mg/L
Sulfate	LGW-14R	1/25/2006	2.9	1		mg/L
Sulfate	LGW-14R	8/2/2006	2.6	5	ND	mg/L
Sulfate	LGW-14R	8/2/2006	2.6	5	ND	mg/L
Sulfate	LGW-14R	10/27/2006	3.4	5	ND	mg/L
Sulfate	LGW-14R	1/24/2007	11	5		mg/L
Sulfate	LGW-14R	4/24/2007	3.3	5	ND	mg/L
Sulfate	LGW-14R	7/11/2007	5.4	5		mg/L
Sulfate	LGW-14R	1/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-14R	7/22/2008	6.1	5		mg/L
Sulfate	LGW-14R	2/6/2009	4.4	5	ND	mg/L
Sulfate	LGW-14R	7/29/2009	1.7	5	ND	mg/L
Sulfate	LGW-14R	2/3/2010	1.5	5	ND	mg/L
Sulfate	LGW-14R	2/3/2010	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/12/2010	1.9	5	ND	mg/L
Sulfate	LGW-14R	1/19/2011	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/12/2011	1.7	5	ND	mg/L
Sulfate	LGW-14R	1/5/2012	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/9/2012	1.5	5	ND	mg/L
Sulfate	LGW-14R	4/30/2013	1.9	5	ND	mg/L
Sulfate	LGW-14R	1/23/2014	1.5	5	ND	mg/L
Sulfate	LGW-14R	7/8/2014	2	5	ND	mg/L
Sulfate	LGW-14R	2/11/2015	2.4	5	ND	mg/L
Sulfate	LGW-14R	7/22/2015	2.7	5	ND	mg/L
Sulfate	LGW-14R	1/5/2016	2.8	5	ND	mg/L
Sulfate	LGW-14R	7/19/2016	2.5	5	ND	mg/L
Sulfate	LGW-14R	1/11/2017	2.8	5	ND	mg/L
Sulfate	LGW-14R	7/18/2017	2.6	5	ND	mg/L
Sulfate	LGW-14R	1/25/2018	2.5	5	ND	mg/L
Sulfate	LGW-14R	7/17/2018	2.6	5	ND	mg/L
Sulfate	LGW-14R	1/3/2019	3	5	ND	mg/L
Sulfate	LGW-14R	7/10/2019	3.8	5	ND	mg/L
Sulfate	LGW-14R	1/16/2020	5	5	ND	mg/L
Sulfate	LGW-14R	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-14R	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-14R	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-14R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-14R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-14R	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-14R	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-14R	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-2	1/25/2006	24.6	1		mg/L
Sulfate	LGW-2	8/1/2006	17	5		mg/L
Sulfate	LGW-2	8/1/2006	17	5		mg/L
Sulfate	LGW-2	1/25/2007	9.7	5		mg/L
Sulfate	LGW-2	4/26/2007	6.7	5		mg/L
Sulfate	LGW-2	7/10/2007	14	5		mg/L
Sulfate	LGW-2	1/26/2008	8.1	5		mg/L
Sulfate	LGW-2	7/23/2008	15	5		mg/L
Sulfate	LGW-2	2/6/2009	11	5		mg/L
Sulfate	LGW-2	7/30/2009	9.8	5		mg/L
Sulfate	LGW-2	2/3/2010	8.6	5		mg/L
Sulfate	LGW-2	2/3/2010	8.6	5		mg/L
Sulfate	LGW-2	7/12/2010	8.7	5		mg/L
Sulfate	LGW-2	1/19/2011	7.9	5		mg/L
Sulfate	LGW-2	7/13/2011	6.5	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-2	1/4/2012	5.9	5		mg/L
Sulfate	LGW-2	7/9/2012	5.7	5		mg/L
Sulfate	LGW-2	4/30/2013	4.1	5	ND	mg/L
Sulfate	LGW-2	7/15/2013	4.9	5	ND	mg/L
Sulfate	LGW-2	1/30/2014	5.2	5		mg/L
Sulfate	LGW-2	7/8/2014	5.3	5		mg/L
Sulfate	LGW-2	2/13/2015	5.4	5		mg/L
Sulfate	LGW-2	7/8/2015	3.5	5	ND	mg/L
Sulfate	LGW-2	1/5/2016	5.2	5		mg/L
Sulfate	LGW-2	7/19/2016	3.6	5	ND	mg/L
Sulfate	LGW-2	1/11/2017	4.6	5	ND	mg/L
Sulfate	LGW-2	7/18/2017	2	5	ND	mg/L
Sulfate	LGW-2	1/23/2018	0.92	5	ND	mg/L
Sulfate	LGW-2	7/12/2018	0.96	5	ND	mg/L
Sulfate	LGW-2	1/3/2019	5	5	ND	mg/L
Sulfate	LGW-2	7/9/2019	5	5	ND	mg/L
Sulfate	LGW-2	1/13/2020	5	5	ND	mg/L
Sulfate	LGW-2	4/1/2020	5	5	ND	mg/L
Sulfate	LGW-2	7/8/2020	5	5	ND	mg/L
Sulfate	LGW-2	1/18/2021	3.46	5		mg/L
Sulfate	LGW-2	7/4/2021	5	5	ND	mg/L
Sulfate	LGW-2	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-2	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-2	7/10/2022	5	5	ND	mg/L
Sulfate	LGW-2	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-2	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-3R	1/24/2006	3.6	1		mg/L
Sulfate	LGW-3R	7/20/2006	3	5	ND	mg/L
Sulfate	LGW-3R	7/20/2006	3	5	ND	mg/L
Sulfate	LGW-3R	1/25/2007	6.7	5		mg/L
Sulfate	LGW-3R	4/26/2007	4.7	5	ND	mg/L
Sulfate	LGW-3R	7/11/2007	7.8	5		mg/L
Sulfate	LGW-3R	1/26/2008	3.8	5	ND	mg/L
Sulfate	LGW-3R	7/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-3R	2/3/2009	6.9	5		mg/L
Sulfate	LGW-3R	7/31/2009	3.5	5	ND	mg/L
Sulfate	LGW-3R	2/3/2010	5.1	5		mg/L
Sulfate	LGW-3R	2/3/2010	5.1	5		mg/L
Sulfate	LGW-3R	7/16/2010	3.9	5	ND	mg/L
Sulfate	LGW-3R	1/19/2011	4.2	5	ND	mg/L
Sulfate	LGW-3R	7/13/2011	3	5	ND	mg/L
Sulfate	LGW-3R	1/4/2012	6	5		mg/L
Sulfate	LGW-3R	7/9/2012	4.1	5	ND	mg/L
Sulfate	LGW-3R	4/30/2013	7.1	5		mg/L
Sulfate	LGW-3R	7/15/2013	5.2	5		mg/L
Sulfate	LGW-3R	1/22/2014	5.8	5		mg/L
Sulfate	LGW-3R	7/8/2014	3.8	5	ND	mg/L
Sulfate	LGW-3R	2/10/2015	4	5	ND	mg/L
Sulfate	LGW-3R	7/16/2015	6.3	5		mg/L
Sulfate	LGW-3R	1/8/2016	7.5	5		mg/L
Sulfate	LGW-3R	7/21/2016	1.1	5	ND	mg/L
Sulfate	LGW-3R	1/11/2017	5.9	5		mg/L
Sulfate	LGW-3R	7/18/2017	4.9	5	ND	mg/L
Sulfate	LGW-3R	1/23/2018	6.1	5		mg/L
Sulfate	LGW-3R	7/11/2018	5	5		mg/L
Sulfate	LGW-3R	1/3/2019	6.4	5		mg/L
Sulfate	LGW-3R	7/9/2019	6.8	5		mg/L
Sulfate	LGW-3R	1/14/2020	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-3R	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-3R	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-3R	7/6/2021	5	5	ND	mg/L
Sulfate	LGW-3R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-3R	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-3R	7/10/2022	5	5	ND	mg/L
Sulfate	LGW-3R	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-3R	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-4	1/24/2006	3	1		mg/L
Sulfate	LGW-4	7/20/2006	3.3	5	ND	mg/L
Sulfate	LGW-4	7/20/2006	3.3	5	ND	mg/L
Sulfate	LGW-4	1/25/2007	7.2	5		mg/L
Sulfate	LGW-4	4/26/2007	4.9	5	ND	mg/L
Sulfate	LGW-4	7/11/2007	5.6	5		mg/L
Sulfate	LGW-4	1/22/2008	4.1	5	ND	mg/L
Sulfate	LGW-4	7/23/2008	5.3	5		mg/L
Sulfate	LGW-4	2/3/2009	7.3	5		mg/L
Sulfate	LGW-4	7/31/2009	3.7	5	ND	mg/L
Sulfate	LGW-4	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-4	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-4	7/16/2010	5.4	5		mg/L
Sulfate	LGW-4	1/19/2011	3.1	5	ND	mg/L
Sulfate	LGW-4	7/13/2011	1.8	5	ND	mg/L
Sulfate	LGW-4	1/4/2012	4.6	5	ND	mg/L
Sulfate	LGW-4	7/9/2012	3.2	5	ND	mg/L
Sulfate	LGW-4	4/30/2013	6.1	5		mg/L
Sulfate	LGW-4	7/15/2013	4	5	ND	mg/L
Sulfate	LGW-4	1/23/2014	5.5	5		mg/L
Sulfate	LGW-4	7/8/2014	3.1	5	ND	mg/L
Sulfate	LGW-4	2/11/2015	3.2	5	ND	mg/L
Sulfate	LGW-4	7/8/2015	4.2	5	ND	mg/L
Sulfate	LGW-4	1/5/2016	2.2	5	ND	mg/L
Sulfate	LGW-4	7/19/2016	3.4	5	ND	mg/L
Sulfate	LGW-4	1/11/2017	4.4	5	ND	mg/L
Sulfate	LGW-4	7/18/2017	4	5	ND	mg/L
Sulfate	LGW-4	1/23/2018	4.3	5	ND	mg/L
Sulfate	LGW-4	7/11/2018	4.1	5	ND	mg/L
Sulfate	LGW-4	1/3/2019	4	5	ND	mg/L
Sulfate	LGW-4	7/9/2019	5.6	5		mg/L
Sulfate	LGW-4	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-4	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-4	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-4	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-4	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-4	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-4	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-4	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-4	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-5	1/25/2006	3.2	1		mg/L
Sulfate	LGW-5	8/1/2006	6.5	5		mg/L
Sulfate	LGW-5	8/1/2006	6.5	5		mg/L
Sulfate	LGW-5	1/25/2007	5.9	5		mg/L
Sulfate	LGW-5	4/26/2007	4.3	5	ND	mg/L
Sulfate	LGW-5	7/11/2007	5.7	5		mg/L
Sulfate	LGW-5	1/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-5	7/23/2008	4.7	5	ND	mg/L
Sulfate	LGW-5	2/4/2009	4.8	5	ND	mg/L
Sulfate	LGW-5	7/29/2009	3.9	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-5	2/3/2010	4.1	5	ND	mg/L
Sulfate	LGW-5	2/3/2010	4.1	5	ND	mg/L
Sulfate	LGW-5	7/12/2010	3.6	5	ND	mg/L
Sulfate	LGW-5	1/19/2011	3.4	5	ND	mg/L
Sulfate	LGW-5	7/12/2011	3.1	5	ND	mg/L
Sulfate	LGW-5	1/5/2012	3.7	5	ND	mg/L
Sulfate	LGW-5	7/9/2012	3.8	5	ND	mg/L
Sulfate	LGW-5	4/30/2013	5.6	5		mg/L
Sulfate	LGW-5	7/15/2013	5	5		mg/L
Sulfate	LGW-5	1/23/2014	6.4	5		mg/L
Sulfate	LGW-5	7/8/2014	4.2	5	ND	mg/L
Sulfate	LGW-5	2/10/2015	3.1	5	ND	mg/L
Sulfate	LGW-5	7/8/2015	5.2	5		mg/L
Sulfate	LGW-5	1/5/2016	5.1	5		mg/L
Sulfate	LGW-5	7/19/2016	4.7	5	ND	mg/L
Sulfate	LGW-5	1/11/2017	5.3	5		mg/L
Sulfate	LGW-5	7/18/2017	4.7	5	ND	mg/L
Sulfate	LGW-5	1/23/2018	4.5	5	ND	mg/L
Sulfate	LGW-5	7/12/2018	4.3	5	ND	mg/L
Sulfate	LGW-5	1/3/2019	4.6	5	ND	mg/L
Sulfate	LGW-5	7/9/2019	5.6	5		mg/L
Sulfate	LGW-5	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-5	7/6/2020	5	5	ND	mg/L
Sulfate	LGW-5	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-5	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-5	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-5	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-5	1/12/2022	5.3	5		mg/L
Sulfate	LGW-5	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-5	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-5	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-5	10/6/2022	5	5	ND	mg/L
Sulfate	LGW-5	1/10/2023	6.3	5		mg/L
Sulfate	LGW-5	7/10/2023	5.18	5		mg/L
Sulfate	LGW-5	10/5/2023	5.37	5		mg/L
Sulfate	LGW-6	1/24/2006	4	1		mg/L
Sulfate	LGW-6	7/20/2006	3.5	5	ND	mg/L
Sulfate	LGW-6	7/20/2006	3.5	5	ND	mg/L
Sulfate	LGW-6	1/24/2007	3.4	5	ND	mg/L
Sulfate	LGW-6	4/26/2007	2.8	5	ND	mg/L
Sulfate	LGW-6	7/11/2007	3.4	5	ND	mg/L
Sulfate	LGW-6	1/23/2008	3.4	5	ND	mg/L
Sulfate	LGW-6	7/23/2008	3.8	5	ND	mg/L
Sulfate	LGW-6	2/5/2009	3.9	5	ND	mg/L
Sulfate	LGW-6	7/29/2009	3.7	5	ND	mg/L
Sulfate	LGW-6	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-6	2/3/2010	3.9	5	ND	mg/L
Sulfate	LGW-6	7/12/2010	3.8	5	ND	mg/L
Sulfate	LGW-6	1/19/2011	3.5	5	ND	mg/L
Sulfate	LGW-6	7/12/2011	3.8	5	ND	mg/L
Sulfate	LGW-6	1/5/2012	4.2	5	ND	mg/L
Sulfate	LGW-6	7/9/2012	3.5	5	ND	mg/L
Sulfate	LGW-6	4/30/2013	4	5	ND	mg/L
Sulfate	LGW-6	7/15/2013	3.8	5	ND	mg/L
Sulfate	LGW-6	1/23/2014	4	5	ND	mg/L
Sulfate	LGW-6	7/8/2014	5	5		mg/L
Sulfate	LGW-6	2/10/2015	4.3	5	ND	mg/L
Sulfate	LGW-6	7/22/2015	3.5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-6	1/5/2016	4.9	5	ND	mg/L
Sulfate	LGW-6	7/19/2016	3.6	5	ND	mg/L
Sulfate	LGW-6	10/6/2016	3.8	5	ND	mg/L
Sulfate	LGW-6	1/11/2017	3.7	5	ND	mg/L
Sulfate	LGW-6	5/5/2017	3.4	5	ND	mg/L
Sulfate	LGW-6	7/18/2017	3.3	5	ND	mg/L
Sulfate	LGW-6	10/5/2017	3.4	5	ND	mg/L
Sulfate	LGW-6	1/23/2018	3.1	5	ND	mg/L
Sulfate	LGW-6	4/10/2018	3.6	5	ND	mg/L
Sulfate	LGW-6	7/17/2018	3.3	5	ND	mg/L
Sulfate	LGW-6	10/2/2018	4	5	ND	mg/L
Sulfate	LGW-6	1/7/2019	3	5	ND	mg/L
Sulfate	LGW-6	4/3/2019	3.5	5	ND	mg/L
Sulfate	LGW-6	7/10/2019	3.4	5	ND	mg/L
Sulfate	LGW-6	10/3/2019	11	5		mg/L
Sulfate	LGW-6	1/16/2020	5	5	ND	mg/L
Sulfate	LGW-6	4/2/2020	5	5	ND	mg/L
Sulfate	LGW-6	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-6	10/6/2020	5	5	ND	mg/L
Sulfate	LGW-6	1/18/2021	5	5	ND	mg/L
Sulfate	LGW-6	4/6/2021	5	5	ND	mg/L
Sulfate	LGW-6	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-6	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-6	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-6	1/12/2022	5	5	ND	mg/L
Sulfate	LGW-6	4/4/2022	5	5	ND	mg/L
Sulfate	LGW-6	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-6	10/6/2022	5	5	ND	mg/L
Sulfate	LGW-6	1/10/2023	5	5	ND	mg/L
Sulfate	LGW-6	4/6/2023	5	5	ND	mg/L
Sulfate	LGW-6	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-6	10/5/2023	5	5	ND	mg/L
Sulfate	LGW-7	1/25/2006	2.8	1		mg/L
Sulfate	LGW-7	8/1/2006	2.4	5	ND	mg/L
Sulfate	LGW-7	8/1/2006	2.4	5	ND	mg/L
Sulfate	LGW-7	1/24/2007	3.6	5	ND	mg/L
Sulfate	LGW-7	4/26/2007	2.2	5	ND	mg/L
Sulfate	LGW-7	7/12/2007	3.4	5	ND	mg/L
Sulfate	LGW-7	7/22/2008	3.2	5	ND	mg/L
Sulfate	LGW-7	2/4/2009	3.1	5	ND	mg/L
Sulfate	LGW-7	7/31/2009	2.9	5	ND	mg/L
Sulfate	LGW-7	1/27/2010	3.1	5	ND	mg/L
Sulfate	LGW-7	7/12/2010	2.8	5	ND	mg/L
Sulfate	LGW-7	1/20/2011	3.1	5	ND	mg/L
Sulfate	LGW-7	7/12/2011	3	5	ND	mg/L
Sulfate	LGW-7	1/5/2012	3.2	5	ND	mg/L
Sulfate	LGW-7	7/10/2012	3.8	5	ND	mg/L
Sulfate	LGW-7	4/30/2013	2.8	5	ND	mg/L
Sulfate	LGW-7	7/15/2013	3.1	5	ND	mg/L
Sulfate	LGW-7	1/23/2014	3.8	5	ND	mg/L
Sulfate	LGW-7	7/8/2014	3.1	5	ND	mg/L
Sulfate	LGW-7	2/11/2015	3.6	5	ND	mg/L
Sulfate	LGW-7	7/22/2015	2.7	5	ND	mg/L
Sulfate	LGW-7	1/5/2016	4	5	ND	mg/L
Sulfate	LGW-7	4/6/2016	3	5	ND	mg/L
Sulfate	LGW-7	7/20/2016	4	5	ND	mg/L
Sulfate	LGW-7	10/6/2016	2.9	5	ND	mg/L
Sulfate	LGW-7	1/11/2017	2.6	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-7	4/4/2017	2.7	5	ND	mg/L
Sulfate	LGW-7	7/18/2017	2.4	5	ND	mg/L
Sulfate	LGW-7	10/5/2017	1.6	5	ND	mg/L
Sulfate	LGW-7	1/24/2018	2.2	5	ND	mg/L
Sulfate	LGW-7	4/11/2018	1.7	5	ND	mg/L
Sulfate	LGW-7	7/12/2018	1.9	5	ND	mg/L
Sulfate	LGW-7	10/2/2018	2.3	5	ND	mg/L
Sulfate	LGW-7	1/7/2019	1.7	5	ND	mg/L
Sulfate	LGW-7	4/3/2019	2.1	5	ND	mg/L
Sulfate	LGW-7	7/10/2019	1.9	5	ND	mg/L
Sulfate	LGW-7	10/3/2019	4.1	5	ND	mg/L
Sulfate	LGW-7	1/15/2020	5	5	ND	mg/L
Sulfate	LGW-7	7/9/2020	5	5	ND	mg/L
Sulfate	LGW-7	1/18/2021	2.53	5		mg/L
Sulfate	LGW-7	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-7	10/5/2021	5	5	ND	mg/L
Sulfate	LGW-7	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-7	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-7	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-7	1/11/2023	5	5	ND	mg/L
Sulfate	LGW-7	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-8R	1/24/2006	6.2	1		mg/L
Sulfate	LGW-8R	7/20/2006	4.6	5	ND	mg/L
Sulfate	LGW-8R	7/20/2006	4.6	5	ND	mg/L
Sulfate	LGW-8R	1/24/2007	5.7	5		mg/L
Sulfate	LGW-8R	4/25/2007	5.2	5		mg/L
Sulfate	LGW-8R	7/12/2007	4.8	5	ND	mg/L
Sulfate	LGW-8R	2/4/2009	4	5	ND	mg/L
Sulfate	LGW-8R	7/29/2009	4	5	ND	mg/L
Sulfate	LGW-8R	1/27/2010	4	5	ND	mg/L
Sulfate	LGW-8R	7/14/2010	4.2	5	ND	mg/L
Sulfate	LGW-8R	1/20/2011	3.8	5	ND	mg/L
Sulfate	LGW-8R	7/12/2011	4.1	5	ND	mg/L
Sulfate	LGW-8R	1/5/2012	4.4	5	ND	mg/L
Sulfate	LGW-8R	7/9/2012	3.9	5	ND	mg/L
Sulfate	LGW-8R	4/30/2013	4.7	5	ND	mg/L
Sulfate	LGW-8R	7/15/2013	4.3	5	ND	mg/L
Sulfate	LGW-8R	1/22/2014	5.3	5		mg/L
Sulfate	LGW-8R	7/8/2014	4.3	5	ND	mg/L
Sulfate	LGW-8R	2/11/2015	4.7	5	ND	mg/L
Sulfate	LGW-8R	7/22/2015	4.4	5	ND	mg/L
Sulfate	LGW-8R	1/5/2016	5.7	5		mg/L
Sulfate	LGW-8R	7/20/2016	4.3	5	ND	mg/L
Sulfate	LGW-8R	1/11/2017	4.8	5	ND	mg/L
Sulfate	LGW-8R	7/18/2017	4.9	5	ND	mg/L
Sulfate	LGW-8R	1/25/2018	4	5	ND	mg/L
Sulfate	LGW-8R	7/13/2018	4.1	5	ND	mg/L
Sulfate	LGW-8R	1/7/2019	5.7	5		mg/L
Sulfate	LGW-8R	7/8/2019	6	5		mg/L
Sulfate	LGW-8R	10/1/2019	3.9	5	ND	mg/L
Sulfate	LGW-8R	1/14/2020	5	5	ND	mg/L
Sulfate	LGW-8R	7/7/2020	5	5	ND	mg/L
Sulfate	LGW-8R	1/17/2021	5	5	ND	mg/L
Sulfate	LGW-8R	7/7/2021	5	5	ND	mg/L
Sulfate	LGW-8R	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-8R	1/13/2022	5	5	ND	mg/L
Sulfate	LGW-8R	7/11/2022	5	5	ND	mg/L
Sulfate	LGW-8R	1/11/2023	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	LGW-8R	7/10/2023	5	5	ND	mg/L
Sulfate	LGW-9	1/25/2006	10	1		mg/L
Sulfate	LGW-9	7/20/2006	8.4	5		mg/L
Sulfate	LGW-9	7/20/2006	8.4	5		mg/L
Sulfate	LGW-9	1/25/2007	8.2	5		mg/L
Sulfate	LGW-9	4/25/2007	7.2	5		mg/L
Sulfate	LGW-9	7/10/2007	7.7	5		mg/L
Sulfate	LGW-9	7/22/2008	7.4	5		mg/L
Sulfate	LGW-9	2/4/2009	6.3	5		mg/L
Sulfate	LGW-9	7/29/2009	6.4	5		mg/L
Sulfate	LGW-9	1/27/2010	6.4	5		mg/L
Sulfate	LGW-9	7/14/2010	6.3	5		mg/L
Sulfate	LGW-9	1/20/2011	5.4	5		mg/L
Sulfate	LGW-9	7/12/2011	5.2	5		mg/L
Sulfate	LGW-9	1/5/2012	4.9	5	ND	mg/L
Sulfate	LGW-9	7/10/2012	4.4	5	ND	mg/L
Sulfate	LGW-9	5/1/2013	4.1	5	ND	mg/L
Sulfate	LGW-9	7/15/2013	6	5		mg/L
Sulfate	LGW-9	1/23/2014	6.6	5		mg/L
Sulfate	LGW-9	7/8/2014	8.6	5		mg/L
Sulfate	LGW-9	2/11/2015	6.5	5		mg/L
Sulfate	LGW-9	7/13/2015	11	5		mg/L
Sulfate	LGW-9	1/5/2016	21	5		mg/L
Sulfate	LGW-9	7/21/2016	23	5		mg/L
Sulfate	LGW-9	10/6/2016	21	5		mg/L
Sulfate	LGW-9	1/11/2017	18	5		mg/L
Sulfate	LGW-9	5/5/2017	22	5		mg/L
Sulfate	LGW-9	7/18/2017	29	5		mg/L
Sulfate	LGW-9	10/5/2017	33	5		mg/L
Sulfate	LGW-9	1/24/2018	26	5		mg/L
Sulfate	LGW-9	4/11/2018	33	5		mg/L
Sulfate	LGW-9	7/13/2018	23	5		mg/L
Sulfate	LGW-9	10/2/2018	24	5		mg/L
Sulfate	LGW-9	1/7/2019	18	5		mg/L
Sulfate	LGW-9	4/3/2019	18	5		mg/L
Sulfate	LGW-9	7/10/2019	20	5		mg/L
Sulfate	LGW-9	10/3/2019	26	25		mg/L
Sulfate	LGW-9	1/16/2020	20.4	5		mg/L
Sulfate	LGW-9	4/2/2020	18.4	5		mg/L
Sulfate	LGW-9	7/9/2020	15.7	5		mg/L
Sulfate	LGW-9	10/7/2020	14	5		mg/L
Sulfate	LGW-9	1/17/2021	5	5	ND	mg/L
Sulfate	LGW-9	4/6/2021	7.7	5		mg/L
Sulfate	LGW-9	7/7/2021	7.97	5		mg/L
Sulfate	LGW-9	10/5/2021	7.98	5		mg/L
Sulfate	LGW-9	1/13/2022	8.87	5		mg/L
Sulfate	LGW-9	1/13/2022	8.98	5		mg/L
Sulfate	LGW-9	4/4/2022	8.28	5		mg/L
Sulfate	LGW-9	7/11/2022	8.34	5		mg/L
Sulfate	LGW-9	10/7/2022	6.99	5		mg/L
Sulfate	LGW-9	1/11/2023	7.7	5		mg/L
Sulfate	LGW-9	4/5/2023	8.25	5		mg/L
Sulfate	LGW-9	7/10/2023	5.14	5		mg/L
Sulfate	LGW-9	10/5/2023	7.3	5		mg/L
Sulfate	MW-10N	10/22/1997	29.4	1		mg/L
Sulfate	MW-10N	1/22/1998	8.9	1		mg/L
Sulfate	MW-10N	4/28/1998	2	1		mg/L
Sulfate	MW-10N	7/23/1998	4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-10N	1/14/1999	15.6	1		mg/L
Sulfate	MW-10N	7/15/1999	13.5	1		mg/L
Sulfate	MW-10N	10/20/1999	6	1		mg/L
Sulfate	MW-10N	1/14/2000	14.1	1		mg/L
Sulfate	MW-10N	4/25/2000	6.4	1		mg/L
Sulfate	MW-10N	7/11/2000	5	1		mg/L
Sulfate	MW-10N	10/17/2000	2	1		mg/L
Sulfate	MW-10N	1/24/2001	3	1		mg/L
Sulfate	MW-10N	4/10/2001	1.8	1		mg/L
Sulfate	MW-10N	7/10/2002	3.9	1		mg/L
Sulfate	MW-10N	10/2/2002	5.4	1		mg/L
Sulfate	MW-10N	1/22/2003	10.1	1		mg/L
Sulfate	MW-10N	4/15/2003	14.5	1		mg/L
Sulfate	MW-10N	7/8/2003	9.3	1		mg/L
Sulfate	MW-10N	1/28/2004	5.4	1		mg/L
Sulfate	MW-10N	7/27/2004	2.6	1		mg/L
Sulfate	MW-10N	1/12/2005	13.2	1		mg/L
Sulfate	MW-10N	7/20/2005	6.6	1		mg/L
Sulfate	MW-10N	1/19/2006	1	1	ND	mg/L
Sulfate	MW-10N	7/19/2006	3.8	5	ND	mg/L
Sulfate	MW-10N	7/19/2006	3.8	5	ND	mg/L
Sulfate	MW-10N	10/25/2006	5	5	ND	mg/L
Sulfate	MW-10N	1/24/2007	9.9	5		mg/L
Sulfate	MW-10N	7/10/2007	11	5		mg/L
Sulfate	MW-10N	1/23/2008	4.4	5	ND	mg/L
Sulfate	MW-10N	7/21/2008	0.73	5	ND	mg/L
Sulfate	MW-10N	2/13/2009	2.6	5	ND	mg/L
Sulfate	MW-10N	7/31/2009	4.6	5	ND	mg/L
Sulfate	MW-10N	1/27/2010	3.5	5	ND	mg/L
Sulfate	MW-10N	8/10/2010	4.5	5	ND	mg/L
Sulfate	MW-10N	1/19/2011	3.5	5	ND	mg/L
Sulfate	MW-10N	7/14/2011	2.8	5	ND	mg/L
Sulfate	MW-10N	1/5/2012	1.1	5	ND	mg/L
Sulfate	MW-10N	7/10/2012	1	5	ND	mg/L
Sulfate	MW-10N	5/1/2013	0.44	5	ND	mg/L
Sulfate	MW-10N	1/24/2014	0.31	5	ND	mg/L
Sulfate	MW-10N	7/9/2014	2.9	5	ND	mg/L
Sulfate	MW-10N	2/12/2015	3	5	ND	mg/L
Sulfate	MW-10N	7/14/2015	0.53	5	ND	mg/L
Sulfate	MW-10N	1/6/2016	1	5	ND	mg/L
Sulfate	MW-10N	7/21/2016	0.96	5	ND	mg/L
Sulfate	MW-10N	1/11/2017	0.86	5	ND	mg/L
Sulfate	MW-10N	7/19/2017	0.35	5	ND	mg/L
Sulfate	MW-10N	1/24/2018	0.72	5	ND	mg/L
Sulfate	MW-10N	7/11/2018	0.4	5	ND	mg/L
Sulfate	MW-10N	1/3/2019	5	5	ND	mg/L
Sulfate	MW-10N	7/9/2019	1.5	5	ND	mg/L
Sulfate	MW-10N	1/16/2020	5	5	ND	mg/L
Sulfate	MW-10N	7/8/2020	5	5	ND	mg/L
Sulfate	MW-10N	1/13/2021	5	5	ND	mg/L
Sulfate	MW-10N	7/5/2021	5	5	ND	mg/L
Sulfate	MW-10N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-10N	7/7/2023	5	5	ND	mg/L
Sulfate	MW-11N	10/22/1997	6	1		mg/L
Sulfate	MW-11N	1/21/1998	5.1	1		mg/L
Sulfate	MW-11N	4/28/1998	6.7	1		mg/L
Sulfate	MW-11N	7/23/1998	1.5	1		mg/L
Sulfate	MW-11N	1/13/1999	1.8	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-11N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-11N	10/20/1999	1.6	1		mg/L
Sulfate	MW-11N	1/13/2000	1	1		mg/L
Sulfate	MW-11N	4/25/2000	1	1		mg/L
Sulfate	MW-11N	7/10/2000	1	1	ND	mg/L
Sulfate	MW-11N	10/17/2000	1	1	ND	mg/L
Sulfate	MW-11N	1/24/2001	1.2	1		mg/L
Sulfate	MW-11N	4/10/2001	1	1	ND	mg/L
Sulfate	MW-11N	7/9/2002	1	1	ND	mg/L
Sulfate	MW-11N	10/2/2002	1.2	1		mg/L
Sulfate	MW-11N	1/23/2003	4.4	1		mg/L
Sulfate	MW-11N	4/15/2003	1.1	1		mg/L
Sulfate	MW-11N	7/8/2003	1.5	1		mg/L
Sulfate	MW-11N	1/29/2004	1	1	ND	mg/L
Sulfate	MW-11N	7/27/2004	1.3	1		mg/L
Sulfate	MW-11N	1/13/2005	1	1	ND	mg/L
Sulfate	MW-11N	7/20/2005	1	1	ND	mg/L
Sulfate	MW-11N	1/19/2006	1	1	ND	mg/L
Sulfate	MW-11N	7/18/2006	0.74	5	ND	mg/L
Sulfate	MW-11N	7/18/2006	0.74	5	ND	mg/L
Sulfate	MW-11N	10/25/2006	5	5	ND	mg/L
Sulfate	MW-11N	1/24/2007	1.4	5	ND	mg/L
Sulfate	MW-11N	7/10/2007	0.52	5	ND	mg/L
Sulfate	MW-11N	1/22/2008	0.47	5	ND	mg/L
Sulfate	MW-11N	7/23/2008	0.51	5	ND	mg/L
Sulfate	MW-11N	2/3/2009	5	5	ND	mg/L
Sulfate	MW-11N	7/31/2009	0.56	5	ND	mg/L
Sulfate	MW-11N	2/3/2010	0.69	5	ND	mg/L
Sulfate	MW-11N	2/3/2010	0.69	5	ND	mg/L
Sulfate	MW-11N	7/16/2010	0.39	5	ND	mg/L
Sulfate	MW-11N	1/19/2011	0.5	5	ND	mg/L
Sulfate	MW-11N	7/13/2011	0.68	5	ND	mg/L
Sulfate	MW-11N	1/4/2012	0.64	5	ND	mg/L
Sulfate	MW-11N	7/9/2012	0.36	5	ND	mg/L
Sulfate	MW-11N	4/30/2013	0.63	5	ND	mg/L
Sulfate	MW-11N	7/15/2013	0.92	5	ND	mg/L
Sulfate	MW-11N	1/23/2014	0.49	5	ND	mg/L
Sulfate	MW-11N	7/8/2014	0.8	5	ND	mg/L
Sulfate	MW-11N	2/10/2015	1	5	ND	mg/L
Sulfate	MW-11N	7/13/2015	1	5	ND	mg/L
Sulfate	MW-11N	1/5/2016	1.1	5	ND	mg/L
Sulfate	MW-11N	7/21/2016	0.78	5	ND	mg/L
Sulfate	MW-11N	1/11/2017	1.1	5	ND	mg/L
Sulfate	MW-11N	7/19/2017	0.55	5	ND	mg/L
Sulfate	MW-11N	1/23/2018	5	5	ND	mg/L
Sulfate	MW-11N	7/17/2018	1.1	5	ND	mg/L
Sulfate	MW-11N	1/2/2019	0.65	5	ND	mg/L
Sulfate	MW-11N	7/9/2019	5	5	ND	mg/L
Sulfate	MW-11N	1/14/2020	5	5	ND	mg/L
Sulfate	MW-11N	7/6/2020	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2021	5	5	ND	mg/L
Sulfate	MW-11N	7/6/2021	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2022	5	5	ND	mg/L
Sulfate	MW-11N	1/18/2022	5	5	ND	mg/L
Sulfate	MW-11N	7/13/2022	5	5	ND	mg/L
Sulfate	MW-11N	1/10/2023	5	5	ND	mg/L
Sulfate	MW-11N	7/8/2023	5	5	ND	mg/L
Sulfate	MW-15	6/5/2015	6.6	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-15	7/15/2015	4.8	5	ND	mg/L
Sulfate	MW-15	8/5/2015	5	5		mg/L
Sulfate	MW-15	9/3/2015	6.4	5		mg/L
Sulfate	MW-15	1/7/2016	8.3	5		mg/L
Sulfate	MW-15	4/5/2016	4.9	5	ND	mg/L
Sulfate	MW-15	7/20/2016	4.4	5	ND	mg/L
Sulfate	MW-15	10/6/2016	5.6	5		mg/L
Sulfate	MW-15	1/10/2017	9	5		mg/L
Sulfate	MW-15	7/18/2017	13	5		mg/L
Sulfate	MW-15	1/23/2018	12	5		mg/L
Sulfate	MW-15	7/10/2018	12	5		mg/L
Sulfate	MW-15	10/2/2018	11	5		mg/L
Sulfate	MW-15	1/3/2019	11	5		mg/L
Sulfate	MW-15	7/9/2019	4.6	5	ND	mg/L
Sulfate	MW-15	1/14/2020	14.6	5		mg/L
Sulfate	MW-15	8/3/2020	15.7	5		mg/L
Sulfate	MW-15	1/18/2021	16.6	5		mg/L
Sulfate	MW-15	7/4/2021	15.8	5		mg/L
Sulfate	MW-15	1/12/2022	14.2	5		mg/L
Sulfate	MW-15	1/12/2022	15.2	5		mg/L
Sulfate	MW-15	7/10/2022	18.6	5		mg/L
Sulfate	MW-15	1/10/2023	12.3	5		mg/L
Sulfate	MW-15	7/10/2023	11.3	5		mg/L
Sulfate	MW-16	6/5/2015	3.3	5	ND	mg/L
Sulfate	MW-16	7/16/2015	10	5		mg/L
Sulfate	MW-16	8/5/2015	9.5	5		mg/L
Sulfate	MW-16	9/3/2015	18	5		mg/L
Sulfate	MW-16	1/8/2016	17	5		mg/L
Sulfate	MW-16	4/5/2016	24	5		mg/L
Sulfate	MW-16	7/21/2016	23	5		mg/L
Sulfate	MW-16	10/5/2016	24	5		mg/L
Sulfate	MW-16	1/10/2017	31	5		mg/L
Sulfate	MW-16	7/18/2017	28	5		mg/L
Sulfate	MW-16	1/23/2018	5	5		mg/L
Sulfate	MW-16	7/11/2018	9.5	5		mg/L
Sulfate	MW-16	1/2/2019	3.8	5	ND	mg/L
Sulfate	MW-16	7/10/2019	3	5	ND	mg/L
Sulfate	MW-16	1/14/2020	5.35	5		mg/L
Sulfate	MW-16	8/3/2020	5.33	5		mg/L
Sulfate	MW-16	1/18/2021	5	5	ND	mg/L
Sulfate	MW-16	7/4/2021	5	5	ND	mg/L
Sulfate	MW-16	1/12/2022	5	5	ND	mg/L
Sulfate	MW-16	1/12/2022	5	5	ND	mg/L
Sulfate	MW-16	7/10/2022	5	5		mg/L
Sulfate	MW-16	1/10/2023	5	5	ND	mg/L
Sulfate	MW-16	7/10/2023	5	5	ND	mg/L
Sulfate	MW-17	6/5/2015	4.9	5	ND	mg/L
Sulfate	MW-17	7/15/2015	4.6	5	ND	mg/L
Sulfate	MW-17	8/4/2015	4.2	5	ND	mg/L
Sulfate	MW-17	9/2/2015	5.7	5		mg/L
Sulfate	MW-17	1/7/2016	5.8	5		mg/L
Sulfate	MW-17	4/5/2016	7.2	5		mg/L
Sulfate	MW-17	7/20/2016	6.4	5		mg/L
Sulfate	MW-17	10/6/2016	13	5		mg/L
Sulfate	MW-17	1/10/2017	15	5		mg/L
Sulfate	MW-17	7/18/2017	6.7	5		mg/L
Sulfate	MW-17	1/23/2018	11	5		mg/L
Sulfate	MW-17	7/10/2018	15	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-17	1/3/2019	14	5		mg/L
Sulfate	MW-17	7/11/2019	16	5		mg/L
Sulfate	MW-17	10/1/2019	15	5		mg/L
Sulfate	MW-17	1/14/2020	13.7	5		mg/L
Sulfate	MW-17	8/3/2020	12.5	5		mg/L
Sulfate	MW-17	1/14/2021	12.7	5		mg/L
Sulfate	MW-17	7/4/2021	14.3	5		mg/L
Sulfate	MW-17	1/10/2023	14.4	5		mg/L
Sulfate	MW-17	7/8/2023	13.5	5		mg/L
Sulfate	MW-19	6/5/2015	6.5	5		mg/L
Sulfate	MW-19	7/16/2015	11	5		mg/L
Sulfate	MW-19	8/5/2015	4.1	5	ND	mg/L
Sulfate	MW-19	9/3/2015	4.9	5	ND	mg/L
Sulfate	MW-19	1/7/2016	5.9	5		mg/L
Sulfate	MW-19	4/5/2016	4.9	5	ND	mg/L
Sulfate	MW-19	7/21/2016	3.9	5	ND	mg/L
Sulfate	MW-19	10/5/2016	5.6	5		mg/L
Sulfate	MW-19	1/10/2017	4.3	5	ND	mg/L
Sulfate	MW-19	7/18/2017	5.7	5		mg/L
Sulfate	MW-19	1/23/2018	4.7	5	ND	mg/L
Sulfate	MW-19	7/13/2018	4.7	5	ND	mg/L
Sulfate	MW-19	1/7/2019	5.2	5		mg/L
Sulfate	MW-19	7/11/2019	3.7	5	ND	mg/L
Sulfate	MW-19	1/14/2020	10.7	5		mg/L
Sulfate	MW-19	8/3/2020	11.6	5		mg/L
Sulfate	MW-19	1/14/2021	9.75	5		mg/L
Sulfate	MW-19	7/4/2021	11.9	5		mg/L
Sulfate	MW-19	1/11/2023	7.37	5		mg/L
Sulfate	MW-19	7/10/2023	5.47	5		mg/L
Sulfate	MW-1N	10/22/1997	4.6	1		mg/L
Sulfate	MW-1N	1/20/1998	72.1	2		mg/L
Sulfate	MW-1N	4/28/1998	14.7	1		mg/L
Sulfate	MW-1N	7/23/1998	5.5	1		mg/L
Sulfate	MW-1N	10/14/1998	9	1		mg/L
Sulfate	MW-1N	1/13/1999	6.4	1		mg/L
Sulfate	MW-1N	7/15/1999	8.3	1		mg/L
Sulfate	MW-1N	10/19/1999	4.6	1		mg/L
Sulfate	MW-1N	1/14/2000	8.3	1		mg/L
Sulfate	MW-1N	4/25/2000	5.2	1		mg/L
Sulfate	MW-1N	7/12/2000	8.8	1		mg/L
Sulfate	MW-1N	10/18/2000	1.3	1		mg/L
Sulfate	MW-1N	1/24/2001	4.3	1		mg/L
Sulfate	MW-1N	4/12/2001	1	1	ND	mg/L
Sulfate	MW-1N	7/9/2002	21.8	1		mg/L
Sulfate	MW-1N	10/3/2002	14.3	1		mg/L
Sulfate	MW-1N	1/22/2003	12.5	1		mg/L
Sulfate	MW-1N	4/15/2003	6.5	1		mg/L
Sulfate	MW-1N	7/8/2003	43.6	1		mg/L
Sulfate	MW-1N	1/28/2004	25.4	1		mg/L
Sulfate	MW-1N	7/27/2004	12.1	1		mg/L
Sulfate	MW-1N	1/12/2005	10.3	1		mg/L
Sulfate	MW-1N	7/20/2005	7.7	1		mg/L
Sulfate	MW-1N	1/18/2006	6.2	1		mg/L
Sulfate	MW-1N	7/18/2006	6.1	5		mg/L
Sulfate	MW-1N	7/18/2006	6.1	5		mg/L
Sulfate	MW-1N	10/24/2006	6.1	5		mg/L
Sulfate	MW-1N	1/26/2007	6.3	5		mg/L
Sulfate	MW-1N	7/11/2007	6.7	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-1N	1/24/2008	7.8	5		mg/L
Sulfate	MW-1N	7/21/2008	6.6	5		mg/L
Sulfate	MW-1N	2/5/2009	7	5		mg/L
Sulfate	MW-1N	7/31/2009	7.5	5		mg/L
Sulfate	MW-1N	1/26/2010	7	5		mg/L
Sulfate	MW-1N	7/13/2010	7	5		mg/L
Sulfate	MW-1N	1/20/2011	7.1	5		mg/L
Sulfate	MW-1N	7/13/2011	16	5		mg/L
Sulfate	MW-1N	1/5/2012	8.8	5		mg/L
Sulfate	MW-1N	7/10/2012	7.4	5		mg/L
Sulfate	MW-1N	5/1/2013	6.6	5		mg/L
Sulfate	MW-1N	7/16/2013	6.1	5		mg/L
Sulfate	MW-1N	1/24/2014	7	5		mg/L
Sulfate	MW-1N	7/9/2014	6.7	5		mg/L
Sulfate	MW-1N	2/10/2015	6.1	5		mg/L
Sulfate	MW-1N	7/14/2015	29	5		mg/L
Sulfate	MW-1N	1/6/2016	23	5		mg/L
Sulfate	MW-1N	7/21/2016	9.5	5		mg/L
Sulfate	MW-1N	1/12/2017	7	5		mg/L
Sulfate	MW-1N	7/19/2017	8.4	5		mg/L
Sulfate	MW-1N	1/23/2018	5.8	5		mg/L
Sulfate	MW-1N	7/10/2018	6.5	5		mg/L
Sulfate	MW-1N	1/3/2019	6.2	5		mg/L
Sulfate	MW-1N	7/11/2019	9.5	5		mg/L
Sulfate	MW-1N	1/23/2020	10.7	5		mg/L
Sulfate	MW-1N	4/2/2020	7.79	5		mg/L
Sulfate	MW-1N	7/6/2020	6.61	5		mg/L
Sulfate	MW-1N	1/14/2021	5.24	5		mg/L
Sulfate	MW-1N	7/4/2021	5.69	5		mg/L
Sulfate	MW-1N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-1N	7/8/2023	5	5	ND	mg/L
Sulfate	MW-20	6/5/2015	7.2	5		mg/L
Sulfate	MW-20	7/14/2015	5.9	5		mg/L
Sulfate	MW-20	8/4/2015	4.9	5	ND	mg/L
Sulfate	MW-20	9/2/2015	4.8	5	ND	mg/L
Sulfate	MW-20	1/7/2016	57	5		mg/L
Sulfate	MW-20	4/5/2016	3.2	5	ND	mg/L
Sulfate	MW-20	7/20/2016	3.3	5	ND	mg/L
Sulfate	MW-20	10/5/2016	4.4	5	ND	mg/L
Sulfate	MW-20	1/12/2017	2.6	5	ND	mg/L
Sulfate	MW-20	7/18/2017	3.9	5	ND	mg/L
Sulfate	MW-20	1/26/2018	2.9	5	ND	mg/L
Sulfate	MW-20	7/12/2018	2.8	5	ND	mg/L
Sulfate	MW-20	7/11/2019	4.2	5	ND	mg/L
Sulfate	MW-20	1/14/2020	14.8	5		mg/L
Sulfate	MW-20	7/7/2020	5.18	5		mg/L
Sulfate	MW-20	1/17/2021	8.51	5		mg/L
Sulfate	MW-20	7/4/2021	6.27	5		mg/L
Sulfate	MW-20	1/11/2023	5	5	ND	mg/L
Sulfate	MW-21	6/5/2015	25	5		mg/L
Sulfate	MW-21	7/14/2015	23	5		mg/L
Sulfate	MW-21	8/4/2015	23	5		mg/L
Sulfate	MW-21	9/2/2015	26	5		mg/L
Sulfate	MW-21	1/7/2016	6.1	5		mg/L
Sulfate	MW-21	4/5/2016	21	5		mg/L
Sulfate	MW-21	7/20/2016	19	5		mg/L
Sulfate	MW-21	10/5/2016	12	5		mg/L
Sulfate	MW-21	10/5/2016	10	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-21	1/10/2017	17	5		mg/L
Sulfate	MW-21	4/5/2017	21	5		mg/L
Sulfate	MW-21	7/19/2017	22	5		mg/L
Sulfate	MW-21	10/6/2017	23	5		mg/L
Sulfate	MW-21	1/24/2018	8.3	5		mg/L
Sulfate	MW-21	4/11/2018	43	5		mg/L
Sulfate	MW-21	7/11/2018	24	5		mg/L
Sulfate	MW-21	10/4/2018	17	5		mg/L
Sulfate	MW-21	1/3/2019	33	5		mg/L
Sulfate	MW-21	4/3/2019	26	5		mg/L
Sulfate	MW-21	7/11/2019	22	5		mg/L
Sulfate	MW-21	10/2/2019	30	5		mg/L
Sulfate	MW-21	1/16/2020	19.7	5		mg/L
Sulfate	MW-21	4/2/2020	14	5		mg/L
Sulfate	MW-21	7/8/2020	10.7	5		mg/L
Sulfate	MW-21	10/7/2020	5	5	ND	mg/L
Sulfate	MW-21	1/13/2021	17.8	5		mg/L
Sulfate	MW-21	4/6/2021	8.01	5		mg/L
Sulfate	MW-21	7/5/2021	8.82	5		mg/L
Sulfate	MW-21	10/6/2021	5	5	ND	mg/L
Sulfate	MW-21	1/11/2023	8.74	5		mg/L
Sulfate	MW-21	4/8/2023	15.1	5		mg/L
Sulfate	MW-21	7/7/2023	9.96	5		mg/L
Sulfate	MW-21	10/6/2023	22.2	5		mg/L
Sulfate	MW-2N	10/22/1997	3.5	1		mg/L
Sulfate	MW-2N	1/21/1998	3.6	1		mg/L
Sulfate	MW-2N	4/28/1998	4	1		mg/L
Sulfate	MW-2N	7/22/1998	5.7	1		mg/L
Sulfate	MW-2N	1/13/1999	2.1	1		mg/L
Sulfate	MW-2N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-2N	10/20/1999	2	1		mg/L
Sulfate	MW-2N	1/14/2000	2.9	1		mg/L
Sulfate	MW-2N	4/25/2000	1	1		mg/L
Sulfate	MW-2N	10/17/2000	2.4	1		mg/L
Sulfate	MW-2N	1/24/2001	3.3	1		mg/L
Sulfate	MW-2N	4/11/2001	2.9	1		mg/L
Sulfate	MW-2N	7/10/2002	2.9	1		mg/L
Sulfate	MW-2N	10/2/2002	3.6	1		mg/L
Sulfate	MW-2N	1/22/2003	3.2	1		mg/L
Sulfate	MW-2N	4/14/2003	4.1	1		mg/L
Sulfate	MW-2N	7/7/2003	3.2	1		mg/L
Sulfate	MW-2N	1/28/2004	2.6	1		mg/L
Sulfate	MW-2N	7/27/2004	2.8	1		mg/L
Sulfate	MW-2N	1/12/2005	2.9	1		mg/L
Sulfate	MW-2N	7/20/2005	3.2	1		mg/L
Sulfate	MW-2N	1/19/2006	2.8	1		mg/L
Sulfate	MW-2N	7/19/2006	2.6	5	ND	mg/L
Sulfate	MW-2N	7/19/2006	2.6	5	ND	mg/L
Sulfate	MW-2N	10/25/2006	2.7	5	ND	mg/L
Sulfate	MW-2N	1/26/2007	3	5	ND	mg/L
Sulfate	MW-2N	7/11/2007	2.8	5	ND	mg/L
Sulfate	MW-2N	1/24/2008	2.7	5	ND	mg/L
Sulfate	MW-2N	7/22/2008	2.7	5	ND	mg/L
Sulfate	MW-2N	2/4/2009	2.7	5	ND	mg/L
Sulfate	MW-2N	7/31/2009	2.7	5	ND	mg/L
Sulfate	MW-2N	1/26/2010	2.8	5	ND	mg/L
Sulfate	MW-2N	7/13/2010	2.7	5	ND	mg/L
Sulfate	MW-2N	1/20/2011	2.9	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-2N	7/13/2011	2.8	5	ND	mg/L
Sulfate	MW-2N	1/5/2012	2.9	5	ND	mg/L
Sulfate	MW-2N	7/10/2012	3	5	ND	mg/L
Sulfate	MW-2N	5/1/2013	2.6	5	ND	mg/L
Sulfate	MW-2N	7/16/2013	2.8	5	ND	mg/L
Sulfate	MW-2N	1/24/2014	2.9	5	ND	mg/L
Sulfate	MW-2N	7/9/2014	4.1	5	ND	mg/L
Sulfate	MW-2N	2/12/2015	3	5	ND	mg/L
Sulfate	MW-2N	7/14/2015	2.9	5	ND	mg/L
Sulfate	MW-2N	1/6/2016	3.2	5	ND	mg/L
Sulfate	MW-2N	7/21/2016	3	5	ND	mg/L
Sulfate	MW-2N	1/11/2017	3.1	5	ND	mg/L
Sulfate	MW-2N	7/19/2017	2.9	5	ND	mg/L
Sulfate	MW-2N	1/23/2018	2.9	5	ND	mg/L
Sulfate	MW-2N	7/12/2018	2.8	5	ND	mg/L
Sulfate	MW-2N	1/3/2019	2.6	5	ND	mg/L
Sulfate	MW-2N	8/7/2019	3.3	5	ND	mg/L
Sulfate	MW-2N	1/23/2020	5	5	ND	mg/L
Sulfate	MW-2N	7/7/2020	5	5	ND	mg/L
Sulfate	MW-2N	1/14/2021	2.33	5		mg/L
Sulfate	MW-2N	7/5/2021	5	5	ND	mg/L
Sulfate	MW-2N	1/11/2023	5	5	ND	mg/L
Sulfate	MW-2N	7/8/2023	5	5	ND	mg/L
Sulfate	MW-3N	10/21/1997	1	1	ND	mg/L
Sulfate	MW-3N	1/21/1998	1	1	ND	mg/L
Sulfate	MW-3N	4/28/1998	2.8	1		mg/L
Sulfate	MW-3N	7/23/1998	1	1		mg/L
Sulfate	MW-3N	1/13/1999	5.3	1		mg/L
Sulfate	MW-3N	7/14/1999	1	1	ND	mg/L
Sulfate	MW-3N	10/20/1999	1.6	1		mg/L
Sulfate	MW-3N	1/14/2000	5.8	1		mg/L
Sulfate	MW-3N	4/24/2000	2	1		mg/L
Sulfate	MW-3N	7/11/2000	1	1		mg/L
Sulfate	MW-3N	10/17/2000	1.2	1		mg/L
Sulfate	MW-3N	1/23/2001	2.1	1		mg/L
Sulfate	MW-3N	4/11/2001	1.6	1		mg/L
Sulfate	MW-3N	7/9/2002	1.9	1		mg/L
Sulfate	MW-3N	10/2/2002	3	1		mg/L
Sulfate	MW-3N	1/22/2003	2.3	1		mg/L
Sulfate	MW-3N	4/14/2003	2.6	1		mg/L
Sulfate	MW-3N	7/7/2003	2.5	1		mg/L
Sulfate	MW-3N	1/28/2004	1.9	1		mg/L
Sulfate	MW-3N	7/27/2004	2.2	1		mg/L
Sulfate	MW-3N	1/12/2005	2.3	1		mg/L
Sulfate	MW-3N	7/20/2005	2.5	1		mg/L
Sulfate	MW-3N	1/18/2006	1.8	1		mg/L
Sulfate	MW-3N	7/19/2006	1.6	5	ND	mg/L
Sulfate	MW-3N	7/19/2006	1.6	5	ND	mg/L
Sulfate	MW-3N	10/25/2006	1.8	5	ND	mg/L
Sulfate	MW-3N	1/26/2007	2.5	5	ND	mg/L
Sulfate	MW-3N	7/11/2007	2.5	5	ND	mg/L
Sulfate	MW-3N	1/24/2008	2.3	5	ND	mg/L
Sulfate	MW-3N	7/22/2008	2.7	5	ND	mg/L
Sulfate	MW-3N	2/4/2009	2.4	5	ND	mg/L
Sulfate	MW-3N	7/31/2009	2.8	5	ND	mg/L
Sulfate	MW-3N	1/26/2010	2.6	5	ND	mg/L
Sulfate	MW-3N	7/13/2010	3	5	ND	mg/L
Sulfate	MW-3N	1/20/2011	3.1	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-3N	7/14/2011	3.3	5	ND	mg/L
Sulfate	MW-3N	1/5/2012	4	5	ND	mg/L
Sulfate	MW-3N	7/11/2012	4.8	5	ND	mg/L
Sulfate	MW-3N	5/1/2013	6.3	5		mg/L
Sulfate	MW-3N	6/4/2013	7	5		mg/L
Sulfate	MW-3N	7/16/2013	6.2	5		mg/L
Sulfate	MW-3N	1/24/2014	8.1	5		mg/L
Sulfate	MW-3N	7/9/2014	8.7	5		mg/L
Sulfate	MW-3N	2/12/2015	8.4	5		mg/L
Sulfate	MW-3N	4/1/2015	5.8	5		mg/L
Sulfate	MW-3N	7/14/2015	6.5	5		mg/L
Sulfate	MW-3N	10/5/2015	6.9	5		mg/L
Sulfate	MW-3N	1/6/2016	8.5	5		mg/L
Sulfate	MW-3N	4/6/2016	8.5	5		mg/L
Sulfate	MW-3N	7/21/2016	8.8	5		mg/L
Sulfate	MW-3N	10/6/2016	11	5		mg/L
Sulfate	MW-3N	1/11/2017	13	5		mg/L
Sulfate	MW-3N	4/4/2017	16	5		mg/L
Sulfate	MW-3N	7/19/2017	10	5		mg/L
Sulfate	MW-3N	10/9/2017	12	5		mg/L
Sulfate	MW-3N	1/24/2018	13	5		mg/L
Sulfate	MW-3N	4/10/2018	11	5		mg/L
Sulfate	MW-3N	7/13/2018	9.8	5		mg/L
Sulfate	MW-3N	10/3/2018	13	5		mg/L
Sulfate	MW-3N	1/7/2019	18	5		mg/L
Sulfate	MW-3N	4/3/2019	14	5		mg/L
Sulfate	MW-3N	7/11/2019	12	5		mg/L
Sulfate	MW-3N	10/2/2019	19	5		mg/L
Sulfate	MW-3N	1/15/2020	12.6	5		mg/L
Sulfate	MW-3N	4/2/2020	10.7	5		mg/L
Sulfate	MW-3N	7/7/2020	11.6	5		mg/L
Sulfate	MW-3N	10/7/2020	11	5		mg/L
Sulfate	MW-3N	1/13/2021	15.4	5		mg/L
Sulfate	MW-3N	4/6/2021	10.1	5		mg/L
Sulfate	MW-3N	7/5/2021	11.5	5		mg/L
Sulfate	MW-3N	10/6/2021	10.5	5		mg/L
Sulfate	MW-3N	1/11/2023	13.4	5		mg/L
Sulfate	MW-3N	7/7/2023	21.6	5		mg/L
Sulfate	MW-3N	10/6/2023	13.9	5		mg/L
Sulfate	MW-7N	10/21/1997	2.2	1		mg/L
Sulfate	MW-7N	1/21/1998	17.6	1		mg/L
Sulfate	MW-7N	7/22/1998	2	1		mg/L
Sulfate	MW-7N	8/18/1998	2	1		mg/L
Sulfate	MW-7N	9/17/1998	2.9	1		mg/L
Sulfate	MW-7N	10/15/1998	5.4	1		mg/L
Sulfate	MW-7N	11/9/1998	6.3	1		mg/L
Sulfate	MW-7N	1/14/1999	2.6	1		mg/L
Sulfate	MW-7N	7/14/1999	4	1		mg/L
Sulfate	MW-7N	10/19/1999	1	1	ND	mg/L
Sulfate	MW-7N	1/13/2000	1	1		mg/L
Sulfate	MW-7N	4/25/2000	1	1	ND	mg/L
Sulfate	MW-7N	10/17/2000	1	1	ND	mg/L
Sulfate	MW-7N	1/23/2001	2.1	1		mg/L
Sulfate	MW-7N	4/10/2001	1.3	1		mg/L
Sulfate	MW-7N	7/9/2002	3.2	1		mg/L
Sulfate	MW-7N	10/2/2002	4.5	1		mg/L
Sulfate	MW-7N	1/23/2003	4.4	1		mg/L
Sulfate	MW-7N	4/14/2003	4.9	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-7N	7/7/2003	3.4	1		mg/L
Sulfate	MW-7N	1/27/2004	5.2	1		mg/L
Sulfate	MW-7N	4/8/2004	5.1	1		mg/L
Sulfate	MW-7N	7/26/2004	5.3	1		mg/L
Sulfate	MW-7N	1/12/2005	5.2	1		mg/L
Sulfate	MW-7N	7/19/2005	3.4	1		mg/L
Sulfate	MW-7N	1/19/2006	3	1		mg/L
Sulfate	MW-7N	7/19/2006	2.8	5	ND	mg/L
Sulfate	MW-7N	7/19/2006	2.8	5	ND	mg/L
Sulfate	MW-7N	10/24/2006	3	5	ND	mg/L
Sulfate	MW-7N	1/26/2007	3.7	5	ND	mg/L
Sulfate	MW-7N	7/10/2007	2.8	5	ND	mg/L
Sulfate	MW-7N	7/21/2008	5.3	5		mg/L
Sulfate	MW-7N	2/6/2009	5.1	5		mg/L
Sulfate	MW-7N	7/29/2009	5.9	5		mg/L
Sulfate	MW-7N	1/26/2010	5.2	5		mg/L
Sulfate	MW-7N	7/14/2010	5.5	5		mg/L
Sulfate	MW-7N	1/20/2011	4.5	5	ND	mg/L
Sulfate	MW-7N	7/12/2011	6.4	5		mg/L
Sulfate	MW-7N	1/5/2012	6.5	5		mg/L
Sulfate	MW-7N	7/10/2012	7.7	5		mg/L
Sulfate	MW-7N	5/1/2013	7.7	5		mg/L
Sulfate	MW-7N	6/4/2013	8.3	5		mg/L
Sulfate	MW-7N	7/15/2013	7.4	5		mg/L
Sulfate	MW-7N	1/30/2014	8.2	5		mg/L
Sulfate	MW-7N	7/9/2014	9.2	5		mg/L
Sulfate	MW-7N	2/12/2015	8.7	5		mg/L
Sulfate	MW-7N	7/13/2015	6.3	5		mg/L
Sulfate	MW-7N	1/5/2016	8.9	5		mg/L
Sulfate	MW-7N	7/21/2016	11	5		mg/L
Sulfate	MW-7N	1/11/2017	16	5		mg/L
Sulfate	MW-7N	4/4/2017	11	5		mg/L
Sulfate	MW-7N	7/19/2017	11	5		mg/L
Sulfate	MW-7N	10/5/2017	18	5		mg/L
Sulfate	MW-7N	1/25/2018	15	5		mg/L
Sulfate	MW-7N	4/11/2018	19	5		mg/L
Sulfate	MW-7N	7/13/2018	16	5		mg/L
Sulfate	MW-7N	1/4/2019	21	5		mg/L
Sulfate	MW-7N	7/10/2019	22	5		mg/L
Sulfate	MW-7N	1/16/2020	19.4	5		mg/L
Sulfate	MW-7N	7/7/2020	20.2	5		mg/L
Sulfate	MW-7N	1/16/2021	20.7	5		mg/L
Sulfate	MW-7N	7/5/2021	20.9	5		mg/L
Sulfate	MW-7N	1/12/2022	21.1	5		mg/L
Sulfate	MW-7N	1/12/2022	21.4	5		mg/L
Sulfate	MW-7N	7/10/2022	21	5		mg/L
Sulfate	MW-7N	1/10/2023	20.1	5		mg/L
Sulfate	MW-7N	7/7/2023	20.6	5		mg/L
Sulfate	MW-8N	10/21/1997	1	1	ND	mg/L
Sulfate	MW-8N	1/22/1998	2.1	1		mg/L
Sulfate	MW-8N	4/28/1998	5.6	1		mg/L
Sulfate	MW-8N	7/22/1998	1.3	1		mg/L
Sulfate	MW-8N	1/12/1999	3.6	1		mg/L
Sulfate	MW-8N	7/14/1999	18.9	1		mg/L
Sulfate	MW-8N	10/19/1999	5.2	1		mg/L
Sulfate	MW-8N	1/14/2000	7.6	1		mg/L
Sulfate	MW-8N	4/25/2000	5	1		mg/L
Sulfate	MW-8N	10/17/2000	5.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-8N	1/23/2001	5.9	1		mg/L
Sulfate	MW-8N	4/11/2001	9.7	1		mg/L
Sulfate	MW-8N	7/9/2002	13	1		mg/L
Sulfate	MW-8N	10/2/2002	11.3	1		mg/L
Sulfate	MW-8N	1/23/2003	8.1	1		mg/L
Sulfate	MW-8N	4/14/2003	10.2	1		mg/L
Sulfate	MW-8N	7/7/2003	8.2	1		mg/L
Sulfate	MW-8N	1/28/2004	6.9	1		mg/L
Sulfate	MW-8N	7/27/2004	18.2	1		mg/L
Sulfate	MW-8N	1/12/2005	24.7	1		mg/L
Sulfate	MW-8N	7/20/2005	24.9	1		mg/L
Sulfate	MW-8N	1/19/2006	16.9	1		mg/L
Sulfate	MW-8N	7/19/2006	19	5		mg/L
Sulfate	MW-8N	7/19/2006	19	5		mg/L
Sulfate	MW-8N	10/24/2006	28	5		mg/L
Sulfate	MW-8N	1/26/2007	27	5		mg/L
Sulfate	MW-8N	4/25/2007	23	5		mg/L
Sulfate	MW-8N	7/10/2007	23	5		mg/L
Sulfate	MW-8N	1/24/2008	27	5		mg/L
Sulfate	MW-8N	7/23/2008	34	5		mg/L
Sulfate	MW-8N	2/4/2009	30	5		mg/L
Sulfate	MW-8N	7/31/2009	30	5		mg/L
Sulfate	MW-8N	1/26/2010	30	5		mg/L
Sulfate	MW-8N	7/16/2010	29	5		mg/L
Sulfate	MW-8N	1/19/2011	27	5		mg/L
Sulfate	MW-8N	5/10/2011	29	5		mg/L
Sulfate	MW-8N	7/14/2011	27	5		mg/L
Sulfate	MW-8N	1/6/2012	26	5		mg/L
Sulfate	MW-8N	4/5/2012	25	5		mg/L
Sulfate	MW-8N	7/11/2012	26	5		mg/L
Sulfate	MW-8N	10/3/2012	25	5		mg/L
Sulfate	MW-8N	5/1/2013	23	5		mg/L
Sulfate	MW-8N	6/4/2013	22	5		mg/L
Sulfate	MW-8N	7/16/2013	22	5		mg/L
Sulfate	MW-8N	10/2/2013	22	5		mg/L
Sulfate	MW-8N	1/30/2014	21	5		mg/L
Sulfate	MW-8N	4/3/2014	23	5		mg/L
Sulfate	MW-8N	7/9/2014	25	5		mg/L
Sulfate	MW-8N	10/8/2014	19	5		mg/L
Sulfate	MW-8N	2/12/2015	25	5		mg/L
Sulfate	MW-8N	4/1/2015	23	5		mg/L
Sulfate	MW-8N	7/14/2015	24	5		mg/L
Sulfate	MW-8N	10/5/2015	24	5		mg/L
Sulfate	MW-8N	1/5/2016	29	5		mg/L
Sulfate	MW-8N	4/6/2016	26	5		mg/L
Sulfate	MW-8N	7/21/2016	30	5		mg/L
Sulfate	MW-8N	10/6/2016	29	5		mg/L
Sulfate	MW-8N	1/11/2017	26	5		mg/L
Sulfate	MW-8N	4/4/2017	26	5		mg/L
Sulfate	MW-8N	7/19/2017	31	5		mg/L
Sulfate	MW-8N	10/6/2017	31	5		mg/L
Sulfate	MW-8N	1/25/2018	27	5		mg/L
Sulfate	MW-8N	4/10/2018	31	5		mg/L
Sulfate	MW-8N	7/16/2018	30	5		mg/L
Sulfate	MW-8N	10/2/2018	33	5		mg/L
Sulfate	MW-8N	1/7/2019	31	5		mg/L
Sulfate	MW-8N	4/3/2019	32	5		mg/L
Sulfate	MW-8N	7/11/2019	31	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	MW-8N	10/3/2019	34	5		mg/L
Sulfate	MW-8N	1/15/2020	28.9	5		mg/L
Sulfate	MW-8N	4/2/2020	27	5		mg/L
Sulfate	MW-8N	7/9/2020	26.4	5		mg/L
Sulfate	MW-8N	10/6/2020	26.2	5		mg/L
Sulfate	MW-8N	1/15/2021	25	5		mg/L
Sulfate	MW-8N	4/6/2021	26.1	5		mg/L
Sulfate	MW-8N	7/5/2021	24.1	5		mg/L
Sulfate	MW-8N	10/6/2021	23.1	5		mg/L
Sulfate	MW-8N	1/18/2022	22.8	5		mg/L
Sulfate	MW-8N	1/18/2022	22.3	5		mg/L
Sulfate	MW-8N	4/4/2022	22.1	5		mg/L
Sulfate	MW-8N	7/12/2022	19.7	5		mg/L
Sulfate	MW-8N	10/6/2022	18.9	5		mg/L
Sulfate	MW-8N	1/11/2023	19.3	5		mg/L
Sulfate	MW-8N	4/8/2023	18	5		mg/L
Sulfate	MW-8N	7/7/2023	19.7	5		mg/L
Sulfate	MW-8N	10/5/2023	18.9	5		mg/L
Sulfate	NE-1	7/10/2002	2.9	1		mg/L
Sulfate	NE-1	8/6/2002	3.4	1		mg/L
Sulfate	NE-1	9/4/2002	3.2	1		mg/L
Sulfate	NE-1	10/2/2002	3.9	1		mg/L
Sulfate	NE-1	7/8/2003	6.8	1		mg/L
Sulfate	NE-1	1/27/2004	10.4	1		mg/L
Sulfate	NE-1	1/12/2005	7.4	1		mg/L
Sulfate	NE-1	7/19/2006	6.6	5		mg/L
Sulfate	NE-1	7/19/2006	6.6	5		mg/L
Sulfate	NE-1	10/25/2006	4	5	ND	mg/L
Sulfate	NE-1	1/24/2007	4.4	5	ND	mg/L
Sulfate	NE-1	7/10/2007	7	5		mg/L
Sulfate	NE-1	1/24/2008	7.5	5		mg/L
Sulfate	NE-1	7/21/2008	9	5		mg/L
Sulfate	NE-1	2/7/2009	10	5		mg/L
Sulfate	NE-1	7/31/2009	9.6	5		mg/L
Sulfate	NE-1	1/26/2010	11	5		mg/L
Sulfate	NE-1	7/14/2010	12	5		mg/L
Sulfate	NE-1	1/19/2011	13	5		mg/L
Sulfate	NE-1	7/13/2011	13	5		mg/L
Sulfate	NE-1	1/5/2012	12	5		mg/L
Sulfate	NE-1	7/10/2012	14	5		mg/L
Sulfate	NE-1	4/30/2013	12	5		mg/L
Sulfate	NE-1	7/16/2013	13	5		mg/L
Sulfate	NE-1	1/23/2014	22	5		mg/L
Sulfate	NE-1	7/9/2014	24	5		mg/L
Sulfate	NE-1	2/11/2015	21	5		mg/L
Sulfate	NE-1	7/8/2015	17	5		mg/L
Sulfate	NE-1	1/6/2016	21	5		mg/L
Sulfate	NE-1	7/20/2016	24	5		mg/L
Sulfate	NE-1	1/11/2017	28	5		mg/L
Sulfate	NE-1	7/19/2017	21	5		mg/L
Sulfate	NE-1	1/24/2018	24	5		mg/L
Sulfate	NE-1	4/11/2018	28	5		mg/L
Sulfate	NE-1	7/18/2018	21	5		mg/L
Sulfate	NE-1	10/2/2018	20	5		mg/L
Sulfate	NE-1	1/4/2019	26	5		mg/L
Sulfate	NE-1	4/2/2019	23	5		mg/L
Sulfate	NE-1	7/10/2019	19	5		mg/L
Sulfate	NE-1	7/10/2019	19	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-1	10/2/2019	17	5		mg/L
Sulfate	NE-1	1/15/2020	18.2	5		mg/L
Sulfate	NE-1	4/2/2020	17.1	5		mg/L
Sulfate	NE-1	7/8/2020	15.5	5		mg/L
Sulfate	NE-1	10/7/2020	16.2	5		mg/L
Sulfate	NE-1	1/13/2021	15.9	5		mg/L
Sulfate	NE-1	4/9/2021	13.7	5		mg/L
Sulfate	NE-1	7/2/2021	11.4	5		mg/L
Sulfate	NE-1	7/2/2021	12.7	5		mg/L
Sulfate	NE-1	10/6/2021	14.6	5		mg/L
Sulfate	NE-1	1/17/2022	16.2	5		mg/L
Sulfate	NE-1	1/17/2022	15.3	5		mg/L
Sulfate	NE-1	4/6/2022	14.5	5		mg/L
Sulfate	NE-1	7/13/2022	15.3	5		mg/L
Sulfate	NE-1	10/6/2022	15.9	5		mg/L
Sulfate	NE-1	1/5/2023	17	5		mg/L
Sulfate	NE-1	4/7/2023	14.4	5		mg/L
Sulfate	NE-1	7/5/2023	16.6	5		mg/L
Sulfate	NE-1	10/5/2023	15.2	5		mg/L
Sulfate	NE-10D	11/6/2019	2.3	5	ND	mg/L
Sulfate	NE-10D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-10D	4/2/2020	5	5	ND	mg/L
Sulfate	NE-10D	7/8/2020	5	5	ND	mg/L
Sulfate	NE-10D	10/7/2020	5	5	ND	mg/L
Sulfate	NE-10D	1/13/2021	5	5	ND	mg/L
Sulfate	NE-10D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-10D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-10D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-10D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-10D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-10D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-10D	7/8/2023	5	5	ND	mg/L
Sulfate	NE-10D	10/3/2023	5	5	ND	mg/L
Sulfate	NE-11	3/1/2017	3.2	5	ND	mg/L
Sulfate	NE-11	4/6/2017	5.3	5		mg/L
Sulfate	NE-11	7/20/2017	6	5		mg/L
Sulfate	NE-11	10/9/2017	6.3	5		mg/L
Sulfate	NE-11	9/30/2019	4.4	5	ND	mg/L
Sulfate	NE-11	1/14/2020	5.77	5		mg/L
Sulfate	NE-11	7/7/2020	5.5	5		mg/L
Sulfate	NE-11	1/16/2021	5.26	5		mg/L
Sulfate	NE-11	1/16/2021	5.37	5		mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	7/1/2021	5	5	ND	mg/L
Sulfate	NE-11	1/17/2022	5.16	5		mg/L
Sulfate	NE-11	1/17/2022	5.16	5		mg/L
Sulfate	NE-11	1/17/2022	5	5	ND	mg/L
Sulfate	NE-11	7/12/2022	5	5	ND	mg/L
Sulfate	NE-11	1/6/2023	5	5	ND	mg/L
Sulfate	NE-11	7/6/2023	5	5	ND	mg/L
Sulfate	NE-12	3/1/2017	3.6	5	ND	mg/L
Sulfate	NE-12	4/6/2017	18	5		mg/L
Sulfate	NE-12	7/20/2017	7.9	5		mg/L
Sulfate	NE-12	10/6/2017	6.7	5		mg/L
Sulfate	NE-12	8/5/2019	3.2	5	ND	mg/L
Sulfate	NE-12	1/13/2020	7.68	5		mg/L
Sulfate	NE-12	7/7/2020	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-12	1/15/2021	13.5	5		mg/L
Sulfate	NE-12	1/15/2021	13.4	5		mg/L
Sulfate	NE-12	7/1/2021	9.41	5		mg/L
Sulfate	NE-12	7/1/2021	9.41	5		mg/L
Sulfate	NE-12	7/1/2021	10.7	5		mg/L
Sulfate	NE-12	1/17/2022	12.7	5		mg/L
Sulfate	NE-12	1/17/2022	13.9	5		mg/L
Sulfate	NE-12	1/17/2022	13.1	5		mg/L
Sulfate	NE-12	7/12/2022	5	5	ND	mg/L
Sulfate	NE-12	1/6/2023	7.8	5		mg/L
Sulfate	NE-12	7/5/2023	5	5	ND	mg/L
Sulfate	NE-13	2/5/2019	15	5		mg/L
Sulfate	NE-13	8/7/2019	18	5		mg/L
Sulfate	NE-13	1/15/2020	25.7	5		mg/L
Sulfate	NE-13	7/8/2020	33.1	5		mg/L
Sulfate	NE-13	1/17/2021	18.3	5		mg/L
Sulfate	NE-13	1/17/2021	18	5		mg/L
Sulfate	NE-13	7/1/2021	44.6	5		mg/L
Sulfate	NE-13	7/1/2021	44.6	5		mg/L
Sulfate	NE-13	7/1/2021	43.5	5		mg/L
Sulfate	NE-14D	10/2/2019	3.6	5	ND	mg/L
Sulfate	NE-14D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-14D	4/3/2020	5	5	ND	mg/L
Sulfate	NE-14D	7/7/2020	5	5	ND	mg/L
Sulfate	NE-14D	10/6/2020	5	5	ND	mg/L
Sulfate	NE-14D	1/17/2021	5	5	ND	mg/L
Sulfate	NE-14D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-14D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-14D	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14D	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14D	4/6/2022	5	5	ND	mg/L
Sulfate	NE-14D	7/13/2022	5	5	ND	mg/L
Sulfate	NE-14D	10/7/2022	5	5	ND	mg/L
Sulfate	NE-14D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-14D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-14D	7/5/2023	5	5	ND	mg/L
Sulfate	NE-14D	10/4/2023	5.35	5		mg/L
Sulfate	NE-14S	10/2/2019	2.5	5	ND	mg/L
Sulfate	NE-14S	1/16/2020	5	5	ND	mg/L
Sulfate	NE-14S	4/3/2020	5	5	ND	mg/L
Sulfate	NE-14S	7/7/2020	5	5	ND	mg/L
Sulfate	NE-14S	10/6/2020	5	5	ND	mg/L
Sulfate	NE-14S	1/17/2021	5	5	ND	mg/L
Sulfate	NE-14S	4/9/2021	5	5	ND	mg/L
Sulfate	NE-14S	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14S	7/2/2021	5	5	ND	mg/L
Sulfate	NE-14S	10/7/2021	5	5	ND	mg/L
Sulfate	NE-14S	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14S	1/18/2022	5	5	ND	mg/L
Sulfate	NE-14S	4/6/2022	5	5	ND	mg/L
Sulfate	NE-14S	7/13/2022	5	5	ND	mg/L
Sulfate	NE-14S	10/7/2022	5	5	ND	mg/L
Sulfate	NE-14S	1/6/2023	5	5	ND	mg/L
Sulfate	NE-14S	4/6/2023	5	5	ND	mg/L
Sulfate	NE-14S	7/5/2023	5	5	ND	mg/L
Sulfate	NE-14S	10/4/2023	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-15D	9/30/2019	3.9	5	ND	mg/L
Sulfate	NE-15D	1/16/2020	5	5	ND	mg/L
Sulfate	NE-15D	4/3/2020	5	5	ND	mg/L
Sulfate	NE-15D	7/7/2020	5	5	ND	mg/L
Sulfate	NE-15D	10/6/2020	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2021	5	5	ND	mg/L
Sulfate	NE-15D	4/9/2021	5	5	ND	mg/L
Sulfate	NE-15D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-15D	7/2/2021	5	5	ND	mg/L
Sulfate	NE-15D	10/7/2021	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2022	5	5	ND	mg/L
Sulfate	NE-15D	1/17/2022	5	5	ND	mg/L
Sulfate	NE-15D	4/6/2022	5	5	ND	mg/L
Sulfate	NE-15D	7/13/2022	5	5	ND	mg/L
Sulfate	NE-15D	10/7/2022	5	5	ND	mg/L
Sulfate	NE-15D	1/6/2023	5	5	ND	mg/L
Sulfate	NE-15D	4/6/2023	5	5	ND	mg/L
Sulfate	NE-15D	7/6/2023	5	5	ND	mg/L
Sulfate	NE-15D	10/6/2023	5	5	ND	mg/L
Sulfate	NE-15S	4/3/2020	5	5	ND	mg/L
Sulfate	NE-2	7/9/2002	21.5	1		mg/L
Sulfate	NE-2	8/6/2002	7.4	1		mg/L
Sulfate	NE-2	9/4/2002	26.5	1		mg/L
Sulfate	NE-2	10/2/2002	12.6	1		mg/L
Sulfate	NE-2	10/1/2013	18	5		mg/L
Sulfate	NE-2	10/8/2014	12	5		mg/L
Sulfate	NE-2	10/5/2015	12	5		mg/L
Sulfate	NE-2	10/6/2016	20	5		mg/L
Sulfate	NE-2	10/5/2017	13	5		mg/L
Sulfate	NE-2	1/25/2018	15	5		mg/L
Sulfate	NE-2	4/10/2018	16	5		mg/L
Sulfate	NE-2	7/10/2018	13	5		mg/L
Sulfate	NE-2	10/1/2018	15	5		mg/L
Sulfate	NE-2	1/4/2019	21	5		mg/L
Sulfate	NE-2	4/2/2019	16	5		mg/L
Sulfate	NE-2	7/9/2019	9.9	5		mg/L
Sulfate	NE-2	7/9/2019	9.9	5		mg/L
Sulfate	NE-2	10/2/2019	12	5		mg/L
Sulfate	NE-2	1/14/2020	10.3	5		mg/L
Sulfate	NE-2	4/1/2020	10.6	5		mg/L
Sulfate	NE-2	7/7/2020	13.2	5		mg/L
Sulfate	NE-2	10/6/2020	10.2	5		mg/L
Sulfate	NE-2	1/14/2021	18.7	5		mg/L
Sulfate	NE-2	4/9/2021	15.1	5		mg/L
Sulfate	NE-2	7/2/2021	8.03	5		mg/L
Sulfate	NE-2	7/2/2021	6.97	5		mg/L
Sulfate	NE-2	10/6/2021	10.1	5		mg/L
Sulfate	NE-2	1/18/2022	17.4	5		mg/L
Sulfate	NE-2	1/18/2022	18.6	5		mg/L
Sulfate	NE-2	4/6/2022	15.5	5		mg/L
Sulfate	NE-2	7/13/2022	11.1	5		mg/L
Sulfate	NE-2	10/7/2022	9.26	5		mg/L
Sulfate	NE-2	1/5/2023	18.3	5		mg/L
Sulfate	NE-2	4/5/2023	12.2	5		mg/L
Sulfate	NE-2	7/5/2023	9.45	5		mg/L
Sulfate	NE-2	10/4/2023	12.5	5		mg/L
Sulfate	NE-4	7/10/2002	7.6	1		mg/L
Sulfate	NE-4	8/6/2002	8.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-4	9/4/2002	7.5	1		mg/L
Sulfate	NE-4	10/3/2002	8.6	1		mg/L
Sulfate	NE-4	7/8/2003	8	1		mg/L
Sulfate	NE-4	1/28/2004	13.8	1		mg/L
Sulfate	NE-4	1/13/2005	7.7	1		mg/L
Sulfate	NE-4	8/1/2006	10	5		mg/L
Sulfate	NE-4	8/1/2006	10	5		mg/L
Sulfate	NE-4	10/25/2006	13	5		mg/L
Sulfate	NE-4	1/24/2007	11	5		mg/L
Sulfate	NE-4	7/12/2007	10	5		mg/L
Sulfate	NE-4	1/24/2008	7.9	5		mg/L
Sulfate	NE-4	7/21/2008	9.8	5		mg/L
Sulfate	NE-4	2/7/2009	11	5		mg/L
Sulfate	NE-4	7/31/2009	7.5	5		mg/L
Sulfate	NE-4	1/26/2010	7.6	5		mg/L
Sulfate	NE-4	7/14/2010	9.2	5		mg/L
Sulfate	NE-4	1/19/2011	5.6	5		mg/L
Sulfate	NE-4	7/13/2011	8.7	5		mg/L
Sulfate	NE-4	1/5/2012	7.6	5		mg/L
Sulfate	NE-4	7/10/2012	7.7	5		mg/L
Sulfate	NE-4	4/30/2013	8.3	5		mg/L
Sulfate	NE-4	7/16/2013	6.9	5		mg/L
Sulfate	NE-4	1/23/2014	9	5		mg/L
Sulfate	NE-4	7/9/2014	7.9	5		mg/L
Sulfate	NE-4	2/13/2015	7.3	5		mg/L
Sulfate	NE-4	7/8/2015	6.6	5		mg/L
Sulfate	NE-4	1/6/2016	8	5		mg/L
Sulfate	NE-4	7/20/2016	9.2	5		mg/L
Sulfate	NE-4	1/11/2017	8.8	5		mg/L
Sulfate	NE-4	7/19/2017	9	5		mg/L
Sulfate	NE-4	1/26/2018	5.1	5		mg/L
Sulfate	NE-4	4/10/2018	11	5		mg/L
Sulfate	NE-4	7/12/2018	12	5		mg/L
Sulfate	NE-4	10/3/2018	6	5		mg/L
Sulfate	NE-4	1/7/2019	5.3	5		mg/L
Sulfate	NE-4	4/2/2019	5.9	5		mg/L
Sulfate	NE-4	7/8/2019	15	5		mg/L
Sulfate	NE-4	7/8/2019	15	5		mg/L
Sulfate	NE-4	10/1/2019	5.4	5		mg/L
Sulfate	NE-4	1/13/2020	11.6	5		mg/L
Sulfate	NE-4	4/1/2020	9.58	5		mg/L
Sulfate	NE-4	7/6/2020	10.2	5		mg/L
Sulfate	NE-4	10/5/2020	7.02	5		mg/L
Sulfate	NE-4	1/15/2021	5.54	5		mg/L
Sulfate	NE-4	4/9/2021	5.62	5		mg/L
Sulfate	NE-4	7/2/2021	8.77	5		mg/L
Sulfate	NE-4	7/2/2021	6.74	5		mg/L
Sulfate	NE-4	10/6/2021	5.38	5		mg/L
Sulfate	NE-4	1/5/2023	6.24	5		mg/L
Sulfate	NE-4	4/6/2023	7.12	5		mg/L
Sulfate	NE-4	7/5/2023	5.86	5		mg/L
Sulfate	NE-4	10/4/2023	5.11	5		mg/L
Sulfate	NE-5	7/9/2002	1.4	1		mg/L
Sulfate	NE-5	8/6/2002	1.5	1		mg/L
Sulfate	NE-5	9/4/2002	2.1	1		mg/L
Sulfate	NE-5	10/2/2002	2.1	1		mg/L
Sulfate	NE-5	7/8/2003	1.5	1		mg/L
Sulfate	NE-5	1/27/2004	1.5	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-5	1/12/2005	1	1	ND	mg/L
Sulfate	NE-5	7/19/2006	0.84	5	ND	mg/L
Sulfate	NE-5	7/19/2006	0.84	5	ND	mg/L
Sulfate	NE-5	10/25/2006	0.78	5	ND	mg/L
Sulfate	NE-5	1/24/2007	0.7	5	ND	mg/L
Sulfate	NE-5	7/12/2007	0.68	5	ND	mg/L
Sulfate	NE-5	7/22/2008	0.55	5	ND	mg/L
Sulfate	NE-5	2/6/2009	5	5	ND	mg/L
Sulfate	NE-5	7/31/2009	0.89	5	ND	mg/L
Sulfate	NE-5	1/26/2010	0.86	5	ND	mg/L
Sulfate	NE-5	7/16/2010	0.45	5	ND	mg/L
Sulfate	NE-5	1/19/2011	0.92	5	ND	mg/L
Sulfate	NE-5	7/13/2011	0.78	5	ND	mg/L
Sulfate	NE-5	1/5/2012	0.89	5	ND	mg/L
Sulfate	NE-5	7/10/2012	1.5	5	ND	mg/L
Sulfate	NE-5	4/30/2013	0.8	5	ND	mg/L
Sulfate	NE-5	7/16/2013	1.8	5	ND	mg/L
Sulfate	NE-5	1/23/2014	1.9	5	ND	mg/L
Sulfate	NE-5	7/9/2014	3	5	ND	mg/L
Sulfate	NE-5	2/11/2015	2	5	ND	mg/L
Sulfate	NE-5	7/14/2015	1.4	5	ND	mg/L
Sulfate	NE-5	1/6/2016	1.3	5	ND	mg/L
Sulfate	NE-5	7/20/2016	2.7	5	ND	mg/L
Sulfate	NE-5	1/11/2017	2.1	5	ND	mg/L
Sulfate	NE-5	7/19/2017	0.57	5	ND	mg/L
Sulfate	NE-5	1/25/2018	1.7	5	ND	mg/L
Sulfate	NE-5	4/10/2018	1	5	ND	mg/L
Sulfate	NE-5	7/17/2018	1.9	5	ND	mg/L
Sulfate	NE-5	10/3/2018	1.7	5	ND	mg/L
Sulfate	NE-5	1/4/2019	2.6	5	ND	mg/L
Sulfate	NE-5	4/2/2019	1.2	5	ND	mg/L
Sulfate	NE-5	4/2/2019	1.2	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	7/9/2019	1.5	5	ND	mg/L
Sulfate	NE-5	10/3/2019	6.5	5		mg/L
Sulfate	NE-5	1/16/2020	5	5	ND	mg/L
Sulfate	NE-5	4/2/2020	5	5	ND	mg/L
Sulfate	NE-5	7/8/2020	5	5	ND	mg/L
Sulfate	NE-5	10/6/2020	5	5	ND	mg/L
Sulfate	NE-5	1/15/2021	5	5	ND	mg/L
Sulfate	NE-5	4/9/2021	5	5	ND	mg/L
Sulfate	NE-5	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5	10/6/2021	5	5	ND	mg/L
Sulfate	NE-5	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5	4/6/2022	5	5	ND	mg/L
Sulfate	NE-5	7/13/2022	5	5	ND	mg/L
Sulfate	NE-5	10/7/2022	5	5	ND	mg/L
Sulfate	NE-5	1/5/2023	5	5	ND	mg/L
Sulfate	NE-5	4/7/2023	5	5	ND	mg/L
Sulfate	NE-5	7/6/2023	5	5	ND	mg/L
Sulfate	NE-5	10/4/2023	5	5	ND	mg/L
Sulfate	NE-5E	9/30/2019	4.4	5	ND	mg/L
Sulfate	NE-5E	1/16/2020	6.23	5		mg/L
Sulfate	NE-5E	4/1/2020	5.02	5		mg/L
Sulfate	NE-5E	7/8/2020	6.28	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-5E	10/6/2020	6.07	5		mg/L
Sulfate	NE-5E	1/15/2021	8.21	5		mg/L
Sulfate	NE-5E	4/9/2021	6.02	5		mg/L
Sulfate	NE-5E	7/2/2021	6.15	5		mg/L
Sulfate	NE-5E	7/2/2021	6.92	5		mg/L
Sulfate	NE-5E	10/6/2021	6.45	5		mg/L
Sulfate	NE-5E	1/18/2022	6.72	5		mg/L
Sulfate	NE-5E	1/18/2022	7.08	5		mg/L
Sulfate	NE-5E	4/6/2022	7.03	5		mg/L
Sulfate	NE-5E	7/13/2022	12.2	5		mg/L
Sulfate	NE-5E	10/7/2022	8.61	5		mg/L
Sulfate	NE-5E	1/5/2023	8.88	5		mg/L
Sulfate	NE-5E	4/7/2023	7.74	5		mg/L
Sulfate	NE-5E	7/6/2023	5.72	5		mg/L
Sulfate	NE-5E	10/4/2023	6.08	5		mg/L
Sulfate	NE-5W	9/30/2019	2.1	5	ND	mg/L
Sulfate	NE-5W	1/16/2020	5	5	ND	mg/L
Sulfate	NE-5W	4/2/2020	5	5	ND	mg/L
Sulfate	NE-5W	7/8/2020	5	5	ND	mg/L
Sulfate	NE-5W	10/6/2020	5	5	ND	mg/L
Sulfate	NE-5W	1/15/2021	5	5	ND	mg/L
Sulfate	NE-5W	4/9/2021	5	5	ND	mg/L
Sulfate	NE-5W	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5W	7/2/2021	5	5	ND	mg/L
Sulfate	NE-5W	10/6/2021	5	5	ND	mg/L
Sulfate	NE-5W	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5W	1/18/2022	5	5	ND	mg/L
Sulfate	NE-5W	4/6/2022	5	5	ND	mg/L
Sulfate	NE-5W	7/13/2022	5.47	5		mg/L
Sulfate	NE-5W	10/7/2022	5.68	5		mg/L
Sulfate	NE-5W	1/5/2023	5	5	ND	mg/L
Sulfate	NE-5W	4/7/2023	5	5	ND	mg/L
Sulfate	NE-5W	7/6/2023	5	5	ND	mg/L
Sulfate	NE-5W	10/4/2023	5	5	ND	mg/L
Sulfate	NE-6	1/12/2017	28	5		mg/L
Sulfate	NE-6	4/5/2017	20	5		mg/L
Sulfate	NE-6	7/19/2017	20	5		mg/L
Sulfate	NE-6	10/6/2017	20	5		mg/L
Sulfate	NE-6	2/4/2019	20	5		mg/L
Sulfate	NE-6	8/6/2019	25	5		mg/L
Sulfate	NE-6	1/15/2020	18	5		mg/L
Sulfate	NE-6	7/9/2020	19	5		mg/L
Sulfate	NE-6	1/16/2021	19.2	5		mg/L
Sulfate	NE-6	1/16/2021	19.4	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	7/1/2021	19.5	5		mg/L
Sulfate	NE-6	1/17/2022	19.3	5		mg/L
Sulfate	NE-6	1/17/2022	21.3	5		mg/L
Sulfate	NE-6	1/17/2022	19.5	5		mg/L
Sulfate	NE-6	7/12/2022	19.4	5		mg/L
Sulfate	NE-6	1/5/2023	18.9	5		mg/L
Sulfate	NE-6	7/6/2023	16.4	5		mg/L
Sulfate	NE-6D	10/2/2019	30	5		mg/L
Sulfate	NE-6D	1/15/2020	29.4	5		mg/L
Sulfate	NE-6D	4/2/2020	28.5	5		mg/L
Sulfate	NE-6D	7/9/2020	26.6	5		mg/L
Sulfate	NE-6D	10/7/2020	29.4	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-6D	1/15/2021	27.4	5		mg/L
Sulfate	NE-6D	4/9/2021	25.8	5		mg/L
Sulfate	NE-6D	7/2/2021	23.9	5		mg/L
Sulfate	NE-6D	7/2/2021	21.9	5		mg/L
Sulfate	NE-6D	10/7/2021	24.3	5		mg/L
Sulfate	NE-6D	1/17/2022	25.8	5		mg/L
Sulfate	NE-6D	1/17/2022	23.7	5		mg/L
Sulfate	NE-6D	4/6/2022	22.9	5		mg/L
Sulfate	NE-6D	7/12/2022	19.1	5		mg/L
Sulfate	NE-6D	10/7/2022	19.8	5		mg/L
Sulfate	NE-6D	1/5/2023	19.8	5		mg/L
Sulfate	NE-6D	4/7/2023	19.7	5		mg/L
Sulfate	NE-6D	7/6/2023	17.1	5		mg/L
Sulfate	NE-6D	10/4/2023	21.6	5		mg/L
Sulfate	NE-7	3/1/2017	6.3	5		mg/L
Sulfate	NE-7	4/6/2017	4.1	5	ND	mg/L
Sulfate	NE-7	7/20/2017	6.7	5		mg/L
Sulfate	NE-7	10/5/2017	6.4	5		mg/L
Sulfate	NE-7	2/6/2019	7.5	5		mg/L
Sulfate	NE-7	8/6/2019	4.7	5	ND	mg/L
Sulfate	NE-7	1/16/2020	5.55	5		mg/L
Sulfate	NE-7	7/7/2020	5	5	ND	mg/L
Sulfate	NE-7	1/16/2021	10	5		mg/L
Sulfate	NE-7	1/16/2021	9.9	5		mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	7/1/2021	5	5	ND	mg/L
Sulfate	NE-7	1/17/2022	6.41	5		mg/L
Sulfate	NE-7	1/17/2022	6.41	5		mg/L
Sulfate	NE-7	1/17/2022	6.68	5		mg/L
Sulfate	NE-7	7/12/2022	5.54	5		mg/L
Sulfate	NE-7	1/5/2023	7.36	5		mg/L
Sulfate	NE-7	7/6/2023	7.9	5		mg/L
Sulfate	NE-8	1/12/2017	6.6	5		mg/L
Sulfate	NE-8	4/5/2017	14	5		mg/L
Sulfate	NE-8	7/20/2017	20	5		mg/L
Sulfate	NE-8	10/6/2017	22	5		mg/L
Sulfate	NE-8	2/4/2019	11	5		mg/L
Sulfate	NE-8	8/5/2019	15	5		mg/L
Sulfate	NE-8	1/15/2020	16.1	5		mg/L
Sulfate	NE-8	7/8/2020	16	5		mg/L
Sulfate	NE-8	1/13/2021	11.4	5		mg/L
Sulfate	NE-8	1/13/2021	11.7	5		mg/L
Sulfate	NE-8	4/9/2021	13.7	5		mg/L
Sulfate	NE-8	7/1/2021	15.3	5		mg/L
Sulfate	NE-8	7/1/2021	13.7	5		mg/L
Sulfate	NE-8	7/1/2021	15.3	5		mg/L
Sulfate	NE-8	7/1/2021	15.4	5		mg/L
Sulfate	NE-8	10/7/2021	16.7	5		mg/L
Sulfate	NE-8	1/6/2023	10.9	5		mg/L
Sulfate	NE-8	7/5/2023	14.9	5		mg/L
Sulfate	NE-9	1/12/2017	3.4	5	ND	mg/L
Sulfate	NE-9	4/5/2017	3.4	5	ND	mg/L
Sulfate	NE-9	7/20/2017	2.7	5	ND	mg/L
Sulfate	NE-9	10/5/2017	2.9	5	ND	mg/L
Sulfate	NE-9	2/5/2019	2.5	5	ND	mg/L
Sulfate	NE-9	8/7/2019	3.3	5	ND	mg/L
Sulfate	NE-9	1/15/2020	5	5	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfate	NE-9	7/7/2020	5	5	ND	mg/L
Sulfate	NE-9	1/17/2021	2.77	5		mg/L
Sulfate	NE-9	1/17/2021	5	5	ND	mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	7/1/2021	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	1/17/2022	5	5	ND	mg/L
Sulfate	NE-9	7/13/2022	5	5	ND	mg/L
Sulfate	NE-9	1/6/2023	5	5	ND	mg/L
Sulfate	NE-9	4/8/2023	5	5	ND	mg/L
Sulfate	NE-9	7/5/2023	5	5	ND	mg/L
Sulfate	NE-9	10/6/2023	5	5	ND	mg/L
Sulfide	LGW-10	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-10	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-10	2/12/2015	4	4	ND	mg/L
Sulfide	LGW-10	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-10	10/9/2017	4	4	ND	mg/L
Sulfide	LGW-10	7/16/2018	4	4	ND	mg/L
Sulfide	LGW-10	7/11/2019	4	4	ND	mg/L
Sulfide	LGW-10	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-10	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-10	10/5/2023	4	4	ND	mg/L
Sulfide	LGW-14R	10/27/2006	4	4	ND	mg/L
Sulfide	LGW-14R	2/6/2009	4	4	ND	mg/L
Sulfide	LGW-14R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-14R	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-14R	7/17/2018	4	4	ND	mg/L
Sulfide	LGW-14R	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-2	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-2	2/6/2009	4	4	ND	mg/L
Sulfide	LGW-2	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-2	2/13/2015	4	4	ND	mg/L
Sulfide	LGW-2	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-2	7/8/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-2	7/4/2021	4	4	ND	mg/L
Sulfide	LGW-3R	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-3R	2/3/2009	4	4	ND	mg/L
Sulfide	LGW-3R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-3R	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-3R	7/11/2018	4	4	ND	mg/L
Sulfide	LGW-3R	7/6/2021	4	4	ND	mg/L
Sulfide	LGW-4	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-4	2/3/2009	4	4	ND	mg/L
Sulfide	LGW-4	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-4	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-4	7/11/2018	4	4	ND	mg/L
Sulfide	LGW-4	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-5	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-5	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-5	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-5	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-5	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-5	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-5	10/5/2023	4	4	ND	mg/L
Sulfide	LGW-6	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-6	2/5/2009	4	4	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	LGW-6	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-6	2/10/2015	4	4	ND	mg/L
Sulfide	LGW-6	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-6	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-6	7/17/2018	4	4	ND	mg/L
Sulfide	LGW-6	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-6	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-6	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-6	10/5/2023	4	4	ND	mg/L
Sulfide	LGW-7	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-7	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-7	7/10/2012	4	4	ND	mg/L
Sulfide	LGW-7	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-7	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-7	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-7	7/12/2018	4	4	ND	mg/L
Sulfide	LGW-7	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-7	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-7	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-8R	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-8R	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-8R	7/9/2012	4	4	ND	mg/L
Sulfide	LGW-8R	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-8R	7/13/2018	4	4	ND	mg/L
Sulfide	LGW-8R	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-9	10/26/2006	4	4	ND	mg/L
Sulfide	LGW-9	2/4/2009	4	4	ND	mg/L
Sulfide	LGW-9	7/10/2012	4	4	ND	mg/L
Sulfide	LGW-9	2/11/2015	4	4	ND	mg/L
Sulfide	LGW-9	10/6/2016	4	4	ND	mg/L
Sulfide	LGW-9	10/5/2017	4	4	ND	mg/L
Sulfide	LGW-9	7/13/2018	4	4	ND	mg/L
Sulfide	LGW-9	7/10/2019	4	4	ND	mg/L
Sulfide	LGW-9	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	LGW-9	7/7/2021	4	4	ND	mg/L
Sulfide	LGW-9	10/5/2023	4	4	ND	mg/L
Sulfide	MW-10N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-10N	2/13/2009	4	4	ND	mg/L
Sulfide	MW-10N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-10N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-10N	7/11/2018	0.8	4	ND	mg/L
Sulfide	MW-10N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-11N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-11N	2/3/2009	4	4	ND	mg/L
Sulfide	MW-11N	7/9/2012	4	4	ND	mg/L
Sulfide	MW-11N	2/10/2015	4	4	ND	mg/L
Sulfide	MW-11N	7/17/2018	4	4	ND	mg/L
Sulfide	MW-11N	7/6/2021	4	4	ND	mg/L
Sulfide	MW-15	7/10/2018	4	4	ND	mg/L
Sulfide	MW-15	7/4/2021	4	4	ND	mg/L
Sulfide	MW-16	7/11/2018	4	4	ND	mg/L
Sulfide	MW-16	7/4/2021	4	4	ND	mg/L
Sulfide	MW-17	7/10/2018	4	4	ND	mg/L
Sulfide	MW-17	7/4/2021	4	4	ND	mg/L
Sulfide	MW-19	7/13/2018	4	4	ND	mg/L
Sulfide	MW-19	7/4/2021	4	4	ND	mg/L
Sulfide	MW-1N	10/14/1998	1	1	ND	mg/L
Sulfide	MW-1N	5/29/2002	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	MW-1N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-1N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-1N	2/5/2009	4	4	ND	mg/L
Sulfide	MW-1N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-1N	2/10/2015	4	4	ND	mg/L
Sulfide	MW-1N	7/10/2018	4	4	ND	mg/L
Sulfide	MW-1N	7/6/2020	0.05	0.05	ND	mg/L
Sulfide	MW-1N	7/4/2021	4	4	ND	mg/L
Sulfide	MW-20	7/12/2018	4	4	ND	mg/L
Sulfide	MW-20	7/4/2021	4	4	ND	mg/L
Sulfide	MW-21	10/5/2016	4	4	ND	mg/L
Sulfide	MW-21	10/6/2017	4	4	ND	mg/L
Sulfide	MW-21	7/11/2018	4	4	ND	mg/L
Sulfide	MW-21	7/11/2019	4	4	ND	mg/L
Sulfide	MW-21	7/8/2020	0.05	0.05	ND	mg/L
Sulfide	MW-21	7/5/2021	4	4	ND	mg/L
Sulfide	MW-2N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-2N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-2N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-2N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-2N	7/12/2018	4	4	ND	mg/L
Sulfide	MW-2N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-3N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-3N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-3N	10/25/2006	4	4	ND	mg/L
Sulfide	MW-3N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-3N	7/11/2012	4	4	ND	mg/L
Sulfide	MW-3N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-3N	10/6/2016	4	4	ND	mg/L
Sulfide	MW-3N	10/9/2017	1.6	4	ND	mg/L
Sulfide	MW-3N	7/13/2018	4	4	ND	mg/L
Sulfide	MW-3N	7/11/2019	4	4	ND	mg/L
Sulfide	MW-3N	7/7/2020	0.05	0.05	ND	mg/L
Sulfide	MW-3N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-7N	10/15/1998	1	1	ND	mg/L
Sulfide	MW-7N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-7N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-7N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-7N	2/6/2009	4	4	ND	mg/L
Sulfide	MW-7N	7/10/2012	4	4	ND	mg/L
Sulfide	MW-7N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-7N	10/5/2017	4	4	ND	mg/L
Sulfide	MW-7N	7/13/2018	4	4	ND	mg/L
Sulfide	MW-7N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-8N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-8N	5/29/2002	1	1	ND	mg/L
Sulfide	MW-8N	10/24/2006	4	4	ND	mg/L
Sulfide	MW-8N	1/24/2008	4	4	ND	mg/L
Sulfide	MW-8N	2/4/2009	4	4	ND	mg/L
Sulfide	MW-8N	5/10/2011	4	4	ND	mg/L
Sulfide	MW-8N	7/11/2012	4	4	ND	mg/L
Sulfide	MW-8N	10/2/2013	4	4	ND	mg/L
Sulfide	MW-8N	10/8/2014	4	4	ND	mg/L
Sulfide	MW-8N	2/12/2015	4	4	ND	mg/L
Sulfide	MW-8N	10/6/2016	4	4	ND	mg/L
Sulfide	MW-8N	10/6/2017	0.8	4	ND	mg/L
Sulfide	MW-8N	7/16/2018	4	4	ND	mg/L
Sulfide	MW-8N	7/11/2019	4	4	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sulfide	MW-8N	7/9/2020	0.05	0.05	ND	mg/L
Sulfide	MW-8N	7/5/2021	4	4	ND	mg/L
Sulfide	MW-8N	10/5/2023	4	4	ND	mg/L
Sulfide	NE-1	10/25/2006	4	4	ND	mg/L
Sulfide	NE-1	2/7/2009	4	4	ND	mg/L
Sulfide	NE-1	7/10/2012	4	4	ND	mg/L
Sulfide	NE-1	2/11/2015	4	4	ND	mg/L
Sulfide	NE-1	7/18/2018	4	4	ND	mg/L
Sulfide	NE-2	7/10/2018	4	4	ND	mg/L
Sulfide	NE-4	10/25/2006	4	4	ND	mg/L
Sulfide	NE-4	2/7/2009	4	4	ND	mg/L
Sulfide	NE-4	7/10/2012	4	4	ND	mg/L
Sulfide	NE-4	2/13/2015	4	4	ND	mg/L
Sulfide	NE-4	7/12/2018	4	4	ND	mg/L
Sulfide	NE-5	10/25/2006	4	4	ND	mg/L
Sulfide	NE-5	2/6/2009	4	4	ND	mg/L
Sulfide	NE-5	7/10/2012	4	4	ND	mg/L
Sulfide	NE-5	2/11/2015	4	4	ND	mg/L
Sulfide	NE-5	7/17/2018	4	4	ND	mg/L
Sulfide	NE-5	7/9/2019	4	4	ND	mg/L
Sym-trinitrobenzene	LGW-10	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-10	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	10/6/2016	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-10	10/9/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/16/2018	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-10	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	10/27/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-14R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-14R	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-14R	7/17/2018	51	51	ND	ug/L
Sym-trinitrobenzene	LGW-2	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-2	2/13/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-2	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-2	2/13/2015	65	65	ND	ug/L
Sym-trinitrobenzene	LGW-2	7/12/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-3R	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-3R	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-3R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-3R	2/10/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-3R	7/11/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-4	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-4	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-4	7/11/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-5	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-5	2/10/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-5	7/12/2018	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	2/5/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-6	2/10/2015	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-6	10/5/2017	48	48	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sym-trinitrobenzene	LGW-6	7/17/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-6	7/10/2019	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-7	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-7	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	10/5/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/12/2018	51	51	ND	ug/L
Sym-trinitrobenzene	LGW-7	7/10/2019	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-8R	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-8R	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-8R	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-8R	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-8R	7/13/2018	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/26/2006	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-9	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-9	2/11/2015	49	49	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-9	10/5/2017	48	48	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/13/2018	47	47	ND	ug/L
Sym-trinitrobenzene	LGW-9	7/10/2019	51	51	ND	ug/L
Sym-trinitrobenzene	MW-10N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-10N	2/13/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-10N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-10N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-10N	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-11N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	2/3/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	7/9/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-11N	2/10/2015	50	50	ND	ug/L
Sym-trinitrobenzene	MW-11N	7/17/2018	50	50	ND	ug/L
Sym-trinitrobenzene	MW-15	7/10/2018	51	51	ND	ug/L
Sym-trinitrobenzene	MW-16	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-17	7/10/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-19	7/13/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-1N	10/14/1998	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-1N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-1N	2/5/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-1N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-1N	2/10/2015	47	47	ND	ug/L
Sym-trinitrobenzene	MW-1N	7/10/2018	49	49	ND	ug/L
Sym-trinitrobenzene	MW-20	7/12/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-21	10/5/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	10/6/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	7/11/2018	48	48	ND	ug/L
Sym-trinitrobenzene	MW-21	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-2N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-2N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-2N	7/12/2018	51	51	ND	ug/L
Sym-trinitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-3N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/25/2006	50	50	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Sym-trinitrobenzene	MW-3N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/11/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-3N	2/12/2015	49	49	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-3N	10/9/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/13/2018	47	47	ND	ug/L
Sym-trinitrobenzene	MW-3N	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/15/1998	10	10	ND	ug/L
Sym-trinitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-7N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-7N	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-7N	2/12/2015	49	49	ND	ug/L
Sym-trinitrobenzene	MW-7N	10/5/2017	49	49	ND	ug/L
Sym-trinitrobenzene	MW-7N	7/13/2018	52	52	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/29/2002	10	10	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/24/2006	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	1/24/2008	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	2/4/2009	50	50	ND	ug/L
Sym-trinitrobenzene	MW-8N	5/10/2011	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/11/2012	47	47	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/2/2013	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/8/2014	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	2/12/2015	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/6/2016	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	10/6/2017	48	48	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/16/2018	49	49	ND	ug/L
Sym-trinitrobenzene	MW-8N	7/11/2019	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	2/7/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-1	7/10/2012	48	48	ND	ug/L
Sym-trinitrobenzene	NE-1	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-1	7/18/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-2	7/10/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-4	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-4	2/7/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-4	7/10/2012	49	49	ND	ug/L
Sym-trinitrobenzene	NE-4	2/13/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-4	7/12/2018	52	52	ND	ug/L
Sym-trinitrobenzene	NE-5	10/25/2006	50	50	ND	ug/L
Sym-trinitrobenzene	NE-5	2/6/2009	50	50	ND	ug/L
Sym-trinitrobenzene	NE-5	7/10/2012	47	47	ND	ug/L
Sym-trinitrobenzene	NE-5	2/11/2015	48	48	ND	ug/L
Sym-trinitrobenzene	NE-5	7/17/2018	48	48	ND	ug/L
Sym-trinitrobenzene	NE-5	7/9/2019	50	50	ND	ug/L
Temperature (field test)	MW-10N	10/2/2002	15.5	0		C
Temperature (field test)	MW-11N	10/2/2002	16.8	0		C
Temperature (field test)	MW-1N	10/3/2002	17.1	0		C
Tetrachloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/23/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/30/2014	0.39	1	ND	ug/L
Tetrachloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-10	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-10	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-14R	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/30/2014	0.49	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-2	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-3R	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-4	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-5	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-5	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-6	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-7	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-8R	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	LGW-9	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	4/28/1998	2.4	2.4	ND	ug/L
Tetrachloroethene	MW-10N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	7/15/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Tetrachloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-10N	7/7/2023	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	1/13/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Tetrachloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Tetrachloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-11N	7/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/18/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-15	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-16	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-17	7/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-19	7/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/20/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/23/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	10/14/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	5/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/15/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/12/2000	0.34	1		ug/L
Tetrachloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
Tetrachloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/3/2002	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-1N	7/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Tetrachloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	7/7/2023	1	1	ND	ug/L
Tetrachloroethene	MW-21	10/6/2023	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/22/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	7/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	10/20/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Tetrachloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-2N	7/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/21/1997	1.2	1.2		ug/L
Tetrachloroethene	MW-3N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	4/28/1998	1	1.2		ug/L
Tetrachloroethene	MW-3N	7/23/1998	1.2	1.2		ug/L
Tetrachloroethene	MW-3N	1/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	10/20/1999	0.89	1.2		ug/L
Tetrachloroethene	MW-3N	1/14/2000	0.67	1.2		ug/L
Tetrachloroethene	MW-3N	4/24/2000	0.94	1.2		ug/L
Tetrachloroethene	MW-3N	7/11/2000	0.5	1		ug/L
Tetrachloroethene	MW-3N	10/17/2000	0.76	1		ug/L
Tetrachloroethene	MW-3N	1/23/2001	0.58	1		ug/L
Tetrachloroethene	MW-3N	4/11/2001	0.61	1		ug/L
Tetrachloroethene	MW-3N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/9/2002	0.59	1		ug/L
Tetrachloroethene	MW-3N	10/2/2002	0.29	1		ug/L
Tetrachloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	MW-3N	2/4/2009	0.29	1	ND	ug/L
Tetrachloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/13/2010	0.24	1	ND	ug/L
Tetrachloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/5/2012	0.28	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2012	0.25	1	ND	ug/L
Tetrachloroethene	MW-3N	5/1/2013	0.2	1	ND	ug/L
Tetrachloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/4/2017	0.28	1	ND	ug/L
Tetrachloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-3N	7/7/2023	1	1	ND	ug/L
Tetrachloroethene	MW-3N	10/6/2023	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/21/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/21/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	8/18/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	9/17/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/15/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	11/9/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	4/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	1/13/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/10/2001	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-7N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Tetrachloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Tetrachloroethene	MW-7N	7/7/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/21/1997	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/28/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	7/22/1998	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/12/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/13/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	7/14/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	10/19/1999	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	1/14/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	4/25/2000	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/29/2002	1.2	1.2	ND	ug/L
Tetrachloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/23/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Tetrachloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Tetrachloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Tetrachloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	7/7/2023	1	1	ND	ug/L
Tetrachloroethene	MW-8N	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/7/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-1	10/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	7/8/2023	1	1	ND	ug/L
Tetrachloroethene	NE-10D	10/3/2023	1	1	ND	ug/L
Tetrachloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Tetrachloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-11	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-12	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-13	2/5/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14D	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14D	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-14S	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-15D	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-2	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-2	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/10/2002	0.45	1		ug/L
Tetrachloroethene	NE-4	8/6/2002	0.58	1		ug/L
Tetrachloroethene	NE-4	9/4/2002	0.45	1		ug/L
Tetrachloroethene	NE-4	10/3/2002	0.51	1		ug/L
Tetrachloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Tetrachloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Tetrachloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Tetrachloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-4	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-4	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	8/6/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	9/4/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/2/2002	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/15/2003	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/8/2003	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/27/2004	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Tetrachloroethene	NE-5	2/6/2009	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/16/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	9/2/2010	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/19/2011	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/13/2011	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/5/2012	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/10/2012	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/30/2013	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/23/2014	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-5	2/11/2015	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/14/2015	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/6/2016	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/20/2016	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/11/2017	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/25/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/10/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/17/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/3/2018	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/3/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5E	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-5W	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Tetrachloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-6D	10/4/2023	1	1	ND	ug/L
Tetrachloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tetrachloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-7	7/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Tetrachloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Tetrachloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Tetrachloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-8	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Tetrachloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Tetrachloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Tetrachloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	7/5/2023	1	1	ND	ug/L
Tetrachloroethene	NE-9	10/6/2023	1	1	ND	ug/L
Thallium, dissolved	LGW-14R	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-2	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-4	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-5	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-6	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-7	1/25/2006	2	2	ND	ug/L
Thallium, dissolved	LGW-8R	1/24/2006	2	2	ND	ug/L
Thallium, dissolved	MW-10N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-10N	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	MW-10N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-11N	7/10/2000	2	2	ND	ug/L
Thallium, dissolved	MW-11N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-11N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-1N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-1N	7/12/2000	2	2	ND	ug/L
Thallium, dissolved	MW-1N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-1N	10/3/2002	1	1	ND	ug/L
Thallium, dissolved	MW-2N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-2N	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	MW-2N	10/2/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, dissolved	MW-3N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-3N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-3N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-7N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-7N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-7N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-7N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	MW-8N	10/19/1999	2	2	ND	ug/L
Thallium, dissolved	MW-8N	7/11/2000	2	2	ND	ug/L
Thallium, dissolved	MW-8N	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	MW-8N	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	NE-1	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-1	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	NE-2	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-2	10/2/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	7/10/2002	5	5	ND	ug/L
Thallium, dissolved	NE-4	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-4	10/3/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	7/9/2002	5	5	ND	ug/L
Thallium, dissolved	NE-5	8/6/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	9/4/2002	1	1	ND	ug/L
Thallium, dissolved	NE-5	10/2/2002	1	1	ND	ug/L
Thallium, total	LGW-10	1/26/2006	2	2	ND	ug/L
Thallium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-10	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-10	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-10	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-10	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-10	7/12/2007	1	1	ND	ug/L
Thallium, total	LGW-10	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-10	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-10	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-10	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-10	7/16/2010	0	1	ND	ug/L
Thallium, total	LGW-10	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-10	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-10	5/1/2013	1	1	ND	ug/L
Thallium, total	LGW-10	1/30/2014	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2014	1	1	ND	ug/L
Thallium, total	LGW-10	2/12/2015	1	1	ND	ug/L
Thallium, total	LGW-10	7/13/2015	1	1	ND	ug/L
Thallium, total	LGW-10	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-10	4/6/2016	1	1	ND	ug/L
Thallium, total	LGW-10	7/21/2016	1	1	ND	ug/L
Thallium, total	LGW-10	10/6/2016	1	1	ND	ug/L
Thallium, total	LGW-10	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-10	4/4/2017	0.1	1	ND	ug/L
Thallium, total	LGW-10	7/19/2017	1	1	ND	ug/L
Thallium, total	LGW-10	10/9/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-10	1/24/2018	1	1	ND	ug/L
Thallium, total	LGW-10	4/11/2018	1	1	ND	ug/L
Thallium, total	LGW-10	7/16/2018	1	1	ND	ug/L
Thallium, total	LGW-10	10/4/2018	1	1	ND	ug/L
Thallium, total	LGW-10	1/4/2019	1	1	ND	ug/L
Thallium, total	LGW-10	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-10	7/11/2019	2	2	ND	ug/L
Thallium, total	LGW-10	10/2/2019	0.14	1	ND	ug/L
Thallium, total	LGW-10	1/15/2020	1	1	ND	ug/L
Thallium, total	LGW-10	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-10	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-10	10/7/2020	1	1	ND	ug/L
Thallium, total	LGW-10	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-10	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-10	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-10	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-10	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-10	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-10	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-10	10/7/2022	1	1	ND	ug/L
Thallium, total	LGW-10	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-10	4/5/2023	1	1	ND	ug/L
Thallium, total	LGW-10	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-10	10/5/2023	1	1	ND	ug/L
Thallium, total	LGW-14R	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-14R	8/2/2006	0.2	1	ND	ug/L
Thallium, total	LGW-14R	8/2/2006	0.2	1	ND	ug/L
Thallium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Thallium, total	LGW-14R	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-14R	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-14R	4/24/2007	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/11/2007	0.4	1	ND	ug/L
Thallium, total	LGW-14R	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-14R	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-14R	2/6/2009	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	7/12/2010	1	1	ND	ug/L
Thallium, total	LGW-14R	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-14R	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-14R	1/5/2012	0.1	1	ND	ug/L
Thallium, total	LGW-14R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-14R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-14R	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-14R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-14R	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-14R	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-14R	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-14R	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-14R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-14R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-14R	1/25/2018	1	1	ND	ug/L
Thallium, total	LGW-14R	7/17/2018	1	1	ND	ug/L
Thallium, total	LGW-14R	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-14R	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-14R	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-14R	7/9/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-14R	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-14R	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-14R	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-14R	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-14R	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-14R	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-2	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-2	8/1/2006	0	1	ND	ug/L
Thallium, total	LGW-2	8/1/2006	0	1	ND	ug/L
Thallium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-2	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-2	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-2	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-2	7/10/2007	1	1	ND	ug/L
Thallium, total	LGW-2	1/26/2008	0	1	ND	ug/L
Thallium, total	LGW-2	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-2	2/6/2009	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/30/2009	0	1	ND	ug/L
Thallium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-2	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-2	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-2	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-2	1/4/2012	1	1	ND	ug/L
Thallium, total	LGW-2	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-2	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-2	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-2	1/30/2014	0.2	1	ND	ug/L
Thallium, total	LGW-2	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-2	2/13/2015	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/8/2015	1	1	ND	ug/L
Thallium, total	LGW-2	1/5/2016	0.1	1	ND	ug/L
Thallium, total	LGW-2	7/19/2016	1	1	ND	ug/L
Thallium, total	LGW-2	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-2	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-2	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-2	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-2	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-2	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-2	1/13/2020	1	1	ND	ug/L
Thallium, total	LGW-2	4/1/2020	1	1	ND	ug/L
Thallium, total	LGW-2	7/8/2020	1	1	ND	ug/L
Thallium, total	LGW-2	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-2	7/4/2021	1	1	ND	ug/L
Thallium, total	LGW-2	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-2	7/10/2022	1	1	ND	ug/L
Thallium, total	LGW-2	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-2	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-3R	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-3R	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-3R	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-3R	1/8/2007	0	1	ND	ug/L
Thallium, total	LGW-3R	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-3R	1/26/2008	0	1	ND	ug/L
Thallium, total	LGW-3R	7/23/2008	0	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-3R	2/3/2009	0	1	ND	ug/L
Thallium, total	LGW-3R	7/31/2009	0.1	1	ND	ug/L
Thallium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	7/16/2010	1	1	ND	ug/L
Thallium, total	LGW-3R	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-3R	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-3R	1/4/2012	0	1	ND	ug/L
Thallium, total	LGW-3R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-3R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-3R	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-3R	1/22/2014	0.1	1	ND	ug/L
Thallium, total	LGW-3R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-3R	2/10/2015	0.3	1	ND	ug/L
Thallium, total	LGW-3R	7/16/2015	1	1	ND	ug/L
Thallium, total	LGW-3R	1/8/2016	1	1	ND	ug/L
Thallium, total	LGW-3R	7/21/2016	0.1	1	ND	ug/L
Thallium, total	LGW-3R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-3R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-3R	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-3R	7/11/2018	1	1	ND	ug/L
Thallium, total	LGW-3R	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-3R	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-3R	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-3R	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-3R	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-3R	7/6/2021	1	1	ND	ug/L
Thallium, total	LGW-3R	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-3R	7/10/2022	1	1	ND	ug/L
Thallium, total	LGW-3R	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-3R	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-4	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-4	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-4	1/9/2007	0	1	ND	ug/L
Thallium, total	LGW-4	1/25/2007	0	1	ND	ug/L
Thallium, total	LGW-4	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-4	1/22/2008	0	1	ND	ug/L
Thallium, total	LGW-4	7/23/2008	1	1	ND	ug/L
Thallium, total	LGW-4	2/3/2009	1	1	ND	ug/L
Thallium, total	LGW-4	7/31/2009	1	1	ND	ug/L
Thallium, total	LGW-4	2/3/2010	0	1	ND	ug/L
Thallium, total	LGW-4	2/3/2010	0	1	ND	ug/L
Thallium, total	LGW-4	7/16/2010	0	1	ND	ug/L
Thallium, total	LGW-4	1/19/2011	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/13/2011	1	1	ND	ug/L
Thallium, total	LGW-4	1/4/2012	1	1	ND	ug/L
Thallium, total	LGW-4	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-4	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-4	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-4	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-4	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-4	2/11/2015	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/8/2015	1	1	ND	ug/L
Thallium, total	LGW-4	1/5/2016	0.1	1	ND	ug/L
Thallium, total	LGW-4	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-4	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-4	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-4	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2018	1	1	ND	ug/L
Thallium, total	LGW-4	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-4	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-4	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-4	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-4	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-4	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-4	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-4	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-4	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-4	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-5	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-5	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-5	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-5	1/25/2007	1	1	ND	ug/L
Thallium, total	LGW-5	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-5	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-5	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-5	2/4/2009	0	1	ND	ug/L
Thallium, total	LGW-5	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-5	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-5	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-5	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-5	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-5	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-5	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-5	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-5	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-5	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-5	2/10/2015	0.1	1	ND	ug/L
Thallium, total	LGW-5	7/8/2015	0.1	1	ND	ug/L
Thallium, total	LGW-5	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-5	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-5	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-5	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-5	1/23/2018	1	1	ND	ug/L
Thallium, total	LGW-5	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-5	1/3/2019	1	1	ND	ug/L
Thallium, total	LGW-5	7/9/2019	2	2	ND	ug/L
Thallium, total	LGW-5	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-5	7/6/2020	1	1	ND	ug/L
Thallium, total	LGW-5	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-5	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-5	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-5	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-5	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-5	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-5	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-5	10/6/2022	1	1	ND	ug/L
Thallium, total	LGW-5	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-5	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-5	10/5/2023	1.21	1		ug/L
Thallium, total	LGW-6	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-6	7/20/2006	1	1	ND	ug/L
Thallium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-6	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-6	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-6	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-6	7/11/2007	1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2008	1	1	ND	ug/L
Thallium, total	LGW-6	7/23/2008	0	1	ND	ug/L
Thallium, total	LGW-6	2/5/2009	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/29/2009	1	1	ND	ug/L
Thallium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-6	2/3/2010	1	1	ND	ug/L
Thallium, total	LGW-6	7/12/2010	0	1	ND	ug/L
Thallium, total	LGW-6	1/19/2011	0	1	ND	ug/L
Thallium, total	LGW-6	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-6	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-6	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-6	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-6	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-6	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-6	2/10/2015	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-6	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-6	7/19/2016	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2016	0.1	1	ND	ug/L
Thallium, total	LGW-6	1/11/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	5/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	7/18/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-6	1/23/2018	0.078	1	ND	ug/L
Thallium, total	LGW-6	4/10/2018	0.13	1	ND	ug/L
Thallium, total	LGW-6	7/17/2018	0.1	1	ND	ug/L
Thallium, total	LGW-6	10/2/2018	0.094	1	ND	ug/L
Thallium, total	LGW-6	1/7/2019	0.072	1	ND	ug/L
Thallium, total	LGW-6	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-6	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-6	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-6	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-6	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-6	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2020	1	1	ND	ug/L
Thallium, total	LGW-6	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-6	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-6	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-6	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-6	1/12/2022	1	1	ND	ug/L
Thallium, total	LGW-6	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-6	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-6	10/6/2022	1	1	ND	ug/L
Thallium, total	LGW-6	1/10/2023	1	1	ND	ug/L
Thallium, total	LGW-6	4/6/2023	1	1	ND	ug/L
Thallium, total	LGW-6	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-6	10/5/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-7	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-7	8/1/2006	1	1	ND	ug/L
Thallium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-7	1/9/2007	1	1	ND	ug/L
Thallium, total	LGW-7	1/24/2007	1	1	ND	ug/L
Thallium, total	LGW-7	4/26/2007	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2007	1	1	ND	ug/L
Thallium, total	LGW-7	7/22/2008	1	1	ND	ug/L
Thallium, total	LGW-7	2/4/2009	1	1	ND	ug/L
Thallium, total	LGW-7	7/31/2009	1	1	ND	ug/L
Thallium, total	LGW-7	1/27/2010	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2010	1	1	ND	ug/L
Thallium, total	LGW-7	1/20/2011	0	1	ND	ug/L
Thallium, total	LGW-7	7/12/2011	1	1	ND	ug/L
Thallium, total	LGW-7	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-7	7/10/2012	1	1	ND	ug/L
Thallium, total	LGW-7	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-7	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-7	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-7	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-7	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-7	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-7	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-7	4/6/2016	1	1	ND	ug/L
Thallium, total	LGW-7	7/20/2016	1	1	ND	ug/L
Thallium, total	LGW-7	10/6/2016	1	1	ND	ug/L
Thallium, total	LGW-7	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-7	4/4/2017	1	1	ND	ug/L
Thallium, total	LGW-7	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-7	10/5/2017	1	1	ND	ug/L
Thallium, total	LGW-7	1/24/2018	1	1	ND	ug/L
Thallium, total	LGW-7	4/11/2018	1	1	ND	ug/L
Thallium, total	LGW-7	7/12/2018	1	1	ND	ug/L
Thallium, total	LGW-7	10/2/2018	1	1	ND	ug/L
Thallium, total	LGW-7	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-7	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-7	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-7	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-7	1/15/2020	1	1	ND	ug/L
Thallium, total	LGW-7	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-7	1/18/2021	1	1	ND	ug/L
Thallium, total	LGW-7	7/7/2021	4.36	1		ug/L
Thallium, total	LGW-7	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-7	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-7	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-7	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-7	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-8R	1/24/2006	2	2	ND	ug/L
Thallium, total	LGW-8R	7/20/2006	0	1	ND	ug/L
Thallium, total	LGW-8R	7/20/2006	0	1	ND	ug/L
Thallium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-8R	1/9/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	1/24/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	4/25/2007	0.1	1	ND	ug/L
Thallium, total	LGW-8R	7/12/2007	0	1	ND	ug/L
Thallium, total	LGW-8R	2/4/2009	0	1	ND	ug/L
Thallium, total	LGW-8R	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-8R	1/27/2010	1	1	ND	ug/L
Thallium, total	LGW-8R	7/14/2010	1	1	ND	ug/L
Thallium, total	LGW-8R	1/20/2011	0	1	ND	ug/L
Thallium, total	LGW-8R	7/12/2011	0	1	ND	ug/L
Thallium, total	LGW-8R	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-8R	7/9/2012	1	1	ND	ug/L
Thallium, total	LGW-8R	4/30/2013	1	1	ND	ug/L
Thallium, total	LGW-8R	7/15/2013	1	1	ND	ug/L
Thallium, total	LGW-8R	1/22/2014	1	1	ND	ug/L
Thallium, total	LGW-8R	7/8/2014	1	1	ND	ug/L
Thallium, total	LGW-8R	2/11/2015	1	1	ND	ug/L
Thallium, total	LGW-8R	7/22/2015	1	1	ND	ug/L
Thallium, total	LGW-8R	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-8R	7/20/2016	0.1	1	ND	ug/L
Thallium, total	LGW-8R	1/11/2017	1	1	ND	ug/L
Thallium, total	LGW-8R	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-8R	1/25/2018	1	1	ND	ug/L
Thallium, total	LGW-8R	7/13/2018	1	1	ND	ug/L
Thallium, total	LGW-8R	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-8R	7/8/2019	2	2	ND	ug/L
Thallium, total	LGW-8R	1/14/2020	1	1	ND	ug/L
Thallium, total	LGW-8R	7/7/2020	1	1	ND	ug/L
Thallium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-8R	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-8R	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-8R	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-8R	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-8R	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-9	1/25/2006	2	2	ND	ug/L
Thallium, total	LGW-9	7/20/2006	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/20/2006	0.1	1	ND	ug/L
Thallium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Thallium, total	LGW-9	1/9/2007	0	1	ND	ug/L
Thallium, total	LGW-9	1/25/2007	0.1	1	ND	ug/L
Thallium, total	LGW-9	4/25/2007	0	1	ND	ug/L
Thallium, total	LGW-9	7/10/2007	0	1	ND	ug/L
Thallium, total	LGW-9	7/22/2008	0.1	1	ND	ug/L
Thallium, total	LGW-9	2/4/2009	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/29/2009	0	1	ND	ug/L
Thallium, total	LGW-9	1/27/2010	0	1	ND	ug/L
Thallium, total	LGW-9	7/14/2010	0	1	ND	ug/L
Thallium, total	LGW-9	1/20/2011	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/12/2011	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/5/2012	1	1	ND	ug/L
Thallium, total	LGW-9	7/10/2012	0.1	1	ND	ug/L
Thallium, total	LGW-9	5/1/2013	1	1	ND	ug/L
Thallium, total	LGW-9	7/15/2013	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/23/2014	1	1	ND	ug/L
Thallium, total	LGW-9	7/8/2014	0.1	1	ND	ug/L
Thallium, total	LGW-9	2/11/2015	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/13/2015	1	1	ND	ug/L
Thallium, total	LGW-9	1/5/2016	1	1	ND	ug/L
Thallium, total	LGW-9	7/21/2016	0.1	1	ND	ug/L
Thallium, total	LGW-9	10/6/2016	0.1	1	ND	ug/L
Thallium, total	LGW-9	1/11/2017	0.1	1	ND	ug/L
Thallium, total	LGW-9	5/5/2017	0.1	1	ND	ug/L
Thallium, total	LGW-9	7/18/2017	1	1	ND	ug/L
Thallium, total	LGW-9	10/5/2017	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	LGW-9	1/24/2018	0.058	1	ND	ug/L
Thallium, total	LGW-9	4/11/2018	0.099	1	ND	ug/L
Thallium, total	LGW-9	7/13/2018	0.065	1	ND	ug/L
Thallium, total	LGW-9	10/2/2018	0.054	1	ND	ug/L
Thallium, total	LGW-9	1/7/2019	1	1	ND	ug/L
Thallium, total	LGW-9	4/3/2019	1	1	ND	ug/L
Thallium, total	LGW-9	7/10/2019	2	2	ND	ug/L
Thallium, total	LGW-9	10/3/2019	1	1	ND	ug/L
Thallium, total	LGW-9	1/16/2020	1	1	ND	ug/L
Thallium, total	LGW-9	4/2/2020	1	1	ND	ug/L
Thallium, total	LGW-9	7/9/2020	1	1	ND	ug/L
Thallium, total	LGW-9	10/7/2020	1	1	ND	ug/L
Thallium, total	LGW-9	1/17/2021	1	1	ND	ug/L
Thallium, total	LGW-9	4/6/2021	1	1	ND	ug/L
Thallium, total	LGW-9	7/7/2021	1	1	ND	ug/L
Thallium, total	LGW-9	10/5/2021	1	1	ND	ug/L
Thallium, total	LGW-9	1/13/2022	1	1	ND	ug/L
Thallium, total	LGW-9	4/4/2022	1	1	ND	ug/L
Thallium, total	LGW-9	7/11/2022	1	1	ND	ug/L
Thallium, total	LGW-9	10/7/2022	1	1	ND	ug/L
Thallium, total	LGW-9	1/11/2023	1	1	ND	ug/L
Thallium, total	LGW-9	4/5/2023	1	1	ND	ug/L
Thallium, total	LGW-9	7/10/2023	1	1	ND	ug/L
Thallium, total	LGW-9	10/5/2023	1	1	ND	ug/L
Thallium, total	MW-10N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-10N	1/22/1998	2	2	ND	ug/L
Thallium, total	MW-10N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-10N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-10N	1/14/1999	2	2	ND	ug/L
Thallium, total	MW-10N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-10N	7/15/1999	2	2	ND	ug/L
Thallium, total	MW-10N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-10N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-10N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-10N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-10N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-10N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-10N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-10N	7/10/2002	5	5	ND	ug/L
Thallium, total	MW-10N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-10N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-10N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-10N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-10N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-10N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-10N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-10N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-10N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-10N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-10N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2007	1	1	ND	ug/L
Thallium, total	MW-10N	7/10/2007	1	1	ND	ug/L
Thallium, total	MW-10N	1/23/2008	1	1	ND	ug/L
Thallium, total	MW-10N	7/21/2008	1	1	ND	ug/L
Thallium, total	MW-10N	2/13/2009	0	1	ND	ug/L
Thallium, total	MW-10N	7/31/2009	0	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-10N	1/27/2010	1	1	ND	ug/L
Thallium, total	MW-10N	8/10/2010	0	1	ND	ug/L
Thallium, total	MW-10N	1/19/2011	1	1	ND	ug/L
Thallium, total	MW-10N	7/14/2011	0	1	ND	ug/L
Thallium, total	MW-10N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-10N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-10N	5/11/2013	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-10N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-10N	2/12/2015	1	1	ND	ug/L
Thallium, total	MW-10N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-10N	1/6/2016	1	1	ND	ug/L
Thallium, total	MW-10N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-10N	1/11/2017	1	1	ND	ug/L
Thallium, total	MW-10N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-10N	1/24/2018	1	1	ND	ug/L
Thallium, total	MW-10N	7/11/2018	1	1	ND	ug/L
Thallium, total	MW-10N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-10N	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-10N	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-10N	7/8/2020	1	1	ND	ug/L
Thallium, total	MW-10N	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-10N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-10N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-10N	7/7/2023	1	1	ND	ug/L
Thallium, total	MW-11N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-11N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-11N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-11N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-11N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-11N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-11N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/2000	2	2	ND	ug/L
Thallium, total	MW-11N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-11N	7/10/2000	2	2	ND	ug/L
Thallium, total	MW-11N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-11N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-11N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-11N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-11N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-11N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-11N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-11N	1/29/2004	2	2	ND	ug/L
Thallium, total	MW-11N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-11N	1/13/2005	2	2	ND	ug/L
Thallium, total	MW-11N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-11N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-11N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-11N	1/9/2007	1	1	ND	ug/L
Thallium, total	MW-11N	1/24/2007	1	1	ND	ug/L
Thallium, total	MW-11N	7/10/2007	1	1	ND	ug/L
Thallium, total	MW-11N	1/22/2008	1	1	ND	ug/L
Thallium, total	MW-11N	7/23/2008	1	1	ND	ug/L
Thallium, total	MW-11N	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-11N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Thallium, total	MW-11N	2/3/2010	1	1	ND	ug/L
Thallium, total	MW-11N	7/16/2010	1	1	ND	ug/L
Thallium, total	MW-11N	1/19/2011	1	1	ND	ug/L
Thallium, total	MW-11N	7/13/2011	1	1	ND	ug/L
Thallium, total	MW-11N	1/4/2012	1	1	ND	ug/L
Thallium, total	MW-11N	7/9/2012	1	1	ND	ug/L
Thallium, total	MW-11N	4/30/2013	1	1	ND	ug/L
Thallium, total	MW-11N	7/15/2013	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2014	1	1	ND	ug/L
Thallium, total	MW-11N	7/8/2014	1	1	ND	ug/L
Thallium, total	MW-11N	2/10/2015	0.2	1	ND	ug/L
Thallium, total	MW-11N	7/13/2015	0.1	1	ND	ug/L
Thallium, total	MW-11N	1/5/2016	1	1	ND	ug/L
Thallium, total	MW-11N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-11N	1/11/2017	1	1	ND	ug/L
Thallium, total	MW-11N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-11N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-11N	7/17/2018	1	1	ND	ug/L
Thallium, total	MW-11N	1/2/2019	1	1	ND	ug/L
Thallium, total	MW-11N	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-11N	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-11N	7/6/2020	1	1	ND	ug/L
Thallium, total	MW-11N	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-11N	7/6/2021	1	1	ND	ug/L
Thallium, total	MW-11N	1/18/2022	1	1	ND	ug/L
Thallium, total	MW-11N	7/13/2022	1	1	ND	ug/L
Thallium, total	MW-11N	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-11N	7/8/2023	1	1	ND	ug/L
Thallium, total	MW-15	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	7/15/2015	1	1	ND	ug/L
Thallium, total	MW-15	8/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	9/3/2015	0.1	1	ND	ug/L
Thallium, total	MW-15	1/7/2016	1	1	ND	ug/L
Thallium, total	MW-15	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-15	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-15	10/6/2016	1	1	ND	ug/L
Thallium, total	MW-15	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-15	7/18/2017	1	1	ND	ug/L
Thallium, total	MW-15	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-15	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-15	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-15	7/9/2019	2	2	ND	ug/L
Thallium, total	MW-15	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-15	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-15	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-15	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-15	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-15	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-15	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-15	7/10/2023	1	1	ND	ug/L
Thallium, total	MW-16	6/5/2015	1	1	ND	ug/L
Thallium, total	MW-16	7/16/2015	1	1	ND	ug/L
Thallium, total	MW-16	8/5/2015	1	1	ND	ug/L
Thallium, total	MW-16	9/3/2015	1	1	ND	ug/L
Thallium, total	MW-16	1/8/2016	1	1	ND	ug/L
Thallium, total	MW-16	4/5/2016	0.2	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-16	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-16	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-16	1/10/2017	0.1	1	ND	ug/L
Thallium, total	MW-16	7/18/2017	0.1	1	ND	ug/L
Thallium, total	MW-16	1/23/2018	0.052	1	ND	ug/L
Thallium, total	MW-16	7/11/2018	1	1	ND	ug/L
Thallium, total	MW-16	1/2/2019	1	1	ND	ug/L
Thallium, total	MW-16	7/10/2019	2	2	ND	ug/L
Thallium, total	MW-16	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-16	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-16	1/18/2021	1	1	ND	ug/L
Thallium, total	MW-16	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-16	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-16	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-16	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-16	7/10/2023	1	1	ND	ug/L
Thallium, total	MW-17	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-17	7/15/2015	1	1	ND	ug/L
Thallium, total	MW-17	8/4/2015	1	1	ND	ug/L
Thallium, total	MW-17	9/2/2015	0.1	1	ND	ug/L
Thallium, total	MW-17	1/7/2016	1	1	ND	ug/L
Thallium, total	MW-17	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-17	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-17	10/6/2016	1	1	ND	ug/L
Thallium, total	MW-17	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-17	7/18/2017	1	1	ND	ug/L
Thallium, total	MW-17	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-17	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-17	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-17	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-17	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-17	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-17	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-17	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-17	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-17	7/8/2023	1	1	ND	ug/L
Thallium, total	MW-19	6/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-19	7/16/2015	0.1	1	ND	ug/L
Thallium, total	MW-19	8/5/2015	1	1	ND	ug/L
Thallium, total	MW-19	9/3/2015	1	1	ND	ug/L
Thallium, total	MW-19	1/7/2016	0.1	1	ND	ug/L
Thallium, total	MW-19	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-19	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-19	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-19	1/10/2017	1	1	ND	ug/L
Thallium, total	MW-19	7/18/2017	0.2	1	ND	ug/L
Thallium, total	MW-19	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-19	7/13/2018	1	1	ND	ug/L
Thallium, total	MW-19	1/7/2019	1	1	ND	ug/L
Thallium, total	MW-19	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-19	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-19	8/3/2020	1	1	ND	ug/L
Thallium, total	MW-19	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-19	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-19	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-19	7/10/2023	1	1	ND	ug/L
Thallium, total	MW-1N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-1N	1/20/1998	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-1N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-1N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-1N	10/14/1998	2	2	ND	ug/L
Thallium, total	MW-1N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-1N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-1N	7/15/1999	2	2	ND	ug/L
Thallium, total	MW-1N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-1N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-1N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-1N	7/12/2000	2	2	ND	ug/L
Thallium, total	MW-1N	10/18/2000	2	2	ND	ug/L
Thallium, total	MW-1N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-1N	4/12/2001	2	2	ND	ug/L
Thallium, total	MW-1N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-1N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-1N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-1N	10/3/2002	1	1	ND	ug/L
Thallium, total	MW-1N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-1N	4/15/2003	2	2	ND	ug/L
Thallium, total	MW-1N	7/8/2003	2	2	ND	ug/L
Thallium, total	MW-1N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-1N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-1N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-1N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-1N	1/18/2006	2	2	ND	ug/L
Thallium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-1N	7/18/2006	1	1	ND	ug/L
Thallium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Thallium, total	MW-1N	1/9/2007	1	1	ND	ug/L
Thallium, total	MW-1N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-1N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-1N	1/24/2008	1	1	ND	ug/L
Thallium, total	MW-1N	7/21/2008	1	1	ND	ug/L
Thallium, total	MW-1N	2/5/2009	0	1	ND	ug/L
Thallium, total	MW-1N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-1N	1/26/2010	1	1	ND	ug/L
Thallium, total	MW-1N	7/13/2010	1	1	ND	ug/L
Thallium, total	MW-1N	1/20/2011	0	1	ND	ug/L
Thallium, total	MW-1N	7/13/2011	1	1	ND	ug/L
Thallium, total	MW-1N	1/5/2012	0	1	ND	ug/L
Thallium, total	MW-1N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-1N	5/1/2013	0.2	1	ND	ug/L
Thallium, total	MW-1N	7/16/2013	1	1	ND	ug/L
Thallium, total	MW-1N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-1N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-1N	2/10/2015	1	1	ND	ug/L
Thallium, total	MW-1N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-1N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-1N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-1N	1/12/2017	1	1	ND	ug/L
Thallium, total	MW-1N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-1N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-1N	7/10/2018	1	1	ND	ug/L
Thallium, total	MW-1N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-1N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-1N	1/23/2020	1	1	ND	ug/L
Thallium, total	MW-1N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-1N	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-1N	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-1N	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-1N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-1N	7/8/2023	1	1	ND	ug/L
Thallium, total	MW-20	6/5/2015	1	1	ND	ug/L
Thallium, total	MW-20	7/14/2015	0.2	1	ND	ug/L
Thallium, total	MW-20	8/4/2015	1	1	ND	ug/L
Thallium, total	MW-20	9/2/2015	1	1	ND	ug/L
Thallium, total	MW-20	1/7/2016	0.2	1	ND	ug/L
Thallium, total	MW-20	4/5/2016	0.1	1	ND	ug/L
Thallium, total	MW-20	7/20/2016	1	1	ND	ug/L
Thallium, total	MW-20	10/5/2016	1	1	ND	ug/L
Thallium, total	MW-20	1/12/2017	1	1	ND	ug/L
Thallium, total	MW-20	7/18/2017	1	1	ND	ug/L
Thallium, total	MW-20	1/26/2018	1	1	ND	ug/L
Thallium, total	MW-20	7/12/2018	1	1	ND	ug/L
Thallium, total	MW-20	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-20	1/14/2020	1	1	ND	ug/L
Thallium, total	MW-20	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-20	1/17/2021	1	1	ND	ug/L
Thallium, total	MW-20	7/4/2021	1	1	ND	ug/L
Thallium, total	MW-20	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-21	6/5/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	7/14/2015	0.3	1	ND	ug/L
Thallium, total	MW-21	8/4/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	9/2/2015	0.2	1	ND	ug/L
Thallium, total	MW-21	1/7/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	4/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	7/20/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	10/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-21	1/10/2017	0.2	1	ND	ug/L
Thallium, total	MW-21	4/5/2017	0.3	1	ND	ug/L
Thallium, total	MW-21	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-21	10/6/2017	0.3	1	ND	ug/L
Thallium, total	MW-21	1/24/2018	0.12	1	ND	ug/L
Thallium, total	MW-21	4/11/2018	0.36	1	ND	ug/L
Thallium, total	MW-21	7/11/2018	0.23	1	ND	ug/L
Thallium, total	MW-21	10/4/2018	0.18	1	ND	ug/L
Thallium, total	MW-21	1/3/2019	0.32	1	ND	ug/L
Thallium, total	MW-21	4/3/2019	0.35	1	ND	ug/L
Thallium, total	MW-21	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-21	10/2/2019	0.25	1	ND	ug/L
Thallium, total	MW-21	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-21	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-21	7/8/2020	1	1	ND	ug/L
Thallium, total	MW-21	10/7/2020	1	1	ND	ug/L
Thallium, total	MW-21	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-21	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-21	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-21	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-21	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-21	4/8/2023	1	1	ND	ug/L
Thallium, total	MW-21	7/7/2023	1	1	ND	ug/L
Thallium, total	MW-21	10/6/2023	1	1	ND	ug/L
Thallium, total	MW-2N	10/22/1997	2	2	ND	ug/L
Thallium, total	MW-2N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-2N	4/28/1998	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-2N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-2N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-2N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-2N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-2N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-2N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-2N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-2N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-2N	1/24/2001	2	2	ND	ug/L
Thallium, total	MW-2N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-2N	7/10/2002	5	5	ND	ug/L
Thallium, total	MW-2N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-2N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-2N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-2N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-2N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-2N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-2N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-2N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-2N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-2N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-2N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-2N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-2N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-2N	1/24/2008	1	1	ND	ug/L
Thallium, total	MW-2N	7/22/2008	1	1	ND	ug/L
Thallium, total	MW-2N	2/4/2009	1	1	ND	ug/L
Thallium, total	MW-2N	7/31/2009	1	1	ND	ug/L
Thallium, total	MW-2N	1/26/2010	1	1	ND	ug/L
Thallium, total	MW-2N	7/13/2010	1	1	ND	ug/L
Thallium, total	MW-2N	1/20/2011	0	1	ND	ug/L
Thallium, total	MW-2N	7/13/2011	0	1	ND	ug/L
Thallium, total	MW-2N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-2N	7/10/2012	1	1	ND	ug/L
Thallium, total	MW-2N	5/1/2013	1	1	ND	ug/L
Thallium, total	MW-2N	7/16/2013	1	1	ND	ug/L
Thallium, total	MW-2N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-2N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-2N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-2N	7/14/2015	1	1	ND	ug/L
Thallium, total	MW-2N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-2N	7/21/2016	1	1	ND	ug/L
Thallium, total	MW-2N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-2N	7/19/2017	1	1	ND	ug/L
Thallium, total	MW-2N	1/23/2018	1	1	ND	ug/L
Thallium, total	MW-2N	7/12/2018	1	1	ND	ug/L
Thallium, total	MW-2N	1/3/2019	1	1	ND	ug/L
Thallium, total	MW-2N	8/7/2019	2	2	ND	ug/L
Thallium, total	MW-2N	1/23/2020	1	1	ND	ug/L
Thallium, total	MW-2N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-2N	1/14/2021	1	1	ND	ug/L
Thallium, total	MW-2N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-2N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-2N	7/8/2023	1	1	ND	ug/L
Thallium, total	MW-3N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-3N	1/21/1998	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-3N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-3N	7/23/1998	2	2	ND	ug/L
Thallium, total	MW-3N	1/13/1999	2	2	ND	ug/L
Thallium, total	MW-3N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-3N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-3N	10/20/1999	2	2	ND	ug/L
Thallium, total	MW-3N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-3N	4/24/2000	2	2	ND	ug/L
Thallium, total	MW-3N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-3N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-3N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-3N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-3N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-3N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-3N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-3N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-3N	1/22/2003	2	2	ND	ug/L
Thallium, total	MW-3N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-3N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-3N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-3N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-3N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-3N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-3N	1/18/2006	2	2	ND	ug/L
Thallium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-3N	7/19/2006	1	1	ND	ug/L
Thallium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Thallium, total	MW-3N	1/10/2007	0	1	ND	ug/L
Thallium, total	MW-3N	1/26/2007	0	1	ND	ug/L
Thallium, total	MW-3N	7/11/2007	1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2008	0	1	ND	ug/L
Thallium, total	MW-3N	7/22/2008	0	1	ND	ug/L
Thallium, total	MW-3N	2/4/2009	0	1	ND	ug/L
Thallium, total	MW-3N	7/31/2009	0	1	ND	ug/L
Thallium, total	MW-3N	1/26/2010	0	1	ND	ug/L
Thallium, total	MW-3N	7/13/2010	0	1	ND	ug/L
Thallium, total	MW-3N	1/20/2011	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/14/2011	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/5/2012	1	1	ND	ug/L
Thallium, total	MW-3N	7/11/2012	1	1	ND	ug/L
Thallium, total	MW-3N	5/1/2013	0.1	1	ND	ug/L
Thallium, total	MW-3N	6/4/2013	1	1	ND	ug/L
Thallium, total	MW-3N	7/16/2013	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2014	1	1	ND	ug/L
Thallium, total	MW-3N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-3N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	4/1/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/14/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	10/5/2015	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-3N	4/6/2016	0.1	1	ND	ug/L
Thallium, total	MW-3N	7/21/2016	0.2	1	ND	ug/L
Thallium, total	MW-3N	10/6/2016	0.2	1	ND	ug/L
Thallium, total	MW-3N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-3N	4/4/2017	0.3	1	ND	ug/L
Thallium, total	MW-3N	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-3N	10/9/2017	0.1	1	ND	ug/L
Thallium, total	MW-3N	1/24/2018	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-3N	4/10/2018	0.17	1	ND	ug/L
Thallium, total	MW-3N	7/13/2018	0.14	1	ND	ug/L
Thallium, total	MW-3N	10/3/2018	0.11	1	ND	ug/L
Thallium, total	MW-3N	1/7/2019	0.051	1	ND	ug/L
Thallium, total	MW-3N	4/3/2019	0.18	1	ND	ug/L
Thallium, total	MW-3N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-3N	10/2/2019	0.13	1	ND	ug/L
Thallium, total	MW-3N	1/15/2020	1	1	ND	ug/L
Thallium, total	MW-3N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-3N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-3N	10/7/2020	1	1	ND	ug/L
Thallium, total	MW-3N	1/13/2021	1	1	ND	ug/L
Thallium, total	MW-3N	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-3N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-3N	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-3N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-3N	7/7/2023	1	1	ND	ug/L
Thallium, total	MW-3N	10/6/2023	1	1	ND	ug/L
Thallium, total	MW-7N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-7N	1/21/1998	2	2	ND	ug/L
Thallium, total	MW-7N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-7N	8/18/1998	2	2	ND	ug/L
Thallium, total	MW-7N	9/17/1998	2	2	ND	ug/L
Thallium, total	MW-7N	10/15/1998	2	2	ND	ug/L
Thallium, total	MW-7N	11/9/1998	2	2	ND	ug/L
Thallium, total	MW-7N	1/14/1999	2	2	ND	ug/L
Thallium, total	MW-7N	4/14/1999	2	2	ND	ug/L
Thallium, total	MW-7N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-7N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-7N	1/13/2000	2	2	ND	ug/L
Thallium, total	MW-7N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-7N	7/11/2000	2	2	ND	ug/L
Thallium, total	MW-7N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-7N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-7N	4/10/2001	2	2	ND	ug/L
Thallium, total	MW-7N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-7N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-7N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-7N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-7N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-7N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-7N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-7N	1/27/2004	2	2	ND	ug/L
Thallium, total	MW-7N	4/8/2004	2	2	ND	ug/L
Thallium, total	MW-7N	7/26/2004	2	2	ND	ug/L
Thallium, total	MW-7N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-7N	7/19/2005	2	2	ND	ug/L
Thallium, total	MW-7N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-7N	7/19/2006	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/19/2006	0.1	1	ND	ug/L
Thallium, total	MW-7N	10/24/2006	15	10		ug/L
Thallium, total	MW-7N	12/22/2006	0.9	1	ND	ug/L
Thallium, total	MW-7N	1/10/2007	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/26/2007	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2007	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/21/2008	0.1	1	ND	ug/L
Thallium, total	MW-7N	2/6/2009	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/29/2009	0.1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-7N	1/26/2010	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/14/2010	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/20/2011	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/12/2011	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/5/2012	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2012	0.1	1	ND	ug/L
Thallium, total	MW-7N	5/1/2013	0.3	1	ND	ug/L
Thallium, total	MW-7N	6/4/2013	0.2	1	ND	ug/L
Thallium, total	MW-7N	7/15/2013	0.1	1	ND	ug/L
Thallium, total	MW-7N	1/30/2014	0.3	1	ND	ug/L
Thallium, total	MW-7N	7/9/2014	1	1	ND	ug/L
Thallium, total	MW-7N	2/12/2015	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/13/2015	1	1	ND	ug/L
Thallium, total	MW-7N	1/5/2016	1	1	ND	ug/L
Thallium, total	MW-7N	7/21/2016	0.2	1	ND	ug/L
Thallium, total	MW-7N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	4/4/2017	0.1	1	ND	ug/L
Thallium, total	MW-7N	7/19/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	10/5/2017	0.2	1	ND	ug/L
Thallium, total	MW-7N	1/25/2018	0.14	1	ND	ug/L
Thallium, total	MW-7N	4/11/2018	0.22	1	ND	ug/L
Thallium, total	MW-7N	7/13/2018	0.091	1	ND	ug/L
Thallium, total	MW-7N	1/4/2019	0.054	1	ND	ug/L
Thallium, total	MW-7N	7/10/2019	2	2	ND	ug/L
Thallium, total	MW-7N	1/16/2020	1	1	ND	ug/L
Thallium, total	MW-7N	7/7/2020	1	1	ND	ug/L
Thallium, total	MW-7N	1/16/2021	1	1	ND	ug/L
Thallium, total	MW-7N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-7N	1/12/2022	1	1	ND	ug/L
Thallium, total	MW-7N	7/10/2022	1	1	ND	ug/L
Thallium, total	MW-7N	1/10/2023	1	1	ND	ug/L
Thallium, total	MW-7N	7/7/2023	1	1	ND	ug/L
Thallium, total	MW-8N	10/21/1997	2	2	ND	ug/L
Thallium, total	MW-8N	1/22/1998	2	2	ND	ug/L
Thallium, total	MW-8N	4/28/1998	2	2	ND	ug/L
Thallium, total	MW-8N	7/22/1998	2	2	ND	ug/L
Thallium, total	MW-8N	1/12/1999	2	2	ND	ug/L
Thallium, total	MW-8N	4/13/1999	2	2	ND	ug/L
Thallium, total	MW-8N	7/14/1999	2	2	ND	ug/L
Thallium, total	MW-8N	10/19/1999	2	2	ND	ug/L
Thallium, total	MW-8N	1/14/2000	2	2	ND	ug/L
Thallium, total	MW-8N	4/25/2000	2	2	ND	ug/L
Thallium, total	MW-8N	10/17/2000	2	2	ND	ug/L
Thallium, total	MW-8N	1/23/2001	2	2	ND	ug/L
Thallium, total	MW-8N	4/11/2001	2	2	ND	ug/L
Thallium, total	MW-8N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-8N	5/29/2002	2	2	ND	ug/L
Thallium, total	MW-8N	7/9/2002	5	5	ND	ug/L
Thallium, total	MW-8N	10/2/2002	1	1	ND	ug/L
Thallium, total	MW-8N	1/23/2003	2	2	ND	ug/L
Thallium, total	MW-8N	4/14/2003	2	2	ND	ug/L
Thallium, total	MW-8N	7/7/2003	2	2	ND	ug/L
Thallium, total	MW-8N	1/28/2004	2	2	ND	ug/L
Thallium, total	MW-8N	7/27/2004	2	2	ND	ug/L
Thallium, total	MW-8N	1/12/2005	2	2	ND	ug/L
Thallium, total	MW-8N	7/20/2005	2	2	ND	ug/L
Thallium, total	MW-8N	1/19/2006	2	2	ND	ug/L
Thallium, total	MW-8N	7/19/2006	0.6	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-8N	7/19/2006	0.6	1	ND	ug/L
Thallium, total	MW-8N	10/24/2006	10	10		ug/L
Thallium, total	MW-8N	12/22/2006	1	1		ug/L
Thallium, total	MW-8N	1/10/2007	1	1	ND	ug/L
Thallium, total	MW-8N	1/26/2007	1	1	ND	ug/L
Thallium, total	MW-8N	4/25/2007	0.7	1	ND	ug/L
Thallium, total	MW-8N	7/10/2007	0.5	1	ND	ug/L
Thallium, total	MW-8N	1/24/2008	0.5	1	ND	ug/L
Thallium, total	MW-8N	7/23/2008	0.4	1	ND	ug/L
Thallium, total	MW-8N	2/4/2009	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/31/2009	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/26/2010	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/16/2010	0.3	1	ND	ug/L
Thallium, total	MW-8N	1/19/2011	0.3	1	ND	ug/L
Thallium, total	MW-8N	5/10/2011	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/14/2011	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/6/2012	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/5/2012	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/11/2012	0.4	1	ND	ug/L
Thallium, total	MW-8N	10/3/2012	0.3	1	ND	ug/L
Thallium, total	MW-8N	5/1/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	6/4/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/16/2013	0.3	1	ND	ug/L
Thallium, total	MW-8N	10/2/2013	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/30/2014	0.3	1	ND	ug/L
Thallium, total	MW-8N	4/3/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/9/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	10/8/2014	0.2	1	ND	ug/L
Thallium, total	MW-8N	2/12/2015	0.3	1	ND	ug/L
Thallium, total	MW-8N	4/1/2015	0.3	1	ND	ug/L
Thallium, total	MW-8N	7/14/2015	0.2	1	ND	ug/L
Thallium, total	MW-8N	10/5/2015	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/5/2016	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/6/2016	0.4	1	ND	ug/L
Thallium, total	MW-8N	7/21/2016	0.3	1	ND	ug/L
Thallium, total	MW-8N	10/6/2016	0.3	1	ND	ug/L
Thallium, total	MW-8N	1/11/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	4/4/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	7/19/2017	0.3	1	ND	ug/L
Thallium, total	MW-8N	10/6/2017	0.2	1	ND	ug/L
Thallium, total	MW-8N	1/25/2018	0.22	1	ND	ug/L
Thallium, total	MW-8N	4/10/2018	0.24	1	ND	ug/L
Thallium, total	MW-8N	7/16/2018	0.22	1	ND	ug/L
Thallium, total	MW-8N	10/2/2018	0.23	1	ND	ug/L
Thallium, total	MW-8N	1/7/2019	0.21	1	ND	ug/L
Thallium, total	MW-8N	4/3/2019	0.29	1	ND	ug/L
Thallium, total	MW-8N	7/11/2019	2	2	ND	ug/L
Thallium, total	MW-8N	10/3/2019	0.23	1	ND	ug/L
Thallium, total	MW-8N	1/15/2020	1	1	ND	ug/L
Thallium, total	MW-8N	4/2/2020	1	1	ND	ug/L
Thallium, total	MW-8N	7/9/2020	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2020	1	1	ND	ug/L
Thallium, total	MW-8N	1/15/2021	1	1	ND	ug/L
Thallium, total	MW-8N	4/6/2021	1	1	ND	ug/L
Thallium, total	MW-8N	7/5/2021	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2021	1	1	ND	ug/L
Thallium, total	MW-8N	1/18/2022	1	1	ND	ug/L
Thallium, total	MW-8N	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	MW-8N	7/12/2022	1	1	ND	ug/L
Thallium, total	MW-8N	10/6/2022	1	1	ND	ug/L
Thallium, total	MW-8N	1/11/2023	1	1	ND	ug/L
Thallium, total	MW-8N	4/8/2023	1	1	ND	ug/L
Thallium, total	MW-8N	7/7/2023	1	1	ND	ug/L
Thallium, total	MW-8N	10/5/2023	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2002	5	5	ND	ug/L
Thallium, total	NE-1	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-1	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-1	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-1	1/27/2004	2	2	ND	ug/L
Thallium, total	NE-1	1/12/2005	2	2	ND	ug/L
Thallium, total	NE-1	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-1	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-1	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-1	1/24/2007	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2007	1	1	ND	ug/L
Thallium, total	NE-1	1/24/2008	1	1	ND	ug/L
Thallium, total	NE-1	7/21/2008	1	1	ND	ug/L
Thallium, total	NE-1	2/7/2009	0	1	ND	ug/L
Thallium, total	NE-1	7/31/2009	1	1	ND	ug/L
Thallium, total	NE-1	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-1	7/14/2010	0	1	ND	ug/L
Thallium, total	NE-1	1/19/2011	0	1	ND	ug/L
Thallium, total	NE-1	7/13/2011	1	1	ND	ug/L
Thallium, total	NE-1	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2012	1	1	ND	ug/L
Thallium, total	NE-1	4/30/2013	0.1	1	ND	ug/L
Thallium, total	NE-1	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-1	1/23/2014	1	1	ND	ug/L
Thallium, total	NE-1	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-1	2/11/2015	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2015	1	1	ND	ug/L
Thallium, total	NE-1	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-1	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-1	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-1	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-1	1/24/2018	1	1	ND	ug/L
Thallium, total	NE-1	4/11/2018	1	1	ND	ug/L
Thallium, total	NE-1	7/18/2018	1	1	ND	ug/L
Thallium, total	NE-1	10/2/2018	1	1	ND	ug/L
Thallium, total	NE-1	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-1	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-1	7/10/2019	2	2	ND	ug/L
Thallium, total	NE-1	7/10/2019	2	2	ND	ug/L
Thallium, total	NE-1	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-1	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-1	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-1	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-1	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-1	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-1	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-1	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-1	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-1	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-1	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-1	7/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-1	10/6/2022	1	1	ND	ug/L
Thallium, total	NE-1	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-1	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-1	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-1	10/5/2023	1	1	ND	ug/L
Thallium, total	NE-10D	11/6/2019	1	1	ND	ug/L
Thallium, total	NE-10D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-10D	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-10D	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-10D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-10D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-10D	7/8/2023	1	1	ND	ug/L
Thallium, total	NE-10D	10/3/2023	1	1	ND	ug/L
Thallium, total	NE-11	3/1/2017	1	1	ND	ug/L
Thallium, total	NE-11	4/6/2017	0.1	1	ND	ug/L
Thallium, total	NE-11	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-11	10/9/2017	1	1	ND	ug/L
Thallium, total	NE-11	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-11	1/14/2020	1	1	ND	ug/L
Thallium, total	NE-11	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-11	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-11	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-11	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-11	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-11	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-11	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-11	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-11	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-12	3/1/2017	0.1	1	ND	ug/L
Thallium, total	NE-12	4/6/2017	0.1	1	ND	ug/L
Thallium, total	NE-12	7/20/2017	1	1	ND	ug/L
Thallium, total	NE-12	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-12	8/5/2019	2	2	ND	ug/L
Thallium, total	NE-12	1/13/2020	1	1	ND	ug/L
Thallium, total	NE-12	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-12	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-12	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-12	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-12	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-12	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-12	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-12	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-12	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-13	2/5/2019	1	1	ND	ug/L
Thallium, total	NE-13	8/7/2019	2	2	ND	ug/L
Thallium, total	NE-13	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-13	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-13	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-13	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-13	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-14D	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-14D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-14D	4/3/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-14D	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-14D	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-14D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-14D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-14D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-14D	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-14D	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-14S	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-14S	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-14S	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-14S	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-14S	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-14S	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-14S	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-14S	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-14S	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-14S	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-15D	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-15D	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-15D	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-15D	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-15D	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-15D	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-15D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-15D	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-15D	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-15D	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-15D	10/6/2023	1	1	ND	ug/L
Thallium, total	NE-15S	4/3/2020	1	1	ND	ug/L
Thallium, total	NE-2	7/9/2002	5	5	ND	ug/L
Thallium, total	NE-2	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-2	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-2	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-2	10/1/2013	1	1	ND	ug/L
Thallium, total	NE-2	10/8/2014	1	1	ND	ug/L
Thallium, total	NE-2	10/5/2015	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2016	0	1	ND	ug/L
Thallium, total	NE-2	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-2	1/25/2018	1	1	ND	ug/L
Thallium, total	NE-2	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-2	7/10/2018	1	1	ND	ug/L
Thallium, total	NE-2	10/1/2018	1	1	ND	ug/L
Thallium, total	NE-2	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-2	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-2	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-2	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-2	10/2/2019	1	1	ND	ug/L
Thallium, total	NE-2	1/14/2020	1	1	ND	ug/L
Thallium, total	NE-2	4/1/2020	1	1	ND	ug/L
Thallium, total	NE-2	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-2	1/14/2021	1	1	ND	ug/L
Thallium, total	NE-2	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-2	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-2	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-2	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-2	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-2	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-2	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-2	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-2	4/5/2023	1	1	ND	ug/L
Thallium, total	NE-2	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-2	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-4	7/10/2002	5	5	ND	ug/L
Thallium, total	NE-4	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-4	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-4	10/3/2002	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-4	1/28/2004	2	2	ND	ug/L
Thallium, total	NE-4	1/13/2005	2	2	ND	ug/L
Thallium, total	NE-4	8/1/2006	0.1	1	ND	ug/L
Thallium, total	NE-4	8/1/2006	0.1	1	ND	ug/L
Thallium, total	NE-4	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-4	1/24/2007	0	1	ND	ug/L
Thallium, total	NE-4	7/12/2007	0	1	ND	ug/L
Thallium, total	NE-4	1/24/2008	0	1	ND	ug/L
Thallium, total	NE-4	7/21/2008	0.1	1	ND	ug/L
Thallium, total	NE-4	2/7/2009	0.1	1	ND	ug/L
Thallium, total	NE-4	7/31/2009	0	1	ND	ug/L
Thallium, total	NE-4	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-4	7/14/2010	0.1	1	ND	ug/L
Thallium, total	NE-4	1/19/2011	0.1	1	ND	ug/L
Thallium, total	NE-4	7/13/2011	0	1	ND	ug/L
Thallium, total	NE-4	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-4	7/10/2012	0.1	1	ND	ug/L
Thallium, total	NE-4	4/30/2013	0.1	1	ND	ug/L
Thallium, total	NE-4	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-4	1/23/2014	0.1	1	ND	ug/L
Thallium, total	NE-4	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-4	2/13/2015	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2015	1	1	ND	ug/L
Thallium, total	NE-4	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-4	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-4	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-4	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-4	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-4	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-4	7/12/2018	1	1	ND	ug/L
Thallium, total	NE-4	10/3/2018	1	1	ND	ug/L
Thallium, total	NE-4	1/7/2019	1	1	ND	ug/L
Thallium, total	NE-4	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-4	7/8/2019	2	2	ND	ug/L
Thallium, total	NE-4	7/8/2019	2	2	ND	ug/L
Thallium, total	NE-4	10/1/2019	1	1	ND	ug/L
Thallium, total	NE-4	1/13/2020	1	1	ND	ug/L
Thallium, total	NE-4	4/1/2020	1	1	ND	ug/L
Thallium, total	NE-4	7/6/2020	1	1	ND	ug/L
Thallium, total	NE-4	10/5/2020	1	1	ND	ug/L
Thallium, total	NE-4	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-4	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-4	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-4	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-4	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-4	4/6/2023	1	1	ND	ug/L
Thallium, total	NE-4	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-4	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2002	5	5	ND	ug/L
Thallium, total	NE-5	8/6/2002	1	1	ND	ug/L
Thallium, total	NE-5	9/4/2002	1	1	ND	ug/L
Thallium, total	NE-5	10/2/2002	1	1	ND	ug/L
Thallium, total	NE-5	7/8/2003	2	2	ND	ug/L
Thallium, total	NE-5	1/27/2004	2	2	ND	ug/L
Thallium, total	NE-5	1/12/2005	2	2	ND	ug/L
Thallium, total	NE-5	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-5	7/19/2006	1	1	ND	ug/L
Thallium, total	NE-5	10/25/2006	10	10	ND	ug/L
Thallium, total	NE-5	1/10/2007	1	1	ND	ug/L
Thallium, total	NE-5	1/24/2007	1	1	ND	ug/L
Thallium, total	NE-5	7/12/2007	0	1	ND	ug/L
Thallium, total	NE-5	7/22/2008	0	1	ND	ug/L
Thallium, total	NE-5	2/6/2009	0.1	1	ND	ug/L
Thallium, total	NE-5	7/31/2009	1	1	ND	ug/L
Thallium, total	NE-5	1/26/2010	0	1	ND	ug/L
Thallium, total	NE-5	7/16/2010	0	1	ND	ug/L
Thallium, total	NE-5	1/19/2011	0	1	ND	ug/L
Thallium, total	NE-5	7/13/2011	1	1	ND	ug/L
Thallium, total	NE-5	1/5/2012	1	1	ND	ug/L
Thallium, total	NE-5	7/10/2012	1	1	ND	ug/L
Thallium, total	NE-5	4/30/2013	0.3	1	ND	ug/L
Thallium, total	NE-5	7/16/2013	1	1	ND	ug/L
Thallium, total	NE-5	1/23/2014	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2014	1	1	ND	ug/L
Thallium, total	NE-5	2/11/2015	1	1	ND	ug/L
Thallium, total	NE-5	7/14/2015	1	1	ND	ug/L
Thallium, total	NE-5	1/6/2016	1	1	ND	ug/L
Thallium, total	NE-5	7/20/2016	1	1	ND	ug/L
Thallium, total	NE-5	1/11/2017	1	1	ND	ug/L
Thallium, total	NE-5	7/19/2017	0.1	1	ND	ug/L
Thallium, total	NE-5	1/25/2018	1	1	ND	ug/L
Thallium, total	NE-5	4/10/2018	1	1	ND	ug/L
Thallium, total	NE-5	7/17/2018	0.057	1	ND	ug/L
Thallium, total	NE-5	10/3/2018	1	1	ND	ug/L
Thallium, total	NE-5	1/4/2019	1	1	ND	ug/L
Thallium, total	NE-5	4/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-5	4/2/2019	1	1	ND	ug/L
Thallium, total	NE-5	7/9/2019	2	2	ND	ug/L
Thallium, total	NE-5	10/3/2019	1	1	ND	ug/L
Thallium, total	NE-5	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-5	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-5	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-5	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-5E	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-5E	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5E	4/1/2020	1	1	ND	ug/L
Thallium, total	NE-5E	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5E	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5E	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5E	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5E	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-5E	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-5E	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-5W	9/30/2019	1	1	ND	ug/L
Thallium, total	NE-5W	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-5W	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-5W	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Thallium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Thallium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Thallium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-5W	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-5W	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-5W	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-5W	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-5W	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-5W	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-6	1/12/2017	0.1	1	ND	ug/L
Thallium, total	NE-6	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-6	7/19/2017	1	1	ND	ug/L
Thallium, total	NE-6	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-6	2/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-6	8/6/2019	2	2	ND	ug/L
Thallium, total	NE-6	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-6	7/9/2020	1	1	ND	ug/L
Thallium, total	NE-6	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-6	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-6	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-6	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-6	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-6	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-6D	10/2/2019	0.14	1	ND	ug/L
Thallium, total	NE-6D	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-6D	4/2/2020	1	1	ND	ug/L
Thallium, total	NE-6D	7/9/2020	1	1	ND	ug/L
Thallium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Thallium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Thallium, total	NE-6D	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-6D	7/2/2021	1	1	ND	ug/L
Thallium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Thallium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Thallium, total	NE-6D	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-6D	10/7/2022	1	1	ND	ug/L
Thallium, total	NE-6D	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-6D	4/7/2023	1	1	ND	ug/L
Thallium, total	NE-6D	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-6D	10/4/2023	1	1	ND	ug/L
Thallium, total	NE-7	3/1/2017	0.1	1	ND	ug/L
Thallium, total	NE-7	4/6/2017	1	1	ND	ug/L
Thallium, total	NE-7	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-7	10/5/2017	1	1	ND	ug/L
Thallium, total	NE-7	2/6/2019	1	1	ND	ug/L
Thallium, total	NE-7	8/6/2019	2	2	ND	ug/L
Thallium, total	NE-7	1/16/2020	1	1	ND	ug/L
Thallium, total	NE-7	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-7	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-7	1/16/2021	1	1	ND	ug/L
Thallium, total	NE-7	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-7	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-7	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-7	7/12/2022	1	1	ND	ug/L
Thallium, total	NE-7	1/5/2023	1	1	ND	ug/L
Thallium, total	NE-7	7/6/2023	1	1	ND	ug/L
Thallium, total	NE-8	1/12/2017	1	1	ND	ug/L
Thallium, total	NE-8	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-8	7/20/2017	0.1	1	ND	ug/L
Thallium, total	NE-8	10/6/2017	1	1	ND	ug/L
Thallium, total	NE-8	2/4/2019	1	1	ND	ug/L
Thallium, total	NE-8	8/5/2019	2	2	ND	ug/L
Thallium, total	NE-8	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-8	7/8/2020	1	1	ND	ug/L
Thallium, total	NE-8	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-8	1/13/2021	1	1	ND	ug/L
Thallium, total	NE-8	4/9/2021	1	1	ND	ug/L
Thallium, total	NE-8	7/1/2021	1	1	ND	ug/L
Thallium, total	NE-8	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-8	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thallium, total	NE-8	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-8	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-9	1/12/2017	1	1	ND	ug/L
Thallium, total	NE-9	4/5/2017	1	1	ND	ug/L
Thallium, total	NE-9	7/20/2017	1	1	ND	ug/L
Thallium, total	NE-9	10/5/2017	1	1	ND	ug/L
Thallium, total	NE-9	2/5/2019	1	1	ND	ug/L
Thallium, total	NE-9	8/7/2019	2	2	ND	ug/L
Thallium, total	NE-9	1/15/2020	1	1	ND	ug/L
Thallium, total	NE-9	7/7/2020	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2021	1	1	ND	ug/L
Thallium, total	NE-9	7/1/2021	6.5	6.5	ND	ug/L
Thallium, total	NE-9	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-9	1/17/2022	1	1	ND	ug/L
Thallium, total	NE-9	7/13/2022	1	1	ND	ug/L
Thallium, total	NE-9	1/6/2023	1	1	ND	ug/L
Thallium, total	NE-9	4/8/2023	1	1	ND	ug/L
Thallium, total	NE-9	7/5/2023	1	1	ND	ug/L
Thallium, total	NE-9	10/6/2023	1	1	ND	ug/L
Thionazin	LGW-10	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-10	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-10	2/12/2015	9.6	9.6	ND	ug/L
Thionazin	LGW-10	10/6/2016	9.5	9.5	ND	ug/L
Thionazin	LGW-10	10/9/2017	9.6	9.6	ND	ug/L
Thionazin	LGW-10	7/16/2018	9.5	9.5	ND	ug/L
Thionazin	LGW-10	7/11/2019	9.9	9.9	ND	ug/L
Thionazin	LGW-10	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-10	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-10	10/5/2023	10	10	ND	ug/L
Thionazin	LGW-14R	10/27/2006	10	10	ND	ug/L
Thionazin	LGW-14R	2/6/2009	10	10	ND	ug/L
Thionazin	LGW-14R	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-14R	2/11/2015	9.9	9.9	ND	ug/L
Thionazin	LGW-14R	7/17/2018	10	10	ND	ug/L
Thionazin	LGW-14R	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-2	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-2	2/13/2009	10	10	ND	ug/L
Thionazin	LGW-2	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-2	2/13/2015	13	13	ND	ug/L
Thionazin	LGW-2	7/12/2018	9.7	9.7	ND	ug/L
Thionazin	LGW-2	7/8/2020	10	10	ND	ug/L
Thionazin	LGW-2	7/4/2021	10	10	ND	ug/L
Thionazin	LGW-3R	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-3R	2/3/2009	10	10	ND	ug/L
Thionazin	LGW-3R	7/9/2012	9.4	9.4	ND	ug/L
Thionazin	LGW-3R	2/10/2015	9.7	9.7	ND	ug/L
Thionazin	LGW-3R	7/11/2018	10	10	ND	ug/L
Thionazin	LGW-3R	7/6/2021	10	10	ND	ug/L
Thionazin	LGW-4	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-4	2/3/2009	10	10	ND	ug/L
Thionazin	LGW-4	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-4	2/11/2015	9.7	9.7	ND	ug/L
Thionazin	LGW-4	7/11/2018	9.9	9.9	ND	ug/L
Thionazin	LGW-4	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-5	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-5	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-5	7/9/2012	9.4	9.4	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	LGW-5	2/10/2015	9.5	9.5	ND	ug/L
Thionazin	LGW-5	7/12/2018	10	10	ND	ug/L
Thionazin	LGW-5	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-5	10/5/2023	10	10	ND	ug/L
Thionazin	LGW-6	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-6	2/5/2009	10	10	ND	ug/L
Thionazin	LGW-6	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-6	2/10/2015	10	10	ND	ug/L
Thionazin	LGW-6	10/6/2016	9.7	9.7	ND	ug/L
Thionazin	LGW-6	10/5/2017	9.5	9.5	ND	ug/L
Thionazin	LGW-6	7/17/2018	9.9	9.9	ND	ug/L
Thionazin	LGW-6	7/10/2019	9.9	9.9	ND	ug/L
Thionazin	LGW-6	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-6	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-6	10/5/2023	10	10	ND	ug/L
Thionazin	LGW-7	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-7	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-7	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-7	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	LGW-7	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	LGW-7	10/5/2017	9.6	9.6	ND	ug/L
Thionazin	LGW-7	7/12/2018	10	10	ND	ug/L
Thionazin	LGW-7	7/10/2019	9.8	9.8	ND	ug/L
Thionazin	LGW-7	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-7	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-8R	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-8R	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-8R	7/9/2012	9.4	9.4	ND	ug/L
Thionazin	LGW-8R	2/11/2015	9.8	9.8	ND	ug/L
Thionazin	LGW-8R	7/13/2018	9.8	9.8	ND	ug/L
Thionazin	LGW-8R	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-9	10/26/2006	10	10	ND	ug/L
Thionazin	LGW-9	2/4/2009	10	10	ND	ug/L
Thionazin	LGW-9	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	LGW-9	2/11/2015	9.8	9.8	ND	ug/L
Thionazin	LGW-9	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	LGW-9	10/5/2017	9.5	9.5	ND	ug/L
Thionazin	LGW-9	7/13/2018	9.5	9.5	ND	ug/L
Thionazin	LGW-9	7/10/2019	10	10	ND	ug/L
Thionazin	LGW-9	7/9/2020	10	10	ND	ug/L
Thionazin	LGW-9	7/7/2021	10	10	ND	ug/L
Thionazin	LGW-9	10/5/2023	10	10	ND	ug/L
Thionazin	MW-10N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-10N	2/13/2009	10	10	ND	ug/L
Thionazin	MW-10N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-10N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-10N	7/11/2018	9.7	9.7	ND	ug/L
Thionazin	MW-10N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-11N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-11N	2/3/2009	10	10	ND	ug/L
Thionazin	MW-11N	7/9/2012	9.5	9.5	ND	ug/L
Thionazin	MW-11N	2/10/2015	10	10	ND	ug/L
Thionazin	MW-11N	7/17/2018	10	10	ND	ug/L
Thionazin	MW-11N	7/6/2021	10	10	ND	ug/L
Thionazin	MW-15	7/10/2018	10	10	ND	ug/L
Thionazin	MW-15	7/4/2021	10	10	ND	ug/L
Thionazin	MW-16	7/11/2018	9.5	9.5	ND	ug/L
Thionazin	MW-16	7/4/2021	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	MW-17	7/10/2018	9.5	9.5	ND	ug/L
Thionazin	MW-17	7/4/2021	10	10	ND	ug/L
Thionazin	MW-19	7/13/2018	9.6	9.6	ND	ug/L
Thionazin	MW-19	7/4/2021	10	10	ND	ug/L
Thionazin	MW-1N	10/14/1998	10	10	ND	ug/L
Thionazin	MW-1N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-1N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-1N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-1N	2/5/2009	10	10	ND	ug/L
Thionazin	MW-1N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-1N	2/10/2015	9.5	9.5	ND	ug/L
Thionazin	MW-1N	7/10/2018	9.9	9.9	ND	ug/L
Thionazin	MW-1N	7/6/2020	10	10	ND	ug/L
Thionazin	MW-1N	7/4/2021	10	10	ND	ug/L
Thionazin	MW-20	7/12/2018	9.5	9.5	ND	ug/L
Thionazin	MW-20	7/4/2021	10	10	ND	ug/L
Thionazin	MW-21	10/5/2016	9.6	9.6	ND	ug/L
Thionazin	MW-21	10/6/2017	9.6	9.6	ND	ug/L
Thionazin	MW-21	7/11/2018	9.5	9.5	ND	ug/L
Thionazin	MW-21	7/11/2019	10	10	ND	ug/L
Thionazin	MW-21	7/8/2020	10	10	ND	ug/L
Thionazin	MW-21	7/5/2021	10	10	ND	ug/L
Thionazin	MW-2N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-2N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-2N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-2N	2/12/2015	9.6	9.6	ND	ug/L
Thionazin	MW-2N	7/12/2018	10	10	ND	ug/L
Thionazin	MW-2N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-3N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-3N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-3N	10/25/2006	10	10	ND	ug/L
Thionazin	MW-3N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-3N	7/11/2012	9.4	9.4	ND	ug/L
Thionazin	MW-3N	2/12/2015	9.8	9.8	ND	ug/L
Thionazin	MW-3N	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	MW-3N	10/9/2017	9.5	9.5	ND	ug/L
Thionazin	MW-3N	7/13/2018	9.5	9.5	ND	ug/L
Thionazin	MW-3N	7/11/2019	10	10	ND	ug/L
Thionazin	MW-3N	7/7/2020	10	10	ND	ug/L
Thionazin	MW-3N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-7N	10/15/1998	10	10	ND	ug/L
Thionazin	MW-7N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-7N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-7N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-7N	2/6/2009	10	10	ND	ug/L
Thionazin	MW-7N	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	MW-7N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-7N	10/5/2017	9.9	9.9	ND	ug/L
Thionazin	MW-7N	7/13/2018	10	10	ND	ug/L
Thionazin	MW-7N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-8N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-8N	5/29/2002	10	10	ND	ug/L
Thionazin	MW-8N	10/24/2006	10	10	ND	ug/L
Thionazin	MW-8N	1/24/2008	10	10	ND	ug/L
Thionazin	MW-8N	2/4/2009	10	10	ND	ug/L
Thionazin	MW-8N	5/10/2011	9.6	9.6	ND	ug/L
Thionazin	MW-8N	7/11/2012	9.5	9.5	ND	ug/L
Thionazin	MW-8N	10/2/2013	9.5	9.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Thionazin	MW-8N	10/8/2014	9.6	9.6	ND	ug/L
Thionazin	MW-8N	2/12/2015	9.7	9.7	ND	ug/L
Thionazin	MW-8N	10/6/2016	9.6	9.6	ND	ug/L
Thionazin	MW-8N	10/6/2017	9.7	9.7	ND	ug/L
Thionazin	MW-8N	7/16/2018	9.8	9.8	ND	ug/L
Thionazin	MW-8N	7/11/2019	10	10	ND	ug/L
Thionazin	MW-8N	7/9/2020	10	10	ND	ug/L
Thionazin	MW-8N	7/5/2021	10	10	ND	ug/L
Thionazin	MW-8N	10/5/2023	10	10	ND	ug/L
Thionazin	NE-1	10/25/2006	10	10	ND	ug/L
Thionazin	NE-1	2/7/2009	10	10	ND	ug/L
Thionazin	NE-1	7/10/2012	9.6	9.6	ND	ug/L
Thionazin	NE-1	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	NE-1	7/18/2018	9.6	9.6	ND	ug/L
Thionazin	NE-2	7/10/2018	9.5	9.5	ND	ug/L
Thionazin	NE-4	10/25/2006	10	10	ND	ug/L
Thionazin	NE-4	2/7/2009	10	10	ND	ug/L
Thionazin	NE-4	7/10/2012	9.8	9.8	ND	ug/L
Thionazin	NE-4	2/13/2015	9.5	9.5	ND	ug/L
Thionazin	NE-4	7/12/2018	10	10	ND	ug/L
Thionazin	NE-5	10/25/2006	10	10	ND	ug/L
Thionazin	NE-5	2/6/2009	10	10	ND	ug/L
Thionazin	NE-5	7/10/2012	9.5	9.5	ND	ug/L
Thionazin	NE-5	2/11/2015	9.6	9.6	ND	ug/L
Thionazin	NE-5	7/17/2018	9.6	9.6	ND	ug/L
Thionazin	NE-5	7/9/2019	10	10	ND	ug/L
Tin, total	LGW-10	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-10	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-10	2/12/2015	100	100	ND	ug/L
Tin, total	LGW-10	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-10	10/9/2017	100	100	ND	ug/L
Tin, total	LGW-10	7/16/2018	100	100	ND	ug/L
Tin, total	LGW-10	7/11/2019	10	10	ND	ug/L
Tin, total	LGW-10	7/9/2020	0.385	0.3		ug/L
Tin, total	LGW-10	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-10	10/5/2023	100	100	ND	ug/L
Tin, total	LGW-14R	10/27/2006	100	100	ND	ug/L
Tin, total	LGW-14R	2/6/2009	100	100	ND	ug/L
Tin, total	LGW-14R	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-14R	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-14R	7/17/2018	100	100	ND	ug/L
Tin, total	LGW-14R	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-2	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-2	2/6/2009	100	100	ND	ug/L
Tin, total	LGW-2	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-2	2/13/2015	100	100	ND	ug/L
Tin, total	LGW-2	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-2	7/8/2020	0.551	0.3		ug/L
Tin, total	LGW-2	7/4/2021	100	100	ND	ug/L
Tin, total	LGW-3R	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-3R	2/3/2009	100	100	ND	ug/L
Tin, total	LGW-3R	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-3R	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-3R	7/11/2018	100	100	ND	ug/L
Tin, total	LGW-3R	7/6/2021	100	100	ND	ug/L
Tin, total	LGW-4	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-4	2/3/2009	100	100	ND	ug/L
Tin, total	LGW-4	7/9/2012	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	LGW-4	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-4	7/11/2018	100	100	ND	ug/L
Tin, total	LGW-4	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-5	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-5	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-5	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-5	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-5	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-5	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-5	10/5/2023	100	100	ND	ug/L
Tin, total	LGW-6	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-6	2/5/2009	100	100	ND	ug/L
Tin, total	LGW-6	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-6	2/10/2015	100	100	ND	ug/L
Tin, total	LGW-6	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-6	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-6	7/17/2018	100	100	ND	ug/L
Tin, total	LGW-6	7/10/2019	0.7	10	ND	ug/L
Tin, total	LGW-6	7/9/2020	0.605	0.3		ug/L
Tin, total	LGW-6	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-6	10/5/2023	100	100	ND	ug/L
Tin, total	LGW-7	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-7	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-7	7/10/2012	100	100	ND	ug/L
Tin, total	LGW-7	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-7	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-7	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-7	7/12/2018	100	100	ND	ug/L
Tin, total	LGW-7	7/10/2019	10	10	ND	ug/L
Tin, total	LGW-7	7/9/2020	0.306	0.3		ug/L
Tin, total	LGW-7	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-8R	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-8R	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-8R	7/9/2012	100	100	ND	ug/L
Tin, total	LGW-8R	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-8R	7/13/2018	100	100	ND	ug/L
Tin, total	LGW-8R	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-9	10/26/2006	100	100	ND	ug/L
Tin, total	LGW-9	2/4/2009	100	100	ND	ug/L
Tin, total	LGW-9	7/10/2012	100	100	ND	ug/L
Tin, total	LGW-9	2/11/2015	100	100	ND	ug/L
Tin, total	LGW-9	10/6/2016	100	100	ND	ug/L
Tin, total	LGW-9	10/5/2017	100	100	ND	ug/L
Tin, total	LGW-9	7/13/2018	100	100	ND	ug/L
Tin, total	LGW-9	7/10/2019	10	10	ND	ug/L
Tin, total	LGW-9	7/9/2020	0.534	0.3		ug/L
Tin, total	LGW-9	7/7/2021	100	100	ND	ug/L
Tin, total	LGW-9	10/5/2023	100	100	ND	ug/L
Tin, total	MW-10N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-10N	2/13/2009	100	100	ND	ug/L
Tin, total	MW-10N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-10N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-10N	7/11/2018	100	100	ND	ug/L
Tin, total	MW-10N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-11N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-11N	2/3/2009	9.8	100	ND	ug/L
Tin, total	MW-11N	7/9/2012	100	100	ND	ug/L
Tin, total	MW-11N	2/10/2015	100	100	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	MW-11N	7/17/2018	100	100	ND	ug/L
Tin, total	MW-11N	7/6/2021	100	100	ND	ug/L
Tin, total	MW-15	7/10/2018	100	100	ND	ug/L
Tin, total	MW-15	7/4/2021	100	100	ND	ug/L
Tin, total	MW-16	7/11/2018	100	100	ND	ug/L
Tin, total	MW-16	7/4/2021	100	100	ND	ug/L
Tin, total	MW-17	7/10/2018	100	100	ND	ug/L
Tin, total	MW-17	7/4/2021	100	100	ND	ug/L
Tin, total	MW-19	7/13/2018	100	100	ND	ug/L
Tin, total	MW-19	7/4/2021	100	100	ND	ug/L
Tin, total	MW-1N	10/14/1998	20	20	ND	ug/L
Tin, total	MW-1N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-1N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-1N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-1N	2/5/2009	100	100	ND	ug/L
Tin, total	MW-1N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-1N	2/10/2015	100	100	ND	ug/L
Tin, total	MW-1N	7/10/2018	100	100	ND	ug/L
Tin, total	MW-1N	7/6/2020	0.3	0.3	ND	ug/L
Tin, total	MW-1N	7/4/2021	100	100	ND	ug/L
Tin, total	MW-20	7/12/2018	100	100	ND	ug/L
Tin, total	MW-20	7/4/2021	100	100	ND	ug/L
Tin, total	MW-21	10/5/2016	100	100	ND	ug/L
Tin, total	MW-21	10/6/2017	100	100	ND	ug/L
Tin, total	MW-21	7/11/2018	100	100	ND	ug/L
Tin, total	MW-21	7/11/2019	10	10	ND	ug/L
Tin, total	MW-21	7/8/2020	0.419	0.3		ug/L
Tin, total	MW-21	7/5/2021	100	100	ND	ug/L
Tin, total	MW-2N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-2N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-2N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-2N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-2N	7/12/2018	100	100	ND	ug/L
Tin, total	MW-2N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-3N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-3N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-3N	10/25/2006	100	100	ND	ug/L
Tin, total	MW-3N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-3N	7/11/2012	100	100	ND	ug/L
Tin, total	MW-3N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-3N	10/6/2016	100	100	ND	ug/L
Tin, total	MW-3N	10/9/2017	100	100	ND	ug/L
Tin, total	MW-3N	7/13/2018	100	100	ND	ug/L
Tin, total	MW-3N	7/11/2019	10	10	ND	ug/L
Tin, total	MW-3N	7/7/2020	0.3	0.3		ug/L
Tin, total	MW-3N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-7N	10/15/1998	20	20	ND	ug/L
Tin, total	MW-7N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-7N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-7N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-7N	2/6/2009	100	100	ND	ug/L
Tin, total	MW-7N	7/10/2012	100	100	ND	ug/L
Tin, total	MW-7N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-7N	10/5/2017	100	100	ND	ug/L
Tin, total	MW-7N	7/13/2018	100	100	ND	ug/L
Tin, total	MW-7N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-8N	5/29/2002	20	20	ND	ug/L
Tin, total	MW-8N	5/29/2002	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Tin, total	MW-8N	10/24/2006	100	100	ND	ug/L
Tin, total	MW-8N	1/24/2008	100	100	ND	ug/L
Tin, total	MW-8N	2/4/2009	100	100	ND	ug/L
Tin, total	MW-8N	5/10/2011	100	100	ND	ug/L
Tin, total	MW-8N	7/11/2012	100	100	ND	ug/L
Tin, total	MW-8N	10/2/2013	100	100	ND	ug/L
Tin, total	MW-8N	10/8/2014	100	100	ND	ug/L
Tin, total	MW-8N	2/12/2015	100	100	ND	ug/L
Tin, total	MW-8N	10/6/2016	100	100	ND	ug/L
Tin, total	MW-8N	10/6/2017	100	100	ND	ug/L
Tin, total	MW-8N	7/16/2018	100	100	ND	ug/L
Tin, total	MW-8N	7/11/2019	1	10	ND	ug/L
Tin, total	MW-8N	7/9/2020	0.538	0.3		ug/L
Tin, total	MW-8N	7/5/2021	100	100	ND	ug/L
Tin, total	MW-8N	10/5/2023	100	100	ND	ug/L
Tin, total	NE-1	10/25/2006	100	100	ND	ug/L
Tin, total	NE-1	2/7/2009	100	100	ND	ug/L
Tin, total	NE-1	7/10/2012	100	100	ND	ug/L
Tin, total	NE-1	2/11/2015	100	100	ND	ug/L
Tin, total	NE-1	7/18/2018	100	100	ND	ug/L
Tin, total	NE-2	7/10/2018	100	100	ND	ug/L
Tin, total	NE-4	10/25/2006	100	100	ND	ug/L
Tin, total	NE-4	2/7/2009	100	100	ND	ug/L
Tin, total	NE-4	7/10/2012	100	100	ND	ug/L
Tin, total	NE-4	2/13/2015	100	100	ND	ug/L
Tin, total	NE-4	7/12/2018	100	100	ND	ug/L
Tin, total	NE-5	10/25/2006	100	100	ND	ug/L
Tin, total	NE-5	2/6/2009	100	100	ND	ug/L
Tin, total	NE-5	7/10/2012	100	100	ND	ug/L
Tin, total	NE-5	2/11/2015	100	100	ND	ug/L
Tin, total	NE-5	7/17/2018	100	100	ND	ug/L
Tin, total	NE-5	7/9/2019	10	10	ND	ug/L
Toluene	LGW-10	1/26/2006	1	1	ND	ug/L
Toluene	LGW-10	8/1/2006	1	1	ND	ug/L
Toluene	LGW-10	8/1/2006	1	1	ND	ug/L
Toluene	LGW-10	10/26/2006	1	1	ND	ug/L
Toluene	LGW-10	1/25/2007	1	1	ND	ug/L
Toluene	LGW-10	4/26/2007	1	1	ND	ug/L
Toluene	LGW-10	7/12/2007	1	1	ND	ug/L
Toluene	LGW-10	1/23/2008	1	1	ND	ug/L
Toluene	LGW-10	7/22/2008	1	1	ND	ug/L
Toluene	LGW-10	7/29/2009	1	1	ND	ug/L
Toluene	LGW-10	2/3/2010	1	1	ND	ug/L
Toluene	LGW-10	2/3/2010	1	1	ND	ug/L
Toluene	LGW-10	7/16/2010	1	1	ND	ug/L
Toluene	LGW-10	1/19/2011	1	1	ND	ug/L
Toluene	LGW-10	7/12/2011	1	1	ND	ug/L
Toluene	LGW-10	1/5/2012	1	1	ND	ug/L
Toluene	LGW-10	7/9/2012	1	1	ND	ug/L
Toluene	LGW-10	5/1/2013	0.17	1	ND	ug/L
Toluene	LGW-10	1/30/2014	1	1	ND	ug/L
Toluene	LGW-10	7/9/2014	1	1	ND	ug/L
Toluene	LGW-10	2/12/2015	1	1	ND	ug/L
Toluene	LGW-10	7/13/2015	1	1	ND	ug/L
Toluene	LGW-10	1/5/2016	1	1	ND	ug/L
Toluene	LGW-10	4/6/2016	1	1	ND	ug/L
Toluene	LGW-10	7/21/2016	1	1	ND	ug/L
Toluene	LGW-10	10/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-10	1/11/2017	1	1	ND	ug/L
Toluene	LGW-10	4/4/2017	1	1	ND	ug/L
Toluene	LGW-10	7/19/2017	1	1	ND	ug/L
Toluene	LGW-10	10/9/2017	1	1	ND	ug/L
Toluene	LGW-10	1/24/2018	1	1	ND	ug/L
Toluene	LGW-10	4/11/2018	1	1	ND	ug/L
Toluene	LGW-10	7/16/2018	1	1	ND	ug/L
Toluene	LGW-10	10/4/2018	1	1	ND	ug/L
Toluene	LGW-10	1/4/2019	1	1	ND	ug/L
Toluene	LGW-10	4/3/2019	1	1	ND	ug/L
Toluene	LGW-10	7/11/2019	1	1	ND	ug/L
Toluene	LGW-10	10/2/2019	1	1	ND	ug/L
Toluene	LGW-10	1/15/2020	1	1	ND	ug/L
Toluene	LGW-10	4/2/2020	1	1	ND	ug/L
Toluene	LGW-10	7/9/2020	1	1	ND	ug/L
Toluene	LGW-10	10/7/2020	1	1	ND	ug/L
Toluene	LGW-10	1/17/2021	1	1	ND	ug/L
Toluene	LGW-10	4/6/2021	1	1	ND	ug/L
Toluene	LGW-10	7/7/2021	1	1	ND	ug/L
Toluene	LGW-10	10/5/2021	1	1	ND	ug/L
Toluene	LGW-10	1/13/2022	1	1	ND	ug/L
Toluene	LGW-10	4/4/2022	1	1	ND	ug/L
Toluene	LGW-10	7/11/2022	1	1	ND	ug/L
Toluene	LGW-10	10/7/2022	1	1	ND	ug/L
Toluene	LGW-10	1/11/2023	1	1	ND	ug/L
Toluene	LGW-10	4/5/2023	1	1	ND	ug/L
Toluene	LGW-10	7/10/2023	1	1	ND	ug/L
Toluene	LGW-10	10/5/2023	1	1	ND	ug/L
Toluene	LGW-14R	1/25/2006	1	1	ND	ug/L
Toluene	LGW-14R	8/2/2006	1	1	ND	ug/L
Toluene	LGW-14R	8/2/2006	1	1	ND	ug/L
Toluene	LGW-14R	10/27/2006	1	1	ND	ug/L
Toluene	LGW-14R	1/24/2007	1	1	ND	ug/L
Toluene	LGW-14R	4/24/2007	1	1	ND	ug/L
Toluene	LGW-14R	7/11/2007	1	1	ND	ug/L
Toluene	LGW-14R	1/23/2008	1	1	ND	ug/L
Toluene	LGW-14R	7/22/2008	1	1	ND	ug/L
Toluene	LGW-14R	2/6/2009	1	1	ND	ug/L
Toluene	LGW-14R	7/29/2009	1	1	ND	ug/L
Toluene	LGW-14R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-14R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-14R	7/12/2010	1	1	ND	ug/L
Toluene	LGW-14R	1/19/2011	1	1	ND	ug/L
Toluene	LGW-14R	7/12/2011	1	1	ND	ug/L
Toluene	LGW-14R	1/5/2012	1	1	ND	ug/L
Toluene	LGW-14R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-14R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-14R	1/23/2014	1	1	ND	ug/L
Toluene	LGW-14R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-14R	2/11/2015	1	1	ND	ug/L
Toluene	LGW-14R	7/22/2015	1	1	ND	ug/L
Toluene	LGW-14R	1/5/2016	1	1	ND	ug/L
Toluene	LGW-14R	7/19/2016	1	1	ND	ug/L
Toluene	LGW-14R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-14R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-14R	1/25/2018	0.4	1	ND	ug/L
Toluene	LGW-14R	7/17/2018	1	1	ND	ug/L
Toluene	LGW-14R	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-14R	7/10/2019	1	1	ND	ug/L
Toluene	LGW-14R	1/16/2020	1	1	ND	ug/L
Toluene	LGW-14R	7/9/2020	1	1	ND	ug/L
Toluene	LGW-14R	1/18/2021	1	1	ND	ug/L
Toluene	LGW-14R	7/7/2021	1	1	ND	ug/L
Toluene	LGW-14R	1/12/2022	1	1	ND	ug/L
Toluene	LGW-14R	7/11/2022	1	1	ND	ug/L
Toluene	LGW-14R	1/10/2023	1	1	ND	ug/L
Toluene	LGW-14R	7/10/2023	1	1	ND	ug/L
Toluene	LGW-2	1/25/2006	1	1	ND	ug/L
Toluene	LGW-2	8/1/2006	1	1	ND	ug/L
Toluene	LGW-2	8/1/2006	1	1	ND	ug/L
Toluene	LGW-2	10/26/2006	1	1	ND	ug/L
Toluene	LGW-2	1/25/2007	1	1	ND	ug/L
Toluene	LGW-2	4/26/2007	1	1	ND	ug/L
Toluene	LGW-2	7/10/2007	1	1	ND	ug/L
Toluene	LGW-2	1/26/2008	1	1	ND	ug/L
Toluene	LGW-2	7/23/2008	1	1	ND	ug/L
Toluene	LGW-2	2/6/2009	1	1	ND	ug/L
Toluene	LGW-2	7/30/2009	1	1	ND	ug/L
Toluene	LGW-2	2/3/2010	1	1	ND	ug/L
Toluene	LGW-2	2/3/2010	1	1	ND	ug/L
Toluene	LGW-2	7/12/2010	1	1	ND	ug/L
Toluene	LGW-2	1/19/2011	1	1	ND	ug/L
Toluene	LGW-2	7/13/2011	1	1	ND	ug/L
Toluene	LGW-2	1/4/2012	1	1	ND	ug/L
Toluene	LGW-2	7/9/2012	1	1	ND	ug/L
Toluene	LGW-2	4/30/2013	1	1	ND	ug/L
Toluene	LGW-2	7/15/2013	1	1	ND	ug/L
Toluene	LGW-2	1/30/2014	1	1	ND	ug/L
Toluene	LGW-2	7/8/2014	1	1	ND	ug/L
Toluene	LGW-2	2/13/2015	1	1	ND	ug/L
Toluene	LGW-2	7/8/2015	1	1	ND	ug/L
Toluene	LGW-2	1/5/2016	1	1	ND	ug/L
Toluene	LGW-2	7/19/2016	1	1	ND	ug/L
Toluene	LGW-2	1/11/2017	1	1	ND	ug/L
Toluene	LGW-2	7/18/2017	1	1	ND	ug/L
Toluene	LGW-2	1/23/2018	1	1	ND	ug/L
Toluene	LGW-2	7/12/2018	1	1	ND	ug/L
Toluene	LGW-2	1/3/2019	1	1	ND	ug/L
Toluene	LGW-2	7/9/2019	1	1	ND	ug/L
Toluene	LGW-2	1/13/2020	1	1	ND	ug/L
Toluene	LGW-2	4/1/2020	1	1	ND	ug/L
Toluene	LGW-2	7/8/2020	1	1	ND	ug/L
Toluene	LGW-2	1/18/2021	1	1	ND	ug/L
Toluene	LGW-2	7/4/2021	1	1	ND	ug/L
Toluene	LGW-2	1/12/2022	1	1	ND	ug/L
Toluene	LGW-2	7/10/2022	1	1	ND	ug/L
Toluene	LGW-2	1/10/2023	1	1	ND	ug/L
Toluene	LGW-2	7/10/2023	1	1	ND	ug/L
Toluene	LGW-3R	1/24/2006	1	1	ND	ug/L
Toluene	LGW-3R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-3R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-3R	10/26/2006	1	1	ND	ug/L
Toluene	LGW-3R	1/25/2007	1	1	ND	ug/L
Toluene	LGW-3R	4/26/2007	1	1	ND	ug/L
Toluene	LGW-3R	7/11/2007	1	1	ND	ug/L
Toluene	LGW-3R	1/26/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-3R	7/23/2008	1	1	ND	ug/L
Toluene	LGW-3R	2/3/2009	1	1	ND	ug/L
Toluene	LGW-3R	7/31/2009	1	1	ND	ug/L
Toluene	LGW-3R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-3R	2/3/2010	1	1	ND	ug/L
Toluene	LGW-3R	7/16/2010	1	1	ND	ug/L
Toluene	LGW-3R	1/19/2011	1	1	ND	ug/L
Toluene	LGW-3R	7/13/2011	1	1	ND	ug/L
Toluene	LGW-3R	1/4/2012	1	1	ND	ug/L
Toluene	LGW-3R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-3R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-3R	7/15/2013	1	1	ND	ug/L
Toluene	LGW-3R	1/22/2014	1	1	ND	ug/L
Toluene	LGW-3R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-3R	2/10/2015	1	1	ND	ug/L
Toluene	LGW-3R	7/16/2015	1	1	ND	ug/L
Toluene	LGW-3R	1/8/2016	1	1	ND	ug/L
Toluene	LGW-3R	7/21/2016	1	1	ND	ug/L
Toluene	LGW-3R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-3R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-3R	1/23/2018	1	1	ND	ug/L
Toluene	LGW-3R	7/11/2018	1	1	ND	ug/L
Toluene	LGW-3R	1/3/2019	1	1	ND	ug/L
Toluene	LGW-3R	7/9/2019	1	1	ND	ug/L
Toluene	LGW-3R	1/14/2020	1	1	ND	ug/L
Toluene	LGW-3R	7/6/2020	1	1	ND	ug/L
Toluene	LGW-3R	1/18/2021	1	1	ND	ug/L
Toluene	LGW-3R	7/6/2021	1	1	ND	ug/L
Toluene	LGW-3R	1/12/2022	1	1	ND	ug/L
Toluene	LGW-3R	7/10/2022	1	1	ND	ug/L
Toluene	LGW-3R	1/10/2023	1	1	ND	ug/L
Toluene	LGW-3R	7/10/2023	1	1	ND	ug/L
Toluene	LGW-4	1/24/2006	1	1	ND	ug/L
Toluene	LGW-4	7/20/2006	1	1	ND	ug/L
Toluene	LGW-4	7/20/2006	1	1	ND	ug/L
Toluene	LGW-4	10/26/2006	1	1	ND	ug/L
Toluene	LGW-4	1/25/2007	1	1	ND	ug/L
Toluene	LGW-4	4/26/2007	1	1	ND	ug/L
Toluene	LGW-4	7/11/2007	1	1	ND	ug/L
Toluene	LGW-4	1/22/2008	1	1	ND	ug/L
Toluene	LGW-4	7/23/2008	1	1	ND	ug/L
Toluene	LGW-4	2/3/2009	1	1	ND	ug/L
Toluene	LGW-4	7/31/2009	1	1	ND	ug/L
Toluene	LGW-4	2/3/2010	1	1	ND	ug/L
Toluene	LGW-4	2/3/2010	1	1	ND	ug/L
Toluene	LGW-4	7/16/2010	1	1	ND	ug/L
Toluene	LGW-4	1/19/2011	1	1	ND	ug/L
Toluene	LGW-4	7/13/2011	1	1	ND	ug/L
Toluene	LGW-4	1/4/2012	1	1	ND	ug/L
Toluene	LGW-4	7/9/2012	1	1	ND	ug/L
Toluene	LGW-4	4/30/2013	1	1	ND	ug/L
Toluene	LGW-4	7/15/2013	1	1	ND	ug/L
Toluene	LGW-4	1/23/2014	1	1	ND	ug/L
Toluene	LGW-4	7/8/2014	1	1	ND	ug/L
Toluene	LGW-4	2/11/2015	1	1	ND	ug/L
Toluene	LGW-4	7/8/2015	1	1	ND	ug/L
Toluene	LGW-4	1/5/2016	1	1	ND	ug/L
Toluene	LGW-4	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-4	1/11/2017	1	1	ND	ug/L
Toluene	LGW-4	7/18/2017	1	1	ND	ug/L
Toluene	LGW-4	1/23/2018	1	1	ND	ug/L
Toluene	LGW-4	7/11/2018	1	1	ND	ug/L
Toluene	LGW-4	1/3/2019	1	1	ND	ug/L
Toluene	LGW-4	7/9/2019	0.31	1	ND	ug/L
Toluene	LGW-4	1/14/2020	1	1	ND	ug/L
Toluene	LGW-4	7/6/2020	1	1	ND	ug/L
Toluene	LGW-4	1/18/2021	1	1	ND	ug/L
Toluene	LGW-4	7/7/2021	1	1	ND	ug/L
Toluene	LGW-4	1/12/2022	1	1	ND	ug/L
Toluene	LGW-4	7/11/2022	1	1	ND	ug/L
Toluene	LGW-4	1/10/2023	1	1	ND	ug/L
Toluene	LGW-4	7/10/2023	1	1	ND	ug/L
Toluene	LGW-5	1/25/2006	1	1	ND	ug/L
Toluene	LGW-5	8/1/2006	1	1	ND	ug/L
Toluene	LGW-5	8/1/2006	1	1	ND	ug/L
Toluene	LGW-5	10/26/2006	1	1	ND	ug/L
Toluene	LGW-5	1/25/2007	1	1	ND	ug/L
Toluene	LGW-5	4/26/2007	1	1	ND	ug/L
Toluene	LGW-5	7/11/2007	1	1	ND	ug/L
Toluene	LGW-5	1/23/2008	1	1	ND	ug/L
Toluene	LGW-5	7/23/2008	1	1	ND	ug/L
Toluene	LGW-5	2/4/2009	1	1	ND	ug/L
Toluene	LGW-5	7/29/2009	1	1	ND	ug/L
Toluene	LGW-5	2/3/2010	1	1	ND	ug/L
Toluene	LGW-5	2/3/2010	1	1	ND	ug/L
Toluene	LGW-5	7/12/2010	1	1	ND	ug/L
Toluene	LGW-5	1/19/2011	1	1	ND	ug/L
Toluene	LGW-5	7/12/2011	1	1	ND	ug/L
Toluene	LGW-5	1/5/2012	1	1	ND	ug/L
Toluene	LGW-5	7/9/2012	1	1	ND	ug/L
Toluene	LGW-5	4/30/2013	1	1	ND	ug/L
Toluene	LGW-5	7/15/2013	1	1	ND	ug/L
Toluene	LGW-5	1/23/2014	1	1	ND	ug/L
Toluene	LGW-5	7/8/2014	1	1	ND	ug/L
Toluene	LGW-5	2/10/2015	1	1	ND	ug/L
Toluene	LGW-5	7/8/2015	1	1	ND	ug/L
Toluene	LGW-5	1/5/2016	1	1	ND	ug/L
Toluene	LGW-5	7/19/2016	1	1	ND	ug/L
Toluene	LGW-5	1/11/2017	1	1	ND	ug/L
Toluene	LGW-5	7/18/2017	1	1	ND	ug/L
Toluene	LGW-5	1/23/2018	1	1	ND	ug/L
Toluene	LGW-5	7/12/2018	1	1	ND	ug/L
Toluene	LGW-5	1/3/2019	1	1	ND	ug/L
Toluene	LGW-5	7/9/2019	1	1	ND	ug/L
Toluene	LGW-5	1/14/2020	1	1	ND	ug/L
Toluene	LGW-5	7/6/2020	1	1	ND	ug/L
Toluene	LGW-5	1/18/2021	1	1	ND	ug/L
Toluene	LGW-5	4/6/2021	1	1	ND	ug/L
Toluene	LGW-5	7/7/2021	1	1	ND	ug/L
Toluene	LGW-5	10/5/2021	1	1	ND	ug/L
Toluene	LGW-5	1/12/2022	1	1	ND	ug/L
Toluene	LGW-5	4/4/2022	1	1	ND	ug/L
Toluene	LGW-5	7/11/2022	1	1	ND	ug/L
Toluene	LGW-5	10/6/2022	1	1	ND	ug/L
Toluene	LGW-5	1/10/2023	1	1	ND	ug/L
Toluene	LGW-5	7/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-5	10/5/2023	1	1	ND	ug/L
Toluene	LGW-6	1/24/2006	1	1	ND	ug/L
Toluene	LGW-6	7/20/2006	1	1	ND	ug/L
Toluene	LGW-6	7/20/2006	1	1	ND	ug/L
Toluene	LGW-6	10/26/2006	1	1	ND	ug/L
Toluene	LGW-6	1/24/2007	1	1	ND	ug/L
Toluene	LGW-6	4/26/2007	1	1	ND	ug/L
Toluene	LGW-6	7/11/2007	1	1	ND	ug/L
Toluene	LGW-6	1/23/2008	1	1	ND	ug/L
Toluene	LGW-6	7/23/2008	1	1	ND	ug/L
Toluene	LGW-6	2/5/2009	1	1	ND	ug/L
Toluene	LGW-6	7/29/2009	1	1	ND	ug/L
Toluene	LGW-6	2/3/2010	1	1	ND	ug/L
Toluene	LGW-6	2/3/2010	1	1	ND	ug/L
Toluene	LGW-6	7/12/2010	1	1	ND	ug/L
Toluene	LGW-6	1/19/2011	1	1	ND	ug/L
Toluene	LGW-6	7/12/2011	1	1	ND	ug/L
Toluene	LGW-6	1/5/2012	1	1	ND	ug/L
Toluene	LGW-6	7/9/2012	1	1	ND	ug/L
Toluene	LGW-6	4/30/2013	1	1	ND	ug/L
Toluene	LGW-6	7/15/2013	1	1	ND	ug/L
Toluene	LGW-6	1/23/2014	1	1	ND	ug/L
Toluene	LGW-6	7/8/2014	1	1	ND	ug/L
Toluene	LGW-6	2/10/2015	1	1	ND	ug/L
Toluene	LGW-6	7/22/2015	1	1	ND	ug/L
Toluene	LGW-6	1/5/2016	1	1	ND	ug/L
Toluene	LGW-6	7/19/2016	1	1	ND	ug/L
Toluene	LGW-6	10/6/2016	1	1	ND	ug/L
Toluene	LGW-6	1/11/2017	1	1	ND	ug/L
Toluene	LGW-6	5/5/2017	1	1	ND	ug/L
Toluene	LGW-6	7/18/2017	1	1	ND	ug/L
Toluene	LGW-6	10/5/2017	1	1	ND	ug/L
Toluene	LGW-6	1/23/2018	1	1	ND	ug/L
Toluene	LGW-6	4/10/2018	1	1	ND	ug/L
Toluene	LGW-6	7/17/2018	1	1	ND	ug/L
Toluene	LGW-6	10/2/2018	1	1	ND	ug/L
Toluene	LGW-6	1/7/2019	1	1	ND	ug/L
Toluene	LGW-6	4/3/2019	1	1	ND	ug/L
Toluene	LGW-6	7/10/2019	1	1	ND	ug/L
Toluene	LGW-6	10/3/2019	1	1	ND	ug/L
Toluene	LGW-6	1/16/2020	1	1	ND	ug/L
Toluene	LGW-6	4/2/2020	1	1	ND	ug/L
Toluene	LGW-6	7/9/2020	1	1	ND	ug/L
Toluene	LGW-6	10/6/2020	1	1	ND	ug/L
Toluene	LGW-6	1/18/2021	1	1	ND	ug/L
Toluene	LGW-6	4/6/2021	1	1	ND	ug/L
Toluene	LGW-6	7/7/2021	1	1	ND	ug/L
Toluene	LGW-6	10/5/2021	1	1	ND	ug/L
Toluene	LGW-6	1/12/2022	1	1	ND	ug/L
Toluene	LGW-6	4/4/2022	1	1	ND	ug/L
Toluene	LGW-6	7/11/2022	1	1	ND	ug/L
Toluene	LGW-6	10/6/2022	1	1	ND	ug/L
Toluene	LGW-6	1/10/2023	1	1	ND	ug/L
Toluene	LGW-6	4/6/2023	1	1	ND	ug/L
Toluene	LGW-6	7/10/2023	1	1	ND	ug/L
Toluene	LGW-6	10/5/2023	1	1	ND	ug/L
Toluene	LGW-7	1/25/2006	1	1	ND	ug/L
Toluene	LGW-7	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-7	8/1/2006	1	1	ND	ug/L
Toluene	LGW-7	10/26/2006	1	1	ND	ug/L
Toluene	LGW-7	1/24/2007	1	1	ND	ug/L
Toluene	LGW-7	4/26/2007	1	1	ND	ug/L
Toluene	LGW-7	7/12/2007	1	1	ND	ug/L
Toluene	LGW-7	7/22/2008	1	1	ND	ug/L
Toluene	LGW-7	2/4/2009	1	1	ND	ug/L
Toluene	LGW-7	7/31/2009	1	1	ND	ug/L
Toluene	LGW-7	1/27/2010	1	1	ND	ug/L
Toluene	LGW-7	7/12/2010	1	1	ND	ug/L
Toluene	LGW-7	1/20/2011	1	1	ND	ug/L
Toluene	LGW-7	7/12/2011	1	1	ND	ug/L
Toluene	LGW-7	1/5/2012	1	1	ND	ug/L
Toluene	LGW-7	7/10/2012	1	1	ND	ug/L
Toluene	LGW-7	4/30/2013	1	1	ND	ug/L
Toluene	LGW-7	7/15/2013	1	1	ND	ug/L
Toluene	LGW-7	1/23/2014	1	1	ND	ug/L
Toluene	LGW-7	7/8/2014	1	1	ND	ug/L
Toluene	LGW-7	2/11/2015	1	1	ND	ug/L
Toluene	LGW-7	7/22/2015	1	1	ND	ug/L
Toluene	LGW-7	1/5/2016	1	1	ND	ug/L
Toluene	LGW-7	4/6/2016	1	1	ND	ug/L
Toluene	LGW-7	7/20/2016	1	1	ND	ug/L
Toluene	LGW-7	10/6/2016	1	1	ND	ug/L
Toluene	LGW-7	1/11/2017	1	1	ND	ug/L
Toluene	LGW-7	4/4/2017	1	1	ND	ug/L
Toluene	LGW-7	7/18/2017	1	1	ND	ug/L
Toluene	LGW-7	10/5/2017	1	1	ND	ug/L
Toluene	LGW-7	1/24/2018	1	1	ND	ug/L
Toluene	LGW-7	4/11/2018	1	1	ND	ug/L
Toluene	LGW-7	7/12/2018	1	1	ND	ug/L
Toluene	LGW-7	10/2/2018	1	1	ND	ug/L
Toluene	LGW-7	1/7/2019	1	1	ND	ug/L
Toluene	LGW-7	4/3/2019	1	1	ND	ug/L
Toluene	LGW-7	7/10/2019	1	1	ND	ug/L
Toluene	LGW-7	10/3/2019	1	1	ND	ug/L
Toluene	LGW-7	1/15/2020	1	1	ND	ug/L
Toluene	LGW-7	7/9/2020	1	1	ND	ug/L
Toluene	LGW-7	1/18/2021	1	1	ND	ug/L
Toluene	LGW-7	7/7/2021	1	1	ND	ug/L
Toluene	LGW-7	10/5/2021	1	1	ND	ug/L
Toluene	LGW-7	1/13/2022	1	1	ND	ug/L
Toluene	LGW-7	7/11/2022	1	1	ND	ug/L
Toluene	LGW-7	1/11/2023	1	1	ND	ug/L
Toluene	LGW-7	7/10/2023	1	1	ND	ug/L
Toluene	LGW-8R	1/24/2006	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2006	1	1	ND	ug/L
Toluene	LGW-8R	10/26/2006	1	1	ND	ug/L
Toluene	LGW-8R	1/24/2007	1	1	ND	ug/L
Toluene	LGW-8R	4/25/2007	1	1	ND	ug/L
Toluene	LGW-8R	7/12/2007	1	1	ND	ug/L
Toluene	LGW-8R	2/4/2009	1	1	ND	ug/L
Toluene	LGW-8R	7/29/2009	1	1	ND	ug/L
Toluene	LGW-8R	1/27/2010	1	1	ND	ug/L
Toluene	LGW-8R	7/14/2010	1	1	ND	ug/L
Toluene	LGW-8R	1/20/2011	1	1	ND	ug/L
Toluene	LGW-8R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-8R	1/5/2012	1	1	ND	ug/L
Toluene	LGW-8R	7/9/2012	1	1	ND	ug/L
Toluene	LGW-8R	4/30/2013	1	1	ND	ug/L
Toluene	LGW-8R	7/15/2013	1	1	ND	ug/L
Toluene	LGW-8R	1/22/2014	1	1	ND	ug/L
Toluene	LGW-8R	7/8/2014	1	1	ND	ug/L
Toluene	LGW-8R	2/11/2015	1	1	ND	ug/L
Toluene	LGW-8R	7/22/2015	1	1	ND	ug/L
Toluene	LGW-8R	1/5/2016	1	1	ND	ug/L
Toluene	LGW-8R	7/20/2016	1	1	ND	ug/L
Toluene	LGW-8R	1/11/2017	1	1	ND	ug/L
Toluene	LGW-8R	7/18/2017	1	1	ND	ug/L
Toluene	LGW-8R	1/25/2018	0.4	1	ND	ug/L
Toluene	LGW-8R	7/13/2018	1	1	ND	ug/L
Toluene	LGW-8R	1/7/2019	1	1	ND	ug/L
Toluene	LGW-8R	7/8/2019	1	1	ND	ug/L
Toluene	LGW-8R	1/14/2020	1	1	ND	ug/L
Toluene	LGW-8R	7/7/2020	1	1	ND	ug/L
Toluene	LGW-8R	1/17/2021	1	1	ND	ug/L
Toluene	LGW-8R	7/7/2021	1	1	ND	ug/L
Toluene	LGW-8R	1/13/2022	1	1	ND	ug/L
Toluene	LGW-8R	7/11/2022	1	1	ND	ug/L
Toluene	LGW-8R	1/11/2023	1	1	ND	ug/L
Toluene	LGW-8R	7/10/2023	1	1	ND	ug/L
Toluene	LGW-9	1/25/2006	1	1	ND	ug/L
Toluene	LGW-9	7/20/2006	1	1	ND	ug/L
Toluene	LGW-9	7/20/2006	1	1	ND	ug/L
Toluene	LGW-9	10/26/2006	1	1	ND	ug/L
Toluene	LGW-9	1/25/2007	1	1	ND	ug/L
Toluene	LGW-9	4/25/2007	1	1	ND	ug/L
Toluene	LGW-9	7/10/2007	1	1	ND	ug/L
Toluene	LGW-9	7/22/2008	1	1	ND	ug/L
Toluene	LGW-9	2/4/2009	1	1	ND	ug/L
Toluene	LGW-9	7/29/2009	1	1	ND	ug/L
Toluene	LGW-9	1/27/2010	1	1	ND	ug/L
Toluene	LGW-9	7/14/2010	1	1	ND	ug/L
Toluene	LGW-9	1/20/2011	1	1	ND	ug/L
Toluene	LGW-9	7/12/2011	1	1	ND	ug/L
Toluene	LGW-9	1/5/2012	1	1	ND	ug/L
Toluene	LGW-9	7/10/2012	1	1	ND	ug/L
Toluene	LGW-9	5/1/2013	1	1	ND	ug/L
Toluene	LGW-9	7/15/2013	1	1	ND	ug/L
Toluene	LGW-9	1/23/2014	1	1	ND	ug/L
Toluene	LGW-9	7/8/2014	1	1	ND	ug/L
Toluene	LGW-9	2/11/2015	1	1	ND	ug/L
Toluene	LGW-9	7/13/2015	1	1	ND	ug/L
Toluene	LGW-9	1/5/2016	1	1	ND	ug/L
Toluene	LGW-9	7/21/2016	1	1	ND	ug/L
Toluene	LGW-9	10/6/2016	1	1	ND	ug/L
Toluene	LGW-9	1/11/2017	1	1	ND	ug/L
Toluene	LGW-9	5/5/2017	1	1	ND	ug/L
Toluene	LGW-9	7/18/2017	1	1	ND	ug/L
Toluene	LGW-9	10/5/2017	1	1	ND	ug/L
Toluene	LGW-9	1/24/2018	1	1	ND	ug/L
Toluene	LGW-9	4/11/2018	1	1	ND	ug/L
Toluene	LGW-9	7/13/2018	1	1	ND	ug/L
Toluene	LGW-9	10/2/2018	1	1	ND	ug/L
Toluene	LGW-9	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	LGW-9	4/3/2019	1	1	ND	ug/L
Toluene	LGW-9	7/10/2019	1	1	ND	ug/L
Toluene	LGW-9	10/3/2019	1	1	ND	ug/L
Toluene	LGW-9	1/16/2020	1	1	ND	ug/L
Toluene	LGW-9	4/2/2020	1	1	ND	ug/L
Toluene	LGW-9	7/9/2020	1	1	ND	ug/L
Toluene	LGW-9	10/7/2020	1	1	ND	ug/L
Toluene	LGW-9	1/17/2021	1	1	ND	ug/L
Toluene	LGW-9	4/6/2021	1	1	ND	ug/L
Toluene	LGW-9	7/7/2021	1	1	ND	ug/L
Toluene	LGW-9	10/5/2021	1	1	ND	ug/L
Toluene	LGW-9	1/13/2022	1	1	ND	ug/L
Toluene	LGW-9	4/4/2022	1	1	ND	ug/L
Toluene	LGW-9	7/11/2022	1	1	ND	ug/L
Toluene	LGW-9	10/7/2022	1	1	ND	ug/L
Toluene	LGW-9	1/11/2023	1	1	ND	ug/L
Toluene	LGW-9	4/5/2023	1	1	ND	ug/L
Toluene	LGW-9	7/10/2023	1	1	ND	ug/L
Toluene	LGW-9	10/5/2023	1	1	ND	ug/L
Toluene	MW-10N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/28/1998	1.4	5		ug/L
Toluene	MW-10N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	7/15/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-10N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-10N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-10N	7/11/2000	1	1	ND	ug/L
Toluene	MW-10N	10/17/2000	1	1	ND	ug/L
Toluene	MW-10N	1/24/2001	1	1	ND	ug/L
Toluene	MW-10N	4/10/2001	1	1	ND	ug/L
Toluene	MW-10N	7/10/2002	1	1	ND	ug/L
Toluene	MW-10N	10/2/2002	1	1	ND	ug/L
Toluene	MW-10N	1/22/2003	1	1	ND	ug/L
Toluene	MW-10N	4/15/2003	1	1	ND	ug/L
Toluene	MW-10N	7/8/2003	1	1	ND	ug/L
Toluene	MW-10N	1/28/2004	1	1	ND	ug/L
Toluene	MW-10N	7/27/2004	1	1	ND	ug/L
Toluene	MW-10N	1/12/2005	1	1	ND	ug/L
Toluene	MW-10N	7/20/2005	1	1	ND	ug/L
Toluene	MW-10N	1/19/2006	1	1	ND	ug/L
Toluene	MW-10N	7/19/2006	1	1	ND	ug/L
Toluene	MW-10N	7/19/2006	1	1	ND	ug/L
Toluene	MW-10N	10/25/2006	1	1	ND	ug/L
Toluene	MW-10N	1/24/2007	1	1	ND	ug/L
Toluene	MW-10N	7/10/2007	1	1	ND	ug/L
Toluene	MW-10N	1/23/2008	1	1	ND	ug/L
Toluene	MW-10N	7/21/2008	1	1	ND	ug/L
Toluene	MW-10N	2/13/2009	0.23	1	ND	ug/L
Toluene	MW-10N	7/31/2009	1	1	ND	ug/L
Toluene	MW-10N	1/27/2010	1	1	ND	ug/L
Toluene	MW-10N	8/10/2010	1	1	ND	ug/L
Toluene	MW-10N	1/19/2011	1	1	ND	ug/L
Toluene	MW-10N	7/14/2011	1	1	ND	ug/L
Toluene	MW-10N	1/5/2012	1	1	ND	ug/L
Toluene	MW-10N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-10N	5/1/2013	1	1	ND	ug/L
Toluene	MW-10N	1/24/2014	1	1	ND	ug/L
Toluene	MW-10N	7/9/2014	1	1	ND	ug/L
Toluene	MW-10N	2/12/2015	1	1	ND	ug/L
Toluene	MW-10N	7/14/2015	1	1	ND	ug/L
Toluene	MW-10N	1/6/2016	1	1	ND	ug/L
Toluene	MW-10N	7/21/2016	1	1	ND	ug/L
Toluene	MW-10N	1/11/2017	1	1	ND	ug/L
Toluene	MW-10N	7/19/2017	1	1	ND	ug/L
Toluene	MW-10N	1/24/2018	1	1	ND	ug/L
Toluene	MW-10N	7/11/2018	1	1	ND	ug/L
Toluene	MW-10N	1/3/2019	1	1	ND	ug/L
Toluene	MW-10N	7/9/2019	1	1	ND	ug/L
Toluene	MW-10N	1/16/2020	1	1	ND	ug/L
Toluene	MW-10N	7/8/2020	1	1	ND	ug/L
Toluene	MW-10N	1/13/2021	1	1	ND	ug/L
Toluene	MW-10N	7/5/2021	1	1	ND	ug/L
Toluene	MW-10N	1/11/2023	1	1	ND	ug/L
Toluene	MW-10N	7/7/2023	1	1	ND	ug/L
Toluene	MW-11N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/28/1998	0.24	2.5		ug/L
Toluene	MW-11N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-11N	1/13/2000	2.5	2.5	ND	ug/L
Toluene	MW-11N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-11N	7/10/2000	1	1	ND	ug/L
Toluene	MW-11N	10/17/2000	1	1	ND	ug/L
Toluene	MW-11N	1/24/2001	1	1	ND	ug/L
Toluene	MW-11N	4/10/2001	1	1	ND	ug/L
Toluene	MW-11N	7/9/2002	1	1	ND	ug/L
Toluene	MW-11N	10/2/2002	1	1	ND	ug/L
Toluene	MW-11N	1/23/2003	1	1	ND	ug/L
Toluene	MW-11N	4/15/2003	1	1	ND	ug/L
Toluene	MW-11N	7/8/2003	1	1	ND	ug/L
Toluene	MW-11N	1/29/2004	1	1	ND	ug/L
Toluene	MW-11N	7/27/2004	1	1	ND	ug/L
Toluene	MW-11N	1/13/2005	1	1	ND	ug/L
Toluene	MW-11N	7/20/2005	1	1	ND	ug/L
Toluene	MW-11N	1/19/2006	1	1	ND	ug/L
Toluene	MW-11N	7/18/2006	1	1	ND	ug/L
Toluene	MW-11N	7/18/2006	1	1	ND	ug/L
Toluene	MW-11N	10/25/2006	1	1	ND	ug/L
Toluene	MW-11N	1/24/2007	1	1	ND	ug/L
Toluene	MW-11N	7/10/2007	1	1	ND	ug/L
Toluene	MW-11N	1/22/2008	1	1	ND	ug/L
Toluene	MW-11N	7/23/2008	1	1	ND	ug/L
Toluene	MW-11N	2/3/2009	1	1	ND	ug/L
Toluene	MW-11N	7/31/2009	1	1	ND	ug/L
Toluene	MW-11N	2/3/2010	1	1	ND	ug/L
Toluene	MW-11N	2/3/2010	1	1	ND	ug/L
Toluene	MW-11N	7/16/2010	1	1	ND	ug/L
Toluene	MW-11N	1/19/2011	1	1	ND	ug/L
Toluene	MW-11N	7/13/2011	1	1	ND	ug/L
Toluene	MW-11N	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-11N	7/9/2012	1	1	ND	ug/L
Toluene	MW-11N	4/30/2013	1	1	ND	ug/L
Toluene	MW-11N	7/15/2013	1	1	ND	ug/L
Toluene	MW-11N	1/23/2014	1	1	ND	ug/L
Toluene	MW-11N	7/8/2014	1	1	ND	ug/L
Toluene	MW-11N	2/10/2015	1	1	ND	ug/L
Toluene	MW-11N	7/13/2015	1	1	ND	ug/L
Toluene	MW-11N	1/5/2016	1	1	ND	ug/L
Toluene	MW-11N	7/21/2016	1	1	ND	ug/L
Toluene	MW-11N	1/11/2017	1	1	ND	ug/L
Toluene	MW-11N	7/19/2017	1	1	ND	ug/L
Toluene	MW-11N	1/23/2018	1	1	ND	ug/L
Toluene	MW-11N	7/17/2018	1	1	ND	ug/L
Toluene	MW-11N	1/2/2019	1	1	ND	ug/L
Toluene	MW-11N	7/9/2019	1	1	ND	ug/L
Toluene	MW-11N	1/14/2020	1	1	ND	ug/L
Toluene	MW-11N	7/6/2020	1	1	ND	ug/L
Toluene	MW-11N	1/18/2021	1	1	ND	ug/L
Toluene	MW-11N	7/6/2021	1	1	ND	ug/L
Toluene	MW-11N	1/18/2022	1	1	ND	ug/L
Toluene	MW-11N	7/13/2022	1	1	ND	ug/L
Toluene	MW-11N	1/10/2023	1	1	ND	ug/L
Toluene	MW-11N	7/8/2023	1	1	ND	ug/L
Toluene	MW-15	6/5/2015	0.17	1	ND	ug/L
Toluene	MW-15	7/15/2015	1	1	ND	ug/L
Toluene	MW-15	8/5/2015	1	1	ND	ug/L
Toluene	MW-15	9/3/2015	1	1	ND	ug/L
Toluene	MW-15	1/7/2016	1	1	ND	ug/L
Toluene	MW-15	4/5/2016	1	1	ND	ug/L
Toluene	MW-15	7/20/2016	1	1	ND	ug/L
Toluene	MW-15	10/6/2016	1	1	ND	ug/L
Toluene	MW-15	1/10/2017	1	1	ND	ug/L
Toluene	MW-15	7/18/2017	1	1	ND	ug/L
Toluene	MW-15	1/23/2018	1	1	ND	ug/L
Toluene	MW-15	7/10/2018	1	1	ND	ug/L
Toluene	MW-15	1/3/2019	1	1	ND	ug/L
Toluene	MW-15	7/9/2019	1	1	ND	ug/L
Toluene	MW-15	1/14/2020	1	1	ND	ug/L
Toluene	MW-15	8/3/2020	1	1	ND	ug/L
Toluene	MW-15	1/18/2021	1	1	ND	ug/L
Toluene	MW-15	7/4/2021	1	1	ND	ug/L
Toluene	MW-15	1/12/2022	1	1	ND	ug/L
Toluene	MW-15	7/10/2022	1	1	ND	ug/L
Toluene	MW-15	1/10/2023	1	1	ND	ug/L
Toluene	MW-15	7/10/2023	1	1	ND	ug/L
Toluene	MW-16	6/5/2015	1	1	ND	ug/L
Toluene	MW-16	7/16/2015	1	1	ND	ug/L
Toluene	MW-16	8/5/2015	1	1	ND	ug/L
Toluene	MW-16	9/3/2015	1	1	ND	ug/L
Toluene	MW-16	1/8/2016	1	1	ND	ug/L
Toluene	MW-16	4/5/2016	1	1	ND	ug/L
Toluene	MW-16	7/21/2016	1	1	ND	ug/L
Toluene	MW-16	10/5/2016	1	1	ND	ug/L
Toluene	MW-16	1/10/2017	1	1	ND	ug/L
Toluene	MW-16	7/18/2017	1	1	ND	ug/L
Toluene	MW-16	1/23/2018	1	1	ND	ug/L
Toluene	MW-16	7/11/2018	1	1	ND	ug/L
Toluene	MW-16	1/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-16	7/10/2019	1	1	ND	ug/L
Toluene	MW-16	1/14/2020	1	1	ND	ug/L
Toluene	MW-16	8/3/2020	1	1	ND	ug/L
Toluene	MW-16	1/18/2021	1	1	ND	ug/L
Toluene	MW-16	7/4/2021	1	1	ND	ug/L
Toluene	MW-16	1/12/2022	1	1	ND	ug/L
Toluene	MW-16	7/10/2022	1	1	ND	ug/L
Toluene	MW-16	1/10/2023	1	1	ND	ug/L
Toluene	MW-16	7/10/2023	1	1	ND	ug/L
Toluene	MW-17	6/5/2015	1	1	ND	ug/L
Toluene	MW-17	7/15/2015	1	1	ND	ug/L
Toluene	MW-17	8/4/2015	1	1	ND	ug/L
Toluene	MW-17	9/2/2015	1	1	ND	ug/L
Toluene	MW-17	1/7/2016	1	1	ND	ug/L
Toluene	MW-17	4/5/2016	1	1	ND	ug/L
Toluene	MW-17	7/20/2016	1	1	ND	ug/L
Toluene	MW-17	10/6/2016	1	1	ND	ug/L
Toluene	MW-17	1/10/2017	1	1	ND	ug/L
Toluene	MW-17	7/18/2017	1	1	ND	ug/L
Toluene	MW-17	1/23/2018	1	1	ND	ug/L
Toluene	MW-17	7/10/2018	1	1	ND	ug/L
Toluene	MW-17	1/3/2019	1	1	ND	ug/L
Toluene	MW-17	7/11/2019	1	1	ND	ug/L
Toluene	MW-17	1/14/2020	1	1	ND	ug/L
Toluene	MW-17	8/3/2020	1	1	ND	ug/L
Toluene	MW-17	1/14/2021	1	1	ND	ug/L
Toluene	MW-17	7/4/2021	1	1	ND	ug/L
Toluene	MW-17	1/10/2023	1	1	ND	ug/L
Toluene	MW-17	7/8/2023	1	1	ND	ug/L
Toluene	MW-19	6/5/2015	1	1	ND	ug/L
Toluene	MW-19	7/16/2015	1	1	ND	ug/L
Toluene	MW-19	8/5/2015	1	1	ND	ug/L
Toluene	MW-19	9/3/2015	1	1	ND	ug/L
Toluene	MW-19	1/7/2016	1	1	ND	ug/L
Toluene	MW-19	4/5/2016	1	1	ND	ug/L
Toluene	MW-19	7/21/2016	1	1	ND	ug/L
Toluene	MW-19	10/5/2016	1	1	ND	ug/L
Toluene	MW-19	1/10/2017	1	1	ND	ug/L
Toluene	MW-19	7/18/2017	1	1	ND	ug/L
Toluene	MW-19	1/23/2018	1	1	ND	ug/L
Toluene	MW-19	7/13/2018	1	1	ND	ug/L
Toluene	MW-19	1/7/2019	1	1	ND	ug/L
Toluene	MW-19	7/11/2019	1	1	ND	ug/L
Toluene	MW-19	1/14/2020	1	1	ND	ug/L
Toluene	MW-19	8/3/2020	1	1	ND	ug/L
Toluene	MW-19	1/14/2021	1	1	ND	ug/L
Toluene	MW-19	7/4/2021	1	1	ND	ug/L
Toluene	MW-19	1/11/2023	1	1	ND	ug/L
Toluene	MW-19	7/10/2023	1	1	ND	ug/L
Toluene	MW-1N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/20/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/28/1998	0.21	2.5		ug/L
Toluene	MW-1N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	10/14/1998	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	5/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	7/15/1999	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-1N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-1N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-1N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-1N	7/12/2000	1	1	ND	ug/L
Toluene	MW-1N	10/18/2000	1	1	ND	ug/L
Toluene	MW-1N	1/24/2001	1	1	ND	ug/L
Toluene	MW-1N	4/12/2001	1	1	ND	ug/L
Toluene	MW-1N	5/29/2002	1	1	ND	ug/L
Toluene	MW-1N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-1N	7/9/2002	1	1	ND	ug/L
Toluene	MW-1N	10/3/2002	1	1	ND	ug/L
Toluene	MW-1N	1/22/2003	1	1	ND	ug/L
Toluene	MW-1N	4/15/2003	1	1	ND	ug/L
Toluene	MW-1N	7/8/2003	1	1	ND	ug/L
Toluene	MW-1N	1/28/2004	1	1	ND	ug/L
Toluene	MW-1N	7/27/2004	1	1	ND	ug/L
Toluene	MW-1N	1/12/2005	1	1	ND	ug/L
Toluene	MW-1N	7/20/2005	1	1	ND	ug/L
Toluene	MW-1N	1/18/2006	1	1	ND	ug/L
Toluene	MW-1N	7/18/2006	1	1	ND	ug/L
Toluene	MW-1N	7/18/2006	1	1	ND	ug/L
Toluene	MW-1N	10/24/2006	1	1	ND	ug/L
Toluene	MW-1N	1/26/2007	1	1	ND	ug/L
Toluene	MW-1N	7/11/2007	1	1	ND	ug/L
Toluene	MW-1N	1/24/2008	1	1	ND	ug/L
Toluene	MW-1N	7/21/2008	1	1	ND	ug/L
Toluene	MW-1N	2/5/2009	1	1	ND	ug/L
Toluene	MW-1N	7/31/2009	1	1	ND	ug/L
Toluene	MW-1N	1/26/2010	1	1	ND	ug/L
Toluene	MW-1N	7/13/2010	1	1	ND	ug/L
Toluene	MW-1N	1/20/2011	1	1	ND	ug/L
Toluene	MW-1N	7/13/2011	1	1	ND	ug/L
Toluene	MW-1N	1/5/2012	1	1	ND	ug/L
Toluene	MW-1N	7/10/2012	1	1	ND	ug/L
Toluene	MW-1N	5/1/2013	1	1	ND	ug/L
Toluene	MW-1N	7/16/2013	1	1	ND	ug/L
Toluene	MW-1N	1/24/2014	1	1	ND	ug/L
Toluene	MW-1N	7/9/2014	1	1	ND	ug/L
Toluene	MW-1N	2/10/2015	1	1	ND	ug/L
Toluene	MW-1N	7/14/2015	1	1	ND	ug/L
Toluene	MW-1N	1/6/2016	1	1	ND	ug/L
Toluene	MW-1N	7/21/2016	1	1	ND	ug/L
Toluene	MW-1N	1/12/2017	1	1	ND	ug/L
Toluene	MW-1N	7/19/2017	1	1	ND	ug/L
Toluene	MW-1N	1/23/2018	1	1	ND	ug/L
Toluene	MW-1N	7/10/2018	1	1	ND	ug/L
Toluene	MW-1N	1/3/2019	1	1	ND	ug/L
Toluene	MW-1N	7/11/2019	1	1	ND	ug/L
Toluene	MW-1N	1/23/2020	2.06	2.06	ND	ug/L
Toluene	MW-1N	4/2/2020	1	1	ND	ug/L
Toluene	MW-1N	7/6/2020	1	1	ND	ug/L
Toluene	MW-1N	1/14/2021	1	1	ND	ug/L
Toluene	MW-1N	7/4/2021	1	1	ND	ug/L
Toluene	MW-1N	1/11/2023	1	1	ND	ug/L
Toluene	MW-1N	7/8/2023	1	1	ND	ug/L
Toluene	MW-20	6/5/2015	1	1	ND	ug/L
Toluene	MW-20	7/14/2015	1	1	ND	ug/L
Toluene	MW-20	8/4/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-20	9/2/2015	1	1	ND	ug/L
Toluene	MW-20	1/7/2016	1	1	ND	ug/L
Toluene	MW-20	4/5/2016	1	1	ND	ug/L
Toluene	MW-20	7/20/2016	1	1	ND	ug/L
Toluene	MW-20	10/5/2016	1	1	ND	ug/L
Toluene	MW-20	1/12/2017	1	1	ND	ug/L
Toluene	MW-20	7/18/2017	1	1	ND	ug/L
Toluene	MW-20	1/26/2018	1	1	ND	ug/L
Toluene	MW-20	7/12/2018	1	1	ND	ug/L
Toluene	MW-20	7/11/2019	1	1	ND	ug/L
Toluene	MW-20	1/14/2020	1	1	ND	ug/L
Toluene	MW-20	7/7/2020	1	1	ND	ug/L
Toluene	MW-20	1/17/2021	1	1	ND	ug/L
Toluene	MW-20	7/4/2021	1	1	ND	ug/L
Toluene	MW-20	1/11/2023	1	1	ND	ug/L
Toluene	MW-21	6/5/2015	1	1	ND	ug/L
Toluene	MW-21	7/14/2015	1	1	ND	ug/L
Toluene	MW-21	8/4/2015	1	1	ND	ug/L
Toluene	MW-21	9/2/2015	1	1	ND	ug/L
Toluene	MW-21	1/7/2016	1	1	ND	ug/L
Toluene	MW-21	4/5/2016	1	1	ND	ug/L
Toluene	MW-21	7/20/2016	1	1	ND	ug/L
Toluene	MW-21	10/5/2016	1	1	ND	ug/L
Toluene	MW-21	10/5/2016	1	1	ND	ug/L
Toluene	MW-21	1/10/2017	1	1	ND	ug/L
Toluene	MW-21	4/5/2017	1	1	ND	ug/L
Toluene	MW-21	7/19/2017	1	1	ND	ug/L
Toluene	MW-21	10/6/2017	1	1	ND	ug/L
Toluene	MW-21	1/24/2018	1	1	ND	ug/L
Toluene	MW-21	4/11/2018	1	1	ND	ug/L
Toluene	MW-21	7/11/2018	1	1	ND	ug/L
Toluene	MW-21	10/4/2018	1	1	ND	ug/L
Toluene	MW-21	1/3/2019	1	1	ND	ug/L
Toluene	MW-21	4/3/2019	1	1	ND	ug/L
Toluene	MW-21	7/11/2019	1	1	ND	ug/L
Toluene	MW-21	10/2/2019	1	1	ND	ug/L
Toluene	MW-21	1/16/2020	1	1	ND	ug/L
Toluene	MW-21	4/2/2020	1	1	ND	ug/L
Toluene	MW-21	7/8/2020	1	1	ND	ug/L
Toluene	MW-21	10/7/2020	1	1	ND	ug/L
Toluene	MW-21	1/13/2021	1	1	ND	ug/L
Toluene	MW-21	4/6/2021	1	1	ND	ug/L
Toluene	MW-21	7/5/2021	1	1	ND	ug/L
Toluene	MW-21	10/6/2021	1	1	ND	ug/L
Toluene	MW-21	1/11/2023	1	1	ND	ug/L
Toluene	MW-21	4/8/2023	1	1	ND	ug/L
Toluene	MW-21	7/7/2023	1	1	ND	ug/L
Toluene	MW-21	10/6/2023	1	1	ND	ug/L
Toluene	MW-2N	10/22/1997	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-2N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-2N	4/25/2000	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-2N	10/17/2000	0.27	1		ug/L
Toluene	MW-2N	1/24/2001	1	1	ND	ug/L
Toluene	MW-2N	4/11/2001	1	1	ND	ug/L
Toluene	MW-2N	7/10/2002	5.8	1		ug/L
Toluene	MW-2N	10/2/2002	0.22	1		ug/L
Toluene	MW-2N	1/22/2003	1	1	ND	ug/L
Toluene	MW-2N	4/14/2003	1	1	ND	ug/L
Toluene	MW-2N	7/7/2003	1	1	ND	ug/L
Toluene	MW-2N	1/28/2004	1	1	ND	ug/L
Toluene	MW-2N	7/27/2004	1.5	1		ug/L
Toluene	MW-2N	1/12/2005	1	1	ND	ug/L
Toluene	MW-2N	7/20/2005	1	1	ND	ug/L
Toluene	MW-2N	1/19/2006	1	1	ND	ug/L
Toluene	MW-2N	7/19/2006	1	1	ND	ug/L
Toluene	MW-2N	7/19/2006	1	1	ND	ug/L
Toluene	MW-2N	10/25/2006	1	1	ND	ug/L
Toluene	MW-2N	1/26/2007	1.7	1		ug/L
Toluene	MW-2N	3/27/2007	1	1	ND	ug/L
Toluene	MW-2N	7/11/2007	1	1	ND	ug/L
Toluene	MW-2N	1/24/2008	1.1	1		ug/L
Toluene	MW-2N	7/22/2008	1	1	ND	ug/L
Toluene	MW-2N	2/4/2009	0.52	1	ND	ug/L
Toluene	MW-2N	7/31/2009	1	1	ND	ug/L
Toluene	MW-2N	1/26/2010	1	1	ND	ug/L
Toluene	MW-2N	7/13/2010	1	1	ND	ug/L
Toluene	MW-2N	1/20/2011	1	1	ND	ug/L
Toluene	MW-2N	7/13/2011	1	1	ND	ug/L
Toluene	MW-2N	1/5/2012	1	1	ND	ug/L
Toluene	MW-2N	7/10/2012	1	1	ND	ug/L
Toluene	MW-2N	5/1/2013	1	1	ND	ug/L
Toluene	MW-2N	7/16/2013	1	1	ND	ug/L
Toluene	MW-2N	1/24/2014	1	1	ND	ug/L
Toluene	MW-2N	7/9/2014	1	1	ND	ug/L
Toluene	MW-2N	2/12/2015	1	1	ND	ug/L
Toluene	MW-2N	7/14/2015	1	1	ND	ug/L
Toluene	MW-2N	1/6/2016	1	1	ND	ug/L
Toluene	MW-2N	7/21/2016	1	1	ND	ug/L
Toluene	MW-2N	1/11/2017	1	1	ND	ug/L
Toluene	MW-2N	7/19/2017	1	1	ND	ug/L
Toluene	MW-2N	1/23/2018	1	1	ND	ug/L
Toluene	MW-2N	7/12/2018	1	1	ND	ug/L
Toluene	MW-2N	1/3/2019	1	1	ND	ug/L
Toluene	MW-2N	8/7/2019	1	1	ND	ug/L
Toluene	MW-2N	1/23/2020	1	1	ND	ug/L
Toluene	MW-2N	7/7/2020	1	1	ND	ug/L
Toluene	MW-2N	1/14/2021	1	1	ND	ug/L
Toluene	MW-2N	7/5/2021	1	1	ND	ug/L
Toluene	MW-2N	1/11/2023	1	1	ND	ug/L
Toluene	MW-2N	7/8/2023	1	1	ND	ug/L
Toluene	MW-3N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-3N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/23/1998	2.5	2.5	ND	ug/L
Toluene	MW-3N	1/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	10/20/1999	2.5	2.5	ND	ug/L
Toluene	MW-3N	1/14/2000	2.5	2.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-3N	4/24/2000	2.5	2.5	ND	ug/L
Toluene	MW-3N	7/11/2000	1	1	ND	ug/L
Toluene	MW-3N	10/17/2000	1	1	ND	ug/L
Toluene	MW-3N	1/23/2001	1	1	ND	ug/L
Toluene	MW-3N	4/11/2001	1	1	ND	ug/L
Toluene	MW-3N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-3N	5/29/2002	1	1	ND	ug/L
Toluene	MW-3N	7/9/2002	1	1	ND	ug/L
Toluene	MW-3N	10/2/2002	1	1	ND	ug/L
Toluene	MW-3N	1/22/2003	1	1	ND	ug/L
Toluene	MW-3N	4/14/2003	1	1	ND	ug/L
Toluene	MW-3N	7/7/2003	1	1	ND	ug/L
Toluene	MW-3N	1/28/2004	1	1	ND	ug/L
Toluene	MW-3N	7/27/2004	1	1	ND	ug/L
Toluene	MW-3N	1/12/2005	1	1	ND	ug/L
Toluene	MW-3N	7/20/2005	1	1	ND	ug/L
Toluene	MW-3N	1/18/2006	1	1	ND	ug/L
Toluene	MW-3N	7/19/2006	1	1	ND	ug/L
Toluene	MW-3N	7/19/2006	1	1	ND	ug/L
Toluene	MW-3N	10/25/2006	1	1	ND	ug/L
Toluene	MW-3N	1/26/2007	1	1	ND	ug/L
Toluene	MW-3N	7/11/2007	1	1	ND	ug/L
Toluene	MW-3N	1/24/2008	1	1	ND	ug/L
Toluene	MW-3N	7/22/2008	1	1	ND	ug/L
Toluene	MW-3N	2/4/2009	0.29	1	ND	ug/L
Toluene	MW-3N	7/31/2009	1	1	ND	ug/L
Toluene	MW-3N	1/26/2010	1	1	ND	ug/L
Toluene	MW-3N	7/13/2010	1	1	ND	ug/L
Toluene	MW-3N	1/20/2011	1	1	ND	ug/L
Toluene	MW-3N	7/14/2011	1	1	ND	ug/L
Toluene	MW-3N	1/5/2012	1	1	ND	ug/L
Toluene	MW-3N	7/11/2012	1	1	ND	ug/L
Toluene	MW-3N	5/1/2013	1	1	ND	ug/L
Toluene	MW-3N	6/4/2013	1	1	ND	ug/L
Toluene	MW-3N	7/16/2013	1	1	ND	ug/L
Toluene	MW-3N	1/24/2014	1	1	ND	ug/L
Toluene	MW-3N	7/9/2014	1	1	ND	ug/L
Toluene	MW-3N	2/12/2015	1	1	ND	ug/L
Toluene	MW-3N	4/1/2015	1	1	ND	ug/L
Toluene	MW-3N	7/14/2015	1	1	ND	ug/L
Toluene	MW-3N	10/5/2015	1	1	ND	ug/L
Toluene	MW-3N	1/6/2016	1	1	ND	ug/L
Toluene	MW-3N	4/6/2016	1	1	ND	ug/L
Toluene	MW-3N	7/21/2016	1	1	ND	ug/L
Toluene	MW-3N	10/6/2016	1	1	ND	ug/L
Toluene	MW-3N	1/11/2017	1	1	ND	ug/L
Toluene	MW-3N	4/4/2017	1	1	ND	ug/L
Toluene	MW-3N	7/19/2017	1	1	ND	ug/L
Toluene	MW-3N	10/9/2017	1	1	ND	ug/L
Toluene	MW-3N	1/24/2018	1	1	ND	ug/L
Toluene	MW-3N	4/10/2018	1	1	ND	ug/L
Toluene	MW-3N	7/13/2018	1	1	ND	ug/L
Toluene	MW-3N	10/3/2018	1	1	ND	ug/L
Toluene	MW-3N	1/7/2019	1	1	ND	ug/L
Toluene	MW-3N	4/3/2019	1	1	ND	ug/L
Toluene	MW-3N	7/11/2019	1	1	ND	ug/L
Toluene	MW-3N	10/2/2019	1	1	ND	ug/L
Toluene	MW-3N	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-3N	4/2/2020	1	1	ND	ug/L
Toluene	MW-3N	7/7/2020	1	1	ND	ug/L
Toluene	MW-3N	10/7/2020	1	1	ND	ug/L
Toluene	MW-3N	1/13/2021	1	1	ND	ug/L
Toluene	MW-3N	4/6/2021	1	1	ND	ug/L
Toluene	MW-3N	7/5/2021	1	1	ND	ug/L
Toluene	MW-3N	10/6/2021	1	1	ND	ug/L
Toluene	MW-3N	1/11/2023	1	1	ND	ug/L
Toluene	MW-3N	7/7/2023	1	1	ND	ug/L
Toluene	MW-3N	10/6/2023	1	1	ND	ug/L
Toluene	MW-7N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/21/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	8/18/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	9/17/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/15/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	11/9/1998	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	4/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-7N	1/13/2000	2.5	2.5	ND	ug/L
Toluene	MW-7N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-7N	10/17/2000	0.24	1		ug/L
Toluene	MW-7N	1/23/2001	1	1	ND	ug/L
Toluene	MW-7N	4/10/2001	0.46	1		ug/L
Toluene	MW-7N	5/29/2002	1	1	ND	ug/L
Toluene	MW-7N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-7N	7/9/2002	1	1	ND	ug/L
Toluene	MW-7N	10/2/2002	1	1	ND	ug/L
Toluene	MW-7N	1/23/2003	1	1	ND	ug/L
Toluene	MW-7N	4/14/2003	1	1	ND	ug/L
Toluene	MW-7N	7/7/2003	1	1	ND	ug/L
Toluene	MW-7N	1/27/2004	1	1	ND	ug/L
Toluene	MW-7N	4/8/2004	1	1	ND	ug/L
Toluene	MW-7N	7/26/2004	1	1	ND	ug/L
Toluene	MW-7N	1/12/2005	1	1	ND	ug/L
Toluene	MW-7N	7/19/2005	1	1	ND	ug/L
Toluene	MW-7N	1/19/2006	1	1	ND	ug/L
Toluene	MW-7N	7/19/2006	1	1	ND	ug/L
Toluene	MW-7N	7/19/2006	1	1	ND	ug/L
Toluene	MW-7N	10/24/2006	1	1	ND	ug/L
Toluene	MW-7N	1/26/2007	1	1	ND	ug/L
Toluene	MW-7N	7/10/2007	1	1	ND	ug/L
Toluene	MW-7N	7/21/2008	1	1	ND	ug/L
Toluene	MW-7N	2/6/2009	1	1	ND	ug/L
Toluene	MW-7N	7/29/2009	1	1	ND	ug/L
Toluene	MW-7N	1/26/2010	1	1	ND	ug/L
Toluene	MW-7N	7/14/2010	1	1	ND	ug/L
Toluene	MW-7N	9/2/2010	1	1	ND	ug/L
Toluene	MW-7N	1/20/2011	1	1	ND	ug/L
Toluene	MW-7N	7/12/2011	1	1	ND	ug/L
Toluene	MW-7N	1/5/2012	1	1	ND	ug/L
Toluene	MW-7N	7/10/2012	1	1	ND	ug/L
Toluene	MW-7N	5/1/2013	1	1	ND	ug/L
Toluene	MW-7N	6/4/2013	1	1	ND	ug/L
Toluene	MW-7N	7/15/2013	1	1	ND	ug/L
Toluene	MW-7N	1/30/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-7N	7/9/2014	1	1	ND	ug/L
Toluene	MW-7N	2/12/2015	1	1	ND	ug/L
Toluene	MW-7N	7/13/2015	1	1	ND	ug/L
Toluene	MW-7N	1/5/2016	1	1	ND	ug/L
Toluene	MW-7N	7/21/2016	1	1	ND	ug/L
Toluene	MW-7N	1/11/2017	1	1	ND	ug/L
Toluene	MW-7N	4/4/2017	1	1	ND	ug/L
Toluene	MW-7N	7/19/2017	1	1	ND	ug/L
Toluene	MW-7N	10/5/2017	1	1	ND	ug/L
Toluene	MW-7N	1/25/2018	1	1	ND	ug/L
Toluene	MW-7N	4/11/2018	1	1	ND	ug/L
Toluene	MW-7N	7/13/2018	1	1	ND	ug/L
Toluene	MW-7N	1/4/2019	1	1	ND	ug/L
Toluene	MW-7N	7/10/2019	1	1	ND	ug/L
Toluene	MW-7N	1/16/2020	1	1	ND	ug/L
Toluene	MW-7N	7/7/2020	1	1	ND	ug/L
Toluene	MW-7N	1/16/2021	1	1	ND	ug/L
Toluene	MW-7N	7/5/2021	1	1	ND	ug/L
Toluene	MW-7N	1/12/2022	1	1	ND	ug/L
Toluene	MW-7N	7/10/2022	1	1	ND	ug/L
Toluene	MW-7N	1/10/2023	1	1	ND	ug/L
Toluene	MW-7N	7/7/2023	1	1	ND	ug/L
Toluene	MW-8N	10/21/1997	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/28/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/22/1998	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/12/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/13/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/14/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	10/19/1999	2.5	2.5	ND	ug/L
Toluene	MW-8N	1/14/2000	2.5	2.5	ND	ug/L
Toluene	MW-8N	4/25/2000	2.5	2.5	ND	ug/L
Toluene	MW-8N	10/17/2000	1	1	ND	ug/L
Toluene	MW-8N	1/23/2001	1	1	ND	ug/L
Toluene	MW-8N	4/11/2001	1	1	ND	ug/L
Toluene	MW-8N	5/29/2002	1	1	ND	ug/L
Toluene	MW-8N	5/29/2002	2.5	2.5	ND	ug/L
Toluene	MW-8N	7/9/2002	1	1	ND	ug/L
Toluene	MW-8N	10/2/2002	1	1	ND	ug/L
Toluene	MW-8N	1/23/2003	1	1	ND	ug/L
Toluene	MW-8N	4/14/2003	1	1	ND	ug/L
Toluene	MW-8N	7/7/2003	1	1	ND	ug/L
Toluene	MW-8N	1/28/2004	1	1	ND	ug/L
Toluene	MW-8N	7/27/2004	1	1	ND	ug/L
Toluene	MW-8N	1/12/2005	1	1	ND	ug/L
Toluene	MW-8N	7/20/2005	1	1	ND	ug/L
Toluene	MW-8N	1/19/2006	1	1	ND	ug/L
Toluene	MW-8N	7/19/2006	1	1	ND	ug/L
Toluene	MW-8N	7/19/2006	1	1	ND	ug/L
Toluene	MW-8N	10/24/2006	1	1	ND	ug/L
Toluene	MW-8N	1/26/2007	1	1	ND	ug/L
Toluene	MW-8N	4/25/2007	1	1	ND	ug/L
Toluene	MW-8N	7/10/2007	1	1	ND	ug/L
Toluene	MW-8N	1/24/2008	1	1	ND	ug/L
Toluene	MW-8N	7/23/2008	1	1	ND	ug/L
Toluene	MW-8N	2/4/2009	1	1	ND	ug/L
Toluene	MW-8N	7/31/2009	1	1	ND	ug/L
Toluene	MW-8N	1/26/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	MW-8N	7/16/2010	1	1	ND	ug/L
Toluene	MW-8N	1/19/2011	1	1	ND	ug/L
Toluene	MW-8N	5/10/2011	1	1	ND	ug/L
Toluene	MW-8N	7/14/2011	1	1	ND	ug/L
Toluene	MW-8N	1/6/2012	1	1	ND	ug/L
Toluene	MW-8N	4/5/2012	1	1	ND	ug/L
Toluene	MW-8N	7/11/2012	1	1	ND	ug/L
Toluene	MW-8N	10/3/2012	1	1	ND	ug/L
Toluene	MW-8N	5/1/2013	1	1	ND	ug/L
Toluene	MW-8N	6/4/2013	1	1	ND	ug/L
Toluene	MW-8N	7/16/2013	1	1	ND	ug/L
Toluene	MW-8N	10/2/2013	1	1	ND	ug/L
Toluene	MW-8N	1/30/2014	1	1	ND	ug/L
Toluene	MW-8N	4/3/2014	1	1	ND	ug/L
Toluene	MW-8N	7/9/2014	1	1	ND	ug/L
Toluene	MW-8N	10/8/2014	1	1	ND	ug/L
Toluene	MW-8N	2/12/2015	1	1	ND	ug/L
Toluene	MW-8N	4/1/2015	1	1	ND	ug/L
Toluene	MW-8N	7/14/2015	1	1	ND	ug/L
Toluene	MW-8N	10/5/2015	1	1	ND	ug/L
Toluene	MW-8N	1/5/2016	1	1	ND	ug/L
Toluene	MW-8N	4/6/2016	1	1	ND	ug/L
Toluene	MW-8N	7/21/2016	1	1	ND	ug/L
Toluene	MW-8N	10/6/2016	1	1	ND	ug/L
Toluene	MW-8N	1/11/2017	1	1	ND	ug/L
Toluene	MW-8N	4/4/2017	1	1	ND	ug/L
Toluene	MW-8N	7/19/2017	1	1	ND	ug/L
Toluene	MW-8N	10/6/2017	1	1	ND	ug/L
Toluene	MW-8N	1/25/2018	1	1	ND	ug/L
Toluene	MW-8N	4/10/2018	1	1	ND	ug/L
Toluene	MW-8N	7/16/2018	1	1	ND	ug/L
Toluene	MW-8N	10/2/2018	1	1	ND	ug/L
Toluene	MW-8N	1/7/2019	1	1	ND	ug/L
Toluene	MW-8N	4/3/2019	1	1	ND	ug/L
Toluene	MW-8N	7/11/2019	1	1	ND	ug/L
Toluene	MW-8N	10/3/2019	1	1	ND	ug/L
Toluene	MW-8N	1/15/2020	1	1	ND	ug/L
Toluene	MW-8N	4/2/2020	1	1	ND	ug/L
Toluene	MW-8N	7/9/2020	1	1	ND	ug/L
Toluene	MW-8N	10/6/2020	1	1	ND	ug/L
Toluene	MW-8N	1/15/2021	1	1	ND	ug/L
Toluene	MW-8N	4/6/2021	1	1	ND	ug/L
Toluene	MW-8N	7/5/2021	1	1	ND	ug/L
Toluene	MW-8N	10/6/2021	1	1	ND	ug/L
Toluene	MW-8N	1/18/2022	1	1	ND	ug/L
Toluene	MW-8N	4/4/2022	1	1	ND	ug/L
Toluene	MW-8N	7/12/2022	1	1	ND	ug/L
Toluene	MW-8N	10/6/2022	1	1	ND	ug/L
Toluene	MW-8N	1/11/2023	1	1	ND	ug/L
Toluene	MW-8N	4/8/2023	1	1	ND	ug/L
Toluene	MW-8N	7/7/2023	1	1	ND	ug/L
Toluene	MW-8N	10/5/2023	1	1	ND	ug/L
Toluene	NE-1	7/10/2002	1	1	ND	ug/L
Toluene	NE-1	8/6/2002	1	1	ND	ug/L
Toluene	NE-1	9/4/2002	1	1	ND	ug/L
Toluene	NE-1	10/2/2002	1	1	ND	ug/L
Toluene	NE-1	7/8/2003	1	1	ND	ug/L
Toluene	NE-1	1/27/2004	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-1	1/12/2005	1	1	ND	ug/L
Toluene	NE-1	7/19/2006	1	1	ND	ug/L
Toluene	NE-1	7/19/2006	1	1	ND	ug/L
Toluene	NE-1	10/25/2006	1	1	ND	ug/L
Toluene	NE-1	1/24/2007	1	1	ND	ug/L
Toluene	NE-1	7/10/2007	1	1	ND	ug/L
Toluene	NE-1	1/24/2008	1	1	ND	ug/L
Toluene	NE-1	7/21/2008	1	1	ND	ug/L
Toluene	NE-1	2/7/2009	1	1	ND	ug/L
Toluene	NE-1	7/31/2009	1	1	ND	ug/L
Toluene	NE-1	1/26/2010	1	1	ND	ug/L
Toluene	NE-1	7/14/2010	1	1	ND	ug/L
Toluene	NE-1	9/2/2010	1	1	ND	ug/L
Toluene	NE-1	1/19/2011	1	1	ND	ug/L
Toluene	NE-1	7/13/2011	1	1	ND	ug/L
Toluene	NE-1	1/5/2012	1	1	ND	ug/L
Toluene	NE-1	7/10/2012	1	1	ND	ug/L
Toluene	NE-1	4/30/2013	1	1	ND	ug/L
Toluene	NE-1	7/16/2013	1	1	ND	ug/L
Toluene	NE-1	1/23/2014	1	1	ND	ug/L
Toluene	NE-1	7/9/2014	1	1	ND	ug/L
Toluene	NE-1	2/11/2015	1	1	ND	ug/L
Toluene	NE-1	7/8/2015	1	1	ND	ug/L
Toluene	NE-1	1/6/2016	1	1	ND	ug/L
Toluene	NE-1	7/20/2016	1	1	ND	ug/L
Toluene	NE-1	1/11/2017	1	1	ND	ug/L
Toluene	NE-1	7/19/2017	1	1	ND	ug/L
Toluene	NE-1	1/24/2018	1	1	ND	ug/L
Toluene	NE-1	4/11/2018	1	1	ND	ug/L
Toluene	NE-1	7/18/2018	1	1	ND	ug/L
Toluene	NE-1	10/2/2018	1	1	ND	ug/L
Toluene	NE-1	1/4/2019	1	1	ND	ug/L
Toluene	NE-1	4/2/2019	1	1	ND	ug/L
Toluene	NE-1	7/10/2019	1	1	ND	ug/L
Toluene	NE-1	7/10/2019	1	1	ND	ug/L
Toluene	NE-1	10/2/2019	1	1	ND	ug/L
Toluene	NE-1	1/15/2020	1	1	ND	ug/L
Toluene	NE-1	4/2/2020	1	1	ND	ug/L
Toluene	NE-1	7/8/2020	1	1	ND	ug/L
Toluene	NE-1	10/7/2020	1	1	ND	ug/L
Toluene	NE-1	1/13/2021	1	1	ND	ug/L
Toluene	NE-1	4/9/2021	1	1	ND	ug/L
Toluene	NE-1	7/2/2021	1	1	ND	ug/L
Toluene	NE-1	10/6/2021	1	1	ND	ug/L
Toluene	NE-1	1/17/2022	1	1	ND	ug/L
Toluene	NE-1	4/6/2022	1	1	ND	ug/L
Toluene	NE-1	7/13/2022	1	1	ND	ug/L
Toluene	NE-1	10/6/2022	1	1	ND	ug/L
Toluene	NE-1	1/5/2023	1	1	ND	ug/L
Toluene	NE-1	4/7/2023	1	1	ND	ug/L
Toluene	NE-1	7/5/2023	1	1	ND	ug/L
Toluene	NE-1	10/5/2023	1	1	ND	ug/L
Toluene	NE-10D	11/6/2019	1	1	ND	ug/L
Toluene	NE-10D	1/16/2020	1	1	ND	ug/L
Toluene	NE-10D	4/2/2020	1	1	ND	ug/L
Toluene	NE-10D	7/8/2020	1	1	ND	ug/L
Toluene	NE-10D	10/7/2020	1	1	ND	ug/L
Toluene	NE-10D	1/13/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-10D	4/9/2021	1	1	ND	ug/L
Toluene	NE-10D	7/2/2021	1	1	ND	ug/L
Toluene	NE-10D	10/7/2021	1	1	ND	ug/L
Toluene	NE-10D	1/6/2023	1	1	ND	ug/L
Toluene	NE-10D	4/6/2023	1	1	ND	ug/L
Toluene	NE-10D	7/8/2023	1	1	ND	ug/L
Toluene	NE-10D	10/3/2023	1	1	ND	ug/L
Toluene	NE-11	3/1/2017	1	1	ND	ug/L
Toluene	NE-11	4/6/2017	1	1	ND	ug/L
Toluene	NE-11	7/20/2017	1	1	ND	ug/L
Toluene	NE-11	10/9/2017	1	1	ND	ug/L
Toluene	NE-11	9/30/2019	1	1	ND	ug/L
Toluene	NE-11	1/14/2020	1	1	ND	ug/L
Toluene	NE-11	7/7/2020	1	1	ND	ug/L
Toluene	NE-11	1/16/2021	1	1	ND	ug/L
Toluene	NE-11	1/16/2021	1	1	ND	ug/L
Toluene	NE-11	7/1/2021	1	1	ND	ug/L
Toluene	NE-11	7/1/2021	1	1	ND	ug/L
Toluene	NE-11	1/17/2022	1	1	ND	ug/L
Toluene	NE-11	1/17/2022	1	1	ND	ug/L
Toluene	NE-11	7/12/2022	1	1	ND	ug/L
Toluene	NE-11	1/6/2023	1	1	ND	ug/L
Toluene	NE-11	7/6/2023	1	1	ND	ug/L
Toluene	NE-12	3/1/2017	1	1	ND	ug/L
Toluene	NE-12	4/6/2017	1	1	ND	ug/L
Toluene	NE-12	7/20/2017	1	1	ND	ug/L
Toluene	NE-12	10/6/2017	1	1	ND	ug/L
Toluene	NE-12	8/5/2019	1	1	ND	ug/L
Toluene	NE-12	1/13/2020	1	1	ND	ug/L
Toluene	NE-12	7/7/2020	1	1	ND	ug/L
Toluene	NE-12	1/15/2021	1	1	ND	ug/L
Toluene	NE-12	1/15/2021	1	1	ND	ug/L
Toluene	NE-12	7/1/2021	1	1	ND	ug/L
Toluene	NE-12	7/1/2021	1	1	ND	ug/L
Toluene	NE-12	1/17/2022	1	1	ND	ug/L
Toluene	NE-12	1/17/2022	1	1	ND	ug/L
Toluene	NE-12	7/12/2022	1	1	ND	ug/L
Toluene	NE-12	1/6/2023	1	1	ND	ug/L
Toluene	NE-12	7/5/2023	1	1	ND	ug/L
Toluene	NE-13	2/5/2019	1	1	ND	ug/L
Toluene	NE-13	8/7/2019	1	1	ND	ug/L
Toluene	NE-13	1/15/2020	1	1	ND	ug/L
Toluene	NE-13	7/8/2020	1	1	ND	ug/L
Toluene	NE-13	1/17/2021	1	1	ND	ug/L
Toluene	NE-13	1/17/2021	1	1	ND	ug/L
Toluene	NE-13	7/1/2021	1	1	ND	ug/L
Toluene	NE-13	7/1/2021	1	1	ND	ug/L
Toluene	NE-14D	10/2/2019	1	1	ND	ug/L
Toluene	NE-14D	1/16/2020	1	1	ND	ug/L
Toluene	NE-14D	4/3/2020	1	1	ND	ug/L
Toluene	NE-14D	7/7/2020	1	1	ND	ug/L
Toluene	NE-14D	10/6/2020	1	1	ND	ug/L
Toluene	NE-14D	1/17/2021	1	1	ND	ug/L
Toluene	NE-14D	4/9/2021	1	1	ND	ug/L
Toluene	NE-14D	7/2/2021	1	1	ND	ug/L
Toluene	NE-14D	10/7/2021	1	1	ND	ug/L
Toluene	NE-14D	1/18/2022	1	1	ND	ug/L
Toluene	NE-14D	4/6/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-14D	7/13/2022	1	1	ND	ug/L
Toluene	NE-14D	10/7/2022	1	1	ND	ug/L
Toluene	NE-14D	1/6/2023	1	1	ND	ug/L
Toluene	NE-14D	4/6/2023	1	1	ND	ug/L
Toluene	NE-14D	7/5/2023	1	1	ND	ug/L
Toluene	NE-14D	10/4/2023	1	1	ND	ug/L
Toluene	NE-14S	10/2/2019	1	1	ND	ug/L
Toluene	NE-14S	1/16/2020	1	1	ND	ug/L
Toluene	NE-14S	4/3/2020	1	1	ND	ug/L
Toluene	NE-14S	7/7/2020	1	1	ND	ug/L
Toluene	NE-14S	10/6/2020	1	1	ND	ug/L
Toluene	NE-14S	1/17/2021	1	1	ND	ug/L
Toluene	NE-14S	4/9/2021	1	1	ND	ug/L
Toluene	NE-14S	7/2/2021	1	1	ND	ug/L
Toluene	NE-14S	10/7/2021	1	1	ND	ug/L
Toluene	NE-14S	1/18/2022	1	1	ND	ug/L
Toluene	NE-14S	4/6/2022	1	1	ND	ug/L
Toluene	NE-14S	7/13/2022	1	1	ND	ug/L
Toluene	NE-14S	10/7/2022	1	1	ND	ug/L
Toluene	NE-14S	1/6/2023	1	1	ND	ug/L
Toluene	NE-14S	4/6/2023	1	1	ND	ug/L
Toluene	NE-14S	7/5/2023	1	1	ND	ug/L
Toluene	NE-14S	10/4/2023	1	1	ND	ug/L
Toluene	NE-15D	9/30/2019	1	1	ND	ug/L
Toluene	NE-15D	1/16/2020	1	1	ND	ug/L
Toluene	NE-15D	4/3/2020	1	1	ND	ug/L
Toluene	NE-15D	7/7/2020	1	1	ND	ug/L
Toluene	NE-15D	10/6/2020	1	1	ND	ug/L
Toluene	NE-15D	1/17/2021	1	1	ND	ug/L
Toluene	NE-15D	4/9/2021	1	1	ND	ug/L
Toluene	NE-15D	7/2/2021	1	1	ND	ug/L
Toluene	NE-15D	10/7/2021	1	1	ND	ug/L
Toluene	NE-15D	1/17/2022	1	1	ND	ug/L
Toluene	NE-15D	4/6/2022	1	1	ND	ug/L
Toluene	NE-15D	7/13/2022	1	1	ND	ug/L
Toluene	NE-15D	10/7/2022	1	1	ND	ug/L
Toluene	NE-15D	1/6/2023	1	1	ND	ug/L
Toluene	NE-15D	4/6/2023	1	1	ND	ug/L
Toluene	NE-15D	7/6/2023	1	1	ND	ug/L
Toluene	NE-15D	10/6/2023	1	1	ND	ug/L
Toluene	NE-15S	4/3/2020	1	1	ND	ug/L
Toluene	NE-2	7/9/2002	1	1	ND	ug/L
Toluene	NE-2	8/6/2002	0.25	1		ug/L
Toluene	NE-2	9/4/2002	1	1	ND	ug/L
Toluene	NE-2	10/2/2002	1	1	ND	ug/L
Toluene	NE-2	10/1/2013	1	1	ND	ug/L
Toluene	NE-2	10/8/2014	1	1	ND	ug/L
Toluene	NE-2	10/5/2015	1	1	ND	ug/L
Toluene	NE-2	10/6/2016	1	1	ND	ug/L
Toluene	NE-2	10/5/2017	1	1	ND	ug/L
Toluene	NE-2	1/25/2018	0.4	1	ND	ug/L
Toluene	NE-2	4/10/2018	1	1	ND	ug/L
Toluene	NE-2	7/10/2018	1	1	ND	ug/L
Toluene	NE-2	10/1/2018	1	1	ND	ug/L
Toluene	NE-2	1/4/2019	1	1	ND	ug/L
Toluene	NE-2	4/2/2019	1	1	ND	ug/L
Toluene	NE-2	7/9/2019	1	1	ND	ug/L
Toluene	NE-2	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-2	10/2/2019	1	1	ND	ug/L
Toluene	NE-2	1/14/2020	1	1	ND	ug/L
Toluene	NE-2	4/1/2020	1	1	ND	ug/L
Toluene	NE-2	7/7/2020	1	1	ND	ug/L
Toluene	NE-2	10/6/2020	1	1	ND	ug/L
Toluene	NE-2	1/14/2021	1	1	ND	ug/L
Toluene	NE-2	4/9/2021	1	1	ND	ug/L
Toluene	NE-2	7/2/2021	1	1	ND	ug/L
Toluene	NE-2	10/6/2021	1	1	ND	ug/L
Toluene	NE-2	1/18/2022	1	1	ND	ug/L
Toluene	NE-2	4/6/2022	1	1	ND	ug/L
Toluene	NE-2	7/13/2022	1	1	ND	ug/L
Toluene	NE-2	10/7/2022	1	1	ND	ug/L
Toluene	NE-2	1/5/2023	1	1	ND	ug/L
Toluene	NE-2	4/5/2023	1	1	ND	ug/L
Toluene	NE-2	7/5/2023	1	1	ND	ug/L
Toluene	NE-2	10/4/2023	1	1	ND	ug/L
Toluene	NE-4	7/10/2002	0.39	1		ug/L
Toluene	NE-4	8/6/2002	1	1	ND	ug/L
Toluene	NE-4	9/4/2002	1	1	ND	ug/L
Toluene	NE-4	10/3/2002	1	1	ND	ug/L
Toluene	NE-4	4/15/2003	1	1	ND	ug/L
Toluene	NE-4	7/8/2003	1	1	ND	ug/L
Toluene	NE-4	1/28/2004	1	1	ND	ug/L
Toluene	NE-4	1/13/2005	1	1	ND	ug/L
Toluene	NE-4	8/1/2006	1	1	ND	ug/L
Toluene	NE-4	8/1/2006	1	1	ND	ug/L
Toluene	NE-4	10/25/2006	1	1	ND	ug/L
Toluene	NE-4	1/24/2007	1	1	ND	ug/L
Toluene	NE-4	7/12/2007	1	1	ND	ug/L
Toluene	NE-4	1/24/2008	1	1	ND	ug/L
Toluene	NE-4	7/21/2008	1	1	ND	ug/L
Toluene	NE-4	2/7/2009	1	1	ND	ug/L
Toluene	NE-4	7/31/2009	1	1	ND	ug/L
Toluene	NE-4	1/26/2010	1	1	ND	ug/L
Toluene	NE-4	7/14/2010	1	1	ND	ug/L
Toluene	NE-4	1/19/2011	1	1	ND	ug/L
Toluene	NE-4	7/13/2011	1	1	ND	ug/L
Toluene	NE-4	1/5/2012	1	1	ND	ug/L
Toluene	NE-4	7/10/2012	1	1	ND	ug/L
Toluene	NE-4	4/30/2013	1	1	ND	ug/L
Toluene	NE-4	7/16/2013	1	1	ND	ug/L
Toluene	NE-4	1/23/2014	1	1	ND	ug/L
Toluene	NE-4	7/9/2014	1	1	ND	ug/L
Toluene	NE-4	2/13/2015	1	1	ND	ug/L
Toluene	NE-4	7/8/2015	1	1	ND	ug/L
Toluene	NE-4	1/6/2016	1	1	ND	ug/L
Toluene	NE-4	7/20/2016	1	1	ND	ug/L
Toluene	NE-4	1/11/2017	1	1	ND	ug/L
Toluene	NE-4	7/19/2017	1	1	ND	ug/L
Toluene	NE-4	1/26/2018	1	1	ND	ug/L
Toluene	NE-4	4/10/2018	1	1	ND	ug/L
Toluene	NE-4	7/12/2018	1	1	ND	ug/L
Toluene	NE-4	10/3/2018	1	1	ND	ug/L
Toluene	NE-4	1/7/2019	1	1	ND	ug/L
Toluene	NE-4	4/2/2019	1	1	ND	ug/L
Toluene	NE-4	7/8/2019	1	1	ND	ug/L
Toluene	NE-4	7/8/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-4	10/1/2019	1	1	ND	ug/L
Toluene	NE-4	1/13/2020	1	1	ND	ug/L
Toluene	NE-4	4/1/2020	1	1	ND	ug/L
Toluene	NE-4	7/6/2020	1	1	ND	ug/L
Toluene	NE-4	10/5/2020	1	1	ND	ug/L
Toluene	NE-4	1/15/2021	1	1	ND	ug/L
Toluene	NE-4	4/9/2021	1	1	ND	ug/L
Toluene	NE-4	7/2/2021	1	1	ND	ug/L
Toluene	NE-4	10/6/2021	1	1	ND	ug/L
Toluene	NE-4	1/5/2023	1	1	ND	ug/L
Toluene	NE-4	4/6/2023	1	1	ND	ug/L
Toluene	NE-4	7/5/2023	1	1	ND	ug/L
Toluene	NE-4	10/4/2023	1	1	ND	ug/L
Toluene	NE-5	7/9/2002	1	1	ND	ug/L
Toluene	NE-5	8/6/2002	1	1	ND	ug/L
Toluene	NE-5	9/4/2002	1	1	ND	ug/L
Toluene	NE-5	10/2/2002	1	1	ND	ug/L
Toluene	NE-5	4/15/2003	1	1	ND	ug/L
Toluene	NE-5	7/8/2003	1	1	ND	ug/L
Toluene	NE-5	1/27/2004	1	1	ND	ug/L
Toluene	NE-5	1/12/2005	1	1	ND	ug/L
Toluene	NE-5	7/19/2006	1	1	ND	ug/L
Toluene	NE-5	7/19/2006	1	1	ND	ug/L
Toluene	NE-5	10/25/2006	1	1	ND	ug/L
Toluene	NE-5	1/24/2007	1	1	ND	ug/L
Toluene	NE-5	7/12/2007	1	1	ND	ug/L
Toluene	NE-5	7/22/2008	1	1	ND	ug/L
Toluene	NE-5	2/6/2009	1	1	ND	ug/L
Toluene	NE-5	7/31/2009	1	1	ND	ug/L
Toluene	NE-5	1/26/2010	1	1	ND	ug/L
Toluene	NE-5	7/16/2010	1	1	ND	ug/L
Toluene	NE-5	9/2/2010	1	1	ND	ug/L
Toluene	NE-5	1/19/2011	1	1	ND	ug/L
Toluene	NE-5	7/13/2011	1	1	ND	ug/L
Toluene	NE-5	1/5/2012	1	1	ND	ug/L
Toluene	NE-5	7/10/2012	1	1	ND	ug/L
Toluene	NE-5	4/30/2013	1	1	ND	ug/L
Toluene	NE-5	7/16/2013	1	1	ND	ug/L
Toluene	NE-5	1/23/2014	1	1	ND	ug/L
Toluene	NE-5	7/9/2014	1	1	ND	ug/L
Toluene	NE-5	2/11/2015	1	1	ND	ug/L
Toluene	NE-5	7/14/2015	1	1	ND	ug/L
Toluene	NE-5	1/6/2016	1	1	ND	ug/L
Toluene	NE-5	7/20/2016	1	1	ND	ug/L
Toluene	NE-5	1/11/2017	1	1	ND	ug/L
Toluene	NE-5	7/19/2017	1	1	ND	ug/L
Toluene	NE-5	1/25/2018	1	1	ND	ug/L
Toluene	NE-5	4/10/2018	1	1	ND	ug/L
Toluene	NE-5	7/17/2018	1	1	ND	ug/L
Toluene	NE-5	10/3/2018	1	1	ND	ug/L
Toluene	NE-5	1/4/2019	1	1	ND	ug/L
Toluene	NE-5	4/2/2019	1	1	ND	ug/L
Toluene	NE-5	4/2/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	7/9/2019	1	1	ND	ug/L
Toluene	NE-5	10/3/2019	1	1	ND	ug/L
Toluene	NE-5	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-5	4/2/2020	1	1	ND	ug/L
Toluene	NE-5	7/8/2020	1	1	ND	ug/L
Toluene	NE-5	10/6/2020	1	1	ND	ug/L
Toluene	NE-5	1/15/2021	1	1	ND	ug/L
Toluene	NE-5	4/9/2021	1	1	ND	ug/L
Toluene	NE-5	7/2/2021	1	1	ND	ug/L
Toluene	NE-5	10/6/2021	1	1	ND	ug/L
Toluene	NE-5	1/18/2022	1	1	ND	ug/L
Toluene	NE-5	4/6/2022	1	1	ND	ug/L
Toluene	NE-5	7/13/2022	1	1	ND	ug/L
Toluene	NE-5	10/7/2022	1	1	ND	ug/L
Toluene	NE-5	1/5/2023	1	1	ND	ug/L
Toluene	NE-5	4/7/2023	1	1	ND	ug/L
Toluene	NE-5	7/6/2023	1	1	ND	ug/L
Toluene	NE-5	10/4/2023	1	1	ND	ug/L
Toluene	NE-5E	9/30/2019	1	1	ND	ug/L
Toluene	NE-5E	1/16/2020	1	1	ND	ug/L
Toluene	NE-5E	4/1/2020	1	1	ND	ug/L
Toluene	NE-5E	7/8/2020	1	1	ND	ug/L
Toluene	NE-5E	10/6/2020	1	1	ND	ug/L
Toluene	NE-5E	1/15/2021	1	1	ND	ug/L
Toluene	NE-5E	4/9/2021	1	1	ND	ug/L
Toluene	NE-5E	7/2/2021	1	1	ND	ug/L
Toluene	NE-5E	10/6/2021	1	1	ND	ug/L
Toluene	NE-5E	1/18/2022	1	1	ND	ug/L
Toluene	NE-5E	4/6/2022	1	1	ND	ug/L
Toluene	NE-5E	7/13/2022	1	1	ND	ug/L
Toluene	NE-5E	10/7/2022	1	1	ND	ug/L
Toluene	NE-5E	1/5/2023	1	1	ND	ug/L
Toluene	NE-5E	4/7/2023	1	1	ND	ug/L
Toluene	NE-5E	7/6/2023	1	1	ND	ug/L
Toluene	NE-5E	10/4/2023	1	1	ND	ug/L
Toluene	NE-5W	9/30/2019	1	1	ND	ug/L
Toluene	NE-5W	1/16/2020	1	1	ND	ug/L
Toluene	NE-5W	4/2/2020	1	1	ND	ug/L
Toluene	NE-5W	7/8/2020	1	1	ND	ug/L
Toluene	NE-5W	10/6/2020	1	1	ND	ug/L
Toluene	NE-5W	1/15/2021	1	1	ND	ug/L
Toluene	NE-5W	4/9/2021	1	1	ND	ug/L
Toluene	NE-5W	7/2/2021	1	1	ND	ug/L
Toluene	NE-5W	10/6/2021	1	1	ND	ug/L
Toluene	NE-5W	1/18/2022	1	1	ND	ug/L
Toluene	NE-5W	4/6/2022	1	1	ND	ug/L
Toluene	NE-5W	7/13/2022	1	1	ND	ug/L
Toluene	NE-5W	10/7/2022	1	1	ND	ug/L
Toluene	NE-5W	1/5/2023	1	1	ND	ug/L
Toluene	NE-5W	4/7/2023	1	1	ND	ug/L
Toluene	NE-5W	7/6/2023	1	1	ND	ug/L
Toluene	NE-5W	10/4/2023	1	1	ND	ug/L
Toluene	NE-6	1/12/2017	1	1	ND	ug/L
Toluene	NE-6	4/5/2017	1	1	ND	ug/L
Toluene	NE-6	7/19/2017	1	1	ND	ug/L
Toluene	NE-6	10/6/2017	1	1	ND	ug/L
Toluene	NE-6	2/4/2019	1	1	ND	ug/L
Toluene	NE-6	8/6/2019	1	1	ND	ug/L
Toluene	NE-6	1/15/2020	1	1	ND	ug/L
Toluene	NE-6	7/9/2020	1	1	ND	ug/L
Toluene	NE-6	1/16/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-6	1/16/2021	1	1	ND	ug/L
Toluene	NE-6	7/1/2021	1	1	ND	ug/L
Toluene	NE-6	7/1/2021	1	1	ND	ug/L
Toluene	NE-6	1/17/2022	1	1	ND	ug/L
Toluene	NE-6	1/17/2022	1	1	ND	ug/L
Toluene	NE-6	7/12/2022	1	1	ND	ug/L
Toluene	NE-6	1/5/2023	1	1	ND	ug/L
Toluene	NE-6	7/6/2023	1	1	ND	ug/L
Toluene	NE-6D	10/2/2019	1	1	ND	ug/L
Toluene	NE-6D	1/15/2020	1	1	ND	ug/L
Toluene	NE-6D	4/2/2020	1	1	ND	ug/L
Toluene	NE-6D	7/9/2020	1	1	ND	ug/L
Toluene	NE-6D	10/7/2020	1	1	ND	ug/L
Toluene	NE-6D	1/15/2021	1	1	ND	ug/L
Toluene	NE-6D	4/9/2021	1	1	ND	ug/L
Toluene	NE-6D	7/2/2021	1	1	ND	ug/L
Toluene	NE-6D	10/7/2021	1	1	ND	ug/L
Toluene	NE-6D	1/17/2022	1	1	ND	ug/L
Toluene	NE-6D	4/6/2022	1	1	ND	ug/L
Toluene	NE-6D	7/12/2022	1	1	ND	ug/L
Toluene	NE-6D	10/7/2022	1	1	ND	ug/L
Toluene	NE-6D	1/5/2023	1	1	ND	ug/L
Toluene	NE-6D	4/7/2023	1	1	ND	ug/L
Toluene	NE-6D	7/6/2023	1	1	ND	ug/L
Toluene	NE-6D	10/4/2023	1	1	ND	ug/L
Toluene	NE-7	3/1/2017	1	1	ND	ug/L
Toluene	NE-7	4/6/2017	1	1	ND	ug/L
Toluene	NE-7	7/20/2017	1	1	ND	ug/L
Toluene	NE-7	10/5/2017	1	1	ND	ug/L
Toluene	NE-7	2/6/2019	1	1	ND	ug/L
Toluene	NE-7	8/6/2019	1	1	ND	ug/L
Toluene	NE-7	1/16/2020	1	1	ND	ug/L
Toluene	NE-7	7/7/2020	1	1	ND	ug/L
Toluene	NE-7	1/16/2021	1	1	ND	ug/L
Toluene	NE-7	1/16/2021	1	1	ND	ug/L
Toluene	NE-7	7/1/2021	1	1	ND	ug/L
Toluene	NE-7	7/1/2021	1	1	ND	ug/L
Toluene	NE-7	1/17/2022	1	1	ND	ug/L
Toluene	NE-7	1/17/2022	1	1	ND	ug/L
Toluene	NE-7	7/12/2022	1	1	ND	ug/L
Toluene	NE-7	1/5/2023	1	1	ND	ug/L
Toluene	NE-7	7/6/2023	1	1	ND	ug/L
Toluene	NE-8	1/12/2017	1	1	ND	ug/L
Toluene	NE-8	4/5/2017	1	1	ND	ug/L
Toluene	NE-8	7/20/2017	1	1	ND	ug/L
Toluene	NE-8	10/6/2017	1	1	ND	ug/L
Toluene	NE-8	2/4/2019	1	1	ND	ug/L
Toluene	NE-8	8/5/2019	1	1	ND	ug/L
Toluene	NE-8	1/15/2020	1	1	ND	ug/L
Toluene	NE-8	7/8/2020	1	1	ND	ug/L
Toluene	NE-8	1/13/2021	1	1	ND	ug/L
Toluene	NE-8	1/13/2021	1	1	ND	ug/L
Toluene	NE-8	4/9/2021	1	1	ND	ug/L
Toluene	NE-8	7/1/2021	1	1	ND	ug/L
Toluene	NE-8	7/1/2021	1	1	ND	ug/L
Toluene	NE-8	7/1/2021	1	1	ND	ug/L
Toluene	NE-8	10/7/2021	1	1	ND	ug/L
Toluene	NE-8	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toluene	NE-8	7/5/2023	1	1	ND	ug/L
Toluene	NE-9	1/12/2017	1	1	ND	ug/L
Toluene	NE-9	4/5/2017	1	1	ND	ug/L
Toluene	NE-9	7/20/2017	1	1	ND	ug/L
Toluene	NE-9	10/5/2017	1	1	ND	ug/L
Toluene	NE-9	2/5/2019	1	1	ND	ug/L
Toluene	NE-9	8/7/2019	1	1	ND	ug/L
Toluene	NE-9	1/15/2020	1	1	ND	ug/L
Toluene	NE-9	7/7/2020	1	1	ND	ug/L
Toluene	NE-9	1/17/2021	1	1	ND	ug/L
Toluene	NE-9	1/17/2021	1	1	ND	ug/L
Toluene	NE-9	7/1/2021	1	1	ND	ug/L
Toluene	NE-9	7/1/2021	1	1	ND	ug/L
Toluene	NE-9	1/17/2022	1	1	ND	ug/L
Toluene	NE-9	1/17/2022	1	1	ND	ug/L
Toluene	NE-9	7/13/2022	1	1	ND	ug/L
Toluene	NE-9	1/6/2023	1	1	ND	ug/L
Toluene	NE-9	4/8/2023	1	1	ND	ug/L
Toluene	NE-9	7/5/2023	1	1	ND	ug/L
Toluene	NE-9	10/6/2023	1	1	ND	ug/L
Total Alkalinity	LGW-10	7/9/2020	515	10		mg/L
Total Alkalinity	LGW-10	1/17/2021	334	10		mg/L
Total Alkalinity	LGW-10	7/7/2021	506	10		mg/L
Total Alkalinity	LGW-10	7/7/2021	506	10		mg/L
Total Alkalinity	LGW-10	1/13/2022	461	10		mg/L
Total Alkalinity	LGW-10	7/11/2022	451	10		mg/L
Total Alkalinity	LGW-10	1/11/2023	478	10		mg/L
Total Alkalinity	LGW-10	7/10/2023	429	10		mg/L
Total Alkalinity	LGW-14R	7/9/2020	223	10		mg/L
Total Alkalinity	LGW-14R	1/18/2021	216	10		mg/L
Total Alkalinity	LGW-14R	1/18/2021	216	10		mg/L
Total Alkalinity	LGW-14R	7/7/2021	245	10		mg/L
Total Alkalinity	LGW-14R	7/7/2021	241	10		mg/L
Total Alkalinity	LGW-14R	1/12/2022	248	10		mg/L
Total Alkalinity	LGW-14R	7/11/2022	218	10		mg/L
Total Alkalinity	LGW-14R	1/10/2023	278	10		mg/L
Total Alkalinity	LGW-14R	7/10/2023	272	10		mg/L
Total Alkalinity	LGW-2	7/8/2020	296	10		mg/L
Total Alkalinity	LGW-2	1/18/2021	309	10		mg/L
Total Alkalinity	LGW-2	1/18/2021	309	10		mg/L
Total Alkalinity	LGW-2	7/4/2021	315	10		mg/L
Total Alkalinity	LGW-2	7/4/2021	329	10		mg/L
Total Alkalinity	LGW-2	1/12/2022	306	10		mg/L
Total Alkalinity	LGW-2	7/10/2022	299	10		mg/L
Total Alkalinity	LGW-2	1/10/2023	301	10		mg/L
Total Alkalinity	LGW-2	7/10/2023	286	10		mg/L
Total Alkalinity	LGW-3R	7/6/2020	235	10		mg/L
Total Alkalinity	LGW-3R	1/18/2021	174	10		mg/L
Total Alkalinity	LGW-3R	1/18/2021	174	10		mg/L
Total Alkalinity	LGW-3R	7/6/2021	92.1	10		mg/L
Total Alkalinity	LGW-3R	7/6/2021	77.5	10		mg/L
Total Alkalinity	LGW-3R	1/12/2022	66.9	10		mg/L
Total Alkalinity	LGW-3R	7/10/2022	92.7	10		mg/L
Total Alkalinity	LGW-3R	1/10/2023	37.7	10		mg/L
Total Alkalinity	LGW-3R	7/10/2023	24.8	10		mg/L
Total Alkalinity	LGW-4	7/6/2020	189	10		mg/L
Total Alkalinity	LGW-4	1/18/2021	299	10		mg/L
Total Alkalinity	LGW-4	1/18/2021	299	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	LGW-4	7/7/2021	310	10		mg/L
Total Alkalinity	LGW-4	7/7/2021	314	10		mg/L
Total Alkalinity	LGW-4	1/12/2022	246	10		mg/L
Total Alkalinity	LGW-4	7/11/2022	246	10		mg/L
Total Alkalinity	LGW-4	1/10/2023	362	10		mg/L
Total Alkalinity	LGW-4	7/10/2023	340	10		mg/L
Total Alkalinity	LGW-5	7/6/2020	329	10		mg/L
Total Alkalinity	LGW-5	1/18/2021	332	10		mg/L
Total Alkalinity	LGW-5	1/18/2021	332	10		mg/L
Total Alkalinity	LGW-5	7/7/2021	350	10		mg/L
Total Alkalinity	LGW-5	7/7/2021	362	10		mg/L
Total Alkalinity	LGW-5	1/12/2022	339	10		mg/L
Total Alkalinity	LGW-5	7/11/2022	313	10		mg/L
Total Alkalinity	LGW-5	1/10/2023	338	10		mg/L
Total Alkalinity	LGW-5	7/10/2023	321	10		mg/L
Total Alkalinity	LGW-6	7/9/2020	367	10		mg/L
Total Alkalinity	LGW-6	1/18/2021	372	10		mg/L
Total Alkalinity	LGW-6	7/7/2021	386	10		mg/L
Total Alkalinity	LGW-6	7/7/2021	396	10		mg/L
Total Alkalinity	LGW-6	1/12/2022	380	10		mg/L
Total Alkalinity	LGW-6	7/11/2022	357	10		mg/L
Total Alkalinity	LGW-6	1/10/2023	367	10		mg/L
Total Alkalinity	LGW-6	7/10/2023	347	10		mg/L
Total Alkalinity	LGW-7	7/9/2020	270	10		mg/L
Total Alkalinity	LGW-7	1/18/2021	228	10		mg/L
Total Alkalinity	LGW-7	7/7/2021	284	10		mg/L
Total Alkalinity	LGW-7	7/7/2021	270	10		mg/L
Total Alkalinity	LGW-7	1/13/2022	256	10		mg/L
Total Alkalinity	LGW-7	7/11/2022	291	10		mg/L
Total Alkalinity	LGW-7	1/11/2023	274	10		mg/L
Total Alkalinity	LGW-7	7/10/2023	299	10		mg/L
Total Alkalinity	LGW-8R	7/7/2020	289	10		mg/L
Total Alkalinity	LGW-8R	1/17/2021	310	10		mg/L
Total Alkalinity	LGW-8R	7/7/2021	330	10		mg/L
Total Alkalinity	LGW-8R	7/7/2021	343	10		mg/L
Total Alkalinity	LGW-8R	1/13/2022	334	10		mg/L
Total Alkalinity	LGW-8R	7/11/2022	333	10		mg/L
Total Alkalinity	LGW-8R	1/11/2023	354	10		mg/L
Total Alkalinity	LGW-8R	7/10/2023	346	10		mg/L
Total Alkalinity	LGW-9	7/9/2020	295	10		mg/L
Total Alkalinity	LGW-9	1/17/2021	483	10		mg/L
Total Alkalinity	LGW-9	7/7/2021	379	10		mg/L
Total Alkalinity	LGW-9	7/7/2021	370	10		mg/L
Total Alkalinity	LGW-9	1/13/2022	316	10		mg/L
Total Alkalinity	LGW-9	7/11/2022	330	10		mg/L
Total Alkalinity	LGW-9	1/11/2023	327	10		mg/L
Total Alkalinity	LGW-9	7/10/2023	341	10		mg/L
Total Alkalinity	MW-10N	7/8/2020	247	10		mg/L
Total Alkalinity	MW-10N	1/13/2021	236	10		mg/L
Total Alkalinity	MW-10N	7/5/2021	257	10		mg/L
Total Alkalinity	MW-10N	7/5/2021	258	10		mg/L
Total Alkalinity	MW-10N	1/11/2023	250	10		mg/L
Total Alkalinity	MW-10N	7/7/2023	241	10		mg/L
Total Alkalinity	MW-11N	7/6/2020	186	10		mg/L
Total Alkalinity	MW-11N	1/18/2021	174	10		mg/L
Total Alkalinity	MW-11N	1/18/2021	174	10		mg/L
Total Alkalinity	MW-11N	7/6/2021	192	10		mg/L
Total Alkalinity	MW-11N	7/6/2021	192	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	MW-11N	1/18/2022	188	10		mg/L
Total Alkalinity	MW-11N	7/13/2022	190	10		mg/L
Total Alkalinity	MW-11N	1/10/2023	184	10		mg/L
Total Alkalinity	MW-11N	7/8/2023	177	10		mg/L
Total Alkalinity	MW-15	7/7/2020	205	10		mg/L
Total Alkalinity	MW-15	1/18/2021	159	10		mg/L
Total Alkalinity	MW-15	1/18/2021	159	10		mg/L
Total Alkalinity	MW-15	7/4/2021	147	10		mg/L
Total Alkalinity	MW-15	7/4/2021	150	10		mg/L
Total Alkalinity	MW-15	1/12/2022	187	10		mg/L
Total Alkalinity	MW-15	7/10/2022	153	10		mg/L
Total Alkalinity	MW-15	1/10/2023	206	10		mg/L
Total Alkalinity	MW-15	7/10/2023	194	10		mg/L
Total Alkalinity	MW-16	7/7/2020	173	10		mg/L
Total Alkalinity	MW-16	1/18/2021	167	10		mg/L
Total Alkalinity	MW-16	1/18/2021	167	10		mg/L
Total Alkalinity	MW-16	7/4/2021	188	10		mg/L
Total Alkalinity	MW-16	7/4/2021	185	10		mg/L
Total Alkalinity	MW-16	1/12/2022	169	10		mg/L
Total Alkalinity	MW-16	7/10/2022	176	10		mg/L
Total Alkalinity	MW-16	1/10/2023	173	10		mg/L
Total Alkalinity	MW-16	7/10/2023	170	10		mg/L
Total Alkalinity	MW-17	7/6/2020	216	10		mg/L
Total Alkalinity	MW-17	1/14/2021	137	10		mg/L
Total Alkalinity	MW-17	7/4/2021	155	10		mg/L
Total Alkalinity	MW-17	7/4/2021	163	10		mg/L
Total Alkalinity	MW-17	1/10/2023	143	10		mg/L
Total Alkalinity	MW-17	7/8/2023	102	10		mg/L
Total Alkalinity	MW-19	7/6/2020	184	10		mg/L
Total Alkalinity	MW-19	1/14/2021	146	10		mg/L
Total Alkalinity	MW-19	7/4/2021	152	10		mg/L
Total Alkalinity	MW-19	7/4/2021	148	10		mg/L
Total Alkalinity	MW-19	1/11/2023	101	10		mg/L
Total Alkalinity	MW-19	7/10/2023	92.4	10		mg/L
Total Alkalinity	MW-1N	7/6/2020	207	10		mg/L
Total Alkalinity	MW-1N	1/14/2021	192	10		mg/L
Total Alkalinity	MW-1N	7/4/2021	207	10		mg/L
Total Alkalinity	MW-1N	7/4/2021	211	10		mg/L
Total Alkalinity	MW-1N	1/11/2023	204	10		mg/L
Total Alkalinity	MW-1N	7/8/2023	193	10		mg/L
Total Alkalinity	MW-20	7/7/2020	271	10		mg/L
Total Alkalinity	MW-20	1/17/2021	403	10		mg/L
Total Alkalinity	MW-20	7/4/2021	334	10		mg/L
Total Alkalinity	MW-20	7/4/2021	322	10		mg/L
Total Alkalinity	MW-20	1/11/2023	247	10		mg/L
Total Alkalinity	MW-21	7/8/2020	119	10		mg/L
Total Alkalinity	MW-21	1/13/2021	130	10		mg/L
Total Alkalinity	MW-21	7/5/2021	105	10		mg/L
Total Alkalinity	MW-21	7/5/2021	100	10		mg/L
Total Alkalinity	MW-21	1/11/2023	86.1	10		mg/L
Total Alkalinity	MW-21	7/7/2023	83.1	10		mg/L
Total Alkalinity	MW-2N	7/7/2020	10	10	ND	mg/L
Total Alkalinity	MW-2N	1/14/2021	212	10		mg/L
Total Alkalinity	MW-2N	7/5/2021	226	10		mg/L
Total Alkalinity	MW-2N	7/5/2021	232	10		mg/L
Total Alkalinity	MW-2N	1/11/2023	240	10		mg/L
Total Alkalinity	MW-2N	7/8/2023	240	10		mg/L
Total Alkalinity	MW-3N	7/7/2020	284	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	MW-3N	1/13/2021	326	10		mg/L
Total Alkalinity	MW-3N	7/5/2021	306	10		mg/L
Total Alkalinity	MW-3N	7/5/2021	298	10		mg/L
Total Alkalinity	MW-3N	1/11/2023	291	10		mg/L
Total Alkalinity	MW-3N	7/7/2023	270	10		mg/L
Total Alkalinity	MW-7N	7/7/2020	176	10		mg/L
Total Alkalinity	MW-7N	1/16/2021	195	10		mg/L
Total Alkalinity	MW-7N	7/5/2021	209	10		mg/L
Total Alkalinity	MW-7N	7/5/2021	203	10		mg/L
Total Alkalinity	MW-7N	1/12/2022	195	10		mg/L
Total Alkalinity	MW-7N	7/10/2022	200	10		mg/L
Total Alkalinity	MW-7N	1/10/2023	207	10		mg/L
Total Alkalinity	MW-7N	7/7/2023	192	10		mg/L
Total Alkalinity	MW-8N	7/9/2020	188	10		mg/L
Total Alkalinity	MW-8N	1/15/2021	174	10		mg/L
Total Alkalinity	MW-8N	7/5/2021	188	10		mg/L
Total Alkalinity	MW-8N	7/5/2021	185	10		mg/L
Total Alkalinity	MW-8N	1/18/2022	189	10		mg/L
Total Alkalinity	MW-8N	7/12/2022	173	10		mg/L
Total Alkalinity	MW-8N	1/11/2023	177	10		mg/L
Total Alkalinity	MW-8N	7/7/2023	169	10		mg/L
Total Alkalinity	NE-1	7/8/2020	204	10		mg/L
Total Alkalinity	NE-1	1/13/2021	208	10		mg/L
Total Alkalinity	NE-1	7/2/2021	196	10		mg/L
Total Alkalinity	NE-1	1/17/2022	203	10		mg/L
Total Alkalinity	NE-1	7/13/2022	154	10		mg/L
Total Alkalinity	NE-1	1/5/2023	186	10		mg/L
Total Alkalinity	NE-1	7/5/2023	187	10		mg/L
Total Alkalinity	NE-10D	7/8/2020	124	10		mg/L
Total Alkalinity	NE-10D	1/13/2021	110	10		mg/L
Total Alkalinity	NE-10D	7/2/2021	122	10		mg/L
Total Alkalinity	NE-10D	1/6/2023	109	10		mg/L
Total Alkalinity	NE-10D	7/8/2023	102	10		mg/L
Total Alkalinity	NE-11	7/7/2020	229	10		mg/L
Total Alkalinity	NE-11	1/16/2021	231	10		mg/L
Total Alkalinity	NE-11	1/16/2021	231	10		mg/L
Total Alkalinity	NE-11	7/1/2021	229	10		mg/L
Total Alkalinity	NE-11	7/1/2021	229	10		mg/L
Total Alkalinity	NE-11	7/1/2021	231	10		mg/L
Total Alkalinity	NE-11	1/17/2022	229	10		mg/L
Total Alkalinity	NE-11	1/17/2022	227	10		mg/L
Total Alkalinity	NE-11	7/12/2022	210	10		mg/L
Total Alkalinity	NE-11	1/6/2023	238	10		mg/L
Total Alkalinity	NE-11	7/6/2023	239	10		mg/L
Total Alkalinity	NE-12	7/7/2020	218	10		mg/L
Total Alkalinity	NE-12	1/15/2021	167	10		mg/L
Total Alkalinity	NE-12	1/15/2021	167	10		mg/L
Total Alkalinity	NE-12	7/1/2021	213	10		mg/L
Total Alkalinity	NE-12	7/1/2021	242	10		mg/L
Total Alkalinity	NE-12	7/1/2021	213	10		mg/L
Total Alkalinity	NE-12	1/17/2022	196	10		mg/L
Total Alkalinity	NE-12	1/17/2022	208	10		mg/L
Total Alkalinity	NE-12	7/12/2022	214	10		mg/L
Total Alkalinity	NE-12	1/6/2023	230	10		mg/L
Total Alkalinity	NE-12	7/5/2023	213	10		mg/L
Total Alkalinity	NE-13	7/8/2020	32.8	10		mg/L
Total Alkalinity	NE-13	1/17/2021	40.8	10		mg/L
Total Alkalinity	NE-13	1/17/2021	34	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	NE-13	7/1/2021	151	10		mg/L
Total Alkalinity	NE-13	7/1/2021	151	10		mg/L
Total Alkalinity	NE-13	7/1/2021	141	10		mg/L
Total Alkalinity	NE-14D	7/7/2020	245	10		mg/L
Total Alkalinity	NE-14D	1/17/2021	251	10		mg/L
Total Alkalinity	NE-14D	7/2/2021	280	10		mg/L
Total Alkalinity	NE-14D	1/18/2022	271	10		mg/L
Total Alkalinity	NE-14D	7/13/2022	276	10		mg/L
Total Alkalinity	NE-14D	1/6/2023	301	10		mg/L
Total Alkalinity	NE-14D	7/5/2023	316	10		mg/L
Total Alkalinity	NE-14S	7/7/2020	162	10		mg/L
Total Alkalinity	NE-14S	1/17/2021	197	10		mg/L
Total Alkalinity	NE-14S	7/2/2021	187	10		mg/L
Total Alkalinity	NE-14S	1/18/2022	233	10		mg/L
Total Alkalinity	NE-14S	7/13/2022	191	10		mg/L
Total Alkalinity	NE-14S	1/6/2023	259	10		mg/L
Total Alkalinity	NE-14S	7/5/2023	265	10		mg/L
Total Alkalinity	NE-15D	7/7/2020	274	10		mg/L
Total Alkalinity	NE-15D	1/17/2021	267	10		mg/L
Total Alkalinity	NE-15D	7/2/2021	296	10		mg/L
Total Alkalinity	NE-15D	1/17/2022	285	10		mg/L
Total Alkalinity	NE-15D	7/13/2022	283	10		mg/L
Total Alkalinity	NE-15D	1/6/2023	296	10		mg/L
Total Alkalinity	NE-15D	7/6/2023	302	10		mg/L
Total Alkalinity	NE-2	7/7/2020	142	10		mg/L
Total Alkalinity	NE-2	1/14/2021	105	10		mg/L
Total Alkalinity	NE-2	7/2/2021	150	10		mg/L
Total Alkalinity	NE-2	1/18/2022	154	10		mg/L
Total Alkalinity	NE-2	7/13/2022	163	10		mg/L
Total Alkalinity	NE-2	1/5/2023	130	10		mg/L
Total Alkalinity	NE-2	7/5/2023	170	10		mg/L
Total Alkalinity	NE-4	7/6/2020	126	10		mg/L
Total Alkalinity	NE-4	1/15/2021	241	10		mg/L
Total Alkalinity	NE-4	7/2/2021	252	10		mg/L
Total Alkalinity	NE-4	1/5/2023	248	10		mg/L
Total Alkalinity	NE-4	7/5/2023	239	10		mg/L
Total Alkalinity	NE-5	7/8/2020	298	10		mg/L
Total Alkalinity	NE-5	1/15/2021	310	10		mg/L
Total Alkalinity	NE-5	7/2/2021	326	10		mg/L
Total Alkalinity	NE-5	1/18/2022	323	10		mg/L
Total Alkalinity	NE-5	7/13/2022	300	10		mg/L
Total Alkalinity	NE-5	1/5/2023	342	10		mg/L
Total Alkalinity	NE-5	7/6/2023	310	10		mg/L
Total Alkalinity	NE-5E	7/8/2020	243	10		mg/L
Total Alkalinity	NE-5E	1/15/2021	254	10		mg/L
Total Alkalinity	NE-5E	7/2/2021	260	10		mg/L
Total Alkalinity	NE-5E	1/18/2022	246	10		mg/L
Total Alkalinity	NE-5E	7/13/2022	311	10		mg/L
Total Alkalinity	NE-5E	1/5/2023	325	10		mg/L
Total Alkalinity	NE-5E	7/6/2023	317	10		mg/L
Total Alkalinity	NE-5W	7/8/2020	337	10		mg/L
Total Alkalinity	NE-5W	1/15/2021	326	10		mg/L
Total Alkalinity	NE-5W	7/2/2021	363	10		mg/L
Total Alkalinity	NE-5W	1/18/2022	348	10		mg/L
Total Alkalinity	NE-5W	7/13/2022	344	10		mg/L
Total Alkalinity	NE-5W	1/5/2023	358	10		mg/L
Total Alkalinity	NE-5W	7/6/2023	354	10		mg/L
Total Alkalinity	NE-6	7/9/2020	282	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total Alkalinity	NE-6	1/16/2021	277	10		mg/L
Total Alkalinity	NE-6	1/16/2021	276	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	7/1/2021	301	10		mg/L
Total Alkalinity	NE-6	1/17/2022	284	10		mg/L
Total Alkalinity	NE-6	1/17/2022	278	10		mg/L
Total Alkalinity	NE-6	7/12/2022	243	10		mg/L
Total Alkalinity	NE-6	1/5/2023	291	10		mg/L
Total Alkalinity	NE-6	7/6/2023	289	10		mg/L
Total Alkalinity	NE-6D	7/9/2020	286	10		mg/L
Total Alkalinity	NE-6D	1/15/2021	266	10		mg/L
Total Alkalinity	NE-6D	7/2/2021	285	10		mg/L
Total Alkalinity	NE-6D	1/17/2022	272	10		mg/L
Total Alkalinity	NE-6D	7/12/2022	262	10		mg/L
Total Alkalinity	NE-6D	1/5/2023	271	10		mg/L
Total Alkalinity	NE-6D	7/6/2023	267	10		mg/L
Total Alkalinity	NE-7	7/7/2020	108	10		mg/L
Total Alkalinity	NE-7	1/16/2021	181	10		mg/L
Total Alkalinity	NE-7	1/16/2021	177	10		mg/L
Total Alkalinity	NE-7	7/1/2021	124	10		mg/L
Total Alkalinity	NE-7	7/1/2021	124	10		mg/L
Total Alkalinity	NE-7	7/1/2021	126	10		mg/L
Total Alkalinity	NE-7	1/17/2022	145	10		mg/L
Total Alkalinity	NE-7	1/17/2022	139	10		mg/L
Total Alkalinity	NE-7	7/12/2022	112	10		mg/L
Total Alkalinity	NE-7	1/5/2023	139	10		mg/L
Total Alkalinity	NE-7	7/6/2023	149	10		mg/L
Total Alkalinity	NE-8	7/8/2020	298	10		mg/L
Total Alkalinity	NE-8	1/13/2021	257	10		mg/L
Total Alkalinity	NE-8	1/13/2021	256	10		mg/L
Total Alkalinity	NE-8	7/1/2021	313	10		mg/L
Total Alkalinity	NE-8	7/1/2021	313	10		mg/L
Total Alkalinity	NE-8	7/1/2021	315	10		mg/L
Total Alkalinity	NE-8	1/6/2023	281	10		mg/L
Total Alkalinity	NE-8	7/5/2023	363	10		mg/L
Total Alkalinity	NE-9	7/7/2020	178	10		mg/L
Total Alkalinity	NE-9	1/17/2021	250	10		mg/L
Total Alkalinity	NE-9	1/17/2021	251	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	7/1/2021	307	10		mg/L
Total Alkalinity	NE-9	1/17/2022	296	10		mg/L
Total Alkalinity	NE-9	1/17/2022	292	10		mg/L
Total Alkalinity	NE-9	7/13/2022	298	10		mg/L
Total Alkalinity	NE-9	1/6/2023	325	10		mg/L
Total Alkalinity	NE-9	7/5/2023	318	10		mg/L
Total dissolved solids	LGW-10	1/26/2006	509	5		mg/L
Total dissolved solids	LGW-10	8/1/2006	630	10		mg/L
Total dissolved solids	LGW-10	8/1/2006	630	10		mg/L
Total dissolved solids	LGW-10	10/26/2006	470	10		mg/L
Total dissolved solids	LGW-10	1/25/2007	510	10		mg/L
Total dissolved solids	LGW-10	4/26/2007	500	10		mg/L
Total dissolved solids	LGW-10	7/12/2007	540	10		mg/L
Total dissolved solids	LGW-10	1/23/2008	470	10		mg/L
Total dissolved solids	LGW-10	7/22/2008	520	10		mg/L
Total dissolved solids	LGW-10	7/29/2009	540	10		mg/L
Total dissolved solids	LGW-10	2/3/2010	480	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-10	2/3/2010	480	10		mg/L
Total dissolved solids	LGW-10	7/16/2010	530	10		mg/L
Total dissolved solids	LGW-10	1/19/2011	460	10		mg/L
Total dissolved solids	LGW-10	7/12/2011	580	10		mg/L
Total dissolved solids	LGW-10	1/5/2012	540	10		mg/L
Total dissolved solids	LGW-10	7/9/2012	550	10		mg/L
Total dissolved solids	LGW-10	5/1/2013	580	10		mg/L
Total dissolved solids	LGW-10	1/30/2014	550	10		mg/L
Total dissolved solids	LGW-10	7/9/2014	560	10		mg/L
Total dissolved solids	LGW-10	2/12/2015	560	10		mg/L
Total dissolved solids	LGW-10	7/13/2015	590	10		mg/L
Total dissolved solids	LGW-10	1/5/2016	570	10		mg/L
Total dissolved solids	LGW-10	4/6/2016	550	10		mg/L
Total dissolved solids	LGW-10	7/21/2016	560	20		mg/L
Total dissolved solids	LGW-10	10/6/2016	560	10		mg/L
Total dissolved solids	LGW-10	1/11/2017	480	10		mg/L
Total dissolved solids	LGW-10	4/4/2017	570	10		mg/L
Total dissolved solids	LGW-10	7/19/2017	570	10		mg/L
Total dissolved solids	LGW-10	10/9/2017	580	10		mg/L
Total dissolved solids	LGW-10	1/24/2018	490	10		mg/L
Total dissolved solids	LGW-10	4/11/2018	490	10		mg/L
Total dissolved solids	LGW-10	7/16/2018	500	10		mg/L
Total dissolved solids	LGW-10	10/4/2018	480	10		mg/L
Total dissolved solids	LGW-10	1/4/2019	500	10		mg/L
Total dissolved solids	LGW-10	4/3/2019	480	10		mg/L
Total dissolved solids	LGW-10	7/11/2019	510	10		mg/L
Total dissolved solids	LGW-10	10/2/2019	520	10		mg/L
Total dissolved solids	LGW-10	1/15/2020	530	10		mg/L
Total dissolved solids	LGW-10	4/2/2020	524	10		mg/L
Total dissolved solids	LGW-10	7/9/2020	491	10		mg/L
Total dissolved solids	LGW-10	10/7/2020	447	10		mg/L
Total dissolved solids	LGW-10	1/17/2021	427	10		mg/L
Total dissolved solids	LGW-10	4/6/2021	515	10		mg/L
Total dissolved solids	LGW-10	7/7/2021	522	10		mg/L
Total dissolved solids	LGW-10	10/5/2021	495	10		mg/L
Total dissolved solids	LGW-10	1/13/2022	509	10		mg/L
Total dissolved solids	LGW-10	4/4/2022	519	10		mg/L
Total dissolved solids	LGW-10	7/11/2022	505	10		mg/L
Total dissolved solids	LGW-10	10/7/2022	483	10		mg/L
Total dissolved solids	LGW-10	1/11/2023	500	10		mg/L
Total dissolved solids	LGW-10	4/5/2023	545	10		mg/L
Total dissolved solids	LGW-10	7/10/2023	483	10		mg/L
Total dissolved solids	LGW-10	10/5/2023	510	10		mg/L
Total dissolved solids	LGW-14R	1/25/2006	235	5		mg/L
Total dissolved solids	LGW-14R	8/2/2006	280	40		mg/L
Total dissolved solids	LGW-14R	8/2/2006	280	40		mg/L
Total dissolved solids	LGW-14R	10/27/2006	230	10		mg/L
Total dissolved solids	LGW-14R	1/24/2007	260	20		mg/L
Total dissolved solids	LGW-14R	4/24/2007	220	10		mg/L
Total dissolved solids	LGW-14R	7/11/2007	240	20		mg/L
Total dissolved solids	LGW-14R	1/23/2008	220	10		mg/L
Total dissolved solids	LGW-14R	7/22/2008	240	10		mg/L
Total dissolved solids	LGW-14R	2/6/2009	210	10		mg/L
Total dissolved solids	LGW-14R	7/29/2009	190	10		mg/L
Total dissolved solids	LGW-14R	2/3/2010	190	10		mg/L
Total dissolved solids	LGW-14R	2/3/2010	190	10		mg/L
Total dissolved solids	LGW-14R	7/12/2010	200	10		mg/L
Total dissolved solids	LGW-14R	1/19/2011	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-14R	7/12/2011	200	10		mg/L
Total dissolved solids	LGW-14R	1/5/2012	180	10		mg/L
Total dissolved solids	LGW-14R	7/9/2012	190	10		mg/L
Total dissolved solids	LGW-14R	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-14R	1/23/2014	190	10		mg/L
Total dissolved solids	LGW-14R	7/8/2014	200	10		mg/L
Total dissolved solids	LGW-14R	2/11/2015	190	10		mg/L
Total dissolved solids	LGW-14R	7/22/2015	220	10		mg/L
Total dissolved solids	LGW-14R	1/5/2016	210	10		mg/L
Total dissolved solids	LGW-14R	7/19/2016	230	10		mg/L
Total dissolved solids	LGW-14R	1/11/2017	210	10		mg/L
Total dissolved solids	LGW-14R	7/18/2017	230	10		mg/L
Total dissolved solids	LGW-14R	1/25/2018	210	10		mg/L
Total dissolved solids	LGW-14R	7/17/2018	230	10		mg/L
Total dissolved solids	LGW-14R	10/2/2018	230	10		mg/L
Total dissolved solids	LGW-14R	1/3/2019	230	10		mg/L
Total dissolved solids	LGW-14R	7/10/2019	220	10		mg/L
Total dissolved solids	LGW-14R	10/3/2019	240	10		mg/L
Total dissolved solids	LGW-14R	1/16/2020	216	10		mg/L
Total dissolved solids	LGW-14R	7/9/2020	234	10		mg/L
Total dissolved solids	LGW-14R	1/18/2021	262	10		mg/L
Total dissolved solids	LGW-14R	7/7/2021	267	10		mg/L
Total dissolved solids	LGW-14R	1/12/2022	280	10		mg/L
Total dissolved solids	LGW-14R	7/11/2022	274	10		mg/L
Total dissolved solids	LGW-14R	1/10/2023	300	10		mg/L
Total dissolved solids	LGW-14R	7/10/2023	305	10		mg/L
Total dissolved solids	LGW-2	1/25/2006	372	5		mg/L
Total dissolved solids	LGW-2	8/1/2006	360	20		mg/L
Total dissolved solids	LGW-2	8/1/2006	360	20		mg/L
Total dissolved solids	LGW-2	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-2	1/25/2007	360	10		mg/L
Total dissolved solids	LGW-2	4/26/2007	300	10		mg/L
Total dissolved solids	LGW-2	7/10/2007	320	10		mg/L
Total dissolved solids	LGW-2	1/26/2008	320	10		mg/L
Total dissolved solids	LGW-2	7/23/2008	310	10		mg/L
Total dissolved solids	LGW-2	2/6/2009	310	10		mg/L
Total dissolved solids	LGW-2	7/30/2009	330	10		mg/L
Total dissolved solids	LGW-2	2/3/2010	340	10		mg/L
Total dissolved solids	LGW-2	2/3/2010	340	10		mg/L
Total dissolved solids	LGW-2	7/12/2010	350	10		mg/L
Total dissolved solids	LGW-2	1/19/2011	360	10		mg/L
Total dissolved solids	LGW-2	7/13/2011	360	10		mg/L
Total dissolved solids	LGW-2	1/4/2012	340	10		mg/L
Total dissolved solids	LGW-2	7/9/2012	340	10		mg/L
Total dissolved solids	LGW-2	4/30/2013	350	10		mg/L
Total dissolved solids	LGW-2	7/15/2013	350	10		mg/L
Total dissolved solids	LGW-2	1/30/2014	340	10		mg/L
Total dissolved solids	LGW-2	7/8/2014	350	10		mg/L
Total dissolved solids	LGW-2	2/13/2015	320	10		mg/L
Total dissolved solids	LGW-2	7/8/2015	350	10		mg/L
Total dissolved solids	LGW-2	1/5/2016	340	10		mg/L
Total dissolved solids	LGW-2	7/19/2016	360	10		mg/L
Total dissolved solids	LGW-2	1/11/2017	440	10		mg/L
Total dissolved solids	LGW-2	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-2	1/23/2018	510	10		mg/L
Total dissolved solids	LGW-2	6/21/2018	460	10		mg/L
Total dissolved solids	LGW-2	7/12/2018	560	10		mg/L
Total dissolved solids	LGW-2	1/3/2019	580	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-2	7/9/2019	460	10		mg/L
Total dissolved solids	LGW-2	1/13/2020	381	10		mg/L
Total dissolved solids	LGW-2	4/1/2020	341	10		mg/L
Total dissolved solids	LGW-2	7/8/2020	339	10		mg/L
Total dissolved solids	LGW-2	1/18/2021	354	10		mg/L
Total dissolved solids	LGW-2	7/4/2021	338	10		mg/L
Total dissolved solids	LGW-2	1/12/2022	342	10		mg/L
Total dissolved solids	LGW-2	7/10/2022	322	10		mg/L
Total dissolved solids	LGW-2	1/10/2023	325	10		mg/L
Total dissolved solids	LGW-2	7/10/2023	322	10		mg/L
Total dissolved solids	LGW-3R	1/24/2006	428	5		mg/L
Total dissolved solids	LGW-3R	7/20/2006	440	10		mg/L
Total dissolved solids	LGW-3R	7/20/2006	440	10		mg/L
Total dissolved solids	LGW-3R	10/26/2006	380	10		mg/L
Total dissolved solids	LGW-3R	1/25/2007	220	10		mg/L
Total dissolved solids	LGW-3R	4/26/2007	300	10		mg/L
Total dissolved solids	LGW-3R	7/11/2007	290	10		mg/L
Total dissolved solids	LGW-3R	1/26/2008	380	10		mg/L
Total dissolved solids	LGW-3R	7/23/2008	150	10		mg/L
Total dissolved solids	LGW-3R	2/3/2009	260	10		mg/L
Total dissolved solids	LGW-3R	7/31/2009	250	10		mg/L
Total dissolved solids	LGW-3R	2/3/2010	280	10		mg/L
Total dissolved solids	LGW-3R	2/3/2010	280	10		mg/L
Total dissolved solids	LGW-3R	7/16/2010	200	10		mg/L
Total dissolved solids	LGW-3R	1/19/2011	350	10		mg/L
Total dissolved solids	LGW-3R	7/13/2011	220	10		mg/L
Total dissolved solids	LGW-3R	1/4/2012	280	10		mg/L
Total dissolved solids	LGW-3R	7/9/2012	360	10		mg/L
Total dissolved solids	LGW-3R	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-3R	7/15/2013	270	10		mg/L
Total dissolved solids	LGW-3R	1/22/2014	270	10		mg/L
Total dissolved solids	LGW-3R	7/8/2014	330	10		mg/L
Total dissolved solids	LGW-3R	2/10/2015	320	10		mg/L
Total dissolved solids	LGW-3R	7/16/2015	270	10		mg/L
Total dissolved solids	LGW-3R	1/8/2016	120	10		mg/L
Total dissolved solids	LGW-3R	7/21/2016	140	20		mg/L
Total dissolved solids	LGW-3R	1/11/2017	380	10		mg/L
Total dissolved solids	LGW-3R	7/18/2017	320	10		mg/L
Total dissolved solids	LGW-3R	1/23/2018	390	10		mg/L
Total dissolved solids	LGW-3R	7/11/2018	350	10		mg/L
Total dissolved solids	LGW-3R	1/3/2019	380	10		mg/L
Total dissolved solids	LGW-3R	7/9/2019	230	10		mg/L
Total dissolved solids	LGW-3R	1/14/2020	183	10		mg/L
Total dissolved solids	LGW-3R	7/6/2020	272	10		mg/L
Total dissolved solids	LGW-3R	1/18/2021	243	10		mg/L
Total dissolved solids	LGW-3R	7/6/2021	130	10		mg/L
Total dissolved solids	LGW-3R	1/12/2022	118	10		mg/L
Total dissolved solids	LGW-3R	7/10/2022	132	10		mg/L
Total dissolved solids	LGW-3R	1/10/2023	70	10		mg/L
Total dissolved solids	LGW-3R	7/10/2023	57	10		mg/L
Total dissolved solids	LGW-4	1/24/2006	324	5		mg/L
Total dissolved solids	LGW-4	7/20/2006	330	10		mg/L
Total dissolved solids	LGW-4	7/20/2006	330	10		mg/L
Total dissolved solids	LGW-4	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-4	1/25/2007	260	10		mg/L
Total dissolved solids	LGW-4	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-4	7/11/2007	290	10		mg/L
Total dissolved solids	LGW-4	1/22/2008	300	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-4	7/23/2008	210	10		mg/L
Total dissolved solids	LGW-4	2/3/2009	220	10		mg/L
Total dissolved solids	LGW-4	7/31/2009	250	10		mg/L
Total dissolved solids	LGW-4	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-4	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-4	7/16/2010	200	10		mg/L
Total dissolved solids	LGW-4	1/19/2011	280	10		mg/L
Total dissolved solids	LGW-4	7/13/2011	230	10		mg/L
Total dissolved solids	LGW-4	1/4/2012	240	10		mg/L
Total dissolved solids	LGW-4	7/9/2012	270	10		mg/L
Total dissolved solids	LGW-4	4/30/2013	190	10		mg/L
Total dissolved solids	LGW-4	7/15/2013	230	10		mg/L
Total dissolved solids	LGW-4	1/23/2014	240	10		mg/L
Total dissolved solids	LGW-4	7/8/2014	270	10		mg/L
Total dissolved solids	LGW-4	2/11/2015	280	10		mg/L
Total dissolved solids	LGW-4	7/8/2015	270	10		mg/L
Total dissolved solids	LGW-4	1/5/2016	220	10		mg/L
Total dissolved solids	LGW-4	7/19/2016	300	10		mg/L
Total dissolved solids	LGW-4	1/11/2017	300	10		mg/L
Total dissolved solids	LGW-4	7/18/2017	290	10		mg/L
Total dissolved solids	LGW-4	1/23/2018	340	10		mg/L
Total dissolved solids	LGW-4	7/11/2018	330	10		mg/L
Total dissolved solids	LGW-4	1/3/2019	340	10		mg/L
Total dissolved solids	LGW-4	7/9/2019	300	10		mg/L
Total dissolved solids	LGW-4	1/14/2020	229	10		mg/L
Total dissolved solids	LGW-4	7/6/2020	247	10		mg/L
Total dissolved solids	LGW-4	1/18/2021	363	10		mg/L
Total dissolved solids	LGW-4	7/7/2021	331	10		mg/L
Total dissolved solids	LGW-4	1/12/2022	311	10		mg/L
Total dissolved solids	LGW-4	7/11/2022	301	10		mg/L
Total dissolved solids	LGW-4	1/10/2023	399	10		mg/L
Total dissolved solids	LGW-4	4/6/2023	429	10		mg/L
Total dissolved solids	LGW-4	7/10/2023	393	10		mg/L
Total dissolved solids	LGW-5	1/25/2006	239	5		mg/L
Total dissolved solids	LGW-5	8/1/2006	280	10		mg/L
Total dissolved solids	LGW-5	8/1/2006	280	10		mg/L
Total dissolved solids	LGW-5	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-5	1/25/2007	310	10		mg/L
Total dissolved solids	LGW-5	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-5	7/11/2007	310	10		mg/L
Total dissolved solids	LGW-5	1/23/2008	220	10		mg/L
Total dissolved solids	LGW-5	7/23/2008	240	10		mg/L
Total dissolved solids	LGW-5	2/4/2009	200	10		mg/L
Total dissolved solids	LGW-5	7/29/2009	250	10		mg/L
Total dissolved solids	LGW-5	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-5	2/3/2010	240	10		mg/L
Total dissolved solids	LGW-5	7/12/2010	250	10		mg/L
Total dissolved solids	LGW-5	1/19/2011	250	10		mg/L
Total dissolved solids	LGW-5	7/12/2011	240	10		mg/L
Total dissolved solids	LGW-5	1/5/2012	230	10		mg/L
Total dissolved solids	LGW-5	7/9/2012	250	10		mg/L
Total dissolved solids	LGW-5	4/30/2013	230	10		mg/L
Total dissolved solids	LGW-5	7/15/2013	220	10		mg/L
Total dissolved solids	LGW-5	1/23/2014	240	10		mg/L
Total dissolved solids	LGW-5	7/8/2014	330	10		mg/L
Total dissolved solids	LGW-5	2/10/2015	430	10		mg/L
Total dissolved solids	LGW-5	7/8/2015	300	10		mg/L
Total dissolved solids	LGW-5	1/5/2016	280	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-5	7/19/2016	350	10		mg/L
Total dissolved solids	LGW-5	1/11/2017	320	10		mg/L
Total dissolved solids	LGW-5	7/18/2017	350	10		mg/L
Total dissolved solids	LGW-5	1/23/2018	350	10		mg/L
Total dissolved solids	LGW-5	7/12/2018	350	10		mg/L
Total dissolved solids	LGW-5	1/3/2019	360	10		mg/L
Total dissolved solids	LGW-5	7/9/2019	340	10		mg/L
Total dissolved solids	LGW-5	1/14/2020	356	10		mg/L
Total dissolved solids	LGW-5	4/1/2020	329	10		mg/L
Total dissolved solids	LGW-5	7/6/2020	320	10		mg/L
Total dissolved solids	LGW-5	1/18/2021	406	10		mg/L
Total dissolved solids	LGW-5	4/6/2021	396	10		mg/L
Total dissolved solids	LGW-5	7/7/2021	404	10		mg/L
Total dissolved solids	LGW-5	10/5/2021	404	10		mg/L
Total dissolved solids	LGW-5	1/12/2022	407	10		mg/L
Total dissolved solids	LGW-5	4/4/2022	388	10		mg/L
Total dissolved solids	LGW-5	7/11/2022	395	10		mg/L
Total dissolved solids	LGW-5	10/6/2022	404	10		mg/L
Total dissolved solids	LGW-5	1/10/2023	396	10		mg/L
Total dissolved solids	LGW-5	7/10/2023	417	10		mg/L
Total dissolved solids	LGW-5	10/5/2023	438	10		mg/L
Total dissolved solids	LGW-6	1/24/2006	284	5		mg/L
Total dissolved solids	LGW-6	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-6	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-6	10/26/2006	300	10		mg/L
Total dissolved solids	LGW-6	1/24/2007	270	10		mg/L
Total dissolved solids	LGW-6	4/26/2007	280	10		mg/L
Total dissolved solids	LGW-6	7/11/2007	330	10		mg/L
Total dissolved solids	LGW-6	1/23/2008	260	10		mg/L
Total dissolved solids	LGW-6	7/23/2008	240	10		mg/L
Total dissolved solids	LGW-6	2/5/2009	230	10		mg/L
Total dissolved solids	LGW-6	7/29/2009	250	10		mg/L
Total dissolved solids	LGW-6	2/3/2010	230	10		mg/L
Total dissolved solids	LGW-6	2/3/2010	230	10		mg/L
Total dissolved solids	LGW-6	7/12/2010	260	10		mg/L
Total dissolved solids	LGW-6	1/19/2011	240	10		mg/L
Total dissolved solids	LGW-6	7/12/2011	250	10		mg/L
Total dissolved solids	LGW-6	1/5/2012	220	10		mg/L
Total dissolved solids	LGW-6	7/9/2012	240	10		mg/L
Total dissolved solids	LGW-6	4/30/2013	260	10		mg/L
Total dissolved solids	LGW-6	7/15/2013	250	10		mg/L
Total dissolved solids	LGW-6	1/23/2014	230	10		mg/L
Total dissolved solids	LGW-6	7/8/2014	260	10		mg/L
Total dissolved solids	LGW-6	2/10/2015	260	10		mg/L
Total dissolved solids	LGW-6	7/22/2015	270	10		mg/L
Total dissolved solids	LGW-6	1/5/2016	280	10		mg/L
Total dissolved solids	LGW-6	7/19/2016	350	10		mg/L
Total dissolved solids	LGW-6	10/6/2016	360	10		mg/L
Total dissolved solids	LGW-6	1/11/2017	370	10		mg/L
Total dissolved solids	LGW-6	5/5/2017	360	10		mg/L
Total dissolved solids	LGW-6	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-6	10/5/2017	380	10		mg/L
Total dissolved solids	LGW-6	1/23/2018	380	10		mg/L
Total dissolved solids	LGW-6	4/10/2018	340	10		mg/L
Total dissolved solids	LGW-6	7/17/2018	380	10		mg/L
Total dissolved solids	LGW-6	10/2/2018	390	10		mg/L
Total dissolved solids	LGW-6	1/7/2019	400	10		mg/L
Total dissolved solids	LGW-6	4/3/2019	400	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-6	7/10/2019	410	10		mg/L
Total dissolved solids	LGW-6	10/3/2019	410	10		mg/L
Total dissolved solids	LGW-6	1/16/2020	388	10		mg/L
Total dissolved solids	LGW-6	4/2/2020	405	10		mg/L
Total dissolved solids	LGW-6	7/9/2020	386	10		mg/L
Total dissolved solids	LGW-6	10/6/2020	419	10		mg/L
Total dissolved solids	LGW-6	1/18/2021	438	10		mg/L
Total dissolved solids	LGW-6	4/6/2021	416	10		mg/L
Total dissolved solids	LGW-6	7/7/2021	418	10		mg/L
Total dissolved solids	LGW-6	10/5/2021	418	10		mg/L
Total dissolved solids	LGW-6	1/12/2022	424	10		mg/L
Total dissolved solids	LGW-6	4/4/2022	417	10		mg/L
Total dissolved solids	LGW-6	7/11/2022	386	10		mg/L
Total dissolved solids	LGW-6	10/6/2022	398	10		mg/L
Total dissolved solids	LGW-6	1/10/2023	377	10		mg/L
Total dissolved solids	LGW-6	4/6/2023	391	10		mg/L
Total dissolved solids	LGW-6	7/10/2023	405	10		mg/L
Total dissolved solids	LGW-6	10/5/2023	401	10		mg/L
Total dissolved solids	LGW-7	1/25/2006	307	5		mg/L
Total dissolved solids	LGW-7	8/1/2006	330	10		mg/L
Total dissolved solids	LGW-7	8/1/2006	330	10		mg/L
Total dissolved solids	LGW-7	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-7	1/24/2007	260	10		mg/L
Total dissolved solids	LGW-7	4/26/2007	260	10		mg/L
Total dissolved solids	LGW-7	7/12/2007	250	10		mg/L
Total dissolved solids	LGW-7	7/22/2008	240	10		mg/L
Total dissolved solids	LGW-7	2/4/2009	190	10		mg/L
Total dissolved solids	LGW-7	7/31/2009	240	10		mg/L
Total dissolved solids	LGW-7	1/27/2010	220	10		mg/L
Total dissolved solids	LGW-7	7/12/2010	230	10		mg/L
Total dissolved solids	LGW-7	1/20/2011	220	10		mg/L
Total dissolved solids	LGW-7	7/12/2011	230	10		mg/L
Total dissolved solids	LGW-7	1/5/2012	220	10		mg/L
Total dissolved solids	LGW-7	7/10/2012	270	10		mg/L
Total dissolved solids	LGW-7	4/30/2013	250	10		mg/L
Total dissolved solids	LGW-7	7/15/2013	260	10		mg/L
Total dissolved solids	LGW-7	1/23/2014	250	10		mg/L
Total dissolved solids	LGW-7	7/8/2014	270	10		mg/L
Total dissolved solids	LGW-7	2/11/2015	290	10		mg/L
Total dissolved solids	LGW-7	7/22/2015	260	10		mg/L
Total dissolved solids	LGW-7	1/5/2016	280	10		mg/L
Total dissolved solids	LGW-7	4/6/2016	310	10		mg/L
Total dissolved solids	LGW-7	7/20/2016	330	10		mg/L
Total dissolved solids	LGW-7	10/6/2016	340	10		mg/L
Total dissolved solids	LGW-7	1/11/2017	320	10		mg/L
Total dissolved solids	LGW-7	4/4/2017	290	10		mg/L
Total dissolved solids	LGW-7	7/18/2017	330	10		mg/L
Total dissolved solids	LGW-7	10/5/2017	360	10		mg/L
Total dissolved solids	LGW-7	1/24/2018	380	10		mg/L
Total dissolved solids	LGW-7	4/11/2018	350	10		mg/L
Total dissolved solids	LGW-7	7/12/2018	350	10		mg/L
Total dissolved solids	LGW-7	10/2/2018	340	10		mg/L
Total dissolved solids	LGW-7	1/7/2019	330	10		mg/L
Total dissolved solids	LGW-7	4/3/2019	310	10		mg/L
Total dissolved solids	LGW-7	7/10/2019	330	10		mg/L
Total dissolved solids	LGW-7	10/3/2019	320	10		mg/L
Total dissolved solids	LGW-7	1/15/2020	287	10		mg/L
Total dissolved solids	LGW-7	7/9/2020	335	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-7	1/18/2021	338	10		mg/L
Total dissolved solids	LGW-7	7/7/2021	336	10		mg/L
Total dissolved solids	LGW-7	10/5/2021	325	10		mg/L
Total dissolved solids	LGW-7	1/13/2022	317	10		mg/L
Total dissolved solids	LGW-7	4/4/2022	348	10		mg/L
Total dissolved solids	LGW-7	7/11/2022	337	10		mg/L
Total dissolved solids	LGW-7	1/11/2023	285	10		mg/L
Total dissolved solids	LGW-7	7/10/2023	353	10		mg/L
Total dissolved solids	LGW-8R	1/24/2006	260	5		mg/L
Total dissolved solids	LGW-8R	7/20/2006	280	10		mg/L
Total dissolved solids	LGW-8R	7/20/2006	280	10		mg/L
Total dissolved solids	LGW-8R	10/26/2006	260	10		mg/L
Total dissolved solids	LGW-8R	1/24/2007	280	10		mg/L
Total dissolved solids	LGW-8R	4/25/2007	270	10		mg/L
Total dissolved solids	LGW-8R	7/12/2007	290	10		mg/L
Total dissolved solids	LGW-8R	2/4/2009	260	10		mg/L
Total dissolved solids	LGW-8R	7/29/2009	300	10		mg/L
Total dissolved solids	LGW-8R	1/27/2010	280	10		mg/L
Total dissolved solids	LGW-8R	7/14/2010	300	10		mg/L
Total dissolved solids	LGW-8R	1/20/2011	270	10		mg/L
Total dissolved solids	LGW-8R	7/12/2011	290	10		mg/L
Total dissolved solids	LGW-8R	1/5/2012	270	10		mg/L
Total dissolved solids	LGW-8R	7/9/2012	280	10		mg/L
Total dissolved solids	LGW-8R	4/30/2013	290	10		mg/L
Total dissolved solids	LGW-8R	7/15/2013	290	10		mg/L
Total dissolved solids	LGW-8R	1/22/2014	280	10		mg/L
Total dissolved solids	LGW-8R	7/8/2014	300	10		mg/L
Total dissolved solids	LGW-8R	2/11/2015	280	10		mg/L
Total dissolved solids	LGW-8R	7/22/2015	310	10		mg/L
Total dissolved solids	LGW-8R	1/5/2016	290	10		mg/L
Total dissolved solids	LGW-8R	7/20/2016	320	10		mg/L
Total dissolved solids	LGW-8R	1/11/2017	290	10		mg/L
Total dissolved solids	LGW-8R	7/18/2017	320	10		mg/L
Total dissolved solids	LGW-8R	1/25/2018	340	10		mg/L
Total dissolved solids	LGW-8R	6/21/2018	360	10		mg/L
Total dissolved solids	LGW-8R	7/13/2018	350	10		mg/L
Total dissolved solids	LGW-8R	1/7/2019	340	10		mg/L
Total dissolved solids	LGW-8R	7/8/2019	350	10		mg/L
Total dissolved solids	LGW-8R	10/1/2019	360	10		mg/L
Total dissolved solids	LGW-8R	1/14/2020	330	10		mg/L
Total dissolved solids	LGW-8R	7/7/2020	324	10		mg/L
Total dissolved solids	LGW-8R	1/17/2021	371	10		mg/L
Total dissolved solids	LGW-8R	7/7/2021	372	10		mg/L
Total dissolved solids	LGW-8R	1/13/2022	391	10		mg/L
Total dissolved solids	LGW-8R	7/11/2022	376	10		mg/L
Total dissolved solids	LGW-8R	1/11/2023	372	10		mg/L
Total dissolved solids	LGW-8R	7/10/2023	394	10		mg/L
Total dissolved solids	LGW-9	1/25/2006	331	5		mg/L
Total dissolved solids	LGW-9	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-9	7/20/2006	300	10		mg/L
Total dissolved solids	LGW-9	10/26/2006	330	10		mg/L
Total dissolved solids	LGW-9	1/25/2007	330	10		mg/L
Total dissolved solids	LGW-9	4/25/2007	350	10		mg/L
Total dissolved solids	LGW-9	7/10/2007	340	10		mg/L
Total dissolved solids	LGW-9	7/22/2008	340	10		mg/L
Total dissolved solids	LGW-9	2/4/2009	250	10		mg/L
Total dissolved solids	LGW-9	7/29/2009	310	10		mg/L
Total dissolved solids	LGW-9	1/27/2010	330	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	LGW-9	7/14/2010	320	10		mg/L
Total dissolved solids	LGW-9	1/20/2011	350	10		mg/L
Total dissolved solids	LGW-9	7/12/2011	360	10		mg/L
Total dissolved solids	LGW-9	1/5/2012	350	10		mg/L
Total dissolved solids	LGW-9	7/10/2012	270	10		mg/L
Total dissolved solids	LGW-9	5/1/2013	340	10		mg/L
Total dissolved solids	LGW-9	7/15/2013	320	10		mg/L
Total dissolved solids	LGW-9	1/23/2014	280	10		mg/L
Total dissolved solids	LGW-9	7/8/2014	310	10		mg/L
Total dissolved solids	LGW-9	2/11/2015	360	10		mg/L
Total dissolved solids	LGW-9	7/13/2015	370	10		mg/L
Total dissolved solids	LGW-9	1/5/2016	380	10		mg/L
Total dissolved solids	LGW-9	7/21/2016	460	10		mg/L
Total dissolved solids	LGW-9	10/6/2016	470	10		mg/L
Total dissolved solids	LGW-9	1/11/2017	470	10		mg/L
Total dissolved solids	LGW-9	5/5/2017	470	10		mg/L
Total dissolved solids	LGW-9	7/18/2017	510	10		mg/L
Total dissolved solids	LGW-9	10/5/2017	550	10		mg/L
Total dissolved solids	LGW-9	1/24/2018	540	10		mg/L
Total dissolved solids	LGW-9	4/11/2018	530	10		mg/L
Total dissolved solids	LGW-9	7/13/2018	520	10		mg/L
Total dissolved solids	LGW-9	10/2/2018	490	10		mg/L
Total dissolved solids	LGW-9	1/7/2019	490	10		mg/L
Total dissolved solids	LGW-9	4/3/2019	480	10		mg/L
Total dissolved solids	LGW-9	7/10/2019	430	10		mg/L
Total dissolved solids	LGW-9	10/3/2019	420	10		mg/L
Total dissolved solids	LGW-9	1/16/2020	370	10		mg/L
Total dissolved solids	LGW-9	4/2/2020	377	10		mg/L
Total dissolved solids	LGW-9	7/9/2020	392	10		mg/L
Total dissolved solids	LGW-9	10/7/2020	423	10		mg/L
Total dissolved solids	LGW-9	1/17/2021	546	10		mg/L
Total dissolved solids	LGW-9	4/6/2021	449	10		mg/L
Total dissolved solids	LGW-9	7/7/2021	432	10		mg/L
Total dissolved solids	LGW-9	10/5/2021	427	10		mg/L
Total dissolved solids	LGW-9	1/13/2022	400	10		mg/L
Total dissolved solids	LGW-9	4/4/2022	416	10		mg/L
Total dissolved solids	LGW-9	7/11/2022	404	10		mg/L
Total dissolved solids	LGW-9	10/7/2022	424	10		mg/L
Total dissolved solids	LGW-9	1/11/2023	392	10		mg/L
Total dissolved solids	LGW-9	4/5/2023	406	10		mg/L
Total dissolved solids	LGW-9	7/10/2023	437	10		mg/L
Total dissolved solids	LGW-9	10/5/2023	412	10		mg/L
Total dissolved solids	MW-10N	10/22/1997	408	10		mg/L
Total dissolved solids	MW-10N	1/22/1998	327	10		mg/L
Total dissolved solids	MW-10N	4/28/1998	317	10		mg/L
Total dissolved solids	MW-10N	7/23/1998	254	10		mg/L
Total dissolved solids	MW-10N	1/14/1999	277	5		mg/L
Total dissolved solids	MW-10N	7/15/1999	279	5		mg/L
Total dissolved solids	MW-10N	10/20/1999	235	5		mg/L
Total dissolved solids	MW-10N	1/14/2000	281	5		mg/L
Total dissolved solids	MW-10N	4/25/2000	313	5		mg/L
Total dissolved solids	MW-10N	7/11/2000	316	5		mg/L
Total dissolved solids	MW-10N	10/17/2000	292	5		mg/L
Total dissolved solids	MW-10N	1/24/2001	317	5		mg/L
Total dissolved solids	MW-10N	4/10/2001	301	5		mg/L
Total dissolved solids	MW-10N	7/10/2002	335	5		mg/L
Total dissolved solids	MW-10N	10/2/2002	248	5		mg/L
Total dissolved solids	MW-10N	1/22/2003	269	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-10N	4/15/2003	322	5		mg/L
Total dissolved solids	MW-10N	7/8/2003	321	5		mg/L
Total dissolved solids	MW-10N	1/28/2004	352	5		mg/L
Total dissolved solids	MW-10N	7/27/2004	387	5		mg/L
Total dissolved solids	MW-10N	1/12/2005	309	5		mg/L
Total dissolved solids	MW-10N	7/20/2005	331	5		mg/L
Total dissolved solids	MW-10N	1/19/2006	355	5		mg/L
Total dissolved solids	MW-10N	7/19/2006	380	10		mg/L
Total dissolved solids	MW-10N	7/19/2006	380	10		mg/L
Total dissolved solids	MW-10N	10/25/2006	350	10		mg/L
Total dissolved solids	MW-10N	1/24/2007	320	10		mg/L
Total dissolved solids	MW-10N	7/10/2007	290	10		mg/L
Total dissolved solids	MW-10N	1/23/2008	270	10		mg/L
Total dissolved solids	MW-10N	7/21/2008	280	10		mg/L
Total dissolved solids	MW-10N	2/13/2009	290	10		mg/L
Total dissolved solids	MW-10N	7/31/2009	270	10		mg/L
Total dissolved solids	MW-10N	1/27/2010	290	10		mg/L
Total dissolved solids	MW-10N	8/10/2010	280	10		mg/L
Total dissolved solids	MW-10N	1/19/2011	280	10		mg/L
Total dissolved solids	MW-10N	7/14/2011	280	10		mg/L
Total dissolved solids	MW-10N	1/5/2012	270	10		mg/L
Total dissolved solids	MW-10N	7/10/2012	290	10		mg/L
Total dissolved solids	MW-10N	5/1/2013	270	10		mg/L
Total dissolved solids	MW-10N	1/24/2014	270	10		mg/L
Total dissolved solids	MW-10N	7/9/2014	280	10		mg/L
Total dissolved solids	MW-10N	2/12/2015	240	10		mg/L
Total dissolved solids	MW-10N	7/14/2015	250	10		mg/L
Total dissolved solids	MW-10N	1/6/2016	260	10		mg/L
Total dissolved solids	MW-10N	7/21/2016	260	10		mg/L
Total dissolved solids	MW-10N	1/11/2017	260	10		mg/L
Total dissolved solids	MW-10N	7/19/2017	260	10		mg/L
Total dissolved solids	MW-10N	1/24/2018	270	10		mg/L
Total dissolved solids	MW-10N	7/11/2018	280	10		mg/L
Total dissolved solids	MW-10N	1/3/2019	270	10		mg/L
Total dissolved solids	MW-10N	7/9/2019	270	10		mg/L
Total dissolved solids	MW-10N	1/16/2020	232	10		mg/L
Total dissolved solids	MW-10N	7/8/2020	245	10		mg/L
Total dissolved solids	MW-10N	1/13/2021	266	10		mg/L
Total dissolved solids	MW-10N	7/5/2021	261	10		mg/L
Total dissolved solids	MW-10N	1/11/2023	246	10		mg/L
Total dissolved solids	MW-10N	7/7/2023	249	10		mg/L
Total dissolved solids	MW-11N	10/22/1997	339	10		mg/L
Total dissolved solids	MW-11N	1/21/1998	292	10		mg/L
Total dissolved solids	MW-11N	4/28/1998	265	10		mg/L
Total dissolved solids	MW-11N	7/23/1998	239	10		mg/L
Total dissolved solids	MW-11N	1/13/1999	232	5		mg/L
Total dissolved solids	MW-11N	7/14/1999	243	5		mg/L
Total dissolved solids	MW-11N	10/20/1999	195	5		mg/L
Total dissolved solids	MW-11N	1/13/2000	188	5		mg/L
Total dissolved solids	MW-11N	4/25/2000	260	5		mg/L
Total dissolved solids	MW-11N	7/10/2000	241	5		mg/L
Total dissolved solids	MW-11N	10/17/2000	210	5		mg/L
Total dissolved solids	MW-11N	1/24/2001	524	5		mg/L
Total dissolved solids	MW-11N	4/10/2001	179	5		mg/L
Total dissolved solids	MW-11N	7/9/2002	315	5		mg/L
Total dissolved solids	MW-11N	10/2/2002	153	5		mg/L
Total dissolved solids	MW-11N	1/23/2003	220	5		mg/L
Total dissolved solids	MW-11N	4/15/2003	269	5		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-11N	7/8/2003	212	5		mg/L
Total dissolved solids	MW-11N	1/29/2004	220	5		mg/L
Total dissolved solids	MW-11N	7/27/2004	252	5		mg/L
Total dissolved solids	MW-11N	1/13/2005	225	5		mg/L
Total dissolved solids	MW-11N	7/20/2005	202	5		mg/L
Total dissolved solids	MW-11N	1/19/2006	228	5		mg/L
Total dissolved solids	MW-11N	7/18/2006	200	10		mg/L
Total dissolved solids	MW-11N	7/18/2006	200	10		mg/L
Total dissolved solids	MW-11N	10/25/2006	200	10		mg/L
Total dissolved solids	MW-11N	1/24/2007	240	10		mg/L
Total dissolved solids	MW-11N	7/10/2007	200	10		mg/L
Total dissolved solids	MW-11N	1/22/2008	190	10		mg/L
Total dissolved solids	MW-11N	7/23/2008	180	10		mg/L
Total dissolved solids	MW-11N	2/3/2009	180	10		mg/L
Total dissolved solids	MW-11N	7/31/2009	200	10		mg/L
Total dissolved solids	MW-11N	2/3/2010	180	10		mg/L
Total dissolved solids	MW-11N	2/3/2010	180	10		mg/L
Total dissolved solids	MW-11N	7/16/2010	190	10		mg/L
Total dissolved solids	MW-11N	1/19/2011	200	10		mg/L
Total dissolved solids	MW-11N	7/13/2011	190	10		mg/L
Total dissolved solids	MW-11N	1/4/2012	180	10		mg/L
Total dissolved solids	MW-11N	7/9/2012	180	10		mg/L
Total dissolved solids	MW-11N	4/30/2013	200	10		mg/L
Total dissolved solids	MW-11N	7/15/2013	190	10		mg/L
Total dissolved solids	MW-11N	1/23/2014	200	10		mg/L
Total dissolved solids	MW-11N	7/8/2014	190	10		mg/L
Total dissolved solids	MW-11N	2/10/2015	190	10		mg/L
Total dissolved solids	MW-11N	7/13/2015	200	10		mg/L
Total dissolved solids	MW-11N	1/5/2016	190	10		mg/L
Total dissolved solids	MW-11N	7/21/2016	190	10		mg/L
Total dissolved solids	MW-11N	1/11/2017	190	10		mg/L
Total dissolved solids	MW-11N	7/19/2017	190	10		mg/L
Total dissolved solids	MW-11N	1/23/2018	190	10		mg/L
Total dissolved solids	MW-11N	7/17/2018	190	10		mg/L
Total dissolved solids	MW-11N	1/2/2019	210	10		mg/L
Total dissolved solids	MW-11N	7/9/2019	180	10		mg/L
Total dissolved solids	MW-11N	1/14/2020	183	10		mg/L
Total dissolved solids	MW-11N	7/6/2020	180	10		mg/L
Total dissolved solids	MW-11N	1/18/2021	193	10		mg/L
Total dissolved solids	MW-11N	7/6/2021	193	10		mg/L
Total dissolved solids	MW-11N	1/18/2022	187	10		mg/L
Total dissolved solids	MW-11N	7/13/2022	192	10		mg/L
Total dissolved solids	MW-11N	1/10/2023	184	10		mg/L
Total dissolved solids	MW-11N	7/8/2023	197	10		mg/L
Total dissolved solids	MW-15	6/5/2015	310	10		mg/L
Total dissolved solids	MW-15	7/15/2015	250	10		mg/L
Total dissolved solids	MW-15	8/5/2015	290	10		mg/L
Total dissolved solids	MW-15	9/3/2015	290	10		mg/L
Total dissolved solids	MW-15	1/7/2016	260	10		mg/L
Total dissolved solids	MW-15	4/5/2016	270	10		mg/L
Total dissolved solids	MW-15	7/20/2016	280	10		mg/L
Total dissolved solids	MW-15	10/6/2016	270	10		mg/L
Total dissolved solids	MW-15	1/10/2017	280	10		mg/L
Total dissolved solids	MW-15	7/18/2017	230	10		mg/L
Total dissolved solids	MW-15	1/23/2018	290	10		mg/L
Total dissolved solids	MW-15	7/10/2018	320	10		mg/L
Total dissolved solids	MW-15	1/3/2019	340	10		mg/L
Total dissolved solids	MW-15	7/9/2019	260	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-15	1/14/2020	278	10		mg/L
Total dissolved solids	MW-15	8/3/2020	307	10		mg/L
Total dissolved solids	MW-15	1/18/2021	256	10		mg/L
Total dissolved solids	MW-15	7/4/2021	228	10		mg/L
Total dissolved solids	MW-15	1/12/2022	285	10		mg/L
Total dissolved solids	MW-15	7/10/2022	263	10		mg/L
Total dissolved solids	MW-15	1/10/2023	300	10		mg/L
Total dissolved solids	MW-15	7/10/2023	310	10		mg/L
Total dissolved solids	MW-16	6/5/2015	220	10		mg/L
Total dissolved solids	MW-16	7/16/2015	230	10		mg/L
Total dissolved solids	MW-16	8/5/2015	240	10		mg/L
Total dissolved solids	MW-16	9/3/2015	240	10		mg/L
Total dissolved solids	MW-16	1/8/2016	240	10		mg/L
Total dissolved solids	MW-16	4/5/2016	260	10		mg/L
Total dissolved solids	MW-16	7/21/2016	240	10		mg/L
Total dissolved solids	MW-16	10/5/2016	260	10		mg/L
Total dissolved solids	MW-16	1/10/2017	260	10		mg/L
Total dissolved solids	MW-16	7/18/2017	260	10		mg/L
Total dissolved solids	MW-16	1/23/2018	190	10		mg/L
Total dissolved solids	MW-16	7/11/2018	220	10		mg/L
Total dissolved solids	MW-16	1/2/2019	190	10		mg/L
Total dissolved solids	MW-16	7/10/2019	210	10		mg/L
Total dissolved solids	MW-16	1/14/2020	196	10		mg/L
Total dissolved solids	MW-16	8/3/2020	207	10		mg/L
Total dissolved solids	MW-16	1/18/2021	199	10		mg/L
Total dissolved solids	MW-16	7/4/2021	194	10		mg/L
Total dissolved solids	MW-16	1/12/2022	194	10		mg/L
Total dissolved solids	MW-16	7/10/2022	201	10		mg/L
Total dissolved solids	MW-16	1/10/2023	184	10		mg/L
Total dissolved solids	MW-16	7/10/2023	215	10		mg/L
Total dissolved solids	MW-17	6/5/2015	240	20		mg/L
Total dissolved solids	MW-17	7/15/2015	180	10		mg/L
Total dissolved solids	MW-17	8/4/2015	180	10		mg/L
Total dissolved solids	MW-17	9/2/2015	180	10		mg/L
Total dissolved solids	MW-17	1/7/2016	89	10		mg/L
Total dissolved solids	MW-17	4/5/2016	150	10		mg/L
Total dissolved solids	MW-17	7/20/2016	190	10		mg/L
Total dissolved solids	MW-17	10/6/2016	300	10		mg/L
Total dissolved solids	MW-17	1/10/2017	280	10		mg/L
Total dissolved solids	MW-17	7/18/2017	160	10		mg/L
Total dissolved solids	MW-17	1/23/2018	240	10		mg/L
Total dissolved solids	MW-17	7/10/2018	270	10		mg/L
Total dissolved solids	MW-17	1/3/2019	280	10		mg/L
Total dissolved solids	MW-17	7/11/2019	300	10		mg/L
Total dissolved solids	MW-17	1/14/2020	193	10		mg/L
Total dissolved solids	MW-17	8/3/2020	280	10		mg/L
Total dissolved solids	MW-17	1/14/2021	194	10		mg/L
Total dissolved solids	MW-17	7/4/2021	250	10		mg/L
Total dissolved solids	MW-17	1/10/2023	187	10		mg/L
Total dissolved solids	MW-17	7/8/2023	154	10		mg/L
Total dissolved solids	MW-19	6/5/2015	290	20		mg/L
Total dissolved solids	MW-19	7/16/2015	320	10		mg/L
Total dissolved solids	MW-19	8/5/2015	190	10		mg/L
Total dissolved solids	MW-19	9/3/2015	200	10		mg/L
Total dissolved solids	MW-19	1/7/2016	190	10		mg/L
Total dissolved solids	MW-19	4/5/2016	230	10		mg/L
Total dissolved solids	MW-19	7/21/2016	170	10		mg/L
Total dissolved solids	MW-19	10/5/2016	240	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-19	1/10/2017	220	10		mg/L
Total dissolved solids	MW-19	7/18/2017	280	10		mg/L
Total dissolved solids	MW-19	1/23/2018	200	10		mg/L
Total dissolved solids	MW-19	7/13/2018	220	10		mg/L
Total dissolved solids	MW-19	1/7/2019	190	10		mg/L
Total dissolved solids	MW-19	7/11/2019	260	10		mg/L
Total dissolved solids	MW-19	1/14/2020	310	10		mg/L
Total dissolved solids	MW-19	8/3/2020	254	10		mg/L
Total dissolved solids	MW-19	1/14/2021	225	10		mg/L
Total dissolved solids	MW-19	7/4/2021	221	10		mg/L
Total dissolved solids	MW-19	1/11/2023	158	10		mg/L
Total dissolved solids	MW-19	7/10/2023	184	10		mg/L
Total dissolved solids	MW-1N	10/22/1997	223	10		mg/L
Total dissolved solids	MW-1N	1/20/1998	405	10		mg/L
Total dissolved solids	MW-1N	4/28/1998	305	10		mg/L
Total dissolved solids	MW-1N	7/23/1998	234	10		mg/L
Total dissolved solids	MW-1N	10/14/1998	208	5		mg/L
Total dissolved solids	MW-1N	1/13/1999	188	5		mg/L
Total dissolved solids	MW-1N	7/15/1999	456	5		mg/L
Total dissolved solids	MW-1N	10/19/1999	263	5		mg/L
Total dissolved solids	MW-1N	1/14/2000	275	5		mg/L
Total dissolved solids	MW-1N	4/25/2000	254	5		mg/L
Total dissolved solids	MW-1N	7/12/2000	746	5		mg/L
Total dissolved solids	MW-1N	10/18/2000	566	5		mg/L
Total dissolved solids	MW-1N	1/24/2001	465	5		mg/L
Total dissolved solids	MW-1N	4/12/2001	641	5		mg/L
Total dissolved solids	MW-1N	7/9/2002	551	5		mg/L
Total dissolved solids	MW-1N	10/3/2002	496	5		mg/L
Total dissolved solids	MW-1N	1/22/2003	465	5		mg/L
Total dissolved solids	MW-1N	4/15/2003	462	5		mg/L
Total dissolved solids	MW-1N	7/8/2003	389	5		mg/L
Total dissolved solids	MW-1N	1/28/2004	361	5		mg/L
Total dissolved solids	MW-1N	7/27/2004	363	5		mg/L
Total dissolved solids	MW-1N	1/12/2005	285	5		mg/L
Total dissolved solids	MW-1N	7/20/2005	282	5		mg/L
Total dissolved solids	MW-1N	1/18/2006	291	5		mg/L
Total dissolved solids	MW-1N	7/18/2006	260	10		mg/L
Total dissolved solids	MW-1N	7/18/2006	260	10		mg/L
Total dissolved solids	MW-1N	10/24/2006	240	10		mg/L
Total dissolved solids	MW-1N	1/26/2007	290	10		mg/L
Total dissolved solids	MW-1N	7/11/2007	250	10		mg/L
Total dissolved solids	MW-1N	1/24/2008	230	10		mg/L
Total dissolved solids	MW-1N	7/21/2008	250	10		mg/L
Total dissolved solids	MW-1N	2/5/2009	230	10		mg/L
Total dissolved solids	MW-1N	7/31/2009	240	10		mg/L
Total dissolved solids	MW-1N	1/26/2010	220	10		mg/L
Total dissolved solids	MW-1N	7/13/2010	230	10		mg/L
Total dissolved solids	MW-1N	1/20/2011	230	10		mg/L
Total dissolved solids	MW-1N	7/13/2011	200	10		mg/L
Total dissolved solids	MW-1N	1/5/2012	220	10		mg/L
Total dissolved solids	MW-1N	7/10/2012	220	10		mg/L
Total dissolved solids	MW-1N	5/1/2013	220	10		mg/L
Total dissolved solids	MW-1N	7/16/2013	220	10		mg/L
Total dissolved solids	MW-1N	1/24/2014	220	10		mg/L
Total dissolved solids	MW-1N	7/9/2014	230	10		mg/L
Total dissolved solids	MW-1N	2/10/2015	220	10		mg/L
Total dissolved solids	MW-1N	7/14/2015	220	10		mg/L
Total dissolved solids	MW-1N	1/6/2016	210	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-1N	7/21/2016	210	10		mg/L
Total dissolved solids	MW-1N	1/12/2017	220	10		mg/L
Total dissolved solids	MW-1N	7/19/2017	230	10		mg/L
Total dissolved solids	MW-1N	1/23/2018	230	10		mg/L
Total dissolved solids	MW-1N	7/10/2018	220	10		mg/L
Total dissolved solids	MW-1N	1/3/2019	220	10		mg/L
Total dissolved solids	MW-1N	7/11/2019	230	10		mg/L
Total dissolved solids	MW-1N	1/23/2020	237	10		mg/L
Total dissolved solids	MW-1N	4/2/2020	226	10		mg/L
Total dissolved solids	MW-1N	7/6/2020	215	10		mg/L
Total dissolved solids	MW-1N	1/14/2021	216	10		mg/L
Total dissolved solids	MW-1N	7/4/2021	214	10		mg/L
Total dissolved solids	MW-1N	1/11/2023	210	10		mg/L
Total dissolved solids	MW-1N	7/8/2023	220	10		mg/L
Total dissolved solids	MW-20	6/5/2015	360	20		mg/L
Total dissolved solids	MW-20	7/14/2015	340	10		mg/L
Total dissolved solids	MW-20	8/4/2015	350	10		mg/L
Total dissolved solids	MW-20	9/2/2015	350	10		mg/L
Total dissolved solids	MW-20	1/7/2016	510	10		mg/L
Total dissolved solids	MW-20	4/5/2016	320	10		mg/L
Total dissolved solids	MW-20	7/20/2016	320	10		mg/L
Total dissolved solids	MW-20	10/5/2016	340	10		mg/L
Total dissolved solids	MW-20	1/12/2017	330	10		mg/L
Total dissolved solids	MW-20	7/18/2017	350	10		mg/L
Total dissolved solids	MW-20	1/26/2018	320	10		mg/L
Total dissolved solids	MW-20	7/12/2018	310	10		mg/L
Total dissolved solids	MW-20	7/11/2019	320	10		mg/L
Total dissolved solids	MW-20	1/14/2020	471	10		mg/L
Total dissolved solids	MW-20	7/7/2020	279	10		mg/L
Total dissolved solids	MW-20	1/17/2021	488	10		mg/L
Total dissolved solids	MW-20	7/4/2021	365	10		mg/L
Total dissolved solids	MW-20	1/11/2023	247	10		mg/L
Total dissolved solids	MW-21	6/5/2015	280	20		mg/L
Total dissolved solids	MW-21	7/14/2015	280	10		mg/L
Total dissolved solids	MW-21	8/4/2015	260	10		mg/L
Total dissolved solids	MW-21	9/2/2015	260	10		mg/L
Total dissolved solids	MW-21	1/7/2016	130	10		mg/L
Total dissolved solids	MW-21	4/5/2016	250	10		mg/L
Total dissolved solids	MW-21	7/20/2016	220	20		mg/L
Total dissolved solids	MW-21	10/5/2016	170	10		mg/L
Total dissolved solids	MW-21	10/5/2016	190	10		mg/L
Total dissolved solids	MW-21	1/10/2017	190	10		mg/L
Total dissolved solids	MW-21	4/5/2017	210	10		mg/L
Total dissolved solids	MW-21	7/19/2017	240	10		mg/L
Total dissolved solids	MW-21	10/6/2017	230	10		mg/L
Total dissolved solids	MW-21	1/24/2018	140	10		mg/L
Total dissolved solids	MW-21	4/11/2018	360	10		mg/L
Total dissolved solids	MW-21	7/11/2018	240	10		mg/L
Total dissolved solids	MW-21	10/4/2018	170	10		mg/L
Total dissolved solids	MW-21	1/3/2019	300	10		mg/L
Total dissolved solids	MW-21	4/3/2019	250	10		mg/L
Total dissolved solids	MW-21	7/11/2019	230	10		mg/L
Total dissolved solids	MW-21	10/2/2019	260	10		mg/L
Total dissolved solids	MW-21	1/16/2020	208	10		mg/L
Total dissolved solids	MW-21	4/2/2020	203	10		mg/L
Total dissolved solids	MW-21	7/8/2020	185	10		mg/L
Total dissolved solids	MW-21	10/7/2020	133	10		mg/L
Total dissolved solids	MW-21	1/13/2021	206	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-21	4/6/2021	150	10		mg/L
Total dissolved solids	MW-21	7/5/2021	176	10		mg/L
Total dissolved solids	MW-21	10/6/2021	120	10		mg/L
Total dissolved solids	MW-21	1/11/2023	149	10		mg/L
Total dissolved solids	MW-21	4/8/2023	162	10		mg/L
Total dissolved solids	MW-21	7/7/2023	160	10		mg/L
Total dissolved solids	MW-21	10/6/2023	239	10		mg/L
Total dissolved solids	MW-2N	10/22/1997	219	10		mg/L
Total dissolved solids	MW-2N	1/21/1998	175	10		mg/L
Total dissolved solids	MW-2N	4/28/1998	169	10		mg/L
Total dissolved solids	MW-2N	7/22/1998	159	10		mg/L
Total dissolved solids	MW-2N	1/13/1999	178	5		mg/L
Total dissolved solids	MW-2N	7/14/1999	174	5		mg/L
Total dissolved solids	MW-2N	10/20/1999	142	5		mg/L
Total dissolved solids	MW-2N	1/14/2000	159	5		mg/L
Total dissolved solids	MW-2N	4/25/2000	177	5		mg/L
Total dissolved solids	MW-2N	10/17/2000	124	5		mg/L
Total dissolved solids	MW-2N	1/24/2001	3220	5		mg/L
Total dissolved solids	MW-2N	4/11/2001	105	5		mg/L
Total dissolved solids	MW-2N	7/10/2002	155	5		mg/L
Total dissolved solids	MW-2N	10/2/2002	68	5		mg/L
Total dissolved solids	MW-2N	10/2/2002	224	5		mg/L
Total dissolved solids	MW-2N	1/22/2003	130	5		mg/L
Total dissolved solids	MW-2N	4/14/2003	164	5		mg/L
Total dissolved solids	MW-2N	7/7/2003	105	5		mg/L
Total dissolved solids	MW-2N	1/28/2004	141	5		mg/L
Total dissolved solids	MW-2N	7/27/2004	176	5		mg/L
Total dissolved solids	MW-2N	1/12/2005	129	5		mg/L
Total dissolved solids	MW-2N	7/20/2005	161	5		mg/L
Total dissolved solids	MW-2N	1/19/2006	125	5		mg/L
Total dissolved solids	MW-2N	7/19/2006	160	10		mg/L
Total dissolved solids	MW-2N	7/19/2006	160	10		mg/L
Total dissolved solids	MW-2N	10/25/2006	150	10		mg/L
Total dissolved solids	MW-2N	1/26/2007	150	10		mg/L
Total dissolved solids	MW-2N	7/11/2007	170	10		mg/L
Total dissolved solids	MW-2N	1/24/2008	150	10		mg/L
Total dissolved solids	MW-2N	7/22/2008	160	10		mg/L
Total dissolved solids	MW-2N	2/4/2009	120	10		mg/L
Total dissolved solids	MW-2N	7/31/2009	160	10		mg/L
Total dissolved solids	MW-2N	1/26/2010	130	10		mg/L
Total dissolved solids	MW-2N	7/13/2010	170	10		mg/L
Total dissolved solids	MW-2N	1/20/2011	160	10		mg/L
Total dissolved solids	MW-2N	7/13/2011	170	10		mg/L
Total dissolved solids	MW-2N	1/5/2012	160	10		mg/L
Total dissolved solids	MW-2N	7/10/2012	170	10		mg/L
Total dissolved solids	MW-2N	5/1/2013	170	10		mg/L
Total dissolved solids	MW-2N	7/16/2013	160	10		mg/L
Total dissolved solids	MW-2N	1/24/2014	160	10		mg/L
Total dissolved solids	MW-2N	7/9/2014	160	10		mg/L
Total dissolved solids	MW-2N	2/12/2015	160	10		mg/L
Total dissolved solids	MW-2N	7/14/2015	180	10		mg/L
Total dissolved solids	MW-2N	1/6/2016	190	10		mg/L
Total dissolved solids	MW-2N	7/21/2016	190	10		mg/L
Total dissolved solids	MW-2N	1/11/2017	180	10		mg/L
Total dissolved solids	MW-2N	7/19/2017	180	10		mg/L
Total dissolved solids	MW-2N	1/23/2018	180	10		mg/L
Total dissolved solids	MW-2N	7/12/2018	200	10		mg/L
Total dissolved solids	MW-2N	1/3/2019	200	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-2N	7/11/2019	220	10		mg/L
Total dissolved solids	MW-2N	8/7/2019	260	10		mg/L
Total dissolved solids	MW-2N	10/1/2019	280	10		mg/L
Total dissolved solids	MW-2N	1/23/2020	247	10		mg/L
Total dissolved solids	MW-2N	7/7/2020	218	10		mg/L
Total dissolved solids	MW-2N	1/14/2021	252	10		mg/L
Total dissolved solids	MW-2N	7/5/2021	258	10		mg/L
Total dissolved solids	MW-2N	1/11/2023	268	10		mg/L
Total dissolved solids	MW-2N	7/8/2023	282	10		mg/L
Total dissolved solids	MW-3N	10/21/1997	356	10		mg/L
Total dissolved solids	MW-3N	1/21/1998	346	10		mg/L
Total dissolved solids	MW-3N	4/28/1998	355	10		mg/L
Total dissolved solids	MW-3N	7/23/1998	335	10		mg/L
Total dissolved solids	MW-3N	1/13/1999	344	5		mg/L
Total dissolved solids	MW-3N	7/14/1999	352	5		mg/L
Total dissolved solids	MW-3N	10/20/1999	338	5		mg/L
Total dissolved solids	MW-3N	1/14/2000	366	5		mg/L
Total dissolved solids	MW-3N	4/24/2000	389	5		mg/L
Total dissolved solids	MW-3N	7/11/2000	402	5		mg/L
Total dissolved solids	MW-3N	10/17/2000	314	5		mg/L
Total dissolved solids	MW-3N	1/23/2001	362	5		mg/L
Total dissolved solids	MW-3N	4/11/2001	338	5		mg/L
Total dissolved solids	MW-3N	7/9/2002	406	5		mg/L
Total dissolved solids	MW-3N	10/2/2002	320	5		mg/L
Total dissolved solids	MW-3N	1/22/2003	353	5		mg/L
Total dissolved solids	MW-3N	4/14/2003	393	5		mg/L
Total dissolved solids	MW-3N	7/7/2003	378	5		mg/L
Total dissolved solids	MW-3N	1/28/2004	399	5		mg/L
Total dissolved solids	MW-3N	7/27/2004	420	5		mg/L
Total dissolved solids	MW-3N	1/12/2005	395	5		mg/L
Total dissolved solids	MW-3N	7/20/2005	397	5		mg/L
Total dissolved solids	MW-3N	1/18/2006	389	5		mg/L
Total dissolved solids	MW-3N	7/19/2006	410	10		mg/L
Total dissolved solids	MW-3N	7/19/2006	410	10		mg/L
Total dissolved solids	MW-3N	10/25/2006	390	10		mg/L
Total dissolved solids	MW-3N	1/26/2007	400	10		mg/L
Total dissolved solids	MW-3N	7/11/2007	290	10		mg/L
Total dissolved solids	MW-3N	1/24/2008	370	10		mg/L
Total dissolved solids	MW-3N	7/22/2008	380	10		mg/L
Total dissolved solids	MW-3N	2/4/2009	330	10		mg/L
Total dissolved solids	MW-3N	7/31/2009	360	10		mg/L
Total dissolved solids	MW-3N	1/26/2010	330	10		mg/L
Total dissolved solids	MW-3N	7/13/2010	360	10		mg/L
Total dissolved solids	MW-3N	1/20/2011	360	10		mg/L
Total dissolved solids	MW-3N	7/14/2011	340	10		mg/L
Total dissolved solids	MW-3N	1/5/2012	340	10		mg/L
Total dissolved solids	MW-3N	7/11/2012	330	10		mg/L
Total dissolved solids	MW-3N	5/1/2013	340	10		mg/L
Total dissolved solids	MW-3N	6/4/2013	340	10		mg/L
Total dissolved solids	MW-3N	7/16/2013	330	10		mg/L
Total dissolved solids	MW-3N	1/24/2014	340	10		mg/L
Total dissolved solids	MW-3N	7/9/2014	330	10		mg/L
Total dissolved solids	MW-3N	2/12/2015	350	10		mg/L
Total dissolved solids	MW-3N	4/1/2015	340	10		mg/L
Total dissolved solids	MW-3N	7/14/2015	330	10		mg/L
Total dissolved solids	MW-3N	10/5/2015	320	10		mg/L
Total dissolved solids	MW-3N	1/6/2016	320	10		mg/L
Total dissolved solids	MW-3N	4/6/2016	310	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-3N	7/21/2016	310	10		mg/L
Total dissolved solids	MW-3N	10/6/2016	340	10		mg/L
Total dissolved solids	MW-3N	1/11/2017	370	10		mg/L
Total dissolved solids	MW-3N	4/4/2017	380	10		mg/L
Total dissolved solids	MW-3N	7/19/2017	330	10		mg/L
Total dissolved solids	MW-3N	10/9/2017	350	10		mg/L
Total dissolved solids	MW-3N	1/24/2018	360	10		mg/L
Total dissolved solids	MW-3N	4/10/2018	330	10		mg/L
Total dissolved solids	MW-3N	7/13/2018	330	10		mg/L
Total dissolved solids	MW-3N	10/3/2018	340	10		mg/L
Total dissolved solids	MW-3N	1/7/2019	370	10		mg/L
Total dissolved solids	MW-3N	4/3/2019	350	10		mg/L
Total dissolved solids	MW-3N	7/11/2019	340	10		mg/L
Total dissolved solids	MW-3N	10/2/2019	380	10		mg/L
Total dissolved solids	MW-3N	1/15/2020	287	10		mg/L
Total dissolved solids	MW-3N	4/2/2020	285	10		mg/L
Total dissolved solids	MW-3N	7/7/2020	291	10		mg/L
Total dissolved solids	MW-3N	10/7/2020	294	10		mg/L
Total dissolved solids	MW-3N	1/13/2021	374	10		mg/L
Total dissolved solids	MW-3N	4/6/2021	334	10		mg/L
Total dissolved solids	MW-3N	7/5/2021	336	10		mg/L
Total dissolved solids	MW-3N	10/6/2021	314	10		mg/L
Total dissolved solids	MW-3N	1/11/2023	309	10		mg/L
Total dissolved solids	MW-3N	7/7/2023	327	10		mg/L
Total dissolved solids	MW-3N	10/6/2023	341	10		mg/L
Total dissolved solids	MW-7N	10/21/1997	215	10		mg/L
Total dissolved solids	MW-7N	1/21/1998	416	10		mg/L
Total dissolved solids	MW-7N	7/22/1998	445	10		mg/L
Total dissolved solids	MW-7N	8/18/1998	421	10		mg/L
Total dissolved solids	MW-7N	9/17/1998	507	10		mg/L
Total dissolved solids	MW-7N	10/15/1998	420	5		mg/L
Total dissolved solids	MW-7N	11/9/1998	434	5		mg/L
Total dissolved solids	MW-7N	1/14/1999	454	5		mg/L
Total dissolved solids	MW-7N	7/14/1999	527	5		mg/L
Total dissolved solids	MW-7N	10/19/1999	545	5		mg/L
Total dissolved solids	MW-7N	1/13/2000	496	5		mg/L
Total dissolved solids	MW-7N	4/25/2000	578	5		mg/L
Total dissolved solids	MW-7N	10/17/2000	573	5		mg/L
Total dissolved solids	MW-7N	1/23/2001	508	5		mg/L
Total dissolved solids	MW-7N	4/10/2001	500	5		mg/L
Total dissolved solids	MW-7N	7/9/2002	548	5		mg/L
Total dissolved solids	MW-7N	10/2/2002	532	5		mg/L
Total dissolved solids	MW-7N	10/2/2002	310	5		mg/L
Total dissolved solids	MW-7N	1/23/2003	465	5		mg/L
Total dissolved solids	MW-7N	4/14/2003	566	5		mg/L
Total dissolved solids	MW-7N	7/7/2003	508	5		mg/L
Total dissolved solids	MW-7N	1/27/2004	544	5		mg/L
Total dissolved solids	MW-7N	4/8/2004	546	5		mg/L
Total dissolved solids	MW-7N	7/26/2004	508	5		mg/L
Total dissolved solids	MW-7N	1/12/2005	479	5		mg/L
Total dissolved solids	MW-7N	7/19/2005	509	5		mg/L
Total dissolved solids	MW-7N	1/19/2006	470	5		mg/L
Total dissolved solids	MW-7N	7/19/2006	510	10		mg/L
Total dissolved solids	MW-7N	7/19/2006	510	10		mg/L
Total dissolved solids	MW-7N	10/24/2006	470	10		mg/L
Total dissolved solids	MW-7N	1/26/2007	450	10		mg/L
Total dissolved solids	MW-7N	7/10/2007	420	10		mg/L
Total dissolved solids	MW-7N	7/21/2008	310	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-7N	2/6/2009	290	10		mg/L
Total dissolved solids	MW-7N	7/29/2009	310	10		mg/L
Total dissolved solids	MW-7N	1/26/2010	270	10		mg/L
Total dissolved solids	MW-7N	7/14/2010	270	10		mg/L
Total dissolved solids	MW-7N	1/20/2011	220	10		mg/L
Total dissolved solids	MW-7N	7/12/2011	220	10		mg/L
Total dissolved solids	MW-7N	1/5/2012	230	10		mg/L
Total dissolved solids	MW-7N	7/10/2012	230	10		mg/L
Total dissolved solids	MW-7N	5/1/2013	380	10		mg/L
Total dissolved solids	MW-7N	6/4/2013	310	10		mg/L
Total dissolved solids	MW-7N	7/15/2013	200	10		mg/L
Total dissolved solids	MW-7N	1/30/2014	210	10		mg/L
Total dissolved solids	MW-7N	7/9/2014	200	10		mg/L
Total dissolved solids	MW-7N	2/12/2015	210	10		mg/L
Total dissolved solids	MW-7N	7/13/2015	200	10		mg/L
Total dissolved solids	MW-7N	1/5/2016	180	10		mg/L
Total dissolved solids	MW-7N	7/21/2016	230	10		mg/L
Total dissolved solids	MW-7N	1/11/2017	500	10		mg/L
Total dissolved solids	MW-7N	4/4/2017	400	10		mg/L
Total dissolved solids	MW-7N	7/19/2017	370	10		mg/L
Total dissolved solids	MW-7N	10/5/2017	390	10		mg/L
Total dissolved solids	MW-7N	1/25/2018	340	10		mg/L
Total dissolved solids	MW-7N	4/11/2018	350	10		mg/L
Total dissolved solids	MW-7N	7/13/2018	310	10		mg/L
Total dissolved solids	MW-7N	1/4/2019	340	10		mg/L
Total dissolved solids	MW-7N	7/10/2019	310	10		mg/L
Total dissolved solids	MW-7N	1/16/2020	279	10		mg/L
Total dissolved solids	MW-7N	7/7/2020	291	10		mg/L
Total dissolved solids	MW-7N	1/16/2021	326	10		mg/L
Total dissolved solids	MW-7N	7/5/2021	366	10		mg/L
Total dissolved solids	MW-7N	1/12/2022	343	10		mg/L
Total dissolved solids	MW-7N	7/10/2022	326	10		mg/L
Total dissolved solids	MW-7N	1/10/2023	315	10		mg/L
Total dissolved solids	MW-7N	7/7/2023	321	10		mg/L
Total dissolved solids	MW-8N	10/21/1997	215	10		mg/L
Total dissolved solids	MW-8N	1/22/1998	337	10		mg/L
Total dissolved solids	MW-8N	4/28/1998	320	10		mg/L
Total dissolved solids	MW-8N	7/22/1998	323	10		mg/L
Total dissolved solids	MW-8N	1/12/1999	338	5		mg/L
Total dissolved solids	MW-8N	7/14/1999	335	5		mg/L
Total dissolved solids	MW-8N	10/19/1999	291	5		mg/L
Total dissolved solids	MW-8N	1/14/2000	360	5		mg/L
Total dissolved solids	MW-8N	4/25/2000	334	5		mg/L
Total dissolved solids	MW-8N	10/17/2000	257	5		mg/L
Total dissolved solids	MW-8N	1/23/2001	292	5		mg/L
Total dissolved solids	MW-8N	4/11/2001	297	5		mg/L
Total dissolved solids	MW-8N	7/9/2002	243	5		mg/L
Total dissolved solids	MW-8N	10/2/2002	231	5		mg/L
Total dissolved solids	MW-8N	10/2/2002	147	5		mg/L
Total dissolved solids	MW-8N	1/23/2003	233	5		mg/L
Total dissolved solids	MW-8N	4/14/2003	286	5		mg/L
Total dissolved solids	MW-8N	7/7/2003	232	5		mg/L
Total dissolved solids	MW-8N	1/28/2004	238	5		mg/L
Total dissolved solids	MW-8N	7/27/2004	314	5		mg/L
Total dissolved solids	MW-8N	1/12/2005	298	5		mg/L
Total dissolved solids	MW-8N	7/20/2005	337	5		mg/L
Total dissolved solids	MW-8N	1/19/2006	303	5		mg/L
Total dissolved solids	MW-8N	7/19/2006	320	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-8N	7/19/2006	320	10		mg/L
Total dissolved solids	MW-8N	10/24/2006	320	10		mg/L
Total dissolved solids	MW-8N	1/26/2007	290	10		mg/L
Total dissolved solids	MW-8N	4/25/2007	290	10		mg/L
Total dissolved solids	MW-8N	7/10/2007	310	10		mg/L
Total dissolved solids	MW-8N	1/24/2008	270	10		mg/L
Total dissolved solids	MW-8N	7/23/2008	210	10		mg/L
Total dissolved solids	MW-8N	2/4/2009	170	10		mg/L
Total dissolved solids	MW-8N	7/31/2009	200	10		mg/L
Total dissolved solids	MW-8N	1/26/2010	180	10		mg/L
Total dissolved solids	MW-8N	7/16/2010	200	10		mg/L
Total dissolved solids	MW-8N	1/19/2011	210	10		mg/L
Total dissolved solids	MW-8N	5/10/2011	230	10		mg/L
Total dissolved solids	MW-8N	7/14/2011	220	10		mg/L
Total dissolved solids	MW-8N	1/6/2012	200	10		mg/L
Total dissolved solids	MW-8N	4/5/2012	230	10		mg/L
Total dissolved solids	MW-8N	7/11/2012	200	10		mg/L
Total dissolved solids	MW-8N	10/3/2012	230	10		mg/L
Total dissolved solids	MW-8N	5/1/2013	210	10		mg/L
Total dissolved solids	MW-8N	6/4/2013	230	10		mg/L
Total dissolved solids	MW-8N	7/16/2013	210	10		mg/L
Total dissolved solids	MW-8N	10/2/2013	220	10		mg/L
Total dissolved solids	MW-8N	1/30/2014	220	10		mg/L
Total dissolved solids	MW-8N	4/3/2014	210	10		mg/L
Total dissolved solids	MW-8N	7/9/2014	230	10		mg/L
Total dissolved solids	MW-8N	10/8/2014	220	10		mg/L
Total dissolved solids	MW-8N	2/12/2015	230	10		mg/L
Total dissolved solids	MW-8N	4/1/2015	230	10		mg/L
Total dissolved solids	MW-8N	7/14/2015	240	10		mg/L
Total dissolved solids	MW-8N	10/5/2015	230	10		mg/L
Total dissolved solids	MW-8N	1/5/2016	230	10		mg/L
Total dissolved solids	MW-8N	4/6/2016	260	10		mg/L
Total dissolved solids	MW-8N	7/21/2016	260	10		mg/L
Total dissolved solids	MW-8N	10/6/2016	280	10		mg/L
Total dissolved solids	MW-8N	1/11/2017	310	10		mg/L
Total dissolved solids	MW-8N	4/4/2017	320	10		mg/L
Total dissolved solids	MW-8N	7/19/2017	310	10		mg/L
Total dissolved solids	MW-8N	10/6/2017	330	10		mg/L
Total dissolved solids	MW-8N	1/25/2018	320	10		mg/L
Total dissolved solids	MW-8N	4/10/2018	320	10		mg/L
Total dissolved solids	MW-8N	7/16/2018	330	10		mg/L
Total dissolved solids	MW-8N	10/2/2018	320	10		mg/L
Total dissolved solids	MW-8N	1/7/2019	320	10		mg/L
Total dissolved solids	MW-8N	4/3/2019	330	10		mg/L
Total dissolved solids	MW-8N	4/3/2019	330	10		mg/L
Total dissolved solids	MW-8N	7/11/2019	330	10		mg/L
Total dissolved solids	MW-8N	10/3/2019	310	10		mg/L
Total dissolved solids	MW-8N	1/15/2020	259	10		mg/L
Total dissolved solids	MW-8N	4/2/2020	272	10		mg/L
Total dissolved solids	MW-8N	7/9/2020	258	10		mg/L
Total dissolved solids	MW-8N	10/6/2020	273	10		mg/L
Total dissolved solids	MW-8N	1/15/2021	273	10		mg/L
Total dissolved solids	MW-8N	4/6/2021	274	10		mg/L
Total dissolved solids	MW-8N	7/5/2021	275	10		mg/L
Total dissolved solids	MW-8N	10/6/2021	275	10		mg/L
Total dissolved solids	MW-8N	1/18/2022	259	10		mg/L
Total dissolved solids	MW-8N	4/4/2022	266	10		mg/L
Total dissolved solids	MW-8N	7/12/2022	259	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	MW-8N	10/6/2022	272	10		mg/L
Total dissolved solids	MW-8N	1/11/2023	263	10		mg/L
Total dissolved solids	MW-8N	4/8/2023	259	10		mg/L
Total dissolved solids	MW-8N	7/7/2023	261	10		mg/L
Total dissolved solids	MW-8N	10/5/2023	251	10		mg/L
Total dissolved solids	NE-1	7/10/2002	329	5		mg/L
Total dissolved solids	NE-1	8/6/2002	333	5		mg/L
Total dissolved solids	NE-1	9/4/2002	331	5		mg/L
Total dissolved solids	NE-1	10/2/2002	211	5		mg/L
Total dissolved solids	NE-1	7/8/2003	242	5		mg/L
Total dissolved solids	NE-1	1/27/2004	217	5		mg/L
Total dissolved solids	NE-1	1/12/2005	226	5		mg/L
Total dissolved solids	NE-1	7/19/2006	210	10		mg/L
Total dissolved solids	NE-1	7/19/2006	210	10		mg/L
Total dissolved solids	NE-1	10/25/2006	190	10		mg/L
Total dissolved solids	NE-1	1/24/2007	200	10		mg/L
Total dissolved solids	NE-1	7/10/2007	220	10		mg/L
Total dissolved solids	NE-1	1/24/2008	230	10		mg/L
Total dissolved solids	NE-1	7/21/2008	140	10		mg/L
Total dissolved solids	NE-1	2/7/2009	180	10		mg/L
Total dissolved solids	NE-1	7/31/2009	160	10		mg/L
Total dissolved solids	NE-1	1/26/2010	200	10		mg/L
Total dissolved solids	NE-1	7/14/2010	210	10		mg/L
Total dissolved solids	NE-1	1/19/2011	230	10		mg/L
Total dissolved solids	NE-1	7/13/2011	200	10		mg/L
Total dissolved solids	NE-1	1/5/2012	210	10		mg/L
Total dissolved solids	NE-1	7/10/2012	210	10		mg/L
Total dissolved solids	NE-1	4/30/2013	210	10		mg/L
Total dissolved solids	NE-1	7/16/2013	170	10		mg/L
Total dissolved solids	NE-1	1/23/2014	230	10		mg/L
Total dissolved solids	NE-1	7/9/2014	240	10		mg/L
Total dissolved solids	NE-1	2/11/2015	250	10		mg/L
Total dissolved solids	NE-1	7/8/2015	240	10		mg/L
Total dissolved solids	NE-1	1/6/2016	340	10		mg/L
Total dissolved solids	NE-1	7/20/2016	360	10		mg/L
Total dissolved solids	NE-1	1/11/2017	350	10		mg/L
Total dissolved solids	NE-1	7/19/2017	310	10		mg/L
Total dissolved solids	NE-1	1/24/2018	330	10		mg/L
Total dissolved solids	NE-1	4/11/2018	320	10		mg/L
Total dissolved solids	NE-1	7/18/2018	290	10		mg/L
Total dissolved solids	NE-1	10/2/2018	420	10		mg/L
Total dissolved solids	NE-1	1/4/2019	310	10		mg/L
Total dissolved solids	NE-1	4/2/2019	280	10		mg/L
Total dissolved solids	NE-1	7/10/2019	260	10		mg/L
Total dissolved solids	NE-1	7/10/2019	260	10		mg/L
Total dissolved solids	NE-1	10/2/2019	290	20		mg/L
Total dissolved solids	NE-1	1/15/2020	261	10		mg/L
Total dissolved solids	NE-1	4/2/2020	273	10		mg/L
Total dissolved solids	NE-1	7/8/2020	260	10		mg/L
Total dissolved solids	NE-1	10/7/2020	307	10		mg/L
Total dissolved solids	NE-1	1/13/2021	293	10		mg/L
Total dissolved solids	NE-1	4/9/2021	287	10		mg/L
Total dissolved solids	NE-1	7/2/2021	259	10		mg/L
Total dissolved solids	NE-1	10/6/2021	277	10		mg/L
Total dissolved solids	NE-1	1/17/2022	274	10		mg/L
Total dissolved solids	NE-1	4/6/2022	249	10		mg/L
Total dissolved solids	NE-1	7/13/2022	221	10		mg/L
Total dissolved solids	NE-1	10/6/2022	245	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-1	1/5/2023	214	10		mg/L
Total dissolved solids	NE-1	4/7/2023	227	10		mg/L
Total dissolved solids	NE-1	7/5/2023	429	10		mg/L
Total dissolved solids	NE-1	10/5/2023	237	10		mg/L
Total dissolved solids	NE-10D	11/6/2019	160	10		mg/L
Total dissolved solids	NE-10D	1/16/2020	149	10		mg/L
Total dissolved solids	NE-10D	4/2/2020	155	10		mg/L
Total dissolved solids	NE-10D	7/8/2020	128	10		mg/L
Total dissolved solids	NE-10D	10/7/2020	132	10		mg/L
Total dissolved solids	NE-10D	1/13/2021	134	10		mg/L
Total dissolved solids	NE-10D	4/9/2021	136	10		mg/L
Total dissolved solids	NE-10D	7/2/2021	135	10		mg/L
Total dissolved solids	NE-10D	10/7/2021	121	10		mg/L
Total dissolved solids	NE-10D	1/6/2023	129	10		mg/L
Total dissolved solids	NE-10D	4/6/2023	149	10		mg/L
Total dissolved solids	NE-10D	7/8/2023	121	10		mg/L
Total dissolved solids	NE-10D	10/3/2023	116	10		mg/L
Total dissolved solids	NE-11	3/1/2017	290	10		mg/L
Total dissolved solids	NE-11	4/6/2017	300	10		mg/L
Total dissolved solids	NE-11	7/20/2017	270	10		mg/L
Total dissolved solids	NE-11	10/9/2017	250	10		mg/L
Total dissolved solids	NE-11	9/30/2019	210	10		mg/L
Total dissolved solids	NE-11	1/14/2020	285	10		mg/L
Total dissolved solids	NE-11	7/7/2020	279	10		mg/L
Total dissolved solids	NE-11	1/16/2021	285	10		mg/L
Total dissolved solids	NE-11	1/16/2021	284	10		mg/L
Total dissolved solids	NE-11	7/1/2021	272	10		mg/L
Total dissolved solids	NE-11	7/1/2021	272	10		mg/L
Total dissolved solids	NE-11	1/17/2022	273	10		mg/L
Total dissolved solids	NE-11	1/17/2022	270	10		mg/L
Total dissolved solids	NE-11	7/12/2022	261	10		mg/L
Total dissolved solids	NE-11	1/6/2023	280	10		mg/L
Total dissolved solids	NE-11	7/6/2023	291	10		mg/L
Total dissolved solids	NE-12	3/1/2017	350	10		mg/L
Total dissolved solids	NE-12	4/6/2017	330	10		mg/L
Total dissolved solids	NE-12	7/20/2017	250	10		mg/L
Total dissolved solids	NE-12	10/6/2017	300	10		mg/L
Total dissolved solids	NE-12	8/5/2019	270	10		mg/L
Total dissolved solids	NE-12	1/13/2020	260	10		mg/L
Total dissolved solids	NE-12	7/7/2020	254	10		mg/L
Total dissolved solids	NE-12	1/15/2021	302	10		mg/L
Total dissolved solids	NE-12	1/15/2021	315	10		mg/L
Total dissolved solids	NE-12	7/1/2021	292	10		mg/L
Total dissolved solids	NE-12	7/1/2021	292	10		mg/L
Total dissolved solids	NE-12	1/17/2022	298	10		mg/L
Total dissolved solids	NE-12	1/17/2022	291	10		mg/L
Total dissolved solids	NE-12	7/12/2022	247	10		mg/L
Total dissolved solids	NE-12	1/6/2023	305	10		mg/L
Total dissolved solids	NE-12	7/5/2023	235	10		mg/L
Total dissolved solids	NE-13	2/5/2019	81	10		mg/L
Total dissolved solids	NE-13	8/7/2019	77	10		mg/L
Total dissolved solids	NE-13	1/15/2020	65	10		mg/L
Total dissolved solids	NE-13	7/8/2020	108	10		mg/L
Total dissolved solids	NE-13	1/17/2021	88	10		mg/L
Total dissolved solids	NE-13	1/17/2021	90	10		mg/L
Total dissolved solids	NE-13	7/1/2021	274	10		mg/L
Total dissolved solids	NE-13	7/1/2021	274	10		mg/L
Total dissolved solids	NE-14D	10/2/2019	310	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-14D	1/16/2020	270	10		mg/L
Total dissolved solids	NE-14D	4/3/2020	305	10		mg/L
Total dissolved solids	NE-14D	7/7/2020	290	10		mg/L
Total dissolved solids	NE-14D	10/6/2020	319	10		mg/L
Total dissolved solids	NE-14D	1/17/2021	328	10		mg/L
Total dissolved solids	NE-14D	4/9/2021	319	10		mg/L
Total dissolved solids	NE-14D	7/2/2021	324	10		mg/L
Total dissolved solids	NE-14D	10/7/2021	333	10		mg/L
Total dissolved solids	NE-14D	1/18/2022	313	10		mg/L
Total dissolved solids	NE-14D	4/6/2022	330	10		mg/L
Total dissolved solids	NE-14D	7/13/2022	323	10		mg/L
Total dissolved solids	NE-14D	10/7/2022	337	10		mg/L
Total dissolved solids	NE-14D	1/6/2023	340	10		mg/L
Total dissolved solids	NE-14D	4/6/2023	345	10		mg/L
Total dissolved solids	NE-14D	7/5/2023	351	10		mg/L
Total dissolved solids	NE-14D	10/4/2023	353	10		mg/L
Total dissolved solids	NE-14S	10/2/2019	250	10		mg/L
Total dissolved solids	NE-14S	1/16/2020	125	10		mg/L
Total dissolved solids	NE-14S	4/3/2020	153	10		mg/L
Total dissolved solids	NE-14S	7/7/2020	182	10		mg/L
Total dissolved solids	NE-14S	10/6/2020	289	10		mg/L
Total dissolved solids	NE-14S	1/17/2021	242	10		mg/L
Total dissolved solids	NE-14S	4/9/2021	239	10		mg/L
Total dissolved solids	NE-14S	7/2/2021	204	10		mg/L
Total dissolved solids	NE-14S	10/7/2021	272	10		mg/L
Total dissolved solids	NE-14S	1/18/2022	232	10		mg/L
Total dissolved solids	NE-14S	4/6/2022	195	10		mg/L
Total dissolved solids	NE-14S	7/13/2022	236	10		mg/L
Total dissolved solids	NE-14S	10/7/2022	281	10		mg/L
Total dissolved solids	NE-14S	1/6/2023	243	10		mg/L
Total dissolved solids	NE-14S	4/6/2023	198	10		mg/L
Total dissolved solids	NE-14S	7/5/2023	286	10		mg/L
Total dissolved solids	NE-14S	10/4/2023	304	10		mg/L
Total dissolved solids	NE-15D	9/30/2019	340	10		mg/L
Total dissolved solids	NE-15D	1/16/2020	285	10		mg/L
Total dissolved solids	NE-15D	4/3/2020	339	10		mg/L
Total dissolved solids	NE-15D	7/7/2020	308	10		mg/L
Total dissolved solids	NE-15D	10/6/2020	342	10		mg/L
Total dissolved solids	NE-15D	1/17/2021	346	10		mg/L
Total dissolved solids	NE-15D	4/9/2021	336	10		mg/L
Total dissolved solids	NE-15D	7/2/2021	342	10		mg/L
Total dissolved solids	NE-15D	10/7/2021	330	10		mg/L
Total dissolved solids	NE-15D	1/17/2022	323	10		mg/L
Total dissolved solids	NE-15D	4/6/2022	332	10		mg/L
Total dissolved solids	NE-15D	7/13/2022	348	10		mg/L
Total dissolved solids	NE-15D	10/7/2022	339	10		mg/L
Total dissolved solids	NE-15D	1/6/2023	336	10		mg/L
Total dissolved solids	NE-15D	4/6/2023	332	10		mg/L
Total dissolved solids	NE-15D	7/6/2023	350	10		mg/L
Total dissolved solids	NE-15D	10/6/2023	337	10		mg/L
Total dissolved solids	NE-15S	4/3/2020	421	10		mg/L
Total dissolved solids	NE-2	7/9/2002	468	5		mg/L
Total dissolved solids	NE-2	8/6/2002	281	5		mg/L
Total dissolved solids	NE-2	9/4/2002	273	5		mg/L
Total dissolved solids	NE-2	10/2/2002	201	5		mg/L
Total dissolved solids	NE-2	10/1/2013	340	10		mg/L
Total dissolved solids	NE-2	10/8/2014	330	10		mg/L
Total dissolved solids	NE-2	10/5/2015	280	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-2	10/6/2016	280	10		mg/L
Total dissolved solids	NE-2	10/5/2017	310	10		mg/L
Total dissolved solids	NE-2	1/25/2018	330	10		mg/L
Total dissolved solids	NE-2	4/10/2018	240	10		mg/L
Total dissolved solids	NE-2	7/10/2018	380	10		mg/L
Total dissolved solids	NE-2	10/1/2018	480	10		mg/L
Total dissolved solids	NE-2	1/4/2019	290	10		mg/L
Total dissolved solids	NE-2	4/2/2019	380	10		mg/L
Total dissolved solids	NE-2	7/9/2019	280	10		mg/L
Total dissolved solids	NE-2	7/9/2019	280	10		mg/L
Total dissolved solids	NE-2	10/2/2019	240	10		mg/L
Total dissolved solids	NE-2	1/14/2020	222	10		mg/L
Total dissolved solids	NE-2	4/1/2020	235	10		mg/L
Total dissolved solids	NE-2	7/7/2020	331	10		mg/L
Total dissolved solids	NE-2	10/6/2020	250	10		mg/L
Total dissolved solids	NE-2	1/14/2021	284	10		mg/L
Total dissolved solids	NE-2	4/9/2021	286	10		mg/L
Total dissolved solids	NE-2	7/2/2021	276	10		mg/L
Total dissolved solids	NE-2	10/6/2021	257	10		mg/L
Total dissolved solids	NE-2	1/18/2022	258	10		mg/L
Total dissolved solids	NE-2	4/6/2022	247	10		mg/L
Total dissolved solids	NE-2	7/13/2022	265	10		mg/L
Total dissolved solids	NE-2	10/7/2022	247	10		mg/L
Total dissolved solids	NE-2	1/5/2023	346	10		mg/L
Total dissolved solids	NE-2	4/5/2023	329	10		mg/L
Total dissolved solids	NE-2	7/5/2023	294	10		mg/L
Total dissolved solids	NE-2	10/4/2023	254	10		mg/L
Total dissolved solids	NE-4	7/10/2002	534	5		mg/L
Total dissolved solids	NE-4	8/6/2002	452	5		mg/L
Total dissolved solids	NE-4	8/6/2002	10	5		mg/L
Total dissolved solids	NE-4	9/4/2002	422	5		mg/L
Total dissolved solids	NE-4	10/3/2002	465	5		mg/L
Total dissolved solids	NE-4	7/8/2003	423	5		mg/L
Total dissolved solids	NE-4	1/28/2004	494	5		mg/L
Total dissolved solids	NE-4	1/13/2005	272	5		mg/L
Total dissolved solids	NE-4	8/1/2006	490	10		mg/L
Total dissolved solids	NE-4	8/1/2006	490	10		mg/L
Total dissolved solids	NE-4	10/25/2006	460	10		mg/L
Total dissolved solids	NE-4	1/24/2007	310	10		mg/L
Total dissolved solids	NE-4	7/12/2007	450	10		mg/L
Total dissolved solids	NE-4	1/24/2008	460	10		mg/L
Total dissolved solids	NE-4	7/21/2008	250	10		mg/L
Total dissolved solids	NE-4	2/7/2009	430	10		mg/L
Total dissolved solids	NE-4	7/31/2009	380	10		mg/L
Total dissolved solids	NE-4	1/26/2010	390	10		mg/L
Total dissolved solids	NE-4	7/14/2010	210	10		mg/L
Total dissolved solids	NE-4	1/19/2011	390	10		mg/L
Total dissolved solids	NE-4	7/13/2011	290	10		mg/L
Total dissolved solids	NE-4	1/5/2012	380	10		mg/L
Total dissolved solids	NE-4	7/10/2012	370	10		mg/L
Total dissolved solids	NE-4	4/30/2013	390	10		mg/L
Total dissolved solids	NE-4	7/16/2013	360	10		mg/L
Total dissolved solids	NE-4	1/23/2014	350	10		mg/L
Total dissolved solids	NE-4	7/9/2014	360	10		mg/L
Total dissolved solids	NE-4	2/13/2015	370	10		mg/L
Total dissolved solids	NE-4	7/8/2015	330	10		mg/L
Total dissolved solids	NE-4	1/6/2016	140	10		mg/L
Total dissolved solids	NE-4	7/20/2016	340	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-4	1/11/2017	350	10		mg/L
Total dissolved solids	NE-4	7/19/2017	280	10		mg/L
Total dissolved solids	NE-4	1/26/2018	340	10		mg/L
Total dissolved solids	NE-4	4/10/2018	340	10		mg/L
Total dissolved solids	NE-4	7/12/2018	330	10		mg/L
Total dissolved solids	NE-4	10/3/2018	370	10		mg/L
Total dissolved solids	NE-4	1/7/2019	320	10		mg/L
Total dissolved solids	NE-4	4/2/2019	340	10		mg/L
Total dissolved solids	NE-4	7/8/2019	160	10		mg/L
Total dissolved solids	NE-4	7/8/2019	160	10		mg/L
Total dissolved solids	NE-4	10/1/2019	280	10		mg/L
Total dissolved solids	NE-4	1/13/2020	202	10		mg/L
Total dissolved solids	NE-4	4/1/2020	167	10		mg/L
Total dissolved solids	NE-4	7/6/2020	163	10		mg/L
Total dissolved solids	NE-4	10/5/2020	284	10		mg/L
Total dissolved solids	NE-4	1/15/2021	336	10		mg/L
Total dissolved solids	NE-4	4/9/2021	334	10		mg/L
Total dissolved solids	NE-4	7/2/2021	199	10		mg/L
Total dissolved solids	NE-4	10/6/2021	249	10		mg/L
Total dissolved solids	NE-4	1/5/2023	271	10		mg/L
Total dissolved solids	NE-4	4/6/2023	174	10		mg/L
Total dissolved solids	NE-4	7/5/2023	34	10		mg/L
Total dissolved solids	NE-4	10/4/2023	48	10		mg/L
Total dissolved solids	NE-5	7/9/2002	440	5		mg/L
Total dissolved solids	NE-5	8/6/2002	481	5		mg/L
Total dissolved solids	NE-5	9/4/2002	482	5		mg/L
Total dissolved solids	NE-5	10/2/2002	356	5		mg/L
Total dissolved solids	NE-5	7/8/2003	472	5		mg/L
Total dissolved solids	NE-5	1/27/2004	497	5		mg/L
Total dissolved solids	NE-5	1/12/2005	361	5		mg/L
Total dissolved solids	NE-5	7/19/2006	460	10		mg/L
Total dissolved solids	NE-5	7/19/2006	460	10		mg/L
Total dissolved solids	NE-5	10/25/2006	380	10		mg/L
Total dissolved solids	NE-5	1/24/2007	410	10		mg/L
Total dissolved solids	NE-5	7/12/2007	400	10		mg/L
Total dissolved solids	NE-5	7/22/2008	380	10		mg/L
Total dissolved solids	NE-5	2/6/2009	370	10		mg/L
Total dissolved solids	NE-5	7/31/2009	380	10		mg/L
Total dissolved solids	NE-5	1/26/2010	360	10		mg/L
Total dissolved solids	NE-5	7/16/2010	380	10		mg/L
Total dissolved solids	NE-5	1/19/2011	380	10		mg/L
Total dissolved solids	NE-5	7/13/2011	370	10		mg/L
Total dissolved solids	NE-5	1/5/2012	380	10		mg/L
Total dissolved solids	NE-5	7/10/2012	380	10		mg/L
Total dissolved solids	NE-5	4/30/2013	380	10		mg/L
Total dissolved solids	NE-5	7/16/2013	380	10		mg/L
Total dissolved solids	NE-5	1/23/2014	380	10		mg/L
Total dissolved solids	NE-5	7/9/2014	370	10		mg/L
Total dissolved solids	NE-5	2/11/2015	370	10		mg/L
Total dissolved solids	NE-5	7/14/2015	370	10		mg/L
Total dissolved solids	NE-5	1/6/2016	390	10		mg/L
Total dissolved solids	NE-5	7/20/2016	380	10		mg/L
Total dissolved solids	NE-5	1/11/2017	370	10		mg/L
Total dissolved solids	NE-5	7/19/2017	350	10		mg/L
Total dissolved solids	NE-5	1/25/2018	350	10		mg/L
Total dissolved solids	NE-5	4/10/2018	380	10		mg/L
Total dissolved solids	NE-5	7/17/2018	360	10		mg/L
Total dissolved solids	NE-5	10/3/2018	580	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-5	1/4/2019	350	10		mg/L
Total dissolved solids	NE-5	4/2/2019	370	10		mg/L
Total dissolved solids	NE-5	4/2/2019	370	10		mg/L
Total dissolved solids	NE-5	7/9/2019	360	10		mg/L
Total dissolved solids	NE-5	7/9/2019	350	10		mg/L
Total dissolved solids	NE-5	7/9/2019	350	10		mg/L
Total dissolved solids	NE-5	10/3/2019	360	10		mg/L
Total dissolved solids	NE-5	1/16/2020	313	10		mg/L
Total dissolved solids	NE-5	4/2/2020	317	10		mg/L
Total dissolved solids	NE-5	7/8/2020	295	10		mg/L
Total dissolved solids	NE-5	10/6/2020	320	10		mg/L
Total dissolved solids	NE-5	1/15/2021	342	10		mg/L
Total dissolved solids	NE-5	4/9/2021	335	10		mg/L
Total dissolved solids	NE-5	7/2/2021	323	10		mg/L
Total dissolved solids	NE-5	10/6/2021	294	10		mg/L
Total dissolved solids	NE-5	1/18/2022	330	10		mg/L
Total dissolved solids	NE-5	4/6/2022	359	10		mg/L
Total dissolved solids	NE-5	7/13/2022	336	10		mg/L
Total dissolved solids	NE-5	10/7/2022	328	10		mg/L
Total dissolved solids	NE-5	1/5/2023	356	10		mg/L
Total dissolved solids	NE-5	4/7/2023	352	10		mg/L
Total dissolved solids	NE-5	7/6/2023	347	10		mg/L
Total dissolved solids	NE-5	10/4/2023	341	10		mg/L
Total dissolved solids	NE-5E	9/30/2019	340	10		mg/L
Total dissolved solids	NE-5E	1/16/2020	279	10		mg/L
Total dissolved solids	NE-5E	4/1/2020	284	10		mg/L
Total dissolved solids	NE-5E	7/8/2020	244	10		mg/L
Total dissolved solids	NE-5E	10/6/2020	285	10		mg/L
Total dissolved solids	NE-5E	1/15/2021	297	10		mg/L
Total dissolved solids	NE-5E	4/9/2021	286	10		mg/L
Total dissolved solids	NE-5E	7/2/2021	286	10		mg/L
Total dissolved solids	NE-5E	10/6/2021	281	10		mg/L
Total dissolved solids	NE-5E	1/18/2022	263	10		mg/L
Total dissolved solids	NE-5E	4/6/2022	290	10		mg/L
Total dissolved solids	NE-5E	7/13/2022	380	10		mg/L
Total dissolved solids	NE-5E	10/7/2022	395	10		mg/L
Total dissolved solids	NE-5E	1/5/2023	349	10		mg/L
Total dissolved solids	NE-5E	4/7/2023	367	10		mg/L
Total dissolved solids	NE-5E	7/6/2023	390	10		mg/L
Total dissolved solids	NE-5E	10/4/2023	359	10		mg/L
Total dissolved solids	NE-5W	9/30/2019	380	10		mg/L
Total dissolved solids	NE-5W	1/16/2020	328	10		mg/L
Total dissolved solids	NE-5W	4/2/2020	359	10		mg/L
Total dissolved solids	NE-5W	7/8/2020	345	10		mg/L
Total dissolved solids	NE-5W	10/6/2020	366	10		mg/L
Total dissolved solids	NE-5W	1/15/2021	362	10		mg/L
Total dissolved solids	NE-5W	4/9/2021	363	10		mg/L
Total dissolved solids	NE-5W	7/2/2021	371	10		mg/L
Total dissolved solids	NE-5W	10/6/2021	367	10		mg/L
Total dissolved solids	NE-5W	1/18/2022	350	10		mg/L
Total dissolved solids	NE-5W	4/6/2022	368	10		mg/L
Total dissolved solids	NE-5W	7/13/2022	365	10		mg/L
Total dissolved solids	NE-5W	10/7/2022	371	10		mg/L
Total dissolved solids	NE-5W	1/5/2023	359	10		mg/L
Total dissolved solids	NE-5W	4/7/2023	366	10		mg/L
Total dissolved solids	NE-5W	7/6/2023	383	10		mg/L
Total dissolved solids	NE-5W	10/4/2023	389	10		mg/L
Total dissolved solids	NE-6	1/12/2017	400	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-6	4/5/2017	360	10		mg/L
Total dissolved solids	NE-6	7/19/2017	350	10		mg/L
Total dissolved solids	NE-6	10/6/2017	370	10		mg/L
Total dissolved solids	NE-6	2/4/2019	380	10		mg/L
Total dissolved solids	NE-6	8/6/2019	380	10		mg/L
Total dissolved solids	NE-6	1/15/2020	342	10		mg/L
Total dissolved solids	NE-6	7/9/2020	326	10		mg/L
Total dissolved solids	NE-6	1/16/2021	357	10		mg/L
Total dissolved solids	NE-6	1/16/2021	359	10		mg/L
Total dissolved solids	NE-6	7/1/2021	361	10		mg/L
Total dissolved solids	NE-6	7/1/2021	361	10		mg/L
Total dissolved solids	NE-6	1/17/2022	349	10		mg/L
Total dissolved solids	NE-6	1/17/2022	358	10		mg/L
Total dissolved solids	NE-6	7/12/2022	353	10		mg/L
Total dissolved solids	NE-6	1/5/2023	334	10		mg/L
Total dissolved solids	NE-6	7/6/2023	358	10		mg/L
Total dissolved solids	NE-6D	10/2/2019	430	10		mg/L
Total dissolved solids	NE-6D	1/15/2020	381	10		mg/L
Total dissolved solids	NE-6D	4/2/2020	379	10		mg/L
Total dissolved solids	NE-6D	7/9/2020	351	10		mg/L
Total dissolved solids	NE-6D	10/7/2020	373	10		mg/L
Total dissolved solids	NE-6D	1/15/2021	370	10		mg/L
Total dissolved solids	NE-6D	4/9/2021	364	10		mg/L
Total dissolved solids	NE-6D	7/2/2021	361	10		mg/L
Total dissolved solids	NE-6D	10/7/2021	348	10		mg/L
Total dissolved solids	NE-6D	1/17/2022	360	10		mg/L
Total dissolved solids	NE-6D	4/6/2022	344	10		mg/L
Total dissolved solids	NE-6D	7/12/2022	349	10		mg/L
Total dissolved solids	NE-6D	10/7/2022	357	10		mg/L
Total dissolved solids	NE-6D	1/5/2023	325	10		mg/L
Total dissolved solids	NE-6D	4/7/2023	334	10		mg/L
Total dissolved solids	NE-6D	7/6/2023	347	10		mg/L
Total dissolved solids	NE-6D	10/4/2023	351	10		mg/L
Total dissolved solids	NE-7	3/1/2017	340	10		mg/L
Total dissolved solids	NE-7	4/6/2017	230	10		mg/L
Total dissolved solids	NE-7	7/20/2017	220	10		mg/L
Total dissolved solids	NE-7	10/5/2017	230	10		mg/L
Total dissolved solids	NE-7	2/6/2019	350	10		mg/L
Total dissolved solids	NE-7	8/6/2019	190	10		mg/L
Total dissolved solids	NE-7	1/16/2020	189	10		mg/L
Total dissolved solids	NE-7	7/7/2020	153	10		mg/L
Total dissolved solids	NE-7	1/16/2021	259	10		mg/L
Total dissolved solids	NE-7	1/16/2021	265	10		mg/L
Total dissolved solids	NE-7	7/1/2021	189	10		mg/L
Total dissolved solids	NE-7	7/1/2021	189	10		mg/L
Total dissolved solids	NE-7	1/17/2022	210	10		mg/L
Total dissolved solids	NE-7	1/17/2022	209	10		mg/L
Total dissolved solids	NE-7	7/12/2022	185	10		mg/L
Total dissolved solids	NE-7	1/5/2023	198	10		mg/L
Total dissolved solids	NE-7	7/6/2023	216	10		mg/L
Total dissolved solids	NE-8	1/12/2017	240	10		mg/L
Total dissolved solids	NE-8	4/5/2017	240	10		mg/L
Total dissolved solids	NE-8	7/20/2017	340	10		mg/L
Total dissolved solids	NE-8	10/6/2017	360	10		mg/L
Total dissolved solids	NE-8	2/4/2019	290	10		mg/L
Total dissolved solids	NE-8	8/5/2019	340	10		mg/L
Total dissolved solids	NE-8	1/15/2020	331	10		mg/L
Total dissolved solids	NE-8	7/8/2020	376	10		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total dissolved solids	NE-8	1/13/2021	323	10		mg/L
Total dissolved solids	NE-8	1/13/2021	305	10		mg/L
Total dissolved solids	NE-8	4/9/2021	340	10		mg/L
Total dissolved solids	NE-8	7/1/2021	373	10		mg/L
Total dissolved solids	NE-8	7/1/2021	376	10		mg/L
Total dissolved solids	NE-8	7/1/2021	373	10		mg/L
Total dissolved solids	NE-8	10/7/2021	398	10		mg/L
Total dissolved solids	NE-8	1/6/2023	318	10		mg/L
Total dissolved solids	NE-8	7/5/2023	453	10		mg/L
Total dissolved solids	NE-9	1/12/2017	270	10		mg/L
Total dissolved solids	NE-9	4/5/2017	230	10		mg/L
Total dissolved solids	NE-9	7/20/2017	240	10		mg/L
Total dissolved solids	NE-9	10/5/2017	250	10		mg/L
Total dissolved solids	NE-9	2/5/2019	300	10		mg/L
Total dissolved solids	NE-9	8/7/2019	290	10		mg/L
Total dissolved solids	NE-9	1/15/2020	260	10		mg/L
Total dissolved solids	NE-9	7/7/2020	220	10		mg/L
Total dissolved solids	NE-9	1/17/2021	308	10		mg/L
Total dissolved solids	NE-9	1/17/2021	297	10		mg/L
Total dissolved solids	NE-9	7/1/2021	344	10		mg/L
Total dissolved solids	NE-9	7/1/2021	344	10		mg/L
Total dissolved solids	NE-9	1/17/2022	343	10		mg/L
Total dissolved solids	NE-9	1/17/2022	345	10		mg/L
Total dissolved solids	NE-9	7/13/2022	347	10		mg/L
Total dissolved solids	NE-9	1/6/2023	370	10		mg/L
Total dissolved solids	NE-9	4/8/2023	361	10		mg/L
Total dissolved solids	NE-9	7/5/2023	374	10		mg/L
Total dissolved solids	NE-9	10/6/2023	349	10		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	8/1/2006	2.8	1		mg/L
Total organic carbon (toc)	LGW-10	10/26/2006	2	1		mg/L
Total organic carbon (toc)	LGW-10	10/26/2006	2	1		mg/L
Total organic carbon (toc)	LGW-10	1/25/2007	2.5	1		mg/L
Total organic carbon (toc)	LGW-10	1/25/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	4/26/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	4/26/2007	2.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2007	2.3	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2007	2.3	1		mg/L
Total organic carbon (toc)	LGW-10	1/23/2008	2	1		mg/L
Total organic carbon (toc)	LGW-10	1/23/2008	2	1		mg/L
Total organic carbon (toc)	LGW-10	7/22/2008	1.7	1		mg/L
Total organic carbon (toc)	LGW-10	7/22/2008	1.7	1		mg/L
Total organic carbon (toc)	LGW-10	7/29/2009	1.9	1		mg/L
Total organic carbon (toc)	LGW-10	7/29/2009	1.9	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	2/3/2010	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2010	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2010	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/19/2011	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/19/2011	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2011	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	7/12/2011	1.6	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2012	1.3	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2012	1.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-10	7/9/2012	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2012	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	5/1/2013	2	1		mg/L
Total organic carbon (toc)	LGW-10	5/1/2013	2.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/30/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/30/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/9/2014	1	1		mg/L
Total organic carbon (toc)	LGW-10	2/12/2015	1	1		mg/L
Total organic carbon (toc)	LGW-10	2/12/2015	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/13/2015	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	7/13/2015	1.4	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	4/6/2016	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/6/2016	0.86	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/21/2016	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/21/2016	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/6/2016	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/6/2016	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/11/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/11/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2017	2	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2017	1.8	1		mg/L
Total organic carbon (toc)	LGW-10	7/19/2017	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	10/9/2017	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/9/2017	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/24/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	1/24/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	4/11/2018	1.3	1		mg/L
Total organic carbon (toc)	LGW-10	4/11/2018	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2018	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/16/2018	1	1		mg/L
Total organic carbon (toc)	LGW-10	10/4/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/4/2018	1.2	1		mg/L
Total organic carbon (toc)	LGW-10	1/4/2019	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/4/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/3/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/3/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/11/2019	1	1		mg/L
Total organic carbon (toc)	LGW-10	7/11/2019	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	10/2/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/2/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	10/7/2020	1.17	1		mg/L
Total organic carbon (toc)	LGW-10	1/17/2021	1.47	1		mg/L
Total organic carbon (toc)	LGW-10	4/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	7/7/2021	1.37	1		mg/L
Total organic carbon (toc)	LGW-10	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-10	1/13/2022	1.04	1		mg/L
Total organic carbon (toc)	LGW-10	4/4/2022	1.1	1		mg/L
Total organic carbon (toc)	LGW-10	7/11/2022	1.29	1		mg/L
Total organic carbon (toc)	LGW-10	10/7/2022	1.04	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-10	1/11/2023	2.04	1		mg/L
Total organic carbon (toc)	LGW-10	4/5/2023	1.22	1		mg/L
Total organic carbon (toc)	LGW-10	7/10/2023	1.76	1		mg/L
Total organic carbon (toc)	LGW-10	10/5/2023	1.09	1		mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	8/2/2006	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	10/27/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	10/27/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/24/2007	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/24/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/24/2007	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2007	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2007	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2008	6	1		mg/L
Total organic carbon (toc)	LGW-14R	1/23/2008	6.2	1		mg/L
Total organic carbon (toc)	LGW-14R	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/6/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/6/2009	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/29/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/29/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/3/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/19/2011	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/19/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2011	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/12/2011	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2012	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2012	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/30/2013	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	4/30/2013	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2014	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/23/2014	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/8/2014	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/8/2014	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/11/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	2/11/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/22/2015	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2016	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/5/2016	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/19/2016	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/19/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/11/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/11/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/18/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/18/2017	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/25/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/25/2018	0.62	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-14R	7/17/2018	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/17/2018	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/3/2019	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/3/2019	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-14R	7/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	8/1/2006	1	1		mg/L
Total organic carbon (toc)	LGW-2	10/26/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	10/26/2006	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/25/2007	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/25/2007	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/26/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/26/2007	0.19	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2007	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2007	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/26/2008	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/26/2008	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2009	5	5	ND	mg/L
Total organic carbon (toc)	LGW-2	7/30/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/3/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/19/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/19/2011	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/13/2011	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/13/2011	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/4/2012	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/4/2012	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/9/2012	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/9/2012	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/30/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/30/2013	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/15/2013	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/15/2013	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/30/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/30/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2015	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-2	2/13/2015	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2015	0.56	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-2	7/8/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/19/2016	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/19/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/11/2017	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/11/2017	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/18/2017	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/18/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/23/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-2	1/23/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-2	6/21/2018	3.2	1		mg/L
Total organic carbon (toc)	LGW-2	6/21/2018	3.3	1		mg/L
Total organic carbon (toc)	LGW-2	7/12/2018	1.7	1		mg/L
Total organic carbon (toc)	LGW-2	7/12/2018	1.7	1		mg/L
Total organic carbon (toc)	LGW-2	1/3/2019	1.4	1		mg/L
Total organic carbon (toc)	LGW-2	1/3/2019	1.5	1		mg/L
Total organic carbon (toc)	LGW-2	7/9/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-2	7/9/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-2	1/13/2020	1.5	1		mg/L
Total organic carbon (toc)	LGW-2	1/13/2020	1.54	1		mg/L
Total organic carbon (toc)	LGW-2	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/8/2020	1.39	1		mg/L
Total organic carbon (toc)	LGW-2	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/4/2021	1.13	1		mg/L
Total organic carbon (toc)	LGW-2	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-2	7/10/2023	2.54	1		mg/L
Total organic carbon (toc)	LGW-2	10/4/2023	2.23	1		mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/20/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	10/26/2006	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	10/26/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/25/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-3R	4/26/2007	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	4/26/2007	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/11/2007	1.4	1		mg/L
Total organic carbon (toc)	LGW-3R	7/11/2007	1.4	1		mg/L
Total organic carbon (toc)	LGW-3R	1/26/2008	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/26/2008	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-3R	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/31/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/31/2009	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/3/2010	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2010	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2010	0.47	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-3R	1/19/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/19/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/13/2011	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/13/2011	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/4/2012	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/4/2012	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2012	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/9/2012	1.1	1		mg/L
Total organic carbon (toc)	LGW-3R	4/30/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-3R	4/30/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-3R	7/15/2013	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/15/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/22/2014	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/22/2014	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/8/2014	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/8/2014	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/10/2015	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	2/10/2015	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/16/2015	1.6	1		mg/L
Total organic carbon (toc)	LGW-3R	7/16/2015	1.6	1		mg/L
Total organic carbon (toc)	LGW-3R	1/8/2016	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/8/2016	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/21/2016	1.5	1		mg/L
Total organic carbon (toc)	LGW-3R	7/21/2016	1.5	1		mg/L
Total organic carbon (toc)	LGW-3R	1/11/2017	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/11/2017	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/18/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/18/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/23/2018	1	1		mg/L
Total organic carbon (toc)	LGW-3R	1/23/2018	1	1		mg/L
Total organic carbon (toc)	LGW-3R	7/11/2018	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/11/2018	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/3/2019	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/3/2019	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/9/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-3R	7/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/20/2006	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	10/26/2006	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	10/26/2006	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/25/2007	0.94	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/25/2007	0.86	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/26/2007	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/26/2007	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2007	0.95	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2007	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/22/2008	0.99	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-4	1/22/2008	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/23/2008	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2009	0.95	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2009	1	1		mg/L
Total organic carbon (toc)	LGW-4	7/31/2009	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/31/2009	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/3/2010	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/16/2010	0.93	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/16/2010	1	1		mg/L
Total organic carbon (toc)	LGW-4	1/19/2011	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/19/2011	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/13/2011	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/13/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/4/2012	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/4/2012	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2012	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2012	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-4	4/30/2013	1.1	1		mg/L
Total organic carbon (toc)	LGW-4	4/30/2013	1	1		mg/L
Total organic carbon (toc)	LGW-4	7/15/2013	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/15/2013	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2014	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2014	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2014	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/11/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-4	2/11/2015	0.32	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2015	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/8/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/5/2016	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/19/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/19/2016	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/11/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/11/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/18/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/18/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2018	0.89	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/23/2018	0.9	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2018	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2018	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/3/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/3/2019	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/9/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-4	7/10/2023	1.49	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-4	10/4/2023	1.63	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	8/1/2006	1.4	1		mg/L
Total organic carbon (toc)	LGW-5	10/26/2006	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-5	10/26/2006	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/25/2007	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/25/2007	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/26/2007	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/26/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/11/2007	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/11/2007	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2008	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/4/2009	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/4/2009	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/29/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/29/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/3/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2010	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2010	0.21	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/19/2011	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/19/2011	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/12/2011	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2012	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2012	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2012	0.68	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/30/2013	0.99	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/30/2013	0.96	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/15/2013	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/15/2013	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2014	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/10/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-5	2/10/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2015	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/8/2015	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/19/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/19/2016	0.66	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/11/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/11/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/18/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/18/2017	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/23/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-5	1/23/2018	1.1	1		mg/L
Total organic carbon (toc)	LGW-5	7/12/2018	0.76	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-5	7/12/2018	0.79	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/3/2019	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/3/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2019	0.65	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/9/2019	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	4/6/2021	1.19	1		mg/L
Total organic carbon (toc)	LGW-5	7/7/2021	1.23	1		mg/L
Total organic carbon (toc)	LGW-5	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-5	1/12/2022	1.19	1		mg/L
Total organic carbon (toc)	LGW-5	4/4/2022	1.12	1		mg/L
Total organic carbon (toc)	LGW-5	7/11/2022	1.36	1		mg/L
Total organic carbon (toc)	LGW-5	10/6/2022	1.26	1		mg/L
Total organic carbon (toc)	LGW-5	1/10/2023	1.55	1		mg/L
Total organic carbon (toc)	LGW-5	4/6/2023	1.48	1		mg/L
Total organic carbon (toc)	LGW-5	7/10/2023	2.2	1		mg/L
Total organic carbon (toc)	LGW-5	10/5/2023	2.29	1		mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/20/2006	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/26/2006	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/26/2006	0.59	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/24/2007	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/24/2007	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/26/2007	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/26/2007	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2007	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2007	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2008	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2008	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/5/2009	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/5/2009	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/29/2009	0.17	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/29/2009	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/3/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/19/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/19/2011	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/12/2011	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2012	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2012	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/30/2013	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/30/2013	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/15/2013	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/15/2013	0.31	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-6	1/23/2014	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2014	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/8/2014	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/10/2015	0.27	1	ND	mg/L
Total organic carbon (toc)	LGW-6	2/10/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/22/2015	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/22/2015	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/5/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/19/2016	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/19/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2016	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2016	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/11/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/11/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-6	5/5/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-6	5/5/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/18/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/18/2017	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2018	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/23/2018	0.71	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/10/2018	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/10/2018	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/17/2018	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/17/2018	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/2/2018	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/2/2018	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/7/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/7/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/3/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/3/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/10/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/10/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/3/2019	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/3/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/4/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	10/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-6	7/10/2023	1.26	1		mg/L
Total organic carbon (toc)	LGW-6	10/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.57	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-7	8/1/2006	0.57	1	ND	mg/L
Total organic carbon (toc)	LGW-7	8/1/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/26/2006	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/26/2006	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2007	0.25	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2007	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/26/2007	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/26/2007	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2007	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2007	0.32	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/4/2009	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/4/2009	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/27/2010	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/27/2010	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/20/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/20/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2011	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2011	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2012	0.22	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2012	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2012	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2012	0.47	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/30/2013	0.81	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/30/2013	0.78	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/15/2013	0.31	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/15/2013	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/23/2014	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/23/2014	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/8/2014	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/8/2014	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/11/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	2/11/2015	0.37	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2015	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/22/2015	0.35	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2016	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/5/2016	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/6/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/20/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/20/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/6/2016	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/6/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/4/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/4/2017	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/18/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/18/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2018	0.8	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/24/2018	0.82	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-7	4/11/2018	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/11/2018	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/12/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/2/2018	0.63	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/2/2018	0.7	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/7/2019	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/7/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/3/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	LGW-7	4/3/2019	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/3/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/3/2019	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/9/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-7	7/10/2023	1.73	1		mg/L
Total organic carbon (toc)	LGW-7	10/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2006	0.69	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	10/26/2006	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	10/26/2006	0.73	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/24/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/24/2007	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/25/2007	0.46	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/25/2007	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2007	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2007	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/4/2009	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/4/2009	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/29/2009	0.18	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/29/2009	0.18	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/27/2010	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/27/2010	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/14/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/14/2010	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/20/2011	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/20/2011	0.36	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/12/2011	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2012	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2012	0.26	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/9/2012	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/9/2012	0.49	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/30/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	4/30/2013	0.76	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/15/2013	0.23	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/15/2013	0.22	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/22/2014	0.26	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-8R	1/22/2014	0.24	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2014	0.38	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2014	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/11/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	2/11/2015	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/22/2015	0.3	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/22/2015	0.29	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/5/2016	0.41	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2016	0.34	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/20/2016	0.33	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/18/2017	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/18/2017	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/25/2018	0.52	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/25/2018	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/13/2018	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/13/2018	0.45	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/7/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/7/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/8/2019	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/11/2022	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-8R	7/10/2023	1.41	1		mg/L
Total organic carbon (toc)	LGW-8R	10/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/20/2006	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/26/2006	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	10/26/2006	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/25/2007	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	4/25/2007	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-9	4/25/2007	0.92	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/10/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2007	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/22/2008	0.51	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/22/2008	0.48	1	ND	mg/L
Total organic carbon (toc)	LGW-9	2/4/2009	0.85	1	ND	mg/L
Total organic carbon (toc)	LGW-9	2/4/2009	0.84	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/29/2009	0.67	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/29/2009	0.58	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/27/2010	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/27/2010	0.88	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/14/2010	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/14/2010	0.55	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/20/2011	0.91	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/20/2011	0.87	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/12/2011	1.1	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-9	7/12/2011	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2012	0.82	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/5/2012	0.83	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/10/2012	1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2012	0.99	1	ND	mg/L
Total organic carbon (toc)	LGW-9	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/15/2013	0.74	1	ND	mg/L
Total organic carbon (toc)	LGW-9	7/15/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	LGW-9	1/23/2014	1	1		mg/L
Total organic carbon (toc)	LGW-9	1/23/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/8/2014	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/8/2014	1	1		mg/L
Total organic carbon (toc)	LGW-9	2/11/2015	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	2/11/2015	1.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2015	1.2	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2015	1.3	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2016	1.6	1		mg/L
Total organic carbon (toc)	LGW-9	1/5/2016	1.6	1		mg/L
Total organic carbon (toc)	LGW-9	7/21/2016	2	1		mg/L
Total organic carbon (toc)	LGW-9	7/21/2016	2	1		mg/L
Total organic carbon (toc)	LGW-9	10/6/2016	1.9	1		mg/L
Total organic carbon (toc)	LGW-9	10/6/2016	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2017	1.9	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2017	2	1		mg/L
Total organic carbon (toc)	LGW-9	5/5/2017	2.2	1		mg/L
Total organic carbon (toc)	LGW-9	5/5/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/18/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/18/2017	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2017	2.6	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2017	2.5	1		mg/L
Total organic carbon (toc)	LGW-9	1/24/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-9	1/24/2018	2.7	1		mg/L
Total organic carbon (toc)	LGW-9	4/11/2018	3	1		mg/L
Total organic carbon (toc)	LGW-9	4/11/2018	3	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2018	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	7/13/2018	2.3	1		mg/L
Total organic carbon (toc)	LGW-9	10/2/2018	2.4	1		mg/L
Total organic carbon (toc)	LGW-9	10/2/2018	2.2	1		mg/L
Total organic carbon (toc)	LGW-9	1/7/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	1/7/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	4/3/2019	2	1		mg/L
Total organic carbon (toc)	LGW-9	4/3/2019	2.1	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2019	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	10/3/2019	1.7	1		mg/L
Total organic carbon (toc)	LGW-9	10/3/2019	1.7	1		mg/L
Total organic carbon (toc)	LGW-9	1/16/2020	1.8	1		mg/L
Total organic carbon (toc)	LGW-9	1/16/2020	1.61	1		mg/L
Total organic carbon (toc)	LGW-9	4/2/2020	1.47	1		mg/L
Total organic carbon (toc)	LGW-9	4/2/2020	1.44	1		mg/L
Total organic carbon (toc)	LGW-9	7/9/2020	1.57	1		mg/L
Total organic carbon (toc)	LGW-9	10/7/2020	1.61	1		mg/L
Total organic carbon (toc)	LGW-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	LGW-9	4/6/2021	1.6	1		mg/L
Total organic carbon (toc)	LGW-9	7/7/2021	1.54	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2021	1.13	1		mg/L
Total organic carbon (toc)	LGW-9	1/13/2022	1.19	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	LGW-9	4/4/2022	1.33	1		mg/L
Total organic carbon (toc)	LGW-9	7/11/2022	1.44	1		mg/L
Total organic carbon (toc)	LGW-9	10/7/2022	1.29	1		mg/L
Total organic carbon (toc)	LGW-9	1/11/2023	2.61	1		mg/L
Total organic carbon (toc)	LGW-9	4/5/2023	1.39	1		mg/L
Total organic carbon (toc)	LGW-9	7/10/2023	2.22	1		mg/L
Total organic carbon (toc)	LGW-9	10/5/2023	1.45	1		mg/L
Total organic carbon (toc)	MW-10N	10/22/1997	66.6	2		mg/L
Total organic carbon (toc)	MW-10N	4/28/1998	36.2	1		mg/L
Total organic carbon (toc)	MW-10N	7/23/1998	12.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/14/1999	3.1	1		mg/L
Total organic carbon (toc)	MW-10N	7/15/1999	28.8	1		mg/L
Total organic carbon (toc)	MW-10N	10/20/1999	5.9	1		mg/L
Total organic carbon (toc)	MW-10N	1/14/2000	4.3	1		mg/L
Total organic carbon (toc)	MW-10N	4/25/2000	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.7	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.7	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2006	6.8	1		mg/L
Total organic carbon (toc)	MW-10N	10/25/2006	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	10/25/2006	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2007	6.2	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2007	6.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2007	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2007	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/23/2008	3.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/23/2008	3.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2008	4.1	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2008	4	1		mg/L
Total organic carbon (toc)	MW-10N	2/13/2009	5.5	1		mg/L
Total organic carbon (toc)	MW-10N	2/13/2009	5.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/31/2009	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/31/2009	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	1/27/2010	5.9	1		mg/L
Total organic carbon (toc)	MW-10N	1/27/2010	5.8	1		mg/L
Total organic carbon (toc)	MW-10N	8/10/2010	5.6	1		mg/L
Total organic carbon (toc)	MW-10N	8/10/2010	5.7	1		mg/L
Total organic carbon (toc)	MW-10N	1/19/2011	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	1/19/2011	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2011	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2011	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	1/5/2012	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/5/2012	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2012	5	1		mg/L
Total organic carbon (toc)	MW-10N	7/10/2012	5	1		mg/L
Total organic carbon (toc)	MW-10N	5/1/2013	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	5/1/2013	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2014	5.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2014	5.3	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2014	3.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2014	3.6	1		mg/L
Total organic carbon (toc)	MW-10N	2/12/2015	3.7	1		mg/L
Total organic carbon (toc)	MW-10N	2/12/2015	3.7	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2015	3.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/14/2015	3.8	1		mg/L
Total organic carbon (toc)	MW-10N	1/6/2016	4.9	1		mg/L
Total organic carbon (toc)	MW-10N	1/6/2016	4.8	1		mg/L
Total organic carbon (toc)	MW-10N	7/21/2016	4.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-10N	7/21/2016	4.3	1		mg/L
Total organic carbon (toc)	MW-10N	1/11/2017	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/11/2017	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2017	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/19/2017	4.4	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2018	5.2	1		mg/L
Total organic carbon (toc)	MW-10N	1/24/2018	5.1	1		mg/L
Total organic carbon (toc)	MW-10N	7/11/2018	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	7/11/2018	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	1/3/2019	4.6	1		mg/L
Total organic carbon (toc)	MW-10N	1/3/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	7/9/2019	4.5	1		mg/L
Total organic carbon (toc)	MW-10N	1/16/2020	4.21	1		mg/L
Total organic carbon (toc)	MW-10N	1/16/2020	4.37	1		mg/L
Total organic carbon (toc)	MW-10N	7/8/2020	4.58	1		mg/L
Total organic carbon (toc)	MW-10N	1/13/2021	4.42	1		mg/L
Total organic carbon (toc)	MW-10N	7/5/2021	4.59	1		mg/L
Total organic carbon (toc)	MW-10N	1/11/2023	4.81	1		mg/L
Total organic carbon (toc)	MW-10N	7/7/2023	5.01	1		mg/L
Total organic carbon (toc)	MW-11N	10/22/1997	52.8	2		mg/L
Total organic carbon (toc)	MW-11N	4/28/1998	38.6	1		mg/L
Total organic carbon (toc)	MW-11N	7/23/1998	17.8	1		mg/L
Total organic carbon (toc)	MW-11N	1/13/1999	11.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/14/1999	14.2	1		mg/L
Total organic carbon (toc)	MW-11N	10/20/1999	12.5	1		mg/L
Total organic carbon (toc)	MW-11N	1/13/2000	8.6	1		mg/L
Total organic carbon (toc)	MW-11N	4/25/2000	14.9	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.2	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-11N	7/18/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-11N	10/25/2006	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-11N	10/25/2006	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/24/2007	3.8	1		mg/L
Total organic carbon (toc)	MW-11N	1/24/2007	3.9	1		mg/L
Total organic carbon (toc)	MW-11N	7/10/2007	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/10/2007	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/22/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/22/2008	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/23/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2009	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2009	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/3/2010	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/16/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/16/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/19/2011	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/19/2011	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2011	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2011	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/4/2012	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/4/2012	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-11N	7/9/2012	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2012	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-11N	4/30/2013	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-11N	4/30/2013	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/15/2013	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/15/2013	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2014	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2014	0.2	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/8/2014	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/8/2014	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2015	0.28	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2015	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/5/2016	0.45	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/21/2016	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/21/2016	0.29	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/11/2017	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/11/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/19/2017	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/19/2017	0.16	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2018	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/23/2018	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/17/2018	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/17/2018	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/2/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/2/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	1/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-11N	7/8/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	6/5/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-15	6/5/2015	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/15/2015	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/15/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-15	8/5/2015	1	1		mg/L
Total organic carbon (toc)	MW-15	8/5/2015	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-15	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-15	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-15	1/7/2016	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/7/2016	0.92	1	ND	mg/L
Total organic carbon (toc)	MW-15	4/5/2016	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-15	4/5/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/20/2016	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/20/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-15	10/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-15	10/6/2016	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2017	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/18/2017	0.96	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-15	7/18/2017	1	1		mg/L
Total organic carbon (toc)	MW-15	1/23/2018	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/23/2018	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/10/2018	0.93	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/10/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/3/2019	0.82	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/9/2019	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-15	7/9/2019	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/14/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-15	1/14/2020	1.31	1		mg/L
Total organic carbon (toc)	MW-15	4/1/2020	1.55	1		mg/L
Total organic carbon (toc)	MW-15	8/3/2020	1	1		mg/L
Total organic carbon (toc)	MW-15	1/18/2021	1.03	1		mg/L
Total organic carbon (toc)	MW-15	7/4/2021	1.63	1		mg/L
Total organic carbon (toc)	MW-15	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/12/2022	1.18	1		mg/L
Total organic carbon (toc)	MW-15	7/10/2022	1.34	1		mg/L
Total organic carbon (toc)	MW-15	10/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-15	1/10/2023	1.25	1		mg/L
Total organic carbon (toc)	MW-15	4/5/2023	1.26	1		mg/L
Total organic carbon (toc)	MW-15	7/10/2023	3.84	1		mg/L
Total organic carbon (toc)	MW-16	6/5/2015	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-16	6/5/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/16/2015	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/16/2015	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/5/2015	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/5/2015	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-16	9/3/2015	1.7	1		mg/L
Total organic carbon (toc)	MW-16	9/3/2015	1.7	1		mg/L
Total organic carbon (toc)	MW-16	1/8/2016	1.7	1		mg/L
Total organic carbon (toc)	MW-16	1/8/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-16	4/5/2016	0.5	1	ND	mg/L
Total organic carbon (toc)	MW-16	4/5/2016	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/21/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/21/2016	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-16	10/5/2016	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-16	10/5/2016	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2017	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/18/2017	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/18/2017	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/23/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/23/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/11/2018	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/11/2018	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/2/2019	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/2/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2019	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/18/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/4/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	7/10/2022	1	1	ND	mg/L
Total organic carbon (toc)	MW-16	1/10/2023	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-16	7/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	6/5/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-17	6/5/2015	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/15/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/15/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-17	8/4/2015	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-17	8/4/2015	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	9/2/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-17	9/2/2015	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-17	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-17	4/5/2016	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-17	4/5/2016	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/20/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/20/2016	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	10/6/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-17	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-17	1/10/2017	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/10/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/18/2017	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/18/2017	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/23/2018	1	1		mg/L
Total organic carbon (toc)	MW-17	1/23/2018	1	1		mg/L
Total organic carbon (toc)	MW-17	7/10/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/10/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-17	1/3/2019	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/11/2019	0.79	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/11/2019	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/14/2020	1.16	1		mg/L
Total organic carbon (toc)	MW-17	1/14/2020	1.02	1		mg/L
Total organic carbon (toc)	MW-17	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/4/2021	1.85	1		mg/L
Total organic carbon (toc)	MW-17	10/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	1/10/2023	3.54	1		mg/L
Total organic carbon (toc)	MW-17	4/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-17	7/8/2023	1.06	1		mg/L
Total organic carbon (toc)	MW-19	6/5/2015	1	1		mg/L
Total organic carbon (toc)	MW-19	6/5/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	7/16/2015	1.4	1		mg/L
Total organic carbon (toc)	MW-19	7/16/2015	1.5	1		mg/L
Total organic carbon (toc)	MW-19	8/5/2015	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-19	8/5/2015	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-19	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	9/3/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-19	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-19	1/7/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-19	4/5/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	4/5/2016	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/21/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/21/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-19	10/5/2016	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-19	10/5/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/10/2017	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/10/2017	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/18/2017	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/18/2017	0.6	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-19	1/23/2018	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/23/2018	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/13/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/13/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/7/2019	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/7/2019	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/11/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/11/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/14/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-19	1/14/2020	1.24	1		mg/L
Total organic carbon (toc)	MW-19	8/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/4/2021	1.09	1		mg/L
Total organic carbon (toc)	MW-19	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-19	7/10/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/22/1997	5.2	1		mg/L
Total organic carbon (toc)	MW-1N	4/28/1998	20.3	1		mg/L
Total organic carbon (toc)	MW-1N	7/23/1998	9.1	1		mg/L
Total organic carbon (toc)	MW-1N	10/14/1998	13.5	1		mg/L
Total organic carbon (toc)	MW-1N	1/13/1999	2.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/15/1999	4.4	1		mg/L
Total organic carbon (toc)	MW-1N	10/19/1999	16.5	1		mg/L
Total organic carbon (toc)	MW-1N	1/14/2000	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	4/25/2000	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/18/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2007	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2007	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2007	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2007	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2008	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2008	0.33	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/5/2009	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/5/2009	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/31/2009	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/31/2009	0.19	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2010	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/26/2010	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/20/2011	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/20/2011	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/13/2011	1.6	1		mg/L
Total organic carbon (toc)	MW-1N	7/13/2011	1.6	1		mg/L
Total organic carbon (toc)	MW-1N	1/5/2012	0.99	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/5/2012	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2012	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2012	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-1N	5/1/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	5/1/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/16/2013	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/16/2013	0.27	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-1N	1/24/2014	0.21	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/24/2014	0.22	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/9/2014	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/9/2014	0.28	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	2/10/2015	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/14/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-1N	7/14/2015	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	1/6/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	1/6/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-1N	7/21/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/21/2016	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/12/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/12/2017	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/19/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/19/2017	0.34	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2018	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2018	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2018	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/10/2018	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/3/2019	0.21	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/3/2019	0.23	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/11/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/23/2020	1.09	1		mg/L
Total organic carbon (toc)	MW-1N	1/23/2020	1.12	1		mg/L
Total organic carbon (toc)	MW-1N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/4/2021	1.14	1		mg/L
Total organic carbon (toc)	MW-1N	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-1N	7/8/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	6/5/2015	0.73	1	ND	mg/L
Total organic carbon (toc)	MW-20	6/5/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/14/2015	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/14/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-20	8/4/2015	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-20	8/4/2015	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-20	9/2/2015	0.63	1	ND	mg/L
Total organic carbon (toc)	MW-20	9/2/2015	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/7/2016	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/7/2016	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-20	4/5/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	4/5/2016	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/20/2016	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/20/2016	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-20	10/5/2016	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-20	10/5/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/12/2017	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/12/2017	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/18/2017	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/18/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/26/2018	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/26/2018	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/12/2018	0.43	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/12/2018	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/11/2019	0.53	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-20	7/11/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-20	7/4/2021	1.25	1		mg/L
Total organic carbon (toc)	MW-20	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	6/5/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	6/5/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	7/14/2015	2.8	1		mg/L
Total organic carbon (toc)	MW-21	7/14/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	8/4/2015	2.6	1		mg/L
Total organic carbon (toc)	MW-21	8/4/2015	2.5	1		mg/L
Total organic carbon (toc)	MW-21	9/2/2015	2.2	1		mg/L
Total organic carbon (toc)	MW-21	9/2/2015	2.2	1		mg/L
Total organic carbon (toc)	MW-21	1/7/2016	0.74	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/7/2016	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-21	4/5/2016	2.1	1		mg/L
Total organic carbon (toc)	MW-21	4/5/2016	2.1	1		mg/L
Total organic carbon (toc)	MW-21	7/20/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/20/2016	1.8	1		mg/L
Total organic carbon (toc)	MW-21	10/5/2016	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-21	10/5/2016	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-21	10/5/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-21	10/5/2016	1.1	1		mg/L
Total organic carbon (toc)	MW-21	1/10/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-21	1/10/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-21	4/5/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	4/5/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/19/2017	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/19/2017	1.9	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2017	2	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2017	2	1		mg/L
Total organic carbon (toc)	MW-21	1/24/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-21	1/24/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-21	4/11/2018	4	1		mg/L
Total organic carbon (toc)	MW-21	4/11/2018	3.9	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2018	2	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2018	2	1		mg/L
Total organic carbon (toc)	MW-21	10/4/2018	1.5	1		mg/L
Total organic carbon (toc)	MW-21	10/4/2018	1.4	1		mg/L
Total organic carbon (toc)	MW-21	1/3/2019	2.9	1		mg/L
Total organic carbon (toc)	MW-21	1/3/2019	2.8	1		mg/L
Total organic carbon (toc)	MW-21	4/3/2019	2.3	1		mg/L
Total organic carbon (toc)	MW-21	4/3/2019	2.2	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2019	1.8	1		mg/L
Total organic carbon (toc)	MW-21	7/11/2019	1.7	1		mg/L
Total organic carbon (toc)	MW-21	10/2/2019	2.1	1		mg/L
Total organic carbon (toc)	MW-21	10/2/2019	2	1		mg/L
Total organic carbon (toc)	MW-21	1/16/2020	1.67	1		mg/L
Total organic carbon (toc)	MW-21	1/16/2020	1.82	1		mg/L
Total organic carbon (toc)	MW-21	4/2/2020	1.43	1		mg/L
Total organic carbon (toc)	MW-21	4/2/2020	1.44	1		mg/L
Total organic carbon (toc)	MW-21	7/8/2020	1.19	1		mg/L
Total organic carbon (toc)	MW-21	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/13/2021	1.37	1		mg/L
Total organic carbon (toc)	MW-21	4/6/2021	1.04	1		mg/L
Total organic carbon (toc)	MW-21	7/5/2021	1.68	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-21	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-21	1/11/2023	1.6	1		mg/L
Total organic carbon (toc)	MW-21	4/8/2023	1.68	1		mg/L
Total organic carbon (toc)	MW-21	7/7/2023	2.9	1		mg/L
Total organic carbon (toc)	MW-21	10/6/2023	2.89	1		mg/L
Total organic carbon (toc)	MW-2N	10/22/1997	12.6	1		mg/L
Total organic carbon (toc)	MW-2N	4/28/1998	14	1		mg/L
Total organic carbon (toc)	MW-2N	7/22/1998	5.1	1		mg/L
Total organic carbon (toc)	MW-2N	1/13/1999	1	1		mg/L
Total organic carbon (toc)	MW-2N	7/14/1999	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/20/1999	1.2	1		mg/L
Total organic carbon (toc)	MW-2N	1/14/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	4/25/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2007	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2007	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/11/2007	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/11/2007	0.45	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2008	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/4/2009	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/4/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/31/2009	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/31/2009	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2010	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/26/2010	0.27	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/20/2011	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/20/2011	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2011	0.49	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/13/2011	0.47	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/5/2012	0.25	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/10/2012	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/10/2012	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-2N	5/1/2013	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-2N	5/1/2013	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/16/2013	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/16/2013	0.36	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2014	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/24/2014	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/9/2014	0.38	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/9/2014	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/12/2015	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-2N	2/12/2015	0.17	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/14/2015	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/14/2015	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/21/2016	0.4	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-2N	7/21/2016	0.39	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2017	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2017	0.31	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/19/2017	0.26	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2018	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/12/2018	0.33	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/12/2018	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/3/2019	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/3/2019	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-2N	8/7/2019	0.4	1	ND	mg/L
Total organic carbon (toc)	MW-2N	8/7/2019	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/23/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/14/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/5/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	1/11/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-2N	7/8/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/21/1997	5.7	1		mg/L
Total organic carbon (toc)	MW-3N	4/28/1998	8.7	1		mg/L
Total organic carbon (toc)	MW-3N	7/23/1998	6.3	1		mg/L
Total organic carbon (toc)	MW-3N	1/13/1999	4.7	1		mg/L
Total organic carbon (toc)	MW-3N	7/14/1999	2.8	1		mg/L
Total organic carbon (toc)	MW-3N	10/20/1999	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/14/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/24/2000	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2006	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/25/2006	6.2	1		mg/L
Total organic carbon (toc)	MW-3N	10/25/2006	6.4	1		mg/L
Total organic carbon (toc)	MW-3N	1/26/2007	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2007	0.44	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2007	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2007	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2008	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2008	0.32	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/4/2009	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/4/2009	0.52	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/31/2009	0.35	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/31/2009	0.3	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2010	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/26/2010	0.37	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2010	0.18	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2010	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/20/2011	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/20/2011	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2011	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2011	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/5/2012	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/5/2012	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2012	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2012	0.72	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-3N	5/1/2013	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-3N	5/1/2013	0.95	1	ND	mg/L
Total organic carbon (toc)	MW-3N	6/4/2013	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	6/4/2013	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/16/2013	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/16/2013	0.55	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2014	0.53	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/9/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/9/2014	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/12/2015	0.46	1	ND	mg/L
Total organic carbon (toc)	MW-3N	2/12/2015	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/1/2015	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/1/2015	0.51	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2015	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/14/2015	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/5/2015	0.69	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/5/2015	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/6/2016	0.99	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/6/2016	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2016	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2016	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/21/2016	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/21/2016	0.56	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/6/2016	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/6/2016	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/4/2017	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/4/2017	1	1		mg/L
Total organic carbon (toc)	MW-3N	7/19/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/19/2017	0.58	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/9/2017	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/9/2017	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2018	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/24/2018	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/10/2018	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/10/2018	0.9	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2018	0.75	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/13/2018	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/3/2018	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/3/2018	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/7/2019	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/7/2019	0.64	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/3/2019	0.42	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/3/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2019	0.68	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/11/2019	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/2/2019	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/2/2019	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	4/6/2021	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-3N	7/5/2021	1.3	1		mg/L
Total organic carbon (toc)	MW-3N	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	MW-3N	1/11/2023	1	1		mg/L
Total organic carbon (toc)	MW-3N	7/7/2023	2.06	1		mg/L
Total organic carbon (toc)	MW-3N	10/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/21/1997	2.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/22/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	8/18/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	9/17/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/15/1998	54.8	4		mg/L
Total organic carbon (toc)	MW-7N	11/9/1998	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/14/1999	4.4	1		mg/L
Total organic carbon (toc)	MW-7N	7/14/1999	4	1		mg/L
Total organic carbon (toc)	MW-7N	10/19/1999	2.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/13/2000	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	4/25/2000	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2004	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.89	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/19/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	10/24/2006	1	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2007	0.61	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2007	0.71	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2007	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2007	0.87	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2008	0.24	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/6/2009	0.6	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/6/2009	0.54	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/29/2009	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/29/2009	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2010	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/26/2010	0.91	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/14/2010	1	1		mg/L
Total organic carbon (toc)	MW-7N	7/14/2010	1.1	1		mg/L
Total organic carbon (toc)	MW-7N	1/20/2011	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/20/2011	0.8	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/12/2011	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/12/2011	0.9	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2012	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2012	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/10/2012	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-7N	5/1/2013	1.5	1		mg/L
Total organic carbon (toc)	MW-7N	5/1/2013	1.5	1		mg/L
Total organic carbon (toc)	MW-7N	6/4/2013	1	1		mg/L
Total organic carbon (toc)	MW-7N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-7N	7/15/2013	0.57	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/15/2013	0.59	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/30/2014	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/30/2014	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/9/2014	0.81	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/9/2014	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/12/2015	0.7	1	ND	mg/L
Total organic carbon (toc)	MW-7N	2/12/2015	0.72	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/13/2015	0.63	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-7N	7/13/2015	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2016	0.62	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/5/2016	0.66	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2016	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-7N	7/21/2016	0.96	1	ND	mg/L
Total organic carbon (toc)	MW-7N	1/11/2017	2.1	1		mg/L
Total organic carbon (toc)	MW-7N	1/11/2017	2.1	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2017	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2017	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	7/19/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/25/2018	1.7	1		mg/L
Total organic carbon (toc)	MW-7N	1/25/2018	1.7	1		mg/L
Total organic carbon (toc)	MW-7N	4/11/2018	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	4/11/2018	1.8	1		mg/L
Total organic carbon (toc)	MW-7N	7/13/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	7/13/2018	1.3	1		mg/L
Total organic carbon (toc)	MW-7N	1/4/2019	1.6	1		mg/L
Total organic carbon (toc)	MW-7N	1/4/2019	1.6	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2019	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2019	1.2	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2020	1.32	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2020	1.38	1		mg/L
Total organic carbon (toc)	MW-7N	7/7/2020	1.45	1		mg/L
Total organic carbon (toc)	MW-7N	1/16/2021	1.56	1		mg/L
Total organic carbon (toc)	MW-7N	7/5/2021	2.19	1		mg/L
Total organic carbon (toc)	MW-7N	10/5/2021	1.4	1		mg/L
Total organic carbon (toc)	MW-7N	1/12/2022	2.06	1		mg/L
Total organic carbon (toc)	MW-7N	4/4/2022	1.71	1		mg/L
Total organic carbon (toc)	MW-7N	7/10/2022	1.85	1		mg/L
Total organic carbon (toc)	MW-7N	10/6/2022	2.02	1		mg/L
Total organic carbon (toc)	MW-7N	1/10/2023	1.68	1		mg/L
Total organic carbon (toc)	MW-7N	7/7/2023	2.62	1		mg/L
Total organic carbon (toc)	MW-7N	10/4/2023	2.07	1		mg/L
Total organic carbon (toc)	MW-8N	10/21/1997	7.7	1		mg/L
Total organic carbon (toc)	MW-8N	4/28/1998	5.8	1		mg/L
Total organic carbon (toc)	MW-8N	7/22/1998	3.5	1		mg/L
Total organic carbon (toc)	MW-8N	1/12/1999	3.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/1999	4	1		mg/L
Total organic carbon (toc)	MW-8N	10/19/1999	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/14/2000	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2000	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2006	1.6	1		mg/L
Total organic carbon (toc)	MW-8N	10/24/2006	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	10/24/2006	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2007	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2007	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2007	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/25/2007	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/10/2007	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	7/10/2007	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	1/24/2008	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/24/2008	1.1	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-8N	7/23/2008	0.67	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/23/2008	0.65	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/4/2009	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	2/4/2009	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/31/2009	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/31/2009	1	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2010	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/26/2010	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2010	0.77	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/16/2010	0.76	1	ND	mg/L
Total organic carbon (toc)	MW-8N	1/19/2011	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/19/2011	1	1		mg/L
Total organic carbon (toc)	MW-8N	5/10/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	5/10/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2011	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/6/2012	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	1/6/2012	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/5/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	4/5/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2012	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	5/1/2013	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	6/4/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2013	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/16/2013	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-8N	10/2/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2013	1.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/30/2014	0.84	1	ND	mg/L
Total organic carbon (toc)	MW-8N	1/30/2014	0.88	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/3/2014	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/3/2014	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/9/2014	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/9/2014	0.97	1	ND	mg/L
Total organic carbon (toc)	MW-8N	10/8/2014	0.98	1	ND	mg/L
Total organic carbon (toc)	MW-8N	10/8/2014	0.94	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/12/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	2/12/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/1/2015	0.85	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/1/2015	0.86	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/14/2015	1	1		mg/L
Total organic carbon (toc)	MW-8N	7/14/2015	1	1		mg/L
Total organic carbon (toc)	MW-8N	10/5/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	10/5/2015	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/5/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	7/21/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	7/21/2016	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2016	1.2	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2017	1.4	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2017	1.4	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	MW-8N	4/4/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	4/4/2017	1.3	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2017	1.5	1		mg/L
Total organic carbon (toc)	MW-8N	7/19/2017	1.5	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	MW-8N	1/25/2018	2.1	1		mg/L
Total organic carbon (toc)	MW-8N	1/25/2018	2	1		mg/L
Total organic carbon (toc)	MW-8N	4/10/2018	2.2	1		mg/L
Total organic carbon (toc)	MW-8N	4/10/2018	2.1	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/16/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2018	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/2/2018	2	1		mg/L
Total organic carbon (toc)	MW-8N	1/7/2019	2	1		mg/L
Total organic carbon (toc)	MW-8N	1/7/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	4/3/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	MW-8N	4/3/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	MW-8N	7/11/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	7/11/2019	2	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	10/3/2019	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2020	1.78	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2020	1.67	1		mg/L
Total organic carbon (toc)	MW-8N	4/2/2020	1.68	1		mg/L
Total organic carbon (toc)	MW-8N	4/2/2020	1.68	1		mg/L
Total organic carbon (toc)	MW-8N	7/9/2020	1.98	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2020	1.9	1		mg/L
Total organic carbon (toc)	MW-8N	1/15/2021	2.23	1		mg/L
Total organic carbon (toc)	MW-8N	4/6/2021	1.76	1		mg/L
Total organic carbon (toc)	MW-8N	7/5/2021	2.04	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2021	1.91	1		mg/L
Total organic carbon (toc)	MW-8N	1/18/2022	1.59	1		mg/L
Total organic carbon (toc)	MW-8N	4/4/2022	2.15	1		mg/L
Total organic carbon (toc)	MW-8N	7/12/2022	1.71	1		mg/L
Total organic carbon (toc)	MW-8N	10/6/2022	1.47	1		mg/L
Total organic carbon (toc)	MW-8N	1/11/2023	1.66	1		mg/L
Total organic carbon (toc)	MW-8N	4/8/2023	1.77	1		mg/L
Total organic carbon (toc)	MW-8N	7/7/2023	2.5	1		mg/L
Total organic carbon (toc)	MW-8N	10/5/2023	1.46	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.79	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/19/2006	0.79	1	ND	mg/L
Total organic carbon (toc)	NE-1	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2007	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/10/2007	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2007	1	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2008	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/24/2008	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/21/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-1	2/7/2009	0.24	1	ND	mg/L
Total organic carbon (toc)	NE-1	2/7/2009	0.28	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/31/2009	2.2	1		mg/L
Total organic carbon (toc)	NE-1	7/31/2009	2.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-1	1/26/2010	0.71	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/26/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-1	7/14/2010	19	1		mg/L
Total organic carbon (toc)	NE-1	7/14/2010	18	1		mg/L
Total organic carbon (toc)	NE-1	1/19/2011	25	1		mg/L
Total organic carbon (toc)	NE-1	1/19/2011	25	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2011	3.9	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2011	4	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2012	12	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2012	12	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2012	5	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2012	4.9	1		mg/L
Total organic carbon (toc)	NE-1	4/30/2013	0.99	1	ND	mg/L
Total organic carbon (toc)	NE-1	4/30/2013	1	1		mg/L
Total organic carbon (toc)	NE-1	7/16/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-1	7/16/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-1	1/23/2014	9.3	1		mg/L
Total organic carbon (toc)	NE-1	1/23/2014	9	1		mg/L
Total organic carbon (toc)	NE-1	7/9/2014	3.3	1		mg/L
Total organic carbon (toc)	NE-1	7/9/2014	3.3	1		mg/L
Total organic carbon (toc)	NE-1	2/11/2015	1.3	1		mg/L
Total organic carbon (toc)	NE-1	2/11/2015	1.3	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2015	8.4	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2015	8.5	1		mg/L
Total organic carbon (toc)	NE-1	1/6/2016	6.5	1		mg/L
Total organic carbon (toc)	NE-1	1/6/2016	6.3	1		mg/L
Total organic carbon (toc)	NE-1	7/20/2016	5.7	1		mg/L
Total organic carbon (toc)	NE-1	7/20/2016	5.4	1		mg/L
Total organic carbon (toc)	NE-1	1/11/2017	3.1	1		mg/L
Total organic carbon (toc)	NE-1	1/11/2017	3.1	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/19/2017	1.3	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2018	1.6	1		mg/L
Total organic carbon (toc)	NE-1	1/24/2018	1.6	1		mg/L
Total organic carbon (toc)	NE-1	4/11/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-1	4/11/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-1	7/18/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/18/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2018	1.3	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2018	1.2	1		mg/L
Total organic carbon (toc)	NE-1	1/4/2019	0.94	1	ND	mg/L
Total organic carbon (toc)	NE-1	1/4/2019	0.97	1	ND	mg/L
Total organic carbon (toc)	NE-1	4/2/2019	1.3	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2019	1.3	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	7/10/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-1	10/2/2019	1	1		mg/L
Total organic carbon (toc)	NE-1	1/15/2020	1.2	1		mg/L
Total organic carbon (toc)	NE-1	1/15/2020	1.27	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2020	1.16	1		mg/L
Total organic carbon (toc)	NE-1	4/2/2020	1.14	1		mg/L
Total organic carbon (toc)	NE-1	7/8/2020	1.34	1		mg/L
Total organic carbon (toc)	NE-1	10/7/2020	1.37	1		mg/L
Total organic carbon (toc)	NE-1	1/13/2021	1.15	1		mg/L
Total organic carbon (toc)	NE-1	4/9/2021	1.28	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-1	7/2/2021	1.47	1		mg/L
Total organic carbon (toc)	NE-1	10/6/2021	1.26	1		mg/L
Total organic carbon (toc)	NE-1	1/17/2022	1.22	1		mg/L
Total organic carbon (toc)	NE-1	4/6/2022	1.2	1		mg/L
Total organic carbon (toc)	NE-1	7/13/2022	1.41	1		mg/L
Total organic carbon (toc)	NE-1	10/6/2022	1.83	1		mg/L
Total organic carbon (toc)	NE-1	1/5/2023	1.6	1		mg/L
Total organic carbon (toc)	NE-1	4/7/2023	1.19	1		mg/L
Total organic carbon (toc)	NE-1	7/5/2023	1.91	1		mg/L
Total organic carbon (toc)	NE-1	10/5/2023	1.55	1		mg/L
Total organic carbon (toc)	NE-10D	11/6/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	11/6/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	10/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	1/6/2023	5.35	1		mg/L
Total organic carbon (toc)	NE-10D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	7/8/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-10D	10/3/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	3/1/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-11	3/1/2017	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-11	4/6/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-11	4/6/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/20/2017	0.5	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/20/2017	0.54	1	ND	mg/L
Total organic carbon (toc)	NE-11	10/9/2017	0.68	1	ND	mg/L
Total organic carbon (toc)	NE-11	10/9/2017	0.68	1	ND	mg/L
Total organic carbon (toc)	NE-11	9/30/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	NE-11	9/30/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/14/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-11	7/6/2023	1.29	1		mg/L
Total organic carbon (toc)	NE-12	3/1/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-12	3/1/2017	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-12	4/6/2017	2.6	1		mg/L
Total organic carbon (toc)	NE-12	4/6/2017	2.6	1		mg/L
Total organic carbon (toc)	NE-12	7/20/2017	0.85	1	ND	mg/L
Total organic carbon (toc)	NE-12	7/20/2017	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-12	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-12	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-12	8/5/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	8/5/2019	0.35	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-12	1/13/2020	1.26	1		mg/L
Total organic carbon (toc)	NE-12	1/13/2020	1.3	1		mg/L
Total organic carbon (toc)	NE-12	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	1/15/2021	1.77	1		mg/L
Total organic carbon (toc)	NE-12	1/15/2021	1.99	1		mg/L
Total organic carbon (toc)	NE-12	7/1/2021	1.4	1		mg/L
Total organic carbon (toc)	NE-12	7/1/2021	1.4	1		mg/L
Total organic carbon (toc)	NE-12	1/17/2022	1.34	1		mg/L
Total organic carbon (toc)	NE-12	1/17/2022	1.32	1		mg/L
Total organic carbon (toc)	NE-12	7/12/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-12	7/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	2/5/2019	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-13	2/5/2019	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-13	8/7/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-13	8/7/2019	1.1	1		mg/L
Total organic carbon (toc)	NE-13	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	7/8/2020	1.6	1		mg/L
Total organic carbon (toc)	NE-13	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-13	7/1/2021	9.92	1		mg/L
Total organic carbon (toc)	NE-13	7/1/2021	9.92	1		mg/L
Total organic carbon (toc)	NE-14D	10/2/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/2/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14D	7/5/2023	1.14	1		mg/L
Total organic carbon (toc)	NE-14D	10/4/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/2/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/2/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/13/2022	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-14S	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	7/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-14S	10/4/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	9/30/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-15D	9/30/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/2/2021	1.04	1		mg/L
Total organic carbon (toc)	NE-15D	10/7/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	7/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15D	10/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-15S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-15S	4/3/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-2	10/1/2013	3.6	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2013	3.7	1		mg/L
Total organic carbon (toc)	NE-2	10/8/2014	2.7	1		mg/L
Total organic carbon (toc)	NE-2	10/8/2014	2.8	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2015	2.9	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2015	3	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2016	3	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2016	3	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2017	7	1		mg/L
Total organic carbon (toc)	NE-2	10/5/2017	6.9	1		mg/L
Total organic carbon (toc)	NE-2	1/25/2018	4.1	1		mg/L
Total organic carbon (toc)	NE-2	1/25/2018	4	1		mg/L
Total organic carbon (toc)	NE-2	4/10/2018	3.6	1		mg/L
Total organic carbon (toc)	NE-2	4/10/2018	3.6	1		mg/L
Total organic carbon (toc)	NE-2	7/10/2018	3.4	1		mg/L
Total organic carbon (toc)	NE-2	7/10/2018	3.2	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2018	3.1	1		mg/L
Total organic carbon (toc)	NE-2	10/1/2018	3.1	1		mg/L
Total organic carbon (toc)	NE-2	1/4/2019	3.5	1		mg/L
Total organic carbon (toc)	NE-2	1/4/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	4/2/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	4/2/2019	3.6	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	7/9/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	10/2/2019	3.1	1		mg/L
Total organic carbon (toc)	NE-2	10/2/2019	3	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2020	2.3	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2020	2.4	1		mg/L
Total organic carbon (toc)	NE-2	4/1/2020	3.3	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-2	4/1/2020	3.32	1		mg/L
Total organic carbon (toc)	NE-2	7/7/2020	2.81	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2020	1.11	1		mg/L
Total organic carbon (toc)	NE-2	1/14/2021	4.79	1		mg/L
Total organic carbon (toc)	NE-2	4/9/2021	4.2	1		mg/L
Total organic carbon (toc)	NE-2	7/2/2021	3.5	1		mg/L
Total organic carbon (toc)	NE-2	10/6/2021	1.06	1		mg/L
Total organic carbon (toc)	NE-2	1/18/2022	4.15	1		mg/L
Total organic carbon (toc)	NE-2	4/6/2022	3.45	1		mg/L
Total organic carbon (toc)	NE-2	7/13/2022	1.76	1		mg/L
Total organic carbon (toc)	NE-2	10/7/2022	1.26	1		mg/L
Total organic carbon (toc)	NE-2	1/5/2023	4.27	1		mg/L
Total organic carbon (toc)	NE-2	4/5/2023	3.84	1		mg/L
Total organic carbon (toc)	NE-2	7/5/2023	1.84	1		mg/L
Total organic carbon (toc)	NE-2	10/4/2023	2.09	1		mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.84	1	ND	mg/L
Total organic carbon (toc)	NE-4	8/1/2006	0.86	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/24/2007	1.3	1		mg/L
Total organic carbon (toc)	NE-4	1/24/2007	1.2	1		mg/L
Total organic carbon (toc)	NE-4	7/12/2007	1.4	1		mg/L
Total organic carbon (toc)	NE-4	7/12/2007	1.4	1		mg/L
Total organic carbon (toc)	NE-4	1/24/2008	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/24/2008	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/21/2008	0.59	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/21/2008	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/7/2009	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/7/2009	0.17	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/31/2009	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/31/2009	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2010	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2010	0.43	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/14/2010	24	1		mg/L
Total organic carbon (toc)	NE-4	7/14/2010	24	1		mg/L
Total organic carbon (toc)	NE-4	1/19/2011	17	1		mg/L
Total organic carbon (toc)	NE-4	1/19/2011	17	1		mg/L
Total organic carbon (toc)	NE-4	7/13/2011	2.2	1		mg/L
Total organic carbon (toc)	NE-4	7/13/2011	2.2	1		mg/L
Total organic carbon (toc)	NE-4	1/5/2012	14	1		mg/L
Total organic carbon (toc)	NE-4	1/5/2012	14	1		mg/L
Total organic carbon (toc)	NE-4	7/10/2012	5.6	1		mg/L
Total organic carbon (toc)	NE-4	7/10/2012	5.6	1		mg/L
Total organic carbon (toc)	NE-4	4/30/2013	1.5	1		mg/L
Total organic carbon (toc)	NE-4	4/30/2013	1.5	1		mg/L
Total organic carbon (toc)	NE-4	7/16/2013	1.3	1		mg/L
Total organic carbon (toc)	NE-4	7/16/2013	1.3	1		mg/L
Total organic carbon (toc)	NE-4	1/23/2014	4.8	1		mg/L
Total organic carbon (toc)	NE-4	1/23/2014	5	1		mg/L
Total organic carbon (toc)	NE-4	7/9/2014	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/9/2014	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/13/2015	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-4	2/13/2015	0.5	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2015	2.7	1		mg/L
Total organic carbon (toc)	NE-4	7/8/2015	2.7	1		mg/L
Total organic carbon (toc)	NE-4	1/6/2016	0.85	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-4	1/6/2016	0.83	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/20/2016	1.5	1		mg/L
Total organic carbon (toc)	NE-4	7/20/2016	1.5	1		mg/L
Total organic carbon (toc)	NE-4	1/11/2017	1.8	1		mg/L
Total organic carbon (toc)	NE-4	1/11/2017	1.8	1		mg/L
Total organic carbon (toc)	NE-4	7/19/2017	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/19/2017	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2018	0.81	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/26/2018	0.81	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/10/2018	1.4	1		mg/L
Total organic carbon (toc)	NE-4	4/10/2018	1.3	1		mg/L
Total organic carbon (toc)	NE-4	7/12/2018	0.55	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/12/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/3/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/3/2018	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/7/2019	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/7/2019	0.39	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/2/2019	0.51	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/8/2019	0.8	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/1/2019	0.48	1	ND	mg/L
Total organic carbon (toc)	NE-4	10/1/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/13/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/13/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/6/2020	1.09	1		mg/L
Total organic carbon (toc)	NE-4	10/5/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/2/2021	1.12	1		mg/L
Total organic carbon (toc)	NE-4	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	4/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-4	7/5/2023	1.01	1		mg/L
Total organic carbon (toc)	NE-4	10/4/2023	1.07	1		mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.77	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2006	0.77	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/25/2006	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/24/2007	0.76	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/24/2007	0.85	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/12/2007	2.2	1		mg/L
Total organic carbon (toc)	NE-5	7/12/2007	2.2	1		mg/L
Total organic carbon (toc)	NE-5	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/22/2008	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/6/2009	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/6/2009	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/31/2009	5.4	1		mg/L
Total organic carbon (toc)	NE-5	7/31/2009	5.2	1		mg/L
Total organic carbon (toc)	NE-5	1/26/2010	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/26/2010	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/16/2010	72	2		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-5	7/16/2010	73	2		mg/L
Total organic carbon (toc)	NE-5	1/19/2011	18	1		mg/L
Total organic carbon (toc)	NE-5	1/19/2011	18	1		mg/L
Total organic carbon (toc)	NE-5	7/13/2011	6.1	1		mg/L
Total organic carbon (toc)	NE-5	7/13/2011	6	1		mg/L
Total organic carbon (toc)	NE-5	1/5/2012	11	1		mg/L
Total organic carbon (toc)	NE-5	1/5/2012	11	1		mg/L
Total organic carbon (toc)	NE-5	7/10/2012	2.1	1		mg/L
Total organic carbon (toc)	NE-5	7/10/2012	2.2	1		mg/L
Total organic carbon (toc)	NE-5	4/30/2013	2	1		mg/L
Total organic carbon (toc)	NE-5	4/30/2013	2	1		mg/L
Total organic carbon (toc)	NE-5	7/16/2013	3.4	1		mg/L
Total organic carbon (toc)	NE-5	7/16/2013	3.4	1		mg/L
Total organic carbon (toc)	NE-5	1/23/2014	1.4	1		mg/L
Total organic carbon (toc)	NE-5	1/23/2014	1.3	1		mg/L
Total organic carbon (toc)	NE-5	7/9/2014	1.2	1		mg/L
Total organic carbon (toc)	NE-5	7/9/2014	1.2	1		mg/L
Total organic carbon (toc)	NE-5	2/11/2015	0.9	1	ND	mg/L
Total organic carbon (toc)	NE-5	2/11/2015	0.87	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/14/2015	1.9	1		mg/L
Total organic carbon (toc)	NE-5	7/14/2015	2	1		mg/L
Total organic carbon (toc)	NE-5	1/6/2016	33	1		mg/L
Total organic carbon (toc)	NE-5	1/6/2016	32	1		mg/L
Total organic carbon (toc)	NE-5	7/20/2016	20	1		mg/L
Total organic carbon (toc)	NE-5	7/20/2016	20	1		mg/L
Total organic carbon (toc)	NE-5	1/11/2017	3.6	1		mg/L
Total organic carbon (toc)	NE-5	1/11/2017	3.6	1		mg/L
Total organic carbon (toc)	NE-5	7/19/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/19/2017	0.69	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/25/2018	0.88	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/25/2018	0.92	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/10/2018	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/10/2018	0.64	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/17/2018	0.56	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/17/2018	0.39	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2018	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2018	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/4/2019	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/4/2019	0.38	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2019	0.47	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	0.36	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	0.36	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/9/2019	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/3/2019	2.1	1		mg/L
Total organic carbon (toc)	NE-5	10/3/2019	2.1	1		mg/L
Total organic carbon (toc)	NE-5	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/15/2021	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-5	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	10/7/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	4/7/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5	7/6/2023	1.16	1		mg/L
Total organic carbon (toc)	NE-5	10/4/2023	1.55	1		mg/L
Total organic carbon (toc)	NE-5E	9/30/2019	0.61	1	ND	mg/L
Total organic carbon (toc)	NE-5E	9/30/2019	0.58	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/1/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5E	7/13/2022	1.31	1		mg/L
Total organic carbon (toc)	NE-5E	10/7/2022	1.24	1		mg/L
Total organic carbon (toc)	NE-5E	1/5/2023	1.02	1		mg/L
Total organic carbon (toc)	NE-5E	4/7/2023	1.18	1		mg/L
Total organic carbon (toc)	NE-5E	7/6/2023	1.6	1		mg/L
Total organic carbon (toc)	NE-5E	10/4/2023	1.65	1		mg/L
Total organic carbon (toc)	NE-5W	9/30/2019	0.44	1	ND	mg/L
Total organic carbon (toc)	NE-5W	9/30/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/2/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/8/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	10/6/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/15/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/9/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/2/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	10/6/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	1/18/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/6/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	10/7/2022	1.03	1		mg/L
Total organic carbon (toc)	NE-5W	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	4/7/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-5W	7/6/2023	1.37	1		mg/L
Total organic carbon (toc)	NE-5W	10/4/2023	1.69	1		mg/L
Total organic carbon (toc)	NE-6	1/12/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-6	1/12/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-6	4/5/2017	1.5	1		mg/L
Total organic carbon (toc)	NE-6	4/5/2017	1.5	1		mg/L
Total organic carbon (toc)	NE-6	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-6	7/19/2017	1.2	1		mg/L
Total organic carbon (toc)	NE-6	10/6/2017	1.2	1		mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-6	10/6/2017	1.1	1		mg/L
Total organic carbon (toc)	NE-6	2/4/2019	1.5	1		mg/L
Total organic carbon (toc)	NE-6	2/4/2019	1.5	1		mg/L
Total organic carbon (toc)	NE-6	8/6/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-6	8/6/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-6	1/15/2020	1.15	1		mg/L
Total organic carbon (toc)	NE-6	1/15/2020	1.14	1		mg/L
Total organic carbon (toc)	NE-6	7/9/2020	1.12	1		mg/L
Total organic carbon (toc)	NE-6	1/16/2021	1.12	1		mg/L
Total organic carbon (toc)	NE-6	1/16/2021	1.14	1		mg/L
Total organic carbon (toc)	NE-6	7/1/2021	1.63	1		mg/L
Total organic carbon (toc)	NE-6	7/1/2021	1.63	1		mg/L
Total organic carbon (toc)	NE-6	1/17/2022	1.19	1		mg/L
Total organic carbon (toc)	NE-6	1/17/2022	1.26	1		mg/L
Total organic carbon (toc)	NE-6	7/12/2022	1.35	1		mg/L
Total organic carbon (toc)	NE-6	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-6	7/6/2023	1.62	1		mg/L
Total organic carbon (toc)	NE-6D	10/2/2019	2	1		mg/L
Total organic carbon (toc)	NE-6D	10/2/2019	2	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2020	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2020	1.98	1		mg/L
Total organic carbon (toc)	NE-6D	4/2/2020	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	4/2/2020	1.92	1		mg/L
Total organic carbon (toc)	NE-6D	7/9/2020	1.95	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2020	1.83	1		mg/L
Total organic carbon (toc)	NE-6D	1/15/2021	1.91	1		mg/L
Total organic carbon (toc)	NE-6D	4/9/2021	1.97	1		mg/L
Total organic carbon (toc)	NE-6D	7/2/2021	2.15	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2021	1.45	1		mg/L
Total organic carbon (toc)	NE-6D	1/17/2022	1.71	1		mg/L
Total organic carbon (toc)	NE-6D	4/6/2022	1.63	1		mg/L
Total organic carbon (toc)	NE-6D	7/12/2022	2	1		mg/L
Total organic carbon (toc)	NE-6D	10/7/2022	2.06	1		mg/L
Total organic carbon (toc)	NE-6D	1/5/2023	1.59	1		mg/L
Total organic carbon (toc)	NE-6D	4/7/2023	1.61	1		mg/L
Total organic carbon (toc)	NE-6D	7/6/2023	2.06	1		mg/L
Total organic carbon (toc)	NE-6D	10/4/2023	2.02	1		mg/L
Total organic carbon (toc)	NE-7	3/1/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	3/1/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	4/6/2017	0.7	1	ND	mg/L
Total organic carbon (toc)	NE-7	4/6/2017	0.74	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/20/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/20/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-7	10/5/2017	0.49	1	ND	mg/L
Total organic carbon (toc)	NE-7	10/5/2017	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-7	2/6/2019	0.93	1	ND	mg/L
Total organic carbon (toc)	NE-7	2/6/2019	0.91	1	ND	mg/L
Total organic carbon (toc)	NE-7	8/6/2019	0.46	1	ND	mg/L
Total organic carbon (toc)	NE-7	8/6/2019	0.45	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/16/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/1/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	1/17/2022	1	1	ND	mg/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total organic carbon (toc)	NE-7	7/12/2022	1.05	1		mg/L
Total organic carbon (toc)	NE-7	1/5/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-7	7/6/2023	1.19	1		mg/L
Total organic carbon (toc)	NE-8	1/12/2017	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-8	1/12/2017	0.65	1	ND	mg/L
Total organic carbon (toc)	NE-8	4/5/2017	1.4	1		mg/L
Total organic carbon (toc)	NE-8	4/5/2017	1.4	1		mg/L
Total organic carbon (toc)	NE-8	7/20/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	7/20/2017	1.6	1		mg/L
Total organic carbon (toc)	NE-8	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	10/6/2017	1.7	1		mg/L
Total organic carbon (toc)	NE-8	2/4/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	2/4/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	8/5/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	8/5/2019	1.2	1		mg/L
Total organic carbon (toc)	NE-8	1/15/2020	1.17	1		mg/L
Total organic carbon (toc)	NE-8	1/15/2020	1.24	1		mg/L
Total organic carbon (toc)	NE-8	7/8/2020	1.32	1		mg/L
Total organic carbon (toc)	NE-8	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	1/13/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	4/9/2021	1.28	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.75	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.74	1		mg/L
Total organic carbon (toc)	NE-8	7/1/2021	1.75	1		mg/L
Total organic carbon (toc)	NE-8	10/7/2021	1.1	1		mg/L
Total organic carbon (toc)	NE-8	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-8	7/5/2023	2.55	1		mg/L
Total organic carbon (toc)	NE-9	1/12/2017	0.33	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/12/2017	0.33	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/5/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/5/2017	0.42	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/20/2017	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/20/2017	0.41	1	ND	mg/L
Total organic carbon (toc)	NE-9	10/5/2017	0.35	1	ND	mg/L
Total organic carbon (toc)	NE-9	10/5/2017	0.37	1	ND	mg/L
Total organic carbon (toc)	NE-9	2/5/2019	0.63	1	ND	mg/L
Total organic carbon (toc)	NE-9	2/5/2019	0.62	1	ND	mg/L
Total organic carbon (toc)	NE-9	8/7/2019	0.6	1	ND	mg/L
Total organic carbon (toc)	NE-9	8/7/2019	0.54	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/15/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/7/2020	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2021	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/1/2021	1.07	1		mg/L
Total organic carbon (toc)	NE-9	7/1/2021	1.07	1		mg/L
Total organic carbon (toc)	NE-9	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/17/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	7/13/2022	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	1/6/2023	1	1	ND	mg/L
Total organic carbon (toc)	NE-9	4/8/2023	1.08	1		mg/L
Total organic carbon (toc)	NE-9	7/5/2023	1.52	1		mg/L
Total organic carbon (toc)	NE-9	10/6/2023	1	1	ND	mg/L
Total xylenes	LGW-10	1/26/2006	1	1	ND	ug/L
Total xylenes	LGW-10	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-10	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-10	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-10	1/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-10	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-10	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-10	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-10	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-10	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-10	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-10	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-10	7/16/2010	1	1	ND	ug/L
Total xylenes	LGW-10	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-10	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-10	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-10	5/1/2013	1	1	ND	ug/L
Total xylenes	LGW-10	1/30/2014	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2014	1	1	ND	ug/L
Total xylenes	LGW-10	2/12/2015	1	1	ND	ug/L
Total xylenes	LGW-10	7/13/2015	1	1	ND	ug/L
Total xylenes	LGW-10	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-10	4/6/2016	1	1	ND	ug/L
Total xylenes	LGW-10	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-10	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-10	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-10	4/4/2017	1	1	ND	ug/L
Total xylenes	LGW-10	7/19/2017	1	1	ND	ug/L
Total xylenes	LGW-10	10/9/2017	1	1	ND	ug/L
Total xylenes	LGW-10	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-10	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-10	7/16/2018	1	1	ND	ug/L
Total xylenes	LGW-10	10/4/2018	1	1	ND	ug/L
Total xylenes	LGW-10	1/4/2019	1	1	ND	ug/L
Total xylenes	LGW-10	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-10	7/11/2019	1	1	ND	ug/L
Total xylenes	LGW-10	10/2/2019	1	1	ND	ug/L
Total xylenes	LGW-10	1/15/2020	1	1	ND	ug/L
Total xylenes	LGW-10	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-10	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-10	10/7/2020	1	1	ND	ug/L
Total xylenes	LGW-10	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-10	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-10	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-10	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-10	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-10	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-10	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-10	10/7/2022	1	1	ND	ug/L
Total xylenes	LGW-10	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-10	4/5/2023	1	1	ND	ug/L
Total xylenes	LGW-10	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-10	10/5/2023	1	1	ND	ug/L
Total xylenes	LGW-14R	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	8/2/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	8/2/2006	1	1	ND	ug/L
Total xylenes	LGW-14R	10/27/2006	2	2	ND	ug/L
Total xylenes	LGW-14R	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	4/24/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-14R	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-14R	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-14R	2/6/2009	1	1	ND	ug/L
Total xylenes	LGW-14R	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-14R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-14R	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-14R	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-14R	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-14R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-14R	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-14R	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-14R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-14R	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-14R	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-14R	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-14R	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-14R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-14R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-14R	1/25/2018	1	1	ND	ug/L
Total xylenes	LGW-14R	7/17/2018	1	1	ND	ug/L
Total xylenes	LGW-14R	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-14R	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-14R	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-14R	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-14R	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-14R	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-14R	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-14R	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-14R	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-14R	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-2	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-2	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-2	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-2	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-2	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-2	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-2	7/10/2007	1	1	ND	ug/L
Total xylenes	LGW-2	1/26/2008	1	1	ND	ug/L
Total xylenes	LGW-2	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-2	2/6/2009	1	1	ND	ug/L
Total xylenes	LGW-2	7/30/2009	1	1	ND	ug/L
Total xylenes	LGW-2	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-2	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-2	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-2	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-2	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-2	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-2	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-2	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-2	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-2	1/30/2014	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-2	2/13/2015	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-2	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-2	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-2	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-2	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-2	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-2	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-2	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-2	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-2	1/13/2020	1	1	ND	ug/L
Total xylenes	LGW-2	4/1/2020	1	1	ND	ug/L
Total xylenes	LGW-2	7/8/2020	1	1	ND	ug/L
Total xylenes	LGW-2	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-2	7/4/2021	1	1	ND	ug/L
Total xylenes	LGW-2	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-2	7/10/2022	1	1	ND	ug/L
Total xylenes	LGW-2	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-2	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-3R	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-3R	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-3R	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-3R	1/26/2008	1	1	ND	ug/L
Total xylenes	LGW-3R	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2009	1	1	ND	ug/L
Total xylenes	LGW-3R	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	7/16/2010	1	1	ND	ug/L
Total xylenes	LGW-3R	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-3R	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-3R	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-3R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-3R	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-3R	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-3R	1/22/2014	1	1	ND	ug/L
Total xylenes	LGW-3R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-3R	2/10/2015	1	1	ND	ug/L
Total xylenes	LGW-3R	7/16/2015	1	1	ND	ug/L
Total xylenes	LGW-3R	1/8/2016	1	1	ND	ug/L
Total xylenes	LGW-3R	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-3R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-3R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-3R	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-3R	7/11/2018	1	1	ND	ug/L
Total xylenes	LGW-3R	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-3R	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-3R	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-3R	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-3R	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-3R	7/6/2021	1	1	ND	ug/L
Total xylenes	LGW-3R	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-3R	7/10/2022	1	1	ND	ug/L
Total xylenes	LGW-3R	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-3R	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-4	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-4	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-4	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-4	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-4	1/25/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-4	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-4	1/22/2008	1	1	ND	ug/L
Total xylenes	LGW-4	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2009	1	1	ND	ug/L
Total xylenes	LGW-4	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-4	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-4	7/16/2010	1	1	ND	ug/L
Total xylenes	LGW-4	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-4	7/13/2011	1	1	ND	ug/L
Total xylenes	LGW-4	1/4/2012	1	1	ND	ug/L
Total xylenes	LGW-4	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-4	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-4	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-4	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-4	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-4	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-4	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-4	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-4	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-4	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-4	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-4	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2018	1	1	ND	ug/L
Total xylenes	LGW-4	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-4	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-4	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-4	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-4	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-4	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-4	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-4	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-4	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-4	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-5	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-5	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-5	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-5	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-5	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-5	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-5	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-5	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-5	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-5	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-5	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-5	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-5	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-5	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-5	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-5	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-5	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-5	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-5	2/10/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-5	7/8/2015	1	1	ND	ug/L
Total xylenes	LGW-5	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-5	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-5	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-5	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-5	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-5	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-5	1/3/2019	1	1	ND	ug/L
Total xylenes	LGW-5	7/9/2019	1	1	ND	ug/L
Total xylenes	LGW-5	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-5	7/6/2020	1	1	ND	ug/L
Total xylenes	LGW-5	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-5	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-5	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-5	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-5	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-5	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-5	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-5	10/6/2022	1	1	ND	ug/L
Total xylenes	LGW-5	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-5	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-5	10/5/2023	1	1	ND	ug/L
Total xylenes	LGW-6	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-6	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-6	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-6	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-6	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-6	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-6	7/11/2007	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2008	1	1	ND	ug/L
Total xylenes	LGW-6	7/23/2008	1	1	ND	ug/L
Total xylenes	LGW-6	2/5/2009	1	1	ND	ug/L
Total xylenes	LGW-6	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-6	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-6	2/3/2010	1	1	ND	ug/L
Total xylenes	LGW-6	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-6	1/19/2011	1	1	ND	ug/L
Total xylenes	LGW-6	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-6	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-6	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-6	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-6	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-6	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-6	2/10/2015	1	1	ND	ug/L
Total xylenes	LGW-6	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-6	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-6	7/19/2016	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-6	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-6	5/5/2017	1	1	ND	ug/L
Total xylenes	LGW-6	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-6	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-6	1/23/2018	1	1	ND	ug/L
Total xylenes	LGW-6	4/10/2018	1	1	ND	ug/L
Total xylenes	LGW-6	7/17/2018	1	1	ND	ug/L
Total xylenes	LGW-6	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-6	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-6	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-6	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-6	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-6	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-6	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-6	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2020	1	1	ND	ug/L
Total xylenes	LGW-6	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-6	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-6	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-6	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-6	1/12/2022	1	1	ND	ug/L
Total xylenes	LGW-6	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-6	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-6	10/6/2022	1	1	ND	ug/L
Total xylenes	LGW-6	1/10/2023	1	1	ND	ug/L
Total xylenes	LGW-6	4/6/2023	1	1	ND	ug/L
Total xylenes	LGW-6	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-6	10/5/2023	1	1	ND	ug/L
Total xylenes	LGW-7	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-7	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-7	8/1/2006	1	1	ND	ug/L
Total xylenes	LGW-7	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-7	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-7	4/26/2007	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-7	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-7	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-7	7/31/2009	1	1	ND	ug/L
Total xylenes	LGW-7	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2010	1	1	ND	ug/L
Total xylenes	LGW-7	1/20/2011	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-7	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-7	7/10/2012	1	1	ND	ug/L
Total xylenes	LGW-7	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-7	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-7	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-7	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-7	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-7	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-7	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-7	4/6/2016	1	1	ND	ug/L
Total xylenes	LGW-7	7/20/2016	1	1	ND	ug/L
Total xylenes	LGW-7	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-7	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-7	4/4/2017	1	1	ND	ug/L
Total xylenes	LGW-7	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-7	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-7	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-7	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-7	7/12/2018	1	1	ND	ug/L
Total xylenes	LGW-7	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-7	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-7	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-7	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-7	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-7	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-7	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-7	1/18/2021	1	1	ND	ug/L
Total xylenes	LGW-7	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-7	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-7	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-7	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-7	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-7	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-8R	1/24/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-8R	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-8R	1/24/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	4/25/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	7/12/2007	1	1	ND	ug/L
Total xylenes	LGW-8R	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-8R	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-8R	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-8R	7/14/2010	1	1	ND	ug/L
Total xylenes	LGW-8R	1/20/2011	1	1	ND	ug/L
Total xylenes	LGW-8R	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-8R	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-8R	7/9/2012	1	1	ND	ug/L
Total xylenes	LGW-8R	4/30/2013	1	1	ND	ug/L
Total xylenes	LGW-8R	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-8R	1/22/2014	1	1	ND	ug/L
Total xylenes	LGW-8R	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-8R	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-8R	7/22/2015	1	1	ND	ug/L
Total xylenes	LGW-8R	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-8R	7/20/2016	1	1	ND	ug/L
Total xylenes	LGW-8R	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-8R	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-8R	1/25/2018	1	1	ND	ug/L
Total xylenes	LGW-8R	7/13/2018	1	1	ND	ug/L
Total xylenes	LGW-8R	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-8R	7/8/2019	1	1	ND	ug/L
Total xylenes	LGW-8R	1/14/2020	1	1	ND	ug/L
Total xylenes	LGW-8R	7/7/2020	1	1	ND	ug/L
Total xylenes	LGW-8R	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-8R	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-8R	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-8R	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-8R	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-8R	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-9	1/25/2006	1	1	ND	ug/L
Total xylenes	LGW-9	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-9	7/20/2006	1	1	ND	ug/L
Total xylenes	LGW-9	10/26/2006	2	2	ND	ug/L
Total xylenes	LGW-9	1/25/2007	1	1	ND	ug/L
Total xylenes	LGW-9	4/25/2007	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2007	1	1	ND	ug/L
Total xylenes	LGW-9	7/22/2008	1	1	ND	ug/L
Total xylenes	LGW-9	2/4/2009	1	1	ND	ug/L
Total xylenes	LGW-9	7/29/2009	1	1	ND	ug/L
Total xylenes	LGW-9	1/27/2010	1	1	ND	ug/L
Total xylenes	LGW-9	7/14/2010	1	1	ND	ug/L
Total xylenes	LGW-9	1/20/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	LGW-9	7/12/2011	1	1	ND	ug/L
Total xylenes	LGW-9	1/5/2012	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2012	1	1	ND	ug/L
Total xylenes	LGW-9	5/1/2013	1	1	ND	ug/L
Total xylenes	LGW-9	7/15/2013	1	1	ND	ug/L
Total xylenes	LGW-9	1/23/2014	1	1	ND	ug/L
Total xylenes	LGW-9	7/8/2014	1	1	ND	ug/L
Total xylenes	LGW-9	2/11/2015	1	1	ND	ug/L
Total xylenes	LGW-9	7/13/2015	1	1	ND	ug/L
Total xylenes	LGW-9	1/5/2016	1	1	ND	ug/L
Total xylenes	LGW-9	7/21/2016	1	1	ND	ug/L
Total xylenes	LGW-9	10/6/2016	1	1	ND	ug/L
Total xylenes	LGW-9	1/11/2017	1	1	ND	ug/L
Total xylenes	LGW-9	5/5/2017	1	1	ND	ug/L
Total xylenes	LGW-9	7/18/2017	1	1	ND	ug/L
Total xylenes	LGW-9	10/5/2017	1	1	ND	ug/L
Total xylenes	LGW-9	1/24/2018	1	1	ND	ug/L
Total xylenes	LGW-9	4/11/2018	1	1	ND	ug/L
Total xylenes	LGW-9	7/13/2018	1	1	ND	ug/L
Total xylenes	LGW-9	10/2/2018	1	1	ND	ug/L
Total xylenes	LGW-9	1/7/2019	1	1	ND	ug/L
Total xylenes	LGW-9	4/3/2019	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2019	1	1	ND	ug/L
Total xylenes	LGW-9	10/3/2019	1	1	ND	ug/L
Total xylenes	LGW-9	1/16/2020	1	1	ND	ug/L
Total xylenes	LGW-9	4/2/2020	1	1	ND	ug/L
Total xylenes	LGW-9	7/9/2020	1	1	ND	ug/L
Total xylenes	LGW-9	10/7/2020	1	1	ND	ug/L
Total xylenes	LGW-9	1/17/2021	1	1	ND	ug/L
Total xylenes	LGW-9	4/6/2021	1	1	ND	ug/L
Total xylenes	LGW-9	7/7/2021	1	1	ND	ug/L
Total xylenes	LGW-9	10/5/2021	1	1	ND	ug/L
Total xylenes	LGW-9	1/13/2022	1	1	ND	ug/L
Total xylenes	LGW-9	4/4/2022	1	1	ND	ug/L
Total xylenes	LGW-9	7/11/2022	1	1	ND	ug/L
Total xylenes	LGW-9	10/7/2022	1	1	ND	ug/L
Total xylenes	LGW-9	1/11/2023	1	1	ND	ug/L
Total xylenes	LGW-9	4/5/2023	1	1	ND	ug/L
Total xylenes	LGW-9	7/10/2023	1	1	ND	ug/L
Total xylenes	LGW-9	10/5/2023	1	1	ND	ug/L
Total xylenes	MW-10N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-10N	1/22/1998	10	10	ND	ug/L
Total xylenes	MW-10N	4/28/1998	0.81	21		ug/L
Total xylenes	MW-10N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-10N	1/14/1999	10	10	ND	ug/L
Total xylenes	MW-10N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-10N	7/15/1999	10	10	ND	ug/L
Total xylenes	MW-10N	10/20/1999	0.32	10		ug/L
Total xylenes	MW-10N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-10N	4/25/2000	0.37	10		ug/L
Total xylenes	MW-10N	7/11/2000	1	1	ND	ug/L
Total xylenes	MW-10N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-10N	4/10/2001	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2002	1	1	ND	ug/L
Total xylenes	MW-10N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-10N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-10N	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-10N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-10N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-10N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-10N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-10N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-10N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-10N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-10N	1/24/2007	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-10N	1/23/2008	1	1	ND	ug/L
Total xylenes	MW-10N	7/21/2008	1	1	ND	ug/L
Total xylenes	MW-10N	2/13/2009	0.49	1	ND	ug/L
Total xylenes	MW-10N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-10N	1/27/2010	1	1	ND	ug/L
Total xylenes	MW-10N	8/10/2010	1	1	ND	ug/L
Total xylenes	MW-10N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-10N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-10N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-10N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-10N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-10N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-10N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-10N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-10N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-10N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-10N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-10N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-10N	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-10N	7/11/2018	1	1	ND	ug/L
Total xylenes	MW-10N	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-10N	7/9/2019	1	1	ND	ug/L
Total xylenes	MW-10N	1/16/2020	1	1	ND	ug/L
Total xylenes	MW-10N	7/8/2020	1	1	ND	ug/L
Total xylenes	MW-10N	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-10N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-10N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-10N	7/7/2023	1	1	ND	ug/L
Total xylenes	MW-11N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-11N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-11N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-11N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-11N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-11N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-11N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-11N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-11N	1/13/2000	10	10	ND	ug/L
Total xylenes	MW-11N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-11N	7/10/2000	1	1	ND	ug/L
Total xylenes	MW-11N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-11N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-11N	4/10/2001	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-11N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-11N	4/15/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-11N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-11N	1/29/2004	1	1	ND	ug/L
Total xylenes	MW-11N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-11N	1/13/2005	1	1	ND	ug/L
Total xylenes	MW-11N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-11N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-11N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-11N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-11N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-11N	1/24/2007	1	1	ND	ug/L
Total xylenes	MW-11N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-11N	1/22/2008	1	1	ND	ug/L
Total xylenes	MW-11N	7/23/2008	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2009	1	1	ND	ug/L
Total xylenes	MW-11N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2010	1	1	ND	ug/L
Total xylenes	MW-11N	2/3/2010	1	1	ND	ug/L
Total xylenes	MW-11N	7/16/2010	1	1	ND	ug/L
Total xylenes	MW-11N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-11N	1/4/2012	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2012	1	1	ND	ug/L
Total xylenes	MW-11N	4/30/2013	1	1	ND	ug/L
Total xylenes	MW-11N	7/15/2013	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2014	1	1	ND	ug/L
Total xylenes	MW-11N	7/8/2014	1	1	ND	ug/L
Total xylenes	MW-11N	2/10/2015	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2015	1	1	ND	ug/L
Total xylenes	MW-11N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-11N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-11N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-11N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-11N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-11N	7/17/2018	1	1	ND	ug/L
Total xylenes	MW-11N	1/2/2019	1	1	ND	ug/L
Total xylenes	MW-11N	7/9/2019	1	1	ND	ug/L
Total xylenes	MW-11N	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-11N	7/6/2020	1	1	ND	ug/L
Total xylenes	MW-11N	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-11N	7/6/2021	1	1	ND	ug/L
Total xylenes	MW-11N	1/18/2022	1	1	ND	ug/L
Total xylenes	MW-11N	7/13/2022	1	1	ND	ug/L
Total xylenes	MW-11N	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-11N	7/8/2023	1	1	ND	ug/L
Total xylenes	MW-15	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-15	7/15/2015	1	1	ND	ug/L
Total xylenes	MW-15	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-15	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-15	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-15	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-15	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-15	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-15	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-15	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-15	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-15	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-15	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-15	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-15	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-15	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-15	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-15	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-15	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-15	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-15	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-15	7/10/2023	1	1	ND	ug/L
Total xylenes	MW-16	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-16	7/16/2015	1	1	ND	ug/L
Total xylenes	MW-16	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-16	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-16	1/8/2016	1	1	ND	ug/L
Total xylenes	MW-16	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-16	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-16	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-16	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-16	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-16	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-16	7/11/2018	1	1	ND	ug/L
Total xylenes	MW-16	1/2/2019	1	1	ND	ug/L
Total xylenes	MW-16	7/10/2019	1	1	ND	ug/L
Total xylenes	MW-16	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-16	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-16	1/18/2021	1	1	ND	ug/L
Total xylenes	MW-16	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-16	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-16	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-16	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-16	7/10/2023	1	1	ND	ug/L
Total xylenes	MW-17	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-17	7/15/2015	1	1	ND	ug/L
Total xylenes	MW-17	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-17	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-17	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-17	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-17	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-17	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-17	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-17	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-17	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-17	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-17	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-17	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-17	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-17	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-17	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-17	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-17	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-17	7/8/2023	1	1	ND	ug/L
Total xylenes	MW-19	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-19	7/16/2015	1	1	ND	ug/L
Total xylenes	MW-19	8/5/2015	1	1	ND	ug/L
Total xylenes	MW-19	9/3/2015	1	1	ND	ug/L
Total xylenes	MW-19	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-19	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-19	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-19	10/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-19	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-19	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-19	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-19	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-19	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-19	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-19	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-19	8/3/2020	1	1	ND	ug/L
Total xylenes	MW-19	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-19	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-19	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-19	7/10/2023	1	1	ND	ug/L
Total xylenes	MW-1N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-1N	1/20/1998	10	10	ND	ug/L
Total xylenes	MW-1N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-1N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-1N	10/14/1998	10	10	ND	ug/L
Total xylenes	MW-1N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-1N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-1N	5/19/1999	10	10	ND	ug/L
Total xylenes	MW-1N	7/15/1999	10	10	ND	ug/L
Total xylenes	MW-1N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-1N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-1N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-1N	7/12/2000	1	1	ND	ug/L
Total xylenes	MW-1N	10/18/2000	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-1N	4/12/2001	1	1	ND	ug/L
Total xylenes	MW-1N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-1N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-1N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-1N	10/3/2002	1	1	ND	ug/L
Total xylenes	MW-1N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-1N	4/15/2003	1	1	ND	ug/L
Total xylenes	MW-1N	7/8/2003	1	1	ND	ug/L
Total xylenes	MW-1N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-1N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-1N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-1N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-1N	1/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	7/18/2006	1	1	ND	ug/L
Total xylenes	MW-1N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-1N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-1N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-1N	7/21/2008	1	1	ND	ug/L
Total xylenes	MW-1N	2/5/2009	1	1	ND	ug/L
Total xylenes	MW-1N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-1N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-1N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-1N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-1N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-1N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-1N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-1N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-1N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-1N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-1N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-1N	2/10/2015	1	1	ND	ug/L
Total xylenes	MW-1N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-1N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-1N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-1N	1/12/2017	1	1	ND	ug/L
Total xylenes	MW-1N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-1N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-1N	7/10/2018	1	1	ND	ug/L
Total xylenes	MW-1N	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-1N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-1N	1/23/2020	1.58	1.58	ND	ug/L
Total xylenes	MW-1N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-1N	7/6/2020	1	1	ND	ug/L
Total xylenes	MW-1N	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-1N	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-1N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-1N	7/8/2023	1	1	ND	ug/L
Total xylenes	MW-20	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-20	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-20	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-20	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-20	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-20	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-20	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-20	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-20	1/12/2017	1	1	ND	ug/L
Total xylenes	MW-20	7/18/2017	1	1	ND	ug/L
Total xylenes	MW-20	1/26/2018	1	1	ND	ug/L
Total xylenes	MW-20	7/12/2018	1	1	ND	ug/L
Total xylenes	MW-20	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-20	1/14/2020	1	1	ND	ug/L
Total xylenes	MW-20	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-20	1/17/2021	1	1	ND	ug/L
Total xylenes	MW-20	7/4/2021	1	1	ND	ug/L
Total xylenes	MW-20	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-21	6/5/2015	1	1	ND	ug/L
Total xylenes	MW-21	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-21	8/4/2015	1	1	ND	ug/L
Total xylenes	MW-21	9/2/2015	1	1	ND	ug/L
Total xylenes	MW-21	1/7/2016	1	1	ND	ug/L
Total xylenes	MW-21	4/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	7/20/2016	1	1	ND	ug/L
Total xylenes	MW-21	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	10/5/2016	1	1	ND	ug/L
Total xylenes	MW-21	1/10/2017	1	1	ND	ug/L
Total xylenes	MW-21	4/5/2017	1	1	ND	ug/L
Total xylenes	MW-21	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-21	10/6/2017	1	1	ND	ug/L
Total xylenes	MW-21	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-21	4/11/2018	1	1	ND	ug/L
Total xylenes	MW-21	7/11/2018	1	1	ND	ug/L
Total xylenes	MW-21	10/4/2018	1	1	ND	ug/L
Total xylenes	MW-21	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-21	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-21	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-21	10/2/2019	1	1	ND	ug/L
Total xylenes	MW-21	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-21	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-21	7/8/2020	1	1	ND	ug/L
Total xylenes	MW-21	10/7/2020	1	1	ND	ug/L
Total xylenes	MW-21	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-21	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-21	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-21	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-21	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-21	4/8/2023	1	1	ND	ug/L
Total xylenes	MW-21	7/7/2023	1	1	ND	ug/L
Total xylenes	MW-21	10/6/2023	1	1	ND	ug/L
Total xylenes	MW-2N	10/22/1997	10	10	ND	ug/L
Total xylenes	MW-2N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-2N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-2N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-2N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-2N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-2N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-2N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-2N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-2N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-2N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2001	1	1	ND	ug/L
Total xylenes	MW-2N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-2N	7/10/2002	5	1		ug/L
Total xylenes	MW-2N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-2N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-2N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-2N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-2N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-2N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-2N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-2N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-2N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-2N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-2N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-2N	3/27/2007	1	1	ND	ug/L
Total xylenes	MW-2N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-2N	7/22/2008	1	1	ND	ug/L
Total xylenes	MW-2N	2/4/2009	0.89	1	ND	ug/L
Total xylenes	MW-2N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-2N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-2N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-2N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-2N	7/13/2011	1	1	ND	ug/L
Total xylenes	MW-2N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-2N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-2N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-2N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-2N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-2N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-2N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-2N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-2N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-2N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-2N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-2N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-2N	1/23/2018	1	1	ND	ug/L
Total xylenes	MW-2N	7/12/2018	1	1	ND	ug/L
Total xylenes	MW-2N	1/3/2019	1	1	ND	ug/L
Total xylenes	MW-2N	8/7/2019	1	1	ND	ug/L
Total xylenes	MW-2N	1/23/2020	1	1	ND	ug/L
Total xylenes	MW-2N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-2N	1/14/2021	1	1	ND	ug/L
Total xylenes	MW-2N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-2N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-2N	7/8/2023	1	1	ND	ug/L
Total xylenes	MW-3N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-3N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-3N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-3N	7/23/1998	10	10	ND	ug/L
Total xylenes	MW-3N	1/13/1999	10	10	ND	ug/L
Total xylenes	MW-3N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-3N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-3N	10/20/1999	10	10	ND	ug/L
Total xylenes	MW-3N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-3N	4/24/2000	10	10	ND	ug/L
Total xylenes	MW-3N	7/11/2000	1	1	ND	ug/L
Total xylenes	MW-3N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-3N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-3N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-3N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-3N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-3N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-3N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-3N	1/22/2003	1	1	ND	ug/L
Total xylenes	MW-3N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-3N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-3N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-3N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-3N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-3N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-3N	1/18/2006	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-3N	10/25/2006	2	2	ND	ug/L
Total xylenes	MW-3N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2007	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-3N	7/22/2008	1	1	ND	ug/L
Total xylenes	MW-3N	2/4/2009	1	1	ND	ug/L
Total xylenes	MW-3N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-3N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-3N	7/13/2010	1	1	ND	ug/L
Total xylenes	MW-3N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-3N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-3N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2012	1	1	ND	ug/L
Total xylenes	MW-3N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-3N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-3N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2014	1	1	ND	ug/L
Total xylenes	MW-3N	7/9/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-3N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-3N	4/1/2015	1	1	ND	ug/L
Total xylenes	MW-3N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-3N	10/5/2015	1	1	ND	ug/L
Total xylenes	MW-3N	1/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	4/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-3N	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-3N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-3N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-3N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-3N	10/9/2017	1	1	ND	ug/L
Total xylenes	MW-3N	1/24/2018	1	1	ND	ug/L
Total xylenes	MW-3N	4/10/2018	1	1	ND	ug/L
Total xylenes	MW-3N	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-3N	10/3/2018	1	1	ND	ug/L
Total xylenes	MW-3N	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-3N	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-3N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-3N	10/2/2019	1	1	ND	ug/L
Total xylenes	MW-3N	1/15/2020	1	1	ND	ug/L
Total xylenes	MW-3N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-3N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-3N	10/7/2020	1	1	ND	ug/L
Total xylenes	MW-3N	1/13/2021	1	1	ND	ug/L
Total xylenes	MW-3N	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-3N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-3N	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-3N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-3N	7/7/2023	1	1	ND	ug/L
Total xylenes	MW-3N	10/6/2023	1	1	ND	ug/L
Total xylenes	MW-7N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-7N	1/21/1998	10	10	ND	ug/L
Total xylenes	MW-7N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-7N	8/18/1998	10	10	ND	ug/L
Total xylenes	MW-7N	9/17/1998	10	10	ND	ug/L
Total xylenes	MW-7N	10/15/1998	10	10	ND	ug/L
Total xylenes	MW-7N	11/9/1998	10	10	ND	ug/L
Total xylenes	MW-7N	1/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	4/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-7N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-7N	1/13/2000	10	10	ND	ug/L
Total xylenes	MW-7N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-7N	10/17/2000	0.64	1		ug/L
Total xylenes	MW-7N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-7N	4/10/2001	1	1		ug/L
Total xylenes	MW-7N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-7N	5/29/2002	1	1	ND	ug/L
Total xylenes	MW-7N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-7N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-7N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-7N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-7N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-7N	1/27/2004	1	1	ND	ug/L
Total xylenes	MW-7N	4/8/2004	1	1	ND	ug/L
Total xylenes	MW-7N	7/26/2004	1	1	ND	ug/L
Total xylenes	MW-7N	1/12/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-7N	7/19/2005	1	1	ND	ug/L
Total xylenes	MW-7N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-7N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-7N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-7N	7/21/2008	1	1	ND	ug/L
Total xylenes	MW-7N	2/6/2009	1	1	ND	ug/L
Total xylenes	MW-7N	7/29/2009	1	1	ND	ug/L
Total xylenes	MW-7N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-7N	7/14/2010	1	1	ND	ug/L
Total xylenes	MW-7N	9/2/2010	1	1	ND	ug/L
Total xylenes	MW-7N	1/20/2011	1	1	ND	ug/L
Total xylenes	MW-7N	7/12/2011	1	1	ND	ug/L
Total xylenes	MW-7N	1/5/2012	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2012	1	1	ND	ug/L
Total xylenes	MW-7N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-7N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-7N	7/15/2013	1	1	ND	ug/L
Total xylenes	MW-7N	1/30/2014	1	1	ND	ug/L
Total xylenes	MW-7N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-7N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-7N	7/13/2015	1	1	ND	ug/L
Total xylenes	MW-7N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-7N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-7N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-7N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-7N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-7N	10/5/2017	1	1	ND	ug/L
Total xylenes	MW-7N	1/25/2018	1	1	ND	ug/L
Total xylenes	MW-7N	4/11/2018	1	1	ND	ug/L
Total xylenes	MW-7N	7/13/2018	1	1	ND	ug/L
Total xylenes	MW-7N	1/4/2019	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2019	1	1	ND	ug/L
Total xylenes	MW-7N	1/16/2020	1	1	ND	ug/L
Total xylenes	MW-7N	7/7/2020	1	1	ND	ug/L
Total xylenes	MW-7N	1/16/2021	1	1	ND	ug/L
Total xylenes	MW-7N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-7N	1/12/2022	1	1	ND	ug/L
Total xylenes	MW-7N	7/10/2022	1	1	ND	ug/L
Total xylenes	MW-7N	1/10/2023	1	1	ND	ug/L
Total xylenes	MW-7N	7/7/2023	1	1	ND	ug/L
Total xylenes	MW-8N	10/21/1997	10	10	ND	ug/L
Total xylenes	MW-8N	1/22/1998	10	10	ND	ug/L
Total xylenes	MW-8N	4/28/1998	10	10	ND	ug/L
Total xylenes	MW-8N	7/22/1998	10	10	ND	ug/L
Total xylenes	MW-8N	1/12/1999	10	10	ND	ug/L
Total xylenes	MW-8N	4/13/1999	10	10	ND	ug/L
Total xylenes	MW-8N	7/14/1999	10	10	ND	ug/L
Total xylenes	MW-8N	10/19/1999	10	10	ND	ug/L
Total xylenes	MW-8N	1/14/2000	10	10	ND	ug/L
Total xylenes	MW-8N	4/25/2000	10	10	ND	ug/L
Total xylenes	MW-8N	10/17/2000	1	1	ND	ug/L
Total xylenes	MW-8N	1/23/2001	1	1	ND	ug/L
Total xylenes	MW-8N	4/11/2001	1	1	ND	ug/L
Total xylenes	MW-8N	5/29/2002	10	10	ND	ug/L
Total xylenes	MW-8N	5/29/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-8N	7/9/2002	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2002	1	1	ND	ug/L
Total xylenes	MW-8N	1/23/2003	1	1	ND	ug/L
Total xylenes	MW-8N	4/14/2003	1	1	ND	ug/L
Total xylenes	MW-8N	7/7/2003	1	1	ND	ug/L
Total xylenes	MW-8N	1/28/2004	1	1	ND	ug/L
Total xylenes	MW-8N	7/27/2004	1	1	ND	ug/L
Total xylenes	MW-8N	1/12/2005	1	1	ND	ug/L
Total xylenes	MW-8N	7/20/2005	1	1	ND	ug/L
Total xylenes	MW-8N	1/19/2006	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2006	1	1	ND	ug/L
Total xylenes	MW-8N	10/24/2006	2	2	ND	ug/L
Total xylenes	MW-8N	1/26/2007	1	1	ND	ug/L
Total xylenes	MW-8N	4/25/2007	1	1	ND	ug/L
Total xylenes	MW-8N	7/10/2007	1	1	ND	ug/L
Total xylenes	MW-8N	1/24/2008	1	1	ND	ug/L
Total xylenes	MW-8N	7/23/2008	1	1	ND	ug/L
Total xylenes	MW-8N	2/4/2009	1	1	ND	ug/L
Total xylenes	MW-8N	7/31/2009	1	1	ND	ug/L
Total xylenes	MW-8N	1/26/2010	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2010	1	1	ND	ug/L
Total xylenes	MW-8N	1/19/2011	1	1	ND	ug/L
Total xylenes	MW-8N	5/10/2011	1	1	ND	ug/L
Total xylenes	MW-8N	7/14/2011	1	1	ND	ug/L
Total xylenes	MW-8N	1/6/2012	1	1	ND	ug/L
Total xylenes	MW-8N	4/5/2012	1	1	ND	ug/L
Total xylenes	MW-8N	7/11/2012	1	1	ND	ug/L
Total xylenes	MW-8N	10/3/2012	1	1	ND	ug/L
Total xylenes	MW-8N	5/1/2013	1	1	ND	ug/L
Total xylenes	MW-8N	6/4/2013	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2013	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2013	1	1	ND	ug/L
Total xylenes	MW-8N	1/30/2014	1	1	ND	ug/L
Total xylenes	MW-8N	4/3/2014	1	1	ND	ug/L
Total xylenes	MW-8N	7/9/2014	1	1	ND	ug/L
Total xylenes	MW-8N	10/8/2014	1	1	ND	ug/L
Total xylenes	MW-8N	2/12/2015	1	1	ND	ug/L
Total xylenes	MW-8N	4/1/2015	1	1	ND	ug/L
Total xylenes	MW-8N	7/14/2015	1	1	ND	ug/L
Total xylenes	MW-8N	10/5/2015	1	1	ND	ug/L
Total xylenes	MW-8N	1/5/2016	1	1	ND	ug/L
Total xylenes	MW-8N	4/6/2016	1	1	ND	ug/L
Total xylenes	MW-8N	7/21/2016	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2016	1	1	ND	ug/L
Total xylenes	MW-8N	1/11/2017	1	1	ND	ug/L
Total xylenes	MW-8N	4/4/2017	1	1	ND	ug/L
Total xylenes	MW-8N	7/19/2017	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2017	1	1	ND	ug/L
Total xylenes	MW-8N	1/25/2018	1	1	ND	ug/L
Total xylenes	MW-8N	4/10/2018	1	1	ND	ug/L
Total xylenes	MW-8N	7/16/2018	1	1	ND	ug/L
Total xylenes	MW-8N	10/2/2018	1	1	ND	ug/L
Total xylenes	MW-8N	1/7/2019	1	1	ND	ug/L
Total xylenes	MW-8N	4/3/2019	1	1	ND	ug/L
Total xylenes	MW-8N	7/11/2019	1	1	ND	ug/L
Total xylenes	MW-8N	10/3/2019	1	1	ND	ug/L
Total xylenes	MW-8N	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	MW-8N	4/2/2020	1	1	ND	ug/L
Total xylenes	MW-8N	7/9/2020	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2020	1	1	ND	ug/L
Total xylenes	MW-8N	1/15/2021	1	1	ND	ug/L
Total xylenes	MW-8N	4/6/2021	1	1	ND	ug/L
Total xylenes	MW-8N	7/5/2021	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2021	1	1	ND	ug/L
Total xylenes	MW-8N	1/18/2022	1	1	ND	ug/L
Total xylenes	MW-8N	4/4/2022	1	1	ND	ug/L
Total xylenes	MW-8N	7/12/2022	1	1	ND	ug/L
Total xylenes	MW-8N	10/6/2022	1	1	ND	ug/L
Total xylenes	MW-8N	1/11/2023	1	1	ND	ug/L
Total xylenes	MW-8N	4/8/2023	1	1	ND	ug/L
Total xylenes	MW-8N	7/7/2023	1	1	ND	ug/L
Total xylenes	MW-8N	10/5/2023	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2002	1	1	ND	ug/L
Total xylenes	NE-1	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-1	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-1	1/27/2004	1	1	ND	ug/L
Total xylenes	NE-1	1/12/2005	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-1	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-1	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2007	1	1	ND	ug/L
Total xylenes	NE-1	1/24/2008	1	1	ND	ug/L
Total xylenes	NE-1	7/21/2008	1	1	ND	ug/L
Total xylenes	NE-1	2/7/2009	1	1	ND	ug/L
Total xylenes	NE-1	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-1	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-1	7/14/2010	1	1	ND	ug/L
Total xylenes	NE-1	9/2/2010	1	1	ND	ug/L
Total xylenes	NE-1	1/19/2011	1	1	ND	ug/L
Total xylenes	NE-1	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-1	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-1	4/30/2013	1	1	ND	ug/L
Total xylenes	NE-1	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-1	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-1	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-1	2/11/2015	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2015	1	1	ND	ug/L
Total xylenes	NE-1	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-1	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-1	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-1	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-1	1/24/2018	1	1	ND	ug/L
Total xylenes	NE-1	4/11/2018	1	1	ND	ug/L
Total xylenes	NE-1	7/18/2018	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2018	1	1	ND	ug/L
Total xylenes	NE-1	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-1	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2019	1	1	ND	ug/L
Total xylenes	NE-1	7/10/2019	1	1	ND	ug/L
Total xylenes	NE-1	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-1	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-1	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-1	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-1	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-1	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-1	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-1	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-1	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-1	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-1	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-1	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-1	10/6/2022	1	1	ND	ug/L
Total xylenes	NE-1	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-1	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-1	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-1	10/5/2023	1	1	ND	ug/L
Total xylenes	NE-10D	11/6/2019	1	1	ND	ug/L
Total xylenes	NE-10D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-10D	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-10D	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-10D	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-10D	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-10D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-10D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-10D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-10D	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-10D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-10D	7/8/2023	1	1	ND	ug/L
Total xylenes	NE-10D	10/3/2023	1	1	ND	ug/L
Total xylenes	NE-11	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-11	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-11	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-11	10/9/2017	1	1	ND	ug/L
Total xylenes	NE-11	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-11	1/14/2020	1	1	ND	ug/L
Total xylenes	NE-11	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-11	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-11	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-11	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-11	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-11	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-11	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-11	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-11	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-11	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-12	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-12	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-12	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-12	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-12	8/5/2019	1	1	ND	ug/L
Total xylenes	NE-12	1/13/2020	1	1	ND	ug/L
Total xylenes	NE-12	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-12	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-12	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-12	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-12	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-12	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-12	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-12	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-12	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-12	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-13	2/5/2019	1	1	ND	ug/L
Total xylenes	NE-13	8/7/2019	1	1	ND	ug/L
Total xylenes	NE-13	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-13	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-13	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-13	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-13	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-13	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-14D	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-14D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-14D	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-14D	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-14D	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-14D	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-14D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-14D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-14D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-14D	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-14D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-14D	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-14D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-14D	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-14D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-14D	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-14D	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-14S	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-14S	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-14S	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-14S	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-14S	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-14S	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-14S	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-14S	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-14S	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-14S	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-14S	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-14S	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-14S	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-14S	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-14S	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-14S	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-14S	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-15D	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-15D	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-15D	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-15D	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-15D	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-15D	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-15D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-15D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-15D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-15D	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-15D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-15D	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-15D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-15D	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-15D	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-15D	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-15D	10/6/2023	1	1	ND	ug/L
Total xylenes	NE-15S	4/3/2020	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2002	1	1	ND	ug/L
Total xylenes	NE-2	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-2	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-2	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-2	10/1/2013	1	1	ND	ug/L
Total xylenes	NE-2	10/8/2014	1	1	ND	ug/L
Total xylenes	NE-2	10/5/2015	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2016	1	1	ND	ug/L
Total xylenes	NE-2	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-2	1/25/2018	1	1	ND	ug/L
Total xylenes	NE-2	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-2	7/10/2018	1	1	ND	ug/L
Total xylenes	NE-2	10/1/2018	1	1	ND	ug/L
Total xylenes	NE-2	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-2	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-2	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-2	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-2	1/14/2020	1	1	ND	ug/L
Total xylenes	NE-2	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-2	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-2	1/14/2021	1	1	ND	ug/L
Total xylenes	NE-2	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-2	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-2	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-2	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-2	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-2	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-2	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-2	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-2	4/5/2023	1	1	ND	ug/L
Total xylenes	NE-2	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-2	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-4	7/10/2002	1	1	ND	ug/L
Total xylenes	NE-4	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-4	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-4	10/3/2002	1	1	ND	ug/L
Total xylenes	NE-4	4/15/2003	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-4	1/28/2004	1	1	ND	ug/L
Total xylenes	NE-4	1/13/2005	1	1	ND	ug/L
Total xylenes	NE-4	8/1/2006	1	1	ND	ug/L
Total xylenes	NE-4	8/1/2006	1	1	ND	ug/L
Total xylenes	NE-4	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-4	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-4	7/12/2007	1	1	ND	ug/L
Total xylenes	NE-4	1/24/2008	1	1	ND	ug/L
Total xylenes	NE-4	7/21/2008	1	1	ND	ug/L
Total xylenes	NE-4	2/7/2009	1	1	ND	ug/L
Total xylenes	NE-4	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-4	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-4	7/14/2010	1	1	ND	ug/L
Total xylenes	NE-4	1/19/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-4	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-4	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-4	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-4	4/30/2013	1	1	ND	ug/L
Total xylenes	NE-4	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-4	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-4	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-4	2/13/2015	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2015	1	1	ND	ug/L
Total xylenes	NE-4	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-4	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-4	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-4	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-4	1/26/2018	1	1	ND	ug/L
Total xylenes	NE-4	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-4	7/12/2018	1	1	ND	ug/L
Total xylenes	NE-4	10/3/2018	1	1	ND	ug/L
Total xylenes	NE-4	1/7/2019	1	1	ND	ug/L
Total xylenes	NE-4	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2019	1	1	ND	ug/L
Total xylenes	NE-4	7/8/2019	1	1	ND	ug/L
Total xylenes	NE-4	10/1/2019	1	1	ND	ug/L
Total xylenes	NE-4	1/13/2020	1	1	ND	ug/L
Total xylenes	NE-4	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-4	7/6/2020	1	1	ND	ug/L
Total xylenes	NE-4	10/5/2020	1	1	ND	ug/L
Total xylenes	NE-4	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-4	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-4	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-4	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-4	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-4	4/6/2023	1	1	ND	ug/L
Total xylenes	NE-4	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-4	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2002	1	1	ND	ug/L
Total xylenes	NE-5	8/6/2002	1	1	ND	ug/L
Total xylenes	NE-5	9/4/2002	1	1	ND	ug/L
Total xylenes	NE-5	10/2/2002	1	1	ND	ug/L
Total xylenes	NE-5	4/15/2003	1	1	ND	ug/L
Total xylenes	NE-5	7/8/2003	1	1	ND	ug/L
Total xylenes	NE-5	1/27/2004	1	1	ND	ug/L
Total xylenes	NE-5	1/12/2005	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2006	1	1	ND	ug/L
Total xylenes	NE-5	10/25/2006	2	2	ND	ug/L
Total xylenes	NE-5	1/24/2007	1	1	ND	ug/L
Total xylenes	NE-5	7/12/2007	1	1	ND	ug/L
Total xylenes	NE-5	7/22/2008	1	1	ND	ug/L
Total xylenes	NE-5	2/6/2009	1	1	ND	ug/L
Total xylenes	NE-5	7/31/2009	1	1	ND	ug/L
Total xylenes	NE-5	1/26/2010	1	1	ND	ug/L
Total xylenes	NE-5	7/16/2010	1	1	ND	ug/L
Total xylenes	NE-5	9/2/2010	1	1	ND	ug/L
Total xylenes	NE-5	1/19/2011	1	1	ND	ug/L
Total xylenes	NE-5	7/13/2011	1	1	ND	ug/L
Total xylenes	NE-5	1/5/2012	1	1	ND	ug/L
Total xylenes	NE-5	7/10/2012	1	1	ND	ug/L
Total xylenes	NE-5	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-5	7/16/2013	1	1	ND	ug/L
Total xylenes	NE-5	1/23/2014	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2014	1	1	ND	ug/L
Total xylenes	NE-5	2/11/2015	1	1	ND	ug/L
Total xylenes	NE-5	7/14/2015	1	1	ND	ug/L
Total xylenes	NE-5	1/6/2016	1	1	ND	ug/L
Total xylenes	NE-5	7/20/2016	1	1	ND	ug/L
Total xylenes	NE-5	1/11/2017	1	1	ND	ug/L
Total xylenes	NE-5	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-5	1/25/2018	1	1	ND	ug/L
Total xylenes	NE-5	4/10/2018	1	1	ND	ug/L
Total xylenes	NE-5	7/17/2018	1	1	ND	ug/L
Total xylenes	NE-5	10/3/2018	1	1	ND	ug/L
Total xylenes	NE-5	1/4/2019	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	7/9/2019	1	1	ND	ug/L
Total xylenes	NE-5	10/3/2019	1	1	ND	ug/L
Total xylenes	NE-5	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-5	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-5	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-5	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-5	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-5	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-5E	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-5E	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5E	4/1/2020	1	1	ND	ug/L
Total xylenes	NE-5E	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5E	10/6/2020	1	1	ND	ug/L
Total xylenes	NE-5E	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5E	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5E	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-5E	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5E	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5E	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5E	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5E	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5E	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5E	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-5E	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-5E	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-5W	9/30/2019	1	1	ND	ug/L
Total xylenes	NE-5W	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-5W	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-5W	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-5W	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-5W	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-5W	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-5W	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-5W	10/6/2021	1	1	ND	ug/L
Total xylenes	NE-5W	1/18/2022	1	1	ND	ug/L
Total xylenes	NE-5W	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-5W	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-5W	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-5W	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-5W	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-5W	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-5W	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-6	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-6	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-6	7/19/2017	1	1	ND	ug/L
Total xylenes	NE-6	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-6	2/4/2019	1	1	ND	ug/L
Total xylenes	NE-6	8/6/2019	1	1	ND	ug/L
Total xylenes	NE-6	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-6	7/9/2020	1	1	ND	ug/L
Total xylenes	NE-6	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-6	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-6	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-6	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-6	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-6	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-6	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-6D	10/2/2019	1	1	ND	ug/L
Total xylenes	NE-6D	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-6D	4/2/2020	1	1	ND	ug/L
Total xylenes	NE-6D	7/9/2020	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2020	1	1	ND	ug/L
Total xylenes	NE-6D	1/15/2021	1	1	ND	ug/L
Total xylenes	NE-6D	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-6D	7/2/2021	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-6D	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-6D	4/6/2022	1	1	ND	ug/L
Total xylenes	NE-6D	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-6D	10/7/2022	1	1	ND	ug/L
Total xylenes	NE-6D	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-6D	4/7/2023	1	1	ND	ug/L
Total xylenes	NE-6D	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-6D	10/4/2023	1	1	ND	ug/L
Total xylenes	NE-7	3/1/2017	1	1	ND	ug/L
Total xylenes	NE-7	4/6/2017	1	1	ND	ug/L
Total xylenes	NE-7	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-7	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-7	2/6/2019	1	1	ND	ug/L
Total xylenes	NE-7	8/6/2019	1	1	ND	ug/L
Total xylenes	NE-7	1/16/2020	1	1	ND	ug/L
Total xylenes	NE-7	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-7	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-7	1/16/2021	1	1	ND	ug/L
Total xylenes	NE-7	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-7	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Total xylenes	NE-7	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-7	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-7	7/12/2022	1	1	ND	ug/L
Total xylenes	NE-7	1/5/2023	1	1	ND	ug/L
Total xylenes	NE-7	7/6/2023	1	1	ND	ug/L
Total xylenes	NE-8	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-8	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-8	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-8	10/6/2017	1	1	ND	ug/L
Total xylenes	NE-8	2/4/2019	1	1	ND	ug/L
Total xylenes	NE-8	8/5/2019	1	1	ND	ug/L
Total xylenes	NE-8	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-8	7/8/2020	1	1	ND	ug/L
Total xylenes	NE-8	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-8	1/13/2021	1	1	ND	ug/L
Total xylenes	NE-8	4/9/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-8	10/7/2021	1	1	ND	ug/L
Total xylenes	NE-8	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-8	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-9	1/12/2017	1	1	ND	ug/L
Total xylenes	NE-9	4/5/2017	1	1	ND	ug/L
Total xylenes	NE-9	7/20/2017	1	1	ND	ug/L
Total xylenes	NE-9	10/5/2017	1	1	ND	ug/L
Total xylenes	NE-9	2/5/2019	1	1	ND	ug/L
Total xylenes	NE-9	8/7/2019	1	1	ND	ug/L
Total xylenes	NE-9	1/15/2020	1	1	ND	ug/L
Total xylenes	NE-9	7/7/2020	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2021	1	1	ND	ug/L
Total xylenes	NE-9	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-9	7/1/2021	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-9	1/17/2022	1	1	ND	ug/L
Total xylenes	NE-9	7/13/2022	1	1	ND	ug/L
Total xylenes	NE-9	1/6/2023	1	1	ND	ug/L
Total xylenes	NE-9	4/8/2023	1	1	ND	ug/L
Total xylenes	NE-9	7/5/2023	1	1	ND	ug/L
Total xylenes	NE-9	10/6/2023	1	1	ND	ug/L
Toxaphene	LGW-10	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-10	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-10	2/12/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-10	10/9/2017	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	7/16/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-10	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	LGW-10	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-10	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-10	10/5/2023	5	5	ND	ug/L
Toxaphene	LGW-14R	10/27/2006	5	5	ND	ug/L
Toxaphene	LGW-14R	2/6/2009	5	5	ND	ug/L
Toxaphene	LGW-14R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-14R	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-14R	7/17/2018	5.4	5.4	ND	ug/L
Toxaphene	LGW-14R	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-2	10/26/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	LGW-2	2/6/2009	5	5	ND	ug/L
Toxaphene	LGW-2	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-2	2/13/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-2	7/12/2018	5	5	ND	ug/L
Toxaphene	LGW-2	7/8/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-2	7/4/2021	5	5	ND	ug/L
Toxaphene	LGW-3R	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-3R	2/3/2009	5	5	ND	ug/L
Toxaphene	LGW-3R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-3R	2/10/2015	4.7	4.7	ND	ug/L
Toxaphene	LGW-3R	7/11/2018	5.2	5.2	ND	ug/L
Toxaphene	LGW-3R	7/6/2021	5	5	ND	ug/L
Toxaphene	LGW-4	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-4	2/3/2009	5	5	ND	ug/L
Toxaphene	LGW-4	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-4	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-4	7/11/2018	5	5	ND	ug/L
Toxaphene	LGW-4	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-5	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-5	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-5	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-5	2/10/2015	5.1	5.1	ND	ug/L
Toxaphene	LGW-5	7/12/2018	5.3	5.3	ND	ug/L
Toxaphene	LGW-5	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-5	10/5/2023	5	5	ND	ug/L
Toxaphene	LGW-6	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-6	2/5/2009	5	5	ND	ug/L
Toxaphene	LGW-6	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-6	2/10/2015	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	10/5/2017	4.9	4.9	ND	ug/L
Toxaphene	LGW-6	7/17/2018	5.3	5.3	ND	ug/L
Toxaphene	LGW-6	7/10/2019	5	5	ND	ug/L
Toxaphene	LGW-6	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-6	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-6	10/5/2023	5	5	ND	ug/L
Toxaphene	LGW-7	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-7	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-7	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-7	2/11/2015	5.1	5.1	ND	ug/L
Toxaphene	LGW-7	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	LGW-7	10/5/2017	4.8	4.8	ND	ug/L
Toxaphene	LGW-7	7/12/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-7	7/10/2019	4.9	4.9	ND	ug/L
Toxaphene	LGW-7	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-7	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-8R	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-8R	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-8R	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-8R	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-8R	7/13/2018	4.8	4.8	ND	ug/L
Toxaphene	LGW-8R	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-9	10/26/2006	5	5	ND	ug/L
Toxaphene	LGW-9	2/4/2009	5	5	ND	ug/L
Toxaphene	LGW-9	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	LGW-9	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	LGW-9	10/6/2016	5	5	ND	ug/L
Toxaphene	LGW-9	10/5/2017	4.9	4.9	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	LGW-9	7/13/2018	5	5	ND	ug/L
Toxaphene	LGW-9	7/10/2019	5.3	5.3	ND	ug/L
Toxaphene	LGW-9	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	LGW-9	7/7/2021	5	5	ND	ug/L
Toxaphene	LGW-9	10/5/2023	5	5	ND	ug/L
Toxaphene	MW-10N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-10N	2/13/2009	5	5	ND	ug/L
Toxaphene	MW-10N	2/13/2009	5	5	ND	ug/L
Toxaphene	MW-10N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-10N	2/12/2015	4.9	4.9	ND	ug/L
Toxaphene	MW-10N	7/11/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-10N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-11N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-11N	2/3/2009	5	5	ND	ug/L
Toxaphene	MW-11N	7/9/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-11N	2/10/2015	4.8	4.8	ND	ug/L
Toxaphene	MW-11N	7/17/2018	5.2	5.2	ND	ug/L
Toxaphene	MW-11N	7/6/2021	5	5	ND	ug/L
Toxaphene	MW-15	7/10/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-15	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-16	7/11/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-16	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-17	7/10/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-17	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-19	7/13/2018	5.1	5.1	ND	ug/L
Toxaphene	MW-19	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-1N	10/14/1998	1	1	ND	ug/L
Toxaphene	MW-1N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-1N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-1N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-1N	2/5/2009	5	5	ND	ug/L
Toxaphene	MW-1N	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	MW-1N	2/10/2015	4.7	4.7	ND	ug/L
Toxaphene	MW-1N	7/10/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-1N	7/6/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-1N	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-20	7/12/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-20	7/4/2021	5	5	ND	ug/L
Toxaphene	MW-21	10/5/2016	4.8	4.8	ND	ug/L
Toxaphene	MW-21	10/6/2017	4.8	4.8	ND	ug/L
Toxaphene	MW-21	7/11/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-21	7/11/2019	5.3	5.3	ND	ug/L
Toxaphene	MW-21	7/8/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-21	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-2N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-2N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-2N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-2N	2/12/2015	4.9	4.9	ND	ug/L
Toxaphene	MW-2N	7/12/2018	4.9	4.9	ND	ug/L
Toxaphene	MW-2N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-3N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-3N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-3N	10/25/2006	5	5	ND	ug/L
Toxaphene	MW-3N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-3N	7/11/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-3N	2/12/2015	4.9	4.9	ND	ug/L
Toxaphene	MW-3N	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	MW-3N	10/9/2017	4.8	4.8	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Toxaphene	MW-3N	7/13/2018	4.7	4.7	ND	ug/L
Toxaphene	MW-3N	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	MW-3N	7/7/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-3N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-7N	10/15/1998	1	1	ND	ug/L
Toxaphene	MW-7N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-7N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-7N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-7N	2/6/2009	5	5	ND	ug/L
Toxaphene	MW-7N	7/10/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-7N	2/12/2015	5	5	ND	ug/L
Toxaphene	MW-7N	10/5/2017	5	5	ND	ug/L
Toxaphene	MW-7N	7/13/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-7N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-8N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-8N	5/29/2002	1	1	ND	ug/L
Toxaphene	MW-8N	10/24/2006	5	5	ND	ug/L
Toxaphene	MW-8N	1/24/2008	5	5	ND	ug/L
Toxaphene	MW-8N	2/4/2009	5	5	ND	ug/L
Toxaphene	MW-8N	5/10/2011	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/11/2012	4.7	4.7	ND	ug/L
Toxaphene	MW-8N	10/2/2013	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	10/8/2014	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	2/12/2015	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	10/6/2016	4.9	4.9	ND	ug/L
Toxaphene	MW-8N	10/6/2017	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/16/2018	4.8	4.8	ND	ug/L
Toxaphene	MW-8N	7/11/2019	5.1	5.1	ND	ug/L
Toxaphene	MW-8N	7/9/2020	0.5	0.5	ND	ug/L
Toxaphene	MW-8N	7/5/2021	5	5	ND	ug/L
Toxaphene	MW-8N	10/5/2023	5	5	ND	ug/L
Toxaphene	NE-1	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-1	2/7/2009	5	5	ND	ug/L
Toxaphene	NE-1	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-1	2/11/2015	4.8	4.8	ND	ug/L
Toxaphene	NE-1	7/18/2018	5	5	ND	ug/L
Toxaphene	NE-2	7/10/2018	4.9	4.9	ND	ug/L
Toxaphene	NE-4	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-4	2/7/2009	5	5	ND	ug/L
Toxaphene	NE-4	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-4	2/13/2015	4.7	4.7	ND	ug/L
Toxaphene	NE-4	7/12/2018	5.4	5.4	ND	ug/L
Toxaphene	NE-5	10/25/2006	5	5	ND	ug/L
Toxaphene	NE-5	2/6/2009	5	5	ND	ug/L
Toxaphene	NE-5	7/10/2012	4.8	4.8	ND	ug/L
Toxaphene	NE-5	2/11/2015	4.7	4.7	ND	ug/L
Toxaphene	NE-5	7/17/2018	5.1	5.1	ND	ug/L
Toxaphene	NE-5	7/9/2019	5	5	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/4/2017	0.22	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/4/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-10	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-14R	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/12/2018	0.28	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/3/2019	0.16	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/13/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-2	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-3R	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-4	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-5	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-6	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-7	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-8R	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	LGW-9	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/28/1998	9	9	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/15/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-10N	7/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/13/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-11N	7/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-15	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-16	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-17	7/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-19	7/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/20/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/14/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/15/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-1N	7/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	7/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-21	10/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/22/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-2N	7/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/21/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/23/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/20/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/24/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/6/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	7/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-3N	10/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/21/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/21/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	8/18/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	9/17/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/15/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	11/9/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/13/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-7N	7/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/21/1997	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/28/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/22/1998	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/12/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/13/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/14/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/19/1999	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/14/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/25/2000	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/29/2002	4.5	4.5	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	7/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	MW-8N	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-1	10/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	7/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-10D	10/3/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-11	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-12	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14D	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-14S	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15D	10/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-2	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/16/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-4	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/27/2004	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/14/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/11/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5E	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-5W	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	7/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-6D	10/4/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-7	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,2-dichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-8	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	7/5/2023	1	1	ND	ug/L
Trans-1,2-dichloroethene	NE-9	10/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/26/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/13/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/4/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-10	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	10/27/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-14R	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/13/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-2	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	10/26/2006	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-3R	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/8/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-4	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	4/4/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-5	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	4/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-6	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-6	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-7	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/29/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-8R	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/25/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/26/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	5/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/24/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	LGW-9	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/28/1998	4.4	4.4	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/15/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	8/10/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/14/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-10N	7/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/29/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/13/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/3/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-11N	7/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-15	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-16	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-17	7/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-19	7/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/20/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/14/1998	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-1N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/15/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/23/2020	1.11	1.11	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-1N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-1N	7/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/26/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	7/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-21	10/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/22/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/13/1999	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-2N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-2N	7/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/23/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/13/1999	2.2	2.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-3N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/20/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/24/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/18/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	7/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-3N	10/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/21/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	8/18/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	9/17/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/15/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	11/9/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/13/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/23/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/8/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/26/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/20/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-7N	7/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/21/1997	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/28/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/22/1998	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/12/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/13/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/19/1999	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/14/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/25/2000	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/11/2001	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/29/2002	2.2	2.2	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/7/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/20/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/24/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/24/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	MW-8N	7/23/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/3/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/1/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	7/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	MW-8N	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	8/6/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-1	10/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	7/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-10D	10/3/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-11	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-12	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/9/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14D	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-14S	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15D	10/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-15S	4/3/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/1/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-2	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/28/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/13/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/3/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/13/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-4	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/27/2004	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/12/2005	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/25/2006	3	3	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/14/2015	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/11/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5E	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/18/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-5W	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	2/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-6D	10/4/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-7	7/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-8	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/20/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/15/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	4/8/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	7/5/2023	1	1	ND	ug/L
Trans-1,3-dichloropropene	NE-9	10/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/26/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/16/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/4/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-10	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-10	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	10/27/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-14R	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-14R	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/26/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/30/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	2/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-2	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-3R	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-4	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-4	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-5	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/11/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/5/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/19/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	5/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-6	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/31/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-7	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/22/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-7	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/24/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-8R	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/25/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/20/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/26/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	5/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	LGW-9	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/11/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	LGW-9	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/28/1998	10	10	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/15/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/11/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	2/13/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/27/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	8/10/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/11/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-10N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-10N	7/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/10/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/29/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/13/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/3/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/4/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/5/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-11N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-11N	7/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/15/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-15	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/8/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/18/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-16	1/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-16	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/15/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-17	7/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/16/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	8/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	9/3/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	8/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-19	7/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/20/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/14/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/15/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/12/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/18/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/12/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/29/2002	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-1N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/3/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/18/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/18/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	2/5/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	2/10/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/23/2020	1.29	1.29	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-1N	7/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/18/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-20	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	7/4/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-20	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	6/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	8/4/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	9/2/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/7/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/10/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/4/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	7/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-21	10/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/22/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/7/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-2N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	3/27/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/23/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/23/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-2N	7/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/23/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/20/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/24/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/9/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-3N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/22/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/18/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/13/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/1/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	1/11/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-3N	7/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-3N	10/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/21/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	8/18/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	9/17/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/15/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	11/9/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/13/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/10/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/8/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/26/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/29/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/20/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/12/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/15/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/19/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-7N	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/13/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/10/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	1/10/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-7N	7/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/21/1997	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/28/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/22/1998	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/12/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/13/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/19/1999	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/14/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/25/2000	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/17/2000	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/23/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/11/2001	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/29/2002	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/29/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/23/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/14/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/7/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/20/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/19/2006	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/24/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/26/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/25/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/23/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	2/4/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	5/10/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/6/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/11/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/3/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	MW-8N	5/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	6/4/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/30/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/3/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	2/12/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/1/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/5/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/21/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/4/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/16/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/11/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/5/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/4/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	1/11/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	7/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	MW-8N	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-1	2/7/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/24/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/11/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/18/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/10/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-1	10/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	11/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	7/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-10D	10/3/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	3/1/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-11	4/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	10/9/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-11	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	3/1/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	4/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	8/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-12	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	2/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-13	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14D	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-14S	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-14S	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15D	10/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-15S	4/3/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/1/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/8/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/5/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/1/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/14/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/14/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-2	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	4/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-2	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/10/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/3/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/28/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/13/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	8/1/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/24/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/21/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	2/7/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/14/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	2/13/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/26/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/12/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/8/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/1/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/13/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/5/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/2/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-4	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	4/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-4	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	8/6/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	9/4/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/2/2002	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/15/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/8/2003	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/27/2004	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/12/2005	5	5	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2006	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/25/2006	3	3	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/24/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/12/2007	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/22/2008	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	2/6/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/31/2009	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/26/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/16/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	9/2/2010	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/19/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/13/2011	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/5/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/10/2012	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/30/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/16/2013	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/23/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2014	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	2/11/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/14/2015	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/6/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/20/2016	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/11/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/25/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/10/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/17/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/3/2018	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/9/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/3/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-5	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/1/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5E	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	9/30/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/6/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/6/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/18/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-5W	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/19/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	2/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	8/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6	7/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-6D	10/2/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/2/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/9/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/15/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/2/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/6/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/7/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	4/7/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-6D	10/4/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	3/1/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	4/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	2/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	8/6/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/16/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/12/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	1/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-7	7/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	10/6/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	2/4/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	8/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/15/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/8/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/13/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	4/9/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	10/7/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-8	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/12/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	4/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/20/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	10/5/2017	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	2/5/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	8/7/2019	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trans-1,4-dichloro-2-butene	NE-9	7/7/2020	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/1/2021	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/17/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/13/2022	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	1/6/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	4/8/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	7/5/2023	1	1	ND	ug/L
Trans-1,4-dichloro-2-butene	NE-9	10/6/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	1/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-10	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-10	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-10	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-10	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-10	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-10	7/16/2010	0.63	1	ND	ug/L
Trichloroethene	LGW-10	1/19/2011	0.35	1	ND	ug/L
Trichloroethene	LGW-10	7/12/2011	0.66	1	ND	ug/L
Trichloroethene	LGW-10	1/5/2012	0.52	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2012	0.42	1	ND	ug/L
Trichloroethene	LGW-10	5/1/2013	0.46	1	ND	ug/L
Trichloroethene	LGW-10	1/30/2014	0.38	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2014	0.36	1	ND	ug/L
Trichloroethene	LGW-10	2/12/2015	0.41	1	ND	ug/L
Trichloroethene	LGW-10	7/13/2015	0.51	1	ND	ug/L
Trichloroethene	LGW-10	1/5/2016	0.35	1	ND	ug/L
Trichloroethene	LGW-10	4/6/2016	0.29	1	ND	ug/L
Trichloroethene	LGW-10	7/21/2016	0.36	1	ND	ug/L
Trichloroethene	LGW-10	10/6/2016	0.36	1	ND	ug/L
Trichloroethene	LGW-10	1/11/2017	0.21	1	ND	ug/L
Trichloroethene	LGW-10	4/4/2017	0.46	1	ND	ug/L
Trichloroethene	LGW-10	7/19/2017	0.4	1	ND	ug/L
Trichloroethene	LGW-10	10/9/2017	0.32	1	ND	ug/L
Trichloroethene	LGW-10	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-10	4/11/2018	0.2	1	ND	ug/L
Trichloroethene	LGW-10	7/16/2018	0.21	1	ND	ug/L
Trichloroethene	LGW-10	10/4/2018	0.2	1	ND	ug/L
Trichloroethene	LGW-10	1/4/2019	0.22	1	ND	ug/L
Trichloroethene	LGW-10	4/3/2019	0.2	1	ND	ug/L
Trichloroethene	LGW-10	7/11/2019	0.3	1	ND	ug/L
Trichloroethene	LGW-10	10/2/2019	0.22	1	ND	ug/L
Trichloroethene	LGW-10	1/15/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	10/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-10	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-10	10/5/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-10	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	10/7/2022	1	1	ND	ug/L
Trichloroethene	LGW-10	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	4/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-10	10/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	10/27/2006	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	4/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/6/2009	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-14R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-14R	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/25/2018	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/17/2018	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-14R	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-14R	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-2	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-2	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	7/10/2007	1	1	ND	ug/L
Trichloroethene	LGW-2	1/26/2008	1	1	ND	ug/L
Trichloroethene	LGW-2	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-2	2/6/2009	1	1	ND	ug/L
Trichloroethene	LGW-2	7/30/2009	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-2	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-2	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-2	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-2	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-2	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-2	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-2	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-2	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-2	1/30/2014	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-2	2/13/2015	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-2	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-2	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-2	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-2	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-2	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-2	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-2	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-2	1/13/2020	9.02	1		ug/L
Trichloroethene	LGW-2	4/1/2020	1	1	ND	ug/L
Trichloroethene	LGW-2	7/8/2020	1	1	ND	ug/L
Trichloroethene	LGW-2	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-2	7/4/2021	1	1	ND	ug/L
Trichloroethene	LGW-2	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-2	7/10/2022	1	1	ND	ug/L
Trichloroethene	LGW-2	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-2	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/26/2008	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2009	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/16/2010	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-3R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/22/2014	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-3R	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/16/2015	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/8/2016	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/21/2016	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/18/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-3R	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/10/2022	1	1	ND	ug/L
Trichloroethene	LGW-3R	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-3R	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-4	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-4	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-4	1/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-4	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2009	1	1	ND	ug/L
Trichloroethene	LGW-4	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	7/16/2010	1	1	ND	ug/L
Trichloroethene	LGW-4	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-4	7/13/2011	1	1	ND	ug/L
Trichloroethene	LGW-4	1/4/2012	1	1	ND	ug/L
Trichloroethene	LGW-4	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-4	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-4	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-4	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-4	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-4	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-4	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-4	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-4	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-4	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-4	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-4	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-4	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-4	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-4	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-4	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-4	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-4	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-4	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-4	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-4	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-4	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-5	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-5	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-5	4/26/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-5	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-5	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-5	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-5	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-5	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-5	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-5	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-5	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-5	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-5	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-5	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-5	7/8/2015	1	1	ND	ug/L
Trichloroethene	LGW-5	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-5	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-5	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-5	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-5	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-5	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-5	1/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-5	7/9/2019	1	1	ND	ug/L
Trichloroethene	LGW-5	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-5	7/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-5	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-5	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	10/6/2022	1	1	ND	ug/L
Trichloroethene	LGW-5	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-5	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-5	10/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-6	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	7/11/2007	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-6	7/23/2008	1	1	ND	ug/L
Trichloroethene	LGW-6	2/5/2009	1	1	ND	ug/L
Trichloroethene	LGW-6	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	2/3/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-6	1/19/2011	1	1	ND	ug/L
Trichloroethene	LGW-6	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-6	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-6	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-6	4/30/2013	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-6	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-6	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-6	2/10/2015	1	1	ND	ug/L
Trichloroethene	LGW-6	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-6	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	7/19/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-6	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	5/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-6	1/23/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	4/10/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	7/17/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-6	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-6	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2020	1	1	ND	ug/L
Trichloroethene	LGW-6	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-6	1/12/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	10/6/2022	1	1	ND	ug/L
Trichloroethene	LGW-6	1/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	4/6/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-6	10/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-7	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	8/1/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-7	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	4/26/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-7	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-7	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-7	7/31/2009	1	1	ND	ug/L
Trichloroethene	LGW-7	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2010	1	1	ND	ug/L
Trichloroethene	LGW-7	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-7	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-7	7/10/2012	1	1	ND	ug/L
Trichloroethene	LGW-7	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-7	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-7	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-7	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-7	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-7	7/22/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-7	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	4/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	7/20/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-7	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	4/4/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-7	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	4/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	7/12/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-7	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-7	1/15/2020	1	1	ND	ug/L
Trichloroethene	LGW-7	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-7	1/18/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-7	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-7	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-7	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-7	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/24/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/24/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	4/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/12/2007	1	1	ND	ug/L
Trichloroethene	LGW-8R	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/14/2010	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/5/2012	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/9/2012	1	1	ND	ug/L
Trichloroethene	LGW-8R	4/30/2013	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/22/2014	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-8R	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/22/2015	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/20/2016	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/25/2018	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/13/2018	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/8/2019	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/14/2020	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	LGW-8R	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-8R	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-8R	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	1/25/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	7/20/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	10/26/2006	1	1	ND	ug/L
Trichloroethene	LGW-9	1/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-9	4/25/2007	1	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2007	1	1	ND	ug/L
Trichloroethene	LGW-9	7/22/2008	1	1	ND	ug/L
Trichloroethene	LGW-9	2/4/2009	1	1	ND	ug/L
Trichloroethene	LGW-9	7/29/2009	1	1	ND	ug/L
Trichloroethene	LGW-9	1/27/2010	1	1	ND	ug/L
Trichloroethene	LGW-9	7/14/2010	1	1	ND	ug/L
Trichloroethene	LGW-9	1/20/2011	1	1	ND	ug/L
Trichloroethene	LGW-9	7/12/2011	1	1	ND	ug/L
Trichloroethene	LGW-9	1/5/2012	0.17	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2012	1	1	ND	ug/L
Trichloroethene	LGW-9	5/1/2013	1	1	ND	ug/L
Trichloroethene	LGW-9	7/15/2013	1	1	ND	ug/L
Trichloroethene	LGW-9	1/23/2014	1	1	ND	ug/L
Trichloroethene	LGW-9	7/8/2014	1	1	ND	ug/L
Trichloroethene	LGW-9	2/11/2015	1	1	ND	ug/L
Trichloroethene	LGW-9	7/13/2015	1	1	ND	ug/L
Trichloroethene	LGW-9	1/5/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	7/21/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	10/6/2016	1	1	ND	ug/L
Trichloroethene	LGW-9	1/11/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	5/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	7/18/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	10/5/2017	1	1	ND	ug/L
Trichloroethene	LGW-9	1/24/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	4/11/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	7/13/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	10/2/2018	1	1	ND	ug/L
Trichloroethene	LGW-9	1/7/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	4/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	10/3/2019	1	1	ND	ug/L
Trichloroethene	LGW-9	1/16/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	4/2/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	7/9/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	10/7/2020	1	1	ND	ug/L
Trichloroethene	LGW-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	4/6/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	7/7/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	10/5/2021	1	1	ND	ug/L
Trichloroethene	LGW-9	1/13/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	4/4/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	7/11/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	10/7/2022	1	1	ND	ug/L
Trichloroethene	LGW-9	1/11/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	4/5/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	7/10/2023	1	1	ND	ug/L
Trichloroethene	LGW-9	10/5/2023	1	1	ND	ug/L
Trichloroethene	MW-10N	10/22/1997	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-10N	1/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/28/1998	6.4	6.4	ND	ug/L
Trichloroethene	MW-10N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	1/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	7/15/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-10N	7/11/2000	1	1	ND	ug/L
Trichloroethene	MW-10N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-10N	4/10/2001	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2002	1	1	ND	ug/L
Trichloroethene	MW-10N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-10N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-10N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-10N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-10N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-10N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-10N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2007	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-10N	1/23/2008	1	1	ND	ug/L
Trichloroethene	MW-10N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-10N	2/13/2009	1	1	ND	ug/L
Trichloroethene	MW-10N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-10N	1/27/2010	1	1	ND	ug/L
Trichloroethene	MW-10N	8/10/2010	1	1	ND	ug/L
Trichloroethene	MW-10N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-10N	7/14/2011	1	1	ND	ug/L
Trichloroethene	MW-10N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-10N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-10N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-10N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-10N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-10N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-10N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-10N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-10N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-10N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-10N	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-10N	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-10N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-10N	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-10N	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-10N	7/8/2020	1	1	ND	ug/L
Trichloroethene	MW-10N	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-10N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-10N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-10N	7/7/2023	1	1	ND	ug/L
Trichloroethene	MW-11N	10/22/1997	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-11N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	1/13/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-11N	7/10/2000	1	1	ND	ug/L
Trichloroethene	MW-11N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-11N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-11N	4/10/2001	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2002	1	1	ND	ug/L
Trichloroethene	MW-11N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-11N	1/29/2004	1	1	ND	ug/L
Trichloroethene	MW-11N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-11N	1/13/2005	1	1	ND	ug/L
Trichloroethene	MW-11N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-11N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-11N	1/24/2007	1	1	ND	ug/L
Trichloroethene	MW-11N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-11N	1/22/2008	1	1	ND	ug/L
Trichloroethene	MW-11N	7/23/2008	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2009	1	1	ND	ug/L
Trichloroethene	MW-11N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	2/3/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	7/16/2010	1	1	ND	ug/L
Trichloroethene	MW-11N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-11N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-11N	1/4/2012	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2012	1	1	ND	ug/L
Trichloroethene	MW-11N	4/30/2013	1	1	ND	ug/L
Trichloroethene	MW-11N	7/15/2013	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2014	1	1	ND	ug/L
Trichloroethene	MW-11N	7/8/2014	1	1	ND	ug/L
Trichloroethene	MW-11N	2/10/2015	1	1	ND	ug/L
Trichloroethene	MW-11N	7/13/2015	1	1	ND	ug/L
Trichloroethene	MW-11N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-11N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-11N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-11N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-11N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-11N	7/17/2018	1	1	ND	ug/L
Trichloroethene	MW-11N	1/2/2019	1	1	ND	ug/L
Trichloroethene	MW-11N	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-11N	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-11N	7/6/2020	1	1	ND	ug/L
Trichloroethene	MW-11N	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-11N	7/6/2021	1	1	ND	ug/L
Trichloroethene	MW-11N	1/18/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-11N	7/13/2022	1	1	ND	ug/L
Trichloroethene	MW-11N	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-11N	7/8/2023	1	1	ND	ug/L
Trichloroethene	MW-15	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-15	7/15/2015	1	1	ND	ug/L
Trichloroethene	MW-15	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-15	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-15	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-15	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-15	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-15	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-15	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-15	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-15	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-15	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-15	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-15	7/9/2019	1	1	ND	ug/L
Trichloroethene	MW-15	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-15	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-15	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-15	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-15	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-15	7/10/2022	1	1	ND	ug/L
Trichloroethene	MW-15	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-15	7/10/2023	1	1	ND	ug/L
Trichloroethene	MW-16	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-16	7/16/2015	1	1	ND	ug/L
Trichloroethene	MW-16	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-16	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-16	1/8/2016	1	1	ND	ug/L
Trichloroethene	MW-16	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-16	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-16	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-16	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-16	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-16	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-16	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-16	1/2/2019	1	1	ND	ug/L
Trichloroethene	MW-16	7/10/2019	1	1	ND	ug/L
Trichloroethene	MW-16	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-16	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-16	1/18/2021	1	1	ND	ug/L
Trichloroethene	MW-16	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-16	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-16	7/10/2022	1	1	ND	ug/L
Trichloroethene	MW-16	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-16	7/10/2023	1	1	ND	ug/L
Trichloroethene	MW-17	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-17	7/15/2015	1	1	ND	ug/L
Trichloroethene	MW-17	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-17	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-17	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-17	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-17	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-17	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-17	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-17	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-17	1/23/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-17	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-17	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-17	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-17	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-17	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-17	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-17	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-17	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-17	7/8/2023	1	1	ND	ug/L
Trichloroethene	MW-19	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-19	7/16/2015	1	1	ND	ug/L
Trichloroethene	MW-19	8/5/2015	1	1	ND	ug/L
Trichloroethene	MW-19	9/3/2015	1	1	ND	ug/L
Trichloroethene	MW-19	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-19	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-19	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-19	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-19	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-19	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-19	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-19	7/13/2018	1	1	ND	ug/L
Trichloroethene	MW-19	1/7/2019	1	1	ND	ug/L
Trichloroethene	MW-19	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-19	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-19	8/3/2020	1	1	ND	ug/L
Trichloroethene	MW-19	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-19	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-19	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-19	7/10/2023	1	1	ND	ug/L
Trichloroethene	MW-1N	10/22/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	1/20/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	10/14/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	5/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/15/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	10/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	7/12/2000	0.71	1		ug/L
Trichloroethene	MW-1N	10/18/2000	0.46	1		ug/L
Trichloroethene	MW-1N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-1N	4/12/2001	1.5	1		ug/L
Trichloroethene	MW-1N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-1N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-1N	7/9/2002	0.59	1		ug/L
Trichloroethene	MW-1N	10/3/2002	0.64	1		ug/L
Trichloroethene	MW-1N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	4/15/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	7/8/2003	1	1	ND	ug/L
Trichloroethene	MW-1N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-1N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-1N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-1N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-1N	1/18/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-1N	7/18/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-1N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-1N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-1N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-1N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-1N	2/5/2009	1	1	ND	ug/L
Trichloroethene	MW-1N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-1N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-1N	7/13/2010	1	1	ND	ug/L
Trichloroethene	MW-1N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-1N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-1N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-1N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-1N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-1N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-1N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-1N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-1N	2/10/2015	1	1	ND	ug/L
Trichloroethene	MW-1N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-1N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-1N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-1N	1/12/2017	1	1	ND	ug/L
Trichloroethene	MW-1N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-1N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-1N	7/10/2018	1	1	ND	ug/L
Trichloroethene	MW-1N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-1N	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-1N	1/23/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	7/6/2020	1	1	ND	ug/L
Trichloroethene	MW-1N	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-1N	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-1N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-1N	7/8/2023	1	1	ND	ug/L
Trichloroethene	MW-20	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-20	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-20	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-20	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-20	1/7/2016	1	1	ND	ug/L
Trichloroethene	MW-20	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-20	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-20	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-20	1/12/2017	1	1	ND	ug/L
Trichloroethene	MW-20	7/18/2017	1	1	ND	ug/L
Trichloroethene	MW-20	1/26/2018	1	1	ND	ug/L
Trichloroethene	MW-20	7/12/2018	1	1	ND	ug/L
Trichloroethene	MW-20	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-20	1/14/2020	1	1	ND	ug/L
Trichloroethene	MW-20	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-20	1/17/2021	1	1	ND	ug/L
Trichloroethene	MW-20	7/4/2021	1	1	ND	ug/L
Trichloroethene	MW-20	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-21	6/5/2015	1	1	ND	ug/L
Trichloroethene	MW-21	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-21	8/4/2015	1	1	ND	ug/L
Trichloroethene	MW-21	9/2/2015	1	1	ND	ug/L
Trichloroethene	MW-21	1/7/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-21	4/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	7/20/2016	1	1	ND	ug/L
Trichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	10/5/2016	1	1	ND	ug/L
Trichloroethene	MW-21	1/10/2017	1	1	ND	ug/L
Trichloroethene	MW-21	4/5/2017	1	1	ND	ug/L
Trichloroethene	MW-21	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-21	10/6/2017	1	1	ND	ug/L
Trichloroethene	MW-21	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-21	4/11/2018	1	1	ND	ug/L
Trichloroethene	MW-21	7/11/2018	1	1	ND	ug/L
Trichloroethene	MW-21	10/4/2018	1	1	ND	ug/L
Trichloroethene	MW-21	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-21	4/3/2019	1	1	ND	ug/L
Trichloroethene	MW-21	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-21	10/2/2019	1	1	ND	ug/L
Trichloroethene	MW-21	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-21	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-21	7/8/2020	1	1	ND	ug/L
Trichloroethene	MW-21	10/7/2020	1	1	ND	ug/L
Trichloroethene	MW-21	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-21	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-21	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-21	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-21	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-21	4/8/2023	1	1	ND	ug/L
Trichloroethene	MW-21	7/7/2023	1	1	ND	ug/L
Trichloroethene	MW-21	10/6/2023	1	1	ND	ug/L
Trichloroethene	MW-2N	10/22/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	10/20/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-2N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-2N	1/24/2001	1	1	ND	ug/L
Trichloroethene	MW-2N	4/11/2001	1	1	ND	ug/L
Trichloroethene	MW-2N	7/10/2002	1	1	ND	ug/L
Trichloroethene	MW-2N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-2N	1/22/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-2N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-2N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-2N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-2N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-2N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	10/25/2006	1	1	ND	ug/L
Trichloroethene	MW-2N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	3/27/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-2N	1/24/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-2N	7/22/2008	1	1	ND	ug/L
Trichloroethene	MW-2N	2/4/2009	1	1	ND	ug/L
Trichloroethene	MW-2N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-2N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-2N	7/13/2010	1	1	ND	ug/L
Trichloroethene	MW-2N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-2N	7/13/2011	1	1	ND	ug/L
Trichloroethene	MW-2N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-2N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-2N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-2N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-2N	1/24/2014	1	1	ND	ug/L
Trichloroethene	MW-2N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-2N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-2N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-2N	1/6/2016	1	1	ND	ug/L
Trichloroethene	MW-2N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-2N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-2N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-2N	1/23/2018	1	1	ND	ug/L
Trichloroethene	MW-2N	7/12/2018	1	1	ND	ug/L
Trichloroethene	MW-2N	1/3/2019	1	1	ND	ug/L
Trichloroethene	MW-2N	8/7/2019	1	1	ND	ug/L
Trichloroethene	MW-2N	1/23/2020	1	1	ND	ug/L
Trichloroethene	MW-2N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-2N	1/14/2021	1	1	ND	ug/L
Trichloroethene	MW-2N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-2N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-2N	7/8/2023	1	1	ND	ug/L
Trichloroethene	MW-3N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	4/28/1998	1.5	3.2		ug/L
Trichloroethene	MW-3N	7/23/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	1/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	10/20/1999	1.4	3.2		ug/L
Trichloroethene	MW-3N	1/14/2000	0.99	3.2		ug/L
Trichloroethene	MW-3N	4/24/2000	1.4	3.2		ug/L
Trichloroethene	MW-3N	7/11/2000	1.5	1		ug/L
Trichloroethene	MW-3N	10/17/2000	1.5	1		ug/L
Trichloroethene	MW-3N	1/23/2001	1.2	1		ug/L
Trichloroethene	MW-3N	4/11/2001	1.6	1		ug/L
Trichloroethene	MW-3N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-3N	5/29/2002	1.8	1		ug/L
Trichloroethene	MW-3N	7/9/2002	1.7	1		ug/L
Trichloroethene	MW-3N	10/2/2002	1.8	1		ug/L
Trichloroethene	MW-3N	1/22/2003	1.2	1		ug/L
Trichloroethene	MW-3N	4/14/2003	1.2	1		ug/L
Trichloroethene	MW-3N	7/7/2003	1.1	1		ug/L
Trichloroethene	MW-3N	1/28/2004	1.1	1		ug/L
Trichloroethene	MW-3N	7/27/2004	1.2	1		ug/L
Trichloroethene	MW-3N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-3N	7/20/2005	1.1	1		ug/L
Trichloroethene	MW-3N	1/18/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-3N	10/25/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-3N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2007	1	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-3N	7/22/2008	1	1	ND	ug/L
Trichloroethene	MW-3N	2/4/2009	0.74	1	ND	ug/L
Trichloroethene	MW-3N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-3N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-3N	7/13/2010	0.64	1	ND	ug/L
Trichloroethene	MW-3N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-3N	7/14/2011	0.59	1	ND	ug/L
Trichloroethene	MW-3N	1/5/2012	0.57	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2012	0.58	1	ND	ug/L
Trichloroethene	MW-3N	5/1/2013	0.52	1	ND	ug/L
Trichloroethene	MW-3N	6/4/2013	0.44	1	ND	ug/L
Trichloroethene	MW-3N	7/16/2013	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2014	0.35	1	ND	ug/L
Trichloroethene	MW-3N	7/9/2014	0.35	1	ND	ug/L
Trichloroethene	MW-3N	2/12/2015	0.39	1	ND	ug/L
Trichloroethene	MW-3N	4/1/2015	0.38	1	ND	ug/L
Trichloroethene	MW-3N	7/14/2015	0.25	1	ND	ug/L
Trichloroethene	MW-3N	10/5/2015	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/6/2016	0.25	1	ND	ug/L
Trichloroethene	MW-3N	4/6/2016	0.22	1	ND	ug/L
Trichloroethene	MW-3N	7/21/2016	0.26	1	ND	ug/L
Trichloroethene	MW-3N	10/6/2016	0.33	1	ND	ug/L
Trichloroethene	MW-3N	1/11/2017	0.37	1	ND	ug/L
Trichloroethene	MW-3N	4/4/2017	0.46	1	ND	ug/L
Trichloroethene	MW-3N	7/19/2017	0.28	1	ND	ug/L
Trichloroethene	MW-3N	10/9/2017	0.26	1	ND	ug/L
Trichloroethene	MW-3N	1/24/2018	1	1	ND	ug/L
Trichloroethene	MW-3N	4/10/2018	0.27	1	ND	ug/L
Trichloroethene	MW-3N	7/13/2018	0.21	1	ND	ug/L
Trichloroethene	MW-3N	10/3/2018	0.22	1	ND	ug/L
Trichloroethene	MW-3N	1/7/2019	0.26	1	ND	ug/L
Trichloroethene	MW-3N	4/3/2019	0.25	1	ND	ug/L
Trichloroethene	MW-3N	7/11/2019	0.27	1	ND	ug/L
Trichloroethene	MW-3N	10/2/2019	0.37	1	ND	ug/L
Trichloroethene	MW-3N	1/15/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	10/7/2020	1	1	ND	ug/L
Trichloroethene	MW-3N	1/13/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-3N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-3N	7/7/2023	1	1	ND	ug/L
Trichloroethene	MW-3N	10/6/2023	1	1	ND	ug/L
Trichloroethene	MW-7N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	1/21/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	8/18/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	9/17/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	10/15/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	11/9/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	1/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	4/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/14/1999	3.2	3.2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-7N	10/19/1999	1.4	3.2		ug/L
Trichloroethene	MW-7N	1/13/2000	0.92	3.2		ug/L
Trichloroethene	MW-7N	4/25/2000	1.1	3.2		ug/L
Trichloroethene	MW-7N	10/17/2000	1	1		ug/L
Trichloroethene	MW-7N	1/23/2001	0.75	1		ug/L
Trichloroethene	MW-7N	4/10/2001	1	1		ug/L
Trichloroethene	MW-7N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-7N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-7N	7/9/2002	0.9	1		ug/L
Trichloroethene	MW-7N	10/2/2002	0.87	1		ug/L
Trichloroethene	MW-7N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-7N	1/27/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	4/8/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	7/26/2004	1	1	ND	ug/L
Trichloroethene	MW-7N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2005	1	1	ND	ug/L
Trichloroethene	MW-7N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-7N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-7N	7/21/2008	1	1	ND	ug/L
Trichloroethene	MW-7N	2/6/2009	1	1	ND	ug/L
Trichloroethene	MW-7N	7/29/2009	1	1	ND	ug/L
Trichloroethene	MW-7N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	7/14/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	9/2/2010	1	1	ND	ug/L
Trichloroethene	MW-7N	1/20/2011	1	1	ND	ug/L
Trichloroethene	MW-7N	7/12/2011	1	1	ND	ug/L
Trichloroethene	MW-7N	1/5/2012	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2012	1	1	ND	ug/L
Trichloroethene	MW-7N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	6/4/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	7/15/2013	1	1	ND	ug/L
Trichloroethene	MW-7N	1/30/2014	1	1	ND	ug/L
Trichloroethene	MW-7N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-7N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-7N	7/13/2015	1	1	ND	ug/L
Trichloroethene	MW-7N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-7N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-7N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	4/4/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	10/5/2017	1	1	ND	ug/L
Trichloroethene	MW-7N	1/25/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	4/11/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	7/13/2018	1	1	ND	ug/L
Trichloroethene	MW-7N	1/4/2019	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2019	1	1	ND	ug/L
Trichloroethene	MW-7N	1/16/2020	1	1	ND	ug/L
Trichloroethene	MW-7N	7/7/2020	1	1	ND	ug/L
Trichloroethene	MW-7N	1/16/2021	1	1	ND	ug/L
Trichloroethene	MW-7N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-7N	1/12/2022	1	1	ND	ug/L
Trichloroethene	MW-7N	7/10/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-7N	1/10/2023	1	1	ND	ug/L
Trichloroethene	MW-7N	7/7/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	10/21/1997	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/28/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/22/1998	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/12/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/13/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/14/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	10/19/1999	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	1/14/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	4/25/2000	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	10/17/2000	1	1	ND	ug/L
Trichloroethene	MW-8N	1/23/2001	1	1	ND	ug/L
Trichloroethene	MW-8N	4/11/2001	1	1	ND	ug/L
Trichloroethene	MW-8N	5/29/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	5/29/2002	3.2	3.2	ND	ug/L
Trichloroethene	MW-8N	7/9/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2002	1	1	ND	ug/L
Trichloroethene	MW-8N	1/23/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	4/14/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	7/7/2003	1	1	ND	ug/L
Trichloroethene	MW-8N	1/28/2004	1	1	ND	ug/L
Trichloroethene	MW-8N	7/27/2004	1	1	ND	ug/L
Trichloroethene	MW-8N	1/12/2005	1	1	ND	ug/L
Trichloroethene	MW-8N	7/20/2005	1	1	ND	ug/L
Trichloroethene	MW-8N	1/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	10/24/2006	1	1	ND	ug/L
Trichloroethene	MW-8N	1/26/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	4/25/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	7/10/2007	1	1	ND	ug/L
Trichloroethene	MW-8N	1/24/2008	1	1	ND	ug/L
Trichloroethene	MW-8N	7/23/2008	1	1	ND	ug/L
Trichloroethene	MW-8N	2/4/2009	1	1	ND	ug/L
Trichloroethene	MW-8N	7/31/2009	1	1	ND	ug/L
Trichloroethene	MW-8N	1/26/2010	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2010	1	1	ND	ug/L
Trichloroethene	MW-8N	1/19/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	5/10/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	7/14/2011	1	1	ND	ug/L
Trichloroethene	MW-8N	1/6/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	4/5/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	7/11/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	10/3/2012	1	1	ND	ug/L
Trichloroethene	MW-8N	5/1/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	6/4/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2013	1	1	ND	ug/L
Trichloroethene	MW-8N	1/30/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	4/3/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	7/9/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	10/8/2014	1	1	ND	ug/L
Trichloroethene	MW-8N	2/12/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	4/1/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	7/14/2015	1	1	ND	ug/L
Trichloroethene	MW-8N	10/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	MW-8N	1/5/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	4/6/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	7/21/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2016	1	1	ND	ug/L
Trichloroethene	MW-8N	1/11/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	4/4/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	7/19/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2017	1	1	ND	ug/L
Trichloroethene	MW-8N	1/25/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	4/10/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	7/16/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	10/2/2018	1	1	ND	ug/L
Trichloroethene	MW-8N	1/7/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	4/3/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	7/11/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	10/3/2019	1	1	ND	ug/L
Trichloroethene	MW-8N	1/15/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	4/2/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	7/9/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2020	1	1	ND	ug/L
Trichloroethene	MW-8N	1/15/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	4/6/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	7/5/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2021	1	1	ND	ug/L
Trichloroethene	MW-8N	1/18/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	4/4/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	7/12/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	10/6/2022	1	1	ND	ug/L
Trichloroethene	MW-8N	1/11/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	4/8/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	7/7/2023	1	1	ND	ug/L
Trichloroethene	MW-8N	10/5/2023	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2002	1	1	ND	ug/L
Trichloroethene	NE-1	8/6/2002	1	1	ND	ug/L
Trichloroethene	NE-1	9/4/2002	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2002	1	1	ND	ug/L
Trichloroethene	NE-1	7/8/2003	1	1	ND	ug/L
Trichloroethene	NE-1	1/27/2004	1	1	ND	ug/L
Trichloroethene	NE-1	1/12/2005	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-1	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2007	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2008	1	1	ND	ug/L
Trichloroethene	NE-1	7/21/2008	1	1	ND	ug/L
Trichloroethene	NE-1	2/7/2009	1	1	ND	ug/L
Trichloroethene	NE-1	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-1	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-1	7/14/2010	1	1	ND	ug/L
Trichloroethene	NE-1	9/2/2010	1	1	ND	ug/L
Trichloroethene	NE-1	1/19/2011	1	1	ND	ug/L
Trichloroethene	NE-1	7/13/2011	1	1	ND	ug/L
Trichloroethene	NE-1	1/5/2012	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2012	1	1	ND	ug/L
Trichloroethene	NE-1	4/30/2013	1	1	ND	ug/L
Trichloroethene	NE-1	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-1	1/23/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-1	7/9/2014	1	1	ND	ug/L
Trichloroethene	NE-1	2/11/2015	1	1	ND	ug/L
Trichloroethene	NE-1	7/8/2015	1	1	ND	ug/L
Trichloroethene	NE-1	1/6/2016	1	1	ND	ug/L
Trichloroethene	NE-1	7/20/2016	1	1	ND	ug/L
Trichloroethene	NE-1	1/11/2017	1	1	ND	ug/L
Trichloroethene	NE-1	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-1	1/24/2018	1	1	ND	ug/L
Trichloroethene	NE-1	4/11/2018	1	1	ND	ug/L
Trichloroethene	NE-1	7/18/2018	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2018	1	1	ND	ug/L
Trichloroethene	NE-1	1/4/2019	1	1	ND	ug/L
Trichloroethene	NE-1	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trichloroethene	NE-1	7/10/2019	1	1	ND	ug/L
Trichloroethene	NE-1	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-1	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-1	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-1	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-1	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-1	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-1	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-1	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-1	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-1	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-1	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-1	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-1	10/6/2022	1	1	ND	ug/L
Trichloroethene	NE-1	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-1	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-1	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-1	10/5/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	11/6/2019	1	1	ND	ug/L
Trichloroethene	NE-10D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-10D	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-10D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	7/8/2023	1	1	ND	ug/L
Trichloroethene	NE-10D	10/3/2023	1	1	ND	ug/L
Trichloroethene	NE-11	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-11	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-11	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-11	10/9/2017	1	1	ND	ug/L
Trichloroethene	NE-11	9/30/2019	1	1	ND	ug/L
Trichloroethene	NE-11	1/14/2020	1	1	ND	ug/L
Trichloroethene	NE-11	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-11	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-11	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-11	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-11	1/17/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-11	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-11	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-11	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-12	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-12	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-12	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-12	10/6/2017	1	1	ND	ug/L
Trichloroethene	NE-12	8/5/2019	1	1	ND	ug/L
Trichloroethene	NE-12	1/13/2020	1	1	ND	ug/L
Trichloroethene	NE-12	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-12	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-12	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-12	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-12	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-12	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-12	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-13	2/5/2019	1	1	ND	ug/L
Trichloroethene	NE-13	8/7/2019	1	1	ND	ug/L
Trichloroethene	NE-13	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-13	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-13	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-13	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-14D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-14D	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-14D	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-14D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14D	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14D	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-14D	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-14S	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-14S	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-14S	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-14S	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-14S	1/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-14S	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-14S	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-14S	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	9/30/2019	1	1	ND	ug/L
Trichloroethene	NE-15D	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-15D	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-15D	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-15D	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15D	10/6/2023	1	1	ND	ug/L
Trichloroethene	NE-15S	4/3/2020	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2002	0.26	1		ug/L
Trichloroethene	NE-2	8/6/2002	0.2	1		ug/L
Trichloroethene	NE-2	9/4/2002	1	1	ND	ug/L
Trichloroethene	NE-2	10/2/2002	1	1	ND	ug/L
Trichloroethene	NE-2	10/1/2013	1	1	ND	ug/L
Trichloroethene	NE-2	10/8/2014	1	1	ND	ug/L
Trichloroethene	NE-2	10/5/2015	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2016	1	1	ND	ug/L
Trichloroethene	NE-2	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-2	1/25/2018	1	1	ND	ug/L
Trichloroethene	NE-2	4/10/2018	1	1	ND	ug/L
Trichloroethene	NE-2	7/10/2018	1	1	ND	ug/L
Trichloroethene	NE-2	10/1/2018	1	1	ND	ug/L
Trichloroethene	NE-2	1/4/2019	1	1	ND	ug/L
Trichloroethene	NE-2	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	NE-2	7/9/2019	1	1	ND	ug/L
Trichloroethene	NE-2	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-2	1/14/2020	1	1	ND	ug/L
Trichloroethene	NE-2	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-2	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-2	1/14/2021	1	1	ND	ug/L
Trichloroethene	NE-2	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-2	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-2	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-2	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-2	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-2	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-2	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-2	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-2	4/5/2023	1	1	ND	ug/L
Trichloroethene	NE-2	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-2	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-4	7/10/2002	0.44	1		ug/L
Trichloroethene	NE-4	8/6/2002	0.62	1		ug/L
Trichloroethene	NE-4	9/4/2002	0.42	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-4	10/3/2002	0.56	1		ug/L
Trichloroethene	NE-4	4/15/2003	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2003	1	1	ND	ug/L
Trichloroethene	NE-4	1/28/2004	1	1	ND	ug/L
Trichloroethene	NE-4	1/13/2005	1	1	ND	ug/L
Trichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trichloroethene	NE-4	8/1/2006	1	1	ND	ug/L
Trichloroethene	NE-4	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-4	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-4	7/12/2007	1	1	ND	ug/L
Trichloroethene	NE-4	1/24/2008	1	1	ND	ug/L
Trichloroethene	NE-4	7/21/2008	1	1	ND	ug/L
Trichloroethene	NE-4	2/7/2009	1	1	ND	ug/L
Trichloroethene	NE-4	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-4	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-4	7/14/2010	1	1	ND	ug/L
Trichloroethene	NE-4	1/19/2011	1	1	ND	ug/L
Trichloroethene	NE-4	7/13/2011	1	1	ND	ug/L
Trichloroethene	NE-4	1/5/2012	1	1	ND	ug/L
Trichloroethene	NE-4	7/10/2012	1	1	ND	ug/L
Trichloroethene	NE-4	4/30/2013	1	1	ND	ug/L
Trichloroethene	NE-4	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-4	1/23/2014	1	1	ND	ug/L
Trichloroethene	NE-4	7/9/2014	1	1	ND	ug/L
Trichloroethene	NE-4	2/13/2015	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2015	1	1	ND	ug/L
Trichloroethene	NE-4	1/6/2016	1	1	ND	ug/L
Trichloroethene	NE-4	7/20/2016	1	1	ND	ug/L
Trichloroethene	NE-4	1/11/2017	1	1	ND	ug/L
Trichloroethene	NE-4	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-4	1/26/2018	1	1	ND	ug/L
Trichloroethene	NE-4	4/10/2018	1	1	ND	ug/L
Trichloroethene	NE-4	7/12/2018	1	1	ND	ug/L
Trichloroethene	NE-4	10/3/2018	1	1	ND	ug/L
Trichloroethene	NE-4	1/7/2019	1	1	ND	ug/L
Trichloroethene	NE-4	4/2/2019	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trichloroethene	NE-4	7/8/2019	1	1	ND	ug/L
Trichloroethene	NE-4	10/1/2019	1	1	ND	ug/L
Trichloroethene	NE-4	1/13/2020	1	1	ND	ug/L
Trichloroethene	NE-4	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-4	7/6/2020	1	1	ND	ug/L
Trichloroethene	NE-4	10/5/2020	1	1	ND	ug/L
Trichloroethene	NE-4	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-4	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-4	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-4	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-4	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-4	4/6/2023	1	1	ND	ug/L
Trichloroethene	NE-4	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-4	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-5	7/9/2002	0.98	1		ug/L
Trichloroethene	NE-5	8/6/2002	1.7	1		ug/L
Trichloroethene	NE-5	9/4/2002	0.97	1		ug/L
Trichloroethene	NE-5	10/2/2002	1.1	1		ug/L
Trichloroethene	NE-5	4/15/2003	1	1		ug/L
Trichloroethene	NE-5	7/8/2003	1.4	1		ug/L
Trichloroethene	NE-5	1/27/2004	1.2	1		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-5	1/12/2005	1	1	ND	ug/L
Trichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-5	7/19/2006	1	1	ND	ug/L
Trichloroethene	NE-5	10/25/2006	1	1	ND	ug/L
Trichloroethene	NE-5	1/24/2007	1	1	ND	ug/L
Trichloroethene	NE-5	7/12/2007	1	1	ND	ug/L
Trichloroethene	NE-5	7/22/2008	1	1	ND	ug/L
Trichloroethene	NE-5	2/6/2009	0.51	1	ND	ug/L
Trichloroethene	NE-5	7/31/2009	1	1	ND	ug/L
Trichloroethene	NE-5	1/26/2010	1	1	ND	ug/L
Trichloroethene	NE-5	7/16/2010	0.34	1	ND	ug/L
Trichloroethene	NE-5	9/2/2010	0.39	1	ND	ug/L
Trichloroethene	NE-5	1/19/2011	0.49	1	ND	ug/L
Trichloroethene	NE-5	7/13/2011	0.45	1	ND	ug/L
Trichloroethene	NE-5	1/5/2012	0.45	1	ND	ug/L
Trichloroethene	NE-5	7/10/2012	0.45	1	ND	ug/L
Trichloroethene	NE-5	4/30/2013	0.47	1	ND	ug/L
Trichloroethene	NE-5	7/16/2013	1	1	ND	ug/L
Trichloroethene	NE-5	1/23/2014	0.35	1	ND	ug/L
Trichloroethene	NE-5	7/9/2014	0.31	1	ND	ug/L
Trichloroethene	NE-5	2/11/2015	0.44	1	ND	ug/L
Trichloroethene	NE-5	7/14/2015	0.34	1	ND	ug/L
Trichloroethene	NE-5	1/6/2016	0.38	1	ND	ug/L
Trichloroethene	NE-5	7/20/2016	0.23	1	ND	ug/L
Trichloroethene	NE-5	1/11/2017	0.39	1	ND	ug/L
Trichloroethene	NE-5	7/19/2017	0.3	1	ND	ug/L
Trichloroethene	NE-5	1/25/2018	0.29	1	ND	ug/L
Trichloroethene	NE-5	4/10/2018	0.32	1	ND	ug/L
Trichloroethene	NE-5	7/17/2018	0.31	1	ND	ug/L
Trichloroethene	NE-5	10/3/2018	0.24	1	ND	ug/L
Trichloroethene	NE-5	1/4/2019	0.46	1	ND	ug/L
Trichloroethene	NE-5	4/2/2019	0.32	1	ND	ug/L
Trichloroethene	NE-5	4/2/2019	0.32	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.35	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.37	1	ND	ug/L
Trichloroethene	NE-5	7/9/2019	0.37	1	ND	ug/L
Trichloroethene	NE-5	10/3/2019	0.28	1	ND	ug/L
Trichloroethene	NE-5	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-5	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-5	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-5	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-5	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	9/30/2019	0.17	1	ND	ug/L
Trichloroethene	NE-5E	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	4/1/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5E	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-5E	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5E	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5E	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-5E	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	9/30/2019	0.24	1	ND	ug/L
Trichloroethene	NE-5W	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	10/6/2020	1	1	ND	ug/L
Trichloroethene	NE-5W	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	10/6/2021	1	1	ND	ug/L
Trichloroethene	NE-5W	1/18/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-5W	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-5W	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-6	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-6	4/5/2017	1	1	ND	ug/L
Trichloroethene	NE-6	7/19/2017	1	1	ND	ug/L
Trichloroethene	NE-6	10/6/2017	1	1	ND	ug/L
Trichloroethene	NE-6	2/4/2019	1	1	ND	ug/L
Trichloroethene	NE-6	8/6/2019	1	1	ND	ug/L
Trichloroethene	NE-6	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-6	7/9/2020	1	1	ND	ug/L
Trichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-6	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-6	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-6	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-6	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	10/2/2019	1	1	ND	ug/L
Trichloroethene	NE-6D	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	4/2/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	7/9/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	10/7/2020	1	1	ND	ug/L
Trichloroethene	NE-6D	1/15/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	7/2/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-6D	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	4/6/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	7/12/2022	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichloroethene	NE-6D	10/7/2022	1	1	ND	ug/L
Trichloroethene	NE-6D	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	4/7/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-6D	10/4/2023	1	1	ND	ug/L
Trichloroethene	NE-7	3/1/2017	1	1	ND	ug/L
Trichloroethene	NE-7	4/6/2017	1	1	ND	ug/L
Trichloroethene	NE-7	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-7	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-7	2/6/2019	1	1	ND	ug/L
Trichloroethene	NE-7	8/6/2019	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2020	1	1	ND	ug/L
Trichloroethene	NE-7	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-7	1/16/2021	1	1	ND	ug/L
Trichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-7	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-7	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-7	7/12/2022	1	1	ND	ug/L
Trichloroethene	NE-7	1/5/2023	1	1	ND	ug/L
Trichloroethene	NE-7	7/6/2023	1	1	ND	ug/L
Trichloroethene	NE-8	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-8	4/5/2017	1	1	ND	ug/L
Trichloroethene	NE-8	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-8	10/6/2017	1	1	ND	ug/L
Trichloroethene	NE-8	2/4/2019	1	1	ND	ug/L
Trichloroethene	NE-8	8/5/2019	1	1	ND	ug/L
Trichloroethene	NE-8	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-8	7/8/2020	1	1	ND	ug/L
Trichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-8	1/13/2021	1	1	ND	ug/L
Trichloroethene	NE-8	4/9/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-8	10/7/2021	1	1	ND	ug/L
Trichloroethene	NE-8	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-8	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-9	1/12/2017	1	1	ND	ug/L
Trichloroethene	NE-9	4/5/2017	1	1	ND	ug/L
Trichloroethene	NE-9	7/20/2017	1	1	ND	ug/L
Trichloroethene	NE-9	10/5/2017	1	1	ND	ug/L
Trichloroethene	NE-9	2/5/2019	1	1	ND	ug/L
Trichloroethene	NE-9	8/7/2019	1	1	ND	ug/L
Trichloroethene	NE-9	1/15/2020	1	1	ND	ug/L
Trichloroethene	NE-9	7/7/2020	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2021	1	1	ND	ug/L
Trichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-9	7/1/2021	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-9	1/17/2022	1	1	ND	ug/L
Trichloroethene	NE-9	7/13/2022	1	1	ND	ug/L
Trichloroethene	NE-9	1/6/2023	1	1	ND	ug/L
Trichloroethene	NE-9	4/8/2023	1	1	ND	ug/L
Trichloroethene	NE-9	7/5/2023	1	1	ND	ug/L
Trichloroethene	NE-9	10/6/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-10	1/26/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-10	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/16/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/4/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-10	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	8/2/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	10/27/2006	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-14R	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	4/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-14R	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-2	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/26/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/30/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	2/13/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-2	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-2	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/26/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/22/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/8/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-3R	7/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-4	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-4	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-4	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-5	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/9/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-5	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-5	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-6	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/5/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/19/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	5/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/5/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-6	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-6	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-7	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-7	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-7	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/24/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/22/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/22/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-8R	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/25/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/20/2006	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/26/2006	2	2	ND	ug/L
Trichlorofluoromethane	LGW-9	1/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/22/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	LGW-9	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	5/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/11/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	LGW-9	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/28/1998	15	15	ND	ug/L
Trichlorofluoromethane	MW-10N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	7/15/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-10N	7/11/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-10N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	2/13/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/27/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	8/10/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-10N	7/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-11N	7/10/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/24/2001	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-11N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/29/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/13/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-11N	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/3/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/4/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-11N	7/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/15/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	8/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/10/2017	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-15	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-15	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	8/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/8/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/18/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-16	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/15/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-17	7/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/16/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	8/5/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-19	9/3/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	8/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-19	7/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/20/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	10/14/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	5/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/15/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	7/12/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/18/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	4/12/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-1N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/3/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-1N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	2/5/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/13/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-1N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	2/10/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/23/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-1N	7/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/18/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/26/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	7/4/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-20	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	6/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	8/4/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	9/2/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/7/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/10/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/4/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-21	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	7/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-21	10/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/22/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	10/20/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-2N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-2N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	3/27/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/24/2014	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-2N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/23/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/23/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-2N	7/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	4/28/1998	0.64	7.5		ug/L
Trichlorofluoromethane	MW-3N	7/23/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	1/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	10/20/1999	0.41	7.5		ug/L
Trichlorofluoromethane	MW-3N	1/14/2000	0.25	7.5		ug/L
Trichlorofluoromethane	MW-3N	4/24/2000	0.61	7.5		ug/L
Trichlorofluoromethane	MW-3N	7/11/2000	0.28	1		ug/L
Trichlorofluoromethane	MW-3N	10/17/2000	0.31	1		ug/L
Trichlorofluoromethane	MW-3N	1/23/2001	0.28	1		ug/L
Trichlorofluoromethane	MW-3N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-3N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/9/2002	0.22	1		ug/L
Trichlorofluoromethane	MW-3N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/22/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/18/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-3N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/13/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-3N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/1/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	7/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-3N	10/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/21/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	8/18/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	9/17/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/15/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	11/9/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	4/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	1/13/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	4/25/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/23/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/10/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-7N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/14/2003	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-7N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/8/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/26/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-7N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/29/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/20/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/12/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/15/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/13/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/10/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	1/10/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-7N	7/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/21/1997	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/28/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	7/22/1998	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/12/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/13/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	10/19/1999	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	1/14/2000	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	4/25/2000	7.5	7.5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-8N	10/17/2000	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/23/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/11/2001	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/29/2002	7.5	7.5	ND	ug/L
Trichlorofluoromethane	MW-8N	5/29/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/23/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/14/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/7/2003	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/20/2005	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/24/2006	2	2	ND	ug/L
Trichlorofluoromethane	MW-8N	1/26/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/25/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/23/2008	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	2/4/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/10/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/2011	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/6/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/11/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/3/2012	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	5/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	6/4/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2013	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/30/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/3/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	2/12/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/1/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/5/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/21/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/4/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/16/2018	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/2/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	MW-8N	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/11/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/5/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/4/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	1/11/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	7/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	MW-8N	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/21/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	2/7/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	9/2/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/24/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/11/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/18/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/4/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-1	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/10/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-1	10/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	11/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	7/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-10D	10/3/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	10/9/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-11	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	8/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/15/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-12	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-12	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	2/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-13	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14D	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-14S	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/7/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-15D	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15D	10/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-15S	4/3/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/1/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/8/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/5/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/1/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/14/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/14/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	4/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-2	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/10/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/3/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/28/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/13/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	8/1/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-4	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/24/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/21/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-4	2/7/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/14/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	2/13/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/26/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/12/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/8/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/1/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/13/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/5/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	4/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-4	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	8/6/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	9/4/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/2/2002	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/15/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/8/2003	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/27/2004	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/12/2005	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2006	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/25/2006	2	2	ND	ug/L
Trichlorofluoromethane	NE-5	1/24/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/12/2007	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/22/2008	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	2/6/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/31/2009	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/26/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/16/2010	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	9/2/2010	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-5	1/19/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/13/2011	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/5/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/10/2012	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/30/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/16/2013	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/23/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2014	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	2/11/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/14/2015	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/6/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/20/2016	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/11/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/25/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/10/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/17/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/3/2018	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/9/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/3/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/1/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5E	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-5W	9/30/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/16/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/6/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/6/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/18/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-5W	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/19/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	2/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	8/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/2/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/2/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/9/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/15/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/2/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/6/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/7/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	4/7/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-6D	10/4/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	3/1/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	4/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	2/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	8/6/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Trichlorofluoromethane	NE-7	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/16/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/12/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	1/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-7	7/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	10/6/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	2/4/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	8/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/8/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/13/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	4/9/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	10/7/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-8	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/12/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	4/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/20/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	10/5/2017	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	2/5/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	8/7/2019	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/15/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/7/2020	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/1/2021	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/17/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/13/2022	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	1/6/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	4/8/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	7/5/2023	1	1	ND	ug/L
Trichlorofluoromethane	NE-9	10/6/2023	1	1	ND	ug/L
Turbidity	MW-10N	10/22/1997	230	10		NTU
Turbidity	MW-10N	4/28/1998	17	1		NTU
Turbidity	MW-10N	7/23/1998	51	2		NTU
Turbidity	MW-11N	10/22/1997	350	10		NTU
Turbidity	MW-11N	4/28/1998	17	1		NTU
Turbidity	MW-11N	7/23/1998	18	1		NTU
Turbidity	MW-1N	10/22/1997	66	2		NTU
Turbidity	MW-1N	4/28/1998	4.5	1		NTU
Turbidity	MW-1N	7/23/1998	19.5	1		NTU
Turbidity	MW-2N	10/22/1997	28	1		NTU
Turbidity	MW-2N	4/28/1998	1	1	ND	NTU
Turbidity	MW-2N	7/22/1998	2	1		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity	MW-3N	10/21/1997	17	1		NTU
Turbidity	MW-3N	4/28/1998	8.7	1		NTU
Turbidity	MW-3N	7/23/1998	23	1		NTU
Turbidity	MW-7N	10/21/1997	1	1	ND	NTU
Turbidity	MW-7N	7/22/1998	1.5	1		NTU
Turbidity	MW-7N	8/18/1998	1	1	ND	NTU
Turbidity	MW-7N	9/17/1998	1.3	1		NTU
Turbidity	MW-8N	10/21/1997	1	1	ND	NTU
Turbidity	MW-8N	4/28/1998	13	1		NTU
Turbidity	MW-8N	7/22/1998	27.5	1		NTU
Turbidity (field)	LGW-10	9/30/2005	124	0		NTU
Turbidity (field)	LGW-10	7/20/2006	68.6	0		NTU
Turbidity (field)	LGW-10	7/20/2006	68.6	0		NTU
Turbidity (field)	LGW-10	7/31/2006	27.5	0		NTU
Turbidity (field)	LGW-10	8/1/2006	27.5	0		NTU
Turbidity (field)	LGW-10	8/1/2006	27.5	0		NTU
Turbidity (field)	LGW-10	9/27/2006	5.5	0		NTU
Turbidity (field)	LGW-10	9/28/2006	5.5	0		NTU
Turbidity (field)	LGW-10	10/26/2006	18.5	0		NTU
Turbidity (field)	LGW-10	10/26/2006	18.5	0		NTU
Turbidity (field)	LGW-10	11/20/2006	5.2	0		NTU
Turbidity (field)	LGW-10	11/20/2006	5.2	0		NTU
Turbidity (field)	LGW-10	12/21/2006	8.46	0		NTU
Turbidity (field)	LGW-10	12/21/2006	8.46	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/9/2007	2.56	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	1/25/2007	2.36	0		NTU
Turbidity (field)	LGW-10	2/7/2007	3.48	0		NTU
Turbidity (field)	LGW-10	2/27/2007	3.48	0		NTU
Turbidity (field)	LGW-10	2/27/2007	3.48	0		NTU
Turbidity (field)	LGW-10	3/26/2007	1.23	0		NTU
Turbidity (field)	LGW-10	3/27/2007	1.23	0		NTU
Turbidity (field)	LGW-10	3/27/2007	1.23	0		NTU
Turbidity (field)	LGW-10	4/26/2007	0.92	0		NTU
Turbidity (field)	LGW-10	4/26/2007	0.92	0		NTU
Turbidity (field)	LGW-10	5/31/2007	3.99	0		NTU
Turbidity (field)	LGW-10	6/1/2007	3.99	0		NTU
Turbidity (field)	LGW-10	6/28/2007	6.37	0		NTU
Turbidity (field)	LGW-10	6/28/2007	6.37	0		NTU
Turbidity (field)	LGW-10	7/10/2007	7.23	0		NTU
Turbidity (field)	LGW-10	7/12/2007	7.23	0		NTU
Turbidity (field)	LGW-10	8/28/2007	2.13	0		NTU
Turbidity (field)	LGW-10	8/28/2007	2.13	0		NTU
Turbidity (field)	LGW-10	10/23/2007	1.83	0		NTU
Turbidity (field)	LGW-10	11/28/2007	1.87	0		NTU
Turbidity (field)	LGW-10	12/28/2007	1.24	0		NTU
Turbidity (field)	LGW-10	1/23/2008	2.04	0		NTU
Turbidity (field)	LGW-10	2/28/2008	1.68	0		NTU
Turbidity (field)	LGW-10	5/30/2008	2.26	0		NTU
Turbidity (field)	LGW-10	6/25/2008	2.43	0		NTU
Turbidity (field)	LGW-10	7/22/2008	1.73	0		NTU
Turbidity (field)	LGW-10	8/29/2008	1.39	0		NTU
Turbidity (field)	LGW-10	9/26/2008	2.51	0		NTU
Turbidity (field)	LGW-10	11/25/2008	1.33	0		NTU
Turbidity (field)	LGW-10	12/19/2008	1.01	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	3/26/2009	0.51	0		NTU
Turbidity (field)	LGW-10	4/16/2009	2.6	0		NTU
Turbidity (field)	LGW-10	5/29/2009	2.4	0		NTU
Turbidity (field)	LGW-10	6/24/2009	2.07	0		NTU
Turbidity (field)	LGW-10	7/29/2009	3.39	0		NTU
Turbidity (field)	LGW-10	8/28/2009	2.88	0		NTU
Turbidity (field)	LGW-10	10/21/2009	1.42	0		NTU
Turbidity (field)	LGW-10	12/17/2009	2.2	0		NTU
Turbidity (field)	LGW-10	2/3/2010	1.12	0		NTU
Turbidity (field)	LGW-10	2/3/2010	1.12	0		NTU
Turbidity (field)	LGW-10	2/16/2010	0.81	0		NTU
Turbidity (field)	LGW-10	3/3/2010	0.58	0		NTU
Turbidity (field)	LGW-10	4/8/2010	0.37	0		NTU
Turbidity (field)	LGW-10	5/6/2010	1.09	0		NTU
Turbidity (field)	LGW-10	6/15/2010	2.68	0		NTU
Turbidity (field)	LGW-10	7/16/2010	3.16	0		NTU
Turbidity (field)	LGW-10	8/10/2010	1.44	0		NTU
Turbidity (field)	LGW-10	9/1/2010	1.18	0		NTU
Turbidity (field)	LGW-10	9/29/2010	1.78	0		NTU
Turbidity (field)	LGW-10	11/3/2010	0.82	0		NTU
Turbidity (field)	LGW-10	12/2/2010	0.31	0		NTU
Turbidity (field)	LGW-10	1/19/2011	1.46	0		NTU
Turbidity (field)	LGW-10	2/7/2011	0.99	0		NTU
Turbidity (field)	LGW-10	3/3/2011	0.39	0		NTU
Turbidity (field)	LGW-10	4/5/2011	0.67	0		NTU
Turbidity (field)	LGW-10	5/10/2011	0.43	0		NTU
Turbidity (field)	LGW-10	6/1/2011	1.66	0		NTU
Turbidity (field)	LGW-10	7/12/2011	0.52	0		NTU
Turbidity (field)	LGW-10	8/3/2011	0.92	0		NTU
Turbidity (field)	LGW-10	9/7/2011	0.87	0		NTU
Turbidity (field)	LGW-10	10/5/2011	0.57	0		NTU
Turbidity (field)	LGW-10	11/1/2011	0.43	0		NTU
Turbidity (field)	LGW-10	12/7/2011	0.8	0		NTU
Turbidity (field)	LGW-10	1/5/2012	0.84	0		NTU
Turbidity (field)	LGW-10	2/1/2012	0.58	0		NTU
Turbidity (field)	LGW-10	3/6/2012	0.64	0		NTU
Turbidity (field)	LGW-10	4/5/2012	0.82	0		NTU
Turbidity (field)	LGW-10	5/1/2012	0.29	0		NTU
Turbidity (field)	LGW-10	6/5/2012	0.92	0		NTU
Turbidity (field)	LGW-10	7/9/2012	2.51	0		NTU
Turbidity (field)	LGW-10	8/9/2012	2.29	0		NTU
Turbidity (field)	LGW-10	9/4/2012	2.89	0		NTU
Turbidity (field)	LGW-10	10/7/2012	3.97	0		NTU
Turbidity (field)	LGW-10	5/1/2013	8.11	0		NTU
Turbidity (field)	LGW-10	6/4/2013	2.24	0		NTU
Turbidity (field)	LGW-10	8/8/2013	1.89	0		NTU
Turbidity (field)	LGW-10	9/10/2013	3.42	0		NTU
Turbidity (field)	LGW-10	10/1/2013	5.11	0		NTU
Turbidity (field)	LGW-10	11/6/2013	3.41	0		NTU
Turbidity (field)	LGW-10	12/2/2013	1.45	0		NTU
Turbidity (field)	LGW-10	1/30/2014	2.48	0		NTU
Turbidity (field)	LGW-10	2/13/2014	1.24	0		NTU
Turbidity (field)	LGW-10	3/12/2014	1.58	0		NTU
Turbidity (field)	LGW-10	4/2/2014	1.09	0		NTU
Turbidity (field)	LGW-10	5/7/2014	2.04	0		NTU
Turbidity (field)	LGW-10	6/3/2014	0.97	0		NTU
Turbidity (field)	LGW-10	7/9/2014	6.67	0		NTU
Turbidity (field)	LGW-10	8/5/2014	0.43	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	9/4/2014	1.17	0		NTU
Turbidity (field)	LGW-10	10/9/2014	0.98	0		NTU
Turbidity (field)	LGW-10	11/3/2014	0.51	0		NTU
Turbidity (field)	LGW-10	1/14/2015	2.42	0		NTU
Turbidity (field)	LGW-10	2/12/2015	3.87	0		NTU
Turbidity (field)	LGW-10	3/3/2015	1.75	0		NTU
Turbidity (field)	LGW-10	4/1/2015	1.36	0		NTU
Turbidity (field)	LGW-10	5/7/2015	1.77	0		NTU
Turbidity (field)	LGW-10	6/3/2015	1.02	0		NTU
Turbidity (field)	LGW-10	7/13/2015	3.92	0		NTU
Turbidity (field)	LGW-10	8/5/2015	3.61	0		NTU
Turbidity (field)	LGW-10	9/3/2015	3.47	0		NTU
Turbidity (field)	LGW-10	10/6/2015	3.99	0		NTU
Turbidity (field)	LGW-10	11/4/2015	1.36	0		NTU
Turbidity (field)	LGW-10	12/3/2015	2.46	0		NTU
Turbidity (field)	LGW-10	1/5/2016	3.41	0		NTU
Turbidity (field)	LGW-10	2/3/2016	2.12	0		NTU
Turbidity (field)	LGW-10	2/10/2016	0.74	0		NTU
Turbidity (field)	LGW-10	3/2/2016	0.63	0		NTU
Turbidity (field)	LGW-10	4/6/2016	1.13	0		NTU
Turbidity (field)	LGW-10	5/11/2016	1.11	0		NTU
Turbidity (field)	LGW-10	6/1/2016	0.81	0		NTU
Turbidity (field)	LGW-10	7/21/2016	1.12	0		NTU
Turbidity (field)	LGW-10	8/10/2016	0.73	0		NTU
Turbidity (field)	LGW-10	9/6/2016	0.81	0		NTU
Turbidity (field)	LGW-10	10/6/2016	0.73	0		NTU
Turbidity (field)	LGW-10	11/2/2016	0.61	0		NTU
Turbidity (field)	LGW-10	12/1/2016	1.03	0		NTU
Turbidity (field)	LGW-10	1/11/2017	0.72	0		NTU
Turbidity (field)	LGW-10	2/7/2017	0.71	0		NTU
Turbidity (field)	LGW-10	3/2/2017	0.71	0		NTU
Turbidity (field)	LGW-10	4/4/2017	0.93	0		NTU
Turbidity (field)	LGW-10	5/16/2017	1.87	0		NTU
Turbidity (field)	LGW-10	6/6/2017	1.58	0		NTU
Turbidity (field)	LGW-10	7/19/2017	3.66	0		NTU
Turbidity (field)	LGW-10	8/1/2017	1.14	0		NTU
Turbidity (field)	LGW-10	9/5/2017	3.75	0		NTU
Turbidity (field)	LGW-10	10/9/2017	2.71	0		NTU
Turbidity (field)	LGW-10	11/1/2017	3.22	0		NTU
Turbidity (field)	LGW-10	1/24/2018	0.8	0.01		NTU
Turbidity (field)	LGW-10	2/23/2018	1.31	0.01		NTU
Turbidity (field)	LGW-10	3/21/2018	0.8	0.01		NTU
Turbidity (field)	LGW-10	4/11/2018	0.82	0.01		NTU
Turbidity (field)	LGW-10	4/11/2018	0.82	0.01		NTU
Turbidity (field)	LGW-10	6/6/2018	1.81	0		NTU
Turbidity (field)	LGW-10	7/16/2018	0.83	0.01		NTU
Turbidity (field)	LGW-10	8/2/2018	2.67	0.01		NTU
Turbidity (field)	LGW-10	9/4/2018	0	0		NTU
Turbidity (field)	LGW-10	10/4/2018	1.24	0		NTU
Turbidity (field)	LGW-10	10/4/2018	1.24	0		NTU
Turbidity (field)	LGW-10	11/6/2018	1.62	0.01		NTU
Turbidity (field)	LGW-10	12/4/2018	0.74	0.01		NTU
Turbidity (field)	LGW-10	1/4/2019	7.62	0.01		NTU
Turbidity (field)	LGW-10	2/6/2019	0.3	0		NTU
Turbidity (field)	LGW-10	3/5/2019	0.7	0.01		NTU
Turbidity (field)	LGW-10	4/3/2019	0.82	0.01		NTU
Turbidity (field)	LGW-10	4/3/2019	0.82	0.01		NTU
Turbidity (field)	LGW-10	5/3/2019	3.6	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	6/4/2019	1.2	0		NTU
Turbidity (field)	LGW-10	7/11/2019	5	0.01		NTU
Turbidity (field)	LGW-10	7/11/2019	5	0		NTU
Turbidity (field)	LGW-10	8/7/2019	5.19	0.01		NTU
Turbidity (field)	LGW-10	9/4/2019	2.99	0.01		NTU
Turbidity (field)	LGW-10	10/2/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	10/2/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	11/5/2019	2.26	0.01		NTU
Turbidity (field)	LGW-10	12/3/2019	3.13	0.01		NTU
Turbidity (field)	LGW-10	1/15/2020	6.12	0		NTU
Turbidity (field)	LGW-10	3/4/2020	2.41	0.01		NTU
Turbidity (field)	LGW-10	4/2/2020	2.18	0.01		NTU
Turbidity (field)	LGW-10	4/2/2020	2.18	0.01		NTU
Turbidity (field)	LGW-10	5/5/2020	2.2	0.01		NTU
Turbidity (field)	LGW-10	6/2/2020	3.42	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	7/9/2020	1.76	0		NTU
Turbidity (field)	LGW-10	8/3/2020	1.48	0		NTU
Turbidity (field)	LGW-10	9/2/2020	2.31	0.01		NTU
Turbidity (field)	LGW-10	10/7/2020	2.28	0.01		NTU
Turbidity (field)	LGW-10	10/7/2020	2.28	0.01		NTU
Turbidity (field)	LGW-10	11/4/2020	0.36	0		NTU
Turbidity (field)	LGW-10	12/3/2020	0.65	0		NTU
Turbidity (field)	LGW-10	1/17/2021	-11.8	0		NTU
Turbidity (field)	LGW-10	2/9/2021	1.88	0		NTU
Turbidity (field)	LGW-10	3/2/2021	1.1	0		NTU
Turbidity (field)	LGW-10	4/6/2021	3	0		NTU
Turbidity (field)	LGW-10	4/6/2021	3	0		NTU
Turbidity (field)	LGW-10	5/5/2021	2.8	0		NTU
Turbidity (field)	LGW-10	6/1/2021	5	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	7/7/2021	6.2	0		NTU
Turbidity (field)	LGW-10	8/4/2021	5.2	0		NTU
Turbidity (field)	LGW-10	9/2/2021	6.3	0		NTU
Turbidity (field)	LGW-10	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-10	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-10	11/2/2021	2.2	0		NTU
Turbidity (field)	LGW-10	12/9/2021	3.5	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	1/13/2022	3.4	0		NTU
Turbidity (field)	LGW-10	2/10/2022	3.6	0		NTU
Turbidity (field)	LGW-10	3/2/2022	2.6	0		NTU
Turbidity (field)	LGW-10	4/4/2022	3.6	0		NTU
Turbidity (field)	LGW-10	4/4/2022	3.6	0		NTU
Turbidity (field)	LGW-10	5/7/2022	15.3	0		NTU
Turbidity (field)	LGW-10	6/3/2022	5.1	0		NTU
Turbidity (field)	LGW-10	7/11/2022	3.5	0		NTU
Turbidity (field)	LGW-10	8/10/2022	5.6	0		NTU
Turbidity (field)	LGW-10	9/8/2022	3.1	0		NTU
Turbidity (field)	LGW-10	10/7/2022	2.5	0		NTU
Turbidity (field)	LGW-10	10/7/2022	2.5	0		NTU
Turbidity (field)	LGW-10	11/3/2022	3.7	0		NTU
Turbidity (field)	LGW-10	12/7/2022	1	0		NTU
Turbidity (field)	LGW-10	1/11/2023	5.8	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-10	2/3/2023	1.9	0		NTU
Turbidity (field)	LGW-10	3/1/2023	3.8	0		NTU
Turbidity (field)	LGW-10	4/5/2023	8.4	0		NTU
Turbidity (field)	LGW-10	5/10/2023	5	0		NTU
Turbidity (field)	LGW-10	6/8/2023	5	0		NTU
Turbidity (field)	LGW-10	7/10/2023	5.4	0		NTU
Turbidity (field)	LGW-10	8/1/2023	5.7	0		NTU
Turbidity (field)	LGW-10	9/2/2023	3.1	0		NTU
Turbidity (field)	LGW-10	10/5/2023	3.4	0		NTU
Turbidity (field)	LGW-14R	9/28/2005	366	0		NTU
Turbidity (field)	LGW-14R	7/21/2006	1000	0		NTU
Turbidity (field)	LGW-14R	8/1/2006	100	0		NTU
Turbidity (field)	LGW-14R	8/1/2006	100	0		NTU
Turbidity (field)	LGW-14R	9/28/2006	253	0		NTU
Turbidity (field)	LGW-14R	9/28/2006	253	0		NTU
Turbidity (field)	LGW-14R	10/27/2006	40.1	0		NTU
Turbidity (field)	LGW-14R	10/27/2006	3.1	0		NTU
Turbidity (field)	LGW-14R	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-14R	12/21/2006	1000	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/9/2007	93.7	0		NTU
Turbidity (field)	LGW-14R	1/24/2007	1000	0		NTU
Turbidity (field)	LGW-14R	1/25/2007	1000	0		NTU
Turbidity (field)	LGW-14R	2/7/2007	1000	0		NTU
Turbidity (field)	LGW-14R	2/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	3/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	3/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	4/26/2007	1000	0		NTU
Turbidity (field)	LGW-14R	5/31/2007	159	0		NTU
Turbidity (field)	LGW-14R	6/1/2007	159	0		NTU
Turbidity (field)	LGW-14R	6/28/2007	90.1	0		NTU
Turbidity (field)	LGW-14R	6/28/2007	90.1	0		NTU
Turbidity (field)	LGW-14R	7/10/2007	1000	0		NTU
Turbidity (field)	LGW-14R	7/11/2007	1000	0		NTU
Turbidity (field)	LGW-14R	8/28/2007	320	0		NTU
Turbidity (field)	LGW-14R	8/29/2007	320	0		NTU
Turbidity (field)	LGW-14R	10/23/2007	15.3	0		NTU
Turbidity (field)	LGW-14R	11/27/2007	37.1	0		NTU
Turbidity (field)	LGW-14R	12/27/2007	27.8	0		NTU
Turbidity (field)	LGW-14R	1/23/2008	12.4	0		NTU
Turbidity (field)	LGW-14R	2/28/2008	6.37	0		NTU
Turbidity (field)	LGW-14R	3/25/2008	3.53	0		NTU
Turbidity (field)	LGW-14R	5/3/2008	4.25	0		NTU
Turbidity (field)	LGW-14R	5/30/2008	13	0		NTU
Turbidity (field)	LGW-14R	6/25/2008	10.4	0		NTU
Turbidity (field)	LGW-14R	7/22/2008	6.99	0		NTU
Turbidity (field)	LGW-14R	8/29/2008	6.59	0		NTU
Turbidity (field)	LGW-14R	9/26/2008	8.41	0		NTU
Turbidity (field)	LGW-14R	11/25/2008	5.39	0		NTU
Turbidity (field)	LGW-14R	12/19/2008	11.1	0		NTU
Turbidity (field)	LGW-14R	2/6/2009	252	0		NTU
Turbidity (field)	LGW-14R	3/26/2009	8.12	0		NTU
Turbidity (field)	LGW-14R	6/25/2009	9.28	0		NTU
Turbidity (field)	LGW-14R	7/29/2009	4.21	0		NTU
Turbidity (field)	LGW-14R	8/28/2009	4.91	0		NTU
Turbidity (field)	LGW-14R	10/22/2009	2.41	0		NTU
Turbidity (field)	LGW-14R	12/18/2009	3.5	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	2/3/2010	4.83	0		NTU
Turbidity (field)	LGW-14R	2/3/2010	4.83	0		NTU
Turbidity (field)	LGW-14R	2/16/2010	4.99	0		NTU
Turbidity (field)	LGW-14R	3/3/2010	2.01	0		NTU
Turbidity (field)	LGW-14R	4/7/2010	1.1	0		NTU
Turbidity (field)	LGW-14R	5/6/2010	1.37	0		NTU
Turbidity (field)	LGW-14R	6/16/2010	0.46	0		NTU
Turbidity (field)	LGW-14R	7/12/2010	1.23	0		NTU
Turbidity (field)	LGW-14R	8/10/2010	0.69	0		NTU
Turbidity (field)	LGW-14R	9/2/2010	0.44	0		NTU
Turbidity (field)	LGW-14R	9/29/2010	1.73	0		NTU
Turbidity (field)	LGW-14R	11/3/2010	5.27	0		NTU
Turbidity (field)	LGW-14R	12/2/2010	5.31	0		NTU
Turbidity (field)	LGW-14R	1/19/2011	8.16	0		NTU
Turbidity (field)	LGW-14R	2/7/2011	6.07	0		NTU
Turbidity (field)	LGW-14R	3/3/2011	13.5	0		NTU
Turbidity (field)	LGW-14R	4/5/2011	1.93	0		NTU
Turbidity (field)	LGW-14R	5/10/2011	1.1	0		NTU
Turbidity (field)	LGW-14R	6/1/2011	1.84	0		NTU
Turbidity (field)	LGW-14R	7/12/2011	1.39	0		NTU
Turbidity (field)	LGW-14R	8/3/2011	3.06	0		NTU
Turbidity (field)	LGW-14R	9/7/2011	2.13	0		NTU
Turbidity (field)	LGW-14R	10/5/2011	4.48	0		NTU
Turbidity (field)	LGW-14R	11/1/2011	1.35	0		NTU
Turbidity (field)	LGW-14R	12/7/2011	2.92	0		NTU
Turbidity (field)	LGW-14R	1/5/2012	5.86	0		NTU
Turbidity (field)	LGW-14R	2/1/2012	10.8	0		NTU
Turbidity (field)	LGW-14R	3/6/2012	1.93	0		NTU
Turbidity (field)	LGW-14R	4/5/2012	2.32	0		NTU
Turbidity (field)	LGW-14R	5/1/2012	1.49	0		NTU
Turbidity (field)	LGW-14R	6/5/2012	1.18	0		NTU
Turbidity (field)	LGW-14R	7/9/2012	7.7	0		NTU
Turbidity (field)	LGW-14R	8/9/2012	3.41	0		NTU
Turbidity (field)	LGW-14R	9/4/2012	3.67	0		NTU
Turbidity (field)	LGW-14R	10/7/2012	2.21	0		NTU
Turbidity (field)	LGW-14R	11/6/2012	4.03	0		NTU
Turbidity (field)	LGW-14R	11/6/2012	4.03	0		NTU
Turbidity (field)	LGW-14R	12/6/2012	1.42	0		NTU
Turbidity (field)	LGW-14R	12/6/2012	1.42	0		NTU
Turbidity (field)	LGW-14R	1/23/2013	28.6	0		NTU
Turbidity (field)	LGW-14R	1/23/2013	28.6	0		NTU
Turbidity (field)	LGW-14R	2/5/2013	9.12	0		NTU
Turbidity (field)	LGW-14R	2/5/2013	9.12	0		NTU
Turbidity (field)	LGW-14R	3/5/2013	4.75	0		NTU
Turbidity (field)	LGW-14R	3/5/2013	4.75	0		NTU
Turbidity (field)	LGW-14R	4/30/2013	2.68	0		NTU
Turbidity (field)	LGW-14R	6/4/2013	3.24	0		NTU
Turbidity (field)	LGW-14R	8/8/2013	3.06	0		NTU
Turbidity (field)	LGW-14R	9/10/2013	5.88	0		NTU
Turbidity (field)	LGW-14R	10/1/2013	3.29	0		NTU
Turbidity (field)	LGW-14R	11/6/2013	5.02	0		NTU
Turbidity (field)	LGW-14R	12/2/2013	7.34	0		NTU
Turbidity (field)	LGW-14R	1/23/2014	7.68	0		NTU
Turbidity (field)	LGW-14R	2/12/2014	3.9	0		NTU
Turbidity (field)	LGW-14R	3/11/2014	1.06	0		NTU
Turbidity (field)	LGW-14R	4/2/2014	1.25	0		NTU
Turbidity (field)	LGW-14R	5/7/2014	1.26	0		NTU
Turbidity (field)	LGW-14R	6/3/2014	2.39	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	7/8/2014	1.54	0		NTU
Turbidity (field)	LGW-14R	8/5/2014	0.61	0		NTU
Turbidity (field)	LGW-14R	9/4/2014	1.1	0		NTU
Turbidity (field)	LGW-14R	10/9/2014	1.7	0		NTU
Turbidity (field)	LGW-14R	11/3/2014	6.63	0		NTU
Turbidity (field)	LGW-14R	1/14/2015	3.6	0		NTU
Turbidity (field)	LGW-14R	2/11/2015	7.89	0		NTU
Turbidity (field)	LGW-14R	3/3/2015	5.07	0		NTU
Turbidity (field)	LGW-14R	4/1/2015	1.93	0		NTU
Turbidity (field)	LGW-14R	5/6/2015	3.66	0		NTU
Turbidity (field)	LGW-14R	6/3/2015	1.63	0		NTU
Turbidity (field)	LGW-14R	7/22/2015	2.44	0		NTU
Turbidity (field)	LGW-14R	8/4/2015	3.41	0		NTU
Turbidity (field)	LGW-14R	9/3/2015	3.67	0		NTU
Turbidity (field)	LGW-14R	10/6/2015	4.42	0		NTU
Turbidity (field)	LGW-14R	11/4/2015	1.81	0		NTU
Turbidity (field)	LGW-14R	12/3/2015	4	0		NTU
Turbidity (field)	LGW-14R	1/5/2016	4.86	0		NTU
Turbidity (field)	LGW-14R	2/3/2016	4.1	0		NTU
Turbidity (field)	LGW-14R	3/2/2016	2.84	0		NTU
Turbidity (field)	LGW-14R	4/5/2016	2.81	0		NTU
Turbidity (field)	LGW-14R	5/11/2016	2.51	0		NTU
Turbidity (field)	LGW-14R	6/1/2016	8.51	0		NTU
Turbidity (field)	LGW-14R	7/19/2016	4.33	0		NTU
Turbidity (field)	LGW-14R	8/10/2016	2.46	0		NTU
Turbidity (field)	LGW-14R	9/6/2016	1.3	0		NTU
Turbidity (field)	LGW-14R	10/6/2016	4.66	0		NTU
Turbidity (field)	LGW-14R	11/2/2016	3.27	0		NTU
Turbidity (field)	LGW-14R	12/1/2016	3.13	0		NTU
Turbidity (field)	LGW-14R	1/11/2017	0.86	0		NTU
Turbidity (field)	LGW-14R	2/7/2017	0.81	0		NTU
Turbidity (field)	LGW-14R	3/2/2017	1.67	0		NTU
Turbidity (field)	LGW-14R	4/4/2017	1.46	0		NTU
Turbidity (field)	LGW-14R	5/2/2017	6.7	0		NTU
Turbidity (field)	LGW-14R	6/6/2017	1.76	0		NTU
Turbidity (field)	LGW-14R	7/18/2017	3.48	0		NTU
Turbidity (field)	LGW-14R	8/1/2017	3.66	0		NTU
Turbidity (field)	LGW-14R	9/5/2017	5.48	0		NTU
Turbidity (field)	LGW-14R	10/5/2017	4.76	0		NTU
Turbidity (field)	LGW-14R	11/1/2017	6.1	0		NTU
Turbidity (field)	LGW-14R	1/25/2018	20.2	0.01		NTU
Turbidity (field)	LGW-14R	2/22/2018	2	0.01		NTU
Turbidity (field)	LGW-14R	3/20/2018	0.94	0.01		NTU
Turbidity (field)	LGW-14R	4/10/2018	0.46	0.01		NTU
Turbidity (field)	LGW-14R	6/5/2018	2.3	0		NTU
Turbidity (field)	LGW-14R	6/21/2018	0.52	0		NTU
Turbidity (field)	LGW-14R	7/17/2018	0.82	0.01		NTU
Turbidity (field)	LGW-14R	8/1/2018	0.63	0.01		NTU
Turbidity (field)	LGW-14R	9/4/2018	1.25	0		NTU
Turbidity (field)	LGW-14R	10/2/2018	0.02	0		NTU
Turbidity (field)	LGW-14R	10/2/2018	0.62	0		NTU
Turbidity (field)	LGW-14R	11/6/2018	0.78	0.01		NTU
Turbidity (field)	LGW-14R	12/4/2018	1.61	0.01		NTU
Turbidity (field)	LGW-14R	1/3/2019	0.5	0.01		NTU
Turbidity (field)	LGW-14R	2/6/2019	0.27	0		NTU
Turbidity (field)	LGW-14R	3/5/2019	0.3	0.01		NTU
Turbidity (field)	LGW-14R	4/3/2019	1.14	0.01		NTU
Turbidity (field)	LGW-14R	5/2/2019	2.85	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	6/4/2019	0.95	0		NTU
Turbidity (field)	LGW-14R	7/10/2019	0.16	0.01		NTU
Turbidity (field)	LGW-14R	7/10/2019	0.16	0.01		NTU
Turbidity (field)	LGW-14R	8/7/2019	1.29	0.01		NTU
Turbidity (field)	LGW-14R	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-14R	10/3/2019	0.6	0.01		NTU
Turbidity (field)	LGW-14R	11/5/2019	0.8	0.01		NTU
Turbidity (field)	LGW-14R	12/4/2019	1.42	0.01		NTU
Turbidity (field)	LGW-14R	1/16/2020	4.17	0		NTU
Turbidity (field)	LGW-14R	3/3/2020	0.88	0.01		NTU
Turbidity (field)	LGW-14R	4/3/2020	0.8	0.01		NTU
Turbidity (field)	LGW-14R	5/5/2020	0.61	0.01		NTU
Turbidity (field)	LGW-14R	6/2/2020	0.53	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	7/9/2020	0.24	0		NTU
Turbidity (field)	LGW-14R	8/3/2020	0.01	0		NTU
Turbidity (field)	LGW-14R	9/2/2020	0.43	0.01		NTU
Turbidity (field)	LGW-14R	10/7/2020	0.05	0.01		NTU
Turbidity (field)	LGW-14R	11/3/2020	0.91	0		NTU
Turbidity (field)	LGW-14R	12/3/2020	3.8	0		NTU
Turbidity (field)	LGW-14R	1/18/2021	-11.5	0		NTU
Turbidity (field)	LGW-14R	1/18/2021	-11.5	0		NTU
Turbidity (field)	LGW-14R	2/9/2021	1.69	0		NTU
Turbidity (field)	LGW-14R	3/2/2021	0.1	0		NTU
Turbidity (field)	LGW-14R	4/6/2021	1.9	0		NTU
Turbidity (field)	LGW-14R	4/6/2021	1.9	0		NTU
Turbidity (field)	LGW-14R	5/4/2021	3	0		NTU
Turbidity (field)	LGW-14R	6/1/2021	2.6	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	7/7/2021	7.8	0		NTU
Turbidity (field)	LGW-14R	8/3/2021	6	0		NTU
Turbidity (field)	LGW-14R	9/2/2021	7.3	0		NTU
Turbidity (field)	LGW-14R	10/5/2021	2.2	0		NTU
Turbidity (field)	LGW-14R	10/5/2021	2.2	0		NTU
Turbidity (field)	LGW-14R	11/2/2021	1.5	0		NTU
Turbidity (field)	LGW-14R	12/9/2021	2.7	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	2/10/2022	2.2	0		NTU
Turbidity (field)	LGW-14R	3/1/2022	2.8	0		NTU
Turbidity (field)	LGW-14R	4/5/2022	2.2	0		NTU
Turbidity (field)	LGW-14R	5/7/2022	4.5	0		NTU
Turbidity (field)	LGW-14R	6/3/2022	4.5	0		NTU
Turbidity (field)	LGW-14R	7/11/2022	3.1	0		NTU
Turbidity (field)	LGW-14R	8/10/2022	5.4	0		NTU
Turbidity (field)	LGW-14R	9/8/2022	1.9	0		NTU
Turbidity (field)	LGW-14R	10/6/2022	2.1	0		NTU
Turbidity (field)	LGW-14R	11/3/2022	2.3	0		NTU
Turbidity (field)	LGW-14R	12/7/2022	0.2	0		NTU
Turbidity (field)	LGW-14R	1/10/2023	2.7	0		NTU
Turbidity (field)	LGW-14R	2/3/2023	0.4	0		NTU
Turbidity (field)	LGW-14R	3/1/2023	2.6	0		NTU
Turbidity (field)	LGW-14R	4/5/2023	9.4	0		NTU
Turbidity (field)	LGW-14R	5/10/2023	2.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-14R	6/8/2023	4.1	0		NTU
Turbidity (field)	LGW-14R	7/10/2023	4.4	0		NTU
Turbidity (field)	LGW-14R	8/2/2023	4.4	0		NTU
Turbidity (field)	LGW-14R	9/2/2023	3.1	0		NTU
Turbidity (field)	LGW-14R	10/5/2023	2.9	0		NTU
Turbidity (field)	LGW-2	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-2	7/31/2006	1000	0		NTU
Turbidity (field)	LGW-2	8/1/2006	100	0		NTU
Turbidity (field)	LGW-2	8/1/2006	100	0		NTU
Turbidity (field)	LGW-2	9/20/2006	1000	0		NTU
Turbidity (field)	LGW-2	9/26/2006	54.8	0		NTU
Turbidity (field)	LGW-2	9/26/2006	54.8	0		NTU
Turbidity (field)	LGW-2	10/26/2006	6.4	0		NTU
Turbidity (field)	LGW-2	10/26/2006	6.4	0		NTU
Turbidity (field)	LGW-2	11/3/2006	48.3	0		NTU
Turbidity (field)	LGW-2	11/3/2006	48.3	0		NTU
Turbidity (field)	LGW-2	11/21/2006	46.1	0		NTU
Turbidity (field)	LGW-2	11/21/2006	46.1	0		NTU
Turbidity (field)	LGW-2	12/21/2006	92.2	0		NTU
Turbidity (field)	LGW-2	12/21/2006	92.2	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/9/2007	176	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	1/25/2007	91.4	0		NTU
Turbidity (field)	LGW-2	2/7/2007	37.7	0		NTU
Turbidity (field)	LGW-2	2/27/2007	37.7	0		NTU
Turbidity (field)	LGW-2	2/27/2007	37.7	0		NTU
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	3/26/2007	14.8	0		NTU
Turbidity (field)	LGW-2	4/26/2007	29.6	0		NTU
Turbidity (field)	LGW-2	4/26/2007	29.6	0		NTU
Turbidity (field)	LGW-2	6/1/2007	25.2	0		NTU
Turbidity (field)	LGW-2	6/1/2007	25.2	0		NTU
Turbidity (field)	LGW-2	6/28/2007	4.98	0		NTU
Turbidity (field)	LGW-2	6/28/2007	4.98	0		NTU
Turbidity (field)	LGW-2	7/10/2007	15.9	0		NTU
Turbidity (field)	LGW-2	7/10/2007	15.9	0		NTU
Turbidity (field)	LGW-2	8/28/2007	74.4	0		NTU
Turbidity (field)	LGW-2	8/28/2007	74.4	0		NTU
Turbidity (field)	LGW-2	10/24/2007	7.89	0		NTU
Turbidity (field)	LGW-2	11/28/2007	65.7	0		NTU
Turbidity (field)	LGW-2	12/28/2007	29.9	0		NTU
Turbidity (field)	LGW-2	1/26/2008	542	0		NTU
Turbidity (field)	LGW-2	1/26/2008	5.42	0		NTU
Turbidity (field)	LGW-2	2/28/2008	13.2	0		NTU
Turbidity (field)	LGW-2	3/24/2008	59.7	0		NTU
Turbidity (field)	LGW-2	5/3/2008	79.9	0		NTU
Turbidity (field)	LGW-2	5/30/2008	31.1	0		NTU
Turbidity (field)	LGW-2	6/26/2008	89.1	0		NTU
Turbidity (field)	LGW-2	7/23/2008	35.8	0		NTU
Turbidity (field)	LGW-2	8/29/2008	4.99	0		NTU
Turbidity (field)	LGW-2	9/26/2008	55.2	0		NTU
Turbidity (field)	LGW-2	9/26/2008	55.2	0		NTU
Turbidity (field)	LGW-2	10/21/2008	104	0		NTU
Turbidity (field)	LGW-2	11/25/2008	51.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	12/19/2008	138	0		NTU
Turbidity (field)	LGW-2	2/6/2009	66.7	0		NTU
Turbidity (field)	LGW-2	2/13/2009	74.7	0		NTU
Turbidity (field)	LGW-2	3/26/2009	7.46	0		NTU
Turbidity (field)	LGW-2	4/16/2009	12.6	0		NTU
Turbidity (field)	LGW-2	5/29/2009	47.6	0		NTU
Turbidity (field)	LGW-2	6/25/2009	184	0		NTU
Turbidity (field)	LGW-2	7/30/2009	21.2	0		NTU
Turbidity (field)	LGW-2	8/29/2009	142	0		NTU
Turbidity (field)	LGW-2	9/30/2009	64.2	0		NTU
Turbidity (field)	LGW-2	10/22/2009	62.2	0		NTU
Turbidity (field)	LGW-2	11/24/2009	18.7	0		NTU
Turbidity (field)	LGW-2	12/18/2009	6.41	0		NTU
Turbidity (field)	LGW-2	2/3/2010	20.6	0		NTU
Turbidity (field)	LGW-2	2/3/2010	20.6	0		NTU
Turbidity (field)	LGW-2	2/17/2010	6.48	0		NTU
Turbidity (field)	LGW-2	3/4/2010	16.8	0		NTU
Turbidity (field)	LGW-2	4/8/2010	29.9	0		NTU
Turbidity (field)	LGW-2	5/6/2010	14.1	0		NTU
Turbidity (field)	LGW-2	6/15/2010	7.67	0		NTU
Turbidity (field)	LGW-2	7/12/2010	10.3	0		NTU
Turbidity (field)	LGW-2	8/10/2010	7.43	0		NTU
Turbidity (field)	LGW-2	9/1/2010	21.1	0		NTU
Turbidity (field)	LGW-2	9/29/2010	14.6	0		NTU
Turbidity (field)	LGW-2	11/3/2010	18.3	0		NTU
Turbidity (field)	LGW-2	12/2/2010	16.5	0		NTU
Turbidity (field)	LGW-2	1/19/2011	23	0		NTU
Turbidity (field)	LGW-2	2/7/2011	17.3	0		NTU
Turbidity (field)	LGW-2	3/3/2011	34.5	0		NTU
Turbidity (field)	LGW-2	4/5/2011	14.5	0		NTU
Turbidity (field)	LGW-2	5/10/2011	8.6	0		NTU
Turbidity (field)	LGW-2	6/1/2011	2.9	0		NTU
Turbidity (field)	LGW-2	7/13/2011	12.4	0		NTU
Turbidity (field)	LGW-2	8/3/2011	21.6	0		NTU
Turbidity (field)	LGW-2	9/7/2011	14.1	0		NTU
Turbidity (field)	LGW-2	10/5/2011	9.31	0		NTU
Turbidity (field)	LGW-2	11/1/2011	10.2	0		NTU
Turbidity (field)	LGW-2	12/7/2011	10.5	0		NTU
Turbidity (field)	LGW-2	1/4/2012	11.2	0		NTU
Turbidity (field)	LGW-2	2/1/2012	11.7	0		NTU
Turbidity (field)	LGW-2	3/6/2012	8.47	0		NTU
Turbidity (field)	LGW-2	4/5/2012	4.17	0		NTU
Turbidity (field)	LGW-2	5/1/2012	3.65	0		NTU
Turbidity (field)	LGW-2	6/5/2012	2.35	0		NTU
Turbidity (field)	LGW-2	7/9/2012	12.4	0		NTU
Turbidity (field)	LGW-2	8/9/2012	12.44	0		NTU
Turbidity (field)	LGW-2	9/4/2012	7.56	0		NTU
Turbidity (field)	LGW-2	10/7/2012	15.2	0		NTU
Turbidity (field)	LGW-2	4/30/2013	11.3	0		NTU
Turbidity (field)	LGW-2	6/4/2013	45.3	0		NTU
Turbidity (field)	LGW-2	7/15/2013	12.3	0		NTU
Turbidity (field)	LGW-2	8/8/2013	6.42	0		NTU
Turbidity (field)	LGW-2	9/10/2013	6.89	0		NTU
Turbidity (field)	LGW-2	10/1/2013	8.07	0		NTU
Turbidity (field)	LGW-2	11/6/2013	8.72	0		NTU
Turbidity (field)	LGW-2	12/2/2013	7.26	0		NTU
Turbidity (field)	LGW-2	1/30/2014	4.75	0		NTU
Turbidity (field)	LGW-2	2/13/2014	5.62	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	3/12/2014	7.89	0		NTU
Turbidity (field)	LGW-2	4/3/2014	7.65	0		NTU
Turbidity (field)	LGW-2	5/7/2014	3.34	0		NTU
Turbidity (field)	LGW-2	6/3/2014	8.67	0		NTU
Turbidity (field)	LGW-2	7/8/2014	9.8	0		NTU
Turbidity (field)	LGW-2	8/5/2014	5.22	0		NTU
Turbidity (field)	LGW-2	9/4/2014	7.78	0		NTU
Turbidity (field)	LGW-2	10/9/2014	7.49	0		NTU
Turbidity (field)	LGW-2	11/3/2014	5.32	0		NTU
Turbidity (field)	LGW-2	1/14/2015	8.74	0		NTU
Turbidity (field)	LGW-2	2/13/2015	43.2	0		NTU
Turbidity (field)	LGW-2	3/3/2015	19.3	0		NTU
Turbidity (field)	LGW-2	4/1/2015	21.6	0		NTU
Turbidity (field)	LGW-2	5/6/2015	9.8	0		NTU
Turbidity (field)	LGW-2	6/3/2015	8.32	0		NTU
Turbidity (field)	LGW-2	7/8/2015	9.3	0		NTU
Turbidity (field)	LGW-2	8/4/2015	3.2	0		NTU
Turbidity (field)	LGW-2	9/2/2015	2.81	0		NTU
Turbidity (field)	LGW-2	10/5/2015	3.66	0		NTU
Turbidity (field)	LGW-2	11/4/2015	7.46	0		NTU
Turbidity (field)	LGW-2	12/3/2015	8.33	0		NTU
Turbidity (field)	LGW-2	1/5/2016	8.62	0		NTU
Turbidity (field)	LGW-2	2/3/2016	4.38	0		NTU
Turbidity (field)	LGW-2	3/2/2016	7.63	0		NTU
Turbidity (field)	LGW-2	4/5/2016	2.63	0		NTU
Turbidity (field)	LGW-2	5/11/2016	0.86	0		NTU
Turbidity (field)	LGW-2	6/1/2016	6.11	0		NTU
Turbidity (field)	LGW-2	7/19/2016	5.67	0		NTU
Turbidity (field)	LGW-2	8/10/2016	5.95	0		NTU
Turbidity (field)	LGW-2	9/6/2016	3.66	0		NTU
Turbidity (field)	LGW-2	10/6/2016	3.66	0		NTU
Turbidity (field)	LGW-2	11/2/2016	4.36	0		NTU
Turbidity (field)	LGW-2	12/1/2016	2.44	0		NTU
Turbidity (field)	LGW-2	1/11/2017	5.43	0		NTU
Turbidity (field)	LGW-2	2/7/2017	4.31	0		NTU
Turbidity (field)	LGW-2	3/2/2017	8.52	0		NTU
Turbidity (field)	LGW-2	4/4/2017	11.4	0		NTU
Turbidity (field)	LGW-2	5/16/2017	3.89	0		NTU
Turbidity (field)	LGW-2	6/6/2017	5.57	0		NTU
Turbidity (field)	LGW-2	7/18/2017	3.47	0		NTU
Turbidity (field)	LGW-2	8/1/2017	2.14	0		NTU
Turbidity (field)	LGW-2	9/5/2017	4.43	0		NTU
Turbidity (field)	LGW-2	10/6/2017	2.67	0		NTU
Turbidity (field)	LGW-2	11/1/2017	7.44	0		NTU
Turbidity (field)	LGW-2	1/23/2018	3.38	0.01		NTU
Turbidity (field)	LGW-2	2/22/2018	2.68	0.01		NTU
Turbidity (field)	LGW-2	3/21/2018	20.5	0.01		NTU
Turbidity (field)	LGW-2	4/10/2018	5.82	0.01		NTU
Turbidity (field)	LGW-2	6/5/2018	9.35	0		NTU
Turbidity (field)	LGW-2	6/21/2018	2.83	0		NTU
Turbidity (field)	LGW-2	7/12/2018	1.67	0.01		NTU
Turbidity (field)	LGW-2	8/1/2018	2.17	0.01		NTU
Turbidity (field)	LGW-2	9/4/2018	2.66	0		NTU
Turbidity (field)	LGW-2	10/2/2018	1.42	0		NTU
Turbidity (field)	LGW-2	10/2/2018	1.42	0		NTU
Turbidity (field)	LGW-2	11/6/2018	0.75	0.01		NTU
Turbidity (field)	LGW-2	12/4/2018	1.16	0.01		NTU
Turbidity (field)	LGW-2	1/3/2019	2.42	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	2/5/2019	0.88	0		NTU
Turbidity (field)	LGW-2	3/6/2019	2.8	0.01		NTU
Turbidity (field)	LGW-2	4/3/2019	2.99	0.01		NTU
Turbidity (field)	LGW-2	5/2/2019	2.86	0.01		NTU
Turbidity (field)	LGW-2	6/5/2019	1.13	0		NTU
Turbidity (field)	LGW-2	7/9/2019	9.6	0.01		NTU
Turbidity (field)	LGW-2	7/9/2019	9.6	0.01		NTU
Turbidity (field)	LGW-2	8/6/2019	3	0.01		NTU
Turbidity (field)	LGW-2	9/4/2019	0.12	0.01		NTU
Turbidity (field)	LGW-2	10/1/2019	0.83	0.01		NTU
Turbidity (field)	LGW-2	11/6/2019	2.1	0.01		NTU
Turbidity (field)	LGW-2	12/3/2019	0.91	0.01		NTU
Turbidity (field)	LGW-2	1/13/2020	8.53	0		NTU
Turbidity (field)	LGW-2	3/3/2020	2.77	0.01		NTU
Turbidity (field)	LGW-2	4/1/2020	1.84	0.01		NTU
Turbidity (field)	LGW-2	4/1/2020	1.84	0.01		NTU
Turbidity (field)	LGW-2	5/5/2020	0.99	0.01		NTU
Turbidity (field)	LGW-2	6/2/2020	1.72	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	7/8/2020	0.39	0		NTU
Turbidity (field)	LGW-2	8/3/2020	0.97	0		NTU
Turbidity (field)	LGW-2	9/3/2020	0.37	0.01		NTU
Turbidity (field)	LGW-2	10/7/2020	1.17	0.01		NTU
Turbidity (field)	LGW-2	11/3/2020	0.92	0		NTU
Turbidity (field)	LGW-2	12/4/2020	0.25	0		NTU
Turbidity (field)	LGW-2	1/18/2021	-12.6	0		NTU
Turbidity (field)	LGW-2	1/18/2021	-12.6	0		NTU
Turbidity (field)	LGW-2	2/10/2021	1.9	0		NTU
Turbidity (field)	LGW-2	3/2/2021	0.7	0		NTU
Turbidity (field)	LGW-2	4/7/2021	2.7	0		NTU
Turbidity (field)	LGW-2	5/4/2021	2.7	0		NTU
Turbidity (field)	LGW-2	6/1/2021	3.3	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	7/4/2021	7	0		NTU
Turbidity (field)	LGW-2	8/3/2021	5.3	0		NTU
Turbidity (field)	LGW-2	9/2/2021	8.4	0		NTU
Turbidity (field)	LGW-2	10/5/2021	4.1	0		NTU
Turbidity (field)	LGW-2	10/5/2021	4.1	0		NTU
Turbidity (field)	LGW-2	11/1/2021	10.1	0		NTU
Turbidity (field)	LGW-2	12/8/2021	4.6	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	1/12/2022	2.8	0		NTU
Turbidity (field)	LGW-2	2/9/2022	6.4	0		NTU
Turbidity (field)	LGW-2	3/1/2022	4.2	0		NTU
Turbidity (field)	LGW-2	4/5/2022	2.9	0		NTU
Turbidity (field)	LGW-2	5/7/2022	6.5	0		NTU
Turbidity (field)	LGW-2	6/3/2022	5	0		NTU
Turbidity (field)	LGW-2	7/10/2022	3.5	0		NTU
Turbidity (field)	LGW-2	8/10/2022	7.1	0		NTU
Turbidity (field)	LGW-2	9/8/2022	1.9	0		NTU
Turbidity (field)	LGW-2	10/6/2022	2.3	0		NTU
Turbidity (field)	LGW-2	11/3/2022	3.1	0		NTU
Turbidity (field)	LGW-2	12/7/2022	0.6	0		NTU
Turbidity (field)	LGW-2	1/10/2023	2.8	0		NTU
Turbidity (field)	LGW-2	2/3/2023	0.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-2	3/1/2023	2.8	0		NTU
Turbidity (field)	LGW-2	4/6/2023	9.1	0		NTU
Turbidity (field)	LGW-2	5/11/2023	3.4	0		NTU
Turbidity (field)	LGW-2	6/8/2023	4.4	0		NTU
Turbidity (field)	LGW-2	7/10/2023	4.5	0		NTU
Turbidity (field)	LGW-2	8/1/2023	5.9	0		NTU
Turbidity (field)	LGW-2	9/1/2023	2.8	0		NTU
Turbidity (field)	LGW-2	10/4/2023	3.1	0		NTU
Turbidity (field)	LGW-3R	9/28/2005	208	0		NTU
Turbidity (field)	LGW-3R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-3R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-3R	9/26/2006	253	0		NTU
Turbidity (field)	LGW-3R	9/26/2006	253	0		NTU
Turbidity (field)	LGW-3R	10/26/2006	131	0		NTU
Turbidity (field)	LGW-3R	10/26/2006	131	0		NTU
Turbidity (field)	LGW-3R	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-3R	12/21/2006	102	0		NTU
Turbidity (field)	LGW-3R	12/21/2006	102	0		NTU
Turbidity (field)	LGW-3R	1/8/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/8/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/9/2007	46.6	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	1/25/2007	4.82	0		NTU
Turbidity (field)	LGW-3R	2/7/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	2/27/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	2/27/2007	6.64	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	3/26/2007	20.3	0		NTU
Turbidity (field)	LGW-3R	4/26/2007	3.87	0		NTU
Turbidity (field)	LGW-3R	4/26/2007	3.87	0		NTU
Turbidity (field)	LGW-3R	6/1/2007	16	0		NTU
Turbidity (field)	LGW-3R	6/1/2007	16	0		NTU
Turbidity (field)	LGW-3R	6/28/2007	8.59	0		NTU
Turbidity (field)	LGW-3R	6/28/2007	8.59	0		NTU
Turbidity (field)	LGW-3R	7/10/2007	4.78	0		NTU
Turbidity (field)	LGW-3R	7/11/2007	4.78	0		NTU
Turbidity (field)	LGW-3R	8/28/2007	4.59	0		NTU
Turbidity (field)	LGW-3R	8/28/2007	4.59	0		NTU
Turbidity (field)	LGW-3R	10/24/2007	3.82	0		NTU
Turbidity (field)	LGW-3R	11/28/2007	1.1	0		NTU
Turbidity (field)	LGW-3R	12/27/2007	4.18	0		NTU
Turbidity (field)	LGW-3R	1/26/2008	36.1	0		NTU
Turbidity (field)	LGW-3R	1/26/2008	36.1	0		NTU
Turbidity (field)	LGW-3R	2/27/2008	10.2	0		NTU
Turbidity (field)	LGW-3R	3/24/2008	9.05	0		NTU
Turbidity (field)	LGW-3R	5/3/2008	27.2	0		NTU
Turbidity (field)	LGW-3R	5/30/2008	7.45	0		NTU
Turbidity (field)	LGW-3R	6/26/2008	3.36	0		NTU
Turbidity (field)	LGW-3R	7/23/2008	4.82	0		NTU
Turbidity (field)	LGW-3R	8/29/2008	7.37	0		NTU
Turbidity (field)	LGW-3R	9/26/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	9/26/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	10/22/2008	4.11	0		NTU
Turbidity (field)	LGW-3R	11/25/2008	2.55	0		NTU
Turbidity (field)	LGW-3R	12/19/2008	2.46	0		NTU
Turbidity (field)	LGW-3R	2/3/2009	15.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	3/26/2009	1.55	0		NTU
Turbidity (field)	LGW-3R	4/16/2009	3.21	0		NTU
Turbidity (field)	LGW-3R	5/28/2009	3.24	0		NTU
Turbidity (field)	LGW-3R	6/25/2009	3.98	0		NTU
Turbidity (field)	LGW-3R	7/31/2009	9.8	0		NTU
Turbidity (field)	LGW-3R	8/29/2009	9.81	0		NTU
Turbidity (field)	LGW-3R	9/30/2009	11.3	0		NTU
Turbidity (field)	LGW-3R	10/22/2009	5.88	0		NTU
Turbidity (field)	LGW-3R	11/24/2009	3.84	0		NTU
Turbidity (field)	LGW-3R	12/18/2009	2.87	0		NTU
Turbidity (field)	LGW-3R	2/3/2010	7.16	0		NTU
Turbidity (field)	LGW-3R	2/3/2010	7.16	0		NTU
Turbidity (field)	LGW-3R	2/17/2010	4.22	0		NTU
Turbidity (field)	LGW-3R	3/3/2010	9.16	0		NTU
Turbidity (field)	LGW-3R	4/8/2010	11.6	0		NTU
Turbidity (field)	LGW-3R	5/5/2010	2.18	0		NTU
Turbidity (field)	LGW-3R	6/15/2010	45.5	0		NTU
Turbidity (field)	LGW-3R	7/16/2010	2.07	0		NTU
Turbidity (field)	LGW-3R	8/11/2010	0.6	0		NTU
Turbidity (field)	LGW-3R	9/1/2010	0.64	0		NTU
Turbidity (field)	LGW-3R	9/29/2010	1.47	0		NTU
Turbidity (field)	LGW-3R	11/3/2010	0.32	0		NTU
Turbidity (field)	LGW-3R	12/3/2010	0.27	0		NTU
Turbidity (field)	LGW-3R	1/19/2011	1.53	0		NTU
Turbidity (field)	LGW-3R	2/7/2011	0.36	0		NTU
Turbidity (field)	LGW-3R	3/3/2011	9.58	0		NTU
Turbidity (field)	LGW-3R	4/5/2011	1.02	0		NTU
Turbidity (field)	LGW-3R	5/10/2011	3.48	0		NTU
Turbidity (field)	LGW-3R	6/1/2011	5.32	0		NTU
Turbidity (field)	LGW-3R	7/13/2011	3.44	0		NTU
Turbidity (field)	LGW-3R	8/3/2011	1	0		NTU
Turbidity (field)	LGW-3R	9/7/2011	0.76	0		NTU
Turbidity (field)	LGW-3R	10/5/2011	6.75	0		NTU
Turbidity (field)	LGW-3R	11/1/2011	4.01	0		NTU
Turbidity (field)	LGW-3R	12/7/2011	4.11	0		NTU
Turbidity (field)	LGW-3R	1/4/2012	4.32	0		NTU
Turbidity (field)	LGW-3R	2/1/2012	2.62	0		NTU
Turbidity (field)	LGW-3R	3/6/2012	2	0		NTU
Turbidity (field)	LGW-3R	4/5/2012	3.56	0		NTU
Turbidity (field)	LGW-3R	5/1/2012	2.05	0		NTU
Turbidity (field)	LGW-3R	6/5/2012	2.89	0		NTU
Turbidity (field)	LGW-3R	7/9/2012	4.93	0		NTU
Turbidity (field)	LGW-3R	8/9/2012	4.24	0		NTU
Turbidity (field)	LGW-3R	9/4/2012	5.5	0		NTU
Turbidity (field)	LGW-3R	11/8/2012	19.3	0		NTU
Turbidity (field)	LGW-3R	12/6/2012	690	0		NTU
Turbidity (field)	LGW-3R	12/6/2012	690	0		NTU
Turbidity (field)	LGW-3R	1/23/2013	53.2	0		NTU
Turbidity (field)	LGW-3R	1/23/2013	53.2	0		NTU
Turbidity (field)	LGW-3R	2/5/2013	132	0		NTU
Turbidity (field)	LGW-3R	2/5/2013	132	0		NTU
Turbidity (field)	LGW-3R	3/5/2013	79.2	0		NTU
Turbidity (field)	LGW-3R	3/5/2013	79.2	0		NTU
Turbidity (field)	LGW-3R	4/30/2013	41.2	0		NTU
Turbidity (field)	LGW-3R	6/4/2013	20.1	0		NTU
Turbidity (field)	LGW-3R	7/15/2013	20.2	0		NTU
Turbidity (field)	LGW-3R	8/8/2013	12.7	0		NTU
Turbidity (field)	LGW-3R	9/10/2013	14.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	10/1/2013	15.7	0		NTU
Turbidity (field)	LGW-3R	11/6/2013	29.4	0		NTU
Turbidity (field)	LGW-3R	12/2/2013	27.4	0		NTU
Turbidity (field)	LGW-3R	1/22/2014	8.41	0		NTU
Turbidity (field)	LGW-3R	2/12/2014	6.44	0		NTU
Turbidity (field)	LGW-3R	3/11/2014	5.66	0		NTU
Turbidity (field)	LGW-3R	4/2/2014	6.56	0		NTU
Turbidity (field)	LGW-3R	5/7/2014	5.46	0		NTU
Turbidity (field)	LGW-3R	6/3/2014	9.9	0		NTU
Turbidity (field)	LGW-3R	7/8/2014	7.47	0		NTU
Turbidity (field)	LGW-3R	8/5/2014	7.65	0		NTU
Turbidity (field)	LGW-3R	9/4/2014	7.64	0		NTU
Turbidity (field)	LGW-3R	10/9/2014	7.54	0		NTU
Turbidity (field)	LGW-3R	11/3/2014	6.41	0		NTU
Turbidity (field)	LGW-3R	1/14/2015	7.62	0		NTU
Turbidity (field)	LGW-3R	2/10/2015	6.67	0		NTU
Turbidity (field)	LGW-3R	3/3/2015	7.54	0		NTU
Turbidity (field)	LGW-3R	4/1/2015	8.78	0		NTU
Turbidity (field)	LGW-3R	5/6/2015	7.92	0		NTU
Turbidity (field)	LGW-3R	6/3/2015	8.63	0		NTU
Turbidity (field)	LGW-3R	7/16/2015	15.3	0		NTU
Turbidity (field)	LGW-3R	8/5/2015	153	0		NTU
Turbidity (field)	LGW-3R	9/3/2015	15.5	0		NTU
Turbidity (field)	LGW-3R	10/6/2015	37.9	0		NTU
Turbidity (field)	LGW-3R	11/5/2015	5.99	0		NTU
Turbidity (field)	LGW-3R	12/4/2015	76.4	0		NTU
Turbidity (field)	LGW-3R	1/8/2016	18.5	0		NTU
Turbidity (field)	LGW-3R	2/4/2016	10.9	0		NTU
Turbidity (field)	LGW-3R	3/3/2016	7.78	0		NTU
Turbidity (field)	LGW-3R	4/6/2016	9.38	0		NTU
Turbidity (field)	LGW-3R	5/12/2016	16.2	0		NTU
Turbidity (field)	LGW-3R	6/2/2016	12.5	0		NTU
Turbidity (field)	LGW-3R	7/21/2016	25.6	0		NTU
Turbidity (field)	LGW-3R	8/11/2016	22.7	0		NTU
Turbidity (field)	LGW-3R	9/7/2016	167	0		NTU
Turbidity (field)	LGW-3R	10/7/2016	79.7	0		NTU
Turbidity (field)	LGW-3R	11/3/2016	36.8	0		NTU
Turbidity (field)	LGW-3R	12/2/2016	46.1	0		NTU
Turbidity (field)	LGW-3R	1/11/2017	10.3	0		NTU
Turbidity (field)	LGW-3R	2/7/2017	8.86	0		NTU
Turbidity (field)	LGW-3R	3/2/2017	9.86	0		NTU
Turbidity (field)	LGW-3R	4/4/2017	6.87	0		NTU
Turbidity (field)	LGW-3R	5/2/2017	9.11	0		NTU
Turbidity (field)	LGW-3R	6/6/2017	9.22	0		NTU
Turbidity (field)	LGW-3R	7/18/2017	8.11	0		NTU
Turbidity (field)	LGW-3R	8/1/2017	8.73	0		NTU
Turbidity (field)	LGW-3R	9/5/2017	8.87	0		NTU
Turbidity (field)	LGW-3R	10/6/2017	7.32	0		NTU
Turbidity (field)	LGW-3R	11/1/2017	7.65	0		NTU
Turbidity (field)	LGW-3R	1/23/2018	8.25	0.01		NTU
Turbidity (field)	LGW-3R	2/22/2018	5.09	0.01		NTU
Turbidity (field)	LGW-3R	3/19/2018	0.78	0.01		NTU
Turbidity (field)	LGW-3R	4/10/2018	1.15	0.01		NTU
Turbidity (field)	LGW-3R	6/5/2018	0.01	0		NTU
Turbidity (field)	LGW-3R	7/11/2018	0.09	0.01		NTU
Turbidity (field)	LGW-3R	8/1/2018	1.44	0.01		NTU
Turbidity (field)	LGW-3R	9/5/2018	1.66	0		NTU
Turbidity (field)	LGW-3R	10/3/2018	1.25	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	11/7/2018	1.54	0.01		NTU
Turbidity (field)	LGW-3R	12/4/2018	33.4	0.01		NTU
Turbidity (field)	LGW-3R	1/3/2019	1.5	0.01		NTU
Turbidity (field)	LGW-3R	2/5/2019	2.86	0		NTU
Turbidity (field)	LGW-3R	3/4/2019	0.3	0.01		NTU
Turbidity (field)	LGW-3R	4/3/2019	1.96	0.01		NTU
Turbidity (field)	LGW-3R	5/1/2019	1.78	0.01		NTU
Turbidity (field)	LGW-3R	6/5/2019	0.83	0		NTU
Turbidity (field)	LGW-3R	7/9/2019	2.18	0.01		NTU
Turbidity (field)	LGW-3R	7/9/2019	2.18	0.01		NTU
Turbidity (field)	LGW-3R	8/5/2019	3.78	0.01		NTU
Turbidity (field)	LGW-3R	9/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-3R	10/1/2019	3.19	0.01		NTU
Turbidity (field)	LGW-3R	11/6/2019	4.59	0.01		NTU
Turbidity (field)	LGW-3R	12/2/2019	47.5	0.01		NTU
Turbidity (field)	LGW-3R	1/14/2020	32.44	0		NTU
Turbidity (field)	LGW-3R	3/2/2020	46.88	0.01		NTU
Turbidity (field)	LGW-3R	4/1/2020	28.09	0.01		NTU
Turbidity (field)	LGW-3R	5/5/2020	32.1	0.01		NTU
Turbidity (field)	LGW-3R	6/3/2020	9.12	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	7/6/2020	18.07	0		NTU
Turbidity (field)	LGW-3R	8/3/2020	45.92	0		NTU
Turbidity (field)	LGW-3R	9/2/2020	48.59	0.01		NTU
Turbidity (field)	LGW-3R	10/5/2020	11.66	0.01		NTU
Turbidity (field)	LGW-3R	11/3/2020	29.73	0		NTU
Turbidity (field)	LGW-3R	12/4/2020	25.25	0		NTU
Turbidity (field)	LGW-3R	1/18/2021	11.8	0		NTU
Turbidity (field)	LGW-3R	1/18/2021	11.8	0		NTU
Turbidity (field)	LGW-3R	2/9/2021	37.21	0		NTU
Turbidity (field)	LGW-3R	3/2/2021	24.6	0		NTU
Turbidity (field)	LGW-3R	4/6/2021	27.3	0		NTU
Turbidity (field)	LGW-3R	4/6/2021	27.3	0		NTU
Turbidity (field)	LGW-3R	5/4/2021	43.6	0		NTU
Turbidity (field)	LGW-3R	6/2/2021	22.6	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	7/6/2021	47.2	0		NTU
Turbidity (field)	LGW-3R	8/3/2021	33.3	0		NTU
Turbidity (field)	LGW-3R	9/2/2021	29.5	0		NTU
Turbidity (field)	LGW-3R	10/5/2021	14.5	0		NTU
Turbidity (field)	LGW-3R	11/2/2021	13.5	0		NTU
Turbidity (field)	LGW-3R	12/9/2021	6.7	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	1/12/2022	8.4	0		NTU
Turbidity (field)	LGW-3R	2/10/2022	7.1	0		NTU
Turbidity (field)	LGW-3R	3/1/2022	9	0		NTU
Turbidity (field)	LGW-3R	4/5/2022	9.8	0		NTU
Turbidity (field)	LGW-3R	5/7/2022	20.4	0		NTU
Turbidity (field)	LGW-3R	6/3/2022	29.9	0		NTU
Turbidity (field)	LGW-3R	7/10/2022	30.7	0		NTU
Turbidity (field)	LGW-3R	8/10/2022	26.4	0		NTU
Turbidity (field)	LGW-3R	9/8/2022	4.8	0		NTU
Turbidity (field)	LGW-3R	10/6/2022	4.2	0		NTU
Turbidity (field)	LGW-3R	11/3/2022	5.3	0		NTU
Turbidity (field)	LGW-3R	12/7/2022	2.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-3R	1/10/2023	9.1	0		NTU
Turbidity (field)	LGW-3R	2/3/2023	5	0		NTU
Turbidity (field)	LGW-3R	3/1/2023	7.4	0		NTU
Turbidity (field)	LGW-3R	4/6/2023	7.9	0		NTU
Turbidity (field)	LGW-3R	5/10/2023	9	0		NTU
Turbidity (field)	LGW-3R	6/8/2023	9.8	0		NTU
Turbidity (field)	LGW-3R	7/10/2023	11	0		NTU
Turbidity (field)	LGW-3R	8/2/2023	10.2	0		NTU
Turbidity (field)	LGW-3R	9/2/2023	5.1	0		NTU
Turbidity (field)	LGW-3R	10/4/2023	3.9	0		NTU
Turbidity (field)	LGW-4	9/28/2005	159	0		NTU
Turbidity (field)	LGW-4	7/20/2006	5.1	0		NTU
Turbidity (field)	LGW-4	7/20/2006	5.1	0		NTU
Turbidity (field)	LGW-4	9/26/2006	245	0		NTU
Turbidity (field)	LGW-4	9/26/2006	245	0		NTU
Turbidity (field)	LGW-4	10/26/2006	28.1	0		NTU
Turbidity (field)	LGW-4	10/26/2006	28.1	0		NTU
Turbidity (field)	LGW-4	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-4	12/21/2006	36.2	0		NTU
Turbidity (field)	LGW-4	12/21/2006	36.2	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/9/2007	17.7	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	1/25/2007	11.6	0		NTU
Turbidity (field)	LGW-4	2/7/2007	9.49	0		NTU
Turbidity (field)	LGW-4	2/27/2007	9.49	0		NTU
Turbidity (field)	LGW-4	2/27/2007	9.49	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	3/26/2007	15.5	0		NTU
Turbidity (field)	LGW-4	4/26/2007	8.74	0		NTU
Turbidity (field)	LGW-4	4/26/2007	8.74	0		NTU
Turbidity (field)	LGW-4	5/31/2007	6.35	0		NTU
Turbidity (field)	LGW-4	6/1/2007	6.35	0		NTU
Turbidity (field)	LGW-4	6/28/2007	7.29	0		NTU
Turbidity (field)	LGW-4	6/28/2007	7.29	0		NTU
Turbidity (field)	LGW-4	7/10/2007	3.8	0		NTU
Turbidity (field)	LGW-4	7/11/2007	3.8	0		NTU
Turbidity (field)	LGW-4	8/28/2007	4.42	0		NTU
Turbidity (field)	LGW-4	8/28/2007	4.42	0		NTU
Turbidity (field)	LGW-4	10/24/2007	4.96	0		NTU
Turbidity (field)	LGW-4	11/28/2007	3.94	0		NTU
Turbidity (field)	LGW-4	12/27/2007	4.37	0		NTU
Turbidity (field)	LGW-4	1/22/2008	4.87	0		NTU
Turbidity (field)	LGW-4	2/27/2008	1.68	0		NTU
Turbidity (field)	LGW-4	3/25/2008	3.41	0		NTU
Turbidity (field)	LGW-4	5/3/2008	4.96	0		NTU
Turbidity (field)	LGW-4	5/30/2008	3.18	0		NTU
Turbidity (field)	LGW-4	7/23/2008	2.86	0		NTU
Turbidity (field)	LGW-4	8/29/2008	2.14	0		NTU
Turbidity (field)	LGW-4	9/26/2008	4.59	0		NTU
Turbidity (field)	LGW-4	9/26/2008	4.59	0		NTU
Turbidity (field)	LGW-4	10/22/2008	2.14	0		NTU
Turbidity (field)	LGW-4	11/25/2008	1.8	0		NTU
Turbidity (field)	LGW-4	12/19/2008	1.7	0		NTU
Turbidity (field)	LGW-4	2/3/2009	3.66	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	3/26/2009	2.78	0		NTU
Turbidity (field)	LGW-4	4/16/2009	0.69	0		NTU
Turbidity (field)	LGW-4	5/28/2009	4.37	0		NTU
Turbidity (field)	LGW-4	6/25/2009	4.67	0		NTU
Turbidity (field)	LGW-4	7/31/2009	2.53	0		NTU
Turbidity (field)	LGW-4	8/29/2009	4.68	0		NTU
Turbidity (field)	LGW-4	10/22/2009	4.34	0		NTU
Turbidity (field)	LGW-4	11/24/2009	1.89	0		NTU
Turbidity (field)	LGW-4	2/3/2010	1.71	0		NTU
Turbidity (field)	LGW-4	2/3/2010	1.71	0		NTU
Turbidity (field)	LGW-4	2/17/2010	2.76	0		NTU
Turbidity (field)	LGW-4	3/3/2010	4.52	0		NTU
Turbidity (field)	LGW-4	4/8/2010	4.12	0		NTU
Turbidity (field)	LGW-4	5/5/2010	3.5	0		NTU
Turbidity (field)	LGW-4	6/15/2010	3.37	0		NTU
Turbidity (field)	LGW-4	7/16/2010	2.47	0		NTU
Turbidity (field)	LGW-4	8/11/2010	2.03	0		NTU
Turbidity (field)	LGW-4	9/1/2010	4.33	0		NTU
Turbidity (field)	LGW-4	9/29/2010	2.37	0		NTU
Turbidity (field)	LGW-4	11/3/2010	1.93	0		NTU
Turbidity (field)	LGW-4	12/3/2010	1.82	0		NTU
Turbidity (field)	LGW-4	1/19/2011	1.85	0		NTU
Turbidity (field)	LGW-4	2/7/2011	1.32	0		NTU
Turbidity (field)	LGW-4	3/3/2011	4.72	0		NTU
Turbidity (field)	LGW-4	4/5/2011	1.87	0		NTU
Turbidity (field)	LGW-4	5/10/2011	3.9	0		NTU
Turbidity (field)	LGW-4	6/1/2011	4.84	0		NTU
Turbidity (field)	LGW-4	7/13/2011	3	0		NTU
Turbidity (field)	LGW-4	8/3/2011	1.8	0		NTU
Turbidity (field)	LGW-4	9/7/2011	3.02	0		NTU
Turbidity (field)	LGW-4	10/5/2011	2.92	0		NTU
Turbidity (field)	LGW-4	11/1/2011	2.15	0		NTU
Turbidity (field)	LGW-4	12/7/2011	2.76	0		NTU
Turbidity (field)	LGW-4	1/4/2012	1.9	0		NTU
Turbidity (field)	LGW-4	2/1/2012	1.89	0		NTU
Turbidity (field)	LGW-4	3/6/2012	2.37	0		NTU
Turbidity (field)	LGW-4	4/5/2012	2.23	0		NTU
Turbidity (field)	LGW-4	5/1/2012	2.35	0		NTU
Turbidity (field)	LGW-4	6/5/2012	2.24	0		NTU
Turbidity (field)	LGW-4	7/9/2012	2.62	0		NTU
Turbidity (field)	LGW-4	8/9/2012	3.59	0		NTU
Turbidity (field)	LGW-4	9/4/2012	1.73	0		NTU
Turbidity (field)	LGW-4	10/7/2012	13.9	0		NTU
Turbidity (field)	LGW-4	4/30/2013	19.2	0		NTU
Turbidity (field)	LGW-4	6/4/2013	10.6	0		NTU
Turbidity (field)	LGW-4	7/15/2013	4.76	0		NTU
Turbidity (field)	LGW-4	8/8/2013	4.59	0		NTU
Turbidity (field)	LGW-4	9/10/2013	4.44	0		NTU
Turbidity (field)	LGW-4	10/1/2013	3.26	0		NTU
Turbidity (field)	LGW-4	11/6/2013	3.39	0		NTU
Turbidity (field)	LGW-4	12/2/2013	3.38	0		NTU
Turbidity (field)	LGW-4	1/23/2014	5.04	0		NTU
Turbidity (field)	LGW-4	2/12/2014	2.68	0		NTU
Turbidity (field)	LGW-4	3/11/2014	1.69	0		NTU
Turbidity (field)	LGW-4	4/2/2014	2.09	0		NTU
Turbidity (field)	LGW-4	5/7/2014	2.02	0		NTU
Turbidity (field)	LGW-4	6/3/2014	29.9	0		NTU
Turbidity (field)	LGW-4	7/8/2014	3.91	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	8/5/2014	2.06	0		NTU
Turbidity (field)	LGW-4	9/4/2014	3.4	0		NTU
Turbidity (field)	LGW-4	10/9/2014	4.73	0		NTU
Turbidity (field)	LGW-4	11/3/2014	1.86	0		NTU
Turbidity (field)	LGW-4	1/14/2015	6.75	0		NTU
Turbidity (field)	LGW-4	2/11/2015	2.7	0		NTU
Turbidity (field)	LGW-4	3/3/2015	3.2	0		NTU
Turbidity (field)	LGW-4	4/1/2015	3.11	0		NTU
Turbidity (field)	LGW-4	5/6/2015	3.42	0		NTU
Turbidity (field)	LGW-4	6/3/2015	1.53	0		NTU
Turbidity (field)	LGW-4	7/8/2015	5.16	0		NTU
Turbidity (field)	LGW-4	8/4/2015	2.31	0		NTU
Turbidity (field)	LGW-4	9/2/2015	2.13	0		NTU
Turbidity (field)	LGW-4	10/5/2015	3.13	0		NTU
Turbidity (field)	LGW-4	11/4/2015	4.05	0		NTU
Turbidity (field)	LGW-4	12/3/2015	2.68	0		NTU
Turbidity (field)	LGW-4	1/5/2016	3.4	0		NTU
Turbidity (field)	LGW-4	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-4	3/2/2016	2.67	0		NTU
Turbidity (field)	LGW-4	4/5/2016	1.34	0		NTU
Turbidity (field)	LGW-4	5/11/2016	3.12	0		NTU
Turbidity (field)	LGW-4	6/1/2016	3.33	0		NTU
Turbidity (field)	LGW-4	7/19/2016	2.49	0		NTU
Turbidity (field)	LGW-4	8/10/2016	2.11	0		NTU
Turbidity (field)	LGW-4	9/6/2016	2.81	0		NTU
Turbidity (field)	LGW-4	10/6/2016	2.88	0		NTU
Turbidity (field)	LGW-4	11/2/2016	3.63	0		NTU
Turbidity (field)	LGW-4	12/1/2016	2.81	0		NTU
Turbidity (field)	LGW-4	1/11/2017	1.88	0		NTU
Turbidity (field)	LGW-4	2/7/2017	2.17	0		NTU
Turbidity (field)	LGW-4	3/2/2017	2.32	0		NTU
Turbidity (field)	LGW-4	4/4/2017	1.63	0		NTU
Turbidity (field)	LGW-4	5/2/2017	2.18	0		NTU
Turbidity (field)	LGW-4	5/16/2017	0.94	0		NTU
Turbidity (field)	LGW-4	6/6/2017	1.29	0		NTU
Turbidity (field)	LGW-4	7/18/2017	1.87	0		NTU
Turbidity (field)	LGW-4	8/1/2017	1.36	0		NTU
Turbidity (field)	LGW-4	9/5/2017	3.64	0		NTU
Turbidity (field)	LGW-4	10/6/2017	2.05	0		NTU
Turbidity (field)	LGW-4	11/1/2017	1.63	0		NTU
Turbidity (field)	LGW-4	1/23/2018	0.34	0.01		NTU
Turbidity (field)	LGW-4	2/22/2018	0.55	0.01		NTU
Turbidity (field)	LGW-4	3/19/2018	0.46	0.01		NTU
Turbidity (field)	LGW-4	4/10/2018	0.47	0.01		NTU
Turbidity (field)	LGW-4	6/5/2018	1.82	0		NTU
Turbidity (field)	LGW-4	7/11/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-4	8/1/2018	0.68	0.01		NTU
Turbidity (field)	LGW-4	9/5/2018	0.03	0		NTU
Turbidity (field)	LGW-4	10/3/2018	0.53	0		NTU
Turbidity (field)	LGW-4	11/7/2018	1.79	0.01		NTU
Turbidity (field)	LGW-4	12/4/2018	0.73	0.01		NTU
Turbidity (field)	LGW-4	1/3/2019	0.9	0.01		NTU
Turbidity (field)	LGW-4	2/5/2019	2.5	0		NTU
Turbidity (field)	LGW-4	3/4/2019	0.6	0.01		NTU
Turbidity (field)	LGW-4	4/3/2019	1.06	0.01		NTU
Turbidity (field)	LGW-4	4/3/2019	1.06	0.01		NTU
Turbidity (field)	LGW-4	5/1/2019	2.15	0.01		NTU
Turbidity (field)	LGW-4	6/5/2019	8.77	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	7/9/2019	5.61	0.01		NTU
Turbidity (field)	LGW-4	7/9/2019	5.61	0.01		NTU
Turbidity (field)	LGW-4	8/5/2019	6.39	0.01		NTU
Turbidity (field)	LGW-4	9/3/2019	1.2	0.01		NTU
Turbidity (field)	LGW-4	10/1/2019	1.6	0.01		NTU
Turbidity (field)	LGW-4	11/6/2019	1.09	0.01		NTU
Turbidity (field)	LGW-4	12/4/2019	3.63	0.01		NTU
Turbidity (field)	LGW-4	1/14/2020	2.62	0		NTU
Turbidity (field)	LGW-4	3/2/2020	4.03	0.01		NTU
Turbidity (field)	LGW-4	4/1/2020	1.08	0.01		NTU
Turbidity (field)	LGW-4	5/5/2020	2.6	0.01		NTU
Turbidity (field)	LGW-4	6/3/2020	8.66	0		NTU
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU
Turbidity (field)	LGW-4	7/6/2020	3.19	0		NTU
Turbidity (field)	LGW-4	8/3/2020	1.99	0		NTU
Turbidity (field)	LGW-4	9/2/2020	1.21	0.01		NTU
Turbidity (field)	LGW-4	10/5/2020	4.1	0.01		NTU
Turbidity (field)	LGW-4	11/3/2020	1.18	0		NTU
Turbidity (field)	LGW-4	12/4/2020	2.79	0		NTU
Turbidity (field)	LGW-4	1/18/2021	-12.8	0		NTU
Turbidity (field)	LGW-4	1/18/2021	-12.8	0		NTU
Turbidity (field)	LGW-4	2/9/2021	1.91	0		NTU
Turbidity (field)	LGW-4	3/2/2021	0.5	0		NTU
Turbidity (field)	LGW-4	4/6/2021	2.4	0		NTU
Turbidity (field)	LGW-4	4/6/2021	2.4	0		NTU
Turbidity (field)	LGW-4	5/4/2021	6.1	0		NTU
Turbidity (field)	LGW-4	6/2/2021	5.6	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	7/7/2021	10.1	0		NTU
Turbidity (field)	LGW-4	8/3/2021	12.1	0		NTU
Turbidity (field)	LGW-4	9/2/2021	18.6	0		NTU
Turbidity (field)	LGW-4	10/5/2021	4.4	0		NTU
Turbidity (field)	LGW-4	10/5/2021	4.4	0		NTU
Turbidity (field)	LGW-4	11/2/2021	4	0		NTU
Turbidity (field)	LGW-4	12/9/2021	4.2	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	1/12/2022	4.6	0		NTU
Turbidity (field)	LGW-4	2/10/2022	3.9	0		NTU
Turbidity (field)	LGW-4	3/1/2022	4.4	0		NTU
Turbidity (field)	LGW-4	4/5/2022	5.2	0		NTU
Turbidity (field)	LGW-4	5/7/2022	6.8	0		NTU
Turbidity (field)	LGW-4	6/3/2022	6.7	0		NTU
Turbidity (field)	LGW-4	7/11/2022	7.3	0		NTU
Turbidity (field)	LGW-4	8/10/2022	7.4	0		NTU
Turbidity (field)	LGW-4	9/8/2022	3.2	0		NTU
Turbidity (field)	LGW-4	10/6/2022	3.1	0		NTU
Turbidity (field)	LGW-4	11/3/2022	3.3	0		NTU
Turbidity (field)	LGW-4	12/7/2022	1.1	0		NTU
Turbidity (field)	LGW-4	1/10/2023	5	0		NTU
Turbidity (field)	LGW-4	2/3/2023	2.2	0		NTU
Turbidity (field)	LGW-4	3/1/2023	4.8	0		NTU
Turbidity (field)	LGW-4	4/6/2023	8.1	0		NTU
Turbidity (field)	LGW-4	5/10/2023	5.7	0		NTU
Turbidity (field)	LGW-4	6/8/2023	6.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-4	7/10/2023	9.8	0		NTU
Turbidity (field)	LGW-4	8/2/2023	7.8	0		NTU
Turbidity (field)	LGW-4	9/2/2023	5.5	0		NTU
Turbidity (field)	LGW-4	10/4/2023	4.1	0		NTU
Turbidity (field)	LGW-5	9/29/2005	1000	0		NTU
Turbidity (field)	LGW-5	7/20/2006	423	0		NTU
Turbidity (field)	LGW-5	7/20/2006	423	0		NTU
Turbidity (field)	LGW-5	7/31/2006	656	0		NTU
Turbidity (field)	LGW-5	8/1/2006	656	0		NTU
Turbidity (field)	LGW-5	8/1/2006	656	0		NTU
Turbidity (field)	LGW-5	9/27/2006	4.84	0		NTU
Turbidity (field)	LGW-5	9/27/2006	4.84	0		NTU
Turbidity (field)	LGW-5	10/26/2006	3.4	0		NTU
Turbidity (field)	LGW-5	10/26/2006	3.4	0		NTU
Turbidity (field)	LGW-5	11/21/2006	3.91	0		NTU
Turbidity (field)	LGW-5	11/21/2006	3.91	0		NTU
Turbidity (field)	LGW-5	12/21/2006	6.32	0		NTU
Turbidity (field)	LGW-5	12/21/2006	6.32	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/9/2007	9.4	0		NTU
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU
Turbidity (field)	LGW-5	1/25/2007	4.23	0		NTU
Turbidity (field)	LGW-5	2/7/2007	2.53	0		NTU
Turbidity (field)	LGW-5	2/26/2007	2.53	0		NTU
Turbidity (field)	LGW-5	2/27/2007	2.53	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	3/26/2007	9.17	0		NTU
Turbidity (field)	LGW-5	4/26/2007	2.72	0		NTU
Turbidity (field)	LGW-5	4/26/2007	2.72	0		NTU
Turbidity (field)	LGW-5	5/31/2007	3.21	0		NTU
Turbidity (field)	LGW-5	6/1/2007	3.21	0		NTU
Turbidity (field)	LGW-5	6/28/2007	2.92	0		NTU
Turbidity (field)	LGW-5	6/28/2007	2.92	0		NTU
Turbidity (field)	LGW-5	7/10/2007	2.89	0		NTU
Turbidity (field)	LGW-5	7/11/2007	2.89	0		NTU
Turbidity (field)	LGW-5	8/28/2007	4.13	0		NTU
Turbidity (field)	LGW-5	8/28/2007	4.13	0		NTU
Turbidity (field)	LGW-5	10/24/2007	1.26	0		NTU
Turbidity (field)	LGW-5	11/28/2007	4.59	0		NTU
Turbidity (field)	LGW-5	12/27/2007	1.49	0		NTU
Turbidity (field)	LGW-5	1/23/2008	6.36	0		NTU
Turbidity (field)	LGW-5	2/28/2008	8.97	0		NTU
Turbidity (field)	LGW-5	3/25/2008	1.11	0		NTU
Turbidity (field)	LGW-5	5/3/2008	2.85	0		NTU
Turbidity (field)	LGW-5	5/30/2008	4.88	0		NTU
Turbidity (field)	LGW-5	6/26/2008	2.13	0		NTU
Turbidity (field)	LGW-5	7/23/2008	2.52	0		NTU
Turbidity (field)	LGW-5	9/26/2008	4.98	0		NTU
Turbidity (field)	LGW-5	9/26/2008	4.98	0		NTU
Turbidity (field)	LGW-5	10/21/2008	2.19	0		NTU
Turbidity (field)	LGW-5	11/25/2008	2.5	0		NTU
Turbidity (field)	LGW-5	12/19/2008	1.89	0		NTU
Turbidity (field)	LGW-5	2/4/2009	1.98	0		NTU
Turbidity (field)	LGW-5	3/26/2009	2.5	0		NTU
Turbidity (field)	LGW-5	4/16/2009	0.27	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	5/29/2009	2.94	0		NTU
Turbidity (field)	LGW-5	6/24/2009	2.66	0		NTU
Turbidity (field)	LGW-5	7/29/2009	1.66	0		NTU
Turbidity (field)	LGW-5	8/28/2009	3.1	0		NTU
Turbidity (field)	LGW-5	9/29/2009	2.14	0		NTU
Turbidity (field)	LGW-5	10/21/2009	4.97	0		NTU
Turbidity (field)	LGW-5	11/24/2009	2.89	0		NTU
Turbidity (field)	LGW-5	12/17/2009	2.78	0		NTU
Turbidity (field)	LGW-5	2/3/2010	3.64	0		NTU
Turbidity (field)	LGW-5	2/3/2010	3.64	0		NTU
Turbidity (field)	LGW-5	2/16/2010	3.41	0		NTU
Turbidity (field)	LGW-5	3/3/2010	3.05	0		NTU
Turbidity (field)	LGW-5	4/7/2010	3.1	0		NTU
Turbidity (field)	LGW-5	5/5/2010	1.48	0		NTU
Turbidity (field)	LGW-5	6/15/2010	0.63	0		NTU
Turbidity (field)	LGW-5	7/12/2010	3.77	0		NTU
Turbidity (field)	LGW-5	8/10/2010	4.42	0		NTU
Turbidity (field)	LGW-5	9/2/2010	5.19	0		NTU
Turbidity (field)	LGW-5	9/29/2010	7.93	0		NTU
Turbidity (field)	LGW-5	11/3/2010	3.55	0		NTU
Turbidity (field)	LGW-5	12/2/2010	12.6	0		NTU
Turbidity (field)	LGW-5	1/19/2011	4.27	0		NTU
Turbidity (field)	LGW-5	2/7/2011	17.6	0		NTU
Turbidity (field)	LGW-5	3/3/2011	10	0		NTU
Turbidity (field)	LGW-5	4/5/2011	2.57	0		NTU
Turbidity (field)	LGW-5	5/10/2011	8.74	0		NTU
Turbidity (field)	LGW-5	6/1/2011	2.04	0		NTU
Turbidity (field)	LGW-5	7/12/2011	1.09	0		NTU
Turbidity (field)	LGW-5	8/3/2011	1.33	0		NTU
Turbidity (field)	LGW-5	9/7/2011	2.78	0		NTU
Turbidity (field)	LGW-5	10/5/2011	1.43	0		NTU
Turbidity (field)	LGW-5	11/1/2011	0.75	0		NTU
Turbidity (field)	LGW-5	12/7/2011	1.46	0		NTU
Turbidity (field)	LGW-5	1/5/2012	1.25	0		NTU
Turbidity (field)	LGW-5	2/1/2012	1.42	0		NTU
Turbidity (field)	LGW-5	3/6/2012	1.89	0		NTU
Turbidity (field)	LGW-5	4/5/2012	1.06	0		NTU
Turbidity (field)	LGW-5	5/1/2012	2.14	0		NTU
Turbidity (field)	LGW-5	6/5/2012	2.05	0		NTU
Turbidity (field)	LGW-5	7/9/2012	2.01	0		NTU
Turbidity (field)	LGW-5	8/9/2012	2.77	0		NTU
Turbidity (field)	LGW-5	9/4/2012	2.85	0		NTU
Turbidity (field)	LGW-5	10/7/2012	9.03	0		NTU
Turbidity (field)	LGW-5	4/30/2013	6.58	0		NTU
Turbidity (field)	LGW-5	6/4/2013	2.43	0		NTU
Turbidity (field)	LGW-5	7/15/2013	0.69	0		NTU
Turbidity (field)	LGW-5	8/8/2013	5.21	0		NTU
Turbidity (field)	LGW-5	9/10/2013	1.25	0		NTU
Turbidity (field)	LGW-5	10/1/2013	0.9	0		NTU
Turbidity (field)	LGW-5	11/6/2013	0.64	0		NTU
Turbidity (field)	LGW-5	12/3/2013	1.62	0		NTU
Turbidity (field)	LGW-5	1/23/2014	1.39	0		NTU
Turbidity (field)	LGW-5	2/12/2014	1.77	0		NTU
Turbidity (field)	LGW-5	3/11/2014	0.79	0		NTU
Turbidity (field)	LGW-5	4/2/2014	1.44	0		NTU
Turbidity (field)	LGW-5	5/7/2014	1.47	0		NTU
Turbidity (field)	LGW-5	6/3/2014	2.51	0		NTU
Turbidity (field)	LGW-5	7/8/2014	4.12	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	8/5/2014	3.2	0		NTU
Turbidity (field)	LGW-5	9/4/2014	2.86	0		NTU
Turbidity (field)	LGW-5	10/9/2014	4.35	0		NTU
Turbidity (field)	LGW-5	11/3/2014	1.12	0		NTU
Turbidity (field)	LGW-5	1/14/2015	1.76	0		NTU
Turbidity (field)	LGW-5	2/10/2015	2.34	0		NTU
Turbidity (field)	LGW-5	3/3/2015	4.11	0		NTU
Turbidity (field)	LGW-5	4/1/2015	21.6	0		NTU
Turbidity (field)	LGW-5	5/6/2015	2.08	0		NTU
Turbidity (field)	LGW-5	6/3/2015	3.27	0		NTU
Turbidity (field)	LGW-5	7/8/2015	1.32	0		NTU
Turbidity (field)	LGW-5	8/4/2015	3.13	0		NTU
Turbidity (field)	LGW-5	9/2/2015	1.21	0		NTU
Turbidity (field)	LGW-5	10/5/2015	2.69	0		NTU
Turbidity (field)	LGW-5	11/4/2015	2.21	0		NTU
Turbidity (field)	LGW-5	12/3/2015	1.21	0		NTU
Turbidity (field)	LGW-5	1/5/2016	3.3	0		NTU
Turbidity (field)	LGW-5	2/3/2016	1.36	0		NTU
Turbidity (field)	LGW-5	3/2/2016	0.51	0		NTU
Turbidity (field)	LGW-5	4/5/2016	0.41	0		NTU
Turbidity (field)	LGW-5	5/11/2016	1.66	0		NTU
Turbidity (field)	LGW-5	6/1/2016	1.55	0		NTU
Turbidity (field)	LGW-5	7/19/2016	1	0		NTU
Turbidity (field)	LGW-5	8/10/2016	0.91	0		NTU
Turbidity (field)	LGW-5	9/6/2016	3.38	0		NTU
Turbidity (field)	LGW-5	10/6/2016	2.92	0		NTU
Turbidity (field)	LGW-5	11/2/2016	18.6	0		NTU
Turbidity (field)	LGW-5	12/1/2016	2.61	0		NTU
Turbidity (field)	LGW-5	1/11/2017	1.13	0		NTU
Turbidity (field)	LGW-5	2/7/2017	1.63	0		NTU
Turbidity (field)	LGW-5	3/2/2017	1.7	0		NTU
Turbidity (field)	LGW-5	4/4/2017	1.1	0		NTU
Turbidity (field)	LGW-5	5/16/2017	1.64	0		NTU
Turbidity (field)	LGW-5	6/6/2017	1.68	0		NTU
Turbidity (field)	LGW-5	7/18/2017	1.13	0		NTU
Turbidity (field)	LGW-5	8/1/2017	1.42	0		NTU
Turbidity (field)	LGW-5	9/5/2017	1.41	0		NTU
Turbidity (field)	LGW-5	10/5/2017	1.95	0		NTU
Turbidity (field)	LGW-5	11/1/2017	1.75	0		NTU
Turbidity (field)	LGW-5	1/23/2018	1.18	0.01		NTU
Turbidity (field)	LGW-5	2/23/2018	0.76	0.01		NTU
Turbidity (field)	LGW-5	3/20/2018	0.2	0.01		NTU
Turbidity (field)	LGW-5	4/10/2018	0.18	0.01		NTU
Turbidity (field)	LGW-5	6/5/2018	0.76	0		NTU
Turbidity (field)	LGW-5	7/12/2018	1.16	0.01		NTU
Turbidity (field)	LGW-5	8/1/2018	0.81	0.01		NTU
Turbidity (field)	LGW-5	9/4/2018	0	0		NTU
Turbidity (field)	LGW-5	10/3/2018	0.34	0		NTU
Turbidity (field)	LGW-5	11/7/2018	0.61	0.01		NTU
Turbidity (field)	LGW-5	12/4/2018	2.01	0.01		NTU
Turbidity (field)	LGW-5	1/3/2019	0.9	0.01		NTU
Turbidity (field)	LGW-5	2/5/2019	1.92	0		NTU
Turbidity (field)	LGW-5	3/5/2019	8.5	0.01		NTU
Turbidity (field)	LGW-5	4/3/2019	17.3	0.01		NTU
Turbidity (field)	LGW-5	4/3/2019	17.3	0.01		NTU
Turbidity (field)	LGW-5	5/1/2019	5.03	0.01		NTU
Turbidity (field)	LGW-5	6/4/2019	1.29	0		NTU
Turbidity (field)	LGW-5	7/9/2019	2.13	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	7/9/2019	2.13	0.01		NTU
Turbidity (field)	LGW-5	8/5/2019	5.38	0.01		NTU
Turbidity (field)	LGW-5	9/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-5	10/1/2019	4.1	0.01		NTU
Turbidity (field)	LGW-5	11/5/2019	0.84	0.01		NTU
Turbidity (field)	LGW-5	12/2/2019	0.42	0.01		NTU
Turbidity (field)	LGW-5	1/14/2020	1.94	0		NTU
Turbidity (field)	LGW-5	3/2/2020	1.62	0.01		NTU
Turbidity (field)	LGW-5	4/1/2020	0.35	0.01		NTU
Turbidity (field)	LGW-5	5/4/2020	1.59	0.01		NTU
Turbidity (field)	LGW-5	6/1/2020	0.14	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	7/6/2020	0.56	0		NTU
Turbidity (field)	LGW-5	8/3/2020	2.63	0		NTU
Turbidity (field)	LGW-5	9/1/2020	10.48	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	10/5/2020	4.2	0.01		NTU
Turbidity (field)	LGW-5	11/3/2020	0.8	0		NTU
Turbidity (field)	LGW-5	12/3/2020	3.9	0		NTU
Turbidity (field)	LGW-5	1/18/2021	-11.3	0		NTU
Turbidity (field)	LGW-5	1/18/2021	-11.3	0		NTU
Turbidity (field)	LGW-5	2/9/2021	1.74	0		NTU
Turbidity (field)	LGW-5	3/2/2021	1.3	0		NTU
Turbidity (field)	LGW-5	4/6/2021	2.9	0		NTU
Turbidity (field)	LGW-5	4/6/2021	2.9	0		NTU
Turbidity (field)	LGW-5	5/4/2021	4.3	0		NTU
Turbidity (field)	LGW-5	6/2/2021	4.5	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	7/7/2021	11.3	0		NTU
Turbidity (field)	LGW-5	8/3/2021	10.8	0		NTU
Turbidity (field)	LGW-5	9/2/2021	11.8	0		NTU
Turbidity (field)	LGW-5	10/5/2021	2.8	0		NTU
Turbidity (field)	LGW-5	10/5/2021	2.8	0		NTU
Turbidity (field)	LGW-5	11/2/2021	8.1	0		NTU
Turbidity (field)	LGW-5	12/9/2021	4.3	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	1/12/2022	5.4	0		NTU
Turbidity (field)	LGW-5	2/10/2022	5.4	0		NTU
Turbidity (field)	LGW-5	3/1/2022	3.4	0		NTU
Turbidity (field)	LGW-5	4/4/2022	5.6	0		NTU
Turbidity (field)	LGW-5	4/4/2022	5.6	0		NTU
Turbidity (field)	LGW-5	5/7/2022	21	0		NTU
Turbidity (field)	LGW-5	6/3/2022	12.7	0		NTU
Turbidity (field)	LGW-5	7/11/2022	8.3	0		NTU
Turbidity (field)	LGW-5	8/10/2022	5.7	0		NTU
Turbidity (field)	LGW-5	9/8/2022	2.1	0		NTU
Turbidity (field)	LGW-5	10/6/2022	2.8	0		NTU
Turbidity (field)	LGW-5	10/6/2022	2.8	0		NTU
Turbidity (field)	LGW-5	11/3/2022	2.7	0		NTU
Turbidity (field)	LGW-5	12/7/2022	0.3	0		NTU
Turbidity (field)	LGW-5	1/10/2023	2.7	0		NTU
Turbidity (field)	LGW-5	2/3/2023	0.3	0		NTU
Turbidity (field)	LGW-5	3/1/2023	3	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-5	4/6/2023	5.3	0		NTU
Turbidity (field)	LGW-5	5/10/2023	3.4	0		NTU
Turbidity (field)	LGW-5	6/8/2023	4.4	0		NTU
Turbidity (field)	LGW-5	7/10/2023	3.8	0		NTU
Turbidity (field)	LGW-5	8/2/2023	4.5	0		NTU
Turbidity (field)	LGW-5	9/2/2023	4.8	0		NTU
Turbidity (field)	LGW-5	10/5/2023	8	0		NTU
Turbidity (field)	LGW-6	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-6	7/20/2006	5.2	0		NTU
Turbidity (field)	LGW-6	7/20/2006	5.2	0		NTU
Turbidity (field)	LGW-6	9/27/2006	1000	0		NTU
Turbidity (field)	LGW-6	10/26/2006	789	0		NTU
Turbidity (field)	LGW-6	10/26/2006	789	0		NTU
Turbidity (field)	LGW-6	11/21/2006	303	0		NTU
Turbidity (field)	LGW-6	11/21/2006	303	0		NTU
Turbidity (field)	LGW-6	12/21/2006	38.2	0		NTU
Turbidity (field)	LGW-6	12/21/2006	382	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/9/2007	315	0		NTU
Turbidity (field)	LGW-6	1/24/2007	65.5	0		NTU
Turbidity (field)	LGW-6	1/24/2007	65.5	0		NTU
Turbidity (field)	LGW-6	1/25/2007	65.5	0		NTU
Turbidity (field)	LGW-6	2/7/2007	123	0		NTU
Turbidity (field)	LGW-6	2/26/2007	123	0		NTU
Turbidity (field)	LGW-6	2/26/2007	123	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	3/26/2007	37.7	0		NTU
Turbidity (field)	LGW-6	4/26/2007	26	0		NTU
Turbidity (field)	LGW-6	4/26/2007	26	0		NTU
Turbidity (field)	LGW-6	5/31/2007	8.56	0		NTU
Turbidity (field)	LGW-6	6/1/2007	8.56	0		NTU
Turbidity (field)	LGW-6	6/28/2007	15.2	0		NTU
Turbidity (field)	LGW-6	6/28/2007	15.2	0		NTU
Turbidity (field)	LGW-6	7/10/2007	9.12	0		NTU
Turbidity (field)	LGW-6	7/11/2007	9.12	0		NTU
Turbidity (field)	LGW-6	8/28/2007	6.19	0		NTU
Turbidity (field)	LGW-6	8/28/2007	5.17	0		NTU
Turbidity (field)	LGW-6	10/23/2007	3.08	0		NTU
Turbidity (field)	LGW-6	11/27/2007	4.83	0		NTU
Turbidity (field)	LGW-6	12/27/2007	4.7	0		NTU
Turbidity (field)	LGW-6	1/23/2008	5.65	0		NTU
Turbidity (field)	LGW-6	2/28/2008	2.1	0		NTU
Turbidity (field)	LGW-6	3/25/2008	1.46	0		NTU
Turbidity (field)	LGW-6	5/3/2008	2.79	0		NTU
Turbidity (field)	LGW-6	5/30/2008	4.32	0		NTU
Turbidity (field)	LGW-6	6/26/2008	3.51	0		NTU
Turbidity (field)	LGW-6	7/23/2008	4.34	0		NTU
Turbidity (field)	LGW-6	8/29/2008	2.02	0		NTU
Turbidity (field)	LGW-6	9/26/2008	4.97	0		NTU
Turbidity (field)	LGW-6	9/26/2008	4.97	0		NTU
Turbidity (field)	LGW-6	10/21/2008	3.29	0		NTU
Turbidity (field)	LGW-6	11/25/2008	2.22	0		NTU
Turbidity (field)	LGW-6	12/19/2008	4.82	0		NTU
Turbidity (field)	LGW-6	2/5/2009	39.7	0		NTU
Turbidity (field)	LGW-6	3/26/2009	19.3	0		NTU
Turbidity (field)	LGW-6	5/29/2009	11	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	6/24/2009	6.89	0		NTU
Turbidity (field)	LGW-6	7/29/2009	5.95	0		NTU
Turbidity (field)	LGW-6	8/28/2009	5.69	0		NTU
Turbidity (field)	LGW-6	9/29/2009	4.02	0		NTU
Turbidity (field)	LGW-6	10/22/2009	2.5	0		NTU
Turbidity (field)	LGW-6	11/24/2009	1.88	0		NTU
Turbidity (field)	LGW-6	12/17/2009	1.85	0		NTU
Turbidity (field)	LGW-6	2/3/2010	16.1	0		NTU
Turbidity (field)	LGW-6	2/3/2010	16.1	0		NTU
Turbidity (field)	LGW-6	2/16/2010	1.81	0		NTU
Turbidity (field)	LGW-6	3/3/2010	2.52	0		NTU
Turbidity (field)	LGW-6	4/7/2010	5.17	0		NTU
Turbidity (field)	LGW-6	5/5/2010	3.56	0		NTU
Turbidity (field)	LGW-6	6/15/2010	1.04	0		NTU
Turbidity (field)	LGW-6	7/12/2010	2.81	0		NTU
Turbidity (field)	LGW-6	8/10/2010	1.25	0		NTU
Turbidity (field)	LGW-6	9/2/2010	1.98	0		NTU
Turbidity (field)	LGW-6	9/29/2010	3.96	0		NTU
Turbidity (field)	LGW-6	11/3/2010	2.8	0		NTU
Turbidity (field)	LGW-6	12/2/2010	3.16	0		NTU
Turbidity (field)	LGW-6	1/19/2011	4.68	0		NTU
Turbidity (field)	LGW-6	2/7/2011	3.93	0		NTU
Turbidity (field)	LGW-6	3/3/2011	10.5	0		NTU
Turbidity (field)	LGW-6	4/5/2011	3.93	0		NTU
Turbidity (field)	LGW-6	5/10/2011	5.05	0		NTU
Turbidity (field)	LGW-6	6/1/2011	4.96	0		NTU
Turbidity (field)	LGW-6	7/12/2011	3.65	0		NTU
Turbidity (field)	LGW-6	8/3/2011	3.99	0		NTU
Turbidity (field)	LGW-6	9/7/2011	5.1	0		NTU
Turbidity (field)	LGW-6	10/5/2011	4.12	0		NTU
Turbidity (field)	LGW-6	11/1/2011	4	0		NTU
Turbidity (field)	LGW-6	12/7/2011	3.89	0		NTU
Turbidity (field)	LGW-6	1/5/2012	3.92	0		NTU
Turbidity (field)	LGW-6	2/1/2012	4.57	0		NTU
Turbidity (field)	LGW-6	3/6/2012	5.54	0		NTU
Turbidity (field)	LGW-6	4/5/2012	3.03	0		NTU
Turbidity (field)	LGW-6	5/1/2012	3.5	0		NTU
Turbidity (field)	LGW-6	6/5/2012	3.31	0		NTU
Turbidity (field)	LGW-6	7/9/2012	5.12	0		NTU
Turbidity (field)	LGW-6	8/9/2012	3.37	0		NTU
Turbidity (field)	LGW-6	9/4/2012	3.94	0		NTU
Turbidity (field)	LGW-6	10/7/2012	4.33	0		NTU
Turbidity (field)	LGW-6	11/6/2012	4.13	0		NTU
Turbidity (field)	LGW-6	11/6/2012	4.13	0		NTU
Turbidity (field)	LGW-6	12/6/2012	2.58	0		NTU
Turbidity (field)	LGW-6	12/6/2012	2.58	0		NTU
Turbidity (field)	LGW-6	1/23/2013	3.82	0		NTU
Turbidity (field)	LGW-6	1/23/2013	3.82	0		NTU
Turbidity (field)	LGW-6	2/5/2013	4.16	0		NTU
Turbidity (field)	LGW-6	2/5/2013	4.16	0		NTU
Turbidity (field)	LGW-6	3/5/2013	3.27	0		NTU
Turbidity (field)	LGW-6	3/5/2013	3.27	0		NTU
Turbidity (field)	LGW-6	4/30/2013	4.76	0		NTU
Turbidity (field)	LGW-6	6/4/2013	5.24	0		NTU
Turbidity (field)	LGW-6	7/15/2013	4.56	0		NTU
Turbidity (field)	LGW-6	8/8/2013	2.93	0		NTU
Turbidity (field)	LGW-6	9/10/2013	5.37	0		NTU
Turbidity (field)	LGW-6	10/1/2013	3.44	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	11/6/2013	4.49	0		NTU
Turbidity (field)	LGW-6	12/2/2013	6.14	0		NTU
Turbidity (field)	LGW-6	1/23/2014	3.77	0		NTU
Turbidity (field)	LGW-6	2/12/2014	2.18	0		NTU
Turbidity (field)	LGW-6	3/11/2014	1.95	0		NTU
Turbidity (field)	LGW-6	4/2/2014	5.34	0		NTU
Turbidity (field)	LGW-6	5/7/2014	5.83	0		NTU
Turbidity (field)	LGW-6	6/3/2014	2.57	0		NTU
Turbidity (field)	LGW-6	7/8/2014	4.12	0		NTU
Turbidity (field)	LGW-6	8/5/2014	3.01	0		NTU
Turbidity (field)	LGW-6	9/4/2014	3.36	0		NTU
Turbidity (field)	LGW-6	10/9/2014	5.68	0		NTU
Turbidity (field)	LGW-6	11/3/2014	1.18	0		NTU
Turbidity (field)	LGW-6	1/14/2015	7.75	0		NTU
Turbidity (field)	LGW-6	2/10/2015	3.59	0		NTU
Turbidity (field)	LGW-6	3/3/2015	4.21	0		NTU
Turbidity (field)	LGW-6	4/1/2015	4.22	0		NTU
Turbidity (field)	LGW-6	5/6/2015	4.8	0		NTU
Turbidity (field)	LGW-6	6/3/2015	3.58	0		NTU
Turbidity (field)	LGW-6	7/22/2015	2.62	0		NTU
Turbidity (field)	LGW-6	8/4/2015	3.76	0		NTU
Turbidity (field)	LGW-6	9/2/2015	1.24	0		NTU
Turbidity (field)	LGW-6	10/6/2015	3.83	0		NTU
Turbidity (field)	LGW-6	11/4/2015	1.44	0		NTU
Turbidity (field)	LGW-6	12/3/2015	1.83	0		NTU
Turbidity (field)	LGW-6	1/5/2016	2.53	0		NTU
Turbidity (field)	LGW-6	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-6	3/2/2016	1.41	0		NTU
Turbidity (field)	LGW-6	4/5/2016	0.58	0		NTU
Turbidity (field)	LGW-6	5/11/2016	0.84	0		NTU
Turbidity (field)	LGW-6	6/1/2016	1.86	0		NTU
Turbidity (field)	LGW-6	7/19/2016	12.8	0		NTU
Turbidity (field)	LGW-6	8/10/2016	0.62	0		NTU
Turbidity (field)	LGW-6	9/6/2016	0.43	0		NTU
Turbidity (field)	LGW-6	9/6/2016	0.43	0		NTU
Turbidity (field)	LGW-6	10/6/2016	1.1	0		NTU
Turbidity (field)	LGW-6	11/2/2016	1.11	0		NTU
Turbidity (field)	LGW-6	12/1/2016	1.12	0		NTU
Turbidity (field)	LGW-6	1/11/2017	0.91	0		NTU
Turbidity (field)	LGW-6	2/7/2017	0.62	0		NTU
Turbidity (field)	LGW-6	3/2/2017	5.43	0		NTU
Turbidity (field)	LGW-6	4/4/2017	0.81	0		NTU
Turbidity (field)	LGW-6	5/2/2017	7.47	0		NTU
Turbidity (field)	LGW-6	5/5/2017	7.76	0		NTU
Turbidity (field)	LGW-6	6/6/2017	5.59	0		NTU
Turbidity (field)	LGW-6	7/18/2017	7.74	0		NTU
Turbidity (field)	LGW-6	8/1/2017	2.24	0		NTU
Turbidity (field)	LGW-6	9/5/2017	8.71	0		NTU
Turbidity (field)	LGW-6	10/5/2017	8.52	0		NTU
Turbidity (field)	LGW-6	11/1/2017	5.29	0		NTU
Turbidity (field)	LGW-6	1/23/2018	2.52	0.01		NTU
Turbidity (field)	LGW-6	2/22/2018	9.54	0.01		NTU
Turbidity (field)	LGW-6	3/20/2018	4.58	0.01		NTU
Turbidity (field)	LGW-6	4/10/2018	0.86	0.01		NTU
Turbidity (field)	LGW-6	4/10/2018	0.86	0.01		NTU
Turbidity (field)	LGW-6	6/5/2018	2.67	0		NTU
Turbidity (field)	LGW-6	6/5/2018	2.67	0		NTU
Turbidity (field)	LGW-6	7/17/2018	0.45	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	8/1/2018	2.69	0.01		NTU
Turbidity (field)	LGW-6	9/5/2018	4.8	0		NTU
Turbidity (field)	LGW-6	10/2/2018	5.55	0		NTU
Turbidity (field)	LGW-6	10/2/2018	5.55	0		NTU
Turbidity (field)	LGW-6	11/6/2018	2.98	0.01		NTU
Turbidity (field)	LGW-6	12/4/2018	2.15	0.01		NTU
Turbidity (field)	LGW-6	1/7/2019	0.7	0.01		NTU
Turbidity (field)	LGW-6	2/5/2019	14.51	0		NTU
Turbidity (field)	LGW-6	3/4/2019	2.4	0.01		NTU
Turbidity (field)	LGW-6	4/3/2019	10.7	0.01		NTU
Turbidity (field)	LGW-6	5/2/2019	2.64	0.01		NTU
Turbidity (field)	LGW-6	6/4/2019	3.85	0		NTU
Turbidity (field)	LGW-6	7/10/2019	2.22	0		NTU
Turbidity (field)	LGW-6	7/10/2019	2.22	0.01		NTU
Turbidity (field)	LGW-6	8/8/2019	0.82	0.01		NTU
Turbidity (field)	LGW-6	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	10/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	10/3/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-6	11/5/2019	1.47	0.01		NTU
Turbidity (field)	LGW-6	12/4/2019	1.81	0.01		NTU
Turbidity (field)	LGW-6	1/16/2020	4.76	0		NTU
Turbidity (field)	LGW-6	3/4/2020	0.34	0.01		NTU
Turbidity (field)	LGW-6	4/2/2020	1.02	0.01		NTU
Turbidity (field)	LGW-6	4/3/2020	1.02	0.01		NTU
Turbidity (field)	LGW-6	5/5/2020	0.27	0.01		NTU
Turbidity (field)	LGW-6	6/2/2020	0.51	0		NTU
Turbidity (field)	LGW-6	7/9/2020	86.1	0		NTU
Turbidity (field)	LGW-6	7/9/2020	8.61	0		NTU
Turbidity (field)	LGW-6	7/9/2020	8.61	0		NTU
Turbidity (field)	LGW-6	8/3/2020	1.38	0		NTU
Turbidity (field)	LGW-6	9/2/2020	1.07	0.01		NTU
Turbidity (field)	LGW-6	10/6/2020	0.8	0.01		NTU
Turbidity (field)	LGW-6	10/6/2020	0.8	0.01		NTU
Turbidity (field)	LGW-6	11/3/2020	0.78	0		NTU
Turbidity (field)	LGW-6	12/3/2020	2.01	0		NTU
Turbidity (field)	LGW-6	1/18/2021	-8.6	0		NTU
Turbidity (field)	LGW-6	2/9/2021	2.47	0		NTU
Turbidity (field)	LGW-6	3/2/2021	1	0		NTU
Turbidity (field)	LGW-6	4/6/2021	2.7	0		NTU
Turbidity (field)	LGW-6	4/6/2021	2.7	0		NTU
Turbidity (field)	LGW-6	5/5/2021	2.1	0		NTU
Turbidity (field)	LGW-6	6/1/2021	3.8	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	7/7/2021	11.6	0		NTU
Turbidity (field)	LGW-6	8/3/2021	6.5	0		NTU
Turbidity (field)	LGW-6	9/2/2021	7.9	0		NTU
Turbidity (field)	LGW-6	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-6	10/5/2021	2.7	0		NTU
Turbidity (field)	LGW-6	11/2/2021	2.3	0		NTU
Turbidity (field)	LGW-6	12/9/2021	2.3	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	1/12/2022	3.1	0		NTU
Turbidity (field)	LGW-6	2/10/2022	2.6	0		NTU
Turbidity (field)	LGW-6	3/1/2022	3	0		NTU
Turbidity (field)	LGW-6	4/4/2022	2.5	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-6	4/4/2022	2.5	0		NTU
Turbidity (field)	LGW-6	5/7/2022	3.8	0		NTU
Turbidity (field)	LGW-6	6/3/2022	4.1	0		NTU
Turbidity (field)	LGW-6	7/11/2022	2.4	0		NTU
Turbidity (field)	LGW-6	8/10/2022	5.7	0		NTU
Turbidity (field)	LGW-6	9/8/2022	2.3	0		NTU
Turbidity (field)	LGW-6	10/6/2022	2.5	0		NTU
Turbidity (field)	LGW-6	10/6/2022	2.5	0		NTU
Turbidity (field)	LGW-6	11/3/2022	2.6	0		NTU
Turbidity (field)	LGW-6	12/7/2022	0.7	0		NTU
Turbidity (field)	LGW-6	1/10/2023	2.9	0		NTU
Turbidity (field)	LGW-6	2/3/2023	0.7	0		NTU
Turbidity (field)	LGW-6	3/1/2023	2.8	0		NTU
Turbidity (field)	LGW-6	4/6/2023	10.1	0		NTU
Turbidity (field)	LGW-6	5/10/2023	3.6	0		NTU
Turbidity (field)	LGW-6	6/8/2023	4.4	0		NTU
Turbidity (field)	LGW-6	7/10/2023	4.2	0		NTU
Turbidity (field)	LGW-6	8/2/2023	5.1	0		NTU
Turbidity (field)	LGW-6	9/2/2023	3.2	0		NTU
Turbidity (field)	LGW-6	10/5/2023	3.1	0		NTU
Turbidity (field)	LGW-7	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-7	7/20/2006	757	0		NTU
Turbidity (field)	LGW-7	7/20/2006	757	0		NTU
Turbidity (field)	LGW-7	7/31/2006	356	0		NTU
Turbidity (field)	LGW-7	8/1/2006	356	0		NTU
Turbidity (field)	LGW-7	8/1/2006	356	0		NTU
Turbidity (field)	LGW-7	9/27/2006	1000	0		NTU
Turbidity (field)	LGW-7	10/26/2006	470	0		NTU
Turbidity (field)	LGW-7	10/26/2006	470	0		NTU
Turbidity (field)	LGW-7	11/21/2006	1000	0		NTU
Turbidity (field)	LGW-7	12/22/2006	426	0		NTU
Turbidity (field)	LGW-7	12/22/2006	426	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/9/2007	27.1	0		NTU
Turbidity (field)	LGW-7	1/24/2007	15.6	0		NTU
Turbidity (field)	LGW-7	1/24/2007	15.6	0		NTU
Turbidity (field)	LGW-7	1/25/2007	15.6	0		NTU
Turbidity (field)	LGW-7	2/7/2007	283	0		NTU
Turbidity (field)	LGW-7	2/26/2007	283	0		NTU
Turbidity (field)	LGW-7	2/26/2007	283	0		NTU
Turbidity (field)	LGW-7	3/26/2007	83.2	0		NTU
Turbidity (field)	LGW-7	3/27/2007	83.2	0		NTU
Turbidity (field)	LGW-7	3/27/2007	83.2	0		NTU
Turbidity (field)	LGW-7	4/26/2007	6.68	0		NTU
Turbidity (field)	LGW-7	4/26/2007	6.68	0		NTU
Turbidity (field)	LGW-7	6/1/2007	4.93	0		NTU
Turbidity (field)	LGW-7	6/1/2007	4.93	0		NTU
Turbidity (field)	LGW-7	6/28/2007	4.59	0		NTU
Turbidity (field)	LGW-7	6/28/2007	4.59	0		NTU
Turbidity (field)	LGW-7	7/10/2007	5.92	0		NTU
Turbidity (field)	LGW-7	7/12/2007	5.92	0		NTU
Turbidity (field)	LGW-7	8/29/2007	4.5	0		NTU
Turbidity (field)	LGW-7	8/29/2007	4.5	0		NTU
Turbidity (field)	LGW-7	10/24/2007	4.24	0		NTU
Turbidity (field)	LGW-7	11/27/2007	4.28	0		NTU
Turbidity (field)	LGW-7	12/27/2007	3.97	0		NTU
Turbidity (field)	LGW-7	1/25/2008	4.95	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	2/28/2008	4.31	0		NTU
Turbidity (field)	LGW-7	3/25/2008	2.57	0		NTU
Turbidity (field)	LGW-7	5/3/2008	12.4	0		NTU
Turbidity (field)	LGW-7	5/30/2008	4.88	0		NTU
Turbidity (field)	LGW-7	6/26/2008	2.1	0		NTU
Turbidity (field)	LGW-7	7/22/2008	2.17	0		NTU
Turbidity (field)	LGW-7	9/26/2008	3.5	0		NTU
Turbidity (field)	LGW-7	9/26/2008	3.5	0		NTU
Turbidity (field)	LGW-7	10/21/2008	4.03	0		NTU
Turbidity (field)	LGW-7	11/25/2008	1.98	0		NTU
Turbidity (field)	LGW-7	12/19/2008	1.19	0		NTU
Turbidity (field)	LGW-7	2/4/2009	3.1	0		NTU
Turbidity (field)	LGW-7	3/26/2009	1.16	0		NTU
Turbidity (field)	LGW-7	4/16/2009	1.1	0		NTU
Turbidity (field)	LGW-7	5/28/2009	2.59	0		NTU
Turbidity (field)	LGW-7	6/25/2009	2.59	0		NTU
Turbidity (field)	LGW-7	7/31/2009	2.98	0		NTU
Turbidity (field)	LGW-7	8/29/2009	2.68	0		NTU
Turbidity (field)	LGW-7	9/30/2009	2.45	0		NTU
Turbidity (field)	LGW-7	10/21/2009	2.47	0		NTU
Turbidity (field)	LGW-7	11/24/2009	1.49	0		NTU
Turbidity (field)	LGW-7	12/17/2009	1.59	0		NTU
Turbidity (field)	LGW-7	1/27/2010	1.71	0		NTU
Turbidity (field)	LGW-7	2/16/2010	1.39	0		NTU
Turbidity (field)	LGW-7	3/3/2010	4.85	0		NTU
Turbidity (field)	LGW-7	4/7/2010	4	0		NTU
Turbidity (field)	LGW-7	5/5/2010	2.15	0		NTU
Turbidity (field)	LGW-7	6/16/2010	4.09	0		NTU
Turbidity (field)	LGW-7	7/12/2010	2.54	0		NTU
Turbidity (field)	LGW-7	8/10/2010	3.12	0		NTU
Turbidity (field)	LGW-7	9/2/2010	2.39	0		NTU
Turbidity (field)	LGW-7	9/29/2010	9.68	0		NTU
Turbidity (field)	LGW-7	11/3/2010	4.54	0		NTU
Turbidity (field)	LGW-7	12/2/2010	4.33	0		NTU
Turbidity (field)	LGW-7	1/20/2011	5.64	0		NTU
Turbidity (field)	LGW-7	2/8/2011	17.1	0		NTU
Turbidity (field)	LGW-7	3/3/2011	19.3	0		NTU
Turbidity (field)	LGW-7	4/5/2011	5.2	0		NTU
Turbidity (field)	LGW-7	5/10/2011	7.42	0		NTU
Turbidity (field)	LGW-7	6/1/2011	4.05	0		NTU
Turbidity (field)	LGW-7	7/12/2011	5.34	0		NTU
Turbidity (field)	LGW-7	8/3/2011	4.98	0		NTU
Turbidity (field)	LGW-7	9/7/2011	4.01	0		NTU
Turbidity (field)	LGW-7	10/5/2011	3.68	0		NTU
Turbidity (field)	LGW-7	11/1/2011	1.95	0		NTU
Turbidity (field)	LGW-7	12/8/2011	5.05	0		NTU
Turbidity (field)	LGW-7	1/5/2012	3.5	0		NTU
Turbidity (field)	LGW-7	2/1/2012	1.7	0		NTU
Turbidity (field)	LGW-7	3/6/2012	1.56	0		NTU
Turbidity (field)	LGW-7	4/5/2012	1.86	0		NTU
Turbidity (field)	LGW-7	5/1/2012	1.73	0		NTU
Turbidity (field)	LGW-7	6/5/2012	1.8	0		NTU
Turbidity (field)	LGW-7	7/10/2012	1.54	0		NTU
Turbidity (field)	LGW-7	8/9/2012	2.31	0		NTU
Turbidity (field)	LGW-7	9/4/2012	3.79	0		NTU
Turbidity (field)	LGW-7	10/7/2012	10.8	0		NTU
Turbidity (field)	LGW-7	4/30/2013	13.2	0		NTU
Turbidity (field)	LGW-7	6/4/2013	10.1	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	7/15/2013	8.67	0		NTU
Turbidity (field)	LGW-7	8/8/2013	9.82	0		NTU
Turbidity (field)	LGW-7	9/10/2013	10.6	0		NTU
Turbidity (field)	LGW-7	10/1/2013	7.27	0		NTU
Turbidity (field)	LGW-7	11/6/2013	10.8	0		NTU
Turbidity (field)	LGW-7	12/2/2013	29.6	0		NTU
Turbidity (field)	LGW-7	1/23/2014	9.3	0		NTU
Turbidity (field)	LGW-7	2/13/2014	6.22	0		NTU
Turbidity (field)	LGW-7	3/11/2014	3.69	0		NTU
Turbidity (field)	LGW-7	4/2/2014	4.68	0		NTU
Turbidity (field)	LGW-7	5/7/2014	4.36	0		NTU
Turbidity (field)	LGW-7	6/3/2014	2.54	0		NTU
Turbidity (field)	LGW-7	7/8/2014	4.89	0		NTU
Turbidity (field)	LGW-7	8/5/2014	3.66	0		NTU
Turbidity (field)	LGW-7	9/4/2014	5.2	0		NTU
Turbidity (field)	LGW-7	10/9/2014	3.34	0		NTU
Turbidity (field)	LGW-7	11/3/2014	2.76	0		NTU
Turbidity (field)	LGW-7	1/14/2015	6.63	0		NTU
Turbidity (field)	LGW-7	2/11/2015	5.04	0		NTU
Turbidity (field)	LGW-7	3/3/2015	7.86	0		NTU
Turbidity (field)	LGW-7	4/1/2015	3.05	0		NTU
Turbidity (field)	LGW-7	5/6/2015	42.6	0		NTU
Turbidity (field)	LGW-7	6/3/2015	8.64	0		NTU
Turbidity (field)	LGW-7	7/22/2015	3.52	0		NTU
Turbidity (field)	LGW-7	8/4/2015	3.47	0		NTU
Turbidity (field)	LGW-7	9/3/2015	6.42	0		NTU
Turbidity (field)	LGW-7	10/6/2015	6.32	0		NTU
Turbidity (field)	LGW-7	11/4/2015	4.24	0		NTU
Turbidity (field)	LGW-7	12/3/2015	4.23	0		NTU
Turbidity (field)	LGW-7	1/5/2016	7.44	0		NTU
Turbidity (field)	LGW-7	2/3/2016	5.63	0		NTU
Turbidity (field)	LGW-7	2/10/2016	2.58	0		NTU
Turbidity (field)	LGW-7	3/2/2016	4.49	0		NTU
Turbidity (field)	LGW-7	4/6/2016	3.31	0		NTU
Turbidity (field)	LGW-7	5/11/2016	2.13	0		NTU
Turbidity (field)	LGW-7	6/1/2016	8.61	0		NTU
Turbidity (field)	LGW-7	7/20/2016	4.31	0		NTU
Turbidity (field)	LGW-7	8/10/2016	5.37	0		NTU
Turbidity (field)	LGW-7	9/6/2016	2.44	0		NTU
Turbidity (field)	LGW-7	9/6/2016	24.4	0		NTU
Turbidity (field)	LGW-7	10/6/2016	3.12	0		NTU
Turbidity (field)	LGW-7	11/2/2016	4.33	0		NTU
Turbidity (field)	LGW-7	12/1/2016	4.29	0		NTU
Turbidity (field)	LGW-7	1/11/2017	1.39	0		NTU
Turbidity (field)	LGW-7	2/7/2017	2.66	0		NTU
Turbidity (field)	LGW-7	3/2/2017	4.13	0		NTU
Turbidity (field)	LGW-7	4/4/2017	4.66	0		NTU
Turbidity (field)	LGW-7	5/2/2017	3.69	0		NTU
Turbidity (field)	LGW-7	6/6/2017	1.11	0		NTU
Turbidity (field)	LGW-7	7/18/2017	2.49	0		NTU
Turbidity (field)	LGW-7	8/1/2017	1.69	0		NTU
Turbidity (field)	LGW-7	9/5/2017	4.34	0		NTU
Turbidity (field)	LGW-7	10/5/2017	1.81	0		NTU
Turbidity (field)	LGW-7	11/1/2017	7.72	0		NTU
Turbidity (field)	LGW-7	1/24/2018	0.26	0.01		NTU
Turbidity (field)	LGW-7	2/22/2018	0.15	0.01		NTU
Turbidity (field)	LGW-7	3/20/2018	0.17	0.01		NTU
Turbidity (field)	LGW-7	4/11/2018	0.12	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	4/11/2018	0.12	0.01		NTU
Turbidity (field)	LGW-7	6/5/2018	0.72	0		NTU
Turbidity (field)	LGW-7	6/5/2018	0.72	0		NTU
Turbidity (field)	LGW-7	7/12/2018	9.39	0.01		NTU
Turbidity (field)	LGW-7	8/2/2018	0.53	0.01		NTU
Turbidity (field)	LGW-7	9/5/2018	2.06	0		NTU
Turbidity (field)	LGW-7	10/2/2018	0.25	0		NTU
Turbidity (field)	LGW-7	10/2/2018	0.25	0		NTU
Turbidity (field)	LGW-7	11/7/2018	0.71	0.01		NTU
Turbidity (field)	LGW-7	12/4/2018	0.51	0.01		NTU
Turbidity (field)	LGW-7	1/7/2019	0.4	0.01		NTU
Turbidity (field)	LGW-7	2/5/2019	2.14	0		NTU
Turbidity (field)	LGW-7	3/5/2019	0.2	0.01		NTU
Turbidity (field)	LGW-7	4/3/2019	1.02	0.01		NTU
Turbidity (field)	LGW-7	5/2/2019	0.41	0.01		NTU
Turbidity (field)	LGW-7	6/4/2019	0.53	0		NTU
Turbidity (field)	LGW-7	7/10/2019	0.56	0		NTU
Turbidity (field)	LGW-7	7/10/2019	0.56	0.01		NTU
Turbidity (field)	LGW-7	8/7/2019	3.81	0.01		NTU
Turbidity (field)	LGW-7	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-7	10/3/2019	0.42	0.01		NTU
Turbidity (field)	LGW-7	10/3/2019	0.42	0.01		NTU
Turbidity (field)	LGW-7	11/6/2019	0.72	0.01		NTU
Turbidity (field)	LGW-7	12/3/2019	2.03	0.01		NTU
Turbidity (field)	LGW-7	1/15/2020	1.43	0		NTU
Turbidity (field)	LGW-7	3/3/2020	0.58	0.01		NTU
Turbidity (field)	LGW-7	4/3/2020	0.69	0.01		NTU
Turbidity (field)	LGW-7	5/5/2020	0.66	0.01		NTU
Turbidity (field)	LGW-7	6/2/2020	2.82	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	7/9/2020	0	0		NTU
Turbidity (field)	LGW-7	8/3/2020	0.27	0		NTU
Turbidity (field)	LGW-7	9/2/2020	0.64	0.01		NTU
Turbidity (field)	LGW-7	10/6/2020	3.7	0.01		NTU
Turbidity (field)	LGW-7	11/4/2020	0.09	0		NTU
Turbidity (field)	LGW-7	12/3/2020	0.5	0		NTU
Turbidity (field)	LGW-7	1/18/2021	-13.5	0		NTU
Turbidity (field)	LGW-7	2/9/2021	1.72	0		NTU
Turbidity (field)	LGW-7	3/2/2021	0.3	0		NTU
Turbidity (field)	LGW-7	4/7/2021	2.6	0		NTU
Turbidity (field)	LGW-7	5/5/2021	2	0		NTU
Turbidity (field)	LGW-7	6/2/2021	3.5	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	7/7/2021	9.6	0		NTU
Turbidity (field)	LGW-7	8/3/2021	6.8	0		NTU
Turbidity (field)	LGW-7	9/2/2021	11.1	0		NTU
Turbidity (field)	LGW-7	10/5/2021	2.6	0		NTU
Turbidity (field)	LGW-7	10/5/2021	2.6	0		NTU
Turbidity (field)	LGW-7	11/2/2021	2.2	0		NTU
Turbidity (field)	LGW-7	12/9/2021	2.1	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-7	2/10/2022	2.6	0		NTU
Turbidity (field)	LGW-7	3/2/2022	2.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-7	4/4/2022	2.3	0		NTU
Turbidity (field)	LGW-7	4/4/2022	2.3	0		NTU
Turbidity (field)	LGW-7	5/7/2022	4.4	0		NTU
Turbidity (field)	LGW-7	6/3/2022	3.7	0		NTU
Turbidity (field)	LGW-7	7/11/2022	2.3	0		NTU
Turbidity (field)	LGW-7	8/10/2022	4.7	0		NTU
Turbidity (field)	LGW-7	9/8/2022	2.8	0		NTU
Turbidity (field)	LGW-7	10/6/2022	2.1	0		NTU
Turbidity (field)	LGW-7	11/3/2022	2.2	0		NTU
Turbidity (field)	LGW-7	12/7/2022	0.4	0		NTU
Turbidity (field)	LGW-7	1/11/2023	8.1	0		NTU
Turbidity (field)	LGW-7	2/3/2023	0.5	0		NTU
Turbidity (field)	LGW-7	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-7	4/6/2023	3.4	0		NTU
Turbidity (field)	LGW-7	5/10/2023	3.8	0		NTU
Turbidity (field)	LGW-7	6/8/2023	4	0		NTU
Turbidity (field)	LGW-7	7/10/2023	3.8	0		NTU
Turbidity (field)	LGW-7	8/1/2023	3.9	0		NTU
Turbidity (field)	LGW-7	9/2/2023	3	0		NTU
Turbidity (field)	LGW-7	10/5/2023	2.6	0		NTU
Turbidity (field)	LGW-8R	9/30/2005	1000	0		NTU
Turbidity (field)	LGW-8R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-8R	7/20/2006	4.9	0		NTU
Turbidity (field)	LGW-8R	9/26/2006	174	0		NTU
Turbidity (field)	LGW-8R	9/26/2006	174	0		NTU
Turbidity (field)	LGW-8R	10/26/2006	22.1	0		NTU
Turbidity (field)	LGW-8R	10/26/2006	22.1	0		NTU
Turbidity (field)	LGW-8R	11/21/2006	13.2	0		NTU
Turbidity (field)	LGW-8R	11/21/2006	13.2	0		NTU
Turbidity (field)	LGW-8R	12/21/2006	8.11	0		NTU
Turbidity (field)	LGW-8R	12/21/2006	8.11	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/9/2007	12.6	0		NTU
Turbidity (field)	LGW-8R	1/24/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	1/24/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	1/25/2007	8.99	0		NTU
Turbidity (field)	LGW-8R	2/7/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	2/26/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	2/26/2007	14.6	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	3/26/2007	4.96	0		NTU
Turbidity (field)	LGW-8R	4/26/2007	4.86	0		NTU
Turbidity (field)	LGW-8R	4/26/2007	4.86	0		NTU
Turbidity (field)	LGW-8R	6/1/2007	1.66	0		NTU
Turbidity (field)	LGW-8R	6/1/2007	1.66	0		NTU
Turbidity (field)	LGW-8R	6/28/2007	1.99	0		NTU
Turbidity (field)	LGW-8R	6/28/2007	1.99	0		NTU
Turbidity (field)	LGW-8R	7/10/2007	4.79	0		NTU
Turbidity (field)	LGW-8R	7/12/2007	4.79	0		NTU
Turbidity (field)	LGW-8R	8/29/2007	4.01	0		NTU
Turbidity (field)	LGW-8R	8/29/2007	4.01	0		NTU
Turbidity (field)	LGW-8R	10/23/2007	2.78	0		NTU
Turbidity (field)	LGW-8R	11/28/2007	1.32	0		NTU
Turbidity (field)	LGW-8R	8/29/2008	3.64	0		NTU
Turbidity (field)	LGW-8R	9/25/2008	4.61	4.61	ND	NTU
Turbidity (field)	LGW-8R	9/25/2008	4.61	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	10/21/2008	4.98	0		NTU
Turbidity (field)	LGW-8R	11/25/2008	1.31	0		NTU
Turbidity (field)	LGW-8R	12/19/2008	2.45	0		NTU
Turbidity (field)	LGW-8R	2/4/2009	1.42	1.42	ND	NTU
Turbidity (field)	LGW-8R	3/26/2009	1.16	0		NTU
Turbidity (field)	LGW-8R	4/16/2009	1.11	0		NTU
Turbidity (field)	LGW-8R	5/28/2009	1.75	0		NTU
Turbidity (field)	LGW-8R	6/25/2009	1.43	0		NTU
Turbidity (field)	LGW-8R	7/29/2009	1.26	0		NTU
Turbidity (field)	LGW-8R	8/28/2009	2.61	0		NTU
Turbidity (field)	LGW-8R	9/29/2009	1.81	1.81	ND	NTU
Turbidity (field)	LGW-8R	10/21/2009	1.46	0		NTU
Turbidity (field)	LGW-8R	11/24/2009	1.34	1.34	ND	NTU
Turbidity (field)	LGW-8R	12/17/2009	1.32	0		NTU
Turbidity (field)	LGW-8R	1/27/2010	0.55	0		NTU
Turbidity (field)	LGW-8R	2/15/2010	0.43	0		NTU
Turbidity (field)	LGW-8R	3/3/2010	0.71	0		NTU
Turbidity (field)	LGW-8R	4/7/2010	0.47	0		NTU
Turbidity (field)	LGW-8R	5/5/2010	1.05	0		NTU
Turbidity (field)	LGW-8R	6/16/2010	0.48	0		NTU
Turbidity (field)	LGW-8R	7/14/2010	1.17	0		NTU
Turbidity (field)	LGW-8R	8/10/2010	0.87	0		NTU
Turbidity (field)	LGW-8R	9/2/2010	0.38	0		NTU
Turbidity (field)	LGW-8R	9/29/2010	0.26	0		NTU
Turbidity (field)	LGW-8R	11/3/2010	0.28	0		NTU
Turbidity (field)	LGW-8R	12/2/2010	0.52	0		NTU
Turbidity (field)	LGW-8R	1/20/2011	7.12	0		NTU
Turbidity (field)	LGW-8R	2/7/2011	0.7	0		NTU
Turbidity (field)	LGW-8R	3/3/2011	1.09	0		NTU
Turbidity (field)	LGW-8R	4/5/2011	0.68	0		NTU
Turbidity (field)	LGW-8R	5/10/2011	0.76	0		NTU
Turbidity (field)	LGW-8R	6/1/2011	0.5	0		NTU
Turbidity (field)	LGW-8R	7/12/2011	0.2	0		NTU
Turbidity (field)	LGW-8R	8/3/2011	0.31	0		NTU
Turbidity (field)	LGW-8R	9/7/2011	6.09	0		NTU
Turbidity (field)	LGW-8R	10/5/2011	1.98	0		NTU
Turbidity (field)	LGW-8R	11/1/2011	1.52	0		NTU
Turbidity (field)	LGW-8R	12/8/2011	0.75	0		NTU
Turbidity (field)	LGW-8R	1/5/2012	0.97	0		NTU
Turbidity (field)	LGW-8R	2/1/2012	0.37	0		NTU
Turbidity (field)	LGW-8R	3/7/2012	0.29	0		NTU
Turbidity (field)	LGW-8R	4/5/2012	0.61	0		NTU
Turbidity (field)	LGW-8R	5/1/2012	2.14	0		NTU
Turbidity (field)	LGW-8R	6/5/2012	0.45	0		NTU
Turbidity (field)	LGW-8R	7/9/2012	0.74	0		NTU
Turbidity (field)	LGW-8R	8/9/2012	0.42	0		NTU
Turbidity (field)	LGW-8R	9/4/2012	0.42	0		NTU
Turbidity (field)	LGW-8R	10/7/2012	0.48	0		NTU
Turbidity (field)	LGW-8R	4/30/2013	9.98	9.98	ND	NTU
Turbidity (field)	LGW-8R	6/4/2013	2.51	0		NTU
Turbidity (field)	LGW-8R	7/15/2013	1.69	1.69	ND	NTU
Turbidity (field)	LGW-8R	8/8/2013	2.5	0		NTU
Turbidity (field)	LGW-8R	9/10/2013	1.94	0		NTU
Turbidity (field)	LGW-8R	10/1/2013	2.66	0		NTU
Turbidity (field)	LGW-8R	11/6/2013	2.28	0		NTU
Turbidity (field)	LGW-8R	12/2/2013	3.69	0		NTU
Turbidity (field)	LGW-8R	1/22/2014	2.49	0		NTU
Turbidity (field)	LGW-8R	2/12/2014	3.86	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	3/11/2014	5.34	0		NTU
Turbidity (field)	LGW-8R	4/2/2014	1.83	0		NTU
Turbidity (field)	LGW-8R	5/7/2014	4.18	0		NTU
Turbidity (field)	LGW-8R	6/3/2014	0.87	0		NTU
Turbidity (field)	LGW-8R	7/8/2014	1.45	0		NTU
Turbidity (field)	LGW-8R	8/5/2014	0.6	0		NTU
Turbidity (field)	LGW-8R	9/4/2014	1.23	0		NTU
Turbidity (field)	LGW-8R	10/9/2014	1.55	0		NTU
Turbidity (field)	LGW-8R	11/3/2014	0.52	0		NTU
Turbidity (field)	LGW-8R	1/14/2015	1.82	0		NTU
Turbidity (field)	LGW-8R	2/11/2015	2.03	0		NTU
Turbidity (field)	LGW-8R	3/3/2015	1.43	0		NTU
Turbidity (field)	LGW-8R	4/1/2015	1.3	0		NTU
Turbidity (field)	LGW-8R	5/6/2015	2.64	0		NTU
Turbidity (field)	LGW-8R	6/3/2015	3.03	0		NTU
Turbidity (field)	LGW-8R	7/22/2015	2.55	0		NTU
Turbidity (field)	LGW-8R	8/4/2015	2.14	0		NTU
Turbidity (field)	LGW-8R	9/3/2015	4.28	0		NTU
Turbidity (field)	LGW-8R	10/6/2015	3.97	0		NTU
Turbidity (field)	LGW-8R	11/4/2015	2.1	0		NTU
Turbidity (field)	LGW-8R	12/3/2015	2.03	0		NTU
Turbidity (field)	LGW-8R	1/5/2016	2.51	0		NTU
Turbidity (field)	LGW-8R	2/3/2016	2.17	0		NTU
Turbidity (field)	LGW-8R	3/2/2016	1.64	0		NTU
Turbidity (field)	LGW-8R	4/5/2016	0.88	0		NTU
Turbidity (field)	LGW-8R	5/11/2016	0.68	0		NTU
Turbidity (field)	LGW-8R	6/1/2016	0.81	0		NTU
Turbidity (field)	LGW-8R	7/20/2016	2.13	0		NTU
Turbidity (field)	LGW-8R	8/10/2016	1.16	0		NTU
Turbidity (field)	LGW-8R	9/6/2016	1.44	0		NTU
Turbidity (field)	LGW-8R	10/6/2016	1.29	0		NTU
Turbidity (field)	LGW-8R	11/2/2016	1.81	0		NTU
Turbidity (field)	LGW-8R	12/1/2016	1.28	0		NTU
Turbidity (field)	LGW-8R	1/11/2017	2.16	0		NTU
Turbidity (field)	LGW-8R	2/7/2017	0.58	0		NTU
Turbidity (field)	LGW-8R	3/2/2017	0.81	0		NTU
Turbidity (field)	LGW-8R	4/4/2017	0.64	0		NTU
Turbidity (field)	LGW-8R	5/2/2017	0.93	0		NTU
Turbidity (field)	LGW-8R	6/6/2017	2.04	0		NTU
Turbidity (field)	LGW-8R	7/18/2017	1.08	0		NTU
Turbidity (field)	LGW-8R	8/1/2017	0.81	0		NTU
Turbidity (field)	LGW-8R	9/5/2017	1.84	0		NTU
Turbidity (field)	LGW-8R	10/5/2017	2.36	0		NTU
Turbidity (field)	LGW-8R	11/1/2017	1.86	0		NTU
Turbidity (field)	LGW-8R	1/25/2018	0.09	0.01		NTU
Turbidity (field)	LGW-8R	2/23/2018	0.3	0.01		NTU
Turbidity (field)	LGW-8R	3/19/2018	0.31	0.01		NTU
Turbidity (field)	LGW-8R	4/11/2018	0.13	0.01		NTU
Turbidity (field)	LGW-8R	6/5/2018	0.87	0		NTU
Turbidity (field)	LGW-8R	6/21/2018	0	0		NTU
Turbidity (field)	LGW-8R	7/13/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-8R	8/2/2018	1.09	0.01		NTU
Turbidity (field)	LGW-8R	9/5/2018	0.92	0		NTU
Turbidity (field)	LGW-8R	10/2/2018	0.99	0		NTU
Turbidity (field)	LGW-8R	11/7/2018	0.41	0.01		NTU
Turbidity (field)	LGW-8R	12/4/2018	0.28	0.01		NTU
Turbidity (field)	LGW-8R	1/7/2019	0.6	0.01		NTU
Turbidity (field)	LGW-8R	2/5/2019	1.18	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	3/5/2019	0.9	0.01		NTU
Turbidity (field)	LGW-8R	4/3/2019	2.12	0.01		NTU
Turbidity (field)	LGW-8R	5/1/2019	0.85	0.01		NTU
Turbidity (field)	LGW-8R	6/4/2019	0.47	0		NTU
Turbidity (field)	LGW-8R	7/8/2019	1.33	0.01		NTU
Turbidity (field)	LGW-8R	7/8/2019	1.33	0.01		NTU
Turbidity (field)	LGW-8R	8/7/2019	0.29	0.01		NTU
Turbidity (field)	LGW-8R	9/5/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-8R	10/1/2019	2.28	0.01		NTU
Turbidity (field)	LGW-8R	11/5/2019	0.72	0.01		NTU
Turbidity (field)	LGW-8R	12/4/2019	1.01	0.01		NTU
Turbidity (field)	LGW-8R	1/14/2020	0.66	0		NTU
Turbidity (field)	LGW-8R	3/3/2020	0.32	0.01		NTU
Turbidity (field)	LGW-8R	4/2/2020	4.56	0.01		NTU
Turbidity (field)	LGW-8R	5/4/2020	0.24	0.01		NTU
Turbidity (field)	LGW-8R	6/1/2020	0.47	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	7/7/2020	0	0		NTU
Turbidity (field)	LGW-8R	8/3/2020	0.01	0		NTU
Turbidity (field)	LGW-8R	9/1/2020	1.9	0.01		NTU
Turbidity (field)	LGW-8R	10/6/2020	2.21	0.01		NTU
Turbidity (field)	LGW-8R	11/2/2020	0	0		NTU
Turbidity (field)	LGW-8R	12/1/2020	0	0		NTU
Turbidity (field)	LGW-8R	1/17/2021	-13	0		NTU
Turbidity (field)	LGW-8R	2/9/2021	1.76	0		NTU
Turbidity (field)	LGW-8R	3/2/2021	0.1	0		NTU
Turbidity (field)	LGW-8R	4/7/2021	1.7	0		NTU
Turbidity (field)	LGW-8R	5/5/2021	1.9	0		NTU
Turbidity (field)	LGW-8R	6/2/2021	3.5	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	7/7/2021	6.1	0		NTU
Turbidity (field)	LGW-8R	8/3/2021	4.5	0		NTU
Turbidity (field)	LGW-8R	9/2/2021	4.3	0		NTU
Turbidity (field)	LGW-8R	10/5/2021	1.9	0		NTU
Turbidity (field)	LGW-8R	11/2/2021	1.5	0		NTU
Turbidity (field)	LGW-8R	12/9/2021	1.8	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	1/13/2022	2	0		NTU
Turbidity (field)	LGW-8R	2/10/2022	1.9	0		NTU
Turbidity (field)	LGW-8R	3/2/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	4/5/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	5/7/2022	2.8	0		NTU
Turbidity (field)	LGW-8R	6/3/2022	3.4	0		NTU
Turbidity (field)	LGW-8R	7/11/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	8/10/2022	4.6	0		NTU
Turbidity (field)	LGW-8R	9/8/2022	2	0		NTU
Turbidity (field)	LGW-8R	10/6/2022	2	0		NTU
Turbidity (field)	LGW-8R	10/6/2022	2	0		NTU
Turbidity (field)	LGW-8R	11/3/2022	2.1	0		NTU
Turbidity (field)	LGW-8R	12/7/2022	0.3	0		NTU
Turbidity (field)	LGW-8R	1/11/2023	3.4	0		NTU
Turbidity (field)	LGW-8R	2/3/2023	0.3	0		NTU
Turbidity (field)	LGW-8R	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-8R	4/6/2023	3.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-8R	5/10/2023	3.5	0		NTU
Turbidity (field)	LGW-8R	6/8/2023	3.8	0		NTU
Turbidity (field)	LGW-8R	7/10/2023	3.7	0		NTU
Turbidity (field)	LGW-8R	8/1/2023	4.1	0		NTU
Turbidity (field)	LGW-8R	9/2/2023	3	0		NTU
Turbidity (field)	LGW-8R	10/5/2023	2.5	0		NTU
Turbidity (field)	LGW-9	9/30/2005	451	0		NTU
Turbidity (field)	LGW-9	7/20/2006	220	0		NTU
Turbidity (field)	LGW-9	7/20/2006	22	0		NTU
Turbidity (field)	LGW-9	9/27/2006	83.4	0		NTU
Turbidity (field)	LGW-9	9/27/2006	83.4	0		NTU
Turbidity (field)	LGW-9	10/26/2006	25.8	0		NTU
Turbidity (field)	LGW-9	10/26/2006	25.8	0		NTU
Turbidity (field)	LGW-9	11/21/2006	29.7	0		NTU
Turbidity (field)	LGW-9	11/21/2006	29.7	0		NTU
Turbidity (field)	LGW-9	12/21/2006	1.6	0		NTU
Turbidity (field)	LGW-9	12/21/2006	1.6	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/9/2007	1.63	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	1/25/2007	3.65	0		NTU
Turbidity (field)	LGW-9	2/7/2007	3.8	0		NTU
Turbidity (field)	LGW-9	2/27/2007	3.8	0		NTU
Turbidity (field)	LGW-9	2/27/2007	3.8	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	3/26/2007	1.35	0		NTU
Turbidity (field)	LGW-9	4/25/2007	1.74	0		NTU
Turbidity (field)	LGW-9	4/26/2007	1.74	0		NTU
Turbidity (field)	LGW-9	5/31/2007	2.07	0		NTU
Turbidity (field)	LGW-9	6/1/2007	2.07	0		NTU
Turbidity (field)	LGW-9	6/28/2007	1.02	0		NTU
Turbidity (field)	LGW-9	6/28/2007	1.02	0		NTU
Turbidity (field)	LGW-9	7/10/2007	1.26	0		NTU
Turbidity (field)	LGW-9	7/10/2007	1.26	0		NTU
Turbidity (field)	LGW-9	8/28/2007	0.94	0		NTU
Turbidity (field)	LGW-9	8/28/2007	0.94	0		NTU
Turbidity (field)	LGW-9	10/23/2007	0.54	0		NTU
Turbidity (field)	LGW-9	11/28/2007	0.41	0		NTU
Turbidity (field)	LGW-9	12/27/2007	0.79	0		NTU
Turbidity (field)	LGW-9	1/25/2008	1.83	0		NTU
Turbidity (field)	LGW-9	2/28/2008	0.59	0		NTU
Turbidity (field)	LGW-9	3/25/2008	0.75	0		NTU
Turbidity (field)	LGW-9	5/3/2008	4.69	0		NTU
Turbidity (field)	LGW-9	5/30/2008	4.27	0		NTU
Turbidity (field)	LGW-9	6/25/2008	3.48	0		NTU
Turbidity (field)	LGW-9	7/22/2008	3.44	0		NTU
Turbidity (field)	LGW-9	8/29/2008	2.18	0		NTU
Turbidity (field)	LGW-9	9/26/2008	4.91	0		NTU
Turbidity (field)	LGW-9	9/26/2008	4.91	0		NTU
Turbidity (field)	LGW-9	10/22/2008	1.54	0		NTU
Turbidity (field)	LGW-9	11/24/2008	2.75	0		NTU
Turbidity (field)	LGW-9	12/19/2008	1.35	0		NTU
Turbidity (field)	LGW-9	2/4/2009	1.19	0		NTU
Turbidity (field)	LGW-9	3/26/2009	1.31	0		NTU
Turbidity (field)	LGW-9	4/15/2009	3.01	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	5/28/2009	1.32	0		NTU
Turbidity (field)	LGW-9	6/24/2009	1.24	0		NTU
Turbidity (field)	LGW-9	7/29/2009	1.66	0		NTU
Turbidity (field)	LGW-9	8/28/2009	2.59	0		NTU
Turbidity (field)	LGW-9	9/29/2009	1.88	0		NTU
Turbidity (field)	LGW-9	10/22/2009	1.65	0		NTU
Turbidity (field)	LGW-9	11/24/2009	1.53	0		NTU
Turbidity (field)	LGW-9	12/17/2009	1.44	0		NTU
Turbidity (field)	LGW-9	1/27/2010	0.81	0		NTU
Turbidity (field)	LGW-9	2/15/2010	1.91	0		NTU
Turbidity (field)	LGW-9	3/3/2010	3.21	0		NTU
Turbidity (field)	LGW-9	4/8/2010	2.71	0		NTU
Turbidity (field)	LGW-9	5/6/2010	3.63	0		NTU
Turbidity (field)	LGW-9	6/16/2010	0.32	0		NTU
Turbidity (field)	LGW-9	7/14/2010	3.95	0		NTU
Turbidity (field)	LGW-9	8/11/2010	1.29	0		NTU
Turbidity (field)	LGW-9	9/1/2010	1.47	0		NTU
Turbidity (field)	LGW-9	9/29/2010	0.74	0		NTU
Turbidity (field)	LGW-9	11/3/2010	0.87	0		NTU
Turbidity (field)	LGW-9	12/2/2010	0.35	0		NTU
Turbidity (field)	LGW-9	1/20/2011	0.26	0		NTU
Turbidity (field)	LGW-9	2/7/2011	0.6	0		NTU
Turbidity (field)	LGW-9	3/3/2011	2.76	0		NTU
Turbidity (field)	LGW-9	4/5/2011	0.48	0		NTU
Turbidity (field)	LGW-9	5/10/2011	0.33	0		NTU
Turbidity (field)	LGW-9	6/1/2011	0.39	0		NTU
Turbidity (field)	LGW-9	7/12/2011	0.27	0		NTU
Turbidity (field)	LGW-9	8/4/2011	0.68	0		NTU
Turbidity (field)	LGW-9	9/7/2011	0.6	0		NTU
Turbidity (field)	LGW-9	10/5/2011	1.15	0		NTU
Turbidity (field)	LGW-9	11/1/2011	0.07	0		NTU
Turbidity (field)	LGW-9	12/8/2011	0.49	0		NTU
Turbidity (field)	LGW-9	1/5/2012	0.59	0		NTU
Turbidity (field)	LGW-9	2/1/2012	3.12	0		NTU
Turbidity (field)	LGW-9	3/7/2012	0.55	0		NTU
Turbidity (field)	LGW-9	4/5/2012	0.18	0		NTU
Turbidity (field)	LGW-9	5/1/2012	0.62	0		NTU
Turbidity (field)	LGW-9	6/5/2012	0.29	0		NTU
Turbidity (field)	LGW-9	7/10/2012	0.56	0		NTU
Turbidity (field)	LGW-9	8/9/2012	0.6	0		NTU
Turbidity (field)	LGW-9	9/4/2012	0.7	0		NTU
Turbidity (field)	LGW-9	10/7/2012	12.1	0		NTU
Turbidity (field)	LGW-9	5/1/2013	22.4	0		NTU
Turbidity (field)	LGW-9	6/4/2013	3.74	0		NTU
Turbidity (field)	LGW-9	7/15/2013	2.08	0		NTU
Turbidity (field)	LGW-9	8/8/2013	2.97	0		NTU
Turbidity (field)	LGW-9	9/10/2013	1.21	0		NTU
Turbidity (field)	LGW-9	10/1/2013	0.76	0		NTU
Turbidity (field)	LGW-9	11/6/2013	1.11	0		NTU
Turbidity (field)	LGW-9	12/2/2013	1	0		NTU
Turbidity (field)	LGW-9	1/23/2014	1.3	0		NTU
Turbidity (field)	LGW-9	2/13/2014	0.54	0		NTU
Turbidity (field)	LGW-9	3/11/2014	6.46	0		NTU
Turbidity (field)	LGW-9	4/2/2014	0.76	0		NTU
Turbidity (field)	LGW-9	5/7/2014	1.13	0		NTU
Turbidity (field)	LGW-9	6/3/2014	0.61	0		NTU
Turbidity (field)	LGW-9	7/8/2014	1.58	0		NTU
Turbidity (field)	LGW-9	8/5/2014	0.86	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	9/4/2014	0.79	0		NTU
Turbidity (field)	LGW-9	10/9/2014	0.58	0		NTU
Turbidity (field)	LGW-9	11/3/2014	0.14	0		NTU
Turbidity (field)	LGW-9	1/14/2015	1.87	0		NTU
Turbidity (field)	LGW-9	2/11/2015	1.6	0		NTU
Turbidity (field)	LGW-9	3/3/2015	2.27	0		NTU
Turbidity (field)	LGW-9	4/1/2015	1.17	0		NTU
Turbidity (field)	LGW-9	5/7/2015	2.79	0		NTU
Turbidity (field)	LGW-9	6/3/2015	1.64	0		NTU
Turbidity (field)	LGW-9	7/13/2015	2.02	0		NTU
Turbidity (field)	LGW-9	8/4/2015	1.63	0		NTU
Turbidity (field)	LGW-9	9/3/2015	1.83	0		NTU
Turbidity (field)	LGW-9	10/6/2015	2.93	0		NTU
Turbidity (field)	LGW-9	11/4/2015	1.37	0		NTU
Turbidity (field)	LGW-9	12/3/2015	1.73	0		NTU
Turbidity (field)	LGW-9	1/5/2016	1.47	0		NTU
Turbidity (field)	LGW-9	2/3/2016	1.88	0		NTU
Turbidity (field)	LGW-9	3/2/2016	1.15	0		NTU
Turbidity (field)	LGW-9	4/5/2016	2.66	0		NTU
Turbidity (field)	LGW-9	5/11/2016	0.47	0		NTU
Turbidity (field)	LGW-9	6/1/2016	0.63	0		NTU
Turbidity (field)	LGW-9	7/21/2016	1.31	0		NTU
Turbidity (field)	LGW-9	8/10/2016	0.84	0		NTU
Turbidity (field)	LGW-9	9/6/2016	0.87	0		NTU
Turbidity (field)	LGW-9	9/6/2016	0.87	0		NTU
Turbidity (field)	LGW-9	10/6/2016	0.94	0		NTU
Turbidity (field)	LGW-9	11/2/2016	0.93	0		NTU
Turbidity (field)	LGW-9	12/1/2016	0.89	0		NTU
Turbidity (field)	LGW-9	1/11/2017	0.82	0		NTU
Turbidity (field)	LGW-9	2/7/2017	0.73	0		NTU
Turbidity (field)	LGW-9	3/2/2017	0.73	0		NTU
Turbidity (field)	LGW-9	4/4/2017	0.54	0		NTU
Turbidity (field)	LGW-9	5/5/2017	1.07	0		NTU
Turbidity (field)	LGW-9	5/16/2017	1.13	0		NTU
Turbidity (field)	LGW-9	6/6/2017	0.91	0		NTU
Turbidity (field)	LGW-9	7/18/2017	0.68	0		NTU
Turbidity (field)	LGW-9	8/1/2017	0.93	0		NTU
Turbidity (field)	LGW-9	9/5/2017	1.35	0		NTU
Turbidity (field)	LGW-9	10/5/2017	1.99	0		NTU
Turbidity (field)	LGW-9	11/1/2017	2.49	0		NTU
Turbidity (field)	LGW-9	1/24/2018	1.06	0.01		NTU
Turbidity (field)	LGW-9	2/22/2018	0.3	0.01		NTU
Turbidity (field)	LGW-9	3/20/2018	0.32	0.01		NTU
Turbidity (field)	LGW-9	4/11/2018	0.21	0.01		NTU
Turbidity (field)	LGW-9	4/11/2018	0.21	0.01		NTU
Turbidity (field)	LGW-9	6/5/2018	0.63	0		NTU
Turbidity (field)	LGW-9	6/5/2018	0.63	0		NTU
Turbidity (field)	LGW-9	7/13/2018	0	0.01	ND	NTU
Turbidity (field)	LGW-9	8/2/2018	0.41	0.01		NTU
Turbidity (field)	LGW-9	9/5/2018	0	0		NTU
Turbidity (field)	LGW-9	10/2/2018	1.52	0		NTU
Turbidity (field)	LGW-9	10/2/2018	1.52	0		NTU
Turbidity (field)	LGW-9	11/6/2018	0.26	0.01		NTU
Turbidity (field)	LGW-9	12/4/2018	0.45	0.01		NTU
Turbidity (field)	LGW-9	1/7/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-9	2/6/2019	1.81	0		NTU
Turbidity (field)	LGW-9	3/5/2019	0.1	0.01		NTU
Turbidity (field)	LGW-9	4/3/2019	0.83	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	4/3/2019	0.83	0.01		NTU
Turbidity (field)	LGW-9	5/3/2019	1.41	0.01		NTU
Turbidity (field)	LGW-9	6/4/2019	0.56	0		NTU
Turbidity (field)	LGW-9	7/10/2019	5.1	0		NTU
Turbidity (field)	LGW-9	7/10/2019	5.1	0.01		NTU
Turbidity (field)	LGW-9	8/8/2019	0	0.01		NTU
Turbidity (field)	LGW-9	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	LGW-9	10/3/2019	0.75	0.01		NTU
Turbidity (field)	LGW-9	10/3/2019	0.75	0.01		NTU
Turbidity (field)	LGW-9	11/6/2019	0.72	0.01		NTU
Turbidity (field)	LGW-9	12/3/2019	2.46	0.01		NTU
Turbidity (field)	LGW-9	1/16/2020	0	0		NTU
Turbidity (field)	LGW-9	3/4/2020	0.4	0.01		NTU
Turbidity (field)	LGW-9	4/2/2020	1.5	0.01		NTU
Turbidity (field)	LGW-9	4/2/2020	1.5	0.01		NTU
Turbidity (field)	LGW-9	5/5/2020	0.36	0.01		NTU
Turbidity (field)	LGW-9	6/2/2020	0.66	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	7/9/2020	2.94	0		NTU
Turbidity (field)	LGW-9	8/3/2020	0.61	0		NTU
Turbidity (field)	LGW-9	9/2/2020	0.78	0.01		NTU
Turbidity (field)	LGW-9	10/7/2020	0.01	0.01		NTU
Turbidity (field)	LGW-9	10/7/2020	0.01	0.01		NTU
Turbidity (field)	LGW-9	11/3/2020	0.23	0		NTU
Turbidity (field)	LGW-9	12/2/2020	0	0		NTU
Turbidity (field)	LGW-9	1/17/2021	-11.9	0		NTU
Turbidity (field)	LGW-9	2/9/2021	1.34	0		NTU
Turbidity (field)	LGW-9	3/2/2021	0.5	0		NTU
Turbidity (field)	LGW-9	4/6/2021	2.6	0		NTU
Turbidity (field)	LGW-9	4/6/2021	2.6	0		NTU
Turbidity (field)	LGW-9	5/5/2021	2.1	0		NTU
Turbidity (field)	LGW-9	6/2/2021	3.4	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	7/7/2021	7	0		NTU
Turbidity (field)	LGW-9	8/4/2021	5.5	0		NTU
Turbidity (field)	LGW-9	9/2/2021	5.1	0		NTU
Turbidity (field)	LGW-9	10/5/2021	4.2	0		NTU
Turbidity (field)	LGW-9	10/5/2021	4.2	0		NTU
Turbidity (field)	LGW-9	11/2/2021	1.9	0		NTU
Turbidity (field)	LGW-9	12/9/2021	2.5	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	1/13/2022	2.4	0		NTU
Turbidity (field)	LGW-9	2/10/2022	2.5	0		NTU
Turbidity (field)	LGW-9	3/2/2022	3.8	0		NTU
Turbidity (field)	LGW-9	4/4/2022	2.7	0		NTU
Turbidity (field)	LGW-9	4/4/2022	2.7	0		NTU
Turbidity (field)	LGW-9	5/7/2022	3.1	0		NTU
Turbidity (field)	LGW-9	6/3/2022	3.9	0		NTU
Turbidity (field)	LGW-9	7/11/2022	2.3	0		NTU
Turbidity (field)	LGW-9	8/10/2022	4.8	0		NTU
Turbidity (field)	LGW-9	9/8/2022	2	0		NTU
Turbidity (field)	LGW-9	10/7/2022	2.1	0		NTU
Turbidity (field)	LGW-9	10/7/2022	2.1	0		NTU
Turbidity (field)	LGW-9	11/3/2022	2.4	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	LGW-9	12/7/2022	0.2	0		NTU
Turbidity (field)	LGW-9	1/11/2023	3.8	0		NTU
Turbidity (field)	LGW-9	2/3/2023	0.2	0		NTU
Turbidity (field)	LGW-9	3/1/2023	2.4	0		NTU
Turbidity (field)	LGW-9	4/5/2023	8.6	0		NTU
Turbidity (field)	LGW-9	5/10/2023	3.7	0		NTU
Turbidity (field)	LGW-9	6/8/2023	3.8	0		NTU
Turbidity (field)	LGW-9	7/10/2023	3.9	0		NTU
Turbidity (field)	LGW-9	8/1/2023	3.9	0		NTU
Turbidity (field)	LGW-9	9/2/2023	3.4	0		NTU
Turbidity (field)	LGW-9	10/5/2023	2.8	0		NTU
Turbidity (field)	MW-10N	1/18/2006	11.7	0		NTU
Turbidity (field)	MW-10N	7/19/2006	2.45	0		NTU
Turbidity (field)	MW-10N	7/19/2006	2.45	0		NTU
Turbidity (field)	MW-10N	10/24/2006	2.03	0		NTU
Turbidity (field)	MW-10N	10/24/2006	2.03	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.54	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.54	0		NTU
Turbidity (field)	MW-10N	1/9/2007	1.59	0		NTU
Turbidity (field)	MW-10N	1/23/2007	55.2	0		NTU
Turbidity (field)	MW-10N	1/23/2007	55.2	0		NTU
Turbidity (field)	MW-10N	7/10/2007	4.47	0		NTU
Turbidity (field)	MW-10N	7/10/2007	4.47	0		NTU
Turbidity (field)	MW-10N	1/23/2008	2.01	0		NTU
Turbidity (field)	MW-10N	7/21/2008	2.96	0		NTU
Turbidity (field)	MW-10N	2/13/2009	46	0		NTU
Turbidity (field)	MW-10N	7/31/2009	2.6	0		NTU
Turbidity (field)	MW-10N	1/27/2010	12	0		NTU
Turbidity (field)	MW-10N	8/10/2010	1.22	0		NTU
Turbidity (field)	MW-10N	1/19/2011	1.61	0		NTU
Turbidity (field)	MW-10N	7/14/2011	1.4	0		NTU
Turbidity (field)	MW-10N	1/5/2012	0.8	0		NTU
Turbidity (field)	MW-10N	7/10/2012	3.1	0		NTU
Turbidity (field)	MW-10N	5/1/2013	0.83	0		NTU
Turbidity (field)	MW-10N	1/24/2014	2.1	0		NTU
Turbidity (field)	MW-10N	7/9/2014	5.32	0		NTU
Turbidity (field)	MW-10N	2/12/2015	1.54	0		NTU
Turbidity (field)	MW-10N	7/14/2015	2.13	0		NTU
Turbidity (field)	MW-10N	1/6/2016	1.63	0		NTU
Turbidity (field)	MW-10N	7/21/2016	2.37	0		NTU
Turbidity (field)	MW-10N	1/11/2017	0.53	0		NTU
Turbidity (field)	MW-10N	7/19/2017	1.21	0		NTU
Turbidity (field)	MW-10N	1/24/2018	0.76	0.01		NTU
Turbidity (field)	MW-10N	7/11/2018	0.01	0.01		NTU
Turbidity (field)	MW-10N	1/3/2019	0.9	0.01		NTU
Turbidity (field)	MW-10N	7/9/2019	2.8	0.01		NTU
Turbidity (field)	MW-10N	1/16/2020	3.8	0		NTU
Turbidity (field)	MW-10N	7/8/2020	0.39	0		NTU
Turbidity (field)	MW-10N	7/8/2020	0.39	0		NTU
Turbidity (field)	MW-10N	7/5/2021	8.2	0		NTU
Turbidity (field)	MW-10N	7/5/2021	8.2	0		NTU
Turbidity (field)	MW-10N	1/11/2023	9.1	0		NTU
Turbidity (field)	MW-10N	4/8/2023	3.8	0		NTU
Turbidity (field)	MW-10N	7/7/2023	4.4	0		NTU
Turbidity (field)	MW-11N	1/18/2006	2.52	0		NTU
Turbidity (field)	MW-11N	7/18/2006	0.84	0		NTU
Turbidity (field)	MW-11N	7/18/2006	0.84	0		NTU
Turbidity (field)	MW-11N	10/24/2006	1.18	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-11N	10/24/2006	1.18	0		NTU
Turbidity (field)	MW-11N	1/8/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/8/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/9/2007	6.63	0		NTU
Turbidity (field)	MW-11N	1/23/2007	3.73	0		NTU
Turbidity (field)	MW-11N	1/23/2007	3.73	0		NTU
Turbidity (field)	MW-11N	7/10/2007	2.23	0		NTU
Turbidity (field)	MW-11N	7/10/2007	2.23	0		NTU
Turbidity (field)	MW-11N	1/22/2008	1.22	0		NTU
Turbidity (field)	MW-11N	7/23/2008	1.53	0		NTU
Turbidity (field)	MW-11N	2/3/2009	0.39	0		NTU
Turbidity (field)	MW-11N	7/31/2009	1.61	0		NTU
Turbidity (field)	MW-11N	2/3/2010	1.46	0		NTU
Turbidity (field)	MW-11N	2/3/2010	1.46	0		NTU
Turbidity (field)	MW-11N	7/16/2010	0.75	0		NTU
Turbidity (field)	MW-11N	1/19/2011	0.12	0		NTU
Turbidity (field)	MW-11N	7/13/2011	0.48	0		NTU
Turbidity (field)	MW-11N	1/4/2012	1.29	0		NTU
Turbidity (field)	MW-11N	7/9/2012	0.64	0		NTU
Turbidity (field)	MW-11N	4/30/2013	9.8	0		NTU
Turbidity (field)	MW-11N	7/15/2013	0.61	0		NTU
Turbidity (field)	MW-11N	1/23/2014	5.65	0		NTU
Turbidity (field)	MW-11N	7/8/2014	1.13	0		NTU
Turbidity (field)	MW-11N	2/10/2015	0.45	0		NTU
Turbidity (field)	MW-11N	7/13/2015	0.36	0		NTU
Turbidity (field)	MW-11N	1/5/2016	0.96	0		NTU
Turbidity (field)	MW-11N	7/21/2016	0.87	0		NTU
Turbidity (field)	MW-11N	1/11/2017	0.45	0		NTU
Turbidity (field)	MW-11N	7/19/2017	1.65	0		NTU
Turbidity (field)	MW-11N	1/23/2018	0.2	0.01		NTU
Turbidity (field)	MW-11N	7/17/2018	0.69	0.01		NTU
Turbidity (field)	MW-11N	1/2/2019	0.5	0.01		NTU
Turbidity (field)	MW-11N	7/9/2019	4.97	0.01		NTU
Turbidity (field)	MW-11N	1/14/2020	1.39	0		NTU
Turbidity (field)	MW-11N	7/6/2020	0	0		NTU
Turbidity (field)	MW-11N	7/6/2020	0	0		NTU
Turbidity (field)	MW-11N	1/18/2021	-13.2	0		NTU
Turbidity (field)	MW-11N	7/6/2021	3.7	0		NTU
Turbidity (field)	MW-11N	7/6/2021	3.7	0		NTU
Turbidity (field)	MW-11N	1/18/2022	2	0		NTU
Turbidity (field)	MW-11N	1/18/2022	2	0		NTU
Turbidity (field)	MW-11N	7/13/2022	4.5	0		NTU
Turbidity (field)	MW-11N	10/6/2022	2.1	0		NTU
Turbidity (field)	MW-11N	1/10/2023	2.7	0		NTU
Turbidity (field)	MW-11N	7/8/2023	5	0		NTU
Turbidity (field)	MW-15	6/2/2015	9.7	0		NTU
Turbidity (field)	MW-15	6/5/2015	6.53	0		NTU
Turbidity (field)	MW-15	7/15/2015	8.76	0		NTU
Turbidity (field)	MW-15	8/5/2015	12.3	0		NTU
Turbidity (field)	MW-15	9/3/2015	6.41	0		NTU
Turbidity (field)	MW-15	10/6/2015	7.19	0		NTU
Turbidity (field)	MW-15	11/5/2015	9.61	0		NTU
Turbidity (field)	MW-15	12/4/2015	7.28	0		NTU
Turbidity (field)	MW-15	1/7/2016	12.4	0		NTU
Turbidity (field)	MW-15	2/4/2016	34.9	0		NTU
Turbidity (field)	MW-15	3/2/2016	15.2	0		NTU
Turbidity (field)	MW-15	4/5/2016	8.31	0		NTU
Turbidity (field)	MW-15	5/11/2016	9.5	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-15	6/1/2016	9.8	0		NTU
Turbidity (field)	MW-15	7/20/2016	10.2	0		NTU
Turbidity (field)	MW-15	8/10/2016	10.2	0		NTU
Turbidity (field)	MW-15	9/6/2016	10.3	0		NTU
Turbidity (field)	MW-15	10/6/2016	8.71	0		NTU
Turbidity (field)	MW-15	11/2/2016	9.86	0		NTU
Turbidity (field)	MW-15	12/1/2016	8.88	0		NTU
Turbidity (field)	MW-15	1/10/2017	4.27	0		NTU
Turbidity (field)	MW-15	2/7/2017	11.6	0		NTU
Turbidity (field)	MW-15	3/2/2017	8.55	0		NTU
Turbidity (field)	MW-15	4/4/2017	6.54	0		NTU
Turbidity (field)	MW-15	5/2/2017	4.37	0		NTU
Turbidity (field)	MW-15	6/6/2017	4.66	0		NTU
Turbidity (field)	MW-15	7/18/2017	5.61	0		NTU
Turbidity (field)	MW-15	8/1/2017	2.36	0		NTU
Turbidity (field)	MW-15	9/5/2017	5.37	0		NTU
Turbidity (field)	MW-15	10/6/2017	3.88	0		NTU
Turbidity (field)	MW-15	11/1/2017	5.69	0		NTU
Turbidity (field)	MW-15	1/23/2018	0.12	0.01		NTU
Turbidity (field)	MW-15	2/22/2018	0.93	0.01		NTU
Turbidity (field)	MW-15	3/21/2018	1.75	0.01		NTU
Turbidity (field)	MW-15	4/10/2018	3.08	0.01		NTU
Turbidity (field)	MW-15	6/5/2018	1.13	0		NTU
Turbidity (field)	MW-15	7/10/2018	0.27	0.01		NTU
Turbidity (field)	MW-15	8/1/2018	0.54	0.01		NTU
Turbidity (field)	MW-15	9/4/2018	1.25	0		NTU
Turbidity (field)	MW-15	10/2/2018	0.69	0		NTU
Turbidity (field)	MW-15	10/2/2018	0.69	0		NTU
Turbidity (field)	MW-15	11/6/2018	0.41	0.01		NTU
Turbidity (field)	MW-15	12/5/2018	1.22	0.01		NTU
Turbidity (field)	MW-15	1/3/2019	1.22	0.01		NTU
Turbidity (field)	MW-15	2/5/2019	0.56	0		NTU
Turbidity (field)	MW-15	3/6/2019	1.3	0.01		NTU
Turbidity (field)	MW-15	4/3/2019	1.94	0.01		NTU
Turbidity (field)	MW-15	5/2/2019	0.34	0.01		NTU
Turbidity (field)	MW-15	6/4/2019	1.26	0		NTU
Turbidity (field)	MW-15	7/9/2019	7.8	0.01		NTU
Turbidity (field)	MW-15	7/9/2019	7.8	0.01		NTU
Turbidity (field)	MW-15	8/6/2019	1.78	0.01		NTU
Turbidity (field)	MW-15	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-15	10/1/2019	1.07	0.01		NTU
Turbidity (field)	MW-15	11/5/2019	8.71	0.01		NTU
Turbidity (field)	MW-15	12/3/2019	2.17	0.01		NTU
Turbidity (field)	MW-15	1/14/2020	7.44	0		NTU
Turbidity (field)	MW-15	3/3/2020	1.77	0.01		NTU
Turbidity (field)	MW-15	4/1/2020	3.59	0.01		NTU
Turbidity (field)	MW-15	5/4/2020	308	0.01		NTU
Turbidity (field)	MW-15	6/2/2020	4.81	0		NTU
Turbidity (field)	MW-15	7/7/2020	6.62	0		NTU
Turbidity (field)	MW-15	7/7/2020	6.62	0		NTU
Turbidity (field)	MW-15	8/3/2020	2.73	0		NTU
Turbidity (field)	MW-15	8/3/2020	2.73	0		NTU
Turbidity (field)	MW-15	10/6/2020	1.34	0.01		NTU
Turbidity (field)	MW-15	11/4/2020	2.51	0		NTU
Turbidity (field)	MW-15	12/2/2020	6.77	0		NTU
Turbidity (field)	MW-15	1/18/2021	-10.6	0		NTU
Turbidity (field)	MW-15	1/18/2021	-10.6	0		NTU
Turbidity (field)	MW-15	2/10/2021	4.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-15	3/2/2021	1.8	0		NTU
Turbidity (field)	MW-15	4/7/2021	2.5	0		NTU
Turbidity (field)	MW-15	5/4/2021	14.1	0		NTU
Turbidity (field)	MW-15	6/1/2021	3.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	7/4/2021	7.4	0		NTU
Turbidity (field)	MW-15	8/3/2021	10.1	0		NTU
Turbidity (field)	MW-15	9/2/2021	5.8	0		NTU
Turbidity (field)	MW-15	10/5/2021	3	0		NTU
Turbidity (field)	MW-15	10/5/2021	3	0		NTU
Turbidity (field)	MW-15	11/1/2021	3	0		NTU
Turbidity (field)	MW-15	12/8/2021	2.9	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	1/12/2022	2.7	0		NTU
Turbidity (field)	MW-15	2/9/2022	3.2	0		NTU
Turbidity (field)	MW-15	3/1/2022	2.5	0		NTU
Turbidity (field)	MW-15	4/5/2022	2.3	0		NTU
Turbidity (field)	MW-15	5/7/2022	10.2	0		NTU
Turbidity (field)	MW-15	6/3/2022	4.5	0		NTU
Turbidity (field)	MW-15	7/10/2022	3.5	0		NTU
Turbidity (field)	MW-15	8/10/2022	8.1	0		NTU
Turbidity (field)	MW-15	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-15	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-15	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-15	11/3/2022	2.4	0		NTU
Turbidity (field)	MW-15	12/7/2022	0.6	0		NTU
Turbidity (field)	MW-15	1/10/2023	2.8	0		NTU
Turbidity (field)	MW-15	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-15	3/1/2023	2.7	0		NTU
Turbidity (field)	MW-15	4/5/2023	7	0		NTU
Turbidity (field)	MW-15	5/11/2023	2.8	0		NTU
Turbidity (field)	MW-15	6/8/2023	4.9	0		NTU
Turbidity (field)	MW-15	7/10/2023	4.2	0		NTU
Turbidity (field)	MW-15	8/1/2023	6.9	0		NTU
Turbidity (field)	MW-15	9/1/2023	2.9	0		NTU
Turbidity (field)	MW-15	10/4/2023	2	0		NTU
Turbidity (field)	MW-16	6/2/2015	10.3	0		NTU
Turbidity (field)	MW-16	6/5/2015	7.42	0		NTU
Turbidity (field)	MW-16	7/16/2015	8.63	0		NTU
Turbidity (field)	MW-16	8/5/2015	10.3	0		NTU
Turbidity (field)	MW-16	9/3/2015	9.1	0		NTU
Turbidity (field)	MW-16	10/6/2015	14	0		NTU
Turbidity (field)	MW-16	11/5/2015	10.3	0		NTU
Turbidity (field)	MW-16	12/4/2015	9.2	0		NTU
Turbidity (field)	MW-16	1/8/2016	15.2	0		NTU
Turbidity (field)	MW-16	2/4/2016	22.2	0		NTU
Turbidity (field)	MW-16	3/2/2016	12.3	0		NTU
Turbidity (field)	MW-16	4/5/2016	7.66	0		NTU
Turbidity (field)	MW-16	5/11/2016	23.3	0		NTU
Turbidity (field)	MW-16	6/2/2016	25.6	0		NTU
Turbidity (field)	MW-16	7/21/2016	20.7	0		NTU
Turbidity (field)	MW-16	8/10/2016	12.2	0		NTU
Turbidity (field)	MW-16	9/6/2016	15.2	0		NTU
Turbidity (field)	MW-16	10/5/2016	7.56	0		NTU
Turbidity (field)	MW-16	11/2/2016	12.4	0		NTU
Turbidity (field)	MW-16	12/1/2016	10.1	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-16	1/10/2017	8.74	0		NTU
Turbidity (field)	MW-16	2/7/2017	4.21	0		NTU
Turbidity (field)	MW-16	3/2/2017	4.39	0		NTU
Turbidity (field)	MW-16	4/4/2017	1.21	0		NTU
Turbidity (field)	MW-16	5/2/2017	1.12	0		NTU
Turbidity (field)	MW-16	6/6/2017	0.91	0		NTU
Turbidity (field)	MW-16	7/18/2017	5.61	0		NTU
Turbidity (field)	MW-16	8/1/2017	1.81	0		NTU
Turbidity (field)	MW-16	9/5/2017	2.13	0		NTU
Turbidity (field)	MW-16	10/6/2017	2.79	0		NTU
Turbidity (field)	MW-16	11/1/2017	2.88	0		NTU
Turbidity (field)	MW-16	1/23/2018	6.03	0.01		NTU
Turbidity (field)	MW-16	2/22/2018	0.86	0.01		NTU
Turbidity (field)	MW-16	3/21/2018	0.36	0.01		NTU
Turbidity (field)	MW-16	4/10/2018	0.32	0.01		NTU
Turbidity (field)	MW-16	6/5/2018	1.31	0		NTU
Turbidity (field)	MW-16	7/11/2018	0.41	0.01		NTU
Turbidity (field)	MW-16	8/1/2018	0.62	0.01		NTU
Turbidity (field)	MW-16	9/5/2018	1.58	0		NTU
Turbidity (field)	MW-16	10/2/2018	0.37	0		NTU
Turbidity (field)	MW-16	11/6/2018	0.77	0.01		NTU
Turbidity (field)	MW-16	12/5/2018	0.48	0.01		NTU
Turbidity (field)	MW-16	1/2/2019	0.19	0.01		NTU
Turbidity (field)	MW-16	2/5/2019	1.86	0		NTU
Turbidity (field)	MW-16	3/6/2019	0.1	0.01		NTU
Turbidity (field)	MW-16	4/3/2019	39.6	0.01		NTU
Turbidity (field)	MW-16	5/2/2019	2.07	0.01		NTU
Turbidity (field)	MW-16	6/4/2019	1.1	0		NTU
Turbidity (field)	MW-16	7/10/2019	5.2	0.01		NTU
Turbidity (field)	MW-16	7/10/2019	5.2	0.01		NTU
Turbidity (field)	MW-16	8/6/2019	2.33	0.01		NTU
Turbidity (field)	MW-16	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-16	10/1/2019	3.92	0.01		NTU
Turbidity (field)	MW-16	11/5/2019	1.03	0.01		NTU
Turbidity (field)	MW-16	12/3/2019	4.43	0.01		NTU
Turbidity (field)	MW-16	1/14/2020	8.91	0		NTU
Turbidity (field)	MW-16	3/3/2020	1.71	0.01		NTU
Turbidity (field)	MW-16	4/1/2020	1.13	0.01		NTU
Turbidity (field)	MW-16	5/4/2020	0.8	0.01		NTU
Turbidity (field)	MW-16	6/3/2020	0.86	0		NTU
Turbidity (field)	MW-16	7/7/2020	2.01	0		NTU
Turbidity (field)	MW-16	7/7/2020	2.01	0		NTU
Turbidity (field)	MW-16	8/3/2020	0.46	0		NTU
Turbidity (field)	MW-16	8/3/2020	0.46	0		NTU
Turbidity (field)	MW-16	9/3/2020	0.94	0.01		NTU
Turbidity (field)	MW-16	11/4/2020	1.62	0		NTU
Turbidity (field)	MW-16	12/3/2020	0.28	0		NTU
Turbidity (field)	MW-16	1/18/2021	-12.9	0		NTU
Turbidity (field)	MW-16	1/18/2021	-12.9	0		NTU
Turbidity (field)	MW-16	2/10/2021	1.8	0		NTU
Turbidity (field)	MW-16	3/2/2021	0.6	0		NTU
Turbidity (field)	MW-16	4/7/2021	2.3	0		NTU
Turbidity (field)	MW-16	5/4/2021	2.7	0		NTU
Turbidity (field)	MW-16	6/1/2021	2.6	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	7/4/2021	6.2	0		NTU
Turbidity (field)	MW-16	8/3/2021	4.8	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-16	9/2/2021	4.9	0		NTU
Turbidity (field)	MW-16	10/5/2021	2	0		NTU
Turbidity (field)	MW-16	11/1/2021	2.7	0		NTU
Turbidity (field)	MW-16	12/8/2021	2.7	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	1/12/2022	2.4	0		NTU
Turbidity (field)	MW-16	2/9/2022	2.7	0		NTU
Turbidity (field)	MW-16	3/1/2022	2.7	0		NTU
Turbidity (field)	MW-16	4/5/2022	1.9	0		NTU
Turbidity (field)	MW-16	5/7/2022	3.4	0		NTU
Turbidity (field)	MW-16	6/3/2022	4.3	0		NTU
Turbidity (field)	MW-16	7/10/2022	3.5	0		NTU
Turbidity (field)	MW-16	8/10/2022	7.4	0		NTU
Turbidity (field)	MW-16	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-16	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-16	11/3/2022	2.4	0		NTU
Turbidity (field)	MW-16	12/7/2022	0.4	0		NTU
Turbidity (field)	MW-16	1/10/2023	2.7	0		NTU
Turbidity (field)	MW-16	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-16	3/1/2023	2.6	0		NTU
Turbidity (field)	MW-16	4/5/2023	7.2	0		NTU
Turbidity (field)	MW-16	5/11/2023	3.4	0		NTU
Turbidity (field)	MW-16	6/8/2023	4.3	0		NTU
Turbidity (field)	MW-16	7/10/2023	4	0		NTU
Turbidity (field)	MW-16	8/1/2023	4.2	0		NTU
Turbidity (field)	MW-16	9/1/2023	2.5	0		NTU
Turbidity (field)	MW-16	10/4/2023	2	0		NTU
Turbidity (field)	MW-17	6/2/2015	8.76	0		NTU
Turbidity (field)	MW-17	6/5/2015	8.44	0		NTU
Turbidity (field)	MW-17	7/15/2015	9.72	0		NTU
Turbidity (field)	MW-17	8/4/2015	9.8	0		NTU
Turbidity (field)	MW-17	9/2/2015	6.82	0		NTU
Turbidity (field)	MW-17	10/5/2015	8.68	0		NTU
Turbidity (field)	MW-17	11/5/2015	7.86	0		NTU
Turbidity (field)	MW-17	12/3/2015	8.46	0		NTU
Turbidity (field)	MW-17	1/7/2016	11.3	0		NTU
Turbidity (field)	MW-17	2/3/2016	9.33	0		NTU
Turbidity (field)	MW-17	3/2/2016	10.8	0		NTU
Turbidity (field)	MW-17	4/5/2016	10.1	0		NTU
Turbidity (field)	MW-17	5/12/2016	10.4	0		NTU
Turbidity (field)	MW-17	6/1/2016	12.3	0		NTU
Turbidity (field)	MW-17	7/20/2016	10.6	0		NTU
Turbidity (field)	MW-17	8/11/2016	13	0		NTU
Turbidity (field)	MW-17	9/6/2016	11.7	0		NTU
Turbidity (field)	MW-17	10/6/2016	16.7	0		NTU
Turbidity (field)	MW-17	11/3/2016	9.49	0		NTU
Turbidity (field)	MW-17	12/2/2016	11.9	0		NTU
Turbidity (field)	MW-17	1/10/2017	11.8	0		NTU
Turbidity (field)	MW-17	2/7/2017	3.32	0		NTU
Turbidity (field)	MW-17	3/2/2017	23.3	0		NTU
Turbidity (field)	MW-17	4/4/2017	3.48	0		NTU
Turbidity (field)	MW-17	5/2/2017	5.44	0		NTU
Turbidity (field)	MW-17	5/16/2017	3.77	0		NTU
Turbidity (field)	MW-17	6/6/2017	2.89	0		NTU
Turbidity (field)	MW-17	7/18/2017	4.64	0		NTU
Turbidity (field)	MW-17	8/1/2017	4.1	0		NTU
Turbidity (field)	MW-17	9/5/2017	4.86	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-17	10/6/2017	6.59	0		NTU
Turbidity (field)	MW-17	11/1/2017	3.6	0		NTU
Turbidity (field)	MW-17	1/23/2018	2.16	0.01		NTU
Turbidity (field)	MW-17	2/22/2018	0.5	0.01		NTU
Turbidity (field)	MW-17	3/21/2018	0.3	0.01		NTU
Turbidity (field)	MW-17	4/10/2018	0.72	0.01		NTU
Turbidity (field)	MW-17	6/5/2018	1.24	0		NTU
Turbidity (field)	MW-17	7/10/2018	0.57	0.01		NTU
Turbidity (field)	MW-17	8/1/2018	2.31	0.01		NTU
Turbidity (field)	MW-17	9/5/2018	1.03	0		NTU
Turbidity (field)	MW-17	10/1/2018	1.11	0		NTU
Turbidity (field)	MW-17	10/1/2018	1.11	0		NTU
Turbidity (field)	MW-17	11/7/2018	0.96	0.01		NTU
Turbidity (field)	MW-17	12/5/2018	0.53	0.01		NTU
Turbidity (field)	MW-17	1/3/2019	1.48	0.01		NTU
Turbidity (field)	MW-17	2/5/2019	1.13	0		NTU
Turbidity (field)	MW-17	3/6/2019	0.4	0.01		NTU
Turbidity (field)	MW-17	4/3/2019	0.95	0.01		NTU
Turbidity (field)	MW-17	5/2/2019	0.04	0.01		NTU
Turbidity (field)	MW-17	6/5/2019	0.47	0		NTU
Turbidity (field)	MW-17	7/11/2019	1.2	0.01		NTU
Turbidity (field)	MW-17	7/11/2019	1.2	0.01		NTU
Turbidity (field)	MW-17	8/6/2019	2.38	0.01		NTU
Turbidity (field)	MW-17	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-17	10/1/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-17	11/5/2019	1.13	0.01		NTU
Turbidity (field)	MW-17	12/3/2019	2.22	0.01		NTU
Turbidity (field)	MW-17	1/14/2020	0	0		NTU
Turbidity (field)	MW-17	3/3/2020	1	0.01		NTU
Turbidity (field)	MW-17	4/1/2020	2.22	0.01		NTU
Turbidity (field)	MW-17	5/5/2020	0.19	0.01		NTU
Turbidity (field)	MW-17	6/2/2020	3.92	0		NTU
Turbidity (field)	MW-17	7/6/2020	0.22	0		NTU
Turbidity (field)	MW-17	7/6/2020	0.22	0		NTU
Turbidity (field)	MW-17	8/3/2020	0.12	0		NTU
Turbidity (field)	MW-17	8/3/2020	0.12	0		NTU
Turbidity (field)	MW-17	9/3/2020	2.69	0.01		NTU
Turbidity (field)	MW-17	10/6/2020	1.06	0.01		NTU
Turbidity (field)	MW-17	11/4/2020	0	0		NTU
Turbidity (field)	MW-17	12/3/2020	1.73	0		NTU
Turbidity (field)	MW-17	1/14/2021	-13.7	0		NTU
Turbidity (field)	MW-17	2/10/2021	1.5	0		NTU
Turbidity (field)	MW-17	3/2/2021	0.9	0		NTU
Turbidity (field)	MW-17	4/7/2021	2.1	0		NTU
Turbidity (field)	MW-17	5/4/2021	2.6	0		NTU
Turbidity (field)	MW-17	6/1/2021	2.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	7/4/2021	4.8	0		NTU
Turbidity (field)	MW-17	8/3/2021	4.4	0		NTU
Turbidity (field)	MW-17	9/2/2021	5.3	0		NTU
Turbidity (field)	MW-17	10/5/2021	1.8	0		NTU
Turbidity (field)	MW-17	10/5/2021	1.8	0		NTU
Turbidity (field)	MW-17	11/1/2021	1	0		NTU
Turbidity (field)	MW-17	12/8/2021	1.9	0		NTU
Turbidity (field)	MW-17	1/10/2023	23.8	0		NTU
Turbidity (field)	MW-17	2/4/2023	10.6	0		NTU
Turbidity (field)	MW-17	3/1/2023	17.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-17	4/5/2023	17.6	0		NTU
Turbidity (field)	MW-17	5/10/2023	18.9	0		NTU
Turbidity (field)	MW-17	6/8/2023	9	0		NTU
Turbidity (field)	MW-17	7/8/2023	11.6	0		NTU
Turbidity (field)	MW-17	8/2/2023	11.7	0		NTU
Turbidity (field)	MW-17	9/1/2023	8.9	0		NTU
Turbidity (field)	MW-17	10/3/2023	18.5	0		NTU
Turbidity (field)	MW-19	6/2/2015	4.21	0		NTU
Turbidity (field)	MW-19	6/5/2015	10.3	0		NTU
Turbidity (field)	MW-19	7/16/2015	10.3	0		NTU
Turbidity (field)	MW-19	8/5/2015	5.48	0		NTU
Turbidity (field)	MW-19	9/3/2015	4.09	0		NTU
Turbidity (field)	MW-19	10/6/2015	10.8	0		NTU
Turbidity (field)	MW-19	11/5/2015	3.44	0		NTU
Turbidity (field)	MW-19	12/4/2015	32.6	0		NTU
Turbidity (field)	MW-19	1/7/2016	60.3	0		NTU
Turbidity (field)	MW-19	2/3/2016	8.3	0		NTU
Turbidity (field)	MW-19	3/3/2016	5.39	0		NTU
Turbidity (field)	MW-19	4/5/2016	13.1	0		NTU
Turbidity (field)	MW-19	5/12/2016	8.66	0		NTU
Turbidity (field)	MW-19	6/2/2016	8.72	0		NTU
Turbidity (field)	MW-19	7/21/2016	13.7	0		NTU
Turbidity (field)	MW-19	8/11/2016	9.05	0		NTU
Turbidity (field)	MW-19	9/6/2016	21.6	0		NTU
Turbidity (field)	MW-19	10/5/2016	10.2	0		NTU
Turbidity (field)	MW-19	11/3/2016	11.2	0		NTU
Turbidity (field)	MW-19	12/1/2016	11.1	0		NTU
Turbidity (field)	MW-19	1/10/2017	9.5	0		NTU
Turbidity (field)	MW-19	2/7/2017	8.86	0		NTU
Turbidity (field)	MW-19	3/2/2017	8.77	0		NTU
Turbidity (field)	MW-19	4/4/2017	8.64	0		NTU
Turbidity (field)	MW-19	5/2/2017	4.16	0		NTU
Turbidity (field)	MW-19	6/6/2017	7.71	0		NTU
Turbidity (field)	MW-19	7/18/2017	5.43	0		NTU
Turbidity (field)	MW-19	8/1/2017	4.11	0		NTU
Turbidity (field)	MW-19	9/5/2017	6.67	0		NTU
Turbidity (field)	MW-19	10/6/2017	7.61	0		NTU
Turbidity (field)	MW-19	11/1/2017	3.74	0		NTU
Turbidity (field)	MW-19	1/23/2018	7.43	0.01		NTU
Turbidity (field)	MW-19	2/22/2018	10.4	0.01		NTU
Turbidity (field)	MW-19	3/20/2018	0.29	0.01		NTU
Turbidity (field)	MW-19	4/11/2018	5.26	0.01		NTU
Turbidity (field)	MW-19	6/5/2018	1.19	0		NTU
Turbidity (field)	MW-19	7/13/2018	3.89	0.01		NTU
Turbidity (field)	MW-19	8/2/2018	0.65	0.01		NTU
Turbidity (field)	MW-19	9/5/2018	1.95	0		NTU
Turbidity (field)	MW-19	10/2/2018	0.47	0		NTU
Turbidity (field)	MW-19	10/2/2018	0.47	0		NTU
Turbidity (field)	MW-19	11/7/2018	0.33	0.01		NTU
Turbidity (field)	MW-19	12/5/2018	0.17	0.01		NTU
Turbidity (field)	MW-19	1/7/2019	0.68	0.01		NTU
Turbidity (field)	MW-19	2/6/2019	1.66	0		NTU
Turbidity (field)	MW-19	3/6/2019	0.7	0.01		NTU
Turbidity (field)	MW-19	4/3/2019	1.87	0.01		NTU
Turbidity (field)	MW-19	5/2/2019	27.11	0.01		NTU
Turbidity (field)	MW-19	6/4/2019	0.85	0		NTU
Turbidity (field)	MW-19	7/11/2019	0.9	0.01		NTU
Turbidity (field)	MW-19	7/11/2019	0.9	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-19	8/6/2019	2.55	0.01		NTU
Turbidity (field)	MW-19	9/4/2019	0.01	0.01	ND	NTU
Turbidity (field)	MW-19	10/1/2019	0.71	0.01		NTU
Turbidity (field)	MW-19	11/5/2019	1.2	0.01		NTU
Turbidity (field)	MW-19	12/3/2019	2.3	0.01		NTU
Turbidity (field)	MW-19	1/14/2020	11.87	0		NTU
Turbidity (field)	MW-19	3/3/2020	0.01	0.01		NTU
Turbidity (field)	MW-19	4/2/2020	3.61	0.01		NTU
Turbidity (field)	MW-19	5/5/2020	0.57	0.01		NTU
Turbidity (field)	MW-19	6/2/2020	3.26	0		NTU
Turbidity (field)	MW-19	7/6/2020	5.46	0		NTU
Turbidity (field)	MW-19	7/6/2020	5.46	0		NTU
Turbidity (field)	MW-19	8/3/2020	11.56	0		NTU
Turbidity (field)	MW-19	8/3/2020	11.56	0		NTU
Turbidity (field)	MW-19	9/3/2020	0.37	0.01		NTU
Turbidity (field)	MW-19	10/6/2020	5.1	0.01		NTU
Turbidity (field)	MW-19	11/3/2020	3	0		NTU
Turbidity (field)	MW-19	12/3/2020	0.77	0		NTU
Turbidity (field)	MW-19	1/14/2021	-13.3	0		NTU
Turbidity (field)	MW-19	2/10/2021	1.8	0		NTU
Turbidity (field)	MW-19	3/2/2021	0.7	0		NTU
Turbidity (field)	MW-19	4/7/2021	2.9	0		NTU
Turbidity (field)	MW-19	5/4/2021	4.7	0		NTU
Turbidity (field)	MW-19	6/1/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	7/4/2021	4.4	0		NTU
Turbidity (field)	MW-19	8/3/2021	5.4	0		NTU
Turbidity (field)	MW-19	9/2/2021	5.8	0		NTU
Turbidity (field)	MW-19	10/5/2021	2.4	0		NTU
Turbidity (field)	MW-19	11/1/2021	1.4	0		NTU
Turbidity (field)	MW-19	12/8/2021	4.4	0		NTU
Turbidity (field)	MW-19	12/7/2022	8.8	0		NTU
Turbidity (field)	MW-19	1/11/2023	7.3	0		NTU
Turbidity (field)	MW-19	2/3/2023	1.4	0		NTU
Turbidity (field)	MW-19	3/1/2023	2.1	0		NTU
Turbidity (field)	MW-19	4/6/2023	9.7	0		NTU
Turbidity (field)	MW-19	5/10/2023	4.7	0		NTU
Turbidity (field)	MW-19	6/8/2023	4.5	0		NTU
Turbidity (field)	MW-19	7/10/2023	3	0		NTU
Turbidity (field)	MW-19	8/1/2023	4.5	0		NTU
Turbidity (field)	MW-19	9/1/2023	2.4	0		NTU
Turbidity (field)	MW-19	10/3/2023	2.1	0		NTU
Turbidity (field)	MW-1N	1/18/2006	0.41	0		NTU
Turbidity (field)	MW-1N	7/18/2006	0.28	0		NTU
Turbidity (field)	MW-1N	7/18/2006	0.28	0		NTU
Turbidity (field)	MW-1N	10/24/2006	0.48	0		NTU
Turbidity (field)	MW-1N	10/24/2006	0.48	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/9/2007	0.65	0		NTU
Turbidity (field)	MW-1N	1/26/2007	0.79	0		NTU
Turbidity (field)	MW-1N	1/26/2007	0.79	0		NTU
Turbidity (field)	MW-1N	7/10/2007	1.12	0		NTU
Turbidity (field)	MW-1N	7/11/2007	1.12	0		NTU
Turbidity (field)	MW-1N	1/24/2008	0.69	0		NTU
Turbidity (field)	MW-1N	7/21/2008	0.61	0		NTU
Turbidity (field)	MW-1N	2/5/2009	0.46	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-1N	7/31/2009	1.04	0		NTU
Turbidity (field)	MW-1N	1/26/2010	0.52	0		NTU
Turbidity (field)	MW-1N	7/13/2010	0.35	0		NTU
Turbidity (field)	MW-1N	1/20/2011	0.1	0		NTU
Turbidity (field)	MW-1N	7/13/2011	0.26	0		NTU
Turbidity (field)	MW-1N	1/5/2012	0.32	0		NTU
Turbidity (field)	MW-1N	7/10/2012	0.69	0		NTU
Turbidity (field)	MW-1N	5/1/2013	3.56	0		NTU
Turbidity (field)	MW-1N	7/16/2013	0.7	0		NTU
Turbidity (field)	MW-1N	1/24/2014	1.27	0		NTU
Turbidity (field)	MW-1N	7/9/2014	4.2	0		NTU
Turbidity (field)	MW-1N	2/10/2015	0.26	0		NTU
Turbidity (field)	MW-1N	7/14/2015	1.91	0		NTU
Turbidity (field)	MW-1N	1/6/2016	0.87	0		NTU
Turbidity (field)	MW-1N	7/21/2016	2.37	0		NTU
Turbidity (field)	MW-1N	1/12/2017	22.6	0		NTU
Turbidity (field)	MW-1N	7/19/2017	0.94	0		NTU
Turbidity (field)	MW-1N	1/23/2018	1.15	0.01		NTU
Turbidity (field)	MW-1N	7/10/2018	0.41	0.01		NTU
Turbidity (field)	MW-1N	10/3/2018	0.15	0		NTU
Turbidity (field)	MW-1N	1/3/2019	2.8	0.01		NTU
Turbidity (field)	MW-1N	7/11/2019	32.08	0.01		NTU
Turbidity (field)	MW-1N	10/2/2019	38.64	0.01		NTU
Turbidity (field)	MW-1N	4/2/2020	15.42	0.01		NTU
Turbidity (field)	MW-1N	7/6/2020	0.45	0		NTU
Turbidity (field)	MW-1N	7/6/2020	0.45	0		NTU
Turbidity (field)	MW-1N	7/4/2021	13.8	0		NTU
Turbidity (field)	MW-1N	7/4/2021	13.8	0		NTU
Turbidity (field)	MW-1N	10/6/2021	2.2	0		NTU
Turbidity (field)	MW-1N	1/11/2023	10.4	0		NTU
Turbidity (field)	MW-1N	7/8/2023	5	0		NTU
Turbidity (field)	MW-20	6/2/2015	5.36	0		NTU
Turbidity (field)	MW-20	6/5/2015	7.46	0		NTU
Turbidity (field)	MW-20	7/14/2015	9.68	0		NTU
Turbidity (field)	MW-20	8/4/2015	6.43	0		NTU
Turbidity (field)	MW-20	9/2/2015	5.32	0		NTU
Turbidity (field)	MW-20	10/5/2015	9.64	0		NTU
Turbidity (field)	MW-20	1/7/2016	9.66	0		NTU
Turbidity (field)	MW-20	4/5/2016	10.3	0		NTU
Turbidity (field)	MW-20	7/20/2016	9.88	0		NTU
Turbidity (field)	MW-20	10/5/2016	15.8	0		NTU
Turbidity (field)	MW-20	1/12/2017	9.81	0		NTU
Turbidity (field)	MW-20	7/18/2017	8.81	0		NTU
Turbidity (field)	MW-20	1/26/2018	2.51	0.01		NTU
Turbidity (field)	MW-20	7/12/2018	2.75	0.01		NTU
Turbidity (field)	MW-20	7/11/2019	11.16	0.01		NTU
Turbidity (field)	MW-20	1/14/2020	44.64	0		NTU
Turbidity (field)	MW-20	7/7/2020	47.28	0		NTU
Turbidity (field)	MW-20	7/7/2020	47.28	0		NTU
Turbidity (field)	MW-20	4/6/2021	10.9	0		NTU
Turbidity (field)	MW-20	7/4/2021	12.2	0		NTU
Turbidity (field)	MW-20	7/4/2021	12.2	0		NTU
Turbidity (field)	MW-20	1/11/2023	8.6	0		NTU
Turbidity (field)	MW-21	6/2/2015	7.46	0		NTU
Turbidity (field)	MW-21	6/5/2015	6.71	0		NTU
Turbidity (field)	MW-21	7/14/2015	7.34	0		NTU
Turbidity (field)	MW-21	8/4/2015	8.9	0		NTU
Turbidity (field)	MW-21	9/2/2015	8.96	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-21	10/5/2015	8.82	0		NTU
Turbidity (field)	MW-21	1/7/2016	8.66	0		NTU
Turbidity (field)	MW-21	2/10/2016	5.62	0		NTU
Turbidity (field)	MW-21	4/5/2016	8.81	0		NTU
Turbidity (field)	MW-21	7/20/2016	10.8	0		NTU
Turbidity (field)	MW-21	10/5/2016	8.83	0		NTU
Turbidity (field)	MW-21	1/10/2017	10.4	0		NTU
Turbidity (field)	MW-21	4/5/2017	7.61	0		NTU
Turbidity (field)	MW-21	7/19/2017	10.4	0		NTU
Turbidity (field)	MW-21	10/6/2017	18.4	0		NTU
Turbidity (field)	MW-21	1/24/2018	5.21	0.01		NTU
Turbidity (field)	MW-21	4/11/2018	16.44	0.01		NTU
Turbidity (field)	MW-21	7/11/2018	2.51	0.01		NTU
Turbidity (field)	MW-21	10/4/2018	9.28	0		NTU
Turbidity (field)	MW-21	1/3/2019	33.9	0.01		NTU
Turbidity (field)	MW-21	4/3/2019	13	0.01		NTU
Turbidity (field)	MW-21	7/11/2019	5.6	0		NTU
Turbidity (field)	MW-21	10/2/2019	5.87	0.01		NTU
Turbidity (field)	MW-21	1/16/2020	29.2	0		NTU
Turbidity (field)	MW-21	4/2/2020	22.13	0.01		NTU
Turbidity (field)	MW-21	7/8/2020	8.12	0		NTU
Turbidity (field)	MW-21	7/8/2020	8.12	0		NTU
Turbidity (field)	MW-21	10/7/2020	12.37	0.01		NTU
Turbidity (field)	MW-21	4/6/2021	19.9	0		NTU
Turbidity (field)	MW-21	7/5/2021	90.3	0		NTU
Turbidity (field)	MW-21	7/5/2021	90.3	0		NTU
Turbidity (field)	MW-21	10/6/2021	13.2	0		NTU
Turbidity (field)	MW-21	1/11/2023	20.1	0		NTU
Turbidity (field)	MW-21	4/8/2023	10.1	0		NTU
Turbidity (field)	MW-21	7/7/2023	10.1	0		NTU
Turbidity (field)	MW-21	10/6/2023	8.1	0		NTU
Turbidity (field)	MW-2N	1/19/2006	0.88	0		NTU
Turbidity (field)	MW-2N	7/19/2006	8.31	0		NTU
Turbidity (field)	MW-2N	7/19/2006	8.31	0		NTU
Turbidity (field)	MW-2N	10/25/2006	0.98	0		NTU
Turbidity (field)	MW-2N	10/25/2006	0.98	0		NTU
Turbidity (field)	MW-2N	1/9/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/10/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/10/2007	1.61	0		NTU
Turbidity (field)	MW-2N	1/26/2007	1.28	0		NTU
Turbidity (field)	MW-2N	1/26/2007	1.28	0		NTU
Turbidity (field)	MW-2N	3/26/2007	2.74	0		NTU
Turbidity (field)	MW-2N	3/27/2007	2.74	0		NTU
Turbidity (field)	MW-2N	3/27/2007	2.74	0		NTU
Turbidity (field)	MW-2N	7/10/2007	1.21	0		NTU
Turbidity (field)	MW-2N	7/11/2007	1.21	0		NTU
Turbidity (field)	MW-2N	1/24/2008	1.35	0		NTU
Turbidity (field)	MW-2N	7/22/2008	0.55	0		NTU
Turbidity (field)	MW-2N	2/4/2009	3.79	0		NTU
Turbidity (field)	MW-2N	7/31/2009	5.01	0		NTU
Turbidity (field)	MW-2N	1/26/2010	2.12	0		NTU
Turbidity (field)	MW-2N	7/13/2010	0.17	0		NTU
Turbidity (field)	MW-2N	1/20/2011	0.68	0		NTU
Turbidity (field)	MW-2N	7/13/2011	0.47	0		NTU
Turbidity (field)	MW-2N	1/5/2012	5.26	0		NTU
Turbidity (field)	MW-2N	7/10/2012	4.45	0		NTU
Turbidity (field)	MW-2N	5/1/2013	2.29	0		NTU
Turbidity (field)	MW-2N	7/16/2013	2.4	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-2N	1/24/2014	0.26	0		NTU
Turbidity (field)	MW-2N	7/9/2014	0.77	0		NTU
Turbidity (field)	MW-2N	2/12/2015	2.28	0		NTU
Turbidity (field)	MW-2N	7/14/2015	0.73	0		NTU
Turbidity (field)	MW-2N	1/6/2016	1	0		NTU
Turbidity (field)	MW-2N	7/21/2016	1.22	0		NTU
Turbidity (field)	MW-2N	1/11/2017	2.29	0		NTU
Turbidity (field)	MW-2N	7/19/2017	6.53	0		NTU
Turbidity (field)	MW-2N	1/23/2018	0.01	0.01		NTU
Turbidity (field)	MW-2N	6/21/2018	0	0		NTU
Turbidity (field)	MW-2N	7/12/2018	0	0.01	ND	NTU
Turbidity (field)	MW-2N	1/3/2019	6.29	0.01		NTU
Turbidity (field)	MW-2N	4/3/2019	21.2	0.01		NTU
Turbidity (field)	MW-2N	8/7/2019	48.57	0.01		NTU
Turbidity (field)	MW-2N	10/1/2019	36.98	0.01		NTU
Turbidity (field)	MW-2N	7/7/2020	45.26	0		NTU
Turbidity (field)	MW-2N	7/7/2020	45.26	0		NTU
Turbidity (field)	MW-2N	10/6/2020	4.81	0.01		NTU
Turbidity (field)	MW-2N	10/6/2020	4.81	0.01		NTU
Turbidity (field)	MW-2N	7/5/2021	13.8	0		NTU
Turbidity (field)	MW-2N	7/5/2021	13.8	0		NTU
Turbidity (field)	MW-2N	10/6/2021	4	0		NTU
Turbidity (field)	MW-2N	1/11/2023	9.1	0		NTU
Turbidity (field)	MW-2N	4/8/2023	9.3	0		NTU
Turbidity (field)	MW-2N	7/8/2023	5.3	0		NTU
Turbidity (field)	MW-3N	1/19/2006	0.33	0		NTU
Turbidity (field)	MW-3N	7/19/2006	1.54	0		NTU
Turbidity (field)	MW-3N	7/19/2006	1.54	0		NTU
Turbidity (field)	MW-3N	10/25/2006	0.52	0		NTU
Turbidity (field)	MW-3N	10/25/2006	0.52	0		NTU
Turbidity (field)	MW-3N	1/9/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/10/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/10/2007	0.82	0		NTU
Turbidity (field)	MW-3N	1/26/2007	1.12	0		NTU
Turbidity (field)	MW-3N	1/26/2007	1.12	0		NTU
Turbidity (field)	MW-3N	7/10/2007	7.42	0		NTU
Turbidity (field)	MW-3N	7/11/2007	7.42	0		NTU
Turbidity (field)	MW-3N	1/24/2008	0.69	0		NTU
Turbidity (field)	MW-3N	5/3/2008	2.58	0		NTU
Turbidity (field)	MW-3N	7/22/2008	4.89	0		NTU
Turbidity (field)	MW-3N	2/4/2009	0.55	0		NTU
Turbidity (field)	MW-3N	7/31/2009	11.1	0		NTU
Turbidity (field)	MW-3N	1/26/2010	4.24	0		NTU
Turbidity (field)	MW-3N	7/13/2010	13.5	0		NTU
Turbidity (field)	MW-3N	1/20/2011	7.67	0		NTU
Turbidity (field)	MW-3N	7/14/2011	6.2	0		NTU
Turbidity (field)	MW-3N	1/5/2012	0.71	0		NTU
Turbidity (field)	MW-3N	7/11/2012	10	0		NTU
Turbidity (field)	MW-3N	5/1/2013	15.3	0		NTU
Turbidity (field)	MW-3N	6/4/2013	1.73	0		NTU
Turbidity (field)	MW-3N	7/16/2013	10.2	0		NTU
Turbidity (field)	MW-3N	1/24/2014	1.85	0		NTU
Turbidity (field)	MW-3N	7/9/2014	8.49	0		NTU
Turbidity (field)	MW-3N	2/12/2015	9.9	0		NTU
Turbidity (field)	MW-3N	4/1/2015	4.18	0		NTU
Turbidity (field)	MW-3N	7/14/2015	6.42	0		NTU
Turbidity (field)	MW-3N	10/5/2015	5.32	0		NTU
Turbidity (field)	MW-3N	1/6/2016	6.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-3N	4/6/2016	37.1	0		NTU
Turbidity (field)	MW-3N	7/21/2016	8.63	0		NTU
Turbidity (field)	MW-3N	10/6/2016	1.48	0		NTU
Turbidity (field)	MW-3N	1/11/2017	3.58	0		NTU
Turbidity (field)	MW-3N	4/4/2017	1.48	0		NTU
Turbidity (field)	MW-3N	7/19/2017	2.27	0		NTU
Turbidity (field)	MW-3N	10/9/2017	3.64	0		NTU
Turbidity (field)	MW-3N	1/24/2018	1.13	0.01		NTU
Turbidity (field)	MW-3N	4/10/2018	0.45	0.01		NTU
Turbidity (field)	MW-3N	6/6/2018	1.61	0		NTU
Turbidity (field)	MW-3N	7/13/2018	0.32	0.01		NTU
Turbidity (field)	MW-3N	10/3/2018	4.96	0		NTU
Turbidity (field)	MW-3N	10/3/2018	4.96	0		NTU
Turbidity (field)	MW-3N	1/7/2019	23.7	0.01		NTU
Turbidity (field)	MW-3N	4/3/2019	11.8	0.01		NTU
Turbidity (field)	MW-3N	7/11/2019	7.3	0		NTU
Turbidity (field)	MW-3N	10/2/2019	1.35	0.01		NTU
Turbidity (field)	MW-3N	1/15/2020	0.4	0		NTU
Turbidity (field)	MW-3N	4/2/2020	1.58	0.01		NTU
Turbidity (field)	MW-3N	7/7/2020	1.2	0		NTU
Turbidity (field)	MW-3N	7/7/2020	1.2	0		NTU
Turbidity (field)	MW-3N	10/7/2020	1.93	0.01		NTU
Turbidity (field)	MW-3N	4/6/2021	4.1	0		NTU
Turbidity (field)	MW-3N	7/5/2021	14.1	0		NTU
Turbidity (field)	MW-3N	7/5/2021	14.1	0		NTU
Turbidity (field)	MW-3N	10/6/2021	11.1	0		NTU
Turbidity (field)	MW-3N	1/11/2023	8.4	0		NTU
Turbidity (field)	MW-3N	7/7/2023	5.4	0		NTU
Turbidity (field)	MW-3N	10/6/2023	3.2	0		NTU
Turbidity (field)	MW-7N	1/19/2006	10.1	0		NTU
Turbidity (field)	MW-7N	7/19/2006	11.3	0		NTU
Turbidity (field)	MW-7N	7/19/2006	11.3	0		NTU
Turbidity (field)	MW-7N	9/28/2006	4.6	0		NTU
Turbidity (field)	MW-7N	9/28/2006	4.6	0		NTU
Turbidity (field)	MW-7N	10/24/2006	6.03	0		NTU
Turbidity (field)	MW-7N	10/24/2006	6.03	0		NTU
Turbidity (field)	MW-7N	11/21/2006	3.77	0		NTU
Turbidity (field)	MW-7N	11/21/2006	3.77	0		NTU
Turbidity (field)	MW-7N	12/22/2006	12.9	0		NTU
Turbidity (field)	MW-7N	12/22/2006	12.9	0		NTU
Turbidity (field)	MW-7N	1/9/2007	4	0		NTU
Turbidity (field)	MW-7N	1/10/2007	4	0		NTU
Turbidity (field)	MW-7N	1/10/2007	4	0		NTU
Turbidity (field)	MW-7N	1/25/2007	4.97	0		NTU
Turbidity (field)	MW-7N	1/26/2007	4.97	0		NTU
Turbidity (field)	MW-7N	1/26/2007	4.97	0		NTU
Turbidity (field)	MW-7N	2/7/2007	3.71	0		NTU
Turbidity (field)	MW-7N	2/27/2007	3.71	0		NTU
Turbidity (field)	MW-7N	2/27/2007	3.71	0		NTU
Turbidity (field)	MW-7N	3/26/2007	6.99	0		NTU
Turbidity (field)	MW-7N	3/27/2007	6.99	0		NTU
Turbidity (field)	MW-7N	3/27/2007	6.99	0		NTU
Turbidity (field)	MW-7N	4/25/2007	6.06	0		NTU
Turbidity (field)	MW-7N	4/26/2007	6.06	0		NTU
Turbidity (field)	MW-7N	6/1/2007	139	0		NTU
Turbidity (field)	MW-7N	6/1/2007	139	0		NTU
Turbidity (field)	MW-7N	6/28/2007	10.2	0		NTU
Turbidity (field)	MW-7N	6/28/2007	10.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	7/10/2007	45.4	0		NTU
Turbidity (field)	MW-7N	7/10/2007	45.4	0		NTU
Turbidity (field)	MW-7N	8/29/2007	3.65	0		NTU
Turbidity (field)	MW-7N	8/29/2007	3.65	0		NTU
Turbidity (field)	MW-7N	10/24/2007	1.46	0		NTU
Turbidity (field)	MW-7N	11/27/2007	4.97	0		NTU
Turbidity (field)	MW-7N	12/27/2007	4.67	0		NTU
Turbidity (field)	MW-7N	1/25/2008	4.17	0		NTU
Turbidity (field)	MW-7N	2/28/2008	2.84	0		NTU
Turbidity (field)	MW-7N	3/24/2008	2.5	0		NTU
Turbidity (field)	MW-7N	5/3/2008	1.14	0		NTU
Turbidity (field)	MW-7N	5/30/2008	9.22	0		NTU
Turbidity (field)	MW-7N	6/25/2008	7.48	0		NTU
Turbidity (field)	MW-7N	7/21/2008	1.57	0		NTU
Turbidity (field)	MW-7N	8/29/2008	4.36	0		NTU
Turbidity (field)	MW-7N	9/25/2008	2.74	0		NTU
Turbidity (field)	MW-7N	9/25/2008	2.74	0		NTU
Turbidity (field)	MW-7N	10/21/2008	1.56	0		NTU
Turbidity (field)	MW-7N	11/24/2008	4.1	0		NTU
Turbidity (field)	MW-7N	12/18/2008	2.24	0		NTU
Turbidity (field)	MW-7N	2/6/2009	2.81	0		NTU
Turbidity (field)	MW-7N	3/25/2009	4.89	0		NTU
Turbidity (field)	MW-7N	4/15/2009	6.36	0		NTU
Turbidity (field)	MW-7N	6/25/2009	4.37	0		NTU
Turbidity (field)	MW-7N	7/29/2009	6.12	0		NTU
Turbidity (field)	MW-7N	8/28/2009	5.04	0		NTU
Turbidity (field)	MW-7N	9/29/2009	3.98	0		NTU
Turbidity (field)	MW-7N	10/21/2009	4.45	0		NTU
Turbidity (field)	MW-7N	10/26/2009	4.03	0		NTU
Turbidity (field)	MW-7N	11/24/2009	4.66	0		NTU
Turbidity (field)	MW-7N	12/17/2009	4.91	0		NTU
Turbidity (field)	MW-7N	1/26/2010	4.37	0		NTU
Turbidity (field)	MW-7N	2/15/2010	4.13	0		NTU
Turbidity (field)	MW-7N	3/3/2010	4.99	0		NTU
Turbidity (field)	MW-7N	4/8/2010	2.11	0		NTU
Turbidity (field)	MW-7N	5/6/2010	4.87	0		NTU
Turbidity (field)	MW-7N	6/16/2010	1.66	0		NTU
Turbidity (field)	MW-7N	7/14/2010	7.9	0		NTU
Turbidity (field)	MW-7N	8/11/2010	4.99	0		NTU
Turbidity (field)	MW-7N	9/2/2010	1.56	0		NTU
Turbidity (field)	MW-7N	9/2/2010	1.56	0		NTU
Turbidity (field)	MW-7N	9/29/2010	7.42	0		NTU
Turbidity (field)	MW-7N	11/3/2010	3.1	0		NTU
Turbidity (field)	MW-7N	12/2/2010	0.31	0		NTU
Turbidity (field)	MW-7N	1/20/2011	0.75	0		NTU
Turbidity (field)	MW-7N	2/7/2011	0.26	0		NTU
Turbidity (field)	MW-7N	3/3/2011	1.3	0		NTU
Turbidity (field)	MW-7N	4/5/2011	0.37	0		NTU
Turbidity (field)	MW-7N	5/10/2011	7.76	0		NTU
Turbidity (field)	MW-7N	6/1/2011	2.22	0		NTU
Turbidity (field)	MW-7N	7/12/2011	1.66	0		NTU
Turbidity (field)	MW-7N	8/4/2011	2.86	0		NTU
Turbidity (field)	MW-7N	9/7/2011	2.06	0		NTU
Turbidity (field)	MW-7N	10/5/2011	0.28	0		NTU
Turbidity (field)	MW-7N	11/1/2011	1.45	0		NTU
Turbidity (field)	MW-7N	12/8/2011	0.57	0		NTU
Turbidity (field)	MW-7N	1/5/2012	0.6	0		NTU
Turbidity (field)	MW-7N	2/1/2012	0.53	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	3/7/2012	0.72	0		NTU
Turbidity (field)	MW-7N	4/5/2012	0.75	0		NTU
Turbidity (field)	MW-7N	5/1/2012	0.5	0		NTU
Turbidity (field)	MW-7N	5/10/2012	0.44	0		NTU
Turbidity (field)	MW-7N	6/5/2012	1.03	0		NTU
Turbidity (field)	MW-7N	7/10/2012	0.85	0		NTU
Turbidity (field)	MW-7N	8/9/2012	0.56	0		NTU
Turbidity (field)	MW-7N	9/4/2012	0.57	0		NTU
Turbidity (field)	MW-7N	10/7/2012	1.25	0		NTU
Turbidity (field)	MW-7N	5/1/2013	3.91	0		NTU
Turbidity (field)	MW-7N	6/4/2013	4.87	0		NTU
Turbidity (field)	MW-7N	6/4/2013	4.87	0		NTU
Turbidity (field)	MW-7N	7/15/2013	22.9	0		NTU
Turbidity (field)	MW-7N	8/8/2013	4.19	0		NTU
Turbidity (field)	MW-7N	9/10/2013	17.2	0		NTU
Turbidity (field)	MW-7N	10/1/2013	12.4	0		NTU
Turbidity (field)	MW-7N	11/6/2013	9.76	0		NTU
Turbidity (field)	MW-7N	12/2/2013	5.67	0		NTU
Turbidity (field)	MW-7N	1/30/2014	7.34	0		NTU
Turbidity (field)	MW-7N	2/13/2014	2.7	0		NTU
Turbidity (field)	MW-7N	3/11/2014	1.65	0		NTU
Turbidity (field)	MW-7N	4/2/2014	3.36	0		NTU
Turbidity (field)	MW-7N	5/7/2014	8.62	0		NTU
Turbidity (field)	MW-7N	6/3/2014	6.1	0		NTU
Turbidity (field)	MW-7N	7/9/2014	9.09	0		NTU
Turbidity (field)	MW-7N	8/5/2014	2.41	0		NTU
Turbidity (field)	MW-7N	9/4/2014	3.51	0		NTU
Turbidity (field)	MW-7N	10/9/2014	1.1	0		NTU
Turbidity (field)	MW-7N	11/3/2014	1.4	0		NTU
Turbidity (field)	MW-7N	1/14/2015	6.58	0		NTU
Turbidity (field)	MW-7N	2/12/2015	6.15	0		NTU
Turbidity (field)	MW-7N	3/3/2015	2.06	0		NTU
Turbidity (field)	MW-7N	4/1/2015	2.21	0		NTU
Turbidity (field)	MW-7N	5/7/2015	4.33	0		NTU
Turbidity (field)	MW-7N	6/3/2015	3.16	0		NTU
Turbidity (field)	MW-7N	7/13/2015	1.36	0		NTU
Turbidity (field)	MW-7N	8/4/2015	1.87	0		NTU
Turbidity (field)	MW-7N	9/3/2015	1.72	0		NTU
Turbidity (field)	MW-7N	10/6/2015	4.54	0		NTU
Turbidity (field)	MW-7N	11/4/2015	2.11	0		NTU
Turbidity (field)	MW-7N	12/3/2015	2.71	0		NTU
Turbidity (field)	MW-7N	1/5/2016	2.31	0		NTU
Turbidity (field)	MW-7N	2/3/2016	1.81	0		NTU
Turbidity (field)	MW-7N	3/2/2016	0.86	0		NTU
Turbidity (field)	MW-7N	4/5/2016	1.27	0		NTU
Turbidity (field)	MW-7N	5/11/2016	5.31	0		NTU
Turbidity (field)	MW-7N	6/1/2016	1.86	0		NTU
Turbidity (field)	MW-7N	7/21/2016	1.88	0		NTU
Turbidity (field)	MW-7N	8/10/2016	1.31	0		NTU
Turbidity (field)	MW-7N	9/6/2016	0.83	0		NTU
Turbidity (field)	MW-7N	10/6/2016	0.82	0		NTU
Turbidity (field)	MW-7N	11/2/2016	1.39	0		NTU
Turbidity (field)	MW-7N	12/1/2016	5.67	0		NTU
Turbidity (field)	MW-7N	1/11/2017	0.93	0		NTU
Turbidity (field)	MW-7N	2/7/2017	0.83	0		NTU
Turbidity (field)	MW-7N	3/2/2017	0.84	0		NTU
Turbidity (field)	MW-7N	3/2/2017	0.84	0		NTU
Turbidity (field)	MW-7N	4/4/2017	0.72	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	5/16/2017	8.44	0		NTU
Turbidity (field)	MW-7N	6/6/2017	5.36	0		NTU
Turbidity (field)	MW-7N	7/19/2017	5.47	0		NTU
Turbidity (field)	MW-7N	8/1/2017	1.74	0		NTU
Turbidity (field)	MW-7N	9/5/2017	6.43	0		NTU
Turbidity (field)	MW-7N	10/5/2017	5.67	0		NTU
Turbidity (field)	MW-7N	11/1/2017	3.35	0		NTU
Turbidity (field)	MW-7N	1/25/2018	8.39	0.01		NTU
Turbidity (field)	MW-7N	2/22/2018	5.09	0.01		NTU
Turbidity (field)	MW-7N	3/20/2018	19	0.01		NTU
Turbidity (field)	MW-7N	4/11/2018	1.51	0.01		NTU
Turbidity (field)	MW-7N	4/11/2018	1.51	0.01		NTU
Turbidity (field)	MW-7N	6/5/2018	9.05	0		NTU
Turbidity (field)	MW-7N	6/5/2018	9.05	0		NTU
Turbidity (field)	MW-7N	7/13/2018	6.44	0.01		NTU
Turbidity (field)	MW-7N	8/1/2018	5.23	0.01		NTU
Turbidity (field)	MW-7N	9/5/2018	8.86	0		NTU
Turbidity (field)	MW-7N	10/4/2018	9.68	0		NTU
Turbidity (field)	MW-7N	11/6/2018	8.39	0.01		NTU
Turbidity (field)	MW-7N	12/4/2018	4.23	0.01		NTU
Turbidity (field)	MW-7N	1/4/2019	8.91	0.01		NTU
Turbidity (field)	MW-7N	2/5/2019	20	0		NTU
Turbidity (field)	MW-7N	3/5/2019	7.9	0.01		NTU
Turbidity (field)	MW-7N	4/3/2019	3.92	0.01		NTU
Turbidity (field)	MW-7N	5/3/2019	4.57	0.01		NTU
Turbidity (field)	MW-7N	6/4/2019	3.21	0		NTU
Turbidity (field)	MW-7N	7/10/2019	2.71	0.01		NTU
Turbidity (field)	MW-7N	7/10/2019	2.71	0.01		NTU
Turbidity (field)	MW-7N	8/8/2019	24.2	0.01		NTU
Turbidity (field)	MW-7N	9/4/2019	16.75	0.01		NTU
Turbidity (field)	MW-7N	10/3/2019	5.5	0.01		NTU
Turbidity (field)	MW-7N	11/6/2019	2.62	0.01		NTU
Turbidity (field)	MW-7N	12/3/2019	8.68	0.01		NTU
Turbidity (field)	MW-7N	1/16/2020	3.04	0		NTU
Turbidity (field)	MW-7N	3/4/2020	0.95	0.01		NTU
Turbidity (field)	MW-7N	4/2/2020	0.55	0.01		NTU
Turbidity (field)	MW-7N	5/5/2020	1.38	0.01		NTU
Turbidity (field)	MW-7N	6/2/2020	1.73	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	7/7/2020	1.41	0		NTU
Turbidity (field)	MW-7N	8/3/2020	1.22	0		NTU
Turbidity (field)	MW-7N	9/2/2020	1.44	0.01		NTU
Turbidity (field)	MW-7N	10/6/2020	2.22	0.01		NTU
Turbidity (field)	MW-7N	11/3/2020	4.19	0		NTU
Turbidity (field)	MW-7N	12/2/2020	0.85	0		NTU
Turbidity (field)	MW-7N	1/16/2021	-9	0		NTU
Turbidity (field)	MW-7N	2/9/2021	3.43	0		NTU
Turbidity (field)	MW-7N	3/2/2021	2.1	0		NTU
Turbidity (field)	MW-7N	4/7/2021	3.5	0		NTU
Turbidity (field)	MW-7N	5/5/2021	2.4	0		NTU
Turbidity (field)	MW-7N	6/2/2021	4.9	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	7/5/2021	10.2	0		NTU
Turbidity (field)	MW-7N	8/3/2021	4.7	0		NTU
Turbidity (field)	MW-7N	9/2/2021	9.1	0		NTU
Turbidity (field)	MW-7N	10/5/2021	2.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-7N	10/5/2021	2.2	0		NTU
Turbidity (field)	MW-7N	11/1/2021	1.8	0		NTU
Turbidity (field)	MW-7N	12/8/2021	2.6	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	1/12/2022	2.3	0		NTU
Turbidity (field)	MW-7N	2/9/2022	2.8	0		NTU
Turbidity (field)	MW-7N	3/1/2022	2.6	0		NTU
Turbidity (field)	MW-7N	4/4/2022	5.3	0		NTU
Turbidity (field)	MW-7N	4/4/2022	5.3	0		NTU
Turbidity (field)	MW-7N	5/7/2022	5	0		NTU
Turbidity (field)	MW-7N	6/3/2022	4.3	0		NTU
Turbidity (field)	MW-7N	7/10/2022	4.5	0		NTU
Turbidity (field)	MW-7N	8/10/2022	5.4	0		NTU
Turbidity (field)	MW-7N	9/8/2022	2.1	0		NTU
Turbidity (field)	MW-7N	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-7N	10/6/2022	2.2	0		NTU
Turbidity (field)	MW-7N	11/3/2022	2.3	0		NTU
Turbidity (field)	MW-7N	12/7/2022	0.2	0		NTU
Turbidity (field)	MW-7N	1/10/2023	2.3	0		NTU
Turbidity (field)	MW-7N	2/3/2023	0.5	0		NTU
Turbidity (field)	MW-7N	3/1/2023	2.3	0		NTU
Turbidity (field)	MW-7N	4/5/2023	8.9	0		NTU
Turbidity (field)	MW-7N	5/10/2023	3.5	0		NTU
Turbidity (field)	MW-7N	6/8/2023	3.9	0		NTU
Turbidity (field)	MW-7N	7/7/2023	3.8	0		NTU
Turbidity (field)	MW-7N	8/1/2023	7.6	0		NTU
Turbidity (field)	MW-7N	9/2/2023	3.9	0		NTU
Turbidity (field)	MW-7N	10/4/2023	2.3	0		NTU
Turbidity (field)	MW-8N	1/19/2006	0.9	0		NTU
Turbidity (field)	MW-8N	7/19/2006	3.02	0		NTU
Turbidity (field)	MW-8N	7/19/2006	3.02	0		NTU
Turbidity (field)	MW-8N	10/24/2006	2.17	0		NTU
Turbidity (field)	MW-8N	10/24/2006	2.17	0		NTU
Turbidity (field)	MW-8N	12/22/2006	4.87	0		NTU
Turbidity (field)	MW-8N	12/22/2006	7.87	0		NTU
Turbidity (field)	MW-8N	1/9/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/10/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/10/2007	3.74	0		NTU
Turbidity (field)	MW-8N	1/26/2007	2.56	0		NTU
Turbidity (field)	MW-8N	1/26/2007	2.56	0		NTU
Turbidity (field)	MW-8N	4/25/2007	2.18	0		NTU
Turbidity (field)	MW-8N	4/26/2007	2.18	0		NTU
Turbidity (field)	MW-8N	7/10/2007	1.41	0		NTU
Turbidity (field)	MW-8N	7/10/2007	1.41	0		NTU
Turbidity (field)	MW-8N	10/24/2007	0.49	0		NTU
Turbidity (field)	MW-8N	1/24/2008	0.9	0		NTU
Turbidity (field)	MW-8N	5/3/2008	2.55	0		NTU
Turbidity (field)	MW-8N	7/23/2008	0.99	0		NTU
Turbidity (field)	MW-8N	10/21/2008	0.66	0		NTU
Turbidity (field)	MW-8N	2/4/2009	0.6	0		NTU
Turbidity (field)	MW-8N	4/16/2009	0.7	0		NTU
Turbidity (field)	MW-8N	7/31/2009	1.38	0		NTU
Turbidity (field)	MW-8N	10/26/2009	0.88	0		NTU
Turbidity (field)	MW-8N	1/26/2010	2.01	0		NTU
Turbidity (field)	MW-8N	4/8/2010	0.35	0		NTU
Turbidity (field)	MW-8N	7/16/2010	0.6	0		NTU
Turbidity (field)	MW-8N	9/2/2010	0.02	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	MW-8N	9/30/2010	0.2	0		NTU
Turbidity (field)	MW-8N	1/19/2011	0.29	0		NTU
Turbidity (field)	MW-8N	5/10/2011	2.52	0		NTU
Turbidity (field)	MW-8N	7/14/2011	1.81	0		NTU
Turbidity (field)	MW-8N	1/6/2012	0.27	0		NTU
Turbidity (field)	MW-8N	4/5/2012	2.82	0		NTU
Turbidity (field)	MW-8N	7/11/2012	1.11	0		NTU
Turbidity (field)	MW-8N	10/3/2012	4.84	0		NTU
Turbidity (field)	MW-8N	5/1/2013	2.7	0		NTU
Turbidity (field)	MW-8N	6/4/2013	2.75	0		NTU
Turbidity (field)	MW-8N	7/16/2013	3.78	0		NTU
Turbidity (field)	MW-8N	10/2/2013	2.53	0		NTU
Turbidity (field)	MW-8N	1/30/2014	2.4	0		NTU
Turbidity (field)	MW-8N	4/3/2014	13.8	0		NTU
Turbidity (field)	MW-8N	7/9/2014	2.11	0		NTU
Turbidity (field)	MW-8N	10/8/2014	1.73	0		NTU
Turbidity (field)	MW-8N	2/12/2015	1.55	0		NTU
Turbidity (field)	MW-8N	4/1/2015	2.04	0		NTU
Turbidity (field)	MW-8N	7/14/2015	5.82	0		NTU
Turbidity (field)	MW-8N	10/5/2015	4.25	0		NTU
Turbidity (field)	MW-8N	1/5/2016	2.18	0		NTU
Turbidity (field)	MW-8N	4/6/2016	2.79	0		NTU
Turbidity (field)	MW-8N	7/21/2016	2.13	0		NTU
Turbidity (field)	MW-8N	10/6/2016	1.36	0		NTU
Turbidity (field)	MW-8N	1/11/2017	1.28	0		NTU
Turbidity (field)	MW-8N	4/4/2017	3.31	0		NTU
Turbidity (field)	MW-8N	7/19/2017	0.84	0		NTU
Turbidity (field)	MW-8N	10/6/2017	5.2	0		NTU
Turbidity (field)	MW-8N	1/25/2018	0.61	0.01		NTU
Turbidity (field)	MW-8N	4/10/2018	0	0.01		NTU
Turbidity (field)	MW-8N	6/6/2018	1.05	0		NTU
Turbidity (field)	MW-8N	7/16/2018	0.24	0.01		NTU
Turbidity (field)	MW-8N	10/2/2018	0.58	0		NTU
Turbidity (field)	MW-8N	1/7/2019	2.3	0.01		NTU
Turbidity (field)	MW-8N	4/3/2019	2.96	0.01		NTU
Turbidity (field)	MW-8N	7/11/2019	0.6	0		NTU
Turbidity (field)	MW-8N	10/3/2019	10.9	0.01		NTU
Turbidity (field)	MW-8N	1/15/2020	10.76	0		NTU
Turbidity (field)	MW-8N	4/2/2020	1.43	0.01		NTU
Turbidity (field)	MW-8N	7/9/2020	4.53	0		NTU
Turbidity (field)	MW-8N	7/9/2020	4.53	0		NTU
Turbidity (field)	MW-8N	10/6/2020	0.7	0.01		NTU
Turbidity (field)	MW-8N	4/6/2021	4.4	0		NTU
Turbidity (field)	MW-8N	7/5/2021	7.8	0		NTU
Turbidity (field)	MW-8N	7/5/2021	7.8	0		NTU
Turbidity (field)	MW-8N	10/6/2021	9.6	0		NTU
Turbidity (field)	MW-8N	1/18/2022	3.9	0		NTU
Turbidity (field)	MW-8N	1/18/2022	3.9	0		NTU
Turbidity (field)	MW-8N	4/4/2022	4.4	0		NTU
Turbidity (field)	MW-8N	7/12/2022	5.7	0		NTU
Turbidity (field)	MW-8N	10/6/2022	3.2	0		NTU
Turbidity (field)	MW-8N	1/11/2023	3.7	0		NTU
Turbidity (field)	MW-8N	4/8/2023	2.6	0		NTU
Turbidity (field)	MW-8N	7/7/2023	3.5	0		NTU
Turbidity (field)	MW-8N	10/5/2023	3.7	0		NTU
Turbidity (field)	NE-1	7/18/2006	48.7	0		NTU
Turbidity (field)	NE-1	7/18/2006	48.7	0		NTU
Turbidity (field)	NE-1	10/24/2006	97.2	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-1	10/24/2006	97.2	0		NTU
Turbidity (field)	NE-1	1/23/2007	94.2	0		NTU
Turbidity (field)	NE-1	1/23/2007	94.2	0		NTU
Turbidity (field)	NE-1	4/23/2007	48	0		NTU
Turbidity (field)	NE-1	4/26/2007	48	0		NTU
Turbidity (field)	NE-1	7/10/2007	68.3	0		NTU
Turbidity (field)	NE-1	7/10/2007	68.3	0		NTU
Turbidity (field)	NE-1	10/24/2007	4.63	0		NTU
Turbidity (field)	NE-1	1/24/2008	5.67	0		NTU
Turbidity (field)	NE-1	7/21/2008	8.72	0		NTU
Turbidity (field)	NE-1	2/7/2009	58.3	0		NTU
Turbidity (field)	NE-1	7/31/2009	9.3	0		NTU
Turbidity (field)	NE-1	1/26/2010	8.37	0		NTU
Turbidity (field)	NE-1	7/14/2010	87	0		NTU
Turbidity (field)	NE-1	9/2/2010	12.6	0		NTU
Turbidity (field)	NE-1	9/30/2010	36.7	0		NTU
Turbidity (field)	NE-1	1/19/2011	10	0		NTU
Turbidity (field)	NE-1	7/13/2011	8.16	0		NTU
Turbidity (field)	NE-1	1/5/2012	7.97	0		NTU
Turbidity (field)	NE-1	7/10/2012	6.72	0		NTU
Turbidity (field)	NE-1	4/30/2013	15.9	0		NTU
Turbidity (field)	NE-1	7/16/2013	11.3	0		NTU
Turbidity (field)	NE-1	1/23/2014	12.9	0		NTU
Turbidity (field)	NE-1	7/9/2014	7.62	0		NTU
Turbidity (field)	NE-1	2/11/2015	13.2	0		NTU
Turbidity (field)	NE-1	7/8/2015	22.9	0		NTU
Turbidity (field)	NE-1	1/6/2016	10.2	0		NTU
Turbidity (field)	NE-1	7/20/2016	11.6	0		NTU
Turbidity (field)	NE-1	1/11/2017	50.4	0		NTU
Turbidity (field)	NE-1	7/19/2017	6.31	0		NTU
Turbidity (field)	NE-1	1/24/2018	0.71	0.01		NTU
Turbidity (field)	NE-1	4/11/2018	0.94	0.01		NTU
Turbidity (field)	NE-1	7/18/2018	5.39	0.01		NTU
Turbidity (field)	NE-1	10/2/2018	0.25	0		NTU
Turbidity (field)	NE-1	1/4/2019	0.5	0.01		NTU
Turbidity (field)	NE-1	4/2/2019	0.78	0.01		NTU
Turbidity (field)	NE-1	7/10/2019	5.3	0		NTU
Turbidity (field)	NE-1	7/10/2019	5.3	0		NTU
Turbidity (field)	NE-1	10/2/2019	1.76	0.01		NTU
Turbidity (field)	NE-1	4/2/2020	10.99	0.01		NTU
Turbidity (field)	NE-1	7/8/2020	0.89	0		NTU
Turbidity (field)	NE-1	7/8/2020	0.89	0		NTU
Turbidity (field)	NE-1	10/7/2020	2.08	0.01		NTU
Turbidity (field)	NE-1	1/13/2021	-12.8	0		NTU
Turbidity (field)	NE-1	4/9/2021	2	0		NTU
Turbidity (field)	NE-1	7/2/2021	4	0		NTU
Turbidity (field)	NE-1	7/2/2021	4	0		NTU
Turbidity (field)	NE-1	10/6/2021	2.8	0		NTU
Turbidity (field)	NE-1	1/17/2022	2.6	0		NTU
Turbidity (field)	NE-1	1/17/2022	2.6	0		NTU
Turbidity (field)	NE-1	4/6/2022	3	0		NTU
Turbidity (field)	NE-1	7/13/2022	8.5	0		NTU
Turbidity (field)	NE-1	10/6/2022	2.9	0		NTU
Turbidity (field)	NE-1	1/5/2023	4.9	0		NTU
Turbidity (field)	NE-1	4/7/2023	5.3	0		NTU
Turbidity (field)	NE-1	7/5/2023	5.1	0		NTU
Turbidity (field)	NE-1	10/5/2023	8.2	0		NTU
Turbidity (field)	NE-10D	11/6/2019	17.8	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-10D	4/2/2020	0.87	0.01		NTU
Turbidity (field)	NE-10D	7/8/2020	16.33	0		NTU
Turbidity (field)	NE-10D	7/8/2020	16.33	0		NTU
Turbidity (field)	NE-10D	10/7/2020	3.53	0.01		NTU
Turbidity (field)	NE-10D	1/13/2021	-9.6	0		NTU
Turbidity (field)	NE-10D	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-10D	7/2/2021	17.7	0		NTU
Turbidity (field)	NE-10D	7/2/2021	17.7	0		NTU
Turbidity (field)	NE-10D	10/7/2021	2.2	0		NTU
Turbidity (field)	NE-10D	1/6/2023	20.5	0		NTU
Turbidity (field)	NE-10D	4/6/2023	10.7	0		NTU
Turbidity (field)	NE-10D	7/8/2023	9.1	0		NTU
Turbidity (field)	NE-10D	10/3/2023	8.1	0		NTU
Turbidity (field)	NE-11	3/1/2017	2.13	0		NTU
Turbidity (field)	NE-11	4/6/2017	12.4	0		NTU
Turbidity (field)	NE-11	7/20/2017	14.3	0		NTU
Turbidity (field)	NE-11	10/9/2017	9.86	0		NTU
Turbidity (field)	NE-11	9/30/2019	15.53	0.01		NTU
Turbidity (field)	NE-11	1/14/2020	14.11	0		NTU
Turbidity (field)	NE-11	7/7/2020	18.45	0		NTU
Turbidity (field)	NE-11	7/7/2020	18.45	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	7/1/2021	12.8	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	1/17/2022	3.2	0		NTU
Turbidity (field)	NE-11	7/12/2022	6.1	0		NTU
Turbidity (field)	NE-11	1/6/2023	3.3	0		NTU
Turbidity (field)	NE-11	7/6/2023	3.8	0		NTU
Turbidity (field)	NE-12	3/1/2017	9.55	0		NTU
Turbidity (field)	NE-12	4/6/2017	16	0		NTU
Turbidity (field)	NE-12	7/20/2017	10.7	0		NTU
Turbidity (field)	NE-12	10/6/2017	29.8	0		NTU
Turbidity (field)	NE-12	7/9/2019	28.03	0		NTU
Turbidity (field)	NE-12	8/5/2019	5.64	0.01		NTU
Turbidity (field)	NE-12	1/13/2020	2.56	0		NTU
Turbidity (field)	NE-12	7/7/2020	0.83	0		NTU
Turbidity (field)	NE-12	7/7/2020	0.83	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	7/1/2021	7	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	1/17/2022	3.4	0		NTU
Turbidity (field)	NE-12	7/12/2022	5.1	0		NTU
Turbidity (field)	NE-12	1/6/2023	4.9	0		NTU
Turbidity (field)	NE-12	7/5/2023	3.5	0		NTU
Turbidity (field)	NE-13	2/5/2019	2.33	0		NTU
Turbidity (field)	NE-13	7/11/2019	5.7	0		NTU
Turbidity (field)	NE-13	8/7/2019	20.79	0.01		NTU
Turbidity (field)	NE-13	1/15/2020	7.7	0		NTU
Turbidity (field)	NE-13	7/8/2020	35.84	0		NTU
Turbidity (field)	NE-13	7/8/2020	35.84	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-13	7/1/2021	3.9	0		NTU
Turbidity (field)	NE-14D	10/2/2019	0.44	0.01		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-14D	4/3/2020	0.93	0.01		NTU
Turbidity (field)	NE-14D	7/7/2020	0.01	0		NTU
Turbidity (field)	NE-14D	7/7/2020	0.01	0		NTU
Turbidity (field)	NE-14D	10/6/2020	2.31	0.01		NTU
Turbidity (field)	NE-14D	1/17/2021	-13.2	0		NTU
Turbidity (field)	NE-14D	4/9/2021	2.6	0		NTU
Turbidity (field)	NE-14D	7/2/2021	5.5	0		NTU
Turbidity (field)	NE-14D	7/2/2021	5.5	0		NTU
Turbidity (field)	NE-14D	10/7/2021	1.7	0		NTU
Turbidity (field)	NE-14D	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14D	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14D	4/6/2022	2.5	0		NTU
Turbidity (field)	NE-14D	7/13/2022	4.3	0		NTU
Turbidity (field)	NE-14D	10/7/2022	2.2	0		NTU
Turbidity (field)	NE-14D	1/6/2023	2.5	0		NTU
Turbidity (field)	NE-14D	4/6/2023	7.8	0		NTU
Turbidity (field)	NE-14D	7/5/2023	2.6	0		NTU
Turbidity (field)	NE-14D	10/4/2023	1.9	0		NTU
Turbidity (field)	NE-14S	10/2/2019	0.01	0.01	ND	NTU
Turbidity (field)	NE-14S	4/3/2020	0.43	0.01		NTU
Turbidity (field)	NE-14S	7/7/2020	10.09	0		NTU
Turbidity (field)	NE-14S	7/7/2020	10.09	0		NTU
Turbidity (field)	NE-14S	10/6/2020	14.74	0.01		NTU
Turbidity (field)	NE-14S	1/17/2021	11.7	0		NTU
Turbidity (field)	NE-14S	4/9/2021	3.2	0		NTU
Turbidity (field)	NE-14S	7/2/2021	8.7	0		NTU
Turbidity (field)	NE-14S	7/2/2021	8.7	0		NTU
Turbidity (field)	NE-14S	10/7/2021	1.9	0		NTU
Turbidity (field)	NE-14S	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14S	1/18/2022	2.3	0		NTU
Turbidity (field)	NE-14S	4/6/2022	3.8	0		NTU
Turbidity (field)	NE-14S	7/13/2022	5.6	0		NTU
Turbidity (field)	NE-14S	10/7/2022	6	0		NTU
Turbidity (field)	NE-14S	1/6/2023	5.8	0		NTU
Turbidity (field)	NE-14S	4/6/2023	6.5	0		NTU
Turbidity (field)	NE-14S	7/5/2023	3.4	0		NTU
Turbidity (field)	NE-14S	10/4/2023	6.1	0		NTU
Turbidity (field)	NE-15D	9/30/2019	5.11	0.01		NTU
Turbidity (field)	NE-15D	4/3/2020	1.21	0.01		NTU
Turbidity (field)	NE-15D	7/7/2020	0.69	0		NTU
Turbidity (field)	NE-15D	7/7/2020	0.69	0		NTU
Turbidity (field)	NE-15D	10/6/2020	2.67	0.01		NTU
Turbidity (field)	NE-15D	1/17/2021	-12.8	0		NTU
Turbidity (field)	NE-15D	4/9/2021	3	0		NTU
Turbidity (field)	NE-15D	7/2/2021	6.6	0		NTU
Turbidity (field)	NE-15D	7/2/2021	6.6	0		NTU
Turbidity (field)	NE-15D	10/7/2021	1.6	0		NTU
Turbidity (field)	NE-15D	1/17/2022	2.3	0		NTU
Turbidity (field)	NE-15D	1/17/2022	2.3	0		NTU
Turbidity (field)	NE-15D	4/6/2022	2.6	0		NTU
Turbidity (field)	NE-15D	7/13/2022	4.4	0		NTU
Turbidity (field)	NE-15D	10/7/2022	2.5	0		NTU
Turbidity (field)	NE-15D	1/6/2023	2.6	0		NTU
Turbidity (field)	NE-15D	4/6/2023	3.5	0		NTU
Turbidity (field)	NE-15D	7/6/2023	3.8	0		NTU
Turbidity (field)	NE-15D	10/6/2023	2.8	0		NTU
Turbidity (field)	NE-15S	4/3/2020	38.83	0.01		NTU
Turbidity (field)	NE-2	4/24/2007	13.9	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-2	4/26/2007	13.9	0		NTU
Turbidity (field)	NE-2	12/19/2008	1.19	0		NTU
Turbidity (field)	NE-2	10/26/2009	1.5	0		NTU
Turbidity (field)	NE-2	9/2/2010	1.01	0		NTU
Turbidity (field)	NE-2	9/30/2010	2.99	0		NTU
Turbidity (field)	NE-2	4/5/2012	21.3	0		NTU
Turbidity (field)	NE-2	10/1/2013	1.17	0		NTU
Turbidity (field)	NE-2	10/8/2014	9.66	0		NTU
Turbidity (field)	NE-2	10/5/2015	9.61	0		NTU
Turbidity (field)	NE-2	10/6/2016	9.76	0		NTU
Turbidity (field)	NE-2	10/5/2017	9.86	0		NTU
Turbidity (field)	NE-2	1/25/2018	2.24	0.01		NTU
Turbidity (field)	NE-2	4/10/2018	0.28	0.01		NTU
Turbidity (field)	NE-2	7/10/2018	0.16	0.01		NTU
Turbidity (field)	NE-2	10/1/2018	1.11	0		NTU
Turbidity (field)	NE-2	1/4/2019	2.5	0.01		NTU
Turbidity (field)	NE-2	4/2/2019	0.94	0.01		NTU
Turbidity (field)	NE-2	7/9/2019	26.2	0		NTU
Turbidity (field)	NE-2	7/9/2019	26.2	0		NTU
Turbidity (field)	NE-2	10/2/2019	2.11	0.01		NTU
Turbidity (field)	NE-2	4/1/2020	0.62	0.01		NTU
Turbidity (field)	NE-2	7/7/2020	0.71	0		NTU
Turbidity (field)	NE-2	7/7/2020	0.71	0		NTU
Turbidity (field)	NE-2	10/6/2020	2.27	0.01		NTU
Turbidity (field)	NE-2	1/14/2021	-11.3	0		NTU
Turbidity (field)	NE-2	4/9/2021	3.8	0		NTU
Turbidity (field)	NE-2	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-2	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-2	10/6/2021	3.9	0		NTU
Turbidity (field)	NE-2	1/18/2022	4.3	0		NTU
Turbidity (field)	NE-2	1/18/2022	4.3	0		NTU
Turbidity (field)	NE-2	4/6/2022	13.1	0		NTU
Turbidity (field)	NE-2	7/13/2022	6.1	0		NTU
Turbidity (field)	NE-2	10/7/2022	5.7	0		NTU
Turbidity (field)	NE-2	1/5/2023	3.7	0		NTU
Turbidity (field)	NE-2	4/5/2023	4.1	0		NTU
Turbidity (field)	NE-2	7/5/2023	3.8	0		NTU
Turbidity (field)	NE-2	10/4/2023	3	0		NTU
Turbidity (field)	NE-4	7/18/2006	1000	0		NTU
Turbidity (field)	NE-4	7/31/2006	157	0		NTU
Turbidity (field)	NE-4	8/1/2006	157	0		NTU
Turbidity (field)	NE-4	8/1/2006	157	0		NTU
Turbidity (field)	NE-4	10/24/2006	27	0		NTU
Turbidity (field)	NE-4	10/24/2006	27	0		NTU
Turbidity (field)	NE-4	1/23/2007	20.3	0		NTU
Turbidity (field)	NE-4	1/23/2007	20.3	0		NTU
Turbidity (field)	NE-4	2/24/2007	182	0		NTU
Turbidity (field)	NE-4	4/26/2007	182	0		NTU
Turbidity (field)	NE-4	7/10/2007	44.4	0		NTU
Turbidity (field)	NE-4	7/12/2007	44.4	0		NTU
Turbidity (field)	NE-4	1/24/2008	9.93	0		NTU
Turbidity (field)	NE-4	7/21/2008	2.75	0		NTU
Turbidity (field)	NE-4	2/7/2009	35.2	0		NTU
Turbidity (field)	NE-4	7/31/2009	5.43	0		NTU
Turbidity (field)	NE-4	1/26/2010	1.13	0		NTU
Turbidity (field)	NE-4	7/14/2010	3.95	0		NTU
Turbidity (field)	NE-4	1/19/2011	1.12	0		NTU
Turbidity (field)	NE-4	7/13/2011	3.68	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-4	1/5/2012	9.21	0		NTU
Turbidity (field)	NE-4	7/10/2012	29.3	0		NTU
Turbidity (field)	NE-4	4/30/2013	35.7	0		NTU
Turbidity (field)	NE-4	7/16/2013	13.7	0		NTU
Turbidity (field)	NE-4	1/23/2014	16.3	0		NTU
Turbidity (field)	NE-4	7/9/2014	9.9	0		NTU
Turbidity (field)	NE-4	2/13/2015	116	0		NTU
Turbidity (field)	NE-4	7/8/2015	9.58	0		NTU
Turbidity (field)	NE-4	1/6/2016	3.18	0		NTU
Turbidity (field)	NE-4	7/20/2016	10.6	0		NTU
Turbidity (field)	NE-4	1/11/2017	33.2	0		NTU
Turbidity (field)	NE-4	7/19/2017	7.44	0		NTU
Turbidity (field)	NE-4	1/26/2018	0.69	0.01		NTU
Turbidity (field)	NE-4	4/10/2018	0.33	0.01		NTU
Turbidity (field)	NE-4	7/12/2018	0.68	0.01		NTU
Turbidity (field)	NE-4	10/3/2018	1.28	0		NTU
Turbidity (field)	NE-4	1/7/2019	0.01	0.01	ND	NTU
Turbidity (field)	NE-4	4/2/2019	0.91	0.01		NTU
Turbidity (field)	NE-4	7/8/2019	3.4	0		NTU
Turbidity (field)	NE-4	7/8/2019	3.4	0		NTU
Turbidity (field)	NE-4	10/1/2019	2.11	0.01		NTU
Turbidity (field)	NE-4	4/1/2020	0.59	0.01		NTU
Turbidity (field)	NE-4	7/6/2020	5.86	0		NTU
Turbidity (field)	NE-4	7/6/2020	5.86	0		NTU
Turbidity (field)	NE-4	10/5/2020	86.6	0.01		NTU
Turbidity (field)	NE-4	1/15/2021	-11.4	0		NTU
Turbidity (field)	NE-4	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-4	7/2/2021	23.2	0		NTU
Turbidity (field)	NE-4	7/2/2021	23.2	0		NTU
Turbidity (field)	NE-4	10/6/2021	2.5	0		NTU
Turbidity (field)	NE-4	1/5/2023	9.2	0		NTU
Turbidity (field)	NE-4	4/6/2023	9.7	0		NTU
Turbidity (field)	NE-4	7/5/2023	6.1	0		NTU
Turbidity (field)	NE-4	10/4/2023	4.9	0		NTU
Turbidity (field)	NE-5	7/18/2006	170	0		NTU
Turbidity (field)	NE-5	7/18/2006	170	0		NTU
Turbidity (field)	NE-5	10/24/2006	423	0		NTU
Turbidity (field)	NE-5	10/24/2006	42.3	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/9/2007	396	0		NTU
Turbidity (field)	NE-5	1/23/2007	83.1	0		NTU
Turbidity (field)	NE-5	1/23/2007	83.1	0		NTU
Turbidity (field)	NE-5	2/24/2007	108	0		NTU
Turbidity (field)	NE-5	4/26/2007	108	0		NTU
Turbidity (field)	NE-5	7/10/2007	47.2	0		NTU
Turbidity (field)	NE-5	7/12/2007	47.2	0		NTU
Turbidity (field)	NE-5	1/25/2008	5.43	0		NTU
Turbidity (field)	NE-5	5/3/2008	4.45	0		NTU
Turbidity (field)	NE-5	7/22/2008	13.9	0		NTU
Turbidity (field)	NE-5	2/6/2009	254	0		NTU
Turbidity (field)	NE-5	7/31/2009	23	0		NTU
Turbidity (field)	NE-5	1/26/2010	13.3	0		NTU
Turbidity (field)	NE-5	7/16/2010	171	0		NTU
Turbidity (field)	NE-5	9/2/2010	7.67	0		NTU
Turbidity (field)	NE-5	1/19/2011	20	0		NTU
Turbidity (field)	NE-5	7/13/2011	13.8	0		NTU
Turbidity (field)	NE-5	1/5/2012	19.8	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-5	7/10/2012	28.9	0		NTU
Turbidity (field)	NE-5	4/30/2013	31.1	0		NTU
Turbidity (field)	NE-5	7/16/2013	13.3	0		NTU
Turbidity (field)	NE-5	1/23/2014	16.8	0		NTU
Turbidity (field)	NE-5	7/9/2014	12.8	0		NTU
Turbidity (field)	NE-5	2/11/2015	26.9	0		NTU
Turbidity (field)	NE-5	7/14/2015	10.8	0		NTU
Turbidity (field)	NE-5	1/6/2016	25.8	0		NTU
Turbidity (field)	NE-5	2/11/2016	25.3	0		NTU
Turbidity (field)	NE-5	7/20/2016	39.7	0		NTU
Turbidity (field)	NE-5	1/11/2017	49.2	0		NTU
Turbidity (field)	NE-5	7/19/2017	8.71	0		NTU
Turbidity (field)	NE-5	1/25/2018	1.03	0.01		NTU
Turbidity (field)	NE-5	4/10/2018	6.5	0.01		NTU
Turbidity (field)	NE-5	7/17/2018	0.46	0.01		NTU
Turbidity (field)	NE-5	10/3/2018	4.12	0		NTU
Turbidity (field)	NE-5	10/3/2018	4.12	0.01		NTU
Turbidity (field)	NE-5	1/4/2019	3	0.01		NTU
Turbidity (field)	NE-5	4/2/2019	1.46	0.01		NTU
Turbidity (field)	NE-5	4/2/2019	1.46	0.01		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	7/9/2019	5	0		NTU
Turbidity (field)	NE-5	10/3/2019	0.71	0.01		NTU
Turbidity (field)	NE-5	4/2/2020	6.85	0.01		NTU
Turbidity (field)	NE-5	7/8/2020	22.76	0		NTU
Turbidity (field)	NE-5	7/8/2020	22.76	0		NTU
Turbidity (field)	NE-5	10/6/2020	23.98	0.01		NTU
Turbidity (field)	NE-5	1/15/2021	-9.9	0		NTU
Turbidity (field)	NE-5	4/9/2021	3.6	0		NTU
Turbidity (field)	NE-5	7/2/2021	11.4	0		NTU
Turbidity (field)	NE-5	7/2/2021	11.4	0		NTU
Turbidity (field)	NE-5	10/6/2021	13	0		NTU
Turbidity (field)	NE-5	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5	4/6/2022	8	0		NTU
Turbidity (field)	NE-5	7/13/2022	10.1	0		NTU
Turbidity (field)	NE-5	10/7/2022	9.4	0		NTU
Turbidity (field)	NE-5	1/5/2023	8.7	0		NTU
Turbidity (field)	NE-5	4/7/2023	10.2	0		NTU
Turbidity (field)	NE-5	7/6/2023	9.8	0		NTU
Turbidity (field)	NE-5	10/4/2023	5.7	0		NTU
Turbidity (field)	NE-5E	9/30/2019	2.18	0.01		NTU
Turbidity (field)	NE-5E	4/1/2020	6.58	0.01		NTU
Turbidity (field)	NE-5E	7/8/2020	3.07	0		NTU
Turbidity (field)	NE-5E	7/8/2020	3.07	0		NTU
Turbidity (field)	NE-5E	10/6/2020	0.26	0.01		NTU
Turbidity (field)	NE-5E	1/15/2021	-13.7	0		NTU
Turbidity (field)	NE-5E	4/9/2021	2.1	0		NTU
Turbidity (field)	NE-5E	7/2/2021	7.2	0		NTU
Turbidity (field)	NE-5E	7/2/2021	7.2	0		NTU
Turbidity (field)	NE-5E	10/6/2021	3.6	0		NTU
Turbidity (field)	NE-5E	1/18/2022	2	0		NTU
Turbidity (field)	NE-5E	1/18/2022	2	0		NTU
Turbidity (field)	NE-5E	4/6/2022	2.4	0		NTU
Turbidity (field)	NE-5E	7/13/2022	11.2	0		NTU
Turbidity (field)	NE-5E	10/7/2022	10.6	0		NTU
Turbidity (field)	NE-5E	1/5/2023	9.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-5E	4/7/2023	9.6	0		NTU
Turbidity (field)	NE-5E	7/6/2023	10.5	0		NTU
Turbidity (field)	NE-5E	10/4/2023	21.1	0		NTU
Turbidity (field)	NE-5W	9/30/2019	0.31	0.01		NTU
Turbidity (field)	NE-5W	4/2/2020	35.62	0.01		NTU
Turbidity (field)	NE-5W	7/8/2020	34.04	0		NTU
Turbidity (field)	NE-5W	7/8/2020	34.04	0		NTU
Turbidity (field)	NE-5W	10/6/2020	24.83	0.01		NTU
Turbidity (field)	NE-5W	1/15/2021	-8.5	0		NTU
Turbidity (field)	NE-5W	4/9/2021	4.9	0		NTU
Turbidity (field)	NE-5W	7/2/2021	10.1	0		NTU
Turbidity (field)	NE-5W	7/2/2021	10.1	0		NTU
Turbidity (field)	NE-5W	10/6/2021	12.7	0		NTU
Turbidity (field)	NE-5W	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5W	1/18/2022	9.8	0		NTU
Turbidity (field)	NE-5W	4/6/2022	19.6	0		NTU
Turbidity (field)	NE-5W	7/13/2022	9.7	0		NTU
Turbidity (field)	NE-5W	10/7/2022	9.6	0		NTU
Turbidity (field)	NE-5W	1/5/2023	9.5	0		NTU
Turbidity (field)	NE-5W	4/7/2023	10.3	0		NTU
Turbidity (field)	NE-5W	7/6/2023	10.7	0		NTU
Turbidity (field)	NE-5W	10/4/2023	10.4	0		NTU
Turbidity (field)	NE-6	1/12/2017	12.9	0		NTU
Turbidity (field)	NE-6	4/5/2017	3.44	0		NTU
Turbidity (field)	NE-6	7/19/2017	1.85	0		NTU
Turbidity (field)	NE-6	10/6/2017	2.75	0		NTU
Turbidity (field)	NE-6	2/4/2019	0.28	0		NTU
Turbidity (field)	NE-6	7/9/2019	2.3	0		NTU
Turbidity (field)	NE-6	8/6/2019	7.17	0.01		NTU
Turbidity (field)	NE-6	1/15/2020	11.56	0		NTU
Turbidity (field)	NE-6	7/9/2020	3.44	0		NTU
Turbidity (field)	NE-6	7/9/2020	3.44	0		NTU
Turbidity (field)	NE-6	7/1/2021	10.3	0		NTU
Turbidity (field)	NE-6	7/1/2021	10.3	0		NTU
Turbidity (field)	NE-6	7/1/2021	10.3	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	1/17/2022	8.5	0		NTU
Turbidity (field)	NE-6	7/12/2022	12	0		NTU
Turbidity (field)	NE-6	1/5/2023	4.6	0		NTU
Turbidity (field)	NE-6	7/6/2023	9.5	0		NTU
Turbidity (field)	NE-6D	10/2/2019	1.35	0.01		NTU
Turbidity (field)	NE-6D	4/2/2020	2.49	0.01		NTU
Turbidity (field)	NE-6D	7/9/2020	0.45	0		NTU
Turbidity (field)	NE-6D	7/9/2020	0.45	0		NTU
Turbidity (field)	NE-6D	10/7/2020	0.47	0.01		NTU
Turbidity (field)	NE-6D	1/15/2021	-13.8	0		NTU
Turbidity (field)	NE-6D	4/9/2021	2.8	0		NTU
Turbidity (field)	NE-6D	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-6D	7/2/2021	4.3	0		NTU
Turbidity (field)	NE-6D	10/7/2021	1.9	0		NTU
Turbidity (field)	NE-6D	1/17/2022	1.6	0		NTU
Turbidity (field)	NE-6D	1/17/2022	1.6	0		NTU
Turbidity (field)	NE-6D	4/6/2022	12.1	0		NTU
Turbidity (field)	NE-6D	7/12/2022	5.9	0		NTU
Turbidity (field)	NE-6D	10/7/2022	2.8	0		NTU
Turbidity (field)	NE-6D	1/5/2023	3.8	0		NTU
Turbidity (field)	NE-6D	4/7/2023	3.7	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-6D	7/6/2023	3.9	0		NTU
Turbidity (field)	NE-6D	10/4/2023	2.2	0		NTU
Turbidity (field)	NE-7	3/1/2017	14.2	0		NTU
Turbidity (field)	NE-7	4/6/2017	34.4	0		NTU
Turbidity (field)	NE-7	7/20/2017	9.64	0		NTU
Turbidity (field)	NE-7	10/5/2017	14.2	0		NTU
Turbidity (field)	NE-7	2/6/2019	49.57	0		NTU
Turbidity (field)	NE-7	7/10/2019	16.4	0		NTU
Turbidity (field)	NE-7	8/6/2019	30.36	0.01		NTU
Turbidity (field)	NE-7	1/16/2020	30.91	0		NTU
Turbidity (field)	NE-7	7/7/2020	7.24	0		NTU
Turbidity (field)	NE-7	7/7/2020	7.24	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	7/1/2021	38.4	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	1/17/2022	21.6	0		NTU
Turbidity (field)	NE-7	7/12/2022	16.7	0		NTU
Turbidity (field)	NE-7	1/5/2023	8.9	0		NTU
Turbidity (field)	NE-7	7/6/2023	10.2	0		NTU
Turbidity (field)	NE-8	1/12/2017	5.51	0		NTU
Turbidity (field)	NE-8	4/5/2017	4.37	0		NTU
Turbidity (field)	NE-8	7/20/2017	2.1	0		NTU
Turbidity (field)	NE-8	10/6/2017	6.34	0		NTU
Turbidity (field)	NE-8	2/4/2019	0.29	0		NTU
Turbidity (field)	NE-8	7/11/2019	1.1	0		NTU
Turbidity (field)	NE-8	8/5/2019	2.97	0.01		NTU
Turbidity (field)	NE-8	1/15/2020	1.56	0		NTU
Turbidity (field)	NE-8	7/8/2020	0.45	0		NTU
Turbidity (field)	NE-8	7/8/2020	0.45	0		NTU
Turbidity (field)	NE-8	10/7/2020	1.23	0.01		NTU
Turbidity (field)	NE-8	10/7/2020	1.23	0.01		NTU
Turbidity (field)	NE-8	4/9/2021	1.7	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	7/1/2021	5.4	0		NTU
Turbidity (field)	NE-8	10/7/2021	2.7	0		NTU
Turbidity (field)	NE-8	1/6/2023	9.2	0		NTU
Turbidity (field)	NE-8	7/5/2023	11.4	0		NTU
Turbidity (field)	NE-9	1/12/2017	8.63	0		NTU
Turbidity (field)	NE-9	4/5/2017	8.11	0		NTU
Turbidity (field)	NE-9	7/20/2017	1.93	0		NTU
Turbidity (field)	NE-9	10/5/2017	1.7	0		NTU
Turbidity (field)	NE-9	2/5/2019	2.44	0		NTU
Turbidity (field)	NE-9	7/8/2019	6.32	0		NTU
Turbidity (field)	NE-9	8/7/2019	3.48	0.01		NTU
Turbidity (field)	NE-9	1/15/2020	2.7	0		NTU
Turbidity (field)	NE-9	7/7/2020	1.82	0		NTU
Turbidity (field)	NE-9	7/7/2020	18.2	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	7/1/2021	8.3	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	1/17/2022	5.1	0		NTU
Turbidity (field)	NE-9	7/13/2022	4.6	0		NTU

Constituent	Sample Point	Date	Result	Limit	ND	Units
Turbidity (field)	NE-9	1/6/2023	4.4	0		NTU
Turbidity (field)	NE-9	4/8/2023	2.8	0		NTU
Turbidity (field)	NE-9	7/5/2023	2.4	0		NTU
Turbidity (field)	NE-9	10/6/2023	2.8	0		NTU
Vanadium, dissolved	LGW-14R	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-2	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-4	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-5	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-6	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-7	1/25/2006	3	3	ND	ug/L
Vanadium, dissolved	LGW-8R	1/24/2006	3	3	ND	ug/L
Vanadium, dissolved	MW-10N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-10N	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-10N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-11N	7/10/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-11N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-11N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-1N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-1N	7/12/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-1N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-1N	10/3/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-2N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-2N	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-2N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-3N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-3N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-3N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-7N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-7N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-7N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-7N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-8N	10/19/1999	3	3	ND	ug/L
Vanadium, dissolved	MW-8N	7/11/2000	3	3	ND	ug/L
Vanadium, dissolved	MW-8N	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	MW-8N	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-1	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-2	10/2/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	7/10/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-4	10/3/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	7/9/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	8/6/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	9/4/2002	8	8	ND	ug/L
Vanadium, dissolved	NE-5	10/2/2002	8	8	ND	ug/L
Vanadium, total	LGW-10	1/26/2006	3	3	ND	ug/L
Vanadium, total	LGW-10	8/1/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-10	8/1/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-10	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-10	1/9/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-10	1/25/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-10	4/26/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-10	7/12/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-10	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-10	7/22/2008	0.1	3	ND	ug/L
Vanadium, total	LGW-10	7/29/2009	3	3	ND	ug/L
Vanadium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	2/3/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	7/16/2010	3	3	ND	ug/L
Vanadium, total	LGW-10	1/19/2011	3	3	ND	ug/L
Vanadium, total	LGW-10	7/12/2011	3	3	ND	ug/L
Vanadium, total	LGW-10	1/5/2012	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-10	5/1/2013	3	3	ND	ug/L
Vanadium, total	LGW-10	1/30/2014	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2014	3	3	ND	ug/L
Vanadium, total	LGW-10	2/12/2015	3	3	ND	ug/L
Vanadium, total	LGW-10	7/13/2015	3	3	ND	ug/L
Vanadium, total	LGW-10	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	4/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	7/21/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-10	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	4/4/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	7/19/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	10/9/2017	3	3	ND	ug/L
Vanadium, total	LGW-10	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	7/16/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	10/4/2018	3	3	ND	ug/L
Vanadium, total	LGW-10	1/4/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	7/11/2019	6	6	ND	ug/L
Vanadium, total	LGW-10	10/2/2019	3	3	ND	ug/L
Vanadium, total	LGW-10	1/15/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	10/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-10	1/17/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-10	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	10/7/2022	3	3	ND	ug/L
Vanadium, total	LGW-10	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-10	4/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-10	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-10	10/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/25/2006	120	3		ug/L
Vanadium, total	LGW-14R	8/2/2006	27	3		ug/L
Vanadium, total	LGW-14R	8/2/2006	27	3		ug/L
Vanadium, total	LGW-14R	10/27/2006	10	10	ND	ug/L
Vanadium, total	LGW-14R	1/9/2007	2.6	3	ND	ug/L
Vanadium, total	LGW-14R	1/24/2007	1.8	3	ND	ug/L
Vanadium, total	LGW-14R	4/24/2007	6.9	3		ug/L
Vanadium, total	LGW-14R	7/11/2007	32	3		ug/L
Vanadium, total	LGW-14R	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/22/2008	0.7	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-14R	2/6/2009	1.8	3	ND	ug/L
Vanadium, total	LGW-14R	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-14R	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-14R	1/5/2012	0.6	3	ND	ug/L
Vanadium, total	LGW-14R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-14R	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-14R	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/25/2018	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/17/2018	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-14R	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-14R	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-14R	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-2	1/25/2006	5.4	3		ug/L
Vanadium, total	LGW-2	8/1/2006	2	3	ND	ug/L
Vanadium, total	LGW-2	8/1/2006	2	3	ND	ug/L
Vanadium, total	LGW-2	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-2	1/9/2007	1.7	3	ND	ug/L
Vanadium, total	LGW-2	1/25/2007	2	3	ND	ug/L
Vanadium, total	LGW-2	4/26/2007	1	3	ND	ug/L
Vanadium, total	LGW-2	7/10/2007	1.6	3	ND	ug/L
Vanadium, total	LGW-2	1/26/2008	2	3	ND	ug/L
Vanadium, total	LGW-2	7/23/2008	1.7	3	ND	ug/L
Vanadium, total	LGW-2	2/6/2009	3	3		ug/L
Vanadium, total	LGW-2	7/30/2009	2.4	3	ND	ug/L
Vanadium, total	LGW-2	2/3/2010	1.1	3	ND	ug/L
Vanadium, total	LGW-2	2/3/2010	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/12/2010	1.5	3	ND	ug/L
Vanadium, total	LGW-2	1/19/2011	1.9	3	ND	ug/L
Vanadium, total	LGW-2	7/13/2011	1.2	3	ND	ug/L
Vanadium, total	LGW-2	1/4/2012	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/9/2012	1.2	3	ND	ug/L
Vanadium, total	LGW-2	4/30/2013	1.1	3	ND	ug/L
Vanadium, total	LGW-2	7/15/2013	1.3	3	ND	ug/L
Vanadium, total	LGW-2	1/30/2014	1.3	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2014	1	3	ND	ug/L
Vanadium, total	LGW-2	2/13/2015	1.5	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2015	0.8	3	ND	ug/L
Vanadium, total	LGW-2	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-2	7/19/2016	0.8	3	ND	ug/L
Vanadium, total	LGW-2	1/11/2017	1.1	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-2	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-2	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-2	7/12/2018	3	3	ND	ug/L
Vanadium, total	LGW-2	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-2	1/13/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	4/1/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	7/8/2020	3	3	ND	ug/L
Vanadium, total	LGW-2	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-2	7/4/2021	3	3	ND	ug/L
Vanadium, total	LGW-2	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-2	7/10/2022	3	3	ND	ug/L
Vanadium, total	LGW-2	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-2	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/20/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	7/20/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	10/26/2006	17	10		ug/L
Vanadium, total	LGW-3R	1/8/2007	4.3	3		ug/L
Vanadium, total	LGW-3R	1/25/2007	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	4/26/2007	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/11/2007	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	1/26/2008	2.6	3	ND	ug/L
Vanadium, total	LGW-3R	7/23/2008	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	2/3/2009	1	3	ND	ug/L
Vanadium, total	LGW-3R	7/31/2009	7	3		ug/L
Vanadium, total	LGW-3R	2/3/2010	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	2/3/2010	0.7	3	ND	ug/L
Vanadium, total	LGW-3R	7/16/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-3R	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-3R	7/13/2011	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	1/4/2012	0.8	3	ND	ug/L
Vanadium, total	LGW-3R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-3R	4/30/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-3R	7/15/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-3R	1/22/2014	1	3	ND	ug/L
Vanadium, total	LGW-3R	7/8/2014	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	2/10/2015	0.5	3	ND	ug/L
Vanadium, total	LGW-3R	7/16/2015	1.1	3	ND	ug/L
Vanadium, total	LGW-3R	1/8/2016	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/21/2016	4.8	3		ug/L
Vanadium, total	LGW-3R	1/11/2017	1.1	3	ND	ug/L
Vanadium, total	LGW-3R	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-3R	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/10/2022	3	3	ND	ug/L
Vanadium, total	LGW-3R	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-3R	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-4	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-4	7/20/2006	0.6	3	ND	ug/L
Vanadium, total	LGW-4	7/20/2006	0.6	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-4	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-4	1/9/2007	1.5	3	ND	ug/L
Vanadium, total	LGW-4	1/25/2007	1.3	3	ND	ug/L
Vanadium, total	LGW-4	4/26/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2007	0.6	3	ND	ug/L
Vanadium, total	LGW-4	1/22/2008	0.6	3	ND	ug/L
Vanadium, total	LGW-4	7/23/2008	0.4	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2009	0.4	3	ND	ug/L
Vanadium, total	LGW-4	7/31/2009	0.4	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-4	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-4	7/16/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-4	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-4	7/13/2011	0.4	3	ND	ug/L
Vanadium, total	LGW-4	1/4/2012	0.5	3	ND	ug/L
Vanadium, total	LGW-4	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-4	4/30/2013	1.5	3	ND	ug/L
Vanadium, total	LGW-4	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-4	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-4	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-4	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-4	7/8/2015	3	3	ND	ug/L
Vanadium, total	LGW-4	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-4	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-4	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-4	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-4	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-4	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-4	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-4	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-4	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-4	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-4	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-4	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-4	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-4	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-4	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-5	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-5	8/1/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-5	8/1/2006	0.7	3	ND	ug/L
Vanadium, total	LGW-5	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-5	1/9/2007	1.1	3	ND	ug/L
Vanadium, total	LGW-5	1/25/2007	0.9	3	ND	ug/L
Vanadium, total	LGW-5	4/26/2007	3	3	ND	ug/L
Vanadium, total	LGW-5	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/29/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	2/3/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/19/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-5	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-5	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-5	4/30/2013	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-5	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-5	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-5	2/10/2015	0.8	3	ND	ug/L
Vanadium, total	LGW-5	7/8/2015	3	3	ND	ug/L
Vanadium, total	LGW-5	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-5	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-5	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-5	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-5	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-5	7/12/2018	3	3	ND	ug/L
Vanadium, total	LGW-5	1/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-5	7/9/2019	6	6	ND	ug/L
Vanadium, total	LGW-5	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-5	7/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-5	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-5	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	10/6/2022	3	3	ND	ug/L
Vanadium, total	LGW-5	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-5	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-5	10/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-6	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-6	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-6	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-6	1/9/2007	0.8	3	ND	ug/L
Vanadium, total	LGW-6	1/24/2007	1.1	3	ND	ug/L
Vanadium, total	LGW-6	4/26/2007	0.1	3	ND	ug/L
Vanadium, total	LGW-6	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-6	1/23/2008	0.5	3	ND	ug/L
Vanadium, total	LGW-6	7/23/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-6	2/5/2009	0.6	3	ND	ug/L
Vanadium, total	LGW-6	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-6	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	2/3/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	7/12/2010	0.2	3	ND	ug/L
Vanadium, total	LGW-6	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-6	7/12/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-6	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-6	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-6	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-6	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-6	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-6	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-6	2/10/2015	3	3	ND	ug/L
Vanadium, total	LGW-6	7/22/2015	0.6	3	ND	ug/L
Vanadium, total	LGW-6	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	7/19/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-6	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	5/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-6	10/5/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-6	1/23/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	4/10/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	7/17/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-6	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-6	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-6	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2020	3	3	ND	ug/L
Vanadium, total	LGW-6	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-6	1/12/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	10/6/2022	3	3	ND	ug/L
Vanadium, total	LGW-6	1/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	4/6/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-6	10/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-7	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-7	8/1/2006	1	3	ND	ug/L
Vanadium, total	LGW-7	8/1/2006	1	3	ND	ug/L
Vanadium, total	LGW-7	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-7	1/9/2007	0.4	3	ND	ug/L
Vanadium, total	LGW-7	1/24/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-7	4/26/2007	0.2	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2007	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/22/2008	0.3	3	ND	ug/L
Vanadium, total	LGW-7	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/31/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/27/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/20/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2011	0.3	3	ND	ug/L
Vanadium, total	LGW-7	1/5/2012	0.6	3	ND	ug/L
Vanadium, total	LGW-7	7/10/2012	3	3	ND	ug/L
Vanadium, total	LGW-7	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-7	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-7	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-7	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-7	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-7	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-7	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	4/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	7/20/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	10/6/2016	3	3	ND	ug/L
Vanadium, total	LGW-7	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	4/4/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	10/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-7	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	7/12/2018	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-7	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-7	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-7	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-7	1/15/2020	3	3	ND	ug/L
Vanadium, total	LGW-7	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-7	1/18/2021	3	3	ND	ug/L
Vanadium, total	LGW-7	7/7/2021	4.77	3		ug/L
Vanadium, total	LGW-7	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-7	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-7	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-7	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-7	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/24/2006	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-8R	1/9/2007	0.5	3	ND	ug/L
Vanadium, total	LGW-8R	1/24/2007	0.6	3	ND	ug/L
Vanadium, total	LGW-8R	4/25/2007	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/12/2007	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/29/2009	0.2	3	ND	ug/L
Vanadium, total	LGW-8R	1/27/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	7/14/2010	0.3	3	ND	ug/L
Vanadium, total	LGW-8R	1/20/2011	0.2	3	ND	ug/L
Vanadium, total	LGW-8R	7/12/2011	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	LGW-8R	7/9/2012	3	3	ND	ug/L
Vanadium, total	LGW-8R	4/30/2013	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/22/2014	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-8R	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/22/2015	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/20/2016	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/18/2017	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/25/2018	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/13/2018	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/8/2019	6	6	ND	ug/L
Vanadium, total	LGW-8R	1/14/2020	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/17/2021	1	1	ND	ug/L
Vanadium, total	LGW-8R	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-8R	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-8R	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	1/25/2006	3	3	ND	ug/L
Vanadium, total	LGW-9	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-9	7/20/2006	0.3	3	ND	ug/L
Vanadium, total	LGW-9	10/26/2006	10	10	ND	ug/L
Vanadium, total	LGW-9	1/9/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	1/25/2007	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	LGW-9	4/25/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2007	3	3	ND	ug/L
Vanadium, total	LGW-9	7/22/2008	3	3	ND	ug/L
Vanadium, total	LGW-9	2/4/2009	3	3	ND	ug/L
Vanadium, total	LGW-9	7/29/2009	3	3	ND	ug/L
Vanadium, total	LGW-9	1/27/2010	3	3	ND	ug/L
Vanadium, total	LGW-9	7/14/2010	3	3	ND	ug/L
Vanadium, total	LGW-9	1/20/2011	3	3	ND	ug/L
Vanadium, total	LGW-9	7/12/2011	3	3	ND	ug/L
Vanadium, total	LGW-9	1/5/2012	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2012	3	3	ND	ug/L
Vanadium, total	LGW-9	5/1/2013	3	3	ND	ug/L
Vanadium, total	LGW-9	7/15/2013	3	3	ND	ug/L
Vanadium, total	LGW-9	1/23/2014	3	3	ND	ug/L
Vanadium, total	LGW-9	7/8/2014	3	3	ND	ug/L
Vanadium, total	LGW-9	2/11/2015	3	3	ND	ug/L
Vanadium, total	LGW-9	7/13/2015	3	3	ND	ug/L
Vanadium, total	LGW-9	1/5/2016	3	3	ND	ug/L
Vanadium, total	LGW-9	7/21/2016	0.6	3	ND	ug/L
Vanadium, total	LGW-9	10/6/2016	0.8	3	ND	ug/L
Vanadium, total	LGW-9	1/11/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	5/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	7/18/2017	0.7	3	ND	ug/L
Vanadium, total	LGW-9	10/5/2017	3	3	ND	ug/L
Vanadium, total	LGW-9	1/24/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	4/11/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	7/13/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	10/2/2018	3	3	ND	ug/L
Vanadium, total	LGW-9	1/7/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	4/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2019	6	6	ND	ug/L
Vanadium, total	LGW-9	10/3/2019	3	3	ND	ug/L
Vanadium, total	LGW-9	1/16/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	4/2/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	7/9/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	10/7/2020	3	3	ND	ug/L
Vanadium, total	LGW-9	1/17/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	4/6/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	7/7/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	10/5/2021	3	3	ND	ug/L
Vanadium, total	LGW-9	1/13/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	4/4/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	7/11/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	10/7/2022	3	3	ND	ug/L
Vanadium, total	LGW-9	1/11/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	4/5/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	7/10/2023	3	3	ND	ug/L
Vanadium, total	LGW-9	10/5/2023	3	3	ND	ug/L
Vanadium, total	MW-10N	10/22/1997	8	3		ug/L
Vanadium, total	MW-10N	1/22/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-10N	1/14/1999	10	3		ug/L
Vanadium, total	MW-10N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	7/15/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-10N	1/14/2000	4.4	3		ug/L
Vanadium, total	MW-10N	4/25/2000	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-10N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-10N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-10N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2002	8	8	ND	ug/L
Vanadium, total	MW-10N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-10N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	7/8/2003	3	3	ND	ug/L
Vanadium, total	MW-10N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-10N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-10N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-10N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-10N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-10N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-10N	1/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2007	0.9	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-10N	1/23/2008	0.1	3	ND	ug/L
Vanadium, total	MW-10N	7/21/2008	0.3	3	ND	ug/L
Vanadium, total	MW-10N	2/13/2009	1	3	ND	ug/L
Vanadium, total	MW-10N	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/27/2010	1.7	3	ND	ug/L
Vanadium, total	MW-10N	8/10/2010	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	MW-10N	7/14/2011	0.2	3	ND	ug/L
Vanadium, total	MW-10N	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	MW-10N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-10N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-10N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-10N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-10N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-10N	1/6/2016	3	3	ND	ug/L
Vanadium, total	MW-10N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-10N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-10N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-10N	1/24/2018	3	3	ND	ug/L
Vanadium, total	MW-10N	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-10N	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-10N	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-10N	1/16/2020	3	3	ND	ug/L
Vanadium, total	MW-10N	7/8/2020	3	3	ND	ug/L
Vanadium, total	MW-10N	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-10N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-10N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-10N	7/7/2023	3	3	ND	ug/L
Vanadium, total	MW-11N	10/22/1997	8.7	3		ug/L
Vanadium, total	MW-11N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-11N	1/13/1999	5.3	3		ug/L
Vanadium, total	MW-11N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-11N	1/13/2000	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-11N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	7/10/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-11N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-11N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-11N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-11N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-11N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-11N	7/8/2003	4.9	3		ug/L
Vanadium, total	MW-11N	1/29/2004	5.5	3		ug/L
Vanadium, total	MW-11N	7/27/2004	4.4	3		ug/L
Vanadium, total	MW-11N	1/13/2005	3	3	ND	ug/L
Vanadium, total	MW-11N	7/20/2005	3.2	3		ug/L
Vanadium, total	MW-11N	1/19/2006	3	3		ug/L
Vanadium, total	MW-11N	7/18/2006	0.3	3	ND	ug/L
Vanadium, total	MW-11N	7/18/2006	0.3	3	ND	ug/L
Vanadium, total	MW-11N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-11N	1/9/2007	3.8	3		ug/L
Vanadium, total	MW-11N	1/24/2007	3.5	3		ug/L
Vanadium, total	MW-11N	7/10/2007	1.5	3	ND	ug/L
Vanadium, total	MW-11N	1/22/2008	0.9	3	ND	ug/L
Vanadium, total	MW-11N	7/23/2008	0.8	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2009	0.6	3	ND	ug/L
Vanadium, total	MW-11N	7/31/2009	0.5	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2010	0.5	3	ND	ug/L
Vanadium, total	MW-11N	2/3/2010	0.5	3	ND	ug/L
Vanadium, total	MW-11N	7/16/2010	0.4	3	ND	ug/L
Vanadium, total	MW-11N	1/19/2011	0.4	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	MW-11N	1/4/2012	0.5	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2012	3	3	ND	ug/L
Vanadium, total	MW-11N	4/30/2013	0.9	3	ND	ug/L
Vanadium, total	MW-11N	7/15/2013	3	3	ND	ug/L
Vanadium, total	MW-11N	1/23/2014	0.7	3	ND	ug/L
Vanadium, total	MW-11N	7/8/2014	3	3	ND	ug/L
Vanadium, total	MW-11N	2/10/2015	3	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2015	0.8	3	ND	ug/L
Vanadium, total	MW-11N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-11N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-11N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-11N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-11N	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-11N	7/17/2018	3	3	ND	ug/L
Vanadium, total	MW-11N	1/2/2019	3	3	ND	ug/L
Vanadium, total	MW-11N	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-11N	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-11N	7/6/2020	3	3	ND	ug/L
Vanadium, total	MW-11N	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-11N	7/6/2021	3	3	ND	ug/L
Vanadium, total	MW-11N	1/18/2022	3	3	ND	ug/L
Vanadium, total	MW-11N	7/13/2022	3	3	ND	ug/L
Vanadium, total	MW-11N	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-11N	7/8/2023	3	3	ND	ug/L
Vanadium, total	MW-15	6/5/2015	3	3	ND	ug/L
Vanadium, total	MW-15	7/15/2015	0.5	3	ND	ug/L
Vanadium, total	MW-15	8/5/2015	3.3	3		ug/L
Vanadium, total	MW-15	9/3/2015	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-15	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-15	4/5/2016	3	3	ND	ug/L
Vanadium, total	MW-15	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-15	10/6/2016	3	3	ND	ug/L
Vanadium, total	MW-15	1/10/2017	1.4	3	ND	ug/L
Vanadium, total	MW-15	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-15	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-15	7/10/2018	3	3	ND	ug/L
Vanadium, total	MW-15	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-15	7/9/2019	6	6	ND	ug/L
Vanadium, total	MW-15	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-15	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-15	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-15	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-15	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-15	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-15	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-15	7/10/2023	3	3	ND	ug/L
Vanadium, total	MW-16	6/5/2015	0.7	3	ND	ug/L
Vanadium, total	MW-16	7/16/2015	0.9	3	ND	ug/L
Vanadium, total	MW-16	8/5/2015	3	3	ND	ug/L
Vanadium, total	MW-16	9/3/2015	3	3	ND	ug/L
Vanadium, total	MW-16	1/8/2016	1	3	ND	ug/L
Vanadium, total	MW-16	4/5/2016	0.6	3	ND	ug/L
Vanadium, total	MW-16	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-16	10/5/2016	0.7	3	ND	ug/L
Vanadium, total	MW-16	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-16	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-16	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-16	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-16	1/2/2019	3	3	ND	ug/L
Vanadium, total	MW-16	7/10/2019	6	6	ND	ug/L
Vanadium, total	MW-16	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-16	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-16	1/18/2021	3	3	ND	ug/L
Vanadium, total	MW-16	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-16	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-16	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-16	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-16	7/10/2023	3	3	ND	ug/L
Vanadium, total	MW-17	6/5/2015	1.2	3	ND	ug/L
Vanadium, total	MW-17	7/15/2015	0.5	3	ND	ug/L
Vanadium, total	MW-17	8/4/2015	3	3	ND	ug/L
Vanadium, total	MW-17	9/2/2015	3	3	ND	ug/L
Vanadium, total	MW-17	1/7/2016	0.6	3	ND	ug/L
Vanadium, total	MW-17	4/5/2016	3	3	ND	ug/L
Vanadium, total	MW-17	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-17	10/6/2016	3	3	ND	ug/L
Vanadium, total	MW-17	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-17	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-17	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-17	7/10/2018	3	3	ND	ug/L
Vanadium, total	MW-17	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-17	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-17	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-17	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-17	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-17	7/4/2021	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-17	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-17	7/8/2023	3	3	ND	ug/L
Vanadium, total	MW-19	6/5/2015	1.9	3	ND	ug/L
Vanadium, total	MW-19	7/16/2015	1.5	3	ND	ug/L
Vanadium, total	MW-19	8/5/2015	0.9	3	ND	ug/L
Vanadium, total	MW-19	9/3/2015	0.7	3	ND	ug/L
Vanadium, total	MW-19	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-19	4/5/2016	1.1	3	ND	ug/L
Vanadium, total	MW-19	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-19	10/5/2016	3	3	ND	ug/L
Vanadium, total	MW-19	1/10/2017	3	3	ND	ug/L
Vanadium, total	MW-19	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-19	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-19	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-19	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-19	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-19	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-19	8/3/2020	3	3	ND	ug/L
Vanadium, total	MW-19	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-19	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-19	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-19	7/10/2023	3	3	ND	ug/L
Vanadium, total	MW-1N	10/22/1997	3	3	ND	ug/L
Vanadium, total	MW-1N	1/20/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	10/14/1998	3	3	ND	ug/L
Vanadium, total	MW-1N	1/13/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	4/13/1999	20	3		ug/L
Vanadium, total	MW-1N	7/15/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-1N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	7/12/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	10/18/2000	3	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-1N	4/12/2001	3	3	ND	ug/L
Vanadium, total	MW-1N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-1N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-1N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-1N	10/3/2002	8	8	ND	ug/L
Vanadium, total	MW-1N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	4/15/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	7/8/2003	3	3	ND	ug/L
Vanadium, total	MW-1N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-1N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-1N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-1N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-1N	1/18/2006	3	3	ND	ug/L
Vanadium, total	MW-1N	7/18/2006	0.5	3	ND	ug/L
Vanadium, total	MW-1N	7/18/2006	0.5	3	ND	ug/L
Vanadium, total	MW-1N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-1N	1/9/2007	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/26/2007	0.3	3	ND	ug/L
Vanadium, total	MW-1N	7/11/2007	0.3	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2008	0.5	3	ND	ug/L
Vanadium, total	MW-1N	7/21/2008	0.3	3	ND	ug/L
Vanadium, total	MW-1N	2/5/2009	1.1	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-1N	7/31/2009	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/26/2010	0.9	3	ND	ug/L
Vanadium, total	MW-1N	7/13/2010	0.6	3	ND	ug/L
Vanadium, total	MW-1N	1/20/2011	1	3	ND	ug/L
Vanadium, total	MW-1N	7/13/2011	0.5	3	ND	ug/L
Vanadium, total	MW-1N	1/5/2012	0.8	3	ND	ug/L
Vanadium, total	MW-1N	7/10/2012	1.5	3	ND	ug/L
Vanadium, total	MW-1N	5/1/2013	0.6	3	ND	ug/L
Vanadium, total	MW-1N	7/16/2013	1.1	3	ND	ug/L
Vanadium, total	MW-1N	1/24/2014	1.3	3	ND	ug/L
Vanadium, total	MW-1N	7/9/2014	1	3	ND	ug/L
Vanadium, total	MW-1N	2/10/2015	0.7	3	ND	ug/L
Vanadium, total	MW-1N	7/14/2015	1.2	3	ND	ug/L
Vanadium, total	MW-1N	1/6/2016	14	3		ug/L
Vanadium, total	MW-1N	7/21/2016	2.5	3	ND	ug/L
Vanadium, total	MW-1N	1/12/2017	1.6	3	ND	ug/L
Vanadium, total	MW-1N	7/19/2017	0.7	3	ND	ug/L
Vanadium, total	MW-1N	1/23/2018	0.74	3	ND	ug/L
Vanadium, total	MW-1N	7/10/2018	1.3	3	ND	ug/L
Vanadium, total	MW-1N	1/3/2019	0.68	3	ND	ug/L
Vanadium, total	MW-1N	7/11/2019	3.7	6	ND	ug/L
Vanadium, total	MW-1N	1/23/2020	23.6	3		ug/L
Vanadium, total	MW-1N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-1N	7/6/2020	3	3	ND	ug/L
Vanadium, total	MW-1N	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-1N	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-1N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-1N	7/8/2023	3	3	ND	ug/L
Vanadium, total	MW-20	6/5/2015	1.3	3	ND	ug/L
Vanadium, total	MW-20	7/14/2015	1.6	3	ND	ug/L
Vanadium, total	MW-20	8/4/2015	3	3	ND	ug/L
Vanadium, total	MW-20	9/2/2015	1.3	3	ND	ug/L
Vanadium, total	MW-20	1/7/2016	5.2	3		ug/L
Vanadium, total	MW-20	4/5/2016	0.8	3	ND	ug/L
Vanadium, total	MW-20	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-20	10/5/2016	3	3		ug/L
Vanadium, total	MW-20	1/12/2017	4	3		ug/L
Vanadium, total	MW-20	7/18/2017	3	3	ND	ug/L
Vanadium, total	MW-20	1/26/2018	3	3	ND	ug/L
Vanadium, total	MW-20	7/12/2018	3	3	ND	ug/L
Vanadium, total	MW-20	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-20	1/14/2020	3	3	ND	ug/L
Vanadium, total	MW-20	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-20	1/17/2021	6.94	3		ug/L
Vanadium, total	MW-20	7/4/2021	3	3	ND	ug/L
Vanadium, total	MW-20	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-21	6/5/2015	3	3	ND	ug/L
Vanadium, total	MW-21	7/14/2015	1	3	ND	ug/L
Vanadium, total	MW-21	8/4/2015	0.7	3	ND	ug/L
Vanadium, total	MW-21	9/2/2015	1.6	3	ND	ug/L
Vanadium, total	MW-21	1/7/2016	3	3	ND	ug/L
Vanadium, total	MW-21	4/5/2016	0.7	3	ND	ug/L
Vanadium, total	MW-21	7/20/2016	3	3	ND	ug/L
Vanadium, total	MW-21	10/5/2016	3	3	ND	ug/L
Vanadium, total	MW-21	10/5/2016	0.8	3	ND	ug/L
Vanadium, total	MW-21	1/10/2017	2	3	ND	ug/L
Vanadium, total	MW-21	4/5/2017	3	3	ND	ug/L
Vanadium, total	MW-21	7/19/2017	0.7	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-21	10/6/2017	3	3	ND	ug/L
Vanadium, total	MW-21	1/24/2018	3	3	ND	ug/L
Vanadium, total	MW-21	4/11/2018	3	3	ND	ug/L
Vanadium, total	MW-21	7/11/2018	3	3	ND	ug/L
Vanadium, total	MW-21	10/4/2018	3	3	ND	ug/L
Vanadium, total	MW-21	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-21	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-21	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-21	10/2/2019	3	3	ND	ug/L
Vanadium, total	MW-21	1/16/2020	3	3	ND	ug/L
Vanadium, total	MW-21	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-21	7/8/2020	3	3	ND	ug/L
Vanadium, total	MW-21	10/7/2020	3	3	ND	ug/L
Vanadium, total	MW-21	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-21	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-21	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-21	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-21	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-21	4/8/2023	3	3	ND	ug/L
Vanadium, total	MW-21	7/7/2023	3	3	ND	ug/L
Vanadium, total	MW-21	10/6/2023	3	3	ND	ug/L
Vanadium, total	MW-2N	10/22/1997	3	3	ND	ug/L
Vanadium, total	MW-2N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-2N	1/13/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	4/13/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-2N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2001	3	3	ND	ug/L
Vanadium, total	MW-2N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-2N	7/10/2002	8	8	ND	ug/L
Vanadium, total	MW-2N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-2N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-2N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-2N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-2N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-2N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-2N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2006	0.3	3	ND	ug/L
Vanadium, total	MW-2N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-2N	1/10/2007	0.3	3	ND	ug/L
Vanadium, total	MW-2N	1/26/2007	0.2	3	ND	ug/L
Vanadium, total	MW-2N	7/11/2007	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2008	0.4	3	ND	ug/L
Vanadium, total	MW-2N	7/22/2008	0.2	3	ND	ug/L
Vanadium, total	MW-2N	2/4/2009	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	MW-2N	7/13/2010	0.2	3	ND	ug/L
Vanadium, total	MW-2N	1/20/2011	0.3	3	ND	ug/L
Vanadium, total	MW-2N	7/13/2011	0.5	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-2N	1/5/2012	0.5	3	ND	ug/L
Vanadium, total	MW-2N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-2N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-2N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-2N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-2N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-2N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-2N	7/14/2015	0.7	3	ND	ug/L
Vanadium, total	MW-2N	1/6/2016	0.5	3	ND	ug/L
Vanadium, total	MW-2N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-2N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-2N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-2N	1/23/2018	3	3	ND	ug/L
Vanadium, total	MW-2N	7/12/2018	3	3	ND	ug/L
Vanadium, total	MW-2N	1/3/2019	3	3	ND	ug/L
Vanadium, total	MW-2N	8/7/2019	6	6	ND	ug/L
Vanadium, total	MW-2N	1/23/2020	3	3	ND	ug/L
Vanadium, total	MW-2N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-2N	1/14/2021	3	3	ND	ug/L
Vanadium, total	MW-2N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-2N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-2N	7/8/2023	3	3	ND	ug/L
Vanadium, total	MW-3N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-3N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	4/28/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	7/23/1998	3	3	ND	ug/L
Vanadium, total	MW-3N	1/13/1999	37	3		ug/L
Vanadium, total	MW-3N	4/13/1999	30	3		ug/L
Vanadium, total	MW-3N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-3N	10/20/1999	3	3	ND	ug/L
Vanadium, total	MW-3N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	4/24/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-3N	1/23/2001	3	3	ND	ug/L
Vanadium, total	MW-3N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-3N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-3N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-3N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-3N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-3N	1/22/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-3N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-3N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-3N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-3N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-3N	1/18/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2006	3	3	ND	ug/L
Vanadium, total	MW-3N	10/25/2006	10	10	ND	ug/L
Vanadium, total	MW-3N	1/10/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	1/26/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2007	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2008	0.2	3	ND	ug/L
Vanadium, total	MW-3N	7/22/2008	3	3	ND	ug/L
Vanadium, total	MW-3N	2/4/2009	3	3	ND	ug/L
Vanadium, total	MW-3N	7/31/2009	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-3N	1/26/2010	0.1	3	ND	ug/L
Vanadium, total	MW-3N	7/13/2010	0.1	3	ND	ug/L
Vanadium, total	MW-3N	1/20/2011	3	3	ND	ug/L
Vanadium, total	MW-3N	7/14/2011	0.2	3	ND	ug/L
Vanadium, total	MW-3N	1/5/2012	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2012	3	3	ND	ug/L
Vanadium, total	MW-3N	5/1/2013	0.7	3	ND	ug/L
Vanadium, total	MW-3N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-3N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2014	3	3	ND	ug/L
Vanadium, total	MW-3N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-3N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	4/1/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-3N	10/5/2015	0.6	3	ND	ug/L
Vanadium, total	MW-3N	1/6/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	4/6/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-3N	10/6/2016	0.6	3	ND	ug/L
Vanadium, total	MW-3N	1/11/2017	0.5	3	ND	ug/L
Vanadium, total	MW-3N	4/4/2017	0.7	3	ND	ug/L
Vanadium, total	MW-3N	7/19/2017	0.9	3	ND	ug/L
Vanadium, total	MW-3N	10/9/2017	3	3	ND	ug/L
Vanadium, total	MW-3N	1/24/2018	0.62	3	ND	ug/L
Vanadium, total	MW-3N	4/10/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	10/3/2018	3	3	ND	ug/L
Vanadium, total	MW-3N	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-3N	10/2/2019	3	3	ND	ug/L
Vanadium, total	MW-3N	1/15/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	10/7/2020	3	3	ND	ug/L
Vanadium, total	MW-3N	1/13/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-3N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-3N	7/7/2023	3	3	ND	ug/L
Vanadium, total	MW-3N	10/6/2023	3	3	ND	ug/L
Vanadium, total	MW-7N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-7N	1/21/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	8/18/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	9/17/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	10/15/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	11/9/1998	3	3	ND	ug/L
Vanadium, total	MW-7N	1/14/1999	340	3		ug/L
Vanadium, total	MW-7N	4/14/1999	340	3		ug/L
Vanadium, total	MW-7N	7/14/1999	3	3	ND	ug/L
Vanadium, total	MW-7N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-7N	1/13/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	7/11/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-7N	1/23/2001	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-7N	4/10/2001	3	3	ND	ug/L
Vanadium, total	MW-7N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-7N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-7N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-7N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-7N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-7N	1/27/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	4/8/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	7/26/2004	3	3	ND	ug/L
Vanadium, total	MW-7N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2005	3	3	ND	ug/L
Vanadium, total	MW-7N	1/19/2006	4.7	3		ug/L
Vanadium, total	MW-7N	7/19/2006	0.4	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2006	0.4	3	ND	ug/L
Vanadium, total	MW-7N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-7N	1/10/2007	0.1	3	ND	ug/L
Vanadium, total	MW-7N	1/26/2007	0.3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2007	1.6	3	ND	ug/L
Vanadium, total	MW-7N	7/21/2008	3	3	ND	ug/L
Vanadium, total	MW-7N	2/6/2009	3	3	ND	ug/L
Vanadium, total	MW-7N	7/29/2009	0.3	3	ND	ug/L
Vanadium, total	MW-7N	1/26/2010	3	3	ND	ug/L
Vanadium, total	MW-7N	7/14/2010	3	3	ND	ug/L
Vanadium, total	MW-7N	1/20/2011	3	3	ND	ug/L
Vanadium, total	MW-7N	7/12/2011	3	3	ND	ug/L
Vanadium, total	MW-7N	1/5/2012	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2012	3	3	ND	ug/L
Vanadium, total	MW-7N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	7/15/2013	3	3	ND	ug/L
Vanadium, total	MW-7N	1/30/2014	3	3	ND	ug/L
Vanadium, total	MW-7N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-7N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-7N	7/13/2015	3	3	ND	ug/L
Vanadium, total	MW-7N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-7N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-7N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	4/4/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	10/5/2017	3	3	ND	ug/L
Vanadium, total	MW-7N	1/25/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	4/11/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	7/13/2018	3	3	ND	ug/L
Vanadium, total	MW-7N	1/4/2019	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2019	6	6	ND	ug/L
Vanadium, total	MW-7N	1/16/2020	3	3	ND	ug/L
Vanadium, total	MW-7N	7/7/2020	3	3	ND	ug/L
Vanadium, total	MW-7N	1/16/2021	3	3	ND	ug/L
Vanadium, total	MW-7N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-7N	1/12/2022	3	3	ND	ug/L
Vanadium, total	MW-7N	7/10/2022	3	3	ND	ug/L
Vanadium, total	MW-7N	1/10/2023	3	3	ND	ug/L
Vanadium, total	MW-7N	7/7/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	10/21/1997	3	3	ND	ug/L
Vanadium, total	MW-8N	1/22/1998	3	3	ND	ug/L
Vanadium, total	MW-8N	4/28/1998	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-8N	7/22/1998	3	3	ND	ug/L
Vanadium, total	MW-8N	1/12/1999	130	3		ug/L
Vanadium, total	MW-8N	4/13/1999	170	3		ug/L
Vanadium, total	MW-8N	7/14/1999	6.6	3		ug/L
Vanadium, total	MW-8N	10/19/1999	3	3	ND	ug/L
Vanadium, total	MW-8N	1/14/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	4/25/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	10/17/2000	3	3	ND	ug/L
Vanadium, total	MW-8N	1/23/2001	3	3	ND	ug/L
Vanadium, total	MW-8N	4/11/2001	3	3	ND	ug/L
Vanadium, total	MW-8N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-8N	5/29/2002	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2002	8	8	ND	ug/L
Vanadium, total	MW-8N	10/2/2002	8	8	ND	ug/L
Vanadium, total	MW-8N	1/23/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	4/14/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	7/7/2003	3	3	ND	ug/L
Vanadium, total	MW-8N	1/28/2004	3	3	ND	ug/L
Vanadium, total	MW-8N	7/27/2004	3	3	ND	ug/L
Vanadium, total	MW-8N	1/12/2005	3	3	ND	ug/L
Vanadium, total	MW-8N	7/20/2005	3	3	ND	ug/L
Vanadium, total	MW-8N	1/19/2006	3	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	MW-8N	10/24/2006	10	10	ND	ug/L
Vanadium, total	MW-8N	1/10/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	1/26/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	4/25/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	7/10/2007	3	3	ND	ug/L
Vanadium, total	MW-8N	1/24/2008	3	3	ND	ug/L
Vanadium, total	MW-8N	7/23/2008	3	3	ND	ug/L
Vanadium, total	MW-8N	2/4/2009	3	3	ND	ug/L
Vanadium, total	MW-8N	7/31/2009	0.1	3	ND	ug/L
Vanadium, total	MW-8N	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2010	0.2	3	ND	ug/L
Vanadium, total	MW-8N	1/19/2011	3	3	ND	ug/L
Vanadium, total	MW-8N	5/10/2011	0.2	3	ND	ug/L
Vanadium, total	MW-8N	7/14/2011	0.4	3	ND	ug/L
Vanadium, total	MW-8N	1/6/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	4/5/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	7/11/2012	3	3	ND	ug/L
Vanadium, total	MW-8N	10/3/2012	1.5	3	ND	ug/L
Vanadium, total	MW-8N	5/1/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	6/4/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	10/2/2013	3	3	ND	ug/L
Vanadium, total	MW-8N	1/30/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	4/3/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	10/8/2014	3	3	ND	ug/L
Vanadium, total	MW-8N	2/12/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	4/1/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	7/14/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	10/5/2015	3	3	ND	ug/L
Vanadium, total	MW-8N	1/5/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	4/6/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	7/21/2016	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	MW-8N	1/11/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	4/4/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	7/19/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2017	3	3	ND	ug/L
Vanadium, total	MW-8N	1/25/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	4/10/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	7/16/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	10/2/2018	3	3	ND	ug/L
Vanadium, total	MW-8N	1/7/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	4/3/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	7/11/2019	6	6	ND	ug/L
Vanadium, total	MW-8N	10/3/2019	3	3	ND	ug/L
Vanadium, total	MW-8N	1/15/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	4/2/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	7/9/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2020	3	3	ND	ug/L
Vanadium, total	MW-8N	1/15/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	4/6/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	7/5/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2021	3	3	ND	ug/L
Vanadium, total	MW-8N	1/18/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	4/4/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	7/12/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	10/6/2022	3	3	ND	ug/L
Vanadium, total	MW-8N	1/11/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	4/8/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	7/7/2023	3	3	ND	ug/L
Vanadium, total	MW-8N	10/5/2023	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2002	8	8	ND	ug/L
Vanadium, total	NE-1	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-1	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-1	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-1	7/8/2003	3	3	ND	ug/L
Vanadium, total	NE-1	1/27/2004	3	3	ND	ug/L
Vanadium, total	NE-1	1/12/2005	3	3	ND	ug/L
Vanadium, total	NE-1	7/19/2006	0.5	3	ND	ug/L
Vanadium, total	NE-1	7/19/2006	0.5	3	ND	ug/L
Vanadium, total	NE-1	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-1	1/24/2007	0.3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2007	0.7	3	ND	ug/L
Vanadium, total	NE-1	1/24/2008	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/21/2008	0.2	3	ND	ug/L
Vanadium, total	NE-1	2/7/2009	3	3	ND	ug/L
Vanadium, total	NE-1	7/31/2009	0.2	3	ND	ug/L
Vanadium, total	NE-1	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/14/2010	1.2	3	ND	ug/L
Vanadium, total	NE-1	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	NE-1	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	NE-1	1/5/2012	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2012	3	3	ND	ug/L
Vanadium, total	NE-1	4/30/2013	3	3	ND	ug/L
Vanadium, total	NE-1	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-1	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-1	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-1	2/11/2015	3	3	ND	ug/L
Vanadium, total	NE-1	7/8/2015	3	3	ND	ug/L
Vanadium, total	NE-1	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-1	7/20/2016	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-1	1/11/2017	3	3	ND	ug/L
Vanadium, total	NE-1	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-1	1/24/2018	3	3	ND	ug/L
Vanadium, total	NE-1	4/11/2018	3	3	ND	ug/L
Vanadium, total	NE-1	7/18/2018	3	3	ND	ug/L
Vanadium, total	NE-1	10/2/2018	3	3	ND	ug/L
Vanadium, total	NE-1	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-1	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-1	7/10/2019	6	6	ND	ug/L
Vanadium, total	NE-1	7/10/2019	6	6	ND	ug/L
Vanadium, total	NE-1	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-1	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-1	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-1	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-1	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-1	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-1	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-1	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-1	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-1	1/17/2022	2.17	1		ug/L
Vanadium, total	NE-1	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-1	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-1	10/6/2022	3	3	ND	ug/L
Vanadium, total	NE-1	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-1	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-1	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-1	10/5/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	11/6/2019	3	3	ND	ug/L
Vanadium, total	NE-10D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-10D	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-10D	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-10D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	7/8/2023	3	3	ND	ug/L
Vanadium, total	NE-10D	10/3/2023	3	3	ND	ug/L
Vanadium, total	NE-11	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-11	4/6/2017	3	3	ND	ug/L
Vanadium, total	NE-11	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-11	10/9/2017	3	3	ND	ug/L
Vanadium, total	NE-11	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-11	1/14/2020	3	3	ND	ug/L
Vanadium, total	NE-11	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-11	1/16/2021	1	1	ND	ug/L
Vanadium, total	NE-11	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-11	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-11	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-11	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-11	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-11	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-11	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-12	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-12	4/6/2017	3	3	ND	ug/L
Vanadium, total	NE-12	7/20/2017	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-12	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-12	8/5/2019	6	6	ND	ug/L
Vanadium, total	NE-12	1/13/2020	3	3	ND	ug/L
Vanadium, total	NE-12	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-12	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-12	1/15/2021	3	3	ND	ug/L
Vanadium, total	NE-12	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-12	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-12	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-12	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-12	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-12	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-13	2/5/2019	3	3	ND	ug/L
Vanadium, total	NE-13	8/7/2019	6	6	ND	ug/L
Vanadium, total	NE-13	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-13	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-13	1/17/2021	3	3	ND	ug/L
Vanadium, total	NE-13	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-13	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-14D	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-14D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-14D	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-14D	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-14D	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-14D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-14D	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-14D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-14D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14D	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14D	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-14D	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-14S	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-14S	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-14S	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-14S	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-14S	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-14S	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-14S	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-14S	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-14S	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-15D	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-15D	10/6/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-15D	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-15D	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-15D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-15D	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-15D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-15D	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15D	10/6/2023	3	3	ND	ug/L
Vanadium, total	NE-15S	4/3/2020	3	3	ND	ug/L
Vanadium, total	NE-2	7/9/2002	8	8	ND	ug/L
Vanadium, total	NE-2	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-2	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-2	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-2	10/1/2013	3	3	ND	ug/L
Vanadium, total	NE-2	10/8/2014	3	3	ND	ug/L
Vanadium, total	NE-2	10/5/2015	3	3	ND	ug/L
Vanadium, total	NE-2	10/6/2016	3	3	ND	ug/L
Vanadium, total	NE-2	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-2	1/25/2018	3	3	ND	ug/L
Vanadium, total	NE-2	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-2	7/10/2018	3	3	ND	ug/L
Vanadium, total	NE-2	10/1/2018	3	3	ND	ug/L
Vanadium, total	NE-2	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-2	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-2	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-2	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-2	1/14/2020	3	3	ND	ug/L
Vanadium, total	NE-2	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-2	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-2	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-2	1/14/2021	1	1	ND	ug/L
Vanadium, total	NE-2	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-2	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-2	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-2	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-2	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-2	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-2	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-2	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-2	4/5/2023	3	3	ND	ug/L
Vanadium, total	NE-2	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-2	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-4	7/10/2002	8	8	ND	ug/L
Vanadium, total	NE-4	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-4	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-4	10/3/2002	8	8	ND	ug/L
Vanadium, total	NE-4	7/8/2003	3	3	ND	ug/L
Vanadium, total	NE-4	1/28/2004	3	3	ND	ug/L
Vanadium, total	NE-4	1/13/2005	3	3	ND	ug/L
Vanadium, total	NE-4	8/1/2006	0.8	3	ND	ug/L
Vanadium, total	NE-4	8/1/2006	0.8	3	ND	ug/L
Vanadium, total	NE-4	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-4	1/24/2007	0.3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-4	7/12/2007	0.3	3	ND	ug/L
Vanadium, total	NE-4	1/24/2008	0.4	3	ND	ug/L
Vanadium, total	NE-4	7/21/2008	0.2	3	ND	ug/L
Vanadium, total	NE-4	2/7/2009	1.4	3	ND	ug/L
Vanadium, total	NE-4	7/31/2009	3	3	ND	ug/L
Vanadium, total	NE-4	1/26/2010	0.2	3	ND	ug/L
Vanadium, total	NE-4	7/14/2010	1	3	ND	ug/L
Vanadium, total	NE-4	1/19/2011	0.2	3	ND	ug/L
Vanadium, total	NE-4	7/13/2011	0.3	3	ND	ug/L
Vanadium, total	NE-4	1/5/2012	0.4	3	ND	ug/L
Vanadium, total	NE-4	7/10/2012	3.8	3		ug/L
Vanadium, total	NE-4	4/30/2013	3	3	ND	ug/L
Vanadium, total	NE-4	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-4	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-4	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-4	2/13/2015	3	3	ND	ug/L
Vanadium, total	NE-4	7/8/2015	3	3	ND	ug/L
Vanadium, total	NE-4	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-4	7/20/2016	0.5	3	ND	ug/L
Vanadium, total	NE-4	1/11/2017	0.6	3	ND	ug/L
Vanadium, total	NE-4	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-4	1/26/2018	3	3	ND	ug/L
Vanadium, total	NE-4	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-4	7/12/2018	3	3	ND	ug/L
Vanadium, total	NE-4	10/3/2018	3	3	ND	ug/L
Vanadium, total	NE-4	1/7/2019	3	3	ND	ug/L
Vanadium, total	NE-4	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-4	7/8/2019	6	6	ND	ug/L
Vanadium, total	NE-4	7/8/2019	6	6	ND	ug/L
Vanadium, total	NE-4	10/1/2019	3	3	ND	ug/L
Vanadium, total	NE-4	1/13/2020	3	3	ND	ug/L
Vanadium, total	NE-4	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-4	7/6/2020	3	3	ND	ug/L
Vanadium, total	NE-4	10/5/2020	1	1	ND	ug/L
Vanadium, total	NE-4	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-4	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-4	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-4	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-4	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-4	4/6/2023	3	3	ND	ug/L
Vanadium, total	NE-4	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-4	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2002	8	8	ND	ug/L
Vanadium, total	NE-5	8/6/2002	8	8	ND	ug/L
Vanadium, total	NE-5	9/4/2002	8	8	ND	ug/L
Vanadium, total	NE-5	10/2/2002	8	8	ND	ug/L
Vanadium, total	NE-5	7/8/2003	3	3	ND	ug/L
Vanadium, total	NE-5	1/27/2004	4.1	3		ug/L
Vanadium, total	NE-5	1/12/2005	3	3	ND	ug/L
Vanadium, total	NE-5	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	NE-5	7/19/2006	0.2	3	ND	ug/L
Vanadium, total	NE-5	10/25/2006	10	10	ND	ug/L
Vanadium, total	NE-5	1/10/2007	0.2	3	ND	ug/L
Vanadium, total	NE-5	1/24/2007	3	3	ND	ug/L
Vanadium, total	NE-5	7/12/2007	3	3	ND	ug/L
Vanadium, total	NE-5	7/22/2008	3	3	ND	ug/L
Vanadium, total	NE-5	2/6/2009	0.8	3	ND	ug/L
Vanadium, total	NE-5	7/31/2009	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-5	1/26/2010	3	3	ND	ug/L
Vanadium, total	NE-5	7/16/2010	0.4	3	ND	ug/L
Vanadium, total	NE-5	1/19/2011	3	3	ND	ug/L
Vanadium, total	NE-5	7/13/2011	3	3	ND	ug/L
Vanadium, total	NE-5	1/5/2012	3	3	ND	ug/L
Vanadium, total	NE-5	7/10/2012	3	3	ND	ug/L
Vanadium, total	NE-5	4/30/2013	0.6	3	ND	ug/L
Vanadium, total	NE-5	7/16/2013	3	3	ND	ug/L
Vanadium, total	NE-5	1/23/2014	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2014	3	3	ND	ug/L
Vanadium, total	NE-5	2/11/2015	3	3	ND	ug/L
Vanadium, total	NE-5	7/14/2015	3	3	ND	ug/L
Vanadium, total	NE-5	1/6/2016	3	3	ND	ug/L
Vanadium, total	NE-5	7/20/2016	3	3	ND	ug/L
Vanadium, total	NE-5	1/11/2017	3	3	ND	ug/L
Vanadium, total	NE-5	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-5	1/25/2018	3	3	ND	ug/L
Vanadium, total	NE-5	4/10/2018	3	3	ND	ug/L
Vanadium, total	NE-5	7/17/2018	3	3	ND	ug/L
Vanadium, total	NE-5	10/3/2018	3	3	ND	ug/L
Vanadium, total	NE-5	1/4/2019	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2019	3	3	ND	ug/L
Vanadium, total	NE-5	7/9/2019	6	6	ND	ug/L
Vanadium, total	NE-5	10/3/2019	3	3	ND	ug/L
Vanadium, total	NE-5	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-5	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-5	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-5	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-5	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-5E	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	4/1/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5E	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-5E	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5E	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5E	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5E	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5E	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5E	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-5E	10/4/2023	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-5W	9/30/2019	3	3	ND	ug/L
Vanadium, total	NE-5W	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-5W	10/6/2020	1	1	ND	ug/L
Vanadium, total	NE-5W	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	10/6/2021	1	1	ND	ug/L
Vanadium, total	NE-5W	1/18/2022	1	1	ND	ug/L
Vanadium, total	NE-5W	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-5W	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-5W	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-5W	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-5W	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-5W	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-5W	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-6	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-6	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-6	7/19/2017	3	3	ND	ug/L
Vanadium, total	NE-6	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-6	2/4/2019	3	3	ND	ug/L
Vanadium, total	NE-6	8/6/2019	6	6	ND	ug/L
Vanadium, total	NE-6	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-6	7/9/2020	3	3	ND	ug/L
Vanadium, total	NE-6	1/16/2021	1.51	1		ug/L
Vanadium, total	NE-6	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-6	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-6	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-6	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-6	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-6	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-6	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	10/2/2019	3	3	ND	ug/L
Vanadium, total	NE-6D	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	4/2/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	7/9/2020	3	3	ND	ug/L
Vanadium, total	NE-6D	10/7/2020	1	1	ND	ug/L
Vanadium, total	NE-6D	1/15/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	7/2/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-6D	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-6D	4/6/2022	1	1	ND	ug/L
Vanadium, total	NE-6D	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-6D	10/7/2022	3	3	ND	ug/L
Vanadium, total	NE-6D	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	4/7/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-6D	10/4/2023	3	3	ND	ug/L
Vanadium, total	NE-7	3/1/2017	3	3	ND	ug/L
Vanadium, total	NE-7	4/6/2017	1.3	3	ND	ug/L
Vanadium, total	NE-7	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-7	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-7	2/6/2019	3	3	ND	ug/L
Vanadium, total	NE-7	8/6/2019	6	6	ND	ug/L
Vanadium, total	NE-7	1/16/2020	3	3	ND	ug/L
Vanadium, total	NE-7	7/7/2020	3	3	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vanadium, total	NE-7	1/16/2021	3	3	ND	ug/L
Vanadium, total	NE-7	1/16/2021	1	1	ND	ug/L
Vanadium, total	NE-7	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-7	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-7	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-7	7/12/2022	3	3	ND	ug/L
Vanadium, total	NE-7	1/5/2023	3	3	ND	ug/L
Vanadium, total	NE-7	7/6/2023	3	3	ND	ug/L
Vanadium, total	NE-8	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-8	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-8	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-8	10/6/2017	3	3	ND	ug/L
Vanadium, total	NE-8	2/4/2019	3	3	ND	ug/L
Vanadium, total	NE-8	8/5/2019	6	6	ND	ug/L
Vanadium, total	NE-8	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-8	7/8/2020	3	3	ND	ug/L
Vanadium, total	NE-8	1/13/2021	1	1	ND	ug/L
Vanadium, total	NE-8	1/13/2021	3	3	ND	ug/L
Vanadium, total	NE-8	4/9/2021	1	1	ND	ug/L
Vanadium, total	NE-8	7/1/2021	1	1	ND	ug/L
Vanadium, total	NE-8	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-8	10/7/2021	1	1	ND	ug/L
Vanadium, total	NE-8	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-8	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-9	1/12/2017	3	3	ND	ug/L
Vanadium, total	NE-9	4/5/2017	3	3	ND	ug/L
Vanadium, total	NE-9	7/20/2017	3	3	ND	ug/L
Vanadium, total	NE-9	10/5/2017	3	3	ND	ug/L
Vanadium, total	NE-9	2/5/2019	3	3	ND	ug/L
Vanadium, total	NE-9	8/7/2019	6	6	ND	ug/L
Vanadium, total	NE-9	1/15/2020	3	3	ND	ug/L
Vanadium, total	NE-9	7/7/2020	3	3	ND	ug/L
Vanadium, total	NE-9	1/17/2021	3	3	ND	ug/L
Vanadium, total	NE-9	1/17/2021	1	1	ND	ug/L
Vanadium, total	NE-9	7/1/2021	2.4	2.4	ND	ug/L
Vanadium, total	NE-9	1/17/2022	1	1	ND	ug/L
Vanadium, total	NE-9	1/17/2022	3	3	ND	ug/L
Vanadium, total	NE-9	7/13/2022	3	3	ND	ug/L
Vanadium, total	NE-9	1/6/2023	3	3	ND	ug/L
Vanadium, total	NE-9	4/8/2023	3	3	ND	ug/L
Vanadium, total	NE-9	7/5/2023	3	3	ND	ug/L
Vanadium, total	NE-9	10/6/2023	3	3	ND	ug/L
Vinyl acetate	LGW-10	1/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-10	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-10	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-10	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/5/2012	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-10	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-10	5/1/2013	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/30/2014	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/9/2014	5	5	ND	ug/L
Vinyl acetate	LGW-10	2/12/2015	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/21/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/4/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/19/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/9/2017	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/16/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/4/2018	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/4/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/11/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/2/2019	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/15/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/7/2022	5	5	ND	ug/L
Vinyl acetate	LGW-10	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-10	4/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-10	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-10	10/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-14R	8/2/2006	5	5	ND	ug/L
Vinyl acetate	LGW-14R	8/2/2006	5	5	ND	ug/L
Vinyl acetate	LGW-14R	10/27/2006	3	3	ND	ug/L
Vinyl acetate	LGW-14R	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	4/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/6/2009	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-14R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/23/2014	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-14R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-14R	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/25/2018	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/17/2018	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-14R	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-14R	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-2	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-2	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-2	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-2	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/10/2007	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/26/2008	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/6/2009	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/30/2009	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/13/2011	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/30/2014	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-2	2/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/13/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	4/1/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/8/2020	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/4/2021	5	5	ND	ug/L
Vinyl acetate	LGW-2	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/10/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-2	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-2	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-3R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-3R	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-3R	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/26/2008	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2009	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/13/2011	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-3R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/22/2014	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-3R	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/16/2015	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/8/2016	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/21/2016	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/10/2022	5	5	ND	ug/L
Vinyl acetate	LGW-3R	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-3R	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-4	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-4	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-4	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2009	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/16/2010	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/13/2011	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-4	1/4/2012	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-4	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-4	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-4	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-4	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-5	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-5	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-5	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-5	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/8/2015	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/6/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-5	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/6/2022	5	5	ND	ug/L
Vinyl acetate	LGW-5	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-5	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-5	10/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-6	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-6	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/11/2007	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/23/2008	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/5/2009	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/3/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/19/2011	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-6	2/10/2015	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/19/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	5/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/23/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/10/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/17/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2020	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/5/2021	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-6	1/12/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/6/2022	5	5	ND	ug/L
Vinyl acetate	LGW-6	1/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	4/6/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-6	10/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-7	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-7	8/1/2006	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-7	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/26/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-7	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/31/2009	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2010	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/10/2012	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-7	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/20/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/4/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/12/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/15/2020	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/18/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-7	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-7	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/24/2006	3	3	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-8R	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-8R	1/24/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	4/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/12/2007	5	5	ND	ug/L
Vinyl acetate	LGW-8R	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/14/2010	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/9/2012	5	5	ND	ug/L
Vinyl acetate	LGW-8R	4/30/2013	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/22/2014	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-8R	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/22/2015	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/20/2016	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/25/2018	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/13/2018	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/8/2019	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/14/2020	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-8R	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-8R	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/25/2006	3	3	ND	ug/L
Vinyl acetate	LGW-9	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/20/2006	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/26/2006	3	3	ND	ug/L
Vinyl acetate	LGW-9	1/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/25/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2007	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/22/2008	5	5	ND	ug/L
Vinyl acetate	LGW-9	2/4/2009	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/29/2009	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/27/2010	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/14/2010	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/20/2011	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/12/2011	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/5/2012	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2012	5	5	ND	ug/L
Vinyl acetate	LGW-9	5/1/2013	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/15/2013	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/23/2014	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/8/2014	5	5	ND	ug/L
Vinyl acetate	LGW-9	2/11/2015	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/13/2015	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/5/2016	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/21/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	LGW-9	10/6/2016	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/11/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	5/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/18/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/5/2017	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/24/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/11/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/13/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/2/2018	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/7/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/3/2019	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/16/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/2/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/9/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/7/2020	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/6/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/7/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/5/2021	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/13/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/4/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/11/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/7/2022	5	5	ND	ug/L
Vinyl acetate	LGW-9	1/11/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	4/5/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	7/10/2023	5	5	ND	ug/L
Vinyl acetate	LGW-9	10/5/2023	5	5	ND	ug/L
Vinyl acetate	MW-10N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-10N	1/22/1998	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/28/1998	47	47	ND	ug/L
Vinyl acetate	MW-10N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-10N	1/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	7/15/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-10N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-10N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-10N	7/11/2000	1	1	ND	ug/L
Vinyl acetate	MW-10N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-10N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-10N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-10N	7/10/2002	1	1	ND	ug/L
Vinyl acetate	MW-10N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-10N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-10N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-10N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-10N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-10N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-10N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-10N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-10N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-10N	1/24/2007	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/10/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-10N	1/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-10N	2/13/2009	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/27/2010	5	5	ND	ug/L
Vinyl acetate	MW-10N	8/10/2010	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-10N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-10N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/8/2020	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-10N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-10N	7/7/2023	5	5	ND	ug/L
Vinyl acetate	MW-11N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-11N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-11N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-11N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-11N	1/13/2000	23	23	ND	ug/L
Vinyl acetate	MW-11N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-11N	7/10/2000	1	1	ND	ug/L
Vinyl acetate	MW-11N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-11N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-11N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-11N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-11N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-11N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-11N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-11N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/29/2004	2	2	ND	ug/L
Vinyl acetate	MW-11N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/13/2005	2	2	ND	ug/L
Vinyl acetate	MW-11N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-11N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-11N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-11N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-11N	1/24/2007	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/10/2007	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-11N	1/22/2008	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2009	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/3/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/16/2010	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/4/2012	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/9/2012	5	5	ND	ug/L
Vinyl acetate	MW-11N	4/30/2013	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/15/2013	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/23/2014	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/8/2014	5	5	ND	ug/L
Vinyl acetate	MW-11N	2/10/2015	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2015	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/17/2018	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/18/2022	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/13/2022	5	5	ND	ug/L
Vinyl acetate	MW-11N	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-11N	7/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-15	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	7/15/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	8/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-15	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-15	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-15	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-15	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-15	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-15	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-15	7/9/2019	5	5	ND	ug/L
Vinyl acetate	MW-15	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-15	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-15	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-15	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-15	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-15	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-15	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-15	7/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-16	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	7/16/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	8/5/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-16	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-16	1/8/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-16	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-16	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-16	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-16	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-16	1/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-16	7/10/2019	5	5	ND	ug/L
Vinyl acetate	MW-16	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-16	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-16	1/18/2021	5	5	ND	ug/L
Vinyl acetate	MW-16	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-16	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-16	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-16	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-16	7/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-17	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	7/15/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-17	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-17	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-17	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-17	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-17	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-17	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-17	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-17	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-17	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-17	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-17	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-17	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-17	7/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-19	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	7/16/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	8/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	9/3/2015	5	5	ND	ug/L
Vinyl acetate	MW-19	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-19	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-19	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-19	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-19	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-19	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-19	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-19	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-19	8/3/2020	5	5	ND	ug/L
Vinyl acetate	MW-19	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-19	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-19	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-19	7/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-1N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/20/1998	23	23	ND	ug/L
Vinyl acetate	MW-1N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-1N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-1N	10/14/1998	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	5/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	7/15/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-1N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-1N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-1N	7/12/2000	1	1	ND	ug/L
Vinyl acetate	MW-1N	10/18/2000	1	1	ND	ug/L
Vinyl acetate	MW-1N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-1N	4/12/2001	1	1	ND	ug/L
Vinyl acetate	MW-1N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-1N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	10/3/2002	1	1	ND	ug/L
Vinyl acetate	MW-1N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-1N	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-1N	7/8/2003	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-1N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-1N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-1N	1/18/2006	3	3	ND	ug/L
Vinyl acetate	MW-1N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/18/2006	5	5	ND	ug/L
Vinyl acetate	MW-1N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-1N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-1N	2/5/2009	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-1N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-1N	2/10/2015	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/12/2017	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/11/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-1N	1/23/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-1N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-1N	7/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-20	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-20	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-20	1/12/2017	5	5	ND	ug/L
Vinyl acetate	MW-20	7/18/2017	5	5	ND	ug/L
Vinyl acetate	MW-20	1/26/2018	5	5	ND	ug/L
Vinyl acetate	MW-20	7/12/2018	5	5	ND	ug/L
Vinyl acetate	MW-20	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-20	1/14/2020	5	5	ND	ug/L
Vinyl acetate	MW-20	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-20	1/17/2021	5	5	ND	ug/L
Vinyl acetate	MW-20	7/4/2021	5	5	ND	ug/L
Vinyl acetate	MW-20	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	6/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	8/4/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	9/2/2015	5	5	ND	ug/L
Vinyl acetate	MW-21	1/7/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	4/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	7/20/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	10/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-21	1/10/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	4/5/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	10/6/2017	5	5	ND	ug/L
Vinyl acetate	MW-21	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	4/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	7/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	10/4/2018	5	5	ND	ug/L
Vinyl acetate	MW-21	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	10/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-21	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	7/8/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	10/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-21	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-21	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	4/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	7/7/2023	5	5	ND	ug/L
Vinyl acetate	MW-21	10/6/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-2N	10/22/1997	23	23	ND	ug/L
Vinyl acetate	MW-2N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-2N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-2N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-2N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-2N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-2N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-2N	1/24/2001	1	1	ND	ug/L
Vinyl acetate	MW-2N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-2N	7/10/2002	1	1	ND	ug/L
Vinyl acetate	MW-2N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-2N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-2N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-2N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-2N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-2N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-2N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-2N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-2N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-2N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	3/27/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/22/2008	5	5	ND	ug/L
Vinyl acetate	MW-2N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/13/2011	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-2N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-2N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/23/2018	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/12/2018	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-2N	8/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/23/2020	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/14/2021	5	5	ND	ug/L
Vinyl acetate	MW-2N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-2N	1/11/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-2N	7/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-3N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-3N	7/23/1998	24	24	ND	ug/L
Vinyl acetate	MW-3N	1/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	10/20/1999	23	23	ND	ug/L
Vinyl acetate	MW-3N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-3N	4/24/2000	23	23	ND	ug/L
Vinyl acetate	MW-3N	7/11/2000	1	1	ND	ug/L
Vinyl acetate	MW-3N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-3N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-3N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-3N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-3N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-3N	1/22/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-3N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-3N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-3N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-3N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-3N	1/18/2006	3	3	ND	ug/L
Vinyl acetate	MW-3N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/25/2006	3	3	ND	ug/L
Vinyl acetate	MW-3N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2007	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/22/2008	5	5	ND	ug/L
Vinyl acetate	MW-3N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/13/2010	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2012	5	5	ND	ug/L
Vinyl acetate	MW-3N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2014	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-3N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/1/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/19/2017	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-3N	10/9/2017	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/24/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/3/2018	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/2/2019	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/15/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/13/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-3N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-3N	7/7/2023	5	5	ND	ug/L
Vinyl acetate	MW-3N	10/6/2023	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-7N	1/21/1998	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	8/18/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	9/17/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	10/15/1998	23	23	ND	ug/L
Vinyl acetate	MW-7N	11/9/1998	24	24	ND	ug/L
Vinyl acetate	MW-7N	1/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	4/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-7N	1/13/2000	23	23	ND	ug/L
Vinyl acetate	MW-7N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-7N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-7N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-7N	4/10/2001	1	1	ND	ug/L
Vinyl acetate	MW-7N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-7N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-7N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-7N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-7N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	4/8/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	7/26/2004	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-7N	7/19/2005	2	2	ND	ug/L
Vinyl acetate	MW-7N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-7N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-7N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/21/2008	5	5	ND	ug/L
Vinyl acetate	MW-7N	2/6/2009	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/29/2009	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/26/2010	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-7N	7/14/2010	5	5	ND	ug/L
Vinyl acetate	MW-7N	9/2/2010	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/20/2011	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/12/2011	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2012	5	5	ND	ug/L
Vinyl acetate	MW-7N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/15/2013	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/30/2014	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-7N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/13/2015	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	10/5/2017	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/25/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	4/11/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/13/2018	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/4/2019	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2019	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/16/2020	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/7/2020	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/16/2021	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/10/2022	5	5	ND	ug/L
Vinyl acetate	MW-7N	1/10/2023	5	5	ND	ug/L
Vinyl acetate	MW-7N	7/7/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/21/1997	23	23	ND	ug/L
Vinyl acetate	MW-8N	1/22/1998	23	23	ND	ug/L
Vinyl acetate	MW-8N	4/28/1998	24	24	ND	ug/L
Vinyl acetate	MW-8N	7/22/1998	24	24	ND	ug/L
Vinyl acetate	MW-8N	1/12/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	4/13/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	7/14/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	10/19/1999	23	23	ND	ug/L
Vinyl acetate	MW-8N	1/14/2000	23	23	ND	ug/L
Vinyl acetate	MW-8N	4/25/2000	23	23	ND	ug/L
Vinyl acetate	MW-8N	10/17/2000	1	1	ND	ug/L
Vinyl acetate	MW-8N	1/23/2001	1	1	ND	ug/L
Vinyl acetate	MW-8N	4/11/2001	1	1	ND	ug/L
Vinyl acetate	MW-8N	5/29/2002	23	23	ND	ug/L
Vinyl acetate	MW-8N	5/29/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	7/9/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	10/2/2002	1	1	ND	ug/L
Vinyl acetate	MW-8N	1/23/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-8N	4/14/2003	1.8	1.8	ND	ug/L
Vinyl acetate	MW-8N	7/7/2003	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/28/2004	2	2	ND	ug/L
Vinyl acetate	MW-8N	7/27/2004	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/12/2005	2	2	ND	ug/L
Vinyl acetate	MW-8N	7/20/2005	2	2	ND	ug/L
Vinyl acetate	MW-8N	1/19/2006	3	3	ND	ug/L
Vinyl acetate	MW-8N	7/19/2006	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-8N	7/19/2006	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/24/2006	3	3	ND	ug/L
Vinyl acetate	MW-8N	1/26/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/25/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/10/2007	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/24/2008	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/23/2008	5	5	ND	ug/L
Vinyl acetate	MW-8N	2/4/2009	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/31/2009	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/26/2010	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2010	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/19/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	5/10/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/14/2011	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/6/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/5/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/11/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/3/2012	5	5	ND	ug/L
Vinyl acetate	MW-8N	5/1/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	6/4/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/2/2013	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/30/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/3/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/9/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/8/2014	5	5	ND	ug/L
Vinyl acetate	MW-8N	2/12/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/1/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/14/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/5/2015	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/5/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/21/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2016	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/11/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/4/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/19/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2017	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/25/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/10/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/16/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/2/2018	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/7/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/11/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/3/2019	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/15/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/2/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/9/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2020	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/15/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/5/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2021	5	5	ND	ug/L
Vinyl acetate	MW-8N	1/18/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/4/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/12/2022	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/6/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	MW-8N	1/11/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	4/8/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	7/7/2023	5	5	ND	ug/L
Vinyl acetate	MW-8N	10/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-1	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-1	1/27/2004	2	2	ND	ug/L
Vinyl acetate	NE-1	1/12/2005	2	2	ND	ug/L
Vinyl acetate	NE-1	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-1	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-1	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-1	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2007	5	5	ND	ug/L
Vinyl acetate	NE-1	1/24/2008	5	5	ND	ug/L
Vinyl acetate	NE-1	7/21/2008	5	5	ND	ug/L
Vinyl acetate	NE-1	2/7/2009	5	5	ND	ug/L
Vinyl acetate	NE-1	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-1	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	7/14/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	9/2/2010	5	5	ND	ug/L
Vinyl acetate	NE-1	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-1	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-1	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-1	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-1	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-1	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-1	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-1	2/11/2015	5	5	ND	ug/L
Vinyl acetate	NE-1	7/8/2015	5	5	ND	ug/L
Vinyl acetate	NE-1	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-1	7/20/2016	5	5	ND	ug/L
Vinyl acetate	NE-1	1/11/2017	5	5	ND	ug/L
Vinyl acetate	NE-1	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-1	1/24/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	4/11/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	7/18/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	10/2/2018	5	5	ND	ug/L
Vinyl acetate	NE-1	1/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	7/10/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-1	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-1	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-1	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-1	10/6/2022	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-1	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-1	10/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	11/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-10D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	7/8/2023	5	5	ND	ug/L
Vinyl acetate	NE-10D	10/3/2023	5	5	ND	ug/L
Vinyl acetate	NE-11	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	10/9/2017	5	5	ND	ug/L
Vinyl acetate	NE-11	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-11	1/14/2020	5	5	ND	ug/L
Vinyl acetate	NE-11	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-11	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-11	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-11	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-11	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-12	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-12	8/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-12	1/13/2020	5	5	ND	ug/L
Vinyl acetate	NE-12	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-12	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-12	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-12	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-12	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-13	2/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-13	8/7/2019	5	5	ND	ug/L
Vinyl acetate	NE-13	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-13	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-13	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-13	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/2/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-14D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-14D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14D	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-14D	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-14S	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-14S	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-15D	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15D	10/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-15S	4/3/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-2	10/1/2013	5	5	ND	ug/L
Vinyl acetate	NE-2	10/8/2014	5	5	ND	ug/L
Vinyl acetate	NE-2	10/5/2015	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-2	10/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-2	10/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-2	1/25/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	4/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	7/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	10/1/2018	5	5	ND	ug/L
Vinyl acetate	NE-2	1/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-2	1/14/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-2	1/14/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-2	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-2	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-2	4/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-2	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-2	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-4	7/10/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	10/3/2002	1	1	ND	ug/L
Vinyl acetate	NE-4	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	NE-4	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-4	1/28/2004	2	2	ND	ug/L
Vinyl acetate	NE-4	1/13/2005	2	2	ND	ug/L
Vinyl acetate	NE-4	8/1/2006	5	5	ND	ug/L
Vinyl acetate	NE-4	8/1/2006	5	5	ND	ug/L
Vinyl acetate	NE-4	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-4	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-4	7/12/2007	5	5	ND	ug/L
Vinyl acetate	NE-4	1/24/2008	5	5	ND	ug/L
Vinyl acetate	NE-4	7/21/2008	5	5	ND	ug/L
Vinyl acetate	NE-4	2/7/2009	5	5	ND	ug/L
Vinyl acetate	NE-4	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-4	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-4	7/14/2010	5	5	ND	ug/L
Vinyl acetate	NE-4	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-4	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-4	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-4	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-4	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-4	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-4	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-4	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-4	2/13/2015	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2015	5	5	ND	ug/L
Vinyl acetate	NE-4	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-4	7/20/2016	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-4	1/11/2017	5	5	ND	ug/L
Vinyl acetate	NE-4	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-4	1/26/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	4/10/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	7/12/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	10/3/2018	5	5	ND	ug/L
Vinyl acetate	NE-4	1/7/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	7/8/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	10/1/2019	5	5	ND	ug/L
Vinyl acetate	NE-4	1/13/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	7/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	10/5/2020	5	5	ND	ug/L
Vinyl acetate	NE-4	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-4	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-4	4/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-4	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-4	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	8/6/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	9/4/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	10/2/2002	1	1	ND	ug/L
Vinyl acetate	NE-5	4/15/2003	1.8	1.8	ND	ug/L
Vinyl acetate	NE-5	7/8/2003	2	2	ND	ug/L
Vinyl acetate	NE-5	1/27/2004	2	2	ND	ug/L
Vinyl acetate	NE-5	1/12/2005	2	2	ND	ug/L
Vinyl acetate	NE-5	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-5	7/19/2006	5	5	ND	ug/L
Vinyl acetate	NE-5	10/25/2006	3	3	ND	ug/L
Vinyl acetate	NE-5	1/24/2007	5	5	ND	ug/L
Vinyl acetate	NE-5	7/12/2007	5	5	ND	ug/L
Vinyl acetate	NE-5	7/22/2008	5	5	ND	ug/L
Vinyl acetate	NE-5	2/6/2009	5	5	ND	ug/L
Vinyl acetate	NE-5	7/31/2009	5	5	ND	ug/L
Vinyl acetate	NE-5	1/26/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	7/16/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	9/2/2010	5	5	ND	ug/L
Vinyl acetate	NE-5	1/19/2011	5	5	ND	ug/L
Vinyl acetate	NE-5	7/13/2011	5	5	ND	ug/L
Vinyl acetate	NE-5	1/5/2012	5	5	ND	ug/L
Vinyl acetate	NE-5	7/10/2012	5	5	ND	ug/L
Vinyl acetate	NE-5	4/30/2013	5	5	ND	ug/L
Vinyl acetate	NE-5	7/16/2013	5	5	ND	ug/L
Vinyl acetate	NE-5	1/23/2014	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2014	5	5	ND	ug/L
Vinyl acetate	NE-5	2/11/2015	5	5	ND	ug/L
Vinyl acetate	NE-5	7/14/2015	5	5	ND	ug/L
Vinyl acetate	NE-5	1/6/2016	5	5	ND	ug/L
Vinyl acetate	NE-5	7/20/2016	5	5	ND	ug/L
Vinyl acetate	NE-5	1/11/2017	5	5	ND	ug/L
Vinyl acetate	NE-5	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-5	1/25/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	4/10/2018	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-5	7/17/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	10/3/2018	5	5	ND	ug/L
Vinyl acetate	NE-5	1/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	7/9/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	10/3/2019	5	5	ND	ug/L
Vinyl acetate	NE-5	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-5	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/1/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5E	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-5E	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	9/30/2019	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/6/2020	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/6/2021	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/18/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-5W	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-5W	10/4/2023	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-5W	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-6	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	7/19/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-6	2/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-6	8/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-6	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-6	7/9/2020	5	5	ND	ug/L
Vinyl acetate	NE-6	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-6	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-6	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-6	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-6	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-6	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/2/2019	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/2/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/9/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/15/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/2/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/6/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/7/2022	5	5	ND	ug/L
Vinyl acetate	NE-6D	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	4/7/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-6D	10/4/2023	5	5	ND	ug/L
Vinyl acetate	NE-7	3/1/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	4/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	10/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-7	2/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-7	8/6/2019	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2020	5	5	ND	ug/L
Vinyl acetate	NE-7	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	1/16/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-7	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	7/12/2022	5	5	ND	ug/L
Vinyl acetate	NE-7	1/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-7	7/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-8	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	10/6/2017	5	5	ND	ug/L
Vinyl acetate	NE-8	2/4/2019	5	5	ND	ug/L
Vinyl acetate	NE-8	8/5/2019	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl acetate	NE-8	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-8	7/8/2020	5	5	ND	ug/L
Vinyl acetate	NE-8	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	1/13/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	4/9/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	10/7/2021	5	5	ND	ug/L
Vinyl acetate	NE-8	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-8	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	1/12/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	4/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	7/20/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	10/5/2017	5	5	ND	ug/L
Vinyl acetate	NE-9	2/5/2019	5	5	ND	ug/L
Vinyl acetate	NE-9	8/7/2019	5	5	ND	ug/L
Vinyl acetate	NE-9	1/15/2020	5	5	ND	ug/L
Vinyl acetate	NE-9	7/7/2020	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	7/1/2021	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	1/17/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	7/13/2022	5	5	ND	ug/L
Vinyl acetate	NE-9	1/6/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	4/8/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	7/5/2023	5	5	ND	ug/L
Vinyl acetate	NE-9	10/6/2023	5	5	ND	ug/L
Vinyl chloride	LGW-10	1/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/26/2006	1.5	1		ug/L
Vinyl chloride	LGW-10	1/25/2007	1.2	1		ug/L
Vinyl chloride	LGW-10	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/23/2008	1.9	1		ug/L
Vinyl chloride	LGW-10	7/22/2008	1.7	1		ug/L
Vinyl chloride	LGW-10	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-10	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/16/2010	1.6	1		ug/L
Vinyl chloride	LGW-10	1/19/2011	0.7	1	ND	ug/L
Vinyl chloride	LGW-10	7/12/2011	2.9	1		ug/L
Vinyl chloride	LGW-10	1/5/2012	1.2	1		ug/L
Vinyl chloride	LGW-10	7/9/2012	0.87	1	ND	ug/L
Vinyl chloride	LGW-10	5/1/2013	1.6	1		ug/L
Vinyl chloride	LGW-10	1/30/2014	1.8	1		ug/L
Vinyl chloride	LGW-10	7/9/2014	1.8	1		ug/L
Vinyl chloride	LGW-10	2/12/2015	1.8	1		ug/L
Vinyl chloride	LGW-10	7/13/2015	1.9	1		ug/L
Vinyl chloride	LGW-10	1/5/2016	1.9	1		ug/L
Vinyl chloride	LGW-10	2/10/2016	0.7	1	ND	ug/L
Vinyl chloride	LGW-10	4/6/2016	1.3	1		ug/L
Vinyl chloride	LGW-10	7/21/2016	1.3	1		ug/L
Vinyl chloride	LGW-10	10/6/2016	1.6	1		ug/L
Vinyl chloride	LGW-10	1/11/2017	0.9	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-10	4/4/2017	2.1	1		ug/L
Vinyl chloride	LGW-10	7/19/2017	2	1		ug/L
Vinyl chloride	LGW-10	10/9/2017	1.2	1		ug/L
Vinyl chloride	LGW-10	1/24/2018	0.6	1	ND	ug/L
Vinyl chloride	LGW-10	4/11/2018	1.2	1		ug/L
Vinyl chloride	LGW-10	7/16/2018	0.9	1	ND	ug/L
Vinyl chloride	LGW-10	10/4/2018	1.2	1		ug/L
Vinyl chloride	LGW-10	1/4/2019	0.78	1	ND	ug/L
Vinyl chloride	LGW-10	4/3/2019	0.92	1	ND	ug/L
Vinyl chloride	LGW-10	7/11/2019	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/2/2019	0.94	1	ND	ug/L
Vinyl chloride	LGW-10	1/15/2020	1.23	1		ug/L
Vinyl chloride	LGW-10	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/9/2020	1.17	1		ug/L
Vinyl chloride	LGW-10	10/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/17/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/7/2021	1.09	1		ug/L
Vinyl chloride	LGW-10	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/7/2022	1	1	ND	ug/L
Vinyl chloride	LGW-10	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-10	4/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-10	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-10	10/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	8/2/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	10/27/2006	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	4/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/6/2009	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-14R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-14R	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/25/2018	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/17/2018	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/10/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-14R	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-14R	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-14R	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/10/2007	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/26/2008	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/6/2009	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/30/2009	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/30/2014	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-2	2/13/2015	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/18/2017	0.28	1	ND	ug/L
Vinyl chloride	LGW-2	1/23/2018	0.37	1	ND	ug/L
Vinyl chloride	LGW-2	7/12/2018	1.7	1		ug/L
Vinyl chloride	LGW-2	10/2/2018	2.1	1		ug/L
Vinyl chloride	LGW-2	1/3/2019	1	1		ug/L
Vinyl chloride	LGW-2	7/9/2019	0.48	1	ND	ug/L
Vinyl chloride	LGW-2	1/13/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	4/1/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/8/2020	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/4/2021	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/10/2022	1	1	ND	ug/L
Vinyl chloride	LGW-2	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-2	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/26/2008	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-3R	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2009	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/16/2010	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-3R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/22/2014	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-3R	2/10/2015	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/16/2015	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/8/2016	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/21/2016	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/10/2022	1	1	ND	ug/L
Vinyl chloride	LGW-3R	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-3R	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-4	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2009	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/16/2010	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/13/2011	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/4/2012	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-4	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-4	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/19/2016	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-4	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-4	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-4	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-5	2/10/2015	0.21	1	ND	ug/L
Vinyl chloride	LGW-5	7/8/2015	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/12/2018	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/9/2019	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	10/6/2022	1	1	ND	ug/L
Vinyl chloride	LGW-5	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-5	7/10/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-5	10/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/11/2007	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/23/2008	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/5/2009	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/3/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/19/2011	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-6	2/10/2015	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/19/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	5/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/23/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/10/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/17/2018	0.16	1	ND	ug/L
Vinyl chloride	LGW-6	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2020	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/12/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/6/2022	1	1	ND	ug/L
Vinyl chloride	LGW-6	1/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	4/6/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-6	10/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	8/1/2006	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-7	8/1/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/26/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-7	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/31/2009	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2010	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/10/2012	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/23/2014	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/8/2014	0.12	1	ND	ug/L
Vinyl chloride	LGW-7	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/20/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/4/2017	0.1	1	ND	ug/L
Vinyl chloride	LGW-7	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/24/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/12/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	4/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/15/2020	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/18/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-7	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-7	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/24/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/24/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	4/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/12/2007	1	1	ND	ug/L
Vinyl chloride	LGW-8R	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/14/2010	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/12/2011	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-8R	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/9/2012	1	1	ND	ug/L
Vinyl chloride	LGW-8R	4/30/2013	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/22/2014	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/8/2014	1	1	ND	ug/L
Vinyl chloride	LGW-8R	2/11/2015	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/22/2015	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/20/2016	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/25/2018	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/13/2018	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/7/2019	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/8/2019	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/14/2020	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/17/2021	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-8R	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-8R	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/25/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/20/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/26/2006	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/25/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2007	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/22/2008	1	1	ND	ug/L
Vinyl chloride	LGW-9	2/4/2009	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/29/2009	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/27/2010	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/14/2010	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/20/2011	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/12/2011	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/5/2012	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2012	1	1	ND	ug/L
Vinyl chloride	LGW-9	5/1/2013	0.23	1	ND	ug/L
Vinyl chloride	LGW-9	7/15/2013	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/23/2014	0.13	1	ND	ug/L
Vinyl chloride	LGW-9	7/8/2014	0.13	1	ND	ug/L
Vinyl chloride	LGW-9	2/11/2015	0.24	1	ND	ug/L
Vinyl chloride	LGW-9	7/13/2015	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/5/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/21/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/6/2016	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/11/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	5/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/18/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/5/2017	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/24/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/11/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/13/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/2/2018	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/7/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	LGW-9	4/3/2019	0.22	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2019	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/3/2019	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/16/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/2/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/9/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/7/2020	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/17/2021	1.13	1		ug/L
Vinyl chloride	LGW-9	4/6/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/7/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/5/2021	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/13/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/4/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/11/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/7/2022	1	1	ND	ug/L
Vinyl chloride	LGW-9	1/11/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	4/5/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	7/10/2023	1	1	ND	ug/L
Vinyl chloride	LGW-9	10/5/2023	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/28/1998	4	4	ND	ug/L
Vinyl chloride	MW-10N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	7/15/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-10N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-10N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-10N	7/11/2000	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-10N	4/10/2001	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2002	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2007	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-10N	2/13/2009	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/27/2010	1	1	ND	ug/L
Vinyl chloride	MW-10N	8/10/2010	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/14/2011	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/10/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-10N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-10N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/8/2020	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-10N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-10N	7/7/2023	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-11N	1/13/2000	2	2	ND	ug/L
Vinyl chloride	MW-11N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-11N	7/10/2000	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/10/2001	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/9/2002	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/29/2004	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/13/2005	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/24/2007	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/22/2008	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2009	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/3/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/16/2010	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/4/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-11N	7/9/2012	1	1	ND	ug/L
Vinyl chloride	MW-11N	4/30/2013	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/15/2013	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2014	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/8/2014	1	1	ND	ug/L
Vinyl chloride	MW-11N	2/10/2015	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2015	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/17/2018	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/6/2020	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/18/2022	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/13/2022	1	1	ND	ug/L
Vinyl chloride	MW-11N	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-11N	7/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-15	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	7/15/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-15	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-15	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-15	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-15	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-15	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-15	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-15	7/9/2019	1	1	ND	ug/L
Vinyl chloride	MW-15	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-15	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-15	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-15	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-15	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-15	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-15	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-15	7/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-16	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	7/16/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-16	1/8/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-16	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-16	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-16	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-16	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-16	1/2/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-16	7/10/2019	1	1	ND	ug/L
Vinyl chloride	MW-16	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-16	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-16	1/18/2021	1	1	ND	ug/L
Vinyl chloride	MW-16	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-16	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-16	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-16	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-16	7/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-17	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	7/15/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	8/4/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	9/2/2015	1	1	ND	ug/L
Vinyl chloride	MW-17	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-17	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-17	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-17	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-17	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-17	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-17	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-17	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-17	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-17	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-17	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-17	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-17	7/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-19	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	7/16/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	8/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	9/3/2015	1	1	ND	ug/L
Vinyl chloride	MW-19	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-19	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-19	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-19	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-19	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-19	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-19	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-19	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-19	8/3/2020	1	1	ND	ug/L
Vinyl chloride	MW-19	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-19	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-19	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-19	7/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-1N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-1N	1/20/1998	2.2	2		ug/L
Vinyl chloride	MW-1N	4/28/1998	0.5	2		ug/L
Vinyl chloride	MW-1N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-1N	10/14/1998	2	2	ND	ug/L
Vinyl chloride	MW-1N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-1N	4/13/1999	9.8	2		ug/L
Vinyl chloride	MW-1N	5/19/1999	2	2		ug/L
Vinyl chloride	MW-1N	7/15/1999	4.4	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-1N	10/19/1999	1.3	2		ug/L
Vinyl chloride	MW-1N	1/14/2000	0.29	2		ug/L
Vinyl chloride	MW-1N	4/25/2000	2	2	ND	ug/L
Vinyl chloride	MW-1N	7/12/2000	6.2	1		ug/L
Vinyl chloride	MW-1N	10/18/2000	5.6	1		ug/L
Vinyl chloride	MW-1N	1/24/2001	1.8	1		ug/L
Vinyl chloride	MW-1N	4/12/2001	4.2	1		ug/L
Vinyl chloride	MW-1N	5/29/2002	2	2	ND	ug/L
Vinyl chloride	MW-1N	5/29/2002	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/9/2002	0.44	1		ug/L
Vinyl chloride	MW-1N	10/3/2002	0.34	1		ug/L
Vinyl chloride	MW-1N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	4/15/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/8/2003	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/18/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	10/24/2006	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-1N	2/5/2009	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-1N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-1N	2/10/2015	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/12/2017	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/23/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/6/2020	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-1N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-1N	7/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-20	6/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	8/4/2015	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-20	9/2/2015	1	1	ND	ug/L
Vinyl chloride	MW-20	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-20	1/12/2017	1	1	ND	ug/L
Vinyl chloride	MW-20	7/18/2017	1	1	ND	ug/L
Vinyl chloride	MW-20	1/26/2018	1	1	ND	ug/L
Vinyl chloride	MW-20	7/12/2018	1	1	ND	ug/L
Vinyl chloride	MW-20	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-20	1/14/2020	1	1	ND	ug/L
Vinyl chloride	MW-20	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-20	1/17/2021	1	1	ND	ug/L
Vinyl chloride	MW-20	7/4/2021	1	1	ND	ug/L
Vinyl chloride	MW-20	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	6/5/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-21	7/14/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-21	8/4/2015	1	1	ND	ug/L
Vinyl chloride	MW-21	9/2/2015	0.23	1	ND	ug/L
Vinyl chloride	MW-21	1/7/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	4/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	7/20/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	10/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-21	1/10/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	4/5/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	7/19/2017	0.14	1	ND	ug/L
Vinyl chloride	MW-21	10/6/2017	1	1	ND	ug/L
Vinyl chloride	MW-21	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	4/11/2018	0.29	1	ND	ug/L
Vinyl chloride	MW-21	7/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	10/4/2018	1	1	ND	ug/L
Vinyl chloride	MW-21	1/3/2019	0.13	1	ND	ug/L
Vinyl chloride	MW-21	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	10/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-21	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	7/8/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	10/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-21	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-21	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	4/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	7/7/2023	1	1	ND	ug/L
Vinyl chloride	MW-21	10/6/2023	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/22/1997	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	7/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	10/20/1999	2	2	ND	ug/L
Vinyl chloride	MW-2N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-2N	4/25/2000	2	2	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-2N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2001	1	1	ND	ug/L
Vinyl chloride	MW-2N	4/11/2001	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/10/2002	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/22/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	4/14/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/7/2003	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	3/27/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/22/2008	1	1	ND	ug/L
Vinyl chloride	MW-2N	2/4/2009	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/13/2011	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-2N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/24/2014	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-2N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/23/2018	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/12/2018	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-2N	8/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/23/2020	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/14/2021	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-2N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-2N	7/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-3N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-3N	4/28/1998	0.46	2		ug/L
Vinyl chloride	MW-3N	7/23/1998	2	2	ND	ug/L
Vinyl chloride	MW-3N	1/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-3N	10/20/1999	0.57	2		ug/L
Vinyl chloride	MW-3N	1/14/2000	0.37	2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-3N	4/24/2000	0.38	2		ug/L
Vinyl chloride	MW-3N	7/11/2000	0.26	1		ug/L
Vinyl chloride	MW-3N	10/17/2000	0.43	1		ug/L
Vinyl chloride	MW-3N	1/23/2001	0.35	1		ug/L
Vinyl chloride	MW-3N	4/11/2001	0.74	1		ug/L
Vinyl chloride	MW-3N	5/29/2002	1.4	1		ug/L
Vinyl chloride	MW-3N	5/29/2002	2	2	ND	ug/L
Vinyl chloride	MW-3N	7/9/2002	1.2	1		ug/L
Vinyl chloride	MW-3N	10/2/2002	1.7	1		ug/L
Vinyl chloride	MW-3N	1/22/2003	1.5	1		ug/L
Vinyl chloride	MW-3N	4/14/2003	1.2	1		ug/L
Vinyl chloride	MW-3N	7/7/2003	1.7	1		ug/L
Vinyl chloride	MW-3N	1/28/2004	1.6	1		ug/L
Vinyl chloride	MW-3N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/12/2005	2	1		ug/L
Vinyl chloride	MW-3N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-3N	11/8/2005	3.4	1		ug/L
Vinyl chloride	MW-3N	1/18/2006	1.2	1		ug/L
Vinyl chloride	MW-3N	7/19/2006	1.3	1		ug/L
Vinyl chloride	MW-3N	7/19/2006	1.3	1		ug/L
Vinyl chloride	MW-3N	10/25/2006	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/11/2007	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2008	2.2	1		ug/L
Vinyl chloride	MW-3N	5/3/2008	1.1	1		ug/L
Vinyl chloride	MW-3N	7/22/2008	1.4	1		ug/L
Vinyl chloride	MW-3N	2/4/2009	1.3	1		ug/L
Vinyl chloride	MW-3N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/26/2010	1.2	1		ug/L
Vinyl chloride	MW-3N	7/13/2010	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/20/2011	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/14/2011	2.1	1		ug/L
Vinyl chloride	MW-3N	1/5/2012	0.64	1	ND	ug/L
Vinyl chloride	MW-3N	7/11/2012	0.51	1	ND	ug/L
Vinyl chloride	MW-3N	5/1/2013	0.31	1	ND	ug/L
Vinyl chloride	MW-3N	6/4/2013	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/16/2013	0.23	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2014	0.21	1	ND	ug/L
Vinyl chloride	MW-3N	7/9/2014	0.39	1	ND	ug/L
Vinyl chloride	MW-3N	2/12/2015	0.17	1	ND	ug/L
Vinyl chloride	MW-3N	4/1/2015	0.24	1	ND	ug/L
Vinyl chloride	MW-3N	7/14/2015	0.18	1	ND	ug/L
Vinyl chloride	MW-3N	10/5/2015	0.17	1	ND	ug/L
Vinyl chloride	MW-3N	1/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/21/2016	0.15	1	ND	ug/L
Vinyl chloride	MW-3N	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/4/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/9/2017	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/24/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/3/2018	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/11/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-3N	10/2/2019	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/15/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/13/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-3N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-3N	7/7/2023	1	1	ND	ug/L
Vinyl chloride	MW-3N	10/6/2023	1	1	ND	ug/L
Vinyl chloride	MW-7N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-7N	1/21/1998	2	2	ND	ug/L
Vinyl chloride	MW-7N	7/22/1998	3.6	2		ug/L
Vinyl chloride	MW-7N	8/18/1998	2.6	2		ug/L
Vinyl chloride	MW-7N	9/17/1998	3.4	2		ug/L
Vinyl chloride	MW-7N	10/15/1998	2.1	2		ug/L
Vinyl chloride	MW-7N	11/9/1998	3	2		ug/L
Vinyl chloride	MW-7N	1/14/1999	2.3	2		ug/L
Vinyl chloride	MW-7N	4/14/1999	3.1	2		ug/L
Vinyl chloride	MW-7N	7/14/1999	4.7	2		ug/L
Vinyl chloride	MW-7N	10/19/1999	5.8	2		ug/L
Vinyl chloride	MW-7N	1/13/2000	4.7	2		ug/L
Vinyl chloride	MW-7N	4/25/2000	4.5	2		ug/L
Vinyl chloride	MW-7N	10/17/2000	5.6	1		ug/L
Vinyl chloride	MW-7N	1/23/2001	5.1	1		ug/L
Vinyl chloride	MW-7N	4/10/2001	4.4	1		ug/L
Vinyl chloride	MW-7N	5/29/2002	5.7	1		ug/L
Vinyl chloride	MW-7N	5/29/2002	5.7	2		ug/L
Vinyl chloride	MW-7N	7/9/2002	4.8	1		ug/L
Vinyl chloride	MW-7N	10/2/2002	4.7	1		ug/L
Vinyl chloride	MW-7N	1/23/2003	5.9	1		ug/L
Vinyl chloride	MW-7N	4/14/2003	3.8	1		ug/L
Vinyl chloride	MW-7N	7/7/2003	5.4	1		ug/L
Vinyl chloride	MW-7N	1/27/2004	4.6	1		ug/L
Vinyl chloride	MW-7N	4/8/2004	4.2	1		ug/L
Vinyl chloride	MW-7N	7/26/2004	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/12/2005	2.3	1		ug/L
Vinyl chloride	MW-7N	7/19/2005	3.6	1		ug/L
Vinyl chloride	MW-7N	1/19/2006	2.7	1		ug/L
Vinyl chloride	MW-7N	4/17/2006	2.2	1		ug/L
Vinyl chloride	MW-7N	7/19/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	7/19/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	10/24/2006	1.9	1		ug/L
Vinyl chloride	MW-7N	1/26/2007	1.2	1		ug/L
Vinyl chloride	MW-7N	6/1/2007	0.82	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2007	1	1	ND	ug/L
Vinyl chloride	MW-7N	5/3/2008	1.2	1		ug/L
Vinyl chloride	MW-7N	7/21/2008	1	1	ND	ug/L
Vinyl chloride	MW-7N	2/6/2009	0.79	1	ND	ug/L
Vinyl chloride	MW-7N	7/29/2009	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/14/2010	1	1	ND	ug/L
Vinyl chloride	MW-7N	9/2/2010	0.48	1	ND	ug/L
Vinyl chloride	MW-7N	1/20/2011	0.65	1	ND	ug/L
Vinyl chloride	MW-7N	7/12/2011	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/5/2012	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-7N	7/10/2012	1	1	ND	ug/L
Vinyl chloride	MW-7N	5/1/2013	1	1		ug/L
Vinyl chloride	MW-7N	6/4/2013	0.43	1	ND	ug/L
Vinyl chloride	MW-7N	7/15/2013	0.19	1	ND	ug/L
Vinyl chloride	MW-7N	1/30/2014	0.18	1	ND	ug/L
Vinyl chloride	MW-7N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-7N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/13/2015	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-7N	4/4/2017	0.26	1	ND	ug/L
Vinyl chloride	MW-7N	7/19/2017	0.19	1	ND	ug/L
Vinyl chloride	MW-7N	10/5/2017	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/25/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	4/11/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/13/2018	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/4/2019	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2019	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/16/2020	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/7/2020	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/16/2021	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/10/2022	1	1	ND	ug/L
Vinyl chloride	MW-7N	1/10/2023	1	1	ND	ug/L
Vinyl chloride	MW-7N	7/7/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/21/1997	2	2	ND	ug/L
Vinyl chloride	MW-8N	1/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/28/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	7/22/1998	2	2	ND	ug/L
Vinyl chloride	MW-8N	1/12/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/13/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	7/14/1999	2	2	ND	ug/L
Vinyl chloride	MW-8N	10/19/1999	0.24	2		ug/L
Vinyl chloride	MW-8N	1/14/2000	2	2	ND	ug/L
Vinyl chloride	MW-8N	4/25/2000	0.26	2		ug/L
Vinyl chloride	MW-8N	10/17/2000	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/23/2001	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/11/2001	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/29/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/29/2002	2	2	ND	ug/L
Vinyl chloride	MW-8N	7/9/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2002	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/23/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/14/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/7/2003	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/28/2004	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/27/2004	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/12/2005	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/20/2005	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/24/2006	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/26/2007	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/25/2007	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/10/2007	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	MW-8N	1/24/2008	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/23/2008	1	1	ND	ug/L
Vinyl chloride	MW-8N	2/4/2009	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/31/2009	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/26/2010	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2010	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/19/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/10/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/14/2011	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/6/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/5/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/11/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/3/2012	1	1	ND	ug/L
Vinyl chloride	MW-8N	5/1/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	6/4/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2013	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/30/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/3/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/9/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/8/2014	1	1	ND	ug/L
Vinyl chloride	MW-8N	2/12/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/1/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/14/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/5/2015	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/5/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/21/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2016	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/11/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/4/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/19/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2017	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/25/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/10/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/16/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/2/2018	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/7/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/11/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/3/2019	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/15/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/2/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/9/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2020	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/15/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/5/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2021	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/18/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/4/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/12/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/6/2022	1	1	ND	ug/L
Vinyl chloride	MW-8N	1/11/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	4/8/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	7/7/2023	1	1	ND	ug/L
Vinyl chloride	MW-8N	10/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2002	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-1	8/6/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	9/4/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2002	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2003	1	1	ND	ug/L
Vinyl chloride	NE-1	1/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-1	1/12/2005	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2007	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2008	1	1	ND	ug/L
Vinyl chloride	NE-1	7/21/2008	1	1	ND	ug/L
Vinyl chloride	NE-1	2/7/2009	1	1	ND	ug/L
Vinyl chloride	NE-1	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-1	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	7/14/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	9/2/2010	1	1	ND	ug/L
Vinyl chloride	NE-1	1/19/2011	1	1	ND	ug/L
Vinyl chloride	NE-1	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-1	1/5/2012	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2012	1	1	ND	ug/L
Vinyl chloride	NE-1	4/30/2013	1	1	ND	ug/L
Vinyl chloride	NE-1	7/16/2013	1	1	ND	ug/L
Vinyl chloride	NE-1	1/23/2014	1	1	ND	ug/L
Vinyl chloride	NE-1	7/9/2014	1	1	ND	ug/L
Vinyl chloride	NE-1	2/11/2015	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2015	1	1	ND	ug/L
Vinyl chloride	NE-1	1/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-1	7/20/2016	1	1	ND	ug/L
Vinyl chloride	NE-1	1/11/2017	1	1	ND	ug/L
Vinyl chloride	NE-1	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-1	1/24/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	4/11/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	7/18/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2018	1	1	ND	ug/L
Vinyl chloride	NE-1	1/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	7/10/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-1	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-1	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-1	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	10/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-1	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-1	10/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	11/6/2019	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-10D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-10D	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-10D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	7/8/2023	1	1	ND	ug/L
Vinyl chloride	NE-10D	10/3/2023	1	1	ND	ug/L
Vinyl chloride	NE-11	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	10/9/2017	1	1	ND	ug/L
Vinyl chloride	NE-11	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-11	1/14/2020	1	1	ND	ug/L
Vinyl chloride	NE-11	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-11	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-11	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-11	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-11	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-12	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-12	8/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-12	1/13/2020	1	1	ND	ug/L
Vinyl chloride	NE-12	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-12	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-12	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-12	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-12	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-13	2/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-13	8/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-13	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-13	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-13	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-13	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/17/2021	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-14D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-14D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14D	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-14D	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-14S	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-14S	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-15D	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15D	10/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-15S	4/3/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2002	0.49	1		ug/L
Vinyl chloride	NE-2	8/6/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	9/4/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	10/2/2002	1	1	ND	ug/L
Vinyl chloride	NE-2	10/1/2013	1	1	ND	ug/L
Vinyl chloride	NE-2	10/8/2014	1	1	ND	ug/L
Vinyl chloride	NE-2	10/5/2015	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-2	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-2	1/25/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	4/10/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	7/10/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-2	10/1/2018	1	1	ND	ug/L
Vinyl chloride	NE-2	1/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-2	1/14/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	4/1/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-2	1/14/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-2	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-2	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-2	4/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-2	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-2	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-4	7/10/2002	1.4	1		ug/L
Vinyl chloride	NE-4	8/6/2002	2.3	1		ug/L
Vinyl chloride	NE-4	9/4/2002	0.84	1		ug/L
Vinyl chloride	NE-4	10/3/2002	1.8	1		ug/L
Vinyl chloride	NE-4	4/15/2003	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2003	1	1	ND	ug/L
Vinyl chloride	NE-4	1/28/2004	1	1	ND	ug/L
Vinyl chloride	NE-4	7/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-4	1/13/2005	1	1	ND	ug/L
Vinyl chloride	NE-4	7/20/2005	1	1	ND	ug/L
Vinyl chloride	NE-4	8/1/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	8/1/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-4	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-4	7/12/2007	1	1	ND	ug/L
Vinyl chloride	NE-4	1/24/2008	1	1	ND	ug/L
Vinyl chloride	NE-4	7/21/2008	1	1	ND	ug/L
Vinyl chloride	NE-4	2/7/2009	1	1	ND	ug/L
Vinyl chloride	NE-4	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-4	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-4	7/14/2010	1	1	ND	ug/L
Vinyl chloride	NE-4	1/19/2011	1	1	ND	ug/L
Vinyl chloride	NE-4	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-4	1/5/2012	1	1	ND	ug/L
Vinyl chloride	NE-4	7/10/2012	1	1	ND	ug/L
Vinyl chloride	NE-4	4/30/2013	1	1	ND	ug/L
Vinyl chloride	NE-4	7/16/2013	1	1	ND	ug/L
Vinyl chloride	NE-4	1/23/2014	1	1	ND	ug/L
Vinyl chloride	NE-4	7/9/2014	1	1	ND	ug/L
Vinyl chloride	NE-4	2/13/2015	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2015	1	1	ND	ug/L
Vinyl chloride	NE-4	1/6/2016	1	1	ND	ug/L
Vinyl chloride	NE-4	7/20/2016	1	1	ND	ug/L
Vinyl chloride	NE-4	1/11/2017	1	1	ND	ug/L
Vinyl chloride	NE-4	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-4	1/26/2018	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-4	4/10/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	7/12/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	10/3/2018	1	1	ND	ug/L
Vinyl chloride	NE-4	1/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	4/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	7/8/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	10/1/2019	1	1	ND	ug/L
Vinyl chloride	NE-4	1/13/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	4/1/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	7/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	10/5/2020	1	1	ND	ug/L
Vinyl chloride	NE-4	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-4	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-4	4/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-4	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-4	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2002	1.4	1		ug/L
Vinyl chloride	NE-5	8/6/2002	2.1	1		ug/L
Vinyl chloride	NE-5	9/4/2002	1.3	1		ug/L
Vinyl chloride	NE-5	10/2/2002	2.5	1		ug/L
Vinyl chloride	NE-5	4/15/2003	1	1		ug/L
Vinyl chloride	NE-5	7/8/2003	1.9	1		ug/L
Vinyl chloride	NE-5	1/27/2004	1.9	1		ug/L
Vinyl chloride	NE-5	7/27/2004	1	1	ND	ug/L
Vinyl chloride	NE-5	1/12/2005	1	1	ND	ug/L
Vinyl chloride	NE-5	7/20/2005	1	1	ND	ug/L
Vinyl chloride	NE-5	7/19/2006	1.2	1		ug/L
Vinyl chloride	NE-5	7/19/2006	1.2	1		ug/L
Vinyl chloride	NE-5	10/25/2006	1	1	ND	ug/L
Vinyl chloride	NE-5	1/24/2007	1	1	ND	ug/L
Vinyl chloride	NE-5	7/12/2007	1	1	ND	ug/L
Vinyl chloride	NE-5	5/2/2008	0.68	1	ND	ug/L
Vinyl chloride	NE-5	7/22/2008	1	1	ND	ug/L
Vinyl chloride	NE-5	2/6/2009	0.68	1	ND	ug/L
Vinyl chloride	NE-5	7/31/2009	1	1	ND	ug/L
Vinyl chloride	NE-5	1/26/2010	1	1	ND	ug/L
Vinyl chloride	NE-5	7/16/2010	1	1	ND	ug/L
Vinyl chloride	NE-5	9/2/2010	0.71	1	ND	ug/L
Vinyl chloride	NE-5	1/19/2011	0.81	1	ND	ug/L
Vinyl chloride	NE-5	7/13/2011	1	1	ND	ug/L
Vinyl chloride	NE-5	1/5/2012	0.48	1	ND	ug/L
Vinyl chloride	NE-5	7/10/2012	0.47	1	ND	ug/L
Vinyl chloride	NE-5	4/30/2013	0.48	1	ND	ug/L
Vinyl chloride	NE-5	7/16/2013	0.43	1	ND	ug/L
Vinyl chloride	NE-5	1/23/2014	0.37	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2014	0.41	1	ND	ug/L
Vinyl chloride	NE-5	2/11/2015	0.73	1	ND	ug/L
Vinyl chloride	NE-5	7/14/2015	0.36	1	ND	ug/L
Vinyl chloride	NE-5	1/6/2016	0.45	1	ND	ug/L
Vinyl chloride	NE-5	7/20/2016	0.19	1	ND	ug/L
Vinyl chloride	NE-5	1/11/2017	0.31	1	ND	ug/L
Vinyl chloride	NE-5	7/19/2017	0.41	1	ND	ug/L
Vinyl chloride	NE-5	1/25/2018	0.37	1	ND	ug/L
Vinyl chloride	NE-5	4/10/2018	0.39	1	ND	ug/L
Vinyl chloride	NE-5	7/17/2018	0.44	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-5	10/3/2018	0.59	1	ND	ug/L
Vinyl chloride	NE-5	1/4/2019	0.71	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2019	0.63	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2019	0.63	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	1	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	0.28	1	ND	ug/L
Vinyl chloride	NE-5	7/9/2019	0.28	1	ND	ug/L
Vinyl chloride	NE-5	10/3/2019	1	1	ND	ug/L
Vinyl chloride	NE-5	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-5	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/1/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5E	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-5E	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	9/30/2019	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/6/2020	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/6/2021	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/18/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-5W	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-5W	10/4/2023	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-6	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	7/19/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-6	2/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-6	8/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-6	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-6	7/9/2020	1	1	ND	ug/L
Vinyl chloride	NE-6	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-6	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-6	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-6	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/2/2019	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/2/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/9/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/15/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/2/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/6/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/7/2022	1	1	ND	ug/L
Vinyl chloride	NE-6D	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	4/7/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-6D	10/4/2023	1	1	ND	ug/L
Vinyl chloride	NE-7	3/1/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	4/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-7	2/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-7	8/6/2019	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2020	1	1	ND	ug/L
Vinyl chloride	NE-7	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	1/16/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-7	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	7/12/2022	1	1	ND	ug/L
Vinyl chloride	NE-7	1/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-7	7/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-8	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	10/6/2017	1	1	ND	ug/L
Vinyl chloride	NE-8	2/4/2019	1	1	ND	ug/L
Vinyl chloride	NE-8	8/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-8	1/15/2020	1	1	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Vinyl chloride	NE-8	7/8/2020	1	1	ND	ug/L
Vinyl chloride	NE-8	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	1/13/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	4/9/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	10/7/2021	1	1	ND	ug/L
Vinyl chloride	NE-8	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-8	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	1/12/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	4/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	7/20/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	10/5/2017	1	1	ND	ug/L
Vinyl chloride	NE-9	2/5/2019	1	1	ND	ug/L
Vinyl chloride	NE-9	8/7/2019	1	1	ND	ug/L
Vinyl chloride	NE-9	1/15/2020	1	1	ND	ug/L
Vinyl chloride	NE-9	7/7/2020	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	7/1/2021	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	1/17/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	7/13/2022	1	1	ND	ug/L
Vinyl chloride	NE-9	1/6/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	4/8/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	7/5/2023	1	1	ND	ug/L
Vinyl chloride	NE-9	10/6/2023	1	1	ND	ug/L
Water temperature in deg. celsius (field)	LGW-10	9/30/2005	18.2	0		C
Water temperature in deg. celsius (field)	LGW-10	7/20/2006	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/20/2006	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/31/2006	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2006	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2006	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	9/27/2006	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	9/28/2006	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/26/2006	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	10/26/2006	18.5	0		C
Water temperature in deg. celsius (field)	LGW-10	11/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-10	12/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/9/2007	12.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	1/25/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/27/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/27/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-10	3/26/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/27/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/27/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-10	4/26/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-10	4/26/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-10	5/31/2007	19	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	6/1/2007	19	0		C
Water temperature in deg. celsius (field)	LGW-10	6/28/2007	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	6/28/2007	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	7/12/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	10/23/2007	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/28/2007	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	12/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/23/2008	13.3	0		C
Water temperature in deg. celsius (field)	LGW-10	2/28/2008	15	0		C
Water temperature in deg. celsius (field)	LGW-10	5/30/2008	18.7	0		C
Water temperature in deg. celsius (field)	LGW-10	6/25/2008	16.86	0		C
Water temperature in deg. celsius (field)	LGW-10	7/22/2008	16.87	0		C
Water temperature in deg. celsius (field)	LGW-10	8/29/2008	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/26/2008	17.24	0		C
Water temperature in deg. celsius (field)	LGW-10	11/25/2008	16.28	0		C
Water temperature in deg. celsius (field)	LGW-10	12/19/2008	15.82	0		C
Water temperature in deg. celsius (field)	LGW-10	3/26/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	4/16/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-10	5/29/2009	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/24/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	7/29/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	8/28/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/21/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/17/2009	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/16/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	4/8/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	5/6/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/15/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/16/2010	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	8/10/2010	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/1/2010	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/29/2010	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	12/2/2010	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	1/19/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2011	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	5/10/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2011	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	7/12/2011	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	8/3/2011	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/7/2011	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2011	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	11/1/2011	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	12/7/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	1/5/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	2/1/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	3/6/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2012	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/1/2012	16.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	6/5/2012	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	8/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2012	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	5/1/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	6/4/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	8/8/2013	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	9/10/2013	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/1/2013	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	11/6/2013	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	12/2/2013	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/30/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-10	2/13/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	3/12/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2014	17	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2014	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	8/5/2014	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2014	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	10/9/2014	17	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	1/14/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-10	2/12/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-10	4/1/2015	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	7/13/2015	17.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/5/2015	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	9/3/2015	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	10/6/2015	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	11/4/2015	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-10	1/5/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-10	2/10/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	4/6/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-10	5/11/2016	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2016	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	7/21/2016	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	8/10/2016	17.5	0		C
Water temperature in deg. celsius (field)	LGW-10	9/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	LGW-10	10/6/2016	17.4	0		C
Water temperature in deg. celsius (field)	LGW-10	11/2/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	12/1/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/11/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	2/7/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-10	5/16/2017	16.9	0		C
Water temperature in deg. celsius (field)	LGW-10	6/6/2017	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/19/2017	17.2	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2017	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	9/5/2017	17	0		C
Water temperature in deg. celsius (field)	LGW-10	10/9/2017	17.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	11/1/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-10	1/24/2018	12.1	0.1		C
Water temperature in deg. celsius (field)	LGW-10	2/23/2018	12.04	0.1		C
Water temperature in deg. celsius (field)	LGW-10	3/21/2018	18.3	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/11/2018	19.9	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/11/2018	19.9	0.1		C
Water temperature in deg. celsius (field)	LGW-10	6/6/2018	19.41	0		C
Water temperature in deg. celsius (field)	LGW-10	7/16/2018	32.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	8/2/2018	31.3	0.1		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2018	27.6	0		C
Water temperature in deg. celsius (field)	LGW-10	10/4/2018	25.4	0		C
Water temperature in deg. celsius (field)	LGW-10	10/4/2018	25.4	0		C
Water temperature in deg. celsius (field)	LGW-10	11/6/2018	22.2	0.1		C
Water temperature in deg. celsius (field)	LGW-10	12/4/2018	5.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	1/4/2019	3.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	2/6/2019	15.7	0		C
Water temperature in deg. celsius (field)	LGW-10	3/5/2019	8.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/3/2019	12.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/3/2019	12.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	5/3/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	6/4/2019	27.8	0		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2019	20.6	0		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	8/7/2019	36.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	9/4/2019	35.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/2/2019	30.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/2/2019	30.6	0.01		C
Water temperature in deg. celsius (field)	LGW-10	11/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2019	13.7	0.1		C
Water temperature in deg. celsius (field)	LGW-10	1/15/2020	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	3/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2020	17.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	4/2/2020	17.8	0.1		C
Water temperature in deg. celsius (field)	LGW-10	5/5/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-10	6/2/2020	20.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	7/9/2020	21.3	0		C
Water temperature in deg. celsius (field)	LGW-10	8/3/2020	22.7	0		C
Water temperature in deg. celsius (field)	LGW-10	9/2/2020	17.8	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2020	24.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2020	24.1	0.01		C
Water temperature in deg. celsius (field)	LGW-10	11/4/2020	17	0		C
Water temperature in deg. celsius (field)	LGW-10	12/3/2020	14.7	0		C
Water temperature in deg. celsius (field)	LGW-10	1/17/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-10	2/9/2021	7.1	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	4/6/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	4/6/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	5/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	6/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	7/7/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	8/4/2021	19.3	0		C
Water temperature in deg. celsius (field)	LGW-10	9/2/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2021	17.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-10	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	11/2/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-10	12/9/2021	16.8	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	1/13/2022	16.4	0		C
Water temperature in deg. celsius (field)	LGW-10	2/10/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-10	3/2/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	4/4/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	5/7/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-10	6/3/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-10	7/11/2022	18.7	0		C
Water temperature in deg. celsius (field)	LGW-10	8/10/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-10	9/8/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	10/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-10	11/3/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-10	12/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-10	1/11/2023	16.2	0		C
Water temperature in deg. celsius (field)	LGW-10	2/3/2023	14.7	0		C
Water temperature in deg. celsius (field)	LGW-10	3/1/2023	16.5	0		C
Water temperature in deg. celsius (field)	LGW-10	4/5/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-10	5/10/2023	17.8	0		C
Water temperature in deg. celsius (field)	LGW-10	6/8/2023	18.7	0		C
Water temperature in deg. celsius (field)	LGW-10	7/10/2023	19	0		C
Water temperature in deg. celsius (field)	LGW-10	8/1/2023	18.6	0		C
Water temperature in deg. celsius (field)	LGW-10	9/2/2023	18.5	0		C
Water temperature in deg. celsius (field)	LGW-10	10/5/2023	17.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2005	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/21/2006	19.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/21/2006	19.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/2/2006	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/27/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/27/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/21/2006	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/21/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/21/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/9/2007	11.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/24/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/24/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/25/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/24/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/26/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/31/2007	21.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	6/1/2007	21.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/28/2007	19.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/28/2007	19.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2007	21.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/11/2007	21.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/28/2007	22.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/29/2007	22.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/28/2007	21.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/23/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/27/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/27/2007	11.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2008	11.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/28/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/25/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/3/2008	15.79	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/30/2008	17.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/25/2008	21.67	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/22/2008	19	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/29/2008	24.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/26/2008	18.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/25/2008	14.53	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/19/2008	14.74	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/6/2009	19.53	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/26/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/25/2009	18.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/28/2009	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/22/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/18/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/7/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/6/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/16/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/12/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/29/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/2/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/19/2011	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/10/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/12/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/7/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/1/2012	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2012	15.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	5/1/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/5/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/9/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/7/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/6/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/6/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2013	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2013	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/30/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/4/2013	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/8/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/10/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2013	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/2/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/23/2014	14.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/12/2014	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/11/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/2/2014	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/7/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/8/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/5/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/9/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/14/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/11/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/1/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/6/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/22/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/4/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/5/2016	14.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2016	14.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/11/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2016	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/19/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/6/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/2/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/1/2016	15.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	1/11/2017	15.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/7/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/4/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/2/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/18/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/5/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/1/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/25/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	2/22/2018	16.3	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	3/20/2018	20.2	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	4/10/2018	12.1	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	6/5/2018	25	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/21/2018	29.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/17/2018	27.87	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	8/1/2018	31	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	9/4/2018	28.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/2/2018	32.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/2/2018	32.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/6/2018	20.2	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	12/4/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	1/3/2019	6.5	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	2/6/2019	12.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/5/2019	11.2	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	4/3/2019	21	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	5/2/2019	21.7	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	6/4/2019	30.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	8/7/2019	22.2	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	9/5/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	10/3/2019	20.8	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	11/5/2019	16.9	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	12/4/2019	14	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	1/16/2020	10.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/3/2020	14.8	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	4/3/2020	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-14R	5/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	6/2/2020	19.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/9/2020	23.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2020	19	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2020	19.4	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	10/7/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2020	16.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/3/2020	12.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/18/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/18/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/9/2021	10.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/2/2021	15	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/6/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/6/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/4/2021	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/1/2021	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/3/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2021	17.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2021	17.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/2/2021	13.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/12/2022	14.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/10/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/1/2022	16.9	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/7/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/3/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/11/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/10/2022	20.4	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/8/2022	17.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/6/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	11/3/2022	17.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	12/7/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-14R	1/10/2023	14.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	2/3/2023	12.7	0		C
Water temperature in deg. celsius (field)	LGW-14R	3/1/2023	15.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	4/5/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-14R	5/10/2023	18.2	0		C
Water temperature in deg. celsius (field)	LGW-14R	6/8/2023	21	0		C
Water temperature in deg. celsius (field)	LGW-14R	7/10/2023	19.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	8/2/2023	21.6	0		C
Water temperature in deg. celsius (field)	LGW-14R	9/2/2023	21.3	0		C
Water temperature in deg. celsius (field)	LGW-14R	10/5/2023	19.7	0		C
Water temperature in deg. celsius (field)	LGW-2	9/30/2005	18.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/31/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/31/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2006	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/20/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	10/26/2006	16	0		C
Water temperature in deg. celsius (field)	LGW-2	10/26/2006	16	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/21/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/21/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	12/21/2006	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	12/21/2006	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/9/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/25/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/7/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/27/2007	12.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	2/27/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2007	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	6/28/2007	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/28/2007	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2007	18.8	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2007	18.8	0		C
Water temperature in deg. celsius (field)	LGW-2	8/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/28/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	10/24/2007	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/28/2007	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	12/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-2	1/26/2008	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/26/2008	13.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/28/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/24/2008	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	5/3/2008	16.83	0		C
Water temperature in deg. celsius (field)	LGW-2	5/30/2008	19.9	0		C
Water temperature in deg. celsius (field)	LGW-2	6/26/2008	17.87	0		C
Water temperature in deg. celsius (field)	LGW-2	7/23/2008	17.8	0		C
Water temperature in deg. celsius (field)	LGW-2	8/29/2008	17.11	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2008	24.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/26/2008	24.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/21/2008	16.79	0		C
Water temperature in deg. celsius (field)	LGW-2	11/25/2008	16.42	0		C
Water temperature in deg. celsius (field)	LGW-2	12/19/2008	14.34	0		C
Water temperature in deg. celsius (field)	LGW-2	2/6/2009	15.65	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/26/2009	16	0		C
Water temperature in deg. celsius (field)	LGW-2	4/16/2009	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	5/29/2009	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	6/25/2009	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/30/2009	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/29/2009	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	9/30/2009	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	10/22/2009	16.5	0		C
Water temperature in deg. celsius (field)	LGW-2	11/24/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	12/18/2009	14.3	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2010	13.1	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2010	13.1	0		C
Water temperature in deg. celsius (field)	LGW-2	2/17/2010	12.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/4/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	4/8/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-2	5/6/2010	18.4	0		C
Water temperature in deg. celsius (field)	LGW-2	6/15/2010	17	0		C
Water temperature in deg. celsius (field)	LGW-2	7/12/2010	12.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2010	17.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/1/2010	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/29/2010	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-2	12/2/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	1/19/2011	12.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	2/7/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	5/10/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	7/13/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2011	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	9/7/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	1/4/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/1/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	3/6/2012	16	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2012	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/1/2012	17	0		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	8/9/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2012	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	10/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	4/30/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	6/4/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-2	7/15/2013	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	8/8/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	9/10/2013	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/1/2013	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-2	12/2/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-2	1/30/2014	14.3	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-2	3/12/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	4/3/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/7/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2014	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	8/5/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2014	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	10/9/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-2	1/14/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-2	2/13/2015	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-2	5/6/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2015	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/4/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-2	9/2/2015	16.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-2	11/4/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-2	12/3/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-2	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2016	14.7	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	5/11/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2016	16.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	7/19/2016	17.1	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2016	16.9	0		C
Water temperature in deg. celsius (field)	LGW-2	9/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	11/2/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	12/1/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	1/11/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	2/7/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-2	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-2	5/16/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	6/6/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	7/18/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/5/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2017	17	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-2	1/23/2018	8.9	0.1		C
Water temperature in deg. celsius (field)	LGW-2	2/22/2018	13.42	0.1		C
Water temperature in deg. celsius (field)	LGW-2	3/21/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-2	4/10/2018	8.7	0.1		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2018	22.49	0		C
Water temperature in deg. celsius (field)	LGW-2	6/21/2018	24.5	0		C
Water temperature in deg. celsius (field)	LGW-2	7/12/2018	31.1	0.1		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2018	20.5	0.1		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2018	28.8	0		C
Water temperature in deg. celsius (field)	LGW-2	10/2/2018	26.5	0		C
Water temperature in deg. celsius (field)	LGW-2	10/2/2018	26.5	0		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2018	23.5	0.1		C
Water temperature in deg. celsius (field)	LGW-2	12/4/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	1/3/2019	8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	2/5/2019	17.5	0		C
Water temperature in deg. celsius (field)	LGW-2	3/6/2019	13.1	0.01		C
Water temperature in deg. celsius (field)	LGW-2	4/3/2019	13.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	5/2/2019	22	0.01		C
Water temperature in deg. celsius (field)	LGW-2	6/5/2019	21.8	0		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2019	24.2	0.01		C
Water temperature in deg. celsius (field)	LGW-2	7/9/2019	24.2	0.01		C
Water temperature in deg. celsius (field)	LGW-2	8/6/2019	24.7	0.01		C
Water temperature in deg. celsius (field)	LGW-2	9/4/2019	23	0.01		C
Water temperature in deg. celsius (field)	LGW-2	10/1/2019	26.6	0.01		C
Water temperature in deg. celsius (field)	LGW-2	11/6/2019	16.3	0.01		C
Water temperature in deg. celsius (field)	LGW-2	12/3/2019	11.8	0.1		C
Water temperature in deg. celsius (field)	LGW-2	1/13/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	3/3/2020	15.5	0.01		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2020	17.2	0.1		C
Water temperature in deg. celsius (field)	LGW-2	4/1/2020	17.2	0.1		C
Water temperature in deg. celsius (field)	LGW-2	5/5/2020	18	0.01		C
Water temperature in deg. celsius (field)	LGW-2	6/2/2020	19.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/8/2020	19.3	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2020	20.1	0		C
Water temperature in deg. celsius (field)	LGW-2	9/3/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	10/7/2020	17.4	0.01		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2020	15.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/4/2020	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	1/18/2021	13.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-2	1/18/2021	13.7	0		C
Water temperature in deg. celsius (field)	LGW-2	2/10/2021	10.8	0		C
Water temperature in deg. celsius (field)	LGW-2	3/2/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-2	4/7/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-2	5/4/2021	13.8	0		C
Water temperature in deg. celsius (field)	LGW-2	6/1/2021	16.5	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	7/4/2021	21.9	0		C
Water temperature in deg. celsius (field)	LGW-2	8/3/2021	21.5	0		C
Water temperature in deg. celsius (field)	LGW-2	9/2/2021	24.2	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2021	22.3	0		C
Water temperature in deg. celsius (field)	LGW-2	10/5/2021	22.3	0		C
Water temperature in deg. celsius (field)	LGW-2	11/1/2021	14.2	0		C
Water temperature in deg. celsius (field)	LGW-2	12/8/2021	13.6	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/12/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	2/9/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-2	3/1/2022	17.8	0		C
Water temperature in deg. celsius (field)	LGW-2	4/5/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-2	5/7/2022	18.1	0		C
Water temperature in deg. celsius (field)	LGW-2	6/3/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2022	21.4	0		C
Water temperature in deg. celsius (field)	LGW-2	8/10/2022	19.4	0		C
Water temperature in deg. celsius (field)	LGW-2	9/8/2022	21.1	0		C
Water temperature in deg. celsius (field)	LGW-2	10/6/2022	21	0		C
Water temperature in deg. celsius (field)	LGW-2	11/3/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-2	12/7/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	1/10/2023	17	0		C
Water temperature in deg. celsius (field)	LGW-2	2/3/2023	9.1	0		C
Water temperature in deg. celsius (field)	LGW-2	3/1/2023	15.4	0		C
Water temperature in deg. celsius (field)	LGW-2	4/6/2023	13.7	0		C
Water temperature in deg. celsius (field)	LGW-2	5/11/2023	17.4	0		C
Water temperature in deg. celsius (field)	LGW-2	6/8/2023	22.4	0		C
Water temperature in deg. celsius (field)	LGW-2	7/10/2023	19.7	0		C
Water temperature in deg. celsius (field)	LGW-2	8/1/2023	23.6	0		C
Water temperature in deg. celsius (field)	LGW-2	9/1/2023	20.1	0		C
Water temperature in deg. celsius (field)	LGW-2	10/4/2023	19.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/28/2005	22.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/20/2006	23.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/20/2006	23.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/26/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/26/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/21/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/21/2006	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/21/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/21/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/9/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/25/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/27/2007	14	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	2/27/2007	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/26/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/26/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/11/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/28/2007	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/28/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/27/2007	12.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/26/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/26/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/27/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/24/2008	14.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/3/2008	15.41	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/30/2008	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/26/2008	16.92	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/23/2008	16.12	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/29/2008	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2008	15.77	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/26/2008	15.77	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/22/2008	15.49	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/25/2008	15.01	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/19/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2009	14.66	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/26/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/16/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/28/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/25/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/31/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/29/2009	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/30/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/22/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/24/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/18/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/17/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/8/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/5/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/15/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/16/2010	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/11/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/1/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/29/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/19/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2011	14.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	3/3/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/10/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/13/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2011	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/7/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/5/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/7/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/4/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/1/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/6/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/1/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/4/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/8/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/5/2013	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/30/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/4/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/15/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/8/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/10/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/6/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/22/2014	14.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/12/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/2/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/7/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/8/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/4/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/9/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/10/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/1/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/6/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/16/2015	27.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2015	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/3/2015	16.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/5/2015	15.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	12/4/2015	10.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/8/2016	12.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/4/2016	13.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/3/2016	13.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2016	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/12/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/21/2016	17.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/11/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/7/2016	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/7/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2016	18.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2016	13.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/11/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2017	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/4/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/2/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/6/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/1/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/1/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/23/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	2/22/2018	14.2	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	3/19/2018	14.5	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	4/10/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2018	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/11/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	8/1/2018	19.1	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	9/5/2018	19.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/3/2018	20.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/7/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	12/4/2018	12.7	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	1/3/2019	13.4	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	2/5/2019	17	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/4/2019	10.9	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	4/3/2019	14.9	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	5/1/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	6/5/2019	18.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	7/9/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	8/5/2019	19.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	9/3/2019	20.5	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	10/1/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	11/6/2019	15.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	12/2/2019	9.9	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	1/14/2020	12.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2020	14.7	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	4/1/2020	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-3R	5/5/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2020	19	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2020	25.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/2/2020	16.5	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-3R	10/5/2020	19.8	0.01		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2020	17.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/4/2020	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/9/2021	12.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/2/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2021	18.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2021	18.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/4/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/2/2021	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/6/2021	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/3/2021	18.9	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/5/2021	17	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/2/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/9/2021	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/12/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/10/2022	14	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/1/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/5/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/7/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/3/2022	16.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/10/2022	18.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/10/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/8/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/6/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-3R	11/3/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	12/7/2022	14.6	0		C
Water temperature in deg. celsius (field)	LGW-3R	1/10/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	2/3/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-3R	3/1/2023	15.3	0		C
Water temperature in deg. celsius (field)	LGW-3R	4/6/2023	15.1	0		C
Water temperature in deg. celsius (field)	LGW-3R	5/10/2023	18.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	6/8/2023	19.2	0		C
Water temperature in deg. celsius (field)	LGW-3R	7/10/2023	16.7	0		C
Water temperature in deg. celsius (field)	LGW-3R	8/2/2023	19.5	0		C
Water temperature in deg. celsius (field)	LGW-3R	9/2/2023	19	0		C
Water temperature in deg. celsius (field)	LGW-3R	10/4/2023	17.2	0		C
Water temperature in deg. celsius (field)	LGW-4	9/28/2005	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	7/20/2006	22.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/20/2006	22.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2006	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2006	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	10/26/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/26/2006	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	11/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	11/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	12/21/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-4	12/21/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/9/2007	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	11.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/25/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	4/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	4/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	5/31/2007	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2007	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	6/28/2007	17.2	0		C
Water temperature in deg. celsius (field)	LGW-4	6/28/2007	17.2	0		C
Water temperature in deg. celsius (field)	LGW-4	7/10/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-4	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/28/2007	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/28/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-4	10/24/2007	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/28/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-4	12/27/2007	13.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/22/2008	11.2	0		C
Water temperature in deg. celsius (field)	LGW-4	2/27/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	3/25/2008	14.1	0		C
Water temperature in deg. celsius (field)	LGW-4	5/3/2008	14.96	0		C
Water temperature in deg. celsius (field)	LGW-4	5/30/2008	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/23/2008	15.23	0		C
Water temperature in deg. celsius (field)	LGW-4	8/29/2008	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2008	15.36	0		C
Water temperature in deg. celsius (field)	LGW-4	9/26/2008	15.36	0		C
Water temperature in deg. celsius (field)	LGW-4	10/22/2008	15.05	0		C
Water temperature in deg. celsius (field)	LGW-4	11/25/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	12/19/2008	14.79	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2009	14.56	0		C
Water temperature in deg. celsius (field)	LGW-4	3/26/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	4/16/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-4	5/28/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/25/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/31/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	8/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/22/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	11/24/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/17/2010	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	3/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	4/8/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	5/5/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	6/15/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/11/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/1/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	9/29/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-4	12/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	1/19/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2011	14.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	3/3/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	5/10/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	7/13/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2011	16.1	0		C
Water temperature in deg. celsius (field)	LGW-4	9/7/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/1/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	12/7/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	1/4/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	2/1/2012	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	3/6/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	5/1/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	8/9/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/4/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	10/7/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/30/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/4/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/15/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	8/8/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/10/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	11/6/2013	15	0		C
Water temperature in deg. celsius (field)	LGW-4	12/2/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	1/23/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	2/12/2014	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/11/2014	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/2/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	5/7/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	7/8/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	8/5/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-4	10/9/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-4	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	2/11/2015	14.8	0		C
Water temperature in deg. celsius (field)	LGW-4	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	4/1/2015	15	0		C
Water temperature in deg. celsius (field)	LGW-4	5/6/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/8/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	8/4/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	11/4/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	12/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	1/5/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2016	14.5	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	5/11/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	6/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/19/2016	16.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	8/10/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	9/6/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	11/2/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	12/1/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/11/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	2/7/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/4/2017	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	5/2/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-4	5/16/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	6/6/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	7/18/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-4	8/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-4	11/1/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/23/2018	15.2	0.1		C
Water temperature in deg. celsius (field)	LGW-4	2/22/2018	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-4	3/19/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-4	4/10/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2018	17	0.1		C
Water temperature in deg. celsius (field)	LGW-4	8/1/2018	18.4	0.1		C
Water temperature in deg. celsius (field)	LGW-4	9/5/2018	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	10/3/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	11/7/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	LGW-4	1/3/2019	14.9	0.1		C
Water temperature in deg. celsius (field)	LGW-4	2/5/2019	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	3/4/2019	11.7	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/3/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/3/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-4	5/1/2019	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-4	6/5/2019	16.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-4	7/9/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-4	8/5/2019	17.6	0.01		C
Water temperature in deg. celsius (field)	LGW-4	9/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-4	10/1/2019	17.4	0.01		C
Water temperature in deg. celsius (field)	LGW-4	11/6/2019	16	0.01		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2019	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-4	1/14/2020	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	3/2/2020	15.3	0.01		C
Water temperature in deg. celsius (field)	LGW-4	4/1/2020	15.2	0.1		C
Water temperature in deg. celsius (field)	LGW-4	5/5/2020	16	0.01		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	7/6/2020	17.7	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2020	17.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2020	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	12/4/2020	14.3	0		C
Water temperature in deg. celsius (field)	LGW-4	1/18/2021	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	1/18/2021	15.4	0		C
Water temperature in deg. celsius (field)	LGW-4	2/9/2021	12.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-4	3/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-4	5/4/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/2/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	7/7/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-4	8/3/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2021	18.5	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-4	10/5/2021	18.1	0		C
Water temperature in deg. celsius (field)	LGW-4	11/2/2021	14.6	0		C
Water temperature in deg. celsius (field)	LGW-4	12/9/2021	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-4	2/10/2022	14.7	0		C
Water temperature in deg. celsius (field)	LGW-4	3/1/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	4/5/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-4	5/7/2022	16.9	0		C
Water temperature in deg. celsius (field)	LGW-4	6/3/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	7/11/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-4	8/10/2022	18.2	0		C
Water temperature in deg. celsius (field)	LGW-4	9/8/2022	18.2	0		C
Water temperature in deg. celsius (field)	LGW-4	10/6/2022	18.6	0		C
Water temperature in deg. celsius (field)	LGW-4	11/3/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-4	12/7/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-4	1/10/2023	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	2/3/2023	14.3	0		C
Water temperature in deg. celsius (field)	LGW-4	3/1/2023	15.7	0		C
Water temperature in deg. celsius (field)	LGW-4	4/6/2023	15.8	0		C
Water temperature in deg. celsius (field)	LGW-4	5/10/2023	17.3	0		C
Water temperature in deg. celsius (field)	LGW-4	6/8/2023	18.9	0		C
Water temperature in deg. celsius (field)	LGW-4	7/10/2023	17.1	0		C
Water temperature in deg. celsius (field)	LGW-4	8/2/2023	18.5	0		C
Water temperature in deg. celsius (field)	LGW-4	9/2/2023	19	0		C
Water temperature in deg. celsius (field)	LGW-4	10/4/2023	17.4	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2005	14	0		C
Water temperature in deg. celsius (field)	LGW-5	7/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/20/2006	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/31/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2006	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/27/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/27/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	10/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/26/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/21/2006	13.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/21/2006	13.5	0		C
Water temperature in deg. celsius (field)	LGW-5	12/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	12/21/2006	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	1/25/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-5	2/7/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/27/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	4/26/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/26/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-5	5/31/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	6/28/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	6/28/2007	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/10/2007	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	7/11/2007	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2007	17.4	0		C
Water temperature in deg. celsius (field)	LGW-5	9/28/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-5	10/24/2007	15	0		C
Water temperature in deg. celsius (field)	LGW-5	11/28/2007	13.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/27/2007	12.6	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2008	13.2	0		C
Water temperature in deg. celsius (field)	LGW-5	2/28/2008	14	0		C
Water temperature in deg. celsius (field)	LGW-5	3/25/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/3/2008	15.08	0		C
Water temperature in deg. celsius (field)	LGW-5	5/30/2008	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/26/2008	16.08	0		C
Water temperature in deg. celsius (field)	LGW-5	7/23/2008	15.85	0		C
Water temperature in deg. celsius (field)	LGW-5	9/26/2008	16.09	0		C
Water temperature in deg. celsius (field)	LGW-5	9/26/2008	16.09	0		C
Water temperature in deg. celsius (field)	LGW-5	10/21/2008	15.35	0		C
Water temperature in deg. celsius (field)	LGW-5	11/25/2008	15.04	0		C
Water temperature in deg. celsius (field)	LGW-5	12/19/2008	14.85	0		C
Water temperature in deg. celsius (field)	LGW-5	2/4/2009	14.75	0		C
Water temperature in deg. celsius (field)	LGW-5	3/26/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/16/2009	14.6	0		C
Water temperature in deg. celsius (field)	LGW-5	5/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/24/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	7/29/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	8/28/2009	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	10/21/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	11/24/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-5	12/17/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/7/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/5/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/15/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	9/29/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/2/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	1/19/2011	14.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	11/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	12/7/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/5/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	2/1/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	3/6/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	5/1/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	6/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	8/9/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	10/7/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/30/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/4/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	7/15/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	8/8/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	9/10/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	10/1/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	11/6/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2014	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/12/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-5	4/2/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	5/7/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	8/5/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2014	16.7	0		C
Water temperature in deg. celsius (field)	LGW-5	10/9/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/14/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	2/10/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	3/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/1/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	5/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/8/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	8/4/2015	16.3	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2015	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	11/4/2015	18.8	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-5	4/5/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	5/11/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2016	16.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	7/19/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-5	11/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/1/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/11/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	2/7/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-5	5/16/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/18/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-5	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	11/1/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	1/23/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-5	2/23/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-5	3/20/2018	13.8	0.1		C
Water temperature in deg. celsius (field)	LGW-5	4/10/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-5	6/5/2018	16.9	0		C
Water temperature in deg. celsius (field)	LGW-5	7/12/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-5	8/1/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-5	9/4/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-5	10/3/2018	22.3	0		C
Water temperature in deg. celsius (field)	LGW-5	11/7/2018	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-5	12/4/2018	8.7	0.1		C
Water temperature in deg. celsius (field)	LGW-5	1/3/2019	15.1	0.1		C
Water temperature in deg. celsius (field)	LGW-5	2/5/2019	16.5	0		C
Water temperature in deg. celsius (field)	LGW-5	3/5/2019	11.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	LGW-5	5/1/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	LGW-5	6/4/2019	21.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2019	19.6	0.01		C
Water temperature in deg. celsius (field)	LGW-5	7/9/2019	19.6	0.01		C
Water temperature in deg. celsius (field)	LGW-5	8/5/2019	21.5	0.01		C
Water temperature in deg. celsius (field)	LGW-5	9/3/2019	20.8	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/1/2019	20.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	11/5/2019	17.2	0.01		C
Water temperature in deg. celsius (field)	LGW-5	12/2/2019	13.4	0.1		C
Water temperature in deg. celsius (field)	LGW-5	1/14/2020	16	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-5	4/1/2020	16.9	0.1		C
Water temperature in deg. celsius (field)	LGW-5	5/4/2020	21.4	0.01		C
Water temperature in deg. celsius (field)	LGW-5	6/1/2020	19.5	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/6/2020	22.4	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2020	20.1	0		C
Water temperature in deg. celsius (field)	LGW-5	9/1/2020	20	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2020	18.7	0.01		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2020	18.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/3/2020	11.7	0		C
Water temperature in deg. celsius (field)	LGW-5	1/18/2021	15	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-5	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	LGW-5	2/9/2021	9.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2021	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	5/4/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-5	6/2/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	7/7/2021	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	8/3/2021	23.6	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2021	26.2	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-5	11/2/2021	13.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/9/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	LGW-5	2/10/2022	15.1	0		C
Water temperature in deg. celsius (field)	LGW-5	3/1/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-5	5/7/2022	18.9	0		C
Water temperature in deg. celsius (field)	LGW-5	6/3/2022	19.2	0		C
Water temperature in deg. celsius (field)	LGW-5	7/11/2022	21.7	0		C
Water temperature in deg. celsius (field)	LGW-5	8/10/2022	21.7	0		C
Water temperature in deg. celsius (field)	LGW-5	9/8/2022	22.1	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2022	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	10/6/2022	19.1	0		C
Water temperature in deg. celsius (field)	LGW-5	11/3/2022	20.1	0		C
Water temperature in deg. celsius (field)	LGW-5	12/7/2022	15.3	0		C
Water temperature in deg. celsius (field)	LGW-5	1/10/2023	16.4	0		C
Water temperature in deg. celsius (field)	LGW-5	2/3/2023	12.8	0		C
Water temperature in deg. celsius (field)	LGW-5	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-5	4/6/2023	16.4	0		C
Water temperature in deg. celsius (field)	LGW-5	5/10/2023	21.1	0		C
Water temperature in deg. celsius (field)	LGW-5	6/8/2023	21.2	0		C
Water temperature in deg. celsius (field)	LGW-5	7/10/2023	20.5	0		C
Water temperature in deg. celsius (field)	LGW-5	8/2/2023	23	0		C
Water temperature in deg. celsius (field)	LGW-5	9/2/2023	21	0		C
Water temperature in deg. celsius (field)	LGW-5	10/5/2023	18.2	0		C
Water temperature in deg. celsius (field)	LGW-6	9/30/2005	14.9	0		C
Water temperature in deg. celsius (field)	LGW-6	7/20/2006	22.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/20/2006	22.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2006	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	10/26/2006	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	10/26/2006	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	11/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/21/2006	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/9/2007	12.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/24/2007	13.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	1/24/2007	13.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/25/2007	13.5	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	4/26/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	4/26/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	5/31/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-6	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2007	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/11/2007	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2007	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	9/27/2007	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	10/23/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/27/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	12/27/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2008	12.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/28/2008	14.7	0		C
Water temperature in deg. celsius (field)	LGW-6	3/25/2008	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	5/3/2008	15.15	0		C
Water temperature in deg. celsius (field)	LGW-6	5/30/2008	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	6/26/2008	15.92	0		C
Water temperature in deg. celsius (field)	LGW-6	7/23/2008	15.92	0		C
Water temperature in deg. celsius (field)	LGW-6	8/29/2008	16.26	0		C
Water temperature in deg. celsius (field)	LGW-6	9/26/2008	15.87	0		C
Water temperature in deg. celsius (field)	LGW-6	9/26/2008	15.87	0		C
Water temperature in deg. celsius (field)	LGW-6	10/21/2008	15.45	0		C
Water temperature in deg. celsius (field)	LGW-6	11/25/2008	15.18	0		C
Water temperature in deg. celsius (field)	LGW-6	12/19/2008	14.85	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2009	14.92	0		C
Water temperature in deg. celsius (field)	LGW-6	3/26/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	5/29/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/24/2009	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	7/29/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/28/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	9/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	10/22/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/24/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	12/17/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	2/16/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-6	4/7/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	6/15/2010	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/12/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2010	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/29/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	12/2/2010	15.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	1/19/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2011	13.9	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	7/12/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/7/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/7/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	1/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	2/1/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	3/6/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	5/1/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	8/9/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	9/4/2012	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	10/7/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	12/6/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	12/6/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2013	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/5/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	4/30/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	6/4/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/15/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	8/8/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	9/10/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	12/2/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/12/2014	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	3/11/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-6	4/2/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	5/7/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/5/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/4/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	10/9/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2014	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	1/14/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-6	2/10/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	3/3/2015	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/1/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	5/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/22/2015	16.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	8/4/2015	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2015	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/4/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	12/3/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/5/2016	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2016	15.3	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	4/5/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	5/11/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/19/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2016	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	9/6/2016	17	0		C
Water temperature in deg. celsius (field)	LGW-6	9/6/2016	17	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2016	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	12/1/2016	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	1/11/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	2/7/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-6	5/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2017	8.6	0		C
Water temperature in deg. celsius (field)	LGW-6	6/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/1/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2017	16.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-6	11/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	1/23/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-6	2/22/2018	15.74	0.1		C
Water temperature in deg. celsius (field)	LGW-6	3/20/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/10/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/10/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	6/5/2018	17.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/17/2018	18.51	0.1		C
Water temperature in deg. celsius (field)	LGW-6	8/1/2018	17.3	0.1		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/2/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/2/2018	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/6/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	LGW-6	12/4/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	LGW-6	1/7/2019	16.3	0.1		C
Water temperature in deg. celsius (field)	LGW-6	2/5/2019	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/4/2019	14.4	0.01		C
Water temperature in deg. celsius (field)	LGW-6	4/3/2019	16.3	0.01		C
Water temperature in deg. celsius (field)	LGW-6	5/2/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-6	6/4/2019	18.3	0		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2019	17.5	0.01		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2019	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	8/8/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	9/5/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/3/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/3/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	LGW-6	11/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-6	12/4/2019	15.7	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-6	1/16/2020	15.5	0		C
Water temperature in deg. celsius (field)	LGW-6	3/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-6	4/2/2020	16.1	0.1		C
Water temperature in deg. celsius (field)	LGW-6	4/3/2020	16.1	0.1		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-6	6/2/2020	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	7/9/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2020	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2020	17.2	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	12/3/2020	14	0		C
Water temperature in deg. celsius (field)	LGW-6	1/18/2021	15.2	0		C
Water temperature in deg. celsius (field)	LGW-6	2/9/2021	14.4	0		C
Water temperature in deg. celsius (field)	LGW-6	3/2/2021	16	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-6	5/5/2021	14.5	0		C
Water temperature in deg. celsius (field)	LGW-6	6/1/2021	16.5	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/7/2021	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	8/3/2021	20.1	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2021	19.8	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	11/2/2021	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	12/9/2021	16.8	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	1/12/2022	15.6	0		C
Water temperature in deg. celsius (field)	LGW-6	2/10/2022	15.8	0		C
Water temperature in deg. celsius (field)	LGW-6	3/1/2022	16.7	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	4/4/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-6	5/7/2022	17.6	0		C
Water temperature in deg. celsius (field)	LGW-6	6/3/2022	17.9	0		C
Water temperature in deg. celsius (field)	LGW-6	7/11/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-6	8/10/2022	19.2	0		C
Water temperature in deg. celsius (field)	LGW-6	9/8/2022	17.9	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2022	17.2	0		C
Water temperature in deg. celsius (field)	LGW-6	10/6/2022	17.2	0		C
Water temperature in deg. celsius (field)	LGW-6	11/3/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-6	12/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-6	1/10/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	2/3/2023	14.6	0		C
Water temperature in deg. celsius (field)	LGW-6	3/1/2023	16.1	0		C
Water temperature in deg. celsius (field)	LGW-6	4/6/2023	16.3	0		C
Water temperature in deg. celsius (field)	LGW-6	5/10/2023	18.3	0		C
Water temperature in deg. celsius (field)	LGW-6	6/8/2023	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	7/10/2023	19.4	0		C
Water temperature in deg. celsius (field)	LGW-6	8/2/2023	19.5	0		C
Water temperature in deg. celsius (field)	LGW-6	9/2/2023	18.7	0		C
Water temperature in deg. celsius (field)	LGW-6	10/5/2023	18.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	9/30/2005	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2006	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2006	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/31/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-7	9/27/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/27/2006	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/26/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	10/26/2006	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/21/2006	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	11/21/2006	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/9/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/25/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/7/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-7	3/26/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	4/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	4/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2007	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/28/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-7	6/28/2007	17	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	8/29/2007	18	0		C
Water temperature in deg. celsius (field)	LGW-7	8/29/2007	18	0		C
Water temperature in deg. celsius (field)	LGW-7	9/28/2007	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	10/24/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	11/27/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	12/27/2007	13.2	0		C
Water temperature in deg. celsius (field)	LGW-7	1/25/2008	9.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/28/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	3/25/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/3/2008	15.53	0		C
Water temperature in deg. celsius (field)	LGW-7	5/30/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	6/26/2008	15.68	0		C
Water temperature in deg. celsius (field)	LGW-7	7/22/2008	15.84	0		C
Water temperature in deg. celsius (field)	LGW-7	9/26/2008	15.83	0		C
Water temperature in deg. celsius (field)	LGW-7	9/26/2008	15.83	0		C
Water temperature in deg. celsius (field)	LGW-7	10/21/2008	15.61	0		C
Water temperature in deg. celsius (field)	LGW-7	11/25/2008	15.25	0		C
Water temperature in deg. celsius (field)	LGW-7	12/19/2008	14.66	0		C
Water temperature in deg. celsius (field)	LGW-7	2/4/2009	14.72	0		C
Water temperature in deg. celsius (field)	LGW-7	3/26/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/16/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/28/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/25/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	7/31/2009	15.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	8/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/30/2009	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/21/2009	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/24/2009	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/17/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	1/27/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/16/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-7	4/7/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	6/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/29/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	11/3/2010	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	12/2/2010	15	0		C
Water temperature in deg. celsius (field)	LGW-7	1/20/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	2/8/2011	14.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/5/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	5/10/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2011	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2011	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	9/7/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2011	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	11/1/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/8/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-7	1/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-7	2/1/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	3/6/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-7	4/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	5/1/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2012	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	8/9/2012	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	9/4/2012	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	10/7/2012	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	4/30/2013	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	6/4/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/15/2013	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	8/8/2013	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/10/2013	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	10/1/2013	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	11/6/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	12/2/2013	16	0		C
Water temperature in deg. celsius (field)	LGW-7	1/23/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/13/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/11/2014	16	0		C
Water temperature in deg. celsius (field)	LGW-7	4/2/2014	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	5/7/2014	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/8/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	8/5/2014	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/4/2014	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	10/9/2014	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	11/3/2014	16	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	1/14/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/11/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	4/1/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	5/6/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	7/22/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	8/4/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	9/3/2015	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-7	11/4/2015	16	0		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2015	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/5/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/3/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	2/10/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	4/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-7	5/11/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	6/1/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	7/20/2016	16.7	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2016	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2016	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	12/1/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	1/11/2017	16.2	0		C
Water temperature in deg. celsius (field)	LGW-7	2/7/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	5/2/2017	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	6/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/18/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	8/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	9/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	11/1/2017	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	1/24/2018	16	0.1		C
Water temperature in deg. celsius (field)	LGW-7	2/22/2018	12.6	0.1		C
Water temperature in deg. celsius (field)	LGW-7	3/20/2018	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	4/11/2018	20.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	4/11/2018	20.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2018	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/5/2018	16.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/12/2018	22.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	8/2/2018	19.7	0.1		C
Water temperature in deg. celsius (field)	LGW-7	9/5/2018	22	0		C
Water temperature in deg. celsius (field)	LGW-7	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-7	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-7	11/7/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	12/4/2018	12.8	0.1		C
Water temperature in deg. celsius (field)	LGW-7	1/7/2019	17.9	0.1		C
Water temperature in deg. celsius (field)	LGW-7	2/5/2019	17.2	0		C
Water temperature in deg. celsius (field)	LGW-7	3/5/2019	13.4	0.01		C
Water temperature in deg. celsius (field)	LGW-7	4/3/2019	17.8	0.01		C
Water temperature in deg. celsius (field)	LGW-7	5/2/2019	18.3	0.01		C
Water temperature in deg. celsius (field)	LGW-7	6/4/2019	22.8	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2019	18.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	7/10/2019	18.9	0.01		C
Water temperature in deg. celsius (field)	LGW-7	8/7/2019	20.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	9/5/2019	19.8	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/3/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/3/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	LGW-7	11/6/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2019	14.3	0.1		C
Water temperature in deg. celsius (field)	LGW-7	1/15/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-7	3/3/2020	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-7	4/3/2020	16.6	0.1		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2020	17	0.01		C
Water temperature in deg. celsius (field)	LGW-7	6/2/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	7/9/2020	18.2	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2020	17.9	0.01		C
Water temperature in deg. celsius (field)	LGW-7	11/4/2020	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	12/3/2020	13.8	0		C
Water temperature in deg. celsius (field)	LGW-7	1/18/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-7	2/9/2021	11.6	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-7	4/7/2021	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	5/5/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-7	6/2/2021	16.9	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	7/7/2021	20.6	0		C
Water temperature in deg. celsius (field)	LGW-7	8/3/2021	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2021	20.5	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-7	11/2/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-7	12/9/2021	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	1/13/2022	14.5	0		C
Water temperature in deg. celsius (field)	LGW-7	2/10/2022	16.3	0		C
Water temperature in deg. celsius (field)	LGW-7	3/2/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	4/4/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	5/7/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-7	6/3/2022	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	7/11/2022	19	0		C
Water temperature in deg. celsius (field)	LGW-7	8/10/2022	19.3	0		C
Water temperature in deg. celsius (field)	LGW-7	9/8/2022	18.3	0		C
Water temperature in deg. celsius (field)	LGW-7	10/6/2022	17	0		C
Water temperature in deg. celsius (field)	LGW-7	11/3/2022	18.5	0		C
Water temperature in deg. celsius (field)	LGW-7	12/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-7	1/11/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	2/3/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-7	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	LGW-7	4/6/2023	16.5	0		C
Water temperature in deg. celsius (field)	LGW-7	5/10/2023	19.3	0		C
Water temperature in deg. celsius (field)	LGW-7	6/8/2023	21	0		C
Water temperature in deg. celsius (field)	LGW-7	7/10/2023	19	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-7	8/1/2023	20	0		C
Water temperature in deg. celsius (field)	LGW-7	9/2/2023	20	0		C
Water temperature in deg. celsius (field)	LGW-7	10/5/2023	18.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/30/2005	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2006	17.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2006	17.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/26/2006	16.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/26/2006	16.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/26/2006	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/21/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/21/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/21/2006	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/21/2006	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/24/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/24/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/25/2007	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/26/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/26/2007	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2007	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2007	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/28/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/28/2007	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/10/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/12/2007	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2007	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/23/2007	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/28/2007	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/29/2008	16.39	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/25/2008	16.07	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/25/2008	16.07	16.07	ND	C
Water temperature in deg. celsius (field)	LGW-8R	10/21/2008	14.92	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/25/2008	14.67	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/19/2008	14.19	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/4/2009	13.15	13.15	ND	C
Water temperature in deg. celsius (field)	LGW-8R	3/26/2009	13.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/16/2009	13	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/28/2009	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/25/2009	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/28/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/29/2009	15.4	15.4	ND	C
Water temperature in deg. celsius (field)	LGW-8R	10/21/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/24/2009	15.1	15.1	ND	C
Water temperature in deg. celsius (field)	LGW-8R	12/17/2009	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/27/2010	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/15/2010	13	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	3/3/2010	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/7/2010	13.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/5/2010	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/16/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/14/2010	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/2/2010	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/29/2010	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2010	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/2/2010	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/20/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2011	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2011	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2011	13.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/10/2011	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/12/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/7/2011	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/1/2011	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/8/2011	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/5/2012	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/1/2012	14.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/7/2012	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2012	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/1/2012	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/5/2012	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/9/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/9/2012	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/4/2012	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/7/2012	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/30/2013	14	14	ND	C
Water temperature in deg. celsius (field)	LGW-8R	6/4/2013	14.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/15/2013	14.8	14.8	ND	C
Water temperature in deg. celsius (field)	LGW-8R	8/8/2013	15.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/10/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/6/2013	16.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/2/2013	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/22/2014	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/12/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/11/2014	14	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/2/2014	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/7/2014	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2014	13.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2014	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/5/2014	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/4/2014	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/9/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2014	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/14/2015	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/11/2015	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2015	13.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/1/2015	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/6/2015	13.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2015	13.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/22/2015	14.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	8/4/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/3/2015	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/4/2015	16.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/5/2016	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/3/2016	19.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2016	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2016	14.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/11/2016	14.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2016	14.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/20/2016	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/6/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/2/2016	16.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/1/2016	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/11/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/7/2017	15.1	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2017	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/4/2017	14.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/2/2017	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/6/2017	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/18/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/1/2017	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/25/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	2/23/2018	14.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	3/19/2018	15	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	4/11/2018	14.8	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	6/5/2018	15.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/21/2018	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/13/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	8/2/2018	16.2	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2018	18.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/2/2018	20	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/7/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	12/4/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	1/7/2019	16	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	2/5/2019	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/5/2019	12.3	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	4/3/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	5/1/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	6/4/2019	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2019	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	7/8/2019	15.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	8/7/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	9/5/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	10/1/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	11/5/2019	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	12/4/2019	15.6	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	1/14/2020	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/3/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	4/2/2020	15.3	0.1		C
Water temperature in deg. celsius (field)	LGW-8R	5/4/2020	15	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	6/1/2020	14.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2020	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2020	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/1/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	LGW-8R	11/2/2020	15.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/1/2020	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/17/2021	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/9/2021	13.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2021	14.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/7/2021	14.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/5/2021	14.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/3/2021	17.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/2/2021	18.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2021	17.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/13/2022	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/10/2022	14.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/2/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/5/2022	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/3/2022	16.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/11/2022	17.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/10/2022	17.3	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/8/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2022	16.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/6/2022	16.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	11/3/2022	17.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	12/7/2022	15.5	0		C
Water temperature in deg. celsius (field)	LGW-8R	1/11/2023	15.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	2/3/2023	13.8	0		C
Water temperature in deg. celsius (field)	LGW-8R	3/1/2023	15	0		C
Water temperature in deg. celsius (field)	LGW-8R	4/6/2023	14.6	0		C
Water temperature in deg. celsius (field)	LGW-8R	5/10/2023	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	6/8/2023	17.7	0		C
Water temperature in deg. celsius (field)	LGW-8R	7/10/2023	16.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	8/1/2023	18.9	0		C
Water temperature in deg. celsius (field)	LGW-8R	9/2/2023	17.2	0		C
Water temperature in deg. celsius (field)	LGW-8R	10/5/2023	17.3	0		C
Water temperature in deg. celsius (field)	LGW-9	9/30/2005	16.8	0		C
Water temperature in deg. celsius (field)	LGW-9	7/20/2006	20.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/20/2006	20.3	0		C
Water temperature in deg. celsius (field)	LGW-9	9/27/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/27/2006	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	10/26/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	10/26/2006	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	12/21/2006	15	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	12/21/2006	15	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/9/2007	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2007	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/27/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2007	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	4/25/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	4/26/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/31/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/28/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/28/2007	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/28/2007	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	10/23/2007	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/28/2007	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/27/2007	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	1/25/2008	9.7	0		C
Water temperature in deg. celsius (field)	LGW-9	2/28/2008	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/25/2008	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/3/2008	14.83	0		C
Water temperature in deg. celsius (field)	LGW-9	5/30/2008	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/25/2008	15.99	0		C
Water temperature in deg. celsius (field)	LGW-9	7/22/2008	15.49	0		C
Water temperature in deg. celsius (field)	LGW-9	8/29/2008	15.56	0		C
Water temperature in deg. celsius (field)	LGW-9	9/26/2008	15.69	0		C
Water temperature in deg. celsius (field)	LGW-9	9/26/2008	15.69	0		C
Water temperature in deg. celsius (field)	LGW-9	10/22/2008	15.16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/24/2008	14.87	0		C
Water temperature in deg. celsius (field)	LGW-9	12/19/2008	14.82	0		C
Water temperature in deg. celsius (field)	LGW-9	2/4/2009	14.76	0		C
Water temperature in deg. celsius (field)	LGW-9	3/26/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	4/15/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	5/28/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	6/24/2009	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/29/2009	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	8/28/2009	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	9/29/2009	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/22/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	11/24/2009	14.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/17/2009	15	0		C
Water temperature in deg. celsius (field)	LGW-9	1/27/2010	14.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/15/2010	14.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/8/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/6/2010	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/16/2010	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	7/14/2010	15.3	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	8/11/2010	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	9/1/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	9/29/2010	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2010	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	1/20/2011	14.4	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2011	14.5	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	5/10/2011	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2011	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	7/12/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2011	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/7/2011	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	11/1/2011	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	12/8/2011	14.8	0		C
Water temperature in deg. celsius (field)	LGW-9	1/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	2/1/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/7/2012	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2012	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	5/1/2012	16.5	0		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2012	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	8/9/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2012	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2012	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/1/2013	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/4/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	7/15/2013	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	8/8/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/10/2013	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	10/1/2013	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2013	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2013	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	1/23/2014	14.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/13/2014	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/11/2014	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2014	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/8/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	8/5/2014	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2014	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	10/9/2014	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2014	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	1/14/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	2/11/2015	15.1	0		C
Water temperature in deg. celsius (field)	LGW-9	3/3/2015	14.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/1/2015	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2015	15.3	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	7/13/2015	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	10/6/2015	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	11/4/2015	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	12/3/2015	15.5	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	1/5/2016	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	2/3/2016	15	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2016	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/11/2016	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	6/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	7/21/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	8/10/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/6/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	9/6/2016	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/6/2016	16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/2/2016	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	12/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/11/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2017	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	5/16/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	6/6/2017	16	0		C
Water temperature in deg. celsius (field)	LGW-9	7/18/2017	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	8/1/2017	15.8	0		C
Water temperature in deg. celsius (field)	LGW-9	9/5/2017	16.7	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2017	16.1	0		C
Water temperature in deg. celsius (field)	LGW-9	11/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	1/24/2018	14.3	0.1		C
Water temperature in deg. celsius (field)	LGW-9	2/22/2018	13.5	0.1		C
Water temperature in deg. celsius (field)	LGW-9	3/20/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2018	20.78	0		C
Water temperature in deg. celsius (field)	LGW-9	6/5/2018	20.78	0		C
Water temperature in deg. celsius (field)	LGW-9	7/13/2018	19.8	0.1		C
Water temperature in deg. celsius (field)	LGW-9	8/2/2018	23.1	0.1		C
Water temperature in deg. celsius (field)	LGW-9	9/5/2018	22.2	0		C
Water temperature in deg. celsius (field)	LGW-9	10/2/2018	21.1	0		C
Water temperature in deg. celsius (field)	LGW-9	10/2/2018	21.1	0		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2018	17.4	0.1		C
Water temperature in deg. celsius (field)	LGW-9	12/4/2018	12.6	0.1		C
Water temperature in deg. celsius (field)	LGW-9	1/7/2019	17	0.1		C
Water temperature in deg. celsius (field)	LGW-9	2/6/2019	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/5/2019	11.4	0.01		C
Water temperature in deg. celsius (field)	LGW-9	4/3/2019	15.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	5/3/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	6/4/2019	16.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2019	21	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2019	21	0.01		C
Water temperature in deg. celsius (field)	LGW-9	8/8/2019	17.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	9/4/2019	21.6	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/3/2019	20.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/3/2019	20.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	11/6/2019	15.5	0.01		C
Water temperature in deg. celsius (field)	LGW-9	12/3/2019	14.6	0.1		C
Water temperature in deg. celsius (field)	LGW-9	1/16/2020	13.9	0		C
Water temperature in deg. celsius (field)	LGW-9	3/4/2020	14.3	0.01		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	LGW-9	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2020	14.8	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	LGW-9	6/2/2020	16.8	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	7/9/2020	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	8/3/2020	18.7	0		C
Water temperature in deg. celsius (field)	LGW-9	9/2/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2020	16.8	0.01		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2020	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	12/2/2020	13.6	0		C
Water temperature in deg. celsius (field)	LGW-9	1/17/2021	14	0		C
Water temperature in deg. celsius (field)	LGW-9	2/9/2021	9.3	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2021	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/6/2021	17.5	0		C
Water temperature in deg. celsius (field)	LGW-9	5/5/2021	15.7	0		C
Water temperature in deg. celsius (field)	LGW-9	6/2/2021	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	7/7/2021	19	0		C
Water temperature in deg. celsius (field)	LGW-9	8/4/2021	18	0		C
Water temperature in deg. celsius (field)	LGW-9	9/2/2021	19.3	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2021	17.8	0		C
Water temperature in deg. celsius (field)	LGW-9	11/2/2021	14.3	0		C
Water temperature in deg. celsius (field)	LGW-9	12/9/2021	16.3	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/13/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	2/10/2022	15.4	0		C
Water temperature in deg. celsius (field)	LGW-9	3/2/2022	16.2	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	4/4/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	5/7/2022	17.1	0		C
Water temperature in deg. celsius (field)	LGW-9	6/3/2022	17.4	0		C
Water temperature in deg. celsius (field)	LGW-9	7/11/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-9	8/10/2022	18.4	0		C
Water temperature in deg. celsius (field)	LGW-9	9/8/2022	18	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-9	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	LGW-9	11/3/2022	15.9	0		C
Water temperature in deg. celsius (field)	LGW-9	12/7/2022	15.2	0		C
Water temperature in deg. celsius (field)	LGW-9	1/11/2023	15.6	0		C
Water temperature in deg. celsius (field)	LGW-9	2/3/2023	13.7	0		C
Water temperature in deg. celsius (field)	LGW-9	3/1/2023	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	4/5/2023	15.5	0		C
Water temperature in deg. celsius (field)	LGW-9	5/10/2023	17.4	0		C
Water temperature in deg. celsius (field)	LGW-9	6/8/2023	17.1	0		C
Water temperature in deg. celsius (field)	LGW-9	7/10/2023	18.1	0		C
Water temperature in deg. celsius (field)	LGW-9	8/1/2023	19.1	0		C
Water temperature in deg. celsius (field)	LGW-9	9/2/2023	18.4	0		C
Water temperature in deg. celsius (field)	LGW-9	10/5/2023	17.2	0		C
Water temperature in deg. celsius (field)	MW-10N	1/18/2006	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2006	16.7	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2006	16.7	0		C
Water temperature in deg. celsius (field)	MW-10N	10/24/2006	14.4	0		C
Water temperature in deg. celsius (field)	MW-10N	10/24/2006	14.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/9/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2007	16.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2007	16.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/23/2008	12.8	0		C
Water temperature in deg. celsius (field)	MW-10N	7/21/2008	15.41	0		C
Water temperature in deg. celsius (field)	MW-10N	2/13/2009	14.5	0		C
Water temperature in deg. celsius (field)	MW-10N	7/31/2009	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	1/27/2010	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	8/10/2010	15.2	0		C
Water temperature in deg. celsius (field)	MW-10N	1/19/2011	14.1	0		C
Water temperature in deg. celsius (field)	MW-10N	7/14/2011	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/5/2012	14.6	0		C
Water temperature in deg. celsius (field)	MW-10N	7/10/2012	15.3	0		C
Water temperature in deg. celsius (field)	MW-10N	5/1/2013	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	1/24/2014	10.9	0		C
Water temperature in deg. celsius (field)	MW-10N	7/9/2014	14.9	0		C
Water temperature in deg. celsius (field)	MW-10N	2/12/2015	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/14/2015	15.4	0		C
Water temperature in deg. celsius (field)	MW-10N	1/6/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/21/2016	15.4	0		C
Water temperature in deg. celsius (field)	MW-10N	1/11/2017	14.8	0		C
Water temperature in deg. celsius (field)	MW-10N	7/19/2017	15.1	0		C
Water temperature in deg. celsius (field)	MW-10N	1/24/2018	10.3	0.1		C
Water temperature in deg. celsius (field)	MW-10N	7/11/2018	22.4	0.1		C
Water temperature in deg. celsius (field)	MW-10N	1/3/2019	8.4	0.1		C
Water temperature in deg. celsius (field)	MW-10N	7/9/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	MW-10N	1/16/2020	11.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/8/2020	18.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/8/2020	18.2	0		C
Water temperature in deg. celsius (field)	MW-10N	7/5/2021	16	0		C
Water temperature in deg. celsius (field)	MW-10N	7/5/2021	16	0		C
Water temperature in deg. celsius (field)	MW-10N	1/11/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-10N	4/8/2023	14.7	0		C
Water temperature in deg. celsius (field)	MW-10N	7/7/2023	16.5	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2006	15.2	0		C
Water temperature in deg. celsius (field)	MW-11N	7/18/2006	18.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/18/2006	18.1	0		C
Water temperature in deg. celsius (field)	MW-11N	10/24/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	10/24/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/8/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/8/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/9/2007	13.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	MW-11N	7/10/2007	16	0		C
Water temperature in deg. celsius (field)	MW-11N	1/22/2008	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/23/2008	15.9	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2009	14.53	0		C
Water temperature in deg. celsius (field)	MW-11N	7/31/2009	15.3	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	MW-11N	2/3/2010	14.5	0		C
Water temperature in deg. celsius (field)	MW-11N	7/16/2010	16.6	0		C
Water temperature in deg. celsius (field)	MW-11N	1/19/2011	13.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-11N	7/13/2011	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/4/2012	15.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/9/2012	16	0		C
Water temperature in deg. celsius (field)	MW-11N	4/30/2013	15.7	0		C
Water temperature in deg. celsius (field)	MW-11N	7/15/2013	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2014	10.1	0		C
Water temperature in deg. celsius (field)	MW-11N	7/8/2014	16.5	0		C
Water temperature in deg. celsius (field)	MW-11N	2/10/2015	15	0		C
Water temperature in deg. celsius (field)	MW-11N	7/13/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-11N	1/5/2016	14.6	0		C
Water temperature in deg. celsius (field)	MW-11N	7/21/2016	17	0		C
Water temperature in deg. celsius (field)	MW-11N	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/19/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/23/2018	11.1	0.1		C
Water temperature in deg. celsius (field)	MW-11N	7/17/2018	25.31	0.1		C
Water temperature in deg. celsius (field)	MW-11N	1/2/2019	7.7	0.1		C
Water temperature in deg. celsius (field)	MW-11N	7/9/2019	26.7	0.01		C
Water temperature in deg. celsius (field)	MW-11N	1/14/2020	12.6	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2020	21.7	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2020	21.7	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	MW-11N	7/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2022	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	1/18/2022	12.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/13/2022	18.8	0		C
Water temperature in deg. celsius (field)	MW-11N	10/6/2022	17.5	0		C
Water temperature in deg. celsius (field)	MW-11N	1/10/2023	15.8	0		C
Water temperature in deg. celsius (field)	MW-11N	7/8/2023	18	0		C
Water temperature in deg. celsius (field)	MW-15	6/2/2015	18.2	0		C
Water temperature in deg. celsius (field)	MW-15	6/5/2015	18	0		C
Water temperature in deg. celsius (field)	MW-15	7/15/2015	26.3	0		C
Water temperature in deg. celsius (field)	MW-15	8/5/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-15	9/3/2015	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2015	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	11/5/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	12/4/2015	11.7	0		C
Water temperature in deg. celsius (field)	MW-15	1/7/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-15	2/4/2016	12.9	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2016	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	5/11/2016	18	0		C
Water temperature in deg. celsius (field)	MW-15	6/1/2016	16.8	0		C
Water temperature in deg. celsius (field)	MW-15	7/20/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-15	8/10/2016	18.4	0		C
Water temperature in deg. celsius (field)	MW-15	9/6/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2016	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	11/2/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-15	12/1/2016	12.7	0		C
Water temperature in deg. celsius (field)	MW-15	1/10/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-15	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2017	15	0		C
Water temperature in deg. celsius (field)	MW-15	4/4/2017	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	5/2/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	6/6/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-15	7/18/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-15	8/1/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	9/5/2017	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-15	10/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	MW-15	11/1/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	1/23/2018	14.6	0.1		C
Water temperature in deg. celsius (field)	MW-15	2/22/2018	14.28	0.1		C
Water temperature in deg. celsius (field)	MW-15	3/21/2018	15	0.1		C
Water temperature in deg. celsius (field)	MW-15	4/10/2018	15.1	0.1		C
Water temperature in deg. celsius (field)	MW-15	6/5/2018	18.31	0		C
Water temperature in deg. celsius (field)	MW-15	7/10/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	MW-15	8/1/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-15	9/4/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/2/2018	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	10/2/2018	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	11/6/2018	15.6	0.1		C
Water temperature in deg. celsius (field)	MW-15	12/5/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-15	1/3/2019	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-15	2/5/2019	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/6/2019	14.5	0.01		C
Water temperature in deg. celsius (field)	MW-15	4/3/2019	15	0.01		C
Water temperature in deg. celsius (field)	MW-15	5/2/2019	15.8	0.01		C
Water temperature in deg. celsius (field)	MW-15	6/4/2019	16	0		C
Water temperature in deg. celsius (field)	MW-15	7/9/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	7/9/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	8/6/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	9/4/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-15	10/1/2019	16.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	11/5/2019	15.3	0.01		C
Water temperature in deg. celsius (field)	MW-15	12/3/2019	14.3	0.1		C
Water temperature in deg. celsius (field)	MW-15	1/14/2020	15.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/3/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	4/1/2020	15.9	0.1		C
Water temperature in deg. celsius (field)	MW-15	5/4/2020	15.4	0.01		C
Water temperature in deg. celsius (field)	MW-15	6/2/2020	16.1	0		C
Water temperature in deg. celsius (field)	MW-15	7/7/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	7/7/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2020	17	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2020	17	0		C
Water temperature in deg. celsius (field)	MW-15	9/3/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	MW-15	10/6/2020	15.6	0.01		C
Water temperature in deg. celsius (field)	MW-15	11/4/2020	15	0		C
Water temperature in deg. celsius (field)	MW-15	12/2/2020	13.8	0		C
Water temperature in deg. celsius (field)	MW-15	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	1/18/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	2/10/2021	13.6	0		C
Water temperature in deg. celsius (field)	MW-15	3/2/2021	14	0		C
Water temperature in deg. celsius (field)	MW-15	4/7/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-15	5/4/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-15	6/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	7/4/2021	17.2	0		C
Water temperature in deg. celsius (field)	MW-15	8/3/2021	17.8	0		C
Water temperature in deg. celsius (field)	MW-15	9/2/2021	18.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/5/2021	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	10/5/2021	16.5	0		C
Water temperature in deg. celsius (field)	MW-15	11/1/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	12/8/2021	15	0		C
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-15	1/12/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-15	2/9/2022	15.3	0		C
Water temperature in deg. celsius (field)	MW-15	3/1/2022	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-15	5/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-15	6/3/2022	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	7/10/2022	17	0		C
Water temperature in deg. celsius (field)	MW-15	8/10/2022	17	0		C
Water temperature in deg. celsius (field)	MW-15	9/8/2022	16.7	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-15	11/3/2022	16.6	0		C
Water temperature in deg. celsius (field)	MW-15	12/7/2022	15.1	0		C
Water temperature in deg. celsius (field)	MW-15	1/10/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-15	2/3/2023	14.2	0		C
Water temperature in deg. celsius (field)	MW-15	3/1/2023	15	0		C
Water temperature in deg. celsius (field)	MW-15	4/5/2023	14.6	0		C
Water temperature in deg. celsius (field)	MW-15	5/11/2023	16.3	0		C
Water temperature in deg. celsius (field)	MW-15	6/8/2023	17.3	0		C
Water temperature in deg. celsius (field)	MW-15	7/10/2023	17.5	0		C
Water temperature in deg. celsius (field)	MW-15	8/1/2023	18.7	0		C
Water temperature in deg. celsius (field)	MW-15	9/1/2023	17.5	0		C
Water temperature in deg. celsius (field)	MW-15	10/4/2023	16.4	0		C
Water temperature in deg. celsius (field)	MW-16	6/2/2015	19	0		C
Water temperature in deg. celsius (field)	MW-16	6/5/2015	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	7/16/2015	19.4	0		C
Water temperature in deg. celsius (field)	MW-16	8/5/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/3/2015	16.7	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2015	15	0		C
Water temperature in deg. celsius (field)	MW-16	11/5/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	12/4/2015	10.9	0		C
Water temperature in deg. celsius (field)	MW-16	1/8/2016	11.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/4/2016	12.7	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2016	15	0		C
Water temperature in deg. celsius (field)	MW-16	4/5/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	5/11/2016	17.4	0		C
Water temperature in deg. celsius (field)	MW-16	6/2/2016	16.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/21/2016	19.2	0		C
Water temperature in deg. celsius (field)	MW-16	8/10/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	9/6/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-16	10/5/2016	19.6	0		C
Water temperature in deg. celsius (field)	MW-16	11/2/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-16	12/1/2016	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	1/10/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/7/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2017	14.4	0		C
Water temperature in deg. celsius (field)	MW-16	4/4/2017	15.1	0		C
Water temperature in deg. celsius (field)	MW-16	5/2/2017	15.3	0		C
Water temperature in deg. celsius (field)	MW-16	6/6/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-16	7/18/2017	16.6	0		C
Water temperature in deg. celsius (field)	MW-16	8/1/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	9/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2017	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	11/1/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-16	1/23/2018	9.5	0.1		C
Water temperature in deg. celsius (field)	MW-16	2/22/2018	12.91	0.1		C
Water temperature in deg. celsius (field)	MW-16	3/21/2018	6.4	0.1		C
Water temperature in deg. celsius (field)	MW-16	4/10/2018	12.9	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-16	6/5/2018	24.25	0		C
Water temperature in deg. celsius (field)	MW-16	7/11/2018	26.7	0.1		C
Water temperature in deg. celsius (field)	MW-16	8/1/2018	19.1	0.1		C
Water temperature in deg. celsius (field)	MW-16	9/5/2018	25.1	0		C
Water temperature in deg. celsius (field)	MW-16	10/2/2018	20.1	0		C
Water temperature in deg. celsius (field)	MW-16	11/6/2018	13.9	0.1		C
Water temperature in deg. celsius (field)	MW-16	12/5/2018	9.8	0.1		C
Water temperature in deg. celsius (field)	MW-16	1/2/2019	2.5	0.1		C
Water temperature in deg. celsius (field)	MW-16	2/5/2019	21.4	0		C
Water temperature in deg. celsius (field)	MW-16	3/6/2019	11.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	4/3/2019	12.2	0.01		C
Water temperature in deg. celsius (field)	MW-16	5/2/2019	17.6	0.01		C
Water temperature in deg. celsius (field)	MW-16	6/4/2019	22.6	0		C
Water temperature in deg. celsius (field)	MW-16	7/10/2019	20.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	7/10/2019	20.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	8/6/2019	25.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	9/4/2019	25.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	10/1/2019	22.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	11/5/2019	12.9	0.01		C
Water temperature in deg. celsius (field)	MW-16	12/3/2019	13	0.1		C
Water temperature in deg. celsius (field)	MW-16	1/14/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	3/3/2020	15.2	0.01		C
Water temperature in deg. celsius (field)	MW-16	4/1/2020	15.7	0.1		C
Water temperature in deg. celsius (field)	MW-16	5/4/2020	18	0.01		C
Water temperature in deg. celsius (field)	MW-16	6/3/2020	19.3	0		C
Water temperature in deg. celsius (field)	MW-16	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2020	20.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/3/2020	18.1	0.01		C
Water temperature in deg. celsius (field)	MW-16	10/6/2020	17.8	0.01		C
Water temperature in deg. celsius (field)	MW-16	11/4/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-16	12/3/2020	12.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/18/2021	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	1/18/2021	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	2/10/2021	11.4	0		C
Water temperature in deg. celsius (field)	MW-16	3/2/2021	14.1	0		C
Water temperature in deg. celsius (field)	MW-16	4/7/2021	15.7	0		C
Water temperature in deg. celsius (field)	MW-16	5/4/2021	15.6	0		C
Water temperature in deg. celsius (field)	MW-16	6/1/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-16	8/3/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-16	9/2/2021	20.5	0		C
Water temperature in deg. celsius (field)	MW-16	10/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-16	11/1/2021	14.4	0		C
Water temperature in deg. celsius (field)	MW-16	12/8/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	2/9/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-16	3/1/2022	17	0		C
Water temperature in deg. celsius (field)	MW-16	4/5/2022	15.4	0		C
Water temperature in deg. celsius (field)	MW-16	5/7/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-16	6/3/2022	16.1	0		C
Water temperature in deg. celsius (field)	MW-16	7/10/2022	17.7	0		C
Water temperature in deg. celsius (field)	MW-16	8/10/2022	17.6	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-16	9/8/2022	17.6	0		C
Water temperature in deg. celsius (field)	MW-16	10/6/2022	17.8	0		C
Water temperature in deg. celsius (field)	MW-16	11/3/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-16	12/7/2022	14.5	0		C
Water temperature in deg. celsius (field)	MW-16	1/10/2023	16.2	0		C
Water temperature in deg. celsius (field)	MW-16	2/3/2023	10.2	0		C
Water temperature in deg. celsius (field)	MW-16	3/1/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-16	4/5/2023	14	0		C
Water temperature in deg. celsius (field)	MW-16	5/11/2023	16.5	0		C
Water temperature in deg. celsius (field)	MW-16	6/8/2023	18.2	0		C
Water temperature in deg. celsius (field)	MW-16	7/10/2023	19.3	0		C
Water temperature in deg. celsius (field)	MW-16	8/1/2023	20.1	0		C
Water temperature in deg. celsius (field)	MW-16	9/1/2023	19.3	0		C
Water temperature in deg. celsius (field)	MW-16	10/4/2023	17.2	0		C
Water temperature in deg. celsius (field)	MW-17	6/2/2015	18.8	0		C
Water temperature in deg. celsius (field)	MW-17	6/5/2015	21.3	0		C
Water temperature in deg. celsius (field)	MW-17	7/15/2015	29.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/4/2015	19.6	0		C
Water temperature in deg. celsius (field)	MW-17	9/2/2015	18.1	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2015	17.1	0		C
Water temperature in deg. celsius (field)	MW-17	11/5/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	12/3/2015	16.5	0		C
Water temperature in deg. celsius (field)	MW-17	1/7/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-17	2/3/2016	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-17	4/5/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	5/12/2016	17.2	0		C
Water temperature in deg. celsius (field)	MW-17	6/1/2016	17	0		C
Water temperature in deg. celsius (field)	MW-17	7/20/2016	18.1	0		C
Water temperature in deg. celsius (field)	MW-17	8/11/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-17	9/6/2016	18.2	0		C
Water temperature in deg. celsius (field)	MW-17	10/6/2016	17.3	0		C
Water temperature in deg. celsius (field)	MW-17	11/3/2016	16.5	0		C
Water temperature in deg. celsius (field)	MW-17	12/2/2016	12.8	0		C
Water temperature in deg. celsius (field)	MW-17	1/10/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	2/7/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-17	4/4/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	5/2/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-17	5/16/2017	16.2	0		C
Water temperature in deg. celsius (field)	MW-17	6/6/2017	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	7/18/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	8/1/2017	17.2	0		C
Water temperature in deg. celsius (field)	MW-17	9/5/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-17	10/6/2017	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	11/1/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	1/23/2018	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	2/22/2018	14.25	0.1		C
Water temperature in deg. celsius (field)	MW-17	3/21/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-17	4/10/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-17	6/5/2018	19.14	0		C
Water temperature in deg. celsius (field)	MW-17	7/10/2018	18.1	0.1		C
Water temperature in deg. celsius (field)	MW-17	8/1/2018	17.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	9/5/2018	18	0		C
Water temperature in deg. celsius (field)	MW-17	10/1/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	10/1/2018	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	11/7/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	MW-17	12/5/2018	14.6	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-17	1/3/2019	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-17	2/5/2019	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	3/6/2019	14.2	0.01		C
Water temperature in deg. celsius (field)	MW-17	4/3/2019	14.1	0.01		C
Water temperature in deg. celsius (field)	MW-17	5/2/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-17	6/5/2019	17.3	0		C
Water temperature in deg. celsius (field)	MW-17	7/11/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	7/11/2019	16.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	8/6/2019	17.9	0.01		C
Water temperature in deg. celsius (field)	MW-17	9/4/2019	16.8	0.01		C
Water temperature in deg. celsius (field)	MW-17	10/1/2019	18.4	0.01		C
Water temperature in deg. celsius (field)	MW-17	11/5/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-17	12/3/2019	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-17	1/14/2020	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	3/3/2020	15	0.01		C
Water temperature in deg. celsius (field)	MW-17	4/1/2020	16	0.1		C
Water temperature in deg. celsius (field)	MW-17	5/5/2020	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-17	6/2/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-17	7/6/2020	19.4	0		C
Water temperature in deg. celsius (field)	MW-17	7/6/2020	19.4	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2020	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2020	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	9/3/2020	17.7	0.01		C
Water temperature in deg. celsius (field)	MW-17	10/6/2020	16.9	0.01		C
Water temperature in deg. celsius (field)	MW-17	11/4/2020	15.7	0		C
Water temperature in deg. celsius (field)	MW-17	12/3/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	1/14/2021	14.1	0		C
Water temperature in deg. celsius (field)	MW-17	2/10/2021	12.8	0		C
Water temperature in deg. celsius (field)	MW-17	3/2/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-17	4/7/2021	15.9	0		C
Water temperature in deg. celsius (field)	MW-17	5/4/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-17	6/1/2021	16.1	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	7/4/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-17	8/3/2021	18.6	0		C
Water temperature in deg. celsius (field)	MW-17	9/2/2021	20.1	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	10/5/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-17	11/1/2021	15	0		C
Water temperature in deg. celsius (field)	MW-17	12/8/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-17	1/10/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-17	2/4/2023	14.3	0		C
Water temperature in deg. celsius (field)	MW-17	3/1/2023	16.6	0		C
Water temperature in deg. celsius (field)	MW-17	4/5/2023	16.2	0		C
Water temperature in deg. celsius (field)	MW-17	5/10/2023	17.8	0		C
Water temperature in deg. celsius (field)	MW-17	6/8/2023	18.8	0		C
Water temperature in deg. celsius (field)	MW-17	7/8/2023	19.6	0		C
Water temperature in deg. celsius (field)	MW-17	8/2/2023	21.4	0		C
Water temperature in deg. celsius (field)	MW-17	9/1/2023	18.9	0		C
Water temperature in deg. celsius (field)	MW-17	10/3/2023	18.3	0		C
Water temperature in deg. celsius (field)	MW-19	6/2/2015	24.5	0		C
Water temperature in deg. celsius (field)	MW-19	6/5/2015	24.2	0		C
Water temperature in deg. celsius (field)	MW-19	7/16/2015	21	0		C
Water temperature in deg. celsius (field)	MW-19	8/5/2015	20.8	0		C
Water temperature in deg. celsius (field)	MW-19	9/3/2015	19.3	0		C
Water temperature in deg. celsius (field)	MW-19	10/6/2015	17.2	0		C
Water temperature in deg. celsius (field)	MW-19	11/5/2015	18.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-19	12/4/2015	15.9	0		C
Water temperature in deg. celsius (field)	MW-19	1/7/2016	13.6	0		C
Water temperature in deg. celsius (field)	MW-19	2/3/2016	13.7	0		C
Water temperature in deg. celsius (field)	MW-19	3/3/2016	16	0		C
Water temperature in deg. celsius (field)	MW-19	4/5/2016	20.5	0		C
Water temperature in deg. celsius (field)	MW-19	5/12/2016	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	6/2/2016	20.7	0		C
Water temperature in deg. celsius (field)	MW-19	7/21/2016	20.4	0		C
Water temperature in deg. celsius (field)	MW-19	8/11/2016	20	0		C
Water temperature in deg. celsius (field)	MW-19	9/6/2016	22.8	0		C
Water temperature in deg. celsius (field)	MW-19	10/5/2016	21.8	0		C
Water temperature in deg. celsius (field)	MW-19	11/3/2016	18.4	0		C
Water temperature in deg. celsius (field)	MW-19	12/1/2016	15.1	0		C
Water temperature in deg. celsius (field)	MW-19	1/10/2017	18.1	0		C
Water temperature in deg. celsius (field)	MW-19	2/7/2017	18.3	0		C
Water temperature in deg. celsius (field)	MW-19	3/2/2017	17.8	0		C
Water temperature in deg. celsius (field)	MW-19	4/4/2017	18	0		C
Water temperature in deg. celsius (field)	MW-19	5/2/2017	17.8	0		C
Water temperature in deg. celsius (field)	MW-19	6/6/2017	18.7	0		C
Water temperature in deg. celsius (field)	MW-19	7/18/2017	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	8/1/2017	19.1	0		C
Water temperature in deg. celsius (field)	MW-19	9/5/2017	19.3	0		C
Water temperature in deg. celsius (field)	MW-19	10/6/2017	19.7	0		C
Water temperature in deg. celsius (field)	MW-19	11/1/2017	18.7	0		C
Water temperature in deg. celsius (field)	MW-19	1/23/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-19	2/22/2018	13.93	0.1		C
Water temperature in deg. celsius (field)	MW-19	3/20/2018	16.9	0.1		C
Water temperature in deg. celsius (field)	MW-19	4/11/2018	16.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	6/5/2018	22.25	0		C
Water temperature in deg. celsius (field)	MW-19	7/13/2018	25	0.1		C
Water temperature in deg. celsius (field)	MW-19	8/2/2018	20.5	0.1		C
Water temperature in deg. celsius (field)	MW-19	9/5/2018	24	0		C
Water temperature in deg. celsius (field)	MW-19	10/2/2018	22.2	0		C
Water temperature in deg. celsius (field)	MW-19	10/2/2018	22.2	0		C
Water temperature in deg. celsius (field)	MW-19	11/7/2018	18.7	0.1		C
Water temperature in deg. celsius (field)	MW-19	12/5/2018	15.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	1/7/2019	19.8	0.1		C
Water temperature in deg. celsius (field)	MW-19	2/6/2019	15.6	0		C
Water temperature in deg. celsius (field)	MW-19	3/6/2019	12.3	0.01		C
Water temperature in deg. celsius (field)	MW-19	4/3/2019	18	0.01		C
Water temperature in deg. celsius (field)	MW-19	5/2/2019	19.5	0.01		C
Water temperature in deg. celsius (field)	MW-19	6/4/2019	20.2	0		C
Water temperature in deg. celsius (field)	MW-19	7/11/2019	19.7	0.01		C
Water temperature in deg. celsius (field)	MW-19	7/11/2019	19.7	0.01		C
Water temperature in deg. celsius (field)	MW-19	8/6/2019	22.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	9/4/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	MW-19	10/1/2019	21	0.01		C
Water temperature in deg. celsius (field)	MW-19	11/5/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	12/3/2019	16.9	0.1		C
Water temperature in deg. celsius (field)	MW-19	1/14/2020	19.5	0		C
Water temperature in deg. celsius (field)	MW-19	3/3/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	MW-19	4/2/2020	19.2	0.1		C
Water temperature in deg. celsius (field)	MW-19	5/5/2020	18.9	0.01		C
Water temperature in deg. celsius (field)	MW-19	6/2/2020	19.6	0		C
Water temperature in deg. celsius (field)	MW-19	7/6/2020	22.5	0		C
Water temperature in deg. celsius (field)	MW-19	7/6/2020	22.5	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2020	24.7	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2020	24.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-19	9/3/2020	19.6	0.01		C
Water temperature in deg. celsius (field)	MW-19	10/6/2020	20	0.01		C
Water temperature in deg. celsius (field)	MW-19	11/3/2020	17.4	0		C
Water temperature in deg. celsius (field)	MW-19	12/3/2020	16.8	0		C
Water temperature in deg. celsius (field)	MW-19	1/14/2021	17.7	0		C
Water temperature in deg. celsius (field)	MW-19	2/10/2021	14.2	0		C
Water temperature in deg. celsius (field)	MW-19	3/2/2021	15.8	0		C
Water temperature in deg. celsius (field)	MW-19	4/7/2021	18	0		C
Water temperature in deg. celsius (field)	MW-19	5/4/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	6/1/2021	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	7/4/2021	20	0		C
Water temperature in deg. celsius (field)	MW-19	8/3/2021	21.5	0		C
Water temperature in deg. celsius (field)	MW-19	9/2/2021	21.8	0		C
Water temperature in deg. celsius (field)	MW-19	10/5/2021	18.8	0		C
Water temperature in deg. celsius (field)	MW-19	11/1/2021	16.8	0		C
Water temperature in deg. celsius (field)	MW-19	12/8/2021	16.7	0		C
Water temperature in deg. celsius (field)	MW-19	12/7/2022	17.3	0		C
Water temperature in deg. celsius (field)	MW-19	1/11/2023	17.9	0		C
Water temperature in deg. celsius (field)	MW-19	2/3/2023	15.6	0		C
Water temperature in deg. celsius (field)	MW-19	3/1/2023	16.7	0		C
Water temperature in deg. celsius (field)	MW-19	4/6/2023	16.9	0		C
Water temperature in deg. celsius (field)	MW-19	5/10/2023	19.5	0		C
Water temperature in deg. celsius (field)	MW-19	6/8/2023	21.3	0		C
Water temperature in deg. celsius (field)	MW-19	7/10/2023	20.8	0		C
Water temperature in deg. celsius (field)	MW-19	8/1/2023	19.9	0		C
Water temperature in deg. celsius (field)	MW-19	9/1/2023	19.4	0		C
Water temperature in deg. celsius (field)	MW-19	10/3/2023	18.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/18/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/18/2006	19	0		C
Water temperature in deg. celsius (field)	MW-1N	7/18/2006	19	0		C
Water temperature in deg. celsius (field)	MW-1N	10/24/2006	15.8	0		C
Water temperature in deg. celsius (field)	MW-1N	10/24/2006	15.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/9/2007	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2007	14.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-1N	7/11/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-1N	1/24/2008	14.1	0		C
Water temperature in deg. celsius (field)	MW-1N	7/21/2008	16.44	0		C
Water temperature in deg. celsius (field)	MW-1N	2/5/2009	15.36	0		C
Water temperature in deg. celsius (field)	MW-1N	7/31/2009	16	0		C
Water temperature in deg. celsius (field)	MW-1N	1/26/2010	14.9	0		C
Water temperature in deg. celsius (field)	MW-1N	7/13/2010	16.2	0		C
Water temperature in deg. celsius (field)	MW-1N	1/20/2011	14.2	0		C
Water temperature in deg. celsius (field)	MW-1N	7/13/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-1N	1/5/2012	15.6	0		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2012	16.9	0		C
Water temperature in deg. celsius (field)	MW-1N	5/1/2013	16.1	0		C
Water temperature in deg. celsius (field)	MW-1N	7/16/2013	16.2	0		C
Water temperature in deg. celsius (field)	MW-1N	1/24/2014	13.9	0		C
Water temperature in deg. celsius (field)	MW-1N	7/9/2014	16.3	0		C
Water temperature in deg. celsius (field)	MW-1N	2/10/2015	14.8	0		C
Water temperature in deg. celsius (field)	MW-1N	7/14/2015	17.3	0		C
Water temperature in deg. celsius (field)	MW-1N	1/6/2016	14.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-1N	7/21/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-1N	1/12/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/19/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-1N	1/23/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/10/2018	29.8	0.1		C
Water temperature in deg. celsius (field)	MW-1N	10/3/2018	23	0		C
Water temperature in deg. celsius (field)	MW-1N	1/3/2019	9.5	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/11/2019	31.2	0.01		C
Water temperature in deg. celsius (field)	MW-1N	10/2/2019	25.2	0.01		C
Water temperature in deg. celsius (field)	MW-1N	4/2/2020	14.6	0.1		C
Water temperature in deg. celsius (field)	MW-1N	7/6/2020	18.5	0		C
Water temperature in deg. celsius (field)	MW-1N	7/6/2020	18.5	0		C
Water temperature in deg. celsius (field)	MW-1N	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/4/2021	18.4	0		C
Water temperature in deg. celsius (field)	MW-1N	10/6/2021	18.9	0		C
Water temperature in deg. celsius (field)	MW-1N	1/11/2023	16.4	0		C
Water temperature in deg. celsius (field)	MW-1N	7/8/2023	20.7	0		C
Water temperature in deg. celsius (field)	MW-20	6/2/2015	20.5	0		C
Water temperature in deg. celsius (field)	MW-20	6/5/2015	18.7	0		C
Water temperature in deg. celsius (field)	MW-20	7/14/2015	18.1	0		C
Water temperature in deg. celsius (field)	MW-20	8/4/2015	18.2	0		C
Water temperature in deg. celsius (field)	MW-20	9/2/2015	19.8	0		C
Water temperature in deg. celsius (field)	MW-20	10/5/2015	17.8	0		C
Water temperature in deg. celsius (field)	MW-20	1/7/2016	12.5	0		C
Water temperature in deg. celsius (field)	MW-20	4/5/2016	17.6	0		C
Water temperature in deg. celsius (field)	MW-20	7/20/2016	18.4	0		C
Water temperature in deg. celsius (field)	MW-20	10/5/2016	18.7	0		C
Water temperature in deg. celsius (field)	MW-20	1/12/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-20	7/18/2017	16.7	0		C
Water temperature in deg. celsius (field)	MW-20	1/26/2018	16.5	0.1		C
Water temperature in deg. celsius (field)	MW-20	7/12/2018	18.3	0.1		C
Water temperature in deg. celsius (field)	MW-20	7/11/2019	18.1	0.01		C
Water temperature in deg. celsius (field)	MW-20	1/14/2020	15.3	0		C
Water temperature in deg. celsius (field)	MW-20	7/7/2020	19.1	0		C
Water temperature in deg. celsius (field)	MW-20	7/7/2020	19.1	0		C
Water temperature in deg. celsius (field)	MW-20	4/6/2021	16.7	0		C
Water temperature in deg. celsius (field)	MW-20	7/4/2021	17.1	0		C
Water temperature in deg. celsius (field)	MW-20	7/4/2021	17.1	0		C
Water temperature in deg. celsius (field)	MW-20	1/11/2023	15.3	0		C
Water temperature in deg. celsius (field)	MW-21	6/2/2015	17.2	0		C
Water temperature in deg. celsius (field)	MW-21	6/5/2015	17.9	0		C
Water temperature in deg. celsius (field)	MW-21	7/14/2015	18.9	0		C
Water temperature in deg. celsius (field)	MW-21	8/4/2015	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	9/2/2015	18.3	0		C
Water temperature in deg. celsius (field)	MW-21	10/5/2015	17.5	0		C
Water temperature in deg. celsius (field)	MW-21	1/7/2016	11.6	0		C
Water temperature in deg. celsius (field)	MW-21	2/10/2016	16.1	0		C
Water temperature in deg. celsius (field)	MW-21	4/5/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-21	7/20/2016	18.1	0		C
Water temperature in deg. celsius (field)	MW-21	10/5/2016	18.8	0		C
Water temperature in deg. celsius (field)	MW-21	1/10/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-21	4/5/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-21	7/19/2017	16	0		C
Water temperature in deg. celsius (field)	MW-21	10/6/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-21	1/24/2018	16.4	0.1		C
Water temperature in deg. celsius (field)	MW-21	4/11/2018	20.4	0.1		C
Water temperature in deg. celsius (field)	MW-21	7/11/2018	17.5	0.1		C
Water temperature in deg. celsius (field)	MW-21	10/4/2018	17.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-21	1/3/2019	15	0.1		C
Water temperature in deg. celsius (field)	MW-21	4/3/2019	16	0.01		C
Water temperature in deg. celsius (field)	MW-21	7/11/2019	16.5	0		C
Water temperature in deg. celsius (field)	MW-21	10/2/2019	17.4	0.01		C
Water temperature in deg. celsius (field)	MW-21	1/16/2020	14.7	0		C
Water temperature in deg. celsius (field)	MW-21	4/2/2020	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-21	7/8/2020	16.3	0		C
Water temperature in deg. celsius (field)	MW-21	7/8/2020	16.3	0		C
Water temperature in deg. celsius (field)	MW-21	10/7/2020	15.9	0.01		C
Water temperature in deg. celsius (field)	MW-21	4/6/2021	16.2	0		C
Water temperature in deg. celsius (field)	MW-21	7/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	7/5/2021	17.6	0		C
Water temperature in deg. celsius (field)	MW-21	10/6/2021	18.1	0		C
Water temperature in deg. celsius (field)	MW-21	1/11/2023	17.1	0		C
Water temperature in deg. celsius (field)	MW-21	4/8/2023	15.8	0		C
Water temperature in deg. celsius (field)	MW-21	7/7/2023	18.8	0		C
Water temperature in deg. celsius (field)	MW-21	10/6/2023	16.1	0		C
Water temperature in deg. celsius (field)	MW-2N	10/2/2002	17.1	0		C
Water temperature in deg. celsius (field)	MW-2N	1/19/2006	14.6	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2006	17	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2006	17	0		C
Water temperature in deg. celsius (field)	MW-2N	10/25/2006	14.7	0		C
Water temperature in deg. celsius (field)	MW-2N	10/25/2006	14.7	0		C
Water temperature in deg. celsius (field)	MW-2N	1/9/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/10/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/10/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	3/26/2007	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	3/27/2007	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	3/27/2007	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	7/10/2007	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	7/11/2007	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	1/24/2008	13	0		C
Water temperature in deg. celsius (field)	MW-2N	7/22/2008	16.91	0		C
Water temperature in deg. celsius (field)	MW-2N	2/4/2009	14.32	0		C
Water temperature in deg. celsius (field)	MW-2N	7/31/2009	15.6	0		C
Water temperature in deg. celsius (field)	MW-2N	1/26/2010	13.1	0		C
Water temperature in deg. celsius (field)	MW-2N	7/13/2010	16.4	0		C
Water temperature in deg. celsius (field)	MW-2N	1/20/2011	14.1	0		C
Water temperature in deg. celsius (field)	MW-2N	7/13/2011	15.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/5/2012	15.2	0		C
Water temperature in deg. celsius (field)	MW-2N	7/10/2012	15.9	0		C
Water temperature in deg. celsius (field)	MW-2N	5/1/2013	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	7/16/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/24/2014	13.8	0		C
Water temperature in deg. celsius (field)	MW-2N	7/9/2014	16.5	0		C
Water temperature in deg. celsius (field)	MW-2N	2/12/2015	13.9	0		C
Water temperature in deg. celsius (field)	MW-2N	7/14/2015	16.8	0		C
Water temperature in deg. celsius (field)	MW-2N	1/6/2016	14.6	0		C
Water temperature in deg. celsius (field)	MW-2N	7/21/2016	16.5	0		C
Water temperature in deg. celsius (field)	MW-2N	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	MW-2N	7/19/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-2N	1/23/2018	12.8	0.1		C
Water temperature in deg. celsius (field)	MW-2N	6/21/2018	18.5	0		C
Water temperature in deg. celsius (field)	MW-2N	7/12/2018	25	0.1		C
Water temperature in deg. celsius (field)	MW-2N	1/3/2019	11.8	0.1		C
Water temperature in deg. celsius (field)	MW-2N	4/3/2019	15	0.01		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-2N	8/7/2019	24.6	0.01		C
Water temperature in deg. celsius (field)	MW-2N	10/1/2019	29.4	0.01		C
Water temperature in deg. celsius (field)	MW-2N	7/7/2020	28.5	0		C
Water temperature in deg. celsius (field)	MW-2N	7/7/2020	28.5	0		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2020	16	0.01		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2020	16	0.01		C
Water temperature in deg. celsius (field)	MW-2N	7/5/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	7/5/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	10/6/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-2N	1/11/2023	15.2	0		C
Water temperature in deg. celsius (field)	MW-2N	4/8/2023	14.7	0		C
Water temperature in deg. celsius (field)	MW-2N	7/8/2023	21.1	0		C
Water temperature in deg. celsius (field)	MW-3N	10/2/2002	15	0		C
Water temperature in deg. celsius (field)	MW-3N	1/19/2006	14.1	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2006	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2006	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	10/25/2006	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	10/25/2006	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/9/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/10/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/10/2007	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2007	13.8	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	MW-3N	7/10/2007	17.1	0		C
Water temperature in deg. celsius (field)	MW-3N	7/11/2007	17.1	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2008	12.3	0		C
Water temperature in deg. celsius (field)	MW-3N	5/3/2008	13.88	0		C
Water temperature in deg. celsius (field)	MW-3N	7/22/2008	15.33	0		C
Water temperature in deg. celsius (field)	MW-3N	2/4/2009	13.79	0		C
Water temperature in deg. celsius (field)	MW-3N	7/31/2009	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/26/2010	13.6	0		C
Water temperature in deg. celsius (field)	MW-3N	7/13/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/20/2011	13.7	0		C
Water temperature in deg. celsius (field)	MW-3N	7/14/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-3N	1/5/2012	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/11/2012	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	5/1/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	6/4/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/16/2013	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2014	13.5	0		C
Water temperature in deg. celsius (field)	MW-3N	7/9/2014	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	2/12/2015	13.5	0		C
Water temperature in deg. celsius (field)	MW-3N	4/1/2015	14	0		C
Water temperature in deg. celsius (field)	MW-3N	7/14/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-3N	10/5/2015	14.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/6/2016	14.2	0		C
Water temperature in deg. celsius (field)	MW-3N	4/6/2016	14.3	0		C
Water temperature in deg. celsius (field)	MW-3N	7/21/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-3N	10/6/2016	15	0		C
Water temperature in deg. celsius (field)	MW-3N	1/11/2017	14.6	0		C
Water temperature in deg. celsius (field)	MW-3N	4/4/2017	14.7	0		C
Water temperature in deg. celsius (field)	MW-3N	7/19/2017	15	0		C
Water temperature in deg. celsius (field)	MW-3N	10/9/2017	15.2	0		C
Water temperature in deg. celsius (field)	MW-3N	1/24/2018	14.4	0.1		C
Water temperature in deg. celsius (field)	MW-3N	4/10/2018	14.9	0.1		C
Water temperature in deg. celsius (field)	MW-3N	6/6/2018	16.94	0		C
Water temperature in deg. celsius (field)	MW-3N	7/13/2018	17.9	0.1		C
Water temperature in deg. celsius (field)	MW-3N	10/3/2018	17.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-3N	10/3/2018	17.4	0		C
Water temperature in deg. celsius (field)	MW-3N	1/7/2019	14.7	0.1		C
Water temperature in deg. celsius (field)	MW-3N	4/3/2019	14.9	0.01		C
Water temperature in deg. celsius (field)	MW-3N	7/11/2019	16.4	0		C
Water temperature in deg. celsius (field)	MW-3N	10/2/2019	15.9	0.01		C
Water temperature in deg. celsius (field)	MW-3N	1/15/2020	14.1	0		C
Water temperature in deg. celsius (field)	MW-3N	4/2/2020	15.1	0.1		C
Water temperature in deg. celsius (field)	MW-3N	7/7/2020	15.5	0		C
Water temperature in deg. celsius (field)	MW-3N	7/7/2020	15.5	0		C
Water temperature in deg. celsius (field)	MW-3N	10/7/2020	14.6	0.01		C
Water temperature in deg. celsius (field)	MW-3N	4/6/2021	15.4	0		C
Water temperature in deg. celsius (field)	MW-3N	7/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-3N	7/5/2021	16.6	0		C
Water temperature in deg. celsius (field)	MW-3N	10/6/2021	15.3	0		C
Water temperature in deg. celsius (field)	MW-3N	1/11/2023	15.1	0		C
Water temperature in deg. celsius (field)	MW-3N	7/7/2023	21.1	0		C
Water temperature in deg. celsius (field)	MW-3N	10/6/2023	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	10/2/2002	17.5	0		C
Water temperature in deg. celsius (field)	MW-7N	1/19/2006	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2006	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2006	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2006	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2006	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	11/21/2006	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	12/22/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/22/2006	13.4	0		C
Water temperature in deg. celsius (field)	MW-7N	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2007	14.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/27/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/27/2007	14.3	0		C
Water temperature in deg. celsius (field)	MW-7N	3/26/2007	15	0		C
Water temperature in deg. celsius (field)	MW-7N	3/27/2007	15	0		C
Water temperature in deg. celsius (field)	MW-7N	3/27/2007	15	0		C
Water temperature in deg. celsius (field)	MW-7N	4/25/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	4/26/2007	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2007	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2007	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	6/28/2007	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2007	20.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2007	20.8	0		C
Water temperature in deg. celsius (field)	MW-7N	9/28/2007	20.7	0		C
Water temperature in deg. celsius (field)	MW-7N	10/24/2007	19.5	0		C
Water temperature in deg. celsius (field)	MW-7N	11/27/2007	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/27/2007	17	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2008	16	0		C
Water temperature in deg. celsius (field)	MW-7N	2/28/2008	16.6	0		C
Water temperature in deg. celsius (field)	MW-7N	3/24/2008	17.1	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	5/3/2008	17.62	0		C
Water temperature in deg. celsius (field)	MW-7N	5/30/2008	19.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/25/2008	18.34	0		C
Water temperature in deg. celsius (field)	MW-7N	7/21/2008	17.81	0		C
Water temperature in deg. celsius (field)	MW-7N	8/29/2008	17.66	0		C
Water temperature in deg. celsius (field)	MW-7N	9/25/2008	17.92	0		C
Water temperature in deg. celsius (field)	MW-7N	9/25/2008	17.92	0		C
Water temperature in deg. celsius (field)	MW-7N	10/21/2008	17.36	0		C
Water temperature in deg. celsius (field)	MW-7N	11/24/2008	17.54	0		C
Water temperature in deg. celsius (field)	MW-7N	12/18/2008	17.23	0		C
Water temperature in deg. celsius (field)	MW-7N	2/6/2009	17.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/25/2009	17.3	0		C
Water temperature in deg. celsius (field)	MW-7N	4/15/2009	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/25/2009	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	8/28/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	9/29/2009	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	10/21/2009	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	10/26/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	11/24/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	12/17/2009	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	1/26/2010	15	0		C
Water temperature in deg. celsius (field)	MW-7N	2/15/2010	15	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2010	15.1	0		C
Water temperature in deg. celsius (field)	MW-7N	4/8/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/6/2010	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	6/16/2010	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/14/2010	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	8/11/2010	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2010	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2010	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/29/2010	16	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2010	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2010	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	1/20/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2011	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2011	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/10/2011	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	7/12/2011	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/4/2011	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	9/7/2011	16.6	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2011	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	11/1/2011	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	12/8/2011	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	1/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	2/1/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	3/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/1/2012	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/10/2012	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2012	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2012	16.6	0		C
Water temperature in deg. celsius (field)	MW-7N	8/9/2012	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2012	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	10/7/2012	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/1/2013	15.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	6/4/2013	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	6/4/2013	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	7/15/2013	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	8/8/2013	18.2	0		C
Water temperature in deg. celsius (field)	MW-7N	9/10/2013	23.2	0		C
Water temperature in deg. celsius (field)	MW-7N	10/1/2013	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2013	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	1/30/2014	13.9	0		C
Water temperature in deg. celsius (field)	MW-7N	2/13/2014	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	3/11/2014	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/2/2014	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	5/7/2014	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2014	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/9/2014	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	8/5/2014	17.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2014	17.5	0		C
Water temperature in deg. celsius (field)	MW-7N	10/9/2014	17	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2014	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/14/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	2/12/2015	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	3/3/2015	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	4/1/2015	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	5/7/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2015	17.6	0		C
Water temperature in deg. celsius (field)	MW-7N	7/13/2015	18.9	0		C
Water temperature in deg. celsius (field)	MW-7N	8/4/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/3/2015	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2015	16.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/4/2015	16.2	0		C
Water temperature in deg. celsius (field)	MW-7N	12/3/2015	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	1/5/2016	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	2/3/2016	14.5	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2016	15.6	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	5/11/2016	16.9	0		C
Water temperature in deg. celsius (field)	MW-7N	6/1/2016	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/21/2016	17.3	0		C
Water temperature in deg. celsius (field)	MW-7N	8/10/2016	17.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/6/2016	17.8	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2016	17.1	0		C
Water temperature in deg. celsius (field)	MW-7N	11/2/2016	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	12/1/2016	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	1/11/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	2/7/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2017	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2017	16	0		C
Water temperature in deg. celsius (field)	MW-7N	5/16/2017	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	6/6/2017	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	7/19/2017	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	8/1/2017	16.3	0		C
Water temperature in deg. celsius (field)	MW-7N	9/5/2017	17	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2017	16.7	0		C
Water temperature in deg. celsius (field)	MW-7N	11/1/2017	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/25/2018	15.4	0.1		C
Water temperature in deg. celsius (field)	MW-7N	2/22/2018	13.4	0.1		C
Water temperature in deg. celsius (field)	MW-7N	3/20/2018	15.7	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	4/11/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	4/11/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2018	21.1	0		C
Water temperature in deg. celsius (field)	MW-7N	6/5/2018	21.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/13/2018	21.9	0.1		C
Water temperature in deg. celsius (field)	MW-7N	8/1/2018	19	0.1		C
Water temperature in deg. celsius (field)	MW-7N	9/5/2018	18.6	0		C
Water temperature in deg. celsius (field)	MW-7N	10/4/2018	18.8	0		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2018	15.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	12/4/2018	14.1	0.1		C
Water temperature in deg. celsius (field)	MW-7N	1/4/2019	10.5	0.1		C
Water temperature in deg. celsius (field)	MW-7N	2/5/2019	17.8	0		C
Water temperature in deg. celsius (field)	MW-7N	3/5/2019	10.7	0.01		C
Water temperature in deg. celsius (field)	MW-7N	4/3/2019	16	0.01		C
Water temperature in deg. celsius (field)	MW-7N	5/3/2019	18.2	0.01		C
Water temperature in deg. celsius (field)	MW-7N	6/4/2019	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2019	16.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	8/8/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	MW-7N	9/4/2019	21.1	0.01		C
Water temperature in deg. celsius (field)	MW-7N	10/3/2019	21	0.01		C
Water temperature in deg. celsius (field)	MW-7N	11/6/2019	15.7	0.01		C
Water temperature in deg. celsius (field)	MW-7N	12/3/2019	14	0.1		C
Water temperature in deg. celsius (field)	MW-7N	1/16/2020	12.7	0		C
Water temperature in deg. celsius (field)	MW-7N	3/4/2020	14	0.01		C
Water temperature in deg. celsius (field)	MW-7N	4/2/2020	15.9	0.1		C
Water temperature in deg. celsius (field)	MW-7N	5/5/2020	16.2	0.01		C
Water temperature in deg. celsius (field)	MW-7N	6/2/2020	18.7	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2020	22	0		C
Water temperature in deg. celsius (field)	MW-7N	8/3/2020	19.2	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2020	16.3	0.01		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2020	17.6	0.01		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2020	16.5	0		C
Water temperature in deg. celsius (field)	MW-7N	12/2/2020	13.1	0		C
Water temperature in deg. celsius (field)	MW-7N	1/16/2021	13.6	0		C
Water temperature in deg. celsius (field)	MW-7N	2/9/2021	12.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/2/2021	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	4/7/2021	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	5/5/2021	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	6/2/2021	16	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	7/5/2021	19.1	0		C
Water temperature in deg. celsius (field)	MW-7N	8/3/2021	18.3	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2021	18	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2021	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	10/5/2021	15.2	0		C
Water temperature in deg. celsius (field)	MW-7N	11/1/2021	14.6	0		C
Water temperature in deg. celsius (field)	MW-7N	12/8/2021	15.1	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	1/12/2022	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	2/9/2022	15.5	0		C
Water temperature in deg. celsius (field)	MW-7N	3/1/2022	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2022	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/4/2022	15.4	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-7N	5/7/2022	15.7	0		C
Water temperature in deg. celsius (field)	MW-7N	6/3/2022	15.9	0		C
Water temperature in deg. celsius (field)	MW-7N	7/10/2022	17.2	0		C
Water temperature in deg. celsius (field)	MW-7N	8/10/2022	18.9	0		C
Water temperature in deg. celsius (field)	MW-7N	9/8/2022	16.4	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2022	16	0		C
Water temperature in deg. celsius (field)	MW-7N	10/6/2022	16	0		C
Water temperature in deg. celsius (field)	MW-7N	11/3/2022	15.8	0		C
Water temperature in deg. celsius (field)	MW-7N	12/7/2022	14.9	0		C
Water temperature in deg. celsius (field)	MW-7N	1/10/2023	15.3	0		C
Water temperature in deg. celsius (field)	MW-7N	2/3/2023	12.9	0		C
Water temperature in deg. celsius (field)	MW-7N	3/1/2023	15.4	0		C
Water temperature in deg. celsius (field)	MW-7N	4/5/2023	14.8	0		C
Water temperature in deg. celsius (field)	MW-7N	5/10/2023	17.9	0		C
Water temperature in deg. celsius (field)	MW-7N	6/8/2023	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	7/7/2023	18.5	0		C
Water temperature in deg. celsius (field)	MW-7N	8/1/2023	19.4	0		C
Water temperature in deg. celsius (field)	MW-7N	9/2/2023	16.8	0		C
Water temperature in deg. celsius (field)	MW-7N	10/4/2023	16.9	0		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2002	16.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/19/2006	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2006	16.9	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2006	16.9	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2006	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2006	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	MW-8N	12/22/2006	13.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/9/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/10/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/10/2007	14.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/25/2007	16.4	0		C
Water temperature in deg. celsius (field)	MW-8N	4/26/2007	16.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-8N	7/10/2007	15.9	0		C
Water temperature in deg. celsius (field)	MW-8N	10/24/2007	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/24/2008	13.1	0		C
Water temperature in deg. celsius (field)	MW-8N	5/3/2008	15.28	0		C
Water temperature in deg. celsius (field)	MW-8N	7/23/2008	15.57	0		C
Water temperature in deg. celsius (field)	MW-8N	10/21/2008	15.28	0		C
Water temperature in deg. celsius (field)	MW-8N	2/4/2009	14.92	0		C
Water temperature in deg. celsius (field)	MW-8N	4/16/2009	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/31/2009	15.8	0		C
Water temperature in deg. celsius (field)	MW-8N	10/26/2009	15	0		C
Water temperature in deg. celsius (field)	MW-8N	1/26/2010	15	0		C
Water temperature in deg. celsius (field)	MW-8N	4/8/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2010	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	9/2/2010	16	0		C
Water temperature in deg. celsius (field)	MW-8N	9/30/2010	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	1/19/2011	15.4	0		C
Water temperature in deg. celsius (field)	MW-8N	5/10/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/14/2011	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	1/6/2012	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/5/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/11/2012	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/3/2012	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	5/1/2013	15.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	MW-8N	6/4/2013	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2013	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2013	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	1/30/2014	14.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/3/2014	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2014	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/8/2014	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	2/12/2015	14.8	0		C
Water temperature in deg. celsius (field)	MW-8N	4/1/2015	15.2	0		C
Water temperature in deg. celsius (field)	MW-8N	7/14/2015	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	10/5/2015	15.1	0		C
Water temperature in deg. celsius (field)	MW-8N	1/5/2016	14.9	0		C
Water temperature in deg. celsius (field)	MW-8N	4/6/2016	15.3	0		C
Water temperature in deg. celsius (field)	MW-8N	7/21/2016	15.7	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2016	15.8	0		C
Water temperature in deg. celsius (field)	MW-8N	1/11/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/4/2017	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	7/19/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	MW-8N	1/25/2018	13.3	0.1		C
Water temperature in deg. celsius (field)	MW-8N	4/10/2018	16.2	0.1		C
Water temperature in deg. celsius (field)	MW-8N	6/6/2018	20.35	0		C
Water temperature in deg. celsius (field)	MW-8N	7/16/2018	26.2	0.1		C
Water temperature in deg. celsius (field)	MW-8N	10/2/2018	20.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/7/2019	15.4	0.1		C
Water temperature in deg. celsius (field)	MW-8N	4/3/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	MW-8N	7/11/2019	19.8	0		C
Water temperature in deg. celsius (field)	MW-8N	10/3/2019	17.8	0.01		C
Water temperature in deg. celsius (field)	MW-8N	1/15/2020	16.2	0		C
Water temperature in deg. celsius (field)	MW-8N	4/2/2020	16	0.1		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-8N	7/9/2020	16.7	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2020	16.4	0.01		C
Water temperature in deg. celsius (field)	MW-8N	4/6/2021	16.8	0		C
Water temperature in deg. celsius (field)	MW-8N	7/5/2021	19.2	0		C
Water temperature in deg. celsius (field)	MW-8N	7/5/2021	19.2	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2021	17.4	0		C
Water temperature in deg. celsius (field)	MW-8N	1/18/2022	14.3	0		C
Water temperature in deg. celsius (field)	MW-8N	1/18/2022	14.3	0		C
Water temperature in deg. celsius (field)	MW-8N	4/4/2022	15.1	0		C
Water temperature in deg. celsius (field)	MW-8N	7/12/2022	18	0		C
Water temperature in deg. celsius (field)	MW-8N	10/6/2022	17.9	0		C
Water temperature in deg. celsius (field)	MW-8N	1/11/2023	15.5	0		C
Water temperature in deg. celsius (field)	MW-8N	4/8/2023	15.3	0		C
Water temperature in deg. celsius (field)	MW-8N	7/7/2023	17.2	0		C
Water temperature in deg. celsius (field)	MW-8N	10/5/2023	17.8	0		C
Water temperature in deg. celsius (field)	NE-1	10/2/2002	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	7/18/2006	19.9	0		C
Water temperature in deg. celsius (field)	NE-1	7/18/2006	19.9	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2006	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2006	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2007	14	0		C
Water temperature in deg. celsius (field)	NE-1	4/23/2007	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	4/26/2007	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-1	10/24/2007	15.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-1	1/24/2008	15	0		C
Water temperature in deg. celsius (field)	NE-1	7/21/2008	23.4	0		C
Water temperature in deg. celsius (field)	NE-1	2/7/2009	16.57	0		C
Water temperature in deg. celsius (field)	NE-1	7/31/2009	17	0		C
Water temperature in deg. celsius (field)	NE-1	1/26/2010	13.6	0		C
Water temperature in deg. celsius (field)	NE-1	7/14/2010	19.5	0		C
Water temperature in deg. celsius (field)	NE-1	9/2/2010	20.3	0		C
Water temperature in deg. celsius (field)	NE-1	9/30/2010	15.4	0		C
Water temperature in deg. celsius (field)	NE-1	1/19/2011	13.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/13/2011	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	1/5/2012	12.8	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2012	16.3	0		C
Water temperature in deg. celsius (field)	NE-1	4/30/2013	18.8	0		C
Water temperature in deg. celsius (field)	NE-1	7/16/2013	17.9	0		C
Water temperature in deg. celsius (field)	NE-1	1/23/2014	7.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/9/2014	16.6	0		C
Water temperature in deg. celsius (field)	NE-1	2/11/2015	12.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/8/2015	17.1	0		C
Water temperature in deg. celsius (field)	NE-1	1/6/2016	9.3	0		C
Water temperature in deg. celsius (field)	NE-1	7/20/2016	17.8	0		C
Water temperature in deg. celsius (field)	NE-1	1/11/2017	15.4	0		C
Water temperature in deg. celsius (field)	NE-1	7/19/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-1	1/24/2018	15	0.1		C
Water temperature in deg. celsius (field)	NE-1	4/11/2018	16.7	0.1		C
Water temperature in deg. celsius (field)	NE-1	7/18/2018	21.1	0.1		C
Water temperature in deg. celsius (field)	NE-1	10/2/2018	17.5	0		C
Water temperature in deg. celsius (field)	NE-1	1/4/2019	6.4	0.1		C
Water temperature in deg. celsius (field)	NE-1	4/2/2019	18.6	0.01		C
Water temperature in deg. celsius (field)	NE-1	7/10/2019	22.7	0		C
Water temperature in deg. celsius (field)	NE-1	7/10/2019	22.7	0		C
Water temperature in deg. celsius (field)	NE-1	10/2/2019	22.3	0.01		C
Water temperature in deg. celsius (field)	NE-1	4/2/2020	16.5	0.1		C
Water temperature in deg. celsius (field)	NE-1	7/8/2020	20.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/8/2020	20.2	0		C
Water temperature in deg. celsius (field)	NE-1	10/7/2020	14.9	0.01		C
Water temperature in deg. celsius (field)	NE-1	4/9/2021	16.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	10/6/2021	17.6	0		C
Water temperature in deg. celsius (field)	NE-1	1/17/2022	14.4	0		C
Water temperature in deg. celsius (field)	NE-1	1/17/2022	14.4	0		C
Water temperature in deg. celsius (field)	NE-1	4/6/2022	15.2	0		C
Water temperature in deg. celsius (field)	NE-1	7/13/2022	16	0		C
Water temperature in deg. celsius (field)	NE-1	10/6/2022	16.7	0		C
Water temperature in deg. celsius (field)	NE-1	1/5/2023	14.2	0		C
Water temperature in deg. celsius (field)	NE-1	4/7/2023	14.9	0		C
Water temperature in deg. celsius (field)	NE-1	7/5/2023	16.6	0		C
Water temperature in deg. celsius (field)	NE-1	10/5/2023	15.5	0		C
Water temperature in deg. celsius (field)	NE-10D	11/6/2019	16.2	0		C
Water temperature in deg. celsius (field)	NE-10D	4/2/2020	15.6	0.1		C
Water temperature in deg. celsius (field)	NE-10D	7/8/2020	19.7	0		C
Water temperature in deg. celsius (field)	NE-10D	7/8/2020	19.7	0		C
Water temperature in deg. celsius (field)	NE-10D	10/7/2020	18.4	0.01		C
Water temperature in deg. celsius (field)	NE-10D	4/9/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-10D	7/2/2021	17.9	0		C
Water temperature in deg. celsius (field)	NE-10D	7/2/2021	17.9	0		C
Water temperature in deg. celsius (field)	NE-10D	10/7/2021	16.4	0		C
Water temperature in deg. celsius (field)	NE-10D	1/6/2023	13.8	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-10D	4/6/2023	16.6	0		C
Water temperature in deg. celsius (field)	NE-10D	7/8/2023	17.9	0		C
Water temperature in deg. celsius (field)	NE-10D	10/3/2023	17.1	0		C
Water temperature in deg. celsius (field)	NE-11	3/1/2017	13.6	0		C
Water temperature in deg. celsius (field)	NE-11	4/6/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-11	7/20/2017	16.5	0		C
Water temperature in deg. celsius (field)	NE-11	10/9/2017	15.2	0		C
Water temperature in deg. celsius (field)	NE-11	9/30/2019	15.6	0.01		C
Water temperature in deg. celsius (field)	NE-11	1/14/2020	13.5	0		C
Water temperature in deg. celsius (field)	NE-11	7/7/2020	17	0		C
Water temperature in deg. celsius (field)	NE-11	7/7/2020	17	0		C
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-11	7/1/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	1/17/2022	14	0		C
Water temperature in deg. celsius (field)	NE-11	7/12/2022	15.2	0		C
Water temperature in deg. celsius (field)	NE-11	1/6/2023	14	0		C
Water temperature in deg. celsius (field)	NE-11	7/6/2023	16.9	0		C
Water temperature in deg. celsius (field)	NE-12	3/1/2017	13.9	0		C
Water temperature in deg. celsius (field)	NE-12	4/6/2017	17	0		C
Water temperature in deg. celsius (field)	NE-12	7/20/2017	17	0		C
Water temperature in deg. celsius (field)	NE-12	10/6/2017	19.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/9/2019	16.2	0		C
Water temperature in deg. celsius (field)	NE-12	8/5/2019	16.2	0.01		C
Water temperature in deg. celsius (field)	NE-12	1/13/2020	13.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/7/2020	17.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/7/2020	17.2	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	1/17/2022	13.7	0		C
Water temperature in deg. celsius (field)	NE-12	7/12/2022	15.9	0		C
Water temperature in deg. celsius (field)	NE-12	1/6/2023	14.3	0		C
Water temperature in deg. celsius (field)	NE-12	7/5/2023	16.4	0		C
Water temperature in deg. celsius (field)	NE-13	2/5/2019	14.6	0		C
Water temperature in deg. celsius (field)	NE-13	7/11/2019	15.7	0		C
Water temperature in deg. celsius (field)	NE-13	8/7/2019	19.9	0.01		C
Water temperature in deg. celsius (field)	NE-13	1/15/2020	14.9	0		C
Water temperature in deg. celsius (field)	NE-13	7/8/2020	27.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/8/2020	27.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-13	7/1/2021	14.8	0		C
Water temperature in deg. celsius (field)	NE-14D	10/2/2019	15.3	0.01		C
Water temperature in deg. celsius (field)	NE-14D	4/3/2020	13.6	0.1		C
Water temperature in deg. celsius (field)	NE-14D	7/7/2020	17.4	0		C
Water temperature in deg. celsius (field)	NE-14D	7/7/2020	17.4	0		C
Water temperature in deg. celsius (field)	NE-14D	10/6/2020	14.9	0.01		C
Water temperature in deg. celsius (field)	NE-14D	4/9/2021	14.9	0		C
Water temperature in deg. celsius (field)	NE-14D	7/2/2021	18.6	0		C
Water temperature in deg. celsius (field)	NE-14D	7/2/2021	18.6	0		C
Water temperature in deg. celsius (field)	NE-14D	10/7/2021	15.4	0		C
Water temperature in deg. celsius (field)	NE-14D	1/18/2022	14	0		C
Water temperature in deg. celsius (field)	NE-14D	1/18/2022	14	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-14D	4/6/2022	15.3	0		C
Water temperature in deg. celsius (field)	NE-14D	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-14D	10/7/2022	15.4	0		C
Water temperature in deg. celsius (field)	NE-14D	1/6/2023	13.8	0		C
Water temperature in deg. celsius (field)	NE-14D	4/6/2023	14.1	0		C
Water temperature in deg. celsius (field)	NE-14D	7/5/2023	17.2	0		C
Water temperature in deg. celsius (field)	NE-14D	10/4/2023	15.7	0		C
Water temperature in deg. celsius (field)	NE-14S	10/2/2019	17.3	0.01		C
Water temperature in deg. celsius (field)	NE-14S	4/3/2020	12.9	0.1		C
Water temperature in deg. celsius (field)	NE-14S	7/7/2020	19.2	0		C
Water temperature in deg. celsius (field)	NE-14S	7/7/2020	19.2	0		C
Water temperature in deg. celsius (field)	NE-14S	10/6/2020	15.8	0.01		C
Water temperature in deg. celsius (field)	NE-14S	4/9/2021	14.1	0		C
Water temperature in deg. celsius (field)	NE-14S	7/2/2021	17.5	0		C
Water temperature in deg. celsius (field)	NE-14S	7/2/2021	17.5	0		C
Water temperature in deg. celsius (field)	NE-14S	10/7/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-14S	1/18/2022	14.2	0		C
Water temperature in deg. celsius (field)	NE-14S	1/18/2022	14.2	0		C
Water temperature in deg. celsius (field)	NE-14S	4/6/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-14S	7/13/2022	18.4	0		C
Water temperature in deg. celsius (field)	NE-14S	10/7/2022	16.9	0		C
Water temperature in deg. celsius (field)	NE-14S	1/6/2023	13.3	0		C
Water temperature in deg. celsius (field)	NE-14S	4/6/2023	12.9	0		C
Water temperature in deg. celsius (field)	NE-14S	7/5/2023	17.2	0		C
Water temperature in deg. celsius (field)	NE-14S	10/4/2023	16.4	0		C
Water temperature in deg. celsius (field)	NE-15D	9/30/2019	18	0.01		C
Water temperature in deg. celsius (field)	NE-15D	4/3/2020	13.2	0.1		C
Water temperature in deg. celsius (field)	NE-15D	7/7/2020	18.7	0		C
Water temperature in deg. celsius (field)	NE-15D	7/7/2020	18.7	0		C
Water temperature in deg. celsius (field)	NE-15D	10/6/2020	15.8	0.01		C
Water temperature in deg. celsius (field)	NE-15D	4/9/2021	18.1	0		C
Water temperature in deg. celsius (field)	NE-15D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-15D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-15D	10/7/2021	15.5	0		C
Water temperature in deg. celsius (field)	NE-15D	1/17/2022	13.1	0		C
Water temperature in deg. celsius (field)	NE-15D	1/17/2022	13.1	0		C
Water temperature in deg. celsius (field)	NE-15D	4/6/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-15D	7/13/2022	15.6	0		C
Water temperature in deg. celsius (field)	NE-15D	10/7/2022	15.5	0		C
Water temperature in deg. celsius (field)	NE-15D	1/6/2023	14	0		C
Water temperature in deg. celsius (field)	NE-15D	4/6/2023	14.1	0		C
Water temperature in deg. celsius (field)	NE-15D	7/6/2023	17.5	0		C
Water temperature in deg. celsius (field)	NE-15D	10/6/2023	14.7	0		C
Water temperature in deg. celsius (field)	NE-15S	4/3/2020	14.6	0.1		C
Water temperature in deg. celsius (field)	NE-2	10/2/2002	18.3	0		C
Water temperature in deg. celsius (field)	NE-2	4/24/2007	13.9	0		C
Water temperature in deg. celsius (field)	NE-2	4/26/2007	13.9	0		C
Water temperature in deg. celsius (field)	NE-2	12/19/2008	15.47	0		C
Water temperature in deg. celsius (field)	NE-2	10/26/2009	16.9	0		C
Water temperature in deg. celsius (field)	NE-2	9/2/2010	21.4	0		C
Water temperature in deg. celsius (field)	NE-2	9/30/2010	17.6	0		C
Water temperature in deg. celsius (field)	NE-2	4/5/2012	14.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/1/2013	18.4	0		C
Water temperature in deg. celsius (field)	NE-2	10/8/2014	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/5/2015	18.1	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2016	20.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/5/2017	19.5	0		C
Water temperature in deg. celsius (field)	NE-2	1/25/2018	19.3	0.1		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-2	4/10/2018	14.1	0.1		C
Water temperature in deg. celsius (field)	NE-2	7/10/2018	16.3	0.1		C
Water temperature in deg. celsius (field)	NE-2	10/1/2018	17.7	0		C
Water temperature in deg. celsius (field)	NE-2	1/4/2019	13.3	0.1		C
Water temperature in deg. celsius (field)	NE-2	4/2/2019	11.9	0.01		C
Water temperature in deg. celsius (field)	NE-2	7/9/2019	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	7/9/2019	18.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/2/2019	18.9	0.01		C
Water temperature in deg. celsius (field)	NE-2	4/1/2020	12.4	0.1		C
Water temperature in deg. celsius (field)	NE-2	7/7/2020	17.8	0		C
Water temperature in deg. celsius (field)	NE-2	7/7/2020	17.8	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2020	16.3	0.01		C
Water temperature in deg. celsius (field)	NE-2	4/9/2021	12.7	0		C
Water temperature in deg. celsius (field)	NE-2	7/2/2021	16.5	0		C
Water temperature in deg. celsius (field)	NE-2	7/2/2021	16.5	0		C
Water temperature in deg. celsius (field)	NE-2	10/6/2021	16.2	0		C
Water temperature in deg. celsius (field)	NE-2	1/18/2022	13.8	0		C
Water temperature in deg. celsius (field)	NE-2	1/18/2022	13.8	0		C
Water temperature in deg. celsius (field)	NE-2	4/6/2022	12	0		C
Water temperature in deg. celsius (field)	NE-2	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-2	10/7/2022	16	0		C
Water temperature in deg. celsius (field)	NE-2	1/5/2023	13.1	0		C
Water temperature in deg. celsius (field)	NE-2	4/5/2023	11.5	0		C
Water temperature in deg. celsius (field)	NE-2	7/5/2023	16.7	0		C
Water temperature in deg. celsius (field)	NE-2	10/4/2023	15.9	0		C
Water temperature in deg. celsius (field)	NE-4	10/3/2002	18.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/18/2006	18.4	0		C
Water temperature in deg. celsius (field)	NE-4	7/18/2006	18.4	0		C
Water temperature in deg. celsius (field)	NE-4	7/31/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	8/1/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	8/1/2006	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	10/24/2006	15.1	0		C
Water temperature in deg. celsius (field)	NE-4	10/24/2006	15.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2007	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2007	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	2/24/2007	16.9	0		C
Water temperature in deg. celsius (field)	NE-4	4/26/2007	16.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/10/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/12/2007	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/24/2008	12.3	0		C
Water temperature in deg. celsius (field)	NE-4	7/21/2008	22.31	0		C
Water temperature in deg. celsius (field)	NE-4	2/7/2009	16.15	0		C
Water temperature in deg. celsius (field)	NE-4	7/31/2009	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/26/2010	13.8	0		C
Water temperature in deg. celsius (field)	NE-4	7/14/2010	21.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/19/2011	13.2	0		C
Water temperature in deg. celsius (field)	NE-4	7/13/2011	17.1	0		C
Water temperature in deg. celsius (field)	NE-4	1/5/2012	11.8	0		C
Water temperature in deg. celsius (field)	NE-4	7/10/2012	16	0		C
Water temperature in deg. celsius (field)	NE-4	4/30/2013	18.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/16/2013	19.4	0		C
Water temperature in deg. celsius (field)	NE-4	1/23/2014	9.1	0		C
Water temperature in deg. celsius (field)	NE-4	7/9/2014	16.5	0		C
Water temperature in deg. celsius (field)	NE-4	2/13/2015	12.9	0		C
Water temperature in deg. celsius (field)	NE-4	7/8/2015	17.7	0		C
Water temperature in deg. celsius (field)	NE-4	1/6/2016	9.5	0		C
Water temperature in deg. celsius (field)	NE-4	7/20/2016	18.7	0		C
Water temperature in deg. celsius (field)	NE-4	1/11/2017	15.2	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-4	7/19/2017	17.5	0		C
Water temperature in deg. celsius (field)	NE-4	1/26/2018	8.3	0.1		C
Water temperature in deg. celsius (field)	NE-4	4/10/2018	18	0.1		C
Water temperature in deg. celsius (field)	NE-4	7/12/2018	32	0.1		C
Water temperature in deg. celsius (field)	NE-4	10/3/2018	24	0		C
Water temperature in deg. celsius (field)	NE-4	1/7/2019	15.3	0.1		C
Water temperature in deg. celsius (field)	NE-4	4/2/2019	13.6	0.01		C
Water temperature in deg. celsius (field)	NE-4	7/8/2019	21.6	0		C
Water temperature in deg. celsius (field)	NE-4	7/8/2019	21.6	0		C
Water temperature in deg. celsius (field)	NE-4	10/1/2019	22.4	0.01		C
Water temperature in deg. celsius (field)	NE-4	4/1/2020	15	0.1		C
Water temperature in deg. celsius (field)	NE-4	7/6/2020	18.2	0		C
Water temperature in deg. celsius (field)	NE-4	7/6/2020	18.2	0		C
Water temperature in deg. celsius (field)	NE-4	10/5/2020	17.6	0.01		C
Water temperature in deg. celsius (field)	NE-4	4/9/2021	15.3	0		C
Water temperature in deg. celsius (field)	NE-4	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-4	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-4	10/6/2021	17.3	0		C
Water temperature in deg. celsius (field)	NE-4	1/5/2023	13.6	0		C
Water temperature in deg. celsius (field)	NE-4	4/6/2023	15.4	0		C
Water temperature in deg. celsius (field)	NE-4	7/5/2023	18.8	0		C
Water temperature in deg. celsius (field)	NE-4	10/4/2023	17.7	0		C
Water temperature in deg. celsius (field)	NE-5	10/2/2002	18	0		C
Water temperature in deg. celsius (field)	NE-5	7/18/2006	17.7	0		C
Water temperature in deg. celsius (field)	NE-5	7/18/2006	17.7	0		C
Water temperature in deg. celsius (field)	NE-5	10/24/2006	15	0		C
Water temperature in deg. celsius (field)	NE-5	10/24/2006	15	0		C
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/9/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2007	14.2	0		C
Water temperature in deg. celsius (field)	NE-5	2/24/2007	16.3	0		C
Water temperature in deg. celsius (field)	NE-5	4/26/2007	16.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/10/2007	16.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/12/2007	16.6	0		C
Water temperature in deg. celsius (field)	NE-5	1/25/2008	15	0		C
Water temperature in deg. celsius (field)	NE-5	5/3/2008	23.79	0		C
Water temperature in deg. celsius (field)	NE-5	7/22/2008	19	0		C
Water temperature in deg. celsius (field)	NE-5	2/6/2009	18.82	0		C
Water temperature in deg. celsius (field)	NE-5	7/31/2009	16.9	0		C
Water temperature in deg. celsius (field)	NE-5	1/26/2010	14.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/16/2010	18.3	0		C
Water temperature in deg. celsius (field)	NE-5	9/2/2010	22.7	0		C
Water temperature in deg. celsius (field)	NE-5	1/19/2011	13.9	0		C
Water temperature in deg. celsius (field)	NE-5	7/13/2011	17.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/5/2012	12.5	0		C
Water temperature in deg. celsius (field)	NE-5	7/10/2012	16.2	0		C
Water temperature in deg. celsius (field)	NE-5	4/30/2013	19.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/16/2013	17.8	0		C
Water temperature in deg. celsius (field)	NE-5	1/23/2014	10.6	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2014	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	2/11/2015	12.3	0		C
Water temperature in deg. celsius (field)	NE-5	7/14/2015	17.2	0		C
Water temperature in deg. celsius (field)	NE-5	1/6/2016	10.7	0		C
Water temperature in deg. celsius (field)	NE-5	2/11/2016	10.5	0		C
Water temperature in deg. celsius (field)	NE-5	7/20/2016	17.8	0		C
Water temperature in deg. celsius (field)	NE-5	1/11/2017	14.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-5	7/19/2017	16.7	0		C
Water temperature in deg. celsius (field)	NE-5	1/25/2018	15.9	0.1		C
Water temperature in deg. celsius (field)	NE-5	4/10/2018	17	0.1		C
Water temperature in deg. celsius (field)	NE-5	7/17/2018	20.61	0.1		C
Water temperature in deg. celsius (field)	NE-5	10/3/2018	23.5	0		C
Water temperature in deg. celsius (field)	NE-5	10/3/2018	23.5	0.1		C
Water temperature in deg. celsius (field)	NE-5	1/4/2019	11.2	0.1		C
Water temperature in deg. celsius (field)	NE-5	4/2/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/2/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	7/9/2019	24.2	0		C
Water temperature in deg. celsius (field)	NE-5	10/3/2019	19.2	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/2/2020	15.3	0.1		C
Water temperature in deg. celsius (field)	NE-5	7/8/2020	24.1	0		C
Water temperature in deg. celsius (field)	NE-5	7/8/2020	24.1	0		C
Water temperature in deg. celsius (field)	NE-5	10/6/2020	17	0.01		C
Water temperature in deg. celsius (field)	NE-5	4/9/2021	16.1	0		C
Water temperature in deg. celsius (field)	NE-5	7/2/2021	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	7/2/2021	16.8	0		C
Water temperature in deg. celsius (field)	NE-5	10/6/2021	16.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/18/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5	1/18/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5	4/6/2022	15.4	0		C
Water temperature in deg. celsius (field)	NE-5	7/13/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-5	10/7/2022	15	0		C
Water temperature in deg. celsius (field)	NE-5	1/5/2023	13.8	0		C
Water temperature in deg. celsius (field)	NE-5	4/7/2023	15	0		C
Water temperature in deg. celsius (field)	NE-5	7/6/2023	16.5	0		C
Water temperature in deg. celsius (field)	NE-5	10/4/2023	15.7	0		C
Water temperature in deg. celsius (field)	NE-5E	9/30/2019	23.3	0.01		C
Water temperature in deg. celsius (field)	NE-5E	4/1/2020	15.6	0.1		C
Water temperature in deg. celsius (field)	NE-5E	7/8/2020	22.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/8/2020	22.1	0		C
Water temperature in deg. celsius (field)	NE-5E	10/6/2020	18.6	0.01		C
Water temperature in deg. celsius (field)	NE-5E	4/9/2021	18.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/2/2021	19.1	0		C
Water temperature in deg. celsius (field)	NE-5E	10/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-5E	1/18/2022	14.5	0		C
Water temperature in deg. celsius (field)	NE-5E	1/18/2022	14.5	0		C
Water temperature in deg. celsius (field)	NE-5E	4/6/2022	15.7	0		C
Water temperature in deg. celsius (field)	NE-5E	7/13/2022	16.3	0		C
Water temperature in deg. celsius (field)	NE-5E	10/7/2022	15.1	0		C
Water temperature in deg. celsius (field)	NE-5E	1/5/2023	12.9	0		C
Water temperature in deg. celsius (field)	NE-5E	4/7/2023	15.1	0		C
Water temperature in deg. celsius (field)	NE-5E	7/6/2023	18.2	0		C
Water temperature in deg. celsius (field)	NE-5E	10/4/2023	16.8	0		C
Water temperature in deg. celsius (field)	NE-5W	9/30/2019	23.6	0.01		C
Water temperature in deg. celsius (field)	NE-5W	4/2/2020	19.9	0.1		C
Water temperature in deg. celsius (field)	NE-5W	7/8/2020	30	0		C
Water temperature in deg. celsius (field)	NE-5W	7/8/2020	30	0		C
Water temperature in deg. celsius (field)	NE-5W	10/6/2020	20.2	0.01		C
Water temperature in deg. celsius (field)	NE-5W	4/9/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	7/2/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	7/2/2021	18.2	0		C
Water temperature in deg. celsius (field)	NE-5W	10/6/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-5W	1/18/2022	14.9	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-5W	1/18/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-5W	4/6/2022	15.9	0		C
Water temperature in deg. celsius (field)	NE-5W	7/13/2022	18	0		C
Water temperature in deg. celsius (field)	NE-5W	10/7/2022	14.8	0		C
Water temperature in deg. celsius (field)	NE-5W	1/5/2023	12	0		C
Water temperature in deg. celsius (field)	NE-5W	4/7/2023	14.8	0		C
Water temperature in deg. celsius (field)	NE-5W	7/6/2023	17.1	0		C
Water temperature in deg. celsius (field)	NE-5W	10/4/2023	16.7	0		C
Water temperature in deg. celsius (field)	NE-6	1/12/2017	12.9	0		C
Water temperature in deg. celsius (field)	NE-6	4/5/2017	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/19/2017	15.9	0		C
Water temperature in deg. celsius (field)	NE-6	10/6/2017	15.6	0		C
Water temperature in deg. celsius (field)	NE-6	2/4/2019	17.6	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2019	21.2	0		C
Water temperature in deg. celsius (field)	NE-6	8/6/2019	28	0.01		C
Water temperature in deg. celsius (field)	NE-6	1/15/2020	15.6	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2020	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/9/2020	15.4	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	7/1/2021	17.1	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	1/17/2022	14.3	0		C
Water temperature in deg. celsius (field)	NE-6	7/12/2022	16.4	0		C
Water temperature in deg. celsius (field)	NE-6	1/5/2023	14.6	0		C
Water temperature in deg. celsius (field)	NE-6	7/6/2023	16	0		C
Water temperature in deg. celsius (field)	NE-6D	10/2/2019	19.9	0.01		C
Water temperature in deg. celsius (field)	NE-6D	4/2/2020	15.2	0.1		C
Water temperature in deg. celsius (field)	NE-6D	7/9/2020	16	0		C
Water temperature in deg. celsius (field)	NE-6D	7/9/2020	16	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2020	14.4	0.01		C
Water temperature in deg. celsius (field)	NE-6D	4/9/2021	16.4	0		C
Water temperature in deg. celsius (field)	NE-6D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-6D	7/2/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2021	15.6	0		C
Water temperature in deg. celsius (field)	NE-6D	1/17/2022	13.5	0		C
Water temperature in deg. celsius (field)	NE-6D	1/17/2022	13.5	0		C
Water temperature in deg. celsius (field)	NE-6D	4/6/2022	15	0		C
Water temperature in deg. celsius (field)	NE-6D	7/12/2022	18.5	0		C
Water temperature in deg. celsius (field)	NE-6D	10/7/2022	16.2	0		C
Water temperature in deg. celsius (field)	NE-6D	1/5/2023	14.5	0		C
Water temperature in deg. celsius (field)	NE-6D	4/7/2023	14.4	0		C
Water temperature in deg. celsius (field)	NE-6D	7/6/2023	16.9	0		C
Water temperature in deg. celsius (field)	NE-6D	10/4/2023	16.3	0		C
Water temperature in deg. celsius (field)	NE-7	3/1/2017	14.4	0		C
Water temperature in deg. celsius (field)	NE-7	4/6/2017	16.4	0		C
Water temperature in deg. celsius (field)	NE-7	7/20/2017	15.8	0		C
Water temperature in deg. celsius (field)	NE-7	10/5/2017	15.8	0		C
Water temperature in deg. celsius (field)	NE-7	2/6/2019	14.4	0		C
Water temperature in deg. celsius (field)	NE-7	7/10/2019	22.1	0		C
Water temperature in deg. celsius (field)	NE-7	8/6/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-7	1/16/2020	12.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/7/2020	18.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C
Water temperature in deg. celsius (field)	NE-7	7/1/2021	16.7	0		C

Constituent	Sample Point	Date	Result	Limit	ND	Units
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	1/17/2022	14.1	0		C
Water temperature in deg. celsius (field)	NE-7	7/12/2022	15.7	0		C
Water temperature in deg. celsius (field)	NE-7	1/5/2023	13.9	0		C
Water temperature in deg. celsius (field)	NE-7	7/6/2023	16	0		C
Water temperature in deg. celsius (field)	NE-8	1/12/2017	14.2	0		C
Water temperature in deg. celsius (field)	NE-8	4/5/2017	14.2	0		C
Water temperature in deg. celsius (field)	NE-8	7/20/2017	22.3	0		C
Water temperature in deg. celsius (field)	NE-8	10/6/2017	18.2	0		C
Water temperature in deg. celsius (field)	NE-8	2/4/2019	12.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/11/2019	18.8	0		C
Water temperature in deg. celsius (field)	NE-8	8/5/2019	19.1	0.01		C
Water temperature in deg. celsius (field)	NE-8	1/15/2020	13.4	0		C
Water temperature in deg. celsius (field)	NE-8	7/8/2020	16.7	0		C
Water temperature in deg. celsius (field)	NE-8	7/8/2020	16.7	0		C
Water temperature in deg. celsius (field)	NE-8	10/7/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	NE-8	10/7/2020	18.3	0.01		C
Water temperature in deg. celsius (field)	NE-8	4/9/2021	14.6	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	7/1/2021	17.8	0		C
Water temperature in deg. celsius (field)	NE-8	10/7/2021	16.9	0		C
Water temperature in deg. celsius (field)	NE-8	1/6/2023	14.2	0		C
Water temperature in deg. celsius (field)	NE-8	7/5/2023	17.1	0		C
Water temperature in deg. celsius (field)	NE-9	1/12/2017	14.1	0		C
Water temperature in deg. celsius (field)	NE-9	4/5/2017	13.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/20/2017	16.1	0		C
Water temperature in deg. celsius (field)	NE-9	10/5/2017	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	2/5/2019	16	0		C
Water temperature in deg. celsius (field)	NE-9	7/8/2019	15.6	0		C
Water temperature in deg. celsius (field)	NE-9	8/7/2019	16.5	0.01		C
Water temperature in deg. celsius (field)	NE-9	1/15/2020	14.5	0		C
Water temperature in deg. celsius (field)	NE-9	7/7/2020	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	7/7/2020	16.2	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/1/2021	15.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	1/17/2022	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	7/13/2022	16.3	0		C
Water temperature in deg. celsius (field)	NE-9	1/6/2023	14.9	0		C
Water temperature in deg. celsius (field)	NE-9	4/8/2023	15	0		C
Water temperature in deg. celsius (field)	NE-9	7/5/2023	16	0		C
Water temperature in deg. celsius (field)	NE-9	10/6/2023	16.2	0		C
Zinc, dissolved	LGW-14R	1/25/2006	5	5	ND	ug/L
Zinc, dissolved	LGW-2	1/25/2006	5.6	5		ug/L
Zinc, dissolved	LGW-4	1/24/2006	5	5	ND	ug/L
Zinc, dissolved	LGW-5	1/25/2006	5	5	ND	ug/L
Zinc, dissolved	LGW-6	1/24/2006	6.2	5		ug/L
Zinc, dissolved	LGW-7	1/25/2006	8.5	5		ug/L
Zinc, dissolved	LGW-8R	1/24/2006	12	5		ug/L
Zinc, dissolved	MW-10N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-10N	7/10/2002	10	10	ND	ug/L
Zinc, dissolved	MW-10N	10/2/2002	4.4	2		ug/L
Zinc, dissolved	MW-11N	7/10/2000	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, dissolved	MW-11N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-11N	10/2/2002	2.6	2		ug/L
Zinc, dissolved	MW-1N	10/19/1999	24	5		ug/L
Zinc, dissolved	MW-1N	7/12/2000	5	5	ND	ug/L
Zinc, dissolved	MW-1N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-1N	10/3/2002	2.9	2		ug/L
Zinc, dissolved	MW-2N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-2N	7/10/2002	10	10	ND	ug/L
Zinc, dissolved	MW-2N	10/2/2002	4.4	2		ug/L
Zinc, dissolved	MW-3N	7/11/2000	5	5	ND	ug/L
Zinc, dissolved	MW-3N	7/9/2002	10	10	ND	ug/L
Zinc, dissolved	MW-3N	10/2/2002	5.7	2		ug/L
Zinc, dissolved	MW-7N	10/19/1999	490	5		ug/L
Zinc, dissolved	MW-7N	7/11/2000	570	5		ug/L
Zinc, dissolved	MW-7N	7/9/2002	580	50		ug/L
Zinc, dissolved	MW-7N	10/2/2002	740	6.5		ug/L
Zinc, dissolved	MW-8N	10/19/1999	5	5	ND	ug/L
Zinc, dissolved	MW-8N	7/11/2000	28	5		ug/L
Zinc, dissolved	MW-8N	7/9/2002	13	10		ug/L
Zinc, dissolved	MW-8N	10/2/2002	13	2		ug/L
Zinc, dissolved	NE-1	7/10/2002	190	10		ug/L
Zinc, dissolved	NE-1	8/6/2002	180	2		ug/L
Zinc, dissolved	NE-1	9/4/2002	190	2		ug/L
Zinc, dissolved	NE-1	10/2/2002	220	2		ug/L
Zinc, dissolved	NE-2	7/9/2002	67	10		ug/L
Zinc, dissolved	NE-2	8/6/2002	30	2		ug/L
Zinc, dissolved	NE-2	9/4/2002	64	2		ug/L
Zinc, dissolved	NE-2	10/2/2002	50	2		ug/L
Zinc, dissolved	NE-4	7/10/2002	37	10		ug/L
Zinc, dissolved	NE-4	8/6/2002	43	2		ug/L
Zinc, dissolved	NE-4	9/4/2002	38	2		ug/L
Zinc, dissolved	NE-4	10/3/2002	43	2		ug/L
Zinc, dissolved	NE-5	7/9/2002	130	10		ug/L
Zinc, dissolved	NE-5	8/6/2002	170	2		ug/L
Zinc, dissolved	NE-5	9/4/2002	140	2		ug/L
Zinc, dissolved	NE-5	10/2/2002	150	2		ug/L
Zinc, total	LGW-10	1/26/2006	44	5		ug/L
Zinc, total	LGW-10	8/1/2006	12	5		ug/L
Zinc, total	LGW-10	8/1/2006	12	5		ug/L
Zinc, total	LGW-10	10/26/2006	20	20		ug/L
Zinc, total	LGW-10	1/9/2007	8.7	5		ug/L
Zinc, total	LGW-10	1/25/2007	16	5		ug/L
Zinc, total	LGW-10	4/26/2007	9.5	5		ug/L
Zinc, total	LGW-10	7/12/2007	29	5		ug/L
Zinc, total	LGW-10	1/23/2008	7.3	5		ug/L
Zinc, total	LGW-10	7/22/2008	8.2	5		ug/L
Zinc, total	LGW-10	7/29/2009	74	5		ug/L
Zinc, total	LGW-10	2/3/2010	17	5		ug/L
Zinc, total	LGW-10	2/3/2010	17	5		ug/L
Zinc, total	LGW-10	7/16/2010	140	5		ug/L
Zinc, total	LGW-10	1/19/2011	140	5		ug/L
Zinc, total	LGW-10	7/12/2011	140	5		ug/L
Zinc, total	LGW-10	1/5/2012	140	5		ug/L
Zinc, total	LGW-10	7/9/2012	130	5		ug/L
Zinc, total	LGW-10	5/1/2013	90	5		ug/L
Zinc, total	LGW-10	1/30/2014	120	5		ug/L
Zinc, total	LGW-10	7/9/2014	39	5		ug/L
Zinc, total	LGW-10	2/12/2015	34	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-10	7/13/2015	47	5		ug/L
Zinc, total	LGW-10	1/5/2016	31	5		ug/L
Zinc, total	LGW-10	4/6/2016	47	5		ug/L
Zinc, total	LGW-10	7/21/2016	23	5		ug/L
Zinc, total	LGW-10	10/6/2016	14	5		ug/L
Zinc, total	LGW-10	1/11/2017	28	5		ug/L
Zinc, total	LGW-10	4/4/2017	28	5		ug/L
Zinc, total	LGW-10	7/19/2017	51	5		ug/L
Zinc, total	LGW-10	10/9/2017	75	5		ug/L
Zinc, total	LGW-10	1/24/2018	4.9	5	ND	ug/L
Zinc, total	LGW-10	4/11/2018	46	5		ug/L
Zinc, total	LGW-10	7/16/2018	41	5		ug/L
Zinc, total	LGW-10	10/4/2018	17	5		ug/L
Zinc, total	LGW-10	1/4/2019	64	5		ug/L
Zinc, total	LGW-10	4/3/2019	78	5		ug/L
Zinc, total	LGW-10	7/11/2019	87	10		ug/L
Zinc, total	LGW-10	10/2/2019	82	5		ug/L
Zinc, total	LGW-10	1/15/2020	114	5		ug/L
Zinc, total	LGW-10	4/2/2020	52.5	5		ug/L
Zinc, total	LGW-10	7/9/2020	54.2	5		ug/L
Zinc, total	LGW-10	10/7/2020	26.4	5		ug/L
Zinc, total	LGW-10	1/17/2021	98.7	5		ug/L
Zinc, total	LGW-10	4/6/2021	106	5		ug/L
Zinc, total	LGW-10	7/7/2021	116	5		ug/L
Zinc, total	LGW-10	10/5/2021	85	5		ug/L
Zinc, total	LGW-10	1/13/2022	140	5		ug/L
Zinc, total	LGW-10	4/4/2022	132	5		ug/L
Zinc, total	LGW-10	7/11/2022	158	5		ug/L
Zinc, total	LGW-10	10/7/2022	127	5		ug/L
Zinc, total	LGW-10	1/11/2023	141	5		ug/L
Zinc, total	LGW-10	4/5/2023	152	5		ug/L
Zinc, total	LGW-10	7/10/2023	58	5		ug/L
Zinc, total	LGW-10	10/5/2023	99.6	5		ug/L
Zinc, total	LGW-14R	1/25/2006	7.1	5		ug/L
Zinc, total	LGW-14R	8/2/2006	89	5		ug/L
Zinc, total	LGW-14R	8/2/2006	89	5		ug/L
Zinc, total	LGW-14R	10/27/2006	20	20	ND	ug/L
Zinc, total	LGW-14R	1/9/2007	37	5		ug/L
Zinc, total	LGW-14R	1/24/2007	23	5		ug/L
Zinc, total	LGW-14R	4/24/2007	43	5		ug/L
Zinc, total	LGW-14R	7/11/2007	110	5		ug/L
Zinc, total	LGW-14R	1/23/2008	22	5		ug/L
Zinc, total	LGW-14R	7/22/2008	3.8	5	ND	ug/L
Zinc, total	LGW-14R	2/6/2009	24	5		ug/L
Zinc, total	LGW-14R	7/29/2009	4.3	5	ND	ug/L
Zinc, total	LGW-14R	2/3/2010	3.9	5	ND	ug/L
Zinc, total	LGW-14R	2/3/2010	3.9	5	ND	ug/L
Zinc, total	LGW-14R	7/12/2010	3.8	5	ND	ug/L
Zinc, total	LGW-14R	1/19/2011	4.7	5	ND	ug/L
Zinc, total	LGW-14R	7/12/2011	2.7	5	ND	ug/L
Zinc, total	LGW-14R	1/5/2012	4	5	ND	ug/L
Zinc, total	LGW-14R	7/9/2012	3.5	5	ND	ug/L
Zinc, total	LGW-14R	4/30/2013	2.5	5	ND	ug/L
Zinc, total	LGW-14R	1/23/2014	5.4	5		ug/L
Zinc, total	LGW-14R	7/8/2014	4.4	5	ND	ug/L
Zinc, total	LGW-14R	2/11/2015	4.9	5	ND	ug/L
Zinc, total	LGW-14R	7/22/2015	5.5	5		ug/L
Zinc, total	LGW-14R	1/5/2016	5	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-14R	7/19/2016	5.4	5		ug/L
Zinc, total	LGW-14R	1/11/2017	5.1	5		ug/L
Zinc, total	LGW-14R	7/18/2017	8.4	5		ug/L
Zinc, total	LGW-14R	1/25/2018	7.8	5		ug/L
Zinc, total	LGW-14R	6/21/2018	5	5		ug/L
Zinc, total	LGW-14R	7/17/2018	60	5		ug/L
Zinc, total	LGW-14R	10/2/2018	4.3	5	ND	ug/L
Zinc, total	LGW-14R	1/3/2019	4.5	5	ND	ug/L
Zinc, total	LGW-14R	7/10/2019	7.8	10	ND	ug/L
Zinc, total	LGW-14R	1/16/2020	5.23	5		ug/L
Zinc, total	LGW-14R	7/9/2020	5	5	ND	ug/L
Zinc, total	LGW-14R	1/18/2021	14.4	5		ug/L
Zinc, total	LGW-14R	4/6/2021	7.47	5		ug/L
Zinc, total	LGW-14R	7/7/2021	10.3	5		ug/L
Zinc, total	LGW-14R	1/12/2022	7.76	5		ug/L
Zinc, total	LGW-14R	7/11/2022	15.6	5		ug/L
Zinc, total	LGW-14R	1/10/2023	7.39	5		ug/L
Zinc, total	LGW-14R	7/10/2023	10.5	5		ug/L
Zinc, total	LGW-2	1/25/2006	17	5		ug/L
Zinc, total	LGW-2	8/1/2006	12	5		ug/L
Zinc, total	LGW-2	8/1/2006	12	5		ug/L
Zinc, total	LGW-2	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-2	1/9/2007	8.1	5		ug/L
Zinc, total	LGW-2	1/25/2007	8.6	5		ug/L
Zinc, total	LGW-2	4/26/2007	7.5	5		ug/L
Zinc, total	LGW-2	7/10/2007	11	5		ug/L
Zinc, total	LGW-2	1/26/2008	16	5		ug/L
Zinc, total	LGW-2	7/23/2008	7	5		ug/L
Zinc, total	LGW-2	2/6/2009	17	5		ug/L
Zinc, total	LGW-2	7/30/2009	6.8	5		ug/L
Zinc, total	LGW-2	2/3/2010	4.5	5	ND	ug/L
Zinc, total	LGW-2	2/3/2010	4.5	5	ND	ug/L
Zinc, total	LGW-2	7/12/2010	5.7	5		ug/L
Zinc, total	LGW-2	1/19/2011	7.9	5		ug/L
Zinc, total	LGW-2	7/13/2011	4.4	5	ND	ug/L
Zinc, total	LGW-2	1/4/2012	8.2	5		ug/L
Zinc, total	LGW-2	7/9/2012	5	5		ug/L
Zinc, total	LGW-2	4/30/2013	10	5		ug/L
Zinc, total	LGW-2	7/15/2013	8	5		ug/L
Zinc, total	LGW-2	1/30/2014	4.9	5	ND	ug/L
Zinc, total	LGW-2	7/8/2014	8.5	5		ug/L
Zinc, total	LGW-2	2/13/2015	8.6	5		ug/L
Zinc, total	LGW-2	7/8/2015	9.1	5		ug/L
Zinc, total	LGW-2	1/5/2016	8.8	5		ug/L
Zinc, total	LGW-2	7/19/2016	7	5		ug/L
Zinc, total	LGW-2	1/11/2017	16	5		ug/L
Zinc, total	LGW-2	7/18/2017	9.6	5		ug/L
Zinc, total	LGW-2	1/23/2018	3.5	5	ND	ug/L
Zinc, total	LGW-2	7/12/2018	5	5	ND	ug/L
Zinc, total	LGW-2	1/3/2019	5	5	ND	ug/L
Zinc, total	LGW-2	7/9/2019	7.2	10	ND	ug/L
Zinc, total	LGW-2	1/13/2020	5	5	ND	ug/L
Zinc, total	LGW-2	4/1/2020	6.07	5		ug/L
Zinc, total	LGW-2	7/8/2020	5	5	ND	ug/L
Zinc, total	LGW-2	1/18/2021	16.6	5		ug/L
Zinc, total	LGW-2	7/4/2021	16.6	5		ug/L
Zinc, total	LGW-2	1/12/2022	7.79	5		ug/L
Zinc, total	LGW-2	7/10/2022	6.9	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-2	1/10/2023	6.43	5		ug/L
Zinc, total	LGW-2	7/10/2023	6.97	5		ug/L
Zinc, total	LGW-3R	1/24/2006	5.6	5		ug/L
Zinc, total	LGW-3R	7/20/2006	6.6	5		ug/L
Zinc, total	LGW-3R	7/20/2006	6.6	5		ug/L
Zinc, total	LGW-3R	10/26/2006	53	20		ug/L
Zinc, total	LGW-3R	1/8/2007	15	5		ug/L
Zinc, total	LGW-3R	1/25/2007	6.4	5		ug/L
Zinc, total	LGW-3R	4/26/2007	7.2	5		ug/L
Zinc, total	LGW-3R	7/11/2007	6.8	5		ug/L
Zinc, total	LGW-3R	1/26/2008	12	5		ug/L
Zinc, total	LGW-3R	7/23/2008	3.5	5	ND	ug/L
Zinc, total	LGW-3R	2/3/2009	5.6	5		ug/L
Zinc, total	LGW-3R	7/31/2009	27	5		ug/L
Zinc, total	LGW-3R	2/3/2010	4.2	5	ND	ug/L
Zinc, total	LGW-3R	2/3/2010	4.2	5	ND	ug/L
Zinc, total	LGW-3R	7/16/2010	5	5	ND	ug/L
Zinc, total	LGW-3R	1/19/2011	3.2	5	ND	ug/L
Zinc, total	LGW-3R	7/13/2011	2.9	5	ND	ug/L
Zinc, total	LGW-3R	1/4/2012	5.4	5		ug/L
Zinc, total	LGW-3R	7/9/2012	3.5	5	ND	ug/L
Zinc, total	LGW-3R	4/30/2013	12	5		ug/L
Zinc, total	LGW-3R	7/15/2013	13	5		ug/L
Zinc, total	LGW-3R	1/22/2014	6.2	5		ug/L
Zinc, total	LGW-3R	7/8/2014	14	5		ug/L
Zinc, total	LGW-3R	2/10/2015	6.8	5		ug/L
Zinc, total	LGW-3R	7/16/2015	3.7	5	ND	ug/L
Zinc, total	LGW-3R	1/8/2016	2.4	5	ND	ug/L
Zinc, total	LGW-3R	7/21/2016	24	5		ug/L
Zinc, total	LGW-3R	1/11/2017	5.8	5		ug/L
Zinc, total	LGW-3R	7/18/2017	180	5		ug/L
Zinc, total	LGW-3R	1/23/2018	24	5		ug/L
Zinc, total	LGW-3R	7/11/2018	9	5		ug/L
Zinc, total	LGW-3R	1/3/2019	13	5		ug/L
Zinc, total	LGW-3R	7/9/2019	12	10		ug/L
Zinc, total	LGW-3R	1/14/2020	11.9	5		ug/L
Zinc, total	LGW-3R	7/6/2020	7.54	5		ug/L
Zinc, total	LGW-3R	1/18/2021	18.8	5		ug/L
Zinc, total	LGW-3R	7/6/2021	9.28	5		ug/L
Zinc, total	LGW-3R	1/12/2022	5.12	5		ug/L
Zinc, total	LGW-3R	7/10/2022	5.18	5		ug/L
Zinc, total	LGW-3R	1/10/2023	5	5	ND	ug/L
Zinc, total	LGW-3R	7/10/2023	7.52	5		ug/L
Zinc, total	LGW-4	1/24/2006	11	5		ug/L
Zinc, total	LGW-4	7/20/2006	5.5	5		ug/L
Zinc, total	LGW-4	7/20/2006	5.5	5		ug/L
Zinc, total	LGW-4	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-4	1/9/2007	8.1	5		ug/L
Zinc, total	LGW-4	1/25/2007	8.6	5		ug/L
Zinc, total	LGW-4	4/26/2007	7.1	5		ug/L
Zinc, total	LGW-4	7/11/2007	6.5	5		ug/L
Zinc, total	LGW-4	1/22/2008	5.5	5		ug/L
Zinc, total	LGW-4	7/23/2008	3.5	5	ND	ug/L
Zinc, total	LGW-4	2/3/2009	5.9	5		ug/L
Zinc, total	LGW-4	7/31/2009	3.2	5	ND	ug/L
Zinc, total	LGW-4	2/3/2010	3.4	5	ND	ug/L
Zinc, total	LGW-4	2/3/2010	3.4	5	ND	ug/L
Zinc, total	LGW-4	7/16/2010	2.6	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-4	1/19/2011	2.8	5	ND	ug/L
Zinc, total	LGW-4	7/13/2011	2.3	5	ND	ug/L
Zinc, total	LGW-4	1/4/2012	3.8	5	ND	ug/L
Zinc, total	LGW-4	7/9/2012	2.6	5	ND	ug/L
Zinc, total	LGW-4	4/30/2013	3.8	5	ND	ug/L
Zinc, total	LGW-4	7/15/2013	3	5	ND	ug/L
Zinc, total	LGW-4	1/23/2014	4	5	ND	ug/L
Zinc, total	LGW-4	7/8/2014	3.4	5	ND	ug/L
Zinc, total	LGW-4	2/11/2015	5.2	5		ug/L
Zinc, total	LGW-4	7/8/2015	4.8	5	ND	ug/L
Zinc, total	LGW-4	1/5/2016	6.3	5		ug/L
Zinc, total	LGW-4	7/19/2016	5.9	5		ug/L
Zinc, total	LGW-4	1/11/2017	4.8	5	ND	ug/L
Zinc, total	LGW-4	7/18/2017	12	5		ug/L
Zinc, total	LGW-4	1/23/2018	5.5	5		ug/L
Zinc, total	LGW-4	7/11/2018	6.6	5		ug/L
Zinc, total	LGW-4	1/3/2019	8.4	5		ug/L
Zinc, total	LGW-4	7/9/2019	19	10		ug/L
Zinc, total	LGW-4	10/1/2019	56	5		ug/L
Zinc, total	LGW-4	1/14/2020	9.12	5		ug/L
Zinc, total	LGW-4	7/6/2020	12.5	5		ug/L
Zinc, total	LGW-4	1/18/2021	105	5		ug/L
Zinc, total	LGW-4	4/6/2021	7.05	5		ug/L
Zinc, total	LGW-4	7/7/2021	31.5	5		ug/L
Zinc, total	LGW-4	10/5/2021	10.6	5		ug/L
Zinc, total	LGW-4	1/12/2022	12.1	5		ug/L
Zinc, total	LGW-4	7/11/2022	13.9	5		ug/L
Zinc, total	LGW-4	1/10/2023	37.9	5		ug/L
Zinc, total	LGW-4	7/10/2023	18.7	5		ug/L
Zinc, total	LGW-5	1/25/2006	9.1	5		ug/L
Zinc, total	LGW-5	8/1/2006	6.2	5		ug/L
Zinc, total	LGW-5	8/1/2006	6.2	5		ug/L
Zinc, total	LGW-5	10/26/2006	20	20	ND	ug/L
Zinc, total	LGW-5	1/9/2007	6.1	5		ug/L
Zinc, total	LGW-5	1/25/2007	6.9	5		ug/L
Zinc, total	LGW-5	4/26/2007	6.4	5		ug/L
Zinc, total	LGW-5	7/11/2007	6.1	5		ug/L
Zinc, total	LGW-5	1/23/2008	4.5	5	ND	ug/L
Zinc, total	LGW-5	7/23/2008	3.9	5	ND	ug/L
Zinc, total	LGW-5	2/4/2009	7.3	5		ug/L
Zinc, total	LGW-5	7/29/2009	3	5	ND	ug/L
Zinc, total	LGW-5	2/3/2010	4.1	5	ND	ug/L
Zinc, total	LGW-5	2/3/2010	4.1	5	ND	ug/L
Zinc, total	LGW-5	7/12/2010	2	5	ND	ug/L
Zinc, total	LGW-5	1/19/2011	3.8	5	ND	ug/L
Zinc, total	LGW-5	7/12/2011	5	5	ND	ug/L
Zinc, total	LGW-5	1/5/2012	5.3	5		ug/L
Zinc, total	LGW-5	7/9/2012	3.2	5	ND	ug/L
Zinc, total	LGW-5	4/30/2013	2.5	5	ND	ug/L
Zinc, total	LGW-5	7/15/2013	4.3	5	ND	ug/L
Zinc, total	LGW-5	1/23/2014	10	5		ug/L
Zinc, total	LGW-5	7/8/2014	11	5		ug/L
Zinc, total	LGW-5	2/10/2015	18	5		ug/L
Zinc, total	LGW-5	7/8/2015	15	5		ug/L
Zinc, total	LGW-5	1/5/2016	18	5		ug/L
Zinc, total	LGW-5	7/19/2016	14	5		ug/L
Zinc, total	LGW-5	1/11/2017	11	5		ug/L
Zinc, total	LGW-5	7/18/2017	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-5	1/23/2018	16	5		ug/L
Zinc, total	LGW-5	7/12/2018	21	5		ug/L
Zinc, total	LGW-5	1/3/2019	33	5		ug/L
Zinc, total	LGW-5	7/9/2019	56	10		ug/L
Zinc, total	LGW-5	1/14/2020	68.9	5		ug/L
Zinc, total	LGW-5	7/6/2020	73.4	5		ug/L
Zinc, total	LGW-5	1/18/2021	93.8	5		ug/L
Zinc, total	LGW-5	4/6/2021	62	5		ug/L
Zinc, total	LGW-5	7/7/2021	50.4	5		ug/L
Zinc, total	LGW-5	10/5/2021	26.3	5		ug/L
Zinc, total	LGW-5	1/12/2022	94.1	5		ug/L
Zinc, total	LGW-5	4/4/2022	88.5	5		ug/L
Zinc, total	LGW-5	7/11/2022	60.2	5		ug/L
Zinc, total	LGW-5	10/6/2022	25.9	5		ug/L
Zinc, total	LGW-5	1/10/2023	22	5		ug/L
Zinc, total	LGW-5	7/10/2023	20.9	5		ug/L
Zinc, total	LGW-5	10/5/2023	120	5		ug/L
Zinc, total	LGW-6	1/24/2006	9	5		ug/L
Zinc, total	LGW-6	7/20/2006	7.7	5		ug/L
Zinc, total	LGW-6	7/20/2006	7.7	5		ug/L
Zinc, total	LGW-6	10/26/2006	26	20		ug/L
Zinc, total	LGW-6	1/9/2007	9.5	5		ug/L
Zinc, total	LGW-6	1/24/2007	12	5		ug/L
Zinc, total	LGW-6	4/26/2007	9.1	5		ug/L
Zinc, total	LGW-6	7/11/2007	9.3	5		ug/L
Zinc, total	LGW-6	1/23/2008	5.5	5		ug/L
Zinc, total	LGW-6	7/23/2008	6.1	5		ug/L
Zinc, total	LGW-6	2/5/2009	12	5		ug/L
Zinc, total	LGW-6	7/29/2009	14	5		ug/L
Zinc, total	LGW-6	2/3/2010	6	5		ug/L
Zinc, total	LGW-6	2/3/2010	6	5		ug/L
Zinc, total	LGW-6	7/12/2010	7	5		ug/L
Zinc, total	LGW-6	1/19/2011	6.1	5		ug/L
Zinc, total	LGW-6	7/12/2011	6	5		ug/L
Zinc, total	LGW-6	1/5/2012	6.7	5		ug/L
Zinc, total	LGW-6	7/9/2012	6.2	5		ug/L
Zinc, total	LGW-6	4/30/2013	29	5		ug/L
Zinc, total	LGW-6	7/15/2013	7.1	5		ug/L
Zinc, total	LGW-6	1/23/2014	7	5		ug/L
Zinc, total	LGW-6	7/8/2014	6.7	5		ug/L
Zinc, total	LGW-6	2/10/2015	8	5		ug/L
Zinc, total	LGW-6	7/22/2015	10	5		ug/L
Zinc, total	LGW-6	1/5/2016	7.5	5		ug/L
Zinc, total	LGW-6	7/19/2016	190	5		ug/L
Zinc, total	LGW-6	9/6/2016	310	5		ug/L
Zinc, total	LGW-6	10/6/2016	310	5		ug/L
Zinc, total	LGW-6	1/11/2017	310	5		ug/L
Zinc, total	LGW-6	5/5/2017	250	5		ug/L
Zinc, total	LGW-6	7/18/2017	310	5		ug/L
Zinc, total	LGW-6	10/5/2017	270	5		ug/L
Zinc, total	LGW-6	1/23/2018	270	5		ug/L
Zinc, total	LGW-6	4/10/2018	280	5		ug/L
Zinc, total	LGW-6	7/17/2018	250	5		ug/L
Zinc, total	LGW-6	10/2/2018	230	5		ug/L
Zinc, total	LGW-6	1/7/2019	240	5		ug/L
Zinc, total	LGW-6	4/3/2019	240	5		ug/L
Zinc, total	LGW-6	7/10/2019	220	10		ug/L
Zinc, total	LGW-6	10/3/2019	210	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-6	1/16/2020	226	5		ug/L
Zinc, total	LGW-6	4/2/2020	240	5		ug/L
Zinc, total	LGW-6	7/9/2020	218	5		ug/L
Zinc, total	LGW-6	10/6/2020	243	5		ug/L
Zinc, total	LGW-6	1/18/2021	204	5		ug/L
Zinc, total	LGW-6	4/6/2021	189	5		ug/L
Zinc, total	LGW-6	7/7/2021	192	5		ug/L
Zinc, total	LGW-6	10/5/2021	183	5		ug/L
Zinc, total	LGW-6	1/12/2022	175	5		ug/L
Zinc, total	LGW-6	4/4/2022	170	5		ug/L
Zinc, total	LGW-6	7/11/2022	162	5		ug/L
Zinc, total	LGW-6	10/6/2022	161	5		ug/L
Zinc, total	LGW-6	1/10/2023	140	5		ug/L
Zinc, total	LGW-6	4/6/2023	155	5		ug/L
Zinc, total	LGW-6	7/10/2023	156	5		ug/L
Zinc, total	LGW-6	10/5/2023	139	5		ug/L
Zinc, total	LGW-7	1/25/2006	9.1	5		ug/L
Zinc, total	LGW-7	8/1/2006	15	5		ug/L
Zinc, total	LGW-7	8/1/2006	15	5		ug/L
Zinc, total	LGW-7	10/26/2006	24	20		ug/L
Zinc, total	LGW-7	1/9/2007	18	5		ug/L
Zinc, total	LGW-7	1/24/2007	19	5		ug/L
Zinc, total	LGW-7	4/26/2007	17	5		ug/L
Zinc, total	LGW-7	7/12/2007	19	5		ug/L
Zinc, total	LGW-7	7/22/2008	18	5		ug/L
Zinc, total	LGW-7	2/4/2009	21	5		ug/L
Zinc, total	LGW-7	7/31/2009	16	5		ug/L
Zinc, total	LGW-7	1/27/2010	18	5		ug/L
Zinc, total	LGW-7	7/12/2010	16	5		ug/L
Zinc, total	LGW-7	1/20/2011	21	5		ug/L
Zinc, total	LGW-7	7/12/2011	19	5		ug/L
Zinc, total	LGW-7	1/5/2012	22	5		ug/L
Zinc, total	LGW-7	7/10/2012	22	5		ug/L
Zinc, total	LGW-7	4/30/2013	27	5		ug/L
Zinc, total	LGW-7	7/15/2013	27	5		ug/L
Zinc, total	LGW-7	1/23/2014	37	5		ug/L
Zinc, total	LGW-7	7/8/2014	35	5		ug/L
Zinc, total	LGW-7	2/11/2015	37	5		ug/L
Zinc, total	LGW-7	7/22/2015	93	5		ug/L
Zinc, total	LGW-7	1/5/2016	710	5		ug/L
Zinc, total	LGW-7	4/6/2016	810	5		ug/L
Zinc, total	LGW-7	7/20/2016	870	5		ug/L
Zinc, total	LGW-7	9/6/2016	920	5		ug/L
Zinc, total	LGW-7	10/6/2016	870	5		ug/L
Zinc, total	LGW-7	1/11/2017	370	5		ug/L
Zinc, total	LGW-7	4/4/2017	320	5		ug/L
Zinc, total	LGW-7	7/18/2017	10	5		ug/L
Zinc, total	LGW-7	10/5/2017	560	5		ug/L
Zinc, total	LGW-7	1/24/2018	450	5		ug/L
Zinc, total	LGW-7	4/11/2018	340	5		ug/L
Zinc, total	LGW-7	7/12/2018	310	5		ug/L
Zinc, total	LGW-7	10/2/2018	270	5		ug/L
Zinc, total	LGW-7	1/7/2019	160	5		ug/L
Zinc, total	LGW-7	4/3/2019	150	5		ug/L
Zinc, total	LGW-7	7/10/2019	280	10		ug/L
Zinc, total	LGW-7	10/3/2019	64	5		ug/L
Zinc, total	LGW-7	1/15/2020	18.2	5		ug/L
Zinc, total	LGW-7	7/9/2020	7.99	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-7	1/18/2021	11.6	5		ug/L
Zinc, total	LGW-7	7/7/2021	20.8	5		ug/L
Zinc, total	LGW-7	10/5/2021	7.71	5		ug/L
Zinc, total	LGW-7	1/13/2022	8.33	5		ug/L
Zinc, total	LGW-7	7/11/2022	36.6	5		ug/L
Zinc, total	LGW-7	1/11/2023	8.87	5		ug/L
Zinc, total	LGW-7	7/10/2023	44.5	5		ug/L
Zinc, total	LGW-8R	1/24/2006	14	5		ug/L
Zinc, total	LGW-8R	7/20/2006	13	5		ug/L
Zinc, total	LGW-8R	7/20/2006	13	5		ug/L
Zinc, total	LGW-8R	10/26/2006	27	20		ug/L
Zinc, total	LGW-8R	1/9/2007	20	5		ug/L
Zinc, total	LGW-8R	1/24/2007	24	5		ug/L
Zinc, total	LGW-8R	4/25/2007	18	5		ug/L
Zinc, total	LGW-8R	7/12/2007	15	5		ug/L
Zinc, total	LGW-8R	2/4/2009	7.9	5	ND	ug/L
Zinc, total	LGW-8R	7/29/2009	2.4	5	ND	ug/L
Zinc, total	LGW-8R	1/27/2010	4.6	5	ND	ug/L
Zinc, total	LGW-8R	7/14/2010	2	5	ND	ug/L
Zinc, total	LGW-8R	1/20/2011	2.9	5	ND	ug/L
Zinc, total	LGW-8R	7/12/2011	5	5	ND	ug/L
Zinc, total	LGW-8R	1/5/2012	2.9	5	ND	ug/L
Zinc, total	LGW-8R	7/9/2012	2	5	ND	ug/L
Zinc, total	LGW-8R	4/30/2013	3.7	5	ND	ug/L
Zinc, total	LGW-8R	7/15/2013	2.7	5	ND	ug/L
Zinc, total	LGW-8R	1/22/2014	2.8	5	ND	ug/L
Zinc, total	LGW-8R	7/8/2014	11	5		ug/L
Zinc, total	LGW-8R	2/11/2015	3	5	ND	ug/L
Zinc, total	LGW-8R	7/22/2015	11	5		ug/L
Zinc, total	LGW-8R	1/5/2016	5.3	5		ug/L
Zinc, total	LGW-8R	7/20/2016	6.5	5		ug/L
Zinc, total	LGW-8R	1/11/2017	4.3	5	ND	ug/L
Zinc, total	LGW-8R	7/18/2017	5.7	5		ug/L
Zinc, total	LGW-8R	1/25/2018	3.4	5	ND	ug/L
Zinc, total	LGW-8R	7/13/2018	5	5	ND	ug/L
Zinc, total	LGW-8R	1/7/2019	3.6	5	ND	ug/L
Zinc, total	LGW-8R	7/8/2019	9.9	10	ND	ug/L
Zinc, total	LGW-8R	1/14/2020	5.65	5		ug/L
Zinc, total	LGW-8R	7/7/2020	5	5	ND	ug/L
Zinc, total	LGW-8R	1/17/2021	2.56	2.56	ND	ug/L
Zinc, total	LGW-8R	7/7/2021	6.22	5		ug/L
Zinc, total	LGW-8R	1/13/2022	5	5	ND	ug/L
Zinc, total	LGW-8R	7/11/2022	9.56	5		ug/L
Zinc, total	LGW-8R	1/11/2023	17.2	5		ug/L
Zinc, total	LGW-8R	7/10/2023	38.7	5		ug/L
Zinc, total	LGW-8R	10/5/2023	58.5	5		ug/L
Zinc, total	LGW-9	1/25/2006	120	5		ug/L
Zinc, total	LGW-9	7/20/2006	96	5		ug/L
Zinc, total	LGW-9	7/20/2006	96	5		ug/L
Zinc, total	LGW-9	10/26/2006	100	20		ug/L
Zinc, total	LGW-9	1/9/2007	87	5		ug/L
Zinc, total	LGW-9	1/25/2007	120	5		ug/L
Zinc, total	LGW-9	4/25/2007	79	5		ug/L
Zinc, total	LGW-9	7/10/2007	77	5		ug/L
Zinc, total	LGW-9	7/22/2008	110	5		ug/L
Zinc, total	LGW-9	2/4/2009	93	5		ug/L
Zinc, total	LGW-9	7/29/2009	65	5		ug/L
Zinc, total	LGW-9	1/27/2010	91	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	LGW-9	7/14/2010	88	5		ug/L
Zinc, total	LGW-9	1/20/2011	120	5		ug/L
Zinc, total	LGW-9	7/12/2011	130	5		ug/L
Zinc, total	LGW-9	1/5/2012	160	5		ug/L
Zinc, total	LGW-9	7/10/2012	160	5		ug/L
Zinc, total	LGW-9	5/1/2013	170	5		ug/L
Zinc, total	LGW-9	7/15/2013	150	5		ug/L
Zinc, total	LGW-9	1/23/2014	120	5		ug/L
Zinc, total	LGW-9	7/8/2014	160	5		ug/L
Zinc, total	LGW-9	2/11/2015	130	5		ug/L
Zinc, total	LGW-9	7/13/2015	110	5		ug/L
Zinc, total	LGW-9	1/5/2016	100	5		ug/L
Zinc, total	LGW-9	7/21/2016	220	5		ug/L
Zinc, total	LGW-9	9/6/2016	200	5		ug/L
Zinc, total	LGW-9	10/6/2016	220	5		ug/L
Zinc, total	LGW-9	1/11/2017	230	5		ug/L
Zinc, total	LGW-9	5/5/2017	150	5		ug/L
Zinc, total	LGW-9	7/18/2017	170	5		ug/L
Zinc, total	LGW-9	10/5/2017	180	5		ug/L
Zinc, total	LGW-9	1/24/2018	160	5		ug/L
Zinc, total	LGW-9	4/11/2018	180	5		ug/L
Zinc, total	LGW-9	7/13/2018	160	5		ug/L
Zinc, total	LGW-9	10/2/2018	150	5		ug/L
Zinc, total	LGW-9	1/7/2019	170	5		ug/L
Zinc, total	LGW-9	4/3/2019	210	5		ug/L
Zinc, total	LGW-9	7/10/2019	180	10		ug/L
Zinc, total	LGW-9	10/3/2019	150	5		ug/L
Zinc, total	LGW-9	1/16/2020	83	5		ug/L
Zinc, total	LGW-9	4/2/2020	97	5		ug/L
Zinc, total	LGW-9	7/9/2020	105	5		ug/L
Zinc, total	LGW-9	10/7/2020	141	5		ug/L
Zinc, total	LGW-9	1/17/2021	170	5		ug/L
Zinc, total	LGW-9	4/6/2021	87.1	5		ug/L
Zinc, total	LGW-9	7/7/2021	96.9	5		ug/L
Zinc, total	LGW-9	10/5/2021	130	5		ug/L
Zinc, total	LGW-9	1/13/2022	88.4	5		ug/L
Zinc, total	LGW-9	4/4/2022	92.2	5		ug/L
Zinc, total	LGW-9	7/11/2022	96.5	5		ug/L
Zinc, total	LGW-9	10/7/2022	84.2	5		ug/L
Zinc, total	LGW-9	1/11/2023	80.4	5		ug/L
Zinc, total	LGW-9	4/5/2023	58.5	5		ug/L
Zinc, total	LGW-9	7/10/2023	73.9	5		ug/L
Zinc, total	LGW-9	10/5/2023	62.4	5		ug/L
Zinc, total	MW-10N	10/22/1997	69	5		ug/L
Zinc, total	MW-10N	1/22/1998	48	5		ug/L
Zinc, total	MW-10N	4/28/1998	160	5		ug/L
Zinc, total	MW-10N	7/23/1998	5.1	5		ug/L
Zinc, total	MW-10N	1/14/1999	54	5		ug/L
Zinc, total	MW-10N	4/13/1999	26	5		ug/L
Zinc, total	MW-10N	7/15/1999	5	5	ND	ug/L
Zinc, total	MW-10N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-10N	1/14/2000	7.5	5		ug/L
Zinc, total	MW-10N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-10N	7/11/2000	18	18	ND	ug/L
Zinc, total	MW-10N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-10N	1/24/2001	6.6	5.2		ug/L
Zinc, total	MW-10N	4/10/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-10N	7/10/2002	10	10	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-10N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-10N	1/22/2003	29	5		ug/L
Zinc, total	MW-10N	4/15/2003	13	5		ug/L
Zinc, total	MW-10N	7/8/2003	19	5		ug/L
Zinc, total	MW-10N	1/28/2004	12	7.1		ug/L
Zinc, total	MW-10N	7/27/2004	5	5	ND	ug/L
Zinc, total	MW-10N	1/12/2005	5.8	5		ug/L
Zinc, total	MW-10N	7/20/2005	20	5		ug/L
Zinc, total	MW-10N	1/19/2006	5	5		ug/L
Zinc, total	MW-10N	7/19/2006	4.4	5	ND	ug/L
Zinc, total	MW-10N	7/19/2006	4.4	5	ND	ug/L
Zinc, total	MW-10N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-10N	1/10/2007	6.5	5		ug/L
Zinc, total	MW-10N	1/24/2007	4.6	5	ND	ug/L
Zinc, total	MW-10N	7/10/2007	5	5		ug/L
Zinc, total	MW-10N	1/23/2008	2.6	5	ND	ug/L
Zinc, total	MW-10N	7/21/2008	3.5	5	ND	ug/L
Zinc, total	MW-10N	2/13/2009	6.2	5		ug/L
Zinc, total	MW-10N	7/31/2009	2.6	5	ND	ug/L
Zinc, total	MW-10N	1/27/2010	2.4	5	ND	ug/L
Zinc, total	MW-10N	8/10/2010	5.1	5		ug/L
Zinc, total	MW-10N	1/19/2011	5	5	ND	ug/L
Zinc, total	MW-10N	7/14/2011	2.9	5	ND	ug/L
Zinc, total	MW-10N	1/5/2012	2.9	5	ND	ug/L
Zinc, total	MW-10N	7/10/2012	5	5	ND	ug/L
Zinc, total	MW-10N	5/1/2013	5	5	ND	ug/L
Zinc, total	MW-10N	1/24/2014	5	5	ND	ug/L
Zinc, total	MW-10N	7/9/2014	3.9	5	ND	ug/L
Zinc, total	MW-10N	2/12/2015	5	5	ND	ug/L
Zinc, total	MW-10N	7/14/2015	5	5	ND	ug/L
Zinc, total	MW-10N	1/6/2016	5	5	ND	ug/L
Zinc, total	MW-10N	7/21/2016	2.4	5	ND	ug/L
Zinc, total	MW-10N	1/11/2017	5	5	ND	ug/L
Zinc, total	MW-10N	7/19/2017	5	5	ND	ug/L
Zinc, total	MW-10N	1/24/2018	5	5	ND	ug/L
Zinc, total	MW-10N	7/11/2018	2.1	5	ND	ug/L
Zinc, total	MW-10N	1/3/2019	5	5	ND	ug/L
Zinc, total	MW-10N	7/9/2019	4	10	ND	ug/L
Zinc, total	MW-10N	1/16/2020	5	5	ND	ug/L
Zinc, total	MW-10N	7/8/2020	5	5	ND	ug/L
Zinc, total	MW-10N	1/13/2021	5.06	5		ug/L
Zinc, total	MW-10N	7/5/2021	5	5	ND	ug/L
Zinc, total	MW-10N	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-10N	7/7/2023	5	5	ND	ug/L
Zinc, total	MW-11N	10/22/1997	74	5		ug/L
Zinc, total	MW-11N	1/21/1998	9.4	5		ug/L
Zinc, total	MW-11N	4/28/1998	170	5		ug/L
Zinc, total	MW-11N	7/23/1998	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/1999	46	5		ug/L
Zinc, total	MW-11N	4/13/1999	20	5		ug/L
Zinc, total	MW-11N	7/14/1999	6.9	5		ug/L
Zinc, total	MW-11N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/2000	5	5	ND	ug/L
Zinc, total	MW-11N	4/25/2000	11	5		ug/L
Zinc, total	MW-11N	7/10/2000	18	18	ND	ug/L
Zinc, total	MW-11N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-11N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-11N	4/10/2001	30	5.2		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-11N	7/9/2002	10	10	ND	ug/L
Zinc, total	MW-11N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-11N	1/23/2003	5	5	ND	ug/L
Zinc, total	MW-11N	4/15/2003	5	5	ND	ug/L
Zinc, total	MW-11N	7/8/2003	18	5		ug/L
Zinc, total	MW-11N	1/29/2004	18	7.1		ug/L
Zinc, total	MW-11N	7/27/2004	5	5	ND	ug/L
Zinc, total	MW-11N	1/13/2005	5	5	ND	ug/L
Zinc, total	MW-11N	7/20/2005	7	5		ug/L
Zinc, total	MW-11N	1/19/2006	13	5		ug/L
Zinc, total	MW-11N	7/18/2006	7.4	5		ug/L
Zinc, total	MW-11N	7/18/2006	7.4	5		ug/L
Zinc, total	MW-11N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-11N	1/9/2007	11	5		ug/L
Zinc, total	MW-11N	1/24/2007	11	5		ug/L
Zinc, total	MW-11N	7/10/2007	20	5		ug/L
Zinc, total	MW-11N	1/22/2008	23	5		ug/L
Zinc, total	MW-11N	7/23/2008	22	5		ug/L
Zinc, total	MW-11N	2/3/2009	23	5		ug/L
Zinc, total	MW-11N	7/31/2009	18	5		ug/L
Zinc, total	MW-11N	2/3/2010	26	5		ug/L
Zinc, total	MW-11N	2/3/2010	26	5		ug/L
Zinc, total	MW-11N	7/16/2010	19	5		ug/L
Zinc, total	MW-11N	1/19/2011	19	5		ug/L
Zinc, total	MW-11N	7/13/2011	19	5		ug/L
Zinc, total	MW-11N	1/4/2012	18	5		ug/L
Zinc, total	MW-11N	7/9/2012	17	5		ug/L
Zinc, total	MW-11N	4/30/2013	21	5		ug/L
Zinc, total	MW-11N	7/15/2013	14	5		ug/L
Zinc, total	MW-11N	1/23/2014	19	5		ug/L
Zinc, total	MW-11N	7/8/2014	15	5		ug/L
Zinc, total	MW-11N	2/10/2015	18	5		ug/L
Zinc, total	MW-11N	7/13/2015	13	5		ug/L
Zinc, total	MW-11N	1/5/2016	16	5		ug/L
Zinc, total	MW-11N	7/21/2016	17	5		ug/L
Zinc, total	MW-11N	1/11/2017	16	5		ug/L
Zinc, total	MW-11N	7/19/2017	15	5		ug/L
Zinc, total	MW-11N	1/23/2018	24	5		ug/L
Zinc, total	MW-11N	7/17/2018	15	5		ug/L
Zinc, total	MW-11N	1/2/2019	15	5		ug/L
Zinc, total	MW-11N	7/9/2019	25	10		ug/L
Zinc, total	MW-11N	1/14/2020	18.2	5		ug/L
Zinc, total	MW-11N	7/6/2020	14.4	5		ug/L
Zinc, total	MW-11N	1/18/2021	24.1	5		ug/L
Zinc, total	MW-11N	7/6/2021	19.7	5		ug/L
Zinc, total	MW-11N	1/18/2022	17.7	5		ug/L
Zinc, total	MW-11N	7/13/2022	19.8	5		ug/L
Zinc, total	MW-11N	1/10/2023	22.2	5		ug/L
Zinc, total	MW-11N	7/8/2023	22.8	5		ug/L
Zinc, total	MW-15	6/5/2015	4.1	5	ND	ug/L
Zinc, total	MW-15	7/15/2015	4.9	5	ND	ug/L
Zinc, total	MW-15	8/5/2015	23	5		ug/L
Zinc, total	MW-15	9/3/2015	3.7	5	ND	ug/L
Zinc, total	MW-15	1/7/2016	6	5		ug/L
Zinc, total	MW-15	4/5/2016	7.6	5		ug/L
Zinc, total	MW-15	7/20/2016	5.4	5		ug/L
Zinc, total	MW-15	10/6/2016	5.5	5		ug/L
Zinc, total	MW-15	1/10/2017	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-15	7/18/2017	17	5		ug/L
Zinc, total	MW-15	1/23/2018	3.9	5	ND	ug/L
Zinc, total	MW-15	7/10/2018	2.7	5	ND	ug/L
Zinc, total	MW-15	1/3/2019	4.7	5	ND	ug/L
Zinc, total	MW-15	7/9/2019	6.4	10	ND	ug/L
Zinc, total	MW-15	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-15	8/3/2020	11.1	5		ug/L
Zinc, total	MW-15	1/18/2021	7.28	5		ug/L
Zinc, total	MW-15	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-15	1/12/2022	5	5	ND	ug/L
Zinc, total	MW-15	7/10/2022	5	5	ND	ug/L
Zinc, total	MW-15	1/10/2023	5.25	5		ug/L
Zinc, total	MW-15	7/10/2023	6.43	5		ug/L
Zinc, total	MW-16	6/5/2015	5.4	5		ug/L
Zinc, total	MW-16	7/16/2015	5.4	5		ug/L
Zinc, total	MW-16	8/5/2015	5.4	5		ug/L
Zinc, total	MW-16	9/3/2015	3.2	5	ND	ug/L
Zinc, total	MW-16	1/8/2016	8.5	5		ug/L
Zinc, total	MW-16	4/5/2016	5.4	5		ug/L
Zinc, total	MW-16	7/21/2016	3.4	5	ND	ug/L
Zinc, total	MW-16	10/5/2016	14	5		ug/L
Zinc, total	MW-16	1/10/2017	5.9	5		ug/L
Zinc, total	MW-16	7/18/2017	4.3	5	ND	ug/L
Zinc, total	MW-16	1/23/2018	4.3	5	ND	ug/L
Zinc, total	MW-16	7/11/2018	5	5	ND	ug/L
Zinc, total	MW-16	1/2/2019	2.6	5	ND	ug/L
Zinc, total	MW-16	7/10/2019	5.6	10	ND	ug/L
Zinc, total	MW-16	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-16	8/3/2020	5.39	5		ug/L
Zinc, total	MW-16	1/18/2021	9.48	5		ug/L
Zinc, total	MW-16	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-16	1/12/2022	5	5	ND	ug/L
Zinc, total	MW-16	7/10/2022	5	5	ND	ug/L
Zinc, total	MW-16	1/10/2023	5.73	5		ug/L
Zinc, total	MW-16	7/10/2023	8.31	5		ug/L
Zinc, total	MW-17	6/5/2015	8.3	5		ug/L
Zinc, total	MW-17	7/15/2015	4.2	5	ND	ug/L
Zinc, total	MW-17	8/4/2015	4	5	ND	ug/L
Zinc, total	MW-17	9/2/2015	4.1	5	ND	ug/L
Zinc, total	MW-17	1/7/2016	6	5		ug/L
Zinc, total	MW-17	4/5/2016	4.8	5	ND	ug/L
Zinc, total	MW-17	7/20/2016	3.1	5	ND	ug/L
Zinc, total	MW-17	10/6/2016	2.6	5	ND	ug/L
Zinc, total	MW-17	1/10/2017	3	5	ND	ug/L
Zinc, total	MW-17	7/18/2017	4.3	5	ND	ug/L
Zinc, total	MW-17	1/23/2018	4	5	ND	ug/L
Zinc, total	MW-17	7/10/2018	2.4	5	ND	ug/L
Zinc, total	MW-17	1/3/2019	2.3	5	ND	ug/L
Zinc, total	MW-17	7/11/2019	5.5	10	ND	ug/L
Zinc, total	MW-17	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-17	8/3/2020	5.05	5		ug/L
Zinc, total	MW-17	1/14/2021	5	5	ND	ug/L
Zinc, total	MW-17	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-17	1/10/2023	16.6	5		ug/L
Zinc, total	MW-17	4/5/2023	7.3	5		ug/L
Zinc, total	MW-17	7/8/2023	5	5	ND	ug/L
Zinc, total	MW-19	6/5/2015	8.5	5		ug/L
Zinc, total	MW-19	7/16/2015	15	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-19	8/5/2015	3.5	5	ND	ug/L
Zinc, total	MW-19	9/3/2015	5	5	ND	ug/L
Zinc, total	MW-19	1/7/2016	3.4	5	ND	ug/L
Zinc, total	MW-19	4/5/2016	8.3	5		ug/L
Zinc, total	MW-19	7/21/2016	5	5	ND	ug/L
Zinc, total	MW-19	10/5/2016	4.6	5	ND	ug/L
Zinc, total	MW-19	1/10/2017	2.6	5	ND	ug/L
Zinc, total	MW-19	7/18/2017	9.3	5		ug/L
Zinc, total	MW-19	1/23/2018	3.1	5	ND	ug/L
Zinc, total	MW-19	7/13/2018	5	5	ND	ug/L
Zinc, total	MW-19	1/7/2019	5	5	ND	ug/L
Zinc, total	MW-19	7/11/2019	4.2	10	ND	ug/L
Zinc, total	MW-19	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-19	8/3/2020	5	5	ND	ug/L
Zinc, total	MW-19	1/14/2021	5	5	ND	ug/L
Zinc, total	MW-19	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-19	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-19	7/10/2023	5.88	5		ug/L
Zinc, total	MW-1N	10/22/1997	28	5		ug/L
Zinc, total	MW-1N	1/20/1998	22	5		ug/L
Zinc, total	MW-1N	4/28/1998	19	5		ug/L
Zinc, total	MW-1N	7/23/1998	9.5	5		ug/L
Zinc, total	MW-1N	10/14/1998	26	5		ug/L
Zinc, total	MW-1N	1/13/1999	71	5		ug/L
Zinc, total	MW-1N	4/13/1999	45	5		ug/L
Zinc, total	MW-1N	7/15/1999	5.8	5		ug/L
Zinc, total	MW-1N	10/19/1999	5	5	ND	ug/L
Zinc, total	MW-1N	1/14/2000	5	5	ND	ug/L
Zinc, total	MW-1N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-1N	7/12/2000	21	18		ug/L
Zinc, total	MW-1N	10/18/2000	18	18	ND	ug/L
Zinc, total	MW-1N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-1N	4/12/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-1N	5/29/2002	23	5		ug/L
Zinc, total	MW-1N	5/29/2002	23	5		ug/L
Zinc, total	MW-1N	7/9/2002	10	10	ND	ug/L
Zinc, total	MW-1N	10/3/2002	2	2	ND	ug/L
Zinc, total	MW-1N	1/22/2003	7.8	5		ug/L
Zinc, total	MW-1N	4/15/2003	5.9	5		ug/L
Zinc, total	MW-1N	7/8/2003	17	5		ug/L
Zinc, total	MW-1N	1/28/2004	26	7.1		ug/L
Zinc, total	MW-1N	7/27/2004	9.2	5		ug/L
Zinc, total	MW-1N	1/12/2005	8.6	5		ug/L
Zinc, total	MW-1N	7/20/2005	13	5		ug/L
Zinc, total	MW-1N	1/18/2006	5	5	ND	ug/L
Zinc, total	MW-1N	7/18/2006	5.8	5		ug/L
Zinc, total	MW-1N	7/18/2006	5.8	5		ug/L
Zinc, total	MW-1N	10/24/2006	20	20	ND	ug/L
Zinc, total	MW-1N	1/9/2007	6.7	5		ug/L
Zinc, total	MW-1N	1/26/2007	8.5	5		ug/L
Zinc, total	MW-1N	7/11/2007	7.9	5		ug/L
Zinc, total	MW-1N	1/24/2008	19	5		ug/L
Zinc, total	MW-1N	7/21/2008	6.1	5		ug/L
Zinc, total	MW-1N	2/5/2009	43	5		ug/L
Zinc, total	MW-1N	7/31/2009	27	5		ug/L
Zinc, total	MW-1N	1/26/2010	41	5		ug/L
Zinc, total	MW-1N	7/13/2010	34	5		ug/L
Zinc, total	MW-1N	1/20/2011	69	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-1N	7/13/2011	9.4	5		ug/L
Zinc, total	MW-1N	1/5/2012	28	5		ug/L
Zinc, total	MW-1N	7/10/2012	36	5		ug/L
Zinc, total	MW-1N	5/1/2013	27	5		ug/L
Zinc, total	MW-1N	7/16/2013	26	5		ug/L
Zinc, total	MW-1N	1/24/2014	75	5		ug/L
Zinc, total	MW-1N	7/9/2014	70	5		ug/L
Zinc, total	MW-1N	2/10/2015	80	5		ug/L
Zinc, total	MW-1N	7/14/2015	7.7	5		ug/L
Zinc, total	MW-1N	1/6/2016	13	5		ug/L
Zinc, total	MW-1N	7/21/2016	59	5		ug/L
Zinc, total	MW-1N	1/12/2017	87	5		ug/L
Zinc, total	MW-1N	7/19/2017	52	5		ug/L
Zinc, total	MW-1N	1/23/2018	53	5		ug/L
Zinc, total	MW-1N	7/10/2018	47	5		ug/L
Zinc, total	MW-1N	10/3/2018	47	5		ug/L
Zinc, total	MW-1N	1/3/2019	48	5		ug/L
Zinc, total	MW-1N	7/11/2019	71	10		ug/L
Zinc, total	MW-1N	1/23/2020	269	5		ug/L
Zinc, total	MW-1N	4/2/2020	41.7	5		ug/L
Zinc, total	MW-1N	7/6/2020	39.8	5		ug/L
Zinc, total	MW-1N	1/14/2021	47.3	5		ug/L
Zinc, total	MW-1N	7/4/2021	59.2	5		ug/L
Zinc, total	MW-1N	1/11/2023	54.6	5		ug/L
Zinc, total	MW-1N	7/8/2023	50.6	5		ug/L
Zinc, total	MW-20	6/5/2015	8.2	5		ug/L
Zinc, total	MW-20	7/14/2015	8.2	5		ug/L
Zinc, total	MW-20	8/4/2015	6.4	5		ug/L
Zinc, total	MW-20	9/2/2015	6.4	5		ug/L
Zinc, total	MW-20	1/7/2016	15	5		ug/L
Zinc, total	MW-20	4/5/2016	2.8	5	ND	ug/L
Zinc, total	MW-20	7/20/2016	6.1	5		ug/L
Zinc, total	MW-20	10/5/2016	8.1	5		ug/L
Zinc, total	MW-20	1/12/2017	11	5		ug/L
Zinc, total	MW-20	7/18/2017	4	5	ND	ug/L
Zinc, total	MW-20	1/26/2018	2.1	5	ND	ug/L
Zinc, total	MW-20	7/12/2018	5	5	ND	ug/L
Zinc, total	MW-20	7/11/2019	5.3	10	ND	ug/L
Zinc, total	MW-20	1/14/2020	5	5	ND	ug/L
Zinc, total	MW-20	7/7/2020	10.1	5		ug/L
Zinc, total	MW-20	1/17/2021	35.6	5		ug/L
Zinc, total	MW-20	4/6/2021	5	5	ND	ug/L
Zinc, total	MW-20	7/4/2021	5	5	ND	ug/L
Zinc, total	MW-20	1/11/2023	5	5	ND	ug/L
Zinc, total	MW-21	6/5/2015	91	5		ug/L
Zinc, total	MW-21	7/14/2015	83	5		ug/L
Zinc, total	MW-21	8/4/2015	86	5		ug/L
Zinc, total	MW-21	9/2/2015	89	5		ug/L
Zinc, total	MW-21	1/7/2016	55	5		ug/L
Zinc, total	MW-21	4/5/2016	77	5		ug/L
Zinc, total	MW-21	7/20/2016	76	5		ug/L
Zinc, total	MW-21	10/5/2016	77	5		ug/L
Zinc, total	MW-21	10/5/2016	72	5		ug/L
Zinc, total	MW-21	1/10/2017	89	5		ug/L
Zinc, total	MW-21	4/5/2017	110	5		ug/L
Zinc, total	MW-21	7/19/2017	98	5		ug/L
Zinc, total	MW-21	10/6/2017	95	5		ug/L
Zinc, total	MW-21	1/24/2018	65	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-21	4/11/2018	100	5		ug/L
Zinc, total	MW-21	7/11/2018	72	5		ug/L
Zinc, total	MW-21	10/4/2018	65	5		ug/L
Zinc, total	MW-21	1/3/2019	92	5		ug/L
Zinc, total	MW-21	4/3/2019	79	5		ug/L
Zinc, total	MW-21	7/11/2019	70	10		ug/L
Zinc, total	MW-21	10/2/2019	66	5		ug/L
Zinc, total	MW-21	1/16/2020	70.3	5		ug/L
Zinc, total	MW-21	4/2/2020	61	5		ug/L
Zinc, total	MW-21	7/8/2020	57	5		ug/L
Zinc, total	MW-21	10/7/2020	60.3	5		ug/L
Zinc, total	MW-21	1/13/2021	100	5		ug/L
Zinc, total	MW-21	4/6/2021	58.1	5		ug/L
Zinc, total	MW-21	7/5/2021	79.1	5		ug/L
Zinc, total	MW-21	10/6/2021	44.7	5		ug/L
Zinc, total	MW-21	1/11/2023	58.6	5		ug/L
Zinc, total	MW-21	4/8/2023	41.2	5		ug/L
Zinc, total	MW-21	7/7/2023	72.1	5		ug/L
Zinc, total	MW-21	10/6/2023	73.4	5		ug/L
Zinc, total	MW-2N	10/22/1997	28	5		ug/L
Zinc, total	MW-2N	1/21/1998	5	5	ND	ug/L
Zinc, total	MW-2N	4/28/1998	9.7	5		ug/L
Zinc, total	MW-2N	7/22/1998	12	5		ug/L
Zinc, total	MW-2N	1/13/1999	22	5		ug/L
Zinc, total	MW-2N	4/13/1999	37	5		ug/L
Zinc, total	MW-2N	7/14/1999	9.8	5		ug/L
Zinc, total	MW-2N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-2N	1/14/2000	8.3	5		ug/L
Zinc, total	MW-2N	4/25/2000	5	5	ND	ug/L
Zinc, total	MW-2N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-2N	1/24/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-2N	4/11/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-2N	7/10/2002	10	10	ND	ug/L
Zinc, total	MW-2N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-2N	1/22/2003	5.7	5		ug/L
Zinc, total	MW-2N	4/14/2003	5	5	ND	ug/L
Zinc, total	MW-2N	7/7/2003	5	5	ND	ug/L
Zinc, total	MW-2N	1/28/2004	6	5		ug/L
Zinc, total	MW-2N	1/28/2004	7.1	7.1	ND	ug/L
Zinc, total	MW-2N	7/27/2004	8.7	5		ug/L
Zinc, total	MW-2N	1/12/2005	12	5		ug/L
Zinc, total	MW-2N	7/20/2005	12	5		ug/L
Zinc, total	MW-2N	1/19/2006	40	5		ug/L
Zinc, total	MW-2N	7/19/2006	8.2	5		ug/L
Zinc, total	MW-2N	7/19/2006	8.2	5		ug/L
Zinc, total	MW-2N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-2N	1/10/2007	17	5		ug/L
Zinc, total	MW-2N	1/26/2007	20	5		ug/L
Zinc, total	MW-2N	7/11/2007	6.6	5		ug/L
Zinc, total	MW-2N	1/24/2008	8.4	5		ug/L
Zinc, total	MW-2N	7/22/2008	6.3	5		ug/L
Zinc, total	MW-2N	2/4/2009	9.7	5		ug/L
Zinc, total	MW-2N	7/31/2009	7.9	5		ug/L
Zinc, total	MW-2N	1/26/2010	5.7	5		ug/L
Zinc, total	MW-2N	7/13/2010	3.9	5	ND	ug/L
Zinc, total	MW-2N	1/20/2011	7	5		ug/L
Zinc, total	MW-2N	7/13/2011	3.8	5	ND	ug/L
Zinc, total	MW-2N	1/5/2012	5.6	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-2N	7/10/2012	12	5		ug/L
Zinc, total	MW-2N	5/1/2013	7.7	5		ug/L
Zinc, total	MW-2N	7/16/2013	6.6	5		ug/L
Zinc, total	MW-2N	1/24/2014	6.6	5		ug/L
Zinc, total	MW-2N	7/9/2014	6.2	5		ug/L
Zinc, total	MW-2N	2/12/2015	5.3	5		ug/L
Zinc, total	MW-2N	7/14/2015	7.6	5		ug/L
Zinc, total	MW-2N	1/6/2016	7	5		ug/L
Zinc, total	MW-2N	7/21/2016	11	5		ug/L
Zinc, total	MW-2N	1/11/2017	9.5	5		ug/L
Zinc, total	MW-2N	7/19/2017	8.3	5		ug/L
Zinc, total	MW-2N	1/23/2018	7.9	5		ug/L
Zinc, total	MW-2N	7/12/2018	6.6	5		ug/L
Zinc, total	MW-2N	1/3/2019	9.3	5		ug/L
Zinc, total	MW-2N	8/7/2019	54	10		ug/L
Zinc, total	MW-2N	1/23/2020	22.5	5		ug/L
Zinc, total	MW-2N	7/7/2020	18.3	5		ug/L
Zinc, total	MW-2N	10/6/2020	20.2	5		ug/L
Zinc, total	MW-2N	1/14/2021	16.3	5		ug/L
Zinc, total	MW-2N	7/5/2021	18.7	5		ug/L
Zinc, total	MW-2N	10/6/2021	19.8	5		ug/L
Zinc, total	MW-2N	1/11/2023	26.4	5		ug/L
Zinc, total	MW-2N	7/8/2023	24.5	5		ug/L
Zinc, total	MW-3N	10/21/1997	35	5		ug/L
Zinc, total	MW-3N	1/21/1998	8.4	5		ug/L
Zinc, total	MW-3N	4/28/1998	6.8	5		ug/L
Zinc, total	MW-3N	7/23/1998	7.9	5		ug/L
Zinc, total	MW-3N	1/13/1999	22	5		ug/L
Zinc, total	MW-3N	4/13/1999	46	5		ug/L
Zinc, total	MW-3N	7/14/1999	5	5	ND	ug/L
Zinc, total	MW-3N	10/20/1999	5	5	ND	ug/L
Zinc, total	MW-3N	1/14/2000	5	5	ND	ug/L
Zinc, total	MW-3N	4/24/2000	9.7	5		ug/L
Zinc, total	MW-3N	7/11/2000	18	18	ND	ug/L
Zinc, total	MW-3N	10/17/2000	18	18	ND	ug/L
Zinc, total	MW-3N	1/23/2001	5.2	5.2	ND	ug/L
Zinc, total	MW-3N	4/11/2001	310	5.2		ug/L
Zinc, total	MW-3N	5/29/2002	5	5	ND	ug/L
Zinc, total	MW-3N	5/29/2002	5	5	ND	ug/L
Zinc, total	MW-3N	7/9/2002	10	10		ug/L
Zinc, total	MW-3N	10/2/2002	2	2	ND	ug/L
Zinc, total	MW-3N	1/22/2003	8.8	5		ug/L
Zinc, total	MW-3N	4/14/2003	5	5	ND	ug/L
Zinc, total	MW-3N	7/7/2003	5.3	5		ug/L
Zinc, total	MW-3N	1/28/2004	7.6	7.1		ug/L
Zinc, total	MW-3N	7/27/2004	5	5		ug/L
Zinc, total	MW-3N	1/12/2005	9.7	5		ug/L
Zinc, total	MW-3N	7/20/2005	7.9	5		ug/L
Zinc, total	MW-3N	1/18/2006	13	5		ug/L
Zinc, total	MW-3N	7/19/2006	15	5		ug/L
Zinc, total	MW-3N	7/19/2006	15	5		ug/L
Zinc, total	MW-3N	10/25/2006	20	20	ND	ug/L
Zinc, total	MW-3N	1/10/2007	45	5		ug/L
Zinc, total	MW-3N	1/26/2007	17	5		ug/L
Zinc, total	MW-3N	7/11/2007	30	5		ug/L
Zinc, total	MW-3N	1/24/2008	20	5		ug/L
Zinc, total	MW-3N	7/22/2008	18	5		ug/L
Zinc, total	MW-3N	2/4/2009	21	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-3N	7/31/2009	19	5		ug/L
Zinc, total	MW-3N	1/26/2010	15	5		ug/L
Zinc, total	MW-3N	7/13/2010	14	5		ug/L
Zinc, total	MW-3N	1/20/2011	44	5		ug/L
Zinc, total	MW-3N	7/14/2011	28	5		ug/L
Zinc, total	MW-3N	1/5/2012	15	5		ug/L
Zinc, total	MW-3N	7/11/2012	14	5		ug/L
Zinc, total	MW-3N	5/1/2013	90	5		ug/L
Zinc, total	MW-3N	6/4/2013	16	5		ug/L
Zinc, total	MW-3N	7/16/2013	31	5		ug/L
Zinc, total	MW-3N	1/24/2014	16	5		ug/L
Zinc, total	MW-3N	7/9/2014	24	5		ug/L
Zinc, total	MW-3N	2/12/2015	25	5		ug/L
Zinc, total	MW-3N	4/1/2015	37	5		ug/L
Zinc, total	MW-3N	7/14/2015	58	5		ug/L
Zinc, total	MW-3N	10/5/2015	79	5		ug/L
Zinc, total	MW-3N	1/6/2016	69	5		ug/L
Zinc, total	MW-3N	4/6/2016	80	5		ug/L
Zinc, total	MW-3N	7/21/2016	80	5		ug/L
Zinc, total	MW-3N	10/6/2016	120	5		ug/L
Zinc, total	MW-3N	1/11/2017	200	5		ug/L
Zinc, total	MW-3N	4/4/2017	260	5		ug/L
Zinc, total	MW-3N	7/19/2017	130	5		ug/L
Zinc, total	MW-3N	10/9/2017	100	5		ug/L
Zinc, total	MW-3N	1/24/2018	140	5		ug/L
Zinc, total	MW-3N	4/10/2018	170	5		ug/L
Zinc, total	MW-3N	7/13/2018	140	5		ug/L
Zinc, total	MW-3N	10/3/2018	110	5		ug/L
Zinc, total	MW-3N	1/7/2019	110	5		ug/L
Zinc, total	MW-3N	4/3/2019	130	5		ug/L
Zinc, total	MW-3N	7/11/2019	170	10		ug/L
Zinc, total	MW-3N	10/2/2019	93	5		ug/L
Zinc, total	MW-3N	1/15/2020	90.4	5		ug/L
Zinc, total	MW-3N	4/2/2020	170	5		ug/L
Zinc, total	MW-3N	7/7/2020	128	5		ug/L
Zinc, total	MW-3N	10/7/2020	98.1	5		ug/L
Zinc, total	MW-3N	1/13/2021	98.9	5		ug/L
Zinc, total	MW-3N	4/6/2021	83.5	5		ug/L
Zinc, total	MW-3N	7/5/2021	166	5		ug/L
Zinc, total	MW-3N	10/6/2021	130	5		ug/L
Zinc, total	MW-3N	1/11/2023	186	5		ug/L
Zinc, total	MW-3N	7/7/2023	52.6	5		ug/L
Zinc, total	MW-3N	10/6/2023	59.3	5		ug/L
Zinc, total	MW-7N	10/21/1997	74	5		ug/L
Zinc, total	MW-7N	1/21/1998	34	5		ug/L
Zinc, total	MW-7N	7/22/1998	400	5		ug/L
Zinc, total	MW-7N	8/18/1998	340	5		ug/L
Zinc, total	MW-7N	9/17/1998	380	5		ug/L
Zinc, total	MW-7N	10/15/1998	410	5		ug/L
Zinc, total	MW-7N	11/9/1998	390	5		ug/L
Zinc, total	MW-7N	1/14/1999	380	5		ug/L
Zinc, total	MW-7N	4/14/1999	350	5		ug/L
Zinc, total	MW-7N	7/14/1999	480	5		ug/L
Zinc, total	MW-7N	10/19/1999	600	10		ug/L
Zinc, total	MW-7N	1/13/2000	500	5		ug/L
Zinc, total	MW-7N	4/25/2000	510	5		ug/L
Zinc, total	MW-7N	7/11/2000	620	18		ug/L
Zinc, total	MW-7N	10/17/2000	590	18		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-7N	1/23/2001	550	5.2		ug/L
Zinc, total	MW-7N	4/10/2001	620	5.2		ug/L
Zinc, total	MW-7N	5/29/2002	540	5		ug/L
Zinc, total	MW-7N	5/29/2002	540	5		ug/L
Zinc, total	MW-7N	7/9/2002	560	50		ug/L
Zinc, total	MW-7N	10/2/2002	480	5.8		ug/L
Zinc, total	MW-7N	1/23/2003	15	5		ug/L
Zinc, total	MW-7N	4/14/2003	420	5		ug/L
Zinc, total	MW-7N	7/7/2003	240	5		ug/L
Zinc, total	MW-7N	1/27/2004	320	7.1		ug/L
Zinc, total	MW-7N	4/8/2004	220	5		ug/L
Zinc, total	MW-7N	7/26/2004	320	5		ug/L
Zinc, total	MW-7N	1/12/2005	280	5		ug/L
Zinc, total	MW-7N	7/19/2005	330	5		ug/L
Zinc, total	MW-7N	1/19/2006	170	5		ug/L
Zinc, total	MW-7N	7/19/2006	370	5		ug/L
Zinc, total	MW-7N	7/19/2006	370	5		ug/L
Zinc, total	MW-7N	10/24/2006	410	20		ug/L
Zinc, total	MW-7N	1/10/2007	220	5		ug/L
Zinc, total	MW-7N	1/26/2007	230	5		ug/L
Zinc, total	MW-7N	7/10/2007	400	5		ug/L
Zinc, total	MW-7N	7/21/2008	180	5		ug/L
Zinc, total	MW-7N	2/6/2009	170	5		ug/L
Zinc, total	MW-7N	7/29/2009	170	5		ug/L
Zinc, total	MW-7N	1/26/2010	100	5		ug/L
Zinc, total	MW-7N	7/14/2010	81	5		ug/L
Zinc, total	MW-7N	1/20/2011	51	5		ug/L
Zinc, total	MW-7N	7/12/2011	52	5		ug/L
Zinc, total	MW-7N	1/5/2012	46	5		ug/L
Zinc, total	MW-7N	7/10/2012	30	5		ug/L
Zinc, total	MW-7N	5/1/2013	230	5		ug/L
Zinc, total	MW-7N	6/4/2013	140	5		ug/L
Zinc, total	MW-7N	7/15/2013	75	5		ug/L
Zinc, total	MW-7N	1/30/2014	46	5		ug/L
Zinc, total	MW-7N	7/9/2014	28	5		ug/L
Zinc, total	MW-7N	2/12/2015	87	5		ug/L
Zinc, total	MW-7N	7/13/2015	23	5		ug/L
Zinc, total	MW-7N	1/5/2016	19	5		ug/L
Zinc, total	MW-7N	7/21/2016	37	5		ug/L
Zinc, total	MW-7N	1/11/2017	140	5		ug/L
Zinc, total	MW-7N	4/4/2017	510	5		ug/L
Zinc, total	MW-7N	7/19/2017	830	5		ug/L
Zinc, total	MW-7N	10/5/2017	950	5		ug/L
Zinc, total	MW-7N	1/25/2018	210	5		ug/L
Zinc, total	MW-7N	4/11/2018	120	5		ug/L
Zinc, total	MW-7N	7/13/2018	40	5		ug/L
Zinc, total	MW-7N	1/4/2019	38	5		ug/L
Zinc, total	MW-7N	7/10/2019	19	10		ug/L
Zinc, total	MW-7N	1/16/2020	26.2	5		ug/L
Zinc, total	MW-7N	7/7/2020	14.1	5		ug/L
Zinc, total	MW-7N	1/16/2021	15.5	5		ug/L
Zinc, total	MW-7N	7/5/2021	13.8	5		ug/L
Zinc, total	MW-7N	1/12/2022	10	5		ug/L
Zinc, total	MW-7N	7/10/2022	11.2	5		ug/L
Zinc, total	MW-7N	1/10/2023	7.43	5		ug/L
Zinc, total	MW-7N	7/7/2023	9.48	5		ug/L
Zinc, total	MW-8N	10/21/1997	8.4	5		ug/L
Zinc, total	MW-8N	1/22/1998	9.5	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-8N	4/28/1998	130	5		ug/L
Zinc, total	MW-8N	7/22/1998	5	5	ND	ug/L
Zinc, total	MW-8N	1/12/1999	120	5		ug/L
Zinc, total	MW-8N	4/13/1999	130	5		ug/L
Zinc, total	MW-8N	7/14/1999	1400	5		ug/L
Zinc, total	MW-8N	10/19/1999	320	5		ug/L
Zinc, total	MW-8N	1/14/2000	100	5		ug/L
Zinc, total	MW-8N	4/25/2000	57	5		ug/L
Zinc, total	MW-8N	10/17/2000	120	18		ug/L
Zinc, total	MW-8N	1/23/2001	22	5.2		ug/L
Zinc, total	MW-8N	4/11/2001	35	5.2		ug/L
Zinc, total	MW-8N	5/29/2002	39	5		ug/L
Zinc, total	MW-8N	5/29/2002	39	5		ug/L
Zinc, total	MW-8N	7/9/2002	19	10		ug/L
Zinc, total	MW-8N	10/2/2002	18	2		ug/L
Zinc, total	MW-8N	1/23/2003	140	5		ug/L
Zinc, total	MW-8N	4/14/2003	70	5		ug/L
Zinc, total	MW-8N	7/7/2003	23	5		ug/L
Zinc, total	MW-8N	1/28/2004	340	7.1		ug/L
Zinc, total	MW-8N	7/27/2004	97	5		ug/L
Zinc, total	MW-8N	1/12/2005	42	5		ug/L
Zinc, total	MW-8N	7/20/2005	70	5		ug/L
Zinc, total	MW-8N	1/19/2006	59	5		ug/L
Zinc, total	MW-8N	7/19/2006	150	5		ug/L
Zinc, total	MW-8N	7/19/2006	150	5		ug/L
Zinc, total	MW-8N	10/24/2006	96	20		ug/L
Zinc, total	MW-8N	1/10/2007	150	5		ug/L
Zinc, total	MW-8N	1/26/2007	130	5		ug/L
Zinc, total	MW-8N	4/25/2007	150	5		ug/L
Zinc, total	MW-8N	7/10/2007	120	5		ug/L
Zinc, total	MW-8N	1/24/2008	92	5		ug/L
Zinc, total	MW-8N	7/23/2008	56	5		ug/L
Zinc, total	MW-8N	2/4/2009	58	5		ug/L
Zinc, total	MW-8N	7/31/2009	46	5		ug/L
Zinc, total	MW-8N	1/26/2010	40	5		ug/L
Zinc, total	MW-8N	7/16/2010	40	5		ug/L
Zinc, total	MW-8N	1/19/2011	37	5		ug/L
Zinc, total	MW-8N	5/10/2011	39	5		ug/L
Zinc, total	MW-8N	7/14/2011	37	5		ug/L
Zinc, total	MW-8N	1/6/2012	40	5		ug/L
Zinc, total	MW-8N	4/5/2012	38	5		ug/L
Zinc, total	MW-8N	7/11/2012	38	5		ug/L
Zinc, total	MW-8N	10/3/2012	42	5		ug/L
Zinc, total	MW-8N	5/1/2013	34	5		ug/L
Zinc, total	MW-8N	6/4/2013	37	5		ug/L
Zinc, total	MW-8N	7/16/2013	33	5		ug/L
Zinc, total	MW-8N	10/2/2013	36	5		ug/L
Zinc, total	MW-8N	1/30/2014	34	5		ug/L
Zinc, total	MW-8N	4/3/2014	32	5		ug/L
Zinc, total	MW-8N	7/9/2014	32	5		ug/L
Zinc, total	MW-8N	10/8/2014	32	5		ug/L
Zinc, total	MW-8N	2/12/2015	30	5		ug/L
Zinc, total	MW-8N	4/1/2015	30	5		ug/L
Zinc, total	MW-8N	7/14/2015	28	5		ug/L
Zinc, total	MW-8N	10/5/2015	27	5		ug/L
Zinc, total	MW-8N	1/5/2016	28	5		ug/L
Zinc, total	MW-8N	4/6/2016	30	5		ug/L
Zinc, total	MW-8N	7/21/2016	30	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	MW-8N	10/6/2016	30	5		ug/L
Zinc, total	MW-8N	1/11/2017	33	5		ug/L
Zinc, total	MW-8N	4/4/2017	30	5		ug/L
Zinc, total	MW-8N	7/19/2017	30	5		ug/L
Zinc, total	MW-8N	10/6/2017	43	5		ug/L
Zinc, total	MW-8N	1/25/2018	43	5		ug/L
Zinc, total	MW-8N	4/10/2018	31	5		ug/L
Zinc, total	MW-8N	7/16/2018	25	5		ug/L
Zinc, total	MW-8N	10/2/2018	26	5		ug/L
Zinc, total	MW-8N	1/7/2019	38	5		ug/L
Zinc, total	MW-8N	4/3/2019	35	5		ug/L
Zinc, total	MW-8N	7/11/2019	26	10		ug/L
Zinc, total	MW-8N	10/3/2019	19	5		ug/L
Zinc, total	MW-8N	1/15/2020	15.2	5		ug/L
Zinc, total	MW-8N	4/2/2020	44.4	5		ug/L
Zinc, total	MW-8N	7/9/2020	16.7	5		ug/L
Zinc, total	MW-8N	10/6/2020	15.9	5		ug/L
Zinc, total	MW-8N	1/15/2021	10.1	5		ug/L
Zinc, total	MW-8N	4/6/2021	16.7	5		ug/L
Zinc, total	MW-8N	7/5/2021	13.6	5		ug/L
Zinc, total	MW-8N	10/6/2021	11.7	5		ug/L
Zinc, total	MW-8N	1/18/2022	11.1	5		ug/L
Zinc, total	MW-8N	4/4/2022	14.2	5		ug/L
Zinc, total	MW-8N	7/12/2022	15.8	5		ug/L
Zinc, total	MW-8N	10/6/2022	12.4	5		ug/L
Zinc, total	MW-8N	1/11/2023	13.1	5		ug/L
Zinc, total	MW-8N	4/8/2023	12.7	5		ug/L
Zinc, total	MW-8N	7/7/2023	14.7	5		ug/L
Zinc, total	MW-8N	10/5/2023	10.7	5		ug/L
Zinc, total	NE-1	7/10/2002	200	10		ug/L
Zinc, total	NE-1	8/6/2002	170	5		ug/L
Zinc, total	NE-1	9/4/2002	200	10		ug/L
Zinc, total	NE-1	10/2/2002	180	2.9		ug/L
Zinc, total	NE-1	7/8/2003	9.4	5		ug/L
Zinc, total	NE-1	1/27/2004	110	7.1		ug/L
Zinc, total	NE-1	1/12/2005	27	5		ug/L
Zinc, total	NE-1	7/19/2006	9.2	5		ug/L
Zinc, total	NE-1	7/19/2006	9.2	5		ug/L
Zinc, total	NE-1	10/25/2006	20	20	ND	ug/L
Zinc, total	NE-1	1/24/2007	12	5		ug/L
Zinc, total	NE-1	7/10/2007	40	5		ug/L
Zinc, total	NE-1	1/24/2008	4.1	5	ND	ug/L
Zinc, total	NE-1	7/21/2008	6.3	5		ug/L
Zinc, total	NE-1	2/7/2009	20	5		ug/L
Zinc, total	NE-1	7/31/2009	3.6	5	ND	ug/L
Zinc, total	NE-1	1/26/2010	2.5	5	ND	ug/L
Zinc, total	NE-1	7/14/2010	44	5		ug/L
Zinc, total	NE-1	1/19/2011	6.1	5		ug/L
Zinc, total	NE-1	7/13/2011	3.4	5	ND	ug/L
Zinc, total	NE-1	1/5/2012	5.1	5		ug/L
Zinc, total	NE-1	7/10/2012	16	5		ug/L
Zinc, total	NE-1	4/30/2013	4.4	5	ND	ug/L
Zinc, total	NE-1	7/16/2013	6.5	5		ug/L
Zinc, total	NE-1	1/23/2014	16	5		ug/L
Zinc, total	NE-1	7/9/2014	6.3	5		ug/L
Zinc, total	NE-1	2/11/2015	14	5		ug/L
Zinc, total	NE-1	7/8/2015	9.1	5		ug/L
Zinc, total	NE-1	1/6/2016	16	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-1	7/20/2016	8.5	5		ug/L
Zinc, total	NE-1	1/11/2017	3.4	5	ND	ug/L
Zinc, total	NE-1	7/19/2017	5.4	5		ug/L
Zinc, total	NE-1	1/24/2018	3	5	ND	ug/L
Zinc, total	NE-1	4/11/2018	3	5	ND	ug/L
Zinc, total	NE-1	7/18/2018	2.2	5	ND	ug/L
Zinc, total	NE-1	10/2/2018	2.4	5	ND	ug/L
Zinc, total	NE-1	1/4/2019	2	5	ND	ug/L
Zinc, total	NE-1	4/2/2019	5	5	ND	ug/L
Zinc, total	NE-1	7/10/2019	5.7	10	ND	ug/L
Zinc, total	NE-1	7/10/2019	5.7	10	ND	ug/L
Zinc, total	NE-1	10/2/2019	5.1	5		ug/L
Zinc, total	NE-1	1/15/2020	9.48	5		ug/L
Zinc, total	NE-1	4/2/2020	5	5	ND	ug/L
Zinc, total	NE-1	7/8/2020	5	5	ND	ug/L
Zinc, total	NE-1	10/7/2020	30	2.56		ug/L
Zinc, total	NE-1	1/13/2021	6	2.56		ug/L
Zinc, total	NE-1	4/9/2021	10.9	2.56		ug/L
Zinc, total	NE-1	7/2/2021	5.72	2.56		ug/L
Zinc, total	NE-1	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-1	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-1	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-1	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-1	10/6/2022	5	5	ND	ug/L
Zinc, total	NE-1	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-1	4/7/2023	5	5	ND	ug/L
Zinc, total	NE-1	7/5/2023	5	5	ND	ug/L
Zinc, total	NE-1	10/5/2023	6.31	5		ug/L
Zinc, total	NE-10D	11/6/2019	4.8	5	ND	ug/L
Zinc, total	NE-10D	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-10D	4/2/2020	7.57	5		ug/L
Zinc, total	NE-10D	7/8/2020	6.83	5		ug/L
Zinc, total	NE-10D	10/7/2020	5.89	2.56		ug/L
Zinc, total	NE-10D	1/13/2021	9.76	2.56		ug/L
Zinc, total	NE-10D	4/9/2021	6.06	2.56		ug/L
Zinc, total	NE-10D	7/2/2021	2.92	2.56		ug/L
Zinc, total	NE-10D	10/7/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-10D	1/6/2023	23.9	5		ug/L
Zinc, total	NE-10D	4/6/2023	11	5		ug/L
Zinc, total	NE-10D	7/8/2023	5.48	5		ug/L
Zinc, total	NE-10D	10/3/2023	5	5	ND	ug/L
Zinc, total	NE-11	3/1/2017	3.2	5	ND	ug/L
Zinc, total	NE-11	4/6/2017	5.8	5		ug/L
Zinc, total	NE-11	7/20/2017	8.3	5		ug/L
Zinc, total	NE-11	10/9/2017	3.8	5	ND	ug/L
Zinc, total	NE-11	9/30/2019	9	5		ug/L
Zinc, total	NE-11	1/14/2020	8.09	5		ug/L
Zinc, total	NE-11	7/7/2020	7.32	5		ug/L
Zinc, total	NE-11	1/16/2021	2.66	2.56		ug/L
Zinc, total	NE-11	1/16/2021	5	5	ND	ug/L
Zinc, total	NE-11	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-11	1/17/2022	5	5	ND	ug/L
Zinc, total	NE-11	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-11	7/12/2022	6.08	5		ug/L
Zinc, total	NE-11	1/6/2023	5	5	ND	ug/L
Zinc, total	NE-11	7/6/2023	8.11	5		ug/L
Zinc, total	NE-12	3/1/2017	7.2	5		ug/L
Zinc, total	NE-12	4/6/2017	2	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-12	7/20/2017	7.9	5		ug/L
Zinc, total	NE-12	10/6/2017	3.3	5	ND	ug/L
Zinc, total	NE-12	8/5/2019	14	10		ug/L
Zinc, total	NE-12	1/13/2020	7.28	5		ug/L
Zinc, total	NE-12	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-12	1/15/2021	5	5	ND	ug/L
Zinc, total	NE-12	1/15/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-12	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-12	1/17/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-12	1/17/2022	5	5	ND	ug/L
Zinc, total	NE-12	7/12/2022	6.89	5		ug/L
Zinc, total	NE-12	1/6/2023	5	5	ND	ug/L
Zinc, total	NE-12	7/5/2023	6.07	5		ug/L
Zinc, total	NE-13	2/5/2019	17	5		ug/L
Zinc, total	NE-13	8/7/2019	22	10		ug/L
Zinc, total	NE-13	1/15/2020	12.2	5		ug/L
Zinc, total	NE-13	7/8/2020	27	5		ug/L
Zinc, total	NE-13	1/17/2021	18.1	5		ug/L
Zinc, total	NE-13	1/17/2021	18.4	2.56		ug/L
Zinc, total	NE-13	7/1/2021	7.49	5.9		ug/L
Zinc, total	NE-14D	10/2/2019	9.7	5		ug/L
Zinc, total	NE-14D	1/16/2020	9.39	5		ug/L
Zinc, total	NE-14D	4/3/2020	13.3	5		ug/L
Zinc, total	NE-14D	7/7/2020	14.1	5		ug/L
Zinc, total	NE-14D	10/6/2020	15.8	2.56		ug/L
Zinc, total	NE-14D	1/17/2021	12.8	2.56		ug/L
Zinc, total	NE-14D	4/9/2021	16.1	2.56		ug/L
Zinc, total	NE-14D	7/2/2021	17.4	2.56		ug/L
Zinc, total	NE-14D	10/7/2021	15.7	2.56		ug/L
Zinc, total	NE-14D	1/18/2022	20.1	2.56		ug/L
Zinc, total	NE-14D	4/6/2022	18.6	2.56		ug/L
Zinc, total	NE-14D	7/13/2022	21.6	5		ug/L
Zinc, total	NE-14D	10/7/2022	19.1	5		ug/L
Zinc, total	NE-14D	1/6/2023	16.9	5		ug/L
Zinc, total	NE-14D	4/6/2023	22.3	5		ug/L
Zinc, total	NE-14D	7/5/2023	33	5		ug/L
Zinc, total	NE-14D	10/4/2023	18.4	5		ug/L
Zinc, total	NE-14S	10/2/2019	8.8	5		ug/L
Zinc, total	NE-14S	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-14S	4/3/2020	5.98	5		ug/L
Zinc, total	NE-14S	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-14S	10/6/2020	10.9	2.56		ug/L
Zinc, total	NE-14S	1/17/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	4/9/2021	5.84	2.56		ug/L
Zinc, total	NE-14S	7/2/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	10/7/2021	8.32	2.56		ug/L
Zinc, total	NE-14S	1/18/2022	5.42	2.56		ug/L
Zinc, total	NE-14S	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-14S	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-14S	10/7/2022	9.78	5		ug/L
Zinc, total	NE-14S	1/6/2023	8.74	5		ug/L
Zinc, total	NE-14S	4/6/2023	5	5	ND	ug/L
Zinc, total	NE-14S	7/5/2023	11.5	5		ug/L
Zinc, total	NE-14S	10/4/2023	16.2	5		ug/L
Zinc, total	NE-15D	9/30/2019	5	5		ug/L
Zinc, total	NE-15D	1/16/2020	5	5	ND	ug/L
Zinc, total	NE-15D	4/3/2020	9.23	5		ug/L
Zinc, total	NE-15D	7/7/2020	6.08	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-15D	10/6/2020	19.6	2.56		ug/L
Zinc, total	NE-15D	1/17/2021	5.24	2.56		ug/L
Zinc, total	NE-15D	4/9/2021	7.96	2.56		ug/L
Zinc, total	NE-15D	7/2/2021	4.48	2.56		ug/L
Zinc, total	NE-15D	10/7/2021	7.79	2.56		ug/L
Zinc, total	NE-15D	1/17/2022	19.8	2.56		ug/L
Zinc, total	NE-15D	4/6/2022	4.68	2.56		ug/L
Zinc, total	NE-15D	7/13/2022	7.94	5		ug/L
Zinc, total	NE-15D	10/7/2022	8.35	5		ug/L
Zinc, total	NE-15D	1/6/2023	9	5		ug/L
Zinc, total	NE-15D	4/6/2023	6.84	5		ug/L
Zinc, total	NE-15D	7/6/2023	9.57	5		ug/L
Zinc, total	NE-15D	10/6/2023	5	5	ND	ug/L
Zinc, total	NE-15S	4/3/2020	68.8	5		ug/L
Zinc, total	NE-2	7/9/2002	92	10		ug/L
Zinc, total	NE-2	8/6/2002	43	5		ug/L
Zinc, total	NE-2	9/4/2002	66	2		ug/L
Zinc, total	NE-2	10/2/2002	50	2		ug/L
Zinc, total	NE-2	10/1/2013	5	5	ND	ug/L
Zinc, total	NE-2	10/8/2014	8.8	5		ug/L
Zinc, total	NE-2	10/5/2015	3.1	5	ND	ug/L
Zinc, total	NE-2	10/6/2016	5	5	ND	ug/L
Zinc, total	NE-2	10/5/2017	5	5		ug/L
Zinc, total	NE-2	1/25/2018	5	5	ND	ug/L
Zinc, total	NE-2	4/10/2018	3.4	5	ND	ug/L
Zinc, total	NE-2	7/10/2018	5	5	ND	ug/L
Zinc, total	NE-2	10/1/2018	5	5	ND	ug/L
Zinc, total	NE-2	1/4/2019	3.1	5	ND	ug/L
Zinc, total	NE-2	4/2/2019	5	5	ND	ug/L
Zinc, total	NE-2	7/9/2019	5	10	ND	ug/L
Zinc, total	NE-2	7/9/2019	5	10	ND	ug/L
Zinc, total	NE-2	10/2/2019	3.6	5	ND	ug/L
Zinc, total	NE-2	1/14/2020	5	5	ND	ug/L
Zinc, total	NE-2	4/1/2020	5	5	ND	ug/L
Zinc, total	NE-2	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-2	10/6/2020	3.92	2.56		ug/L
Zinc, total	NE-2	1/14/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	4/9/2021	7.36	2.56		ug/L
Zinc, total	NE-2	7/2/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-2	1/18/2022	2.64	2.56		ug/L
Zinc, total	NE-2	4/6/2022	2.56	2.56	ND	ug/L
Zinc, total	NE-2	7/13/2022	5	5	ND	ug/L
Zinc, total	NE-2	10/7/2022	5	5	ND	ug/L
Zinc, total	NE-2	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-2	4/5/2023	5	5	ND	ug/L
Zinc, total	NE-2	7/5/2023	5	5	ND	ug/L
Zinc, total	NE-2	10/4/2023	5	5	ND	ug/L
Zinc, total	NE-4	7/10/2002	42	10		ug/L
Zinc, total	NE-4	8/6/2002	45	5		ug/L
Zinc, total	NE-4	9/4/2002	40	2		ug/L
Zinc, total	NE-4	10/3/2002	62	2		ug/L
Zinc, total	NE-4	7/8/2003	29	5		ug/L
Zinc, total	NE-4	1/28/2004	17	7.1		ug/L
Zinc, total	NE-4	1/13/2005	29	5		ug/L
Zinc, total	NE-4	8/1/2006	16	5		ug/L
Zinc, total	NE-4	8/1/2006	16	5		ug/L
Zinc, total	NE-4	10/25/2006	20	20	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-4	1/24/2007	10	5		ug/L
Zinc, total	NE-4	7/12/2007	15	5		ug/L
Zinc, total	NE-4	1/24/2008	12	5		ug/L
Zinc, total	NE-4	7/21/2008	3.4	5	ND	ug/L
Zinc, total	NE-4	2/7/2009	19	5		ug/L
Zinc, total	NE-4	7/31/2009	9.3	5		ug/L
Zinc, total	NE-4	1/26/2010	12	5		ug/L
Zinc, total	NE-4	7/14/2010	24	5		ug/L
Zinc, total	NE-4	1/19/2011	11	5		ug/L
Zinc, total	NE-4	7/13/2011	3.2	5	ND	ug/L
Zinc, total	NE-4	1/5/2012	9.3	5		ug/L
Zinc, total	NE-4	7/10/2012	35	5		ug/L
Zinc, total	NE-4	4/30/2013	15	5		ug/L
Zinc, total	NE-4	7/16/2013	19	5		ug/L
Zinc, total	NE-4	1/23/2014	11	5		ug/L
Zinc, total	NE-4	7/9/2014	8.5	5		ug/L
Zinc, total	NE-4	2/13/2015	15	5		ug/L
Zinc, total	NE-4	7/8/2015	7.2	5		ug/L
Zinc, total	NE-4	1/6/2016	28	5		ug/L
Zinc, total	NE-4	7/20/2016	16	5		ug/L
Zinc, total	NE-4	1/11/2017	7.7	5		ug/L
Zinc, total	NE-4	7/19/2017	5.2	5		ug/L
Zinc, total	NE-4	1/26/2018	3.2	5	ND	ug/L
Zinc, total	NE-4	4/10/2018	6.9	5		ug/L
Zinc, total	NE-4	7/12/2018	3.4	5	ND	ug/L
Zinc, total	NE-4	10/3/2018	3.7	5	ND	ug/L
Zinc, total	NE-4	1/7/2019	7.1	5		ug/L
Zinc, total	NE-4	4/2/2019	3.4	5	ND	ug/L
Zinc, total	NE-4	7/8/2019	4.9	10	ND	ug/L
Zinc, total	NE-4	7/8/2019	4.9	10	ND	ug/L
Zinc, total	NE-4	10/1/2019	4.8	5	ND	ug/L
Zinc, total	NE-4	1/13/2020	5	5	ND	ug/L
Zinc, total	NE-4	4/1/2020	5	5	ND	ug/L
Zinc, total	NE-4	7/6/2020	5	5	ND	ug/L
Zinc, total	NE-4	10/5/2020	11.9	2.56		ug/L
Zinc, total	NE-4	1/15/2021	4	2.56		ug/L
Zinc, total	NE-4	4/9/2021	12.4	2.56		ug/L
Zinc, total	NE-4	7/2/2021	3.67	2.56		ug/L
Zinc, total	NE-4	10/6/2021	2.56	2.56	ND	ug/L
Zinc, total	NE-4	1/5/2023	10.5	5		ug/L
Zinc, total	NE-4	4/6/2023	10.6	5		ug/L
Zinc, total	NE-4	7/5/2023	7.71	5		ug/L
Zinc, total	NE-4	10/4/2023	5	5	ND	ug/L
Zinc, total	NE-5	7/9/2002	140	10		ug/L
Zinc, total	NE-5	8/6/2002	180	5		ug/L
Zinc, total	NE-5	9/4/2002	190	10		ug/L
Zinc, total	NE-5	10/2/2002	140	2.9		ug/L
Zinc, total	NE-5	7/8/2003	130	5		ug/L
Zinc, total	NE-5	1/27/2004	350	7.1		ug/L
Zinc, total	NE-5	1/12/2005	89	5		ug/L
Zinc, total	NE-5	7/19/2006	260	5		ug/L
Zinc, total	NE-5	7/19/2006	260	5		ug/L
Zinc, total	NE-5	10/25/2006	140	20		ug/L
Zinc, total	NE-5	1/10/2007	83	5		ug/L
Zinc, total	NE-5	1/24/2007	78	5		ug/L
Zinc, total	NE-5	7/12/2007	83	5		ug/L
Zinc, total	NE-5	7/22/2008	81	5		ug/L
Zinc, total	NE-5	2/6/2009	120	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-5	7/31/2009	100	5		ug/L
Zinc, total	NE-5	1/26/2010	83	5		ug/L
Zinc, total	NE-5	7/16/2010	150	5		ug/L
Zinc, total	NE-5	1/19/2011	85	5		ug/L
Zinc, total	NE-5	7/13/2011	99	5		ug/L
Zinc, total	NE-5	1/5/2012	85	5		ug/L
Zinc, total	NE-5	7/10/2012	82	5		ug/L
Zinc, total	NE-5	4/30/2013	67	5		ug/L
Zinc, total	NE-5	7/16/2013	120	5		ug/L
Zinc, total	NE-5	1/23/2014	59	5		ug/L
Zinc, total	NE-5	7/9/2014	28	5		ug/L
Zinc, total	NE-5	2/11/2015	74	5		ug/L
Zinc, total	NE-5	7/14/2015	19	5		ug/L
Zinc, total	NE-5	1/6/2016	50	5		ug/L
Zinc, total	NE-5	7/20/2016	45	5		ug/L
Zinc, total	NE-5	1/11/2017	50	5		ug/L
Zinc, total	NE-5	7/19/2017	40	5		ug/L
Zinc, total	NE-5	1/25/2018	47	5		ug/L
Zinc, total	NE-5	4/10/2018	9.2	5		ug/L
Zinc, total	NE-5	7/17/2018	34	5		ug/L
Zinc, total	NE-5	10/3/2018	28	5		ug/L
Zinc, total	NE-5	1/4/2019	14	5		ug/L
Zinc, total	NE-5	4/2/2019	38	5		ug/L
Zinc, total	NE-5	4/2/2019	38	5		ug/L
Zinc, total	NE-5	7/9/2019	72	10		ug/L
Zinc, total	NE-5	10/3/2019	44	5		ug/L
Zinc, total	NE-5	1/16/2020	38.8	5		ug/L
Zinc, total	NE-5	4/2/2020	44.9	5		ug/L
Zinc, total	NE-5	7/8/2020	49.3	5		ug/L
Zinc, total	NE-5	10/6/2020	45.6	2.56		ug/L
Zinc, total	NE-5	1/15/2021	46.1	2.56		ug/L
Zinc, total	NE-5	4/9/2021	60.4	2.56		ug/L
Zinc, total	NE-5	7/2/2021	115	2.56		ug/L
Zinc, total	NE-5	10/6/2021	47.1	2.56		ug/L
Zinc, total	NE-5	1/18/2022	62.6	2.56		ug/L
Zinc, total	NE-5	4/6/2022	60.1	2.56		ug/L
Zinc, total	NE-5	7/13/2022	58.9	5		ug/L
Zinc, total	NE-5	10/7/2022	40.2	5		ug/L
Zinc, total	NE-5	1/5/2023	60.4	5		ug/L
Zinc, total	NE-5	4/7/2023	180	5		ug/L
Zinc, total	NE-5	7/6/2023	46.5	5		ug/L
Zinc, total	NE-5	10/4/2023	46.9	5		ug/L
Zinc, total	NE-5E	9/30/2019	78	5		ug/L
Zinc, total	NE-5E	1/16/2020	76.6	5		ug/L
Zinc, total	NE-5E	4/1/2020	99.9	5		ug/L
Zinc, total	NE-5E	7/8/2020	66.4	5		ug/L
Zinc, total	NE-5E	10/6/2020	65.1	2.56		ug/L
Zinc, total	NE-5E	1/15/2021	55.5	2.56		ug/L
Zinc, total	NE-5E	4/9/2021	52.5	2.56		ug/L
Zinc, total	NE-5E	7/2/2021	43.7	2.56		ug/L
Zinc, total	NE-5E	10/6/2021	37.2	2.56		ug/L
Zinc, total	NE-5E	1/18/2022	25.6	2.56		ug/L
Zinc, total	NE-5E	4/6/2022	28.9	2.56		ug/L
Zinc, total	NE-5E	7/13/2022	40.6	5		ug/L
Zinc, total	NE-5E	10/7/2022	51.2	5		ug/L
Zinc, total	NE-5E	1/5/2023	31.2	5		ug/L
Zinc, total	NE-5E	4/7/2023	29.9	5		ug/L
Zinc, total	NE-5E	7/6/2023	30.5	5		ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-5E	10/4/2023	32.7	5		ug/L
Zinc, total	NE-5W	9/30/2019	8.6	5		ug/L
Zinc, total	NE-5W	1/16/2020	7.18	5		ug/L
Zinc, total	NE-5W	4/2/2020	23	5		ug/L
Zinc, total	NE-5W	7/8/2020	32.8	5		ug/L
Zinc, total	NE-5W	10/6/2020	52.1	2.56		ug/L
Zinc, total	NE-5W	1/15/2021	14	2.56		ug/L
Zinc, total	NE-5W	4/9/2021	12.7	2.56		ug/L
Zinc, total	NE-5W	7/2/2021	31.3	2.56		ug/L
Zinc, total	NE-5W	10/6/2021	30.1	2.56		ug/L
Zinc, total	NE-5W	1/18/2022	17.4	2.56		ug/L
Zinc, total	NE-5W	4/6/2022	20.4	2.56		ug/L
Zinc, total	NE-5W	7/13/2022	36.4	5		ug/L
Zinc, total	NE-5W	10/7/2022	34	5		ug/L
Zinc, total	NE-5W	1/5/2023	11	5		ug/L
Zinc, total	NE-5W	4/7/2023	10.6	5		ug/L
Zinc, total	NE-5W	7/6/2023	45.8	5		ug/L
Zinc, total	NE-5W	10/4/2023	16.1	5		ug/L
Zinc, total	NE-6	1/12/2017	12	5		ug/L
Zinc, total	NE-6	4/5/2017	19	5		ug/L
Zinc, total	NE-6	7/19/2017	24	5		ug/L
Zinc, total	NE-6	10/6/2017	4.1	5	ND	ug/L
Zinc, total	NE-6	2/4/2019	9.2	5		ug/L
Zinc, total	NE-6	8/6/2019	95	10		ug/L
Zinc, total	NE-6	1/15/2020	11.6	5		ug/L
Zinc, total	NE-6	7/9/2020	9.47	5		ug/L
Zinc, total	NE-6	1/16/2021	18.1	2.56		ug/L
Zinc, total	NE-6	1/16/2021	34.2	5		ug/L
Zinc, total	NE-6	7/1/2021	7.84	5.9		ug/L
Zinc, total	NE-6	1/17/2022	24.8	5		ug/L
Zinc, total	NE-6	1/17/2022	9.59	2.56		ug/L
Zinc, total	NE-6	7/12/2022	9.98	5		ug/L
Zinc, total	NE-6	1/5/2023	6.31	5		ug/L
Zinc, total	NE-6	7/6/2023	9.19	5		ug/L
Zinc, total	NE-6D	10/2/2019	16	5		ug/L
Zinc, total	NE-6D	1/15/2020	29	5		ug/L
Zinc, total	NE-6D	4/2/2020	25.5	5		ug/L
Zinc, total	NE-6D	7/9/2020	25.6	5		ug/L
Zinc, total	NE-6D	10/7/2020	23.1	2.56		ug/L
Zinc, total	NE-6D	1/15/2021	21.5	2.56		ug/L
Zinc, total	NE-6D	4/9/2021	20.5	2.56		ug/L
Zinc, total	NE-6D	7/2/2021	23.6	2.56		ug/L
Zinc, total	NE-6D	10/7/2021	19.9	2.56		ug/L
Zinc, total	NE-6D	1/17/2022	24.6	2.56		ug/L
Zinc, total	NE-6D	4/6/2022	22.6	2.56		ug/L
Zinc, total	NE-6D	7/12/2022	25.7	5		ug/L
Zinc, total	NE-6D	10/7/2022	15.4	5		ug/L
Zinc, total	NE-6D	1/5/2023	19.4	5		ug/L
Zinc, total	NE-6D	4/7/2023	19.1	5		ug/L
Zinc, total	NE-6D	7/6/2023	18.1	5		ug/L
Zinc, total	NE-6D	10/4/2023	18.8	5		ug/L
Zinc, total	NE-7	3/1/2017	3.3	5	ND	ug/L
Zinc, total	NE-7	4/6/2017	2.6	5	ND	ug/L
Zinc, total	NE-7	7/20/2017	8.5	5		ug/L
Zinc, total	NE-7	10/5/2017	3.9	5	ND	ug/L
Zinc, total	NE-7	2/6/2019	8.9	5		ug/L
Zinc, total	NE-7	8/6/2019	36	10		ug/L
Zinc, total	NE-7	1/16/2020	5	5	ND	ug/L

Constituent	Sample Point	Date	Result	Limit	ND	Units
Zinc, total	NE-7	7/7/2020	5	5	ND	ug/L
Zinc, total	NE-7	1/16/2021	12.1	2.56		ug/L
Zinc, total	NE-7	1/16/2021	14.5	5		ug/L
Zinc, total	NE-7	7/1/2021	5.9	5.9	ND	ug/L
Zinc, total	NE-7	1/17/2022	2.93	2.56		ug/L
Zinc, total	NE-7	1/17/2022	7.93	5		ug/L
Zinc, total	NE-7	7/12/2022	6.49	5		ug/L
Zinc, total	NE-7	1/5/2023	5	5	ND	ug/L
Zinc, total	NE-7	7/6/2023	5.71	5		ug/L
Zinc, total	NE-8	1/12/2017	6.8	5		ug/L
Zinc, total	NE-8	4/5/2017	7	5		ug/L
Zinc, total	NE-8	7/20/2017	58	5		ug/L
Zinc, total	NE-8	10/6/2017	5	5	ND	ug/L
Zinc, total	NE-8	2/4/2019	12	5		ug/L
Zinc, total	NE-8	8/5/2019	52	10		ug/L
Zinc, total	NE-8	1/15/2020	80.2	5		ug/L
Zinc, total	NE-8	7/8/2020	109	5		ug/L
Zinc, total	NE-8	1/13/2021	21.7	5		ug/L
Zinc, total	NE-8	1/13/2021	17.8	2.56		ug/L
Zinc, total	NE-8	4/9/2021	31.7	2.56		ug/L
Zinc, total	NE-8	7/1/2021	59.2	2.56		ug/L
Zinc, total	NE-8	7/1/2021	62.5	5.9		ug/L
Zinc, total	NE-8	10/7/2021	98.5	2.56		ug/L
Zinc, total	NE-8	1/6/2023	92.1	5		ug/L
Zinc, total	NE-8	7/5/2023	162	5		ug/L
Zinc, total	NE-9	1/12/2017	7.7	5		ug/L
Zinc, total	NE-9	4/5/2017	4.5	5	ND	ug/L
Zinc, total	NE-9	7/20/2017	9.9	5		ug/L
Zinc, total	NE-9	10/5/2017	12	5		ug/L
Zinc, total	NE-9	2/5/2019	15	5		ug/L
Zinc, total	NE-9	8/7/2019	19	10		ug/L
Zinc, total	NE-9	1/15/2020	11.5	5		ug/L
Zinc, total	NE-9	7/7/2020	8.79	5		ug/L
Zinc, total	NE-9	1/17/2021	8.92	2.56		ug/L
Zinc, total	NE-9	1/17/2021	15	5		ug/L
Zinc, total	NE-9	7/1/2021	31.2	5.9		ug/L
Zinc, total	NE-9	1/17/2022	26	5		ug/L
Zinc, total	NE-9	1/17/2022	25.4	2.56		ug/L
Zinc, total	NE-9	7/13/2022	53.5	5		ug/L
Zinc, total	NE-9	1/6/2023	61.4	5		ug/L
Zinc, total	NE-9	4/8/2023	62.5	5		ug/L
Zinc, total	NE-9	7/5/2023	80.2	5		ug/L
Zinc, total	NE-9	10/6/2023	67.8	5		ug/L

APPENDIX E

Statistical Evaluation

Results of the Ground Water Statistics

for Eco-Vista Sanitary Landfill

Second Semi-Annual Monitoring Event in 2023

Prepared for:

Waste Management

2210 Waste Management Drive

Springdale, Arkansas 72762

Prepared by:

Jeffrey A. Holmgren

Otter Creek Environmental Services, L.L.C.

40W565 Foxwick Court

Elgin, IL 60124

(847) 464-1355

November 2023

INTRODUCTION

This report contains the results of the statistical analyses used to evaluate the ground water data obtained during the second semi-annual monitoring event in 2023 at Eco Vista Sanitary Landfill. The ground water monitoring well network at Eco Vista Sanitary Landfill includes MW-1N, MW-2N, MW-3N, MW-7N, MW-8N, MW-10N, MW-11N, MW-15, MW-16, MW-17, MW-19, MW-20, MW-21, LGW-2, LGW-3R, LGW-4, LGW-5, LGW-6, LGW-7, LGW-8R, LGW-9, LGW-10, and LGW-14R. These monitoring wells were sampled during July 7-10, 2023 and analyzed for the parameters required by permit. Monitoring well MW-20 did not produce sufficient water to be collected. A resample event was conducted on October 2-6, 2023 where required.

The statistical plan is designed to detect a release from the facility at the earliest indication so that it is protective of human health and the environment. An intrawell methodology is described and then applied to the Eco Vista Sanitary Landfill data. The statistical plan conforms with USEPA Guidance document (“*Statistical Analysis of Ground-Water Monitoring Data at RCRA Facilities, Unified Guidance*”, March 2009), and the American Society for Testing and Materials (ASTM) standard D6312-98, *Developing Appropriate Statistical Approaches for Ground-Water Detection Monitoring Programs*.

Ground Water Monitoring Program

The groundwater monitoring network for Eco Vista Sanitary Landfill includes the twenty-three wells designated above. Each of the groundwater monitoring wells is to be sampled and analyzed for the detection monitoring parameters listed below.

Acetone	<i>trans</i> -1,4-Dichloro-2-butene	Iodomethane
Acrylonitrile	1,1-Dichloroethane	4-Methyl-2-pentanone
Benzene	1,2-Dichloroethane	Styrene
Bromochloromethane	1,1-Dichloroethene	1,1,1,2-Tetrachloroethane
Bromodichloromethane	<i>cis</i> -1,2-Dichloroethene	1,1,2,2-Tetrachloroethane
Bromoform	<i>trans</i> -1,2-Dichloroethene	Tetrachloroethene
Carbon disulfide	1,2-Dichloropropane	Toluene
Carbon tetrachloride	<i>cis</i> -1,3-Dichloropropene	1,1,1-Trichloroethane
Chlorobenzene	<i>trans</i> -1,3-Dichloropropene	1,1,2-Trichloroethane
Chloroethane	Ethylbenzene	Trichloroethene
Chloroform	2-Hexanone	Trichlorofluoromethane
Dibromochloromethane	Bromomethane	1,2,3-Trichloropropane
1,2-Dibromo-3-chloropropane	Chloromethane	Vinyl acetate
1,2-Dibromoethane	Dibromomethane	Vinyl chloride
1,2-Dichlorobenzene	Methylene chloride	Xylenes (Total)
1,4-Dichlorobenzene	2-Butanone	
Antimony, Total	Chromium, Total	Selenium, Total
Arsenic, Total	Cobalt, Total	Silver, Total
Barium, Total	Copper, Total	Thallium, Total
Beryllium, Total	Lead, Total	Vanadium, Total
Cadmium, Total	Nickel, Total	Zinc, Total
Chloride	Sulfate	pH
Iron	Total Dissolved Solids (TDS)	Specific Conductance
Manganese	Total Organic Carbon (TOC)	

The ground water data obtained during the second semi-annual monitoring event in 2023 are summarized in Attachment A.

STATISTICAL METHODOLOGIES FOR DETECTION MONITORING

The statistical guidance provides several options for statistically evaluating the ground water data at those wells that monitor the open cells or contiguous MSWLF units. The preferred methods for comparing inorganic ground water data are using either prediction limits or using control charts. An intrawell control chart method was applied to the Eco Vista Sanitary Landfill data using the DUMPStat[®] statistical program. DUMPStat[®] is a program for the statistical analysis of groundwater monitoring data using methods described in “Statistical Methods for Groundwater Monitoring” by Dr. Robert D. Gibbons. The DUMPStat program is completely consistent with all USEPA regulations and guidance and the ASTM D6312-98 guidance. Ground water statistics are to be done on all well-parameter pairs detected above the PQL, per the requirements of ADEQ Regulation 22.1203(h)(5). The organic constituents are compared to practical quantitation limits (PQLs), in lieu of statistical comparisons to historical concentrations.

Volatile Organic Compounds

Volatile Organic Compounds (VOCs) are generally man-made compounds not present in ambient ground water. If VOCs are initially detected above their statistical limit (i.e., the laboratory PQL or reporting limit), a verification resample will be collected. A statistical exceedance will be indicated if the VOC detection is confirmed.

VOCs detected in the ground water at Eco Vista Sanitary Landfill during the second semi-annual monitoring event in 2023 are summarized in the table below. Historical VOC detections are summarized in Attachment B.

VOCs detected at Eco Vista Sanitary Landfill during the second semi-annual monitoring event in 2023

Well	VOC Detected	Jul 2023 Result, $\mu\text{g/L}$	Oct 2023 Result, $\mu\text{g/L}$	Reporting Limit, $\mu\text{g/L}$	Verified/ Awaiting Verification	GWPS, $\mu\text{g/L}$
LGW-10	1,4-Dichlorobenzene	1.57	1.88	1	Verified	75

GWPS – Groundwater Protection Standard. Proposed in Document No. 65838 and approved in Document No. 65893.

The current verified VOC detections and those confirmed VOCs identified in the past eight sampling events were evaluated against the ground water protection standards (GWPS) using confidence limits (Attachment C). The 95% lower confidence limit (LCL) for the mean of the most recent eight rounds of data were used to evaluate whether the regulated unit is in compliance with the approved ground-water protection standards (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the Regulatory GWPS. The calculated LCLs for historically detected VOCs are below the respective GWPS.

Intrawell statistics

Intrawell statistics are appropriate for facilities where the upgradient wells do not accurately characterize the natural ground water conditions downgradient from the facility. This may be due to different

hydrogeological conditions where the wells are screened, having too few upgradient wells to account for the spatial variability, or the site exhibiting no definable hydraulic gradient. Intrawell statistics compare new measurements to the historical data at each ground water monitoring well independently. It is recommended that at least eight background samples be obtained prior to performing the statistics.

The most useful technique for intrawell comparisons is the combined Shewhart-CUSUM control chart. This control chart procedure is useful because it will detect releases both in terms of the constituent concentration and cumulative increases. This method is also extremely sensitive to sudden and gradual releases. A requirement for constructing these control charts is that the parameter is detected at a frequency greater than or equal to 25%, otherwise the data variance is not properly defined.

The combined Shewhart-CUSUM control chart assumes that the data are independent and normally distributed with a fixed mean and a constant variance. Independent data is much more critical than the normality assumption. To achieve independence, it is recommended that data are collected no more frequently than quarterly to account for seasonal variation. The combined Shewhart-CUSUM control chart is extremely robust to deviations from normality. Because the control charts do not use a specific multiplier based on a normal distribution, it is more conservative to assume normality.

It is recommended that at least eight rounds of data be available to provide a reliable estimate of the mean and standard deviation of the parameter concentration, although the control charts will be generated with as few as four data points. Having only four data points may produce greater uncertainty in the mean and standard deviation of the background data, leading to higher control limits, thus having a potentially high false negative rate.

Many groundwater monitoring parameters are not detected at a frequency great enough to generate the combined Shewhart-CUSUM control charts. For constituents that are detected less than 25% of the time at a particular well, the data should be plotted as a time series until a sufficient number of data points are available to provide a 99% confidence nonparametric prediction limit. Thirteen independent measurements (with 1 resample) are necessary to achieve a 99% confidence (1% false positive rate) nonparametric prediction limit. Eight independent measurements (for pass 1 of 2 resamples) are necessary to achieve a 99% confidence nonparametric prediction limit. The nonparametric prediction limit is the largest determination out of the data set collected for that well and parameter. If the detection frequency is 0% after thirteen samples have been collected, the practical quantitation limit (PQL) becomes the nonparametric prediction limit.

In developing the statistical background, the historical data must be thoroughly screened for anomalous data due to sampling error, analytical error, or simply by chance alone. An erroneous data point, if not removed prior to the mean and variance computations, would yield a larger control limit thus increasing the false negative rate. The DUMPStat[®] program screens for outliers using the Dixon test. If the Dixon test indicates an outlier, the value is compared to three times the median value for intrawell analyses. If the value fails both criteria of the two-stage screening, the value is considered a statistical outlier and will not be used in the mean and variance determinations. Anomalous data will still be plotted on the graphs (with a unique symbol) but will not be included in the calculations. The verification resample plan is an integral function of the statistical plan to reduce the probability that anomalous data obtained after the background has been established, is indicative of a landfill release. The background data for each well and constituent is tested for existing trends using Sen's nonparametric estimate of trend. If contamination exists prior to

completing the background, the control limits could be potentially high and this control chart method would not be able to detect an increasing trend unless the increase is severe.

Results of the Intra-well Statistics

The trace metals and inorganic indicator data were evaluated using the combined Shewhart-CUSUM control chart method (Attachment D). The background used to determine control limits includes data obtained from January 2006 through 2016 for wells LGW-10, LGW-2, LGW-4, LGW-9, MW-10N, MW-11N, MW-1N, and MW-2N; July 2015 through June 2019 for well LGW-3R; January 2006 through 2015 for wells LGW-5, LGW-6, and LGW-7; January 2009 through 2016 for wells LGW-14R and LGW-8R; June 2015 through 2016 for wells MW-15, MW-16, MW-17, MW-19, MW-20, and MW-21; and 2000 through 2016 for wells MW-3N, MW-7N, and MW-8N. For the parameters evaluated, the statistical limit exceedances identified are summarized in the table below.

Summary of statistical limit exceedances during the second semi-annual monitoring period in 2023.

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Verified/Awaiting Verification
LGW-14R	TDS, mg/L	305	379.4546	288.5801	Normal	Verified
	Zinc, µg/L	10.5	10.3606	6.3012	Normal	Verified
LGW-2	TOC, mg/L	2.54	--	1.0000	Nonparametric	Awaiting Verification
LGW-4	Manganese, µg/L	135	151.7491	56.0439	Normal	Verified
	TDS, mg/L	393	590.9785	507.3477	Normal	Verified
	TOC, mg/L	1.49	--	1.0500	Nonparametric	Awaiting Verification
	Zinc, µg/L	18.7	24.3718	15.5751	Normal	Verified
LGW-5	Barium, µg/L	120	245.0411	224.3880	Normal	Verified
	Cobalt, µg/L	9.86	--	3.0000	Nonparametric	Verified
	Iron, µg/L	1480	--	210.0000	Nonparametric	Verified
	Manganese, µg/L	14700	16553.6557	2879.0886	Normal	Verified
	Nickel, µg/L	89.3	--	14.0000	Nonparametric	Verified
	TDS, mg/L	417	693.4182	586.9068	Normal	Verified
	TOC, mg/L	2.20	--	1.4000	Nonparametric	Verified
	Zinc, µg/L	20.9	38.6677	29.5747	Normal	Verified

Summary of statistical limit exceedances during the second semi-annual monitoring period in 2023 (cont.).

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Verified/Awaiting Verification
LGW-6	Barium, µg/L	208	221.1203	77.2180	Normal	Verified
	Cadmium, µg/L	1.88	--	1.0000	Nonparametric	Verified
	Cobalt, µg/L	24.5	--	3.0000	Nonparametric	Verified
	Iron, µg/L	1200	--	230.0000	Nonparametric	Verified
	Manganese, µg/L	37400	37351.1753	447.6702	Normal	Verified
	Nickel, µg/L	167	--	4.8000	Nonparametric	Verified
	TDS, mg/L	405	535.4413	433.8772	Normal	Verified
	TOC, mg/L	1.26	--	1.0000	Nonparametric	Awaiting Verification
	Zinc, µg/L	156	154.2514	23.2972	Normal	Verified
LGW-7	Manganese, µg/L	127	222.0809	150.3006	Normal	Awaiting Verification
	TDS, mg/L	353	528.2179	456.6853	Normal	Verified
	TOC, mg/L	1.73	--	1.0000	Nonparametric	Awaiting Verification
LGW-8R	Barium, µg/L	87.0	108.6875	88.6875	Normal	Verified
	Cadmium, µg/L	1.54	--	1.0000	Nonparametric	Awaiting Verification
	Manganese, µg/L	117	--	7.0000	Nonparametric	Verified
	Nickel, µg/L	9.8	--	4.0000	Nonparametric	Awaiting Verification
	TDS, mg/L	394	482.8676	389.4326	Normal	Verified
	TOC, mg/L	1.41	--	1.0000	Nonparametric	Awaiting Verification
	Zinc, µg/L	38.7	49.1445	19.1239	Normal	Awaiting Verification
LGW-9	TDS, mg/L	437	713.6753	660.5801	Normal	Verified
	TOC, mg/L	2.22	3.4651	2.9907	Normal	Awaiting Verification
MW-15	Sulfate, mg/L	11.3	17.6688	13.5608	Normal	Verified
	TOC, mg/L	3.84	4.0067	1.2454	Normal	Verified
MW-17	Sulfate, mg/L	13.5	25.9002	24.0925	Normal	Verified
MW-21	Cadmium, µg/L	3.67	7.0102	5.3857	Normal	Verified
MW-2N	Barium, mg/L	85.9	126.9684	96.1572	Normal	Verified
	TDS, mg/L	282	344.4164	273.4179	Normal	Verified
	Zinc, µg/L	24.5	66.4557	58.0501	Normal	Verified
MW-3N	Sulfate, mg/L	21.6	35.3956	20.8795	Normal	Verified
MW-7N	Sulfate, mg/L	20.6	31.6871	19.5293	Normal	Verified
	TOC, mg/L	2.62	--	1.8000	Nonparametric	Awaiting Verification
MW-8N	TOC, mg/L	2.50	3.4441	2.3038	Normal	Verified

A control chart factor was selected to provide a balance of the site-wide false positive and false negative rates. A statistical power curve indicates the expected false assessments for the site as a whole. The site-wide false positive rate is 9% and the test becomes sensitive to 3 standard deviation units over background.

Increasing trends detected in the background data include cobalt, iron, manganese, nickel, and TDS at LGW-10; pH at LGW-14R; pH at LGW-4; barium and zinc at LGW-7; pH at LGW-8R; zinc at LGW-9; sulfate at MW-16; sulfate at MW-17; zinc at MW-1N; barium at MW-2N; manganese, nickel, sulfate, and zinc at MW-3N; pH and sulfate at MW-7N; and pH and sulfate at MW-8N.

Monitoring wells exhibiting unverified exceedances were resampled during October 2-6, 2023. The results of the resample analysis statistics are summarized in the table below.

Summary of statistics for the resample monitoring event.

Well	Parameter	Result	CUSUM Value	Control limit	Control Limit Type	Comment
LGW-2	TOC, mg/L	2.23	--	1.0000	Nonparametric	Previous exceedance verified
LGW-4	TOC, mg/L	1.63	--	1.0500	Nonparametric	Previous exceedance verified
LGW-6	TOC, mg/L	<1	--	1.0000	Nonparametric	Previous exceedance not verified
LGW-7	Manganese, µg/L	25.8	120.8809	150.3006	Normal	Previous exceedance not verified
	TOC, mg/L	<1	--	1.0000	Nonparametric	Previous exceedance not verified
LGW-8R	Cadmium, µg/L	2.97	--	1.0000	Nonparametric	Previous exceedance verified
	Nickel, µg/L	18.7	--	4.0000	Nonparametric	Previous exceedance verified
	TOC, mg/L	<1	--	1.0000	Nonparametric	Previous exceedance not verified
	Zinc, µg/L	58.5	68.9445	19.1239	Normal	Previous exceedance verified
LGW-9	TOC, mg/L	1.45	2.6951	2.9907	Normal	Previous exceedance not verified
MW-7N	TOC, mg/L	2.07	--	1.8000	Nonparametric	Previous exceedance verified

STATISTICAL METHODOLOGIES FOR ASSESSMENT MONITORING

Trace Metals and Inorganic Compounds

GWPS exceedances observed during the second semi-annual monitoring in 2023 include cadmium at LGW-9, cadmium at MW-3N, cadmium at MW-8N, cobalt at LGW-10, cobalt at LGW-5, cobalt at LGW-6, and cobalt at MW-21. The current verified control limit/prediction limit exceedances and GWPS exceedances were evaluated against the approved GWPS using confidence limits (Attachment E). The 95% lower confidence limit (LCL) for the mean of the data was used to evaluate whether the regulated unit is in compliance with the groundwater protection standards (e.g. whether the verified constituent is detected at a significant level above the GWPS). An exceedance is verified if the LCL is above the GWPS.

The 95% LCL (42.629 µg/L) for cobalt at LGW-10 exceeds the GWPS of 6 µg/L.

The 95% LCL (6.232 µg/L) for cobalt at LGW-5 exceeds the GWPS of 6 µg/L.

The 95% LCL (20.232 µg/L) for cobalt at LGW-6 exceeds the GWPS of 6 µg/L.

The 95% LCL (10.167 µg/L) for cobalt at MW-21 exceeds the GWPS of 6 µg/L.

The 95% LCL (13.125 µg/L) for cadmium at LGW-9 exceeds the GWPS of 5 µg/L.

The 95% LCL (14.841 µg/L) for cadmium at MW-3N exceeds the GWPS of 5 µg/L.

The 95% LCL (7.182 µg/L) for cadmium at MW-8N exceeds the GWPS of 5 µg/L.

Attachment A

Ground Water Data obtained during the Second semi-annual Monitoring Event in 2023

Table 1

Analytical Data Summary for 7/5/2023 to 7/10/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-10N	MW-11N	MW-15
1,1,1,2-tetrachloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-trichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-tetrachloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-trichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-trichloropropane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dibromo-3-chloropropane (dbcp)	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
1,2-dibromoethane (edb)	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichlorobenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloropropane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-dichlorobenzene	ug/L	1.57	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2-hexanone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	ug/L	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
ALKALINITY	mg/L	429.0	272.0	286.0	24.8	340.0	321.0	347.0	299.0	346.0	341.0	241.0	177.0	194.0
Alkalinity, bicarbonate (as cacO3)	mg/L	429.0	272.0	286.0	24.8	340.0	321.0	347.0	299.0	346.0	341.0	241.0	177.0	194.0
Alkalinity, carbonate (as cacO3)	mg/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Ammonia (as n)	mg/L	<1.00	.161	<1.00	<1.00	<1.00	.182	<1.00	<1.00	<1.00	<1.00	.125	<1.00	<1.00
Antimony, total	ug/L	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2
Arsenic, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Barium, total	ug/L	72.7	47.1	74.1	53.5	64.5	120.0	208.0	63.6	87.0	164.0	25.2	51.1	24.2
Benzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Beryllium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromochloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cadmium, total	ug/L	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	1.88	<1.00	1.54	13.70	<1.00	<1.00	<1.00
Calcium, total	mg/L	172.0	110.0	114.0	10.1	138.0	117.0	109.0	122.0	139.0	127.0	32.1	67.3	74.3
Carbon disulfide	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Carbon tetrachloride	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	mg/L	21.50	5.15	10.20	5.33	17.60	31.90	15.00	17.30	18.00	35.10	4.98	<3.00	35.70
Chlorobenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroform	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chromium, total	ug/L	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Cis-1,2-dichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cis-1,3-dichloropropene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cobalt, total	ug/L	27.30	<3.00	<3.00	<3.00	<3.00	9.86	24.50	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00
Copper, total	ug/L	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4	<4
Dibromochloromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichlorobromomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Do (field)	mg/L	.3	4.6	5.8	5.9	2.5	1.1	.4	1.8	.2	.4	.3	6.5	5.6
Eh (redox)	MV	171.6	158.6	157.6	244.9	183.7	192.5	179.4	179.2	172.2	181.0	141.1	166.3	178.1
Ethylbenzene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iodomethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iron, total	ug/L	2370	<60	<60	159	<60	1480	1200	<60	<60	<60	1140	<60	<60
Lead, total	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Magnesium, total	mg/L	3.660	1.390	1.010	.945	2.170	4.190	4.460	2.670	3.300	8.250	11.300	.572	4.330
Manganese, total	ug/L	2730.00	<3.00	<3.00	21.90	135.00	14700.00	37400.00	127.00	117.00	4220.00	37.30	<3.00	3.54
Methyl ethyl ketone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methyl isobutyl ketone	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5

Table 1

Analytical Data Summary for 7/5/2023 to 7/10/2023

Constituents	MW-16	MW-17	MW-19	MW-1N	MW-21	MW-2N	MW-3N	MW-7N	MW-8N
1,1,1,2-tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,1-trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2,2-tetrachloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1,2-trichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,1-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2,3-trichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dibromo-3-chloropropane (dbcp)	<2	<2	<2	<2	<2	<2	<2	<2	<2
1,2-dibromoethane (edb)	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,2-dichloropropane	<1	<1	<1	<1	<1	<1	<1	<1	<1
1,4-dichlorobenzene	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00	<1.00
2-hexanone	<5	<5	<5	<5	<5	<5	<5	<5	<5
Acetone	<10	<10	<10	<10	<10	<10	<10	<10	<10
Acrylonitrile	<20	<20	<20	<20	<20	<20	<20	<20	<20
ALKALINITY	170.0	102.0	92.4	193.0	83.1	240.0	270.0	192.0	169.0
Alkalinity, bicarbonate (as cacO3)	170.0	102.0	92.4	193.0	83.1	240.0	270.0	192.0	169.0
Alkalinity, carbonate (as cacO3)	<10	<10	<10	<10	<10	<10	<10	<10	<10
Ammonia (as n)	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100	<.100
Antimony, total	<2	<2	<2	<2	<2	<2	<2	<2	<2
Arsenic, total	<5	<5	<5	<5	<5	<5	<5	<5	<5
Barium, total	32.7	33.8	22.1	39.7	180.0	85.9	72.4	134.0	141.0
Benzene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Beryllium, total	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromochloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromoform	<1	<1	<1	<1	<1	<1	<1	<1	<1
Bromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cadmium, total	<1.00	<1.00	<1.00	<1.00	3.67	<1.00	6.98	<1.00	7.58
Calcium, total	65.9	36.1	41.0	70.0	23.7	91.7	111.0	74.2	52.8
Carbon disulfide	<1	<1	<1	<1	<1	<1	<1	<1	<1
Carbon tetrachloride	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloride	4.08	6.95	7.75	3.40	17.40	7.02	5.83	31.60	29.60
Chlorobenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloroform	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Chromium, total	<3	<3	<3	<3	<3	<3	<3	<3	<3
Cis-1,2-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cis-1,3-dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Cobalt, total	<3.00	<3.00	<3.00	<3.00	13.20	<3.00	<3.00	<3.00	<3.00
Copper, total	<4	<4	<4	<4	<4	<4	<4	<4	<4
Dibromochloromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dibromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Dichlorobromomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Do (field)	6.6	7.4	6.7	1.9	.3	2.9	.9	4.4	.5
Eh (redox)	148.6	181.0	141.1	168.9	185.7	175.4	166.3	165.9	182.7
Ethylbenzene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iodomethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Iron, total	<60	<60	<60	<60	1190	<60	<60	<60	<60
Lead, total	<5	<5	<5	<5	<5	<5	<5	<5	<5
Magnesium, total	1.230	2.640	1.540	3.270	5.990	1.490	3.630	4.480	8.350
Manganese, total	<3.00	10.80	<3.00	<3.00	8580.00	<3.00	142.00	9.09	2660.00
Methyl ethyl ketone	<5	<5	<5	<5	<5	<5	<5	<5	<5
Methyl isobutyl ketone	<5	<5	<5	<5	<5	<5	<5	<5	<5

Table 1

Analytical Data Summary for 7/5/2023 to 7/10/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-10N	MW-11N	MW-15
Methylene chloride	ug/L	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07
Nickel, total	ug/L	70.10	<4.00	<4.00	<4.00	<4.00	89.30	167.00	<4.00	9.80	25.90	<4.00	<4.00	<4.00
Nitrate-nitrite (as n)	mg/L	<.100	1.700	1.230	1.700	2.550	<.100	<.100	1.700	.692	.505	<.100	.418	1.810
pH (Field)	S.U.	6.36	6.82	7.24	4.66	6.16	6.14	6.27	6.40	6.42	6.17	6.76	6.18	6.23
Potassium, total	mg/L	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00
Selenium, total	ug/L	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Silver, total	ug/L	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
Sodium, total	mg/L	10.20	5.75	11.10	<5.00	10.30	19.60	9.90	7.98	9.96	23.30	52.30	<5.00	29.70
Specific conductance (field)	UMHOS/CM	929	597	632	102	759	798	749	669	779	834	514	366	581
Styrene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Sulfate	mg/L	<5.00	<5.00	<5.00	<5.00	<5.00	5.18	<5.00	<5.00	<5.00	5.14	<5.00	<5.00	11.30
Tetrachloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Thallium, total	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Total dissolved solids	mg/L	483	305	322	57	393	417	405	353	394	437	249	197	310
Total organic carbon (toc)	mg/L	1.76	<1.00	2.54	<1.00	1.49	2.20	1.26	1.73	1.41	2.22	5.01	<1.00	3.84
Total xylenes	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,2-dichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,3-dichloropropene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,4-dichloro-2-butene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Turbidity (field)	NTU	5.4	4.4	4.5	11.0	9.8	3.8	4.2	3.8	3.7	3.9	4.4	5.0	4.2
Vanadium, total	ug/L	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3	<3
Vinyl acetate	ug/L	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	ug/L	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
Water temperature in deg. celsius (field)	C	19.0	19.3	19.7	16.7	17.1	20.5	19.4	19.0	16.9	18.1	16.5	18.0	17.5
Zinc, total	ug/L	58.00	10.50	6.97	7.52	18.70	20.90	156.00	44.50	38.70	73.90	<5.00	22.80	6.43

* - The displayed value is the arithmetic mean of multiple database matches.

Table 1

Analytical Data Summary for 7/5/2023 to 7/10/2023

Constituents	MW-16	MW-17	MW-19	MW-1N	MW-21	MW-2N	MW-3N	MW-7N	MW-8N
Methylene chloride	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07	<1.07
Nickel, total	<4.00	<4.00	<4.00	6.16	38.80	<4.00	9.55	<4.00	20.30
Nitrate-nitrite (as n)	.210	1.450	5.200	<.100	2.280	2.780	.761	6.650	1.860
pH (Field)	7.04	5.63	7.64	6.40	5.38	6.29	6.08	6.22	5.74
Potassium, total	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	<3.00	3.85
Selenium, total	<10	<10	<10	<10	<10	<10	<10	<10	<10
Silver, total	<50	<50	<50	<50	<50	<50	<50	<50	<50
Sodium, total	<5.00	10.80	6.60	7.39	10.00	12.20	<5.00	33.30	27.00
Specific conductance (field)	380	282	293	409	307	530	632	624	532
Styrene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Sulfate	<5.00	13.50	5.47	<5.00	9.96	<5.00	21.60	20.60	19.70
Tetrachloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Thallium, total	<1	<1	<1	<1	<1	<1	<1	<1	<1
Toluene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Total dissolved solids	215	154	184	220	160	282	327	321	261
Total organic carbon (toc)	<1.00	1.06	<1.00	<1.00	2.90	<1.00	2.06	2.62	2.50
Total xylenes	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,2-dichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,3-dichloropropene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trans-1,4-dichloro-2-butene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichloroethene	<1	<1	<1	<1	<1	<1	<1	<1	<1
Trichlorofluoromethane	<1	<1	<1	<1	<1	<1	<1	<1	<1
Turbidity (field)	4.0	11.6	3.0	5.0	10.1	5.3	5.4	3.8	3.5
Vanadium, total	<3	<3	<3	<3	<3	<3	<3	<3	<3
Vinyl acetate	<5	<5	<5	<5	<5	<5	<5	<5	<5
Vinyl chloride	<1	<1	<1	<1	<1	<1	<1	<1	<1
Water temperature in deg. celsius (field)	19.3	19.6	20.8	20.7	18.8	21.1	21.1	18.5	17.2
Zinc, total	8.31	<5.00	5.88	50.60	72.10	24.50	52.60	9.48	14.70

* - The displayed value is the arithmetic mean of multiple database matches.

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-15	MW-16	MW-17	MW-19
0,0,0-triethylphosphorothioate	ug/L	<50					<50	<50			<50				
1,1,1,2-tetrachloroethane	ug/L	<1					<1	<1			<1				
1,1,1-trichloroethane	ug/L	<1					<1	<1			<1				
1,1,2,2-tetrachloroethane	ug/L	<1					<1	<1			<1				
1,1,2-trichloroethane	ug/L	<1					<1	<1			<1				
1,1-dichloroethane	ug/L	<1					<1	<1			<1				
1,1-dichloroethene	ug/L	<1					<1	<1			<1				
1,1-dichloropropene	ug/L	<1					<1	<1			<1				
1,2,3-trichloropropane	ug/L	<1					<1	<1			<1				
1,2,4,5-tetrachlorobenzene	ug/L	<10					<10	<10			<10				
1,2,4-trichlorobenzene	ug/L	<10					<10	<10			<10				
1,2-dibromo-3-chloropropane (dbcp)	ug/L	<2					<2	<2			<2				
1,2-dibromoethane (edb)	ug/L	<1					<1	<1			<1				
1,2-dichlorobenzene	ug/L	<1					<1	<1			<1				
1,2-dichloroethane	ug/L	<1					<1	<1			<1				
1,2-dichloropropane	ug/L	<1					<1	<1			<1				
1,3,5-Trinitrobenzene	mg/L	<.05					<.05	<.05			<.05				
1,3-dichlorobenzene	ug/L	<1					<1	<1			<1				
1,3-dichloropropane	ug/L	<1					<1	<1			<1				
1,3-Dinitrobenzene	mg/L	<.01					<.01	<.01			<.01				
1,4-dichlorobenzene	ug/L	1.88					<1.00	<1.00			<1.00				
1,4-naphthoquinone	ug/L	<50					<50	<50			<50				
1-naphthylamine	ug/L	<10					<10	<10			<10				
2,2-dichloropropane	ug/L	<5					<5	<5			<5				
2,2'-oxybis(1-chloropropane)	ug/L	<10					<10	<10			<10				
2,3,4,6-tetrachlorophenol	ug/L	<50					<50	<50			<50				
2,4,5-t	ug/L	<1					<1	<1			<1				
2,4,5-tp (silvex)	ug/L	<1					<1	<1			<1				
2,4,5-trichlorophenol	ug/L	<10					<10	<10			<10				
2,4,6-trichlorophenol	ug/L	<10					<10	<10			<10				
2,4-d	ug/L	<4					<4	<4			<4				
2,4-dichlorophenol	ug/L	<10					<10	<10			<10				
2,4-dimethylphenol	ug/L	<10					<10	<10			<10				
2,4-dinitrophenol	ug/L	<50					<50	<50			<50				
2,4-dinitrotoluene	ug/L	<10					<10	<10			<10				
2,6-dichlorophenol	ug/L	<10					<10	<10			<10				
2,6-dinitrotoluene	ug/L	<10					<10	<10			<10				
2-acetylaminofluorene	ug/L	<100					<100	<100			<100				
2-chloronaphthalene	ug/L	<10					<10	<10			<10				
2-chlorophenol	ug/L	<10					<10	<10			<10				
2-hexanone	ug/L	<5					<5	<5			<5				
2-methylnaphthalene	ug/L	<10					<10	<10			<10				
2-Methylphenol	mg/L	<.01					<.01	<.01			<.01				
2-naphthylamine	ug/L	<10					<10	<10			<10				
2-nitroaniline	ug/L	<50					<50	<50			<50				
2-nitrophenol	ug/L	<10					<10	<10			<10				
34-Methyl Phenol	mg/L	<.01					<.01	<.01			<.01				
3,3'-dichlorobenzidine	ug/L	<50					<50	<50			<50				
3,3'-dimethylbenzidine	ug/L	<20					<20	<20			<20				
3-methylcholanthrene	ug/L	<20					<20	<20			<20				
3-nitroaniline	ug/L	<50					<50	<50			<50				
4,4'-ddd	ug/L	<.05					<.05	<.05			<.05				
4,4'-dde	ug/L	<.05					<.05	<.05			<.05				
4,4'-ddt	ug/L	<.05					<.05	<.05			<.05				
4,6-Dinitro-2-methylphenol	mg/L	<.05					<.05	<.05			<.05				

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	MW-21	MW-3N	MW-7N	MW-8N
0,0,0-triethylphosphorothioate				<50
1,1,1,2-tetrachloroethane	<1	<1		<1
1,1,1-trichloroethane	<1	<1		<1
1,1,2,2-tetrachloroethane	<1	<1		<1
1,1,2-trichloroethane	<1	<1		<1
1,1-dichloroethane	<1	<1		<1
1,1-dichloroethene	<1	<1		<1
1,1-dichloropropene				<1
1,2,3-trichloropropane	<1	<1		<1
1,2,4,5-tetrachlorobenzene				<10
1,2,4-trichlorobenzene				<10
1,2-dibromo-3-chloropropane (dbcp)	<2	<2		<2
1,2-dibromoethane (edb)	<1	<1		<1
1,2-dichlorobenzene	<1	<1		<1
1,2-dichloroethane	<1	<1		<1
1,2-dichloropropane	<1	<1		<1
1,3,5-Trinitrobenzene				<.05
1,3-dichlorobenzene				<1
1,3-dichloropropane				<1
1,3-Dinitrobenzene				<.01
1,4-dichlorobenzene	<1.00	<1.00		<1.00
1,4-naphthoquinone				<50
1-naphthylamine				<10
2,2-dichloropropane				<5
2,2'-oxybis(1-chloropropane)				<10
2,3,4,6-tetrachlorophenol				<50
2,4,5-t				<1
2,4,5-tp (silvex)				<1
2,4,5-trichlorophenol				<10
2,4,6-trichlorophenol				<10
2,4-d				<4
2,4-dichlorophenol				<10
2,4-dimethylphenol				<10
2,4-dinitrophenol				<50
2,4-dinitrotoluene				<10
2,6-dichlorophenol				<10
2,6-dinitrotoluene				<10
2-acetylaminofluorene				<100
2-chloronaphthalene				<10
2-chlorophenol				<10
2-hexanone	<5	<5		<5
2-methylnaphthalene				<10
2-Methylphenol				<.01
2-naphthylamine				<10
2-nitroaniline				<50
2-nitrophenol				<10
34-Methyl Phenol				<.01
3,3'-dichlorobenzidine				<50
3,3'-dimethylbenzidine				<20
3-methylcholanthrene				<20
3-nitroaniline				<50
4,4'-ddd				<.05
4,4'-dde				<.05
4,4'-ddt				<.05
4,6-Dinitro-2-methylphenol				<.05

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-15	MW-16	MW-17	MW-19
4-aminobiphenyl	ug/L	<10					<10	<10			<10				
4-bromophenyl phenyl ether	ug/L	<50					<50	<50			<50				
4-Chloro-3-methylphenol	mg/L	<.01					<.01	<.01			<.01				
4-chloroaniline	ug/L	<10					<10	<10			<10				
4-chlorophenyl phenyl ether	ug/L	<10					<10	<10			<10				
4-nitroaniline	ug/L	<50					<50	<50			<50				
4-nitrophenol	ug/L	<50					<50	<50			<50				
5-nitro-o-toluidine	ug/L	<20					<20	<20			<20				
Acenaphthene	ug/L	<10					<10	<10			<10				
Acenaphthylene	ug/L	<10					<10	<10			<10				
Acetone	ug/L	<11.3					<11.3	<11.3			<11.3				
Acetonitrile	ug/L	<30					<30	<30			<30				
Acetophenone	ug/L	<10					<10	<10			<10				
Acrolein	ug/L	<20					<20	<20			<20				
Acrylonitrile	ug/L	<20					<20	<20			<20				
Aldrin	ug/L	<.05					<.05	<.05			<.05				
Allyl chloride	mg/L	<.01					<.01	<.01			<.01				
Alpha-bhc	ug/L	<.05					<.05	<.05			<.05				
Ammonia (as n)	mg/L	.10	<.10	<.10	<.10	<.10	.26	<.10	<.10	<.10	<.10	<.10	<.10	<.10	<.10
Anthracene	ug/L	<10					<10	<10			<10				
Antimony, total	ug/L	<2					<2	<2			<2				
Arsenic, total	ug/L	<5					<5	<5			<5				
Barium, total	ug/L	67.3					132.0	196.0			146.0				
Benzene	ug/L	<1					<1	<1			<1				
Benzo(a)anthracene	ug/L	<10					<10	<10			<10				
Benzo(a)pyrene	ug/L	<10					<10	<10			<10				
Benzo(b)fluoranthene	ug/L	<10					<10	<10			<10				
Benzo(ghi)perylene	ug/L	<10					<10	<10			<10				
Benzo(k)fluoranthene	ug/L	<10					<10	<10			<10				
Benzyl alcohol	ug/L	<10					<10	<10			<10				
Benzylbutyl phthalate	mg/L	<.01					<.01	<.01			<.01				
Beryllium, total	ug/L	<1.00					1.03	<1.00			<1.00				
Beta-bhc	ug/L	<.5					<.5	<.5			<.5				
Bis(2-chloroethoxy) methane	ug/L	<10					<10	<10			<10				
Bis(2-chloroethyl) ether	ug/L	<10					<10	<10			<10				
Bis(2-ethylhexyl) phthalate	ug/L	<10					<10	<10			<10				
Bromochloromethane	ug/L	<1					<1	<1			<1				
Bromoform	ug/L	<1					<1	<1			<1				
Bromomethane	ug/L	<1					<1	<1			<1				
Cadmium, total	ug/L	<1.00					1.81	1.39		2.97	11.70				
Carbon disulfide	ug/L	<1					<1	<1			<1				
Carbon tetrachloride	ug/L	<1					<1	<1			<1				
Chlordane	ug/L	<.5					<.5	<.5			<.5				
Chloride	mg/L	24.20	5.64	11.30	4.93	20.30	31.00	17.20	17.30	20.20	34.80	39.30	4.05	6.63	7.79
Chlorobenzene	ug/L	<1					<1	<1			<1				
Chlorobenzilate	ug/L	<10					<10	<10			<10				
Chloroethane	ug/L	<1					<1	<1			<1				
Chloroform	ug/L	<1					<1	<1			<1				
Chloromethane	ug/L	<1					<1	<1			<1				
Chloroprene	ug/L	<1.7					<1.7	<1.7			<1.7				
Chromium, total	ug/L	<3					<3	<3			<3				
Chrysene	ug/L	<10					<10	<10			<10				
Cis-1,2-dichloroethene	ug/L	<1					<1	<1			<1				
Cis-1,3-dichloropropene	ug/L	<1					<1	<1			<1				
Cobalt, total	ug/L	35.1					<3.0	24.8			<3.0				

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	MW-21	MW-3N	MW-7N	MW-8N
4-aminobiphenyl				<10
4-bromophenyl phenyl ether				<50
4-Chloro-3-methylphenol				<.01
4-chloroaniline				<10
4-chlorophenyl phenyl ether				<10
4-nitroaniline				<50
4-nitrophenol				<50
5-nitro-o-toluidine				<20
Acenaphthene				<10
Acenaphthylene				<10
Acetone	<10.0	<10.0		<11.3
Acetonitrile				<30
Acetophenone				<10
Acrolein				<20
Acrylonitrile	<20	<20		<20
Aldrin				<.05
Allyl chloride				<.01
Alpha-bhc				<.05
Ammonia (as n)			<.10	
Anthracene				<10
Antimony, total	<2	<2		<2
Arsenic, total	<5	<5		<5
Barium, total	294.0	74.1		137.0
Benzene	<1	<1		<1
Benzo(a)anthracene				<10
Benzo(a)pyrene				<10
Benzo(b)fluoranthene				<10
Benzo(ghi)perylene				<10
Benzo(k)fluoranthene				<10
Benzyl alcohol				<10
Benzylbutyl phthalate				<.01
Beryllium, total	<1.00	<1.00		<1.00
Beta-bhc				<.5
Bis(2-chloroethoxy) methane				<10
Bis(2-chloroethyl) ether				<10
Bis(2-ethylhexyl) phthalate				<10
Bromochloromethane	<1	<1		<1
Bromoform	<1	<1		<1
Bromomethane	<1	<1		<1
Cadmium, total	3.23	10.70		6.58
Carbon disulfide	<1	<1		<1
Carbon tetrachloride	<1	<1		<1
Chlordane				<.5
Chloride	27.10	7.18	30.10	30.50
Chlorobenzene	<1	<1		<1
Chlorobenzilate				<10
Chloroethane	<1	<1		<1
Chloroform	<1	<1		<1
Chloromethane	<1	<1		<1
Chloroprene				<1.7
Chromium, total	<3	<3		<3
Chrysene				<10
Cis-1,2-dichloroethene	<1	<1		<1
Cis-1,3-dichloropropene	<1	<1		<1
Cobalt, total	18.6	<3.0		<3.0

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-15	MW-16	MW-17	MW-19
Copper, total	ug/L	<4					<4	<4			<4				
Cyanide, total	mg/L	<.01					<.01	<.01			<.01				
Delta-bhc	ug/L	<.05					<.05	<.05			<.05				
Diallate	ug/L	<20					<20	<20			<20				
Dibenzo(a,h)anthracene	ug/L	<20					<20	<20			<20				
Dibenzofuran	ug/L	<10					<10	<10			<10				
Dibromochloromethane	ug/L	<1					<1	<1			<1				
Dibromomethane	ug/L	<1					<1	<1			<1				
Dichlorobromomethane	ug/L	<1					<1	<1			<1				
Dichlorodifluoromethane	ug/L	<2					<2	<2			<2				
Dieldrin	ug/L	<.05					<.05	<.05			<.05				
Diethyl phthalate	ug/L	<10					<10	<10			<10				
Dimethoate	ug/L	<20					<20	<20			<20				
Dimethyl phthalate	ug/L	<10					<10	<10			<10				
Dimethylbenz (A) Anthracene	mg/L	<.02					<.02	<.02			<.02				
Di-n-butyl phthalate	ug/L	<10					<10	<10			<10				
Di-n-octyl phthalate	ug/L	<10					<10	<10			<10				
Dinoseb	ug/L	<17.9					<17.9	<17.9			<17.9				
Diphenylamine	ug/L	<10					<10	<10			<10				
Disulfoton	ug/L	<50					<50	<50			<50				
Do (field)	mg/L	.3	3.8	7.0	5.5	1.8	1.0	.8	1.9	.4	.4	5.6	6.7	7.7	7.9
Eh (redox)	MV	-37.0	64.3	159.0	194.4	162.0	-112.1	-9.3	91.0	95.9	79.7	151.8	129.2	53.6	135.6
Endosulfan i	ug/L	<.05					<.05	<.05			<.05				
Endosulfan ii	ug/L	<.05					<.05	<.05			<.05				
Endosulfan sulfate	ug/L	<.05					<.05	<.05			<.05				
Endrin	ug/L	<.05					<.05	<.05			<.05				
Endrin aldehyde	ug/L	<.05					<.05	<.05			<.05				
Ethyl methacrylate	ug/L	<3					<3	<3			<3				
Ethyl methane sulfonate	ug/L	<10					<10	<10			<10				
Ethyl Parathion	mg/L	<.05					<.05	<.05			<.05				
Ethylbenzene	ug/L	<1					<1	<1			<1				
Famphur	ug/L	<200					<200	<200			<200				
Fluoranthene	ug/L	<1					<1	<1			<1				
Fluorene	ug/L	<10					<10	<10			<10				
Gamma-bhc (lindane)	ug/L	<.05					<.05	<.05			<.05				
Heptachlor	ug/L	<.05					<.05	<.05			<.05				
Heptachlor epoxide	ug/L	<.05					<.05	<.05			<.05				
Hexachloro-1,3-butadiene	mg/L	<.01					<.01	<.01			<.01				
Hexachlorobenzene	ug/L	<10					<10	<10			<10				
Hexachlorocyclopentadiene	ug/L	<50					<50	<50			<50				
Hexachloroethane	ug/L	<10					<10	<10			<10				
Hexachloropropene	ug/L	<100					<100	<100			<100				
Indeno(1,2,3-cd)pyrene	ug/L	<10					<10	<10			<10				
Iodomethane	ug/L	<1					<1	<1			<1				
Iron, total	ug/L	3820					2410	1290			<60				
Isobutanol	ug/L	<110					<110	<110			<110				
Isodrin	ug/L	<10					<10	<10			<10				
Isophorone	ug/L	<10					<10	<10			<10				
Isosafrole	ug/L	<20					<20	<20			<20				
Kepone	ug/L	<1.88					<1.88	<1.88			<1.88				
Lead, total	ug/L	<5					<5	<5			<5				
Manganese, total	ug/L	3020.0					12700.0	32600.0	25.8		3270.0				
Mercury, total	ug/L	<.2					<.2	<.2			<.2				
Methacrylonitrile	ug/L	<13					<13	<13			<13				
Methapyrilene	ug/L	<50					<50	<50			<50				

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	MW-21	MW-3N	MW-7N	MW-8N
Copper, total	<4	<4		<4
Cyanide, total				<.01
Delta-bhc				<.05
Diallate				<20
Dibenzo(a,h)anthracene				<20
Dibenzofuran				<10
Dibromochloromethane	<1	<1		<1
Dibromomethane	<1	<1		<1
Dichlorobromomethane	<1	<1		<1
Dichlorodifluoromethane				<2
Dieldrin				<.05
Diethyl phthalate				<10
Dimethoate				<20
Dimethyl phthalate				<10
Dimethylbenz (A) Anthracene				<.02
Di-n-butyl phthalate				<10
Di-n-octyl phthalate				<10
Dinoseb				<17.9
Diphenylamine				<10
Disulfoton				<50
Do (field)	.3	.5	3.8	.3
Eh (redox)	26.9	110.5	139.9	91.8
Endosulfan i				<.05
Endosulfan ii				<.05
Endosulfan sulfate				<.05
Endrin				<.05
Endrin aldehyde				<.05
Ethyl methacrylate				<3
Ethyl methane sulfonate				<10
Ethyl Parathion				<.05
Ethylbenzene	<1	<1		<1
Famphur				<200
Fluoranthene				<1
Fluorene				<10
Gamma-bhc (lindane)				<.05
Heptachlor				<.05
Heptachlor epoxide				<.05
Hexachloro-1,3-butadiene				<.01
Hexachlorobenzene				<10
Hexachlorocyclopentadiene				<50
Hexachloroethane				<10
Hexachloropropene				<100
Indeno(1,2,3-cd)pyrene				<10
Iodomethane	<1	<1		<1
Iron, total	4910	<60		<60
Isobutanol				<110
Isodrin				<10
Isophorone				<10
Isosafrole				<20
Kepone				<1.88
Lead, total	<5	<5		<5
Manganese, total	11100.0	141.0		2400.0
Mercury, total				<.2
Methacrylonitrile				<13
Methapyrilene				<50

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-15	MW-16	MW-17	MW-19
Methoxychlor	ug/L	<.1					<.1	<.1			<.1				
Methyl ethyl ketone	ug/L	<5					<5	<5			<5				
Methyl isobutyl ketone	ug/L	<5					<5	<5			<5				
Methyl methacrylate	ug/L	<4					<4	<4			<4				
Methyl methanesulfonate	ug/L	<50					<50	<50			<50				
Methyl parathion	ug/L	<10					<10	<10			<10				
Methylene chloride	ug/L	<1.07					<1.07	<1.07			<1.07				
Naphthalene	ug/L	<10					<10	<10			<10				
Nickel, total	ug/L	86.5					11.4	165.0		18.7	22.1				
Nitrobenzene	ug/L	<10					<10	<10			<10				
N-nitrosodiethylamine	ug/L	<10					<10	<10			<10				
N-nitrosodimethylamine	ug/L	<10					<10	<10			<10				
N-nitrosodi-n-butylamine	ug/L	<10					<10	<10			<10				
N-nitroso-di-n-propylamine	ug/L	<10					<10	<10			<10				
N-nitrosodiphenylamine	ug/L	<10					<10	<10			<10				
N-nitrosomethylethylamine	ug/L	<10					<10	<10			<10				
N-nitrosopiperidine	ug/L	<10					<10	<10			<10				
N-nitrosopyrrolidine	ug/L	<10					<10	<10			<10				
O-toluidine	ug/L	<10					<10	<10			<10				
Pcb 1016	ug/L	<1					<1	<1			<1				
Pcb 1221	ug/L	<1					<1	<1			<1				
Pcb 1232	ug/L	<1					<1	<1			<1				
Pcb 1242	ug/L	<1					<1	<1			<1				
Pcb 1248	ug/L	<1					<1	<1			<1				
Pcb 1254	ug/L	<1					<1	<1			<1				
Pcb 1260	ug/L	<1					<1	<1			<1				
P-dimethylaminoazobenzene	ug/L	<20					<20	<20			<20				
Pentachlorobenzene	ug/L	<10					<10	<10			<10				
Pentachloronitrobenzene	ug/L	<50					<50	<50			<50				
Pentachlorophenol	ug/L	<50					<50	<50			<50				
pH (Field)	S.U.	6.47	6.86	6.73	5.09	6.47	6.32	6.34	6.69	6.64	6.41	6.42	7.20	6.56	7.07
Phenacetin	ug/L	<10					<10	<10			<10				
Phenanthrene	ug/L	<20					<20	<20			<20				
Phenol	ug/L	<10					<10	<10			<10				
Phorate	ug/L	<50					<50	<50			<50				
P-phenylenediamine	ug/L	<387					<387	<387			<387				
Pronamide	ug/L	<20					<20	<20			<20				
Propionitrile	ug/L	<20					<20	<20			<20				
Pyrene	ug/L	<10					<10	<10			<10				
Safrole	ug/L	<50					<50	<50			<50				
Selenium, total	ug/L	<10					<10	<10			<10				
Silver, total	ug/L	<50					<50	<50			<50				
Specific conductance (field)	UMHOS/CM	1048	750	708	115	924	1049	868	744	873	930	702	449	315	513
Styrene	ug/L	<1					<1	<1			<1				
Sulfate	mg/L	<5.00					5.37	<5.00			7.30				
Sulfide	mg/L	<4					<4	<4			<4				
Tetrachloroethene	ug/L	<1					<1	<1			<1				
Thallium, total	ug/L	<1.00					1.21	<1.00			<1.00				
Thionazin	ug/L	<10					<10	<10			<10				
Tin, total	ug/L	<100					<100	<100			<100				
Toluene	ug/L	<1					<1	<1			<1				
Total dissolved solids	mg/L	510					438	401			412				
Total organic carbon (toc)	mg/L	1.09		2.23		1.63	2.29	<1.00	<1.00	<1.00	1.45				
Total xylenes	ug/L	<1					<1	<1			<1				
Toxaphene	ug/L	<5					<5	<5			<5				

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	MW-21	MW-3N	MW-7N	MW-8N
Methoxychlor				<.1
Methyl ethyl ketone	<5	<5		<5
Methyl isobutyl ketone	<5	<5		<5
Methyl methacrylate				<4
Methyl methanesulfonate				<50
Methyl parathion				<10
Methylene chloride	<1.07	<1.07		<1.07
Naphthalene				<10
Nickel, total	46.9	12.2		18.3
Nitrobenzene				<10
N-nitrosodiethylamine				<10
N-nitrosodimethylamine				<10
N-nitrosodi-n-butylamine				<10
N-nitroso-di-n-propylamine				<10
N-nitrosodiphenylamine				<10
N-nitrosomethylethylamine				<10
N-nitrosopiperidine				<10
N-nitrosopyrrolidine				<10
O-toluidine				<10
Pcb 1016				<1
Pcb 1221				<1
Pcb 1232				<1
Pcb 1242				<1
Pcb 1248				<1
Pcb 1254				<1
Pcb 1260				<1
P-dimethylaminoazobenzene				<20
Pentachlorobenzene				<10
Pentachloronitrobenzene				<50
Pentachlorophenol				<50
pH (Field)	5.93	6.62	6.67	6.41
Phenacetin				<10
Phenanthrene				<20
Phenol				<10
Phorate				<50
P-phenylenediamine				<387
Pronamide				<20
Propionitrile				<20
Pyrene				<10
Safrole				<50
Selenium, total	<10	<10		<10
Silver, total	<50	<50		<50
Specific conductance (field)	580	788	690	642
Styrene	<1	<1		<1
Sulfate	22.20	13.90		18.90
Sulfide				<4
Tetrachloroethene	<1	<1		<1
Thallium, total	<1.00	<1.00		<1.00
Thionazin				<10
Tin, total				<100
Toluene	<1	<1		<1
Total dissolved solids	239	341		251
Total organic carbon (toc)	2.89	<1.00	2.07	1.46
Total xylenes	<1	<1		<1
Toxaphene				<5

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	Units	LGW-10	LGW-14R	LGW-2	LGW-3R	LGW-4	LGW-5	LGW-6	LGW-7	LGW-8R	LGW-9	MW-15	MW-16	MW-17	MW-19
Trans-1,2-dichloroethene	ug/L	<1					<1	<1			<1				
Trans-1,3-dichloropropene	ug/L	<1					<1	<1			<1				
Trans-1,4-dichloro-2-butene	ug/L	<1					<1	<1			<1				
Trichloroethene	ug/L	<1					<1	<1			<1				
Trichlorofluoromethane	ug/L	<1					<1	<1			<1				
Turbidity (field)	NTU	3.4	2.9	3.1	3.9	4.1	8.0	3.1	2.6	2.5	2.8	2.0	2.0	18.5	2.1
Vanadium, total	ug/L	<3					<3	<3			<3				
Vinyl acetate	ug/L	<5					<5	<5			<5				
Vinyl chloride	ug/L	<1					<1	<1			<1				
Water temperature in deg. celsius (field)	C	17.5	19.7	19.2	17.2	17.4	18.2	18.8	18.2	17.3	17.2	16.4	17.2	18.3	18.8
Zinc, total	ug/L	99.6					120.0	139.0			62.4				

* - The displayed value is the arithmetic mean of multiple database matches.

Table 2

Analytical Data Summary for 10/2/2023 to 10/6/2023

Constituents	MW-21	MW-3N	MW-7N	MW-8N
Trans-1,2-dichloroethene	<1	<1		<1
Trans-1,3-dichloropropene	<1	<1		<1
Trans-1,4-dichloro-2-butene	<1	<1		<1
Trichloroethene	<1	<1		<1
Trichlorofluoromethane	<1	<1		<1
Turbidity (field)	8.1	3.2	2.3	3.7
Vanadium, total	<3	<3		<3
Vinyl acetate	<5	<5		<5
Vinyl chloride	<1	<1		<1
Water temperature in deg. celsius (field)	16.1	15.2	16.9	17.8
Zinc, total	73.4	59.3		10.7

* - The displayed value is the arithmetic mean of multiple database matches.

Attachment B

Historical VOC Detections

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,1-dichloroethane	LGW-10	1/26/2006		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	8/01/2006		2.40	1.00	ug/L
1,1-dichloroethane	LGW-10	8/01/2006		2.40	1.00	ug/L
1,1-dichloroethane	LGW-10	10/26/2006		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	1/25/2007		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	4/26/2007		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	7/12/2007		1.10	1.00	ug/L
1,1-dichloroethane	LGW-10	1/23/2008		1.50	1.00	ug/L
1,1-dichloroethane	LGW-10	7/22/2008		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	7/29/2009		1.40	1.00	ug/L
1,1-dichloroethane	LGW-10	2/03/2010		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	2/03/2010		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	7/16/2010		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/19/2011		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	7/12/2011		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/05/2012		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2012		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	5/01/2013		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	1/30/2014		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2014		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	2/12/2015		1.90	1.00	ug/L
1,1-dichloroethane	LGW-10	7/13/2015		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	1/05/2016		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	2/10/2016		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	4/06/2016		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/21/2016		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	10/06/2016		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	1/11/2017		1.30	1.00	ug/L
1,1-dichloroethane	LGW-10	4/04/2017		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	7/19/2017		2.20	1.00	ug/L
1,1-dichloroethane	LGW-10	10/09/2017		2.10	1.00	ug/L
1,1-dichloroethane	LGW-10	1/24/2018		1.20	1.00	ug/L
1,1-dichloroethane	LGW-10	4/11/2018		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	7/16/2018		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	10/04/2018		1.60	1.00	ug/L
1,1-dichloroethane	LGW-10	1/04/2019		1.50	1.00	ug/L
1,1-dichloroethane	LGW-10	4/03/2019		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	10/02/2019		1.70	1.00	ug/L
1,1-dichloroethane	LGW-10	1/15/2020		2.00	1.00	ug/L
1,1-dichloroethane	LGW-10	4/02/2020		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	7/09/2020		1.80	1.00	ug/L
1,1-dichloroethane	LGW-10	10/07/2020		1.24	1.00	ug/L
1,1-dichloroethane	LGW-10	4/06/2021		1.44	1.00	ug/L
1,1-dichloroethane	LGW-10	7/07/2021		1.55	1.00	ug/L
1,1-dichloroethane	LGW-10	10/05/2021		1.07	1.00	ug/L
1,1-dichloroethane	LGW-10	1/13/2022		1.28	1.00	ug/L
1,1-dichloroethane	LGW-10	4/04/2022		1.49	1.00	ug/L
1,1-dichloroethane	LGW-10	7/11/2022		1.52	1.00	ug/L
1,1-dichloroethane	LGW-10	10/07/2022		1.28	1.00	ug/L
1,1-dichloroethane	LGW-10	1/11/2023		1.40	1.00	ug/L
1,1-dichloroethane	LGW-10	4/05/2023		1.15	1.00	ug/L
1,2-dichloropropane	LGW-10	10/02/2019		1.1	1.0	ug/L
1,4-dichlorobenzene	LGW-10	1/26/2006		2.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	8/01/2006		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	8/01/2006		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/26/2006		3.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/25/2007		4.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/26/2007		4.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/12/2007		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/23/2008		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/22/2008		2.80	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/29/2009		3.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/03/2010		3.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/03/2010		3.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/16/2010		5.40	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/19/2011		4.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/12/2011		6.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/05/2012		5.30	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2012		5.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	5/01/2013		6.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/30/2014		6.40	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2014		6.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/12/2015		7.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/13/2015		7.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/05/2016		6.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	2/10/2016		6.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/06/2016		6.30	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/21/2016		7.40	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,4-dichlorobenzene	LGW-10	10/06/2016		6.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/11/2017		5.60	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/04/2017		7.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/19/2017		7.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/09/2017		7.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/24/2018		2.00	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/11/2018		2.50	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/16/2018		3.70	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/04/2018		1.90	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/04/2019		2.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/03/2019		3.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/11/2019		4.80	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/02/2019		3.20	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/15/2020		5.26	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/02/2020		4.83	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/09/2020		5.15	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/07/2020		2.10	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/07/2021		4.05	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/05/2021		2.48	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/13/2022		2.51	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/04/2022		2.62	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/11/2022		4.06	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/07/2022		2.48	1.00	ug/L
1,4-dichlorobenzene	LGW-10	1/11/2023		2.13	1.00	ug/L
1,4-dichlorobenzene	LGW-10	4/05/2023		1.87	1.00	ug/L
1,4-dichlorobenzene	LGW-10	7/10/2023		1.57	1.00	ug/L
1,4-dichlorobenzene	LGW-10	10/05/2023		1.88	1.00	ug/L
Acetone	LGW-10	1/30/2014		7.5	5.0	ug/L
Acetone	LGW-10	7/09/2014		6.3	5.0	ug/L
Acetone	LGW-10	7/13/2015		5.4	5.0	ug/L
Acetone	LGW-10	7/21/2016		9.8	5.0	ug/L
Acetone	LGW-10	1/11/2017		5.3	5.0	ug/L
Acetone	LGW-10	4/04/2017		8.0	5.0	ug/L
Acetone	LGW-10	10/09/2017		5.1	5.0	ug/L
Acetone	LGW-10	1/24/2018		9.2	5.0	ug/L
Acetone	LGW-10	4/11/2018		28.0	5.0	ug/L
Acetone	LGW-10	7/16/2018		6.9	5.0	ug/L
Acetone	LGW-10	10/04/2018		11.0	10.0	ug/L
Benzene	LGW-10	1/26/2006		1.30	1.00	ug/L
Benzene	LGW-10	8/01/2006		1.80	1.00	ug/L
Benzene	LGW-10	8/01/2006		1.80	1.00	ug/L
Benzene	LGW-10	10/26/2006		1.30	1.00	ug/L
Benzene	LGW-10	1/25/2007		1.40	1.00	ug/L
Benzene	LGW-10	1/23/2008		1.40	1.00	ug/L
Benzene	LGW-10	7/22/2008		1.70	1.00	ug/L
Benzene	LGW-10	7/29/2009		1.40	1.00	ug/L
Benzene	LGW-10	2/03/2010		1.20	1.00	ug/L
Benzene	LGW-10	2/03/2010		1.20	1.00	ug/L
Benzene	LGW-10	7/16/2010		2.40	1.00	ug/L
Benzene	LGW-10	1/19/2011		1.10	1.00	ug/L
Benzene	LGW-10	7/12/2011		2.40	1.00	ug/L
Benzene	LGW-10	1/05/2012		2.10	1.00	ug/L
Benzene	LGW-10	7/09/2012		1.60	1.00	ug/L
Benzene	LGW-10	5/01/2013		2.40	1.00	ug/L
Benzene	LGW-10	1/30/2014		2.00	1.00	ug/L
Benzene	LGW-10	7/09/2014		2.00	1.00	ug/L
Benzene	LGW-10	2/12/2015		2.30	1.00	ug/L
Benzene	LGW-10	7/13/2015		3.20	1.00	ug/L
Benzene	LGW-10	1/05/2016		2.60	1.00	ug/L
Benzene	LGW-10	2/10/2016		1.50	1.00	ug/L
Benzene	LGW-10	4/06/2016		2.40	1.00	ug/L
Benzene	LGW-10	7/21/2016		3.20	1.00	ug/L
Benzene	LGW-10	10/06/2016		2.60	1.00	ug/L
Benzene	LGW-10	1/11/2017		1.60	1.00	ug/L
Benzene	LGW-10	4/04/2017		3.20	1.00	ug/L
Benzene	LGW-10	7/19/2017		3.40	1.00	ug/L
Benzene	LGW-10	10/09/2017		3.20	1.00	ug/L
Benzene	LGW-10	1/24/2018		1.30	1.00	ug/L
Benzene	LGW-10	4/11/2018		2.20	1.00	ug/L
Benzene	LGW-10	7/16/2018		1.90	1.00	ug/L
Benzene	LGW-10	10/04/2018		1.50	1.00	ug/L
Benzene	LGW-10	1/04/2019		1.60	1.00	ug/L
Benzene	LGW-10	4/03/2019		2.20	1.00	ug/L
Benzene	LGW-10	7/11/2019		2.30	1.00	ug/L
Benzene	LGW-10	10/02/2019		2.90	1.00	ug/L
Benzene	LGW-10	1/15/2020		3.34	1.00	ug/L
Benzene	LGW-10	4/02/2020		2.93	1.00	ug/L
Benzene	LGW-10	7/09/2020		2.82	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Benzene	LGW-10	10/07/2020		1.03	1.00	ug/L
Benzene	LGW-10	4/06/2021		2.12	1.00	ug/L
Benzene	LGW-10	7/07/2021		2.44	1.00	ug/L
Benzene	LGW-10	10/05/2021		1.06	1.00	ug/L
Benzene	LGW-10	1/13/2022		1.54	1.00	ug/L
Benzene	LGW-10	4/04/2022		2.18	1.00	ug/L
Benzene	LGW-10	7/11/2022		2.43	1.00	ug/L
Benzene	LGW-10	10/07/2022		1.50	1.00	ug/L
Benzene	LGW-10	1/11/2023		1.98	1.00	ug/L
Benzene	LGW-10	4/05/2023		1.71	1.00	ug/L
Bis(2-ethylhexyl) phthalate	LGW-10	10/26/2006		20	10	ug/L
Chlorobenzene	LGW-10	5/01/2013		1.10	1.00	ug/L
Chlorobenzene	LGW-10	7/13/2015		1.30	1.00	ug/L
Chlorobenzene	LGW-10	1/05/2016		1.00	1.00	ug/L
Chlorobenzene	LGW-10	7/21/2016		1.30	1.00	ug/L
Chlorobenzene	LGW-10	10/06/2016		1.00	1.00	ug/L
Chlorobenzene	LGW-10	4/04/2017		1.20	1.00	ug/L
Chlorobenzene	LGW-10	7/19/2017		1.30	1.00	ug/L
Chlorobenzene	LGW-10	10/09/2017		1.20	1.00	ug/L
Chlorobenzene	LGW-10	7/11/2019		1.10	1.00	ug/L
Chlorobenzene	LGW-10	1/15/2020		1.13	1.00	ug/L
Chlorobenzene	LGW-10	4/02/2020		1.13	1.00	ug/L
Chlorobenzene	LGW-10	7/09/2020		1.05	1.00	ug/L
Chloroethane	LGW-10	7/12/2011		1.6	1.0	ug/L
Cis-1,2-dichloroethene	LGW-10	1/26/2006		3.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	8/01/2006		4.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	8/01/2006		4.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/26/2006		2.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/25/2007		2.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/26/2007		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2007		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/23/2008		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/22/2008		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/29/2009		2.00	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/03/2010		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/03/2010		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2010		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/19/2011		1.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/12/2011		2.80	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/05/2012		2.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2012		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	5/01/2013		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/30/2014		2.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2014		2.60	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/12/2015		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/13/2015		3.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/05/2016		3.10	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	2/10/2016		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/06/2016		2.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/21/2016		3.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/06/2016		2.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2017		1.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/04/2017		3.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/19/2017		3.40	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/09/2017		3.00	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/24/2018		1.30	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/11/2018		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/16/2018		1.70	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/04/2018		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/04/2019		1.50	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/03/2019		1.90	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2019		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/02/2019		2.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/15/2020		2.56	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/02/2020		2.32	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/09/2020		2.57	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/06/2021		1.62	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/07/2021		2.43	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/13/2022		1.20	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/04/2022		1.78	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	7/11/2022		1.95	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	10/07/2022		1.11	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	1/11/2023		1.38	1.00	ug/L
Cis-1,2-dichloroethene	LGW-10	4/05/2023		1.19	1.00	ug/L
Iodomethane	LGW-10	1/24/2018		1.4	1.0	ug/L
Methyl ethyl ketone	LGW-10	1/25/2007		9.3	5.0	ug/L
Vinyl chloride	LGW-10	10/26/2006		1.50	1.00	ug/L
Vinyl chloride	LGW-10	1/25/2007		1.20	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Vinyl chloride	LGW-10	1/23/2008		1.90	1.00	ug/L
Vinyl chloride	LGW-10	7/22/2008		1.70	1.00	ug/L
Vinyl chloride	LGW-10	7/16/2010		1.60	1.00	ug/L
Vinyl chloride	LGW-10	7/12/2011		2.90	1.00	ug/L
Vinyl chloride	LGW-10	1/05/2012		1.20	1.00	ug/L
Vinyl chloride	LGW-10	5/01/2013		1.60	1.00	ug/L
Vinyl chloride	LGW-10	1/30/2014		1.80	1.00	ug/L
Vinyl chloride	LGW-10	7/09/2014		1.80	1.00	ug/L
Vinyl chloride	LGW-10	2/12/2015		1.80	1.00	ug/L
Vinyl chloride	LGW-10	7/13/2015		1.90	1.00	ug/L
Vinyl chloride	LGW-10	1/05/2016		1.90	1.00	ug/L
Vinyl chloride	LGW-10	4/06/2016		1.30	1.00	ug/L
Vinyl chloride	LGW-10	7/21/2016		1.30	1.00	ug/L
Vinyl chloride	LGW-10	10/06/2016		1.60	1.00	ug/L
Vinyl chloride	LGW-10	4/04/2017		2.10	1.00	ug/L
Vinyl chloride	LGW-10	7/19/2017		2.00	1.00	ug/L
Vinyl chloride	LGW-10	10/09/2017		1.20	1.00	ug/L
Vinyl chloride	LGW-10	4/11/2018		1.20	1.00	ug/L
Vinyl chloride	LGW-10	10/04/2018		1.20	1.00	ug/L
Vinyl chloride	LGW-10	1/15/2020		1.23	1.00	ug/L
Vinyl chloride	LGW-10	7/09/2020		1.17	1.00	ug/L
Vinyl chloride	LGW-10	7/07/2021		1.09	1.00	ug/L
Acetone	LGW-14R	8/02/2006		5.5	5.0	ug/L
Acetone	LGW-14R	8/02/2006		5.5	5.0	ug/L
Acetone	LGW-14R	7/11/2007		5.8	5.0	ug/L
Acetone	LGW-14R	7/09/2012		5.1	5.0	ug/L
Acetone	LGW-14R	1/25/2018		8.4	5.0	ug/L
Acetone	LGW-14R	6/21/2018		15.0	5.0	ug/L
Acetone	LGW-14R	7/17/2018		29.0	5.0	ug/L
Acetone	LGW-2	7/30/2009		6.90	5.00	ug/L
Acetone	LGW-2	7/18/2017		21.00	5.00	ug/L
Acetone	LGW-2	7/12/2018		17.00	5.00	ug/L
Acetone	LGW-2	1/13/2020		13.10	10.00	ug/L
Acetone	LGW-2	4/01/2020		11.30	10.00	ug/L
Acetone	LGW-2	7/08/2020		6.44	5.00	ug/L
Acetone	LGW-2	7/10/2022		11.00	10.00	ug/L
Cis-1,2-dichloroethene	LGW-2	1/13/2020		1.22	1.00	ug/L
Trichloroethene	LGW-2	1/13/2020		9.02	1.00	ug/L
Vinyl chloride	LGW-2	7/12/2018		1.7	1.0	ug/L
Vinyl chloride	LGW-2	10/02/2018		2.1	1.0	ug/L
Vinyl chloride	LGW-2	1/03/2019		1.0	1.0	ug/L
Acetone	LGW-3R	7/16/2015		7.0	5.0	ug/L
Acetone	LGW-3R	7/11/2018		6.2	5.0	ug/L
Iodomethane	LGW-4	1/19/2011		1	1	ug/L
1,1-dichloroethene	LGW-5	2/10/2015		1	1	ug/L
Bis(2-ethylhexyl) phthalate	LGW-5	10/26/2006		21	10	ug/L
Acetone	LGW-6	7/09/2012		5.1	5.0	ug/L
Carbon disulfide	LGW-6	1/24/2006		2	1	ug/L
Acetone	LGW-7	7/12/2018		7.6	5.0	ug/L
Acetone	LGW-7	10/02/2018		11.0	10.0	ug/L
Acetone	LGW-7	7/11/2022		11.0	10.0	ug/L
Acetone	LGW-8R	7/18/2017		7.2	5.0	ug/L
Acetone	LGW-8R	1/25/2018		6.9	5.0	ug/L
Acetone	LGW-8R	7/13/2018		6.0	5.0	ug/L
1,1-dichloroethane	LGW-9	1/17/2021		1.58	1.00	ug/L
1,1-dichloroethane	LGW-9	4/06/2021		1.13	1.00	ug/L
1,1-dichloroethane	LGW-9	10/07/2022		1.01	1.00	ug/L
1,4-dichlorobenzene	LGW-9	1/17/2021		4.33	1.00	ug/L
Acetone	LGW-9	7/18/2017		5.0	5.0	ug/L
Acetone	LGW-9	4/11/2018		12.0	5.0	ug/L
Acetone	LGW-9	7/13/2018		7.7	5.0	ug/L
Acetone	LGW-9	10/02/2018		14.0	10.0	ug/L
Benzene	LGW-9	1/17/2021		2.64	1.00	ug/L
Cis-1,2-dichloroethene	LGW-9	1/17/2021		2.19	1.00	ug/L
Vinyl chloride	LGW-9	1/17/2021		1.13	1.00	ug/L
Acetone	MW-10N	1/22/1998		32.0	19.0	ug/L
Acetone	MW-10N	7/08/2003		9.9	5.0	ug/L
Acetone	MW-10N	1/24/2007		5.5	5.0	ug/L
Acetone	MW-10N	7/11/2018		5.6	5.0	ug/L
Benzene	MW-10N	4/28/1998		.41	6.00	ug/L
Carbon disulfide	MW-10N	4/28/1998		.67	8.40	ug/L
Carbon disulfide	MW-10N	7/10/2002		1.00	1.00	ug/L
Carbon disulfide	MW-10N	4/15/2003		1.20	1.00	ug/L
Carbon disulfide	MW-10N	7/08/2003		1.30	1.00	ug/L
Carbon disulfide	MW-10N	1/28/2004		1.00	1.00	ug/L
Carbon disulfide	MW-10N	7/27/2004		5.00	1.00	ug/L
Carbon disulfide	MW-10N	7/20/2005		1.10	1.00	ug/L
Chloroform	MW-10N	10/22/1997		8.30	2.70	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Chloroform	MW-10N	1/22/1998		3.80	2.70	ug/L
Chloroform	MW-10N	4/28/1998		.84	5.40	ug/L
Methyl ethyl ketone	MW-10N	7/15/1999		80.0	9.7	ug/L
Methyl ethyl ketone	MW-10N	4/10/2001		7.5	5.0	ug/L
Methyl ethyl ketone	MW-10N	7/10/2002		50.0	5.0	ug/L
Methyl ethyl ketone	MW-10N	10/02/2002		5.1	5.0	ug/L
Toluene	MW-10N	4/28/1998		1.4	5.0	ug/L
Total xylenes	MW-10N	4/28/1998		.81	21.00	ug/L
Total xylenes	MW-10N	10/20/1999		.32	10.00	ug/L
Total xylenes	MW-10N	4/25/2000		.37	10.00	ug/L
Acetone	MW-11N	7/17/2018		8.9	5.0	ug/L
Carbon disulfide	MW-11N	10/22/1997		7.90	4.20	ug/L
Carbon disulfide	MW-11N	4/28/1998		10.00	4.20	ug/L
Carbon disulfide	MW-11N	7/09/2002		.75	1.00	ug/L
Carbon disulfide	MW-11N	1/23/2003		1.10	1.00	ug/L
Chloroform	MW-11N	10/22/1997		9.40	2.70	ug/L
Chloroform	MW-11N	1/21/1998		4.80	2.70	ug/L
Chloroform	MW-11N	4/28/1998		.39	2.70	ug/L
Chloroform	MW-11N	7/09/2002		.31	1.00	ug/L
Methylene chloride	MW-11N	4/28/1998		1.90	4.10	ug/L
Methylene chloride	MW-11N	10/20/1999		.66	4.10	ug/L
Methylene chloride	MW-11N	4/25/2000		.57	4.10	ug/L
Methylene chloride	MW-11N	7/09/2002		1.20	1.00	ug/L
Methylene chloride	MW-11N	10/02/2002		.87	1.00	ug/L
Methylene chloride	MW-11N	1/23/2003		1.40	1.00	ug/L
Toluene	MW-11N	4/28/1998		.24	2.50	ug/L
Acetone	MW-15	6/05/2015		8.5	5.0	ug/L
Acetone	MW-15	7/15/2015		7.1	5.0	ug/L
Acetone	MW-15	7/18/2017		5.6	5.0	ug/L
Acetone	MW-16	6/05/2015		13.0	5.0	ug/L
Acetone	MW-16	7/18/2017		6.8	5.0	ug/L
Acetone	MW-17	6/05/2015		6.5	5.0	ug/L
Acetone	MW-19	7/16/2015		5.9	5.0	ug/L
Acetone	MW-19	7/18/2017		6.7	5.0	ug/L
1,1-dichloroethane	MW-1N	4/13/1999		2.7	2.5	ug/L
1,1-dichloroethane	MW-1N	7/12/2000		2.1	1.0	ug/L
1,1-dichloroethane	MW-1N	4/12/2001		3.2	1.0	ug/L
1,1-dichloroethane	MW-1N	5/29/2002		2.6	2.5	ug/L
1,1-dichloroethane	MW-1N	5/29/2002		2.6	1.0	ug/L
1,1-dichloroethane	MW-1N	7/09/2002		2.8	1.0	ug/L
1,1-dichloroethane	MW-1N	10/03/2002		2.8	1.0	ug/L
1,1-dichloroethane	MW-1N	1/22/2003		1.6	1.0	ug/L
1,1-dichloroethane	MW-1N	4/15/2003		1.6	1.0	ug/L
1,1-dichloroethane	MW-1N	7/08/2003		1.0	1.0	ug/L
1,4-dichlorobenzene	MW-1N	7/12/2000		.95	1.00	ug/L
1,4-dichlorobenzene	MW-1N	10/18/2000		.50	1.00	ug/L
1,4-dichlorobenzene	MW-1N	1/24/2001		.26	1.00	ug/L
1,4-dichlorobenzene	MW-1N	4/12/2001		2.50	1.00	ug/L
1,4-dichlorobenzene	MW-1N	7/09/2002		.57	1.00	ug/L
1,4-dichlorobenzene	MW-1N	10/03/2002		.62	1.00	ug/L
Acetone	MW-1N	4/28/1998		7.4	19.0	ug/L
Acetone	MW-1N	7/09/2014		10.0	5.0	ug/L
Acetone	MW-1N	7/10/2018		26.0	5.0	ug/L
Acetone	MW-1N	1/23/2020		29.1	10.0	ug/L
Benzene	MW-1N	10/19/1999		.29	3.00	ug/L
Benzene	MW-1N	7/12/2000		1.40	1.00	ug/L
Benzene	MW-1N	10/18/2000		.83	1.00	ug/L
Benzene	MW-1N	1/24/2001		.21	1.00	ug/L
Benzene	MW-1N	4/12/2001		2.60	1.00	ug/L
Benzene	MW-1N	7/09/2002		.26	1.00	ug/L
Benzene	MW-1N	10/03/2002		.29	1.00	ug/L
Carbon disulfide	MW-1N	4/28/1998		3.40	4.20	ug/L
Carbon disulfide	MW-1N	7/12/2000		.82	1.00	ug/L
Carbon disulfide	MW-1N	5/29/2002		1.40	1.00	ug/L
Carbon disulfide	MW-1N	7/09/2002		.85	1.00	ug/L
Carbon disulfide	MW-1N	7/27/2004		2.90	1.00	ug/L
Carbon disulfide	MW-1N	1/18/2006		4.20	1.00	ug/L
Chlorobenzene	MW-1N	4/12/2001		.45	1.00	ug/L
Chloroethane	MW-1N	7/12/2000		1.90	1.00	ug/L
Chloroethane	MW-1N	10/18/2000		1.40	1.00	ug/L
Chloroethane	MW-1N	4/12/2001		2.50	1.00	ug/L
Chloroethane	MW-1N	7/09/2002		.24	1.00	ug/L
Chloroethane	MW-1N	10/03/2002		.21	1.00	ug/L
Chloroform	MW-1N	4/28/1998		.41	2.70	ug/L
Chloroform	MW-1N	10/19/1999		.39	2.70	ug/L
Chloroform	MW-1N	1/14/2000		.21	2.70	ug/L
Chloroform	MW-1N	4/25/2000		.42	2.70	ug/L
Cis-1,2-dichloroethene	MW-1N	10/19/1999		.35	2.70	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-1N	7/12/2000		3.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	10/18/2000		2.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	1/24/2001		.61	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	4/12/2001		7.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	7/09/2002		.96	1.00	ug/L
Cis-1,2-dichloroethene	MW-1N	10/03/2002		1.10	1.00	ug/L
Methylene chloride	MW-1N	4/28/1998		.53	4.10	ug/L
Methylene chloride	MW-1N	1/14/2000		.48	4.10	ug/L
Methylene chloride	MW-1N	7/12/2000		.54	1.00	ug/L
Methylene chloride	MW-1N	10/18/2000		.34	1.00	ug/L
Methylene chloride	MW-1N	4/12/2001		1.20	1.00	ug/L
Tetrachloroethene	MW-1N	7/12/2000		.34	1.00	ug/L
Toluene	MW-1N	4/28/1998		.21	2.50	ug/L
Trichloroethene	MW-1N	7/12/2000		.71	1.00	ug/L
Trichloroethene	MW-1N	10/18/2000		.46	1.00	ug/L
Trichloroethene	MW-1N	4/12/2001		1.50	1.00	ug/L
Trichloroethene	MW-1N	7/09/2002		.59	1.00	ug/L
Trichloroethene	MW-1N	10/03/2002		.64	1.00	ug/L
Vinyl chloride	MW-1N	1/20/1998		2.20	2.00	ug/L
Vinyl chloride	MW-1N	4/28/1998		.50	2.00	ug/L
Vinyl chloride	MW-1N	4/13/1999		9.80	2.00	ug/L
Vinyl chloride	MW-1N	5/19/1999		2.00	2.00	ug/L
Vinyl chloride	MW-1N	7/15/1999		4.40	2.00	ug/L
Vinyl chloride	MW-1N	10/19/1999		1.30	2.00	ug/L
Vinyl chloride	MW-1N	1/14/2000		.29	2.00	ug/L
Vinyl chloride	MW-1N	7/12/2000		6.20	1.00	ug/L
Vinyl chloride	MW-1N	10/18/2000		5.60	1.00	ug/L
Vinyl chloride	MW-1N	1/24/2001		1.80	1.00	ug/L
Vinyl chloride	MW-1N	4/12/2001		4.20	1.00	ug/L
Vinyl chloride	MW-1N	7/09/2002		.44	1.00	ug/L
Vinyl chloride	MW-1N	10/03/2002		.34	1.00	ug/L
Acetone	MW-20	1/12/2017		9.9	5.0	ug/L
1,4-dichlorobenzene	MW-21	6/05/2015		1.40	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/14/2015		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	8/04/2015		1.50	1.00	ug/L
1,4-dichlorobenzene	MW-21	9/02/2015		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/05/2016		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/19/2017		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	10/06/2017		1.40	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/11/2018		2.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/11/2018		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	1/03/2019		1.80	1.00	ug/L
1,4-dichlorobenzene	MW-21	4/03/2019		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	7/11/2019		1.20	1.00	ug/L
1,4-dichlorobenzene	MW-21	10/02/2019		1.30	1.00	ug/L
1,4-dichlorobenzene	MW-21	1/16/2020		1.03	1.00	ug/L
Acetone	MW-21	10/06/2017		5.1	5.0	ug/L
Acetone	MW-21	7/11/2018		24.0	5.0	ug/L
Chlorobenzene	MW-21	4/11/2018		1.8	1.0	ug/L
Chlorobenzene	MW-21	1/03/2019		1.1	1.0	ug/L
Acetone	MW-2N	7/11/2007		6.7	5.0	ug/L
Acetone	MW-2N	7/19/2017		8.5	5.0	ug/L
Acetone	MW-2N	7/12/2018		39.0	5.0	ug/L
Benzene	MW-2N	7/10/2002		4	1	ug/L
Carbon disulfide	MW-2N	7/10/2002		.21	1.00	ug/L
Carbon disulfide	MW-2N	7/11/2007		1.00	1.00	ug/L
Chloroform	MW-2N	4/28/1998		.49	2.70	ug/L
Ethylbenzene	MW-2N	7/10/2002		1.1	1.0	ug/L
Methylene chloride	MW-2N	4/28/1998		1.6	4.1	ug/L
Toluene	MW-2N	10/17/2000		.27	1.00	ug/L
Toluene	MW-2N	7/10/2002		5.80	1.00	ug/L
Toluene	MW-2N	10/02/2002		.22	1.00	ug/L
Toluene	MW-2N	7/27/2004		1.50	1.00	ug/L
Toluene	MW-2N	1/26/2007		1.70	1.00	ug/L
Toluene	MW-2N	1/24/2008		1.10	1.00	ug/L
Total xylenes	MW-2N	7/10/2002		5	1	ug/L
1,1-dichloroethane	MW-3N	4/28/1998		.78	2.50	ug/L
1,1-dichloroethane	MW-3N	10/20/1999		.97	2.50	ug/L
1,1-dichloroethane	MW-3N	1/14/2000		.86	2.50	ug/L
1,1-dichloroethane	MW-3N	4/24/2000		1.60	2.50	ug/L
1,1-dichloroethane	MW-3N	7/11/2000		.84	1.00	ug/L
1,1-dichloroethane	MW-3N	10/17/2000		.93	1.00	ug/L
1,1-dichloroethane	MW-3N	1/23/2001		1.10	1.00	ug/L
1,1-dichloroethane	MW-3N	4/11/2001		.96	1.00	ug/L
1,1-dichloroethane	MW-3N	5/29/2002		2.60	1.00	ug/L
1,1-dichloroethane	MW-3N	5/29/2002		2.60	2.50	ug/L
1,1-dichloroethane	MW-3N	7/09/2002		2.20	1.00	ug/L
1,1-dichloroethane	MW-3N	10/02/2002		2.70	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,1-dichloroethane	MW-3N	1/22/2003		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	4/14/2003		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	7/07/2003		2.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/28/2004		2.70	1.00	ug/L
1,1-dichloroethane	MW-3N	7/27/2004		2.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/12/2005		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	7/20/2005		2.70	1.00	ug/L
1,1-dichloroethane	MW-3N	1/18/2006		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	7/19/2006		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	7/19/2006		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	10/25/2006		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	1/26/2007		2.40	1.00	ug/L
1,1-dichloroethane	MW-3N	7/11/2007		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	1/24/2008		2.80	1.00	ug/L
1,1-dichloroethane	MW-3N	7/22/2008		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	2/04/2009		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	7/31/2009		2.00	1.00	ug/L
1,1-dichloroethane	MW-3N	1/26/2010		2.30	1.00	ug/L
1,1-dichloroethane	MW-3N	7/13/2010		2.10	1.00	ug/L
1,1-dichloroethane	MW-3N	7/14/2011		1.90	1.00	ug/L
1,1-dichloroethane	MW-3N	1/05/2012		1.50	1.00	ug/L
1,1-dichloroethane	MW-3N	7/11/2012		1.50	1.00	ug/L
1,1-dichloroethane	MW-3N	5/01/2013		1.20	1.00	ug/L
1,1-dichloroethane	MW-3N	1/24/2014		1.00	1.00	ug/L
1,1-dichloroethane	MW-3N	7/09/2014		1.30	1.00	ug/L
1,1-dichloroethane	MW-3N	4/01/2015		1.10	1.00	ug/L
1,1-dichloroethane	MW-3N	10/05/2015		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-3N	7/09/2002		.37	1.00	ug/L
1,4-dichlorobenzene	MW-3N	10/02/2002		.46	1.00	ug/L
1,4-dichlorobenzene	MW-3N	1/24/2008		1.00	1.00	ug/L
1,4-dichlorobenzene	MW-3N	1/26/2010		1.00	1.00	ug/L
Acetone	MW-3N	10/09/2017		5.6	5.0	ug/L
Benzene	MW-3N	4/28/1998		.23	3.00	ug/L
Benzene	MW-3N	10/20/1999		.34	3.00	ug/L
Benzene	MW-3N	4/24/2000		.32	3.00	ug/L
Benzene	MW-3N	7/11/2000		.29	1.00	ug/L
Benzene	MW-3N	10/17/2000		.28	1.00	ug/L
Benzene	MW-3N	1/23/2001		.30	1.00	ug/L
Benzene	MW-3N	4/11/2001		.58	1.00	ug/L
Benzene	MW-3N	7/09/2002		.97	1.00	ug/L
Benzene	MW-3N	10/02/2002		1.20	1.00	ug/L
Benzene	MW-3N	1/28/2004		1.10	1.00	ug/L
Benzene	MW-3N	7/27/2004		1.30	1.00	ug/L
Benzene	MW-3N	7/19/2006		1.20	1.00	ug/L
Benzene	MW-3N	7/19/2006		1.20	1.00	ug/L
Benzene	MW-3N	10/25/2006		1.10	1.00	ug/L
Benzene	MW-3N	7/11/2007		1.00	1.00	ug/L
Benzene	MW-3N	1/24/2008		1.30	1.00	ug/L
Benzene	MW-3N	7/22/2008		1.10	1.00	ug/L
Benzene	MW-3N	2/04/2009		1.10	1.00	ug/L
Carbon disulfide	MW-3N	4/28/1998		.58	4.20	ug/L
Carbon disulfide	MW-3N	5/29/2002		1.40	1.00	ug/L
Carbon disulfide	MW-3N	7/09/2002		.41	1.00	ug/L
Carbon disulfide	MW-3N	10/02/2002		.43	1.00	ug/L
Chlorobenzene	MW-3N	7/09/2002		.20	1.00	ug/L
Chlorobenzene	MW-3N	10/02/2002		.27	1.00	ug/L
Chloroethane	MW-3N	4/28/1998		.44	5.90	ug/L
Chloroethane	MW-3N	10/20/1999		.43	5.90	ug/L
Chloroethane	MW-3N	1/14/2000		.24	5.90	ug/L
Chloroethane	MW-3N	4/24/2000		.34	5.90	ug/L
Chloroethane	MW-3N	5/29/2002		1.00	1.00	ug/L
Chloroethane	MW-3N	7/09/2002		.83	1.00	ug/L
Chloroethane	MW-3N	10/02/2002		1.00	1.00	ug/L
Chloroethane	MW-3N	1/22/2003		1.10	1.00	ug/L
Chloroethane	MW-3N	7/07/2003		1.00	1.00	ug/L
Chloroethane	MW-3N	1/12/2005		1.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	4/28/1998		.62	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	10/20/1999		.79	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	1/14/2000		.35	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	4/24/2000		.94	2.70	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2000		.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/17/2000		.68	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/23/2001		.65	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	4/11/2001		.99	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	5/29/2002		2.00	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/09/2002		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/02/2002		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/22/2003		1.40	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-3N	4/14/2003		1.70	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/07/2003		2.30	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/28/2004		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/27/2004		2.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/12/2005		1.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/20/2005		1.80	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/18/2006		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/19/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	10/25/2006		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2007		1.20	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2007		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/24/2008		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/22/2008		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	2/04/2009		1.90	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/31/2009		1.50	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/26/2010		1.60	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/13/2010		1.40	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/14/2011		1.30	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	1/05/2012		1.30	1.00	ug/L
Cis-1,2-dichloroethene	MW-3N	7/11/2012		1.30	1.00	ug/L
Dichlorodifluoromethane	MW-3N	1/14/2000		2.9	1.0	ug/L
Dichlorodifluoromethane	MW-3N	4/11/2001		2.3	1.0	ug/L
Methylene chloride	MW-3N	4/28/1998		.70	4.10	ug/L
Methylene chloride	MW-3N	1/14/2000		.37	4.10	ug/L
Tetrachloroethene	MW-3N	10/21/1997		1.20	1.20	ug/L
Tetrachloroethene	MW-3N	4/28/1998		1.00	1.20	ug/L
Tetrachloroethene	MW-3N	7/23/1998		1.20	1.20	ug/L
Tetrachloroethene	MW-3N	10/20/1999		.89	1.20	ug/L
Tetrachloroethene	MW-3N	1/14/2000		.67	1.20	ug/L
Tetrachloroethene	MW-3N	4/24/2000		.94	1.20	ug/L
Tetrachloroethene	MW-3N	7/11/2000		.50	1.00	ug/L
Tetrachloroethene	MW-3N	10/17/2000		.76	1.00	ug/L
Tetrachloroethene	MW-3N	1/23/2001		.58	1.00	ug/L
Tetrachloroethene	MW-3N	4/11/2001		.61	1.00	ug/L
Tetrachloroethene	MW-3N	7/09/2002		.59	1.00	ug/L
Tetrachloroethene	MW-3N	10/02/2002		.29	1.00	ug/L
Trichloroethene	MW-3N	4/28/1998		1.50	3.20	ug/L
Trichloroethene	MW-3N	10/20/1999		1.40	3.20	ug/L
Trichloroethene	MW-3N	1/14/2000		.99	3.20	ug/L
Trichloroethene	MW-3N	4/24/2000		1.40	3.20	ug/L
Trichloroethene	MW-3N	7/11/2000		1.50	1.00	ug/L
Trichloroethene	MW-3N	10/17/2000		1.50	1.00	ug/L
Trichloroethene	MW-3N	1/23/2001		1.20	1.00	ug/L
Trichloroethene	MW-3N	4/11/2001		1.60	1.00	ug/L
Trichloroethene	MW-3N	5/29/2002		1.80	1.00	ug/L
Trichloroethene	MW-3N	7/09/2002		1.70	1.00	ug/L
Trichloroethene	MW-3N	10/02/2002		1.80	1.00	ug/L
Trichloroethene	MW-3N	1/22/2003		1.20	1.00	ug/L
Trichloroethene	MW-3N	4/14/2003		1.20	1.00	ug/L
Trichloroethene	MW-3N	7/07/2003		1.10	1.00	ug/L
Trichloroethene	MW-3N	1/28/2004		1.10	1.00	ug/L
Trichloroethene	MW-3N	7/27/2004		1.20	1.00	ug/L
Trichloroethene	MW-3N	7/20/2005		1.10	1.00	ug/L
Trichlorofluoromethane	MW-3N	4/28/1998		.64	7.50	ug/L
Trichlorofluoromethane	MW-3N	10/20/1999		.41	7.50	ug/L
Trichlorofluoromethane	MW-3N	1/14/2000		.25	7.50	ug/L
Trichlorofluoromethane	MW-3N	4/24/2000		.61	7.50	ug/L
Trichlorofluoromethane	MW-3N	7/11/2000		.28	1.00	ug/L
Trichlorofluoromethane	MW-3N	10/17/2000		.31	1.00	ug/L
Trichlorofluoromethane	MW-3N	1/23/2001		.28	1.00	ug/L
Trichlorofluoromethane	MW-3N	7/09/2002		.22	1.00	ug/L
Vinyl chloride	MW-3N	4/28/1998		.46	2.00	ug/L
Vinyl chloride	MW-3N	10/20/1999		.57	2.00	ug/L
Vinyl chloride	MW-3N	1/14/2000		.37	2.00	ug/L
Vinyl chloride	MW-3N	4/24/2000		.38	2.00	ug/L
Vinyl chloride	MW-3N	7/11/2000		.26	1.00	ug/L
Vinyl chloride	MW-3N	10/17/2000		.43	1.00	ug/L
Vinyl chloride	MW-3N	1/23/2001		.35	1.00	ug/L
Vinyl chloride	MW-3N	4/11/2001		.74	1.00	ug/L
Vinyl chloride	MW-3N	5/29/2002		1.40	1.00	ug/L
Vinyl chloride	MW-3N	7/09/2002		1.20	1.00	ug/L
Vinyl chloride	MW-3N	10/02/2002		1.70	1.00	ug/L
Vinyl chloride	MW-3N	1/22/2003		1.50	1.00	ug/L
Vinyl chloride	MW-3N	4/14/2003		1.20	1.00	ug/L
Vinyl chloride	MW-3N	7/07/2003		1.70	1.00	ug/L
Vinyl chloride	MW-3N	1/28/2004		1.60	1.00	ug/L
Vinyl chloride	MW-3N	1/12/2005		2.00	1.00	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Vinyl chloride	MW-3N	11/08/2005		3.40	1.00	ug/L
Vinyl chloride	MW-3N	1/18/2006		1.20	1.00	ug/L
Vinyl chloride	MW-3N	7/19/2006		1.30	1.00	ug/L
Vinyl chloride	MW-3N	7/19/2006		1.30	1.00	ug/L
Vinyl chloride	MW-3N	1/24/2008		2.20	1.00	ug/L
Vinyl chloride	MW-3N	5/03/2008		1.10	1.00	ug/L
Vinyl chloride	MW-3N	7/22/2008		1.40	1.00	ug/L
Vinyl chloride	MW-3N	2/04/2009		1.30	1.00	ug/L
Vinyl chloride	MW-3N	1/26/2010		1.20	1.00	ug/L
Vinyl chloride	MW-3N	7/14/2011		2.10	1.00	ug/L
1,1-dichloroethane	MW-7N	7/22/1998		5.4	2.5	ug/L
1,1-dichloroethane	MW-7N	8/18/1998		4.7	2.5	ug/L
1,1-dichloroethane	MW-7N	9/17/1998		4.4	2.5	ug/L
1,1-dichloroethane	MW-7N	10/15/1998		3.6	2.5	ug/L
1,1-dichloroethane	MW-7N	11/09/1998		5.0	2.5	ug/L
1,1-dichloroethane	MW-7N	1/14/1999		3.5	2.5	ug/L
1,1-dichloroethane	MW-7N	4/14/1999		6.0	2.5	ug/L
1,1-dichloroethane	MW-7N	7/14/1999		5.6	2.5	ug/L
1,1-dichloroethane	MW-7N	10/19/1999		5.6	2.5	ug/L
1,1-dichloroethane	MW-7N	1/13/2000		4.8	2.5	ug/L
1,1-dichloroethane	MW-7N	4/25/2000		8.4	2.5	ug/L
1,1-dichloroethane	MW-7N	10/17/2000		5.5	1.0	ug/L
1,1-dichloroethane	MW-7N	1/23/2001		5.7	1.0	ug/L
1,1-dichloroethane	MW-7N	4/10/2001		6.1	1.0	ug/L
1,1-dichloroethane	MW-7N	5/29/2002		7.9	1.0	ug/L
1,1-dichloroethane	MW-7N	5/29/2002		7.9	2.5	ug/L
1,1-dichloroethane	MW-7N	7/09/2002		5.1	1.0	ug/L
1,1-dichloroethane	MW-7N	10/02/2002		4.7	1.0	ug/L
1,1-dichloroethane	MW-7N	1/23/2003		3.6	1.0	ug/L
1,1-dichloroethane	MW-7N	4/14/2003		4.3	1.0	ug/L
1,1-dichloroethane	MW-7N	7/07/2003		5.0	1.0	ug/L
1,1-dichloroethane	MW-7N	1/27/2004		4.5	1.0	ug/L
1,1-dichloroethane	MW-7N	4/08/2004		4.1	1.0	ug/L
1,1-dichloroethane	MW-7N	7/26/2004		3.6	1.0	ug/L
1,1-dichloroethane	MW-7N	1/12/2005		3.3	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2005		3.8	1.0	ug/L
1,1-dichloroethane	MW-7N	1/19/2006		3.1	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2006		3.4	1.0	ug/L
1,1-dichloroethane	MW-7N	7/19/2006		3.4	1.0	ug/L
1,1-dichloroethane	MW-7N	10/24/2006		3.2	1.0	ug/L
1,1-dichloroethane	MW-7N	1/26/2007		1.9	1.0	ug/L
1,1-dichloroethane	MW-7N	7/10/2007		1.0	1.0	ug/L
1,1-dichloroethane	MW-7N	2/06/2009		1.0	1.0	ug/L
1,1-dichloroethane	MW-7N	5/01/2013		1.2	1.0	ug/L
1,2-dichloroethane	MW-7N	10/02/2002		.29	1.00	ug/L
1,2-dichloropropane	MW-7N	10/19/1999		.97	1.40	ug/L
1,2-dichloropropane	MW-7N	1/13/2000		.65	1.40	ug/L
1,2-dichloropropane	MW-7N	4/25/2000		.85	1.40	ug/L
1,2-dichloropropane	MW-7N	1/23/2001		.87	1.00	ug/L
1,2-dichloropropane	MW-7N	4/10/2001		.60	1.00	ug/L
1,2-dichloropropane	MW-7N	5/29/2002		1.40	1.40	ug/L
1,2-dichloropropane	MW-7N	5/29/2002		1.40	1.00	ug/L
1,2-dichloropropane	MW-7N	7/09/2002		1.10	1.00	ug/L
1,2-dichloropropane	MW-7N	10/02/2002		.96	1.00	ug/L
1,4-dichlorobenzene	MW-7N	10/19/1999		1.9	4.3	ug/L
1,4-dichlorobenzene	MW-7N	1/13/2000		1.8	4.3	ug/L
1,4-dichlorobenzene	MW-7N	4/25/2000		1.5	4.3	ug/L
1,4-dichlorobenzene	MW-7N	10/17/2000		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/23/2001		1.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/10/2001		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	5/29/2002		2.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/09/2002		2.2	1.0	ug/L
1,4-dichlorobenzene	MW-7N	10/02/2002		2.2	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/23/2003		1.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/14/2003		1.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/07/2003		1.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/27/2004		1.7	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/08/2004		2.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/26/2004		3.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/12/2005		3.6	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2005		4.8	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/19/2006		3.6	1.0	ug/L
1,4-dichlorobenzene	MW-7N	10/24/2006		3.9	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2007		2.5	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/10/2007		1.4	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/21/2008		1.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	2/06/2009		1.4	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/26/2010		1.4	1.0	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
1,4-dichlorobenzene	MW-7N	7/14/2010		1.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	5/01/2013		2.7	1.0	ug/L
1,4-dichlorobenzene	MW-7N	6/04/2013		1.3	1.0	ug/L
1,4-dichlorobenzene	MW-7N	1/11/2017		2.1	1.0	ug/L
1,4-dichlorobenzene	MW-7N	4/04/2017		1.7	1.0	ug/L
1,4-dichlorobenzene	MW-7N	7/19/2017		1.3	1.0	ug/L
Acetone	MW-7N	1/21/1998		50.0	19.0	ug/L
Acetone	MW-7N	4/04/2017		6.3	5.0	ug/L
Acetone	MW-7N	7/13/2018		7.3	5.0	ug/L
Benzene	MW-7N	7/22/1998		3.3	3.0	ug/L
Benzene	MW-7N	8/18/1998		3.0	3.0	ug/L
Benzene	MW-7N	11/09/1998		3.1	3.0	ug/L
Benzene	MW-7N	7/14/1999		4.0	3.0	ug/L
Benzene	MW-7N	10/19/1999		4.2	3.0	ug/L
Benzene	MW-7N	1/13/2000		3.6	3.0	ug/L
Benzene	MW-7N	4/25/2000		4.4	3.0	ug/L
Benzene	MW-7N	10/17/2000		4.3	1.0	ug/L
Benzene	MW-7N	1/23/2001		4.4	1.0	ug/L
Benzene	MW-7N	4/10/2001		6.2	1.0	ug/L
Benzene	MW-7N	5/29/2002		5.3	3.1	ug/L
Benzene	MW-7N	5/29/2002		5.3	1.0	ug/L
Benzene	MW-7N	7/09/2002		4.4	1.0	ug/L
Benzene	MW-7N	10/02/2002		4.0	1.0	ug/L
Benzene	MW-7N	1/23/2003		3.0	1.0	ug/L
Benzene	MW-7N	4/14/2003		3.3	1.0	ug/L
Benzene	MW-7N	7/07/2003		3.3	1.0	ug/L
Benzene	MW-7N	1/27/2004		3.2	1.0	ug/L
Benzene	MW-7N	4/08/2004		2.9	1.0	ug/L
Benzene	MW-7N	7/26/2004		1.8	1.0	ug/L
Benzene	MW-7N	1/12/2005		1.7	1.0	ug/L
Benzene	MW-7N	7/19/2005		2.0	1.0	ug/L
Benzene	MW-7N	1/19/2006		1.5	1.0	ug/L
Benzene	MW-7N	7/19/2006		1.4	1.0	ug/L
Benzene	MW-7N	7/19/2006		1.4	1.0	ug/L
Benzene	MW-7N	10/24/2006		1.3	1.0	ug/L
Carbon dioxide	MW-7N	9/02/2010		1500	50	ug/L
Carbon disulfide	MW-7N	10/17/2000		1.4	1.0	ug/L
Chlorobenzene	MW-7N	10/19/1999		.34	2.50	ug/L
Chlorobenzene	MW-7N	1/13/2000		.31	2.50	ug/L
Chlorobenzene	MW-7N	4/25/2000		.27	2.50	ug/L
Chlorobenzene	MW-7N	10/17/2000		.40	1.00	ug/L
Chlorobenzene	MW-7N	1/23/2001		.31	1.00	ug/L
Chlorobenzene	MW-7N	4/10/2001		.48	1.00	ug/L
Chlorobenzene	MW-7N	7/09/2002		.51	1.00	ug/L
Chlorobenzene	MW-7N	10/02/2002		.48	1.00	ug/L
Chloroethane	MW-7N	10/19/1999		3.0	5.9	ug/L
Chloroethane	MW-7N	1/13/2000		2.6	5.9	ug/L
Chloroethane	MW-7N	4/25/2000		2.6	5.9	ug/L
Chloroethane	MW-7N	10/17/2000		2.3	1.0	ug/L
Chloroethane	MW-7N	1/23/2001		2.2	1.0	ug/L
Chloroethane	MW-7N	4/10/2001		2.2	1.0	ug/L
Chloroethane	MW-7N	5/29/2002		2.4	1.0	ug/L
Chloroethane	MW-7N	7/09/2002		1.9	1.0	ug/L
Chloroethane	MW-7N	10/02/2002		1.7	1.0	ug/L
Chloroethane	MW-7N	1/23/2003		1.9	1.0	ug/L
Chloroethane	MW-7N	4/14/2003		1.4	1.0	ug/L
Chloroethane	MW-7N	7/07/2003		1.8	1.0	ug/L
Chloroethane	MW-7N	1/27/2004		1.6	1.0	ug/L
Chloroethane	MW-7N	4/08/2004		1.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/22/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	8/18/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	9/17/1998		11.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/15/1998		9.8	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	11/09/1998		12.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	1/14/1999		11.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	4/14/1999		9.8	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/1999		13.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/19/1999		14.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	1/13/2000		13.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	4/25/2000		18.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	10/17/2000		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2001		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	4/10/2001		13.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002		15.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	5/29/2002		15.0	2.7	ug/L
Cis-1,2-dichloroethene	MW-7N	7/09/2002		10.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	10/02/2002		8.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/23/2003		6.4	1.0	ug/L

Table 1

Historical Volatile Organic Compound Detections

Constituent	Well	Date	Identifier	Result	Limit	Units
Cis-1,2-dichloroethene	MW-7N	4/14/2003		8.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/07/2003		9.2	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/27/2004		7.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	4/08/2004		7.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/26/2004		3.9	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/12/2005		1.6	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2005		3.5	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/19/2006		2.9	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006		3.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/19/2006		3.3	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	10/24/2006		2.7	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2007		1.6	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/26/2010		1.0	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	7/14/2010		1.4	1.0	ug/L
Cis-1,2-dichloroethene	MW-7N	1/20/2011		1.0	1.0	ug/L
Ethylbenzene	MW-7N	10/17/2000		1.0	1.0	ug/L
Ethylbenzene	MW-7N	4/10/2001		.2	1.0	ug/L
Ethylbenzene	MW-7N	7/09/2002		.3	1.0	ug/L
Methyl ethyl ketone	MW-7N	1/21/1998		92.0	9.7	ug/L
Methyl isobutyl ketone	MW-7N	1/21/1998		8	3	ug/L
Methylene chloride	MW-7N	4/10/2001		.43	1.00	ug/L
Toluene	MW-7N	10/17/2000		.24	1.00	ug/L
Toluene	MW-7N	4/10/2001		.46	1.00	ug/L
Total xylenes	MW-7N	10/17/2000		.64	1.00	ug/L
Total xylenes	MW-7N	4/10/2001		1.00	1.00	ug/L
Trichloroethene	MW-7N	10/19/1999		1.40	3.20	ug/L
Trichloroethene	MW-7N	1/13/2000		.92	3.20	ug/L
Trichloroethene	MW-7N	4/25/2000		1.10	3.20	ug/L
Trichloroethene	MW-7N	10/17/2000		1.00	1.00	ug/L
Trichloroethene	MW-7N	1/23/2001		.75	1.00	ug/L
Trichloroethene	MW-7N	4/10/2001		1.00	1.00	ug/L
Trichloroethene	MW-7N	7/09/2002		.90	1.00	ug/L
Trichloroethene	MW-7N	10/02/2002		.87	1.00	ug/L
Vinyl chloride	MW-7N	7/22/1998		3.6	2.0	ug/L
Vinyl chloride	MW-7N	8/18/1998		2.6	2.0	ug/L
Vinyl chloride	MW-7N	9/17/1998		3.4	2.0	ug/L
Vinyl chloride	MW-7N	10/15/1998		2.1	2.0	ug/L
Vinyl chloride	MW-7N	11/09/1998		3.0	2.0	ug/L
Vinyl chloride	MW-7N	1/14/1999		2.3	2.0	ug/L
Vinyl chloride	MW-7N	4/14/1999		3.1	2.0	ug/L
Vinyl chloride	MW-7N	7/14/1999		4.7	2.0	ug/L
Vinyl chloride	MW-7N	10/19/1999		5.8	2.0	ug/L
Vinyl chloride	MW-7N	1/13/2000		4.7	2.0	ug/L
Vinyl chloride	MW-7N	4/25/2000		4.5	2.0	ug/L
Vinyl chloride	MW-7N	10/17/2000		5.6	1.0	ug/L
Vinyl chloride	MW-7N	1/23/2001		5.1	1.0	ug/L
Vinyl chloride	MW-7N	4/10/2001		4.4	1.0	ug/L
Vinyl chloride	MW-7N	5/29/2002		5.7	2.0	ug/L
Vinyl chloride	MW-7N	5/29/2002		5.7	1.0	ug/L
Vinyl chloride	MW-7N	7/09/2002		4.8	1.0	ug/L
Vinyl chloride	MW-7N	10/02/2002		4.7	1.0	ug/L
Vinyl chloride	MW-7N	1/23/2003		5.9	1.0	ug/L
Vinyl chloride	MW-7N	4/14/2003		3.8	1.0	ug/L
Vinyl chloride	MW-7N	7/07/2003		5.4	1.0	ug/L
Vinyl chloride	MW-7N	1/27/2004		4.6	1.0	ug/L
Vinyl chloride	MW-7N	4/08/2004		4.2	1.0	ug/L
Vinyl chloride	MW-7N	1/12/2005		2.3	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2005		3.6	1.0	ug/L
Vinyl chloride	MW-7N	1/19/2006		2.7	1.0	ug/L
Vinyl chloride	MW-7N	4/17/2006		2.2	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	7/19/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	10/24/2006		1.9	1.0	ug/L
Vinyl chloride	MW-7N	1/26/2007		1.2	1.0	ug/L
Vinyl chloride	MW-7N	5/03/2008		1.2	1.0	ug/L
Vinyl chloride	MW-7N	5/01/2013		1.0	1.0	ug/L
Acetone	MW-8N	10/06/2017		5.2	5.0	ug/L
Acetone	MW-8N	7/16/2018		6.8	5.0	ug/L
Acetone	MW-8N	10/02/2018		12.0	10.0	ug/L
Carbon dioxide	MW-8N	9/02/2010		1400	50	ug/L
Carbon disulfide	MW-8N	7/14/1999		4.90	4.20	ug/L
Carbon disulfide	MW-8N	5/29/2002		1.20	1.00	ug/L
Carbon disulfide	MW-8N	7/09/2002		.28	1.00	ug/L
Carbon disulfide	MW-8N	4/14/2003		1.20	1.00	ug/L
Carbon disulfide	MW-8N	7/27/2004		1.40	1.00	ug/L
Chloroform	MW-8N	1/22/1998		3.20	2.70	ug/L
Chloroform	MW-8N	4/28/1998		.36	2.70	ug/L
Chloromethane	MW-8N	1/12/2005		1.1	1.0	ug/L

Table 1**Historical Volatile Organic Compound Detections**

Constituent	Well	Date	Identifier	Result	Limit	Units
Dichlorodifluoromethane	MW-8N	1/14/2000		.42	1.00	ug/L
Endosulfan i	MW-8N	7/11/2012		.340	.047	ug/L
Methylene chloride	MW-8N	1/14/2000		.48	4.10	ug/L
Vinyl chloride	MW-8N	10/19/1999		.24	2.00	ug/L
Vinyl chloride	MW-8N	4/25/2000		.26	2.00	ug/L

Detections are shown for the constituents and sample points selected for the analysis
The Limit column refers to the laboratory reporting limit

Attachment C

95% LCLs for VOC Detections

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard
1,1-dichloroethane	ug/L	LGW-10	8	1.211	0.327	0.670	0.992	1.430	2.400
1,4-dichlorobenzene	ug/L	LGW-10	8	2.465	0.740	0.670	1.969	2.961	75.000
Benzene	ug/L	LGW-10	8	1.613	0.621	0.670	1.197	2.028	5.000
Cis-1,2-dichloroethene	ug/L	LGW-10	8	1.201	0.524	0.670	0.851	1.552	70.000


* - Insufficient Data

** - Significant Exceedance


LCL = Lower Confidence Limit

UCL = Upper Confidence Limit


Confidence Limits (Assessment)




Graph 1



Graph 2



Graph 3



Graph 4

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard
1,4-dichlorobenzene	ug/L	LGW-10	8	2.390	0.769	0.670	1.875	2.905	75.000


* - Insufficient Data

** - Significant Exceedance

LCL = Lower Confidence Limit

UCL = Upper Confidence Limit

Confidence Limits (Assessment)



Graph 1

Attachment D

Summary Tables and Graphs for the Intrawell Comparisons

Table 1

**Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts**

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Antimony, total	ug/L	LGW-10	25	27	52			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-10	25	27	52			5.0000	5.0000			5.2000	nonpar	.99	**
Barium, total	ug/L	LGW-10	24	27	51	119.0417	28.6834	108.0000	72.7000	119.0417	119.0417	305.4838	normal		
Beryllium, total	ug/L	LGW-10	25	27	52			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-10	25	27	52			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-10	25	27	52			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-10	25	27	52	80.1600	29.1186	70.6000	27.3000	80.1600	80.1600	269.4306	normal		
Copper, total	ug/L	LGW-10	25	27	52			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-10	24	27	51	11056.2500	7204.7888	12400.0000	2370.0000	11056.2500	11056.2500	57887.3769	normal		
Lead, total	ug/L	LGW-10	24	27	51			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-10	24	27	51	8845.8333	3493.8429	11000.0000	2730.0000	8845.8333	8845.8333	31555.8124	normal		
Nickel, total	ug/L	LGW-10	25	27	52	184.0000	52.9150	171.0000	70.1000	184.0000	184.0000	527.9477	normal		
pH (Field)	S.U.	LGW-10	118	73	192	6.5603	0.3543	3.8300	6.3800	6.5603	6.5603	4.26 - 8.86	normal		
Selenium, total	ug/L	LGW-10	23	27	51			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-10	24	27	51			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-10	23	27	50	5.7000	1.0804	5.0000	5.0000	5.7000	5.7000	12.7226	normal		
Thallium, total	ug/L	LGW-10	25	27	52			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-10	24	27	51	537.8750	41.8344	545.0000	483.0000	537.8750	537.8750	809.7984	normal		
Total organic carbon (toc)	mg/L	LGW-10	23	27	50	1.6057	0.5415	1.2200	1.7600	1.6057	1.6057	5.1255	normal		
Vanadium, total	ug/L	LGW-10	25	27	52			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-10	25	27	52	55.2280	49.9817	152.0000	58.0000	383.7850	289.7850	380.1093	normal		
Antimony, total	ug/L	LGW-14R	15	14	38			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-14R	15	14	37			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-14R	15	14	37	33.0667	10.1803	44.2000	47.1000	36.7610	43.1592	99.2385	normal		
Beryllium, total	ug/L	LGW-14R	15	14	40			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-14R	15	14	40			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-14R	14	16	40			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-14R	15	14	37			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-14R	15	15	38			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-14R	14	14	37			60.0000	60.0000			120.0000	nonpar	.99	**
Lead, total	ug/L	LGW-14R	15	14	39			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-14R	14	14	37	3.9857	2.9262	3.0000	3.0000	3.9857	3.9857	23.0062	normal		
Nickel, total	ug/L	LGW-14R	14	14	38			4.0000	4.0000			4.0000	nonpar	.99	**
pH (Field)	S.U.	LGW-14R	88	74	199	7.4659	0.3698	5.9300	6.8600	7.4659	7.4659	5.06 - 9.87	normal		
Selenium, total	ug/L	LGW-14R	15	14	37			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-14R	15	14	37			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-14R	15	14	37			5.0000	5.0000			5.0000	nonpar	.99	**
Thallium, total	ug/L	LGW-14R	15	14	38			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-14R	15	16	39	200.0000	13.6277	300.0000	305.0000	374.4546	379.4546	288.5801	normal		
Total organic carbon (toc)	mg/L	LGW-14R	15	14	36			1.0000	1.0000			1.0000	nonpar	.99	**
Vanadium, total	ug/L	LGW-14R	15	14	38			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-14R	14	16	41	5.0929	0.1859	7.3900	10.5000	7.2506	10.3606	6.3012	normal		
Antimony, total	ug/L	LGW-2	25	15	40			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-2	25	16	41			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-2	24	15	39	113.4167	33.7406	77.4000	74.1000	113.4167	113.4167	332.7305	normal		
Beryllium, total	ug/L	LGW-2	25	15	40			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-2	25	15	40			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-2	24	15	40			3.0000	3.0000			13.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-2	24	15	39			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-2	25	15	40			4.0000	4.0000			9.3000	nonpar	.99	**
Iron, total	ug/L	LGW-2	24	16	40	274.7917	342.0484	60.0000	60.0000	274.7917	274.7917	2498.1065	normal		
Lead, total	ug/L	LGW-2	23	15	39			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-2	24	15	39	31.8333	52.8037	3.0000	3.0000	31.8333	31.8333	375.0576	normal		

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Nickel, total	ug/L	LGW-2	25	15	40	9.8360	8.9192	4.0000	4.0000	9.8360	9.8360	67.8106	normal		
pH (Field)	S.U.	LGW-2	123	74	198	7.2069	0.4508	4.9200	6.8900	7.2069	7.2069	4.28 - 10.14	normal		
Selenium, total	ug/L	LGW-2	24	15	39			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-2	24	15	39			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-2	23	15	38	8.7087	4.8868	5.0000	5.0000	8.7087	8.7087	40.4729	normal		
Thallium, total	ug/L	LGW-2	25	15	40			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-2	24	16	40	338.8333	20.6327	325.0000	322.0000	338.8333	338.8333	472.9462	normal		
Total organic carbon (toc)	mg/L	LGW-2	23	17	40			1.0000	2.5400			1.0000	nonpar	.99	**
Vanadium, total	ug/L	LGW-2	25	15	40			3.0000	3.0000			5.4000	nonpar	.99	**
Zinc, total	ug/L	LGW-2	25	15	40	8.7120	3.5307	6.4300	6.9700	8.7120	8.7120	31.6618	normal		
Antimony, total	ug/L	LGW-3R	8	9	39			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-3R	8	9	39			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-3R	8	9	38	46.8750	13.1196	57.0000	53.5000	121.1125	114.6179	132.1527	normal		
Beryllium, total	ug/L	LGW-3R	8	9	39			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-3R	8	9	39			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-3R	8	9	39			3.0000	3.0000			5.3000	nonpar	.99	**
Cobalt, total	ug/L	LGW-3R	8	9	38			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-3R	8	10	40			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-3R	8	9	38	681.5000	1199.2978	127.0000	159.0000	681.5000	681.5000	8476.9355	normal		
Lead, total	ug/L	LGW-3R	8	9	38			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-3R	8	9	38	109.6250	170.5218	26.4000	21.9000	109.6250	109.6250	1218.0169	normal		
Nickel, total	ug/L	LGW-3R	8	9	39	4.3375	0.7726	4.0000	4.0000	4.3375	4.3375	9.3596	normal		
pH (Field)	S.U.	LGW-3R	45	46	199	7.2507	0.7925	3.4400	5.2700	7.2507	7.2507	2.10 - 12.40	normal		
Selenium, total	ug/L	LGW-3R	8	9	38			10.0000	10.0000			16.0000	nonpar	.99	**
Silver, total	ug/L	LGW-3R	8	9	38			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-3R	8	9	37	5.9000	0.8816	5.0000	5.0000	5.9000	5.9000	11.6301	normal		
Thallium, total	ug/L	LGW-3R	8	9	39			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-3R	8	9	38	293.7500	108.4880	70.0000	57.0000	293.7500	293.7500	998.9219	normal		
Total organic carbon (toc)	mg/L	LGW-3R	8	9	37	1.1375	0.2560	1.0000	1.0000	1.1375	1.1375	2.8015	normal		
Vanadium, total	ug/L	LGW-3R	8	9	39			3.0000	3.0000			4.8000	nonpar	.99	**
Zinc, total	ug/L	LGW-3R	8	9	39	33.2250	59.8265	5.0000	7.5200	33.2250	33.2250	422.0970	normal		
Antimony, total	ug/L	LGW-4	25	14	39			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-4	25	14	39			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-4	24	14	38	46.2917	8.7550	68.3000	64.5000	77.7020	89.3441	103.1993	normal		
Beryllium, total	ug/L	LGW-4	25	14	39			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-4	25	15	40			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-4	25	14	39			3.0000	3.0000			3.5000	nonpar	.99	**
Cobalt, total	ug/L	LGW-4	24	14	38			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-4	25	14	39			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-4	23	14	38	113.2609	70.0676	60.0000	60.0000	113.2609	113.2609	568.7005	normal		
Lead, total	ug/L	LGW-4	24	14	38			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-4	23	15	39	10.8130	6.9586	179.0000	135.0000	195.7491	151.7491	56.0439	normal		
Nickel, total	ug/L	LGW-4	25	17	42			15.1000	4.0000			5.3000	nonpar	.99	**
pH (Field)	S.U.	LGW-4	118	74	193	7.2820	0.4435	5.3900	6.6200	7.2820	7.2820	4.40 - 10.16	normal		
Selenium, total	ug/L	LGW-4	24	14	38			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-4	24	14	38			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-4	23	14	37	5.2348	0.8239	5.0000	5.0000	5.2348	5.2348	10.5898	normal		
Thallium, total	ug/L	LGW-4	25	14	39			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-4	24	15	39	259.3333	38.1560	429.0000	393.0000	626.9785	590.9785	507.3477	normal		
Total organic carbon (toc)	mg/L	LGW-4	23	14	37			1.0000	1.4900			1.0500	nonpar	.99	**
Vanadium, total	ug/L	LGW-4	25	14	39			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-4	24	17	42	5.8583	1.4949	37.9000	18.7000	43.5718	24.3718	15.5751	normal		
Antimony, total	ug/L	LGW-5	23	20	43			2.0000	2.0000			2.0000	nonpar	.99	**

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Arsenic, total	ug/L	LGW-5	23	20	43			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-5	22	20	42	59.7273	25.3324	109.0000	120.0000	234.0411	245.0411	224.3880	normal		
Beryllium, total	ug/L	LGW-5	23	20	43			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-5	23	20	43			1.0000	1.0000			1.6000	nonpar	.99	**
Chromium, total	ug/L	LGW-5	23	20	43			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-5	22	21	43			4.1000	9.8600			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-5	23	20	43			4.0000	4.0000			4.8000	nonpar	.99	**
Iron, total	ug/L	LGW-5	20	21	43			392.0000	1480.0000			210.0000	nonpar	.99	**
Lead, total	ug/L	LGW-5	22	20	42			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-5	22	21	43	125.3636	423.6500	10900.0000	14700.0000	12753.6557	16553.6557	2879.0886	normal		
Nickel, total	ug/L	LGW-5	23	21	44			77.2000	89.3000			14.0000	nonpar	.99	**
pH (Field)	S.U.	LGW-5	110	85	196	7.1187	0.4209	5.6000	6.2800	7.1187	7.1187	4.38 - 9.85	normal		
Selenium, total	ug/L	LGW-5	22	20	42			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-5	22	20	42			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-5	21	20	41	5.1667	0.6545	6.3000	5.1800	5.8091	5.3316	9.4207	normal		
Thallium, total	ug/L	LGW-5	23	20	43			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-5	22	21	43	263.5909	49.7409	396.0000	417.0000	672.4182	693.4182	586.9068	normal		
Total organic carbon (toc)	mg/L	LGW-5	21	21	42			1.4800	2.2000			1.4000	nonpar	.99	**
Vanadium, total	ug/L	LGW-5	23	20	43			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-5	23	20	43	7.0609	3.4637	22.0000	20.9000	39.7677	38.6677	29.5747	normal		
Antimony, total	ug/L	LGW-6	23	30	53			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-6	23	30	53			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-6	22	30	52	52.0909	3.8657	204.0000	208.0000	217.1203	221.1203	77.2180	normal		
Beryllium, total	ug/L	LGW-6	23	30	53			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-6	23	31	54			1.8800	1.8800			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-6	23	30	53			3.0000	3.0000			3.4000	nonpar	.99	**
Cobalt, total	ug/L	LGW-6	22	30	52			25.0000	24.5000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-6	23	30	53			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-6	21	30	52			1410.0000	1200.0000			230.0000	nonpar	.99	**
Lead, total	ug/L	LGW-6	21	30	52			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-6	22	30	52	24.5227	65.0996	38400.0000	37400.0000	38351.1753	37351.1753	447.6702	normal		
Nickel, total	ug/L	LGW-6	23	31	54			163.0000	167.0000			4.8000	nonpar	.99	**
pH (Field)	S.U.	LGW-6	114	87	202	7.1515	0.4304	5.0000	6.3100	7.1515	7.1515	4.35 - 9.95	normal		
Selenium, total	ug/L	LGW-6	22	30	52			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-6	22	30	52			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-6	21	30	51			5.0000	5.0000			5.0000	nonpar	.99	**
Thallium, total	ug/L	LGW-6	23	30	53			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-6	22	30	52	259.7273	26.7923	391.0000	405.0000	521.4413	535.4413	433.8772	normal		
Total organic carbon (toc)	mg/L	LGW-6	21	30	51			1.0000	1.2600			1.0000	nonpar	.99	**
Vanadium, total	ug/L	LGW-6	23	30	53			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-6	21	31	54	8.1429	2.3314	155.0000	156.0000	153.2514	154.2514	23.2972	normal		
Antimony, total	ug/L	LGW-7	22	25	47			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-7	22	25	47			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-7	21	25	46	47.5714	10.1566	45.3000	63.6000	47.5714	55.9825	113.5895	normal		
Beryllium, total	ug/L	LGW-7	22	25	47			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-7	22	27	49			1.0000	1.0000			2.7000	nonpar	.99	**
Chromium, total	ug/L	LGW-7	22	25	47			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-7	21	25	46			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-7	22	25	47			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-7	19	26	47			60.0000	60.0000			66.0000	nonpar	.99	**
Lead, total	ug/L	LGW-7	21	25	46			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-7	21	25	46	12.1048	21.2609	5.8300	127.0000	123.1313	222.0809	150.3006	normal		
Nickel, total	ug/L	LGW-7	22	26	48			4.0000	4.0000			6.1000	nonpar	.99	**

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
pH (Field)	S.U.	LGW-7	111	86	198	7.0123	0.5159	4.4900	6.7700	7.0123	7.0123	3.66 - 10.37	normal		
Selenium, total	ug/L	LGW-7	21	25	46			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-7	21	25	46			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-7	20	25	45			5.0000	5.0000			5.0000	nonpar	.99	**
Thallium, total	ug/L	LGW-7	22	25	47			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-7	21	26	47	252.7143	31.3802	285.0000	353.0000	460.2179	528.2179	456.6853	normal		
Total organic carbon (toc)	mg/L	LGW-7	20	25	45			1.0000	1.7300			1.0000	nonpar	.99	**
Vanadium, total	ug/L	LGW-7	22	25	47			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-7	21	26	48	21.7667	7.2845	8.8700	44.5000	21.7667	39.0367	69.1156	normal		
Antimony, total	ug/L	LGW-8R	16	14	37			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-8R	16	14	37			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-8R	16	15	37	57.8125	4.7500	83.3000	87.0000	104.9875	108.6875	88.6875	normal		
Beryllium, total	ug/L	LGW-8R	16	14	37			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-8R	16	14	37			1.0000	1.5400			1.0000	nonpar	.99	**
Chromium, total	ug/L	LGW-8R	16	14	37			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-8R	16	14	36			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	LGW-8R	16	14	37			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-8R	16	14	36			60.0000	60.0000			60.0000	nonpar	.99	**
Lead, total	ug/L	LGW-8R	16	14	36			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-8R	16	15	37			26.3000	117.0000			7.0000	nonpar	.99	**
Nickel, total	ug/L	LGW-8R	16	14	37			4.0000	9.8000			4.0000	nonpar	.99	**
pH (Field)	S.U.	LGW-8R	88	74	188	7.1430	0.3811	4.2000	6.6200	7.1430	7.1430	4.67 - 9.62	normal		
Selenium, total	ug/L	LGW-8R	16	14	36			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-8R	16	14	36			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-8R	16	15	36			5.0000	5.0000			5.7000	nonpar	.99	**
Thallium, total	ug/L	LGW-8R	16	14	37			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-8R	16	16	38	288.1250	15.5858	372.0000	394.0000	460.8676	482.8676	389.4326	normal		
Total organic carbon (toc)	mg/L	LGW-8R	16	14	35			1.0000	1.4100			1.0000	nonpar	.99	**
Vanadium, total	ug/L	LGW-8R	16	14	37			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-8R	16	14	37	5.8625	2.0402	17.2000	38.7000	17.8372	49.1445	19.1239	normal		
Antimony, total	ug/L	LGW-9	25	27	52			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	LGW-9	25	27	52			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	LGW-9	24	27	51	132.5000	17.9976	137.0000	164.0000	197.5163	215.5181	249.4843	normal		
Beryllium, total	ug/L	LGW-9	25	27	52			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-9	26	27	53	7.5962	17.5656	11.2000	13.7000	62.8774	55.8070	121.7728	normal		
Chromium, total	ug/L	LGW-9	25	27	52			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	LGW-9	24	27	51	11.5500	2.5176	3.0000	3.0000	11.5500	11.5500	27.9143	normal		
Copper, total	ug/L	LGW-9	25	27	52			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	LGW-9	24	27	51	5504.5833	3631.9883	60.0000	60.0000	5504.5833	5504.5833	29112.5072	normal		
Lead, total	ug/L	LGW-9	24	27	51			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-9	24	27	51	10533.3333	2011.8490	3000.0000	4220.0000	10533.3333	10533.3333	23610.3516	normal		
Nickel, total	ug/L	LGW-9	26	27	53	63.5385	10.8636	20.5000	25.9000	63.5385	63.5385	134.1521	normal		
pH (Field)	S.U.	LGW-9	121	74	196	6.6861	0.4092	3.9600	6.3500	6.6861	6.6861	4.03 - 9.35	normal		
Selenium, total	ug/L	LGW-9	23	27	51			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	LGW-9	24	27	51			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	LGW-9	23	27	50	8.8522	5.3157	8.2500	5.1400	8.8522	8.8522	43.4045	normal		
Thallium, total	ug/L	LGW-9	25	27	52			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	LGW-9	24	27	51	339.6250	49.3777	406.0000	437.0000	682.6753	713.6753	660.5801	normal		
Total organic carbon (toc)	mg/L	LGW-9	23	27	50	1.1780	0.2789	1.3900	2.2200	2.6323	3.4651	2.9907	normal		
Vanadium, total	ug/L	LGW-9	25	27	52			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-9	26	27	53	126.0000	42.7448	58.5000	73.9000	126.0000	126.0000	403.8414	normal		
Antimony, total	ug/L	MW-10N	23	12	58			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-10N	23	12	58			5.0000	5.0000			5.0000	nonpar	.99	**

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Barium, total	ug/L	MW-10N	22	12	57	34.2727	5.1379	39.9000	25.2000	36.0466	34.2727	67.6692	normal	.99	**
Beryllium, total	ug/L	MW-10N	23	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-10N	23	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-10N	23	12	58			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-10N	22	12	57			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-10N	23	12	58			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-10N	22	12	57	765.9091	552.0323	992.0000	1140.0000	765.9091	765.9091	4354.1187	normal	.99	**
Lead, total	ug/L	MW-10N	22	12	57			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-10N	21	13	57	33.6190	9.1021	49.0000	37.3000	42.1734	39.0279	92.7825	normal	.99	**
Nickel, total	ug/L	MW-10N	23	12	58			4.0000	4.0000			4.1000	nonpar	.99	**
pH (Field)	S.U.	MW-10N	23	12	36	7.4791	0.6083	7.1100	6.7600	7.4791	7.4791	3.53 - 11.43	normal	.99	**
Selenium, total	ug/L	MW-10N	22	12	57			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	MW-10N	22	12	57			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-10N	22	12	56			5.0000	5.0000			11.0000	nonpar	.99	**
Thallium, total	ug/L	MW-10N	23	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-10N	22	12	56	287.5000	34.5636	246.0000	249.0000	287.5000	287.5000	512.1634	normal	.99	**
Total organic carbon (toc)	mg/L	MW-10N	21	12	41	4.9429	0.8992	4.8100	5.0100	4.9429	4.9429	10.7877	normal	.99	**
Vanadium, total	ug/L	MW-10N	23	12	58			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-10N	23	12	58			5.0000	5.0000			6.5000	nonpar	.99	**
Antimony, total	ug/L	MW-11N	24	14	61			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-11N	24	14	61			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-11N	23	14	60	73.3043	30.3411	50.9000	51.1000	73.3043	73.3043	270.5218	normal	.99	**
Beryllium, total	ug/L	MW-11N	24	14	61			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-11N	24	14	61			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-11N	24	15	62			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-11N	23	14	60			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-11N	24	14	61			4.0000	4.0000			6.6000	nonpar	.99	**
Iron, total	ug/L	MW-11N	22	14	60	80.0455	39.6178	60.0000	60.0000	80.0455	80.0455	337.5611	normal	.99	**
Lead, total	ug/L	MW-11N	22	14	60			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-11N	23	14	59	11.7174	12.4598	3.0000	3.0000	11.7174	11.7174	92.7059	normal	.99	**
Nickel, total	ug/L	MW-11N	24	14	61			4.0000	4.0000			9.7000	nonpar	.99	**
pH (Field)	S.U.	MW-11N	25	14	40	7.3196	0.3965	7.1900	6.1800	7.3196	7.3196	4.74 - 9.90	normal	.99	**
Selenium, total	ug/L	MW-11N	23	14	60			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	MW-11N	23	14	60			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-11N	23	14	59			5.0000	5.0000			5.0000	nonpar	.99	**
Thallium, total	ug/L	MW-11N	24	14	61			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-11N	23	14	59	195.1304	14.5205	184.0000	197.0000	195.1304	195.1304	289.5139	normal	.99	**
Total organic carbon (toc)	mg/L	MW-11N	22	14	44			1.0000	1.0000			3.8500	nonpar	.99	**
Vanadium, total	ug/L	MW-11N	24	14	61			3.0000	3.0000			3.8000	nonpar	.99	**
Zinc, total	ug/L	MW-11N	24	14	61	17.4750	4.3526	22.2000	22.8000	18.9355	20.9960	45.7671	normal	.99	**
Antimony, total	ug/L	MW-15	8	14	22			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-15	8	14	22			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-15	8	14	22	27.0000	5.4772	23.3000	24.2000	27.0000	27.0000	62.6020	normal	.99	**
Beryllium, total	ug/L	MW-15	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-15	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-15	8	14	22			3.0000	3.0000			4.8000	nonpar	.99	**
Cobalt, total	ug/L	MW-15	8	14	22			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-15	8	14	22			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-15	8	14	22	214.5000	398.9654	60.0000	60.0000	214.5000	214.5000	2807.7754	normal	.99	**
Lead, total	ug/L	MW-15	8	14	22			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-15	8	14	22	42.3875	76.4626	3.0000	3.5400	42.3875	42.3875	539.3945	normal	.99	**
Nickel, total	ug/L	MW-15	8	14	22			4.0000	4.0000			4.0000	nonpar	.99	**
pH (Field)	S.U.	MW-15	20	73	93	7.2090	0.8779	4.0400	6.5200	7.2090	7.2090	1.50 - 12.92	normal	.99	**

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Selenium, total	ug/L	MW-15	7	14	22										*
Silver, total	ug/L	MW-15	8	14	22			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-15	8	15	23	5.8625	1.1843	12.3000	11.3000	18.6688	17.6688	13.5608	normal		
Thallium, total	ug/L	MW-15	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-15	8	14	22	277.5000	19.0863	300.0000	310.0000	280.9137	294.3275	401.5608	normal		
Total organic carbon (toc)	mg/L	MW-15	8	18	26	1.0113	0.0360	1.2600	3.8400	1.4267	4.0067	1.2454	normal		
Vanadium, total	ug/L	MW-15	8	14	22			3.0000	3.0000			3.3000	nonpar	.99	**
Zinc, total	ug/L	MW-15	7	14	22										*
Antimony, total	ug/L	MW-16	8	14	22			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-16	8	14	22			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-16	8	14	22	66.5000	13.9898	31.3000	32.7000	66.5000	66.5000	157.4336	normal		
Beryllium, total	ug/L	MW-16	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-16	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-16	8	14	22			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-16	8	14	22			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-16	7	14	22										*
Iron, total	ug/L	MW-16	8	14	22	104.0000	73.8357	60.0000	60.0000	104.0000	104.0000	583.9322	normal		
Lead, total	ug/L	MW-16	8	14	22			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-16	8	14	22	13.0125	13.0757	3.0000	3.0000	13.0125	13.0125	98.0042	normal		
Nickel, total	ug/L	MW-16	8	14	22			4.0000	4.0000			4.0000	nonpar	.99	**
pH (Field)	S.U.	MW-16	20	73	93	7.4940	1.2328	4.8700	7.3500	7.4940	7.4940	0.00 - 15.51	normal		
Selenium, total	ug/L	MW-16	7	14	22										*
Silver, total	ug/L	MW-16	8	14	22			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-16	8	14	22	16.3125	7.3724	5.0000	5.0000	16.3125	16.3125	64.2333	normal		
Thallium, total	ug/L	MW-16	8	14	22			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-16	8	14	22	241.2500	13.5620	184.0000	215.0000	241.2500	241.2500	329.4032	normal		
Total organic carbon (toc)	mg/L	MW-16	8	14	22	1.1813	0.3359	1.0000	1.0000	1.1813	1.1813	3.3644	normal		
Vanadium, total	ug/L	MW-16	8	14	22			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-16	8	14	22	6.7625	3.1405	5.7300	8.3100	6.7625	6.7625	27.1757	normal		
Antimony, total	ug/L	MW-17	8	12	20			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-17	8	12	20			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-17	8	12	20	33.6250	24.5993	43.5000	33.8000	70.4578	46.0335	193.5204	normal		
Beryllium, total	ug/L	MW-17	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-17	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-17	8	12	20			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-17	8	12	20			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-17	8	12	20			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-17	8	12	20	169.5000	193.3664	159.0000	60.0000	169.5000	169.5000	1426.3817	normal		
Lead, total	ug/L	MW-17	8	12	20			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-17	8	12	20	27.0125	39.0389	77.2000	10.8000	38.1611	27.0125	280.7651	normal		
Nickel, total	ug/L	MW-17	8	12	20			4.0000	4.0000			4.0000	nonpar	.99	**
pH (Field)	S.U.	MW-17	20	62	82	7.4190	0.5275	6.0700	6.7700	7.4190	7.4190	3.99 - 10.85	normal		
Selenium, total	ug/L	MW-17	8	12	20			10.0000	10.0000			12.0000	nonpar	.99	**
Silver, total	ug/L	MW-17	8	12	20			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-17	8	13	21	6.6375	2.6854	14.4000	13.5000	26.8002	25.9002	24.0925	normal		
Thallium, total	ug/L	MW-17	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-17	8	12	20	188.6250	61.7436	187.0000	154.0000	188.6250	188.6250	589.9582	normal		
Total organic carbon (toc)	mg/L	MW-17	8	14	22	1.0438	0.0904	1.0000	1.0600	1.0438	1.0438	1.6313	normal		
Vanadium, total	ug/L	MW-17	8	12	20			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-17	8	13	21	5.5375	1.1698	7.3000	5.0000	6.1302	5.5375	13.1411	normal		
Antimony, total	ug/L	MW-19	8	12	20			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-19	8	12	20			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-19	8	12	20	47.8750	22.4018	25.2000	22.1000	47.8750	47.8750	193.4865	normal		

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Beryllium, total	ug/L	MW-19	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-19	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-19	8	12	20			3.0000	3.0000			3.8000	nonpar	.99	**
Cobalt, total	ug/L	MW-19	8	12	20			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-19	8	12	20			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-19	8	12	20	253.0000	244.1335	60.0000	60.0000	253.0000	253.0000	1839.8674	normal		
Lead, total	ug/L	MW-19	8	12	20			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-19	8	11	20	51.1125	75.4543	8.9900	3.0000	51.1125	51.1125	541.5658	normal		
Nickel, total	ug/L	MW-19	8	12	20			4.0000	4.0000			5.2000	nonpar	.99	**
pH (Field)	S.U.	MW-19	20	62	82	7.9185	0.6210	5.5000	7.9800	7.9185	7.9185	3.88 - 11.95	normal		*
Selenium, total	ug/L	MW-19	7	12	20										*
Silver, total	ug/L	MW-19	8	12	20			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-19	8	12	20	6.1250	2.0457	7.3700	5.4700	16.5914	13.8906	19.4222	normal		
Thallium, total	ug/L	MW-19	8	12	20			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-19	8	12	20	228.7500	52.7629	158.0000	184.0000	228.7500	228.7500	571.7092	normal		
Total organic carbon (toc)	mg/L	MW-19	8	12	20	1.0875	0.1529	1.0000	1.0000	1.0875	1.0875	2.0817	normal		
Vanadium, total	ug/L	MW-19	8	12	20			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-19	8	12	20	7.1000	3.5428	5.0000	5.8800	7.1000	7.1000	30.1282	normal		
Antimony, total	ug/L	MW-1N	24	12	62			2.0000	2.0000			3.7000	nonpar	.99	**
Arsenic, total	ug/L	MW-1N	24	12	62			5.0000	5.0000			5.8000	nonpar	.99	**
Barium, total	ug/L	MW-1N	23	12	61	45.7826	16.0736	39.7000	39.7000	45.7826	45.7826	150.2608	normal		
Beryllium, total	ug/L	MW-1N	24	13	62			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-1N	24	13	62			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-1N	24	14	64			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-1N	23	13	62			3.0000	3.0000			4.2000	nonpar	.99	**
Copper, total	ug/L	MW-1N	24	12	62			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-1N	23	12	60	335.2174	322.0048	88.1000	60.0000	335.2174	335.2174	2428.2485	normal		
Lead, total	ug/L	MW-1N	23	12	61			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-1N	23	12	58	189.6087	144.4626	17.6000	3.0000	189.6087	189.6087	1128.6153	normal		
Nickel, total	ug/L	MW-1N	24	12	62	11.6250	7.4783	8.0900	6.1600	18.1525	11.6250	60.2342	normal		
pH (Field)	S.U.	MW-1N	25	15	41	7.3268	0.3626	7.3600	6.4000	7.3268	7.3268	4.97 - 9.68	normal		
Selenium, total	ug/L	MW-1N	23	12	61			10.0000	10.0000			12.0000	nonpar	.99	**
Silver, total	ug/L	MW-1N	23	12	61			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-1N	21	12	59	7.4095	2.1552	5.0000	5.0000	7.4095	7.4095	21.4184	normal		
Thallium, total	ug/L	MW-1N	24	12	62			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-1N	23	12	59	232.6522	22.9220	210.0000	220.0000	232.6522	232.6522	381.6453	normal		
Total organic carbon (toc)	mg/L	MW-1N	22	12	44			1.0000	1.0000			1.6000	nonpar	.99	**
Vanadium, total	ug/L	MW-1N	23	12	62			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-1N	24	13	63	29.5458	24.7545	54.6000	50.6000	99.8050	102.2933	190.4503	normal		
Antimony, total	ug/L	MW-21	8	23	31			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-21	8	23	31			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-21	8	23	31	291.2500	52.4915	170.0000	180.0000	291.2500	291.2500	632.4447	normal		
Beryllium, total	ug/L	MW-21	8	23	31			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-21	8	23	31	1.3125	0.6266	2.6500	3.6700	5.9902	7.0102	5.3857	normal		
Chromium, total	ug/L	MW-21	8	23	31			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-21	9	23	32	32.8889	3.1002	7.4500	13.2000	32.8889	32.8889	53.0401	normal		
Copper, total	ug/L	MW-21	8	23	31			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-21	6	23	31										*
Lead, total	ug/L	MW-21	8	23	31			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-21	8	23	31	15625.0000	2263.8463	5710.0000	8580.0000	15625.0000	15625.0000	30340.0008	normal		
Nickel, total	ug/L	MW-21	8	23	31	61.3125	8.8194	25.8000	38.8000	61.3125	61.3125	118.6384	normal		
pH (Field)	S.U.	MW-21	11	22	33	6.1800	0.5268	5.7400	5.3800	6.1800	6.1800	2.76 - 9.60	normal		
Selenium, total	ug/L	MW-21	8	23	31			10.0000	10.0000			10.0000	nonpar	.99	**

Table 1

**Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts**

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Silver, total	ug/L	MW-21	8	23	31			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-21	8	23	31	19.2625	7.0797	15.1000	9.9600	19.2625	19.2625	65.2808	normal		
Thallium, total	ug/L	MW-21	8	23	31			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-21	8	23	31	232.5000	53.1171	162.0000	160.0000	232.5000	232.5000	577.7613	normal		
Total organic carbon (toc)	mg/L	MW-21	8	23	31	1.9984	0.6728	1.6800	2.9000	1.9984	2.2272	6.3718	normal		
Vanadium, total	ug/L	MW-21	8	23	31			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-21	8	23	31	78.9375	11.4531	41.2000	72.1000	78.9375	78.9375	153.3828	normal		
Antimony, total	ug/L	MW-2N	24	12	57			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-2N	24	12	58			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-2N	23	14	59	41.8696	8.3519	81.8000	85.9000	122.8684	126.9684	96.1572	normal		
Beryllium, total	ug/L	MW-2N	24	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-2N	24	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Chromium, total	ug/L	MW-2N	24	14	60			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-2N	23	12	57			3.0000	3.0000			3.0000	nonpar	.99	**
Copper, total	ug/L	MW-2N	23	12	58			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-2N	22	13	58			62.5000	60.0000			80.0000	nonpar	.99	**
Lead, total	ug/L	MW-2N	22	12	57			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-2N	21	13	57	4.0333	2.2822	3.9800	3.0000	4.0333	4.0333	18.8675	normal		
Nickel, total	ug/L	MW-2N	24	14	60			4.0000	4.0000			4.0000	nonpar	.99	**
pH (Field)	S.U.	MW-2N	28	17	46	7.7416	0.4116	6.9100	6.2900	7.7416	7.7416	5.07 - 10.42	normal		
Selenium, total	ug/L	MW-2N	23	12	57			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	MW-2N	23	12	57			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-2N	23	12	56			5.0000	5.0000			5.0000	nonpar	.99	**
Thallium, total	ug/L	MW-2N	24	12	58			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-2N	23	14	58	159.7826	17.4823	268.0000	282.0000	330.4164	344.4164	273.4179	normal		
Total organic carbon (toc)	mg/L	MW-2N	22	12	42			1.0000	1.0000			1.0000	nonpar	.99	**
Vanadium, total	ug/L	MW-2N	24	12	58			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-2N	24	14	60	9.4750	7.4731	26.4000	24.5000	68.3557	66.4557	58.0501	normal		
Antimony, total	ug/L	MW-3N	45	22	75			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-3N	45	22	75			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-3N	44	22	74	162.7273	18.8462	86.1000	72.4000	162.7273	162.7273	285.2277	normal		
Beryllium, total	ug/L	MW-3N	45	22	75			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-3N	45	22	75	3.2600	3.9518	49.6000	6.9800	65.4122	22.7922	28.9469	normal		
Chromium, total	ug/L	MW-3N	45	22	75			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-3N	44	22	74			3.0000	3.0000			4.3000	nonpar	.99	**
Copper, total	ug/L	MW-3N	44	22	75			4.0000	4.0000			5.0000	nonpar	.99	**
Iron, total	ug/L	MW-3N	43	22	74	1375.5814	822.6650	70.0000	60.0000	1375.5814	1375.5814	6722.9036	normal		
Lead, total	ug/L	MW-3N	44	22	74			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-3N	43	22	72	3389.5349	1169.2263	774.0000	142.0000	3389.5349	3389.5349	10989.5062	normal		
Nickel, total	ug/L	MW-3N	45	22	75	31.0133	18.5053	49.0000	9.5500	69.9749	34.6325	151.2978	normal		
pH (Field)	S.U.	MW-3N	33	22	55	6.5486	0.3717	6.6700	6.0800	6.5486	6.5486	4.13 - 8.96	normal		
Selenium, total	ug/L	MW-3N	44	22	74			10.0000	10.0000			10.0000	nonpar	.99	**
Silver, total	ug/L	MW-3N	44	22	74			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-3N	43	22	72	4.8233	2.4702	13.4000	21.6000	27.1956	35.3956	20.8795	normal		
Thallium, total	ug/L	MW-3N	45	22	75			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-3N	43	22	72	356.0698	32.8107	309.0000	327.0000	356.0698	356.0698	569.3394	normal		
Total organic carbon (toc)	mg/L	MW-3N	29	22	57			1.0000	2.0600			6.3000	nonpar	.99	**
Vanadium, total	ug/L	MW-3N	45	22	75			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-3N	45	22	75	32.6000	50.3216	186.0000	52.6000	467.5764	334.1764	359.6905	normal		
Antimony, total	ug/L	MW-7N	41	17	69			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-7N	41	17	69			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-7N	40	17	68	221.8750	97.3917	129.0000	134.0000	221.8750	221.8750	854.9209	normal		
Beryllium, total	ug/L	MW-7N	41	17	69			1.0000	1.0000			1.4000	nonpar	.99	**

Table 1

Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Cadmium, total	ug/L	MW-7N	49	18	78	4.9204	6.8754	1.0000	1.0000	4.9204	4.9204	49.6104	normal		
Chromium, total	ug/L	MW-7N	40	17	69			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-7N	40	17	68	22.5150	14.7722	3.0000	3.0000	22.5150	22.5150	118.5341	normal		
Copper, total	ug/L	MW-7N	41	17	69			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-7N	40	17	67	5337.0000	4281.1862	60.0000	60.0000	5337.0000	5337.0000	33164.7100	normal		
Lead, total	ug/L	MW-7N	40	17	68			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-7N	38	17	64	20004.5263	16808.7902	10.9000	9.0900	20004.5263	20004.5263	129261.6627	normal		
Nickel, total	ug/L	MW-7N	41	17	69	159.5195	112.6849	4.0000	4.0000	159.5195	159.5195	891.9713	normal		
pH (Field)	S.U.	MW-7N	126	73	199	6.5702	0.4885	4.4100	6.7200	6.5702	6.5702	3.40 - 9.75	normal		
Selenium, total	ug/L	MW-7N	40	17	68			10.0000	10.0000			13.0000	nonpar	.99	**
Silver, total	ug/L	MW-7N	40	17	68			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-7N	38	17	65	5.5342	2.1531	20.1000	20.6000	31.1871	31.6871	19.5293	normal		
Thallium, total	ug/L	MW-7N	41	17	70			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-7N	38	17	65	382.6053	138.1463	315.0000	321.0000	382.6053	382.6053	1280.5564	normal		
Total organic carbon (toc)	mg/L	MW-7N	25	20	54			1.6800	2.6200			1.8000	nonpar	.99	**
Vanadium, total	ug/L	MW-7N	41	17	69			3.0000	3.0000			4.7000	nonpar	.99	**
Zinc, total	ug/L	MW-7N	41	17	69	255.6098	197.6215	7.4300	9.4800	255.6098	255.6098	1540.1493	normal		
Antimony, total	ug/L	MW-8N	51	27	86			2.0000	2.0000			2.0000	nonpar	.99	**
Arsenic, total	ug/L	MW-8N	51	27	86			5.0000	5.0000			5.0000	nonpar	.99	**
Barium, total	ug/L	MW-8N	50	27	85	182.6000	39.6829	142.0000	141.0000	182.6000	182.6000	440.5390	normal		
Beryllium, total	ug/L	MW-8N	51	27	86			1.0000	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	MW-8N	60	27	95	17.6517	11.8130	7.7900	7.5800	17.6517	17.6517	94.4359	normal		
Chromium, total	ug/L	MW-8N	50	27	86			3.0000	3.0000			3.0000	nonpar	.99	**
Cobalt, total	ug/L	MW-8N	50	27	85	4.8860	3.3647	3.0000	3.0000	4.8860	4.8860	26.7566	normal		
Copper, total	ug/L	MW-8N	51	27	86			4.0000	4.0000			4.0000	nonpar	.99	**
Iron, total	ug/L	MW-8N	50	27	85	5560.0000	8084.4090	60.0000	60.0000	5560.0000	5560.0000	58108.6584	normal		
Lead, total	ug/L	MW-8N	50	27	85			5.0000	5.0000			5.0000	nonpar	.99	**
Manganese, total	ug/L	MW-8N	49	27	83	11240.8163	5046.7778	2750.0000	2660.0000	11240.8163	11240.8163	44044.8719	normal		
Nickel, total	ug/L	MW-8N	51	27	86	103.5294	62.2821	21.3000	20.3000	103.5294	103.5294	508.3628	normal		
pH (Field)	S.U.	MW-8N	48	27	75	6.4681	0.7118	6.3000	5.7400	6.4681	6.4681	1.84 - 11.10	normal		
Selenium, total	ug/L	MW-8N	50	27	85			11.1000	10.0000			15.0000	nonpar	.99	**
Silver, total	ug/L	MW-8N	50	27	85			50.0000	50.0000			50.0000	nonpar	.99	**
Sulfate	mg/L	MW-8N	49	27	83	21.3857	7.9291	18.0000	19.7000	21.3857	21.3857	72.9249	normal		
Thallium, total	ug/L	MW-8N	51	27	87			1.0000	1.0000			1.0000	nonpar	.99	**
Total dissolved solids	mg/L	MW-8N	49	27	83	249.0408	45.7425	259.0000	261.0000	312.3921	290.0445	546.3669	normal		
Total organic carbon (toc)	mg/L	MW-8N	36	27	69	1.1690	0.1746	1.7700	2.5000	2.7141	3.4441	2.3038	normal		
Vanadium, total	ug/L	MW-8N	51	27	86			3.0000	3.0000			3.0000	nonpar	.99	**
Zinc, total	ug/L	MW-8N	51	27	86	61.8235	55.0562	12.7000	14.7000	61.8235	61.8235	419.6890	normal		

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.

Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

* - Insufficient Data.

** - Detection Frequency < 25%.

*** - Zero Variance.

Table 4

**Dixon's Test Outliers
1% Significance Level**


Constituent	Units	Well	Date	Result	ND Qualifier	Date Range	N	Critical Value
Iron, total	ug/L	LGW-4	10/26/2006	1400.0000		01/24/2006-07/19/2016	24	0.4969
Manganese, total	ug/L	LGW-4	10/26/2006	110.0000		01/24/2006-07/19/2016	24	0.4969
Zinc, total	ug/L	LGW-6	10/26/2006	26.0000		01/24/2006-07/22/2015	23	0.5162
Zinc, total	ug/L	LGW-6	04/30/2013	29.0000		01/24/2006-07/22/2015	23	0.5162
Zinc, total	ug/L	LGW-7	07/22/2015	93.0000		01/25/2006-07/22/2015	22	0.5162
Manganese, total	ug/L	MW-10N	07/10/2007	8.7000		01/19/2006-07/21/2016	22	0.5162
Zinc, total	ug/L	MW-15	08/05/2015	23.0000		06/05/2015-10/06/2016	8	0.6808
Sulfate	mg/L	MW-1N	07/14/2015	29.0000		01/18/2006-07/21/2016	23	0.5162
Sulfate	mg/L	MW-1N	01/06/2016	23.0000		01/18/2006-07/21/2016	23	0.5162
Iron, total	ug/L	MW-21	01/07/2016	170.0000		06/05/2015-10/05/2016	8	0.6371
Iron, total	ug/L	MW-21	10/05/2016	1400.0000		06/05/2015-10/05/2016	8	0.6371
Iron, total	ug/L	MW-3N	01/23/2001	68.0000		01/14/2000-10/06/2016	44	0.3996

N = Total number of independent measurements in background at each well.


Date Range = Dates of the first and last measurements included in background at each well.

Critical Value depends on the significance level and on N-1 when the two most extreme values are tested or N for the most extreme value.


Intra-Well Control Charts / Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6




Graph 7




Graph 8




Graph 9



Graph 10




Graph 11




Graph 12


Intra-Well Control Charts / Prediction Limits




Graph 13




Graph 14




Graph 15




Graph 16




Graph 17




Graph 18



Graph 19




Graph 20




Graph 21


Intra-Well Control Charts / Prediction Limits




Graph 22




Graph 23




Graph 24




Graph 25




Graph 26




Graph 27




Graph 28




Graph 29




Graph 30



Graph 31




Graph 32




Graph 33


Intra-Well Control Charts / Prediction Limits




Graph 34




Graph 35




Graph 36




Graph 37




Graph 38




Graph 39



Graph 40




Graph 41




Graph 42


Intra-Well Control Charts / Prediction Limits




Graph 43




Graph 44




Graph 45




Graph 46




Graph 47




Graph 48




Graph 49




Graph 50




Graph 51



Graph 52




Graph 53




Graph 54


Intra-Well Control Charts / Prediction Limits




Graph 55




Graph 56




Graph 57




Graph 58




Graph 59




Graph 60



Graph 61




Graph 62




Graph 63


Intra-Well Control Charts / Prediction Limits




Graph 64




Graph 65




Graph 66




Graph 67




Graph 68




Graph 69




Graph 70




Graph 71




Graph 72



Graph 73




Graph 74




Graph 75


Intra-Well Control Charts / Prediction Limits




Graph 76




Graph 77




Graph 78




Graph 79




Graph 80




Graph 81



Graph 82




Graph 83




Graph 84


Intra-Well Control Charts / Prediction Limits




Graph 85




Graph 86




Graph 87




Graph 88




Graph 89




Graph 90




Graph 91




Graph 92




Graph 93



Graph 94




Graph 95




Graph 96


Intra-Well Control Charts / Prediction Limits




Graph 97




Graph 98




Graph 99




Graph 100




Graph 101




Graph 102



Graph 103




Graph 104




Graph 105


Intra-Well Control Charts / Prediction Limits




Graph 106




Graph 107




Graph 108




Graph 109




Graph 110




Graph 111




Graph 112




Graph 113




Graph 114



Graph 115




Graph 116




Graph 117


Intra-Well Control Charts / Prediction Limits




Graph 118




Graph 119




Graph 120




Graph 121




Graph 122




Graph 123



Graph 124




Graph 125




Graph 126


Intra-Well Control Charts / Prediction Limits




Graph 127




Graph 128




Graph 129




Graph 130




Graph 131




Graph 132




Graph 133




Graph 134




Graph 135



Graph 136




Graph 137




Graph 138


Intra-Well Control Charts / Prediction Limits




Graph 139




Graph 140




Graph 141




Graph 142




Graph 143




Graph 144



Graph 145




Graph 146




Graph 147


Intra-Well Control Charts / Prediction Limits




Graph 148




Graph 149




Graph 150




Graph 151




Graph 152




Graph 153




Graph 154




Graph 155




Graph 156



Graph 157




Graph 158




Graph 159


Intra-Well Control Charts / Prediction Limits




Graph 160




Graph 161




Graph 162




Graph 163




Graph 164




Graph 165



Graph 166




Graph 167




Graph 168


Intra-Well Control Charts / Prediction Limits




Graph 169




Graph 170




Graph 171




Graph 172




Graph 173




Graph 174




Graph 175




Graph 176




Graph 177



Graph 178




Graph 179




Graph 180


Intra-Well Control Charts / Prediction Limits




Graph 181




Graph 182




Graph 183




Graph 184




Graph 185




Graph 186



Graph 187




Graph 188




Graph 189


Intra-Well Control Charts / Prediction Limits




Graph 190




Graph 191




Graph 192




Graph 193




Graph 194




Graph 195




Graph 196




Graph 197




Graph 198



Graph 199




Graph 200




Graph 201


Intra-Well Control Charts / Prediction Limits




Graph 202




Graph 203




Graph 204




Graph 205




Graph 206




Graph 207



Graph 208




Graph 209




Graph 210


Intra-Well Control Charts / Prediction Limits




Graph 211




Graph 212




Graph 213




Graph 214




Graph 215




Graph 216




Graph 217




Graph 218




Graph 219



Graph 220




Graph 221




Graph 222


Intra-Well Control Charts / Prediction Limits




Graph 223




Graph 224




Graph 225




Graph 226




Graph 227




Graph 228



Graph 229




Graph 230




Graph 231


Intra-Well Control Charts / Prediction Limits




Graph 232




Graph 233




Graph 234




Graph 235




Graph 236




Graph 237




Graph 238




Graph 239




Graph 240



Graph 241




Graph 242




Graph 243


Intra-Well Control Charts / Prediction Limits




Graph 244




Graph 245




Graph 246




Graph 247




Graph 248




Graph 249



Graph 250




Graph 251




Graph 252


Intra-Well Control Charts / Prediction Limits




Graph 253




Graph 254




Graph 255




Graph 256




Graph 257




Graph 258




Graph 259




Graph 260




Graph 261



Graph 262




Graph 263




Graph 264


Intra-Well Control Charts / Prediction Limits




Graph 265




Graph 266




Graph 267




Graph 268




Graph 269




Graph 270



Graph 271




Graph 272




Graph 273


Intra-Well Control Charts / Prediction Limits




Graph 274




Graph 275




Graph 276




Graph 277




Graph 278




Graph 279




Graph 280




Graph 281




Graph 282



Graph 283




Graph 284




Graph 285


Intra-Well Control Charts / Prediction Limits




Graph 286




Graph 287




Graph 288




Graph 289




Graph 290




Graph 291



Graph 292




Graph 293




Graph 294


Intra-Well Control Charts / Prediction Limits




Graph 295




Graph 296




Graph 297




Graph 298




Graph 299




Graph 300




Graph 301




Graph 302




Graph 303



Graph 304




Graph 305




Graph 306


Intra-Well Control Charts / Prediction Limits




Graph 307




Graph 308




Graph 309




Graph 310




Graph 311




Graph 312



Graph 313




Graph 314




Graph 315


Intra-Well Control Charts / Prediction Limits




Graph 316




Graph 317




Graph 318




Graph 319




Graph 320




Graph 321




Graph 322




Graph 323




Graph 324



Graph 325




Graph 326




Graph 327


Intra-Well Control Charts / Prediction Limits




Graph 328




Graph 329




Graph 330




Graph 331




Graph 332




Graph 333



Graph 334




Graph 335




Graph 336


Intra-Well Control Charts / Prediction Limits




Graph 337




Graph 338




Graph 339




Graph 340




Graph 341




Graph 342




Graph 343




Graph 344




Graph 345



Graph 346




Graph 347




Graph 348


Intra-Well Control Charts / Prediction Limits




Graph 349




Graph 350




Graph 351




Graph 352




Graph 353




Graph 354



Graph 355




Graph 356




Graph 357


Intra-Well Control Charts / Prediction Limits




Graph 358




Graph 359




Graph 360




Graph 361




Graph 362




Graph 363




Graph 364




Graph 365




Graph 366



Graph 367




Graph 368




Graph 369


Intra-Well Control Charts / Prediction Limits




Graph 370




Graph 371




Graph 372




Graph 373




Graph 374




Graph 375



Graph 376




Graph 377




Graph 378


Intra-Well Control Charts / Prediction Limits




Graph 379




Graph 380




Graph 381




Graph 382




Graph 383




Graph 384




Graph 385




Graph 386




Graph 387



Graph 388




Graph 389




Graph 390


Intra-Well Control Charts / Prediction Limits




Graph 391




Graph 392




Graph 393




Graph 394




Graph 395




Graph 396



Graph 397




Graph 398




Graph 399


Intra-Well Control Charts / Prediction Limits




Graph 400




Graph 401




Graph 402




Graph 403




Graph 404




Graph 405




Graph 406




Graph 407




Graph 408



Graph 409




Graph 410




Graph 411


Intra-Well Control Charts / Prediction Limits




Graph 412




Graph 413




Graph 414




Graph 415




Graph 416




Graph 417



Graph 418




Graph 419




Graph 420


Intra-Well Control Charts / Prediction Limits




Graph 421




Graph 422




Graph 423




Graph 424




Graph 425




Graph 426




Graph 427




Graph 428




Graph 429



Graph 430




Graph 431




Graph 432


Intra-Well Control Charts / Prediction Limits




Graph 433




Graph 434




Graph 435




Graph 436




Graph 437




Graph 438



Graph 439




Graph 440




Graph 441


Intra-Well Control Charts / Prediction Limits




Graph 442




Graph 443




Graph 444




Graph 445




Graph 446




Graph 447




Graph 448




Graph 449




Graph 450



Graph 451




Graph 452




Graph 453


Intra-Well Control Charts / Prediction Limits




Graph 454




Graph 455




Graph 456




Graph 457




Graph 458




Graph 459



Graph 460



Graph 461



Graph 462

False Positive and False Negative Rates for Current Intra-Well Control Charts Monitoring Program




Table 1

**Summary Statistics and Intermediate Computations
for Combined Shewhart-CUSUM Control Charts**

Constituent	Units	Well	N(back)	N(mon)	N(tot)	Mean	SD	R(i-1)	R(i)	S(i-1)	S(i)	Limit	Type	Conf	
Total organic carbon (toc)	mg/L	LGW-2	23	18	41			2.5400	2.2300			1.0000	nonpar	.99	**
Total organic carbon (toc)	mg/L	LGW-4	23	15	38			1.4900	1.6300			1.0500	nonpar	.99	**
Total organic carbon (toc)	mg/L	LGW-6	21	31	52			1.2600	1.0000			1.0000	nonpar	.99	**
Manganese, total	ug/L	LGW-7	21	26	47	12.1048	21.2609	127.0000	25.8000	222.0809	120.8809	150.3006	normal		
Total organic carbon (toc)	mg/L	LGW-7	20	26	46			1.7300	1.0000			1.0000	nonpar	.99	**
Cadmium, total	ug/L	LGW-8R	16	15	38			1.5400	2.9700			1.0000	nonpar	.99	**
Nickel, total	ug/L	LGW-8R	16	15	38			9.8000	18.7000			4.0000	nonpar	.99	**
Total organic carbon (toc)	mg/L	LGW-8R	16	15	36			1.4100	1.0000			1.0000	nonpar	.99	**
Zinc, total	ug/L	LGW-8R	16	15	38	5.8625	2.0402	38.7000	58.5000	49.1445	68.9445	19.1239	normal		
Total organic carbon (toc)	mg/L	LGW-9	23	28	51	1.1780	0.2789	2.2200	1.4500	3.4651	2.6951	2.9907	normal		
Total organic carbon (toc)	mg/L	MW-7N	25	21	55			2.6200	2.0700			1.8000	nonpar	.99	**

N(back) and N(mon) = Non-outlier measurements in the background and monitoring periods.

N(tot) = All independent measurements for that constituent and well.

For transformed data, mean and SD in transformed units and control limit in original units.


Conf = confidence level for passing initial test or one of two verification resamples (nonparametric test only).

* - Insufficient Data.


** - Detection Frequency < 25%.

*** - Zero Variance.


Intra-Well Sublist Control Charts / Prediction Limits




Graph 1




Graph 2




Graph 3




Graph 4




Graph 5




Graph 6



Graph 7




Graph 8




Graph 9

Intra-Well Sublist Control Charts / Prediction Limits



Graph 10



Graph 11

Attachment E

95% LCL Calculations for Metals and Inorganics

Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**

Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	
Cadmium, total	ug/L	LGW-9	8	15.050	2.874	0.670	13.125	16.975	5.000	**
Cadmium, total	ug/L	MW-3N	8	25.122	15.350	0.670	14.841	35.404	5.000	**
Cadmium, total	ug/L	MW-8N	8	7.494	0.465	0.670	7.182	7.806	5.000	**


* - Insufficient Data

** - Significant Exceedance


LCL = Lower Confidence Limit

UCL = Upper Confidence Limit


Confidence Limits (Assessment)



Graph 1



Graph 2



Graph 3


Table 1

**Confidence Intervals for Comparing the Mean of the Last
8 Measurements to an Assessment Monitoring Standard**


Constituent	Units	Well	N	Mean	SD	Factor	95% LCL	95% UCL	Standard	
Cobalt, total	ug/L	LGW-10	8	54.238	17.331	0.670	42.629	65.846	6.000	**
Cobalt, total	ug/L	LGW-5	8	8.758	3.770	0.670	6.232	11.283	6.000	**
Cobalt, total	ug/L	LGW-6	8	21.963	2.583	0.670	20.232	23.693	6.000	**
Cobalt, total	ug/L	MW-21	8	13.010	4.244	0.670	10.167	15.853	6.000	**

* - Insufficient Data
 ** - Significant Exceedance
 LCL = Lower Confidence Limit
 UCL = Upper Confidence Limit


Confidence Limits (Assessment)




Graph 1



Graph 2



Graph 3




Graph 4

APPENDIX F

Graphs of Detected Parameters for Wildcat Creek

Eco Vista

Time Series Plot for WILDCAT CREEK SW




□ Nitrate-nitrite (as n)

○ Nondetect

Eco Vista

Time Series Plot for WILDCAT CREEK SW



Eco Vista


Time Series Plot for WILDCAT CREEK SW



△ Barium, total

Eco Vista

Time Series Plot for WILDCAT CREEK SW



▽ Calcium, total

Eco Vista


Time Series Plot for WILDCAT CREEK SW



◇ Magnesium, total

Eco Vista

Time Series Plot for WILDCAT CREEK SW



+ Sodium, total

Eco Vista

Time Series Plot for WILDCAT CREEK SW



X Alkalinity, bicarbonate (as caco3)

Eco Vista

Time Series Plot for WILDCAT CREEK SW



⊕ Total dissolved solids

○ Nondetect

Eco Vista


Time Series Plot for WILDCAT CREEK SW



☐ pH (Field)

Eco Vista

Time Series Plot for WILDCAT CREEK SW



◆ Specific conductance (field)