Haley Griffith (adpce.ad)		AFIN: 72-00144 PMT#: 0290-S1-R4 Received By Haley Griffith at 9:26 am, Jan 19, 2024	
Subject:	RE: EVLF EGMP Q1 2024 Report	DOC ID#: 85036 TO: CH>FILE <hg< th=""></hg<>	

From: Reynolds, Jodi [mailto:jreyno10@wm.com]
Sent: Friday, January 12, 2024 2:19 PM
To: Greg Banic (adpce.ad) <<u>Greg.Banic@adeq.state.ar.us</u>>
Cc: Heath Cobb <<u>Heath.Cobb@adeq.state.ar.us</u>>
Subject: EVLF EGMP Q1 2024 Report

Good afternoon, Greg! Per condition 19 of Permit No. 0290-S1-R3 and draft Permit No. 0290-S1-R4, attached please find the results of the 1st quarter 2024 monitoring event for the 16 gas monitoring probes at the Eco-Vista Landfill. Thank you!

Jodi Jodi Reynolds she/her Environmental Protection Manager, Arkansas MID★SOUTH Market Area jreyno10@wm.com

C: 479.699.1475

88 Joyce Lane Russellville, AR 72802

Access WM 24/7 with <u>My WM</u>





January 12, 2024

Waste Management- Eco-Vista Landfill Mr. Don Tennison – Operations Manager 2210 Waste Management Drive Springdale, AR 72762

RE: First Quarter of 2024 Explosive Gas Monitoring Waste Management – Eco-Vista Landfill Solid Waste Permit # 290-S1-R3 AFIN # 72-00144

Dear Mr. Tennison:

Enclosed are the results of the First Quarter 2024 explosive monitoring event conducted on January 12, 2024 at the Eco-Vista Landfill. Please note that all results were below the regulatory limits.

These results should be placed in the Facility's Permanent Operating Record. A copy has been sent to ADEQ pursuant to Permit Condition #18 of the above referenced permit.

If you should have any questions or require additional information, please feel free to call me at (479) 264-4684.

Sincerely,

Thomas Monteleone Waste Management Gas Technician

Enclosed: First Quarter 2024 Explosive Gas Monitoring Record

cc: ADEQ Solid Waste Division Eco-Vista POR 8.1.2

Eco-Vista (Tontitown) Landfill Perimeter Gas Migration Monitoring Summary - Q1 2024 AFIN: 72-00144 Permit No. 0290-S1-R3

	Sample Period	Methane	Oxygen	Lower Explosive Limit	Probe		In Compliance (
Probe No.	Date/Time	%vol	%vol	%	Condition	Comments	Yes or No)
GP-1R	1/12/2024 10:55	0	20.2	0	Good	None	Yes
GP-2	1/12/2024 11:02	0	20.5	0	Good	None	Yes
GP-3	1/12/2024 11:07	0	19.4	0	Good	None	Yes
GP-4	1/12/2024 11:15	0	20.6	0	Good	None	Yes
GP-5	1/12/2024 11:21	0	20.1	0	Good	None	Yes
GP-6	1/12/2024 11:22	0	20.6	0	Good	None	Yes
GP-7	1/12/2024 11:32	0	20.1	0	Good	None	Yes
GP-8	1/12/2024 11:30	0	20.6	0	Good	None	Yes
GP-9	1/12/2024 11:41	0	20.5	0	Good	None	Yes
GP-10	1/12/2024 11:55	0	20.2	0	Good	None	Yes
GP-11	1/12/2024 11:45	0	19.4	0	Good	None	Yes
GP-13	1/12/2024 12:05	0	20.4	0	Good	None	Yes
GP-14R	1/12/2024 12:13	0	19.3	0	Good	None	Yes
GP-15R	1/12/2024 12:29	0	20.3	0	Good	None	Yes
GP-16	1/12/2024 12:34	0	20.2	0	Good	None	Yes
GP-17	1/12/2024 11:47	0	19.1	0	Good	None	Yes
GP-18(office)	1/12/2024 12:39	0	20.3	0	N/A	None	Yes
GP-19(scale house)	1/12/2024 12:41	0	20.2	0	N/A	None	Yes
GP-21(Hauling Company)	1/12/2024 12:54	0	20.2	0	N/A	None	Yes
GP-23 (Maint Barn)	1/12/2024 12:17	0	20.2	0	N/A	None	Yes
GP-24 (Storage Barn)	1/12/2024 12:19	0	20.3	0	N/A	None	Yes
GP-25 (Gas System Storage)	1/12/2024 12:26	0	20.4	0	N/A	None	Yes

Weather Report - Snowing - 18 Degrees	- Barometer 29.74inHg - Wind 16 mph N - Humidity 87%

1/12/2024 10:32

15.1

15

0

69.9

-0.79

30.3

-0.76

0.78

1.49

EVLF1CAL