

AFIN: 72-00144

PMT#: 0290-S1-R4

Received

By Haley Griffith at 8:26 am, Apr 22, 2024

DOC ID#: 85442

TO: GB>FILE <HG

Haley Griffith (adpce.ad)

Subject: RE: Eco Vista Q2 2024 Explosive Gas Monitoring Probes

From: Reynolds, Jodi [<mailto:jreyno10@wm.com>]

Sent: Friday, April 19, 2024 6:50 PM

To: Greg Banic (adpce.ad) <Greg.Banic@adeq.state.ar.us>

Subject: Fwd: Eco Vista Q2 2024 Explosive Gas Monitoring Probes

Good evening! Attached please find the Q2 EGM for the Eco-Vista Landfill.

Jodi

[Waste is a resource. Waste Management captures value from waste streams by recycling and generating clean, renewable energy. Surprised? Learn how at www.wm.com.](http://www.wm.com)



ECO-VISTA LANDFILL, LLC
2210 Waste Management Drive
Springdale, AR 72762
Office: (479) 361-2069
Fax: (479) 361-5934

April 19, 2024

Waste Management- Eco-Vista Landfill
Mr. Don Tennison – Operations Manager
2210 Waste Management Drive
Springdale, AR 72762

RE: Second Quarter of 2024 Explosive Gas Monitoring
Waste Management – Eco-Vista Landfill
Solid Waste Permit # 290-S1-R4 AFIN # 72-00144

Dear Mr. Tennison:

Enclosed are the results of the First Quarter 2024 explosive monitoring event conducted on April 19th, 2024 at the Eco-Vista Landfill. Please note that all results were below the regulatory limits.

These results should be placed in the Facility's Permanent Operating Record. A copy has been sent to ADEQ pursuant to Permit Condition #18 of the above referenced permit.

If you should have any questions or require additional information, please feel free to call me at (479) 236 0753.

Sincerely,

A handwritten signature in black ink, appearing to read 'Thomas Hangsleben', written over a white background.

Thomas Hangsleben
Waste Management
Gas Technician

Enclosed: Second Quarter 2024 Explosive Gas Monitoring Record

cc: ADEQ Solid Waste Division
Eco-Vista POR 8.1.2

Eco-Vista (Tontitown) Landfill
 Perimeter Gas Migration Monitoring Summary - Q1 2024
 AFIN: 72-00144 Permit No. 0290-S1-R3

Probe No.	Sample Period Date/Time	Methane %vol	Oxygen %vol	Lower Explosive Limit %	Probe Condition	Comments	In Compliance (Yes or No)
GP-1R	4/19/2024 12:10	0	20.8	0	Good	None	Yes
GP-2	4/19/2024 12:15	0	20.5	0	Good	None	Yes
GP-3	4/19/2024 12:20	0	20.6	0	Good	None	Yes
GP-4	4/19/2024 12:25	0	18.6	0	Good	None	Yes
GP-5	4/19/2024 12:30	0	20	0	Good	None	Yes
GP-6	4/19/2024 12:45	0	19.9	0	Good	None	Yes
GP-7	4/19/2024 12:56	0	20.9	0	Good	None	Yes
GP-8	4/19/2024 12:59	0	20.5	0	Good	None	Yes
GP-9	4/19/2024 13:08	0	16.2	0	Good	None	Yes
GP-10	4/19/2024 13:13	0	20.1	0	Good	None	Yes
GP-11	4/19/2024 13:23	0	16.5	0	Good	None	Yes
GP-13	4/19/2024 13:31	0	20.8	0	Good	None	Yes
GP-14R	4/19/2024 13:42	0	19.1	0	Good	None	Yes
GP-15R	4/19/2024 13:54	0	19.5	0	Good	None	Yes
GP-16	4/19/2024 13:57	0	20.5	0	Good	None	Yes
GP-17	4/19/2024 13:25	0	18	0	Good	None	Yes
GP-18(office)	4/19/2024 14:13	0	20.7	0	N/A	None	Yes
GP-19(scale house)	4/19/2024 14:05	0	20.6	0	N/A	None	Yes
GP-21(Hauling Company)	4/19/2024 14:14	0	20.8	0	N/A	None	Yes
GP-23 (Maint Barn)	4/19/2024 13:46	0	20.9	0	N/A	None	Yes
GP-24 (Storage Barn)	4/19/2024 13:47	0	20.8	0	N/A	None	Yes
GP-25 (Gas System Storage)	4/19/2024 13:49	0	20.8	0	N/A	None	Yes

EVL1CAL	4/19/2024 11:39	15	15	0	70	-1.49	1.48	71.5
EVL1CAL	4/19/2024 11:40	0	0	20.9	79.1	-0.01	0.01	69.3

Weather Report - Partly Cloudy Skies -61 Degrees - Barometer 30.11inHg - Wind 10 mph NE - Humidity 43%