

AFIN: 72-00144

PMT#: 0290-S1-R4

Received

By Haley Griffith at 9:11 am, May 8, 2024

DOC ID#: 85508

TO: GB>FILE <HG

Haley Griffith (adpce.ad)

Subject: RE: EVLF Q2 2024 EGMR

From: Reynolds, Jodi [<mailto:jreyno10@wm.com>]
Sent: Tuesday, May 7, 2024 6:12 PM
To: Greg Banic (adpce.ad) <Greg.Banic@adeq.state.ar.us>
Cc: Heath Cobb <Heath.Cobb@adeq.state.ar.us>
Subject: EVLF Q2 2024 EGMR

Mr. Banic,

Attached please find the Q2 2024 explosive gas monitoring report for the Eco-Vista Landfill. Thank you!

Jodi

Jodi Reynolds

she/her
Environmental Protection Manager, Arkansas
Mid-South Market Area
jreyno10@wm.com

WM

602 South 52nd Street
Rogers, AR 72758
479.699.1475 cell



ECO-VISTA LANDFILL, LLC
2210 Waste Management Drive
Springdale, AR 72762
Office: (479) 361-2069
Fax: (479) 361-5934

April 19, 2024

Waste Management- Eco-Vista Landfill
Mr. Don Tennison – Operations Manager
2210 Waste Management Drive
Springdale, AR 72762

RE: Second Quarter of 2024 Explosive Gas Monitoring
Waste Management – Eco-Vista Landfill
Solid Waste Permit # 290-S1-R4 AFIN # 72-00144

Dear Mr. Tennison:

Enclosed are the results of the First Quarter 2024 explosive monitoring event conducted on April 19th, 2024 at the Eco-Vista Landfill. Please note that all results were below the regulatory limits.

These results should be placed in the Facility's Permanent Operating Record. A copy has been sent to ADEQ pursuant to Permit Condition #18 of the above referenced permit.

If you should have any questions or require additional information, please feel free to call me at (479) 236 0753.

Sincerely,

A handwritten signature in black ink, appearing to read 'Thomas Hangsleben', written over a white background.

Thomas Hangsleben
Waste Management
Gas Technician

Enclosed: Second Quarter 2024 Explosive Gas Monitoring Record

cc: ADEQ Solid Waste Division
Eco-Vista POR 8.1.2

Eco-Vista (Tontitown) Landfill
 Perimeter Gas Migration Monitoring Summary - Q1 2024
 AFIN: 72-00144 Permit No. 0290-S1-R3

| Probe No. | Sample Period Date/Time | Methane %vol | Oxygen %vol | Lower Explosive Limit % | Probe Condition | Comments | In Compliance (Yes or No) |
|----------------------------|----------------------------|-----------------|----------------|-------------------------|--------------------|----------|---------------------------|
| GP-1R | 4/19/2024 12:10 | 0 | 20.8 | 0 | Good | None | Yes |
| GP-2 | 4/19/2024 12:15 | 0 | 20.5 | 0 | Good | None | Yes |
| GP-3 | 4/19/2024 12:20 | 0 | 20.6 | 0 | Good | None | Yes |
| GP-4 | 4/19/2024 12:25 | 0 | 18.6 | 0 | Good | None | Yes |
| GP-5 | 4/19/2024 12:30 | 0 | 20 | 0 | Good | None | Yes |
| GP-6 | 4/19/2024 12:45 | 0 | 19.9 | 0 | Good | None | Yes |
| GP-7 | 4/19/2024 12:56 | 0 | 20.9 | 0 | Good | None | Yes |
| GP-8 | 4/19/2024 12:59 | 0 | 20.5 | 0 | Good | None | Yes |
| GP-9 | 4/19/2024 13:08 | 0 | 16.2 | 0 | Good | None | Yes |
| GP-10 | 4/19/2024 13:13 | 0 | 20.1 | 0 | Good | None | Yes |
| GP-11 | 4/19/2024 13:23 | 0 | 16.5 | 0 | Good | None | Yes |
| GP-13 | 4/19/2024 13:31 | 0 | 20.8 | 0 | Good | None | Yes |
| GP-14R | 4/19/2024 13:42 | 0 | 19.1 | 0 | Good | None | Yes |
| GP-15R | 4/19/2024 13:54 | 0 | 19.5 | 0 | Good | None | Yes |
| GP-16 | 4/19/2024 13:57 | 0 | 20.5 | 0 | Good | None | Yes |
| GP-17 | 4/19/2024 13:25 | 0 | 18 | 0 | Good | None | Yes |
| GP-18(office) | 4/19/2024 14:13 | 0 | 20.7 | 0 | N/A | None | Yes |
| GP-19(scale house) | 4/19/2024 14:05 | 0 | 20.6 | 0 | N/A | None | Yes |
| GP-21(Hauling Company) | 4/19/2024 14:14 | 0 | 20.8 | 0 | N/A | None | Yes |
| GP-23 (Maint Barn) | 4/19/2024 13:46 | 0 | 20.9 | 0 | N/A | None | Yes |
| GP-24 (Storage Barn) | 4/19/2024 13:47 | 0 | 20.8 | 0 | N/A | None | Yes |
| GP-25 (Gas System Storage) | 4/19/2024 13:49 | 0 | 20.8 | 0 | N/A | None | Yes |

| | | | | | | | | |
|---------|-----------------|----|----|------|------|-------|------|------|
| EVL1CAL | 4/19/2024 11:39 | 15 | 15 | 0 | 70 | -1.49 | 1.48 | 71.5 |
| EVL1CAL | 4/19/2024 11:40 | 0 | 0 | 20.9 | 79.1 | -0.01 | 0.01 | 69.3 |

Weather Report - Partly Cloudy Skies -61 Degrees - Barometer 30.11inHg - Wind 10 mph NE - Humidity 43%