



ARKANSAS ENERGY & ENVIRONMENT

AUG 30 2021

Charles W. Maguire, Director
Water Quality Protection Division (6WQ)
U.S. Environmental Protection Agency, Region 6
1201 Elm Street, Suite 500
Dallas, TX 75270-2101

RE: 2021 Water Quality Management Plan Governor Certification

Dear Director Maguire:

Pursuant to the authority given to me by Governor Asa Hutchinson, I hereby certify that the Arkansas Water Quality Management Plan (WQMP) is current and has been updated as needed pursuant to Section 208 of the Clean Water Act and 40 CFR §130.6(e). These updates have been made available for public comment pursuant to 40 CFR §124.10. The WQMP is updated as needed as permits are issued, renewed, modified, or terminated. The current WQMP may be viewed at: <https://www.adeg.state.ar.us/downloads/water/NPDES/WQMP.xls>.

The previously submitted Arkansas Governor's certification was dated March 25, 2020, and was formally approved by EPA on April 16, 2020. The enclosed table lists all facilities that have had changes in the WQMP since the last certification, and these changes are indicated in the last column of the table.

If there are any questions, please contact Shane Byrum in the Office of Water Quality at (501) 682-0618 or byrum@adeq.state.ar.us.

Sincerely,

A handwritten signature in blue ink, appearing to read "Julie Linck", is written over the typed name.

Julie Linck
Chief Administrator, Environment

Enclosure: 2021 Governor Certification Table

cc: Richard Wooster, Chief, Water Quality Protection Section, EPA Region 6
Shane Byrum, Engineer, Office of Water Quality
Carrie McWilliams, P.E., Engineer Supervisor, Office of Water Quality
Bryan Leamons, P.E., Senior Operations Manager, Office of Water Quality
Stacie Wassell, Deputy Associate Director, Office of Water Quality
Alan York, Associate Director, Office of Water Quality

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅ (Nov - Apr)	TSS (Nov - Apr)	NH ₃ -N (Nov - Mar)	NH ₃ -N (Apr)	DO (Inst. Min.) (Nov - Apr)	TP (Nov - Apr)	TRC (Inst. Max) (Nov - Apr)		
AR0050491	Oak Hill Utility Operating Company, LLC - North Hills Subdivision	East Fork Cadron Creek	0.065	10	15	3	6.0			10	15	6	5.6	2.0				Facility flow increased.
AR0050245	The Alotian Club, LLC	Nowlin Creek	0.02	10	15	2	6.0		0.011	10	15	10	5.2	6.0		0.011		TRC limit added.
AR0053155	Alpena	Long Creek	0.06	20	20	5	5.0	0.5		20	20	12	12	5.0	0.5			New facility added.
AR0000434	LB AmFuel, LLC	Un. Trib/Big Creek	variable														Total Lead: 2.67 ug/L (each outfall) and 0.0009 lb/day (total from both outfalls)	Facility name changed.
AR0044016	Ark Dept of Corrections - North Central Unit	Un. Trib./Moccasin Creek	0.09	10	15	3	5.1			10	15	5	3.9	5.0				DO limit revised for May-Oct.
AR0034550	Arkansas Steel Associates	Un. Trib./Village Creek	0.257				2.0							5.0				Facility flow revised.
AR0049620	Arkavaley Airpark	Un. Trib./East Fork Cadron Creek	0.011	15	20	5	3.0	1		15	20	12	5.6	3.0	1			Permit was terminated in 2020. Removed from WQMP.
AR0038784	Aubrey	Un. Trib./Cat Creek	0.08	20	30	3.4	3.0			20	30	10	5.2	5.5				NH3 and DO limit change.
AR0048801	Barling	Arkansas River	3.75	25	90	5	2.0		<0.033	30 (BOD ₅)	90			2.0		<0.033		TRC limit added.
AR0036498	Benton	Depot Creek/Saline River	8.3	10	15	1.5	7.0			15	15	4	2.4	7.5			TDS: 17,034.64 lb/day	TDS limit added from TMDL, NH3 limit revised for April.
AR0044997	B-H-T Investment Company, Inc. - Doublebees Store No. III	Un trib./Warren Creek	0.005	15	20	6	3.0		0.011	20	20	12	5.6	5.0		0.011		TRC limit added.
AR0037508	Black Rock	Un. Trib of Black River	0.165	18	90	10	4.0		0.011	25	90	14.7	5.2	2.0		0.011		TRC limit added.
AR0051144	Tisdale Properties & Development LLC - Cutoff Corner Cafe	Un. Trib./L. Maumelle/Ark. River	0.0013	15	20	5	3.0		0.011	20	20	10	5.2	6.0		0.011		April NH3 limit change, Nov-Apr DO limit change, TRC limit added.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
									(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)			
AR0020621	Bradley	Un. Trib./Wheeler Creek	0.15	15	15	5	5.0		0.011	15	15	11	6.1	5.0		0.011		TRC limit added.
AR0021890	Brinkley	Caney Slash	0.7	10	15	5	3.0	5.0	0.011	10	15	8	5.2	6.0	5.0	0.011		TRC and TP limit added.
AR0053244	Brody Creek WWTF	Lost Creek Ditch	0.078	15	20	6	3.0		0.011	20	30	12	5.2	2.0		0.011		New facility added.
AR0034002	Bryant	Un. Trib./Hurricane Creek	3	10	15	2.4	5.0		0.011	10	15	6	2.4	6.0		0.011		TRC limit added.
AR0034606	Calico Rock	Calico Creek	0.25	25	30	7.7	2.0		0.021	25	30	15	8.8	4.0		0.021		CBOD5 replaced BOD5 limits, NH3 limit added.
AR0033740	Carlisle	Bayou Two Prairie	0.412	10	15	4	5.0		0.023	20	20	12	10.7	5.0		0.023		TRC limit added. April NH3 limit revised.
AR0048968	Cedar Heights Baptist Church	Un. Trib./White Oak Bayou	0.004	15	20	5	2.0		0.011	20 (BOD ₅)	20			2.0		0.011		TRC limit added.
AR0052809	Clampit LLC - Clampit Country Kitchen (Removed from WQMP)	Un. Trib./Coleman Creek	0.0019	20	20	10	2.0			20	20	14	14	2.0				Facility removed from 2018 Plan. Permit terminated in 2020.
AR0022187	Clarksville (Outfall 001)	Backwaters of Lake Dardanelle	2	10	15	1.3	5.0		0.048	10	15	4	1.3	7.0		0.048		TRC limit added for Outfall 001
AR0022187	Clarksville (Outfall 002)	Spadra Creek	HCR limit ≤ 13% of Qup	25	90	13.4	2.0			30 (BOD ₅) (Nov-Mar) 25 (CBOD ₅) (April)	90		13.4	2.0				NH3 limit for April-October revised for Outfall 002
AR0052388	Current River Beach Resort	Un. Trib./Current River	0.003	10	15	5	2.0			10	15	10	3.9	6.0				DO limit revised for May-Oct.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
AR0048747	Clinton-West	Un. Trib./South Fork Little Red River	1.5	May-June 10	May-June 15	May-June 1	May-June 7.0		May-June 0.011	Nov-April 10	Nov-April 15	5	2.1	7.0		0.011	FCB: 200/400 col/100ml (Monthly Avg, May-June) and 1000/2000 col/100ml (7-day Avg, Nov-Apr), E.Coli: 410 col/100ml (7-day Avg, May-June) and 2050 col/100ml (7-day Avg, Nov-Apr)	TRC limit added for November-June.
AR0052507	Resolute El Dorado	Un. Trib./Gum Creek	variable	20	35	5	3.0			25	35	5	5	5.0				Facility added to WQMP.
AR0040118	Country Mountain Inn	Un. Trib./Keels Creek	0.005	10	15	5	2.0		0.011	10	15	10	3.9	6.0		0.011		TRC limit added.
AR0053279	Dairy Queen - Big Red #154	Un. Trib./Big Creek	0.001	10	15	5	6.0			10	15	10	6.1	6.0				New facility added.
AR0021733	Dequeen	Un. Trib./ Bear Creek	4	8	15	2	6.0	1.0	0.011	10	15	5	2.4	8.0	1.0	0.011		TRC limit added.
AR0022250	Dermott	Bayou Bartholomew	1.2	25	90	3	6.0		0.033	30 (BOD ₅) (Nov-Mar) 25 (CBOD ₅) (Apr)	90		13.6	2.0		0.07	Chloride: 530.8 lb/day Sulfate: 410.6 lb/day TDS: 3244.9 lb/day	DO limit added for Nov-Apr. NH3 limit added for Apr. BOD5 changed to CBOD5 for Apr. TRC limits added.
AR0022225	Des Arc	White River	0.5	30 (BOD ₅)	30		2.0			30 (BOD ₅)	30			2.0				TSS limits reduced.
AR0002968	Domtar Industries Inc. - Ashdown Mill	Red River	56.4	BOD5: Aug: ≥29C = 7.6#/cfs, 27C-28.9C = 11.4#/cfs, ≤26.9C = 16#/cfs BOD5: Sep: ≥27C = 7.3#/cfs, 24C-26.9C = 9.9#/cfs, ≤23.9C = 14.7#/cfs BOD5: Oct: >20C = 15.8#/cfs, ≤20C = 20#/cfs BOD5: Year-round; 37,566.9 lb/day														BOD5 limit revised
AR0042862	Sheridan School District #37 East End Schools	Un. Trib./McCrigh Branch	0.04	15	40	3	4.0			30 (BOD ₅)	90			2.0				CBOD5, NH3, DO limits revised for May-October.
AR0024066	Eden Isle Corporation (removed from WQMP)	Greers Ferry Lake	0.18	10	15	5	6.0	0.9 lb/day	0.12	10	15	10	5.3	6.0	0.9 lb/day	0.12		Facility removed from WQMP. Permit terminated in 2021.
AR0022420	Elaine	Govan Slough	0.1	Effluent Storage May-Oct						25	90	8	8	5.0		0.05		TRC limit added.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
NPDES#	Facility Name	Receiving Stream	Q mgd	CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	TMDL-based limits	Changes Prompting Gov Cert
AR0041815	Emmet	Terre Rouge Creek	0.06	30 (BOD ₅) (Qup = 1 cfs min. reqd.)	45 (Qup = 1 cfs min. reqd.)		2.0 (Qup = 1 cfs min. reqd.)			30 (BOD ₅)	45			2.0				TSS limit revised.
AR0044890	Jordan's Kwik Stop, Inc.	Un trib/Fifteen Mile Bayou	0.0025	20	20	4	3.0			20	20	14	5.2	3.0				Facility name change.
AR0044580	Fairfield Bay - Lynn Creek	Lynn Cr./Greers Ferry Lake	0.5	10	15	2.5	2.0	1.0	0.011	10	15	5	5	5.4	1.0	0.011		TRC limit added.
AR0021750	Fort Smith-Massard Water Reclamation Facility	Arkansas River	10	25	30	5	2.0		2.0 (PAA)	30.0 (BOD ₅)	30			2.0		2.0 (PAA)		PAA limit added.
AR0036668	Frit Industries, Inc.	Un. Trib / Coon Creek	HCR*	*Effluent flow is limited to 15% of downstream flow (Jul-Sep) and 0.06 MGD max (Dec-May)														Dec-May flow limit correction.
AR0033278	Ft. Smith P Street STP	Arkansas River	12	25	30	5	2.0		2.0 (PAA)	30 (BOD ₅)	30			2.0		2.0 (PAA)		PAA limit added.
AR0044601	PCSSD - Fuller School	Un trib/Fish Creek	0.06	25	90	7	3.0			30 (BOD ₅)	90			3.0				Facility removed from WQMP. Permit terminated in 2020.
AR0039381	Grady	Canal No. 19 (Cypress Creek Canal)	0.11 HCR Limit: 31% of stream flow	30 (BOD ₅)	90		3.1			30 (BOD ₅)	90			3.1				DO limit revised.
AR0021873	Hampton	Un. Trib., Champagnolle Creek	0.3	20	30	5	5.0		0.011	25	90	10	6.1	5.0		0.011		Nov-Apr DO limit changed, TRC limit added.
AR0034321	Harrison	Crooked Creek	2.6	10	15	2.6	5.0			10	15	7.3	2.8	5.0				NH3 limits revised.
AR0044547	Haskell-South	Trace Creek	0.6	10	15	5	2.0			10	15	5	5	5.0				Receiving stream corrected, DO limit changed for May.
AR0050261	Highland	Un. Trib./Worthington Cr	0.15	15	20	5	3.0		0.011	15	20	10.3	3.9	2.0		0.011	NO2+NO3: 10 mg/l (not TMDL based)	TRC limits added.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ N	NH ₃ N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
NPDES#	Facility Name	Receiving Stream	Q mgd	CBOD ₅	TSS	NH ₃ N	DO (Inst. Min.)	TP	TRC (Inst. Max)	(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	TMDL-based limits	Changes Prompting Gov Cert
AR0035785	Horatio	Un.trib/Pond Creek	0.15	15	30	5	3.0			20	30	12	6.1	5.0				TSS and DO limits changed.
AR0000868	Hot Spring Co.-Jones Mill WWTP	Cove Creek	0.576	10	15	3	6.0		0.012	20	20	10	5.7	6.0		0.012		TRC limit added. NH3 limit change for April, May-Oct.
AR0049051	Humane Society of Pulaski County	Un.trib./McHenry Creek	0.004	15	20	5	3.0			15	20	12	5.2	2.0				NH3 limit for April revised.
AR0037419	Huntington	Cherokee Creek	0.11	20	20	4	4.0		0.011	25	30	4	4	3.0		0.011		TRC limit added.
AR0049166	Ipsco Tubulars, Inc. (Outfall 006)	Un. Trib./Ditch 45	0.084						0.011							0.011		Facility and TRC limit added.
AR0034584	Jasper	Little Buffalo River	0.1	20	20	10	3.0	1.0	0.07	20	20	10	10	2.0	1.0	0.07		TRC and TP limits added.
AR0043893	PCSSD - Robinson High School	Un. Trib./Little Maumelle	0.03	15	30	6	3.0		0.011	15	30	9	5.2	6.0		0.011		TRC limit added.
AR0043672	Kingsland	Panther Creek	0.06	15	45	3	6.0			25	45	12	6.1	6.0				CBOD5 and TSS limits revised.
AR0034134	Lake City	Un. Trib / Ditch No. 9 (Purcell Slough)	0.5	15	15	4	5.0			15	15	10	5.2	5.0				Facility design flow increased.
AR0036811	Lake Ouachita State Park (removed from WQMP, permit terminated in October 2020)	Lake Ouachita	0.05	10	15	5	5.0	1.0		10	15	10	5	5.0	1.0			Facility removed from WQMP. Permit terminated October 2020.
AR0035696	Lewisville	Battle Creek	0.3	15	20	5	2.0			20	20	12	6.1	5.0			Total Cu: 9.09 ug/l and 0.01518 lb/day; Total Pb: 2.67 ug/l and 0.00446 lb/day	Do limit Nov-Apr revised.
AR0037761	Liberty Baptist Assn. - Beech Springs Baptist Camp	Unnamed trib./Ouachita R	0.03	15	20	6	3.0		0.011	20	20	12	6.1	2.0		0.011		TRC limit added.
AR0053112	Lincoln County Detention Center	Un trib/Sanders Creek	0.005	10	15	6	2.0			10	15	12	6.1	2.0				New facility added.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
NPDES#	Facility Name	Receiving Stream	Q mgd	CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	TMDL-based limits	Changes Prompting Gov Cert
AR0037745	Little Rock Zoological Gardens (Outfalls 002 and 004)	Coleman Creek	0.806 (002) 0.763 (004)		50		2.0		0.011		50			6.0		0.011		Facility and limits added.
AR0021377	Lockesburg	Un.trib./Little Cossatot River	0.15	20	40	7	2.0		0.011	20 (BOD ₅)	40			4.3		0.011		TRC limit added. DO limit revised for Nov-Apr.
AR0036676	Lost Bridge Village Water & Sewer Districts	Beaver Lake	0.105	10	15	3.9	5.0	1	0.15	10	15	10	3.9	5.0	1	0.15		TRC limit added.
AR0040517	Louann	Brushy Creek/Smackover Creek	0.064	Effluent Storage May-Oct						25	30	10	6.1	5.0				TSS limit revised.
AR0021881	Manila	Ditch # 81	0.6	25	90	6	2.0		0.05	30 (BOD ₅)	90			2.0		0.05		TRC limit added.
AR0052515	Mansfield Juvenile Correction Center	Un. Trib./Lake No. 2	0.018	20	20	10	3.0			20	20	16.7	5.6	2.0				New facility added.
AR0034011	Marshall	Un. trib./Forest Creek/Bear Creek	0.5	10	15	5	2.0			10	15	10	5.3	7.0				April NH3 limit revised.
AR0035840	Marvell	Big Creek	0.22	25	90	4	5.0		0.05	30 (BOD ₅)	90			2.0		0.05		TRC limit added. Receiving stream corrected.
AR0033626	North Little Rock Wastewater Utility - Maumelle Water Management	Arkansas River	3.5	30 (BOD ₅)	30		2.0		0.175	30 (BOD ₅)	30			2.0		0.175		TRC limit added.
AR0044954	McCrory	Cache River	0.39	30 (BOD ₅)	30		5.0		0.122	30 (BOD ₅)	30			2.0		0.122		TRC limit added.
AR0041246	WJK, LLC - Millwood Water	Un. Trib./Millwood Lake	0.03	10	15	6.1	5.0		0.011	10	15	17	6.1	5.0		0.011		TRC limit added.
AR0021211	Mountain Home	Hicks Creek	5.0	10	15	1.6	7.0		0.011	10	15	2	1.6	7.0		0.011	NO2+NO3-N: 10 mg/l and 417 lb/day	TRC and NO2+NO3-N limits added.
AR0021512	Mountainburg	Un. Trib./Pigeon Creek/Frog Bayou	0.12	15	30	6	6.0		0.011	30 (BOD ₅ Nov-Mar) 25 (CBOD ₅ Apr)	30		5.3	4.0		0.011		TRC limit added. CBOD5, NH3, DO limits revised.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
NPDES#	Facility Name	Receiving Stream	Q mgd	CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	TMDL-based limits	Changes Prompting Gov Cert
AR0033855	Mt. Ida	South Fork Ouachita Riv	0.2	12	20	3	6.0			30 (BOD ₅)	30			2.0				CBOD5 limit revised for May-Oct.
AR0037966	Mt. Nebo State Park	Un. Trib./Little Chickalah Creek	0.015	10	15	5	3.0		0.011	10	15	10	5.6	5.0		0.011		TRC limit added.
AR0021776	Nashville	Mine Creek	3.5	10	15	2	5.0			10	15	5	2.57	7.4			FCB: 5.3 E+10 col/day (May-Sep) FCB: 2.65 E+10 col/day (Oct-Apr)	TMDL limits for FCB added.
AR0033812	North Crossett Utilities	Un. Trib./L. Brushy Creek	0.45	15	20	6	2.0			15	20	11	6.1	6.0				DO limit in May revised.
AR0053074	NuStar Pipeline #1 (removed from WQMP)	Un. Trib./Big Creek	Variable			5.6 (daily max)			0.011			16.7 (daily max)	5.6 (daily max)			0.011		Permit terminated after hydrostatic test completed.
AR0053082	NuStar Pipeline #2 (removed from WQMP)	Yellow Branch	Variable			5.3 (daily max)			0.011			15.8 (daily max)	5.3 (daily max)			0.011		Permit terminated after hydrostatic test completed.
AR0053091	NuStar Pipeline #3 (removed from WQMP)	Un. Trib./Barren Fork	Variable			3.9 (daily max)			0.011			10.3 (daily max)	3.9 (daily max)			0.011		Permit terminated after hydrostatic test completed.
AR0053104	NuStar Pipeline #4 (removed from WQMP)	Un. Trib./Piney Fork	Variable			3.9 (daily max)			0.011			10.3 (daily max)	3.9 (daily max)			0.011		Permit terminated after hydrostatic test completed.
AR0053180	NuStar Pipeline #5 (removed from WQMP)	Un. Trib./Strawberry River	Variable			3.9 (daily max)			0.011			10.3 (daily max)	3.9 (daily max)			0.011		Permit terminated after hydrostatic test completed.
AR0047813	Oak Manor Water and Wastewater Public Facility Board	Jay Dison Spring Br/Dry Ck/Little Cornie Bayou	0.15	20	30	4	3.0			20	30	10	6.1	5.0			Sulfate: 51.32 lb/day	DO limit for Nov-Apr changed.
AR0044211	Olivetian Benedictine Sisters, Inc. dba Holy Angels Convent	Un trib/Lost Creek Ditch	0.011	20	30	5	3.0		0.011	30 (BOD ₅)	30			4.0		0.011		TRC limit added.
AR0049701	Oxford	Sandy Creek	0.093	15	20	5	3.0			15	20	10	3.9	2.0			FCB: 1000 col/100 ml (year-round)	TMDL limit for FCB added.
AR0021857	Paris	Short Mountain Creek	0.718	10	15	5	3.0		0.011	10	15	8.5	5.6	6.0		0.011		TRC limit added.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)					Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert	
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP			TRC (Inst. Max)
				(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)					
AR0033316	Pine Bluff-Boyd Point	Arkansas River	30 mgd (max) @ Qs ≥ 5000 cfs, 14 mgd (max) @ Qs < 5000 cfs	25	90	13.3	2.0		30 (BOD ₅)	90				2.0			Ammonia limit for May-Oct revised.	
AR0041424	Pleasant Oaks SID # 31	Un Trib / Otter Creek	0.02	10	15	5	2.0	0.011	10	15	5	5	5.0		0.011		TRC limit added.	
AR0053121	Pleasant Plains	Un. Trib/Tenmile Creek	0.1	15	20	6	3.0		20	20	12	5.6	5.0			FCB: 200 col/100ml (May-Sep) FCB: 1000 col/100ml (Oct-Apr)	New facility added.	
AR0040355	Portia	Black River	0.09	30 (BOD ₅)	30		2.0	0.30	30 (BOD ₅)	30			2.0		0.30		TRC limit added.	
AR0022098	Prairie Grove (Outfall 002)	Muddy Fork	0.9	10	15	4	6.0	1.0	10	15	7.0	4.3	7.0	1.0			NH3 limits revised.	
AR0044181	Randy E. Moody dba Wheel Acres (Removed from WQMP)	Un. Trib./Ditch 36	0.0045	20	20	4	3.0		20	20	12	5.2	3.0				Facility removed from WQMP. Permit terminated December 2020.	
AR0052591	Resolute Glenwood LLC	Un. Trib./Caddo River	1	20	35	5.5	3.0		30 (BOD5)	35			6.0				Facility and limits added to WQMP.	
AR0053163	Richardson's Trailer Washout	Un. Trib./Maple Slough Ditch	0.0048	15	20	5.2	4.0		24	86	14.7	5.2	4.0				Facility added to WQMP.	
AR0044881	Saline County Waterworks and Sanitary Sewer Public Facilities Board	Crooked Creek	0.2	20	20	5	2.0	0.011	20	20	10	6.1	5.0		0.011		TRC limit added.	
AR0047449	Academics Plus Charter School - Scott School	Ashley Bayou/Horseshoe Lake	0.003	10	15	5	3.0	0.011	10	15	10	5.2	2.0		0.011		TRC limit added.	
AR0040801	Shangri-LA Resort, Inc.	Lake Ouachita	0.0045	10	15	5	5.0	0.29	10	15	5	5	5.0		0.29		TRC limit added.	

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅ (Nov - Apr)	TSS (Nov - Apr)	NH ₃ -N (Nov - Mar)	NH ₃ -N (Apr)	DO (Inst. Min.) (Nov - Apr)	TP (Nov - Apr)	TRC (Inst. Max) (Nov - Apr)		
AR0053228	Southside Bee Branch School District	Kill Dead Creek	0.005	15	20	8	3.0			20	20	15	5.6	5.0				New facility added.
AR0050181	St. Joseph's Glen Subdivision	Un.trib./Crooked Creek	0.06	15	20	4	2.0		0.011	15	20	10	6.1	2.0		0.011		TRC limit added.
AR0034380	Stuttgart	Un. Ditch / King Bayou	3.5	10	15	2.1	6.0		0.011	10	15	4	2.1	6.0		0.011		TRC limit added.
AR0053261	Sunshine Holdings LLC - Hope Valley	Un. Trib./Duck Creek	0.3	15	20	5	3.0			15	20	9	6.1	6.0				New facility added.
AR0044695	Eshani Mahit LLC - Relax Inn	Shell Lake	0.012	10	15	5	5.0		0.19	10	15	10	5.2	5.0		0.19		TRC limit added.
AR0034860	Swifton	Cattail Creek	0.108	20	20	5	3.0		0.011	20	20	12	5.2	2.0		0.011		TRC limit added.
AR0020044	Taylor	Little Crooked Creek	0.09	10 (BOD ₅)	15		2.0			10 (BOD ₅)	15			4.0				DO limit revised for primary season.
AR0035602	Trumann	Ditch # 60	1.78	30 (BOD ₅)	45		5.0			30 (BOD ₅)	45			5.0				TSS limit revised.
AR0048356	Tyson Poultry, Inc. - River Valley Ingredients	Red River	0.42	65 (BOD ₅)	80	51	2.0			65 (BOD ₅)	80	51	51	2.0				TSS and NH3 limits revised.
AR0022781 (terminated)	USCOE - Spillway Rec. Area	Lake Ouachita	0.006	10	15	5	6.0			10	15	10	5.2	6.0				Facility removed from WQMP. Permit terminated Feb 2021.
AR0029181	USFWS-Greers Ferry National Fish Hatchery	Little Red River	16.839	20	20	10	5.0			20	20	10	10	5.0				Facility flow revised.
AR0047554	Ward	Un. Trib./Four Mile Creek	1.45	10	15	2.2	3.0			10	15	5	2.2	5.0			FCB: 7580 million col/day (May-Sep) FCB: 19000 million col/day (Oct-Apr)	Facility flow change, NH3 limit change for all months.
AR0043427	Warren	Saline River	2.0	10	15	4	6.0			10	15	15	8.1	5.0			Mercury: 0.00085 lb/day (year-round)	Hg limit revised.
AR0052922	Waste Water Management, Inc. - Homestead at the Gap Subdivision	Un. Trib./Palarm Creek	0.048	10	15	7	4.0	1.0		20	30	15	5.6	2.0	1.0		NO2+NO3-N: 10 mg/l (not TMDL based)	NO2+NO3 limit added, April NH3-N limit revised, design flow increase.

Arkansas Department of Energy and Environment
Division of Environmental Quality
2021 WQMP Governor Certification

NPDES#	Facility Name	Receiving Stream	Q mgd	Monthly Average Critical Limits (mg/L) (May-Oct)						Monthly Average Seasonal Limits (mg/L)							TMDL-based limits	Changes Prompting Gov Cert
				CBOD ₅	TSS	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)	CBOD ₅	TSS	NH ₃ -N	NH ₃ -N	DO (Inst. Min.)	TP	TRC (Inst. Max)		
										(Nov - Apr)	(Nov - Apr)	(Nov - Mar)	(Apr)	(Nov - Apr)	(Nov - Apr)	(Nov - Apr)		
AR0048488	Western Lawrence Co. WWTP	Un. Trib./Strawberry River	0.143	10	15	5	2.0		0.011	10	15	10	5.2	3.0		0.011		TRC limit added. DO limit revised in primary season.
AR0022314	Wilson	Island Chute 35 of Miss. River	0.39	30 (BOD ₅)	90		2.0			30 (BOD ₅)	90			2.0				Facility flow increase from 0.3 to 0.39 mgd.
AR0034037	Yellville	Crooked Creek	0.75	10	15	1	6.2			10	15	5	3.9	6.0				DO limit revised for critical season.