

## **EPA FORM 2C**

---

Please print or type in the unshaded areas only.

EPA I.D. NUMBER (copy from Item 1 of Form I)

Form Approved.  
OMB No. 2040-0086.  
Approval expires 3-31-98.

FORM <b>2C</b> NPDES	U.S. ENVIRONMENTAL PROTECTION AGENCY APPLICATION FOR PERMIT TO DISCHARGE WASTEWATER <b>EXISTING MANUFACTURING, COMMERCIAL, MINING AND SILVICULTURE OPERATIONS</b> <i>Consolidated Permits Program</i>						
<b>I. OUTFALL LOCATION</b>							
For each outfall, list the latitude and longitude of its location to the nearest 15 seconds and the name of the receiving water.							
A. OUTFALL NUMBER (list)	B. LATITUDE			C. LONGITUDE			D. RECEIVING WATER (name)
	1. DEG.	2. MIN.	3. SEC.	1. DEG.	2. MIN.	3. SEC.	
<b>II. FLOWS, SOURCES OF POLLUTION, AND TREATMENT TECHNOLOGIES</b>							
A. Attach a line drawing showing the water flow through the facility. Indicate sources of intake water, operations contributing wastewater to the effluent, and treatment units labeled to correspond to the more detailed descriptions in Item B. Construct a water balance on the line drawing by showing average flows between intakes, operations, treatment units, and outfalls. If a water balance cannot be determined (e.g., for certain mining activities), provide a pictorial description of the nature and amount of any sources of water and any collection or treatment measures.							
B. For each outfall, provide a description of: (1) All operations contributing wastewater to the effluent, including process wastewater, sanitary wastewater, cooling water, and storm water runoff; (2) The average flow contributed by each operation; and (3) The treatment received by the wastewater. Continue on additional sheets if necessary.							
1. OUTFALL NO. (list)	2. OPERATION(S) CONTRIBUTING FLOW			3. TREATMENT			
	a. OPERATION (list)	b. AVERAGE FLOW (include units)		a. DESCRIPTION	b. LIST CODES FROM TABLE 2C-1		
OFFICIAL USE ONLY (effluent guidelines sub-categories)							

## CONTINUED FROM THE FRONT

<p>C. Except for storm runoff, leaks, or spills, are any of the discharges described in Items II-A or B intermittent or seasonal?</p> <p><input type="checkbox"/> YES (complete the following table)      <input type="checkbox"/> NO (go to Section III)</p>								
1. OUTFALL NUMBER (list)	2. OPERATION(s) CONTRIBUTING FLOW (list)	3. FREQUENCY		4. FLOW				
		a. DAYS PER WEEK (specify average)	b. MONTHS PER YEAR (specify average)	a. FLOW RATE (in mgd)		B. TOTAL VOLUME (specify with units)		C. DURATION (in days)
		1. LONG TERM AVERAGE	2. MAXIMUM DAILY	1. LONG TERM AVERAGE	2. MAXIMUM DAILY			
<b>III. PRODUCTION</b>								
<p>A. Does an effluent guideline limitation promulgated by EPA under Section 304 of the Clean Water Act apply to your facility?</p> <p><input type="checkbox"/> YES (complete Item III-B)      <input type="checkbox"/> NO (go to Section IV)</p>								
<p>B. Are the limitations in the applicable effluent guideline expressed in terms of production (or other measure of operation)?</p> <p><input type="checkbox"/> YES (complete Item III-C)      <input type="checkbox"/> NO (go to Section IV)</p>								
<p>C. If you answered "yes" to Item III-B, list the quantity which represents an actual measurement of your level of production, expressed in the terms and units used in the applicable effluent guideline, and indicate the affected outfalls.</p>								
1. AVERAGE DAILY PRODUCTION							2. AFFECTED OUTFALLS (list outfall numbers)	
a. QUANTITY PER DAY	b. UNITS OF MEASURE	c. OPERATION, PRODUCT, MATERIAL, ETC. (specify)						
<b>IV. IMPROVEMENTS</b>								
<p>A. Are you now required by any Federal, State or local authority to meet any implementation schedule for the construction, upgrading or operations of wastewater treatment equipment or practices or any other environmental programs which may affect the discharges described in this application? This includes, but is not limited to, permit conditions, administrative or enforcement orders, enforcement compliance schedule letters, stipulations, court orders, and grant or loan conditions.</p> <p><input type="checkbox"/> YES (complete the following table)      <input type="checkbox"/> NO (go to Item IV-B)</p>								
1. IDENTIFICATION OF CONDITION, AGREEMENT, ETC.	2. AFFECTED OUTFALLS		3. BRIEF DESCRIPTION OF PROJECT			4. FINAL COMPLIANCE DATE		
	a. NO.	b. SOURCE OF DISCHARGE				a. REQUIRED	b. PROJECTED	
<p>B. OPTIONAL: You may attach additional sheets describing any additional water pollution control programs (or other environmental projects which may affect your discharges) you now have underway or which you plan. Indicate whether each program is now underway or planned, and indicate your actual or planned schedules for construction.</p> <p><input type="checkbox"/> MARK "X" IF DESCRIPTION OF ADDITIONAL CONTROL PROGRAMS IS ATTACHED</p>								

EPA I.D. NUMBER (*copy from Item 1 of Form I*)

CONTINUED FROM PAGE 2

V. INTAKE AND EFFLUENT CHARACTERISTICS			
<p>A, B, &amp; C: See instructions before proceeding – Complete one set of tables for each outfall – Annotate the outfall number in the space provided.        NOTE: Tables V-A, V-B, and V-C are included on separate sheets numbered V-1 through V-9.</p> <p>D. Use the space below to list any of the pollutants listed in Table 2c-3 of the instructions, which you know or have reason to believe is discharged or may be discharged from any outfall. For every pollutant you list, briefly describe the reasons you believe it to be present and report any analytical data in your possession.</p>			
1. POLLUTANT	2. SOURCE	1. POLLUTANT	2. SOURCE
VI. POTENTIAL DISCHARGES NOT COVERED BY ANALYSIS			
<p>Is any pollutant listed in Item V-C a substance or a component of a substance which you currently use or manufacture as an intermediate or final product or byproduct?</p> <p><input type="checkbox"/> YES (<i>list all such pollutants below</i>)      <input type="checkbox"/> NO (<i>go to Item VI-B</i>)</p>			

## CONTINUED FROM THE FRONT

## VII. BIOLOGICAL TOXICITY TESTING DATA

Do you have any knowledge or reason to believe that any biological test for acute or chronic toxicity has been made on any of your discharges or on a receiving water in relation to your discharge within the last 3 years?

YES (identify the test(s) and describe their purposes below)

NO (go to Section VIII)

## VIII. CONTRACT ANALYSIS INFORMATION

Were any of the analyses reported in Item V performed by a contract laboratory or consulting firm?

YES (list the name, address, and telephone number of, and pollutants analyzed by, each such laboratory or firm below)

NO (go to Section IX)

A. NAME	B. ADDRESS	C. TELEPHONE (area code & no.)	D. POLLUTANTS ANALYZED (list)

## IX. CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

A. NAME & OFFICIAL TITLE (type or print)	B. PHONE NO. (area code & no.)
C. SIGNATURE	D. DATE SIGNED

PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (*use the same format*) instead of completing these pages.  
SEE INSTRUCTIONS.

EPA I.D. NUMBER (*copy from Item 1 of Form I*)

V. INTAKE AND EFFLUENT CHARACTERISTICS ( <i>continued from page 3 of Form 2-C</i> )	OUTFALL NO.
---	-------------

PART A – You must provide the results of at least one analysis for every pollutant in this table. Complete one table for each outfall. See instructions for additional details.

1. POLLUTANT	2. EFFLUENT								3. UNITS (specify if blank)		4. INTAKE (optional)	
	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	b. NO. OF ANALYSES	
	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION		(2) MASS
a. Biochemical Oxygen Demand ( <i>BOD</i> )												
b. Chemical Oxygen Demand ( <i>COD</i> )												
c. Total Organic Carbon ( <i>TOC</i> )												
d. Total Suspended Solids ( <i>TSS</i> )												
e. Ammonia ( <i>as N</i> )												
f. Flow	VALUE		VALUE		VALUE				VALUE			
g. Temperature ( <i>winter</i> )	VALUE		VALUE		VALUE			°C	VALUE			
h. Temperature ( <i>summer</i> )	VALUE		VALUE		VALUE			°C	VALUE			
i. pH	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM				STANDARD UNITS				

PART B – Mark "X" in column 2-a for each pollutant you know or have reason to believe is present. Mark "X" in column 2-b for each pollutant you believe to be absent. If you mark column 2a for any pollutant which is limited either directly, or indirectly but expressly, in an effluent limitations guideline, you must provide the results of at least one analysis for that pollutant. For other pollutants for which you mark column 2a, you must provide quantitative data or an explanation of their presence in your discharge. Complete one table for each outfall. See the instructions for additional details and requirements.

1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	b. NO. OF ANALYSES
			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	
a. Bromide (24959-67-9)													
b. Chlorine, Total Residual													
c. Color													
d. Fecal Coliform													
e. Fluoride (16984-48-8)													
f. Nitrate-Nitrite ( <i>as N</i> )													

## ITEM V-B CONTINUED FROM FRONT

1. POLLUTANT AND CAS NO. (if available)	2. MARK "X"		3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. BELIEVED PRESENT	b. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	b. NO. OF ANALYSES
			(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	
g. Nitrogen, Total Organic (as N)													
h. Oil and Grease													
i. Phosphorus (as P), Total (7723-14-0)													
j. Radioactivity													
(1) Alpha, Total													
(2) Beta, Total													
(3) Radium, Total													
(4) Radium 226, Total													
k. Sulfate (as $SO_4$ ) (14808-79-8)													
l. Sulfide (as S)													
m. Sulfite (as $SO_3$ ) (14265-45-3)													
n. Surfactants													
o. Aluminum, Total (7429-90-5)													
p. Barium, Total (7440-39-3)													
q. Boron, Total (7440-42-8)													
r. Cobalt, Total (7440-48-4)													
s. Iron, Total (7439-89-6)													
t. Magnesium, Total (7439-95-4)													
u. Molybdenum, Total (7439-98-7)													
v. Manganese, Total (7439-96-5)													
w. Tin, Total (7440-31-5)													
x. Titanium, Total (7440-32-6)													

EPA I.D. NUMBER (copy from Item 1 of Form 1)	OUTFALL NUMBER
--	----------------

CONTINUED FROM PAGE 3 OF FORM 2-C

PART C - If you are a primary industry and this outfall contains process wastewater, refer to Table 2c-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in column 2-a for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark column 2-a (*secondary industries, nonprocess wastewater outfalls, and nonrequired GC/MS fractions*), mark "X" in column 2-b for each pollutant you know or have reason to believe is present. Mark "X" in column 2-c for each pollutant you believe is absent. If you mark column 2a for any pollutant, you must provide the results of at least one analysis for that pollutant. If you mark column 2b for any pollutant, you must provide the results of at least one analysis for that pollutant if you know or have reason to believe it will be discharged in concentrations of 10 ppb or greater. If you mark column 2b for acrolein, acrylonitrile, 2,4 dinitrophenol, or 2-methyl-4, 6 dinitrophenol, you must provide the results of at least one analysis for each of these pollutants which you know or have reason to believe that you discharge in concentrations of 100 ppb or greater. Otherwise, for pollutants for which you mark column 2b, you must either submit at least one analysis or briefly describe the reasons the pollutant is expected to be discharged. Note that there are 7 pages to this part; please review each carefully. Complete one table (*all 7 pages*) for each outfall. See instructions for additional details and requirements.

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS						
METALS, CYANIDE, AND TOTAL PHENOLS															
1M. Antimony, Total (7440-36-0)															
2M. Arsenic, Total (7440-38-2)															
3M. Beryllium, Total (7440-41-7)															
4M. Cadmium, Total (7440-43-9)															
5M. Chromium, Total (7440-47-3)															
6M. Copper, Total (7440-50-8)															
7M. Lead, Total (7439-92-1)															
8M. Mercury, Total (7439-97-6)															
9M. Nickel, Total (7440-02-0)															
10M. Selenium, Total (7782-49-2)															
11M. Silver, Total (7440-22-4)															
12M. Thallium, Total (7440-28-0)															
13M. Zinc, Total (7440-66-6)															
14M. Cyanide, Total (57-12-5)															
15M. Phenols, Total															
DIOXIN															
2,3,7,8-Tetra- chlorodibenzo-P- Dioxin (1764-01-6)				DESCRIBE RESULTS											

## CONTINUED FROM THE FRONT

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	
(1) CONCENTRATION				(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION				(2) MASS	
GC/MS FRACTION – VOLATILE COMPOUNDS														
1V. Acrolein (107-02-8)														
2V. Acrylonitrile (107-13-1)														
3V. Benzene (71-43-2)														
4V. Bis (Chloro- methyl) Ether (542-88-1)														
5V. Bromoform (75-25-2)														
6V. Carbon Tetrachloride (56-23-5)														
7V. Chlorobenzene (108-90-7)														
8V. Chlorodi- bromomethane (124-48-1)														
9V. Chloroethane (75-00-3)														
10V. 2-Chloro- ethylvinyl Ether (110-75-8)														
11V. Chloroform (67-66-3)														
12V. Dichloro- bromomethane (75-27-4)														
13V. Dichloro- difluoromethane (75-71-8)														
14V. 1,1-Dichloro- ethane (75-34-3)														
15V. 1,2-Dichloro- ethane (107-06-2)														
16V. 1,1-Dichloro- ethylene (75-35-4)														
17V. 1,2-Dichloro- propane (78-87-5)														
18V. 1,3-Dichloro- propylene (542-75-6)														
19V. Ethylbenzene (100-41-4)														
20V. Methyl Bromide (74-83-9)														
21V. Methyl Chloride (74-87-3)														

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	
(1) CONCENTRATION				(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION				(2) MASS	
GC/MS FRACTION – VOLATILE COMPOUNDS (continued)														
22V. Methylene Chloride (75-09-2)														
23V. 1,1,2,2-Tetrachloroethane (79-34-5)														
24V. Tetrachloroethylene (127-18-4)														
25V. Toluene (108-88-3)														
26V. 1,2-Trans-Dichloroethylene (156-60-5)														
27V. 1,1,1-Trichloroethane (71-55-6)														
28V. 1,1,2-Trichloroethane (79-00-5)														
29V. Trichloroethylene (79-01-6)														
30V. Trichlorofluoromethane (75-69-4)														
31V. Vinyl Chloride (75-01-4)														
GC/MS FRACTION – ACID COMPOUNDS														
1A. 2-Chlorophenol (95-57-8)														
2A. 2,4-Dichlorophenol (120-83-2)														
3A. 2,4-Dimethylphenol (105-67-9)														
4A. 4,6-Dinitro-O-Cresol (534-52-1)														
5A. 2,4-Dinitrophenol (51-28-5)														
6A. 2-Nitrophenol (88-75-5)														
7A. 4-Nitrophenol (100-02-7)														
8A. P-Chloro-M-Cresol (59-50-7)														
9A. Pentachlorophenol (87-86-5)														
10A. Phenol (108-95-2)														
11A. 2,4,6-Trichlorophenol (88-05-2)														

## CONTINUED FROM THE FRONT

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT								4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE		b. NO. OF ANALYSES	
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION	(2) MASS		
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS																
1B. Acenaphthene (83-32-9)																
2B. Acenaphtylene (208-96-8)																
3B. Anthracene (120-12-7)																
4B. Benzidine (92-87-5)																
5B. Benzo (a) Anthracene (56-55-3)																
6B. Benzo (a) Pyrene (50-32-8)																
7B. 3,4-Benzo- fluoranthene (205-99-2)																
8B. Benzo (ghi) Perylene (191-24-2)																
9B. Benzo (k) Fluoranthene (207-08-9)																
10B. Bis (2-Chloro- ethoxy) Methane (111-91-1)																
11B. Bis (2-Chloro- ethyl) Ether (111-44-4)																
12B. Bis (2- Chloroisopropyl) Ether (102-80-1)																
13B. Bis (2-Ethyl- hexyl) Phthalate (117-81-7)																
14B. 4-Bromophenyl Phenyl Ether (101-55-3)																
15B. Butyl Benzyl Phthalate (85-68-7)																
16B. 2-Chloro- naphthalene (91-58-7)																
17B. 4-Chloro- phenyl Phenyl Ether (7005-72-3)																
18B. Chrysene (218-01-9)																
19B. Dibenzo (a,h) Anthracene (53-70-3)																
20B. 1,2-Dichloro- benzene (95-50-1)																
21B. 1,3-Di-chloro- benzene (541-73-1)																

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	
(1) CONCENTRATION				(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION				(2) MASS	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (continued)														
22B. 1,4-Dichloro-benzene (106-46-7)														
23B. 3,3-Dichloro-benzidine (91-94-1)														
24B. Diethyl Phthalate (84-66-2)														
25B. Dimethyl Phthalate (131-11-3)														
26B. Di-N-Butyl Phthalate (84-74-2)														
27B. 2,4-Dinitro-toluene (121-14-2)														
28B. 2,6-Dinitro-toluene (606-20-2)														
29B. Di-N-Octyl Phthalate (117-84-0)														
30B. 1,2-Diphenyl-hydrazine (as Azobenzene) (122-66-7)														
31B. Fluoranthene (206-44-0)														
32B. Fluorene (86-73-7)														
33B. Hexachloro-benzene (118-74-1)														
34B. Hexachloro-butadiene (87-68-3)														
35B. Hexachloro-cyclopentadiene (77-47-4)														
36B Hexachloro-ethane (67-72-1)														
37B. Indeno (1,2,3-cd) Pyrene (193-39-5)														
38B. Isophorone (78-59-1)														
39B. Naphthalene (91-20-3)														
40B. Nitrobenzene (98-95-3)														
41B. N-Nitro-sodimethylamine (62-75-9)														
42B. N-Nitrosodi-N-Propylamine (621-64-7)														

## CONTINUED FROM THE FRONT

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT						4. UNITS		5. INTAKE (optional)		
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE	
(1) CONCENTRATION				(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION				(2) MASS	
GC/MS FRACTION – BASE/NEUTRAL COMPOUNDS (continued)														
43B. N-Nitro- sodiphenylamine (86-30-6)														
44B. Phenanthrene (85-01-8)														
45B. Pyrene (129-00-0)														
46B. 1,2,4-Tri- chlorobenzene (120-82-1)														
GC/MS FRACTION – PESTICIDES														
1P. Aldrin (309-00-2)														
2P. $\alpha$ -BHC (319-84-6)														
3P. $\beta$ -BHC (319-85-7)														
4P. $\gamma$ -BHC (58-89-9)														
5P. $\delta$ -BHC (319-86-8)														
6P. Chlordane (57-74-9)														
7P. 4,4'-DDT (50-29-3)														
8P. 4,4'-DDE (72-55-9)														
9P. 4,4'-DDD (72-54-8)														
10P. Dieldrin (60-57-1)														
11P. $\alpha$ -Endosulfan (115-29-7)														
12P. $\beta$ -Endosulfan (115-29-7)														
13P. Endosulfan Sulfate (1031-07-8)														
14P. Endrin (72-20-8)														
15P. Endrin Aldehyde (7421-93-4)														
16P. Heptachlor (76-44-8)														

CONTINUED FROM PAGE V-8

1. POLLUTANT AND CAS NUMBER (if available)	2. MARK "X"			3. EFFLUENT				4. UNITS		5. INTAKE (optional)			
	a. TESTING REQUIRED	b. BELIEVED PRESENT	c. BELIEVED ABSENT	a. MAXIMUM DAILY VALUE		b. MAXIMUM 30 DAY VALUE (if available)		c. LONG TERM AVRG. VALUE (if available)		d. NO. OF ANALYSES	a. CONCEN- TRATION	b. MASS	a. LONG TERM AVERAGE VALUE
				(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS	(1) CONCENTRATION	(2) MASS				(1) CONCENTRATION
GC/MS FRACTION – PESTICIDES (continued)													
17P. Heptachlor Epoxide (1024-57-3)													
18P. PCB-1242 (53469-21-9)													
19P. PCB-1254 (11097-69-1)													
20P. PCB-1221 (11104-28-2)													
21P. PCB-1232 (11141-16-5)													
22P. PCB-1248 (12672-29-6)													
23P. PCB-1260 (11096-82-5)													
24P. PCB-1016 (12674-11-2)													
25P. Toxaphene (8001-35-2)													

**HALLIBURTON ENERGY SERVICES, INC.  
DRESSER INDUSTRIES –  
MAGCOBAR MINE SITE  
2012 NPDES PERMIT RENEWAL  
APPLICATION  
NPDES PERMIT NO. AR0049794**

**DECEMBER 21, 2012**

HALLIBURTON ENERGY SERVICES, INC.  
DRESSER INDUSTRIES –  
MAGCOBAR MINE SITE  
2012 NPDES PERMIT RENEWAL  
APPLICATION  
NPDES PERMIT NO. AR0049794

Prepared for

Halliburton Energy Services, Inc.  
10200 Bellaire Blvd.  
Houston, TX 77072-5299

Prepared by

FTN Associates, Ltd.  
3 Innwood Circle, Suite 220  
Little Rock, AR 72211

FTN No. 6750-115

December 21, 2012