

ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental
2425 New Holland Pike
Lancaster, PA 17601

Prepared for:

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

August 23, 2013

Project: Mayflower, AR Pipeline Incident

Submittal Date: 08/16/2013

Group Number: 1412011

SDG: PEK69

PO Number: B0086003.1301

State of Sample Origin: AR

| <u>Client Sample Description</u> | <u>Lancaster Labs (LL) #</u> |
|---|------------------------------|
| WS-014(1.5-2.0)081513 Filt Grab Surface Water | 7163703 |
| WS-014(5.5-6.0)081513 Filt Grab Surface Water | 7163704 |
| WS-012(1.5-2.0)081513 Filt Grab Surface Water | 7163705 |
| WS-012(5.0-5.5)081513 Filt Grab Surface Water | 7163706 |
| WS-010(1.5-2.0)081513 Filt Grab Surface Water | 7163707 |
| WS-010(3.5-4.0)081513 Filt Grab Surface Water | 7163708 |
| WS-006(0.5-1.0)081513 Filt Grab Surface Water | 7163709 |
| WS-005(Surface)081513 Filt Grab Surface Water | 7163710 |
| WS-002(Surface)081513 Filt Grab Surface Water | 7163711 |
| WS-018(Surface)081513 Filt Grab Surface Water | 7163712 |
| WS-011(1.5-2.0)081513 Filt Grab Surface Water | 7163713 |
| WS-011(5.0-5.5)081513 Filt Grab Surface Water | 7163714 |
| WS-003(Surface)081513 Filt Grab Surface Water | 7163715 |
| WS-007(0.5-1.0)081513 Filt Grab Surface Water | 7163716 |
| WS-001(0.5-1.0)081513 Filt Grab Surface Water | 7163717 |
| WS-BKG-002(Surface)081513 Filt Grab Surface Water | 7163718 |
| WS-008(Surface)081513 Filt Grab Surface Water | 7163719 |
| DUP-WS-71-081513 Filt Grab Surface Water | 7163720 |
| WS-EB-30-081513 Filt Grab Water | 7163721 |

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

| | | |
|--------------------|------------|------------------------|
| ELECTRONIC COPY TO | ARCADIS | Attn: Stephen Barrick |
| ELECTRONIC COPY TO | ARCADIS | Attn: Lyndi Mott |
| ELECTRONIC COPY TO | ExxonMobil | Attn: Michael J. Firth |

| | | |
|------------|------------|--------------------------|
| COPY TO | | |
| ELECTRONIC | ARCADIS | Attn: Emily Leamer |
| COPY TO | | |
| ELECTRONIC | ARCADIS | Attn: Rhiannon Parmalee |
| COPY TO | | |
| ELECTRONIC | ARCADIS | Attn: Jamie Pritchard |
| COPY TO | | |
| ELECTRONIC | ExxonMobil | Attn: Michael L Sixsmith |
| COPY TO | | |
| ELECTRONIC | ExxonMobil | Attn: Julie Foster |
| COPY TO | | |
| ELECTRONIC | ExxonMobil | Attn: Carl Wideman |
| COPY TO | | |

Respectfully Submitted,



Katherine A. Klinefelter
Principal Specialist

(717) 556-7256

Project Name: Mayflower, AR Pipeline Incident
LLI Group #: 1412011

General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

Analysis Specific Comments:**SW-846 6010B, Metals Dissolved**

Batch #: 132281848005 (Sample number(s): 7163703-7163721 UNSPK: 7163717 BKG: 7163717)

The duplicate RPD for the following analyte(s) exceeded the acceptance window:
Arsenic

SW-846 7470A, Metals Dissolved

Sample #s: 7163717

Reporting limits were raised due to limited sample volume.

Sample Description: WS-014(1.5-2.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163703
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 08:20 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1514F SDG#: PEK69-01

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0178 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:03 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:32 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:23 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-014(5.5-6.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163704
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 08:30 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

15F14 SDG#: PEK69-02

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0181 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:07 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:36 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:31 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-012(1.5-2.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163705
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 08:40 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1512F SDG#: PEK69-03

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0142 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:18 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:48 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:33 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-012(5.0-5.5)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163706
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 08:50 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

15F12 SDG#: PEK69-04

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0154 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:22 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:52 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:35 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-010(1.5-2.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163707
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 09:10 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1510F SDG#: PEK69-05

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0141 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:26 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:57 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:37 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-010(3.5-4.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163708
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 09:20 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

15F10 SDG#: PEK69-06

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0143 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:30 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:01 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:39 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-006(0.5-1.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163709
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 09:30 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1506F SDG#: PEK69-07

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0138 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:37 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:05 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:46 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-005 (Surface) 081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163710
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 10:00 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1505F SDG#: PEK69-08

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0116 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:41 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:09 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:48 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-002 (Surface) 081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163711
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 10:20 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1502F SDG#: PEK69-09

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0174 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:45 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:13 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:50 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-018 (Surface) 081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163712
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 10:40 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1518F SDG#: PEK69-10

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0211 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:48 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:17 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:52 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-011(1.5-2.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163713
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 11:10 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1511F SDG#: PEK69-11

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0169 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:52 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:21 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:54 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-011(5.0-5.5)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163714
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 11:20 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

15F11 SDG#: PEK69-12

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0176 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 07:56 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:25 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:56 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-003 (Surface) 081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163715
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 11:30 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1503F SDG#: PEK69-13

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0089 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:07 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:38 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 08:58 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-007(0.5-1.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163716
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 11:40 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1507F SDG#: PEK69-14

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | 0.0069 J | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0207 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:11 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:42 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:00 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163717
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 11:50 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1501F SDG#: PEK69-15

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|--|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0138 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.00012 | 0.00040 | 1 |
| | Reporting limits were raised due to limited sample volume. | | | | | |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 06:40 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 02:07 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:02 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: **WS-BKG-002(Surface)081513 Filt Grab Surface Water**
Mayflower, AR
Pipeline Incident

LL Sample # **WW 7163718**
 LL Group # **1412011**
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/15/2013 12:10 by HVA

ExxonMobil c/o Arcadis
 630 Plaza Drive, Suite 600
 Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

15B2F SDG#: PEK69-16

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0247 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | 0.0020 J | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:15 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:46 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:04 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-008 (Surface) 081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163719
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 12:20 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1508F SDG#: PEK69-17

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | 0.0074 J | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0236 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | 0.0015 J | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:19 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:50 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:11 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-71-081513 Filt Grab Surface Water
Mayflower, AR
Pipeline Incident

LL Sample # WW 7163720
LL Group # 1412011
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/15/2013 by HVA

ExxonMobil c/o Arcadis
630 Plaza Drive, Suite 600
Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1571F SDG#: PEK69-18FD

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | | SW-846 6010B | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | 0.0139 | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | | SW-846 7470A | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:23 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:54 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:13 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Sample Description: **WS-EB-30-081513 Filt Grab Water**
Mayflower, AR
Pipeline Incident

LL Sample # **WW 7163721**
 LL Group # **1412011**
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/15/2013 13:00 by HVA

ExxonMobil c/o Arcadis
 630 Plaza Drive, Suite 600
 Highlands Ranch CO 80129

Submitted: 08/16/2013 09:40

Reported: 08/23/2013 09:17

1530F SDG#: PEK69-19EB*

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|-------------------------|---------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| Metals Dissolved | | | | | | |
| | SW-846 6010B | | mg/l | mg/l | mg/l | |
| 07035 | Arsenic | 7440-38-2 | N.D. | 0.0068 | 0.0200 | 1 |
| 07046 | Barium | 7440-39-3 | N.D. | 0.00033 | 0.0050 | 1 |
| 07049 | Cadmium | 7440-43-9 | N.D. | 0.00076 | 0.0050 | 1 |
| 07051 | Chromium | 7440-47-3 | N.D. | 0.0016 | 0.0150 | 1 |
| 07055 | Lead | 7439-92-1 | N.D. | 0.0047 | 0.0150 | 1 |
| 07061 | Nickel | 7440-02-0 | N.D. | 0.0015 | 0.0100 | 1 |
| 07036 | Selenium | 7782-49-2 | N.D. | 0.0084 | 0.0200 | 1 |
| 07066 | Silver | 7440-22-4 | N.D. | 0.0021 | 0.0050 | 1 |
| 07071 | Vanadium | 7440-62-2 | N.D. | 0.0020 | 0.0050 | 1 |
| | SW-846 7470A | | mg/l | mg/l | mg/l | |
| 00259 | Mercury | 7439-97-6 | N.D. | 0.000060 | 0.00020 | 1 |

General Sample Comments

This sample was filtered in the lab for dissolved metals.

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------------|--------------|--------|--------------|------------------------|------------------|-----------------|
| 07035 | Arsenic | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07046 | Barium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07049 | Cadmium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07051 | Chromium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07055 | Lead | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07061 | Nickel | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07036 | Selenium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 08:26 | Eric L Eby | 1 |
| 07066 | Silver | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 07071 | Vanadium | SW-846 6010B | 1 | 132281848005 | 08/23/2013 03:58 | John W Yanzuk II | 1 |
| 00259 | Mercury | SW-846 7470A | 1 | 132315713002 | 08/21/2013 09:15 | Damary Valentin | 1 |
| 01848 | WW SW846 ICP Digest (tot rec) | SW-846 3005A | 1 | 132281848005 | 08/18/2013 13:30 | James L Mertz | 1 |
| 05713 | WW SW846 Hg Digest | SW-846 7470A | 1 | 132315713002 | 08/20/2013 08:45 | Damary Valentin | 1 |

*=This limit was used in the evaluation of the final result

Quality Control Summary

Client Name: ExxonMobil c/o Arcadis
Reported: 08/23/13 at 09:17 AM

Group Number: 1412011

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

| <u>Analysis Name</u> | <u>Blank Result</u> | <u>Blank MDL**</u> | <u>Blank LOQ</u> | <u>Report Units</u> | <u>LCS %REC</u> | <u>LCSD %REC</u> | <u>LCS/LCSD Limits</u> | <u>RPD</u> | <u>RPD Max</u> |
|----------------------------|-----------------------------------|--------------------|------------------|---------------------|-----------------|------------------|------------------------|------------|----------------|
| Batch number: 132281848005 | Sample number(s): 7163703-7163721 | | | | | | | | |
| Arsenic | N.D. | 0.0068 | 0.0200 | mg/l | 103 | | 90-113 | | |
| Barium | N.D. | 0.00033 | 0.0050 | mg/l | 102 | | 90-110 | | |
| Cadmium | N.D. | 0.00076 | 0.0050 | mg/l | 103 | | 90-112 | | |
| Chromium | N.D. | 0.0016 | 0.0150 | mg/l | 102 | | 90-110 | | |
| Lead | N.D. | 0.0047 | 0.0150 | mg/l | 105 | | 88-110 | | |
| Nickel | N.D. | 0.0015 | 0.0100 | mg/l | 106 | | 90-111 | | |
| Selenium | N.D. | 0.0084 | 0.0200 | mg/l | 101 | | 80-120 | | |
| Silver | N.D. | 0.0021 | 0.0050 | mg/l | 92 | | 80-120 | | |
| Vanadium | N.D. | 0.0020 | 0.0050 | mg/l | 103 | | 90-110 | | |
| Batch number: 132315713002 | Sample number(s): 7163703-7163721 | | | | | | | | |
| Mercury | N.D. | 0.00006 | 0.00020 | mg/l | 100 | | 80-120 | | |
| | | 0 | | | | | | | |

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

| <u>Analysis Name</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>MS/MSD Limits</u> | <u>RPD</u> | <u>RPD MAX</u> | <u>BKG Conc</u> | <u>DUP Conc</u> | <u>DUP RPD</u> | <u>Dup RPD Max</u> |
|----------------------------|---|-----------------|----------------------|------------|----------------|-----------------|-----------------|----------------|--------------------|
| Batch number: 132281848005 | Sample number(s): 7163703-7163721 UNSPK: 7163717 BKG: 7163717 | | | | | | | | |
| Arsenic | 105 | 105 | 81-123 | 0 | 20 | N.D. | 0.0070 J | 200* (1) | 20 |
| Barium | 102 | 102 | 78-118 | 1 | 20 | 0.0138 | 0.0137 | 1 (1) | 20 |
| Cadmium | 102 | 103 | 83-116 | 1 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Chromium | 102 | 103 | 81-120 | 1 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Lead | 103 | 105 | 75-125 | 2 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Nickel | 104 | 105 | 86-115 | 1 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Selenium | 98 | 103 | 75-125 | 4 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Silver | 92 | 91 | 75-125 | 1 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Vanadium | 102 | 104 | 90-111 | 1 | 20 | N.D. | N.D. | 0 (1) | 20 |
| Batch number: 132315713002 | Sample number(s): 7163703-7163721 UNSPK: 7163703 BKG: 7163703 | | | | | | | | |
| Mercury | 99 | 97 | 80-120 | 2 | 20 | N.D. | N.D. | 0 (1) | 20 |

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

ExxonMobil Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 14739 For Eurofins Lancaster Laboratories Environmental use only
 Group # 1412011 Sample # 7163703-21
Instructions on reverse side correspond with circled numbers.

102

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|--------------------|--|---|------------------------------|---|---------------------|-------------|-------------------------------------|---------------------|------|------|----------|--|--|---|---|---|--|--|--|--|--|--|--|---|---|---|--|--|
| 1 Client Information | | | | 4 Matrix | | | 5 Analyses Requested | | | | | | | | SCR#: _____ | | | | | | | | | | | | | | | | |
| Facility #/SID <u>Mayflower Pipeline Incident</u> | | | | <input type="checkbox"/> Sediment <input type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Soil <input type="checkbox"/> Composite | <input type="checkbox"/> Ground <input type="checkbox"/> Water <input type="checkbox"/> Oil | <input type="checkbox"/> Air | Preservation Code | | | | | | | | Preservation Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other | | | | | | | | | | | | | | | | |
| Site Address <u>Mayflower, AR</u> | | | | | | | <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">H</td> <td style="width: 20%;">N</td> <td style="width: 20%;">H</td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> <td style="width: 20%;"> </td> </tr> <tr> <td style="text-align: center;">X</td> <td style="text-align: center;">X</td> <td style="text-align: center;">X</td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> </tr> </table> | | | | | | | | | | H | N | H | | | | | | | | X | X | X | | |
| H | N | H | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| X | X | X | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ExxonMobil PM <u>Scott Bushroe</u> | | Cost Center/AFE | | Total # of Containers <u>VOCS 8260 B</u> <u>PAHS 8270 SIM</u> <u>ACRAMetals + Ni, V, Cr, Pb</u> <u>Diss Metals</u> <u>HEM Oil & Grease</u> | | | | | | | | | | | 6 Remarks <u>Lab to filter & preserve</u> <u>diss metals upon</u> <u>receipt.</u> | | | | | | | | | | | | | | | | |
| Consultant/Office <u>Arcadis</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consultant PM <u>Steve Barrick</u> | | Consultant Phone # <u>919-202-6799</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sampler <u>Hwan Allen/M. Long</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 Sample Identification | | | 3 Collected | | Grab | Composite | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | Date | Time | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <u>WS-014(1.5-2.0)081513</u> | | | <u>8/15/13</u> | <u>820</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-014(5.5-6.0)081513</u> | | | | <u>830</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-012(1.5-2.0)081513</u> | | | | <u>840</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-012(5.0-5.5)081513</u> | | | | <u>850</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-010(1.5-2.0)081513</u> | | | | <u>910</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-010(3.5-4.0)081513</u> | | | | <u>920</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-006(0.5-1.0)081513</u> | | | | <u>930</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-005(Surface)081513</u> | | | | <u>1000</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-002(Surface)081513</u> | | | | <u>1020</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-018(Surface)081513</u> | | | | <u>1040</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-011(1.5-2.0)081513</u> | | | | <u>1110</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| <u>WS-011(5.0-5.5)081513</u> | | | | <u>1120</u> | X | | X | | 9 | X | X | X | X | X | | | | | | | | | | | | | | | | | |
| 7 Turnaround Time Requested (TAT) (please circle) | | | | Relinquished by <u>Hwan Allen</u> | | | Date <u>8/15/13</u> | Time <u>1700</u> | Received by | | | Date | Time | 9 | | | | | | | | | | | | | | | | | |
| Standard <u>5</u> day 4 day | | | | Relinquished by | | | Date | Time | Received by | | | Date | Time | | | | | | | | | | | | | | | | | | |
| 72 hour 48 hour 24 hour | | | | Relinquished by | | | Date | Time | Received by | | | Date | Time | | | | | | | | | | | | | | | | | | |
| 8 Data Package (circle if required) | | | | Relinquished by Commercial Carrier | | | Received by | | | Date <u>8/16/13</u> | Time <u>0940</u> | | | | | | | | | | | | | | | | | | | | |
| Type I - Full | | | | EDD (circle if required) | | | UPS <u>X</u> FedEx Other | | | Custody Seals Intact? <u>Yes</u> No | | | | | | | | | | | | | | | | | | | | | |
| Type VI (Raw Data) | | | | Locus EIM (default) | | | Temperature Upon Receipt <u>0.4-2.3</u> °C | | | | | | | | | | | | | | | | | | | | | | | | |
| NJ Reduced | | | | Other | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Other | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Eurofins Lancaster Laboratories Environmental, LLC • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

The white copy should accompany samples to Eurofins Lancaster Laboratories Environmental. The yellow copy should be retained by the client.

ExxonMobil Analysis Request/Chain of Custody



Lancaster Laboratories
Environmental

Acct. # 14739 For Eurofins Lancaster Laboratories Environmental use only
Group # 1412011 Sample # 7163703-21
Instructions on reverse side correspond with circled numbers.

2 of 2

| 1 Client Information | | | | 4 Matrix | | | | 5 Analyses Requested | | | | | | | | | | 6 Remarks | |
|--|--|---|----------------|-------------|-------------------------------------|-------------------------------------|-----------------------|-----------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------|--|--|--|---|--|
| Facility #/SID <u>Mayflower Pipeline Incident</u> | | | | Sediment | Ground | Surface | Total # of Containers | Preservation Code | | | | | | | | | | Preservation Codes H = HCl T = Thiosulfate N = HNO ₃ B = NaOH S = H ₂ SO ₄ O = Other | |
| Site Address <u>Mayflower, AR</u> | | | | | | | | Potable | NPDES | Air | H | N | H | | | | | | |
| ExxonMobil PM <u>Scott Bushroe</u> | | Cost Center/AFE | | Soil | Water | Oil | VOCs | | | | PAHs | PCRAMetals | Diss Metals | HEM Oil & Grease | | | | | |
| Consultant/Office <u>Arcadis</u> | | | | | | | | | | | | | | | | | | | |
| Consultant PM <u>Steve Barrick</u> | | Consultant Phone # <u>919 202 6799</u> | | | | | | | | | | | | | | | | | |
| Sampler <u>M. Van Aller / M. Long</u> | | | | | | | | | | | | | | | | | | | |
| 2 Sample Identification | | | 3 Collected | | Grab | | Composite | | | | | | | | | | | | |
| | | | Date | Time | Soil | Water | Oil | Total # of Containers | | | | | | | | | | | |
| <u>WS-003 (Surface) 081513</u> | | | <u>8/15/13</u> | <u>1130</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-007 (0.5-1.0) 081513</u> | | | | <u>1140</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-001 (0.5-1.0) 081513</u> | | | | <u>1150</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-13KG-002 (Surface) 081513</u> | | | | <u>1210</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-008 (Surface) 081513</u> | | | | <u>1220</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>DUP-WS-71-081513</u> | | | | <u>—</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>9</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-EB-30-081513</u> | | | | <u>1300</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>7</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>WS-TB-124-081513</u> | | | | <u>—</u> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | <u>2</u> | <input checked="" type="checkbox"/> | | | | | | | | | | |

| | | | | | | | | | |
|---|--------------------------|---------|---|--|------------------------|-------------------------------------|----------------|-------------|------|
| 7 Turnaround Time Requested (TAT) (please circle) | | | Relinquished by <u>M. Van Aller</u> | | Date <u>8/15/13</u> | Time <u>1700</u> | Received by | Date | Time |
| Standard | <u>5 day</u> | 4 day | | | Date | Time | Received by | Date | Time |
| 72 hour | 48 hour | 24 hour | | | Date | Time | Received by | Date | Time |
| 8 Data Package (circle if required) | | | Relinquished by Commercial Carrier | | Received by | | Date | Time | |
| Type I - Full | EDD (circle if required) | | UPS <input checked="" type="checkbox"/> FedEx _____ Other _____ | | <u>Cash</u> | | <u>8/16/13</u> | <u>0940</u> | |
| Type VI (Raw Data) | Locus EIM (default) | | | | | | | | |
| NJ Reduced | Other _____ | | | | | | | | |
| Other _____ | | | | | | | | | |
| Temperature Upon Receipt <u>0.4-2.3 °C</u> | | | | | | Custody Seals Intact? <u>Yes</u> No | | | |

Environmental Sample Administration
Receipt Documentation Log

1412011

Client/Project: Mayflower Waters

Date of Receipt: 8/16/13

Time of Receipt: 0940

Source Code: 60-1

Shipping Container Sealed: YES NO

Custody Seal Present * : YES NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

| Temperature of Shipping Containers | | | | | | | |
|------------------------------------|----------------|------------------|---------------------------------------|--|------------------|--------------------------------|----------|
| Cooler # | Thermometer ID | Temperature (°C) | Temp Bottle (TB) or Surface Temp (ST) | Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP) | Ice Present? Y/N | Loose (L) Bagged Ice (B) or NA | Comments |
| 1 | DT121 | 0.9 | TB | WI | Y | B | |
| 2 | | 0.4 | | | | | |
| 3 | | 2.3 | | | | | |
| 4 | | 0.7 | | | | | |
| 5 | | 0.6 | | | | | |
| 6 | | 0.4 | | | | | |

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

WS-007 @ 1140 - received 1 broken ob jar 7 Gr. 1412007

WS-008 (surface) @ 1200 - received 1 broken ob jar

Unpacker Signature/Emp#: Cashler 3647

Date/Time: 8/16/13 1025

Environmental Sample Administration
Receipt Documentation Log

1412011

Client/Project: Mayflower Waters

Shipping Container Sealed: YES NO

Date of Receipt: 8/16/13

Custody Seal Present * : YES NO

Time of Receipt: 0940

* Custody seal was intact unless otherwise noted in the discrepancy section

Source Code: 60-1

Package: Chilled Not Chilled

| Temperature of Shipping Containers | | | | | | | |
|------------------------------------|----------------|------------------|---------------------------------------|--|------------------|--------------------------------|----------|
| Cooler # | Thermometer ID | Temperature (°C) | Temp Bottle (TB) or Surface Temp (ST) | Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP) | Ice Present? Y/N | Loose (L) Bagged Ice (B) or NA | Comments |
| 1 | DT121 | 0.4 | TB | WI | Y | B | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

Unpacker Signature/Emp#: [Signature] 3647 Date/Time: 8/16/13 1025

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|----------------------|-----------------------|-----------------|----------------------------------|
| RL | Reporting Limit | BMQL | Below Minimum Quantitation Level |
| N.D. | none detected | MPN | Most Probable Number |
| TNTC | Too Numerous To Count | CP Units | cobalt-chloroplatinate units |
| IU | International Units | NTU | nephelometric turbidity units |
| umhos/cm | micromhos/cm | ng | nanogram(s) |
| C | degrees Celsius | F | degrees Fahrenheit |
| meq | milliequivalents | lb. | pound(s) |
| g | gram(s) | kg | kilogram(s) |
| µg | microgram(s) | mg | milligram(s) |
| mL | milliliter(s) | L | liter(s) |
| m³ | cubic meter(s) | µL | microliter(s) |
| | | pg/L | picogram/liter |

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

Dry weight basis Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

Inorganic Qualifiers

- B** Value is $<$ CRDL, but \geq IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- *** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA <0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.