

## ANALYTICAL RESULTS

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

September 05, 2013

Project: Mayflower, AR Pipeline Incident

Submittal Date: 08/28/2013

Group Number: 1414707

SDG: PEL09

PO Number: B0086003.1301

State of Sample Origin: AR

### Client Sample Description

WS-014(1.5-2.0)082713 Grab Surface Water  
WS-014(5.5-6.0)082713 Grab Surface Water  
WS-012(1.5-2.0)082713 Grab Surface Water  
WS-012(5.0-5.5)082713 Grab Surface Water  
WS-010(1.5-2.0)082713 Grab Surface Water  
WS-010(3.5-4.0)082713 Grab Surface Water  
WS-006(0.5-1.0)082713 Grab Surface Water  
WS-005(Surface)082713 Grab Surface Water  
WS-002(Surface)082713 Grab Surface Water  
WS-018(Surface)082713 Grab Surface Water  
WS-011(1.5-2.0)082713 Grab Surface Water  
WS-011(5.0-5.5)082713 Grab Surface Water  
WS-003(Surface)082713 Grab Surface Water  
WS-007(0.5-1.0)082713 Grab Surface Water  
WS-001(0.5-1.0)082713 Grab Surface Water  
DUP-WS-77-082713 Grab Surface Water  
WS-EB-043-082713 Grab Water  
WS-TB-134-082713 Water

### Lancaster Labs (LL) #

7177381  
7177382  
7177383  
7177384  
7177385  
7177386  
7177387  
7177388  
7177389  
7177390  
7177391  
7177392  
7177393  
7177394  
7177395  
7177396  
7177397  
7177398

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC      ARCADIS

COPY TO

Attn: Stephen Barrick

ELECTRONIC      ARCADIS

COPY TO

Attn: Lyndi Mott

ELECTRONIC      ExxonMobil

COPY TO

Attn: Michael J. Firth

ELECTRONIC COPY TO	ARCADIS	Attn: Emily Leamer
ELECTRONIC COPY TO	ARCADIS	Attn: Rhiannon Parmalee
ELECTRONIC COPY TO	ARCADIS	Attn: Jamie Pritchard
ELECTRONIC COPY TO	ExxonMobil	Attn: Michael L Sixsmith
ELECTRONIC COPY TO	ExxonMobil	Attn: Julie Foster
ELECTRONIC COPY TO	ExxonMobil	Attn: Carl Wideman

Respectfully Submitted,



Katherine A. Klinefelter  
Principal Specialist

(717) 556-7256

---

Project Name: Mayflower, AR Pipeline Incident  
LLI Group #: 1414707

**General Comments:**

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

**Analysis Specific Comments:****SW-846 8260B 25mL purge, GC/MS Volatiles**

Batch #: H132421AA (Sample number(s): 7177392, 7177398 UNSPK: P179098)

The recovery(ies) for the following analyte(s) in the MS and/or MSD was outside the acceptance window: 1,2,3-Trichloropropane

**SW-846 8270C SIM, GC/MS Semivolatiles**

Batch #: 13241WAB026 (Sample number(s): 7177381-7177397)

The recovery(ies) for the following analyte(s) in the LCS and/or LCSD exceeded the acceptance window indicating a positive bias: Benzo(k)fluoranthene

The recovery(ies) for one or more surrogates were outside of the QC window for sample(s) 7177384, 7177385, 7177389

**Sample #s: 7177381**

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

Sample #s: 7177382, 7177383, 7177386, 7177387, 7177388, 7177390, 7177391, 7177392, 7177393, 7177394, 7177395, 7177396, 7177397

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

**Sample #s: 7177384, 7177385, 7177389**

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis. The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

**EPA 1664A, Wet Chemistry**

Batch #: 13246807902A (Sample number(s): 7177381-7177396 UNSPK: 7177381)

The recovery(ies) for the following analyte(s) in the MS was outside the acceptance window: HEM (oil & grease)

Sample Description: WS-014(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177381  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 08:50 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27141 SDG#: PEL09-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-014(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177381**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 08:50 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27141 SDG#: PEL09-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	0.1 J	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.3	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0431	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177381  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 08:50 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27141 SDG#: PEL09-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.47	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.95	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/28/2013 23:48	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/28/2013 23:48	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 06:40	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:28	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:32	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-014(5.5-6.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177382**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:00 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27142 SDG#: PEL09-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-014(5.5-6.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177382**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:00 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27142 SDG#: PEL09-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.8	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0426	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-014(5.5-6.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177382  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:00 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27142 SDG#: PEL09-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.36	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.90	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 00:10	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 00:10	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 07:09	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:32	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:34	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177383**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:10 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27121 SDG#: PEL09-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177383**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:10 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27121 SDG#: PEL09-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.3	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0184	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177383**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:10 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27121 SDG#: PEL09-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.25	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.85	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 00:32	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 00:32	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 07:39	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:43	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:36	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(5.0-5.5)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177384**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:20 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27122 SDG#: PEL09-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-012(5.0-5.5)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177384**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:20 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27122 SDG#: PEL09-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.1 J	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.7	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-012(5.0-5.5)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177384  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:20 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27122 SDG#: PEL09-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0222	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.33	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.88	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 00:54	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 00:54	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 08:08	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:47	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:38	Damary Valentin	1

\*=This limit was used in the evaluation of the final result



Sample Description: WS-012(5.0-5.5)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177384  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:20 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27122 SDG#: PEL09-04

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177385**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27101 SDG#: PEL09-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177385**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27101 SDG#: PEL09-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.5	0.033	0.20	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177385  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:30 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27101 SDG#: PEL09-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0610	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.25	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.90	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 01:16	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 01:16	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 08:38	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:05	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:44	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177385  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:30 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27101 SDG#: PEL09-05

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(3.5-4.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177386**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:40 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27102 SDG#: PEL09-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-010(3.5-4.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177386**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:40 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27102 SDG#: PEL09-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.6	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0319	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-010(3.5-4.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177386  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 09:40 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27102 SDG#: PEL09-06

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.26	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.91	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 02:23	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 02:23	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 09:07	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:51	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:46	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-006(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177387**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:50 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27006 SDG#: PEL09-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-006(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177387**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:50 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27006 SDG#: PEL09-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.6	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0309	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-006(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177387**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 09:50 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27006 SDG#: PEL09-07

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.29	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.88	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.6 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 02:45	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 02:45	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 09:37	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:54	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:48	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-005 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177388**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 10:20 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27005 SDG#: PEL09-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-005 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177388**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 10:20 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27005 SDG#: PEL09-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	0.1 J	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	32.1	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0679	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-005 (Surface) 082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177388  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 10:20 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27005 SDG#: PEL09-08

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	7.98	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.96	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	0.0024 J	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 03:07	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 03:07	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 10:06	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 18:58	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:56	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-002 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177389**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 10:40 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27002 SDG#: PEL09-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-002 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177389**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 10:40 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27002 SDG#: PEL09-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The client was contacted and the data reported.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.0	0.033	0.20	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-002 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177389**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 10:40 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27002 SDG#: PEL09-09

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
		<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0250	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1
01750	Calcium	7440-70-2	6.39	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.92	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
		<b>SW-846 7470A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
		<b>EPA 1664A</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 03:29	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 03:29	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 10:36	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:02	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 07:58	Damary Valentin	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-002 (Surface) 082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177389  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 10:40 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27002 SDG#: PEL09-09

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-018 (Surface) 082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177390  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:50 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27018 SDG#: PEL09-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-018 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177390**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 11:50 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27018 SDG#: PEL09-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.2	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0899	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-018 (Surface) 082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177390  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:50 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27018 SDG#: PEL09-10

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.34	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.99	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 03:52	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 03:52	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 11:05	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:06	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:00	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177391  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:00 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27111 SDG#: PEL09-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-011(1.5-2.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177391**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 11:00 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27111 SDG#: PEL09-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.9	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0281	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(1.5-2.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177391  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:00 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27111 SDG#: PEL09-11

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.33	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.93	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 04:13	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 04:13	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 11:35	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:10	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:02	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result



Sample Description: WS-011(5.0-5.5)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177392  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:15 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27112 SDG#: PEL09-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-011(5.0-5.5)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177392**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 11:15 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27112 SDG#: PEL09-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.051	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.051	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.2	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0196	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-011(5.0-5.5)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177392  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 11:15 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27112 SDG#: PEL09-12

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.39	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.99	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132421AA	08/30/2013 11:38	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132421AA	08/30/2013 11:38	Kerri E Legerlotz	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 12:04	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:13	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:09	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-003 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177393**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 12:00 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27003 SDG#: PEL09-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-003 (Surface) 082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177393**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 12:00 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27003 SDG#: PEL09-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	27.6	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0601	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-003 (Surface) 082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177393  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 12:00 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27003 SDG#: PEL09-13

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.26	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.92	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.5 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 05:43	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 05:43	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 12:34	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:17	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:11	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-007(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177394**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 12:10 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27007 SDG#: PEL09-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	3.8 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-007(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177394**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 12:10 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27007 SDG#: PEL09-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1

GC/MS	Semivolatiles	SW-846 8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.050	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.050	1
08357	Anthracene	120-12-7	N.D.	0.010	0.050	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.050	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.050	1
08357	Benzo(b)fluoranthene	205-99-2	0.018 J	0.010	0.050	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.050	1
08357	Benzo(k)fluoranthene	207-08-9	0.015 J	0.010	0.050	1
08357	Chrysene	218-01-9	0.017 J	0.010	0.050	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.050	1
08357	Fluoranthene	206-44-0	0.036 J	0.010	0.050	1
08357	Fluorene	86-73-7	N.D.	0.010	0.050	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.050	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.050	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.050	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.050	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.050	1
08357	Pyrene	129-00-0	0.028 J	0.010	0.050	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

Metals	SM 2340 B-1997	mg/l	mg/l	mg/l		
06256	Total Hardness as CaCO3	471-34-1	17.4	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0222	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result



Sample Description: WS-007(0.5-1.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177394  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 12:10 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27007 SDG#: PEL09-14

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	4.15	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	1.70	0.0167	0.100	1
07061	Nickel	7440-02-0	0.0016 J	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 06:05	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 06:05	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 13:03	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:29	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:13	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177395  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 12:30 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27001 SDG#: PEL09-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	3.4 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-001(0.5-1.0)082713 Grab Surface Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177395**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 12:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27001 SDG#: PEL09-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.2	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.0371	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-001(0.5-1.0)082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177395  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 12:30 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27001 SDG#: PEL09-15

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.40	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.97	0.0167	0.100	1
07061	Nickel	7440-02-0	0.0024 J	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	0.0027 J	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	1.6 J	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 06:27	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 06:27	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 13:33	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:33	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:15	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-77-082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177396  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27D77 SDG#: PEL09-16FD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	Acetone	67-64-1	3.2 J	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-77-082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177396  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27D77 SDG#: PEL09-16FD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.053	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.053	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	28.2	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	0.0068 J	0.0068	0.0200	1
07046	Barium	7440-39-3	0.00323	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: DUP-WS-77-082713 Grab Surface Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177396  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013 by TM

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27D77 SDG#: PEL09-16FD

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	6.43	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	2.95	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1
<b>Wet Chemistry</b>						
	<b>EPA 1664A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
08079	HEM (oil & grease)	n.a.	N.D.	1.4	5.0	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 06:48	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 06:48	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 14:02	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:36	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:17	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1
08079	HEM (oil & grease)	EPA 1664A	1	13246807902A	09/03/2013 17:00	Michelle L Lalli	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-EB-043-082713 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177397**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 13:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27E43 SDG#: PEL09-17EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result



Sample Description: **WS-EB-043-082713 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177397**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 13:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27E43 SDG#: PEL09-17EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
		<b>purge</b>				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1
<b>GC/MS</b>	<b>Semivolatiles</b>	<b>SW-846 8270C SIM</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.052	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.052	1
08357	Anthracene	120-12-7	N.D.	0.010	0.052	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.052	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.052	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.052	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.052	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.052	1
08357	Chrysene	218-01-9	N.D.	0.010	0.052	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.052	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.052	1
08357	Fluorene	86-73-7	N.D.	0.010	0.052	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.052	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.052	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.052	1
08357	Naphthalene	91-20-3	N.D.	0.031	0.052	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.052	1
08357	Pyrene	129-00-0	N.D.	0.010	0.052	1

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<b>Metals</b>	<b>SM 2340 B-1997</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
06256	Total Hardness as CaCO3	471-34-1	0.26	0.033	0.20	1
	<b>SW-846 6010B</b>	<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>		
07035	Arsenic	7440-38-2	N.D.	0.0068	0.0200	1
07046	Barium	7440-39-3	0.00037 J	0.00033	0.0050	1
07049	Cadmium	7440-43-9	N.D.	0.00076	0.0050	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-EB-043-082713 Grab Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177397**  
 LL Group # **1414707**  
 Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013 13:30 by TM

ExxonMobil c/o Arcadis  
 630 Plaza Drive, Suite 600  
 Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27E43 SDG#: PEL09-17EB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>Metals</b>						
	<b>SW-846 6010B</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
01750	Calcium	7440-70-2	0.105 J	0.0334	0.200	1
07051	Chromium	7440-47-3	N.D.	0.0016	0.0150	1
07055	Lead	7439-92-1	N.D.	0.0047	0.0150	1
01757	Magnesium	7439-95-4	N.D.	0.0167	0.100	1
07061	Nickel	7440-02-0	N.D.	0.0015	0.0100	1
07036	Selenium	7782-49-2	N.D.	0.0084	0.0200	1
07066	Silver	7440-22-4	N.D.	0.0021	0.0050	1
07071	Vanadium	7440-62-2	N.D.	0.0020	0.0050	1
	<b>SW-846 7470A</b>		<b>mg/l</b>	<b>mg/l</b>	<b>mg/l</b>	
00259	Mercury	7439-97-6	N.D.	0.000060	0.00020	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	C132402AA	08/29/2013 07:11	Brett W Kenyon	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	C132402AA	08/29/2013 07:11	Brett W Kenyon	1
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	13241WAB026	08/30/2013 14:32	Brian K Graham	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	13241WAB026	08/29/2013 16:00	David S Schrum	1
06256	Total Hardness as CaCO3	SM 2340 B-1997	1	132426256001	08/30/2013 05:30	Deborah A Krady	1
07035	Arsenic	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07046	Barium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07049	Cadmium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
01750	Calcium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07051	Chromium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07055	Lead	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
01757	Magnesium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07061	Nickel	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07036	Selenium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07066	Silver	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
07071	Vanadium	SW-846 6010B	1	132401848001	08/29/2013 19:40	John P Hook	1
00259	Mercury	SW-846 7470A	1	132405713004	08/30/2013 08:19	Damary Valentin	1
01848	WW SW846 ICP Digest (tot rec)	SW-846 3005A	1	132401848001	08/28/2013 23:00	Annamaria Stipkovits	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	132405713004	08/29/2013 16:00	Nelli S Markaryan	1

\*=This limit was used in the evaluation of the final result

Sample Description: **WS-TB-134-082713 Water**  
**Mayflower, AR**  
**Pipeline Incident**

LL Sample # **WW 7177398**  
LL Group # **1414707**  
Account # **14739**

Project Name: **Mayflower, AR Pipeline Incident**

Collected: 08/27/2013

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27134 SDG#: PEL09-18TB\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
<b>GC/MS</b>	<b>Volatiles</b>	<b>SW-846 8260B 25mL</b>	<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
	<b>purge</b>					
02898	Acetone	67-64-1	N.D.	3.0	5.0	1
02898	Allyl Chloride	107-05-1	N.D.	0.1	0.5	1
02898	Benzene	71-43-2	N.D.	0.1	0.5	1
02898	Bromobenzene	108-86-1	N.D.	0.1	0.5	1
02898	Bromochloromethane	74-97-5	N.D.	0.1	0.5	1
02898	Bromodichloromethane	75-27-4	N.D.	0.1	0.5	1
02898	Bromoform	75-25-2	N.D.	0.1	0.5	1
02898	Bromomethane	74-83-9	N.D.	0.1	0.5	1
02898	2-Butanone	78-93-3	N.D.	1.0	5.0	1
02898	n-Butylbenzene	104-51-8	N.D.	0.1	0.5	1
02898	sec-Butylbenzene	135-98-8	N.D.	0.1	0.5	1
02898	tert-Butylbenzene	98-06-6	N.D.	0.1	0.5	1
02898	Carbon Tetrachloride	56-23-5	N.D.	0.1	0.5	1
02898	Chlorobenzene	108-90-7	N.D.	0.1	0.5	1
02898	Chloroethane	75-00-3	N.D.	0.1	0.5	1
02898	Chloroform	67-66-3	N.D.	0.1	0.5	1
02898	Chloromethane	74-87-3	N.D.	0.2	0.5	1
02898	2-Chlorotoluene	95-49-8	N.D.	0.1	0.5	1
02898	4-Chlorotoluene	106-43-4	N.D.	0.1	0.5	1
02898	1,2-Dibromo-3-chloropropane	96-12-8	N.D.	0.2	0.5	1
02898	Dibromochloromethane	124-48-1	N.D.	0.1	0.5	1
02898	1,2-Dibromoethane	106-93-4	N.D.	0.1	0.5	1
02898	Dibromomethane	74-95-3	N.D.	0.1	0.5	1
02898	1,2-Dichlorobenzene	95-50-1	N.D.	0.1	0.5	1
02898	1,3-Dichlorobenzene	541-73-1	N.D.	0.1	0.5	1
02898	1,4-Dichlorobenzene	106-46-7	N.D.	0.1	0.5	1
02898	Dichlorodifluoromethane	75-71-8	N.D.	0.1	0.5	1
02898	1,1-Dichloroethane	75-34-3	N.D.	0.1	0.5	1
02898	1,2-Dichloroethane	107-06-2	N.D.	0.1	0.5	1
02898	1,1-Dichloroethene	75-35-4	N.D.	0.1	0.5	1
02898	cis-1,2-Dichloroethene	156-59-2	N.D.	0.1	0.5	1
02898	trans-1,2-Dichloroethene	156-60-5	N.D.	0.1	0.5	1
02898	Dichlorofluoromethane	75-43-4	N.D.	0.2	0.5	1
02898	1,2-Dichloropropane	78-87-5	N.D.	0.1	0.5	1
02898	1,3-Dichloropropane	142-28-9	N.D.	0.1	0.5	1
02898	2,2-Dichloropropane	594-20-7	N.D.	0.1	0.5	1
02898	1,1-Dichloropropene	563-58-6	N.D.	0.1	0.5	1
02898	cis-1,3-Dichloropropene	10061-01-5	N.D.	0.1	0.5	1
02898	trans-1,3-Dichloropropene	10061-02-6	N.D.	0.1	0.5	1
02898	Ethyl ether	60-29-7	N.D.	0.1	0.5	1
02898	Ethylbenzene	100-41-4	N.D.	0.1	0.5	1
02898	Freon 113	76-13-1	N.D.	0.2	0.5	1
02898	Hexachlorobutadiene	87-68-3	N.D.	0.1	0.5	1
02898	Isopropylbenzene	98-82-8	N.D.	0.1	0.5	1
02898	p-Isopropyltoluene	99-87-6	N.D.	0.1	0.5	1
02898	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.1	0.5	1
02898	4-Methyl-2-Pentanone	108-10-1	N.D.	1.0	5.0	1
02898	Methylene Chloride	75-09-2	N.D.	0.2	0.5	1

\*=This limit was used in the evaluation of the final result

Sample Description: WS-TB-134-082713 Water  
Mayflower, AR  
Pipeline Incident

LL Sample # WW 7177398  
LL Group # 1414707  
Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/27/2013

ExxonMobil c/o Arcadis  
630 Plaza Drive, Suite 600  
Highlands Ranch CO 80129

Submitted: 08/28/2013 09:35

Reported: 09/05/2013 09:01

27134 SDG#: PEL09-18TB\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B 25mL	ug/l	ug/l	ug/l	
		purge				
02898	n-Propylbenzene	103-65-1	N.D.	0.1	0.5	1
02898	Styrene	100-42-5	N.D.	0.1	0.5	1
02898	1,1,1,2-Tetrachloroethane	630-20-6	N.D.	0.1	0.5	1
02898	1,1,2,2-Tetrachloroethane	79-34-5	N.D.	0.1	0.5	1
02898	Tetrachloroethene	127-18-4	N.D.	0.1	0.5	1
02898	Tetrahydrofuran	109-99-9	N.D.	2.0	5.0	1
02898	Toluene	108-88-3	N.D.	0.1	0.5	1
02898	1,2,3-Trichlorobenzene	87-61-6	N.D.	0.1	0.5	1
02898	1,2,4-Trichlorobenzene	120-82-1	N.D.	0.1	0.5	1
02898	1,1,1-Trichloroethane	71-55-6	N.D.	0.1	0.5	1
02898	1,1,2-Trichloroethane	79-00-5	N.D.	0.1	0.5	1
02898	Trichloroethene	79-01-6	N.D.	0.1	0.5	1
02898	Trichlorofluoromethane	75-69-4	N.D.	0.1	0.5	1
02898	1,2,3-Trichloropropane	96-18-4	N.D.	0.3	1.0	1
02898	1,2,4-Trimethylbenzene	95-63-6	N.D.	0.1	0.5	1
02898	1,3,5-Trimethylbenzene	108-67-8	N.D.	0.1	0.5	1
02898	Vinyl Chloride	75-01-4	N.D.	0.1	0.5	1
02898	Xylene (Total)	1330-20-7	N.D.	0.1	0.5	1

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02898	Silvertip & Mayflower VOCs8260	SW-846 8260B 25mL purge	1	H132421AA	08/30/2013 11:17	Kerri E Legerlotz	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	H132421AA	08/30/2013 11:17	Kerri E Legerlotz	1

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: C132402AA	Sample number(s): 7177381-7177391, 7177393-7177397								
Acetone	N.D.	3.0	5.0	ug/l	110		60-139		
Allyl Chloride	N.D.	0.1	0.5	ug/l	80		61-130		
Benzene	N.D.	0.1	0.5	ug/l	97		80-120		
Bromobenzene	N.D.	0.1	0.5	ug/l	101		80-120		
Bromochloromethane	N.D.	0.1	0.5	ug/l	106		80-125		
Bromodichloromethane	N.D.	0.1	0.5	ug/l	101		80-120		
Bromoform	N.D.	0.1	0.5	ug/l	109		73-128		
Bromomethane	N.D.	0.1	0.5	ug/l	79		62-126		
2-Butanone	N.D.	1.0	5.0	ug/l	109		70-130		
n-Butylbenzene	N.D.	0.1	0.5	ug/l	93		80-120		
sec-Butylbenzene	N.D.	0.1	0.5	ug/l	95		80-120		
tert-Butylbenzene	N.D.	0.1	0.5	ug/l	96		80-120		
Carbon Tetrachloride	N.D.	0.1	0.5	ug/l	107		80-129		
Chlorobenzene	N.D.	0.1	0.5	ug/l	104		80-120		
Chloroethane	N.D.	0.1	0.5	ug/l	78		68-120		
Chloroform	N.D.	0.1	0.5	ug/l	103		80-120		
Chloromethane	N.D.	0.2	0.5	ug/l	62		55-120		
2-Chlorotoluene	N.D.	0.1	0.5	ug/l	98		80-120		
4-Chlorotoluene	N.D.	0.1	0.5	ug/l	99		80-120		
1,2-Dibromo-3-chloropropane	N.D.	0.2	0.5	ug/l	115		64-141		
Dibromochloromethane	N.D.	0.1	0.5	ug/l	107		80-126		
1,2-Dibromoethane	N.D.	0.1	0.5	ug/l	104		80-120		
Dibromomethane	N.D.	0.1	0.5	ug/l	104		80-120		
1,2-Dichlorobenzene	N.D.	0.1	0.5	ug/l	103		80-120		
1,3-Dichlorobenzene	N.D.	0.1	0.5	ug/l	102		80-120		
1,4-Dichlorobenzene	N.D.	0.1	0.5	ug/l	103		80-120		
Dichlorodifluoromethane	N.D.	0.1	0.5	ug/l	49		39-120		
1,1-Dichloroethane	N.D.	0.1	0.5	ug/l	93		80-120		
1,2-Dichloroethane	N.D.	0.1	0.5	ug/l	106		80-127		
1,1-Dichloroethene	N.D.	0.1	0.5	ug/l	97		80-123		
cis-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	99		80-120		
trans-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	101		80-120		
Dichlorofluoromethane	N.D.	0.2	0.5	ug/l	91		75-145		
1,2-Dichloropropane	N.D.	0.1	0.5	ug/l	98		80-120		
1,3-Dichloropropane	N.D.	0.1	0.5	ug/l	99		80-120		
2,2-Dichloropropane	N.D.	0.1	0.5	ug/l	92		75-122		
1,1-Dichloropropene	N.D.	0.1	0.5	ug/l	100		80-121		
cis-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	92		80-123		
trans-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	92		80-120		
Ethyl ether	N.D.	0.1	0.5	ug/l	78		59-130		
Ethylbenzene	N.D.	0.1	0.5	ug/l	98		80-120		
Freon 113	N.D.	0.2	0.5	ug/l	97		78-132		
Hexachlorobutadiene	N.D.	0.1	0.5	ug/l	94		73-120		

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCS %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Isopropylbenzene	N.D.	0.1	0.5	ug/l	99		80-120		
p-Isopropyltoluene	N.D.	0.1	0.5	ug/l	94		80-120		
Methyl Tertiary Butyl Ether	N.D.	0.1	0.5	ug/l	93		80-120		
4-Methyl-2-Pentanone	N.D.	1.0	5.0	ug/l	90		69-135		
Methylene Chloride	N.D.	0.2	0.5	ug/l	100		80-120		
n-Propylbenzene	N.D.	0.1	0.5	ug/l	95		80-120		
Styrene	N.D.	0.1	0.5	ug/l	101		80-120		
1,1,1,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	105		80-120		
1,1,2,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	97		80-125		
Tetrachloroethene	N.D.	0.1	0.5	ug/l	103		80-120		
Tetrahydrofuran	N.D.	2.0	5.0	ug/l	116		65-131		
Toluene	N.D.	0.1	0.5	ug/l	98		80-120		
1,2,3-Trichlorobenzene	N.D.	0.1	0.5	ug/l	88		63-120		
1,2,4-Trichlorobenzene	N.D.	0.1	0.5	ug/l	90		70-120		
1,1,1-Trichloroethane	N.D.	0.1	0.5	ug/l	102		80-120		
1,1,2-Trichloroethane	N.D.	0.1	0.5	ug/l	103		80-120		
Trichloroethene	N.D.	0.1	0.5	ug/l	103		80-120		
Trichlorofluoromethane	N.D.	0.1	0.5	ug/l	88		77-132		
1,2,3-Trichloropropane	N.D.	0.3	1.0	ug/l	105		80-120		
1,2,4-Trimethylbenzene	N.D.	0.1	0.5	ug/l	97		80-120		
1,3,5-Trimethylbenzene	N.D.	0.1	0.5	ug/l	96		80-120		
Vinyl Chloride	N.D.	0.1	0.5	ug/l	71		65-127		
Xylene (Total)	N.D.	0.1	0.5	ug/l	100		80-120		

Batch number: H132421AA

Sample number(s): 7177392,7177398

Acetone	N.D.	3.0	5.0	ug/l	101		60-139		
Allyl Chloride	N.D.	0.1	0.5	ug/l	94		61-130		
Benzene	N.D.	0.1	0.5	ug/l	100		80-120		
Bromobenzene	N.D.	0.1	0.5	ug/l	103		80-120		
Bromochloromethane	N.D.	0.1	0.5	ug/l	105		80-125		
Bromodichloromethane	N.D.	0.1	0.5	ug/l	110		80-120		
Bromoform	N.D.	0.1	0.5	ug/l	106		73-128		
Bromomethane	N.D.	0.1	0.5	ug/l	85		62-126		
2-Butanone	N.D.	1.0	5.0	ug/l	101		70-130		
n-Butylbenzene	N.D.	0.1	0.5	ug/l	103		80-120		
sec-Butylbenzene	N.D.	0.1	0.5	ug/l	100		80-120		
tert-Butylbenzene	N.D.	0.1	0.5	ug/l	101		80-120		
Carbon Tetrachloride	N.D.	0.1	0.5	ug/l	114		80-129		
Chlorobenzene	N.D.	0.1	0.5	ug/l	105		80-120		
Chloroethane	N.D.	0.1	0.5	ug/l	88		68-120		
Chloroform	N.D.	0.1	0.5	ug/l	110		80-120		
Chloromethane	N.D.	0.2	0.5	ug/l	84		55-120		
2-Chlorotoluene	N.D.	0.1	0.5	ug/l	101		80-120		
4-Chlorotoluene	N.D.	0.1	0.5	ug/l	104		80-120		
1,2-Dibromo-3-chloropropane	N.D.	0.2	0.5	ug/l	84		64-141		
Dibromochloromethane	N.D.	0.1	0.5	ug/l	109		80-126		
1,2-Dibromoethane	N.D.	0.1	0.5	ug/l	109		80-120		
Dibromomethane	N.D.	0.1	0.5	ug/l	103		80-120		
1,2-Dichlorobenzene	N.D.	0.1	0.5	ug/l	105		80-120		
1,3-Dichlorobenzene	N.D.	0.1	0.5	ug/l	105		80-120		
1,4-Dichlorobenzene	N.D.	0.1	0.5	ug/l	105		80-120		
Dichlorodifluoromethane	N.D.	0.1	0.5	ug/l	72		39-120		
1,1-Dichloroethane	N.D.	0.1	0.5	ug/l	105		80-120		
1,2-Dichloroethane	N.D.	0.1	0.5	ug/l	117		80-127		
1,1-Dichloroethene	N.D.	0.1	0.5	ug/l	101		80-123		
cis-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	100		80-120		

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
trans-1,2-Dichloroethene	N.D.	0.1	0.5	ug/l	102		80-120		
Dichlorofluoromethane	N.D.	0.2	0.5	ug/l	100		75-145		
1,2-Dichloropropane	N.D.	0.1	0.5	ug/l	106		80-120		
1,3-Dichloropropane	N.D.	0.1	0.5	ug/l	108		80-120		
2,2-Dichloropropane	N.D.	0.1	0.5	ug/l	110		75-122		
1,1-Dichloropropene	N.D.	0.1	0.5	ug/l	103		80-121		
cis-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	101		80-123		
trans-1,3-Dichloropropene	N.D.	0.1	0.5	ug/l	109		80-120		
Ethyl ether	N.D.	0.1	0.5	ug/l	111		59-130		
Ethylbenzene	N.D.	0.1	0.5	ug/l	101		80-120		
Freon 113	N.D.	0.2	0.5	ug/l	99		78-132		
Hexachlorobutadiene	N.D.	0.1	0.5	ug/l	93		73-120		
Isopropylbenzene	N.D.	0.1	0.5	ug/l	102		80-120		
p-Isopropyltoluene	N.D.	0.1	0.5	ug/l	99		80-120		
Methyl Tertiary Butyl Ether	N.D.	0.1	0.5	ug/l	101		80-120		
4-Methyl-2-Pentanone	N.D.	1.0	5.0	ug/l	111		69-135		
Methylene Chloride	N.D.	0.2	0.5	ug/l	103		80-120		
n-Propylbenzene	N.D.	0.1	0.5	ug/l	103		80-120		
Styrene	N.D.	0.1	0.5	ug/l	106		80-120		
1,1,1,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	111		80-120		
1,1,2,2-Tetrachloroethane	N.D.	0.1	0.5	ug/l	109		80-125		
Tetrachloroethene	N.D.	0.1	0.5	ug/l	101		80-120		
Tetrahydrofuran	N.D.	2.0	5.0	ug/l	89		65-131		
Toluene	N.D.	0.1	0.5	ug/l	103		80-120		
1,2,3-Trichlorobenzene	N.D.	0.1	0.5	ug/l	83		63-120		
1,2,4-Trichlorobenzene	N.D.	0.1	0.5	ug/l	88		70-120		
1,1,1-Trichloroethane	N.D.	0.1	0.5	ug/l	109		80-120		
1,1,2-Trichloroethane	N.D.	0.1	0.5	ug/l	111		80-120		
Trichloroethene	N.D.	0.1	0.5	ug/l	102		80-120		
Trichlorofluoromethane	N.D.	0.1	0.5	ug/l	96		77-132		
1,2,3-Trichloropropane	N.D.	0.3	1.0	ug/l	112		80-120		
1,2,4-Trimethylbenzene	N.D.	0.1	0.5	ug/l	104		80-120		
1,3,5-Trimethylbenzene	N.D.	0.1	0.5	ug/l	102		80-120		
Vinyl Chloride	N.D.	0.1	0.5	ug/l	85		65-127		
Xylene (Total)	N.D.	0.1	0.5	ug/l	104		80-120		

Batch number: 13241WAB026

Sample number(s): 7177381-7177397

Acenaphthene	N.D.	0.010	0.050	ug/l	108	109	77-118	1	30
Acenaphthylene	N.D.	0.010	0.050	ug/l	121	122	80-123	1	30
Anthracene	N.D.	0.010	0.050	ug/l	116	117	78-123	1	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	100	100	73-127	0	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	106	109	72-120	3	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	113	113	79-136	0	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	114	117	64-130	3	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	126	132*	73-131	4	30
Chrysene	N.D.	0.010	0.050	ug/l	110	114	76-125	3	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	106	111	58-131	5	30
Fluoranthene	N.D.	0.010	0.050	ug/l	118	120	79-124	2	30
Fluorene	N.D.	0.010	0.050	ug/l	109	110	74-115	1	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	112	115	62-130	2	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	118	119	80-126	1	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	115	117	81-124	1	30
Naphthalene	N.D.	0.030	0.050	ug/l	112	114	75-120	2	30
Phenanthrene	N.D.	0.030	0.050	ug/l	112	112	75-120	0	30
Pyrene	N.D.	0.010	0.050	ug/l	109	110	71-130	1	30

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Batch number: 132401848001	Sample number(s): 7177381-7177397								
Arsenic	N.D.	0.0068	0.0200	mg/l	99		90-113		
Barium	N.D.	0.00033	0.0050	mg/l	101		90-110		
Cadmium	N.D.	0.00076	0.0050	mg/l	101		90-112		
Calcium	0.0412 J	0.0334	0.200	mg/l	101		90-110		
Chromium	N.D.	0.0016	0.0150	mg/l	100		90-110		
Lead	N.D.	0.0047	0.0150	mg/l	106		88-110		
Magnesium	N.D.	0.0167	0.100	mg/l	100		90-110		
Nickel	N.D.	0.0015	0.0100	mg/l	104		90-111		
Selenium	N.D.	0.0084	0.0200	mg/l	102		80-120		
Silver	N.D.	0.0021	0.0050	mg/l	103		80-120		
Vanadium	N.D.	0.0020	0.0050	mg/l	97		90-110		
Batch number: 132405713004	Sample number(s): 7177381-7177397								
Mercury	N.D.	0.00006	0.00020	mg/l	101		80-120		
		0							
Batch number: 13246807902A	Sample number(s): 7177381-7177396								
HEM (oil & grease)	N.D.	1.4	5.0	mg/l	92	93	78-114	1	16

## Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: C132402AA	Sample number(s): 7177381-7177391,7177393-7177397 UNSPK: 7177383								
Acetone	122	116	57-163	5	30				
Allyl Chloride	83	90	56-160	8	30				
Benzene	104	104	87-126	1	30				
Bromobenzene	106	105	80-123	1	30				
Bromochloromethane	111	115	82-125	4	30				
Bromodichloromethane	108	108	82-133	0	30				
Bromoform	118	117	60-138	1	30				
Bromomethane	100	101	66-130	1	30				
2-Butanone	116	107	56-160	8	30				
n-Butylbenzene	104	103	83-131	2	30				
sec-Butylbenzene	105	104	84-128	1	30				
tert-Butylbenzene	108	103	84-135	6	30				
Carbon Tetrachloride	124	125	81-148	0	30				
Chlorobenzene	111	111	78-133	0	30				
Chloroethane	96	99	70-139	3	30				
Chloroform	113	113	86-136	0	30				
Chloromethane	83	86	49-135	4	30				
2-Chlorotoluene	104	102	75-134	2	30				
4-Chlorotoluene	105	104	76-134	1	30				
1,2-Dibromo-3-chloropropane	123	115	43-143	7	30				
Dibromochloromethane	111	111	79-125	1	30				
1,2-Dibromoethane	108	107	84-127	0	30				
Dibromomethane	109	107	83-126	2	30				
1,2-Dichlorobenzene	109	107	83-117	2	30				
1,3-Dichlorobenzene	108	107	79-132	1	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
1,4-Dichlorobenzene	109	107	79-120	2	30				
Dichlorodifluoromethane	87	83	28-136	5	30				
1,1-Dichloroethane	101	102	88-136	1	30				
1,2-Dichloroethane	115	112	82-135	2	30				
1,1-Dichloroethene	109	110	83-150	1	30				
cis-1,2-Dichloroethene	107	106	82-129	0	30				
trans-1,2-Dichloroethene	111	111	88-127	0	30				
Dichlorofluoromethane	114	115	81-161	1	30				
1,2-Dichloropropane	103	103	91-126	0	30				
1,3-Dichloropropane	100	100	80-127	0	30				
2,2-Dichloropropane	102	104	80-134	1	30				
1,1-Dichloropropene	112	113	86-139	1	30				
cis-1,3-Dichloropropene	98	99	74-132	1	30				
trans-1,3-Dichloropropene	95	96	71-128	1	30				
Ethyl ether	75	77	57-139	2	30				
Ethylbenzene	106	107	80-140	1	30				
Freon 113	114	109	77-147	4	30				
Hexachlorobutadiene	112	109	65-128	3	30				
Isopropylbenzene	109	109	81-133	0	30				
p-Isopropyltoluene	104	103	84-124	0	30				
Methyl Tertiary Butyl Ether	92	94	82-132	2	30				
4-Methyl-2-Pentanone	89	90	69-149	1	30				
Methylene Chloride	107	108	77-135	2	30				
n-Propylbenzene	103	103	79-131	1	30				
Styrene	108	108	63-151	1	30				
1,1,1,2-Tetrachloroethane	111	111	87-126	0	30				
1,1,2,2-Tetrachloroethane	97	95	75-131	2	30				
Tetrachloroethene	116	115	75-129	1	30				
Tetrahydrofuran	119	111	56-154	7	30				
Toluene	107	106	83-127	1	30				
1,2,3-Trichlorobenzene	95	94	73-125	0	30				
1,2,4-Trichlorobenzene	97	96	77-120	1	30				
1,1,1-Trichloroethane	116	115	85-140	0	30				
1,1,2-Trichloroethane	106	105	85-129	0	30				
Trichloroethene	114	115	85-131	1	30				
Trichlorofluoromethane	118	115	73-139	3	30				
1,2,3-Trichloropropane	108	105	76-120	2	30				
1,2,4-Trimethylbenzene	104	104	87-126	0	30				
1,3,5-Trimethylbenzene	104	102	89-129	2	30				
Vinyl Chloride	96	96	62-135	0	30				
Xylene (Total)	107	108	81-137	1	30				

Batch number: H132421AA	Sample number(s): 7177392,7177398 UNSPK: P179098								
Acetone	108	113	57-163	4	30				
Allyl Chloride	108	103	56-160	5	30				
Benzene	103	107	87-126	4	30				
Bromobenzene	108	111	80-123	3	30				
Bromochloromethane	112	105	82-125	7	30				
Bromodichloromethane	110	118	82-133	7	30				
Bromoform	110	113	60-138	2	30				
Bromomethane	96	93	66-130	3	30				
2-Butanone	104	113	56-160	8	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup RPD</u> <u>Max</u>
n-Butylbenzene	111	111	83-131	0	30				
sec-Butylbenzene	108	108	84-128	0	30				
tert-Butylbenzene	110	108	84-135	2	30				
Carbon Tetrachloride	121	124	81-148	2	30				
Chlorobenzene	108	113	78-133	5	30				
Chloroethane	99	99	70-139	0	30				
Chloroform	113	119	86-136	5	30				
Chloromethane	95	94	49-135	1	30				
2-Chlorotoluene	107	110	75-134	2	30				
4-Chlorotoluene	110	112	76-134	2	30				
1,2-Dibromo-3-chloropropane	101	100	43-143	2	30				
Dibromochloromethane	112	119	79-125	5	30				
1,2-Dibromoethane	107	115	84-127	7	30				
Dibromomethane	103	110	83-126	7	30				
1,2-Dichlorobenzene	113	113	83-117	1	30				
1,3-Dichlorobenzene	112	111	79-132	0	30				
1,4-Dichlorobenzene	112	112	79-120	1	30				
Dichlorodifluoromethane	83	82	28-136	1	30				
1,1-Dichloroethane	109	113	88-136	3	30				
1,2-Dichloroethane	118	123	82-135	4	30				
1,1-Dichloroethene	108	109	83-150	1	30				
cis-1,2-Dichloroethene	100	104	82-129	4	30				
trans-1,2-Dichloroethene	109	111	88-127	2	30				
Dichlorofluoromethane	116	112	81-161	3	30				
1,2-Dichloropropane	106	114	91-126	7	30				
1,3-Dichloropropane	107	114	80-127	6	30				
2,2-Dichloropropane	117	120	80-134	2	30				
1,1-Dichloropropene	112	115	86-139	3	30				
cis-1,3-Dichloropropene	98	108	74-132	10	30				
trans-1,3-Dichloropropene	108	116	71-128	7	30				
Ethyl ether	118	116	57-139	2	30				
Ethylbenzene	105	111	80-140	5	30				
Freon 113	108	109	77-147	1	30				
Hexachlorobutadiene	103	100	65-128	3	30				
Isopropylbenzene	107	111	81-133	4	30				
p-Isopropyltoluene	107	107	84-124	1	30				
Methyl Tertiary Butyl Ether	99	105	82-132	5	30				
4-Methyl-2-Pentanone	117	124	69-149	6	30				
Methylene Chloride	103	105	77-135	2	30				
n-Propylbenzene	110	112	79-131	2	30				
Styrene	111	116	63-151	5	30				
1,1,1,2-Tetrachloroethane	113	120	87-126	7	30				
1,1,2,2-Tetrachloroethane	115	117	75-131	1	30				
Tetrachloroethene	106	112	75-129	5	30				
Tetrahydrofuran	89	99	56-154	11	30				
Toluene	106	113	83-127	6	30				
1,2,3-Trichlorobenzene	86	91	73-125	5	30				
1,2,4-Trichlorobenzene	93	96	77-120	3	30				
1,1,1-Trichloroethane	117	122	85-140	4	30				
1,1,2-Trichloroethane	112	118	85-129	5	30				
Trichloroethene	107	113	85-131	5	30				
Trichlorofluoromethane	114	108	73-139	5	30				

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

### Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike  
Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
1,2,3-Trichloropropane	122*	120	76-120	2	30				
1,2,4-Trimethylbenzene	111	112	87-126	0	30				
1,3,5-Trimethylbenzene	110	111	89-129	1	30				
Vinyl Chloride	99	97	62-135	3	30				
Xylene (Total)	107	113	81-137	5	30				

Batch number: 132401848001	Sample number(s): 7177381-7177397 UNSPK: 7177385 BKG: 7177385								
Arsenic	104	102	81-123	2	20	N.D.	N.D.	0 (1)	20
Barium	101	99	78-118	1	20	0.0610	0.0602	1	20
Cadmium	101	101	83-116	0	20	N.D.	N.D.	0 (1)	20
Calcium	98	97	81-118	1	20	6.25	6.23	0	20
Chromium	101	100	81-120	1	20	N.D.	N.D.	0 (1)	20
Lead	105	104	75-125	1	20	N.D.	N.D.	0 (1)	20
Magnesium	97	95	75-125	1	20	2.90	2.89	0	20
Nickel	104	104	86-115	1	20	N.D.	N.D.	0 (1)	20
Selenium	101	99	75-125	2	20	N.D.	N.D.	0 (1)	20
Silver	102	102	75-125	0	20	N.D.	N.D.	0 (1)	20
Vanadium	99	98	90-111	1	20	N.D.	N.D.	0 (1)	20

Batch number: 132405713004	Sample number(s): 7177381-7177397 UNSPK: 7177387 BKG: 7177387								
Mercury	97	92	80-120	5	20	N.D.	N.D.	0 (1)	20

Batch number: 13246807902A	Sample number(s): 7177381-7177396 UNSPK: 7177381								
HEM (oil & grease)	39*		78-114						

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: BTEX 25-ml purge  
Batch number: C132402AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7177381	103	101	97	96
7177382	105	101	97	95
7177383	104	104	96	96
7177384	104	102	97	96
7177385	105	101	96	96
7177386	104	101	97	96
7177387	105	102	96	96
7177388	106	100	97	96
7177389	105	102	96	96
7177390	106	102	96	95
7177391	107	104	95	95
7177393	106	101	97	96
7177394	105	102	97	95
7177395	106	103	97	96
7177396	106	104	96	96

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: ExxonMobil c/o Arcadis  
Reported: 09/05/13 at 09:01 AM

Group Number: 1414707

### Surrogate Quality Control

7177397	106	104	97	95
Blank	103	102	97	96
LCS	103	101	99	100
MS	105	103	98	99
MSD	105	105	98	99

Limits: 77-114                      74-113                      77-110                      78-110

Analysis Name: BTEX 25-ml purge

Batch number: H132421AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
7177392	112	105	102	98
7177398	111	106	100	99
Blank	112	107	103	98
LCS	107	105	103	104
MS	108	103	104	103
MSD	108	104	105	105

Limits: 77-114                      74-113                      77-110                      78-110

Analysis Name: PAHs in waters by SIM

Batch number: 13241WAB026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
7177381	95	73	111
7177382	96	74	108
7177383	96	75	107
7177384	93	61*	107
7177385	93	60*	107
7177386	97	70	110
7177387	88	65	108
7177388	97	73	109
7177389	93	61*	105
7177390	91	63	107
7177391	88	68	109
7177392	96	63	107
7177393	95	62	111
7177394	95	88	108
7177395	97	73	110
7177396	94	62	110
7177397	94	95	107
Blank	95	99	106
LCS	96	101	110
LCSD	97	104	113

Limits: 44-137                      62-141                      51-136

\*- Outside of specification

\*\* - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

# ExxonMobil Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 14739

For Eurofins Lancaster Laboratories Environmental use only

Group # 1414707 Sample # 7177381-98

Instructions on reverse side correspond with circled numbers.

Ps. 1 of 2

1 Client Information				4 Matrix				5 Analyses Requested								6 Remarks																																														
Facility #/SID <u>Mayflower Pipeline Incident</u>				Sediment <input type="checkbox"/> Potable <input type="checkbox"/> Ground <input type="checkbox"/> NPDES <input type="checkbox"/> Surface <input checked="" type="checkbox"/> Air <input type="checkbox"/> Oil <input type="checkbox"/>	Preservation Code								H = HCl      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other																																																	
Site Address <u>Mayflower, AR</u>					<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; text-align: center;">H</td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> <td style="width: 20px;"></td> </tr> <tr> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> </tr> <tr> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> <td style="text-align: center;">H</td> </tr> </table>								H																H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	SCR#: _____  Lab to filter & preserve Diss. metals upon receipt	
H																																																														
H	H	H	H										H	H	H	H	H	H	H	H	H	H	H	H																																						
H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H																																															
ExxonMobil PM <u>Scott Bushroe</u>		Cost Center/AFE																																																												
Consultant/Office <u>ArcoDis</u>																																																														
Consultant PM <u>Steve Borricks</u>		Consultant Phone # <u>919-302-6799</u>		Total # of Containers VOCs 826013 PAH 8270 SIM RCRA METALS + Ni, V, Cr, Mn Diss. Metals HEM Oil 96greasy																																																										
Sampler <u>Tyler Milburn / Hans Van Aller</u>																																																														
2 Sample Identification		3 Collected		Grab	Composite																																																									
Date	Time																																																													
<u>WS-014(1.5-2.0)082713</u>	<u>8-27-13</u>	<u>850</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-014(5.5-6.0)082713</u>		<u>900</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-012(1.5-2.0)082713</u>		<u>910</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-012(5.0-5.5)082713</u>		<u>920</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-010(1.5-2.0)082713</u>		<u>930</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-010(3.5-4.0)082713</u>		<u>940</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-006(0.5-1.0)082713</u>		<u>950</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-005(Sur Face)082713</u>		<u>1020</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-002(Sur Face)082713</u>		<u>1040</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-018(Sur Face)082713</u>		<u>1150</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-011(1.5-2.0)082713</u>		<u>1100</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														
<u>WS-011(5.0-5.5)082713</u>		<u>1115</u>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		9	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>																																														

# ExxonMobil Analysis Request/Chain of Custody



**Lancaster Laboratories Environmental**

Acct. # 14739

For Eurofins Lancaster Laboratories Environmental use only

Group # 1414707 Sample # 7177381-98

Instructions on reverse side correspond with circled numbers.

ps. 2 of 2

1 Client Information			4 Matrix			5 Analyses Requested							6 Remarks																															
Facility #/SID <u>Maxflower Pipeline Incident</u>			Sediment <input type="checkbox"/> Ground <input type="checkbox"/> Surface <input checked="" type="checkbox"/> Potable <input type="checkbox"/> NPDES <input type="checkbox"/> Air <input type="checkbox"/>			Preservation Code							SCR#: _____ Preservation Codes: H = HCl      T = Thiosulfate N = HNO <sub>3</sub> B = NaOH S = H <sub>2</sub> SO <sub>4</sub> O = Other																															
Site Address <u>Maxflower, AR</u>						<table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td><td>N</td><td>H</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>✓</td><td>✓</td><td>✓</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td colspan="11">                             VOCs 8260B    PAH 8270 SIM    RCRA Metals + Ni, V, Cr, Mg    Diss. Metals    HEM oil &amp; Grease                         </td> </tr> </table>									H	N	H									✓	✓	✓									VOCs 8260B    PAH 8270 SIM    RCRA Metals + Ni, V, Cr, Mg    Diss. Metals    HEM oil & Grease							
H	N	H																																										
✓	✓	✓																																										
VOCs 8260B    PAH 8270 SIM    RCRA Metals + Ni, V, Cr, Mg    Diss. Metals    HEM oil & Grease																																												
ExxonMobil PM <u>Scott Bushroe</u>		Cost Center/AFE		Consultant/Office <u>ArcoDis</u>		Consultant Phone # <u>919-302-6799</u>		Sampler <u>Tyler Milburn / Hans von Allen</u>		(6) <del>Lab</del> Lab to filter & preserve Diss. Metals upon receipt																																		
Sample Identification			Collected		Grab		Composite		Soil			Water		Oil																														
			Date		Time																																							
<u>WS-003 (Surface) 082713</u>			<u>8/27/13</u>		<u>1200</u>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<u>9</u>																														
<u>WS-007 (O.S.L.) 082713</u>			↓		<u>1210</u>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<u>9</u>																														
<u>WS-001 (O.S.L.) 082713</u>			↓		<u>1230</u>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<u>9</u>																														
<u>Dup-WS-77-082713</u>			↓		—		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>		<u>9</u>																														
<u>WS-EB-043-082713</u>			↓		<u>1330</u>		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<u>7</u>																															
<u>WS-TB-134-082713</u>			↓		—		<input checked="" type="checkbox"/>				<input checked="" type="checkbox"/>		<u>2</u>																															

7 Turnaround Time Requested (TAT) (please circle)			Relinquished by		Date	Time	Received by		Date	Time	(9)
Standard <u>5 day</u> 4 day			<u>Tyler Mills</u>		<u>8/27/13</u>	<u>1500</u>					
72 hour      48 hour      24 hour											
			Relinquished by		Date	Time	Received by		Date	Time	
			Relinquished by		Date	Time	Received by		Date	Time	
8 Data Package (circle if required)			EDD (circle if required)		Relinquished by Commercial Carrier			Received by		Date	Time
Type I - Full			Locus EIM (default)		UPS <input checked="" type="checkbox"/> FedEx _____ Other _____			<u>C. S. Miller</u>		<u>8/28/13</u>	<u>0935</u>
Type VI (Raw Data)			Other _____		Temperature Upon Receipt <u>0.4-2.4 °C</u>			Custody Seals Intact?		<u>Yes</u>	No
NJ Reduced											
Other _____											

Eurofins Lancaster Laboratories Environmental, LLC • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300

The white copy should accompany samples to Eurofins Lancaster Laboratories Environmental. The yellow copy should be retained by the client.

Environmental Sample Administration  
Receipt Documentation Log

1414707

Client/Project: Mayflower Waters  
 Date of Receipt: 8/26/13  
 Time of Receipt: 0935  
 Source Code: 60-1

Shipping Container Sealed: YES NO

Custody Seal Present \* : YES NO

\* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	DT146	2.3	TB	WI	Y	B	
2	↓	1.0	↓	↓	↓	↓	
3		1.1					
4		0.4					
5		0.4					
6		2.4					

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:  
Received 1 broken sb jar - WS-005 (surface) 082713 @ 1020

Unpacker Signature/Emp#: C. Eshler 3647 Date/Time: 8/28/13 1015

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>RL</b>	Reporting Limit	<b>BMQL</b>	Below Minimum Quantitation Level
<b>N.D.</b>	none detected	<b>MPN</b>	Most Probable Number
<b>TNTC</b>	Too Numerous To Count	<b>CP Units</b>	cobalt-chloroplatinate units
<b>IU</b>	International Units	<b>NTU</b>	nephelometric turbidity units
<b>umhos/cm</b>	micromhos/cm	<b>ng</b>	nanogram(s)
<b>C</b>	degrees Celsius	<b>F</b>	degrees Fahrenheit
<b>meq</b>	milliequivalents	<b>lb.</b>	pound(s)
<b>g</b>	gram(s)	<b>kg</b>	kilogram(s)
<b>µg</b>	microgram(s)	<b>mg</b>	milligram(s)
<b>mL</b>	milliliter(s)	<b>L</b>	liter(s)
<b>m<sup>3</sup></b>	cubic meter(s)	<b>µL</b>	microliter(s)
		<b>pg/L</b>	picogram/liter

< less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.

> greater than

**ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

**ppb** parts per billion

**Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

*Data Qualifiers:*

**C** – result confirmed by reanalysis.

**J** - estimated value – The result is  $\geq$  the Method Detection Limit (MDL) and  $<$  the Limit of Quantitation (LOQ).

*U.S. EPA CLP Data Qualifiers:*

**Organic Qualifiers**

- A** TIC is a possible aldol-condensation product
- B** Analyte was also detected in the blank
- C** Pesticide result confirmed by GC/MS
- D** Compound quantitated on a diluted sample
- E** Concentration exceeds the calibration range of the instrument
- N** Presumptive evidence of a compound (TICs only)
- P** Concentration difference between primary and confirmation columns  $>25\%$
- U** Compound was not detected
- X,Y,Z** Defined in case narrative

**Inorganic Qualifiers**

- B** Value is  $<$ CRDL, but  $\geq$ IDL
- E** Estimated due to interference
- M** Duplicate injection precision not met
- N** Spike sample not within control limits
- S** Method of standard additions (MSA) used for calculation
- U** Compound was not detected
- W** Post digestion spike out of control limits
- \*** Duplicate analysis not within control limits
- +** Correlation coefficient for MSA  $<0.995$

**Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as “analyze immediately” are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.